


QK11  
.P7  
1866







ICONUM BOTANICARUM

INDEX,

LOCUPLETISSIMUS.

---

PARS PRIMA.

---

VERZEICHNISS DER ABBILDUNGEN  
SICHTBAR BLÜHENDER  
PFLANZEN UND FARNKRÄUTER

AUS DER BOTANISCHEN UND GARTENLITERATUR

DES XVIII. UND XIX. JAHRHUNDERTS

IN ALPHABETISCHER FOLGE ZUSAMMENGESTELLT

VON

DR. G. A. PRITZEL.

---

ZWEITE BIS ZU ENDE DES JAHRES 1865 FORTGEFÜHRTE, AUSGABE.

ERSTER THEIL.

---

BERLIN

NICOLAISCHE VERLAGSBUCHHANDLUNG.

(A. EFFERT & L. LINDTNER.)

1866.

QK 11  
.P7  
1866

## VORWORT.

Ich übergebe hiermit den Botanikern, so wie den gebildeten Freunden und Pflegern der Gärten ein Werk, welches sich die Aufgabe gestellt hat, alle werthvollen Abbildungen sichtbar blühender Pflanzen und Farnkräuter auf möglichst einfache Art nachzuweisen. Aus der vorlinneischen Periode haben nur einige wenige Epoche machenden Autoren eine Stelle gefunden.

Die Redaktion eines Buches, für welches ein Muster in der botanischen Literatur nicht vorlag, war mit manchen Schwierigkeiten verknüpft. Möglichste Vollständigkeit mußte erstrebt werden; und durch erfreuliche Zeugnisse von Seiten wohl bewanderter Monographen bin ich unterrichtet von dem Maße, in welchem dieses Ziel erreicht worden ist. Für diejenigen Beurtheiler, welche im Stande sind, die botanische Literatur zu überblicken, wird es nichts Befremdendes haben, zu hören, daß dennoch weit über hunderttausend Abbildungen wegen ihrer Werthlosigkeit ausgeschieden werden mußten. Daß sich unter einer so ungeheuren Menge eine Anzahl finden müsse, deren Erwähnung dem einen oder dem andern Benutzer dieses Buchs für seine besonderen Zwecke wünschenswerth gewesen wäre, ist eben so wenig in Abrede zu stellen, als daß umgekehrt eine beträchtliche Anzahl Abbildungen aufgenommen worden sind, welche Andern, zumal den wissenschaftlich gebildeten Botanikern, äußerst entbehrlich scheinen werden. Ich habe diese so verschiedenen Ansprüche wohl erwogen, und mich mit Ernst bemüht, jedem so weit gerecht zu werden, als er mir es zu verdienen schien. Ich zweifle sehr, daß irgend Jemand Verlangen trägt, die tausend und aber tausend Bilderchen in Deakin Florigraphia, Denisse Flore d'Amérique, Mil's Jackson Pictorial Flora, Morris Flora conspicua, Loudon Encyclopaedia, die noch schlimmern Fabrikate unsrer biedern sächsischen Landsleute ganz zu verschweigen, kennen zu lernen. Für einen wesentlichen Mangel meiner Arbeit aber halte ich, im vollen Einverständniß mit meinem verehrten Freunde von Schlechtendal, den Umstand, daß einzelne gute Originalabbildungen aus Werken, wie Loudon's Arboretum, Berg's Charakteristik der Pflanzengenera, Le Maout's Leçons élémentaires, Franz Schmidt's Oestreichs Baumzucht, Kerner's Oekonomischen Gewächsen, und anderen, unerwähnt geblieben sind. Ich vermag dieses nur durch die consequente Durchführung des von mir angenommenen Grundsatzes zu erklären, die zur Benutzung einmal ausgewählten Werke immer vollständig zu excerpiren, welches bei den genannten Büchern wegen ihrer bei weitem zum größten Theil entbehrlichen Darstellungen nicht angemessen erschien. Bei der

32784

17. Dec. 80.

## VORWORT.

Bearbeitung eines der neuen Publikationen wegen ohnehin unerläßlichen Supplements werde ich indefs durch nachträgliches Citiren der erwähnenswerthen Abbildungen diesem Mangel abzuhelpen nicht unterlassen. Dort soll auch anderen übersehenen, größtentheils vereinzelt Tafeln aus besonders seltenen Werkchen oder bisher unerlangbaren Zeitschriften und akademischen Abhandlungen ihr Recht widerfahren. Meine zahlreichen Freunde und Correspondenten, denen ich bei der nicht eben mühelosen Bearbeitung dieses Buches schon so viele erspriefsliche Theilnahme zu verdanken habe, werden mich durch fernere Hülfe bei Ausfüllung der von ihnen wahrgenommenen Lücken aufs Neue lebhaft verpflichtet. Ich werde zu diesem Ende nicht versäumen, durch die Botanische Zeitung eine kleine Liste der mir unzugänglichen seltenen Bücher, in welchen sich Pflanzenabbildungen befinden, zu ihrer Kenntniß zu bringen.

Um vieles einfacher als die Entscheidung zwischen dem Aufzunehmenden und Auszuschließenden war die Wahl der inneren Einrichtung des Buches. Die alphabetische Anordnung mit Beibehaltung der Namen, unter denen die Abbildungen veröffentlicht wurden, erwies sich hierbei als die zweckmäßigste Methode. Eine durchgreifende Berichtigung der Synonymik wäre eine Aufgabe für Jahrzehnte gewesen, und hätte nur von einem der wenigen unterrichteten Systemkenner, welche wir noch besitzen, gelöst werden können. Einige Tausend solcher Berichtigungen vorzunehmen, welches ich sehr wohl im Stande gewesen wäre, und die große Masse unberührt liegen zu lassen, schien mir ein Mißgriff, zu dessen Unterlassung ich mir Glück wünsche. Anders verhielt es sich natürlich mit der Nomenklatur einiger älteren Autoren, wie Rheedee, Rumpf, Kaempfer, bei deren Berichtigung die vorhandenen Commentare und die Citate neuerer Schriftsteller gute Dienste leisteten.

Eine Uebersicht der hauptsächlichsten excerptirten Werke habe ich dem Buche vorangeschickt, damit man sich leichter in den Citaten zurechtfinde. Die erste großgedruckte Zahl vor dem Komma bezeichnet den Band, die folgende kleinere die Tafel. Bloße Analysendarstellungen sind durch ein †, Monstrositäten durch ein ! ausgezeichnet worden.

Die Ausführung dieses Unternehmens lag mir nach jahrelanger Beschäftigung mit der botanischen Literatur um so näher, als mir meine bevorzugte Stellung an der Königlichen Bibliothek zu Berlin, welche im Fache der Botanik mit den berühmten Bibliotheken Delessert's und des Wiener Gartens erfolgreich wetteifert, nicht nur die Gelegenheit bot, weit über 80,000 Abbildungen nach Autopsie zu verzeichnen, sondern mir auch die Pflicht nahe legte, so reiche Schätze durch Verzeichnung derselben der wissenschaftlichen Benutzung noch zugänglicher zu machen.

Nur etwa 6000 in hier nicht vorhandenen Werken befindliche Abbildungen habe ich theils in Wien selbst verzeichnet, theils verdanke ich sie den gütigen Bemühungen verehrter Freunde in Paris und London.

GEORG PRITZEL.



HERRN

**HEINRICH SCHOTT**

DIREKTOR DES KAISERLICHEN GARTENS ZU SCHÖNBRUNN

ALS EIN ZEICHEN

SEINER AUFRICHTIGEN VEREHRUNG UND ERGEBENHEIT

ZUGEEIGNET

VOM HERAUSGEBER.



# ÜBERSICHT

## DER VORZÜGLICHSTEN CITIRTEN WERKE.

- Abh. Acad. Berl. = (Sammlung der) Abhandlungen der Kön. Akademie der Wissenschaften zu Berlin in den Jahren 1788—1853. Berlin 1793—1854. 4°. (15 Arten.)
- Acad. Brux. = Nouveaux Mémoires de l'académie royale des sciences de Bruxelles. Tome 1—27. Bruxelles 1820—1853. 4°. (58 Arten.)
- Acad. Neap. = Atti della reale academia delle scienze. Vol. 1—6. Napoli 1819—1852. 4°. (28 Arten.)
- Acad. Pet. = Mémoires de l'acad. des sc. de Petersbourg. (Sixième Série.) Tome 1—8. Petersbourg 1831—49. 4°. (127 Arten.) (Die ältere Serie, Band 1—11. Petersburg 1809—1830. 4° mit 77 Arten wird zur Unterscheidung nur „Pet.“ oder „Petersb.“ citirt.)
- Acta Acad. hung. = A' Magyar Tudós Társaság Evkönyvei. Vol. 1—7. Pesth 1833—1846. 4°. (22 Arten.)
- Acta Leop. = Nova Acta Academiae Car. Leop. Nat. Cur. Vol. 9—24. Vrat. et Bonnae 1809—1854. 4°. (286 Arten.) (Die Acta werden citirt nach Band und Abtheilung und Supplement: z. B. 9. I, 1.)
- Acta palat. = Acta Academiae Theodoro-Palatinae. Tomus 1—6. Mannheimii 1766—1790. 4°. (24 Arten.)
- All. Fl. ped. = Allione, Flora pedemontana. Aug. Taur. 1785. 3 voll. folio. (226 Arten auf 92 Kupfertafeln. Pritzel, Thes. no. 159.)
- Anales de hist. nat. = Anales de historia natural. Vol. 1—7. Madrid 1799—1804. 8°. (54 Arten auf 49 Tafeln.)
- Andr. Rep. = Andrews, The Botanists Repository. London 1797—1811. 10 voll. 4°. (tab. col. 1—664: 633 Arten. Pritzel, Thes. no. 220.)
- Annales de Gand = Annales de la société royale d'agriculture et de botanique de Gand, redigées par Charles Morren. Vol. 1—4. Gand et Bruxelles 1845—1848. 8°. (Tab. col. 1—231: 234 Arten. Wird nach der Jahreszahl der Bände citirt; für einige Tafeln des vierten Bandes gilt eine neue Zählung von 1 an. Pritzel, Thes. no. 7228<sup>b</sup>.)
- Ann. gen. = Annales générales des sciences physiques, par Bory de St. Vincent, Drapiez et van Mōns. Vol. 1—8. Bruxelles 1819—1821. 8°. (54 Arten.)
- Ann. sc. nat. = Annales des sciences naturelles. (Série I. II. III.) Paris 1824—1854. 70 voll. 8°.  
I. vol. 1—30. 1824—1833. 585 Tafeln 153 Arten  
II. vol. 1—20. 1834—1843. 580 „ 206 „  
III. vol. 1—20. 1844—1854. 443 „ 304 „  
1608 Tafeln 663 Arten.
- Ann. Mus. = Annales du Muséum d'histoire naturelle. (Vgl. Mem. Mus. und N. Ann. Mus.) Tome 1—20. Paris 1802—1813. 4°. (322 Arten auf 641 schwarzen Kupfertafeln.)
- Antoine Conif. = Antoine, die Coniferen nach Lambert, Loudon u. A. frei bearbeitet. Wien 1840—1846. folio. (84 Arten auf 53 colorirten Tafeln. Pritzel, Thes. no. 245.)
- Arch. Mus. = Archives du Muséum d'histoire naturelle. Tome 1—6. Paris 1839—1852. 4°. (149 Arten auf 183 schwarzen u. colorirten Kupfertafeln.)
- Ard. Anim. = Arduino, Animadversionum botanicarum specimen II. Patavii 1763. 4°. (tab. 1—20. 21 Arten. Pritzel, Thes. no. 275.)
- Asiat. Res. = Asiatick Researches. Vol. 1—6. 12—20. London 1799—1801. Calcutta 1816—1839. 4°. (Vol. 7—11. sind von mir nicht excerpirt. 29 Arten.)
- Asso Arag. = (Asso) Synopsis stirpium Aragoniae. Massiliae 1779—1781. 4°. (tab. 1—11. 23 Arten. Pritzel, Thes. no. 321.)
- Aubert Iles d'Afrique = Aubert du Petit-Thouars, Histoire des végétaux des îles australes d'Afrique. Paris 1806. 4°. (Tab. col. 1—24: 28 Arten. Pritzel, Thes. no. 328.)
- Aubert Orchid. = Aubert du Petit-Thouars, Histoire des Orchidées des trois îles d'Afrique. Paris 1822. 4°. (110 tab. nigr. 85 Arten. Pritzel, Thes. no. 341.)
- Aublet Guiana = Aublet, Histoire des plantes de la Guianae française. Londres et Paris 1775. 4°. 4 voll. (Tab. nigr. 1—392. 406 Arten. Pritzel, Thes. no. 345.)
- Barton Med. = Barton, Vegetable Materia medica of the United States. Philad. 1817—1818. 4°. (Tab. col. 1—50: 50 Arten. Pritzel, Thes. no. 526.)
- Bateman Orchid. = Bateman, The Orchidaceae of Mexico and Guatemala. London (1837—1843.) folio. (Tab. pulch. col. 1—40: 40 Arten. Pritzel, Thes. no. 549. Bot. Museum in Wien.)
- Bauer Illustr. = Ferd. Bauer, Illustrationes Florae Novae Hollandiae. Londini 1813. folio. (Tab. nigr. 1—15: 15 Arten. Pritzel, Thes. no. 570.)
- Bauer Orchid. = Franz Bauer and John Lindley, Illustrations of Orchidaceous plants. London 1830—1838. folio. (Tab. col. 1—15, 1—20, mit 31 Arten. Prachtvolle Zeichnungen, lithographirt von Gauci. Ich citire: 1—15, und Genera 1—20. Pritzel, Thes. no. 575.)
- Baxter Brit. Bot. = Baxter, British phaenogamous Botany. Vol. 1—6. London 1834—1843. gr. 8°. (Tab. col. 1—509: 507 Arten. Pritzel, Thes. no. 610.)
- Bél. Ind. or. = Bélanger, Voyage aux Indes orientales. Paris s. a. (nach 1830.) 4°. (15 unsignirte Tafeln Phanerogamen mit 19 Arten, und 16 Tafeln (sign. 1—16) Kryptogamen, von denen auf Tafel

- 1—8 und 16 zusammen 12 Filices dargestellt sind. Pritzel, Thes. no. 670.)
- Bennett Java = Bennett, et Robert Brown, *Plantae javanicae rariores, quas in insula Java legit Thomas Horsfield. Londini 1838—1852. folio.*  
 I: 1838. tab. col. 1—25.  
 II: 1840. tab. col. 26—40.  
 III: 1844. tab. col. 41—45.  
 IV: 1852. tab. col. 46—50.  
 (50 Arten. Pritzel, Thes. no. 709.)
- Bentham Sulphur = Bentham, *The Botany of the Voyage of H. M. S. Sulphur. London 1844. 4°.* (Tab. nigr. 1—60: 63 Arten. Zeichnungen mit Analysen auf Stein von Miss Drake; Druck von Hullmandel und Walton. Pritzel, Thes. no. 722.)
- Bigelow Med. = Bigelow, *American Medical Botany. Vol. 1—3. Boston 1817—1820. 4° min.* (Tab. col. 1—60: 60 Arten. Pritzel, Thes. no. 873.)
- Bill. Nov. Holl. = De La Billardièrre, *Novae Hollandiae plantarum specimen. Parisiis 1804—1806. 2 voll. gr. 4°.* (Tab. 1—265: 259 Arten. Schwarze Kupferstiche von Plée; Zeichnungen mit Analysen von Turpin und Poiteau. Die Tafeln 253—262 enthalten Moose u. Algen. Vol. 1: 1804. tab. 1—142. Vol. 2: 1806. tab. 143—265. (Pritzel, Thes. no. 2348.)
- Bill. Syr. = De La Billardièrre, *Icones plantarum Syriae rariorum. Paris 1791—1812. 4°.*  
 Decas I: 1791. tab. 1—10.  
 „ II: 1791. tab. 1—10.  
 „ III: 1809. tab. 1—10.  
 „ IV: 1812. tab. 1—10.  
 „ V: 1812. tab. 1—10.  
 (56 Arten. Schwarze Kupferstiche mit Analysen nach Zeichnungen von Redouté u. Poiteau. Dien sc. Pritzel, Thes. no. 2349.)
- Bill. Sertum = De La Billardièrre, *Sertum austro-caledonicum. Pars 1. 2. Parisiis 1824—1825. 4°.*  
 I: 1824. tab. nigr. 1—41.  
 II: 1825. tab. nigr. 42—80.  
 (79 Arten. Zeichnungen mit Analysen von Turpin. Pritzel, Thes. no. 2350.)
- Blume Java = Blume, *Flora Javae. Fasc. 1—42. Bruxellis 1828—1852. folio. Citantur secundum XII Monographias ordine alphabetico:*  
 1. Anonaceae, p. 1—108, tab. 1—53. (compl.)  
 2. Balsamifuae, p. 1—12, tab. 1—2. (compl.)  
 3. Chloranthaceae, p. 1—14, tab. 1—2. (compl.?)  
 4. Cupuliferae, p. 1—46, tab. 1—24. (compl.)  
 5. Diptero-carpeae, p. 1—24, tab. 1—6. (compl.)  
 6. Filices, p. 1—196, tab. 1—94. (incompl.)  
 7. Juglandae, p. 1—16, tab. 1—5. (compl.)  
 8. Loranthaceae, p. 1—40, tab. 1—28. (incompl.)  
 9. Magnoliaceae, p. 1—40, tab. 1—12. (compl.)  
 10. Myricae, p. 1—8, tab. 1. (compl.)  
 11. Rhizanthae, p. 1—26, tab. 1—6. (compl.)  
 12. Schizandreae, p. 1—18, tab. 1—5. (compl.)  
 (247 Arten auf 238 fast durchweg colorirten Tafeln. Pritzel, Thes. no. 956.)
- Blume Mus. = Blume, *Museum botanicum Lugduno—Batavum. Tom. 1. Lugd. Bat. 1849—1851. 8°.* (Tab. nigr. (1—24), sign. Species 1—60. Schöne Analysenzeichnungen von Blume und Decaisne. Pritzel, Thes. no. 958<sup>b</sup>.)
- Blume Rumphia = Blume, *Rumphia. Lugd. Bat. 1835—1848. 4 voll. folio.* (210 tab. col. sign. 1—200<sup>b</sup>. 246 Arten.)  
 I: 1835. tab. 1—70.  
 II: 1836. tab. 71—137.  
 III: 1847. tab. 138—173.  
 IV: 1848. tab. 174—200<sup>b</sup>.  
 (Schöne Zeichnungen mit Analysen; colorirte Litho-

- graphien; einzelne schwarze Tafeln und Vegetationsansichten. Pritzel, Thes. no. 958.)
- Boiss. Esp. = Boissier, *Voyage botanique dans le midi de l'Espagne. Paris 1839—1845. 4°.* (208 von Heyland gezeichnete u. von Borromée gestochene, schön colorirte Tafeln, mit der Signatur 1—181: 239 Arten. Pritzel, Thes. no. 1061.)
- Bonpl. Malm. = Bonpland, *Description des plantes rares cultivées à Malmaison et à Navarre. Paris 1813. folio.* (Tab. col. 1—64: 64 Arten. Sehr schöne von Redouté gemalte Kupferstiche mit Analysen. Pritzel, Thes. no. 1109.)
- Bory Coq. = Bory de St. Vincent, *Botanique (Cryptogamie) du Voyage de la Coquille, par Duperrey. Paris 1828. folio.* (38 Tafeln mit 21 Arten. Tafel 1—24 sind colorirt und enthalten Algen; Tafel 25—38 Filices. Pritzel, Thes. no. 1149.)
- Bory Iles d'Afrique = Bory, *Voyage dans les quatre principales îles d'Afrique. Paris 1804. 8°.* et Atlas. (16 botanische Tafeln in schwarzem Kupferstich mit 15 Arten. Pritzel, Thes. no. 1145.)
- Bory Iles fort. = Bory, *Essais sur les îles fortunées. Paris 1803. 4°.* (7 Tafeln mit 2 Arten. Pritzel, Thes. no. 1146.)
- Bory Morée = Bory de St. Vincent et Brongniart, *Expédition scientifique de Morée. Atlas. Botanique. Paris 1831—1835. folio.* (Tab. nigr. 1—37<sup>b</sup>: 48 Arten. Schwarze Kupferstiche mit Analysen, gezeichnet von Eug. Delile, gestochen von Georges, Coignet, Coignus u. A. Pritzel, Thes. no. 1151.)
- Bot. Mag. = Curtis, *Botanical Magazine. Vol. 1—80. London 1783—1854. 8°.*  
 Series I: vol. 1—42.  
 „ II: vol. 43—53.  
 „ III: vol. 54—70.  
 „ IV: vol. 71—80.  
 (Gute colorirte Tafeln, sign. 1—4824, mit 4680 Arten; in den neueren Bänden auch Analysen. Ich citire nach der Bandzahl 1—80. Pritzel, Thes. no. 2091.)
- Bot. Reg. = Edwards (and inde a vol. 14. Lindley) *The Botanical Register. Vol. 1—33. London 1815—1847. gr. 8°.*  
 Vol. 1—23. tab. col. 1—2014.  
 Vol. 24. 1838. tab. 1—68.  
 Vol. 25. 1839. tab. 1—69.  
 Vol. 26. 1840. tab. 1—71.  
 Vol. 27. 1841. tab. 1—70.  
 Vol. 28. 1842. tab. 1—69.  
 Vol. 29. 1843. tab. 1—66.  
 Vol. 30. 1844. tab. 1—67.  
 Vol. 31. 1845. tab. 1—69.  
 Vol. 32. 1846. tab. 1—69.  
 Vol. 33. 1847. tab. 1—70.  
 Zusammen 2702 Tafeln.  
 (Pritzel, Thes. no. 2911.)
- Bot. Zeitung = *Botanische Zeitung*, von Mohl und von Schlechtendal. Jahrg. 1843—1854. 4°. (Etwa 40 Arten; wird nach dem Jahrgange citirt.)
- Brandt und Ratzeb. = Brandt und Ratzeburg, *Deutschland's phanerogamische Giftgewächse. Berlin 1838. 4°.* (Tab. col. 1—48: 57 Arten. Schöne color. Kupferstiche mit vielen Analysen. Pritzel, Thes. no. 1237.)
- Breda Orchid. Javae = Breda, *Genera et species Orchidearum et Asclepiadearum Javae. Vol. 1. Fasc. 1—3. Gandavi 1827. folio.* (Tab. col. 1—15: 16 Arten. Pritzel, Thes. no. 1249. Kais. Hofbibliothek in Wien.)

- Brongniart Coquille = Brongniart, Botanique (Phanérogamie) du Voyage de la Coquille par Duperry. Paris 1829. 4<sup>o</sup> et folio. (67 schwarze Kupfertafeln, sign. 1—78, mit 83 Arten. Die Tafeln 23\*. 55. 57. 58. 63. 65. 66. 67. 72. 73. 74. 76. sind noch nicht erschienen. Pritzel, Thes. no. 1324.)
- Brot. Phytogr. = Brotero, Phytographia Lusitaniae selector. Olisipone 1816—1827. 2 voll. folio. (Tab. nigr. 1—82, 83—181: 192 Arten. Der erste Fascikel mit 8 Tafeln erschien schon früher einmal i. J. 1801. Pritzel, Thes. no. 1341.)
- Bull. Mosc. = Bulletin de la société des naturalistes à Moscou. Moscou 1837—1853. 8<sup>o</sup>. (Etwa 50 Arten.)
- Bull. philom. = Bulletin des sciences de la société philomatique de Paris. Vol. 1—3. Paris 1791—1797. 1800. 1811. 4<sup>o</sup>. Nouveau Bulletin. Tome 1—10. Paris 1807—1826. 4<sup>o</sup>. (Wird nach Jahrgängen citirt. 27 Arten.)
- Burmans Fl. ind. = Burmann, Flora indica. Lugd. Batav. 1768. 4<sup>o</sup>. (Tab. nigr. 1—67. Schwarze Kupferstiche ohne Analysen. Pritzel, Thes. no. 1585.)
- Bury Hex. pl. = Bury, A selection of Hexandrian plants. London (1831—1834). folio max. (Tab. col. 1—51: 54 Arten. In der Privatbibliothek Kaiser Franz II. Pritzel, Thes. no. 1593.)
- Calcutta Journal = Calcutta Journal of natural history, by John Mac Clelland. Vol. 1—7. Calcutta 1841—1847. 8<sup>o</sup>. (Wird nach der Jahreszahl citirt. 66 Arten.)
- Cav. Diss. = Cavanilles, Monadelphiae classis dissertationes decem. Matriti 1790. 4<sup>o</sup>. (Tab. 1—296: 512 Arten. Schwarze Kupferstiche mit kleinen Analysen, nach Zeichnungen von Cavanilles. Pritzel, Thes. no. 1762.)
- Cav. Ic. = Cavanilles, Icones et descriptiones plantarum. Vol. 1—6. Matriti 1791—1801. folio. (Tab. 1—600, 500<sup>b</sup>: 696 Arten. Schwarze Kupferstiche mit Analysen; in jedem Bande 100 Tafeln. Pritzel, Thes. no. 1765.)
- Ces. St. ital. = Cesati, Stirpes italiacae rariores vel novae. Mediolani 1840. folio max. (24 schöne schwarze Kupfertafeln mit Analysen ohne Numerierung; sie sind sämtlich mit x bezeichnet. In der Link'schen und von Schlechtendal'schen Bibliothek. Pritzel, Thes. no. 1786.)
- Cir. Pl. rar. = Cirillo, Plantarum rariorum regni Neapolitani Fasciculus 1—2. Neapoli 1788. 1792. folio. (24 colorirte Kupfertafeln mit Analysen, sign. 1, 1—12. 2, 1—12. 27 Arten. Pritzel, Thes. no. 1858.)
- Colla Hort. Rip. = Colla, Hortus ripulensis. Aug. Taur. 1824. 4<sup>o</sup>. (Schwarze lithographirte Tafeln, sign. 1—40, mit 40 Arten. Die Appendices zum Hortus ripulensis erschienen in Act. Taur. und sind dort citirt. Bibliothek des K. Herbariums. Pritzel, Thes. no. 1903.)
- Coll. Cass. = Colladon, Histoire naturelle des Casses. Montpellier 1816. 4<sup>o</sup>. (20 tab.: 24 Arten. Pritzel, Thes. no. 1916.)
- Comm. Gott. = Commentationes soc. reg. sc. Gottingensis. Vol. 1—16. Gott. 1779—1808. 4<sup>o</sup>. (87 Arten. Vergl. Comm. Gott. rec. und N. Comm. Gott.)
- Comm. Gott. rec. = Commentationes soc. reg. sc. Gottingens recentiores. Vol. 1—8. Gottingae 1811—1841. 4<sup>o</sup>. (36 Arten.)
- Cosson Atlas = Cosson et Germain, Atlas de la Flore des environs de Paris. Paris 1845. 8<sup>o</sup>. (42 schwarze Kupfertafeln, sign. 1—41, 18<sup>b</sup>. Vorzügliche Zeichnungen mit Analysen von Riocreux. Pritzel, Thes. no. 2009.)
- Curt. Lond. = Curtis, Flora Londinensis. New edition by Graves and W. J. Hooker. London 1817—1828. 5 voll. folio.
- vol. I. 1817. tab. col. 1—149.
- „ II. 1821. tab. col. 1—137.
- „ III. 1826. tab. col. 1—143.
- „ IV. 1821. tab. col. 1—144.
- „ V. 1828. tab. col. 145—216.
- (645 schön colorirte Kupfertafeln mit 594 Arten; enthält auch Kryptogamen. Pritzel, Thes. no. 2090.)
- D. C. Camp. = Alph. De Candolle, Monographie des Campanulées. Paris 1830. 4<sup>o</sup>. (20 schwarze Kupfertafeln mit 34 Arten. Pritzel, Thes. no. 2176.)
- D. C. Pl. gr. = De Candolle et Redouté, Plantes grasses. Fasc. 1—31. Paris 1799—1829. gr. folio. Das Werk enthält compl. 186 von Redouté gezeichnete, gestochene und colorirte Tafeln, ohne Signatur, wobei 9 Tafeln, 68, 125, 126, 137, 140, 141 u. 143 doppelt, 138 dreifach vorkommen. Ich citire die Tafeln unter den Nummern 1—177. In den ersten 28 Lieferungen befinden sich 168 Tafeln (citirt 1—159) nebst Text; in den Lieferungen 29—31 sind 18 Tafeln ohne Text, welche ich unter den Nummern 160—177 citire. Pritzel, Thes. no. 2185.)
- D. C. Astr. = De Candolle, Astragalogia. Parisiis 1802. folio. (50 schwarze von Redouté gezeichnete Kupferstiche mit 50 Arten. Pritzel, Thes. no. 2200.)
- D. C. Hort. genev. = De Candolle, Plantes rares du jardin de Genève. Genève (1825—) 1829. 4<sup>o</sup>. (24 schöne colorirte Kupferstiche mit Analysen, nach Zeichnungen von Heyland; mit 23 Arten. Pritzel, Thes. no. 2287.)
- D. C. Ic. Gall. = De Candolle, Icones plantarum Galliae rariorum. Parisiis 1808. folio. (50 schwarze von Turpin und Poiteau gezeichnete, von Pléec dem Jüngern vorzüglich gestochene Kupfertafeln mit 51 Arten. Pritzel, Thes. no. 2214.)
- D. C. Legum. = De Candolle, Mémoires sur la famille des Légumineuses. Paris 1825. 4<sup>o</sup>. (71 schwarze Kupfertafeln nach Zeichnungen von Heyland, mit 60 Arten. Pritzel, Thes. no. 2260.)
- Dela R. Eryng. = Dela Roche, Eryngiorum Historia. Parisiis 1808. folio. (32 schwarze Kupferstiche mit 33 Arten. Pritzel, Thes. no. 2396.)
- Del. Ic. = Delessert, Icones selectae plantarum. Paris 1820—1846. 5 voll. folio.
- vol. 1. 1820. tab. 1—100.
- vol. 2. 1823. tab. 1—100.
- vol. 3. 1837. tab. 1—100.
- vol. 4. 1839. tab. 1—100.
- vol. 5. 1846. tab. 1—101.
- (Zeichnungen von Turpin, Riocreux, Heyland und Decaisne mit vielen Analysen; auf jeder Tafel in der Regel nur eine Art. Wird mit Angabe der Bandzahl citirt. 508 Arten. Pritzel, Thes. no. 2414.)
- Delile Egypte = Raffeneau Delile, Description de l'Égypte. Botanique. Paris 1817. gr. folio. (62 schwarze Kupfertafeln mit Analysen, nach Zeichnungen von Redouté u. A., mit 155 Arten. Pritzel, Thes. no. 8305.)
- Desc. Ant. = Descourtilz, Flore médicale des Antilles. Paris 1821—1829. 8 voll. 8<sup>o</sup>. (Tab. col. 1—600. Sehr mittelmäßig gezeichnete und colorirte Kupferstiche ohne Werth. Bei dem Citat ist der Band angegeben. Pritzel, Thes. no. 2486.)

- Desf. Choix** = Desfontaines, Choix des plantes du Corollaire des Instituts de Tournefort. Paris 1808. 4°. (Tab. 1—70. Aubriet del. Lambert sc. Es giebt schwarze u. colorirte Exemplare. Pritzel, Thes. no. 2494.)
- Desf. Fl. atl.** = Desfontaines, Flora atlantica. Parisiis anno VIII. (1800.) 4°. (261 schwarze Kupfertafeln mit 270 Arten. Tafel 76<sup>bis</sup> und 1 Tafel ohne Signatur: *Atractylis flava*. Tafel 258—261 enthalten niedere Kryptogamen. Zeichnungen von Redouté, Marechal u. A. Kupferstich von Sellier. Pritzel, Thes. no. 2492.)
- Desv. Journ.** = Desvaux, Journal de botanique. Vol. 1—6. Paris 1808—16. 8°. (65 schwarze Tafeln mit 62 Arten; wird nach der Bandzahl citirt. Band 5, tab. 27—30 ist nicht excerpirt. Pritzel, Thes. no. 2529—2530.)
- Dict. sc. nat.** = Dictionnaire des sciences naturelles. Botanique, par Turpin. Paris 1816—1829. 8°. Fougères. tab. 76—103.  
Monocotyledones. tab. 1—82.  
Dicotyledones. tab. 1—313.  
(423 col. Tafeln mit 403 Arten. Pritzel, Thes. no. 11, 630.)
- Dietr. Fl. bor.** = Dietrich, Flora regni borussici. Vol. 1—12. Berlin 1833—1844. 8° max. (864 colorirte lithogr. Tafeln ohne Analysen, mit 418 Arten. 50 Tafeln Pilze von Klotzsch bearbeitet fallen aus. Pritzel, Thes. no. 2590.)
- D'Orb. Voyage** = D'Orbigny, Voyage dans l'Amérique méridionale. Paris 1839—47. gr. 4°. (5 tab. nigr. Phanerogamia, sign. 8. 9. 10. 11. 13. et 32 tab. col. „*Palmetum Orbignianum*, autore Martius“ sign. 1—32. Pritzel, Thes. no. 2690.)
- Dreves** = Dreves und Hayne, Bot. Bilderbuch. Leipzig 1794—1801. 4°. (Tab. col. 1—152: 153 Arten. Pritzel, Thes. no. 2727.)
- Dumort. Gramin.** = Dumortier, Agrostographiae belgicae tentamen. Observations... Tournay 1823. 8°. (16 lithographirte colorirte Tafeln mit 60 Gattungsanalysen. Pritzel, Thes. no. 2804.)
- Dun. Anon.** = Dunal, Monographie de la famille des Anonacées. Paris 1817. 4°. (35 schwarze Kupfertafeln: 35 Arten. Pritzel, Thes. no. 2818.)
- Eichw. Cauc.** = Eichwald, Plantarum novarum vel minus cognitarum itineris caspio-caucasici fasciculi duo. Vilnae 1831—1833. folio. (40 schwarze lith. Tafeln mit 38 Arten. Pritzel, Thes. no. 2946.)
- Emerson Rep. Mass.** = (Emerson) Report on the trees... of Massachusetts. Boston 1846. 8°. (17 schwarze Tafeln mit 16 Arten. Pritzel, Thes. no. 2977<sup>b</sup>.)
- Endl. Atacta** = Endlicher, Atacta botanica. Vindobonae 1833. folio. (35 schwarze Kupfertafeln mit der Signatur 1—40. Zeichnungen mit vielen Analysen von Zehner und Ferd. Bauer. Tafel 10. 26. 28. 37. 38. existiren nicht; 32 Arten. Pritzel, Thes. no. 2987.)
- Endl. Bras.** = Endlicher et Martius, Flora brasiliensis. Fasc. 1—12. Vindobonae et Lipsiae 1840—1853. folio. (214 tab. nigr. sign. 1—8, 1—14, 1—30, 1—19, 1—22, 1—50 nebst 32<sup>b</sup>, 1—70. Schöne schwarze Lithographien mit vielen Analysen; 298 Arten. Wird citirt mit Angabe des Fascikels. Pritzel, Thes. no. 2995.)
- Endl. Iconogr.** = Endlicher, Iconographia generum plantarum. Vindobonae 1838 (1837—1840). 4°. (125 schwarze von Gebhart gestochne Kupfertafeln mit vielen Analysen. Zeichnungen von Ferd. Bauer; 120 Arten. Pritzel, Thes. no. 2990.)
- Engl. Bot.** = Smith and Sowerby, English Botany. Vol. 1—36. London 1790—1814. gr. 8°. tab. col. 1—2592. — Supplement, by W. J. Hooker, al. Vol. 1—4. London 1831—1849. tab. col. 2593—2960. (2960 gut colorirte Kupferstiche mit Analysen, 1734 phanerogamische Arten enthaltend. Die Tafeln des Supplements werden nach der Nummer allein, ohne Angabe des Bandes, citirt. Pritzel, Thes. no. 9711.)
- Explor. Alger.** = Exploration scientifique de l'Algérie. Botanique, par Bory de St. Vincent et Durieu de Maisson-neuve. Paris 1846—1851. 4°. (90 colorirte Kupfertafeln, bez. 1—22, 22<sup>b</sup>, 23—56, 45<sup>b</sup>, 58—69, 71—90. mit 102 Arten. Tafel 1—35 enthalten niedere Kryptogamen. Pritzel, Thes. no. 11, 641.)
- Fée Fil.** = Fée, Mémoires sur la famille des Fougères. Strassburg 1844—1845. folio. (Tab. 1—2, 1—64. — Mém. III—IV. ib. 1851. tab. 1—5. Mém. V. ib. 1850—1852. 32 tab. sign. 1—30. Zusammen 103 lithographirte Tafeln mit 286 Arten. Pritzel, Thes. no. 3146.)
- Ferr. Abyss.** = Ferret et Galinier, Voyage en Abyssinie. Paris 1847—1848. 3 voll. 8° et Atlas. (In dem Atlas sind 17 botanische Tafeln in schwarzem Kupferstich, 18 phanerogamische Pflanzen darstellend, sign. 1—17. Kupferstiche von Delile, Zeichnungen mit Analysen von Lebrun.)
- Field. Sertum.** = Fielding and Gardner, Sertum plantarum. London 1844. 8°. (75 gute schwarze Lithographien mit Analysen, 68 Arten darstellend. Im Botanischen Museum zu Wien. Pritzel, Thes. no. 3185.)
- Fisch. et M. Sert. petrop.** = Fischer et C. A. Meyer, Sertum petropolitanum. Petropoli 1847. gr. folio. (10 schön col. Tafeln mit Analysen. Pritzel, Thes. no. 3209<sup>b</sup>.)
- Fl. d. serres** = Flore de serres et jardins de l'Europe. Gand, Van Houtte. 1845—1853. 9 voll. gr. 8°. Gut color. Lithographien mit Analysen. Ich citire 1, 1—56. 2, 1—78. 2, 143—182. 3, 183—302. 4, 303—424. 5, 425—539. 6, 540—646. 7, 647—751. 8, 752—856. 9, 857—922. Pritzel, Thes. no. 5745.)
- Fl. dan.** = Oeder, Flora danica. Havniae 1761—1845. 14 voll. folio. tab. col. 1—2490. (Von ungleichem Werth; erst die neueren Bände enthalten Analysen; Phanerogamen und Kryptogamen gemischt. Die Bandzahl ist citirt. Pritzel, Thes. no. 7601.)
- Flora** = Flora oder Regensb. Zeitung. Jahrgang 1818—1854. 8°. (Die Tafeln werden citirt mit Angabe des Jahrgangs und Bandes: 72 Arten.)
- Forst. Charact.** = Forster, Characteres generum plantarum. Londini 1776. folio. (78 schwarze Kupfertafeln, sign. 1—75; nur Analysen der Blüten und Fruchtheile. Pritzel, Thes. no. 3289.)
- Freycinet Voyage** = Freycinet, Voyage des corvettes L'Uranie et La Physicienne. Botanique par Gaudichaud. Paris 1826. folio. tab. nigr. 1—120. (120 von A. Poiret gezeichnete und gestochne Tafeln mit Analysen, 127 Arten darstellend. Auf Tafel 1. und 2. sind Kryptogamen abgebildet. Pritzel, Thes. no. 3537.)
- Gaertn. Carp.** = Gaertner, De fructibus et seminibus plantarum. Stuttgardiae 1788—1807. 4°. (225 schwarze Kupfertafeln von J. G. Sturm mit 1629 analyt. Darst. Pritzel, Thes. no. 3466.)
- Gaudichaud Bonite** = Voyage de la Bonite par Vaillant, Botanique par Gaudichaud. Paris 1839—1852. folio. (150 schwarze Kupfertafeln mit vielen Analysen und anatomischen Darstellungen von 173 phan. Arten. Tafel 136—150 enthalten Acotyledonen. Pritzel, Thes. no. 40,618.)

- Gay Chile = Claudio Gay, *Historia fisica y politica de Chile. Botanica, Fanerogamia.* Paris 1846—1853. (86 vorzügliche von *Riocreux* gezeichnete color. Kupferstiche, sign. 1—83, 32<sup>bis</sup>, 32<sup>ter</sup>, 52<sup>bis</sup>. Pritzel, *Thes.* no. 3541.)
- Gouan Illustr. = Gouan, *Illustrationes et observationes botanicae.* Tiguri 1773. folio. (26 schwarze Kupfertafeln mit 42 Arten. Pritzel, *Thes.* no. 3797.)
- Gray Gen. = Gray and Sprague, *Genera Florae Americae boreali-orientalis illustrata.* Boston and New York 1848—1849. gr. 8°. tab. 1—186. (Schöne Lithographien mit vielen Analysen, von Isaac Sprague gezeichnet. Die Tafeln sind doppelt verzeichnet, als Typus der Gattung, und als Habitusbild der Species. Pritzel, *Thes.* no. 3852<sup>b</sup>.)
- Griffith Palms = Griffith, *Palms of British East India.* Calcutta 1850. folio. (139 schwarze lithographirte Tafeln mit der Signatur 175—242, 92 Arten darstellend. Aus der Bibliothek des Gartens zu Herrenhausen. Pritzel, *Thes.* no. 3887<sup>b</sup>.)
- Guill. Austr. = Guillemain, *Icones lithographicae plantarum Australasiae rariorum.* Paris 1827. gr. 4°. (Tab. nigr. 1—20: 22 Arten. Pritzel, *Thes.* no. 3973.)
- Guill. Seneg. = Guillemain, Perrottet et Richard, *Florae Senegambiae tentamen.* Paris 1830—1833. 4°. (72 schwarze lithographirte Tafeln mit 75 Arten; Zeichnungen u. Analysen von Decaisne. Pritzel, *Thes.* no. 3974.)
- Guill. Arch. = Guillemain, *Archives de botanique.* Tom. 1. 2. Paris 1833. 8°. (20 schwarze Kupfertafeln mit Analysen; 14 Arten. Pritzel, *Thes.* no. 3976.)
- Guimp. Holzgew. = Guimpel, Willdenow und Hayne, *Abbildung der deutschen Holzarten.* Berlin 1815—1820. 2 voll. 4°. (216 colorirte Kupferstiche mit wenig Analysen; die in Hartig wiederkehrenden Tafeln sind nicht citirt. Pritzel, *Thes.* no. 3978<sup>b</sup>.)
- Guimp. Fr. Holzgew. = Guimpel, Otto und Hayne, *Abbildung fremder Holzarten.* Berlin 1825. 4°. (144 col. Kupfertafeln mit Analysen. Pritzel, *Thes.* no. 3979.)
- Guimp. et Schl. = Guimpel und von Schlechtendal, *Abbildung u. Beschreibung aller Gewächse in der Pharmacopoea borussica.* Berlin 1830—1837. 3 voll. (53 Hefte.) 4°. (Tab. col. 1—308: 282 Arten, welche mit sehr wenigen Ausnahmen in anderen Kupferwerken sich schon vorfinden. Pritzel, *Thes.* no. 3980.)
- Guimp. et Kl. = Guimpel et Klotzsch, *Abbildungen officineller Gewächse.* Band 1. Berlin 1838. 4°. (24 colorirte vorzügliche Kupfertafeln mit Analysen; 23 Arten darstellend. Pritzel, *Thes.* no. 3981.)
- Guss. Pl. rar. = Gussone, *Plantae rariores, quas per regiones Samnii et Aprutii legit.* Neapoli 1826. 4°. (66 gute schwarze Kupfertafeln mit Analysen; 79 Arten darstellend. Pritzel, *Thes.* no. 3990.)
- Guss. Fl. sic. = Gussone, *Flora sicula.* Vol. 1. Neapoli 1829. folio. (6 colorirte Kupfertafeln, sign. 1—5. 14. Pritzel, *Thes.* no. 3993.)
- Hartig = Hartig, *Naturgeschichte der forstl. Culturpflanzen Deutschlands.* Berlin (1840—) 1841. 4°. (120 colorirte Kupfertafeln, sign. 1—104, größtentheils noch von F. Guimpel, mit 114 Arten. Pritzel, *Thes.* no. 4158.)
- Hart. Parad. = Hartinger, *Paradisus vindobonensis.* Wien 1844—1851. Vol. 1—2. (Fasc. 1—20.) folio max. (78 sehr schöne Tafeln in Farbendruck ohne Analysen, sign. 1—80, mit 86 Arten. Bibliothek des botanischen Museums in Wien. Pritzel, *Thes.* no. 4167.)
- Hayne = Hayne, *Getreue Darstellung und Beschreibung der Arzneigewächse.* Berlin 1805—1846. 14 voll. 4°. (648 colorirte Kupfertafeln mit 645 Arten. In jedem Bande sind 58 Tafeln. Pritzel, *Thes.* no. 4227. Das unter no. 4228 des *Thes.* lit. bot. aufgeführte Werk enthält nur Wiederholungen derselben Tafeln in anderer Ordnung, und ist deshalb nicht berücksichtigt worden.)
- Hedw. Fil. = Hedwig, *Filicum genera et species.* Lipsiae 1799—1803. folio. (24 colorirte Kupfertafeln mit 30 Arten; Zeichnungen u. Analysen von Romanus Hedwig. Pritzel, *Thes.* no. 4261.)
- Herb. amat. = Mordant de Launay, *Loiseleur ... Herbar général de l'amateur.* Vol. 1—5. Paris 1816—1821. 4°. tab. col. 1—356. (Gute color. Kupferstiche mit einigen Analysen; größtentheils Copieen. Die Fortsetzungen sind nicht verzeichnet, und in Berlin nicht vorhanden. Pritzel, *Thes.* no. 6238.)
- Herbert Amar. = Herbert, *Amaryllidaceae.* London 1837. gr. 8°. (48 schwarze Kupfertafeln mit 180 Arten. Pritzel, *Thes.* no. 4382.)
- Hill Decade = Hill, *A Decade of curious ... plants.* London 1773. folio max. (10 große sehr schöne color. Kupfertafeln mit 10 Arten. Pritzel, *Thes.* no. 4485.)
- Hoeven Tijdschr. = Hoeven en Vriese, *Tijdschrift voor natuurlijke Geschiedenis en physiologie.* Deel 1—12. Amsterdam 1834—Leiden 1845. 8°. (Schwarze Lithographien mit und ohne Analysen, 33 Arten darstellend.)
- Hoffm. Lk. Fl. port. = Hoffmannsegg et Link, *Flore portugaise.* Berlin 1809—1840. folio. (111 vorzügliche, größtentheils von Völker gezeichnete und gemalte Kupfertafeln, sign. 1—109; 111 Arten darstellend. Pritzel, *Thes.* no. 4606.)
- Hook. Fl. ant. = J. D. Hooker, *Flora antarctica.* London 1844—1847. 4°. (200 sehr schöne von Fitch und Hooker gezeichnete colorirte Lithographien mit großen Analysen, signirt 1—198; 121 phanerogamische Arten darstellend. Tafel 57—80 und 151—198 enthalten Kryptogamen. Pritzel, *Thes.* no. 4638.)
- Hook. Rhod. = Joseph Dalton Hooker, *The Rhododendrons of Sikkim-Himalaya.* Part 1. 2. 3. London 1849. 1851. 1851. folio. (30 nach J. D. Hooker's Zeichnungen von Fitch lithographirte vorzüglich colorirte Tafeln. Pritzel, *Thes.* no. 4639<sup>b</sup>.)
- Hook. Exot. Fl. = Hooker, *Exotic Flora.* Edinburgh 1823—1827. 3 voll. gr. 8°. tab. col. 1—232. und tab. 163\*. (233 schöne Kupfertafeln mit Analysen, ebenso viel Arten enthaltend. Pritzel, *Thes.* no. 4651.)
- Hook. Ic. Fil. = Hooker and Greville, *Icones Filicum.* Vol. 1. 2. Londini 1829—1831. folio. tab. col. 1—240. (Colorirte Lithographien mit Analysen. Pritzel, *Thes.* no. 4655.)
- Hook. Bot. Misc. = Hooker, *Botanical Miscellany.* London 1830—1833. 3 voll. 8°. tab. 1—112. (112 schön gezeichnete größtentheils schwarze Kupferstiche mit Analysen, 90 phanerogamische Arten darstellend; 27 Tafeln enthalten Kryptogamen. Die 40 Supplementafeln werden citirt: Wight Illustr. in Hook. 1—41. Pritzel, *Thes.* no. 4656.)
- Hook. Journ. = Hooker, *Journal of botany.* Vol. 1—4. London 1834—1842. 8°. London *Journal of botany*, vol. 1—7. ib. 1842—1848. 8°. *Journal of botany and Kew Garden Miscellany*, vol. 1—5. ib. 1849—1853. 8°. (320 Tafeln mit 221 Arten Phanerogamen. Pritzel, *Thes.* no. 4657 u. 4658.)

- Hook. Comp. = Hooker, Companion to the Botanical Magazine. Vol. 1—2. London 1835—1836. gr. 8°. (32 schwarze und colorirte Tafeln mit 28 Arten. Pritzel, Thes. no. 4661.)
- Hook. Bor. Am. = Hooker, Flora boreali-americana. London 1833—1840. 2 voll. 4°. tab. 1—238. (238 schön gezeichnete schwarze Kupfertafeln mit guten Analysen; 256 Arten enthaltend. Pritzel, Thes. no. 4662.)
- Hook. Ic. pl. = Hooker, Icones plantarum. Vol. 1—10. London 1836—1854. 8°. tab. nigr. 1—1000. (1000 schwarze Lithographien mit Analysen, 887 Phanerogamen und Farne darstellend. Die niedern Kryptogamen sind nicht excerptirt. Pritzel, Thes. no. 4663.)
- Hook. Gen. Fil. = Hooker and Bauer, Genera Filicum. London 1842. (1838—1842.) 8° max. tab. col. 1—120. (120 schön colorirte Lithographien, nach Zeichnungen von Franz Bauer, 186 Arten darstellend. Pritzel, Thes. no. 4666.)
- Hook. Sp. Fil. = Hooker, Species Filicum. Vol. 1. Part 1—4. Vol. 2. Part 1. 2. London 1844—1853. 8°. tab. nigr. 1—110. (Gezeichnet und lithographirt von Fitch; 273 Arten. Pritzel, Thes. no. 4668.)
- Hook. Niger Fl. = Hooker, Niger Flora. London 1849. 8°. (50 schwarze lithogr. Tafeln, welche sich im 8. Bande der Icones plantarum wiederholen; 42 Arten. Pritzel, Thes. no. 4669<sup>a</sup>.)
- Horae berol. = Nees von Esenbeck, Horae physicae berolinenses. Bonnae 1820. folio. (27 Tafeln mit 14 Arten. Pritzel, Thes. no. 7421.)
- Hortic. Transact. = Transactions of the Horticultural Society of London. Volume 1—7. London (1812.) 1820—1830. Second Series. Vol. 1—3. London 1835—1848. 4°. (173 Tafeln, welche 50 Arten darstellen. Vorzügliche Zeichnungen und Analysen in Kupferstich; die meisten sehr schön colorirt; ich citire die 3 Bände des Supplements als 8—10.)
- Host Gram. = Host, Icones et descriptiones graminum austriacorum. Vindob. 1801—1809. 4 voll. folio. 400 tab. col. (Große colorirte Kupferstiche mit Analysen; in jedem Bande 100 Tafeln; ich citire 1—400 ohne Angabe der Bandzahl. Pritzel, Thes. no. 4722.)
- Humb. Pl. aeq. = Humboldt et Bonpland, Plantae aequinoctiales. Tomus 1—2. Paris 1808—1809. folio. (143 schwarze Kupfertafeln mit Analysen, sign. 1—140. Zwei Tafeln Fucus. Pritzel, Thes. no. 4774.)
- Humb. Melast. = Humboldt et Bonpland, Monographia Melastomacearum. Paris 1806—1823. 2 voll. folio. 120 tab. col.  
Melastomae. 1816. tab. col. 1—60.  
Rhexiaeae. 1823. tab. col. 1—60.  
(Schöne Kupferstiche mit Analysen, nach Zeichnungen von Turpin. Colorirte u. schwarze Exemplare. Pritzel, Thes. no. 4775.)
- H. B. K. Nov. Gen. = Humboldt, Bonpland, Kunth, Nova genera et species plantarum. Vol. 1—7. Paris 1815—1825. folio. tab. col. 1—700. (Schöne Kupferstiche mit Analysen, nach Zeichnungen von Turpin, 714 Arten darstellend. Colorirte und schwarze Ausgaben. Einige Tafeln mit Kryptogamen nicht verzeichnet. Pritzel, Thes. no. 4776.)
- Humb. Mim. = Humboldt, Mimosae etc. décrites par Kunth. Paris 1819. folio. tab. col. 1—60. (Sehr schöne Zeichnungen, gestochen und colorirt von Turpin. Pritzel, Thes. no. 4777.)
- Humb. Gram. = Revision (Distribution méthodique) de la famille des Graminées décrites dans les Nova Genera et species de Humboldt, par Kunth. Paris 1829. (1835.) folio. (220 vorzüglich gezeichnete colorirte Kupfertafeln mit Analysen, 215 Arten darstellend. Pritzel, Thes. no. 4778.)
- Jacquemont Ind. = Jacquemont, Voyage dans l'Inde. (Plantae rariores, quas in India orientali collegit Victor Jacquemont, auctore J. Cambes-sèdes.) Paris 1844. gr. 4°. tab. nigr. 1—180. (180 schön gezeichnete Kupfertafeln mit Analysen von A. Riocreux; 184 Arten. Tafel 180 enthält 4 Arten Lichenen. Pritzel, Thes. no. 4814.)
- Jacq. Ecl. pl. = Jacquin, Eclogae plantarum. Vol. 1—2. Vindobonae 1811—1844. folio. tab. col. 1—169.  
vol. 1. tab. col. 1—100. 1811—1816.  
vol. 2. tab. col. 101—169. (1844.)  
(Sehr schön colorirte Kupferstiche mit Analysen. 165 Arten. Pritzel, Thes. no. 4820.)
- Jacq. Ecl. Gram. = Jacquin, Eclogae Graminum rariorum. Vindob. 1813—1844. folio. 48 tab. col., sign. 1—45, 47—49. (Schöne große color. Kupferstiche mit Analysen. Pritzel, Thes. no. 4821.)
- Jacq. Observ. = Jacquin, Observationum botanicarum Pars 1—4. Vindob. 1764—1771. folio. tab. nigr. 1—100. (Schwarze Kupferstiche ohne Analysen; 103 Arten. Pritzel, Thes. no. 4829.)
- Jacq. Vind. = Jacquin, Hortus botanicus vindobonensis. Vindobonae 1770—1776. 3 voll. folio.  
vol. 1. 1770. tab. col. 1—100.  
vol. 2. 1772. tab. col. 101—200.  
vol. 3. 1776. tab. col. 1—100.  
(Colorirte Kupferstiche ohne (oder mit geringen) Analysen. Der Name der Pflanze fehlt auf den Tafeln. Pritzel, Thes. no. 4830.)
- Jacq. Fl. austr. = Jacquin, Florae austriacae Icones. Viennae 1773—1778. 5 voll. folio. tab. col. 1—450, 1—50. (Colorirte Kupferstiche ohne Analysen, 486 Arten darstellend. Wird mit Angabe des Bandes citirt. Pritzel, Thes. no. 4832.)
- Jacq. Misc. = Jacquin, Miscellanea austriaca ad botanicam etc. spectantia. Vindobonae 1778—1781. 3 voll. 4°. (21 und 23 schwarze und col. Kupfertafeln mit 24 Arten. Pritzel, Thes. no. 4833.)
- Jacq. Ic. = Jacquin, Icones plantarum rariorum. Vindobonae 1781—1793. 3 voll. folio. tab. col. 1—648.  
vol. 1. 1781—1786. tab. col. 1—200.  
vol. 2. 1786—1793. tab. col. 201—454.  
vol. 3. 1786—1793. tab. col. 455—648.  
(Colorirte Kupferstiche mit wenig Analysen; tab. 647—648: Tremella. Es giebt Exemplare der ersten 100 Tafeln mit anderer Numerirung. Pritzel, Thes. no. 4834.)
- Jacq. Collect. = Jacquin, Collectanea ad botanicam etc. spectantia. Vol. 1—5. Vindob. 1786—1796. 4°. (106 theils schwarze, theils colorirte Kupfertafeln mit 102 Arten. Pritzel, Thes. no. 4836.)
- Jacquin Oxalis = Jacquin, Oxalis. Viennae 1794. 4°. tab. col. 1—75. 81. nigr. 76—80. (Gute Kupferstiche mit Analysen; 88 Arten. Pritzel, Thes. no. 4837.)
- Jacq. Schoenbr. = Jacquin, Plantarum rariorum horti Schoenbrunnensis descriptiones et icones. Viennae 1797—1804. Vol. 1—4. folio. tab. col. 1—500. (Gute große col. Kupferstiche; hin und wieder Analysen; die letzten drei Tafeln ohne Namen. 487 Arten. Pritzel, Thes. no. 4838.)
- Jacq. Fragm. = Jacquin, Fragmenta botanica. Viennae (1800—) 1809. folio. tab. col. 1—138 (Colorirte Kupferstiche mit Analysen und einzelnen Pflanzentheilen; 236 Arten. Pritzel, Thes. no. 4841.)



- Jacq. Hist. Stirp. am. = Jacquin, Selectarum stirpium americanarum historia. (Viennae 1780.) folio max. (264 col. Handzeichnungen. Pritzel, Thes. no. 4828.)
- Jacquin Stapeliae = Jacquin, Stapeliarum culturarum descriptiones figuris coloratis illustratae. Vin-dobonae 1806. folio. (64 colorirte Kupfertafeln mit 59 Arten. Pritzel, Thes. no. 4839.)
- Jard. Annals = Jardine, Selby, Johnston, Hooker and Taylor, Annals of natural history, or Magazine of zoology, botany and geology. Vol. 1—20. 2, 1—11. London 1838—1853. 8°. (Gute Lithographien mit Analysen; bisweilen colorirt. 50 Arten. Voran gehn zwei Bände Jard. Mag. London 1837—1838. 8°.)
- Jaub. Illustr. = Jaubert et Spach, Illustrationes plantarum orientarium. Vol. 1—4. Parisiis 1842—1853. 4°. tab. 1—400. (Schöne schwarze Kupfertafeln mit Analysen, nach Zeichnungen von Mme. Spach u. A. Jeder Band enthält 100 Tafeln. 404 Arten. Pritzel, Thes. no. 4865.)
- Ic. pl. Chin. = Icones plantarum sponte China nascentium e Bibl. Braamiana excerptae. London 1821. folio. (30) tab. col. (Tafeln ohne Namen der Pflanzen und ohne Text; nur wenige sind als undeutbar nicht citirt. Pritzel, Thes. no. 11,847.)
- Jord. Obs. = Jordan, Observations sur .. plantes ... de la France. Fragment 1—6. Lyon 1846—1847. 8°. (28 Tafeln mit 93 Arten. Pritzel, Thes. no. 4945.)
- Journ. Hort. Soc. = The Journal of the Horticultural Society of London. Vol. 1—8, 1. London 1846—1853. 8°. (Die Holzschnitte werden mit Angabe der Seitenzahl, auf welcher sie sich finden, citirt. Wenig colorirte Tafeln. Das 4te Heft des 2ten Bandes nicht gesehn; 90 Arten.)
- Journ. sc. and arts = The Journal of science and the arts. Vol. 1—22. London 1816—1827. 8°. (21 Arten.)
- Kaempfer Jap. = Icones selectae plantarum quas in Japonia legit et delineavit E. Kaempfer. Londini 1791. folio. tab. 1—59. (Schöne Zeichnungen ohne Analysen, von Mackenzie in Kupfer gestochen: 47 Arten. Pritzel, Thes. no. 5083.)
- Karsten Ausw. = Karsten, Auswahl neuer und schönblühender Gewächse Venezuela's. Heft 1. 2. Berlin 1848. 4°. (12 sehr schöne von C. F. Schmidt lithographirte col. Tafeln mit 12 Arten. Pritzel, Thes. no. 5144<sup>b</sup>.)
- Kerner Hort. = Kerner, Hortus sempervirens. Stuttgartiae 1795—1830. 71 voll. gr. folio. tab. col. 1—851. (Jeder Band enthält 12 colorirte aus den besten Kupferwerken copirte Tafeln; mit zusammen 814 Arten. Sehr viele Abbildungen dieses unnützen und theuren Buches, dessen Preis elftehalftausend Thaler betrug, sind nur in Handzeichnungen vorhanden, die übrigen sind in Kupfer gestochen. Befindet sich unvollständig in der Bibliothek Weil. Kaiser Franz II. von Oestreich und vollständig in der Delessert'schen Bibliothek in Paris. Pritzel, Thes. no. 5182.)
- Kerner Gen. = Kerner, Genera plantarum. Stuttgartiae 1811—1828. 9 voll. gr. folio. tab. col. 1—220. (Schöne colorirte Handzeichnungen, welche die Charactere von 153 Gattungen darstellen; fast durchgehends Copien. In der Privatbibliothek Kaiser Franz II. in Wien. Pritzel, Thes. no. 5186.)
- Knapp Gram. = Knapp, Gramina britannica. London 1804. 4°. (119 colorirte Kupfertafeln mit unbedeutenden Analysen, eben so viele Arten darstellend. Pritzel, Thes. no. 5276.)
- Knowles et Westcott = Knowles and Westcott, Floral Cabinet. London 1837—1840. 3 voll. 4°. tab. col. 1—137. (137 sehr schöne colorirte lithograph. Tafeln mit eben so viel Arten. Pritzel, Thes. no. 5302.)
- König Annals = König and Sims, Annals of botany. Vol. 1. 2. London 1805—6. 8°. (30 schwarze Kupfertafeln mit 36 Arten. Pritzel, Thes. 5355.)
- Korth. Bot. = Korthals, Botanica in Temminck, Verhandelingen over de natuurl. gesch. der nederlandsche overzeesche bezittingen. Leiden 1839—1842. folio. tab. col. 1—70. (70 schön colorirte Lithographien mit Analysen, 78 Arten enthaltend. Pritzel, Thes. no. 5361.)
- Kunze Analecta = Kunze, Analecta pteridographica. Lipsiae 1837. folio. tab. nigr. 1—30. (Schön gezeichnete Kupferstiche mit Analysen. 41 Arten. Pritzel, Thes. no. 5468.)
- Kunze Fil. = Kunze, Farnkräuter. Vol. 1. u. 2. tab. col. 1—140. Leipzig 1840—1851. 4°. (Gute colorirte Kupfertafeln mit 166 Arten. Pritzel, Thes. no. 5469.)
- Kunze Car. = Kunze, Supplemente zu Schkuhr's Riedgräsern. Erster Band. Leipzig 1840—1850. gr. 8°. tab. col. 1—50. (Gut color. Kupferstiche mit Analysen: 58 Arten. Pritzel, Thes. no. 5470.)
- Lam. Encycl. = (De la Marck) Recueil de planches de botanique de l'Encyclopédie. Partie 1—4. Paris 1823. 4°. tab. 1—1000. (Die Mehrzahl der Abbildungen sind als Analysen bezeichnet; bisweilen ist nur die Gattung citirt; etwa 2500 Arten. Pritzel, Thes. no. 2377.)
- Lamb. Pinus = Lambert, A description of the genus Pinus. London 1828—1837. 3 voll. gr. folio. 97 tab. col. sign. 1—51. (Prachtvoll col. Kupferstiche, größtentheils nach Zeichnungen von Ferd. Bauer. 82 Arten. Pritzel, Thes. no. 5510.)
- Langsd. et Fisch. = Langsdorf et Fischer, Icones Filicum. Tübingen 1810—1818. folio. (30 schwarze Kupfertafeln: 30 Arten. Pritzel, Thes. no. 5554.)
- Ledeb. Ic. = Ledebour, Icones plantarum, Floram rossicam, imprimis altaicam illustrantes. Vol. 1—5. Rigae 1829. 1830. 1831. 1833. 1834. folio. tab. col. 1—500. (Sehr schöne von W. Krüger, E. Bommer, u. A. gezeichnete, von Siegrist in München gestochene Tafeln, mit guten Analysen; 494 Arten. In jedem Bande 100 Tafeln. Pritzel, Thes. no. 5642.)
- Lehm. Prim. = Lehmann, Monographia generis Primularum. Lips. 1817. 4°. (9 schwarze Kupfertafeln mit wenigen Analysen; 20 Arten. Pritzel, Thes. no. 5700.)
- Lehm. Asperif. = Lehmann, Icones rar. pl. e familia Asperifoliarum. Hamburgi 1821. folio. tab. nigr. 1—50. (Kupferstiche mit wenig Analysen. 50 Arten. Pritzel, Thes. no. 5705.)
- Lehm. Pot. = Lehmann, Monographia Potentillarum. Hamburgi 1820—1835. 4°. (30 schwarze Kupfertafeln ohne Analysen, sign. 1—20, 1—10, mit 34 Arten. Pritzel, Thes. no. 5704. 5709.)
- Lem. Jard. fl. = Lemaire, Le Jardin fleuriste. Vol. 1—4. Gand 1851—1854. 8°. tab. col. 1—430. (Geschlossen.) (Gute lith. color. Abbildungen mit Analysen. 435 Arten. Im Besitz des Hrn. Eduard Haenel in Berlin.)
- L'her. Stirp. = L'héritier, Stirpes novae. Parisiis 1784—1785. folio. (91 schwarze Kupfertafeln sign. 1—84, mit 88 Arten. Pritzel, Thes. no. 5841.)
- L'her. Geran. = L'héritier, Geraniologia. Parisiis 1787—1788. gr. fol. tab. 1—44. (Zeichnungen mit Analysen von Redouté; Kupferstiche. 42 Arten. Pritzel, Thes. no. 5842.)

- L'her. Sertum = L'héritier, Sertum anglicum. Paris 1788. folio. tab. nigr. 1—34. (Schwarze Kupferstiche mit Analysen. 35 Arten. Pritzel, Thes. no. 5844.)
- Libosch. Pet. = Liboschitz et Trinius, Flore de St. Petersbourg et de Moscou. Petersbourg 1811. 4°. (40 nicht numerirte col. Kupferstiche ohne Analysen, mit 38 Arten. Pritzel, Thes. no. 5856.)
- Lindley Monogr. = Lindley, Rosarum Monographia. London 1820. 8°. (19 schöne colorirte Kupferstiche, mit 19 Arten. Pritzel, Thes. no. 5922.)
- Lindley Dig. = Lindley, Digitalium monographia. Londini 1821. folio. (28 vorzügliche von Ferdinand Bauer gezeichnete colorirte Kupfertafeln mit 24 Arten. Pritzel, Thes. no. 5923.)
- Lindley Collect. = Lindley, Collectanea botanica. London 1821. folio. tab. col. 1—41. (Sehr schöne Zeichnungen mit Analysen von Lindley, Ferd. Bauer und Hart; gestochen von Weddell; vorzüglich colorirt. Tafel 41 ist schwarz. 43 Arten. Pritzel, Thes. no. 5924.)
- Lindley Sertum = Lindley, Sertum orchidaceum. London 1838. (1837—1842.) folio. (50 vorzügl. von Miss Drake gezeichnete, von Gauci lithogr. col. Tafeln mit 61 Arten. Pritzel, Thes. no. 5943.)
- Lindley Swan River = Lindley, Swan River. London 1840. 8°. tab. col. 1—9. (Schön colorirte Lithographien; 18 Arten. Pritzel, Thes. no. 4947.)
- Link Ic. I. = Link et Otto, Icones plantarum selectarum horti regii berolinensis. Abbildungen ... Fasc. 1—10. Berolini 1820—1828. 4°. tab. col. 1—60. (Colorirte Kupferstiche mit Analysen. 60 Arten. Pritzel, Thes. no. 5962.)
- Link Ic. II. = Link et Otto, Icones plantarum rariorum horti regii berolinensis. Abbildungen ... Pars I. Fasc. 1—8. Berolini 1828 (—1831). 4°. tab. col. 1—48. (Zeichnungen mit Analysen von G. Röthig; colorirte Kupferstiche von Fr. Guimpel. 48 Arten. Pritzel, Thes. no. 5963.)
- Link Ic. III. = Link, Klotzsch et Otto, Icones plantarum rariorum horti regii berolinensis. Abbildungen ... Fasc. 1—8. Berolini 1841—1844. 4°. tab. col. 1—48. (Colorirte Kupferstiche mit Analysen; von Schmidt gezeichnet. 48 Arten. Pritzel, Thes. no. 5972.)
- Linnaea = von Schlechtendal, Linnaea. Band 1—25. Halle 1826—1853. 8°. (110 Arten.)
- Linn. Transact. = Transactions of the Linnean Society. Vol. 1—21. London 1791—1854. 4°. (576 theils schwarze theils colorirte vorzügliche Kupfertafeln, etwa 300 Arten darstellend.)
- Lodd. Cab. = Loddiges, The Botanical Cabinet. Vol. 1—20. London 1818—1833. 8°. tab. semicol. 1—2000. (Halbcolorirte Kupfertafeln ohne Analysen mit 1937 Arten und 63 Varietäten. Pritzel, Thes. no. 6207.)
- Lois. Fl. gall. Lois. Notice = Loiseleur, Flora gallica. Lutet. 1806—1807. 8°. 21 tab. nigr. — Id. Notice des plantes à ajouter. ib. 1810. 8°. 6 tab. nigr. (27 schwarze Kupfertafeln ohne Analysen mit 40 Arten. Die zweite Ausgabe mit 31 Tafeln habe ich nicht gesehen. Pritzel, Thes. no. 6235.)
- Mag. naturf. Fr. = Magazin der Gesellschaft naturforschender Freunde zu Berlin. Band 1—8. Berlin 1807—1818. 4°. (Enthält Abbildungen von 97 Pflanzenarten. Die früheren Schriften enthalten wenig botanische Abbildungen, und sind citirt als: Schr. naturf. Fr. und N. Schr. naturf. Fr.)
- Marsch. Cent. = Marschall von Bieberstein, Centuria plantarum rariorum Rossiae meridionalis. Pars I: tab. col. 1—50. Chark. 1810. folio. Pars 2: tab. col. 51—80. Petrop. 1832—43. folio. (80 colorirte Kupfertafeln mit 80 Arten, größtentheils ohne Analysen. Pritzel, Thes. no. 6533.)
- Mart. Palm. = Martius, Genera et species Palmarum. Lipsiae 1823—1848. folio. 48 tab. col. et nigr. sign. A—Z<sup>33</sup>; in vol. 2—3: tab. col. 1—180, ferner 6<sup>a</sup>, 11<sup>a</sup>, 18<sup>a</sup>, 50<sup>a</sup>, 59<sup>a</sup>, 73<sup>a</sup>, 73<sup>b</sup>, 73<sup>c</sup>, 73<sup>d</sup>, 77<sup>a</sup>. (238 schöne colorirte Kupfertafeln mit 245 Arten. Pritzel, Thes. no. 6585.)
- Mart. Bras. = Martius, Nova genera et species plantarum, quas in itinere per Brasiliam collegit. Monachii 1824—1832. 3 voll. folio. tab. col. 1—300. Vol. 1: 1824. tab. col. 1—100. Vol. 2: 1826. tab. col. 101—200. Vol. 3: 1829—32. tab. col. 201—300. (Zeichnungen mit Analysen von Prof. Gottlieb Bischoff, Manz, Minsinger und Prestele; Lithographien von Prestele und Siegrist; Colorirung von Seb. Minsinger. Pritzel, Thes. no. 6586.)
- Mart. Crypt. bras. = Martius, Icones plantarum cryptogamicarum .. Brasiliae. Monachii 1828—1834. folio min. tab. col. 1—76. (Tab. 1—19 niedere Kryptogamen; tab. 29—36 anatomisch-physiologische Darstellungen. Colorirte Lithographien mit vielen Analysen. 51 Arten. Pritzel, Thes. no. 6594.)
- Martyn Hist. = John Martyn, Historia plantarum rariorum. Londini 1728. folio. tab. col. 1—50. germanice vert. Panzer. Nürnberg. 1797. folio. tab. col. 1—50. (Schön color. Kupfertafeln ohne Analysen; 49 Arten. Pritzel, Thes. no. 6619.)
- Masson Stapeliae = Masson, Stapeliae novae; or a collection of several new species of that genus, discovered in the interior parts of Africa. London 1796. folio. (41 colorirte Kupfertafeln mit 41 Arten. Pritzel, Thes. no. 6644.)
- Maund Bot. = Maund, The Botanist. London 1839 sqq. 5 voll. 4°. tab. col. 1—250. (Gute Abbildungen, nur eine auf jeder Tafel; größtentheils Originale. Bibliothek des Botanischen Museums in Wien. Pritzel, Thes. no. 6674.)
- Meerb. Pl. sel. = Meerburgh, Plantarum selectarum icones pictae. Lugd. Bat. 1798. folio. tab. col. 1—28. (Mittelmäßige Kupfertafeln ohne Analysen; 28 Arten. Pritzel, Thes. no. 6735.)
- Mem. Ac. Berl. = Histoire de l'academie royale de Berlin, année 1745—1769. Vol. 1—25. 4°. Nouv. Mémoires, année 1770—1804. 29 voll. 4°. (38 Arten.)
- Mem. Genev. = Mémoires de la société de physique et d'hist. nat. de Genève. Tome 1—11. Genève 1821—1848. 4°. (228 Arten.)
- Mem. hist. nat. Par. = Mémoires de la société d'histoire naturelle de Paris. Tome 1—4. Paris 1823—1828. 4°. (80) tab. nigr. (Gute schwarze Kupferstiche mit vielen Analysen; 55 Arten. Unter demselben Titel wird citirt ein Band mit 4 Pflanzenabbildungen vom Jahr 1799.)
- Mem. Instit. = Mémoires de l'institut national des sciences et arts. Sciences mathématiques et physiques. Tome 1—14. Paris an VI—1818. 4°. Tome 1—23. ib. 1816—1853. 4°. (Wird nach dem Jahrgange citirt; 67 Arten.)
- Mem. Mod. = Memoria di mat. e fisica della società italiana (residente in Modena). Tom. 1—23. Verona 1782—1799. Modena 1800—1846. 4°. (52 Arten auf 26 Tafeln.)
- Mem. Mosc. = Mémoires des naturalistes de Moscou. Tom. 1—11. 13—15. Moscou 1806—1851. 4°. (Série I, vol. 1—6. Nouv. Mém. vol. 1—9.) (108 Arten.)
- Mem. Mus. = Mémoires du Muséum d'histoire naturelle. Tome 1—20. Paris 1815—1832. 4°.

- (465 gute schwarze Kupfertafeln mit Analysen; 315 Arten.)
- Mem. sav. étr. = Mémoires présentés par divers savans à l'Académie ... de Paris. T. 1. 2. Paris 1805. 1811. — Tom. 1—13. ib. 1827—1852. 4<sup>o</sup>. (4 Arten.)
- Mem. soc. Linn. Par. = Mémoires de la société Linnéenne de Paris. Vol. 1—6. Paris 1822—1827. 8<sup>o</sup>. (75) tab. nigr. (Gute schwarze Kupferstiche mit Analysen; 29 Arten. Der letzte Band heißt Annales.)
- Mem. Strassb. = Mémoires de la société d'histoire naturelle de Strassbourg. Vol. 1—4. Strassbourg 1830—1853. 4<sup>o</sup>. (Gute schwarze Lithographien mit Analysen; 58 Arten. Einige Tafeln colorirt.)
- Mem. Tur. = Mémoires de l'Académie royale des sciences à Turin. Tom. 1—40. Turin 1786—1838. 4<sup>o</sup>. Dann: Memorie della Reale Accademia delle scienze di Torino. Serie II. Tomo 1—12. Torino 1839—1852. 4<sup>o</sup>. (200 Arten.)
- Michaux Fl. = Michaux, Flora boreali-americana. Paris 1803. 2 voll. 8<sup>o</sup>. Tab. 1—51. (51 schwarze Kupfertafeln mit 53 Arten. Pritzel, Thes. no. 6906.)
- Michaux Arb. = Michaux, Histoire des arbres forestiers de l'Amérique. Paris 1810—1813. 3 voll. 4<sup>o</sup>. 138 tab. col. (Colorirte Kupferstiche ohne Analysen; in Band III. beginnt die Zählung bei jedem Genus von vorn; 143 Arten. Pritzel, Thes. no. 6910.)
- Miers Illustr. = Miers Illustrations of South American plants. Part 1—4. London 1846—1849. 4<sup>o</sup>. (22 schwarze lithographirte Tafeln mit vorzüglichen Analysen, 38 Arten darstellend. Bibliothek des Botanischen Museums in Wien. Pritzel, Thes. no. 6923.)
- Miquel Illustr. Pip. = Miquel, Illustrationes Piperacearum. Vrat. et Bonnae 1846. 4<sup>o</sup>. tab. nigr. 1—92. (Acta Leop. XXI. Supplementum.) (Schwarze Lithographien nach Zeichnungen von Ver Huell, mit guten Analysen; 100 Arten. Werden unter Acta Leop. nicht citirt.)
- Miquel Sertum = Miquel, Sertum exoticum. Livr. 1. Rotterdam 1845. 4<sup>o</sup>. (5 Arten auf 5 schwarzen Kupfertafeln. Pritzel, Thes. no. 6968.)
- Miquel Surinam = Miquel, Stirpes surinamenses selectae. Lugd. Bat. 1850. 4<sup>o</sup>. tab. nigr. 1—65. (Naturk. Verhandlungen van de Holl. maats. der wetensch. te Haarlem, Deel VII.) (Schwarze Lithographien mit Analysen; 74 Arten.)
- Misc. Taur. = Miscellanea taurinensia. Vol. 1—5. Taurini 1759—1773. 4<sup>o</sup>. (8 Arten.)
- Moric. Pl. Am. = Moricand, Plantes nouvelles d'Amérique. Genève 1833—1846. gr. 4<sup>o</sup>. tab. nigr. 1—100. (Gute schwarze Lithographien mit Analysen; 100 Arten. Bibliothek des Botanischen Museums in Wien. Pritzel, Thes. no. 7182.)
- Moris Fl. sard. = Moris, Flora sardo. Vol. 1—2. Taurini 1837—1843. 4<sup>o</sup>. (96 gute schwarze Kupferstiche mit Analysen, sign. 1—93. 33<sup>b</sup>, 77<sup>b</sup>, 78<sup>b</sup>, 98 Arten darstellend. Pritzel, Thes. no. 7194.)
- Münchn. Abh. = Abhandlungen der mathem. phys. Classe der Kön. bair. Akademie der Wissenschaften. Band 1—6. München 1832—1852. 4<sup>o</sup>. (Schwarze Kupfertafeln mit 83 Arten.)
- Münchn. Denkschr. = Denkschriften der Königl. Akademie der Wissenschaften zu München für das Jahr 1808—1824. Band 1—9. München 1809—1825. 4<sup>o</sup>. (Schwarze Kupfertafeln mit 70 Arten.)
- Mutel Fl. fr. = Mutel, Flore française. Planches. Paris 1834. 4<sup>o</sup> obl. 95 tab. nigr., sign. 1—92, Suppl. 1—3. (Gute Lithographien, vorzugsweise
- Analysen von Blüten und Fruchtheilen, von denen etwa 240 citirt werden. Pritzel, Thes. no. 7353.)
- N. Ann. Mus. = Nouvelles Annales du Muséum d'histoire naturelle. Tome 1—4. Paris 1832—1835. 4<sup>o</sup>. (84 schöne schwarze Kupferstiche, welche 15 Pflanzenarten mit vielen Analysen darstellen.)
- Nees Düsseld. = Nees von Esenbeck, Weihe, Wolter und Funke, Plantae medicinales, oder Sammlung officineller Pflanzen. Band I. II. Düsseldorf 1828. folio. (432 tab. col., sign.: Nees Düsseld. 1—430. — Erster Supplementband mit 120 col. tab. Düsseld. 1833. folio. sign.: Nees Düsseld. Suppl. 1—120. — Colorirte Lithographien; die des Supplements weit vorzüglicher mit vielen Analysen. 523 Arten. Pritzel, Thes. no. 7440.)
- Nees Gen. = Nees von Esenbeck, Spenner, Endlicher, Putterlick, Schnizlein, Bischoff, Caspary, Genera plantarum Florae germanicae, iconibus et descriptionibus illustrata. Fasc. 1—27. Bonnae 1843—1853. 8<sup>o</sup>. (540) tab. nigr. (Schwarze Lithographien, bisweilen mit Habitusbildern; sämtlich als Analysen bezeichnet; 780 Arten. Ich citire Band 1. 2. 4. 5. 6. mit Tafelnummern, Band 3. ohne Nummern, den Ueberschufs X, x. Pritzel, Thes. no. 7445.)
- Newm. = Newman, History of british ferns. London 1844. 8<sup>o</sup>. (Die sehr guten Holzschnitte, etwa 70—80, werden nach der Seitenzahl citirt. Pritzel, Thes. no. 7471.)
- Nocca et Balb. Fl. tic. = Nocca et Balbis, Flora ticinensis. Ticini 1816. 1821. 4<sup>o</sup>.  
Vol. 1. 1816. tab. 1—10.  
Vol. 2. 1821. tab. 11—27.  
(26 mittelmässige schwarze Kupfertafeln mit 19 Arten. Auf Tafel 20—27 sind niedere Kryptogamen dargestellt. Pritzel, Thes. no. 7538.)
- Nouveau Du Hamel = Duhamel, Traité des arbres et arbustes, que l'on cultive en France en pleine terre. Seconde édition (par Loiseleur, Mirbel, Poiret et autres.) Vol. 1—7. Paris 1801—1819. folio. 60, 71, 58, 63, 84, 80, 72 tab. col. (Nachstehende Tafeln, welche mir nicht zu Gesicht kamen, sind noch nicht citirt:  
Band 4, tab. 19—24.  
Band 5, tab. 41—84.  
Band 6, tab. 1—80.  
Band 7, tab. 1—72.)
- Im Ganzen 488 von Redouté und Bessa gezeichnete, colorirte Kupfertafeln. Pritzel, Thes. no. 2788.)
- N. C. Bon. = Novi Commentarii academiae Bononiensis. Tom. 1—10. Bononiae 1834—1849. 4<sup>o</sup>. (195 Arten.)
- N. Comm. Gott. = Novi Commentarii soc. reg. sc. Gottingensis. Vol. 1—8. Gott. 1771—1777. 4<sup>o</sup>. (42 Arten.)
- Opusc. sc. Bon. = Opuscoli scientifici. Tom. 1—4. Bologna 1817—1823. 4<sup>o</sup>. (13 Arten.)
- Otto, Garten Z. = Otto und Dietrich, Allgemeine deutsche Garten-Zeitung. Jahrgang 1—20. Berlin 1833—1854. 4<sup>o</sup>. (15 Arten auf 27 Tafeln.)
- Pal. Fl. d'Ow. = Palisot de Beauvois, Flore d'Oware et de Benin en Afrique. Paris 1804—1807. 2 vol. folio. tab. col. 1—120. (Erschien von 1804—1820 in 20 fasc. Auf dem Titel des 1. Bandes, tab. 1—60, steht 1804, auf dem des zweiten, tab. 61—120, steht 1807. 120 colorirte Kupferstiche mit Analysen, 123 Arten darstellend. Einige Tafeln enthalten Kryptogamen. Pritzel, Thes. no. 7705.)
- Pall. Fl. ross. = Pallas, Flora rossica. Tom. I. pars 1. 2. Petropoli 1784—1788. folio. tab. col. 1—100. Tom. II. pars 3. ined. tab. col. 101—125.

- (Gute große col. Kupferstiche ohne Analysen; 136 Arten. Ich citire die ersten 100 Tafeln ohne Angabe des Bandes, die unedirten als 3, 101 u. s. w. Pritzel, Thes. no. 7717.)
- Pall. Astr. = Pallas, Species Astragalorum. Lipsiae 1800. folio. 99 tab. col., sign. 1—91. (Colorirte Kupferstiche mit wenig Analysen; 96 Arten. Pritzel, Thes. no. 7721.)
- Pall. Ill. = Pallas, Illustrationes plantarum. Lipsiae 1803. folio. tab. col. 1—59. (Colorirte Kupferstiche mit wenigen Analysen; 53 Arten. Pritzel, Thes. no. 7722.)
- Paxt. Mag. = Paxton, Magazine of botany. London 1834—1849. 16 voll. 8°. (Geschlossen.) (Jeder Band mit 48 gut color. Kupferstichen ohne Analysen; wird nach Band und Seitenzahl citirt. 750 Arten. In der Bibliothek des Herrn E. Hänel in Berlin. Pritzel, Thes. no. 7832.)
- Paxt. Fl. G. = Paxton, Flower Garden. No. 1—30. London 1850—1852. 8°. (90 colorirte Tafeln mit ebenso viel Arten. Die Fortsetzung ist noch nicht citirt. Bibliothek des botanischen Museums in Wien.)
- Peters Mossamb. (Unter diesem Titel werden die ersten 48 Tafeln aus dem noch unedirten Werke von Klotzsch über die von Wilhelm Peters aus Mossambique zurückgebrachten neuen Pflanzen citirt.)
- Petersb. = Mémoires de l'ac. des sc. de Petersbourg. Tom. 1—11. Petersburg 1809—1830. 4°. (77 Arten. Vergl. Acad. Pet.)
- Pfeiffer Cact. = Pfeiffer und Otto, Abbildung und Beschreibung blühender Cacteen. Kassel 1843—1848. 4°. tab. col. 1—60. (Halb colorirte Lithographien; 62 Arten. Pritzel, Thes. no. 7976.)
- Picot Pyren. = Picot De la Peyrouse, Figures de la Flore des Pyrénées. Tom. 1. Paris 1795—1801. folio. tab. col. 1—43. (43 sehr schöne Kupferstiche nach Zeichnungen von Redouté u. A. Blich unvollendet. 38 Arten. Pritzel, Thes. no. 2386.)
- Pinetum Woburnense = (Bedford and Forbes) Pinetum Woburnense: London 1839. gr. 8°. (tab. col. 1—67: 62 Arten. Pritzel, Thes. no. 3268.)
- Plée Types = Plée, Types de chaque famille et des principaux genres de plantes. Livr. 1—60. Paris 1844—1853. 4°. (60 colorirte Kupfertafeln mit 54 analytischen Erläuterungen phanerogamischer Gattungen; 6 Tafeln Pilze. Wird fortgesetzt. Pritzel, Thes. no. 8067.)
- Poepp. et Endl. = Poeppig et Endlicher, Nova genera et species plantarum, quas in regno chilensi, peruviano etc. Vol. 1—3. Lipsiae 1835—1845. fol. tab. col. 1—300.  
Vol. 1. 1835. tab. 1—100.  
Vol. 2. 1838. tab. 101—200.  
Vol. 3. 1845. tab. 201—300.  
(Colorirte Kupferstiche; Zeichnungen mit Analysen von Poeppig. 322 Arten. Pritzel, Thes. no. 8098.)
- Pohl Bras. = Pohl, Plantarum Brasiliae icones. Vindobonae 1827—1831. 2 voll. folio. tab. col. 1—200.  
Vol. 1. 1827. tab. col. 1—100.  
Vol. 2. 1831. tab. col. 101—200.  
(Lithographien; col. und schwarze Ausgaben. Die erste Hälfte des ersten Bandes ohne Analysen. 200 Arten. Pritzel, Thes. no. 8108.)
- Prag. Abh. = Abhandlungen der kön. böhmischen Gesellschaft der Wissenschaften. Fünfte Folge. Band 1—6. Prag 1841—1851. 4°. (44 Arten.)
- Presl Rel. = Presl, Reliquiae Haenkeanae. Fasc. 1—7. Pragae 1825—1836. folio. tab. nigr. 1—72.  
Fasc. 1. 1825. tab. 1—12.  
" 2. 1827. tab. 13—25.  
Fasc. 3. 1828. tab. 26—36.  
" 4. 5. 1830. tab. 37—48.  
" 6. 1831. tab. 49—60.  
" 7. 1835. tab. 61—72.  
(Zeichnungen u. Analysen von F. Fieber; schwarze Kupferstiche von Joseph Skala; 117 Arten. Pritzel, Thes. no. 8205.)
- Presl Symb. = Presl, Symbolae botanicae. Pragae 1832—1833. folio. Fasc. 1—7. tab. 1—70. (Schwarze Kupferstiche von Skala, mit Analysen; Zeichnungen von F. X. Fieber; 70 Arten. Pritzel, Thes. no. 8206.)
- Preuss. Garten-Verein = Verhandlungen des Vereins zur Beförderung des Gartenbaus in den Königl. Preussischen Staaten. Band 1—21. Berlin 1824—1853. 4°. (45 Arten auf 102 theils schwarzen theils colorirten Tafeln.)
- Prinz Waldemar Him. (Unter diesem Titel werden 92 Tafeln aus dem noch unedirten Werke von Klotzsch über die von Sr. K. H. Prinz Waldemar von Preussen aus dem Himalaya zurückgebrachten Pflanzen citirt. Sie tragen die Signaturen 1—88. 94. 96. 97. 98 und stellen 99 neue Arten dar. Acht Tafeln sind noch unvollendet.)
- Pursh Fl. = Pursh, Flora Americae septentrionalis. London 1814. 2 voll. 8°. (24 Kupfertafeln mit 28 Arten; schwarze u. colorirte Exemplare. Pritzel, Thes. no. 8258.)
- Raddi Fil. = Raddi, Plantarum brasiliensium, nova genera. Pars I. Filices. Florentiae 1825. folio. (97 schlechte von Dilettanten gezeichnete Lithographien, sign. 1—84, mit 119 Arten. Pritzel, Thes. no. 8298.)
- Raf. Med. = Rafinesque, Medical Flora of the United States. Philad. 1828—30. 8°. tab. 1—100. (Schlechte Holzschnitte; nur 37 citirt. Pritzel, Thes. no. 8326.)
- Ramon Cuba = Ramon de la Sagra, Historia fisica, politica y natural de la isla de Cuba. Paris 1838—1853. folio. (Die vorhandenen 79 Lieferungen enthalten folgende Tafeln: 1—23. 25—59. 61—64. 66. 69. 70. 71. 73. 74. 77—80. 82. 85. [12<sup>b</sup>, 44<sup>b</sup>. 44<sup>a</sup>. 44<sup>b</sup>. 47<sup>b</sup>. 49<sup>b</sup>. 55. 56.] zusammen 82 Tafeln. (Schöne schwarze Kupferstiche mit guten Analysen, 82 Arten darstellend. Pritzel, Thes. no. 8341.)
- Raoul Nouv. Zel. = Raoul, Choix de Plantes de la Nouvelle-Zélande. Paris 1846. gr. 4°. (30 schwarze Kupfertafeln mit 33 Arten. Sehr schöne Zeichnungen mit Analysen von Alfred Riocreux; gestochen von Eugénie Taillant. Pritzel, Thes. no. 8351.)
- Red. Lil. = Redouté, Les Liliacées. Vol. 1—8. Paris 1802—1816. folio. tab. col. 1—486. (Sehr schön gemalte Kupferstiche; seltne Analysen; 472 Arten. Pritzel, Thes. no. 8411.)
- Reg. Denkschr. = Regensburger Denkschriften. Regensburg 1815—1841. 3 voll. 4°.  
Vol. 1. 1815. tab. col. 1—4.  
Vol. 2. 1818. tab. col. 1—2, nigr. 3—6.  
Vol. 3. 1841. tab. nigr. 1—11.  
Zusammen 21 Tafeln mit 24 Arten.
- Regel Gartenfl. = Regel, Gartenflora. Band 1—2. Zürich 1852—53. 4°. (72 gute bald schwarze bald color. Tafeln mit Originalabbildungen von 64 Arten.)
- Rchb. Monogr. Ac. = Reichenbach, Monographia generis Aconiti. Lipsiae 1820. folio. (19 sehr schlecht colorirte lithographirte Tafeln, sign. A. und 1—18, mit 31 Arten. Pritzel, Thes. no. 8437.)
- Rchb. Mag. = Reichenbach, Magazin der ästhetischen Botanik. Leipzig 1821—1826. 4°. tab. col. 1—96. (96 mittelmäßige colorirte Kupferstiche mit 129 Arten. Pritzel, Thes. no. 8439.)

- Rchb. Ill. Ac.** = Reichenbach, *Illustratio specierum Aconiti*. Lipsiae 1823—1827. folio. tab. col. 1—72. (72 colorirte Kupferstiche mit 64 Arten; die Zeichnungen von Reichenbach. Pritzel, Thes. no. 8442.)
- Rchb. Exot.** = Reichenbach, *Flora exotica*. Leipzig 1834—1836. 5 voll. folio. (360 colorirte Lithographien, mit 368 Arten; fast durchgängig Kopien mit wenig oder gar keinen Analysen. Der Text ist signirt 1—360, und so werden auch die unsignirten Tafeln citirt. Pritzel, Thes. no. 8451.)
- Rchb. Fl. germ.** = Reichenbach, *Icones Florae germanicae*. Vol. 1—16. Lipsiae 1834—1854. 4°. (Colorirte und schwarze, auch halbcolorirte Kupferstiche mit Analysen. Band 13—16 sind von H. Rchb. fil. bearbeitet. Die halbcolorirte Ausgabe hat eine abweichende Anordnung der Bände. Band 13—14 (Orchideae) wird nur als 13 citirt. Die letzte citirte Tafel ist 16, 1011. Zusammen 3162 Arten. Pritzel, Thes. no. 8444.)
- Rchb. Hort.** = Reichenbach, *Iconographia botanica exotica sive Hortus botanicus*. (Vol. 1—3.) Lipsiae 1827—1830. 4°. tab. 1—250. (Gute Zeichnungen mit Analysen von L. Reichenbach u. A. Kupferstich von Ch. Schnorr, Hilscher, Harzer, Hase u. A. Schwarze und color. Exemplare; 247 Arten. Pritzel, Thes. no. 8446.)
- Rchb. Pl. v. Ic. crit.** = Reichenbach, *Iconographia botanica, seu Plantae criticae*. Vol. 1—10. Lipsiae 1823—1832. 4°. tab. col. 1—1000. (Gute colorirte Kupferstiche mit 1003 Arten. Pritzel, Thes. no. 8443.)
- Rel. Lehm.** = *Icones plantarum novarum vel minus cognitarum, quas in prima parte operis: Alexandri Lehmann Reliquiae botanicae sive Enumeratio plantarum in itinere per deserta Asiae mediae ab A. Lehmann annis 1839—1842 collectarum descripsit A. Bunge (in Arbeiten des naturf. Vereins zu Riga, I. Bd. 1848: p. 115—253). (1851.) folio. (15 schwarze lith. Tafeln mit 27 Arten. Pritzel, Thes. no. 1556<sup>b</sup>.)*
- Retz. Observ.** = Retzius, *Observationes botanicae*. Lipsiae 1791. folio. 19 tab. col. (19 col. Kupferstiche ohne Analysen mit 19 Arten. Pritzel, Thes. no. 8497.)
- Rheede Hort. mal.** = Rheede, *Hortus indicus malabaricus*. Amstelodami 1678—1703. 12 voll. folio. (794) tab. (Die systematischen Namen der 696 Arten sind durchweg nach Angabe von Dillwyn Review, Swansea 1839. 8°. citirt. Pritzel, Thes. no. 8540.)
- Richard Abyssin.** = Richard, *Tentamen Florae abyssinicae*. Icones. Parisiis (1847—1851). folio. 103 botanische Tafeln, sign. 1—102 und 53<sup>bis</sup>; die Nummern 84 und 86 sind doppelt und bedeuten 85 und 87. Schwarze Kupferstiche mit Analysen; 104 Arten. Gehört zu Lefebure, *Voyage en Abyssinie*. Pritzel, Thes. no. 8558<sup>b</sup>.)
- Richard Astrolabe** = Dumont d'Urville, *Voyage au Pole Sud. Botanique par Richard*. Paris 1832 sqq. folio. (39 schwarze Kupfertafeln mit schönen Zeichnungen von Borromée, Riocreux u. A., signirt: Filices 1—5, 3<sup>b</sup>; Monocotyledons 1—4, Dicotyledons 1—17, 19—22, 24—28, 27<sup>b</sup>, 30, 31. Zusammen 92 Arten. Pritzel, Thes. no. 8557.)
- Richard Conif.** = L. C. Richard, *Commentatio de Conifereis et Cycadeis*. Stuttg. 1826. gr. 4°. (30 schöne von C. L. Richard gezeichnete, von Plée gestochne schwarze Kupfert. mit 40 Arten. Pritzel, Thes. no. 8564.)
- Rivinus, Opus ined.** = Rivinus, *Ordo plantarum etc.* Lipsiae s. a. folio. (Pritzel, Thes. no. 8614—8615. Citirt wird eine Auswahl von 84 gut gezeichneten seltenen Arten.)
- Rochel Banat.** = Rochel, *Plantae Banatus rariorum*. Pestini 1828. folio. (40 sehr gute schwarze Lithographien mit Analysen; 84 Arten. Pritzel, Thes. no. 8648.)
- Roem. Archiv** = Roemer, *Archiv für die Botanik*. Leipzig 1796—1805. 3 voll. 4°. (50 phanerogamische Arten auf 39 Kupfertafeln. Pritzel, Thes. no. 8687.)
- Roemer Fl. eur.** = Roemer, *Flora europaea*. Fasc. 1—14. Norimb. 1797—1811. 8°. (112 colorirte Kupfertafeln mit 108 phanerogam. Arten. Pritzel, Thes. no. 8670.)
- Roscoe Scitam.** = Monandrian plants of the order Scitamineae. Liverpool 1828. gr. folio. (112 schöne colorirte Kupfertafeln ohne Signatur mit eben so viel Arten. Pritzel, Thes. no. 8720.)
- Rousseau Bot.** = La Botanique de J. J. Rousseau ornée de 65 planches d'après Redouté. Paris 1805. folio. (46 schöne Tafeln in Farbendruck, mit 41 Arten. Pritzel, Thes. no. 8412.)
- Roxb. Corom.** = Roxburgh, *Plants of the coast of Coromandel*. London 1795—1819. 3 voll. gr. folio.  
Vol. 1. 1795. tab. col. 1—100.  
Vol. 2. 1798. tab. col. 101—200.  
Vol. 3. 1819. tab. col. 201—300.  
(Schöne colorirte Kupferstiche mit Analysen, von Mackenzie, Weddell, Girtin und Peake gestochen. Pritzel, Thes. no. 8786.)
- Royle Illustr.** = Royle, *Illustrations of botany of the Himalaya and Cashmere*. London 1839. folio. (100 colorirte Lithographien, sign. 1—97, wovon tab. 11—97 Pflanzen, gewöhnlich 2—3 auf einer Tafel; darstellen; zusammen 197 Arten. Pritzel, Thes. no. 8803.)
- Rudge Pl. Guianae** = Rudge, *Plantarum Guianae rariorum icones et descriptiones*. Londini 1805. fol. (50 sehr schöne von Anna Rudge mit Analysen gezeichnete, von Warner gestochne Kupfertafeln, 50 Arten darstellend. Pritzel, Thes. no. 8836.)
- Ruiz et Pav. Prodr.** = Ruiz et Pavon, *Florae chilensis et peruviana Prodr.* Madrid 1794. folio. (37 schwarze Kupfertafeln mit Analysenzeichnungen von 133 Arten. Pritzel, Thes. no. 8855.)
- Ruiz et Pav. Fl.** = Ruiz et Pavon, *Flora peruviana et chilensis*. Vol. 1—3. Matriti 1798—1802. folio.  
Vol. 1. 1798. tab. 1—106.  
Vol. 2. 1799. tab. 107—222.  
Vol. 3. 1802. tab. 223—325.  
Vol. 4. ineditum: 37 tab.  
(362 schwarze Kupfertafeln mit 636 Arten. Pritzel, Thes. no. 8859.)
- Rumpf Amb.** = Rumpf, *Herbarium amboinense*. Vol. 1—6. et *Auctuarium*. Amstelodami 1741—55. folio. (689 schwarze Kupfertafeln, von denen die bestimmbareren Arten, an der Zahl 606, citirt werden. Pritzel, Thes. no. 8874—75.)
- Russeger Reise** = *Abbildungen seltner Pflanzen aus Syrien etc.* von Ed. Fenzl. Stuttgart 1843. folio. (20 schwarze Kupfertafeln mit 22 Arten. Pritzel, Thes. no. 5371.)
- St. Hil. Pl. rem.** = Saint-Hilaire, *Histoire des plantes les plus remarquables du Brésil et du Paraguay*. Tom. 1. Paris 1824. 4°. (30 schwarze Kupfertafeln mit 51 Arten. Pritzel, Thes. no. 8940.)
- St. Hil. Pl. us.** = Saint-Hilaire, *Plantes usuelles des Brasiiliens*. Paris 1827. (1824—1828.) 4°. tab. nigr. 1—70. (Zeichnungen mit Analysen von E. Blanchard; lithogr. von Langlumé; 70 Arten. Pritzel, Thes. no. 8941.)

- St. Hil. Fl. Bras. = Saint-Hilaire, Flora Brasiliæ meridionalis. Vol. 1—3. Paris 1825—33. folio.  
 Vol. 1. 1825. tab. 1—94.  
 Vol. 2. 1829. tab. 95—159.  
 Vol. 3. 1832—33. tab. 161—192.  
 (Schöne Zeichnungen von Turpin und Anders, mit Analysen; colorirte Kupferstiche. Gewöhnlicher sind Quartoausgaben mit schwarzen Tafeln. 200 Arten. Pritzel, Thes. no. 8942.)
- Salisb. Parad. = Salisbury, Paradisus londinensis. London 1805—1808. 4°. (119 color. schöne Kupfertafeln mit Analysen, von Sir William Hooker gezeichnet. Pritzel, Thes. no. 8962.)
- Salm. Monogr. = Salm, Monographie des genres Aloe et Mesembrianthemum. Düsseldorf 1836—1849. 4°. Fasc. 1—5: 285 tab. nigr. c. sing. part. col. (285 lithographirte Tafeln; einzelne Blüten u. Blätter colorirt. Wird nach §. und Tafeln citirt. Pritzel, Thes. no. 8971.)
- Savi Fl. ital. = Savi, Flora italiana. Pisa 1818—1824. 3 voll. gr. folio. (120 schön colorirte Tafeln ohne Analysen, 118 Arten Gartenpflanzen darstellend. In der Privatbibliothek Weiland Kaiser Franz II. Pritzel, Thes. no. 9025.)
- Schk. Handb. = Schkuhr, Botanisches Handbuch. 2te (mit 39 Tafeln Carices vermehrte) Auflage. Leipzig 1808. 8°. (455 colorirte Kupfertafeln, sign. 1—358, mit 1172 Arten. Hierin sind zugleich Schkuhr's Riedgräser 54 + 39 tab. komplett enthalten. Diese Tafeln wurden von Schkuhr schon in den Jahren 1787—1803 gestochen; nur die 2te Hälfte der Riedgräser, 39 tab., erschien erst 1806. Die erste Ausgabe enthält ganz dieselben Tafeln, nur 39 Tafeln Carices weniger, also 446 Tafeln. Pritzel, Thes. no. 9137.)
- Schk. Fil. = Schkuhr, Vierundzwanzigste Klasse. Erster Band, Farrenkräuter. Wittenberg 1809. 4°. (Mit 222 colorirten Tafeln, sign. 1—173, welche 257 Arten darstellen. Vorzüglich treue Abbildungen in Kupferstich mit vergrößerten Fructificationstheilen. Pritzel, Thes. no. 9140.)
- Schlechtendal Fil. = Schlechtendal, Adumbrationes plantarum. Sectio 1: Filices capenses. Fasc. 1—5. Berolini 1825—1832. 4°. (30 schwarze von F. Guimpel gestochene Tafeln. Schöne Zeichnungen mit Analysen. Pritzel, Thes. no. 9147.)
- Schlechtendal Hort. = Schlechtendal, Hortus halensis. Fasc. 1—3. Halae 1841—1853. 4°. (12 schöne color. Tafeln mit ebenso viel Arten. Pritzel, Thes. no. 9149.)
- Schmid. Ic. = Schmidel, Icones plantarum et analyses partium. Ed. 2. Erlangen 1793—1797. folio. tab. col. 1—75. (75 schöne colorirte Kupferstiche mit vielen Analysen; die grössere Hälfte sind Kryptogamen. 30 Arten Phanerogamen. Pritzel, Thes. no. 9183.)
- Schneev. Ic. = Schneevooft, Icones plantarum rariorum. Harlem 1793—1794. folio. tab. col. 1—42. (42 colorirte Kupferstiche mit wenigen Analysen. Pritzel, Thes. no. 9225.)
- Schnizl. Iconogr. = Schnizlein, Iconographia familiarum naturalium regni vegetabilis. Band 1. 2. Bonn 1843—1853. 4°. (115 halbcolorirte Kupfertafeln mit Analysen. Fernere Tafeln mit der Signatur 116—276 sind zur Aufnahme in die folgenden Bände bestimmt, und werden ohne Angabe der Bandzahl citirt. Pritzel, Thes. no. 9232.)
- Schott et Endl. Melet. = Schott et Endlicher, Meletemata botanica. Vindobonae 1832. folio. (5 sehr schöne von Fahrmbacher gestochene schwarze Kupfertafeln; Zeichnungen mit Analysen von Zehner. Pritzel, Thes. no. 9258.)
- Schott Rutac. = Schott, Rutaceae. Vindobonae 1834. folio. (7 sehr schöne schwarze Kupferstiche mit Analysen. Pritzel, Thes. no. 9259.)
- Schott Gen. Fil. = Schott, Genera Filicum. Vindobonae 1834. 4°. obl. (20 schwarze Kupferstiche von Fahrmbacher, nach Analysenzeichnungen von Heinrich Schott. Pritzel, Thes. no. 9260.)
- Schott Blendl. = Schott, Wilde Blendlinge österreichischer Primeln. Wien 1852. 8°. (6 schwarze lithographirte Tafeln von N. Zehner.)
- Schott Aroid. = Schott, Aroideae. I. Vindobonae, typ. C. Gerold et filii. 1853. folio. 4 p., tab. nigr. 1—10. (Sehr schöne Lithographien mit Analysen; 10 Arten.)
- Schreb. Gräser = Schreber, Beschreibung der Gräser. Leipzig 1766—1810. folio. (54 colorirte Kupfertafeln mit Analysen; 69 Arten. Pritzel, Thes. no. 9328.)
- Schw. Denkschr. = Neue Denkschriften der Allg. Schweizerischen Gesellschaft für d. ges. Naturwissenschaften. Band 1—13. Neuchatel 1837—1853. 4°. (31 Arten.)
- Seemann Herald = Berthold Seemann, The Botany of the Voyage of H. M. S. Herald. Part 1—4. London 1852—1854. 4°. (40 schwarze lithographirte Tafeln mit 37 Arten; vorzügliche Zeichnungen mit Analysen von J. D. Hooker.)
- Sibth. Fl. gr. = Sibthorp, Flora graeca. Vol. 1—10. Londini 1806—1840. folio. tab. col. 1—966. (966 prachtvolle von Ferdinand Bauer gezeichnete colorirte Kupfertafeln mit eben so vielen Arten. Pritzel, Thes. no. 9618.)
- Sieb. Fl. Japon. = Siebold et Zuccarini, Flora japonica. Lugd. Bat. 1835—1844. folio. (129 colorirte Tafeln mit Analysen, sign. 1—127, 124<sup>bis</sup> et 137; 121 Arten. Pritzel, Thes. no. 9634.)
- Silliman Journ. = The American Journal of science and arts. Conducted by Silliman. Vol. 1—50. New Haven 1819—1845. 8°. Second series. Vol. 1—16. ib. 1846—1853. 8°. (93 Arten.)
- Sitgreaves Expedition = Sitgreaves, Report of an Expedition down the Zuni and Colorado Rivers. Washington 1853. 8°. (20 von Torrey beschriebne Arten auf 21 Tafeln.)
- Smith Ic. Linn. = Smith, Plantarum icones ineditae plerumque ex herbario Linneano. Fasc. 1—3. London 1789—1791. folio. tab. nigr. 1—75. (75 schwarze Kupferstiche mit 74 Arten. Pritzel, Thes. no. 9709.)
- Smith Ic. pict. = Smith, Icones pictae plantarum rariorum. Fasc. 1—3. Londini 1790—1793. folio max. tab. col. 1—18. (18 schöne colorirte Kupferstiche mit eben so vielen Arten. Pritzel, Thes. no. 9710.)
- Smith Exot. Bot. = Smith, Exotic Botany. Vol. 1. 2. London 1804—1805. (1808.) 4°. tab. col. 1—120. (Die schönen Zeichnungen von James Sowerby; colorirte Kupferstiche mit Analysen; 117 Arten. Pritzel, Thes. no. 9720.)
- Smith New Holl. = Smith, A specimen of the Botany of New Holland. Vol. 1. London 1793. 4°. tab. col. 1—16. (16 gute colorirte Kupferstiche mit Analysen von James Sowerby; 16 Arten. Pritzel, Thes. no. 9715.)
- Smith Spicil. = Smith, Spicilegium botanicum. London 1791—1792. folio. tab. col. 1—24. (24 color. Kupferstiche mit Analysen. 23 Arten. Pritzel, Thes. no. 9713.)
- Smiths. Contrib. = Smithsonian Contributions to Knowledge. Vol. 1—6. Washington 1848—1854. 4°. (29 Arten auf 26 Tafeln. Die Tafeln

- im 5. Bande mit der Signatur 11—14. werden „13. 14. 15. 16.“ citirt.)
- Sond. Hel. = Sonder, Revision der Heliophileen. (Hamburg 1846.) 4<sup>o</sup>. (13 Tafeln mit der Signatur 17—29, mit 16 Arten. Pritzel, Thes. no. 9745.)
- Spach Suites = Spach, Histoire naturelle des végétaux. Suites à Buffon. Paris 1834—1848. 8<sup>o</sup>. (152 colorirte Stahlstiche mit vielen Analysen von ungleichem Werthe; 235 Arten. Die Buchstaben A—E sind reservirt. Pritzel, Thes. no. 9775.)
- Sternberg Revisio = Sternberg, Revisio Saxifragarum iconibus illustrata. Ratisbonae 1810. folio. tab. 1—31. Suppl. 1: ib. 1822. folio. tab. col. 1—10. Suppl. 2: Pragae 1831. folio. tab. col. 11—26. (57 colorirte Kupfertafeln mit 122 Arten. Die Tafeln des Supplements werden durch eine vor die Tafelzahl gestellte „2,“ unterschieden. Pritzel, Thes. no. 9914.)
- Sturm Flora = Sturm, Deutschlands Flora in Abbildungen nach der Natur. 1. Abtheilung. Phanerogamen. Bändchen 1—20 oder Heft 1—94. Leipz. 1798—1849. 8<sup>o</sup>. tab. col. 1—1504. 2. Abtheilung. (nur die Farnkräuter.) Bändchen 1—5, oder Heft 1—18. ib. 1798—1833. 8<sup>o</sup>. tab. col. 1—35. (Sehr gute aber verkleinerte Abbildungen mit Analysen. Die erste Abtheilung wird citirt nur nach Band- und Heftzahl; die zweite Abtheilung (mit vorgesetzter II.) nach Band- u. Tafelzahl. Pritzel, Thes. no. 9979.)
- Sv. Bot. = Svensk Botanik, utgifven af Palmstruch, Venus, Billberg, Quensel, Swartz, Wahlberg et Wahlberg. Vol. 1—11. (Fasc. 1—129.) Stockholm 1802—1838. gr. 8<sup>o</sup>. tab. col. 1—774. (Gut gezeichnete und vortrefflich colorirte Kupferstiche mit Analysen; 743 Arten. Etwa 50 Tafeln enthalten niedere Kryptogamen. Pritzel, Thes. no. 11,827.)
- Svensk Acad. = Kongl. Vetenskaps Academiens Handlingar. År 1739—1852. Stockholm 1739—1854. 8<sup>o</sup>. (Wird nach der Jahreszahl citirt; enthält etwa 100 Arten.)
- Sw. Ic. Ind. occ. = Swartz, Icones plantarum Indiae occidentalis. Erlangae 1794. folio. (13 color. Kupferstiche mit Analysen. Pritzel, Thes. no. 10,008.)
- Sw. Fl. Ind. occ. = Swartz, Flora Indiae occidentalis. Erlangen 1797—1806. 3 voll. 8<sup>o</sup>. tab. 1—29. (62 Gattungsanalysen, 2—3 auf einer Tafel. Pritzel, Thes. no. 10,009.)
- Sweet Geran. = Sweet, Geraniaceae. London 1820—1830. 5 voll. gr. 8<sup>o</sup>. tab. col. 1—500. (500 gut colorirte lithographirte Tafeln, von denen je 100 in einem Bande sind. Die Tafeln 301—500 sind, da mir diese Bände nicht zugänglich waren, aus Walpers Rep. I. 461. citirt. Pritzel, Thes. no. 10,020.)
- Sweet Fl. G. = Sweet, The british Flower Garden. 3 voll. London 1823—1829. 8<sup>o</sup>. tab. col. 1—300. — Series II. 4 voll. ib. 1831—1838. 8<sup>o</sup>. tab. col. 1—452. (712 grell colorirte Kupfertafeln mit eben so vielen Arten. Die Tafeln der 2ten Reihe sind bei dem Citiren durch eine vorgesetzte „2,“ unterschieden. Pritzel, Thes. no. 10,021.)
- Sweet Cist. = Sweet, Cistineae. London 1825—1830. gr. 8<sup>o</sup>. tab. col. 1—112. (112 gut colorirte lithographirte Tafeln ohne Analysen; 112 Arten. Pritzel, Thes. no. 10,023.)
- Sweet Austr. = Sweet, Flora australasica. London 1827—1828. gr. 8<sup>o</sup>. tab. col. 1—56. (56 colorirte Kupferstiche mit Analysen; 56 Arten. Pritzel, Thes. no. 10,025.)
- Tenore Fl. nap. = Tenore, Flora napolitana. Napoli 1811—1836. gr. folio. tab. col. 1—250. (250 mittelmäßig gezeichnete und colorirte Tafeln, mit 368 Arten. Pritzel, Thes. no. 10,098.)
- Thunb. Fl. jap. = Thunberg, Flora japonica. Lips. 1784. 8<sup>o</sup>. c. tab. 1—39. in folio. (39 schlechte Kupferstiche ohne Analysen, mit 36 Arten. Pritzel, Thes. no. 10,231.)
- Thunb. Ic. jap. = Thunberg, Icones plantarum japonicarum. Decas 1—5. Ups. 1794—1805. folio. tab. 1—50. (50 nicht numerirte Kupferstiche ohne Analysen; 50 Arten. Pritzel, Thes. no. 10,232.)
- Torrey New York = Torrey, Flora of the State of New York. Vol. 1—2. Albany 1843. 4<sup>o</sup>. tab. col. 1—72, 73—161, et 144<sup>a</sup>. (162 colorirte lithographirte Tafeln mit Analysen; 171 Arten. Pritzel, Thes. no. 10,374.)
- Tratt. Thes. = Trattinick, Thesaurus botanicus. Viennae 1819. folio. tab. col. 1—80. (80 colorirte von Hanauer, Weber, Sommer u. A. gestochene Tafeln mit 79 Arten. Pritzel, Thes. no. 10,407.)
- Tratt. Archiv = Trattinick, Ausgemalte Tafeln aus dem Archiv der Gewächskunde. Band 1—4. Wien 1812—1814. 4<sup>o</sup>. tab. col. 1—400. (Schön colorirte Kupferstiche, mit wenig Analysen; 383 Arten. Jeder Band hat 100 Tafeln. Die schwarzen Tafeln des Archivs sind dieselben, aber anders geordnet, und werden nicht citirt. Viel Kopien. Pritzel, Thes. no. 10,411.)
- Tratt. Fl. = Trattinick, Flora des östr. Kaiserthums. Wien 1816—1822. 4<sup>o</sup>. 221 tab. col. (Nur die 100 Tafeln des I. Bandes sind citirt. Pritzel, Thes. no. 10,412.)
- Trautv. Imag. = Plantarum imagines et descriptiones, Floram russicam illustrantes. Confecit E. R. Trautvetter. Fasc. 1—8. Monachii 1844—1846. 4<sup>o</sup>. tab. nigr. 1—40. (Schwarze Lithographien, vom Autor gezeichnet, mit Analysen und Text; auf jeder Tafel eine Pflanze; 40 Arten. Pritzel, Thes. no. 10,436.)
- Trew Pl. rar. = Trew, Plantae rariorae. Decas 1—3. Norimbergae 1763—1784. folio. tab. col. 1—30. (30 colorirte von Keller gestochene Kupfertafeln mit 32 Arten. Pritzel, Thes. no. 10,452.)
- Trin. Sp. Gr. = Trinius, Species Graminum. Vol. 1—3. Petropoli (1823)—1836. 4<sup>o</sup>. 360 tab. nigr. (360 schwarze Lithographien mit Analysen; die unbezeichneten Tafeln werden citirt nach Bandzahl und der Nummer, welche sie in den Lieferungen führten. 360 Arten. Pritzel, Thes. no. 10,480.)
- Tuss. Ant. = Tussac, Flora Antillarum. Parisiis 1808—1827. 4 voll. folio.  
vol. 1: 1808. tab. col. 1—30.  
vol. 2: 1818. tab. col. 1—34.  
vol. 3: 1824. tab. col. 1—37.  
vol. 4: 1827. tab. col. 1—37.
- (138 schön colorirte Kupferstiche mit Analysen, nach Zeichnungen von Redouté, Poiteau u. A. 136 Arten. Pritzel, Thes. no. 10,560.)
- Vahl Symb. = Vahl, Symbolae botanicae. Pars 1—3. Havniae 1790—1794. folio. tab. nigr. 1—75.  
Pars 1: 1790. tab. 1—25.  
Pars 2: 1791. tab. 26—50.  
Pars 3: 1794. tab. 51—75.
- (75 schwarze Kupferstiche, mit einzelnen vergrößerten Blüthentheilen; ohne Unterschriften. 75 Arten. Pritzel, Thes. no. 10,614.)
- Vahl Eclogae = Vahl, Eclogae americanae. Fasc. 1—3. Havniae 1796—1807. folio. tab. nigr. 1—30.  
Fasc. 1: 1796. tab. 1—10.  
Fasc. 2: 1798. tab. 11—20.  
Fasc. 3: 1807. tab. 21—30.
- (30 schwarze Kupfertafeln mit einzelnen Analysen; 41 Arten. Pritzel, Thes. no. 10,615.)

- Vahl Ic. = Vahl, Icones illustrationi plantarum americanarum in Eclogis descriptarum inservientes. Decas 1—3. Havniae 1798—1799. folio. tab. nigr. 1—30. (30 schwarze Kupferstiche mit einzelnen unbedeutenden Analysen; 30 Arten. Pritzel, Thes. no. 10,616.)
- Vent. Cels = Ventenat, Description des plantes nouvelles . . . du jardin de Cels. Paris 1800. folio. tab. nigr. 1—100. (100 gute schwarze Kupferstiche mit Analysen, nach Zeichnungen von Redouté; 100 Arten. Pritzel, Thes. no. 10,700.)
- Vent. Choix = Ventenat, Choix de plantes . . . du jardin de Cels. Paris 1803. folio. tab. nigr. 1—60. (60 gute schwarze Kupferstiche mit Analysen, nach Zeichnungen von Ventenat. 60 Arten. Pritzel, Thes. no. 10,702.)
- Vent. Malm. = Ventenat, Jardin de la Malmaison. Paris 1803—1804. 2 voll. folio. tab. col. 1—60, 61—120. (120 sehr schön colorirte Kupferstiche mit Analysen; gezeichnet und gemalt von Redouté; 120 Arten. Pritzel, Thes. no. 10,703.)
- Vill. Dauph. = Villars, Histoire des plantes du Dauphiné. Grenoble 1786—1789. 8<sup>o</sup>. tab. nigr. 1—55. (55 schwarze Kupfertafeln mit 139 Arten. Pritzel, Thes. no. 10,747.)
- Vis. Dalm. = Visiani, Flora dalmatica. Vol. 1—3. Lipsiae 1842—1852. 4<sup>o</sup>. (57 schwarze Kupfertafeln, sign. 1—55. 10<sup>b</sup>. 10<sup>c</sup>. mit 86 Arten. Pritzel, Thes. no. 10,775.)
- Viv. Lib. = Viviani, Florae libycae specimen. Genuae 1824. folio. tab. nigr. 1—27. (Zeichnungen mit Analysen von Viviani; mehrere Arten auf derselben Tafel. 87 Arten. Pritzel, Thes. no. 10,790.)
- W. et Kit. = Waldstein et Kitaibel, Descriptiones et icones plantarum rariorum Hungariae. Tom. 1—3. Viennae 1802—1812. folio. tab. col. 1—280. Vol. 1: 1802. tab. 1—100. Vol. 2: 1805. tab. 101—200. Vol. 3: 1812. tab. 201—280. (280 colorirte Kupferstiche mit wenigen kleinen Analysen; 280 Arten. Pritzel, Thes. no. 10,919.)
- Wagner = Wagner, Pharmaceutisch-med. Botanik. Wien 1828. gr. folio. tab. col. 1—249. (Gewöhnliche colorirte Lithographien mit Analysen; 235 Arten. Pritzel, Thes. no. 10,873.)
- Wallace Palms = Wallace, Palm trees of the Amazon. London 1853. 8<sup>o</sup>. tab. nigr. 1—48. (48 schwarze Lithographien mit 42 größtentheils neuen Arten. Pritzel, Thes. no. 10,924<sup>b</sup>.)
- Wall. as. = Wallich, Plantae asiaticae rariores. London 1830—1832. 3 voll. folio. (295 colorirte Tafeln mit Analysen; 295 Arten. Pritzel, Thes. no. 10,943.)
- Webb Canar. = Webb, Phytographia canariensis. Sectio 1—2. Phanerogamia. Paris 1836—1850. gr. 4<sup>o</sup>. (279 vorzüglich gezeichnete und lithographirte Tafeln, signirt 1—252, mit vielen u. großen Analysen; gez. von Mme. Gay, Dlle. Legendre, Heyland, Riocreux, Chazal, Thiolat u. Andern; 295 Arten. Pritzel, Thes. no. 10,999.)
- Webb Otia = Webb, Otia hispanica. Paris 1853. folio. tab. 1—45. (45 sehr schöne schwarze Kupferstiche nach Zeichnungen von Riocreux; gestochen von Mlle. Taillant. Tafel 1—5 erschienen schon 1839; Tafel 6—10 enthalten Algen. 43 Arten. Pritzel, Thes. no. 11,001, 11,001<sup>a</sup>.)
- Weddell Hist. = Weddell, Histoire naturelle des Quinquinas. Paris 1849. folio. (32 schwarze Kupfertafeln, sign. 1—30. Schöne Zeichnungen mit Analysen von Riocreux und Steinheil. tab. 1—2. enthalten Anatomisches; tab. 28—30. sind colorirt und stellen Rinden dar.)
- Wendland Ericae = Wendland, Ericarum icones et descriptiones. Vol. 1—3, 25—27. Hannover 1798—1823. 4<sup>o</sup>. 162 tab. col. sign. 1, 1—72. 2, 1—72. 3, 1—18. (Schlecht colorirte Kupferstiche mit wenig Analysen; 162 Arten. Pritzel, Thes. no. 11,158.)
- Wendl. Collect. = Wendland, Collectio plantarum. Hannover 1808—1819. 4<sup>o</sup>. tab. col. 1—84. (84 colorirte Kupferstiche mit Analysen, mit eben so vielen Arten. Pritzel, Thes. no. 11,159.)
- Wight Illustr. in Hook. = Wight, Illustrations of Indian Botany. Glasgow 1831. 4<sup>o</sup>. tab. col. 1—19, 21—41. (Ex Hooker, Bot. Misc. vol. 2.) (40 schöne colorirte Kupfertafeln mit 40 Arten. Pritzel, Thes. no. 11,217.)
- Wight Illustr. = Wight, Illustrations of Indian Botany. Vol. 1. et 2. Madras 1838—1848 (?). 4<sup>o</sup>. tab. col. sign. 1—182. (182 colorirte Lithographien mit Analysen; 411 Arten. Pritzel, Thes. no. 11,221.)
- Wight Ic. pl. Ind. or. = Wight, Icones plantarum Indiae orientalis. Vol. 1—6. Madras 1838—1853. 4<sup>o</sup>. (2105 schwarze lithographirte Tafeln, sign. 1—2101, mit 2203 Arten. Pritzel, Thes. no. 11,222.)
- Wight Spicil. = Wight, Spicilegium neilgherrense. Madras 1846—1851. 4<sup>o</sup>. (151 colorirte lithographirte Tafeln, sign. 1—151. Tafel 74 u. 75 existiren nicht. 148 Arten. Pritzel, Thes. no. 11,223.)
- Willd. Hortus = Willdenow, Hortus berlinensis. Berolini (1803—) 1816. folio. (108 colorirte Kupfertafeln, sign. 1—108, und 2 Pläne des Gartens. Erschien in 9 Heften zu 12 Tafeln. Die Tafeln sind von P. Haas, F. Guimpel u. A. in Kupfer gestochen, und enthalten hin und wieder Analysen; 108 Arten. Pritzel, Thes. no. 11,265.)
- Willkomm Ic. Hisp. = Willkomm, Icones et descriptiones plantarum Hispaniae. Tomus 1. Lipsiae 1852—1854. 4<sup>o</sup>. (46 colorirte Stahlstiche mit sehr großen trefflich ausgeführten analytischen Zeichnungen; 59 Arten.)
- Woodv. Med. = Woodville and Hooker, Medical Botany. Vol. 1—5. London 1832. 4<sup>o</sup>. tab. col. 1—274, 1—39. (Sehr unbedeutende colorirte Lithographien mit 330 Arten. Wird signirt nach Bandzahl: 1. 2. 3. 4. 1—274. 5. 1—39. Pritzel, Thes. no. 11,358.)
- Zenk. Pl. ind. = Zenker, Plantae indicae, quas in montibus Neilgherries collegit Bernh. Schmid. Decas 1 et 2. Jenae 1835. folio. tab. col. 1—20. (20 color. Kupferstiche; Zeichnungen mit Analysen von Schmid; 19 Arten. Pritzel, Thes. no. 11,426.)



- † *Abacopteris Philippinarum* *Fée*. *Fée Fil.* 5, 18.  
*Abama ossifraga* *Adans.* *Red. Lil.* 4, 218.  
— — *Tratt. Archiv.* 54.  
† *Abatia* *Rz. et P.* *Rz. et Pav. Prodr.* 14.  
† — *parviflora* *Rz. et P.* *Hook. Lond. J.* 1845, 16.  
— *verbascifolia* *H. B. K.* *H. B. K. Nov. Gen.* 5, 486.  
† *Abelia* *R. Br.* *Wight Illustr.* 121.  
— *floribunda* *Decne.* *Bot. Reg.* 33, 55.  
— — *Bot. Mag.* 73, 4316.  
— — *Fl. d. serres* 2, 4.  
— *rupestris* *Ldl.* *Bot. Reg.* 32, 8.  
— *serrata* *Sieb. Z.* *Sieb. Fl. Jap.* 34.  
— *spathulata* *Sieb. Z.* *Sieb. Fl. Jap.* 34.  
— *triflora* *R. Br.* *Wall. Pl. as. rar.* 15.  
— — *Paxt. Fl. Garden* 91.  
— — *Lem. Jard. fl.* 3, 319.  
— *uniflora* *R. Br.* *Bot. Mag.* 79, 4694.  
*Abelmoschus angulosus* *Wall.* *Wight Spic.* 17.  
— — *Wight Ic. pl. Ind.* 3, 951.  
— *crinitus* *Wall.* *Wall. Pl. as. rar.* 44.  
— *ficulneus* *Wight et A.* *Wight Ic. pl. Ind.* 1, 154.  
— *moschatus* *Moench.* *Wight Ic. pl. Ind.* 2, 399.  
† — *periphrastus* *Van Houtte Hort.* 5.  
*Abermoa guianensis* *Aubl.* *Aubl. Guian.* 245.  
† *Abies* *Lk.* *Nees Gen.* 4, 8.  
† — (*Phyllulae et pulvini.*) *Sieb. Fl. Jap.* 137.  
! — (*Amentum.*) *Rich. Conif.* 12.  
! — (*Ramus.*) *Rich. Conif.* 14.  
— *alba* *Poir.* *Michaux Arbres for.* 1, 12.  
† — — *Rich. Conif.* 22.  
— — *Pinetum Woburnense* 33.  
— *amabilis* *Dougl.* *Pinetum Woburnense* 44.  
† — *balsamea* *Ait.* *Rich. Conif.* 16.  
— — *Pinetum Woburnense* 37.  
— *balsamifera* *Michx.* *Michaux Arbres for.* 1, 14.  
— *bifida* *Sieb. Z.* *Sieb. Fl. Jap.* 109.  
— *canadensis* *Poir.* *Michaux Arbres for.* 1, 13.  
† — — *Rich. Conif.* 17.  
† — *Cedrus* *Poir.* *Rich. Conif.* 14, 17.  
— *cephalonica* *Loud.* *Pinetum Woburnense* 42.  
— *Douglasii* *Sab.* *Pinetum Woburnense* 45.  
† — *excelsa* *DC.* *Rich. Conif.* 14, 15.  
— — *Hartig Forstgew.* 1.  
— — *Rehb. Fl. germ.* 11, 532.  
— *firma* *Sieb. Z.* *Sieb. Fl. Jap.* 107.  
— *Fraseri* *Poir.* *Pinetum Woburnense* 38.  
— *grandis* *Dougl.* *Pinetum Woburnense* 43.  
— *homolepis* *Sieb. Z.* *Sieb. Fl. Jap.* 108.  
— *jezoensis* *Sieb. Z.* *Sieb. Fl. Jap.* 110.  
† — *Larix* *Poir.* *Lam. Encycl.* 785.  
— — *Rich. Conif.* 13, 22.  
— *leptolepis* *Sieb. Z.* *Sieb. Fl. Jap.* 105.  
— *Menziesii* *Dougl.* *Pinetum Woburnense* 32.  
— *nigra* *Poir.* *Michaux Arbres for.* 1, 11.  
*Abies nigra* *Poir.* *Pinetum Woburnense* 1, 34.  
— *nobilis* *Ldl.* *Pinetum Woburnense* 1, 40.  
— *orientalis* *Poir.* *Jaub. Illustr.* 14.  
† — *pectinata* *DC.* *Rich. Conif.* 16.  
— — *Nees Düss. Suppl.* 75.  
— — *Hartig Forstgew.* 2.  
— — *Rehb. Fl. germ.* 11, 533.  
† — *Picea* *Mill.* *Ann. sc. nat.* 16, 22.  
— *Pichta* *Fisch.* *Pinetum Woburnense* 39.  
— *Pindrow* *Royle.* *Royle Illustr.* 86.  
— *Pinsapo* *Boiss.* *Boiss. Espagne* 167—169.  
— *polita* *Sieb. Z.* *Sieb. Fl. Jap.* 111.  
— *rubra* *Mill.* *Pinetum Woburnense* 35.  
— *sibirica* *Led.* *Ledeb. Ic. pl. ross.* 500.  
— *Smithana* *Loud.* *Pinetum Woburnense* 36.  
— *Tsuja* *Sieb. Z.* *Sieb. Fl. Jap.* 106.  
— *vulgaris* *Poir.* *Lam. Encycl.* 785.  
— *Webbiana* *Wall.* *Pinetum Woburnense* 41.  
*Abildgaardia barbata* *Pal.* *Pal. Fl. d'Ow.* 86.  
— *polycephala* *Brgn.* *Brongn. Coq.* 32.  
*Ablania guianensis* *Aubl.* *Aubl. Guian.* 234.  
— — *Lam. Encycl.* 479.  
*Abolboda barbata* *Lam.* *Lam. Encycl.* 905.  
— *pulchella* *H. B.* *Humb. Pl. aeq.* 114.  
† *Abrodictyon Cumingii* *Presl.* *Prag. Abh.* 3, 7.  
*Abroma augusta* *L. fil.* *Bot. Reg.* 6, 518.  
— — *Lam. Encycl.* 636, 637.  
— *fastuosa* *Jacq.* *Jacq. Vind.* 3, 1.  
† — — *Gaertn.* *Gaertn. Carp.* 64.  
— — *Salisb. Parad.* 102.  
— *Mariae* *Mart.* *Reg. Denkschr.* 3, 8, 9.  
*Abronia arenaria* *Menz.* *Hook. Exot. Fl.* 193.  
— *mellifera* *Dougl.* *Bot. Mag.* 56, 2879.  
— *parviflora* *H. B. K.* *H. B. K. Nov. Gen.* 2, 123.  
† — *rotundifolia* *Gaertn.* *Gaertn. Carp.* 214.  
— *umbellata* *Lam.* *Lam. Encycl.* 105.  
— — *Cav. Ic.* 326.  
— — *Kerner Hort.* 725.  
— — *Hook. Exot. Fl.* 194.  
— — *Paxt. Mag.* 16, 36.  
— — *Journ. Hort. Soc.* 4, 82.  
*Abrus fruticosus* *Wall.* *Wight Ic. pl. Ind.* 1, 33.  
— *preparatorius* *L.* *Rheede Hort. mal.* 8, 39.  
— — *Rumpf Amb.* 5, 32.  
† — — *Gaertn. Carp.* 151.  
† — — *Kerner Gen.* 213.  
— — *Lam. Encycl.* 609.  
— — *Tussac Ant.* 4, 18.  
— — *Desc. Ant.* 4, 275.  
— — *Dict. sc. nat.* 250.  
*Absinthium glaciale* *Gaertn.* *Lam. Encycl.* 695.  
— *officinale* *N. v. E.* *Nees Düsseld.* 234.  
— *tanacetifolium* *Gaertn.* *Lam. Encycl.* 695.  
† — *vulgare* *Lam.* *Gaertn. Carp.* 164.

- † *Absinthium vulgare* Lam. Lam. Encycl. 695.  
*Abuta amara* Aubl. Aubl. Guian. 251.  
 — *concolor* P. et E. Poepfl. et Endl. 188.  
 — *rufescens* Aubl. Aubl. Guian. 250.  
 † *Abutilon* L. Gray Gen. 125, 126.  
 — *albidum* Webb. Webb Can. 2.  
 — *americanum* Martyn Hist. 31.  
 † — *Avicennae* Gaertn. Gaertn. Carp. 135.  
 — — — Rchb. Fl. germ. 5, 166.  
 — *crispum* G. Don. Wight Ic. pl. Ind. 1, 68.  
 — — — Gray Gen. 126.  
 — *esculentum* Juss. St. Hil. Pl. us. 51.  
 — *geminiflorum* H. B. K. H. B. K. Nov. Gen. 5, 474.  
 — *glechomaeifolium* St. Hil. St. Hil. Fl. Bras. 41.  
 — *graveolens* Wight. Hook. Comp. 2.  
 — *inaequilaterum* St. Hil. St. Hil. Fl. Bras. 40.  
 — *indicum* G. Don. Wight Ic. pl. Ind. 1, 12.  
 — *insigne* Planch. Fl. d. serres 6, 551.  
 — *macropodon* Guill. Guill. Seneg. 14.  
 — *microphyllum* Rich. Rich. Fl. Abyss. 15.  
 — *palustre* Desc. Desc. Ant. 5, 325.  
 — *populifolium* G. Don. Rheede Hort. mal. 6, 45.  
 — *pulchellum* Don. Sweet Fl. Gard. 2, 287.  
 — *rufinerve* Juss. St. Hil. Fl. Bras. 42.  
 — *striatum* Dicks. Paxt. Mag. 7, 53.  
 — — — Maund Botanist 3, 144.  
 — *trichodum* Rich. Ramon Cuba 17.  
 — *velutinum* Gray. Gray Gen. 125.  
 — *venosum* Ch. Lem. Fl. d. serres 2, 25.  
 — *vitifolium* DC. Bot. Reg. 30, 57.  
*Acacia* *acanthocarpa* Willd. Reichenb. Hort. 63.  
 — *acapulcensis* H. B. Humb. Mim. 24.  
 — *alata* R. Br. Bot. Reg. 5, 396.  
 — — — Wendl. Acac. 1.  
 — — — Reichenb. Mag. 88.  
 — — — Colla Hort. Rip. 17.  
 — *albicans* H. B. Humb. Mim. 27.  
 — *albida* Del. Delile Egypt. 52.  
 — — — Ldl. Bot. Reg. 16, 1317.  
 — *amoena* Wendl. Wendl. Acac. 4.  
 — *anceps* Hook. Hook. Ic. pl. 167.  
 — *angustifolia* Wendl. Lodd. Cab. 763.  
 — *arabica* Willd. Hayne 10, 32.  
 — — — Wagner 177.  
 — — — Nees Düsseld. 331.  
 — *argyrophylla* Hook. Bot. Mag. 74, 4384.  
 — *armata* R. Br. Bonpl. Malm. 55.  
 — — — Bot. Mag. 40, 1653.  
 — — — Lodd. Cab. 49.  
 — — — Reichenb. Mag. 89.  
 — *biflora* R. Br. Wendl. Acac. 2.  
 — — — Paxt. Mag. 9, 221.  
 — — — Reichenb. Mag. 12.  
 — *bossioides* Cunn. Seemann Acac. 1.  
 — *brevifolia* Lodd. Lodd. Cab. 1235.  
 — *brevipes* Cunn. Bot. Mag. 61, 3358.  
 — *Brownii* Lodd. Lodd. Cab. 1333.  
 — *buxifolia* Cunn. Hook. Ic. pl. 164.  
 — *calamifolia* Sweet. Lodd. Cab. 909.  
 — — — Bot. Reg. 10, 839.  
 — *callosa* Bert. Nov. Comm. Bon. 3, 27.  
 — *Catechu* L. Hayne 7, 48.  
 — — — Guimp. et Schl. 151.  
 — — — Willd. Nees Düsseld. 335.  
 — *Cavenia* Colla. Mem. Tur. 37, 12.  
 — *celastrifolia* Benth. Bot. Mag. 73, 4306.  
 — *cinerascens* Sieb. Bot. Mag. 59, 3174.  
 — *cochliacantha* H. B. Humb. Mim. 29.  
 — *crassiuscula* Wendl. Wendl. Ac. 8.  
 — *cultriformis* Cunn. Hook. Ic. pl. 170.  
 — — — Paxt. Mag. 11, 123.

- Acacia* *Cunninghamii* Hook. Hook. Ic. pl. 165.  
 — *curvifolia* Bonpl. Bonpl. Malm. 40.  
 — — — Rchb. Exot. 320.  
 — *Cycnorum* Benth. Bot. Mag. 78, 4653.  
 — *dealbata* Lk. Knowl. et Westc. 103.  
 — — — Lodd. Cab. 1928.  
 — *decipiens* R. Br. Bot. Mag. 42, 1745.  
 — — — 60, 3244.  
 — — — Kern. Hort. 572.  
 — — — Rchb. Mag. 12, 88.  
 — *decora* Rchb. Rchb. Hort. 199.  
 — *decurrens* Willd. β. Bot. Reg. 6, 371.  
 — *dentifera* Benth. Bot. Mag. 69, 4032.  
 — — — Maund Bot. 4, 179.  
 — *diffusa* Ker. Bot. Reg. 8, 634.  
 — — — Bot. Mag. 50, 2417.  
 — *diptera* Ldl. var. Bot. Mag. 68, 3939.  
 — — — Hook. Ic. pl. 369.  
 — *discolor* Willd. Bot. Mag. 42, 1750.  
 — — — Lodd. Cab. 601.  
 — *dodonacifolia* Pers. Rchb. Mag. 91.  
 — — — Kern. Hort. 756.  
 — — — Colla Hort. Rip. 27.  
 — *dolabriformis* Cunn. Hook. Ic. pl. 169.  
 — *Ehrenbergiana* Hayne. Hayne 10, 29.  
 — — — Guimp. et Schl. 160.  
 — *Ehrenbergii* N. v. E. Nees Düsseld. 332.  
 — *elongata* DC. Bot. Mag. 61, 3337.  
 — *falcata* Willd. Wendl. Ac. 14.  
 — — — Lodd. Cab. 1115.  
 — *fasciculata* H. B. Humb. Mim. 23.  
 — *formosa* H. B. Humb. Mim. 32.  
 — *Fraseri* Hook. Hook. Ic. pl. 171.  
 — *fulgens* Lab. Bill. Sert. 67.  
 — *glaucescens* Willd. Willd. Hort. 101.  
 — *grandiflora* Willd. Kern. Hort. 532.  
 — — — Colla Hort. Rip. 9.  
 — *grandis* Hort. Lem. Jard. fl. 154.  
 — *granulosa* Lab. Bill. Sert. 66.  
 — *graveolens* Cunn. Lodd. Cab. 1460.  
 — — — Bot. Mag. 60, 3279.  
 — *gummifera* L. Hayne 10, 28.  
 — *haematomma* DC. DC. Legum. 68.  
 — *hastulata* Sm. Bot. Mag. 61, 3341.  
 — *hispidissima* DC. Bot. Mag. 77, 4588.  
 — — — Lem. Jard. fl. 160.  
 — *hispidula* Cunn. Hook. Ic. pl. 161.  
 — — — Lodd. Cab. 823.  
 — *homomalla* Wendl. Wendl. Ac. 13.  
 — *Houstoni* Willd. Bot. Reg. 2, 98.  
 — *Hügelii* Benth. Hügel Arch. 10.  
 — *hybrida* Lodd. Lodd. Cab. 1342.  
 — *impressa* Cunn. Bot. Reg. 13, 1115.  
 — — — Lodd. Cab. 1319.  
 — *incrassata* Hook. Hook. Ic. pl. 370.  
 — *intermedia* Cunn. Bot. Mag. 59, 3203.  
 — *Intsia* Willd. Rheede Hort. mal. 6, 4.  
 — *juniperina* Willd. Lodd. Cab. 398.  
 — *Karoo* Hayne. Hayne 10, 33.  
 — *Lambertiana* Don. Bot. Reg. 9, 721.  
 — *lanigera* Cunn. Bot. Mag. 56, 2922.  
 — *latronum* Willd. Wight Ic. pl. Ind. 3, 1157.  
 — *laurifolia* Willd. Bill. Sert. 68.  
 — *Lebbea* Willd. Tuss. Ant. 4, 29.  
 — *leprosa* DC. Bot. Reg. 17, 1441.  
 — *leptoneura* Benth. Bot. Mag. 74, 4350.  
 — — — Lem. Jard. fl. 39.  
 — *linearis* Sims. Lodd. Cab. 595.  
 — — — Bot. Mag. 47, 2156.  
 — *lineata* Cunn. Bot. Mag. 61, 3346.  
 — *linifolia* Andr. Bonpl. Malm. 19.  
 — — — Lodd. Cab. 383.

- Acacia linifolia* Willd. Bot. Mag. 47, 2168.  
 — *longifolia* Willd. Bot. Reg. 5, 362.  
 — — Lodd. Cab. 678.  
 — — Bot. Mag. 43, 1827. 47, 2166.  
 — — Maund Bot. 2, 77.  
 — — Paxt. Mag. 4, 197. 12, 269.  
 — — Dict. sc. nat. 259.  
 — *longissima* Wendl. Wendl. Ac. 11.  
 — — Bot. Reg. 8, 680.  
 — *lophantha* Willd. Bot. Reg. 5, 361.  
 — — Bot. Mag. 47, 2108.  
 — — Lodd. Cab. 716.  
 — — Kern. Hort. 574.  
 — *lunata* Sieb. Bot. Reg. 16, 1352.  
 — — Lodd. Lodd. Cab. 384.  
 — — DC. Sweet Austr. 42.  
 — *lycopodiifolia* Cunn. Hook. Ic. pl. 172.  
 — *macracantha* H. B. Humb. Mim. 28.  
 — *Mangium* DC. Rumpf Amb. 3, 81.  
 — *marginata* R. Br. Wendl. Ac. 5.  
 — *melanoxylon* R. Br. Wendl. Ac. 6.  
 — — Bot. Mag. 40, 1659.  
 — — Lodd. Cab. 630.  
 — *modesta* Wall. Wall. Pl. as. rar. 130.  
 — — Jacq. Ind. 56.  
 — *moesta* Ldl. Bot. Reg. 32, 67.  
 — *mollis* Wall. Wall. Pl. as. rar. 177.  
 — *mollissima* Willd. Sweet Austr. 12.  
 — *mucronata* Willd. Wendl. Ac. 12.  
 — — Bot. Mag. 54, 2747.  
 — *myrtifolia* Willd. Sweet Austr. 49.  
 — — Lodd. Cab. 772.  
 — *nervosa* DC. Field. Sert. 4.  
 — *neurocarpa* Cunn. Hook. Ic. pl. 168.  
 — *nigricans* R. Br. Bot. Mag. 47, 2188.  
 — — Lodd. Cab. 313.  
 — *nilotica* N. v. E. Nees Düsseld. 330.  
 — *obscura* DC. Mem. Gen. 6, 3.  
 — *odoratissima* Willd. Rheede Hort. mal. 6, 5.  
 — *oncinophylla* Ldl. Bot. Mag. 74, 4353.  
 — *ornithophora* Sweet. Sweet Austr. 24.  
 — — Lodd. Cab. 1469.  
 — *Oxycedrus* Sieb. Bot. Mag. 56, 2928.  
 — — Sweet Austr. 6.  
 — — Paxt. Mag. 7, 151.  
 — — Rchb. Hort. 120.  
 — *peninervis* Sieb. Bot. Mag. 54, 2754.  
 — *pentadenia* Lindl. Bot. Reg. 18, 1521.  
 — *pentadra* Regel. Regel Gartenf. 1852. 24.  
 — *peregrina* Willd. Humbl. Mim. 30.  
 — *platyptera* Ldl. Bot. Mag. 68, 3933.  
 — *plumosa* Lowe. Bot. Mag. 61, 3366.  
 — *prensans* Lowe. Bot. Mag. 62, 3408.  
 — *procera* Willd. Kern. Hort. 369.  
 — *prominens* Cunn. Bot. Mag. 63, 3502.  
 — *prostrata* Lodd. Lodd. Cab. 631.  
 — *pubescens* Ait. Maund Bot. 1, 48.  
 — — Vent. Rchb. Exot. 319.  
 — — Rchb. Mag. 73.  
 — *pugioniformis* Wendl. Ac. 9.  
 — *pulchella* R. Br. Lodd. Cab. 212.  
 — — Paxt. Mag. 4, 198.  
 — *quadrangularis* Lk. Bot. Mag. 53, 2651.  
 — *revoluta* H. B. Humb. Mim. 26.  
 — *Riceana* Hensl. Maund Bot. 3, 135.  
 — *rotellifera* Benth. Seem. Acac. 2.  
 — *rotundifolia* Hook. Bot. Mag. 69, 4041.  
 — — Paxt. Mag. 15, 123.  
 — *ruscifolia* Cunn. Bot. Mag. 59, 3195.  
 — *scandens* Willd. Tuss. Ant. 3, 21.  
 — *setiformis* Cunn. Hook. Ic. pl. 159.  
 — *setigera* Cunn. Hook. Ic. pl. 166.

- Acacia setigera* Hook. Hook. Ic. pl. 316.  
 — *Seyal Delile*. Delile Egypt. 52.  
 — — Hayne 10, 30.  
 — — Guimp. et Schl. 150.  
 — — Nees Düsseld. 334.  
 — — Wagner 179.  
 — *skleroxyla* Tuss. Tuss. Ant. 1, 21.  
 — *smilacifolia* Field. Field. Sertum 3.  
 — *Sophorae* R. Br. Lodd. Cab. 1351.  
 — *spectabilis* Cunn. Bot. Reg. 29, 46.  
 — *Spini Colla*. Mem. Tur. 33, 5.  
 — *spirorbis* Lab. Bill. Sertum 69.  
 — *squamata* Ldl. Hook. Ic. pl. 367.  
 — *stricta* Willd. Lodd. Cab. 99.  
 — — Rchb. Mag. 90.  
 — *suaveolens* Willd. Lodd. Cab. 730.  
 — — Rchb. Mag. 46.  
 — *subcoerulea* Lindl. Bot. Reg. 13, 1075.  
 — *subulata* H. B. Bonpl. Malm. 45.  
 — *sulcata* R. Br. Bot. Reg. 11, 928.  
 — — Wendl. Ac. 10.  
 — *taxifolia* Willd. Lodd. Cab. 1225.  
 — *tortilis* Forsk. Hayne 10, 31.  
 — — Hayne. Guimp. et Schl. 149.  
 — — Forsk. Nees Düsseld. 333.  
 — *translucens* Cunn. Hook. Ic. pl. 160.  
 — *tristis* Grah. Bot. Mag. 62, 3420.  
 — *umbellifera* H. B. Humb. Mim. 31.  
 — *umbrosa* Cunn. Bot. Mag. 61, 3338.  
 — *uncinata* Lindl. Bot. Reg. 16, 1332.  
 — *undulaefolia* Cunn. Bot. Mag. 62, 3394.  
 — — Lodd. Cab. 1544.  
 — *undulata* Willd. Wendl. Ac. 3.  
 — — Bot. Reg. 10, 843.  
 — — Lodd. Cab. 753.  
 — — Rchb. Mag. 89.  
 — *undulatifolia* Cunn. Lem. Jard. fl. 3, 282.  
 — *urophylla* Benth. Bot. Mag. 77, 4573.  
 — — Lem. Jard. fl. 125.  
 — — Fl. d. serres 7, 668.  
 — *velutina* Bert. Nov. Comm. Bon. 4, 7.  
 — *vera* L. Hayne 10, 34.  
 — — DC. Nees Düss. Suppl. 63.  
 — — Bauh. Wagner 178.  
 — *Verek G. et P.* Guill. Fl. Seneg. 56.  
 — *vernificua* Cunn. Bot. Mag. 60, 3266.  
 — *verticillata* Willd. Kern. Hort. 268.  
 — — Lodd. Cab. 535.  
 — *vestita* Ker. Bot. Reg. 9, 698.  
 — — Paxt. Mag. 3, 145.  
 † — *virgata* Gaertn. Gaertn. Carp. 148.  
 — — Lodd. Lodd. Cab. 1246.  
 — *viridiflora* H. B. Humb. Mim. 25.  
 — *viscosa* Schrad. Wendl. Ac. 7.  
*Acaena* *adscendens* Vahl. Rich. Astr. 25.  
 — — Hook. Fl. ant. 96.  
 — *argentea* Rz. et Pav. Rz. et Pav. Fl. 103.  
 — *Closiana* Gay. Gay Chile 21.  
 — *cuneata* Hook. Rich. Astr. 25.  
 — *cylindrostachya* Rz. et Pav. Rz. et Pav. Fl. 104.  
 — *lappacea* Rz. et Pav. Rz. et Pav. Fl. 103.  
 — *lucida* Vahl. Rich. Astr. 24.  
 — — Hook. Fl. ant. 94.  
 — *multifida* Hook. Rich. Astr. 24.  
 — *ovalifolia* Rz. et Pav. Rz. et Pav. Fl. 103.  
 — — Rich. Astr. 25.  
 — *pinnatifida* Rz. et Pav. Rz. et Pav. Fl. 104.  
 — — Bot. Reg. 15, 1271.  
 — — Rich. Astr. 25.  
 — *pumila* Vahl. Rich. Astr. 24.  
 — — Hook. Fl. ant. 95.

- Acaena Sanguisorbae* Vahl. Rich. Astr. 24.  
 — *sericea* Jacq. Jacq. Ecl. pl. 55.  
 — *trifida* Rz. et Pav. Rz. et Pav. Fl. 104.  
 † *Acajuba occidentalis* Gaertn. Gaertn. Carp. 40.  
*Acalypha alnifolia* Willd. Hook. Comp. 29.  
 — *alopeuroidea* Jacq. Jacq. Ic. 620.  
 — *betulina* Willd. Rumpf Amb. 4, 37.  
 — *carpinifolia* Burm. Desc. Ant. 5, 379.  
 — *ciliata* Forsk. Vahl. Symb. 20.  
 — — — Jard. Ann. 2, 5.  
 — *cuspidata* Jacq. Jacq. Schoenbr. 2, 243.  
 — *densiflora* Bl. Rumpf Amb. 4, 36.  
 — *diversifolia* Jacq. Jacq. Schoenbr. 2, 244.  
 — *glandulosa* Cav. Cav. Ic. 570.  
 — *hirta* Cav. Cav. Ic. 569.  
 — *indica* L. Rheede Hort. mal. 10, 81.  
 — — — Wight Ic. pl. Ind. 877.  
 — *macrostachya* Jacq. Jacq. Schoenbr. 2, 245.  
 — *monostachya* Cav. Cav. Ic. 568.  
 — *obovata* Benth. Benth. Sulphur 53.  
 — *phleoides* Cav. Cav. Ic. 569.  
 — *pilosa* Cav. Cav. Ic. 568.  
 — *polystachya* Jacq. Jacq. Schoenbr. 2, 246.  
 — *samydaefolia* P. et E. Poepp. et E. 224.  
 — *spiciflora* Burm. Rumpf Amb. 4, 37.  
 — — — Lam. Encycl. 789.  
 — *stricta* P. et E. Poepp. et E. 225.  
 — *vagans* Cav. Cav. Ic. 569.  
 — *villosa* L. fil. Jacq. Vind. 3, 47.  
 † — *virginica* L. Gaertn. Carp. 107.  
 — — — Lam. Encycl. 789.  
 — — — Schk. Handb. 311.  
*Acanthaceae*. Icones plant. Chin. 3.  
 † *Acanthaceae* R. Br. Wight Illustr. 164<sup>b</sup>.  
 † — — (Testa.) Linn. Transact. 19, 6.  
*Acanthocarpaea sulcata* Klotzsch. Peters Mossamb. 24.  
*Acanthodium grossum* N. v. E. Wight Ic. pl. Ind. 1535.  
 — — — 1536.  
 — *spicatum* Del. Delile Egypt. 33.  
*Acantholimon glumaceum* Boiss. Fl. d. serres 7, 677.  
 — — — Lem. Jard. fl. 66.  
*Acanthophippium bicolor* Ldl. Bot. Reg. 20, 1730.  
 — — — Maund Bot. 4, 200.  
 † — *javanicum* Bl. Bl. Tab. 47.  
 — — — Bot. Reg. 32, 47.  
 — — — Bot. Mag. 76, 4492.  
 — — — Lem. Jard. fl. 35.  
*Acanthophyllum mucronatum* C. A. M. Annal. d. Wien.  
 — — — Mus. 1, 5. 6.  
 † *Acanthoprasium frutescens* Benth. Nees Gen. 6, 41.  
*Acanthostachys strobilacea* Lk. Link Ic. III, 9.  
 † *Acanthostemma pictum* Bl. Bl. Mus. 1, 10.  
*Acanthus ebracteatus* Vahl. Vahl Symb. 40.  
 † — *mollis* L. Gaertn. Carp. 54.  
 — — — Sibth. Fl. gr. 610.  
 † — — — Lam. Encycl. 550.  
 — — — Dict. sc. nat. 36.  
 † — — — Nees Gen. 5, 26. 26<sup>a</sup>.  
 † — — — (Ovulum.) Ann. sc. nat. III. 9, 5.  
 — *spinosus* L. Sibth. Fl. gr. 611.  
 † — — — Lam. Encycl. 550.  
 — — — Bot. Mag. 43, 1808.  
 — *volubilis* Wall. Wall. Pl. as. rar. 172.  
*Acarina cancellata* L. Sibth. Fl. gr. 839.  
 — *gummifera* Willd. Sibth. Fl. gr. 838.  
 — — — Brot. Phytogr. 161.  
 † *Acer* L. Gaertn. Carp. 116. — Schkuhr Handb. 351  
 — — — 353. — Lamarck Encycl. 844. — Gray  
 Gen. 174.  
 — *austriacum* Tratt. Tratt. Arch. 36.  
 — — — Hartig 99.  
 — *campestre* L. Fl. dan. 8, 1288.

- Acer campestre* L. Engl. Bot. 5, 304.  
 — — — Baxter Brit. Bot. 2, 98.  
 — — — Sv. Bot. 409.  
 — — — Tratt. Arch. 37.  
 — — — Schrank Fl. monac. 3, 250.  
 — — — Rehb. Fl. germ. 5, 162.  
 — — — Hartig 98.  
 — *cassiaefolium* Bl. Bl. Rumphia 167<sup>b</sup>.  
 — *caudatum* Wall. Wall. Pl. asiat. 132.  
 — *circinatum* Pursh. Hook. Bor. Am. 39.  
 — *creticum* L. Tratt. Arch. 45.  
 — *dasyarpum* Ehrh. Tratt. Arch. 38. 38<sup>a</sup>.  
 — — — Torr. New York 18.  
 — *dissectum* Thunb. Thunb. Ic. jap. 45.  
 — *Douglasii* Hook. Hook. Lond. Journ. 1847, 6.  
 — *criocarpum* Michx. Michx. Arb. 2, 13.  
 † — — — Ann. Mus. 7, 25.  
 — *hybridum* Bosc. Lodd. Cab. 1221.  
 — *japonicum* Thunb. Thunb. Ic. jap. 20.  
 — *laciniatum* Du Roi. Tratt. Arch. 35.  
 — *laevigatum* Wall. Wall. Pl. asiat. 104.  
 — *macrophyllum* Pursh. Hook. Bor. Am. 38.  
 — *Lobellii* Ten. Acad. Neap. 3, 1.  
 — — — Ten. Fl. nap. 199.  
 — *monspessulatum* L. Tratt. Arch. 46.  
 — — — Rehb. Fl. germ. 5, 162.  
 — *montanum* Ait. Guimp. Fr. H. 48.  
 — — — Willd. Tratt. Arch. 42. 42<sup>a</sup>.  
 — *neapolitanum* Ten. Acad. Neap. 1, 2.  
 — — — Ten. Fl. nap. 100.  
 † — — — Rehb. Fl. germ. 5, 163.  
 — *Negundo* L. Michx. Arb. 2, 18.  
 — — — Guimp. Fr. H. 95.  
 — — — Tratt. Arch. 40. 40<sup>a</sup>. 40<sup>b</sup>.  
 — *nigrum* Michx. Michx. Arb. 2, 16.  
 — *niveum* Bl. Bl. Rumphia 167<sup>b</sup>.  
 — *oblongum* Wall. Jacq. Ind. 34.  
 — *obtusatum* Willd. Tratt. Arch. 44.  
 — — — Rehb. Fl. germ. 5, 163.  
 — *obtusifolium* Sm. Sibth. Fl. gr. 361.  
 — *opulifolium* Vill. Tratt. Arch. 43. 43<sup>a</sup>.  
 — — — Gaudin Fl. helv. 6, 3.  
 — *Opulus* Ait. Rehb. Fl. germ. 5, 163.  
 — *palmatum* Thunb. Thunb. Ic. jap. 44.  
 — *pensylvanicum* L. Duroi Harbk. B. 2.  
 — — — Tratt. Arch. 41.  
 — *pictum* Thunb. Thunb. Ic. jap. 43.  
 — *platanoides* L. Sv. Bot. 86.  
 — — — Tratt. Arch. 34.  
 — — — Rehb. Fl. germ. 5, 164.  
 — — — Hartig 96.  
 ! — — — (Pistilla.) Ann. sc. n. II. 15, 22.  
*pseudoplatanus* L. Fl. dan. 9, 1575.  
 — — — Engl. Bot. 5, 303.  
 — — — Dreves 2, 62.  
 — — — Tratt. Arch. 32.  
 — — — Schrank Fl. monac. 4, 391.  
 — — — Dict. sc. nat. 163.  
 — — — Hartig 97.  
 — — — Rehb. Fl. germ. 5, 164.  
 — *rubrum* L. Michx. Arb. 2, 14.  
 — — — Tratt. Arch. 39. 39<sup>a</sup>.  
 † — — — Ann. Mus. 7, 25.  
 — *saccharinum* L. Michx. Arb. 2, 15.  
 — — — Schriften nat. Fr. 1, 9.  
 — — — Gil et Xuar. 30.  
 — — — Tratt. Arch. 33.  
 — — — Wangh. Gray Gen. 174.  
 — *sterculiaceum* Wall. Wall. Pl. as. 105.  
 — *striatum* Lam. Michx. Arb. 2, 17.  
 — — — Duroi Harbk. Baumz. 1.  
 — *tataricum* L. Pallas Fl. ross. 3.

- Acer tataricum* L. Tratt. Arch. 31. 31<sup>a</sup>.  
 — — — Rchb. Fl. germ. 5, 162.  
 — — — Guimp. Fr. H. 47.  
*Aceranthus diphyllus* Morr. Ann. sc. nat. II. 2, 14.  
*Aceras angustifolia* Ldl. Royle Illustr. 87.  
 — — — Wight Ic. pl. Ind. 5, 1691.  
 — — — anthropophora R. Br. Curt. Lond. 2, 63.  
 — — — Baxter Brit. Bot. 4, 305.  
 — — — Lodd. Cab. 1775.  
 — — — Sweet Fl. G. 168.  
 † — — — Nees Gen. 3, x.  
 † — — — Ann. sc. nat. III. 18, 1.  
 — — — Dietr. Fl. bor. 4, 228.  
 — — — Rchb. Fl. germ. 13, 357.  
 — — — caprina Ldl. Rchb. Fl. germ. 13, 359.  
 — — — Duquesnei Rchb. fl. Rchb. Fl. germ. 13, 514.  
 — — — formosa Ldl. Rchb. Fl. germ. 13, 358.  
 — — — hircina Ldl. Dietr. Fl. bor. 11, 721.  
 — — — — Rchb. Fl. germ. 13, 360. 513.  
 — — — intacta Rchb. fl. Rchb. Fl. germ. 13, 500.  
 — — — longibracteata Rchb. fl. Rchb. Fl. germ. 13, 501.  
 — — — secundiflora Ldl. Bot. Reg. 18, 1525.  
 † *Acerates circinalis* Dcne. Ann. sc. nat. II. 9, 11.  
 — — — viridiflora Ell. Torr. New York 88.  
 † *Achania* Sw. Swartz Fl. Ind. 24.  
 — — — Malvaviscus Willd. Bot. Mag. 49, 2305.  
 — — — Lodd. Cab. 1155.  
 — — — mollis H. B. K. Bot. Reg. 1, 11.  
 — — — — Andr. Rep. 7, 452.  
 — — — Lodd. Cab. 600.  
 — — — Desc. Ant. 6, 383.  
 — — — Ait. Bot. Mag. 50, 2374.  
 — — — pilosa Sw. Lodd. Cab. 829.  
*Acharia tragodes* Thunb. Thunb. Prodr. cap. 1.  
 — — — Lam. Encycl. 755.  
 — — — Jard. Ann. 3, 9.  
 † *Achillea* L. Lam. Encycl. 683.  
 — — — aegyptiaca L. Sibth. Fl. gr. 892.  
 — — — argentea Vis. Vis. Dahm. 9.  
 — — — asplenifolia Vent. Vent. Cels. 95.  
 — — — atrata L. Jacq. Fl. austr. 1, 77.  
 — — — — Sturm Fl. 5, 19.  
 — — — capitata Willd. Willd. Achill. 1.  
 — — — Clavenae L. Jacq. Fl. austr. 1, 76.  
 — — — — Bot. Mag. 32, 1287.  
 — — — — Sturm Fl. 1, 1.  
 — — — Clusiana Tausch. Rchb. Ic. crit. 3, 221.  
 — — — clypeolata Sibth. Sibth. Fl. gr. 893.  
 — — — compacta Willd. Jacq. Ecl. pl. 88.  
 — — — — Rochel Ban. 32.  
 — — — coronopifolia Willd. Willd. Achill. 1.  
 — — — crithmifolia W. et K. W. et Kit. 66.  
 — — — fiabelliformis Sm. Sibth. Fl. gr. 894.  
 — — — herbarotta All. All. Fl. ped. 3, 9.  
 — — — imbricata Vent. Vent. Cels. 54.  
 — — — ligustica All. All. Fl. ped. 3, 53.  
 — — — — Sibth. Fl. gr. 897.  
 — — — lingulata W. et K. W. et Kit. 2.  
 — — — macrophylla L. Rchb. Ic. crit. 4, 311.  
 — — — — Willd. Münch. Denkschr. 7, 5.  
 — — — magna All. All. Fl. ped. 3, 53.  
 — — — — L. Sibth. Fl. gr. 896.  
 — — — — Rochel Ban. 32.  
 — — — Millefolium L. Curt. Lond. 1, 78.  
 — — — — Engl. Bot. 11, 758.  
 — — — — var. Fl. dan. 5, 737. II, 1937.  
 — — — — Sv. Bot. 74.  
 † — — — Gaertn. Carp. 168.  
 — — — — Schk. Handb. 255.  
 — — — — Schrank Fl. monac. 1, 9.  
 — — — — Dietr. Fl. bor. 7, 504.  
 — — — — Dreyes 1, 23.

- Achillea Millefolium* L. Hayne 9, 45.  
 — — — Guimp. et Schl. 14.  
 — — — Nees Düsseld. 245.  
 — — — Wagner 63.  
 — — — Woodv. Med. 1, 15.  
 — — — — var. Rochel Ban. 31.  
 — — — Sturm Fl. 3, 10.  
 — — — mongolica Fisch. Rchb. Ic. crit. 5, 459.  
 — — — moschata Wulf. Jacq. Fl. austr. 1, 33.  
 — — — — Sturm Fl. 14, 59.  
 — — — nana Wulf. All. Fl. ped. 3, 9.  
 — — — — L. Sturm Fl. 14, 59.  
 — — — nobilis L. Schk. Handb. 255.  
 — — — — Rochel Ban. 32.  
 — — — — Dietr. Fl. bor. 11, 775.  
 — — — ochroleuca W. et K. W. et Kit. 34.  
 — — — odorata L. Jacq. Collect. 1, 21.  
 — — — pectinata Willd. Winter Index 18.  
 — — — Ptarmica L. Curt. Lond. 1, 135.  
 — — — — Engl. Bot. 11, 757.  
 — — — — Fl. dan. 4, 643.  
 — — — — Sv. Bot. 207.  
 — — — — Hayne 9, 44.  
 — — — — Guimp. et Kl. 16.  
 — — — — Nees Düsseld. 246.  
 — — — — Sturm Fl. 3, 10.  
 — — — — Baxter Brit. Bot. 1, 36.  
 — — — pubescens L. Sibth. Fl. gr. 895.  
 — — — punctata Ten. Ten. Fl. nap. 83.  
 — — — rosea Desf. Lodd. Cab. 1407.  
 — — — Santolina L. Sibth. Fl. gr. 891.  
 — — — serrata Sm. Engl. Bot. 36, 2531.  
 — — — setacea W. et K. W. et Kit. 80.  
 — — — — Rochel Ban. 31.  
 — — — — Dietr. Fl. bor. 11, 776.  
 — — — silvatica Ten. Ten. Fl. nap. 195.  
 — — — speciosa Spr. Tratt. Arch. 194.  
 — — — tanacetifolia All. Winter Index 15.  
 — — — — Rochel Ban. 33.  
 — — — tenuifolia Lam. Jacq. Ecl. pl. 4.  
 — — — tomentosa L. Engl. Bot. 36, 2532.  
 — — — — Bot. Mag. 14, 498.  
 — — — — Sturm Fl. 14, 59.  
 — — — valesiaca Sut. Rchb. Ic. crit. 3, 274.  
 — — — vermicularis Trin. Pet. 6, 13.  
*Achimenes* R. Br. (Var. hort.) Paxt. Mag. 15, 121.  
 — — — argyrostigma Hook. Bot. Mag. 71, 4175.  
 — — — — Fl. d. serres 2, 36.  
 — — — candida Ldl. Journ. Hort. Soc. 3, 317.  
 — — — cupreata Hook. Bot. Mag. 73, 4312.  
 — — — — Fl. d. serres 3, 260.  
 — — — Ghiesbreghtii Hort. Journ. Hort. Soc. 5, 194.  
 — — — gloxiniaeflora Forkel. Fl. d. serres 4, 318.  
 — — — grandiflora DC. Bot. Reg. 31, 11.  
 — — — — Bot. Mag. 69, 4012.  
 — — — — Paxt. Mag. 10, 145.  
 — — — hirsuta Ldl. Bot. Reg. 29, 55.  
 — — — — Bot. Mag. 71, 4144.  
 — — — — Paxt. Mag. 12, 7.  
 — — — Jaureguia Warsc. Fl. d. serres 5, 536.  
 — — — ignescens Ch. Lem. Fl. d. serres 3, 248.  
 — — — Kleii Paxt. Paxt. Mag. 16, 289.  
 — — — longiflora Benth. Bot. Reg. 28, 19.  
 — — — — Bot. Mag. 69, 3980.  
 — — — — Paxt. Mag. 9, 151.  
 — — — — Hort. Tr. 9, 14.  
 — — — — var. Fl. d. serres 5, 536.  
 — — — — Hart. Parad. 1, 1.  
 — — — multiflora Gardn. Bot. Mag. 69, 3993.  
 — — — — Hook. Ic. pl. 468.  
 — — — — Paxt. Mag. 10, 223.  
 — — — — Fl. d. serres 1, 13.

- Achimenes ocellata* Hook. Bot. Mag. 74, 4359.  
 — — — Fl. d. serres 4, 336.  
 — — — *patens* Benth. Paxt. Mag. 13, 197.  
 — — — Journ. Hort. Soc. 1, 7.  
 — — — Fl. d. serres 3, 245.  
 — — — *pedunculata* Benth. Bot. Reg. 28, 31.  
 — — — Bot. Mag. 70, 4077.  
 — — — Paxt. Mag. 10, 271.  
 — — — *picta* Benth. Bot. Reg. 31, 42.  
 — — — Bot. Mag. 70, 4126.  
 — — — Hort. Tr. 10, 3.  
 — — — Paxt. Mag. 12, 223.  
 — — — Fl. d. serres 1, 16.  
 — — — Hart. Parad. 1, 10.  
 — — — *rosea* Ldl. Bot. Reg. 27, 65.  
 — — — *rupestris* Gardn. Hook. Ic. pl. 480.  
*Achlys triphylla* DC. Hook. Bor. Am. 12.  
 † *Achnodon Bellardi* Lk. Nees Gen. 1, 11.  
*Achras Caimito* Rz. et P. Rz. et Pav. Fl. 240.  
 — — — Kern. Hort. 246.  
 — — — *costata* Endl. Endl. Ic. 83.  
 † — — — Schnizl. Ic. 158.  
 — — — *Lucuma* Rz. et P. Rz. et Pav. Fl. 239.  
 — — — *mammosa* L. Tuss. Ant. 3, 6.  
 — — — Desc. Ant. 2, 104.  
 — — — Kern. Hort. 139.  
 — — — Dict. sc. nat. 62.  
 — — — *retusa* Dennst. Rheede Hort. mal. 4, 46.  
 — — — *Sapota* L. Tuss. Ant. 1, 5.  
 — — — Desc. Ant. 4, 259.  
 † — — — Lam. Encycl. 255.  
 — — — Bot. Mag. 58, 3111. 3112.  
 — — — Dict. sc. nat. 61.  
 — — — Schnizl. Ic. 158.  
 — — — *sessilifolia* L. Desc. Ant. 5, 346.  
 — — — *vitellina* Tuss. Tuss. Ant. 4, 19.  
*Achryson punctatum* Webb. Webb. Can. 27.  
*Achyranthes argentea* Lam. Sibth. Fl. gr. 244.  
 † — — — Lam. Encycl. 168.  
 † — — — Hensl. Jard. Ann. 1, 12.  
 — — — *aspera* L. Rheede Hort. mal. 10, 78.  
 — — — Rumpf Amb. 6, 12.  
 — — — Jacq. Ecl. pl. 74.  
 † — — — Gaertn. Carp. 128.  
 — — — Wight Ic. pl. Ind. 5, 1777.  
 — — — *axillaris* Willd. Jacq. Fragm. 114.  
 — — — *bidentata* Bl. Wight Ic. pl. Ind. 5, 1779.  
 — — — *capituliflora* Colla. Colla Hort. Rip. 18.  
 — — — *diandra* Roxb. Wight Ic. pl. Ind. 2, 722.  
 — — — *ferruginea* Roxb. Wight Ic. pl. Ind. 2, 721.  
 — — — *ficoidea* Lam. var. Dict. sc. nat. 193.  
 — — — *halimifolia* Lam. Lam. Encycl. 168.  
 — — — *lanata* L. Wight Ic. pl. Ind. 2, 723.  
 † — — — *lappacea* L. Gaertn. Carp. 128.  
 — — — Wight Ic. pl. Ind. 2, 731.  
 — — — *muricata* L. Wight Ic. pl. Ind. 2, 732.  
 — — — *Monsoniana* Pers. Wight Ic. pl. Ind. 2, 725.  
 — — — *porrigens* Jacq. Jacq. Schoenbr. 3, 350.  
 — — — Bot. Mag. 21, 830.  
 — — — Andr. Rep. 6, 380.  
 — — — *prostrata* L. Rumpf Amb. 6, 11.  
 — — — Wight Ic. pl. Ind. 2, 733.  
 — — — *rubrofusca* R. W. Wight Ic. pl. Ind. 5, 1778.  
 — — — *sanguinolenta* L. Rumpf Amb. Auct. 27.  
 — — — fig. 2.  
 — — — *scandens* Roxb. Wight Ic. pl. Ind. 2, 724.  
 — — — *sericea* Koenig. Wight Ic. pl. Ind. 2, 726.  
 — — — *triandra* Roxb. Wight Ic. pl. Ind. 2, 727.  
*Achyronia villosa* Wendl. Wendl. Hort. herrenh. 12.  
*Achyropappus anthemoides* H. B. K. H. B. K. Nov.  
 Gen. 4, 390.  
 — — — *schkuhrioides* Lk. Link Ic. II. 30.

- † *Achyrophorus radicata* Scop. Gaertn. Carp. 159.  
*Acianthus fornicatus* R. Br. Hook. Journ. 1834, 134.  
 — — — Endl. Ic. 16.  
*Acicarpa spatulata* R. Br. Jacq. Ecl. pl. 130.  
 † — — — Rich. Mem. Mus. 6, 12.  
 — — — *tribuloides* Juss. Ann. Mus. 2, 58.  
 — — — Dict. sc. nat. 94.  
 † — — — Rich. Mem. Mus. 6, 11.  
 † *Acidoton* Sw. Swartz Fl. Ind. 18.  
*Acineta Barkeri* Paxt. Paxt. Mag. 14, 145.  
 † *Acinos rotundifolius* Pers. Nees Gen. 6, 13<sup>a</sup>.  
 — — — *thymoides* Münch. Diatr. Fl. bor. 3, 213.  
 † — — — Nees Gen. 6, 13<sup>a</sup>.  
 — — — *vulgaris* Pers. Baxter Brit. Bot. 6, 479.  
*Acioa guianensis* Aubl. Aubl. Guian. 280.  
 † *Aciphylla* Forst. Forst. Char. 68.  
 — — — *squarrosa* Forst. Hook. Ic. pl. 607—608.  
 † *Acis grandiflora* Sweet. Herb. Amar. 30. 34.  
 — — — *rosea* Sweet. Sweet Fl. G. 297.  
 † *Acladodea* Rz. et P. Rz. et Pav. Prodr. 29.  
*Aclisia indica* Wight. Wight Ic. Ind. or. 6, 2068.  
 — — — *scorzogonensis* E. M. Presl. Rel. 25.  
 † *Aemadenia Bartl.* Bartl. Diosm. 1.  
 † — — — *laevigata* Bartl. Mem. Mus. 12, 18.  
 † *Aenida cannabina* L. Gaertn. Carp. 126.  
 — — — *rusocarpa* Michx. Michx. Fl. 50.  
*Acnistus cauliflorus* Schott. Miers Illustr. 3.  
*Acoma dissecta* Benth. Benth. Sulphur 17.  
*Aconiopteris longifolia* Fée. Fée Fil. 41.  
 — — — *obtusa* Fée. Fée Fil. 40.  
 † — — — *subdiaphana* Presl. Hook. Gen. Fil. 79.  
 † *Aconitum* L. Lam. Encycl. 482. — Ser. Mus. helv. 15.  
 — — — Rehb. Monogr. Ac. tab. A. — Rehb. Fl.  
 germ. 4, 75—77. — Gray Gen. 16.  
 — — — *acuminatum* Rehb. Rehb. Fl. germ. 4, 84.  
 — — — *acutum* Rehb. Rehb. Monogr. Ac. 14.  
 — — — — Rehb. Fl. germ. 4, 94.  
 — — — *altigaleatum* Hayne. Hayne 12, 16.  
 — — — Br. u. Ratz. 40.  
 — — — *ambiguum* Rehb. Rehb. Ill. Ac. 23.  
 — — — *amoenum* Rehb. Rehb. Monogr. Ac. 14.  
 — — — *angustifolium* Bernh. Rehb. Monogr. Ac. 15.  
 — — — Rehb. Fl. germ. 4, 95.  
 — — — *Anthora* L. Jacq. Fl. austr. 4, 382.  
 — — — Bot. Mag. 53, 2654.  
 — — — Hayne 12, 11.  
 — — — Br. und Ratz. 38.  
 — — — — Rehb. Monogr. Ac. 1.  
 — — — — Rehb. Ill. Ac. 59. 60.  
 — — — — Rehb. Fl. germ. 4, 100.  
 ! — — — Ser. Mus. helv. 16.  
 — — — *anthoroideum* DC. Rehb. Monogr. Ac. 4.  
 — — — Rehb. Ill. Ac. 61.  
 — — — *autumnale* Chus. Rehb. Monogr. Ac. 17.  
 — — — — Rehb. Ill. Ac. 67.  
 — — — — Rehb. Fl. germ. 4, 88.  
 — — — *barbatum* Patr. Sweet Fl. G. 164.  
 — — — — Rehb. Ill. Ac. 46.  
 — — — — Pers. Del. Ic. I, 64.  
 — — — *Bernhardianum* Wallr. Wallr. Sched. 2.  
 — — — — Rehb. Fl. germ. 4, 91.  
 — — — *biflorum* Fisch. Rehb. Monogr. Ac. 7.  
 — — — — Rehb. Ill. Ac. 40.  
 — — — *callibotryon* Rehb. Rehb. Monogr. Ac. 16.  
 — — — — Rehb. Fl. germ. 4, 91.  
 — — — *Cammarum* L. Jacq. Fl. austr. 5, 421.  
 — — — — Hoffm. D. Fl. 1791, 8.  
 — — — — Hayne 12, 15.  
 — — — — Br. und Ratz. 39.  
 — — — — Wagner 162.  
 — — — — Jacq. Rehb. Ill. Ac. 7. 8. 39.  
 — — — — Rehb. Fl. germ. 4, 83.

- Aconitum cernuum* Wulf. *Rechb. III. Ac. 33.*  
 — — — *Rechb. Fl. germ. 4, 85.*  
 — — — *Chamissonianum Rechb. Rechb. Monogr. Ac. 10.*  
 — — — *Rechb. III. Ac. 43.*  
 — — — *chinense Sieb. Bot. Mag. 67, 3852.*  
 — — — *Paxt. Mag. 5, 3.*  
 — — — *ciliare DC. Del. Ic. 1, 65.*  
 — — — *Clusianum Rechb. Rechb. Monogr. Ac. 13.*  
 — — — *commutatum Rechb. Rechb. Monogr. Ac. 18.*  
 — — — *compactum Rechb. Rechb. III. Ac. 2.*  
 — — — *De Candollii Rechb. Rechb. Monogr. Ac. 3.*  
 — — — *delphinifolium DC. Rechb. Monogr. Ac. 9.*  
 — — — *Rechb. III. Ac. 42.*  
 — — — *dissectum Tausch. Rechb. III. Ac. 47.*  
 — — — *eminens Koch. Rechb. Fl. germ. 4, 89.*  
 — — — *eulophum Rechb. Rechb. Monogr. Ac. 5.*  
 — — — *eustachyum Rechb. Rechb. Monogr. Ac. 15.*  
 — — — *exaltatum Bernh. Rechb. III. Ac. 72.*  
 — — — *Rechb. Fl. germ. 4, 86.*  
 — — — *excelsum Rechb. Rechb. III. Ac. 53.*  
 — — — *ferox Wall. Wall. Pl. as. rar. 41.*  
 — — — *Fischeri Rechb. Rechb. III. Ac. 22.*  
 — — — *flaccidum Rechb. Rechb. III. Ac. 28.*  
 — — — *formosum Rechb. Rechb. Monogr. Ac. 18.*  
 — — — *Rechb. III. Ac. 64.*  
 — — — *Rechb. Fl. germ. 4, 96.*  
 — — — *Funkianum Rechb. Rechb. III. Ac. 66.*  
 — — — *gibbiferum Rechb. Rechb. III. Ac. 19.*  
 — — — *Gmelini Rechb. Rechb. III. Ac. 46.*  
 — — — *heterophyllum Wall. Royle III. 13.*  
 — — — *hians Rechb. Rechb. Monogr. Ac. 18.*  
 — — — *Rechb. Fl. germ. 4, 96.*  
 — — — *Hoppeanum Rechb. Rechb. Monogr. Ac. 15.*  
 — — — *Rechb. III. Ac. 65.*  
 — — — *Rechb. Fl. germ. 4, 94.*  
 — — — *Jacquini Rechb. Rechb. Monogr. Ac. 2.*  
 — — — *japonicum Thunb. Rechb. III. Ac. 36.*  
 — — — *intermedium  $\beta$ . versicolor Savi Fl. ital. 3, 106.*  
 — — — *Kamtschaticum Willd. Rechb. III. Ac. 15. 16.*  
 — — — *Koehleri Rechb. Rechb. Fl. germ. 4, 98.*  
 — — — *Koelleanum Rechb. Koelle Acon. 0.*  
 — — — *Rechb. Monogr. Ac. 11. 12. 14.*  
 — — — *Rechb. III. Ac. 62.*  
 — — — *Rechb. Fl. germ. 4, 99.*  
 — — — *Kusnezoffii Rechb. III. Ac. 21.*  
 — — — *laetum Rechb. Rechb. Monogr. Ac. 13.*  
 — — — *Rechb. Fl. germ. 4, 97.*  
 — — — *Lamarekii Rechb. Rechb. III. Ac. 55.*  
 — — — *lasiosomum Rechb. Rechb. III. Ac. 49.*  
 — — — *laxum Rechb. Rechb. Fl. germ. 4, 93.*  
 — — — *leptanthum Rechb. Rechb. III. Ac. 64.*  
 — — — *Lobelianum Rechb. Rechb. III. Ac. 3.*  
 — — — *Lubarskyi Rechb. Rechb. III. Ac. 20.*  
 † — — — *lycoctonum L. Gaertn. Carp. 65.*  
 — — — *Rechb. Fl. austr. 4, 380.*  
 — — — *Schrank Fl. mon. 1, 6.*  
 — — — *Fl. dan. 1, 123.*  
 — — — *Sv. Bot. 654.*  
 — — — *Br. u. Ratz. 38.*  
 — — — *Rechb. III. Ac. 52.*  
 — — — *maximum Pall. Rechb. III. Ac. 17.*  
 — — — *molle Rechb. Rechb. III. Ac. 31.*  
 — — — *Rechb. Fl. germ. 4, 84.*  
 — — — *multifidum Koch. Rechb. III. Ac. 70.*  
 — — — *Rechb. Fl. germ. 4, 90.*  
 — — — *myoctonum Rechb. Rechb. III. Ac. 51.*  
 — — — *Rechb. Fl. germ. 4, 79.*  
 — — — *Napellus L. Jacq. Fl. austr. 5, 381.*  
 — — — *Schk. Handb. 145.*  
 — — — *Engl. Bot. 730.*  
 — — — *Sv. Bot. 46.*  
 — — — *Rechb. III. Ac. 1—4.*

- Aconitum Napellus L. Rechb. Fl. germ. 4, 92.*  
 — — — *Sturm Fl. 2, 6.*  
 — — — *Rechb. Fl. germ. 4, 92.*  
 — — — *Rechb. III. Ac. 69.*  
 — — — *Rechb. Fl. germ. 4, 88.*  
 — — — *ochotense Rechb. Rechb. III. Ac. 18.*  
 — — — *ochranthum Led. Ledeb. Ic. 406.*  
 — — — *ochroleucum L. Marsch. Cent. 12.*  
 — — — *Willd. Bot. Mag. 52, 2570.*  
 — — — *orientale Mill. Rechb. III. Ac. 29.*  
 — — — *Pallasii Rechb. Rechb. Monogr. Ac. 6.*  
 — — — *Rechb. III. Ac. 60.*  
 — — — *pallidum Rechb. Rechb. III. Ac. 50.*  
 — — — *palmatifidum Rechb. Rechb. Fl. germ. 4, 86.*  
 — — — *paniculatum Lam. Lodd. Cab. 810.*  
 — — — *Herb. amat. 5, 327.*  
 — — — *Rechb. III. Ac. 32.*  
 — — — *Rechb. Fl. germ. 4, 84.*  
 — — — *paradoxum Rechb. Rechb. Monogr. Ac. 10.*  
 — — — *plicatum Koehl. Rechb. Fl. germ. 4, 98.*  
 — — — *productum Rechb. Rechb. Monogr. Ac. 7.*  
 — — — *Rechb. III. Ac. 38.*  
 — — — *pubescens Moench. Rechb. Fl. germ. 4, 91.*  
 — — — *pyramide Mill. Rechb. III. Ac. 68.*  
 — — — *Rechb. Fl. germ. 4, 89.*  
 — — — *pyrenaicum L. Rechb. III. Ac. 48.*  
 — — — *Rechb. Fl. germ. 4, 78.*  
 — — — *ranunculifolium Rechb. Rechb. Fl. germ. 4, 81.*  
 — — — *rigidum Rechb. Rechb. Fl. germ. 4, 97.*  
 — — — *rostratum Bernh. Lodd. Cab. 203.*  
 — — — *Rechb. III. Ac. 11. 30.*  
 — — — *Rechb. Fl. germ. 4, 82.*  
 — — — *Schleicheri Rechb. Rechb. III. Ac. 1.*  
 — — — *semigaleatum Pall. Rechb. Monogr. Ac. 8.*  
 — — — *Rechb. III. Ac. 41.*  
 — — — *septentrionale Koelle. var. Bot. Mag. 48, 2196.*  
 — — — *speciosum Otto. Rechb. Fl. germ. 4, 87.*  
 — — — *Stoerkianum Rechb. Nees Düss. Suppl. 96.*  
 — — — *Lodd. Cab. 1991.*  
 — — — *Rechb. III. Ac. 71.*  
 — — — *Rechb. Fl. germ. 4, 86.*  
 — — — *strictum Bernh. Rechb. Monogr. Ac. 17.*  
 — — — *Rechb. Fl. germ. 4, 96.*  
 — — — *taurericum Rechb. Rechb. Monogr. Ac. 12.*  
 — — — *tauricum Wulf. Jacq. Ic. 492.*  
 — — — *Nees Düsseld. 394.*  
 — — — *Rechb. III. Ac. 63.*  
 — — — *Rechb. Fl. germ. 4, 99.*  
 — — — *thelyphonum Rechb. Rechb. III. Ac. 54.*  
 — — — *Rechb. Fl. germ. 4, 79.*  
 — — — *tortuosum Willd. Rechb. III. Ac. 24.*  
 — — — *toxicum Rechb. Rechb. III. Ac. 37.*  
 — — — *Rechb. Fl. germ. 4, 84.*  
 — — — *uncinatum L. Bot. Mag. 28, 1119.*  
 — — — *Rechb. III. Ac. 35. 36.*  
 — — — *Gray Gen. 16.*  
 — — — *variabile Napellus Hayne. Hayne 12, 12.*  
 — — — *Br. u. Ratz. 42.*  
 — — — *neubergense Hayne. Hayne 12, 14.*  
 — — — *Br. u. Ratz. 41.*  
 — — — *tauricum Hayne. Hayne 12, 13.*

- Aconitum variabile tauricum* Hayne. Br. u. Ratz. 40.  
 — variegatum L. Rehb. III. Ac. 34.  
 — — — Rehb. Fl. germ. 4, 82.  
 — versicolor Rehb. Lodd. Cab. 794.  
 — villosum Rehb. Rehb. III. Ac. 26. 27.  
 — virgatum Rehb. Rehb. Fl. germ. 4, 87.  
 — volubile Pall. Jacq. Fragm. 123.  
 — — — Rehb. III. Ac. 25.  
 — vulgare DC. Nees Düss. Suppl. 93. 94.  
 — Vulparia Rehb. III. Ac. 56. 57. 58.  
 — — — Rehb. Fl. germ. 4, 80.
- † *Acorus* L. Gaertn. Carp. 84. — Leers Fl. herb. 13. —  
 Lamarck Encycl. 252. — Kerner Gen. 153.  
 — Calamus L. Rumpf Amb. 5, 72.  
 — — — Rheede Hort. mal. II, 48.  
 — — — Fl. dan. 7, 1158.  
 — — — Engl. Bot. 5, 356.  
 — — — Sv. Bot. 100.  
 — — — Schk. Handb. 97.  
 — — — Hayne 6, 31.  
 — — — Guimp. et Schl. 168.  
 — — — Nees Düsseld. 24.  
 — — — Wagner 82.  
 — — — Bart. Med. 30.  
 — — — Woodv. Med. 4, 248.  
 — — — Baxter Brit. Bot. 5, 330.  
 — — — Dietr. Fl. bor. 12, 830.
- † — — — Nees Gen. 3, x.  
 — — — Rehb. Fl. germ. 10, 429.  
 — gramineus Ait. Sm. Spic. 17.
- † — — — L. Guill. Arch. 1, 3.  
 † — — — Nees Gen. 3, x.
- † *Acosta* Rz. et P. Rz. et Pav. Prodr. 1.  
 — aculeata Rz. et P. Rz. et Pav. Fl. 6.
- Acourea violacea* Aubl. Aubl. Guian. 301.
- Acourtia hebeclada* DC. Del. Ic. 4, 95.
- Acratherium pumilum* Hochst. Rich. Abyss. 100.
- † *Acridocarpus Cavanillesii* Juss. Arch. Mus. 3, 15.  
 — corymbosus Hook. fil. Hook. Niger Fl. 24.  
 — — — Hook. Ic. pl. 774.
- † — — — excelsus Juss. Arch. Mus. 3, 15.  
 — plagiopterus Guill. Guill. Sen. 29.  
 — — — Arch. Mus. 3, 15.
- † — — — Smeathmanni Guill. Arch. Mus. 3, 15.
- † — — — zanzibaricus Juss. Arch. Mus. 3, 15.
- Acriopsis indica* Wight. Wight Ic. pl. Ind. 5, 1748.
- Acrocarpidium numulariaefolium* Miq. Miq. Pl. surin.  
 Focke 2.  
 — repens Miq. Miq. III. Pip. 3.  
 — Sellovianum Miq. Miq. III. Pip. 3.
- Acrocarpus fraxinifolius* Arn. Wight Ic. pl. Ind. 1, 254.  
 — minarum N. v. E. Endl. Bras. 3, 16.  
 — polyphyllus N. v. E. Endl. Bras. 3, 17.
- Acrocephalus capitatus* Benth. Hook. Ic. pl. 456.
- Acrocomia mexicana* Mart. Mart. Palm. 138.  
 — sclerocarpa Mart. Mart. Palm. 56. 57.
- † — — — Totai Mart. D'Orb. Voyage 29.
- Acrolasia bartonioides* Presl. Presl Rel. 55.
- † *Acrolepis trichodes* Schrad. Comm. Gott. rec. 7, 2.
- Acronia phalangifera* Presl. Presl Symb. 57.
- † *Acronychia* Forst. Forst. Char. 27.  
 — Baueri Schott. Schott Rutaceae 3.  
 — Cunninghamsii Hook. Bot. Mag. 69, 3994.  
 — Endlicheri Schott. Schott Rutaceae 2.
- Acropera Loddigesii* Ldl. Bot. Mag. 64, 3563.  
 — — — Mem. Gen. II, 2.
- Acrophyllum venosum* Benth. Maund Bot. 2, 95.  
 — verticillatum Hook. Bot. Mag. 70, 4030.
- † *Acropteris australis* Fée. Fée Fil. 5, 6.  
 † — — — septentrionalis Lk. Fée Fil. 5, 6.
- Acroptilon Picris* DC. var. Jaub. Illustr. 10 — 11.
- Acrostichum acrocarpum* Mart. Mart. Crypt. bras. 23.

- Acrostichum aculeatum* Desv. Desv. Journ. 3, 10.  
 — affine M. et G. Acad. Brux. 15, 3.  
 — alatum Fée. Fée Fil. 5.  
 — albidulum Sw. Sw. Syn. Fil. 1.  
 — alcornae Sw. Schk. Fil. 2.  
 — — — Dict. sc. nat. 82.  
 — — — R. Br. Bot. Reg. 3, 262. 263.  
 — alismaefolium Fée. Fée Fil. 3.  
 — alpestre Gardn. Field. Sert. 25.  
 — andicola Fée. Fée Fil. 2.  
 — angulatum Bl. Bl. Jav. 6, 6.  
 — angustatum Schrad. Schlehtd. Fil. 5.  
 — apodum Kaulf. Hook. Ic. Fil. 99.  
 — appendiculatum Willd. Hook. Ex. Fl. 108.  
 — asplenifolium Bory. Bel. Ind. or. 3.  
 — Aubertii Desv. Fée Fil. 18.  
 — aureum L. Schk. Fil. 1. 1<sup>b</sup>.
- † — — — Hook. Gen. Fil. 81.  
 — australe Vahl. Vahl Symb. 25.  
 — Bellermannianum Klotzsch. Kze. Fil. 115.  
 — bifurcatum Cav. Schk. Fil. 2.  
 — — — Bot. Reg. 3, 262. 263.  
 — blepharodes Fée. Fée Fil. 24.  
 — Boryanum Fée. Fée Fil. 1.  
 — brachyneuron Fée. Fée Fil. 22.  
 — Breutelianum Kze. Kze Fil. 102.  
 — buxifolium Kze. Kze Fil. 72.  
 — callaefolium Bl. Bl. Jav. 6, 4.  
 — calomelanos L. Schk. Fil. 5.  
 — — — Willd. Hort. 41.  
 — — — Langsd. et F. 3.  
 — cardiophyllum Hook. Hook. Ic. pl. 715.  
 — caudatum Hook. Hook. Ic. pl. 215.  
 — cochleatum Fée. Fée Fil. 16.  
 — conforme Sw. Sw. Syn. Fil. 1.  
 — — — Bl. Jav. 6, 5.  
 — crinitum L. Hook. Ic. Fil. 1.  
 — cuspidatum Willd. Fée Fil. 14.  
 — danaeae folium L. et F. Langsd. et F. 1.  
 — decoratum Kze. Kze Anal. 6.  
 — — — Fée Fil. 22.  
 — decurrens Bl. Bl. Jav. 6, 10.  
 — didynamum Fée. Fée Fil. 16.  
 — dimorphum H. et Gr. Hook. et Grev. Ic. Fil. 145.  
 — diversifolium Bl. Bl. Jav. 6, 12.  
 — Dombeyanum Fée. Fée Fil. 17.  
 — elegans Vahl. Vahl Symb. 50.  
 — ellipticum Fée. Fée Fil. 4.  
 — falcatum Fée. Fée Fil. 21.  
 — Feei Bory. Fée Fil. 18.  
 — flabellatum H. B. K. H. B. K. Nov. Gen. 7, 662.  
 — — — Hook. Ic. pl. 96.  
 — flaccidum Fée. Fée Fil. 7.  
 — flagelliferum Wall. Rheede Hort. mal. 12, 19.  
 — — — Hook. Ic. Fil. 23.  
 — — — Bl. Jav. 6, 13.  
 — foeniculaceum H. et Gr. Hook. et Grev. Ic. Fil. 119.  
 — fulvum M. et G. Acad. Brux. 15, 3.  
 — Funckii Fée. Fée Fil. 6.  
 — Gardnerianum Kze. Fée Fil. 15.  
 — Gayanum Fée. Fée Fil. 19.  
 — glandulosum Carm. Hook. Ic. Fil. 3.  
 — gorgoneum Bl. Bl. Jav. 6, 8.  
 — Hartwegii Fée. Fée Fil. 9.  
 — hastatum Thunb. Thunb. Fl. jap. 34.  
 — Herminieri Bory. Fée Fil. 11.  
 — heteroclitum Presl. Presl Rel. 2.  
 — heterolepis Fée. Fée Fil. 15.  
 — heterophyllum L. Raddi Fil. 17.  
 — horridulum Kaulf. Fée Fil. 14.  
 — Huacsaro Bert. Bert. Amoen. it. 2.  
 — — — Opusc. sc. Bon. 1, 8.



- Acrostichum hybridum* Bory. Hook. Ic. Fil. 21.  
 — — Fée Fil. 9.  
 — Jamesoni *H. et Gr.* Hook. et Grev. Ic. Fil. 86.  
 — — Fée Fil. 14.  
 — ilvense *L.* Fl. dan. 3, 91.  
 — impressum *Fée.* Fée Fil. 5.  
 — inaequale *Bl.* Bl. Jav. 6, 16.  
 — laminarioides Bory. Fée Fil. 12.  
 — Langsdorffii *Mart.* Mart. Crypt. bras. 21.  
 — — Hook. et Grev. Ic. Fil. 164.  
 — lanuginosum *Desf.* Desf. Fl. 256.  
 — — Willd. Farnk. 3.  
 — — Schk. Fil. 1.  
 — laurifolium *Aub. Th.* Fée Fil. 7.  
 — Lepervanchii Bory. Fée Fil. 9.  
 — lepidopteris *L. et F.* Langsd. et F. 2.  
 — leptophyllum *Fée.* Fée Fil. 17.  
 — Lindenii Bory. Fée Fil. 18.  
 — lineare *Fée.* Fée Fil. 15.  
 — Lingua *Thumb.* Thumb. Fl. jap. 33.  
 — — Schk. Fil. 1.  
 — — Raddi Fil. 15.  
 — lloense *Hook.* Hook. Ic. pl. 657.  
 — lomarioides Bory. Bél. Ind. or. 2.  
 — lonchophorum *Kze.* Kze Fil. 2.  
 — luridum *Fée.* Fée Fil. 19.  
 — macropodium *Fée.* Fée Fil. 6.  
 — Marantae *L.* Schk. Fil. 4.  
 — — Sturm Flora II, 2, 2.  
 — — Sibth. Fl. gr. 964.  
 — marginatum *L.* Schk. Fil. 3<sup>b</sup>.  
 — martinicense *Desv.* Fée Fil. 16.  
 — Mathewsii *Fée.* Fée Fil. 2.  
 — melanostycton *Bl.* Bl. Jav. 6, 7.  
 — micradenium *Fée.* Fée Fil. 8.  
 — minutum *Pohl.* Fée Fil. 10.  
 — muscosum *Sw.* Fée Fil. 20.  
 — notatum *Fée.* Fée Fil. 10.  
 — nummularifolium *Sw.* Sw. Syn. Fil. 2.  
 — — Bl. Jav. 6, 11.  
 — obliquum *Bl.* Bl. Jav. 6, 9.  
 — obovatum *Bl.* Bl. Jav. 6, 11.  
 — obtusatum *Carm.* Hook. Ic. Fil. 22.  
 — Orbignyanum *Fée.* Fée Fil. 13.  
 — ovatum *H. et Gr.* Hook. et Grev. Ic. Fil. 146.  
 — — Fée Fil. 14.  
 — paleaceum *H. et Gr.* Hook. et Grev. Ic. Fil. 235.  
 — peltatum *Schk.* Schk. Fil. 12.  
 — perelegans *Fée.* Fée Fil. 23.  
 — petiolosum *Desv.* Fée Fil. 14.  
 — piloselloides *Presl.* Presl. Rel. 2.  
 — — Fée Fil. 14.  
 — pilosum *H. B. K.* H. B. K. Nov. Gen. 7, 661.  
 — platyneuron *L.* Fée Fil. 4.  
 — polypodioides *Aub.* Aub. Th. Mel. 2.  
 — Preslianum *Fée.* Fée Fil. 24.  
 — proliferum *Hook.* Hook. Ic. pl. 681—682.  
 — pumilum *M. et G.* Acad. Brux. 15, 2.  
 — quercifolium *Schk.* Schk. Fil. 3.  
 — quoyanum *Gaud.* Freycinet Voyage 3.  
 † rabdolepis *Fée.* Fée Fil. 5, 1.  
 — Raddianum *H. et Gr.* Hook. et Grev. Ic. Fil. 4.  
 — ramosissimum *Fée.* Fée Fil. 22.  
 — repandum *Bl.* Bl. Jav. 6, 14, 15.  
 — Requienianum *Gaud.* Freycinet Voyage 4.  
 — Richardi *Fée.* Fée Fil. 16.  
 — rubiginosum *Fée.* Fée Fil. 5, 13.  
 † ruta muraria *Lam.* Lam. Encycl. 865.  
 — scandens *Raddi.* Raddi Fil. 18.  
 — scapellum *Mart.* Fée Fil. 10.  
 — Schomburgkii *Fée.* Fée Fil. 8.  
 — scolopendrifolium *Raddi.* Raddi Fil. 16.

- Acrostichum septentrionale* *L.* Lam. Encycl. 865.  
 — — Fl. dan. 1, 60.  
 — serratum *Lam.* Lam. Encycl. 865.  
 — Sieberi *H. et Gr.* Hook. et Grev. Ic. Fil. 237.  
 — siliquosum *L.* Rumpf. Amb. 6, 74.  
 — simplex *Sw.* Lodd. Cab. 709.  
 — spathulatum Bory. Bory. Iles d'Afr. 20.  
 — — Fée Fil. 14.  
 — spathulinum *Raddi.* Raddi Fil. 15.  
 — speciosum *Bl.* Bl. Jav. 6, 17.  
 — sphenophyllum *Kze.* Kze Anal. 7.  
 — spicatum *L.* Sm. Ic. Linn. 49.  
 — splendens Bory. Fée Fil. 21.  
 — squamipes *Hook.* Hook. Ic. pl. 197.  
 — — Fée Fil. 22.  
 — squamosum *Schk.* Schk. Fil. 1<sup>b</sup>.  
 — Stemaria *Pal.* Pal. Fl. d'Ow. 2.  
 — — Bot. Reg. 3, 262, 263.  
 — stigmatolepis *Fée.* Fée Fil. 24.  
 — stipitatum *Fée.* Fée Fil. 4.  
 — strictum *Raddi.* Raddi Fil. 15.  
 — — Mart. Crypt. Bras. 22.  
 — subrenatum *H. et Gr.* Hook. et Grev. Ic. Fil. 110.  
 — subdiaphanum *H. et Gr.* Hook. et Grev. Ic. Fil. 205.  
 — succisaefolium *Aub. Th.* Hook. Ic. Fil. 2.  
 — sulphureum *Schk.* Schk. Fil. 4.  
 — tambillense *Hook.* Hook. Ic. pl. 656.  
 — thalictroides *L.* Linn. Fl. zeyl. 4.  
 † Thelypteris *L.* Hedw. Theor. 6.  
 — trifoliatum *L.* Schk. Fil. 3, 22.  
 — tripartitum *H. et Gr.* Hook. et Grev. Ic. Fil. 118.  
 — velleum *Hort. Kew.* Sibth. Fl. gr. 965.  
 — villosum *Sw.* Lam. Encycl. 865.  
 — — Hook. Ic. Fil. 95.  
 — — Fée Fil. 20.  
 — virens *Wall.* Hook. Ic. Fil. 221.  
 — viscosum *Sw.* Hook. Ic. Fil. 61.  
 — Webbii Bory. Fée Fil. 24.  
 — yapurense *Mart.* Mart. Crypt. bras. 24.  
 Acrotaphros bibracteata *Hochst.* Rich. Abyss. 38.  
 Acrotrema Arnottianum *Wight.* Wight III. 3.  
 — uniflorum *Hook.* Hook. Ic. pl. 157.  
 Acrotriche depressa *R. Br.* Mem. Gen. 9, 1.  
 — ovalifolia *R. Br.* Bot. Mag. 59, 3171.  
 — — Lodd. Hob. 1930.  
 † Actaea *L.* Gaertn. Carp. 114. — Lam. Encycl. 448. —  
 — Gray Gen. 19.  
 — podocarpa *DC.* Del. Ic. 1, 66.  
 — racemosa *L.* Schk. Handb. 139.  
 — — Nees Düsseld. 396.  
 — rubra *Willd.* Gray Gen. 19.  
 — spicata *L.* Fl. dan. 3, 498.  
 — — Engl. Bot. 13, 918.  
 — — Baxter Brit. Bot. 3, 218.  
 — — Sv. Bot. 291.  
 — — Schrank Fl. monac. 1, 64.  
 — — Dreves 5, 134.  
 — — Hayne 1, 14.  
 — — Nees Düss. Suppl. 17, 18, 48.  
 — — Dietr. Fl. bor. 6, 407.  
 — — Sturm Fl. 6, 21.  
 — — Rehb. Fl. germ. 4, 121.  
 Actephila neilgherrensis *R. W.* Wight Ic. pl. Ind. 1910.  
 Actinea chrysanthemoides *H. B. K.* H. B. K. Nov. Gen.  
 — — 4, 411.  
 — heterophylla *Juss.* Ann. Mus. 2, 61.  
 — integrifolia *H. B. K.* H. B. K. Nov. Gen. 4, 410.  
 Actinella lanata *Pursh.* Bot. Reg. 14, 1167.  
 Actinocarpus Damasonium *Curt.* Curt. Lond. 1, 125.  
 — — Baxter Brit. Bot. 6, 437.  
 Actinodaphne angustifolia *N. v. E.* Wight Ic. pl. Ind.  
 — — 5, 1941.

- Actinodaphne melochina *N. v. E.* Wight Ic. pl. Ind. 5, 1843.  
 — speciosa *N. v. E.* Wight Ic. pl. Ind. 5, 1843.  
 † Actinodium Cunninghami *Schauer.* Acta Leop. 19. S. II. 1.  
 Actinolema eryngioides *Fz.* Russegger Reise 12.  
 Actinolepis multicaulis *DC.* Hook. Ic. pl. 325.  
 Actinophora fragrans *Wall.* Bennett Jav. 46.  
 † Actinophyllum *Rz. et P.* Rz. et Pav. Prodr. 8.  
 — acuminatum *Rz. et P.* Rz. et Pav. Fl. 310.  
 — angulatum *Rz. et P.* Rz. et Pav. Fl. 307.  
 — conicum *Rz. et P.* Rz. et Pav. Fl. 309.  
 — pedicellatum *Rz. et P.* Rz. et Pav. Fl. 308.  
 — pentandrum *Rz. et P.* Rz. et Pav. Fl. 311.  
 † Actinostachys pennula *Hook.* Hook. Gen. Fil. 111.  
 † Actinostemon *Mart.* Wiegmann Archiv 7, 8.  
 Actinotus Helianthi *Lab.* Bill. Nov. Holl. 92.  
 † — — — Lam. Encycl. 934.  
 — — — Bot. Reg. 8, 654.  
 — — — Tratt. Thes. 73.  
 — — — Tratt. Arch. 216.  
 — leucocephalus *Benth.* Hook. Ic. pl. 9, 847.  
 — minor *Tratt.* Tratt. Arch. 216.  
 † Acunna *Rz. et P.* Rz. et Pav. Prodr. 12.  
 Adamia cyanca *Wall.* Wallich Tentamen 36. — Wall.  
 — — — Pl. asiat. rar. 213.  
 — — — Bot. Mag. 58, 3046.  
 — versicolor *Fortune.* Paxt. Mag. 16, 322.  
 — — — Paxt. Fl. G. 5.  
 † Adansonia Baobab *Gaertn.* Gaertn. Carp. 135.  
 † — digitata *L.* Cav. Diss. 157.  
 † — — — Lam. Encycl. 588.  
 — — — Tuss. Ant. 3, 33. 34.  
 — — — Desc. Ant. 4, 291.  
 — — — Bot. Mag. 55, 2791. 2792.  
 — — — *Rchb.* Exot. 350. 350<sup>a</sup>.  
 Adelia acuminata *Michx.* Michx. Fl. 48.  
 — cassinoides *Michx.* Lam. Encycl. 831.  
 — nereifolia *Roxb.* Wight Ic. Ind. or. 5, 1868.  
 — retusa *Grah.* Wight Ic. Ind. or. 5, 1869.  
 † Adenandra *Willd.* Bartling Diosm. 1.  
 — amoena *Bartl.* Bot. Reg. 7, 553.  
 † — umbellata *Willd.* Mem. Mus. 12, 19.  
 Adenanthera circinata *DC.* Rumpf Amb. 3, 112.  
 — falcata *L.* Rumpf Amb. 3, 111.  
 — pavonina *L.* Rheede Hort. mal. 6, 14.  
 — — — Rumpf Amb. 3, 109.  
 — — — Jacq. Collect. 4, 23.  
 † — — — Jacq. Eragm. 2.  
 † — — — Gaertn. Carp. 149.  
 † — — — Lam. Encycl. 334.  
 — — — Wight Illustr. 80.  
 Adenanthus cuneata *Lab.* Bill. Nov. Holl. 36.  
 † — — — Lam. Encycl. 913.  
 — obovata *Lab.* Bill. nov. Holl. 37.  
 † — — — Lam. Encycl. 913.  
 — sericea *Lab.* Bill. Nov. Holl. 38.  
 † — — — Lam. Encycl. 913.  
 — terminalis *R. Br.* Endl. Ic. 110.  
 Adenaria floribunda *H. B. K.* H. B. K. Nov. Gen. 6, 549.  
 — parvifolia *Hook.* Hook. Ic. pl. 116.  
 Adenema hyssopifolium *G. Don.* Wight Ic. pl. Ind. 2, 600.  
 Adenia pumila *Torr.* Torr. New York 122.  
 Adenium Honghel *DC.* Bot. Reg. 32, 54.  
 — multiflorum *Klotzsch.* Peters Mossamb. 44.  
 Adenobasium obtusifolium *Moric.* Moric. Pl. Am. 55.  
 — salicifolium *Presl.* Presl. Symb. 27.  
 Adenocalymma comosum *DC.* Bot. Mag. 72, 4210.  
 — nitidum *Mart.* Paxt. Fl. G. 2.  
 Adenocarpus Boissieri *Webb.* Webb Otia 4.  
 — decorticans *Boiss.* Boiss. Esp. 41.  
 — foliosus *H. Kew.* Webb Can. 50<sup>b</sup>.  
 — frankenioides *Choisy.* Webb. Can. 50.  
 — telonensis *DC.* Boiss. Esp. 42.

- Adenocaulon bicolor *Hook.* Hook. Bot. Misc. 15.  
 Adenochilus gracilis *Hook. fil.* Hook. New. Zeal. 56.  
 Adenogramma Mollugo *Rchb.* Rchb. Hort. 109.  
 † Adenogyne *Klotzsch.* Wiegmann Archiv 7, 8.  
 Adenolinum alpinum *Rchb.* Rchb. Fl. germ. 6, 335.  
 — austriacum *Rchb.* Rchb. Fl. germ. 6, 338. 339.  
 — Leonii *Rchb.* Rchb. Fl. germ. 6, 336.  
 — montanum *Schl.* Rchb. Fl. germ. 6, 335.  
 — perenne *Rchb.* Fl. germ. 6, 336.  
 — squamulosum *Rchb.* Rchb. Fl. germ. 6, 337.  
 — Tommasinii *Rchb.* Rchb. Fl. germ. 6, 337.  
 † Adenophora coronata *DC.* DC. Campan. 1.  
 — — — Bot. Reg. 2, 149.  
 — coronopifolia *Fisch.* Sweet Fl. G. 104.  
 — — — Rchb. Hort. 23.  
 — denticulata *Fisch.* Sweet Fl. G. 116.  
 — — — Rchb. Hort. 2.  
 — intermedia *Don.* Sweet Fl. G. II, 108.  
 — liliiflora *DC.* Bot. Reg. 3, 236.  
 † — liliifolia *DC.* DC. Campan. 1.  
 — marsupiflora *Fisch.* Rchb. Hort. 15.  
 — sinensis *DC.* DC. Campan. 6.  
 — stylosa *Fisch.* Rchb. Hort. 45.  
 — suaveolens *Fisch.* Rchb. Hort. 32.  
 — verticillata *Fisch.* Sweet Fl. G. II, 159.  
 — — — Lem. Jard. fl. 3, 280.  
 Adenophorus bipinnatus *Gaudch.* Freycinet 8.  
 — — — Hook. Ic. Fil. 174.  
 † — — — Fée Fil. 5, 10.  
 — hymenophylloides *H. et Gr.* Hook. et G. Ic. Fil. 176.  
 — minutus *Gaudch.* Freycinet 8.  
 — Tamarisci *H. et Gr.* Hook. et G. Ic. Fil. 175.  
 — tripinnatifidus *Gaudch.* Freycinet 8.  
 Adenoropium ellipticum *Pohl.* Pohl Brasil. 9.  
 Adenosma balsamea *Spr.* Wight Ic. pl. Ind. 2, 446.  
 — verticillata *N. v. E.* Wight Ic. pl. Ind. 4, 1524.  
 † Adenostemma *Forst.* Forst. Char. 45.  
 — brasilianum *Cass.* Hook. Ic. pl. 238.  
 — latifolium *DC.* Wight Ic. pl. Ind. 3, 1087.  
 — nitidum *Pers.* Gay Chile 60.  
 — reticulatum *DC.* Wight Ic. Ind. or. 3, 1088.  
 — rugosum *DC.* Deless. Ic. 4, 10.  
 — triangulare *Hook.* Hook. Ic. pl. 239.  
 Adenostoma fasciculata *Hook.* Hook. Beech. 30.  
 Adenostyles albifrons *L.* Sturm Flora 10, 37.  
 † — — — Rchb. Nees Gen. X, x.  
 — alpina *Bl. et F.* Sturm Flora 10, 37.  
 † Adenostylis integerrima *Bl.* Blume Orch. 17.  
 † Adenothola bicolor *Van Houtte* Hort. 5.  
 Adenotrias phrygia *Jaub.* Jaub. Illustr. 39.  
 Adenotrichia amplexicaulis *Ldl.* Bot. Reg. 14, 1190.  
 Adesmia balsamica *Colla.* Mem. Tur. 37, 10.  
 — bracteata *Hook.* Hook. Bot. Misc. 104.  
 — dentata *DC.* DC. Legum. 49.  
 — Echinus *Presl.* Presl. Symb. 61.  
 — genistoides *Presl.* Presl. Symb. 63.  
 — hispidula *DC.* DC. Legum. 48.  
 — longiseta *DC.* DC. Legum. 50.  
 — Loudonia *Hook.* Bot. Reg. 20, 1720.  
 — microphylla *Hook.* Hook. Beech. 9.  
 — — — Lodd. Cab. 1692.  
 — pendula *DC.* Sweet Fl. G. II, 322.  
 — phylloidea *Clos.* Gay Chile 18.  
 — tomentosa *Vogel.* Acta Leop. 19. Suppl. 2.  
 — trifoliata *Hook.* Bot. Misc. 105.  
 — ulicina *Presl.* Presl. Symb. 62.  
 — uspalatensis *Gill.* Sweet. Fl. G. II, 222.  
 — viscosa *Gill.* Sweet. Fl. G. II, 230.  
 Adhadota cydoniacifolia *N. v. E.* Endl. Bras. 7, 25.  
 — neilgherrica *N. v. E.* Wight Ic. Ind. 4, 1544.  
 — wynaudensis *N. v. E.* Wight Ic. Ind. 4, 1545.  
 Adiantum aethiopicum *Thunb.* Rumpf Amb. 6, 34.

- Adiantum aethiopicum* L. Hook. Sp. Fil. 77.  
 — *alarconianum* Gauchd. Gauchd. Bonite 99.  
 — *amoenum* Wall. Hook. Ic. Fil. 103.  
 — *asarifolium* Willd. Hook. Sp. Fil. 71.  
 — *assimile* Sw. Sw. Syn. Fil. 3.  
 — *borbonicum* Jacq. Jacq. Collect. 3, 21.  
 — *brasiliense* Raddi. Raddi Fil. 76.  
 — *calcareum* Gardn. Hook. Ic. pl. 467.  
 — *Capillus Veneris* L. Jacq. Misc. 2, 7.  
 — — — Engl. Bot. 22, 1564.  
 — — — Lam. Encycl. 870.  
 — — — Nees Düssel. 17.  
 — — — Newm. p. 83.  
 † — — — Hook. Gen. Fil. 66.  
 — — — var. Hook. Sp. Fil. 74.  
 † — *cardiochlaena* Kze. Hook. Sp. Fil. 83.  
 — — — Fée Fil. 5, 11.  
 — *caudatum* Willd. Schk. Fil. 117.  
 — — — Hook. Ex. Fl. 104.  
 — *chilense* Kaulf. Hook. Ic. Fil. 173.  
 — — — var. Hook. Sp. Fil. 75.  
 — *concinnum* H. B. K. H. B. K. Nov. Gen. 7, 668.  
 — *cubense* Hook. Hook. Sp. Fil. 73.  
 — *cultratum* Willd. Willd. Phyt. 10.  
 — *cuneatum* L. et F. Langsd. et F. 26.  
 — — — Raddi Fil. 78.  
 — — — Hook. Ic. Fil. 30.  
 — *Cunninghami* Hook. Hook. Sp. Fil. 86.  
 — *curvatum* Kaulf. Hook. Sp. Fil. 84.  
 — *cycloides* Zenk. Zenk. Pl. ind. 11.  
 — *decurrens* Jacq. Jacq. Collect. 2, 2.  
 — *delicatulum* Mart. Mart. Crypt. bras. 56.  
 — *deltoideum* Sw. Kze Anal. 17.  
 — *diaphanum* Bl. Hook. Sp. Fil. 80.  
 — *dolabriforme* Hook. Hook. Ic. pl. 191.  
 — *dolosum* Kze. Hook. Sp. Fil. 79.  
 — *Edgeworthii* Hook. Hook. Sp. Fil. 81.  
 — *emarginatum* Willd. Hook. Sp. Fil. 75.  
 — *excisum* Kze. Kze Anal. 21.  
 — *filiforme* Gardn. Hook. Ic. pl. 503.  
 — *formosum* R. Br. Hook. Sp. Fil. 86.  
 — *fovearum* Raddi. Raddi Fil. 77.  
 — *fragrans* Viv. Viv. Fl. ital. 11.  
 — — — Schk. Schk. Fil. 19.  
 — *fructuosum* Kze. Kze Fil. 15.  
 — *fulvum* Raoul. Hook. Sp. Fil. 85.  
 — *fuscum* Retz. Retz. Obs. 2, 5.  
 — *Galeottianum* Hook. Hook. Sp. Fil. 80.  
 — *guianense* Aubl. Aubl. Guian. 365.  
 — *Hewerdia* Kze. Kze Fil. 49.  
 — *hirsutum* Willd. Hook. Ex. Fl. 104.  
 — *hirtum* Klotzsch. Hook. Sp. Fil. 82.  
 — *incisum* Presl. var. Presl. Reliq. 10.  
 — *Klotzschianum* Hook. Hook. Sp. Fil. 82.  
 — *Kunzei* Miq. Miq. Pl. surin. Focke 1.  
 — *Le Prieurii* Hook. Hook. Sp. Fil. 82.  
 — *lobatum* Presl. Presl. Reliq. 10.  
 — *Lobbianum* Hook. Hook. Sp. Fil. 86.  
 — *lucidum* Sw. Hook. Sp. Fil. 79.  
 — *lunulatum* Burm. Rheede Hort. mal. 12, 40.  
 — — — Willd. Phyt. 9.  
 — — — Hook. Ic. Fil. 104.  
 — *macrocladum* Klotzsch. Hook. Sp. Fil. 83.  
 — *macrophyllum* Sw. H. B. K. Nov. Gen. 7, 666.  
 — — — Hook. Ic. Fil. 132.  
 † — — — Fée Fil. 5, 11.  
 — *Mathewsianum* Hook. Hook. Sp. Fil. 84.  
 — *obliquum* Willd. Hook. Ic. Fil. 190.  
 — — — Hook. Sp. Fil. 79.  
 — *obtusum* Desv. Hook. Ic. Fil. 198.  
 — *patens* Willd. Hook. Sp. Fil. 87.  
 — *pauperculum* Kze. Kze. Fil. 127.

- Adiantum pedatum* L. Schk. Fil. 115.  
 — — — Desc. Ant. 4, 286.  
 — — — Nees Düssel. 18.  
 — *pellucidum* M. et G. Acad. Brux. 15, 19.  
 — *pentadactylon* L. et F. Langsd. et F. 25.  
 — — — Hook. Ic. Fil. 98.  
 — *peruvianum* Hook. Hook. Sp. Fil. 81.  
 — *Phyllidis* J. Sm. Hook. Sp. Fil. 72.  
 — *platyphyllum* Sw. Kze Anal. 20.  
 — *pubescens* Sw. Schk. Fil. 116.  
 — *pulverulentum* L. Schk. Fil. 119.  
 — *radicans* Fée. Fée Fil. 5, 29.  
 — *reniforme* L. Schk. Fil. 115.  
 — — — Lam. Encycl. 870.  
 — — — Lodd. Cab. 841.  
 — — — Hook. Sp. Fil. 71.  
 — *rhizophorum* Sw. Hook. Sp. Fil. 80.  
 — *rhizophyllum* Mart. Mart. Crypt. bras. 62.  
 — *rhomboideum* Sw. Schk. Fil. 122.  
 — *sagittatum* Aubl. Aubl. Guian. 366.  
 — *Seemanni* Hook. Hook. Sp. Fil. 81.  
 — *sessilifolium* Hook. Hook. Sp. Fil. 85.  
 — *Shepherdii* Hook. Hook. Sp. Fil. 73.  
 — *sinuosum* Gardn. Hook. Ic. pl. 504.  
 — *soboliferum* Wall. Hook. Sp. Fil. 74.  
 — *speciosum* Hook. Hook. Sp. Fil. 85.  
 — *striatum* Sw. Jacq. Ic. 646.  
 — — — Schk. Fil. 118.  
 — *sulphureum* Kaulf. Kze Anal. 22.  
 — — — Hook. Sp. Fil. 76.  
 — *tenellum* Jacq. Jacq. Collect. 3, 21.  
 — *tenerum* Sw. Schk. Fil. 121.  
 — — — Dict. sc. nat. 87.  
 — *tetragonum* Mart. Mart. Crypt. bras. 63.  
 — *trapeziforme* L. Schk. Fil. 121<sup>b</sup>.  
 — — — Desc. Ant. 4, 287.  
 — *trigonum* Lab. Bill. Nov. Holl. 248.  
 — *triphylum* Comm. Smith Ic. Linn. 74.  
 — *truncatum* L. Raddi Fil. 78.  
 — *urophyllum* Hook. Hook. Sp. Fil. 84.  
 — *varium* H. B. K. H. B. K. Nov. Gen. 7, 667.  
 — *venustum* Don. Hook. Sp. Fil. 76.  
 — *villosum* L. Schk. Fil. 120.  
 — *Wilesianum* Hook. Hook. Sp. Fil. 83.  
 — *Wilsoni* Hook. Hook. Sp. Fil. 72.  
 — *Adikey pumila* Raf. Torr. New York 122.  
 — *Adina globiflora* Salisb. Salisb. Par. 115.  
 — — — Bot. Reg. 11, 895.  
 — *peduncularis* DC. Bot. Reg. 11, 895.  
 † *Adinandra acuminata* Korth. Korth. Bot. 18.  
 — *excelsa* Korth. Korth. Bot. 18.  
 — *Adlumia cirrhosa* Rafin. Sweet Fl. G. 189.  
 — — — Gray Gen. 51.  
 — *Adolia alba* Lam. Rheede Hort. mal. 5, 30.  
 — *rubra* Lam. Rheede Hort. mal. 5, 31.  
 † *Adonis* L. Gaertn. Carp. 74. — Schk. Handb. 152. —  
 — — — Lam. Encycl. 498. — Mutel Fl. fr. 1. —  
 — — — Cosson Atlas 3.  
 — *aestivalis* L. Rehb. Ic. crit. 4, 317.  
 — — — Rehb. Fl. germ. 3, 24.  
 — — — Diert. Fl. bor. 11, 777.  
 — *apennina* Jacq. Jacq. Fl. austr. 1, 44.  
 — *autumnalis* L. Curt. Lond. 2, 64.  
 — — — Engl. Bot. 5, 308.  
 — — — Baxter Br. Bot. 1, 7.  
 — — — Rehb. Ic. crit. 4, 319.  
 — — — Rehb. Fl. germ. 3, 24.  
 — *davurica* Led. Rehb. Ic. crit. 4, 321.  
 — *dentata* Delile. Delile Egypte 53.  
 — *distorta* Ten. Ten. Fl. nap. 149.  
 — *fiammea* Jacq. Jacq. Fl. austr. 4, 355.  
 — — — Rehb. Ic. crit. 4, 318.

- Adonis flammea* Jacq. Rehb. Fl. germ. 3, 24.  
 — *miniata* Jacq. Jacq. Fl. austr. 4, 354.  
 — *pyrenaica* DC. Deless. Ic. 1, 21.  
 — *sibirica* Patr. Rehb. Ic. crit. 4, 322.  
 — *vernalis* L. Schk. Handb. 152.  
 — — — Bot. Mag. 4, 134.  
 — — — Sv. Bot. 555.  
 — — — Roemer Fl. eur. 4, 4.  
 — — — Dreves 5, 135.  
 — — — Hayne 1, 11.  
 — — — Nees Düss. Suppl. 19, 48.  
 — — — Sturm Flora 13, 56.  
 — — — Rehb. Fl. germ. 3, 24.  
 — — — Dietr. Fl. bor. 5, 292.  
 — *villosa* Led. Ledeb. Ic. 119.  
 — *vulgensis* Fisch. Deless. Ic. 1, 20.  
*Adoxa Moschatellina* L. Fl. dan. 1, 94.  
 — — — Curt. Lond. 3, 88.  
 — — — Engl. Bot. 7, 453.  
 † — — — Gaertn. Carp. 112.  
 † — — — Lam. Encycl. 320.  
 — — — Sv. Bot. 435.  
 — — — Schk. Handb. 109<sup>a</sup>.  
 — — — Dreves 1, 12.  
 — — — Roemer Fl. eur. 10, 4.  
 — — — Dietr. Fl. bor. 2, 105.  
 † — — — Nees Gen. X, x.  
 — — — Baxter Br. Bot. 1, 42.  
*Adriana tomentosa* Gaudch. Freycinet 116.  
 † *Adyseton Adans.* Medicus Gatt. 1.  
*Aceoclades tenera* Lindl. Wight Ic. Ind. or. 5, 1683.  
*Aechmantra epigaea* Arn. Wight Ic. Ind. or. 2, 503.  
 † *Aechmea Rz. et P.* Rz. et Pav. Prodr. 8.  
 — *angustifolia* P. et E. Poepp. et E. 159.  
 — *discolor* Hort. Bot. Mag. 73, 4293.  
 — *distichantha* Lem. Lem. Jard. fl. 3, 269.  
 — *fulgens* Brongn. Paxt. Mag. 10, 173.  
 — — — Fl. d. serres 2, 38.  
 — *Mertensii* R. et Sch. Bot. Mag. 59, 3186.  
 — *paniculata* Rz. et Pav. Rz. et Pav. Fl. 264.  
 — *saaveolens* Kn. et W. Kn. et Westc. 134.  
*Aegialitis annulata* Gaudch. Freycinet 51.  
 † — *tenuis* Trin. Trin. Fund. 9.  
*Aegiceras ferreum* Bl. Rumpf Amb. 3, 79.  
 — *floridum* R. et Sch. Rumpf Amb. 3, 83.  
 — *fragrans* Kon. Konig Ann. 1, 3.  
 — — — Wight Illustr. in H. 21.  
 — *majus* Gaertn. Rheed. Hort. mal. 6, 36.  
 † — — — Gaertn. Carp. 46.  
 — — — Wight Illustr. 146.  
 — *minus* Willd. Rumpf Amb. 3, 82.  
 † *Aegilops L.* Dumortier Gram. 2.  
 — *bicornis* Jaub. Jaub. Ill. 309.  
 — *biuncialis* Vis. Vis. Dalm. 1.  
 † — *caudata* L. Mutel Fl. fr. 92.  
 — — — Jaub. Ill. 312.  
 — *comosa* Sibth. Sibth. Fl. gr. 94.  
 — — — Jaub. Ill. 314.  
 — *cylindrica* Waldst. Sibth. Fl. gr. 95.  
 — — — Host. Host Gram. 107.  
 — — — Rehb. Fl. germ. 1, 8.  
 — — — Jaub. Ill. 311.  
 — *loliacea* Jaub. Jaub. Ill. 317.  
 — *macrura* Jaub. Jaub. Ill. 315.  
 † — *ovata* L. Gaertn. Carp. 175.  
 † — — — Lam. Encycl. 839.  
 † — — — Mutel Fl. fr. 92.  
 — — — Host Gram. 105.  
 — — — Sibth. Fl. gr. 93.  
 — — — Sturm Flora 19, 86.  
 — — — Rehb. Fl. germ. 1, 8.  
 — *platyathera* Jaub. Jaub. Ill. 313.  
*Aegilops speltoides* Tausch. Jaub. Ill. 316.  
 — *squarrosa* L. Cav. Ic. 90.  
 — — — Schreb. Gram. 27.  
 — — — Lam. Encycl. 839.  
 † — — — Mutel Fl. fr. 92.  
 — — — Jaub. Ill. 310.  
 † — *triaristata* Willd. Mutel Fl. fr. 92.  
 † — — — Nees Gen. 1, 85.  
 — — — Rehb. Fl. germ. 1, 8.  
 — *tripsacoides* Jaub. Jaub. Ill. 200.  
 † — *triticoides* Reg. Mutel Fl. fr. 92.  
 — *triuncialis* L. Host Gram. 106.  
 — — — Schreb. Gram. 10.  
 — — — Schk. Handb. 344.  
 — — — Lam. Encycl. 839.  
 † — — — Mutel Fl. fr. 92.  
 — — — Rehb. Fl. germ. 1, 8.  
 — — — Sturm Flora 19, 86.  
*Aeginetia indica* L. Rheed. Hort. mal. 11, 47.  
 — — — Roxb. Corom. 91.  
 † — — — Wight Illustr. 158<sup>b</sup>.  
 — *longiflora* Cav. Cav. Ic. 572.  
 — *multiflora* Cav. Cav. Ic. 572.  
 — *pedunculata* Wall. Wall. Pl. as. 219.  
 — — — Wight Ic. Ind. or. 4, 1421.  
 † — — — Wight Illustr. 158<sup>b</sup>.  
 † *Aegiphila arborescens* Vahl. Vahl Ecl. 10.  
 — *cuspidata* Mart. Endl. Bras. 10, 47.  
 — *diffusa* Andr. Andr. Rep. 9, 578.  
 — *elata* Sw. Bot. Reg. 11, 946.  
 — *grandiflora* Hook. Bot. Mag. 72, 4230.  
 — — — Paxt. Mag. 13, 217.  
 — — — Fl. d. serres 4, 324.  
 — *lutea* Lam. Lam. Encycl. 70.  
 — *martinicensis* Jacq. Jacq. Fragm. 46.  
 — — — Jacq. Obs. 27.  
 — — — Lodd. Cab. 132.  
 — — — Lam. Encycl. 70.  
 — *mollis* H. B. K. H. B. K. Nov. Gen. 2, 130.  
 — *multiflora* Rz. et Pav. Rz. et Pav. Fl. 76.  
 — *Mutisii* H. B. K. H. B. K. Nov. Gen. 2, 131.  
 — *villosa* Vahl. Lam. Encycl. 70.  
*Aegle Marmelos* Cornea. Rheed. Hort. mal. 3, 37.  
 — — — Roxb. Corom. 143.  
 — — — Wight Ic. Ind. or. 1, 16.  
 † *Aegochloa Benth.* Bot. Reg. 19, 1622.  
*Aegopodium alpestre* Led. Ledeb. Ic. 7.  
 † — *Podagraria* L. Gaertn. Carp. 140.  
 — — — Schk. Handb. 79.  
 — — — Fl. dan. 4, 670.  
 — — — Engl. Bot. 14, 940.  
 — — — Baxter Br. Bot. 2, 151.  
 — — — Sv. Bot. 147.  
 † — — — Nees Gen. X, x.  
*Aegopogon cenchroides* H. B. K. H. B. K. Nov. Gen. 1, 42.  
 † — — — Lam. Encycl. 911.  
 — *geminiflorus* H. B. K. H. B. K. Nov. Gen. 1, 43.  
 † *Aegopricon betulinum* L. Gaertn. Carp. 138.  
 — — — Smith Ic. Linn. 42.  
 — — — Lam. Encycl. 743.  
*Acluropus laevis* Trin. Acad. Pet. 3, 1.  
 † — — — Trin. Fund. 12.  
*Acolanthus suavis* Mart. Martius Auswahl 2.  
*Aeonia alata* A. Rich. Ann. sc. n. II. 15, 11.  
*Aconium ciliatum* Webb. Webb Can. 35.  
 — *crucentum* Webb. Webb Can. 28.  
 — — — Bot. Reg. 27, 61.  
 — *Haworthii* Webb. Webb Can. 34.  
 — *Lindleyi* Webb. Webb Can. 33.  
 — *strepsicladum* Webb. Webb Can. 31.  
 — *Youngianum* Webb. Bot. Reg. 30, 35.  
*Aeranthos grandiflora* Ldl. Bot. Reg. 10, 817.

- † *Aerides Sw.* Schrader Journ. 1799. 2, 2.  
 — affine *Wall.* Ldl. Sert. 15.  
 — — — Bot. Mag. 70, 4049.  
 — *Brookii Bat.* Paxt. Mag. 9, 145.  
 — — — Fl. d. serres, 1, 15.  
 — *cornutum Roxb.* Bot. Reg. 18, 1485.  
 — *crispum Ldl.* Bot. Reg. 28; 55.  
 — — — Bot. Mag. 75, 4427.  
 — — — Fl. d. serres 5, 438.  
 — *cylindricum Lindl.* Wight Ic. Ind. or. 5, 1744.  
 — *difforme Ldl.* Ldl. Sert. Frontispice.  
 — *guttatum Roxb.* Bot. Reg. 17, 1443.  
 — *Lindleyanum Wight.* Wight Ic. Ind. or. 5, 1677 bis.  
 — *maculosum Ldl.* Bot. Reg. 31, 58.  
 — — — Paxt. Mag. 12, 49.  
 — — — Lem. Jard. fl. 54.  
 † — *matutinum Bl.* Blume Tabellen 24.  
 — *multiflorum Roxb.* Roxb. Corom. 271.  
 — *odoratum Lour.* Bot. Reg. 18, 1485.  
 — — — Bot. Mag. 71, 4139.  
 — — — Kn. et Westc. 75.  
 — — — Maund Bot. 4, 180.  
 — — — Hart. Parad. 2, 4.  
 — *pallidum Bl.* Bl. Rumphia 192. 197.  
 — *paniculatum Ker.* Bot. Reg. 3, 220.  
 — *quinquevulnerum Ldl.* Ldl. Sert. 30.  
 — — — Paxt. Mag. 8, 241.  
 † — *radicosum A. Rich.* Ann. sc. nat. II. 15, 1.  
 — *roseum Lodd.* Paxt. Fl. G. 60.  
 — — — Lem. Jard. fl. 200.  
 — *suaveolees Bl.* Bl. Rumphia 193.  
 — *suavissimum Ldl.* Paxt. Fl. G. 66.  
 — — — Lem. Jard. fl. 213.  
 — *undulatum Sm.* Bot. Reg. 18, 1522.  
 — *virens Ldl.* Bot. Reg. 30, 41.  
 — — — Paxt. Mag. 14, 197.  
 — *Wightianum Ldl.* Wight Ic. Ind. or. 5, 1669.  
*Aerua floribunda Wight.* Wight Ic. Ind. or. 5, 1776.  
 1776<sup>b</sup>.  
 — *javanica Juss.* Wight Ic. Ind. or. 3, 876.  
 † — *lanata Juss.* Gaertn. Carp. 213.  
 — — — Wight Ic. Ind. or. 2, 723.  
 — *Monsoniae Mart.* Wight Ic. Ind. or. 2, 725.  
 — *scandens Wall.* Wight Ic. Ind. or. 2, 724.  
 — *Tandalo Ham.* Rheede Hort. mal. 10, 29.  
*Aeschynanthus Boschianus Ldl.* Paxt. Mag. 13, 175.  
 — *ceylanicus Gardn.* Wight Ic. Ind. or. 4, 1347.  
 — *grandiflorus Spr.* Bot. Reg. 27, 49.  
 — — — *Don.* Bot. Mag. 67, 3843.  
 — — — Paxt. Mag. 5, 241.  
 — *javanicus Hort.* Bot. Mag. 76, 4503.  
 — — — *Rollis.* Lem. Jard. fl. 2.  
 — — — *Hook.* Fl. d. serres 6, 558.  
 — *Lobbianus Veitch.* Bot. Mag. 72, 4260.  
 — — — *Hook.* Fl. d. serres 3, 246.  
 — *longiflorus Bl.* Bot. Mag. 73, 4328.  
 — — — Paxt. Mag. 15, 25.  
 — — — Fl. d. serres 3, 288.  
 — *maculatus Ldl.* Bot. Reg. 27, 28.  
 — *miniatus Ldl.* Bot. Reg. 32, 61.  
 — — — Paxt. Mag. 16, 67.  
 — — — Fl. d. serres 3, 236.  
 — *parasiticus Wall.* Maund Bot. 4, 167.  
 † — *Paxtoni Ldl.* Journ. Hort. Soc. 4, 79.  
 — — — Paxt. Mag. 72, 4264.  
 — — — Paxt. Mag. 16, 161.  
 — — — Fl. d. serres 3, 198.  
 — *purpurascens Hassk.* Bot. Mag. 72, 4236.  
 — *ramosissimus Wall.* Wall. pl. as. 71.  
 — — — Paxt. Mag. 6, 195.  
 † — — — Wight Illustr. 159<sup>b</sup>.  
 — *speciosus Hook.* Bot. Mag. 73, 4320.

- Aeschynanthus speciosus Hook.* Paxt. Mag. 14, 199.  
 — — — Fl. d. serres 3, 267.  
 — *splendens Ldl.* Paxt. Fl. G. 108.  
 — *splendidus (hybr.) Lem.* Jard. fl. 255.  
 † — *volubilis Jack.* Linn. Tr. 14, 2.  
 † *Aeschynomene americana L.* Gaertn. Carp. 155.  
 † — — — Lam. Encycl. 629.  
 — *aristata Jacq.* Jacq. Schoenbr. 2, 237.  
 — *aspera L.* Wight Ic. Ind. or. 1, 299.  
 — *bispinosa Jacq.* Jacq. Ic. 564.  
 — *cachemiriana Jacq.* Jacqem. Ind. 48.  
 † — *crepitans Jacq.* Jacq. Fragm. 42.  
 — *grandiflora L.* Rumpf Amb. 1, 76.  
 — — — Tuss. Ant. 4, 6.  
 — *hirta Lam.* Lam. Encycl. 629.  
 — *indica L.* Rheede Hort. mal. 9, 18.  
 — — — Rumpf Amb. 4, 24.  
 — — — Wight Ic. Ind. or. 2, 405.  
 — *longifolia Cav.* Cav. Ic. 315.  
 — *picta Cav.* Cav. Ic. 314.  
 — — — Bot. Reg. II, 873.  
 — *sensitiva Pal.* Pal. Fl. d'Ow. 53.  
 — *virgata Cav.* Cav. Ic. 293.  
 † *Aesculus L.* Gray Gen. 176. 177.  
 — *carnea Hort.* Guimp. Fr. H. 22.  
 — — — Bot. Reg. 13, 1056.  
 — *discolor Pursh.* Bot. Reg. 4, 310.  
 — — — Rchb. Exot. 242.  
 — *flava L.* Guimp. Fr. H. 23.  
 — — — Lodd. Cab. 1280.  
 — *glabra Willd.* Guimp. Fr. H. 24.  
 — — — Gray Gen. 176. 177.  
 — *Hippocastanum L.* Schk. Handb. 104.  
 — — — Hayne 1, 42.  
 — — — Tratt. Arch. 63. 63<sup>a</sup>.  
 — — — Schrank Fl. monac. 1, 15.  
 — — — Nees Düsseld. 373.  
 — — — Guimp. et Schl. 85.  
 — — — Hartig 95.  
 — — — Wagner 7.  
 — — — Woodv. Med. 3, 217.  
 — — — Rchb. Fl. germ. 5, 161.  
 — *humilis Lodd.* Bot. Reg. 12, 1018.  
 — *lutea Wangh.* Schriften nat. Fr. 8, 6.  
 — *macrostachya Michx.* Jacq. Ecl. pl. 9.  
 — — — Guimp. Fr. H. 26.  
 — — — Kern. Hort. 438.  
 — — — Bot. Mag. 47, 2118.  
 — — — Colla Hort. Rip. 19.  
 — *neglecta Ldl.* Bot. Reg. 12, 1009.  
 — *ohiotensis Michx.* Bot. Reg. 24, 51.  
 — *pallida Willd.* Guimp. Fr. H. 25.  
 † — *Pavia L.* Schk. Handb. 104.  
 — — — Guimp. Fr. H. 21.  
 — — — Lodd. Cab. 1257.  
 — — — var. Bot. Reg. 12, 993.  
 — *rubicunda DC.* DC. Hort. 24.  
 — — — Lodd. Cab. 1242.  
*Aethelema reniforme N. v. E.* Wight Ic. Ind. or. 4, 1533.  
*Aethionema arabicum Andr.* Rchb. Hort. 43.  
 — *coridifolium DC.* Deless. Ic. 2, 76.  
 — *cristatum DC.* Deless. Ic. 2, 74.  
 — *gracile DC.* Rchb. Fl. germ. 2, 11.  
 — *membranaceum DC.* Deless. Ic. 2, 75.  
 — — — Sweet Fl. G. II, 69.  
 — — — Kn. et Westc. 20.  
 — *saxatile R. Br.* Rchb. Fl. germ. 2, 11.  
 — — — var. Boiss. Esp. 14.  
 † *Aethusa Cynapium L.* Gaertn. Carp. 22.  
 † — — — Mag. nat. Fr. 6, 5.  
 † — — — Lam. Encycl. 196.  
 — — — Schk. Handb. 72.

- Aethusa Cynapium* L. Curt. Lond. 3, 55.  
 — — — Engl. Bot. 17, 1192.  
 — — — Baxter Br. Bot. 1, 19.  
 — — — Fl. dan. 12, 1991.  
 — — — Sv. Bot. 64.  
 — — — Hayne 1, 35.  
 — — — Br. u. Ratz. 27.  
 — — — Dietr. Fl. bor. 9, 647.  
 — — — Meum *Murr.* Hayne 7, 12.  
 † *Aeetoxicon Rz. et P.* Rz. et Pav. Prodr. 29.  
 — — — punctatum *Rz. et P.* Hook. Ic. pl. 12.  
*Afzelia africana* Guill. Guill. Seneg. 57.  
 — — — bracteata *Vogel.* Hook. Niger Fl. 34. 35.  
 — — — Hook. Ic. pl. 790 — 791.  
*Agallochum officinarum* Ham. Rumpf Amb. 2, 10.  
*Agalmanthus umbellatus* Endl. Rich. Astr. 1.  
*Agalmyla staminea* Bl. Hook. Ic. pl. 733 — 734.  
 — — — Paxt. Mag. 15, 73.  
 — — — Fl. d. serres 4, 358.  
 — — — tuberculata *Hook. fil.* Hook. Ic. pl. 9, 897.  
*Aganisia pulchella* Ldl. Bot. Reg. 26, 32.  
*Aganosma acuminatum* G. Don. Wight Ic. Ind. or. 2, 424.  
 — — — Blumii *DC.* Wight Ic. pl. Ind. or. 4, 1305.  
 — — — caryophyllum *G. Don.* Rheede Hort. mal. 7, 55.  
 — — — concanense *Hook.* Hook. Ic. pl. 9, 841.  
 — — — Donianum *Wight.* Wight Ic. Ind. or. 4, 1306.  
 — — — elegans *G. Don.* Wight Ic. Ind. or. 4, 1304.  
 — — — marginatum *G. Don.* Wight Ic. ind. or. 2, 425.  
 — — — Roxburghii *G. Don.* Rheede Hort. mal. 9, 14.  
 — — — Wight Ic. Ind. or. 2, 440.  
*Agapanthus minor* Lodd. Lodd. Cab. 42.  
 — — — umbellatus *Ait.* Bot. Mag. 14, 500.  
 — — — var. Redouté *Lil.* 1, 4, 7, 403.  
 — — — var. Bot. Reg. 9, 699, 29, 7.  
 — — — Tratt. Thes. 78.  
 — — — Kern. Hort. 100.  
 † — — — Kern. Gen. 163 — 164.  
 — — — Maund Bot. 2, 86.  
 — — — Savi Fl. ital. 2, 49.  
 † *Agasyllis caucasica* Spr. Mag. nat. Fr. 6, 5.  
 † — — — Spr. Prodr. 1.  
*Agathaea coelestis* Cass. Cassini Opusc. 1, 3.  
 — — — Dict. sc. nat. 89.  
 † *Agathelpis angustifolia* Choisy. Mem. Gen. 2, 1.  
 † *Agathis Dammara* Rich. Rich. Conif. 19.  
 † — — — Lam. Encycl. 997.  
 — — — loranthifolia *Salisb.* Rumpf Amb. 2, 57.  
 — — — Linn. Tr. 8, 15.  
 † *Agathophyllum aromaticum* Willd. Lam. Encycl. 825.  
 — — — Desc. Ant. 8, 567.  
 † *Agathophytum Bonus Henricus* Moq. Ann. sc. n. II. 1, 10.  
 † *Agathosma* Willd. Bartling Diosm. 2.  
 — — — ciliatum *Willd.* Bot. Reg. 5, 366.  
 — — — dioicum *Edw.* Bot. Reg. 6, 502.  
 — — — hirtum *Willd.* Bot. Reg. 5, 369.  
 † — — — imbricatum *Willd.* Mem. Mus. 12, 20.  
 — — — lanceolatum *Willd.* Bot. Reg. 6, 476.  
*Agati coccinea* DC. Rumpf Amb. 1, 77.  
 — — — grandiflora *DC.* Rheede Hort. mal. 1, 51.  
*Agave americana* L. Balmis Demonstr. 1.  
 † — — — Lam. Encycl. 235.  
 — — — Vogel Monogr. 0.  
 — — — Andr. Rep. 7, 433.  
 — — — Tratt. Arch. 171. 171<sup>a</sup>. 171<sup>b</sup>.  
 — — — Nees Düsseld. 52. 53.  
 — — — Bot. Mag. 65, 3654.  
 † — — — Nees Gen. 3, x.  
 † — — — Mem. Instit. 1842, 11.  
 — — — Rchb. Fl. germ. 9, 374.  
 — — — Antillarum *Desc.* Desc. Ant. 4, 284.  
 — — — foetida *L.* Jacq. Ic. 379.  
 — — — Tuss. Ant. 2, 25. 26.

- † *Agave foetida* L. Lam. Encycl. 235.  
 — — — geminiflora *Spr.* Bot. Reg. 14, 1145.  
 — — — Ker. Rchb. Hort. 209. 210.  
 — — — Desf. Dict. sc. nat. 55.  
 † — — — lurida *Ait.* Jacq. Collect. 4, 1.  
 — — — Bot. Mag. 37, 1522.  
 — — — Acta Leop. 16. 2, 49 — 51.  
 † — — — Nees Gen. 3, x.  
 — — — saponaria *Ldl.* Bot. Reg. 25, 55.  
 — — — spicata *DC.* Red. Lil. 8, 485.  
 — — — Theometel *Zuccagni.* Roem. Coll. 3.  
 — — — virginica *L.* Jacq. Ic. 378.  
 — — — Lam. Encycl. 235.  
 — — — Bot. Mag. 29, 1157.  
 — — — vivipara *L.* Rumpf Amb. 5, 94.  
 — — — Lam. Encycl. 235.  
 — — — Wight Ic. Ind. or. 6, 2024.  
 — — — yuccaeifolia *Red.* Red. Lil. 6, 328. 329.  
 † *Agaveae* *Endl.* Herb. Amar. 33. — Schnizl. Icon. 1, 64<sup>r</sup>.  
*Ageratum coelestinum* Sims. Bot. Mag. 42, 1730.  
 — — — Lodd. Cab. 623.  
 † — — — conyzoides *L.* Gaertn. Carp. 165.  
 — — — Schk. Handb. 238.  
 † — — — Lam. Encycl. 672.  
 — — — Hook. Ex. Fl. 15.  
 † — — — Wight Illustr. 134.  
 — — — hirtum *Lam.* Lam. Encycl. 672.  
 — — — latifolium *Cav.* Cav. Ic. 357.  
 — — — lineare *Cav.* Cav. Ic. 205.  
 — — — mexicanum *Sims.* Bot. Mag. 52, 2524.  
 — — — Sweet Fl. G. 89.  
 — — — punctatum *Ort.* Jacq. Schoenbr. 3, 300.  
 — — — strictum *Sims.* Bot. Mag. 50, 2410.  
*Ageanthus marchantioides* Wight. Wight Ic. Ind. or. 5, 1737.  
*Aglaia odorata* Lour. Hook. Beech. 34.  
 — — — Wight Ic. Ind. or. 2, 511.  
 † — — — Mem. Mus. 19, 14.  
 † *Aglaomorpha Meyeniana* Schott. Schott Gen. Fil. 17.  
 — — — Hook. Gen. Fil. 91.  
 — — — Kze Fil. 81.  
*Aglaonema marantaeifolia* Bl. Bl. Rumphia 66.  
 — — — simplex *Bl.* Bl. Rumphia 36. 65.  
*Agraphis campanulata* Lk. Rchb. Ic. crit. 9, 834.  
 — — — Rchb. Fl. germ. 10, 462.  
 † — — — Nees Gen. 2, 45.  
 — — — cernua *Lk.* Rchb. Ic. crit. 9, 832.  
 — — — Rchb. Fl. germ. 10, 461.  
 † — — — Nees Gen. 2, 45.  
 — — — nutans *Lk.* Rchb. Ic. crit. 9, 833.  
 — — — Rchb. Fl. germ. 10, 461.  
 — — — patula *Rchb.* Rchb. Fl. germ. 10, 462.  
 † *Agrimonia* L. (12 species.) Wallr. Beitr. 1.  
 — — — agrimonoides *L.* Sibth. Fl. gr. 458.  
 — — — Roemer Fl. eur. 4, 1.  
 — — — Sturm Flora 14, 59.  
 — — — Eupatoria *L.* Fl. dan. 4, 588.  
 — — — Schk. Handb. 128.  
 † — — — Lam. Encycl. 409.  
 — — — Engl. Bot. 19, 1335.  
 — — — Curt. Lond. 3, 22.  
 — — — Woodv. Med. 3, 180.  
 — — — Sv. Bot. 99.  
 — — — Hayne 2, 19.  
 — — — Dreyes 3, 91.  
 — — — Schrank Fl. monac. 3, 213.  
 — — — Sturm Flora 14, 59.  
 — — — Dietr. Fl. bor. 6, 410.  
 — — — Baxter Br. Bot. 2, 88.  
 — — — Wight Ic. Ind. or. 1, 224.  
 — — — nepalensis *Don.* Jacq. Ind. 68.

- Agrimonia odorata* Mill. Fl. dan. 14, 2471.  
 — *pilosa* Led. Rehb. Ic. crit. 3, 252.  
 † — *repens* Lam. Gaertn. Carp. 73.  
 † — — — Lam. Encycl. 409.  
 † *Agropyrum* Gaertn. Dumortier Gram. 2.  
 — *acutum* R. et Sch. Rehb. Fl. germ. 1, 22.  
 — *affine* Deth. Rehb. Fl. germ. 1, 21.  
 — *caninum* R. et Sch. Rehb. Fl. germ. 1, 19.  
 † — *Pal. B.* Nees Gen. 1, 80.  
 — *cristatum* Pal. B. Rehb. Fl. germ. 1, 19.  
 — *firmum* Pal. B. Rehb. Fl. germ. 1, 19.  
 — *glaucum* R. et Sch. Rehb. Fl. germ. 1, 21.  
 † — *Pal. B.* Nees Gen. 1, 80.  
 — *intermedium* Host. Rehb. Fl. germ. 1, 23.  
 — *junceum* Pal. B. Rehb. Fl. germ. 1, 22.  
 — *litorale* Host. Rehb. Fl. germ. 1, 21.  
 — *pungens* R. et Sch. Rehb. Fl. germ. 1, 22.  
 — *repens* Pal. B. Rehb. Fl. germ. 1, 20.  
 — *rigidum* R. et Sch. Rehb. Fl. germ. 1, 23.  
 † — *Pal. B.* Nees Gen. 1, 80.  
 — *strictum* Deth. Rehb. Fl. germ. 1, 23.  
 † *Agrostemma* L. Kern. Gen. 34.  
 — *Banksia* Meerb. Meerb. Fl. sel. 28.  
 — *Bungeana* Don. Bot. Reg. 22, 1864.  
 — — — Paxt. Mag. 4, 7.  
 — — — Sweet Fl. G. II, 317.  
 — *coeli rosa* L. Sibth. Fl. gr. 453.  
 — — — Bot. Mag. 9, 295.  
 † — *coronaria* L. Gaertn. Carp. 130.  
 — — — Sibth. Fl. gr. 452.  
 — — — Bot. Mag. 1, 24.  
 — — — Rehb. Fl. germ. 6, 308.  
 — *flos Jovis* L. Bot. Mag. 12, 398.  
 — *Githago* L. Fl. dan. 4, 576.  
 — — — Schk. Handb. 124.  
 — — — Curt. Lond. 2, 87.  
 — — — Engl. Bot. 11, 741.  
 — — — Baxter Brit. Bot. 3, 175.  
 — — — Sv. Bot. 488.  
 — — — Dreves 1, 22.  
 — — — Sturm Flora 2, 5.  
 — — — Rehb. Fl. germ. 6, 308.  
 — *nicaeensis* Willd. Rehb. Fl. germ. 6, 308.  
 — *pyrenaica* Don. Sweet Fl. G. II, 202.  
 † *Agrostis* L. Dumort. Gr. 10. — Andersson Gr. Scand. 10.  
 — *alba* L. Schrad. Fl. germ. 2.  
 — — — Fl. dan. 10, 1623.  
 — — — Engl. Bot. 17, 1189.  
 — — — Baxter Br. Bot. 6, 492.  
 † — — — Nees Gen. 1, 29.  
 — — — Meyer Fl. hann. 8.  
 — *algida* Wahlb. Wahlbg Fl. lapp. 1.  
 — — — Fl. dan. 9, 1505.  
 — *alpina* Roth. Host Gram. 249.  
 — — *Scop.* Rehb. Fl. germ. 1, 33.  
 — *antarctica* Hook. Hook. Fl. ant. 132.  
 — *arundinacea* L. Sv. Bot. 96.  
 — *brevis* Knapp. Knapp Gr. 116.  
 — *bromoides* L. Gouan Ill. 1.  
 — *canina* L. Engl. Bot. 26, 1856.  
 — — — Host Gram. 353.  
 — — — Knapp Gr. 21.  
 — — — Rehb. Fl. germ. 1, 33.  
 † — — — Nees Gen. 1, 29.  
 — *capillaris* L. Fl. dan. 1, 163.  
 — — — Smith Ic. Linn. 54.  
 — — — Schk. Handb. 12.  
 — — — Trin. Sp. Gr. 1, 25.  
 — — — Dict. sc. nat. 22.  
 — *Cinna* Michx. Pet. 2, 6.  
 — *coarctata* Hoffm. Rehb. Fl. germ. 1, 34.  
 — *Cornucopiae* Fras. Short Hist. o.

- Agrostis decumbens* Host. Host Gram. 354.  
 — *diffusa* Host. Host Gram. 355.  
 — *elegans* Thore. Desv. Journ. 2, 8.  
 — — — Lois. Notice 1.  
 — — — Trin. Sp. Gr. 1, 26.  
 — *exarata* Tr. Trin. Sp. Gr. 1, 27.  
 — *fasciculata* Kth. Humb. Gram. 129.  
 — *flava* Müll. Fl. dan. 5, 751.  
 — *flavescens* Host. Host Gram. 352.  
 — *frondosa* Ten. Ten. Fl. nap. 102.  
 — *geminata* Tr. Trin. Sp. Gr. 1, 28.  
 — *gigantea* Roth. Rehb. Fl. germ. 1, 35.  
 — *hybrida* Gaud. Rehb. Fl. germ. 1, 34.  
 — *interrupta* L. Host Gram. 248.  
 — *juncea* Lam. Lam. Encycl. 41.  
 — *Juressi* Lk. Trin. Sp. Gr. 1, 29.  
 — *laxiflora* Richards. Humb. Gram. 130.  
 — *linearis* Koen. Asiat. Res. 4, 0.  
 — *litoralis* With. Engl. Bot. 18, 1251.  
 — — — Knapp Gr. 22.  
 — *maritima* Lam. Rehb. Fl. germ. 1, 36.  
 — *mexicana* Kth.? Jacq. Ecl. gram. 30.  
 — *miliacea* L. Host Gram. 245.  
 — — var. Brot. Phyt. 102, 103.  
 — *montevidensis* Spr. Humb. Gram. 169.  
 — *mutabilis* Knapp. Knapp Gr. 28.  
 — *ovata* Forst. Bill. Nov. Holl. 21.  
 — *pallida* DC. Trin. Sp. Gr. 1, 30.  
 — — — Guss. Pl. rar. 5.  
 — *panicea* Willd. Engl. Bot. 24, 1704.  
 — — — Host Gram. 246.  
 — *patula* Gaud. Rehb. Fl. germ. 1, 35.  
 † — *pauciflora* Schrad. Schrad. Fl. germ. 3.  
 — *polymorpha* Huds. Trin. Sp. Gr. 1, 31, 32.  
 — *Pourretii* Willd. Mag. nat. Fr. 2, 8.  
 — *pulchella* Kth. Humb. Gram. 128.  
 — *pumila* L. Lightf. Fl. scot. 2, 0.  
 — — — Fl. dan. 11, 1802.  
 — — — Rehb. Fl. germ. 1, 34.  
 — *pungens* Pouv. Cav. Ic. 111.  
 — — *Schreb.* Schreb. Gr. 27.  
 — — — Rehb. Fl. germ. 1, 36.  
 — *quadrifida* Lab. Bill. Nov. Holl. 22.  
 — *quadriseta* Br. Trin. Sp. Gr. 1, 33.  
 — *rubra* L. Sv. Bot. 668.  
 — — — Trin. Sp. Gr. 1, 34.  
 — *rupestris* All. Host Gram. 250.  
 — — — Rehb. Fl. germ. 1, 33.  
 — *seminuda* Knapp. Knapp Gr. 115.  
 — *sectacea* Curt. Engl. Bot. 17, 1188.  
 — — — Curt. Lond. 3, 96.  
 — — — Knapp Gr. 24.  
 — *silvatica* Host. Host Gram. 358.  
 — *silvestris* Müll. Fl. dan. 4, 701.  
 — *spicata* Vahl. Del. Egypt. 10.  
 — *spica venti* L. Fl. dan. 5, 853.  
 † — — — Lam. Encycl. 41.  
 — — — Host Gram. 247.  
 — — — Engl. Bot. 14, 951.  
 — — — Sv. Bot. 286.  
 — — — Knapp Gr. 20.  
 — *stolonifera* L. Fl. dan. 4, 564.  
 — — — Engl. Bot. 22, 1532.  
 — — — Sv. Bot. 581.  
 — — — Host Gram. 356.  
 — — — Knapp Gr. 27.  
 — — — Rehb. Fl. germ. 1, 34.  
 — — — Dietr. Fl. bor. 9, 593.  
 — *subulata* Hook. Hook. Fl. ant. 53.  
 — *tenacissima* L. Jacq. Ic. 16.  
 — *tenuiflora* Mühlbg. Willd. Hort. 12.  
 — *tenuifolia* M. v. B. Trin. Sp. Gr. 1, 35.

- Agrostis tremula* Willd. Pet. 2, 6.  
 — triaristata Knapp. Knapp Gr. 23.  
 — trichopodes Ell. Ell. Carol. 8.  
 — tropica Pal. Pal. Fl. d'Ow. 80.  
 — umbellata Colla. Mem. Tur. 39, 57.  
 — varia Host. Host Gram. 357.  
 — ventricosa Knapp. Knapp Gr. 25.  
 — verticillata Vill. Trin. Sp. Gr. 1, 36.  
 — — Rehb. Fl. germ. 1, 35.  
 † — vincalis Schleich. Schrad. Fl. germ. 3.  
 — virginica Lab. Bill. Nov. Holl. 23.  
 — vulgaris With. Engl. Bot. 24, 1671.  
 — — Host Gram. 359.  
 † — — Schrad. Fl. germ. 2, 3.  
 — — Knapp Gr. 26.  
 — — Rehb. Fl. germ. 1, 34.  
 — — Schrad. Dietr. Fl. bor. 9, 594.  
 † *Agrostophyllum javanicum* Bl. Blume Tab. 53.  
*Agryneia bacciformis* Juss. Wight Ic. Ind. or. 5, 1893.  
 — impubes L. Mem. soc. hist. n. P. 1799, 5.  
 — — Vent. Cels 23.  
 † — — Konig Ann. 1, 7.  
 — — ovata Poir. Lam. Encycl. 797.  
*Ajax albicans* Haw. Sweet Fl. Garden 2, 145.  
 † — anceps Herb. Herb. Amar. 38.  
 † — breviflos Herb. Herb. Amar. 38.  
 — cernuus Haw. Sweet Fl. Garden 2, 101.  
 † — cernulatus Herb. Herb. Amar. 38.  
 † — cuneifolius Herb. Herb. Amar. 39.  
 † — festalis Salisb. Herb. Amar. 43.  
 † — lorifolius Herb. Herb. Amar. 38.  
 † — minor Haw. Herb. Amar. 38.  
 † — nobilis Haw. Herb. Amar. 38.  
 † — ovules Herb. Herb. Amar. 38.  
 † — propinquus Haw. Herb. Amar. 38.  
 † — pseudonarcissus Haw. Herb. Amar. 38, 39.  
 † — pumilus Haw. Herb. Amar. 39, 43.  
 — — Sweet Fl. Garden 2, 143.  
 † — Sabinianus Herb. Herb. Amar. 38.  
 † — tubaeiflorus Herb. Herb. Amar. 38.  
*Aikinia Brunonis* Wall. Wall. Pl. asiat. 288.  
 — elegans Wall. Wall. Pl. asiat. 273.  
*Ailantus excelsa* Roxb. Roxb. Corom. 23.  
 — — Jacqt Ind. 162.  
 — — Wight Illustr. 67.  
 — glandulosa L. L'her. Stirp. 84.  
 † — — Lam. Encycl. 859.  
 † — — Ann. sc. nat. III. 8, 9—11.  
 — integrifolia Lam. Rumpf Amb. 3, 132.  
 — malabarica DC. Wight Ic. Ind. or. 4, 1604.  
 — Pongelium Gm. Rheede Hort. mal. 6, 15.  
*Ailographis Aubert*. Aubert Orch. 46, 47.  
*Aiouea guianensis* Aubl. Anbl. Guian. 120.  
 — — Lam. Encycl. 260.  
 † *Aira L.* Dumortier Gram. 7. — Mutel Fl. fr. 78, 79, 80.  
 — — Andersson Gram. Scand. 6.  
 — alpina L. Fl. dan. 6, 961.  
 — — Trin. Sp. Gr. 3, 254.  
 — — Wahlbg. Fl. lapp. 3.  
 — — Wahlbg. Fl. dan. 10, 1625.  
 — antarctica Forst. Krock. Fl. sil. 4, 1.  
 — — Hook. Hook. Fl. ant. 133.  
 — — Hook. Ic. pl. 150.  
 — aquatica L. Fl. dan. 3, 381.  
 — — Curt. Lond. 3, 2.  
 — — Host. Gram. 141.  
 — — Engl. Bot. 22, 1557.  
 — — Knapp Gram. 29.  
 — — Dreves 3, 84.  
 — articulata Desf. Desf. Fl. atl. 13.  
 — bottnica Wahlbg. Wahlbg. Fl. lapp. 4.  
 — — Trin. Sp. Gr. 3, 255.

- Aira caespitosa* L. Fl. dan. 2, 240.  
 — — Engl. Bot. 21, 1453.  
 — — Host Gram. 142.  
 — — Knapp Gr. 33.  
 — — Sv. Bot. 132.  
 — — var. Trin. Sp. Gr. 3, 253, 256.  
 — — Forst. Petersb. 2, 8.  
 — — L. var. Gaudin Fl. helv. 1, 2.  
 — — Rehb. Fl. germ. 1, 96.  
 — canescens L. Fl. dan. 6, 1023.  
 † — — Gaertn. Carp. 1.  
 — — Schk. Handb. 12.  
 — — Engl. Bot. 17, 1190.  
 — — Host Gram. 336.  
 — — Sv. Bot. 450.  
 — — Knapp Gr. 34.  
 — capillaris Host. Host Gram. 335.  
 — — Rehb. Fl. germ. 1, 94.  
 — caryophyllea L. Fl. dan. 3, 382.  
 — — Curt. Lond. 1, 116.  
 — — Engl. Bot. 12, 812.  
 † — — Lam. Encycl. 44.  
 — — Host Gram. 144.  
 — — Sv. Bot. 508.  
 — — Knapp Gram. 35.  
 — — Baxter Brit. Bot. 6, 416.  
 — — Rehb. Fl. germ. 1, 94.  
 † — — Nees Gen. 1, 44.  
 — coerulea L. Fl. dan. 2, 239.  
 — cristata L. Engl. Bot. 9, 648.  
 — — Knapp Gram. 30.  
 — dactyloides Roch. Rochel Ban. 1.  
 — danthonioides Tr. Trin. Sp. Gr. 3, 257.  
 — discolor Thuill. Rehb. Fl. germ. 1, 95.  
 — elongata Hook. Hook. Bor. Am. 228.  
 — flexuosa L. Fl. dan. 1, 157.  
 — — Schreber Gr. 30.  
 — — Engl. Bot. 22, 1519.  
 — — Host Gram. 143.  
 — — Knapp Gram. 31.  
 — — Trin. Sp. Gr. 3, 258.  
 — — Rehb. Fl. germ. 1, 95.  
 ! — — Hopkirk Fl. anom. 8.  
 — glauca Schrad. Fl. dan. 9, 1566.  
 — globosa Thore. Desv. Journ. 1, 7.  
 — intermedia Parl. Parl. Ic. pl. rar. pan. 4.  
 — involucrata Cav. Cav. Ic. 44.  
 — Kingii Hook. Hook. Fl. ant. 135.  
 — laevigata Sm. Engl. Bot. 30, 2102.  
 — latifolia Hook. Hook. Fl. Bor. Am. 227.  
 — magellanica Hook. Hook. Fl. ant. 134.  
 — media Gouan. Trin. Sp. Gr. 3, 259.  
 — minuta Loeffl. Schreber Gr. 21.  
 — montana L. Fl. dan. 8, 1322.  
 — obtusata Michx. Ell. Carol. 9.  
 — pensylvanica Spr. Petersb. 2, 7.  
 — praecox L. Fl. dan. 3, 383.  
 — — Curt. Lond. 3, 56.  
 — — Engl. Bot. 18, 1296.  
 — — Host Gram. 337.  
 — — Sv. Bot. 508.  
 — — Knapp Gram. 36.  
 — — Rehb. Fl. germ. 1, 94.  
 — pulchella Balb. Nocca et Balb. Fl. tic. 1.  
 — — Willd. Trin. Sp. Gr. 3, 260.  
 — sabulonum Lab. Bill. Sert. 21.  
 — scabro-setacea Knapp. Knapp Gram. 32.  
 — spicata L. Fl. dan. 2, 228.  
 — subspicata L. Host Gram. 145.  
 — uliginosa Weihe. Rehb. Ic. crit. 2, 150.  
 — — Rehb. Fl. germ. 1, 95.  
 — Wibeliana Sond. Fl. dan. 14, 2461.



- † *Airopsis* *Fr.* Andersson Gram. Scand. 7.  
 — *aurea* *N. v. E.* Humb. Gram. 216.  
 — *pulchella* *Ten.* Ten. Fl. nap. 102.  
 — *Stuedelii* *N. v. E.* Humb. Gram. 217.  
*Aitonia capensis* *L. fil.* Bot. Mag. 5, 173.  
 — — — Cav. Diss. 159.  
 — — — Lam. Encycl. 571.  
 — — — Lodd. Cab. 682.  
 — — — Rehb. Exot. 229.  
 — — — Herb. am. 4, 213.  
*Ajuga acaulis* *Brocchi.* Ten. Fl. nap. 239.  
 — *alpina* *L.* Engl. Bot. 7, 477.  
 — *Barrelieri* *Ten.* Ten. Fl. nap. 240.  
 — *Chamaepitys* *L.* Engl. Bot. 2, 77.  
 — — — Hayne 8, 1.  
 — — — *Schreb.* Dietr. Fl. bor. 4, 232.  
 — *chia* *Schreb.* Sibth. Fl. gr. 524.  
 — *densiflora* *Ten.* Ten. Fl. nap. 239.  
 — *foliosa* *Tratt.* Tratt. Arch. 2.  
 — *genevensis* *L.* Fl. dan. 10, 1703.  
 — — — *Tratt.* Arch. 239.  
 — — — Hayne 9, 18.  
 — — — Schrank Fl. monac. 2, 141.  
 — — — *Dietr.* Fl. bor. 2, 85.  
 † — — — *Nees* Gen. 6, 47.  
 — *Iva* *Schreb.* Sibth. Fl. gr. 525.  
 — *Iva heterantha* *Brot.* Phyt. 108.  
 — *pyramidalis* *L.* Fl. dan. 2, 185.  
 — — — *Schk.* Hdb. 155.  
 — — — *Engl.* Bot. 18, 1270.  
 — — — *Sv.* Bot. 225.  
 — — — Hayne 9, 19.  
 — — — *Dietr.* Fl. bor. 6, 405.  
 — *reptans* *L.* Fl. dan. 6, 925.  
 — — — *Lam.* Encycl. 501.  
 — — — *Curt.* Lond. 2, 74.  
 — — — *Engl.* Bot. 7, 489.  
 — — — *Baxter* Brit. Bot. 2, 94.  
 — — — *Dreves* 1, 19.  
 — — — Hayne 9, 17.  
 — — — *Schrank* Fl. monac. 3, 224.  
 — — — *Dietr.* Fl. bor. 2, 114.  
 † — — — *Nees* Gen. 6, 47.  
 — *salicifolia* *Schreb.* Sibth. Fl. gr. 526.  
*Aizoon canariense* *L.* Lam. Encycl. 437.  
 — — — *DC.* Pl. grass. 136.  
 — — — *Andr.* Rep. 3, 201.  
 † — *hispanicum* *L.* Gaertn. Carp. 76.  
 † — — — *Lam.* Encycl. 437.  
 — — — *DC.* Pl. grass. 30.  
*Akcebia lobata* *Decne.* Sieb. Fl. Jap. 78.  
 † — — — *Arch.* Mus. 1, 13.  
 — *quinata* *Decne.* Bot. Reg. 33, 28.  
 † — — — *Arch.* Mus. 1, 13.  
 — — — *Sieb.* Jap. 77.  
 — — — *Schnizl.* Iconogr. 172<sup>a</sup>.  
*Akcesia africana* *Tuss.* Tuss. Ant. 1, 3.  
 — — — *Desc.* Ant. 8, 560.  
 — — — *Tratt.* Arch. 193, 193<sup>a</sup>.  
 † *Alangiaeae* *DC.* Schnizl. Iconogr. 262.  
*Alangium decapetalum* *Lam.* Rheede Hort. mal. 4, 17.  
 — — — *Wight* Ic. Ind. or. 1, 194.  
 — *hexapetalum* *Lam.* Rheede Hort. mal. 4, 26.  
 — — — *Wight* Illustr. 96.  
 † — — — *Ann.* Mus. 10, 8.  
*Albertinia brasiliensis* *Spr.* Deless. Ic. 4, 4.  
 — *erythropappa* *DC.* Deless. Ic. 4, 5.  
*Albikia schoenoides* *Presl.* Presl. Rel. 34.  
 — *scirpoides* *Presl.* Presl. Rel. 35.  
*Albinca oresigenesa* *Rich.* Rich. Astr. 4.  
*Albizia Julibrisin* *Durazz.* Durazzini Memoria 0.  
*Albuca abyssinica* *L.* Jacq. Ic. 64.

- Albuca abyssinica* *L.* Red. Lil. 4, 195.  
 — *alba* *Lam.* Lam. Encycl. 241.  
 — *altissima* *L.* Jacq. Ic. 63.  
 — *aurea* *Jacq.* Jacq. Ic. 441.  
 — *caudata* *Jacq.* Jacq. Ic. 442.  
 — *cornuta* *Desf.* Red. Lil. 2, 70.  
 — *exuviata* *Gawl.* Bot. Mag. 22, 871.  
 — *fastigiata* *Dryand.* Bot. Reg. 4, 277.  
 — — — *Andr.* Rep. 7, 450.  
 — — — *Red.* Lil. 8, 474.  
 — *filifolia* *Willd.* Bot. Reg. 7, 557.  
 — *flaccida* *Jacq.* Jacq. Ic. 444.  
 — *fragrans* *Jacq.* Jacq. Schoenbr. 1, 84.  
 — *fugax* *Ker.* Bot. Reg. 4, 311.  
 — *major* *L.* Jacq. Ic. 443.  
 — — — *Red.* Lil. 2, 69.  
 — — — *Bot.* Mag. 21, 804.  
 — — — *Lodd.* Cab. 1191.  
 — *minor* *L.* *Red.* Lil. 1, 21.  
 — — — *Bot.* Mag. 19, 720.  
 — — — *Lodd.* Cab. 800.  
 — *physodes* *Gawl.* Bot. Mag. 26, 1046.  
 — *setosa* *Jacq.* Jacq. Ic. 440.  
 † — — — *Jacq.* Collect. 5, 14.  
 — — — *Bot.* Mag. 36, 1481.  
 — — — *Rehb.* Exot. 55.  
 — *spiralis* *L.* Jacq. Ic. 439.  
 — *viridiflora* *Jacq.* Jacq. Ic. 446.  
 — — — *Bot.* Mag. 40, 1656.  
 — *viscosa* *L.* Jacq. Ic. 445.  
 — *vittata* *Gawl.* Bot. Mag. 33, 1329.  
*Albuca chlorantha* *Saut.* Rehb. Fl. germ. 10, 473.  
 — *nutans* *L.* Rehb. Fl. germ. 10, 473.  
 † — — — *Rehb.* *Nees* Gen. 2, 49.  
 † *Alcanna spinosa* *Gaertn.* Gaertn. Carp. 110.  
*Alcea ficifolia* *L.* Schk. Handb. 191.  
 † — — — *Lam.* Encycl. 581.  
 — — — *Sibth.* Fl. gr. 663.  
 — *pallida* *W. et K.* W. et Kit. 47.  
 — *procumbens* *Med.* Act. palat. 3, 17.  
 † — *rosea* *L.* Schk. Handb. 191.  
 † — — — *Lam.* Encycl. 581.  
 — — — *Sibth.* Fl. gr. 662.  
 — — — *Nees* Düsseld. 414.  
 † — — — *Engelmann* Anthol. 1.  
 † *Alchemilla* *L.* Gaertn. Carp. 73. — *Lam.* Encycl. 86. —  
 — *mutel* *Fl.* fr. 16.  
 — *alpina* *L.* Fl. dan. 1, 49.  
 — — — *Engl.* Bot. 4, 244.  
 — — — *Sv.* Bot. 758.  
 — — — *Sturm* Flora 1, 2.  
 † — — — *Nees* Gen. 4, 80.  
 — *Aphanes* *Leers.* Dietr. Fl. bor. 7, 489.  
 — *arvensis* *L.* Engl. Bot. 15, 1011.  
 † — — — *Scop.* *Nees* Gen. 4, 80.  
 — *fissa* *Schummel.* Rehb. Pl. crit. 1, 4.  
 — — — *Sturm* Flora 13, 56.  
 — — — *Fl.* dan. 12, 2101.  
 — *nivalis* *H. B. K.* H. B. K. Nov. Gen. 6, 560.  
 — *pubescens* *M. v. B.* Willd. Hort. 79.  
 — — — *Rehb.* Pl. crit. 1, 4.  
 — *sibbaldiaefolia* *H. B. K.* H. B. K. Nov. Gen. 6, 561.  
 — *verticillata* *Field.* Field. Sert. 65.  
 — *vulgaris* *L.* Fl. dan. 4, 693.  
 — — — *Schk.* Handb. 26.  
 — — — *Curt.* Lond. 5, 210.  
 — — — *Engl.* Bot. 9, 597.  
 — — — *Baxter* Br. Bot. 4, 280.  
 — — — *Sv.* Bot. 261.  
 — — — *Schrank* Fl. monac. 4, 353.  
 — — — *Sturm* Flora 13, 51.  
 — — — *Dietr.* Fl. bor. 7, 490.

- † *Alchemilla vulgaris* L. Nees Gen. 4, 80.  
 — — — Wight Ic. Ind. or. 1, 229.  
 † *Alchornea Sw.* Swartz Fl. Ind. 24.  
 — glandulosa Poep. et E. 221.  
 — latifolia Sw. Lam. Encycl. 998.  
 — — — Hayne 10, 42.  
 — — — Spr. Nees Düssel. 142.  
*Alcina ovatifolia* Jacq. Jacq. Ecl. pl. 78.  
 — perfoliata Cav. Cav. Ic. 15.  
*Aldea pinnata* R. et P. Rz. et Pav. Fl. 114.  
*Aldrovanda vesiculosa* L. Lam. Encycl. 220.  
 — — — Rchb. Fl. germ. 3, 24.  
*Aldunatea chilensis* Remy. Gay Chile 38.  
*Alectoridea Quartiniana* Rich. Rich. Abyss. 99.  
*Alectorolophus grandiflorus* Waltr. Diatr. Fl. bor. 2, 110.  
 — hirsutus All. Rchb. Ic. crit. 8, 733.  
 — — — Diatr. Fl. bor. 3, 152.  
 † — — — Nees Gen. 5, 46.  
 — major Ehrh. Rchb. Ic. crit. 8, 732.  
 — minor Ehrh. Rchb. Ic. crit. 8, 731.  
 † — — — Nees Gen. 5, 46.  
 — parviflorus Waltr. Diatr. Fl. bor. 2, 111.  
 † *Alectryon excelsum* Gaertn. Gaertn. Carp. 46.  
 — — — DC. Hook. Ic. pl. 570.  
*Alepidea ciliaris* Dela R. Dela Roche Eryng. 1.  
*Alepyrum Pumilio* R. Br. Ann. sc. nat. 13, 2.  
*Aletris capensis* L. Bot. Mag. 14, 501.  
 — farinosa L. Bot. Mag. 34, 1418.  
 — — — Lodd. Cab. 1161.  
 — — — Big. Med. 50.  
 — fragrans L. Red. Lil. 2, 117.  
 — — — Andr. Rep. 5, 306.  
 — guineensis L. Jacq. Vind. 84.  
 — — — Lam. Encycl. 237.  
 † — hyacinthoides L. Gaertn. Carp. 15.  
 — punicea Lab. Bill. Nov. Holl. 111.  
 — — — Kern. Hort. 449.  
 — sarmentosa Andr. Andr. Rep. 1, 54.  
 † *Aleurites* Forst. Forst. Char. 56.  
 — laccifera Willd. Guimp. et Sehl. 286.  
 † — triloba Forst. Lam. Encycl. 791.  
 † *Aleuritopteris dealbata* Fée. Fée Fil. 5, 12.  
 † — farinosa Fée. Fée Fil. 5, 12.  
 † *Alexandra Imperatricis* Schomb. Schomb. Monogr. 0.  
*Alexia ceylanica* Wight. Wight Ic. Ind. or. 4, 1293.  
*Alfredia cernua* Cass. Rchb. Ic. crit. 5, 448.  
*Alibrexia Gayana* Gaud. Gaudichaud Bonite 105.  
 — rupicola Miers. Miers Illustr. 11.  
 † *Alisma* L. Ann. sc. nat. 2, 14.  
 — Damasonium L. Red. Lil. 5, 289.  
 — — — Engl. Bot. 23, 1615.  
 † — echinocarpum Seub. Endl. Bras. 8, 13.  
 — ellipticum Mart. Endl. Bras. 8, 13.  
 — flavum L. Desc. Ant. 8, 600.  
 — intermedium Mart. Endl. Bras. 8, 14.  
 — natans L. Fl. dan. 9, 1573.  
 — — — Red. Liliac. 5, 285.  
 — — — Engl. Bot. 11, 775.  
 — — — Diatr. Fl. bor. 10, 661.  
 — — — Rchb. Pl. crit. 1, 37.  
 — — — Rchb. Fl. germ. 7, 54.  
 — parnassifolium L. Rchb. Ic. crit. 3, 228.  
 — — — Rchb. Fl. germ. 7, 56.  
 — Plantago L. Fl. dan. 4, 561.  
 † — — — Gaertn. Carp. 84.  
 — — — Schk. Handb. 102.  
 † — — — Lam. Encycl. 272.  
 — — — Curt. Lond. 1, 111.  
 — — — Engl. Bot. 12, 837.  
 — — — Baxter Br. Bot. 5, 337.  
 — — — Sv. Bot. 440.  
 — — — Red. Lil. 8, 452.

- Alisma Plantago* L. Dict. sc. nat. 43.  
 — — — Schrank Fl. monac. 2, 198.  
 — — — Wolf Abbild. 0.  
 — — — Diatr. Fl. bor. 1, 61.  
 † — — — Nees Gen. 2, 25.  
 — — — Rchb. Fl. germ. 7, 57.  
 — — — Schnizl. Iconogr. 1, 49.  
 — ranunculoides L. Fl. dan. 1, 122.  
 — — — Curt. Lond. 4, 27.  
 — — — Engl. Bot. 5, 326. 2722.  
 — — — Red. Lil. 5, 268.  
 — — — Rchb. Pl. crit. 1, 37.  
 — — — Rchb. Fl. germ. 7, 55.  
 — reniformis Don. Wight Ic. Ind. or. 2, 322.  
 — repens Lam. Cav. Ic. 55.  
 — tenellum Mart. Endl. Bras. 8, 13.  
 † *Alismaceae* Rich. Schnizl. Iconogr. 1, 49.  
*Alismographis* Aub. Aubert Orch. 41. 42.  
*Alismorchis* Aub. Aubert Orch. 35.  
*Alkanna tinctoria* Tausch. Nees Düss. Suppl. 31.  
 † — — — Nees Gen. 6, 74.  
*Allagopappus dichotomus* Cass. Webb Can. 85.  
*Allamanda angustifolia* Pohl. Pohl Bras. 59.  
 — Anbletii Pohl. Bot. Mag. 74, 4411.  
 † — cathartica L. Gaertn. Carp. 61.  
 — — — Bot. Mag. 10, 338.  
 — — — Lam. Encycl. 171.  
 — — — Wendl. Sert. hannov. 22.  
 — — — Desc. Ant. 2, 144.  
 — — — Kern. Hort. 62.  
 — — — Kern. Gen. 89.  
 — — — Savi Fl. ital. 3, 83.  
 — — — Herb. amat. 3, 183.  
 — — — Lodd. Cab. 259.  
 — — — Maund Bot. 3, 123.  
 — — — Paxt. Mag. 8, 77.  
 — grandiflora Paxt. Paxt. Mag. 12, 79.  
 — neriifolia Hort. Bot. Mag. 77, 4594.  
 — — — Lem. Jard. fl. 177.  
 — oenotheraeifolia Pohl. Pohl Bras. 57.  
 — — — Rchb. Exot. 307.  
 — Schottii Pohl. Pohl Bras. 58.  
 — — — Bot. Mag. 74, 4351.  
 — violacea Gardn. Field. Sert. 41.  
*Allantodia Brunoniana* Wall. Wall. Pl. asiat. 52.  
 † — — — Hook. Gen. Fil. 120.  
 — Hohenackeriana Kze. Kze Fil. 126.  
*Allardin glabra* Decne. Jacq. Ind. 96.  
 — tomentosa Decne. Jacq. Ind. 95.  
*Alliaria officinalis* R. Br. Rchb. Fl. germ. 2, 60.  
 — — — Andr. Diatr. Fl. bor. 8, 539.  
 † *Allionia incarnata* L. Gaertn. Carp. 214.  
 — — — L'her. Strip. 31.  
 — — — Lam. Encycl. 58.  
 — — — Dict. sc. nat. 96.  
 † *Allium* L. Haller Opusc. 1. 2. — Lam. Encycl. 242. —  
 — — — Mutel Fl. fr. 74. — Gaudin Fl. helv. 2, 10  
 — — — — — Nees Gen. 2, 50. 51.  
 — acuminatum Hook. Hook. Fl. Bor. Am. 196.  
 — — — Paxt. Fl. G. 25.  
 — — — Lcm. Jard. fl. 86.  
 — — — Fl. d. serres 6, 644.  
 — acutangulum Willd. Rchb. Ic. crit. 8, 734.  
 — — — Schrad. Rchb. Fl. germ. 10, 500.  
 — acutiflorum Lois. Rchb. Fl. germ. 10, 491.  
 — album Fisch. Rchb. Ic. crit. 5, 406.  
 — — — Herb. amat. 2, 109.  
 — — — Sibth. Sibth. Fl. gr. 327.  
 — — — Engl. Bot. 2803.  
 — Ampeloprasum L. Sibth. Fl. gr. 312.  
 — — — W. et Kit. 82.

- Allium Ampeloprasum* *L.* Red. Lil. 7, 385.  
 — — — Engl. Bot. 24, 1657.  
 — — — Bot. Mag. 34, 1385. 38, 1560.  
 — — — Rchb. Fl. germ. 10, 489.  
 — amphibolum *Led.* Ledeb. Ic. 357.  
 — angulosum *L.* Jacq. Fl. austr. 5, 423.  
 — — — Red. Lil. 5, 281.  
 — — — Fl. dan. 12, 2110.  
 — — — Bot. Mag. 29, 1149.  
 — — — Schrank Fl. monac. 2, 184.  
 — arenarium *L.* Sv. Bot. 691.  
 — — — Red. Lil. 7, 379.  
 — — — Rchb. Fl. germ. 10, 490.  
 — — — Engl. Bot. 19, 1338.  
 — ascalonicum *L.* Rchb. Fl. germ. 10, 491.  
 — asperum *Don.* Rchb. Fl. germ. 10, 483.  
 — atropurpureum *W. et K.* W. et Kit. 17.  
 — — — Rchb. Fl. germ. 10, 505.  
 — azureum *Led.* Ledeb. Ic. 136.  
 — Babingtonii *Borr.* Engl. Bot. 2906.  
 — bisulcum *Red.* Red. Lil. 5, 286.  
 — — — Bot. Mag. 34, 1381.  
 — — — Rchb. Ic. crit. 5, 476.  
 — blandum *Wall.* Wall. Pl. asiat. 260.  
 — brachystemon *Red.* Red. Lil. 7, 374.  
 — caespitosum *Siev.* Acad. Pet. 6, 16.  
 — capillare *Cav.* Cav. Ic. 206.  
 — carinatum *Fr.* Engl. Bot. 24, 1658.  
 — — — Red. Lil. 7, 368.  
 — — — Fl. dan. 12, 2109.  
 — — — Schrank Fl. monac. 2, 164.  
 — — — Sturm Flora 20, 93.  
 — — — Rchb. Ic. crit. 5, 416.  
 — — — Rchb. Fl. germ. 10, 482.  
 — carneum *Ten.* Ten. Fl. nap. 28.  
 — carolinianum *Red.* Red. Lil. 2, 101.  
 — caspium *M. v. B.* Bot. Mag. 77, 4598.  
 — — — Lem. Jard. f. 176.  
 — Cepa *L.* Sibth. Fl. gr. 326.  
 — — — var. Bot. Mag. 36, 1469.  
 — — — Guimp. et Schl. 179.  
 — — — Rchb. Fl. germ. 10, 494.  
 — cernuum *Roth.* Roth Catal. 2, 2.  
 — — — Red. Lil. 6, 345.  
 — — — Bot. Mag. 32, 1324.  
 — Chaemaemoly *L.* Cav. Ic. 207.  
 — — — Red. Lil. 6, 325.  
 — — — Andr. Rep. 6, 377.  
 — — — Bot. Mag. 30, 1203.  
 — — — Rchb. Fl. germ. 10, 501.  
 — ciliare *Red.* Red. Lil. 6, 311.  
 — ciliatum *Cir.* Cir. Pl. rar. 2, 6.  
 — — — Ten. Fl. nap. 137.  
 — — — Sims. Bot. Mag. 20, 774.  
 — clathratum *Led.* Ledeb. Ic. 356.  
 — coeruleum *Pall.* Link Ic. II, 20.  
 — — — Bot. Reg. 26, 51.  
 — — — Fl. d. serres 3, 300.  
 — controversum *Schrad.* Rchb. Fl. germ. 10, 488.  
 — Cowani *Ldl.* Bot. Reg. 9, 758.  
 — — — Bot. Mag. 63, 3531.  
 — declinatum *Rchb.* Rchb. Ic. crit. 5, 477.  
 — dentiferum *Webb.* Webb Can. 234.  
 — denudatum *Red.* Red. Lil. 6, 357.  
 — descendens *L.* Bot. Mag. 7, 251.  
 — — — Sibth. Fl. gr. 316.  
 — — — Rchb. Fl. germ. 10, 493.  
 — Douglasii *Hook.* Hook. Fl. Bor. Am. 197.  
 — Duricuanum *Gay.* Expl. Alger. 46.  
 — Erdelii *Zucc.* Münch. Abh. 3, 5.  
 — euosmon *Lk.* Link Ic. II, 8.  
 — fistulosum *L.* Bot. Mag. 30, 1230.

- Allium fistulosum* *L.* Rchb. Fl. germ. 10, 495.  
 — flavescens *Bess.* Rchb. Fl. germ. 10, 499.  
 — flavidum *Led.* Ledeb. Ic. 362.  
 — flavum *L.* Jacq. Fl. austr. 2, 141.  
 — — — Red. Lil. 2, 119.  
 — — — Bot. Mag. 33, 1330.  
 — — — Sturm Flora 9, 34.  
 — — — Rchb. Ic. crit. 6, 570.  
 — — — Rchb. Fl. germ. 10, 485.  
 — flexum *W. et K.* W. et Kit. 278.  
 — — — Rchb. Ic. crit. 5, 417.  
 — foliosum *Red.* Red. Lil. 4, 214.  
 — — — Rchb. Ic. crit. 5, 478.  
 — fragrans *Vent.* Red. Lil. 2, 68.  
 — — — Vent. Cels. 26.  
 — — — var. Bot. Reg. 11, 898.  
 — fuscum *W. et K.* W. et Kit. 241.  
 — — — Rchb. Fl. germ. 10, 485.  
 — glandulosum *Lk.* Link Ic. II, 17.  
 — globosum *Red.* Red. Lil. 3, 179.  
 — — — *M. v. B.* Rchb. Ic. crit. 5, 407.  
 — — — Rchb. Fl. germ. 10, 497.  
 — gracile *Ait.* Andr. Rep. 2, 107.  
 † — guttatum *Stew.* Mem. Mosc. 2, 11.  
 — hirsutum *Zucc.* Münch. Abh. 3, 2.  
 — hymenorrhizum *Led.* Ledeb. Ic. 359.  
 — illyricum *Jacq.* Jacq. Ic. 365.  
 — incarnatum *Horn.* Rchb. Fl. germ. 10, 486.  
 — inodorum *Ait.* Bot. Mag. 28, 1129.  
 — intermedium *Lam.* Rchb. Fl. germ. 10, 486.  
 — junceum *Sibth.* Sibth. Fl. gr. 322.  
 — kermesinum *Rchb.* Rchb. Fl. germ. 10, 498.  
 — lacteum *Sm.* Sibth. Fl. gr. 325.  
 — latifolium *Jaub.* Jaub. Illustr. 103.  
 — longifolium *Spr.* Bot. Reg. 12, 1034.  
 — longispatum *Red.* Red. Lil. 6, 316.  
 — — — Rchb. Ic. crit. 5, 430.  
 — — — Rchb. Fl. germ. 10, 487.  
 — lusitanicum *Lam.* Red. Lil. 5, 271.  
 — magicum *L.* Brot. Phyt. 47, 48.  
 — — — Mem. Mod. 20, 18, 19.  
 — — — Bot. Mag. 29, 1148.  
 — majale *Cir.* Ten. Fl. nap. 29.  
 — margaritaceum *Sibth.* Sibth. Fl. gr. 315.  
 — — — Rchb. Fl. germ. 10, 491.  
 — Moly *L.* Bot. Mag. 14, 499.  
 — — — Red. Lil. 2, 97.  
 — — — Rchb. Fl. germ. 10, 501.  
 — monspessulanum *Gouan.* Gouan. III. 16.  
 — montanum *Sibth.* Sibth. Fl. gr. 319.  
 — — — Rchb. Fl. germ. 10, 483.  
 — — — *Schmidt.* Rchb. Fl. germ. 10, 500.  
 — moschatum *L.* Red. Lil. 2, 100.  
 — — — Rchb. Ic. crit. 5, 427.  
 — — — Rchb. Fl. germ. 10, 498.  
 — multibulbosum *Jacq.* Jacq. Fl. austr. 1, 10.  
 — — — Rchb. Fl. germ. 10, 506.  
 — mutabile *Michx.* Red. Lil. 4, 240.  
 — narcissiflorum *Vill.* Vill. Dauph. 6<sup>b</sup>.  
 — neapolitanum *Cir.* Cir. Pl. rar. 1, 4.  
 — — — Ten. Fl. nap. 137.  
 — — — Sweet. Fl. G. 201.  
 — — — Rchb. Fl. germ. 10, 507.  
 — nigrum *L.* All. Fl. ped. 3, 25.  
 — — — Red. Lil. 2, 102.  
 — — — Sibth. Fl. gr. 323.  
 — — — Spr. Gesch. d. Bot. 2.  
 † — — — Webb Can. 234.  
 — — — Rchb. Fl. germ. 10, 505.  
 — nutans *L.* Red. Lil. 4, 233.  
 — — — Bot. Mag. 28, 1143.  
 — obliquum *L.* Jacq. Ic. 62.

- Allium obliquum* *L.* Red. Lil. 7, 363.  
 — — — Bot. Mag. 34, 1408.  
 — obtusiflorum *DC.* Red. Lil. 2, 118.  
 — ochroleucum *W. et K. W. et Kit.* 186.  
 — — — Rehb. Ic. crit. 5, 467.  
 — — — Rehb. Fl. germ. 10, 498.  
 — odoratissimum *Desf.* Desf. Fl. atl. 83.  
 — oleraceum *Sm.* Fl. dan. 9, 1456.  
 — — — Engl. Bot. 7, 488.  
 — — — Rehb. Ic. crit. 5, 415.  
 — — — Rehb. Fl. germ. 10, 487.  
 — — — Sturm Flora 9, 34. 20, 93.  
 — Pallasii *Murr.* Novi Comm. Gott. 6, 3.  
 — — *Led.* Ledeb. Ic. 355.  
 — pallens *L.* Red. Lil. 5, 272.  
 — — — Sibth. Fl. gr. 317.  
 — — — Bot. Mag. 35, 1420.  
 — — — Rehb. Fl. germ. 10, 484.  
 — paniculatum *Red.* Red. Lil. 5, 252.  
 — — — Sibth. Fl. gr. 318.  
 — — — Bot. Mag. 25, 973. 35, 1432.  
 — — — Rehb. Ic. crit. 5, 418.  
 — — — Rehb. Fl. germ. 10, 484.  
 — pedemontanum *Willd.* Rehb. Fl. germ. 10, 504.  
 — pendulinum *Ten.* Ten. Fl. nap. 31.  
 — — — Lodd. Cab. 1087.  
 — — — Rehb. Fl. germ. 10, 503.  
 — permixtum *Guss.* Rehb. Fl. germ. 10, 502.  
 — pilosum *Sibth.* Sibth. Fl. gr. 321.  
 — Porrum *L.* Rehb. Fl. germ. 10, 489.  
 — praescissum *Rehb.* Rehb. Ic. crit. 5, 429.  
 — — — Rehb. Fl. germ. 10, 486.  
 — prostratum *Trev.* Acta Leop. 13. 1, 11.  
 — — — Rehb. Ic. crit. 5, 409.  
 — pulchellum *Don.* Rehb. Fl. germ. 10, 483.  
 — pusillum *Cir.* Rehb. Fl. crit. 6, 515.  
 — reticulatum *Fras.* Hook. Bor. Am. 195.  
 — roseum *L.* Red. Lil. 4, 213.  
 — — — Sibth. Fl. gr. 314.  
 — — — Bot. Mag. 25, 978.  
 — — — Engl. Bot. 2803.  
 — — — Rehb. Fl. germ. 10, 504.  
 — Rothii *Zucc.* Münch. Abh. 3, 4.  
 † — rotundum *L.* Gaertn. Carp. 16.  
 — — — Dietr. Fl. bor. 1, 57.  
 — — — Rehb. Fl. germ. 10, 492.  
 — rupestre *M. v. B.* Rehb. Ic. crit. 5, 428.  
 — sativum *L.* Rousseau Bot. 7.  
 — — — Nees Düsseld. Suppl. 49.  
 — — — Hayne 6, 6.  
 — — — Guimp. et Schl. 180.  
 — — — Wagner 109.  
 — — — Woodv. Med. 4, 256.  
 — — — Rehb. Fl. germ. 10, 488.  
 — saxatile *M. v. B.* Marschall Cent. 29.  
 — — — Rehb. Ic. crit. 5, 408.  
 — — — Rehb. Fl. germ. 10, 497.  
 — Schoenoprasum *L.* Fl. dan. 6, 971.  
 — — — var. *N. Comm.* Gott. 6, 4.  
 — — — Schk. Handb. 91.  
 — — — Bot. Mag. 28, 1141.  
 — — — Engl. Bot. 34, 2441.  
 — — — Sv. Bot. 89.  
 — — — Dietr. Fl. bor. 1, 58.  
 — — — Rehb. Fl. germ. 10, 496.  
 — Schubertii *Zucc.* Münch. Abh. 3, 3.  
 — Scorodoprasum *L.* Fl. dan. 2, 290. 9, 1455.  
 — — — Engl. Bot. 2905.  
 — — — Rehb. Fl. germ. 10, 490.  
 — scorzoneraefolium *Red.* Red. Lil. 2, 99.  
 — senescens *L.* Bot. Mag. 29, 1150.  
 — — — Rehb. Ic. crit. 8, 735.

- Allium setaceum* *W. et K. W. et Kit.* 68.  
 — sibiricum *L.* Engl. Bot. 2934.  
 — — — Rehb. Fl. germ. 10, 496.  
 — siculum *Ucria.* Sweet Fl. G. II, 349.  
 — speciosum *Cir.* Cir. Pl. rar. 2, 5.  
 — sphaerocephalum *L.* Fl. dan. 12, 2111.  
 — — — Red. Lil. 7, 391.  
 — — — Engl. Bot. 2813.  
 — — — Bot. Mag. 42, 1764.  
 — — — Rehb. Fl. germ. 10, 492.  
 — staticiforme *Sibth.* Sibth. Fl. gr. 320.  
 — stellatum *Fraser.* Bot. Mag. 38, 1576. 43, 1840.  
 — — — Hook. Fl. Bor. Am. 194.  
 — Stellerianum *Led.* Ledeb. Ic. 384.  
 — striatum *Jacq.* Jacq. Ic. 366.  
 — — — Red. Lil. 1, 50.  
 — — — Bot. Mag. 26, 1035. 37, 1524.  
 — strictum *Schrad.* Schrad. Hort. Gott. 1.  
 — — — Rehb. Ic. crit. 5, 405.  
 — — — Rehb. Fl. germ. 10, 493.  
 — suaveolens *Jacq.* Jacq. Ic. 364.  
 — — — Rehb. Fl. germ. 10, 499.  
 — subbiflorum *Colla.* Mem. Tur. 39, 52.  
 — subhirsutum *L.* Sibth. Fl. gr. 313.  
 — — — Red. Lil. 6, 305.  
 — — — Lodd. Cab. 943.  
 — — — Rehb. Fl. germ. 10, 502.  
 — subtilissimum *Led.* Ledeb. Ic. 360.  
 — sulcatum *DC.* Red. Lil. 8, 482.  
 — tartaricum *L.* Red. Lil. 2, 98.  
 — — — Bot. Mag. 28, 1142.  
 — tenuiflorum *Ten.* Ten. Fl. nap. 30.  
 — tenuissimum *Led.* Ledeb. Ic. 358.  
 — trichocnemis *Gay.* Expl. Alger. 46.  
 — trifoliatum *Cir.* Cir. pl. rar. 2, 3.  
 — triquetrum *L.* Red. Lil. 6, 319.  
 — — — Sibth. Fl. gr. 324.  
 — — — Rehb. Fl. germ. 10, 503.  
 — — *Gouan.* Bot. Mag. 22, 869.  
 — tulipaefolium *Led.* Ledeb. Ic. 137.  
 — uliginosum *Led.* Ledeb. Ic. 83.  
 — ursinum *L.* Fl. dan. 5, 757.  
 — — — Red. Lil. 6, 303.  
 — — — Sv. Bot. 236.  
 — — — Engl. Bot. 2, 122.  
 — — — Baxter Br. Bot. 2, 97.  
 — — — Sturm Flora 11, 41.  
 — — — Dietr. Fl. bor. 4, 225.  
 — — — Rehb. Fl. germ. 10, 507.  
 — Victoralis *L.* Jacq. Fl. austr. 3, 216.  
 — — — Red. Lil. 5, 265.  
 — — — Bot. Mag. 30, 1222.  
 — — — Hayne 6, 5.  
 — — — Guimp. et Kl. 15.  
 — — — Nees Düsseld. Suppl. 50.  
 — — — Rehb. Fl. germ. 10, 508.  
 — vineale *L.* Fl. dan. 11, 1870. 13, 2227.  
 — — — Engl. Bot. 28, 1974.  
 — — — Rehb. Ic. crit. 5, 404.  
 — — — Rehb. Fl. germ. 10, 490.  
 — violaceum *Willd.* Rehb. Fl. germ. 10, 482.  
 — virens *Lam.* Rehb. Fl. germ. 10, 487.  
 — viridulum *Led.* Ledeb. Ic. 378.  
 Allmania nodiflora *R. Br.* Rheede Hort. mal. 10, 67.  
 — — — Hook. Journ. 1834, 128.  
 Allocarpus caracasanus *H. B. K.* H. B. K. Nov. Gen.  
 4, 405.  
 Allophylus africanus *Pal.* Pal. Fl. d'Ow. 107.  
 Alloplectus capitatus *Hook.* Bot. Mag. 75, 4452.  
 — — — Fl. d. serres 6, 588.  
 — circinatus *Mart.* Mart. Bras. 223.  
 — concolor *Hook.* Bot. Mag. 74, 4371.



- Aloe humilis* Jacq. Jacq. Schoenbr. 4, 420.  
 — — *Thunb.* DC. Pl. grasses 39.  
 — — *Haw.* var. Bot. Mag. 20, 757. 21, 828.  
 — — — Lodd. Cab. 1481.  
 — — — Herb. amat. 1, 70.  
 — — — Salm Mon. §. 15, 1.  
 — — *hybrida* Salm. Salm Mon. §. 4, 4.  
 — — *imbricata* Haw. Salm Mon. §. 1, 1.  
 — — *incurva* Haw. Lodd. Cab. 1504.  
 — — — Salm Mon. 15, 3.  
 — — *intermedia* Haw. Salm Mon. §. 29, 24.  
 — — *laetevirens* Haw. Salm Mon. 10, 3.  
 — — *Lingua* Thunb. Bot. Mag. 22, 838. var. 25, 979.  
 — — — 32, 1322.  
 — — — Herb. amat. 2, 130.  
 — — *Willd.* Salm Mon. §. 29, 33.  
 — — *linguiformis* DC. var. DC. Pl. grasses 68.  
 — — — var. Kern. Hort. 271.  
 — — *longiaristata* Schult. Salm Mon. §. 15, 7.  
 — — *maculata* Thunb. Bot. Mag. 20, 765.  
 — — — Salm Mon. §. 29, 1.  
 — — *maculosa* Lam. Lam. Encycl. 236.  
 — — *margaritifera* Mill. Gaertn. Carp. 17.  
 — — — Lam. Encycl. 236.  
 — — — DC. Pl. grasses 57.  
 — — — Bot. Mag. 21, 815. var. 33, 1360.  
 — — *Haw.* Salm Mon. §. 6, 5.  
 — — *marginalis* DC. DC. Pl. grasses 31.  
 — — *micracantha* Haw. Bot. Mag. 48, 2272.  
 — — — Link Ic. I, 40.  
 — — — Salm Mon. §. 21, 1.  
 — — *mirabilis* Haw. Bot. Mag. 33, 1354.  
 — — — Salm Mon. §. 9, 1.  
 — — *mitraeformis* Mill. DC. Pl. grasses 99.  
 — — — Bot. Mag. 31, 1270. 33, 1362.  
 — — — Kern. Hort. 588.  
 — — — var. Rchb. Exot. 188.  
 — — — Guimp. et Schl. 289.  
 — — *mollis* Haw. Salm Mon. §. 29, 38.  
 — — *nigricans* Haw. Salm Mon. §. 29, 7.  
 — — *nitida* Salm. Bot. Mag. 49, 2304.  
 — — — Salm Mon. §. 29, 17.  
 — — *obliqua* Jacq. Jacq. Schoenbr. 4, 418.  
 — — — DC. Pl. grasses 91.  
 — — *obtusifolia* Salm. Salm Mon. §. 29, 37.  
 — — *paniculata* Jacq. Jacq. Fragm. 62.  
 — — *papillosa* Salm. Salm Mon. §. 6, 4.  
 — — *parva* Haw. Salm Mon. §. 8, 2.  
 — — *pentagona* Jacq. Jacq. Fragm. 111.  
 — — *Haw.* Bot. Mag. 33, 1338.  
 — — — Salm Mon. §. 1, 4.  
 — — *perfoliata* L. var. Rheede Hort. mal. 11, 3.  
 — — — Bot. Mag. 14, 472.  
 — — — Desc. Ant. 2, 130.  
 — — — Petersb. 4, 9.  
 — — *picta* Thunb. DC. pl. grasses 97.  
 — — — Bot. Mag. 32, 1323.  
 — — *planifolia* Haw. Salm Mon. §. 11, 2.  
 — — *plicatilis* Mill. Jacq. Schoenbr. 4, 423.  
 — — — Bot. Mag. 13, 457.  
 — — — DC. Pl. grasses 75.  
 — — — Rchb. Mag. 83.  
 — — — Salm Mon. §. 28, 1.  
 — — *pulchra* Jacq. Jacq. Schoenbr. 4, 419.  
 — — — Jacq. Fragm. 112.  
 — — — Salm Mon. §. 29, 2.  
 — — *Pumilio* Jacq. Jacq. Schoenbr. 4, 421.  
 — — *purpurascens* Haw. Hayne 14, 23.  
 — — — Salm Mon. §. 22, 2.  
 — — *Radula* Jacq. Jacq. Schoenbr. 4, 422.  
 — — — Bot. Mag. 33, 1345.  
 — — — Salm Mon. §. 6, 8.

- Aloe Radula* Jacq. Jacq. Ecl. pl. 114.  
 — — *recurva* Haw. Bot. Mag. 33, 1353.  
 — — — Salm Mon. §. 7, 3.  
 — — *Reinwardtii* Salm. Salm Mon. §. 6, 16.  
 — — *reticulata* Haw. Lodd. Cab. 1354.  
 — — — Salm Mon. §. 10, 1.  
 † — — *retusa* L. Thunb. Gaertn. Carp. 17.  
 — — — Lam. Encycl. 236.  
 — — — Bot. Mag. 13, 455.  
 — — — DC. Pl. grasses 45.  
 — — — Salm Mon. §. 9, 3.  
 — — *rhodacantha* DC. DC. Pl. grasses 44.  
 — — — Bot. Mag. 31, 1278.  
 — — *rigida* Jacq. Jacq. Fragm. 108.  
 — — — DC. DC. Pl. grasses 62.  
 — — — Bot. Mag. 33, 1337.  
 — — — Salm Mon. §. 4, 3.  
 — — —  $\beta$ . *expansa*, Salm Mon. §. 4, 3  $\beta$ .  
 — — *rubescens* DC. DC. Pl. grasses 15.  
 — — *rugosa* Salm. Salm Mon. §. 6, 9.  
 — — *Salm-Dyckiana* Schult. Salm Mon. §. 27, 1.  
 — — *saponaria* Haw. Bot. Mag. 33, 1346. var. 36, 1460.  
 — — — Kern. Hort. 641.  
 — — *scaberrima* Salm. Salm Mon. §. 29, 26.  
 — — *scabra* Haw. Salm Mon. §. 7, 1.  
 — — *semiglabrata* Haw. Salm Mon. §. 6, 2.  
 — — *Serra* Willd. Jacq. Fragm. 61.  
 — — — DC. DC. Pl. grasses 80.  
 — — — Kern. Hort. 210.  
 — — *serrulata* Haw. Bot. Mag. 34, 1415.  
 — — — Salm Mon. §. 20, 1.  
 — — *setosa* Schult. Salm Mon. §. 12, 3.  
 — — *soccotrina* Lam. DC. Pl. grasses 85.  
 — — — var. Bot. Mag. 36, 1474.  
 — — — Guimp. et Schl. 287.  
 — — — Nees Düsseld. 51.  
 — — — Wagner 156.  
 — — — Woodv. Med. 4, 260.  
 — — — Salm Mon. §. 22, 1.  
 — — *spinulosa* Salm. Salm Mon. §. 24, 6.  
 — — *spiralis* L. Jacq. Fragm. 110.  
 — — *Haw.* Jacq. Ecl. pl. 112.  
 — — — L. DC. Pl. grasses 56.  
 — — — Bot. Mag. 35, 1455.  
 — — *Haw.* Salm Mon. §. 1, 5.  
 — — *spirella* Haw. Salm Mon. §. 1, 3.  
 — — —  $\beta$ . *quinquangularis*, Salm Mon. §. 1, 3  $\beta$ .  
 — — *stenophylla* Schult. Salm Mon. §. 13, 2.  
 — — *subattennata* Salm. Salm Mon. §. 6, 11.  
 — — *subcarinata* Salm. Salm Mon. §. 29, 21.  
 — — *subfasciata* Salm. Salm Mon. §. 6, 14.  
 — — *subnigricans* Spr. Salm Mon. §. 29, 10.  
 — — *subrigida* Schult. Salm Mon. §. 4, 1.  
 — — *subtortuosa* Schult. Salm Mon. §. 3, 5.  
 — — *subulata* Salm. Salm Mon. §. 6, 10.  
 — — *tenuior* Haw. Salm Mon. §. 25, 3.  
 — — *tessellata* Haw. Salm Mon. §. 8, 1.  
 — — *torquata* Haw. Salm Mon. §. 3, 6.  
 — — *tortuosa* Haw. Salm Mon. §. 4, 2.  
 — — —  $\beta$ . *major*, Salm Mon. §. 4, 2  $\beta$ .  
 — — *translucens* Haw. Salm Mon. §. 12, 1.  
 — — *trichotoma* Colla. Colla Hort. Rip. 13.  
 — — *trigona* Salm. Salm Mon. §. 29, 18.  
 — — *turgida* Haw. Salm Mon. §. 9, 5.  
 — — *umbellata* DC. DC. Pl. grasses 98.  
 — — *variegata* Thunb. Bot. Mag. 15, 513.  
 — — — DC. Pl. grasses 21.  
 — — — Herb. amat. 2, 90.  
 — — — L. Salm Mon. §. 20, 2.  
 — — *verrucosa* Ait. Bot. Mag. 22, 837.  
 — — — Kern. Hort. 282.  
 — — — Herb. am. 3, 174.

- Aloe verrucosa* Ait. Salm Mon. §. 29, 25.  
 — *virens* Haw. Bot. Mag. 33, 1355.  
 — — — Kern. Hort. 633.  
 — — — Salm Mon. §. 15, 8.  
 — *viscosa* L. DC. Pl. grasses 16.  
 — — — Bot. Mag. 21, 814.  
 — — — Salm Mon. §. 3, 3.  
 — — — *β. indurata*, Salm Mon. §. 3, 3 β.  
 — *vittata* Schult. Salm Mon. §. 29, 6.  
 — *vulgaris* DC. DC. Pl. grasses 27.  
 — — — Sibth. Fl. gr. 341.  
 — — — Guimp. et Schl. 288.  
 — — — Nees Düsseld. 50.  
 — — — Woodv. Med. 5, 28.  
 — — — Salm Mon. §. 18, 2.  
*Alomia ageratoides* H. B. K. H. B. K. Nov. Gen. 4, 354.  
*Alona balsamiflora* Gaud. Gaudichd Bonite 107.  
 — *coelestis* Ldl. Bot. Reg. 30, 46.  
 — — — Paxt. Mag. 12, 3.  
 — — — Gaudichd Bonite 106.  
 — — — Fl. d. serres 1, 28.  
*Alonsoa intermedia* Hort. Lodd. Cab. 1456.  
 — *linearis* Rz. Pav. Sweet Fl. G. II, 240.  
 † *Alopecurus* L. Lam. Encycl. 42. — Dumort. Gramin. 11.  
 — — — Nees Genera 1, 7. — Andersson Gram.  
 Scand. 11.  
 — *agrestis* L. Fl. dan. 4, 697.  
 — — — Curt. Lond. 3, 108.  
 — — — Schreber Gr. 19.  
 — — — Host Gram. 212.  
 — — — Engl. Bot. 12, 848.  
 — — — Sv. Bot. 432.  
 — — — Trin. Sp. Gr. 1, 37.  
 — — — Knapp Gr. 16.  
 — — — Rechb. Fl. germ. 1, 49.  
 — — — Dietr. Fl. bor. 9, 590.  
 — *alpinus* Sm. Engl. Bot. 16, 1126.  
 — — — Roemer Fl. cur. 13, 2.  
 — — — Trin. Sp. Gr. 1, 38.  
 — — — Hook. Fl. ant. 130.  
 — *angustifolius* Sibth. Sibth. Fl. gr. 64.  
 — *antarcticus* Vahl. Humb. Gram. 7.  
 — — — Hook. Fl. ant. 130.  
 — *bulbosus* L. Engl. Bot. 18, 1249.  
 — — — Knapp Gr. 17.  
 — — — Trin. Sp. Gr. 1, 40.  
 — — — Rechb. Fl. germ. 1, 49.  
 — *caespitosus* Trin. Trin. Sp. Gr. 3, 241.  
 — *colobachnoides* Trin. Trin. Sp. Gr. 1, 39.  
 — *creticus* Trin. Trin. Sp. Gr. 1, 41.  
 — — — Rechb. Fl. germ. 1, 49.  
 — *fulvus* Sm. Engl. Bot. 21, 1467.  
 — — — Fl. dan. 11, 1804.  
 — — — Rechb. Fl. germ. 1, 49.  
 — *geniculatus* L. Curt. Lond. 3, 46.  
 — — — Engl. Bot. 18, 1250.  
 — — — Sv. Bot. 333.  
 — — — Host Gram. 132.  
 — — — Ell. Carol. 7.  
 — — — Knapp Gr. 18.  
 — — — Dict. sc. nat. 18.  
 — — — Trin. Sp. Gr. 1, 42.  
 — — — Rechb. Fl. germ. 1, 49.  
 — *Gerardi* Vill. Trin. Sp. Gr. 1, 1.  
 — *lanatus* Sibth. Trin. Sp. Gr. 1, 43.  
 — *nigrescens* Jacq. Jacq. Ecl. gram. 13.  
 — *nigricans* Hornem. Rechb. Fl. germ. 1, 49.  
 — *ovatus* Hornem. Fl. dan. 9, 1565.  
 — — — Knapp Gr. 15.  
 — *Pallasii* Trin. Trin. Sp. Gr. 1, 2.  
 — *panicus* L. Fl. dan. 5, 861.  
 — *pratensis* L. Schreber Gr. 19.

- Alopecurus pratensis* L. Schk. Handb. 11.  
 † — — — Mag. nat. Fr. 7, 2.  
 — — — Host Gram. 131.  
 — — — Curt. Lond. 3, 47.  
 — — — Engl. Bot. 11, 759.  
 — — — Sturm Flora 2, 8.  
 — — — Sv. Bot. 14.  
 — — — Fl. dan. 12, 1985.  
 — — — Knapp Gr. 14.  
 — — — Trin. Sp. Gr. 1, 44.  
 — — — var. Trin. Sp. Gr. 1, 45.  
 — — — Rechb. Fl. germ. 1, 49.  
 — — — Dietr. Fl. bor. 9, 559.  
 — — — Baxter Brit. Bot. 1, 45.  
 † — *sericeus* Gaertn. Gaertn. Carp. 1.  
 — *utriculatus* Schrad. Sibth. Fl. gr. 63.  
 — — — Trin. Sp. Gr. 1, 46.  
 — — — Rechb. Fl. germ. 1, 49.  
 — *vaginatus* Pall. Trin. Sp. Gr. 1, 2.  
*Alpinia Allughas* Rosc. Rheede Hort. mal. 11, 14.  
 — — — Rosc. Scit. 67.  
 † — — — Ann. sc. nat. II, 15, 18.  
 — *aromatica* Jacq. Jacq. Fragm. 74, 75.  
 — *auriculata* Rosc. Rosc. Scit. 74.  
 — *bracteata* Rosc. Rosc. Scit. 70.  
 — *brevilabris* Presl. Presl Rel. 17.  
 — *breviscapa* P. et E. Poepp. et Endl. 135.  
 — *calcarata* Rosc. Rosc. Scit. 68.  
 — — — Bot. Reg. 2, 141.  
 — — — Wight Ic. Ind. or. 6, 2028.  
 — *Cardamomum* Roxb. Rheede Hort. 11, 4, 5.  
 — — — Roxb. Corom. 226.  
 — — — Guimp. et Schl. 273.  
 — — — Nees Düsseld. 66.  
 † — *caribaea* Gaertn. Gaertn. Carp. 12.  
 — *cernua* Sims. Bot. Mag. 44, 1900.  
 — *comosa* Jacq. Jacq. Ic. 202.  
 — *costata* Roxb. Roxb. Corom. 252.  
 — — — Kern. Hort. 710.  
 — *diffissa* Rosc. Rosc. Scit. 71.  
 — *Galanga* Willd. Nees Düsseld. 67, 68.  
 † — — — Ann. sc. nat. II, 15, 19.  
 — *gigantea* Bl. Rumpf Amb. 6, 62.  
 — *Haenkei* Presl. Presl Symb. 43.  
 † — *jamaicensis* Gaertn. Gaertn. Carp. 12.  
 — *linguiformis* Roxb. Roxb. Corom. 276.  
 — *macrantha* P. et E. Poepp. et Endl. 134.  
 — *magnifica* Rosc. Rosc. Scit. 75.  
 — — — Bot. Mag. 59, 3192.  
 — *malaccensis* Roxb. Rumpf Amb. 5, 71.  
 — — — Bot. Reg. 4, 328.  
 — *mutica* Roxb. Rosc. Scit. 69.  
 — *nutans* Rosc. Rumpf Amb. 6, 63.  
 — — — Rosc. Scit. 73.  
 — — — Smith Ex. Bot. 106.  
 — — — Bot. Mag. 44, 1903.  
 — — — Paxt. Mag. 13, 125.  
 — — — Rechb. Exot. 109.  
 — — — Wight Ic. Ind. or. 6, 2027.  
 — *Paco Seroa* Jacq. Jacq. Fragm. 76.  
 — *penicillata* Rosc. Rosc. Scit. 72.  
 — *racemosa* L. Desc. Ant. 3, 170.  
 — *Rheedii* Wight. Wight Ic. Ind. or. 6, 2026.  
 — *spicata* Jacq. Jacq. Hist. stirp. am. 1.  
 — *spiralis* Jacq. Jacq. Schoenbr. 1, 1.  
 — *strobilifera* P. et E. Poepp. et Endl. 136.  
 — *tubulata* Ker. Bot. Reg. 9, 777.  
 — — — Bot. Mag. 51, 2494.  
 — — — Don. Rechb. Exot. 68.  
*Alseis floribunda* Schott. Endl. Atacta 33.  
*Alseodaphne semecarpifolia* N. v. E. Wight Ic. Ind.  
 or. 5, 1826. 1827.

- Alseuosmia Banksii* A. Cunn. Hook. New Zeal. 24.  
 — *linearifolia* A. Cunn. Hook. New Zeal. 25.  
 — *macrophylla* A. Cunn. Hook. New Zeal. 23.  
*Alsinanthe biflora* FzL. Rehb. Fl. germ. 5, 209.  
 — *stricta* FzL. Rehb. Fl. germ. 5, 209.  
 † *Alsine* L. Gray Gen. 111.  
 — *austriaca* M. et K. Sturm Flora 6, 24.  
 — *biflora* Wahlbg. Sv. Bot. 763.  
 — *fasciculata* Wahlbg. Vis. Dalm. 34.  
 — *lancifolia* Vis. Rehb. Fl. germ. 5, 206.  
 — *marina* Wahlbg. Sv. Bot. 743.  
 — *media* L. Fl. dan. 3, 438, 525.  
 — — — Schk. Handb. 85.  
 — — — Lam. Encycl. 214.  
 — — — Hayne 2, 47.  
 — — — Sturm Flora 1, 1.  
 — — — Rehb. Fl. germ. 5, 222.  
 † — *mucronata* L. Gaertn. Carp. 129.  
 — — — Sibth. Fl. gr. 293.  
 — *prostrata* Forsk. Delile Egypt. 24.  
 — *rubella* Wahlbg. Wahlbg. Fl. lapp. 6.  
 — — — Sv. Bot. 764.  
 — *squarrosa* Fenzl. Gray Gen. 111.  
 — *stricta* Wahlbg. Sv. Bot. 762.  
 — *succulenta* Delile. Delile Egypt. 24.  
 — *verna* Bartl. Sturm Flora 7, 26.  
*Alsinella viscosa* Hartm. Fl. dan. 10, 1754.  
*Alsodcia angustifolia* Aub. Aub. Iles d'Afr. 18.  
 — *bahiensis* Moric. Moric. Pl. Am. 46.  
 — *floribunda* Moric. Moric. Pl. Am. 47.  
 — *latifolia* Aub. Aub. Iles d'Afr. 18.  
 — *macrophylla* Decne. N. Ann. Mus. 3, 19.  
 — *paniculata* Mart. Mart. Bras. 21.  
 — *pauciflora* Aub. Aub. Iles d'Afr. 17.  
 — *physiphora* Mart. Mart. Bras. 19.  
 — *pubescens* Aub. Aub. Iles d'Afr. 18.  
 — *racemosa* Mart. Mart. Bras. 20.  
 — *silvatica* Seem. Seem. Herald 14.  
*Alsphila armata* Mart. Mart. Crypt. bras. 28, 48.  
 — — — Schnizl. Ic. 1, 26<sup>a</sup>.  
 † — *aspera* R. Br. Hook. Gen. Fil. 21.  
 — — — Hook. Ic. Fil. 213, 214, 215.  
 — — — Hook. Sp. Fil. 19.  
 — *australis* R. Br. Hook. Sp. Fil. 19.  
 — *caudata* Sm. Hook. Sp. Fil. 20.  
 — *comosa* Wall. Hook. Sp. Fil. 20.  
 — *compta* Mart. Mart. Crypt. bras. 41.  
 — *contaminans* Wall. Hook. Sp. Fil. 18.  
 — *crinita* Hook. Hook. Ic. pl. 671.  
 — *elegans* Mart. Mart. Crypt. bras. 38.  
 † — *excelsa* R. Br. Hook. Gen. Fil. 9.  
 — — — Hook. Sp. Fil. 18.  
 — *fulva* M. et G. Acad. Brux. 15, 23.  
 — *hirta* Mart. Mart. Crypt. bras. 44.  
 — *leucolepis* Mart. Mart. Crypt. bras. 46.  
 † — *lunulata* R. Br. Spreng. Neue Entd. 1, 3.  
 — *mexicana* Mart. Mart. Crypt. bras. 45.  
 — *nigra* Mart. Mart. Crypt. bras. 47.  
 — *paleolata* Mart. Mart. Crypt. bras. 43.  
 — *phalerata* Mart. Mart. Crypt. bras. 42.  
 — *pilosa* M. et G. Acad. Brux. 15, 22.  
 — *plagiopteris* Mart. Mart. Crypt. bras. 50.  
 — *proccera* Mart. Mart. Crypt. bras. 40.  
 — *pycnocarpa* Kze. Kunze Fil. 86.  
 — *rigidula* Mart. Mart. Crypt. bras. 51.  
 — *rostrata* Mart. Mart. Crypt. bras. 39.  
 — *Swartziana* Mart. Mart. Crypt. bras. 49.  
*Alstonia Pala* Dilw. Rheede Hort. mal. 1, 45.  
 — *plumosa* Lab. Bill. Sert. 32.  
 — *scholaris* R. Br. Rumpf Amb. 2, 82.  
 — — — Wight Ic. Ind. or. 2, 422.  
 † — — — Wight Illustr. 154<sup>b</sup>.

- Alstonia venenata* R. Br. Wight Ic. Ind. or. 2, 436.  
 — — — Lodd. Cab. 1180.  
*Alstroemeria* L. (Var. hortenses.) Paxt. Mag. 16, 130.  
 — — — (Var. chilenses.) Fl. d. serres 1, 41.  
 † — *acuminata* Herb. Herb. Amar. 4.  
 — *acutiflora* Lk. et O. Link Ic. II. 29.  
 — — — Bot. Mag. 58, 3050.  
 — — — Sweet Fl. G. II. 77.  
 — — — Maund Bot. 3, 137, 4, 174.  
 — *albiflora* Presl. Presl Rel. 22.  
 — *aurantiaca* Don. Bot. Reg. 22, 1843.  
 — — — Sweet Fl. G. II. 205.  
 † — *aurea* Grah. Herb. Amar. 1.  
 — — — Bot. Mag. 61, 3350.  
 — *bicolor* Lodd. Lodd. Cab. 1497.  
 — *bracteata* R. et P. Rz. et Pav. Fl. 291.  
 † — *Bridgesiana* Herb. Herb. Amar. 1.  
 — *caryophyllacea* Jacq. Jacq. Schoenbr. 4, 465.  
 † — *catharinensis* Herb. Herb. Amar. 2.  
 — *coccinea* R. et P. Rz. et Pav. Fl. 291.  
 † — *conferta* Herb. Herb. Amar. 3.  
 — *cordifolia* R. et P. Rz. et Pav. Fl. 290.  
 — — — Kern. Hort. 460.  
 † — *Curbrana* Herb. Herb. Amar. 1.  
 — *declinata* P. et E. Poepp. et Endl. 160.  
 — *denticulata* R. et P. Rz. et Pav. Fl. 293.  
 — *distichifolia* R. et P. Rz. et Pav. Fl. 287.  
 — *dulcis* Hook. Hook. Bot. Misc. 95.  
 — *edulis* Andr. Tuss. Ant. 1, 14.  
 — — — Andr. Rep. 10, 649.  
 — — — Kern. Hort. 370.  
 — *Errembaultii* Maund Bot. 5, 237.  
 — — — Hort. Fl. d. serres 3, 262.  
 — *fimbriata* R. et P. Rz. et Pav. Fl. 293.  
 — *flos Martini* Ker. Bot. Règ. 9, 731.  
 — — — Sweet Fl. G. II. 277.  
 — *formosa* Pers. Kern. Hort. 265.  
 — *formosissima* R. et P. Rz. et Pav. Fl. 296.  
 — *haemantha* R. et P. Sweet Fl. G. II. 158.  
 — *hirtella* H. B. K. Sweet Fl. G. 228.  
 — *Hookeri* Lodd. Lodd. Cab. 1272.  
 † — *Hookeriana* Schult. Herb. Amar. 1.  
 — *Jacquesiana* Ch. Lem. Fl. d. serres 2, 182.  
 † — *inodora* Herb. Herb. Amar. 2.  
 † — *isabellina* Herb. Herb. Amar. 6.  
 — *latifolia* R. et P. Rz. et Pav. Fl. 295.  
 — — — Kern. Hort. 248.  
 — — — Ligtu L. Bot. Mag. 4, 125.  
 — — — Lam. Encycl. 231.  
 — — — Red. Lil. 1, 40.  
 — — — Lodd. Cab. 17.  
 — — — Bot. Reg. 25, 13.  
 — — — Herb. amat. 2, 85.  
 — *lineatiflora* R. et P. Rz. et Pav. Fl. 289.  
 — — — Bot. Reg. 29, 58.  
 — — — Kern. Hort. 531.  
 — *macrocarpa* R. et P. Rz. et Pav. Fl. 294.  
 — *Neillii* Gillies. Bot. Mag. 58, 3105.  
 — *nemorosa* Gardn. Bot. Mag. 68, 3958.  
 — *oculata* Lodd. Lodd. Cab. 1851.  
 — — — Bot. Mag. 61, 3344.  
 — *ovata* Cav. Cav. Ic. 76.  
 — — — Lodd. Cab. 1654.  
 — — — Bot. Mag. 55, 2848.  
 — *pallida* Grah. Bot. Mag. 58, 3040.  
 — *pelegrina* L. Jacq. Vind. 50.  
 — — — Hill Decade 2.  
 — — — Bot. Mag. 4, 139.  
 † — — — Gaertn. Carp. 13.  
 — — — Rz. et Pav. Fl. 288.  
 — — — Lam. Encycl. 231.  
 — — — Red. Lil. 1, 46.



- Alstroemeria ptelegrina* L. Savi Fl. ital. 2, 55.  
 — — — Kern. Hort. 195.  
 — — — Lodd. Cab. 1295.  
 — — — var. Paxt. Mag. 1, 199.  
 — — — Herb. amat. 3, 188.  
 † — — — Herb. Amar. 3.  
 — plantaginea Mart. Fl. d. serres 7, 746.  
 † — Presleana Herb. Herb. Amar. 1.  
 — psittacina Lehm. Bot. Mag. 57, 3033. 68, 3944.  
 — — — Bot. Reg. 18, 1540.  
 — — — Sweet Fl. G. II. 15.  
 — — — Lodd. Cab. 1666.  
 — pulchella Hook. Bot. Mag. 49, 2353.  
 — — — Bot. Reg. 12, 1008.  
 — — — var. pilosa, Bot. Reg. 17, 1410.  
 — — — Sims. Lodd. Cab. 1054.  
 † — — — Herb. Amar. 4.  
 — — — Hook. Ex. Fl. 64.  
 — pulchra Sims. Bot. Reg. 9, 731.  
 — — — Bot. Mag. 50, 2421.  
 — — — Rchb. Exot. 113.  
 — purpurea Rz. et P. Rz. et Pav. Fl. 294.  
 † — pygmaea Herb. Herb. Amar. 8.  
 † — quillotensis Herb. Herb. Amar. 2.  
 † — recumbens Herb. Herb. Amar. 3.  
 † — revoluta Herb. Herb. Amar. 7.  
 — rosea Hook. Hook. Ex. Fl. 181.  
 — Salsilla L. Bot. Mag. 39, 1613.  
 — — — Sweet Fl. G. II. 269.  
 — — — Lodd. Cab. 1683.  
 — secundifolia Rz. et P. Rz. et Pav. Fl. 290.  
 — setacea Rz. et P. Rz. et Pav. Fl. 292.  
 — Simsii Spr. Sweet Fl. G. 267.  
 † — Sollyana Herb. Herb. Amar. 4.  
 — spathulata Presl. Presl. Rel. 22.  
 † — — — Herb. Amar. 1.  
 † — subrosulacea Herb. Herb. Amar. 5.  
 † — tenuifolia Herb. Herb. Amar. 1.  
 — tomentosa Rz. et P. Rz. et Pav. Fl. 292.  
 — — — Kern. Hort. 207.  
 — tricolor Hook. Hook. Ex. Fl. 65.  
 — — — Lodd. Cab. 1147.  
 † — versicolor Rz. et P. Herb. Amar. 48.  
*Altensteinia fimbriata* H. B. K. H. B. K. Nov. Gen. 1, 72.  
 — pilifera H. B. K. H. B. K. Nov. Gen. 1, 73.  
 — — — Lam. Encycl. 990.  
*Alternanthera achyrantha* R. Br. Mart. Bras. 152.  
 — — — Webb Can. 199.  
 — ficoides R. Br. Pal. Fl. d'Ow. 99.  
 — litoralis Pal. Pal. Fl. d'Ow. 104.  
 — sessilis R. Br. Rheede Hort. mal. 10, 11.  
 — — — Wight Ic. Ind. or. 2, 727.  
 — — — Dict. sc. nat. 194.  
 — tenella Colla. Men. Tur. 33, 9.  
 † *Althaea* L. Schk. Handb. 192<sup>a</sup>. — Kern. Gen. 185. 186.  
 — acaulis Cav. Cav. Diss. 27.  
 — cannabina L. Jacq. Fl. austr. 2, 101.  
 † — — — Gaertn. Carp. 136.  
 — — — Cav. Diss. 30.  
 † — — — Lam. Encycl. 581.  
 — — — Rchb. Fl. germ. 5, 173.  
 — caribaea Sims. Bot. Mag. 44, 1916.  
 — ficifolia Cav. Cav. Diss. 28.  
 — flexuosa Sims. Bot. Mag. 23, 892.  
 — hirsuta L. Jacq. Fl. austr. 2, 170.  
 — — — Cav. Diss. 29.  
 — — — Engl. Bot. 2674.  
 — — — Rchb. Fl. germ. 5, 172.  
 † — — — Expl. Alger. 69.  
 — leucantha Ehrenb. Rchb. Hort. 213.  
 — longiflora Boiss. Expl. Alger. 69.  
 — Ludwigii L. Cav. Diss. 30.

- Althaea Ludwigii* L. Cav. Ic. 423.  
 — multiflora Rchb. Rchb. Fl. germ. 5, 174.  
 — narbonensis Pourr. Jacq. Ic. 138.  
 — — — Cav. Diss. 29.  
 — officinalis L. Fl. dan. 3, 530.  
 † — — — Gaertn. Carp. 136.  
 — — — Cav. Diss. 30.  
 † — — — Lam. Encycl. 581.  
 — — — Engl. Bot. 3, 147.  
 — — — Hayne 2, 25.  
 — — — Guimp. et Schl. 82.  
 — — — Nees Düssel. 415.  
 — — — Wagner 211. 212.  
 — — — Woodv. Med. 3, 198.  
 — — — Dietr. Fl. bor. 4, 280.  
 — — — Rchb. Fl. germ. 5, 173.  
 — — — Baxter Brit. Bot. 3, 226.  
 — pallida Kit. Winterl. Ind. 21.  
 — — — Rchb. Fl. germ. 5, 175.  
 — pulchra Klotzsch. Pr. Waldemar Him. 26.  
 — rosea Cav. Cav. Diss. 28.  
 — — — Bot. Mag. 59, 3198.  
 — — — L. Hayne 2, 26.  
 — — — Guimp. et Schl. 81.  
 — — — Rchb. Fl. germ. 5, 175.  
 — sinensis Cav. Cav. Diss. 29.  
 — taurinensis DC. Rchb. Fl. germ. 5, 174.  
 — ulmifolia Desc. Desc. Ant. 7, 527.  
*Althenia filiformis* Petit. Ann. d'Obs. 1, 12.  
 † — — — Mutel Fl. fr. 63.  
 — — — Rchb. Ic. crit. 8, 755.  
*Altingia excelsa* Noronha. Hayne 11, 26.  
*Altisatis* Aub. Aubert Orch. 11. 12.  
*Alysicarpus belgaumensis* Wight. Wight Ic. pl. Ind. 1, 92.  
 — bupleurifolius DC. Rheede Hort. mal. 9, 32.  
 — longifolius W. et A. Wight Ic. pl. Ind. 1, 251.  
 — pubescens Lav. Wight Ic. pl. Ind. 1, 250.  
 † *Alyssoides* Tournef. Medicus Gatt. 1.  
 † *Alyssum* L. Mutel Fl. fr. 4.  
 — affine Ten. Ten. Fl. nap. 241.  
 — alpestre L. Gerard Fl. gallopr. 13.  
 — — — Jacq. Collect. 4, 4.  
 — — — Sibth. Sibth. Fl. gr. 623.  
 — — — All. All. Fl. ped. 3, 18.  
 — — — Rchb. Fl. germ. 2, 20.  
 — — — L. var. Sturm Flora 15, 66.  
 — — — Lodd. Cab. 1565.  
 — altaicum Led. Ledeb. Ic. 255.  
 — arcticum Wormsk. Fl. dan. 9, 1520.  
 — arenarium Lois. Sturm Flora 15, 66.  
 — — — Rchb. Fl. germ. 2, 19.  
 — argenteum Vitm. Sturm Flora 12, 48. 15, 66.  
 — — — Rchb. Fl. germ. 2, 20.  
 — atlanticum Desf. Desf. Fl. 149.  
 — calycinum L. Jacq. Fl. austr. 4, 338.  
 † — — — Gaertn. Carp. 141.  
 † — — — Lam. Encycl. 559.  
 — — — Fl. dan. 10, 1704.  
 — — — Engl. Bot. 2853.  
 — — — Sturm Flora 12, 48.  
 — — — Rchb. Fl. germ. 2, 18.  
 — campestre L. Schk. Handb. 181.  
 — — — Sibth. Fl. gr. 622.  
 — — — Sturm Flora 15, 66.  
 — — — Rchb. Ic. crit. 8, 737.  
 — — — Rchb. Fl. germ. 2, 18.  
 † — clypeatum L. Schk. Handb. 181.  
 — collinum Brot. Brot. Phyt. 180.  
 — compactum De Not. Cesati St. it. 0.  
 — cuneifolium Ten. Ten. Fl. nap. 161.  
 — deltoideum L. Bot. Mag. 4, 126.  
 — densiflorum Desf. Desf. Choix 48.

- Alyssum densiflorum* Desf. Ann. Mus. 11, 35.  
 — diffusum Ten. Ten. Fl. nap. 161.  
 — edentulum W. et K. W. et Kit. 92.  
 — — — Sturm Flora 12, 48.  
 — — — Rehb. Fl. germ. 2, 21.  
 † — flexicaule Jord. Jord. Obs. 1, 1.  
 — foliosum Bory. Bory et Chaub. Mor. 23.  
 — fulvescens Sibth. Acad. Pet. 6, 2.  
 — gemonense L. Jacq. Ic. 503.  
 — — — Sturm Flora 15, 66.  
 — — — Rehb. Fl. germ. 2, 21.  
 — halimifolium L. Bot. Mag. 3, 101.  
 † — — — Jord. Obs. 1, 1.  
 † — hirsutum M. v. B. Mag. nat. Fr. 7, 2.  
 — — — Delessert Ic. 2, 40.  
 — — — Rehb. Fl. germ. 2, 18.  
 † — incanum L. Medicus Gatt. 1.  
 † — — — Schk. Handb. 181.  
 — — — Fl. dan. 9, 1461.  
 — — — Sv. Bot. 675.  
 — Lapeyrouisianum Jord. Jord. Obs. 1, 1.  
 — leucadeum Guss. Guss. Pl. rar. 47.  
 — macrocarpum DC. Delessert Ic. 2, 41.  
 † — — — Jord. Jord. Obs. 1, 1.  
 — maritimum Lam. Engl. Bot. 25, 1729.  
 — — — Sturm Flora 12, 48.  
 — micropetalum Fisch. Delessert Ic. 2, 39.  
 — minimum Willd. Tratt. Thes. 35.  
 — — — Sturm Flora 12, 48.  
 — — — Rehb. Fl. germ. 2, 18.  
 † — — — var. Acad. Pet. 6, 2.  
 — minutum Pall. Acad. Pet. 6, 1.  
 — montanum L. Jacq. Fl. austr. 1, 37.  
 † — — — Lam. Encycl. 559.  
 — — — Bot. Mag. 12, 419.  
 — — — Sturm Flora 15, 66.  
 — — — Rehb. Pl. crit. 1, 5.  
 — — — Rehb. Fl. germ. 2, 19.  
 — — — Dietr. Fl. bor. 7, 453.  
 † — — — Jord. Obs. 1, 1.  
 — murale W. et K. W. et Kit. 6.  
 — — — Sturm Flora 12, 48, 15, 66.  
 — — — Rehb. Fl. germ. 2, 20.  
 — mutabile Vent. Vent. Cels. 85.  
 — nebrodense Tineo. Rehb. Fl. germ. 2, 20.  
 — obtusifolium Stev. Delessert Ic. 2, 38.  
 — orientale Ard. Arduino Anim. 2, 15.  
 — — — Sm. Sibth. Fl. gr. 624.  
 — paniculatum Desf. Ann. Mus. 11, 37.  
 — — — Desf. Choix 50.  
 — petraeum Ard. Arduino Anim. 2, 14.  
 — Rochelii Andr. Rehb. Fl. germ. 2, 19.  
 — rostratum Stev. Petersb. 3, 15.  
 — — — Rehb. Fl. germ. 2, 20.  
 — rupestre Ten. Ten. Fl. nap. 60.  
 — samolifolium Desf. Ann. Mus. 11, 36.  
 — — — Desf. Choix 49.  
 — sativum L. Engl. Bot. 18, 1254.  
 — — — Sv. Bot. 339.  
 — saxatile L. Bot. Mag. 5, 159.  
 — — — Sturm Flora 15, 66.  
 — — — Rehb. Ic. crit. 3, 232.  
 — — — Rehb. Fl. germ. 2, 21.  
 — scutigerum Durieu. Expl. Alger. 72.  
 † — sibiricum Willd. Mag. nat. Fr. 7, 2.  
 † — sinuatum L. Schk. Handb. 181.  
 — — — Roemer Fl. eur. 3, 1.  
 — — — Rehb. Fl. germ. 2, 21.  
 — smyrnaeum C. A. M. Acad. Pet. 6, 1.  
 — spathulatum Steph. Delessert Ic. 2, 37.  
 † — spinosum L. Jord. Obs. 1, 1.  
 — tortuosum Kit. Winterl Ind. 5.

- Alyssum tortuosum* W. et K. W. et Kit. 91.  
 — — — Rehb. Pl. crit. 1, 90.  
 — — — Rehb. Fl. germ. 2, 20.  
 — utriculatum L. Trew Pl. rar. 29.  
 — — — Bot. Mag. 4, 130.  
 — — — W. et Kit. 196.  
 — vernale Kit. Rehb. Fl. germ. 2, 19.  
 — Wierzbickii Heuff. Rehb. Fl. germ. 2, 20.  
 — Wulfenianum Bernh. Sturm Flora 12, 48.  
 — — — Rehb. Pl. crit. 1, 5.  
 — — — Rehb. Fl. germ. 2, 19.  
*Alyxia daphnoides* Cunn. Bot. Mag. 61, 3313.  
 — laurina Gaudich. Freycinet Voyage 62.  
 — ruscifolia R. Br. Bot. Mag. 61, 3312.  
 — — — Lodd. Cab. 1811.  
 — stellata Roxb. Rumpf Amb. 5, 20.  
 † *Alzatea Rz. et P. Rz. et Pav. Prodr. 7.*  
 — verticillata Rz. et P. Rz. et Pav. Fl. 241.  
*Amaioua corymbosa* H. B. K. H. B. K. Nov. Gen. 3, 294.  
 — — — Mem. Mus. 6, 5.  
 — guianensis Aubl. Aubl. Guian. 375.  
 — — — Mem. Mus. 6, 4.  
 — hirsuta P. et E. Poepp. et Endl. 230.  
*Amanoa bracteosa* Planch. Hook. Ic. pl. 797.  
 — divaricata P. et E. Poepp. et Endl. 226.  
 — guianensis Aubl. Aubl. Guian. 101.  
 † — — — Lam. Encycl. 767.  
 — indica Wight. Wight Ic. Ind. or. 5, 1911.  
 — strobilantha Planch. Hook. Niger Fl. 47.  
 † *Amarantaceae R. Br. Schnizl. Ic. 2, 102.*  
 † *Amarantus L. Mutel Fl. fr. 56<sup>b</sup>.*  
 † — adscendens Lois. Nees Gen. 4, 71.  
 — albus L. Willd. Hist. Am. 1.  
 — — — Journ. Hort. Soc. 1, 157.  
 — Blitum L. Rehb. Ic. crit. 5, 471.  
 — — — Rehb. Dietr. Fl. bor. 11, 786.  
 — — — L. Engl. Bot. 31, 2212.  
 — — — Fl. dan. 13, 2246.  
 — — — Baxter Brit. Bot. 6, 482.  
 — chlorostachys Willd. Willd. Hist. Am. 10.  
 — cruentus L. Martyn Hist. 5.  
 — deflexus L. Willd. Hist. Am. 10.  
 — fasciatus Roxb. Wight Ic. Ind. or. 2, 717.  
 — flavus L. Willd. Hist. Am. 3.  
 — floridus Benth. Benth. Sulphur 51.  
 — frumentaceus Roxb. Wight Ic. Ind. or. 2, 720.  
 — gangeticus L. Willd. Hist. Am. 6.  
 — graecizans L. Willd. Hist. Am. 4.  
 — hecticus Willd. Willd. Hist. Am. 7, 11.  
 — hybridus L. Willd. Hist. Am. 9.  
 † — hypochondricus L. Gaertn. Carp. 128.  
 † — — — Lam. Encycl. 767.  
 † — — — Nees Gen. 4, 71.  
 — inamoenus Willd. Willd. Hist. Am. 7.  
 — laetus Willd. Willd. Hist. Am. 8.  
 — lanceolatus Roxb. Wight Ic. Ind. or. 2, 716.  
 — lividus L. Willd. Hist. Am. 1.  
 — mangostanus L. Willd. Hist. Am. 12.  
 — melancholicus L. Willd. Hist. Am. 9.  
 † — — — Lam. Encycl. 767.  
 — oleraceus L. Willd. Hist. Am. 5.  
 — — — Desc. Ant. 5, 307.  
 — — — Wight Ic. Ind. or. 2, 715.  
 — — — Journ. Hort. Soc. 1, 73.  
 — paniculatus L. Willd. Hist. Am. 2.  
 — — — Dict. sc. nat. 21.  
 — parisiensis Schk. Schk. Handb. 294.  
 — patulus Bert. Novi Comm. Bon. 3, 12.  
 — polygamus L. Rumpf Amb. 5, s2 fig. 1.  
 — — — Wight Ic. Ind. or. 2, 714.  
 — polygonoides L. Willd. Hist. Am. 6.  
 — — — Wight Ic. Ind. or. 2, 719.

- Amarantus polygonoides* Willd. Wight Ic. Ind. or. 2, 512.  
 — prostratus Balb. Mem. Tur. 7, 10.  
 — — Rehb. Ic. crit. 5, 473.  
 — pumilus Raf. Torr. New York 93.  
 — retroflexus L. Willd. Hist. Am. 11.  
 — — Dietr. Fl. bor. 11, 785.  
 — — Willd. Rehb. Ic. crit. 5, 475.  
 — sanguineus L. Willd. Hist. Am. 2.  
 — scariosus Benth. Bentham Sulphur 51.  
 — silvestris Desf. Rehb. Ic. crit. 5, 474.  
 † — — Nees Gen. 4, 71.  
 — speciosus Sims. Bot. Mag. 48, 2227.  
 — spicatus Lam. Rehb. Ic. crit. 5, 472.  
 — spinosus L. Rumpf Amb. 5, 83.  
 — — Willd. Hist. Am. 4.  
 — — Desc. Ant. 5, 314.  
 — — Willd. Wight Ic. Ind. or. 2, 513.  
 — strictus Willd. Willd. Hist. Am. 3.  
 — tenuifolius Willd. Wight Ic. Ind. or. 2, 718.  
 — tristis L. Rumpf Amb. 5, 82 fig. 2.  
 — — Wight Ic. Ind. or. 2, 713.  
 — — Willd. Hist. Am. 5.  
 — — Willd. Wight Ic. Ind. or. 2, 514.  
 — viridis L. Willd. Hist. Am. 8.  
 † *Amaryllideae* R. Br. Bot. Reg. 7, 546. — Herbert  
 Appendix 1. 2. — Schnizlein Ic. 1, 64.  
 ! — anomalae Schnizlein Ic. 1, 63.  
 † *Amaryllis* L. Hill Entwurf 1 — 6. — Lam. Encycl. 227.  
 — Kerner Gen. 28. 29. — Herbert Am. 36.  
 — acuminata Ker. Bot. Reg. 7, 534. 14, 1188.  
 — — Rehb. Exot. 260.  
 — advena Ker. Bot. Reg. 10, 849.  
 — — Bot. Mag. 28, 1125.  
 — — Lodd. Cab. 779.  
 — — Rehb. Exot. 195.  
 — actensis Rafin. Rafinesque Caratt. 18.  
 — Atamasco L. Bot. Mag. 7, 239.  
 — — Schk. Handb. 90.  
 — — Red. Lil. 1, 31. 8, 454.  
 — — Tratt. Thes. 37.  
 — — Tratt. Arch. 331.  
 — — Herb. amat. 3, 156.  
 — aucta Tratt. Tratt. Thes. 45.  
 — aulica Ker. Bot. Reg. 6, 444. 12, 1038.  
 — — Bury Hex. pl. 19.  
 — — Bot. Mag. 57, 2983. 61, 3311.  
 — — Rehb. Exot. 111.  
 — aurea Rz. et P. Rz. et Pav. Fl. 286.  
 — — L'her. L'her. Sert. 15<sup>b</sup>.  
 — — Tratt. Arch. 344. 344<sup>a</sup>.  
 — — Jacq. Schoenbr. 1, 73.  
 — — Bot. Mag. 12, 409.  
 — — Kern. Hort. 5, 57.  
 — — Red. Lil. 2, 61.  
 — — Bot. Reg. 8, 611.  
 — — Lodd. Cab. 847.  
 — — Herb. amat. 1, 40.  
 — australasica Ker. Bot. Reg. 5, 426.  
 † — Banksiana Ldl. Herb. Amar. 32.  
 — — Bot. Reg. 28, 11.  
 — Belladonna L. Bot. Mag. 19, 733.  
 — — Red. Lil. 3, 180.  
 — — Tratt. Thes. 40.  
 — — Tratt. Arch. 369. 369<sup>a</sup>.  
 — — Kern. Hort. 378.  
 — —  $\beta$ . pallida, Bury Hex. pl. 45.  
 — —  $\beta$ . pallida, Bot. Reg. 9, 714.  
 — blanda Gawl. Bot. Mag. 33, 1450.  
 — — Ker. Paxt. Fl. G. 68.  
 — — Lem. Jard. fl. 254.  
 — — Rehb. Exot. 258.  
 — brasiliensis Andr. Red. Lil. 8, 469.

- Amaryllis brasiliensis* Andr. Andr. Rep. 5, 358.  
 — — — Tratt. Arch. 333. 333<sup>a</sup>.  
 — — — Kern. Hort. 626.  
 — Broussonetii DC. Red. Lil. 2, 62.  
 — — — Tratt. Arch. 335. 335<sup>a</sup>.  
 — — — Kern. Hort. 175.  
 — calyptrata Ker. Bot. Reg. 2, 164.  
 — — — Lodd. Cab. 864.  
 — — — Rehb. Exot. 197.  
 — candida Ldl. Bot. Reg. 9, 724.  
 — Carnarvonii DC. DC. Hort. 9.  
 — — — Rehb. Exot. 259.  
 — chloroleuca Ker. Journ. sc. and arts 2, 8.  
 † — — Herb. Amar. 45.  
 — ciliaris L. Jacq. Fragm. 44.  
 — cinnamomea L'her. L'her. Sert. 17.  
 — citrina Sm. Sibth. Fl. gr. 311.  
 — coranica Ker. Bot. Reg. 2, 139. 15, 1219.  
 — — — Rehb. Exot. 196.  
 — correiensis Bury. Bury Hex. pl. 9.  
 — crispa Jacq. Jacq. Schoenbr. 1, 72.  
 — — — Herb. amat. 1, 32.  
 — crocata Ker. Bot. Reg. 1, 38.  
 — — — Bury Hex. pl. 16.  
 — — — Lodd. Cab. 1082.  
 — curvifolia Jacq. Jacq. Schoenbr. 1, 64.  
 — — — Bot. Mag. 19, 725.  
 — — — Red. Lil. 5, 274.  
 — — — Tratt. Arch. 342.  
 — cyrthantoides Sims. Bot. Mag. 50, 2399.  
 — elata Jacq. Jacq. Schoenbr. 1, 62.  
 — — — Tratt. Arch. 332. 332<sup>a</sup>.  
 — equestris Ait. Jacq. Schoenbr. 1, 63.  
 — — — Bot. Mag. 9, 305.  
 — — — Red. Lil. 1, 32.  
 — — — Tussac Ant. 2, 1.  
 — — —  $\beta$ . major H. B. K. Bot. Reg. 3, 234.  
 — — —  $\beta$ . major, Bury Hex. pl. 41.  
 — — — Kern. Hort. 68.  
 — — — Tratt. Arch. 345. 345<sup>a</sup>.  
 — — — Herb. amat. 2, 78.  
 — falcata Ait. Kern. Hort. 253.  
 — — L'her. Tratt. Arch. 334.  
 — flammea Rz. et P. Rz. et Pav. Fl. 286.  
 — flexuosa Jacq. Jacq. Schoenbr. 1, 67.  
 — — Ker. Bot. Reg. 2, 172.  
 — formosissima L. Bot. Mag. 2, 47.  
 — — — Red. Lil. 1, 5.  
 — — — Bury Hex. pl. 6.  
 — — — Tratt. Thes. 44.  
 — — — var. Tratt. Arch. 346. 347.  
 — — — Kern. Hort. 700.  
 — — — Desc. Ant. 8, 551.  
 — — — Herb. amat. 1, 64.  
 — — — Paxt. Mag. 1, 149.  
 — Fothergillii Andr. Andr. Rep. 3, 163.  
 — — — Kern. Hort. 224.  
 — — — Tratt. Thes. 47.  
 — — — Tratt. Arch. 341.  
 — fulgida Ker. Bot. Reg. 3, 226.  
 — — — Bury Hex. pl. 26.  
 — gigantea Van Mar. Kern. Hort. 217.  
 — grandiflora Herb. Bot. Reg. 16, 1335.  
 — Harrisonii Bury. Bury Hex. pl. 27.  
 — humilis Jacq. Jacq. Schoenbr. 1, 69.  
 — — — Bot. Mag. 19, 726. 27, 1089.  
 — — — Red. Lil. 8, 450.  
 — — — Herb. amat. 1, 32.  
 — hyacinthina Ker. Bot. Reg. 2, 163.  
 — ignea Ldl. Bot. Reg. 10, 809.  
 — — — Rehb. Exot. 194.  
 — insignis Ker. Bot. Reg. 7, 579.

- Amaryllis intermedia* Ldl. Bot. Reg. 14, 1148.  
 — Johnsoni Bury. Bury Hex. pl. 1.  
 — Josephinae Red. Red. Lil. 7, 370—372.  
 — kermesina Ldl. Bot. Reg. 19, 1638.  
 — laticoma Ker. Bot. Reg. 6, 497.  
 — lineata Colla. Colla Hort. Rip. 3.  
 — liturata Rchb. Rchb. Mag. 82.  
 — longifolia L. Jacq. Ic. 362.  
 † — — Jacq. Fragm. 2.  
 — — — Bot. Mag. 18, 661.  
 — — — Red. Lil. 6, 347.  
 — — — Bury Hex. pl. 42.  
 — — — Kern. Hort. 103.  
 — — — Ker. Bot. Reg. 4, 303. 7, 546.  
 — lutea L. Bot. Mag. 9, 290.  
 — — — Red. Lil. 3, 148.  
 — — — Sibth. Fl. gr. 310.  
 — — — Tratt. Arch. 304.  
 — — — Kern. Hort. 222.  
 — — — Herb. amat. 1, 36.  
 — maranensis Ker. Bot. Reg. 9, 719.  
 — marginata Jacq. Jacq. Schoenbr. 1, 65.  
 — — — Tratt. Arch. 337.  
 — mexicana Hort. Savi Fl. ital. 3, 94.  
 — miniata Rz. et P. Tratt. Thes. 43.  
 — — — Rchb. Mag. 81.  
 — — — Ker. Bot. Mag. 45, 1943.  
 — — — Bury Hex. pl. 35.  
 — — — Hart. Parad. 1, 2.  
 — montana Lab. Bill. Syr. 2, 1.  
 — — — Red. Lil. 5, 241.  
 — — — Tratt. Arch. 338.  
 — orientalis L. Jacq. Schoenbr. 1, 74.  
 — ornata Ait. Bot. Mag. 24, 923<sup>b</sup>. 29, 1171.  
 — — — — — 31, 1253.  
 — — — — — Tratt. Thes. 39.  
 — — — — — Kern. Hort. 350. 573. 659.  
 — pallida Red. Red. Lil. 8, 479.  
 — picta Bury. Bury Hex. pl. 5.  
 — platypetala Ldl. Bury Hex. pl. 15.  
 — Principis N. v. E. Acta Leop. 10, 1, 9.  
 — — — — — Kern. Hort. 643.  
 — psittacina Ker. Bury Hex. pl. 23.  
 — — — — — Bot. Reg. 3, 199.  
 — — — — — Bot. Mag. 63, 3528.  
 — — — — — Lodd. Cab. 1204.  
 — pudica Ker. Journ. sc. and arts 2, 8.  
 — pulverulenta Lodd. Bury Hex. pl. 44.  
 — — — — — Lodd. Cab. 484.  
 — punicea Lam. Desc. Ant. 3, 180.  
 — purpurea Ait. Bot. Mag. 35, 1430.  
 — — — — — Bury Hex. pl. 39.  
 — — — — —  $\beta$ . minor Ker. Bot. Reg. 7, 552.  
 — radiata Andr. Andr. Rep. 2, 95.  
 — — — — — Tratt. Thes. 48.  
 — — — — — Tratt. Arch. 343.  
 — — — — — Kern. Hort. 344.  
 — — — — — L'her. Bot. Reg. 7, 596.  
 — Radula Jacq. Jacq. Schoenbr. 1, 68.  
 — regina vittata Hortie. Tr. 5, 15.  
 — Reginae L. Bot. Mag. 13, 453.  
 — — — — — Red. Lil. 1, 9.  
 — — — — — Bury Hex. pl. 24.  
 — — — — — Tratt. Thes. 42.  
 — — — — — Kern. Hort. 13.  
 — — — — — Rchb. Mag. 80.  
 — reticulata L'her. L'her. Sert. 14.  
 — — — — — Red. Lil. 8, 424.  
 — — — — — Bot. Mag. 18, 657. 47, 2113.  
 — — — — — Andr. Rep. 3, 179.  
 — — — — — Tratt. Thes. 41.  
 — — — — — Kern. Hort. 223.

- Amaryllis reticulata* L'her. Dict. sc. nat. 53.  
 — — — — — var. Bot. Reg. 5, 352.  
 — — — — — var. Fl. d. serres 5, 450.  
 — — — — — revoluta L'her. Bot. Mag. 23, 915. 917. 29, 1178.  
 — — — — — Bot. Reg. 8, 615. 623.  
 — — — — — rotundifolia Lam. Rumpf Amb. 6, 70.  
 — — — — — rutila Ker. Bot. Reg. 1, 23.  
 — — — — — Lodd. Cab. 1449.  
 † — — — — — Schnizl. Ic. 1, 64.  
 — — — — — sarniensis L. Dougl. Lil. sarn. 1—2.  
 — — — — — Bot. Mag. 9, 294.  
 — — — — — var. Jacq. Schoenbr. 1, 66.  
 — — — — — Red. Lil. 1, 33.  
 — — — — — Kern. Hort. 77.  
 — — — — — Tratt. Thes. 46.  
 — — — — — Herb. amat. 5, 333.  
 — — — — — solandraeflora Lindl. Lindl. Coll. 11.  
 — — — — — var. Bury Hex. pl. 7. 46.  
 — — — — — Kern. Hort. 646.  
 — — — — — var. Bot. Reg. 11, 876.  
 — — — — — Lodd. Cab. 1200.  
 — — — — — speciosa Hort. Kern. Hort. 201. 642.  
 — — — — — spectabilis Andr. Andr. Rep. 6, 390.  
 — — — — — Lodd. Lodd. Cab. 159.  
 — — — — — spiralis L'her. L'her. Sert. 13.  
 — — — — — stellaris Jacq. Jacq. Schoenbr. 1, 71.  
 — — — — — striata Jacq. Jacq. Schoenbr. 1, 70.  
 — — — — — striatifolia Sweet. Bury Hex. pl. 48.  
 — — — — — stylosa Bury. Bury Hex. pl. 33.  
 — — — — — superba Sweet. Bury Hex. pl. 31.  
 — — — — — tubispatha L'her. Bot. Mag. 38, 1586.  
 — — — — — undulata L. Hill Hort. Kew. 14.  
 — — — — — Jacq. Vind. 3, 13.  
 — — — — — Bot. Mag. 11, 369.  
 — — — — — Red. Lil. 2, 115.  
 — — — — — var. Tratt. Arch. 339. 340.  
 — — — — — Kern. Hort. 30.  
 — — — — — Herb. amat. 1, 30.  
 — — — — — Umbella L'her. L'her. Sert. 16.  
 — — — — — variabilis Jacq. Jacq. Schoenbr. 4, 429.  
 — — — — — venusta Gawl. Bot. Mag. 27, 1090.  
 — — — — — vittata L'her. Schneevogt Ic. 14.  
 — — — — — L'her. Sert. 15.  
 — — — — — Bot. Mag. 4, 129.  
 — — — — — Kern. Hort. 5. 652.  
 — — — — — Savi Fl. ital. 2, 75.  
 — — — — — var. Bury Hex. pl. 40.  
 — — — — — Red. Lil. 1, 10.  
 — — — — — Tratt. Thes. 38.  
 — — — — — Tratt. Arch. 336. 336<sup>a</sup>.  
 — — — — — var. Ldl. Collect. 12.  
 — — — — — var. Bot. Reg. 12, 988.  
 — — — — — zeylanica L. Rumpf Amb. 5, 105.  
*Amasonia lasiocanlos* Mart. Endl. Bras. 10, 48.  
 † — — — — — punicea Vahl. Vahl Ecl. 20.  
*Amauropelta Breutelii* Kze. Kunze Fil. 51.  
*Ambelania acida* Aubl. Aubl. Guian. 104.  
 † — — — — — Lam. Encycl. 169.  
 — — — — — Desc. Ant. 7, 480.  
*Amberboa indica* DC. Wight Ic. Ind. or. 2, 479.  
 † — — — — — Wight Illustr. 134.  
 — — — — — muricata DC. Boissier Esp. 100.  
 † *Amblia juglandifolia* Prsl. Féc Fil. 5, 22.  
*Amblyanthus glandulosus* A. DC. Ann. sc. nat. II, 16, 6.  
 † *Amblyglottis flava* Bl. Blume Tab. 64.  
*Amblyopogon incanescens* Fisch. et M. Jaub. III, 218.  
*Ambora* Juss. Lam. Encycl. 784.  
 — — — — — tomentosa Bory. Bory Hles d'Afr. 13.  
 † *Ambrosia artemisifolia* L. Lam. Encycl. 765.  
 — — — — — Desc. Ant. 1, 55.  
 — — — — — fruticosa DC. Act. Palat. 3, 20.  
 — — — — — maritima L. Schk. Handb. 292.

- † *Ambrosia maritima* L. Nees Gen. X, x.  
 † — trifida L. Gaertn. Carp. 164.  
 † — — — Lam. Encycl. 765.  
*Ambrosinia Bassi*. Bassi Ambros. 0.  
 — *Bassii* L. Lam. Encycl. 737.  
 † — — — Blume Rumphia 36.  
 † — — — Linnæa II, 5.  
 — *ciliata* Roxb. Roxb. Corom. 294.  
 — — — Wight Ic. Ind. or. 3, 775.  
 † — — — Linn. Tr. 20, 10—12.  
 — *potamogetifolia* Bassi. Bassi Ambr. 0.  
 — *retrospiralis* Roxb. Wight Ic. Ind. or. 3, 772.  
 † — *spiralis* Roxb. Wight Ic. Ind. or. 3, 773.  
 — *unilocularis* Roxb. Wight Ic. Ind. or. 3, 774.  
*Ambulia aromatica* Lam. Rumpf Amb. 6, 67.  
*Amelanchier florida* Ldl. Bot. Reg. 19, 1589.  
 — *sanguinea* Ldl. Bot. Reg. 14, 1171.  
*Amecletia floribunda* Wight. Hook. Ic. pl. 9, 826.  
 — *indica* DC. Mem. Gen. 3, 3.  
 — — — Wight Ic. Ind. or. 1, 257.  
 — *rotundifolia* Wight. Wight Ic. Ind. or. 1, 258.  
 — *tenuis* Wight. Wight Ic. Ind. or. 1, 257.  
*Amelia Caretta* Ham. Rheede Hort. mal. 5, 33.  
 † *Astellus Lychnitidis* L. Gaertn. Carp. 173.  
 † — — — Lam. Encycl. 682.  
 — — — Jacq. Coll. 5, 10.  
 — — — Bot. Reg. 7, 586.  
 † — *umbellatus* L. Lam. Encycl. 682.  
*Ameloveenia speciosa* Demst. Rheede Hort. mal. 6, 6.  
*Amenippis Aub.* Aubert Orch. 21, 22.  
 † *Amerimum P. Br.* Swartz Fl. Ind. 25.  
 † *Amethystea coerulesca* L. Gaertn. Carp. 66.  
 † — — — Lam. Encycl. 18.  
 — — — Bot. Mag. 51, 2448.  
*Amherstia nobilis* Wall. Wall. Pl. asiat. 1—2.  
 — — — Bot. Mag. 75, 4453.  
 — — — Fl. d. serres 5, 513—516.  
*Amicia glandulosa* H. B. K. H. B. K. Nov. Gen. 6, 600.  
 — *Zygozomeris* DC. Bot. Mag. 69, 4008.  
 — — — Paxt. Mag. 13, 173.  
*Amirola nitida* Pers. Hook. Ic. pl. 132.  
*Ammannia aegyptiaca* Willd. Delile Egypt. 15.  
 — — — Willd. Hort. 6.  
 — *auriculata* Willd. Delile Egypt. 15.  
 — — — Willd. Hort. 7.  
 — *dodecandra* DC. Mem. Gen. 3, 2.  
 — *elatinoides* DC. Mem. Gen. 3, 3.  
 † *latifolia* L. Houst. Rel. 5.  
 † — — — Gaertn. Carp. 112.  
 — — — Lam. Encycl. 77.  
 — *octandra* L. Roxb. Corom. 133.  
 — *prostrata* Ham. Rheede Hort. mal. 9, 84.  
 — *senegalensis* Lam. Lam. Encycl. 77.  
 — — — var. St. Hil. Fl. Bras. 187.  
 † *verticillata* Lam. Lam. Encycl. 77.  
*Ammi*  
*copticum* L. Jacq. Vind. 196.  
 — *crinitum* Guss. Guss. Pl. rar. 25.  
 — *daucifolium* Scop. Fl. carn. 1, 10.  
 † — *majus* L. Gaertn. Carp. 22.  
 — — — Schk. Handb. 61.  
 † — — — Lam. Encycl. 193.  
 — — — Sibth. Fl. gr. 273.  
 † — — — Nees Gen. X, x.  
*Ammobium alatum* R. Br. Sweet Fl. G. 48.  
 — — — Bot. Mag. 51, 2459.  
 — *spatulatum* Gaudich. Freycinet Voyage 90.  
 † *Ammocharis Herb.* Herb. Amar. 33.  
 — *coranica* Herb. Bot. Reg. 2, 139.  
*Ammodendron* *Eichwaldii* Led. Eichw. Cauc. 33.  
 — *Sieversii* DC. Ledeb. Ic. 107.  
 † *Ammophila* *Host.* Dumortier Gram. 10.  
 — *arenaria* Lk. Rehb. Fl. germ. 1, 44.

- Ammophila arundinacea* Host. Host Gram. 341.  
 † — — — Nees Gen. 1, 35.  
 — — — Baxter Br. Bot. 6, 408.  
 — *baltica* Lk. Rehb. Fl. germ. 1, 44.  
*Ammothamnus Lehmanni* Bge. Bunge Rel. Lehm. 12.  
*Ammyrsine buxifolia* Pursh. Bot. Reg. 7, 531.  
*Amomum Afzelii* Hook. Hook. Journ. 1852, 5.  
 — *Cardamomum* L. Rumpf Amb. 5, 65, fig. 1.  
 — — — Nees Düsseld. 64.  
 — — — Roxb. Corom. 226, 227.  
 — *corynostachyum* Wall. Wall. Pl. as. rar. 58.  
 — *Curcuma* *Murr.* Jacq. Vind. 3, 4.  
 — — — Nees Düsseld. 59.  
 † *dealbatum* Roxb. Ann. sc. nat. II, 15, 19.  
 — *echinatum* Willd. Rumpf Amb. 6, 61, fig. 1.  
 — *exscapum* Sims. König Ann. 1, 13.  
 — *grandiflorum* Sm. Smith Ex. Bot. 111.  
 — *Granum Paradisi* L. Rheede Hort. mal. 11, 6.  
 — — — Nees Düsseld. 65.  
 — — — Bot. Mag. 77, 4603.  
 — — — Lem. Jard. fl. 178.  
 — *hirsutum* Lam. Lam. Encycl. 3.  
 † *madagascariense* Lam. Lam. Encycl. 2.  
 — *maximum* Roxb. Bot. Reg. 11, 929.  
 — *Melegueta* Roxb. Rosc. Scit. 98.  
 — *Mioga* *Thunb.* Kaempf. Jap. 1.  
 — *parviflorum* Presl. Presl Rel. 19.  
 — *petiolatum* Lam. Desc. Ant. 4, 235.  
 — *pyramidale* L. Desc. Ant. 3, 170.  
 — *racemosum* Lam. Rheede Hort. mal. 11, 4, 5.  
 — — — Lam. Encycl. 2.  
 — — — *Rz. et P.* Rz. et Pav. Fl. 1.  
 — *repens* *Sonner.* Woodv. Med. 4, 251.  
 — *roseum* *Roxb.* Roxb. Corom. 126.  
 — *subulatum* Roxb. Roxb. Corom. 277.  
 — *thyrsoides* *Rz. et P.* Rz. et Pav. Fl. 2.  
 — — — Kern. Hort. 197.  
 — *vitellinum* Ldl. Bot. Reg. 33, 52.  
 — *Zerumbet* L. Rumpf Amb. 5, 64, fig. 1.  
 — — — Jacq. Vind. 3, 54.  
 † — — — Lam. Encycl. 2.  
 — — — Novi Comm. Gott. 6, 2.  
 — — — Tratt. Arch. 202, 202<sup>a</sup>.  
 — — — Nees Düsseld. 62.  
 — *Zingiber* L. Rumpf Amb. 5, 66, fig. 1.  
 — — — Jacq. Vind. 75.  
 — — — Tuss. Ant. 3, 12.  
 — — — Desc. Ant. 8, 563.  
 — — — Tratt. Arch. 201, 201<sup>a</sup>.  
 — — — Dict. sc. nat. 68.  
 — — — Nees Düsseld. 61.  
 — — — Woodv. Med. 4, 250.  
*Amoora cucullata* Roxb. Roxb. Corom. 258.  
*Amoreuxia palmatifida* DC. Hook. Lond. J. 1847, 1.  
 † *Scheideana* Gray. Smiths. Contr. 3, 3.  
*Amoria calycina* Presl. Presl Symb. 30.  
 — *macropoda* Presl. Presl Symb. 31.  
*Amorpha* *crocealana* Wats. Watson Dendr. 2, 139.  
 — *fragrans* *Sweet.* Sweet Fl. G. 241.  
 — *fruticosa* L. Linné Hort. Cliff. 19.  
 † — — — Gaertn. Carp. 144.  
 — — — Lam. Encycl. 621.  
 — — — Schk. Handb. 197.  
 — — — Bot. Reg. 5, 427.  
 — *nana* *Nutt.* Bot. Mag. 47, 2112.  
 — *pubescens* *Lodd.* Lodd. Cab. 689.  
*Amorphophallus campanulatus* *Decne.* Blume Rumphia 32, 33.  
 — — — Wight Ic. Ind. or. 3, 785.  
 — *giganteus* *Bl.* Blume Rumphia 34.  
 — *leonensis* *Ch. Lem.* Fl. d. serres 2, 161.  
 — — — Van Houtte Hort. 3.

- Amorphophallus variabilis* Bl. Blume Rumphia 35. 37.  
*Ampelodemos australis* Brogn. Brogn. Coquille 6.  
 — *tenax* Lk. Rehb. Fl. germ. 7, 81.  
*Ampelopsis quinquefolia* Michx. Gray Gen. 162.  
*Ampeloscycos scandens* Aub. Aubert Iles d'Afr. 22.  
*Amperca spartioides* Brongn. Brongn. Coquille 49.  
*Ampherephis aristata* H. B. K. H. B. K. Nov. Gen. 4, 314.  
 — *intermedia* Lk. Link Ic. 1, 29.  
 — — Sweet Fl. G. 225.  
 — — — Rehb. Hort. 127.  
 — *mutica* H. B. K. H. B. K. Nov. Gen. 4, 315.  
 † *Amphiblemma cymosum* Naud. Ann. sc. nat. III. 14, 7.  
 † *Amphiblestra latifolia* Presl. Hook. Gen. Fil. 120.  
 † — — — Fée Fil. 5, 11.  
*Amphicome arguta* Royle. Royle Illustr. 72.  
 — — — Bot. Reg. 24, 19.  
 — — — Knowles et Westc. 85.  
 — — — Paxt. Mag. 6, 79.  
*Amphilochia dichotoma* Mart. Mart. Bras. 77.  
*Amphilophium Mutisii* H. B. K. H. B. K. Nov. Gen. 3, 219.  
 — — — Kern. Hort. 548.  
*Amphiscopia Beyrichii* N. v. E. Endl. Bras. 7, 20.  
*Amphocosmia riparia* Gardn. Hook. Lond. J. 1842, 12.  
*Amphodus ovatus* Ldl. Bot. Reg. 13, 1101.  
 † *Amphoriocarpos Neumayeri* Vis. Vis. Dalm. 10<sup>b</sup>.  
 — — — Rehb. Fl. germ. 15, 739. 816.  
*Amsonia angustifolia* Michx. Lam. Encycl. 932.  
 — — — Vent. Choix 29.  
 — *latifolia* Pursch. Bot. Reg. 2, 151.  
 — *salicifolia* Pursch. Bot. Mag. 44, 1873.  
 — — — Lodd. Cab. 592.  
*Amygdalus arabica* Oliv. Jaub. Ill. 226.  
 † — *communis* L. Lam. Encycl. 430.  
 — — — Hayne 4, 39.  
 — — — Guimp. Fr. H. 141.  
 — — — Guimp. et Schl. 6.  
 — — — Nees Düsseld. 311. 312.  
 — — — Wagner 1. 2. 27. 28.  
 — — — Woodv. Med. 3, 183.  
 — — — var. *macrocarpa* DC. Bot. Reg. 14, 1160.  
 — *eburnea* Spach. Jaub. Ill. 229.  
 — *elaeagnifolia* Spach. Jaub. Ill. 230.  
 — *furcata* Spach. Jaub. Ill. 228.  
 — *glandulosa* Hook. Hook. Ic. pl. 288.  
 — *horrida* Spach. Jaub. Ill. 230.  
 — *incana* Pall. Pallas Fl. ross. 7.  
 — — — Sibth. Fl. gr. 477.  
 — — — Bot. Reg. 25, 58.  
 — *microphylla* H. B. K. H. B. K. Nov. Gen. 6, 564.  
 — *nana* L. Pallas Fl. ross. 6.  
 — — — Bot. Mag. 5, 161.  
 † — — — Gaertn. Carp. 93.  
 — — — Schk. Handb. 131<sup>a</sup>.  
 — — — Lodd. Cab. 1114.  
 — *orientalis* Mill. Lodd. Cab. 1137.  
 † — *Persica* L. Lam. Encycl. 430.  
 — — — Rousseau Bot. 45. 46.  
 — — — Guimp. Fr. H. 140.  
 — — — Hayne 4, 38.  
 — — — Wagner 39.  
 — — — Woodv. Med. 3, 184.  
 — — — var. Bot. Reg. 19, 1586.  
 — — — var. Journ. Hort. Soc. 3, 313.  
 — — — fl. pl. Lem. Jard. fi. 4, 328.  
 ! — — — Engelmann Anthol. 1.  
 — *pumila* L. Bot. Mag. 47, 2176.  
 — *scoparia* Spach. Jaub. Ill. 227.  
 — *sibirica* Lodd. Lodd. Cab. 1599.  
 — *spartioides* Spach. Jaub. Ill. 226.  
*Amyris balsamifera* L. Desc. Ant. 3, 211.  
 — *clemifera* L. Rumpf Amb. 2, 48.  
 † — — — Lam. Encycl. 303.  
*Amyris clemifera* L. Desc. Ant. 3, 202.  
 — *gileadensis* L. Vahl Symb. 11.  
 — — — Woodv. Med. 3, 214.  
 — *guianensis* Willd. Desc. Ant. 6, 412.  
 † — *heptaphylla* Roxb. Linn. Tr. 15, 5.  
 † — *obliqua* Spr. Schnizl. Ic. 246.  
 † — *Opobalsamum* L. Lam. Encycl. 303.  
 — *pinnata* H. B. K. H. B. K. Nov. Gen. 7, 610.  
 — *polygama* Cav. Cav. Ic. 239.  
 — — — Willd. Dict. sc. nat. 266.  
 — *Protium* L. Rumpf Amb. Auct. 23.  
 † — *punctata* Roxb. Linn. Tr. 15, 5.  
 — *silvatica* Jacq. Jacq. Hist. Stirp. am. 108.  
*Anabasis Ammodendron* Led. Ledeb. Ic. 47.  
 † — *aphylla* L. Gaertn. Carp. 77.  
 † — — — Lam. Encycl. 182.  
 — *brevifolia* Led. Ledeb. Ic. 39.  
 — *cretacea* Pall. Pall. Ill. 9.  
 — *florida* M. v. B. Marschall Cent. 17.  
 — *heteroptera* Jaub. Jaub. Ill. 133.  
 — *tamariscifolia* L. Cav. Ic. 283. 500<sup>b</sup>.  
 — *tatarica* Pall. Pall. Ill. 8.  
 — *Tournefortii* Jaub. Jaub. Ill. 132.  
*Anacamperos arachnoides* Sims. Bot. Mag. 33, 1368.  
 — *filamentosa* Sims. Bot. Mag. 33, 1367.  
 — *rotundifolia* Sweet. Lodd. Cab. 591.  
*Anacamptis Durandii* Breb. Rehb. Fl. germ. 13, 499.  
 — *pyramidalis* Rich. Dietr. Fl. bor. 1, 66.  
 — — — Guimp. et Kl. 2.  
 † — — — Nees Gen. 3, x.  
 — — — Rehb. Fl. germ. 13, 361.  
 † *Anacardium* L. (Germinatio.) DC. Leg. 27.  
 † — *longifolium* Lam. Lam. Encycl. 208.  
 — — — Desc. Ant. 2, 69.  
 — *occidentale* L. Rumpf Amb. 1, 69.  
 — — — Rheede Hort. mal. 3, 54.  
 — — — Jacq. Hist. stirp. am. 121.  
 — — — Tuss. Ant. 3, 13.  
 — — — Desc. Ant. 7, 507.  
 — — — Dict. sc. nat. 261.  
 † — *officinale* Gaertn. Gaertn. Carp. 40.  
*Anacharis Alsinastrum* Bab. Jard. Ann. II. 1, 3.  
 — — — Ann. sc. nat. III. 11, 1.  
 — *callitrichoides* Rich. Mem. Instit. 1811, 2.  
 † *Anacolosia frutescens* Bl. Blume Mus. 1, 46.  
*Anacyclus alexandrinus* Willd. Dehile Egypt. 48.  
 — *aureus* L. Lam. Encycl. 700.  
 — — — Brot. Phyt. 163.  
 — *creticus* L. Ann. Mus. 11, 22.  
 — — — Desf. Choix 37.  
 — *officinarum* Hayne. Hayne 9, 46.  
 — — — Guimp. et Schl. 188.  
 — *pectinatus* Bory et Ch. Bory Morée 28.  
 — *Pyrethrum* Link. Guimp. et Schl. 187.  
 † — *valentinus* L. Gaertn. Carp. 165.  
 — — — Schk. Handb. 254<sup>b</sup>.  
 † — — — Lam. Encycl. 700.  
 † *Anadendron Candollecanum* Wight. Wight Illustr. 154<sup>b</sup>.  
*Anadenia Manglesii* Grah. Hook. Ic. pl. 337.  
*Anagallis alternifolia* Cav. Cav. Ic. 505.  
 — *arvensis* L. Fl. dan. 1, 88.  
 † — — — Gaertn. Carp. 50.  
 — — — Schk. Handb. 36.  
 — — — Curt. Lond. 1, 1.  
 — — — Engl. Bot. 8, 529.  
 — — — Sv. Bot. 123.  
 — — — Dreves 1, 32.  
 — — — Hayne 2, 45.  
 — — — Sturm Flora 1, 1.  
 — — — Nees Düsseld. 153.  
 † — — — Mem. Instit. 1830, 10.  
 — — — Baxter Br. Bot. 1, 29.

- ! *Anagallis arvensis* L. Arch. Mus. 4, 5.  
 ! — — — Engelm. Anthol. 1. 2.  
 — — — *coerulea* Schreb. Curt. Lond. 5, 169.  
 — — — Engl. Bot. 26, 1823.  
 — — — Hayne 2, 46.  
 — — — Fl. dan. 9, 1570.  
 — — — Dietr. Fl. bor. 5, 355.  
 † — — — Nees Gen. 5, 20.  
 — — — *collina* Spr. Savi Fl. ital. 3, 118.  
 — — — *crassifolia* Thore. DC. Ic. Gall. 4.  
 — — — *fruticosa* Vent. Vent. Choix 14.  
 — — — Bot. Mag. 21, 831.  
 — — — Herb. amat. 1, 35.  
 — — — *grandiflora* Andr. Andr. Rep. 6, 367.  
 — — — *indica* Wight. Sweet Fl. G. 132.  
 — — — *latifolia* L. Bot. Mag. 50, 2389.  
 — — — — — Lodd. Cab. 1896.  
 — — — — — Wight Ic. Ind. or. 4, 1205.  
 — — — — — Wight Spicil. 133.  
 † — — — *Rehb.* Nees Gen. 5, 20.  
 — — — *Monelli* L. Bot. Mag. 9, 319. 62, 3380.  
 — — — — — Herb. amat. 1, 26.  
 — — — — — γ. Sweet Fl. G. II, 377.  
 — — — *parviflora* H. et L. Hoffm. Lk. Fl. port. 64.  
 † — — — *phoenicea* Lam. Lam. Encycl. 101.  
 † — — — — — Plée Types 16.  
 — — — — — Sturm Flora 1, 1.  
 — — — — — Schrank Fl. monac. 2, 143.  
 — — — — — Dietr. Fl. bor. 4, 221.  
 — — — *pinnata* Rz. et P. Rz. et Pav. Fl. 115.  
 — — — *platyphylla* Baudo. Expl. Alger. 67.  
 — — — *tenella* L. Cav. Ic. 123.  
 — — — — — Fl. dan. 7, 1085.  
 — — — — — Curt. Lond. 3, 14.  
 — — — — — Engl. Bot. 8, 530.  
 — — — — — Gmelin Fl. bad. 1, 3.  
 — — — — — Roemer Fl. eur. 11, 1.  
 — — — *verticillata* All. All. Fl. ped. 3, 85.  
*Anagalloides procumbens* Krock. Krock. Fl. sil. 2, 26.  
*Anagallis foetida* L. Sibth. Fl. gr. 366.  
 † — — — — — Lam. Encycl. 328.  
 — — — — — Ten. Fl. nap. 227.  
 — — — — — Desc. Ant. 8, 588.  
 — — — — — Lodd. Cab. 740.  
 — — — *latifolia* Webb. Webb. Can. 40.  
 — — — *neapolitana* Ten. Ten. Fl. nap. 227.  
*Anamenia coriacea* Vent. Vent. Malm. 22.  
*Anamirta Baueriana* Endl. Endl. Acta 39, 40.  
 — — — *Cocculus* W. et A. Rheede Hort. mal. 7, 1.  
 — — — — — Ann. sc. nat. II, 2, 3.  
 † *Ananas Pinguin* Mill. Gaertn. Carp. 11.  
*Ananassa bracteata* Ldl. Bot. Reg. 13, 1081.  
 — — — *sativa* R. Br. Rheede Hort. mal. 11, 1, 2.  
 — — — — — Bot. Reg. 13, 1068.  
 † — — — — — Mem. Gen. 7, 1, 2.  
*Anaphalis aristata* DC. Wight Ic. Ind. or. 3, 1119.  
 — — — *elliptica* DC. Wight Ic. Ind. or. 3, 1118.  
 — — — *neilgerriana* DC. Wight Ic. Ind. or. 2, 478.  
 — — — *Notoniana* DC. Wight Ic. Ind. or. 3, 1116.  
 — — — *Wightiana* DC. Wight Ic. Ind. or. 3, 1117.  
*Anaphrenium abyssinicum* Hochst. Richard Abyss. 32.  
*Anarrhinum bellidifolium* L. Brot. Phyt. 143.  
 — — — — — Hoffm. Lk. Fl. port. 32.  
 — — — — — Bot. Mag. 46, 2056.  
 — — — — — Desf. Dietr. Fl. bor. 9, 581.  
 † — — — — — Nees Gen. 5, 30.  
 — — — *duriminium* Pers. Brot. Phyt. 144.  
 † — — — *fruticosum* Desf. Gaertn. Carp. 214.  
 — — — — — Desf. Fl. atl. 142.  
 — — — *hirsutum* H. et L. Hoffm. Lk. Fl. port. 33.  
 — — — *laxiflorum* Boiss. Boiss. Esp. 127.  
 — — — *pedatum* Desf. Desf. Fl. atl. 141.

- Anarthrosyne cordata* Klotzsch. Peters Mossamb. 7.  
*Anastatica hierochuntica* L. Jacq. Vind. 58.  
 † — — — — — Gaertn. Carp. 141.  
 † — — — — — Medicus Gatt. 2.  
 — — — — — Schk. Handb. 179.  
 — — — — — Lam. Encycl. 555.  
 — — — — — Bot. Mag. 74, 4400.  
 † — — — *syriaca* L. Gaertn. Carp. 141.  
 — — — — — Jacq. Fl. austr. 1, 6.  
 † *Anavinga lanceolata* Lam. Lam. Encycl. 355.  
 — — — *parvifolia* Lam. Lam. Encycl. 355.  
 † — — — *Samyda* Gaertn. Gaertn. Carp. 224.  
 † *Anaxagorea phaeocarpa* Mart. Endl. Bras. 2, 5.  
 — — — *javanica* Bl. Blume Jav. 1, 32, 36.  
 † *Anaxeton floridum* Lam. Lam. Encycl. 692.  
 † — — — *foetidum* Gaertn. Gaertn. Carp. 166.  
 † — — — — — Lam. Encycl. 692.  
 † *Anaxetum crassifolium* Schott. Schott Gen. Fil. 16.  
*Ancathia igniaria* DC. Deless. Ic. 4, 73.  
*Anchietea salutaris* St. Hil. St. Hil. Pl. us. 19.  
*Anchonium Billardieri* DC. Deless. Ic. 2, 82.  
*Anchusa aggregata* Lehm. Lehm. Asperif. 47.  
 — — — *alpestris* Stev. Linn. Tr. 11, 32.  
 — — — *angustifolia* L. Sibth. Fl. gr. 164.  
 — — — — — Bot. Mag. 44, 1897.  
 — — — — — Rehb. Ic. crit. 8, 725.  
 — — — *arvalis* Rehb. Rehb. Ic. crit. 3, 297.  
 — — — *arvensis* L. Drevs 5, 150.  
 — — — *azurea* Mill. Rehb. Ic. crit. 10, 908.  
 — — — *Barrelieri* Baumg. Bot. Mag. 49, 2349.  
 — — — *bracteolata* Viv. Viv. Lib. 4.  
 — — — *caespitosa* Lam. Sibth. Fl. gr. 169.  
 — — — — — Lehm. Asperif. 48.  
 — — — *calcareo* Boiss. Boiss. Esp. 123<sup>a</sup>.  
 — — — *capensis* Thunb. Bot. Mag. 43, 1822.  
 — — — — — Andr. Rep. 5, 336.  
 † — — — *clavata* Viv. Viv. Aeg. 2.  
 — — — *dubia* Nocea. Nocea Pl. select. 3.  
 — — — — — Viviani Saggio 2.  
 — — — *granatensis* Boiss. Boiss. Esp. 123.  
 — — — *hybrida* Ten. Ten. Fl. nap. 11.  
 — — — *italica* Trev. Trev. Pl. rar. 18.  
 † — — — — — Retz. Wendl. Beob. 1.  
 — — — — — Tratt. Arch. 77.  
 — — — — — Schrank Fl. monac. 1, 10.  
 — — — — — Brot. Phyt. 156.  
 — — — — — Bot. Mag. 48, 2197.  
 — — — — — Bot. Reg. 6, 483.  
 — — — — — Lodd. Cab. 1383.  
 — — — *leptophylla* R. et Sch. Rehb. Ic. crit. 3, 298.  
 — — — *lutea* Cav. Cav. Ic. 69.  
 — — — *microcalyx* Vis. Vis. Dalm. 23.  
 — — — *moltkioides* Royle. Royle Illustr. 73.  
 — — — *nigricans* Brot. Brot. Phyt. 23.  
 — — — *obliqua* Vis. Mem. Ist. ven. 1, 5.  
 — — — *ochroleuca* M. v. B. Bot. Mag. 39, 1608.  
 — — — *officinalis* L. Fl. dan. 4, 572.  
 † — — — — — Lam. Encycl. 92.  
 — — — — — Schk. Handb. 29.  
 — — — — — Engl. Bot. 10, 662.  
 † — — — — — Schrad. Asperif. 0.  
 — — — — — Sv. Bot. 208.  
 — — — — — Sturm Flora 5, 18.  
 — — — — — Hayne 1, 25.  
 — — — — — Rehb. Ic. crit. 3, 296.  
 — — — — — Dietr. Fl. bor. 3, 199.  
 † — — — — — Nees Gen. 6, 71.  
 — — — — — Woodv. Med. 2, 108.  
 — — — *oppositifolia* H. B. K. H. B. K. Nov. Gen. 3, 200.  
 — — — *paniculata* Ait. Sibth. Fl. gr. 163.  
 — — — *parviflora* Willd. Sibth. Fl. gr. 167.  
 — — — *petiolata* Hook. Bot. Mag. 67, 3858.

- Anchusa rosea* *M. v. B.* Marschall Cent. 43.  
 — *sempervirens* *L.* Curt. Lond. 4, 94.  
 — — — Engl. Bot. 1, 45.  
 — — — Baxter Brit. Bot. 1, 48.  
 — *spinocarpos* *Forsk.* Delic. Egypt. 17.  
 — *strigosa* *Lab.* Bill. Syr. 3, 4.  
 — *stylosa* *M. v. B.* Marschall Cent. 23.  
 — — — Rehb. Ic. crit. 8, 724.  
 — *tinctoria* *Desf.* Sibth. Fl. gr. 166.  
 — — — Hayne 10, 11.  
 — — — Guimp. et Schl. 134.  
 † — — — Viv. Aeg. 2.  
 — — — Woodv. Med. 2, 106.  
 — *undulata* *L.* Brot. Phyt. 157.  
 — — — Hoffm. Lk. Fl. port. 22.  
 — — — Sibth. Fl. gr. 165.  
 — — — Guss. Pl. rar. 16.  
 — — — Bot. Mag. 47, 2119.  
 — *ventricosa* *Sibth.* Sibth. Fl. gr. 168.  
 — — — Viv. Viv. Lib. 6.  
 — *versicolor* *Stev.* Bot. Mag. 63, 3477.  
 — *zeylanica* *Hornem.* Jacq. Ecl. pl. 29.  
*Ancistrocarpus maypurensis* *H. B. K.* H. B. K. Nov. Gen. 2, 122.  
*Ancistrocladus Heyneanus* *W. et A.* Rheede Hort. mal. 7, 47.  
 — — — Wight Ic. Ind. or. 6, 1987. 1988.  
 † *Ancistrolobus ligustrinus* *Spach.* Ann. sc. nat. II. 5, 6.  
 † *Ancistrum* *Forst.* Forst. Charact. 2.  
 † — *anserinaefolium* *Lam.* Lam. Encycl. 22.  
 † — *decumbens* *Gaertn.* Gaertn. Carp. 32.  
 † — *latebrosus* *Willd.* Gaertn. Carp. 32.  
 † — — — Lam. Encycl. 22.  
 — *lucidum* *Ait.* Lam. Encycl. 22.  
 — *magellanicum* *Lam.* Lam. Encycl. 22.  
 — *repens* *Vent.* Vent. Cels 6.  
*Ancylanthus rubiginosa* *Desf.* Lam. Encycl. 923.  
 — — — Mem. Mus. 4, 2.  
 † *Ancylocalyx acuminata* *Tul.* Ann. sc. nat. II. 20, 2.  
*Ancylogyne munita* *N. v. E.* Endl. Bras. 7, 7.  
*Ancyrosemum micranthum* *P. et E.* Poepp. et Endl. 272.  
*Anda brasiliensis* *Raddi.* Martius Auswahl 1.  
 — *Gomesii* *Juss.* St. Hil. Pl. us. 54. 55.  
*Andersonia sprengeloides* *R. Br.* Bot. Mag. 40, 1645.  
 — — — Lodd. Cab. 263.  
*Andira Harsfieldii* *Leschen.* Ann. Mus. 16, 24.  
 — *racemosa* *Lam.* Desc. Ant. 1, 53.  
*Andrachne rotundifolia* *C. A. M.* Eichwald Cauc. 20.  
 † — *telephioides* *L.* Gaertn. Carp. 108.  
 — — — Lam. Encycl. 797.  
 — — — Sibth. Fl. gr. 953.  
 — — — Rehb. Fl. germ. 5, 153.  
 † — — — Nees Gen. 4, 39.  
 † — *species nova* *Nees* Gen. 4, 39.  
*Andradea floribunda* *Allemão.* Allemão Diss. 1845, 10.  
*Andreasia glabra* *Vent.* Vent. Malm. 108.  
 — — — Tratt. Arch. 169.  
*Andriapetalum reticulatum* *Pohl.* Pohl Bras. 92.  
 — *rubescens* *Pohl.* Pohl Bras. 91.  
*Andrieuxia mexicana* *DC.* Delessert Ic. 4, 31.  
*Androcymbium eucomoides* *Willd.* Sweet Fl. G. 165.  
 — *melanthioides* *Willd.* Mag. nat. Fr. 2, 2.  
*Andrographis ceylanica* *N. v. E.* Wight Ic. Ind. or. 4, 1560.  
 — *echioides* *N. v. E.* Wight Ic. Ind. or. 2, 467.  
 — *lobelioides* *Wight.* Wight Ic. Ind. or. 4, 1557.  
 † — — — Wight Illustr. 164<sup>b</sup>.  
 — *Neesiana* *Wight.* Wight Ic. Ind. or. 4, 1561.  
 — *paniculata* *Wall.* Wight Ic. Ind. or. 2, 518.  
 — *serpyllifolia* *Wight.* Wight Ic. Ind. or. 2, 517.  
 — *viscosula* *N. v. E.* Wight Ic. Ind. or. 4, 1559.  
 — *Wightiana* *N. v. E.* Wight Ic. Ind. or. 4, 1558.  
*Andromachia acaulis* *H. B. K.* H. B. K. Nov. Gen. 4, 336.

- Andromachia igniaria* *H. B.* Humb. Pl. acquin. 112.  
 — — — Lam. Encycl. 985.  
 — *melastomoides* *H. B. K.* H. B. K. Nov. Gen. 4, 337.  
 — *sessiliflora* *H. B. K.* H. B. K. Nov. Gen. 4, 338.  
 † *Andromeda* *L.* Wight Illustr. 141.  
 — *acuminata* *Ait.* Smith Ex. Bot. 89.  
 — *anastomosans* *L.* Vent. Choix 53.  
 — *arborea* *L.* Bot. Mag. 23, 905.  
 — — — Michx. Arb. 3, 7.  
 — — — Rafin. Med. 5.  
 — — — Lodd. Cab. 1210.  
 — — — Herb. amat. 5, 342.  
 — *axillaris* *Ait.* Lam. Encycl. 365.  
 — — — var. Bot. Mag. 50, 2357.  
 — — — Guimp. Fr. H. 114.  
 — *baecata* *Wangenh.* Wangenheim Beitrag 30.  
 — *bracamorensis* *H. B. K.* H. B. K. Nov. Gen. 3, 263.  
 — *bracteata* *Cav.* Cav. Ic. 562.  
 — *Bryanthus* *L.* Pallas Fl. ross. 74.  
 — *buxifolia* *Lam.* Smith Ic. Linn. 59.  
 — — — Bot. Mag. 53, 2660.  
 — — — Lodd. Cab. 1494.  
 — — — Rehb. Exot. 171.  
 † — *calyculata* *L.* Gaertn. Carp. 63.  
 — — — Pallas Fl. ross. 72.  
 † — — — Lam. Encycl. 365.  
 — — — Sv. Bot. 583.  
 — — — Guimpel Holzgew. 56.  
 — — — var. Bot. Mag. 32, 1286.  
 — — — var. Lodd. Cab. 530. 862. 1464. 1582.  
 — *cassinefolia* *Vent.* Vent. Cels. 60.  
 — — — Bot. Mag. 25, 970.  
 — — — Kern. Hort. 250.  
 — *Catesbaei* *Walt.* Bot. Mag. 45, 1955.  
 — — — Lodd. Cab. 1320.  
 — *chinensis* *Lodd.* Lodd. Cab. 1648.  
 — *coerulea* *L.* Linné Fl. lapp. 1.  
 — — — Fl. dan. 1, 57.  
 — — — Pallas Fl. ross. 72.  
 — *coriacea* *Ait.* Lodd. Cab. 672.  
 — — — Bot. Mag. 27, 1095.  
 — — — Jacq. Ic. 465.  
 — *crispa* *Lk.* Guimp. Fr. Holzgew. 51.  
 — *dealbata* *Ldl.* Bot. Reg. 12, 1010.  
 — *elegans* *Hort.* Meerb. Pl. sel. 27.  
 — *ericoides* *Pall.* Pallas Fl. ross. 73.  
 — *fastigiata* *Wall.* Wallich Pl. asiat. 284.  
 — — — Royle Illustr. 63.  
 — *ferruginea* *Ait.* Vent. Malm. 80.  
 — *floribunda* *Pursch.* Bot. Mag. 38, 1566.  
 — — — Bot. Reg. 10, 807.  
 — *formosa* *Wall.* Wight Ic. Ind. or. 4, 1200.  
 — *grandiflora* *Hort.* Meerb. Pl. sel. 25.  
 — *Hahniana* *Meerb.* Meerb. Pl. sel. 24.  
 — *hypnoides* *L.* Linné Fl. lapp. 1.  
 — — — Pallas Fl. ross. 73.  
 — — — Fl. dan. 1, 10.  
 — — — Bot. Mag. 56, 2936.  
 — — — Lodd. Cab. 1946.  
 — *jamaicensis* *Sw.* Lodd. Cab. 1873.  
 — *japonica* *Thunb.* Thunb. Fl. jap. 22.  
 † — — — Gaertn. Carp. 178.  
 — *katagherensis* *Hook.* Hook. Ic. pl. 246.  
 — *lanceolata* *Wall.* Asiat. Res. 13, 10.  
 — — — Wight Ic. Ind. or. 4, 1198.  
 — *ligustrina* *Mühlbg.* Lodd. Cab. 1110.  
 — *lucida* *Jacq.* Jacq. Ic. 79.  
 — *lycopodioides* *Pall.* Pallas Fl. ross. 73.  
 † — *mariana* *L.* Schk. Handb. 118.  
 — — — Guimp. Fr. Holzgew. 113.  
 — — — Bot. Mag. 38, 1579.  
 — *Mertensiana* *Bong.* Acad. Pet. 2, 5.



- Andromeda multiflora* Pohl. Pohl Bras. 122.  
 — *Myrsinites* Lam. Lam. Encycl. 365.  
 — *myrtifolia* Meerb. Meerb. Pl. sel. 26.  
 — *ovalifolia* Wall. Asiat. Res. 13, 11.  
 — — Wight Ic. Ind. or. 4, 1199.  
 — *phyllireacifolia* Hook. Hook. Ic. pl. 122.  
 — — Bot. Reg. 30, 36.  
 — *polifolia* L. Linné Fl. lapp. 1.  
 — — Fl. dan. 1, 54.  
 — — Pallas Fl. ross. 71.  
 — — Schk. Handb. 118.  
 † — — Lam. Encycl. 365.  
 — — Engl. Bot. 10, 713.  
 — — Sv. Bot. 445.  
 — — Sturm Flora 20, 94.  
 — — Hayne 3, 22.  
 — — Guimp. Holzgew. 55.  
 — — Dietr. Fl. bor. 4, 219.  
 — — Lodd. Cab. 546. 1591. 1714. 1725.  
 — — Baxter Br. Bot. 5, 361.  
 — *prostrata* Cav. Cav. Ic. 562.  
 — *pulverulenta* Bartr. Vent. Malm. 79.  
 — — Bot. Mag. 18, 667.  
 † — *racemosa* L. Schk. Handb. 118.  
 — — Guimp. Fr. Holzgew. 57.  
 — *rigida* Pursh. Lodd. Cab. 430.  
 — *rosmarinifolia* Port. Silliman Journ. 3, 1.  
 — *salicifolia* Comm. Smith. Ic. Linn. 58.  
 — — Hook. Ex. Fl. 192.  
 — — Bot. Mag. 60, 3286.  
 — *speciosa* Michx. Guimp. Fr. Holzgew. 28.  
 — — Lodd. Cab. 551.  
 — — Watson Dendr. 2, 126.  
 — *spicata* Wats. Watson Dendr. 1, 36.  
 — *Stelleriana* Pall. Pallas Fl. ross. 74.  
 — — Hook. Bor. Am. 131.  
 — *subrotunda* Pohl. Pohl Bras. 121.  
 — *tetragona* L. Linné Fl. lapp. 1.  
 — — Pallas Fl. ross. 73.  
 — — Fl. dan. 6, 1030.  
 — — Bot. Mag. 59, 3181.  
 † *Andropogon* L. Dumortier Gram. 15.  
 — *acicularis* Trin. Rumpf Amb. 6, 5, fig. 1.  
 — *aciculatus* Retz. Rheede Hort. mal. 12, 43.  
 — *altissimus* Colla. Mem. Tur. 39, 60.  
 — *annulatus* Forsk. Delile Egypt. 7.  
 — *aureus* Bory. Bory Iles d'Afr. 21.  
 — *Bladhii* Retz. Trin. Sp. Gr. 3, 325.  
 — *brevifolius* Sw. Humb. Gram. 196.  
 — *Calamus aromaticus* Royle. Royle Illustr. 97.  
 — *contortus* All. All. Fl. ped. 3, 91.  
 — — Lam. Encycl. 840.  
 — — Schk. Handb. 342<sup>a</sup>.  
 — *crinitus* Thunb. Thunb. Fl. jap. 7.  
 — *cymbarius* L. Petersb. 2, 9.  
 — *distachyus* L. Gerard Fl. gallopr. 4.  
 — — Jacq. Ic. 630.  
 — — Schk. Handb. 342<sup>a</sup>.  
 — — Host Gram. 202.  
 — — Sibth. Fl. gr. 69.  
 — — Sturm Flora 13, 52.  
 — *foveolatus* Del. Delile Egypt. 6.  
 — *furcatus* Mühb. Schreb. Gr. 48.  
 † — *Gryllus* L. Lam. Encycl. 840.  
 — — Sibth. Fl. gr. 67.  
 — — Host Gram. 101.  
 — — Sturm Flora 13, 52.  
 — *halapensis* Sibth. Sibth. Fl. gr. 68.  
 — — Sturm Flora 13, 52.  
 — *hirtiflorus* Kth. Humb. Gram. 198.  
 — *hirtus* L. Schk. Handb. 342<sup>a</sup>.  
 — — Host Gram. 301.

- Andropogon hirtus* L. Rehb. Fl. germ. 1, 53.  
 — *holcoides* Kth. Humb. Gram. 160.  
 — *insularis* L. Desc. Ant. 4, 238.  
 — *Ischaemum* L. Schreb. Gr. 33.  
 — — Jacq. Fl. austr. 4, 384.  
 — — Schk. Handb. 342<sup>b</sup>.  
 — — Lam. Encycl. 840.  
 — — Host Gram. 102.  
 — — Sturm Flora 13, 52.  
 — — Rehb. Fl. germ. 1, 54.  
 † — — Nees Gen. 1, 92.  
 — *Jwarancusa* Roxb. Rheede Hort. mal. 12, 57.  
 — — Trin. Sp. Gr. 3, 326.  
 — *laxus* Willd. Jacq. Ecl. gram. 48.  
 — *mollicomus* Kth. Humb. Gram. 96.  
 — *mollis* Kth. Humb. Gram. 195.  
 — *Myosurus* Presl. Humb. Gram. 199.  
 — *Nardus* L. Rumpf Amb. 4, 6.  
 — *pachnodes* Trin. Trin. Sp. Gr. 3, 327.  
 — *princeps* Rich. Richard Abyss. 102.  
 — *pubescens* Vis. Vis. Dalm. 2.  
 — — Rehb. Fl. germ. 1, 53.  
 — *punctatus* Roxb. Trin. Sp. Gr. 3, 328.  
 — *Ravennae* Willd. Host Gram. 201.  
 — *sanguinarius* Schreb. Schreb. Gr. 28.  
 — *Schoenanthus* L. Rheede Hort. mal. 12, 72.  
 — — Rumpf Amb. 5, 72.  
 — — Vent. Cels. 89.  
 — — Wall. Pl. asiat. 280.  
 — *serratus* Retz. Trin. Sp. Gr. 3, 329.  
 — *strictus* Host. Host Gram. 103.  
 — *tener* Kth. Humb. Gram. 197.  
 — *tetrastachyus* Ell. Elliot Carol. 8.  
 — *tropicus* Spr. Humb. Gram. 97.  
 — *undatus* Jacq. Jacq. Ic. 631.  
 — *xanthoblepharis* Trin. Trin. Sp. Gr. 3, 330.  
 † *Androsace* L. Mutel Fl. fr. 52.  
 — *Aizoon* Duby. Jacquemont Ind. 145.  
 — *albana* Stev. Linn. Tr. 11, 33.  
 — *alpina* Hall. Lam. Encycl. 98.  
 — *brevifolia* Vill. Vill. Dauph. 15.  
 — *bryoides* Lois. DC. Ic. Gall. 7.  
 — *carinata* Torr. Sweet Fl. G. II, 106.  
 — *carnea* L. All. Fl. ped. 3, 5.  
 — — Gaudin Fl. helv. 2, 1.  
 — — Rehb. Ic. crit. 6, 579.  
 — — Lodd. Cab. 40.  
 — *Chamaejasme* Wulf. Rehb. Ic. crit. 6, 580.  
 — — Lodd. Cab. 232.  
 — *ciliata* Lois. DC. Ic. Gall. 6.  
 — *cornopifolia* Andr. Andr. Rep. 10, 647.  
 — — Bot. Mag. 43, 2022.  
 — *dasyphylla* Led. Ledeb. Ic. 15.  
 — *diapensoides* Picot. Picot Pyren. 3.  
 — *elongata* L. Jacq. Fl. austr. 4, 330.  
 — — Jacq. Obs. 19.  
 — — Schk. Handb. 33.  
 — *foliosa* Duby. Jacquemont Ind. 146.  
 — *Gmelini* Led. Ledeb. Ic. 170.  
 — *Halleri* Gm. Gmelin Fl. bad. 4, 8.  
 — *Jacquemontii* Duby. Mem. Gen. 10, 3.  
 — *imbricata* Hall. Lam. Encycl. 98.  
 — *incana* Lam. Rehb. Ic. crit. 3, 248.  
 — *lactea* L. Jacq. Fl. austr. 4, 333.  
 — — Bot. Mag. 22, 868. 25, 981.  
 — — Nees Gen. 5, 6.  
 † — *Lachenalii* Gm. Gmelin Fl. bad. 1, 2.  
 — *lanuginosa* Wall. Bot. Mag. 69, 4005.  
 — — Paxt. Mag. 14, 51.  
 — *maxima* L. Jacq. Fl. austr. 4, 331.  
 † — — Lam. Encycl. 98.  
 † — — Nees Gen. 5, 6.

- Androsace obtusifolia* *All.* All. Fl. ped. 3, 46.  
 — — *Rehb.* Ic. crit. 6, 579.  
 — — *odoratissima* *Schreb.* Schreb. Ic. 4.  
 — — *parviflora* *Jacq. et Duby.* Mem. Gen. 10, 3.  
 — — *pauciflora* *Vill.* Vill. Dauph. 15.  
 — — *primuloides* *Duby.* Mem. Gen. 10, 3.  
 — — *pubescens* *Lois.* DC. Ic. Gall. 5.  
 — — *rotundifolia* *Sm.* Smith Ex. Bot. 113.  
 — — *sarmentosa* *Wall.* Wall. Pl. asiat. 206.  
 — — *sempervivoides* *Jacq. et Duby.* Mem. Gen. 10, 3.  
 — — *septentrionalis* *L.* Fl. dan. 1, 7.  
 † — — — *Gaertn.* Carp. 50.  
 — — — *Lam.* Encycl. 98.  
 — — — *Sv. Bot.* 483.  
 — — — *Bot. Mag.* 45, 2021.  
 — — — *Libosch.* Pet. 33.  
 † — — — *Nees* Gen. 5, 6.  
 — — *spathulata* *Cav.* Cav. Ic. 484.  
 — — *villosa* *Jacq.* Jacq. Fl. austr. 4, 332.  
 — — — *Jacq. Collect.* 1, 12.  
 — — — *Bot. Mag.* 20, 743.  
 — — — *Lodd. Cab.* 188.  
 — — — *Zollik. Alp.* 5.  
 — — — *Rehb.* Ic. crit. 3, 248. 6, 580.  
*Androsacmum officinale* *All.* *Rehb.* Fl. germ. 6, 352.  
 — — — *Baxter Br.* Bot. 1, 39.  
 † — — *vulgare* *Gaertn.* *Gaertn.* Carp. 59.  
 — — *Webbianum* *Spach.* *Webb.* Can. 4<sup>e</sup>.  
 — — — *Rehb.* Fl. germ. 6, 352.  
 — — *xylosteifolium* *Spach.* *Jaub.* Ill. 38.  
*Androstemma junceum* *Ldl.* *Field.* Sertum 33.  
*Androstoma empetrifolia* *Hook.* *Hook.* Fl. ant. 30.  
*Andryala Agardhii* *Haens.* *Boiss.* Esp. 118.  
 — — — *Bory.* *Webb.* Otia 11.  
 — — *allochroa* *H. et L.* *Hoffm.* Lk. Fl. port. 91.  
 — — *cheiranthifolia* *L'her.* L'her. Stirp. 18.  
 — — — ? *Schk.* Handb. 223.  
 — — *chondrilloides* *Scop.* *Scop.* Fl. carn. 2, 52.  
 — — *coronopifolia* *H. et L.* *Hoffm.* Lk. Fl. port. 92.  
 † — — *corymbosa* *Lam.* *Lam.* Encycl. 657.  
 — — *dentata* *Sibth.* *Sibth.* Fl. gr. 811.  
 † — — *glandulosa* *Lam.* *Lam.* Encycl. 657.  
 † — — *integrifolia* *L.* *Gaertn.* Carp. 158.  
 † — — — *Schk.* Handb. 223.  
 — — *lyrata* *Pourr.* var. *Boissier* Esp. 118<sup>a</sup>.  
 — — *mollis* *Asso.* *Asso.* Arag. 10.  
 — — *nemausensis* *Vill.* *Vill.* Dauph. 26.  
 — — *pinnatifida* *H. Kew.* *Webb.* Can. 135.  
 — — *pontana* *Vill.* *Vill.* Dauph. 23.  
 † — — *sinuata* *L.* *Monnier* Essai 1.  
 — — *uniflora* *Vill.* *Vill.* Dauph. 23.  
*Andrzeiowskia* *Cardamine* *Rehb.* *Rehb.* Pl. crit. 1, 13.  
*Ancilema africana* *Pal.* *Pal.* Fl. d'Ow. 93.  
 — — *crispata* *R. Br.* *Bauer* Ill. 6.  
 — — *ensifolia* *Wight.* *Wight* Ic. Ind. or. 6, 2074.  
 — — *latifolia* *Wight.* *Wight* Ic. Ind. or. 6, 2072.  
 — — *longifolia* *Hook.* *Hook.* Ex. Fl. 204.  
 — — *nana* *Kth.* *Wight* Ic. Ind. or. 6, 2077.  
 — — *nudicaulis* *R. Br.* *Rheede* Hort. mal. 9, 63.  
 — — *nudiflora* *Hort. Brit.* *Rheede* Hort. mal. 10, 19.  
 — — *ovato-oblonga* *Pal.* *Pal.* Fl. d'Ow. 104.  
 — — *paniculata* *Wight.* *Wight* Ic. Ind. or. 6, 2075.  
 — — *pauciflora* *Wight.* *Wight* Ic. Ind. or. 6, 2077.  
 — — *scapiflora* *Wight.* *Wight* Ic. Ind. or. 6, 2073.  
 — — *secunda* *Wight.* *Wight* Ic. Ind. or. 6, 2075.  
 — — *sinica* *Ker.* *Bot. Reg.* 3, 659.  
 — — *terminalis* *Wight.* *Wight* Ic. Ind. or. 6, 2076.  
 — — *vaginata* *Wight.* *Wight* Ic. Ind. or. 6, 2076.  
*Ancimia adiantifolia* *Sw.* *Hook.* Ic. Fil. 16.  
 — — — *Dict.* sc. nat. 100.  
 — — *cicutaria* *Kze.* *Kunze* Anal. 5.  
 — — *collina* *Raddi.* *Raddi* Fil. 12.  
*Ancimia collina* *Raddi.* *Lodd.* Cab. 1675.  
 — — *cordifolia* *Presl.* *Presl* Rel. 11.  
 — — *cuneata* *Kze.* *Kze.* Anal. 5.  
 — — *deltoides* *Sw.* *Schk.* Fil. 142.  
 — — *dissecta* *Presl.* *Presl* Rel. 11.  
 — — *Dregeana* *Kze.* *Kunze* Fil. 20.  
 — — — *Hook.* Ic. pl. 236.  
 — — *flexuosa* *Raddi.* *Raddi* Fil. 13.  
 — — *fraxinifolia* *Raddi.* *Raddi* Fil. 8<sup>b</sup>.  
 — — *fulva* *Sw.* *Schk.* Fil. 142.  
 — — *Gardneri* *Hook.* *Hook.* Ic. pl. 190.  
 — — *glareosa* *Grdn.* *Field.* Sertum 70.  
 — — *humilis* *Sw.* *Schk.* Fil. 141.  
 — — — *Hook.* Ex. Fl. 28.  
 — — *lanceolata* *Lodd.* *Lodd.* Cab. 1416.  
 — — *longifolia* *Raddi.* *Raddi* Fil. 8.  
 — — *Mandiocana* *Raddi.* *Raddi* Fil. 9.  
 † — — — *Hook.* Gen. Fil. 90.  
 — — *mexicana* *Klotzsch.* *Kunze* Fil. 131.  
 — — *oblongifolia* *Sw.* *Schk.* Fil. 141.  
 — — *Phyllitidis* *Sw.* *Langsd.* et F. 28.  
 — — *pilosa* *M. et G.* *Acad. Brux.* 15, 2.  
 — — *radicans* *Raddi.* *Raddi* Fil. 10, 11.  
 — — *repens* *Raddi.* *Raddi* Fil. 9.  
 — — *rutaefolia* *Mart.* *Mart.* Crypt. bras. 55.  
 — — *Schraderiana* *Mart.* *Mart.* Crypt. bras. 58.  
 — — *Seemanni* *Hook.* *Hook.* Lond. J. 1848, 16.  
 — — *tenella* *Sw.* *Schk.* Fil. 141.  
 — — *tenuifolia* *Prsl.* *Prag.* Abh. 6, 4.  
 — — *trichorrhiza* *Hook.* *Hook.* Ic. pl. 9, 876.  
 † *Anemagrostis spica* *Venti* *Trin.* *Trin.* Fund. 11.  
*Anemidictyon Phyllitidis* *Sm.* *Hook.* Gen. Fil. 103.  
 † *Anemone* *L.* *Gray* Gen. 4.  
 — — *acutipetala* *Schleich.* *Lodd.* Cab. 1704.  
 — — *alba* *Juss.* *Ann. Mus.* 3, 20.  
 — — — *Bot. Mag.* 47, 2167.  
 — — — *Lodd.* Cab. 322.  
 — — *alpina* *L.* *Jacq.* Fl. austr. 1, 85.  
 — — — *Krock.* Fl. sil. 2, 16, 17.  
 — — — *Lodd.* Cab. 1617.  
 — — — *Rehb.* Fl. germ. 4, 51.  
 — — — *α. major.* *Bot. Mag.* 45, 2007.  
 — — — *Sturm* Flora 13, 51.  
 — — — *Scop.* *Scop.* Fl. carn. 1, 26.  
 — — *altaica* *Led.* *Ledeb.* Ic. 358.  
 — — *apennina* *L.* *Curt.* Lond. 1, 63.  
 — — — *Engl.* *Bot.* 15, 1062.  
 — — — *Rehb.* Fl. germ. 4, 47.  
 — — — *Sweet* Brit. Bot. 1, 2.  
 — — *apiifolia* *Scop.* *Jacq.* Misc. 2, 4.  
 — — *arborea* *Hort.* *Herb. amat.* 1, 68.  
 — — *baldensis* *L.* *All.* Fl. ped. 3, 44. 67.  
 — — — *Rehb.* Fl. germ. 4, 50.  
 — — — *Sturm* Flora 4, 14.  
 — — *Berlandieri* *Pritz.* *Linnaea* 15, 6.  
 — — *cernua* *Thunb.* *Sieb.* Fl. Jap. 4.  
 — — *chinensis* *Bunge.* *Linnaea* 15, 5.  
 — — *coerulea* *DC.* *Delessert* Ic. 1, 14.  
 † — — *coronaria* *L.* *Lam.* Encycl. 496.  
 ! — — — *Hill* Prolif. Pl. 3.  
 — — — *Sibth.* Fl. gr. 514.  
 — — — *Savi* Fl. ital. 2, 41.  
 — — — *Bot. Mag.* 22, 841.  
 — — — *Rehb.* Fl. germ. 4, 49.  
 — — *crassifolia* *Hook.* *Hook.* Ic. pl. 257.  
 — — *cuneifolia* *Juss.* *Ann. Mus.* 3, 21.  
 — — *cyanea* *Risso.* *Risso* Fl. de Nice 2.  
 — — *decapetala* *L.* *Arduino* Anim. 2, 12.  
 — — — *Hook.* *Becc.* 1.  
 — — *deltoides* *Hook.* *Hook.* Bor. Am. 3.  
 — — *dichotoma* *L.* *Linné* Hort. ups. 2, 15.  
 — — *discolor* *Royle.* *Royle* Illustr. 11.

- ! *Anemone dodecaphylla* Krock. Krock. Fl. sil. 2, 20.  
 — *dubia* Bell. Mem. Tur. 5, 7.  
 — Falconeri Thomson. Hook. Ic. pl. 9, 899.  
 — *fragifera* L. Jacq. Ic. 103.  
 — — Jacq. Rehb. Fl. germ. 4, 50.  
 — *fulgens* Gay. Rehb. Ic. crit. 3, 201.  
 — *tumariæfolia* Juss. Ann. Mus. 3, 20.  
 — *grandiflora* Hoppe. Rehb. Fl. germ. 4, 51.  
 — *groenlandica* Oed. Fl. dan. 4, 566.  
 — — Tratt. Arch. 20.  
 — *Hackelii* Pohl. Sturm Flora 12, 46.  
 — *Halleri* All. All. Fl. ped. 3, 80.  
 — — Lodd. Cab. 940.  
 — — var. *Linnaea* 15, 1, 2.  
 — *Hepatica* L. Bot. Mag. 1, 10.  
 — — Fl. dan. 4, 610.  
 — — Sv. Bot. 141.  
 — — Sibth. Fl. gr. 513.  
 — — Schk. Handb. 150.  
 — — Dreves 5, 140.  
 — — Hayne 1, 21.  
 — — Sturm Flora 2, 7.  
 — — Tratt. Arch. 253.  
 — — Herb. amat. 1, 61.  
 — *hepaticifolia* Hook. Hook. Ic. pl. 1.  
 — *hortensis* L. Bot. Mag. 4, 123.  
 — — Sibth. Fl. gr. 515.  
 — — Rehb. Fl. germ. 4, 50.  
 — — Sturm Flora 12, 46.  
 — *Jamæsoni* Hook. Hook. Ic. pl. 670.  
 — *japonica* Zucc. Sieb. Fl. Jap. 5.  
 — — Bot. Reg. 31, 66.  
 — — Bot. Mag. 73, 4341.  
 — — Paxt. Mag. 14, 25.  
 — — Fl. d. serres 2, 10.  
 — *intermedia* Schult. Rehb. Fl. germ. 4, 53.  
 — *isopyroides* Juss. Ann. Mus. 3, 20.  
 — *micrantha* Klotzsch. Prinz Waldem. Him. 38.  
 — *montana* Hoppe. Sturm Flora 12, 46. 20, 90.  
 — *multifida* Poir. Deless. Ic. 1, 16. 17.  
 — — Torr. New York 2.  
 — *narcissiflora* L. Bot. Mag. 28, 1120.  
 — — Jacq. Fl. austr. 2, 159.  
 — — Krock. Fl. sil. 2, 19.  
 — — Zollik. Alp. 9.  
 — — Rehb. Fl. germ. 4, 48.  
 — *nemorosa* L. Curt. Lond. 1, 122.  
 — — Engl. Bot. 5, 355.  
 — — Fl. dan. 4, 549.  
 — — Sv. Bot. 3.  
 — — Schk. Handb. 150.  
 — — Dreves 1, 2.  
 — — Liboschitz Pet. 17.  
 — — var. Tratt. Arch. 247. 248.  
 — — Hayne 1, 24.  
 — — Br. und Ratzeb. 31.  
 — — Rehb. Fl. germ. 4, 47.  
 — — Dietr. Fl. bor. 3, 163.  
 — — Schrank Fl. monac. 1, 82.  
 — — Sturm Flora 4, 14.  
 — — Baxter Br. Bot. 1, 43.  
 — *obtusiloba* Don. Bot. Reg. 30, 65.  
 — *palmata* L. Bot. Reg. 3, 200.  
 — — Andr. Rep. 3, 172.  
 — — Lodd. Cab. 175.  
 — — var. *lutea*, Lodd. Cab. 1660.  
 — — var. *albida*, Bot. Mag. 46, 2079.  
 — *patens* L. var. *ochroleuca*, Bot. Mag. 45, 1994.  
 — — Sturm Flora 12, 46. 13, 52.  
 — *pavonina* Lam. Rehb. Fl. germ. 4, 49.  
 — —  $\beta$ . *fulgens*, Mutel Fl. fr. 1.  
 — *pennsylvanica* L. Hook. Bor. Am. 3.

- Anemone pennsylvanica* L. Gray Gen. 4.  
 — *pratensis* L. Fl. dan. 4, 611.  
 — — Schk. Handb. 150.  
 — — Sv. Bot. 299.  
 — — Lodd. Cab. 900.  
 — — Dreves 5, 142.  
 — — Hayne 1, 23.  
 — — Guimp. et Schl. 68.  
 — — Nees Düsseldorf. 388.  
 — — Krock. Fl. sil. 2, 15.  
 — — Sturm Flora 12, 46. 20, 90.  
 — — Woodv. Med. 3, 167.  
 — — var. *Linnaea* 15, 4.  
 — — var. *obsoleta*, Bot. Mag. 44, 1863.  
 † *Pulsatilla* L. Lam. Encycl. 496.  
 — — Fl. dan. 1, 153.  
 — — Relhan Fl. cant. 3.  
 — — Curt. Lond. 4, 44.  
 — — Engl. Bot. 1, 51.  
 — — Sv. Bot. 292.  
 — — Dreves 5, 141.  
 — — Liboschitz Pet. 1.  
 — — Hayne 1, 22.  
 — — Sturm Flora 12, 46. 20, 89.  
 — — Nees Düsseldorf. 389.  
 — — *Linnaea* 15, 3.  
 — *pusilla* DC. Delessert Ic. 1, 13.  
 — *quinquefolia* L. Barton Fl. 2, 39.  
 — *ranunculoides* L. Fl. dan. 1, 140.  
 — — Lodd. Cab. 536.  
 — — Engl. Bot. 21, 1484.  
 — — Sv. Bot. 405.  
 — — Liboschitz Pet. 34.  
 — — Rehb. Fl. germ. 4, 47.  
 — — Dietr. Fl. bor. 3, 164.  
 — — Sturm Flora 2, 7.  
 — — Krock. Fl. sil. 2, 18.  
 — — Schrank Fl. monac. 4, 360.  
 — — Engelmann Anthol. 1.  
 — *reflexa* Steph. Delessert Ic. 1, 15.  
 — *Richardsoni* Hook. Hook. Bor. Am. 4.  
 — *rivularis* Buchanan. Bot. Reg. 28, 8.  
 — *rupicola* Jacq. Jacquemont Ind. 2.  
 — *silvestris* L. Bot. Mag. 2, 54.  
 — — Schk. Handb. 150.  
 — — Lodd. Cab. 1739.  
 — — Rehb. Fl. germ. 4, 50.  
 — — Dietr. Fl. bor. 3, 165.  
 — *stellata* Lam. Risso Fl. de Nice 1.  
 — — Rehb. Fl. germ. 4, 50.  
 — —  $\beta$ . *purpurea*, Sweet Fl. G. 112.  
 — *sulphurea* L. Rehb. Fl. germ. 4, 51.  
 — *thalictroides* Juss. Barton Fl. 2, 44.  
 — — Ann. Mus. 3, 21.  
 — — Willd. Hort. 44.  
 — — Bot. Mag. 22, 866.  
 — — Lodd. Cab. 770. 964.  
 — *trifolia* L. Sturm Flora 4, 14.  
 — — var. Tratt. Arch. 249. 250.  
 — — Rehb. Fl. germ. 4, 48.  
 — *trilobata* Juss. Ann. Mus. 3, 21.  
 — *triternata* Vahl. Vahl Symb. 65.  
 — — Lam. Encycl. 496.  
 — *umbellata* Willd. Delessert Ic. 1, 18.  
 — *umbrosa* Led. Ledeb. Ic. 118.  
 — *Yahlilii* Hornem. Fl. dan. 13, 2176.  
 — *vernalis* L. Fl. dan. 1, 29.  
 — — Sv. Bot. 637.  
 — — Sturm Flora 6, 24.  
 — *virginiana* L. Gaertn. Carp. 74.  
 — — Hook. Bor. Am. 4.  
 — *vitifolia* Buchan. Bot. Reg. 16, 1385.

- Anemone vitifolia* *Burhan.* Bot. Mag. 62, 3376.  
 — — *Wall.* Maund Bot. 1, 9.  
 — — *Wightiana* *Wall.* Hook. Ic. pl. 176.  
 — — — *Wight* Ic. pl. Ind. 3, 936.  
 — — — *Wight* Spicil. 4.  
 — — *Wolfgangiana* *Bess.* Rehb. Ic. crit. 4, 351.  
*Anemonopsis californica* *Hook.* Hook. Beech. 92.  
 † — *macrophylla* *S. et Z.* Muenchn. Abh. 4, 1.  
*Anerincleistus hirsutus* *Korth.* Korth. Bot. 68.  
 † *Anethum* *L.* Gaertner Carp. 21. — Lam. Encycl. 204.  
 — *Foeniculum* *L.* Engl. Bot. 17, 1208.  
 — — — *Rousseau* Bot. 30.  
 — — — *Hayne* 7, 18.  
 — — — *Nees Düsseld.* 276.  
 — — — *Wagner* 102.  
 — — — *Woodv. Med.* 1, 49.  
 — *graveolens* *L.* Schk. Handb. 77.  
 — — — *Fl. dan.* 9, 1572.  
 — — — *Hayne* 7, 17.  
 — — — *Guimp. et Schl.* 126.  
 — — — *Nees Düss. Suppl.* 8.  
 — — — *Woodv. Med.* 1, 48.  
 — *Panmori* *Roxb.* Wight Ic. Ind. or. 2, 570.  
 — *segetum* *L.* Jacq. Vind. 132.  
 — *Sowa* *Roxb.* Wight Ic. Ind. or. 2, 572.  
*Aneuriscus exserens* *Presl.* Presl Symb. 48.  
 † *Angelica Archangelica* *L.* Gaertn. Carp. 85:  
 † — — — *Lam. Encycl.* 198.  
 — — — *Fl. dan.* 2, 206.  
 — — — *Engl. Bot.* 36, 2561.  
 — — — *Sv. Bot.* 633.  
 — — — *Hayne* 7, 8.  
 — — — *Guimp. et Schl.* 193.  
 — — — *Nees Düsseld.* 278, 279.  
 — — — *Wagner* 215, 216.  
 — — — *Woodv. Med.* 1, 35.  
 — *lucida* *L.* Jacq. Vind. 3, 24.  
 — *nemorosa* *Ten.* Ten. Fl. nap. 231.  
 — *Razoulii* *Gouan.* Gouan Ill. 6.  
 —? *rosaeifolia* *Hook.* Hook. Ic. pl. 581.  
 — *scabra* *Petit.* Ann. d'observ. 1, 3.  
 — *silvestris* *L.* Schk. Handb. 68.  
 — — — *Sv. Bot.* 303.  
 — — — *Hayne* 7, 9.  
 — — — *Guimp. et Kl.* 18.  
 — — — *Fl. dan.* 10, 1639.  
 — — — *Engl. Bot.* 16, 1128.  
 — — — *Woodv. Med.* 1, 36.  
 — — — *Ger.* Baxter Br. Bot. 6, 491.  
 — *verticillaris* *L.* Jacq. Vind. 130.  
*Angelonia angustifolia* *Benth.* Journ. Hort. Soc. 3, 243.  
 — *cornigera* *Hook.* Bot. Mag. 67, 3848.  
 — *Gardneri* *Hook.* Bot. Mag. 66, 3754.  
 — *salicariaefolia* *H. B.* Humb. Pl. acq. 108.  
 † — — — *Lam. Encycl.* 970.  
 — — — *Bot. Mag.* 51, 2478.  
 — — — *Bot. Reg.* 5, 415.  
 — — — *Paxt. Mag.* 5, 75.  
*Angianthus tomentosus* *Wendl.* Wendl. Coll. 48.  
 † *Angiopteris Sw.* Schrad. Journ. 1801, 2.  
 † — — — *Kaulf. Enum.* 1.  
 — — — *evecta* *Hoffm.* Comm. Gott. 12, 5.  
 — — — *Schk. Fil.* 150.  
 † — — — *Hook. Gen. Fil.* 10.  
 — — — *Hook. Ic. Fil.* 36.  
 — — *Hügeliana* *Presl.* Prager Abh. 6, 2.  
 — *macrocephala* *Presl.* Prag. Abh. 6, 3.  
 — *pruinosa* *Kze.* Kunze Fil. 91.  
*Angophora cordifolia* *Cav.* Cav. Ic. 338.  
 — *lanceolata* *Cav.* Cav. Ic. 339.  
*Angorechis* *Aub.* Aubert Orch. 48.  
*Angraecum aphyllum* *Aub.* Aubert Orch. 72.

- Angraecum apiculatum* *Hook.* Bot. Mag. 71, 4159.  
 — *bilobum* *Ldl.* Bot. Reg. 27, 35.  
 — *Calceolus* *Aub.* Aubert Orch. 77.  
 † — — — *Mem. hist. nat. Par.* 4, 10.  
 — *carpophorum* *Aub.* Aubert Orch. 75.  
 — *caudatum* *Ldl.* Bot. Mag. 74, 4370.  
 — — — *Bot. Reg.* 22, 1844.  
 — *caulescens* *Aub. Th.* Aubert Orch. 74.  
 † — — — *Mem. hist. nat. Par.* 4, 10.  
 — — — *Hook. Journ.* 1834, 117.  
 — *citratum* *Aub. Th.* Aubert Orch. 61.  
 — *crassum* *Aub. Th.* Aubert Orch. 71.  
 —  *cucullatum* *Aub. Th.* Aubert Orch. 48.  
 — *distichum* *Ldl.* Bot. Mag. 71, 4145.  
 — — — *Bot. Reg.* 21, 1781.  
 — *eburneum* *Bory.* Aubert Orch. 65.  
 — — — *Bory* Des d'Afr. 19.  
 — — — *Bot. Reg.* 18, 1522.  
 — *clatum* *Aub. Th.* Aubert Orch. 78, 79.  
 — *expansum* *Aub. Th.* Aubert Orch. 57.  
 — *filicorne* *Aub. Th.* Aubert Orch. 52.  
 — *fragrans* *Aub. Th.* Aubert Orch. 54.  
 — *funale* *Ldl.* Bot. Mag. 73, 4295.  
 — *gladiifolium* *Aub. Th.* Aubert Orch. 53.  
 — — — *Bot. Reg.* 26, 68.  
 — *gracile* *Aub. Th.* Aubert Orch. 76.  
 — *implicatum* *Aub. Th.* Aubert Orch. 58.  
 — *inapertum* *Aub. Th.* Aubert Orch. 50.  
 — *maculatum* *Ldl.* Ldl. Coll. 15.  
 — — — *Bot. Reg.* 8, 618.  
 — *micranthum* *Ldl.* Bot. Reg. 21, 1772.  
 — *monophyllum* *A. Rich.* Mem. hist. nat. Par. 4, 9.  
 — *multiflorum* *Aub. Th.* Aubert Orch. 73.  
 — *palmatum* *Aub. Th.* Aubert Orch. 68.  
 † — — — *Mem. hist. nat. Par.* 4, 10.  
 — *parviflorum* *Aub. Th.* Aubert Orch. 60.  
 — *pectinatum* *Aub. Th.* Aubert Orch. 51.  
 † — — — *Mem. hist. nat. Par.* 4, 10.  
 — — — *Hook. Journ.* 1834, 116.  
 — *pellucidum* *Ldl.* Bot. Reg. 30, 2.  
 † *polystachyum* *A. Rich.* Mem. hist. nat. Par. 4, 10.  
 — *ramosum* *Aub. Th.* Aubert Orch. 59.  
 — *rectum* *Aub. Th.* Aubert Orch. 55.  
 — *recurvum* *Aub. Th.* Aubert Orch. 56.  
 — *sesquipedale* *Aub. Th.* Aubert Orch. 66, 69.  
 — *striatum* *Aub. Th.* Aubert Orch. 72.  
 — *superbum* *Aub. Th.* Aubert Orch. 62, 63.  
 — *triquetrum* *Aub. Th.* Aubert Orch. 49.  
 † *Anguillaria bahamensis* *Gaertn.* Gaertn. Carp. 77.  
 — *dioica* *R. Br.* Endl. Iconogr. 3.  
 — *indica* *R. Br.* Wall. Pl. as. rar. 259.  
 — *pyramidalis* *Cav.* Cav. Ic. 502.  
 — *serrata* *Cav.* Cav. Ic. 503.  
 † — *zeylanica* *Gaertn.* Gaertn. Carp. 77.  
 † *Anguloa* *Rz et Pav.* Rz et Pav. Prodr. 26.  
 — *Clovesii* *Ldl.* Bot. Mag. 73, 4313.  
 — — — *Bot. Reg.* 30, 63.  
 — *grandiflora* *H. B. K.* Bot. Reg. 22, 1837.  
 — *Hohenlohii* *Morr.* Belgique hort. 3, 31.  
 — *lurida* *Lk.* Preuss. Gart. Verein 1, 6.  
 — — — *Bot. Reg.* 20, 1667.  
 — — — *Körn. Hort.* 711.  
 — *Ruckeri* *Ldl.* Bot. Reg. 32, 41.  
 — *squalida* *P. et E.* Poepp. et Endl. 74.  
 — *superba* *H. B. K.* H. B. K. Nov. Gen. 1, 93.  
 — — — *Lam. Encycl.* 991.  
 — *uniflora* *Rz et Pav.* Bot. Reg. 30, 60.  
*Anguria Makoyana* *Ch. Lem.* Paxt. Mag. 16, 323.  
 — — — *Fl. d. serres* 3, 222.  
 — *pedata* *L.* Jacq. Hist. stirp. am. 233.  
 — — — *Lam. Encycl.* 747.  
 — *rhizantha* *P. et E.* Poepp. et Endl. 171.

- Anguria speciosa* P. et E. Poepp. et Endl. 169.  
 — *spinulosa* P. et E. Poepp. et Endl. 170.  
 — *trifoliata* L. Desc. Ant. 5, 330.  
 — *trilobata* L. Jacq. Hist. stirp. am. 234.  
*Angustara officinarum* Mem. Instit. 1811, 10.  
*Ania bicornis* Ldl. Bot. Reg. 30, 8.  
 — *latifolia* Lindl. Wight Ic. pl. Ind. 3, 914.  
*Aniba guianensis* Aubl. Aubl. Guian. 126.  
 — — — Lam. Encycl. 298.  
*Anictoclea Grahamiana* Nimmo. Wight Ic. pl. Ind. 6, 1956.  
*Anigosanthus coccineus* Paxt. Mag. 5, 271.  
 — *flavidus* Red. Red. Lil. 3, 176.  
 — — — Bot. Mag. 29, 1151.  
 — — — Tratt. Arch. 192.  
 — — — Rehb. Exot. 177.  
 — — — Lodd. Cab. 1282.  
 — — — Bot. Reg. 24, 37, 64.  
 — *fuliginosus* Hook. Bot. Mag. 73, 4291.  
 — *grandiflorus* Salisb. Salisb. Par. 97.  
 — *humilis* Ldl. Swan River 6.  
 — *Manglesii* Don. Bot. Mag. 67, 3875.  
 — — — Sweet Fl. G. II, 265.  
 — — — Maund Bot. 2, 67.  
 — — — var. Bot. Reg. 23, 2012.  
 — *pulcherrimus* Hook. Bot. Mag. 71, 4180.  
 — — — Fl. d. serres 2, 30, 31.  
 — *tyrianthinus* Hook. Bot. Mag. 76, 4507.  
 — — — Lem. Jard. fl. 40.  
*Anisadenia saxatilis* Wall. Reg. Denkschr. 3, 3.  
*Anisanthus Cunonia* Sweet. Lodd. Cab. 1971.  
 — *Plantii* Hort. Bot. Reg. 28, 53.  
 — *splendens* Hort. Sweet Fl. G. II, 84.  
 † *Aniscia Choisy*. Mem. Genev. 6, 2.  
 — *calycina* Choisy. Wight Ic. pl. Ind. or. 3, 833.  
 † — — — Wight Illustr. 168<sup>b</sup>.  
 — *cernua* Moric. Moric. Pl. Am. 38.  
 — *nitens* Choisy. Mem. Genev. 8, 4.  
 — *uniflora* Choisy. Wight Ic. pl. Ind. or. 3, 850.  
*Anisochoeta mikanioides* DC. Delessert Ic. 4, 9.  
*Anisochilus albidus* Wight. Wight Ic. pl. Ind. 4, 1436.  
 — *carnosus* Wall. Rheede Hort. mal. 10, 90.  
 † — — — Wight Illustr. 176<sup>b</sup>.  
 — *dysophylloides* Benth. Wight Ic. pl. Ind. 4, 1434.  
 — *purpureus* Wight. Wight Ic. pl. Ind. 4, 1435.  
 — *suffruticosus* Wight. Wight Ic. pl. Ind. 4, 1437.  
 † *Anisogonium decussatum* Presl. Hook. Gen. Fil. 56.  
 † — *silvaticum* Presl. Hook. Gen. Fil. 56.  
*Anisomeles cuneata* Jacq. Jacq. Ecl. pl. 127.  
 — *malabarica* R. Br. Bot. Mag. 46, 2071.  
 — — — Hook. Journ. 1834, 127.  
 — — — Wight Ic. pl. Ind. 864.  
 — *ovata* R. Br. Rheede Hort. mal. 10, 88.  
 — — — Jacq. Ecl. pl. 86.  
 — — — Wight Ill. in Hook. 19.  
 — — — Wight Ic. pl. Ind. 3, 865.  
*Anisomeris spinosa* Presl. Presl. Symb. 54.  
*Anisomena multiflora* Wight. Wight Ic. pl. Ind. 5, 1899.  
*Anisopetalum Careyanum* Hook. Hook. Ex. Fl. 149.  
*Anisopogon avenaceus* R. Br. Humb. Gram. 62.  
 † — — — Lam. Encycl. 907.  
*Anisoptera costata* Korth. Korth. Bot. 6.  
 † — *marginata* Korth. Korth. Bot. 6.  
*Anisosciadium orientale* DC. DC. Umbell. 15.  
*Anisotome antipoda* Hook. Hook. Fl. ant. 9, 10.  
 — *latifolia* Hook. Hook. Fl. ant. 8.  
 † *Anisum vulgare* Gaertn. Gaertn. Carp. 23.  
*Anneslea falcifolia* Salisb. Salisb. Par. 64.  
 — *fragrans* Wall. Wall. Pl. asiat. 5.  
 — *spinosa* Andr. Andr. Rep. 10, 618.  
 † *Annesorhiza Chamisso*. Linnaea 1, 5.  
*Anoda brachyantha* Rehb. Rehb. Hort. 34.  
 — *Dillenii* Cav. Cav. Diss. 11.

- Anoda hastata* Cav. Cav. Diss. 11.  
 — — — Gray Gen. 124.  
 — *parviflora* Cav. Cav. Ic. 431.  
 — — — Rehb. Hort. 44.  
 — *triloba* Cav. Cav. Diss. 10.  
*Anodendron Candolleum* Wight. Wight Ic. pl. Ind. 4, 1309.  
*Anoectochilus Jaubertii* Gauchd. Gauchd. Bonite 100.  
 — *Lobbianus* Planch. Fl. d. serres 5, 519.  
 † — *setaceus* Bl. Blume Tabellen 15.  
 — — — Bot. Mag. 70, 4123.  
 — — — Bot. Reg. 23, 2010.  
 — — — Fl. d. serres 2, 15.  
 — — — Wight Ic. Ind. or. 5, 1731.  
*Anogcissus leiocarpus* Guill. Guill. Seneg. 65.  
 † *Anogramme leptophylla* L. Fée Fil. 5, 19.  
 † — *refracta* Fée. Fée Fil. 5, 19.  
*Anomatheca cruenta* Ldl. Bot. Reg. 16, 1365.  
 — — — Paxt. Mag. 1, 103.  
 — — — Lodd. Cab. 1857.  
 — *júncea* Ker. Rehb. Hort. 111.  
*Anomochloa macrantoidea* Ad. Br. Ann. sc. nat. III. 16, 23.  
*Anomostephium bupthalmoides* DC. Delessert Ic. 4, 32.  
 † *Anona africana* L. Wendl. Beob. 3.  
 — *Ambotay* Aubl. Aubl. Guian. 249.  
 — *amplexicaulis* Lam. Dunal Anon. 7.  
 — *bibracteata* Hook. Hook. Ic. pl. 328.  
 — *bullata* A. Rich. Ramon Cuba 5.  
 † — *cancellata* Mart. Endl. Bras. 2, 5.  
 — *cinerea* DC. Dunal Anon. 8.  
 — *coriacea* Mart. Endl. Bras. 2, 1.  
 — *crassiflora* Mart. Endl. Bras. 2, 2, 5.  
 — *echinata* Dun. Dunal Anon. 4.  
 — *furfuracea* St. Hil. St. Hil. Fl. Bras. 6.  
 — *grandiflora* Lam. Dunal Anon. 6, 6<sup>a</sup>.  
 — *Humboldtii* Dun. Dunal Anon. 3.  
 — *laurifolia* Dunal. Bot. Reg. 16, 1328.  
 — *longifolia* Aubl. Aubl. Guian. 248.  
 † — *microcarpa* Jacq. Jacq. Fragm. 44.  
 — *mucosa* Jacq. Rumpf Amb. 1, 45.  
 — *muricata* L. Jacq. Obs. 5.  
 — — — Jacq. Hist. stirp. am. 161.  
 — — — Tuss. Ant. 2, 24.  
 — — — Desc. Ant. 2, 81.  
 † — *Myristica* Gaertn. Gaertn. Carp. 125.  
 — *obtusiflora* Tuss. Tuss. Ant. 1, 28.  
 — *paludosa* Aubl. Aubl. Guian. 246.  
 — *palustris* L. St. Hil. Pl. us. 30.  
 — — — Bot. Mag. 72, 4226.  
 — *punctata* Aubl. Aubl. Guian. 247.  
 — *purpurea* M. et Sessé. Dunal Anon. 2.  
 — *reticulata* L. Rheede Hort. mal. 3, 30, 31.  
 † — — — Jacq. Obs. 6.  
 — — — Tuss. Ant. 1, 29.  
 — — — Desc. Ant. 2, 82.  
 — — — Kern. Hort. 431.  
 — — — Bot. Mag. 56, 2911, 2912.  
 — *senegalensis* Pers. Delessert Ic. 1, 86.  
 — *sericea* Dun. Dunal Anon. 5.  
 — *spinescens* Mart. Endl. Bras. 2, 4.  
 — *squamosa* L. Rheede Hort. mal. 3, 29.  
 — — — Rumpf Amb. 1, 46.  
 — — — Jacq. Hist. stirp. am. 162.  
 — — — Jacq. Obs. 6.  
 † — — — Gaertn. Carp. 138.  
 † — — — Lam. Encycl. 494.  
 — — — Gil et Xarez 14.  
 — — — Tuss. Ant. 3, 4.  
 † — — — Mem. Genev. 5, 5.  
 — — — Dict. sc. nat. 118.  
 — — — Bot. Mag. 58, 3095.

- † *Anona squamosa* L. Blume Jav. 1, 53.  
 † — — — — — Endl. Bras. 2, 5.  
 — *sylvatica* St. Hil. St. Hil. Pl. us. 29.  
 — *tenuiflora* Mart. Endl. Bras. 2, 3.  
 — *triloba* L. Michaux Arb. 3, 9.  
 — — — — — Schk. Handb. 149.  
 † — *tripetala* Ait. Wendl. Beob. 3.  
 — — — — — Bot. Mag. 45, 2011.  
 — *uniflora* DC. Delessert Ic. 1, 87.  
 † Anonaceae Dunal. Schnizl. Ic. 174.  
*Anoplanthus uniflorus* Endl. Endl. Iconogr. 72.  
 † — — — — — Wight Illustr. 153<sup>b</sup>.  
*Anopterus glandulosa* Lab. Bill. Nov. Holl. 112.  
 — — — — — Lam. Encycl. 939.  
 — — — — — Bot. Mag. 74, 4377.  
*Anquetilea Laureola* Decne. Jacq. Ind. 161.  
 † *Anredera vesicaria* Gaertn. Gaertn. Carp. 213.  
*Ansellia africana* Ldl. Bot. Reg. 32, 30.  
 — — — — — Paxt. Mag. 13, 241.  
 † *Antelaea javanica* Gaertn. Gaertn. Carp. 58.  
*Antennaria contorta* Don. Bot. Reg. 7, 605.  
 † — *dioica* Gaertn. Gaertn. Carp. 167.  
 — — — — — Dietr. Fl. bor. 10, 684.  
 — *hyperborea* Don. Engl. Bot. 2640.  
 — *triplinervis* Sims. Bot. Mag. 51, 2468.  
*Anthadenia sesamoides* Ch. Lem. Fl. d. serres 2, 35.  
 † *Anthemis* L. Lam. Encycl. 683.  
 † — — — — — Mutel Fl. fr. 31.  
 — *ageratifolia* Sibth. Sibth. Fl. gr. 885.  
 — *alpina* L. Jacq. Fl. austr. 5, 30.  
 — — — — — Sturm Flora 5, 19.  
 — *altissima* Sibth. Sibth. Fl. gr. 881.  
 — *apiifolia* R. Br. Bot. Reg. 7, 527.  
 — *arabica* L. Linné Hort. Cliff. 24.  
 — — — — — Smith Spic. 10.  
 — *artemisiaefolia* Willd. Herb. amat. 4, 276.  
 — *arvensis* L. Fl. dan. 7, 1178.  
 — — — — — Engl. Bot. 9, 602.  
 — — — — — Sturm Flora 7, 27.  
 — — — — — Dreves 4, 126.  
 — — — — — Hayne 1, 5.  
 — — — — — Schrank Fl. monac. 4, 312.  
 † — — — — — Nees Gen. X, x.  
 — *australis* Willd. Sibth. Fl. gr. 886.  
 — *austriaca* Jacq. Jacq. Fl. austr. 5, 444.  
 † — — — — — Schk. Handb. 254.  
 — — — — — Rehb. Ic. crit. 4, 329.  
 — *Barrelieri* Ten. Ten. Fl. nap. 81.  
 — *Boveana* Gay. Expl. Alger. 60.  
 — *buphthalmoides* Jacq. Jacq. Schoenbr. 2, 151.  
 — *cairica* Vis. Vis. Aegypt. 6.  
 — *chia* L. Sibth. Fl. gr. 884.  
 — — — — — Guss. Pl. rar. 60.  
 — *chrysantha* Gay. Expl. Alger. 60.  
 — *coarctata* Sibth. Sibth. Fl. gr. 889.  
 † — *Cota* L. Gaertn. Carp. 169.  
 † — — — — — Schk. Handb. 254.  
 — — — — — Sibth. Fl. gr. 880.  
 — *Cotula* L. Curt. Lond. 1, 143.  
 — — — — — Fl. dan. 7, 1179.  
 — — — — — Schk. Handb. 254.  
 — — — — — Dreves 4, 127.  
 — — — — — Hayne 1, 6.  
 — — — — — Sv. Bot. 429.  
 — — — — — Engl. Bot. 25, 1772.  
 — — — — — Bart. Med. 14.  
 — — — — — Nees Düss. Suppl. 78.  
 — — — — — Baxter Br. Bot. 5, 328.  
 — *discoidea* Sibth. Sibth. Fl. gr. 890.  
 — *fuscata* Brot. Brot. Phyt. 28.  
 — — — — — Willd. Bivona Pl. sic. 2, 1.  
 — *globosa* Ort. Jacq. Schoenbr. 3, 372.

- Anthemis incisa* Viv. Viv. Fl. ital. 11.  
 — *indurata* Del. Delile Egypt. 47.  
 — *maritima* Sm. Sibth. Fl. gr. 882.  
 — — — — — Engl. Bot. 33, 2370.  
 — *melampodina* Del. Delile Egypt. 45.  
 — *membranacea* Lab. Bill. Syr. 3, 9.  
 — *nobilis* L. Hayne 10, 47.  
 — — — — — Sturm Flora 7, 27.  
 — — — — — Guimp. et Schl. 192.  
 — — — — — Nees Düsseld. 244.  
 — — — — — Wagner 125.  
 — — — — — Engl. Bot. 14, 980.  
 — — — — — Woodv. Med. 1, 19.  
 — *peregrina* L. Sibth. Fl. gr. 383.  
 — *petraea* Ten. Ten. Fl. nap. 82.  
 — *pontica* Willd. Sibth. Fl. gr. 885.  
 — *punctata* Vahl. Vahl Symb. 46.  
 — — — — — Desf. Fl. atl. 239.  
 — *Pseudo-Cota* Vis. Vis. Dalm. 50.  
 — *Pyrethrum* L. Bot. Mag. 13, 462.  
 — — — — — Woodv. Med. 1, 20.  
 — — — — — Nees Düsseld. 243.  
 — — — — — Wagner 236.  
 — *repanda* L. Brot. Phyt. 27.  
 — *rigescens* Willd. Willd. Hort. 62.  
 — *rosea* Sibth. Sibth. Fl. gr. 887.  
 — *secundiramea* Biv. Bivona Pl. sic. 2, 2.  
 — *styriaca* Vest. Rehb. Ic. crit. 2, 118.  
 — *tinctoria* L. Fl. dan. 5, 741.  
 — — — — — Sv. Bot. 62.  
 — — — — — Engl. Bot. 21, 1472.  
 — — — — — Dietr. Fl. bor. 9, 641.  
 — *tomentosa* L.? Fl. dan. 4, 685.  
 — *tuberculata* Boiss. Boiss. Esp. 90.  
*Anthephora elegans* Schreb. Schreb. Gr. 44.  
*Anthericum alooides* L. Lam. Encycl. 240.  
 — — — — — Red. Lil. 5, 283.  
 — — — — — DC. Pl. grasses 26.  
 — — — — — Lodd. Cab. 996.  
 — — — — — Bot. Mag. 32, 1317.  
 — *annuum* L. DC. Pl. grasses 8.  
 — — — — — Red. Lil. 7, 397.  
 — — — — — Bot. Mag. 35, 1451.  
 — *asphodeloides* L. Jacq. Vind. 181.  
 — — — — — DC. Pl. grasses 163.  
 — *baeticum* Steud. Boiss. Esp. 172.  
 — *bicolor* Desf. Desf. Fl. atl. 90.  
 — *bipedunculatum* Jacq. Jacq. Ic. 410.  
 — *bulbosum* R. Br. Bot. Mag. 57, 3017.  
 — *calyculatum* L. Linné Fl. lapp. 10.  
 — — — — — Fl. dan. 1, 36.  
 — — — — — Lightf. Fl. scot. 1, 8.  
 — *canaliculatum* Ait. Bot. Mag. 28, 1124.  
 — — — — —  $\beta$ . rufum H. B. K. Bot. Reg. 11, 877.  
 — *ciliatum* Jacq. Jacq. Schoenbr. 4, 413.  
 — *coarctatum* R<sub>z</sub> et P. Ruiz et Pav. 299.  
 — *coeruleum* R<sub>z</sub> et P. Ruiz et Pav. 299.  
 — *costatum* Don. Andr. Rep. 5, 298.  
 — *divaricatum* Jacq. Jacq. Schoenbr. 4, 414.  
 — *ecceremorrhizon* R<sub>z</sub> et P. Ruiz et Pav. 301.  
 — *exuviatum* Jacq. Jacq. Ic. 415.  
 † — — — — — Jacq. Collect. 5, 14.  
 — *filifolium* Jacq. Jacq. Ic. 414.  
 — *flexifolium* L. Jacq. Ic. 412.  
 — *fragrans* Jacq. Jacq. Schoenbr. 1, 86.  
 † — *frutescens* L. Gaertn. Carp. 16.  
 — — — — — Lam. Encycl. 240.  
 — — — — — DC. Pl. grasses 14.  
 — — — — — Red. Lil. 5, 284.  
 — — — — — Bot. Mag. 21, 816.  
 — — — — — Bot. Reg. 4, 311.  
 — *glaucum* R<sub>z</sub> et P. Lodd. Cab. 1580.

- Anthericum glaucum* *Rz et P.* Bot. Mag. 64, 3610.  
 — *gracuum* *L.* Bill. Syr. 5, 8.  
 — — *Sibth.* Fl. gr. 336.  
 — *hispidum* *L.* Jacq. Ic. 409.  
 — *latifolium* *L.* Jacq. Ic. 408.  
 — *Liliago* *L.* Jacq. Vind. 83.  
 † — — *Gaertn.* Carp. 16.  
 — — — Fl. dan. 4, 616.  
 — — — Red. Lil. 5, 269.  
 — — — Sv. Bot. 403.  
 — — — Dietr. Fl. bor. 1, 53.  
 — — — Rehb. Fl. germ. 10, 512.  
 † — — — Nees Gen. 2, 54.  
 — *Liliastrum* *L.* Bot. Mag. 9, 318.  
 — — — Rehb. Exot. 200.  
 — *longifolium* *Jacq.* Jacq. Ic. 413.  
 — *longiscapum* *Jacq.* Jacq. Ic. 404.  
 — — — Red. Lil. 8, 423.  
 — — — Bot. Mag. 33, 1339.  
 — *milleflorum* *Red.* Red. Lil. 1, 58.  
 — *nutans* *Jacq.* Jacq. Ic. 407.  
 — *ossifragum* *L.* Fl. dan. 1, 42.  
 — *paniculatum* *Andr.* Andr. Rep. 6, 395.  
 — *physodes* *Jacq.* Jacq. Ic. 418.  
 — *pilosum* *Jacq.* Jacq. Ic. 416.  
 — *planifolium* *L.* Brot. Phyt. 44.  
 — *plumosum* *Rz et P.* Ruiz et Pav. 300.  
 — — — Bot. Mag. 58, 3084.  
 — *pomeridianum* *Ker.* Bot. Reg. 7, 564.  
 — *pomerisum* *Jacq.* Jacq. Ic. 406.  
 — *pugioniforme* *Jacq.* Jacq. Ic. 405.  
 — — — Andr. Rep. 6, 386.  
 — — — Bot. Mag. 35, 1454.  
 — *pusillum* *Jacq.* Jacq. Ic. 417.  
 — *ramosum* *L.* Jacq. Fl. austr. 2, 161.  
 — — — Schk. Handb. 95.  
 — — — Fl. dan. 7, 1157.  
 — — — Sv. Bot. 671.  
 — — — Schrank Fl. monac. 1, 96.  
 — — — Sturm Flora 13, 56.  
 — — — Dietr. Fl. bor. 1, 54.  
 — — — Rehb. Fl. germ. 10, 511.  
 — *reflexum* *Cav.* Cav. Ic. 241.  
 — *revolutum* *L.* Bot. Mag. 26, 1044.  
 — *rostratum* *Jacq.* Jacq. Ic. 403.  
 — *semibarbatum* *R. Br.* Lodd. Cab. 330.  
 — — — Bot. Mag. 59, 3129.  
 — *serotinum* *L.* Jacq. Fl. austr. 5, 38.  
 — — — Sturm Fl. 7, 28.  
 — — — Engl. Bot. 12, 793.  
 — — — Baxter Br. Bot. 6, 464.  
 — *subtrigynum* *Jacq.* Jacq. Ic. 419.  
 — *sulphureum* *W. et K.* W. et Kit. 95.  
 — — — Bot. Mag. 53, 2623.  
 — *trinervium* *Viv.* Viv. Lib. 8.  
 — *tuberosum* *Roxb.* Roxb. Corom. 138.  
 — *undulatum* *Jacq.* Jacq. Ic. 411.  
 — *vesperinum* *Jacq.* Jacq. Schoenbr. 1, 85.  
 — — — Bot. Mag. 26, 1040.  
 — *villosum* *Lab.* Bill. Syr. 5, 9.  
*Antherura rubra* *Lour.* Rumpf Amb. 3, 136.  
 † *Anthistiria* *L.* Linn. Gram. 0.  
 — *arundinacea* *Roxb.* Humb. Gram. 95.  
 † — *ciliata* *L.* Gaertn. Carp. 175.  
 — — — Lam. Lam. Encycl. 47, 841.  
 — — — Cav. Ic. 459.  
 — *gigantea* *Cav.* Cav. Ic. 458.  
 — *glaucia* *Desf.* Desf. Fl. atl. 254.  
 — *villosa* *Lam.* Lam. Encycl. 841.  
*Anthocephalus morindacifolius* *Korth.* Korth. Bot. 48.  
*Anthocercis albicans* *Cunn.* Sweet Austr. 16.  
 — *ilicifolia* *Cunn.* Bot. Mag. 71, 4200.

- Anthocercis litorea* *Lab.* Bill. Nov. Holl. 158.  
 — — — Endl. Ic. 68.  
 — — — Sweet Austr. 17.  
 — — — Bot. Reg. 3, 212.  
 — — — Maund Bot. 3, 102.  
 — *viscosa* *R. Br.* Maund Bot. 2, 59.  
 — — — Bot. Mag. 57, 2961.  
 — — — Bot. Reg. 19, 1624.  
*Anthochlamys polygaloides* *Fenzl.* Jaub. Ill. 299.  
*Anthocleista Vogelii* *Planch.* Hook. Ic. pl. 793, 794.  
 — — — Hook. Niger Fl. 43, 44.  
*Anthodiscus trifoliatum* *Meyer.* Linn. Tr. 18, 20.  
*Anthodon decussatum* *Rz et P.* Rz et Pav. Fl. 74.  
 — — — H. B. K. Nov. Gen. 5, 443.  
*Antholyza aethiopica* *L.* Red. Lil. 2, 110.  
 — — — Andr. Rep. 3, 210.  
 — — — Bot. Mag. 16, 561, 29, 1172.  
 — — — var. Bot. Reg. 14, 1159.  
 — — — Hoffmannsegg Verz. 1824, 1.  
 — *bicolor* *Gasp.* Belgique hort. 2, 25.  
 — *Cunonia* *L.* Red. Lil. 1, 12.  
 — — — Bot. Mag. 10, 343.  
 — — — Kern. Hort. 182.  
 — *fulgens* *Andr.* Andr. Rep. 3, 192.  
 — *Meriana* *L.* Bot. Mag. 12, 418.  
 — *Merianella* *L.* Bot. Mag. 13, 441.  
 — *montana* *Gawl.* Lodd. Cab. 1022.  
 — *praealta* *DC.* Red. Lil. 7, 387.  
 — — — Savi Fl. ital. 3, 114.  
 — *ringens* *L.* Andr. Rep. 1, 32.  
 — *spicata* *Andr.* Andr. Rep. 1, 56.  
 — *tubulosa* *Andr.* Andr. Rep. 3, 174.  
*Anthonotha macrophylla* *Pal.* Pal. Fl. d'Oware 42.  
 — — — Lam. Encycl. 953.  
*Anthopterus racemosus* *Hook.* Hook. Ic. pl. 243.  
*Anthospermum aethiopicum* *L.* Linné Hort. Cliff. 27.  
 † — — — Gaertn. Carp. 195.  
 † — — — Cruse Rub. cap. 1.  
 † — *ciliare* *L.* Gaertn. Carp. 195.  
 † — *paniculatum* *Cruse.* Cruse Rub. cap. 1.  
 † *Anthoxanthum* *L.* Dumortier Gram. 10.  
 † — — *Andersson* Gram. Scand. 12.  
 — *amarum* *Brot.* Brot. Phyt. 4.  
 — — — Trin. Sp. Gr. 1, 15.  
 — *erinitum* *Forst.* Bill. Nov. Holl. 263.  
 — *gracile* *Biv.* Bivona Stirp. rar. Sic. 1, 1.  
 — — — Trin. Sp. Gr. 1, 13.  
 — *odoratum* *L.* Schreb. Gr. 5.  
 — — — Host Gram. 5.  
 † — — — Lam. Encycl. 23.  
 — — — Curt. Lond. 3, 79.  
 — — — Fl. dan. 4, 666.  
 — — — Schk.-Handb. 4.  
 — — — Dreyes 2, 40.  
 — — — Sturm Flora 1, 4.  
 — — — Engl. Bot. 9, 647.  
 — — — Sv. Bot. 11.  
 — — — Ell. Carol. 1.  
 — — — Rehb. Fl. germ. 1, 106.  
 † — — — Nees Gen. 1, 16.  
 — — — Knapp Gr. 1.  
 — — — Baxter Brit. Bot. 2, 99.  
 — — — Trin. Sp. Gr. 1, 14.  
 — *ovatum* *Lag.* Trin. Sp. Gr. 1, 16.  
*Anthriscus Cerefolium* *Hoffm.* Dietr. Fl. bor. 10, 712.  
 † — *memorosa* *Spr.* Comm. Gott. rec. 2, 1.  
 — *sicula* *DC.* Vis. Dalm. 27.  
 — *silvestris* *Hoffm.* Nees Diuss. Suppl. 4.  
 — — — Baxter Br. Bot. 3, 228.  
 — — — *DC.* Dietr. Fl. bor. 10, 711.  
 — *trichosperma* *R. et Sch.* Rochel Ban. 28.  
 — — — Vis. Dalm. 26.

- Anthriscus vulgaris* Pers. Dietr. Fl. bor. 9, 648.  
*Anthurium* decurrens Endl. Poepp. et Endl. 293.  
 — gracile Ldl. Bot. Reg. 19, 1635.  
 † — palmatifidum V. H. Van Houtte Hort. 5.  
 — peltatum Endl. Poepp. et Endl. 294.  
 † *Anthyllis* L. Lam. Encycl. 615.  
 — Aspalathi DC. Lodd. Cab. 1169.  
 — aurea Vis. Vis. Dalm. 42.  
 — Barba Jovis L. Sibth. Fl. gr. 682.  
 — — — Bot. Mag. 44, 1927.  
 — cornicina L. Cav. Ic. 39.  
 — cretica Lam. Bot. Mag. 27, 1092.  
 — — — Lodd. Cab. 597.  
 — erinacea L. Andr. Rep. 1, 15.  
 — — — Bot. Mag. 18, 676.  
 — — — Lodd. Cab. 318.  
 — Gerardi L. Gerard Fl. gallopr. 18.  
 — Hermanniae L. Sibth. Fl. gr. 683.  
 — — — Bot. Mag. 52, 2576.  
 — lotoides L. Cav. Ic. 40.  
 — maritima Schweigg. Rehb. Ic. crit. 2, 122.  
 — montana L. Jacq. Fl. austr. 4, 334.  
 — — — Lodd. Cab. 578.  
 — — — Sturm Flora 12, 49.  
 — — — Jacq. Sweet Fl. G. 79.  
 — onobrychoides Cav. Cav. Ic. 150.  
 — podoccephala Boiss. Boiss. Esp. 48.  
 — polycephala Desf. Desf. Fl. atl. 195.  
 — Ramburii Boiss. Boiss. Esp. 50.  
 — tejedensis Boiss. Boiss. Esp. 49.  
 — tetraphylla L. Bot. Mag. 3, 108.  
 † — — — Gaertn. Carp. 145.  
 — — — Sibth. Fl. gr. 651.  
 — tragacanthoides Lab. Bill. Syr. 2, 9.  
 — — — Desf. Desf. Fl. atl. 194.  
 — vulneraria L. Fl. dan. 6, 988.  
 — — — Schk. Handb. 196.  
 — — — Engl. Bot. 2, 104.  
 — — — Sv. Bot. 395.  
 — — — Schrank Fl. monac. 3, 207.  
 — — — var. Sturm Flora 12, 49.  
 — — — Dietr. Fl. bor. 6, 362.  
 — — — Baxter Brit. Bot. 5, 397.  
 — — — Webbiana Hort. Birm. Bot. Mag. 60, 3234.  
 — — — Hook. Sweet Fl. G. II, 292.  
 † *Antiaris* Leschenault. Ann. sc. nat. III, 8; 6.  
 — innoxia Bl. Blume Rumphia 54.  
 — saccidora Dalz. Wight Ic. pl. Ind. or. 6, 1958.  
 — toxicaria Leschen. Rumpf Amb. 2, 87.  
 — — — Ann. Mus. 16, 22.  
 — — — Bennett Jav. 13.  
 — — — Hook. Comp. 17.  
 — — — Blume Rumphia 22. 23.  
 † — — — Schnizl. Ic. 2, 93.  
*Anticharis* arabica Endl. Endl. Iconogr. 93.  
*Antichorus depressus* L. Linné Fasc. pl. ups. 2.  
 † — — — Gaertn. Carp. 112.  
 † — — — Lam. Encycl. 295.  
*Antidaphne viscoidea* Endl. Poepp. et Endl. 199.  
*Antidesma acuminata* Wall. Wight Ic. pl. Ind. or. 6, 1991.  
 † — alexiteria L. Gaertn. Carp. 39.  
 † — — — Lam. Encycl. 812.  
 — — — Desc. Ant. 3, 216.  
 — alnifolia Hook. Hook. Ic. pl. 481.  
 — Bunias Spr. Wight Ic. pl. Ind. or. 3, 819.  
 † — Ghesacumbilla Gaertn. Gaertn. Carp. 39.  
 † — — — Lam. Encycl. 812.  
 — lancoloraria Wall. Wight Ic. pl. Ind. or. 3, 766.  
 — madagascariensis Lam. Lam. Encycl. 812.  
 † — — — Schnizl. Ic. 2, 96.  
 — paniculata Roxb. Wight Ic. pl. Ind. 3, 820.  
 † — — — Schnizl. Ic. 2, 96.

- Antidesma parasitica* Dillw. Rheede Hort. mal. 7, 30.  
 — pubescens Roxb. Roxb. Corom. 167.  
 — — — Wight Ic. pl. Ind. 3, 821.  
 — — — Schnizl. Ic. 2, 96.  
 — silvestris Lam. Rheede Hort. mal. 5, 26.  
 — tomentosa Wall. Wight Ic. pl. Ind. 3, 767. 768.  
 † *Antidesmeac* Sweet. Schnizl. Ic. 2, 96.  
*Antidris* Aub. Aubert Orch. 1, 4.  
*Antigonon leptopus* Hook. Hook. Beech. 69.  
 † *Antigramma repanda* Presl. Hook. Gen. Fil. 57.  
 — — — Hook. Ic. pl. 183.  
 — rhizophylla Sm. Torr. New York 159.  
 † *Antirrhinum* L. Gaertn. Carp. 53. — Lam. Encycl. 531. — Schk. Handb. 172.  
 ! — — — (Peloria.) Engl. Bot. 4, 260.  
 ! — — — Sv. Bot. 196.  
 ! — — — Gmel. Fl. bad. 2, 4.  
 ! — — — Schmidt Samml. 2. —  
 ! — — — Hopkirk Fl. anom. 7.  
 ! — — — Ratzeburg Pelor. 1.  
 ! — — — Van Houtte Hort. 5.  
 — acutangulum Ten. Ten. Fl. nap. 59.  
 — aerugineum Asso. Asso Arag. 10.  
 — albifrons Sm. Sibth. Fl. gr. 588.  
 — alpinum L. Jacq. Fl. austr. 1, 58.  
 — — — Bot. Mag. 6, 205.  
 — — — Roemer Fl. cur. 4, 6.  
 — amethysteum Brot. Brot. Phytogr. 137.  
 — arvensis L. var. Sibth. Fl. gr. 590.  
 — Asarina L. Bot. Mag. 23, 902.  
 — bipartitum Vent. Vent. Cels 82.  
 — bipunctatum L. Cav. Ic. 33.  
 — calycinum Lam. Brot. Phytogr. 127.  
 — — — Hoffm. Lk. Fl. port. 52.  
 — canadense L. Vent. Cels 49.  
 — chalense L. Sibth. Fl. gr. 592.  
 — cirrhosum L. Jacq. Vind. 82.  
 — crassifolium Cav. Cav. Ic. 114.  
 — cyathiferum Benth. Benth. Sulphur 19.  
 — Cymbalaria L. Fl. dan. 7, 1220.  
 — — — Engl. Bot. 7, 502.  
 — dentatum Vahl. Vahl Symb. 38.  
 — diffusum Brot. Brot. Phytogr. 141.  
 — Elatine L. Fl. dan. 3, 426.  
 — — — Engl. Bot. 10, 692.  
 — — — Sv. Bot. 711.  
 — genistifolium L. Jacq. Fl. austr. 3, 244.  
 — — — Sibth. Fl. gr. 596.  
 — glandulosum L. Bot. Reg. 22, 1893.  
 — glaucophyllum Brot. Brot. Phytogr. 140.  
 — glaucum L. Cav. Ic. 33.  
 — — — Sm. Wight Ic. pl. Ind. or. 4, 1459.  
 † — — — Stocks. Wight Illustr. 163<sup>b</sup>.  
 — glutinosum Brot. Brot. Phyt. 134.  
 — graecum Bory et Ch. Bory et Ch. Morée 21.  
 — heterophyllum Schousb. Schousb. Mar. 3.  
 — hirtum L. Jacq. Ic. 117.  
 — lanigerum Brot. Brot. Phytogr. 129.  
 — latifolium Lk. Brot. Phytogr. 125.  
 — — — Hoffm. Lk. Fl. port. 50.  
 — Linaria L. Fl. dan. 6, 982.  
 — — — Engl. Bot. 10, 658.  
 — — — Sv. Bot. 196.  
 — — — Sturm Flora 5, 18.  
 — — — Nees Düsseld. 156.  
 — — — Woodv. Med. 2, 136.  
 — linogrisum Brot. Brot. Phytogr. 135.  
 — lusitanicum Brot. Brot. Phytogr. 15.  
 — majus L. Engl. Bot. 2, 129.  
 — — — Rousseau Bot. 24. 25.  
 ! — — — Tratt. Thes. 64.  
 — — — Dict. sc. nat. 30.





- Apargia Taraxaci Willd.* Fl. dan. 9, 1523.  
 — — — Sturm Flora 10, 37.  
 — — — taraxaciflora Viv. Viv. Lib. 22.  
 — — — tuberosa Willd. Sibth. Fl. gr. 797.  
*Apatelia lanceolata DC.* Mem. Gen. ev. 1, 8.  
 — — — Delessert Ic. 3, 26.  
*Apathanthus crinitus Viv.* Viv. Lib. 7.  
*Apaturia Lindleyana Wight.* Wight Ic. pl. Ind. 5, 1662.  
*Apicba aspera Aubl.* Aubl. Guian. 216.  
 † — — — Gaertn. Carp. 121.  
 † — — — Lam. Encycl. 470.  
 † — — — echinata Gaertn. Gaertn. Carp. 121.  
 — — — glabra Aubl. Lam. Encycl. 470.  
 † — — — hispida Gaertn. Gaertn. Carp. 121.  
 — — — laevis Aubl. Aubl. Guian. 214.  
 — — — Petoumou Aubl. Aubl. Guian. 215.  
 † — — — Lam. Encycl. 470.  
 — — — Tibourbou Aubl. Aubl. Guian. 213.  
*Apera interrupta Pal. B.* Engl. Bot. 2951.  
 — — — Rechb. Fl. germ. 1, 32.  
 — — — purpurea Pal. B. Rechb. Fl. germ. 1, 32.  
 — — — spica venti Pal. B. Rechb. Fl. germ. 1, 32.  
 † — — — — Nees Gen. 1, 30.  
*Apetalon minutum Wight.* Wight Ic. pl. Ind. 5, 1758.  
 † *Aphanamixis Perottetiana Juss.* Mem. Mus. 19, 14.  
 † — — — timorensis Juss. Mem. Mus. 19, 14.  
 † *Aphanes arvensis L.* Gaertn. Carp. 73.  
 † — — — Lam. Encycl. 87.  
 — — — Schk. Handb. 26.  
 — — — Fl. dan. 6, 973.  
*Aphanochilus blandus Benth.* Bot. Mag. 58, 3091.  
 — — — flavus Benth. Wall. Pl. asiat. 34.  
 — — — polystachyus Benth. Wall. Pl. asiat. 33.  
*Aphanopetalum resinosum Endl.* Endl. Iconogr. 96.  
*Aphelandra acanthifolia Hook.* Hook. Ic. pl. 113.  
 — — — aurantiaca Ldl. Bot. Mag. 72, 4224.  
 — — — — Paxt. Mag. 12, 127.  
 — — — — Bot. Reg. 31, 12.  
 — — — — Fl. d. serres 1, 42.  
 — — — ? carduifolia Hook. Hook. Ic. pl. 718.  
 — — — cristata R. Br. Bot. Mag. 38, 1578.  
 — — — — Paxt. Mag. 7, 173.  
 — — — — Rechb. Exot. 286.  
 — — — — H. B. K. Bot. Reg. 18, 1477.  
 — — — nemoralis Mart. Endl. Bras. 7, 11.  
 — — — Sinclairiana N. v. E. Benth. Sulphur 47.  
 — — — squarrosa N. v. E. Fl. d. serres 8, 809.  
*Aphelexis humilis Don.* Paxt. Mag. 15, 269.  
 — — — macrantha Paxt. Paxt. Mag. 15, 269.  
*Aphelia cyperoides R. Br.* Ann. sc. nat. 13, 2.  
*Aphyllangis Aub.* Aubert Orch. 72.  
*Aphyllanthes juncea Salisb.* Salisb. Parad. 9.  
 † — — — monspeliensis L. Lam. Encycl. 252.  
 — — — — Red. Lil. 8, 483.  
 — — — — Bot. Mag. 28, 1132.  
 — — — — Lodd. Cab. 1503.  
 — — — — Rechb. Fl. germ. 9, 418.  
 — — — — Schnizl. Ic. 1, 55<sup>d</sup>.  
 † *Aphyteia Hydnora L. fil.* Gaertn. Carp. 137.  
 † — — — Lam. Encycl. 568.  
 — — — — Tratt. Arch. 153, 153<sup>a</sup>.  
 — — — — Tratt. Thes. 31.  
*Apicra fasciata Willd. var.* Jacq. Ecl. pl. 113.  
 — — — radula Willd. var. Jacq. Ecl. pl. 114.  
 — — — spiralis Willd. Jacq. Ecl. pl. 112.  
*Apinagia divaricata Tul.* Arch. Mus. 6, 7.  
 — — — pusilla Tul. Arch. Mus. 6, 7.  
 — — — Riedelii Tul. Arch. Mus. 6, 8.  
*Apios tuberosa Moench.* Journ. Hort. Soc. 2, 146.  
 † *Apium Celleri Gaertn.* Gaertn. Carp. 22.  
 — — — filiforme Rich. var. Hook. Ic. pl. 9, 819.  
 — — — graveolens L. Schk. Handb. 78.

- Apium graveolens L.* Fl. dan. 5, 790.  
 — — — Lam. Encycl. 196.  
 — — — Hayne 7, 24.  
 — — — Engl. Bot. 17, 1210.  
 — — — — Baxter Br. Bot. 2, 156.  
 — — — — Dietr. Fl. bor. 12, 510.  
 † — — — Nees Gen. X, x.  
 — — — involucratum Roxb. Wight Ic. pl. Ind. or. 2, 567.  
 † — — — Petroselinum L. Gaertn. Carp. 22.  
 † — — — — Lam. Encycl. 196.  
 — — — — Hayne 7, 23.  
 — — — — Guimp. et Schl. 215.  
 — — — — Woodv. Med. 1, 45.  
 — — — prostratum Lab. Bill. Nov. Holl. 103.  
 — — — — Vent. Vent. Malm. 81.  
 — — — — ranunculifolium H. B. K. H. B. K. Nov. Gen. 5, 421.  
*Aplectrocapsos baetica Boiss.* Boiss. Esp. 4<sup>a</sup>.  
*Aplectrum hiemale Nutt.* Torr. New York 127.  
 † — — — myrtiforme Naud. Ann. sc. nat. III. 15, 15.  
*Aplophyllum acutifolium Juss.* Delessert Ic. 3, 44.  
 — — — tuberculatum Juss. Delessert Ic. 3, 43.  
 † — — — — Mem. Mus. 12, 17.  
*Apostellis Aub.* Aubert Orch. 24.  
*Aplotaxis fastuosa Decne.* Jacquemont Ind. 105.  
 — — — gnaphaloides Royle. Royle Illust. 59.  
 — — — Lappa Decne. Jacquemont Ind. 104.  
 — — — leontodontoides DC. DC. Comp. 10.  
 — — — multicaulis DC. Delessert Ic. 4, 68.  
 — — — nepalensis DC. Delessert Ic. 4, 67.  
 — — — obvallata DC. Delessert Ic. 4, 69.  
 — — — Simpsoniana Field. Field. Sert. 26.  
 † *Apluda aristata L.* Lam. Encycl. 841.  
 — — — — Burm. Fl. ind. 21<sup>b</sup>.  
 — — — — Schreb. Gr. 42.  
 — — — — Petersb. 2, 9.  
 † — — — mutica L. Gaertn. Carp. 175.  
 † — — — — Lam. Encycl. 841.  
*Apochoris pentapetala Duby.* Delessert Ic. 5, 28.  
 † *Apocynaceae R. Br.* Wight Illustr. 154<sup>b</sup>.  
*Apocynum Acouci Aubl.* Aubl. Guian. 107.  
 — — — androsamifolium L. Bot. Mag. 8, 280.  
 — — — — Lam. Encycl. 176.  
 — — — — Schk. Handb. 53.  
 — — — — Big. Med. 36.  
 — — — — Herb. amat. 2, 104.  
 — — — — Belgique hort. 1, 67.  
 — — — — cannabium L. Hook. Bor. Am. 139.  
 — — — — citrifolium Desc. Desc. Ant. 3, 191.  
 — — — — foetidum Burm. Rumpf Amb. 5, 160.  
 — — — — fructu spinoso Desc. Desc. Ant. 3, 189.  
 † — — — hypericifolium Ait. Lam. Encycl. 176.  
 — — — — Hook. Bor. Am. 140.  
 — — — — maculatum Desc. Desc. Ant. 3, 190.  
 — — — — odoratissimum Lour. Rumpf Amb. Auct. 26.  
 — — — — reticulatum Lour. Rumpf Amb. 5, 40.  
 — — — — sibiricum Led. Ledeb. Ic. 240.  
 — — — — — Pall. Jacq. Vind. 3, 66.  
 — — — — umbellatum Aubl. Aubl. Guian. 108.  
 † *Apodanthes Berterii Hook.* Hook. Ic. pl. 655.  
 † — — — Blanchetii Hook. Hook. Ic. pl. 655.  
 — — — — Calliandrae Gardn. Hook. Ic. pl. 644, 655.  
 — — — — Caseariae Poit. Ann. sc. nat. 3, 26.  
 † — — — — Hook. Ic. pl. 655.  
*Apodytes beninensis Hook. fil.* Hook. Niger Fl. 28.  
 — — — — Hook. Ic. pl. 778.  
 — — — — Benthiana Wight. Wight Ic. pl. Ind. 3, 1153.  
 — — — — dimidiata Benth. Linn. Tr. 18, 41.  
*Apollonia Arnottii N. v. E.* Wight Ic. pl. Ind. 5, 1819.  
*Aponogeton angustifolium Ait.* Bot. Mag. 31, 1268.  
 — — — — distachyon Thunb. Thunb. Diss. 1, 4.  
 — — — — — Lam. Encycl. 276.  
 — — — — — Andr. Rep. 5, 290.

- Aponogeton distachyum* Thunb. Bot. Mag. 32, 1293.  
 — — — Rehb. Mag. 13.  
 — — — Rehb. Exot. 9.  
 — — — Ann. sc. nat. III. 1, 9.  
 — — — Paxt. Fl. G. 43.  
 — monostachys Edgew. Hook. Lond. J. 1844, 17.  
 — monostachyum L. fil. Rheede Hort. mal. 11, 15.  
 — — — Thunb. Diss. 1, 4.  
 — — — Lam. Encycl. 276.  
 — — — Andr. Rep. 6, 406.  
 — — — Roxb. Corom. 81.
- Apoplanesia paniculata* Presl. Presl. Symb. 41.  
 † *Aporetica* Forst. Forst. Char. 66.  
*Aporum anceps* Ldl. Bot. Reg. 15, 1239.  
 — — — Bot. Mag. 64, 3608.  
 — — — Lodd. Cab. 1895.  
 — — — incrasatum Brongn. Brongn. Coquille 42.  
 † — — — indivisum Bl. Blume Tabellen 39.  
*Apostasia nuda* R. Br. Wall. Pl. asiat. 85.  
 † — — — odorata Bl. Wall. Pl. asiat. 84.  
 † — — — Blume Orch. 5.  
 † — — — Schnizl. Ic. 1, 67.  
 † — — — Wallichii R. Br. Wall. Pl. asiat. 84.  
 † — — — Bauer Orch. 15.  
 † *Apostasiaceae* Ldl. Schnizl. Ic. 1, 67.  
 † *Appendicula alba* Bl. Blume Tabellen 40.  
 † — — — cristata Bl. Blume Tabellen 40.  
 — — — Hasseltii Bl. Wight Ic. pl. Ind. 5, 1748.  
 — — — pennicillata Bl. Blume Rumphia 195, 200.  
 † *Appendicularia thymifolia* DC. Ann. sc. nat. III. 12, 14.  
*Apteranthes Gussoniana* Mik. Acta Leop. 17, 2, 41.  
 — — — Bot. Reg. 20, 1731.  
 — — — Expl. Alger. 62.  
 † — — — numidica Durieu. Expl. Alger. 62.  
 † *Apteria hymenanthera* Miq. Miq. Surin. 65.  
 † — — — lilacina Miers. Linn. Tr. 18, 38.  
 — — — orobanchoides Hook. Hook. Ic. pl. 254.  
 — — — setacea Nutt. Hook. Ic. pl. 660.
- Aptosimum depressum* Burch. Bot. Reg. 22, 1882.  
 † *Apuleja rigida* Gaertn. Gaertn. Carp. 171.  
*Aquartia aculeata* Jacq. Jacq. Hist. stirp. am. 15.  
 † — — — microphylla Willd. Lam. Encycl. 82.  
 † — — — tomentosa Lam. Lam. Encycl. 82.  
 † *Aquifolium spinosum* Gaertn. Gaertn. Carp. 92.  
*Aquilaria Agallocha* Roxb. Royle Illustr. 36.  
 — — — Hook. Ic. pl. 6.  
 † — — — malaccensis Lam. Lam. Encycl. 356.  
 — — — Dict. sc. nat. 248.  
 — — — ovata Cav. Cav. Diss. 224.  
 † *Aquilarineae* R. Br. Schnizl. Ic. 2, 110.  
 † *Aquilegia L.* Lam. Encycl. 488.  
 ! — — — Hopkirk Fl. anomala 8.  
 † — — — Gray Gen. 14.  
 — — — alpina L. All. Fl. ped. 3, 66.  
 — — — Delessert Ic. 1, 48.  
 — — — Lodd. Cab. 657.  
 — — — Rehb. Fl. germ. 4, 119.  
 — — — Sweet Fl. G. 218.  
 — — — anemonoides Willd. Mag. naturf. Fr. 5, 9.  
 — — — arctica Hort. Loud. Fl. d. serres 8, 795.  
 — — — atrata Koch. Rehb. Fl. germ. 4, 115.  
 — — — atropurpurea DC. Bot. Reg. 11, 922.  
 — — — canadensis L. Bot. Mag. 7, 246.  
 — — — Schk. Handb. 146.  
 — — — Barton Fl. 1, 36.  
 — — — Lodd. Cab. 888.  
 — — — Dict. sc. nat. 115.  
 — — — Herb. amat. 5, 305.  
 — — — Gray Gen. 14.  
 — — — dahurica Patr. Delessert Ic. 1, 49.  
 — — — formosa Fisch. Belgique hort. 4, 1.

- Aquilegia formosa* Fisch. Fl. d. serres 8, 795.  
 — — — fragrans Maund. Maund Bot. 4, 181.  
 — — — Garnieriana Sweet. Sweet Fl. G. II, 103.  
 — — — glandulosa Fisch. Knowles et Westc. 10.  
 — — — Maund Bot. 5, 219.  
 — — — Sweet Fl. G. II, 55.  
 — — — glauca Ldl. Bot. Reg. 26, 46.  
 — — — hybrida Sims. Bot. Mag. 30, 1221.  
 — — — jucunda F. et M. Bot. Reg. 33, 19.  
 — — — Fl. d. serres 5, 535.  
 — — — Belgique hort. 4, 1.  
 — — — kanaoriensis Jacquem. var. Jacquemont Ind. 5.  
 — — — Bot. Mag. 79, 4693.  
 — — — Belgique hort. 3, 46.  
 — — — leptoceras Nutt. Bot. Mag. 74, 4407.  
 — — — F. et M. Bot. Reg. 33, 64.  
 — — — Fl. d. serres 3, 296.  
 — — — macrantha Hook. Hook. Beech. 72.  
 — — — Fl. d. serres 5, 531.  
 — — — montana Sternb. Reg. Denkschr. 2, 4.  
 — — — nigricans Baumg. Rehb. Fl. germ. 4, 115.  
 — — — Belgique hort. 4, 1.  
 — — — parviflora Led. Ledeb. Ic. 408.  
 — — — pyrenaica DC. Rehb. Fl. germ. 4, 117.  
 — — — sibirica Lam. Delessert Ic. 1, 47.  
 — — — Sweet Fl. G. II, 90.  
 — — — Skinneri Hook. Bot. Mag. 68, 3919.  
 — — — Paxt. Mag. 10, 199.  
 — — — Fl. d. serres 1, 6.  
 — — — Belgique hort. 4, 1.  
 — — — Sternbergii Rehb. Rehb. Fl. germ. 4, 118.  
 — — — viridiflora L. Jacq. Ic. 102.  
 — — — Pall. Comm. Goit. 3, 2.  
 — — — viscosa L. Gouan Ill. 19.  
 — — — Ust. Del. 1, 3.  
 — — — W. et Kit. 169.  
 — — — Trev. Observ. 2.  
 — — — Gouan. Rehb. Fl. germ. 4, 116.  
 — — — Belgique hort. 4, 1.
- † — — — vulgaris L. Gaertn. Carp. 118.  
 — — — Fl. dan. 4, 6957.  
 — — — Engl. Bot. 5, 297.  
 — — — Sv. Bot. 118.  
 — — — Hayne 3, 6.  
 — — — Schrank Fl. monac. 1, 46.  
 — — — Liboschitz Pet. 14.  
 — — — Rehb. Fl. germ. 4, 114.  
 — — — Baxter Br. Bot. 3, 221.  
 ! — — — Jard. Ann. 7, 11.
- † *Aquilegia otilis* Gaertn. Lam. Encycl. 139.  
 — — — sambucina L. Burm. Fl. ind. 24.  
 † — — — Gaertn. Carp. 108.  
 † — — — Lam. Encycl. 139.  
 — — — Cav. Diss. 218.
- † *Arabis L.* Lam. Encycl. 363.  
 † — — — Gray Gen. 58.  
 — — — albida Fisch. Jacq. Ecl. pl. 71.  
 — — — Lodd. Cab. 1459.  
 — — — Allionii DC. Rehb. Fl. germ. 2, 41.  
 — — — alpestris Schl. Rehb. Fl. germ. 2, 40.  
 — — — alpina L. Fl. dan. 1, 62.  
 — — — Bot. Mag. 7, 226.  
 — — — Sv. Bot. 773.  
 — — — Schrank Fl. monac. 3, 244.  
 — — — Sturm Flora 3, 12.  
 — — — Rehb. Fl. germ. 2, 37.  
 — — — arenaria Schrk. Schrank Fl. monac. 3, 256.  
 — — — arenosa R. Br. Hook. Ex. Fl. 221.  
 — — — Scop. Scop. Fl. cam. 2, 40.  
 — — — Rehb. Fl. germ. 2, 33.  
 — — — Sturm Flora 11, 43.  
 — — — Fl. dan. 10, 1760.

- Arabis arenosa* Scop. Dietr. Fl. bor. 9, 602.  
 — *aspera* All. Allioni Auct. 2.  
 — *aureolata* Lam. Winterl Ind. 4.  
 — — — Sturm Flora 11, 43.  
 — — — Rehb. Fl. germ. 2, 39.  
 — — — Dietr. Fl. bor. 12, 854.  
 — *bellidifolia* Cr. Crantz Crucif. 3.  
 — — Jacq. Jacq. Fl. austr. 3, 280.  
 — — — Jacq. Obs. 12.  
 — — — Sturm Flora 5, 20.  
 — — — Rehb. Fl. germ. 2, 38.  
 — *Billardieri* DC. Delessert Ic. 2, 24.  
 — *Boryi* Boiss. Boiss. Esp. 5.  
 — *brassiciformis* Waltr. Rehb. Ic. crit. 2, 192.  
 — — — Rehb. Fl. germ. 2, 38.  
 — *canadensis* L. Delessert Ic. 2, 28.  
 — *caucasica* Willd. Bot. Mag. 46, 2046.  
 — *cebennensis* DC. Delessert Ic. 2, 26.  
 — *chinensis* Rottl. Wight Illustr. 12.  
 — *ciliata* R. Br. Rehb. Fl. germ. 2, 40.  
 — *Clusiana* Schrk. Schrank Fl. monac. 3, 244.  
 — *coerulea* Haenke. Sturm Flora 5, 20.  
 — — Wulf. Rehb. Fl. germ. 2, 37.  
 — *collina* Ten. Ten. Fl. nap. 164.  
 — — — Bot. Mag. 57, 3021.  
 — *conferta* Willd. Rehb. Fl. germ. 2, 41.  
 — *Crantziana* Ehrh. Rehb. Fl. germ. 2, 34.  
 — *crispata* Willd. Rehb. Fl. germ. 2, 37.  
 — *dentata* T. et Gr. Torr. New York 7.  
 — *fruticulosa* Led. Ledeb. Ic. 336.  
 — *Gerardi* Bess. Dietr. Fl. bor. 11, 731.  
 — *gigantea* Hook. Hook. Ic. pl. 259.  
 — *glastifolia* Rehb. Rehb. Fl. germ. 2, 43.  
 — *Halleri* L. W. et Kit. 120.  
 — — — var. Sturm Flora 11, 43, 5, 20.  
 — — — Rehb. Fl. germ. 2, 36.  
 — *hirsuta* Scop. Schrank Fl. monac. 3, 248.  
 — — — Rehb. Fl. germ. 2, 41.  
 — — — var. Sturm Flora 12, 45.  
 — *hispida* Fl. brit. Engl. bot. 7, 469.  
 — *Holboellii* Hornem. Fl. dan. 11, 1879.  
 — *hybrida* Reut. Reuter Suppl. Cat. Gen. 0.  
 — *latifolia* Durieu. Expl. Alger. 72.  
 — *longifolia* DC. Delessert Ic. 2, 25.  
 — *Macloviana* Hook. Hook. Ic. pl. 498.  
 — *muralis* Bertol. Rehb. Fl. germ. 2, 40.  
 — *nivalis* Spr. Ten. Fl. nap. 164.  
 — *nova* Vill. Vill. Dauph. 37.  
 — *nuda* Bel. Belanger Ind. or. x.  
 — *nutans* Moench. Bot. Mag. 48, 2219.  
 — *ovirensis* Wulf. Jacq. Ic. 125.  
 — — — Roemer Fl. eur. 7, 6.  
 — — — Rehb. Fl. germ. 2, 35.  
 — *parvula* Duf. Boiss. Esp. 13.  
 — *patens* Sull. Gray Gen. 58.  
 — *Patriniana* DC. Delessert Ic. 2, 27.  
 — *pedemontana* Boiss. Mem. Genev. 11, 2.  
 — *pendula* L. Jacq. Vind. 3, 34.  
 — *petraea* Crantz. var. Lodd. Cab. 1304.  
 — — — Lam. Sturm Flora 12, 45.  
 — *planisiliqua* Pers. Rehb. Fl. germ. 2, 42.  
 — *procurrens* W. et K. W. et Kit. 144.  
 — — — Sturm Flora 12, 45.  
 — — — Rehb. Fl. germ. 2, 37.  
 — *puberula* Nutt. Hook. Ic. pl. 359.  
 — *pumila* Jacq. Jacq. Fl. austr. 3, 281.  
 — — — Sturm Flora 5, 20.  
 — — — Rehb. Fl. germ. 2, 38.  
 — *purpurea* Sibth. Sibth. Fl. gr. 643.  
 — *recta* Vill. Vill. Dauph. 37.  
 — *rosca* DC. Delessert Ic. 2, 23.  
 — — — Bot. Mag. 60, 3246.

- Arabis sagittata* Bertol. Rehb. Fl. germ. 2, 42.  
 — *saxatilis* All. Rehb. Fl. germ. 2, 39.  
 — *serpyllifolia* Vill. Vill. Dauph. 37.  
 — — — Rehb. Fl. germ. 2, 39.  
 — *stolonifera* Host. Rehb. Fl. germ. 2, 35.  
 — *stricta* Smith. Curt. Lond. 4, 4.  
 — — — Huds. Engl. Bot. 9, 614.  
 — — — Sturm Flora 12, 45.  
 — — — Rehb. Fl. germ. 2, 39.  
 — *Thaliana* Cr. Crantz Crucif. 3.  
 — — — Pollich Palat. 2, 1.  
 — — — Schk. Handb. 185.  
 — — — Curt. Lond. 3, 100.  
 — — — Engl. Bot. 13, 901.  
 — — — Fl. dan. 7, 1166.  
 — — — Dietr. Fl. bor. 9, 601.  
 — *thyrsoides* Sibth. Sibth. Fl. gr. 642.  
 — *Turrita* L. Jacq. Fl. austr. 1, 11.  
 — — — Curt. Lond. 5, 176.  
 — — — Engl. Bot. 3, 178.  
 † — — — Schk. Handb. 185.  
 — — — Sturm Flora 12, 45.  
 — — — Rehb. Fl. germ. 2, 44.  
 — — — Baxter Br. Bot. 2, 159.  
 — *undulata* Link. Lodd. Cab. 1710.  
 — *verna* R. Br. Sibth. Fl. gr. 641.  
 — — — Bot. Mag. 61, 3331.  
 — — — Rehb. Fl. germ. 2, 33.  
 — *vochinensis* Spr. Sturm Flora 7, 28.  
 — — — Rehb. Fl. germ. 2, 35.  
*Arachidna hypogaea* Ludw. Trev. Pl. rar. 3.  
*Arachis americana* Ten. Ten. Memoria 0.  
 — *hypogaea* L. Rumpf Amb. 5, 156.  
 † — — — Gaertn. Carp. 144.  
 † — — — Lam. Encycl. 615.  
 — — — Mem. sav. etr. 1805, 7.  
 — — — Desc. Ant. 4, 267.  
 — — — Vassalli Saggio 1—3.  
 — — — Dict. sc. nat. 254, 255.  
 — — — Ann. sc. nat. III, 19, 15.  
 — *marginata* Gardn. Hook. Ic. pl. 500.  
*Arachnanthis* Aub. Aubert Orch. 18.  
*Arachnanthe moschifera* Bl. Blume Rumphia 196, 199.  
 † *Arachnis moschifera* Bl. Blume Tabellen 26.  
*Arachnodendris* Aub. Aubert Orch. 87.  
 † *Aracium paludosum* Monn. Monnier Essai 2.  
*Aragoa abietina* H. B. K. H. B. K. Nov. Gen. 3, 217.  
 — *cupressina* H. B. K. H. B. K. Nov. Gen. 3, 216.  
 — *juniperina* H. B. K. H. B. K. Nov. Gen. 3, 216.  
*Aralia arborea* L. Jacq. Schoenbr. 1, 51.  
 — — — Desc. Ant. 7, 457.  
 — *argentata* H. B. K. H. B. K. Nov. Gen. 5, 414.  
 — *avicenniaefolia* H. B. K. H. B. K. Nov. Gen. 5, 413.  
 — *cachemiriana* Decne. Jacquemont Ind. 81.  
 — *capitata* Jacq. Jacq. Hist. stirp. am. 91.  
 † — — — Jacq. Fragm. 6.  
 — — — Lam. Encycl. 217.  
 — *chinensis* Lour. Rumpf Amb. 4, 44.  
 — *crassifolia* Sol. Hook. Ic. pl. 583, 584.  
 — *edulis* Zucc. Sieb. Japon. 25.  
 — *floribunda* H. B. K. H. B. K. Nov. Gen. 5, 416.  
 — *hispida* Vent. Vent. Cels. 41.  
 — — — Michx. Lodd. Cab. 1306.  
 — — — Bot. Mag. 27, 1085.  
 — *humilis* Cav. Cav. Ic. 313.  
 — *japonica* Thunb. Kaempfer Jap. 10.  
 — *nudicaulis* L. Rafin. Med. 8.  
 — — — Nees Düss. Suppl. 88.  
 — — — Torr. New York 40.  
 — *palmata* DC. Rumpf Amb. 4, 43.  
 — ? *papyrifera* Hook. Hook. Journ. 1852, 1, 2.  
 — ? — — — Fl. d. serres 8, 806—807.

- Aralia platanifolia* H. B. K. H. B. K. Nov. Gen. 5, 415.  
 — *polaris* Hombr. Richard Astrolabe 2.  
 — — Hook. Ic. pl. 747.  
 — *quinduensis* H. B. K. H. B. K. Nov. Gen. 5, 417.  
 — *racemosa* L. Schk. Handb. 86.  
 — *Schaefflera* Spr. Hook. New Zeal. 22.  
 — *trigyna* Gaudch. Freycinet Voyage 98.  
*Araucaria Bidwilli* Hook. Hook. Lond. J. 1843, 18. 19.  
 † — — Antoine Conif. 46. 47.  
 — *brasiliensis* Bedf. Pin. Woburn. 53. 54.  
 — *brasiliensis* Don. Lamb. Pinus 2, 46. 46<sup>a</sup>. 46<sup>b</sup>.  
 † — — Antoine Conif. 51 — 53.  
 — *columnaris* Hook. Bot. Mag. 78, 4635.  
 — — Fl. d. serres 7, 733. 734.  
 † — *Cookii* R. Br. Journ. Hort. Soc. 6, 269.  
 — *Cunninghamii* Ait. Lamb. Pinus 3, 27.  
 — — Pin. Woburn. 52.  
 † — — Antoine Conif. 43. 44.  
 † — *Dombeyi* Rich. Richard Conif. 20. 21.  
 — *excelsa* Don. Lamb. Pinus 2, 47. 47<sup>b</sup>.  
 — — Pin. Woburn. 50. 51.  
 † — — Antoine Conif. 38 — 42.  
 † — *glauca* Ant. Antoine Conif. 45.  
 — *imbricata* Don. Lamb. Pinus 2, 45.  
 — — Pin. Woburn. 55. 56.  
 † — — Antoine Conif. 48 — 50.  
*Araujia sericifera* Brot. Linn. Tr. 12, 4. 5.  
*Arausiaca excelsa* Bl. Blume Rumphia 119. 122.  
*Arbutus alpina* L. Fl. dan. 1, 73.  
 — — Lightf. Fl. scot. 1, 11.  
 — — Sy. Bot. 487.  
 — — Guimp. Holzgew. 58.  
 — — Engl. Bot. 29, 2030.  
 — *Andrachne* L. Sibth. Fl. gr. 374.  
 — — Savi Fl. ital. 1, 12.  
 — — Bot. Mag. 46, 2024.  
 — — Bot. Reg. 2, 113.  
 — *andrachnoides* Lk. Bot. Reg. 8, 619.  
 — *canariensis* Lam. Bot. Mag. 38, 1577.  
 — *densiflora* H. B. K. H. B. K. Nov. Gen. 3, 260.  
 — *discolor* Hook. Hook. Ic. pl. 29.  
 — *laurifolia* L. Bot. Reg. 25, 67.  
 — *longifolia* Andr. Andr. Rep. 10, 664.  
 — — Lois. Herb. amat. 4, 240.  
 — *Menziesii*? Sm. Bot. Reg. 21, 1753.  
 — *mollis* H. B. K. Bot. Mag. 77, 4595.  
 — — Lem. Jard. fl. 164.  
 — *mucronata* L. fil. Lam. Encycl. 366.  
 — — Bot. Mag. 58, 3093.  
 — — Lodd. Cab. 1848.  
 — *pilosa* Grah. Bot. Mag. 59, 3177.  
 — *procera* Ldl. Bot. Reg. 21, 1753.  
 — — Paxt. Mag. 2, 147.  
 — *rigida* Colla. Mem. Tur. 38, 36.  
 — *rubescens* Bert. Novi Comm. Bon. 4, 42.  
 — *serpyllifolia* Lam. Lam. Encycl. 366.  
 — *serratifolia* Salisb. Lodd. Cab. 580.  
 — *tomentosa* Pursh. Hook. Bor. Am. 130.  
 — — Hook. Bot. Mag. 61, 3320.  
 † — *Unedo* L. Gaertn. Carp. 59.  
 † — — Lam. Encycl. 366.  
 — — Sibth. Fl. gr. 373.  
 — — Savi Fl. ital. 1, 5.  
 — — var. Kern. Hort. 107.  
 — — Engl. Bot. 34, 2377.  
 — — var. Bot. Mag. 49, 2319.  
 — — var. rubra, Lodd. Cab. 123.  
 — — Baxter Br. Bot. 6, 497.  
 — *uva ursi* L. Linné Fl. lapp. 6.  
 — — Fl. dan. 1, 33.  
 — — Sv. Bot. 85.  
 — — Lightf. Fl. scot. 1, 11.

- Arbutus uva ursi* L. Engl. Bot. 10, 714.  
 — — — Woodv. Med. 2, 100.  
 — — — Big. Med. 6.  
 — — — Schk. Handb. 118.  
 — — — Schrank. Fl. monac. 1, 34.  
 — — — Dreves 2, 64.  
 — — — Guimp. Holzgew. 57.  
 — — — Hayne 4, 20.  
 — — — Guimp. et Schl. 58.  
 — — — Nees Düsseld. 215.  
 — — — Wagner 206.  
 — *vernalis* P. et E. Poepf. et Endl. 42.  
 — *xalapensis* H. B. K. Hook. Ic. pl. 27.  
 — — — Journ. Hort. Soc. 5, 193.  
 — — *xanthocarpus* Wangenh. Wangerheim Beitrag 30.  
*Arceuthobium Oxycedri* M. v. B. Hook. Bor. Am. 99.  
*Archangelica decurrens* Led. Ledeb. Ic. 166.  
 — *hirsuta* T. et Gr. Torr. New York 36.  
 — *officinalis* Hoffm. Dietr. Fl. bor. 12, 845.  
*Archemora rigida* DC. Torr. New York 37.  
*Archyletaea triflora* Mart. Mart. Bras. 73.  
*Arctium Bardana* Willd. Engl. Bot. 35, 2478.  
 — — — Schrank Fl. monac. 3, 212.  
 — — — Hayne 2, 36.  
 — — — Guimp. et Schl. 196.  
 — — — Nees Düsseld. 223. 226.  
 — — — Wagner 25.  
 — *Carduelis* L. W. et Kit. 185.  
 — *lanuginosus* Lam. Lam. Encycl. 664.  
 — *Lappa* L. Fl. dan. 4, 642.  
 — — — Curt. Lond. 1, 49.  
 — — — Engl. Bot. 18, 1228.  
 — — — Sv. Bot. 63.  
 — — — Schk. Handb. 227.  
 — — — Dreves 1, 28.  
 — — — Hayne 2, 35.  
 — — — Guimp. et Schl. 195.  
 — — — Wagner 224.  
 — — — Woodv. Med. 1, 13.  
 — — — Baxter Br. Bot. 5, 333.  
 — *majus* Schk. Nees Düsseld. 224.  
 — *minus* Schk. Nees Düsseld. 225. 226.  
*Arctocalyx Endlicherianus* Fzl. Fl. d. serres 6, 546.  
*Arctophila latiflora* Rupr. Rupr. Fl. Samoj. 4.  
 — *pocellantha* Rupr. Rupr. Fl. Samoj. 5.  
 — *remotiflora* Rupr. Rupr. Fl. Samoj. 5.  
 — *similis* Rupr. Rupr. Fl. Samoj. 6.  
 — *trichoclada* Rupr. Rupr. Fl. Samoj. 4.  
 † *Arctopus echinatus* L. Gaertn. Carp. 182.  
 — — — Lam. Encycl. 855.  
 — — — Bot. Reg. 9, 705.  
*Arctostaphylos alpina* Spr. Sturm Flora 13, 51.  
 — *nitida* Benth. Bot. Reg. 31, 32.  
 — — — Bot. Mag. 68, 3904.  
 — *officinalis* W. et Gr. Sturm Flora 2, 6.  
 — *polifolia* H. B. K. H. B. K. Nov. Gen. 3, 258.  
 — *procera* Ldl. Bot. Reg. 21, 1791.  
 — *pungens* H. B. K. H. B. K. Nov. Gen. 3, 259.  
 — — — Bot. Reg. 30, 17.  
 — — — Bot. Mag. 68, 3927.  
 — *tomentosa* Ldl. Bot. Reg. 21, 1791.  
 — *uva ursi* Spr. Dietr. Fl. bor. 5, 349.  
 — — — Baxter Br. Bot. 6, 502.  
*Arctotheca repens* Wendl. Wendl. Hort. herrenh. 6.  
 † *Arctotis* L. Lam. Encycl. 715.  
 — *acaulis* L. Jacq. Schoenbr. 2, 158.  
 — — — Bot. Reg. 2, 122. 131.  
 — *aenea* Jacq. Jacq. Ecl. pl. 52.  
 — *amoena* Jacq. Jacq. Fragm. 118.  
 — *angustifolia* Jacq. Jacq. Schoenbr. 2, 168.  
 — *anthemoides* L. Bot. Mag. 15, 544.  
 — *arborescens* Jacq. Jacq. Schoenbr. 2, 171.

- Arctotis aspera* L. Bot. Reg. 1, 32. 34. 2, 130.  
 — — Savi Fl. ital. 2, 70.  
 — — *aureola* Ker. Bot. Reg. 1, 32.  
 — — *auriculata* Jacq. Jacq. Schoenbr. 2, 169.  
 — — *calendulacea* L. Jacq. Schoenbr. 2, 157.  
 — — *cineraria* Jacq. Jacq. Schoenbr. 2, 174.  
 — — *erithmoides* Jacq. Jacq. Schoenbr. 2, 153.  
 — — Bot. Reg. 7, 604.  
 — — *cuprea* Jacq. Jacq. Schoenbr. 2, 176.  
 — — *decumbens* Thumb. Jacq. Schoenbr. 3, 381.  
 — — *decurrens* Jacq. Jacq. Schoenbr. 2, 165.  
 — — *elatior* Jacq. Jacq. Schoenbr. 2, 172.  
 — — *fastuosa* Jacq. Jacq. Schoenbr. 2, 166.  
 — — *flaccida* Jacq. Jacq. Schoenbr. 2, 163.  
 — — *flammea* Jacq. Jacq. Fragm. 47.  
 — — Kern. Hort. 810.  
 — — *foeniculacea* Jacq. Jacq. Schoenbr. 2, 156.  
 — — *glabrata* Jacq. Jacq. Schoenbr. 2, 175.  
 — — *glaucophylla* Jacq. Jacq. Schoenbr. 2, 170.  
 — — *glutinosa* Sims. Bot. Mag. 33, 1343.  
 — — *grandiflora* Jacq. Jacq. Schoenbr. 3, 378.  
 — — Kern. Hort. 156.  
 — — *leucanthemoides* Jacq. Jacq. Schoenbr. 2, 164.  
 — — *maculata* Jacq. Jacq. Schoenbr. 3, 379.  
 — — Bot. Reg. 2, 130.  
 — — *melanocyela* Willd. Jacq. Ecl. pl. 51.  
 — — *paniculata* Jacq. Jacq. Schoenbr. 3, 380.  
 — — *pannucea* Jacq. Jacq. Schoenbr. 4, 444.  
 — — *paradoxa* Ait. Andr. Rep. 5, 357.  
 — — *repens* Jacq. Jacq. Schoenbr. 3, 306.  
 — — *reptans* Jacq. Jacq. Schoenbr. 3, 382.  
 — — *revoluta* Jacq. Jacq. Schoenbr. 2, 173.  
 — — *rosea* Jacq. Jacq. Schoenbr. 2, 162.  
 — — *speciosa* Jacq. Jacq. Schoenbr. 2, 161.  
 — — Bot. Mag. 47, 2182.  
 — — Kern. Hort. 93.  
 — — *spinulosa* Jacq. Jacq. Schoenbr. 2, 167.  
 — — *squarrosa* Jacq. Jacq. Schoenbr. 2, 177.  
 † — *sulphurea* Gaertn. Gaertn. Carp. 172.  
 — — Bot. Reg. 2, 131.  
 — — *tristis* L. Schk. Handb. 264.  
 † — *undulata* Gaertn. Gaertn. Carp. 172.  
 — — Jacq. Jacq. Schoenbr. 2, 160.  
 — — Kern. Hort. 249.  
 — — *virgata* Jacq. Jacq. Schoenbr. 3, 307.  
 † *Ardisia* Sw. Swartz Fl. Ind. 10.  
 † — Kern. Gen. 112.  
 † — *acerosa* Gaertn. Gaertn. Carp. 94.  
 — — *acuminata* Willd. Bot. Mag. 40, 1678.  
 — — *canaliculata* Lodd. Lodd. Cab. 1083.  
 — — *colorata* Link. Lodd. Cab. 465.  
 — — *coriacea* Vahl. Diet. sc. nat. 64.  
 — — *courtallensis* Wight. Wight Ic. pl. Ind. 4, 1215.  
 — — *crenata* Sims. Bot. Mag. 45, 1950.  
 — — *crenulata* Vent. Vent. Choix 5.  
 — — Lodd. Cab. 2.  
 — — Rehb. Mag. 78.  
 — — *elegans* Andr. Andr. Rep. 10, 623.  
 — — Lodd. Cab. 264.  
 — — *humilis* Vahl. Wight Ic. pl. Ind. 4, 1212.  
 — — Wight Spicil. 138.  
 — — *hymenandra* Wall. Wall. Pl. asiat. 175.  
 — — *Icara* Wall. Linn. Tr. 17, 7.  
 † — *lanceolata* Roxb. Gaertn. Carp. 210.  
 — — *lenticinosa* Ker. Bot. Reg. 7, 533.  
 — — *litoralis* Hort. Andr. Rep. 10, 630.  
 — — Kern. Hort. 437.  
 † — *montana* Gaertn. Gaertn. Carp. 210.  
 — — *neriifolia* Wall. Linn. Tr. 17, 8.  
 — — *odontophylla* Wall. Linn. Tr. 17, 6.  
 — — Bot. Reg. 22, 1892.

- Ardisia paniculata* Roxb. Bot. Reg. 8, 638.  
 — — Bot. Mag. 50, 2364.  
 — — Rehb. Exot. 216.  
 — — *pauciflora* Heyne. Wight Ic. pl. Ind. 4, 1214.  
 — — *polyccephala* Wall. Wall. Illustr. 145.  
 † — *procumbens* Gaertn. Gaertn. Carp. 210.  
 — — *punctata* Ldl. Bot. Reg. 10, 827.  
 — — *pyramidata* Cav. Lodd. Cab. 448.  
 — — *rhomboidea* Wight. Wight Ic. pl. Ind. 4, 1213.  
 † — *ruficarpa* Gaertn. Gaertn. Carp. 210.  
 — — *solanacea* Roxb. Rheede Hort. mal. 5, 28.  
 — — Roxb. Corom. 27.  
 — — Bot. Mag. 40, 1677.  
 — — Herb. amat. 5, 316.  
 — — *tinifolia* Sw. Kern. Hort. 191.  
 — — *umbellata* Roth. Lodd. Cab. 531.  
*Arduinia bispinosa* L. Lodd. Cab. 387.  
*Arca alba* Bory. Mart. Palm. 154. 155.  
 — — *Calapparia* Bl. Blume Rumphia 100.  
 — — *Catechu* L. Rheede Hort. mal. 1, 5-8.  
 — — Rumpf Amb. 1, 4. 5. 6.  
 — — Lam. Encycl. 895.  
 — — Roxb. Corom. 75.  
 — — Mart. Palm. 102. Z. 10.  
 † — — Blume Rumphia 102. 108.  
 — — Desc. Ant. 6, 421.  
 — — Hayne 7, 35.  
 — — Nees Düsseld. 38.  
 — — *cocoides* Griff. Griffith Palms 230<sup>b</sup>.  
 — — *erinata* Bory. Mart. Palm. 154. 155.  
 — — *Dicksonii* Roxb. Griffith Palms 231.  
 — — *disticha* Roxb. Griffith Palms 233.  
 † — *Faufel* Gaertn. Gaertn. Carp. 7.  
 † — *glandiformis* Bl. Blume Rumphia 190.  
 † — *globulifera* Lam. Lam. Encycl. 895.  
 — — *gracilis* Roxb. Griffith Palms 232<sup>a b c</sup>.  
 — — *horrida* Griff. Griffith Palms 233<sup>c</sup>.  
 — — *macrocalyx* Bl. Blume Rumphia 101. 160. 163.  
 — — *malaiana* Mart. Griffith Palms 230<sup>c</sup>.  
 — — *monostachya* Mart. Mart. Palm. 155.  
 — — *Nibung* Mart. Mart. Palm. 150. 153. Z. 8.  
 — — *oleracea* L. Jacq. Hist. stirp. am. 255.  
 — — Desc. Ant. 4, 265.  
 † — *oryzaeformis* Gaertn. Gaertn. Carp. 7.  
 — — *pumila* Mart. Mart. Palm. 153.  
 — — Blume Rumphia 99. 102.  
 — — *rubra* Bory. Mart. Palm. 154. 155.  
 — — *sapida* Forst. Mart. Palm. 151. 152.  
 — — *Soland.* Hook. New Zeal. 59. 60.  
 — — *tigillaria* Jack. Griffith Palms 233<sup>b</sup>.  
 — — *triandra* Roxb. Mart. Palm. 149.  
 — — Griffith Palms 230<sup>a</sup>.  
*Arenaria alpicola* Ten. Ten. Fl. nap. 227.  
 — — *apetala* Vill. Vill. Dauph. 48.  
 — — *arctica* Led. Ledeb. Ic. 415.  
 — — *Stev.* Hook. Fl. Bor. Am. 34.  
 — — *Arduini* Vis. Visiani Stirp. dalm. 3.  
 — — Rehb. Fl. germ. 5, 220.  
 — — *Armeriastrum* Boiss. var. Boiss. Esp. 30.  
 — — *austriaca* All. All. Fl. ped. 3, 64.  
 — — Jacq. Jacq. Fl. austr. 3, 270.  
 — — Sturm Flora 6, 24.  
 — — *balearica* L. L'her. Stirp. 15.  
 — — *biflora* L. Jacq. Ic. 83.  
 — — All. Fl. ped. 3, 44. 64.  
 — — Rehb. Fl. germ. 5, 217.  
 — — *caespitosa* Vahl. Fl. dan. 13, 2289.  
 — — *capillacea* All. All. Fl. ped. 3, 89.  
 — — *capillipes* Steud. Boiss. Esp. 27.  
 — — *cherlerioides* Vill. Vill. Dauph. 47.  
 — — *ciliata* L. Fl. dan. 2, 346. 8, 1269.  
 — — Jacq. Collect. 1, 16.

- Arenaria ciliata* L. Sibth. Fl. gr. 438.  
 — — — Engl. Bot. 25, 1745.  
 — — — Lodd. Cab. 659.  
 — — — Rehb. Fl. germ. 5, 217.  
 — *clandestina* Portsch. Portschl. Dalm. 1.  
 — *conica* Boiss. Boiss. Esp. 31.  
 — *conimbricensis* Brot. Brot, Phyt. 73.  
 — — — var. *Delastre* Vienne 2.  
 — *corymbulosa* Delastre. Delastre Vienne 1.  
 — *cucubaloides* Sm. Smith Ic. Linn. 17.  
 — *dianthoides* Sm. Smith Ic. Linn. 16.  
 — *emarginata* Brot. Willk. Ic. ined.  
 — *erinacea* Boiss. Boiss. Esp. 29.  
 — *fasciculata* Jacq. Jacq. Fl. austr. 2, 182.  
 — — — Sibth. Sibth. Fl. gr. 442.  
 — *fastigiata* Sm. Engl. Bot. 25, 1744.  
 — *festucoides* Royle. Royle Illustr. 21.  
 — *filifolia* Forsk. Vahl Symb. 12.  
 — *filiformis* Lab. Bill. Syr. 4, 3.  
 — *Franklinii* Dougl. Hook. Fl. Bor. Am. 35.  
 — *Giesekii* Hornem. Fl. dan. 9, 1518.  
 — *glandulosa* Jacq. Jacq. Schoenbr. 3, 355.  
 — *globulosa* Lab. Bill. Syr. 4, 3.  
 — *gracilis* W. et K. W. et Kit. 276.  
 — — — Rehb. Fl. germ. 5, 218.  
 — *graminifolia* Ard. Ard. Anim. 2, 10.  
 — — — Schrad. Schrad. Hort. gott. 5.  
 — — — Rehb. Fl. germ. 5, 220.  
 — *grandiflora* L. All. Fl. ped. 3, 10.  
 — — — Rehb. Fl. germ. 5, 218.  
 — *groenlandica* Spr. Torr. New York 15.  
 — *Guilelmi Waldemarii* Kl. Pr. Wald. Him. 27.  
 — *halophila* Led. Ledeb. Ic. 414.  
 — *hirta* Wormsk. Fl. dan. 10, 1646.  
 — *hispida* L. DC. Ic. Gall. 47.  
 — *hybrida* Vill. Vill. Dauph. 47.  
 — *juniperina* L. Gerard Fl. gallopr. 15.  
 — — — Lam. Encycl. 378.  
 — — — Smith Ic. Linn. 35.  
 — *lanceolata* All. All. Fl. ped. 3, 26.  
 — *laricifolia* L. Vill. Dauph. 47.  
 — — — Jacq. Fl. austr. 3, 272.  
 — *lateriflora* L. Hook. Fl. Bor. Am. 36.  
 — *liniflora* L. Jacq. Collect. 2, 3.  
 — — — Jacq. Jacq. Fl. austr. 3, 445.  
 — *longifolia* Led. Ledeb. Ic. 403.  
 — *macrophylla* Hook. Hook. Fl. Bor. Am. 37.  
 — *marginata* DC. DC. Ic. Gall. 48.  
 — *marina* Sm. Engl. Bot. 14, 958.  
 — — — Web. Fl. dan. 13, 2231.  
 — *media* L. Fl. dan. 13, 2232.  
 — *montana* L. Asso Arag. 2.  
 — — — Vent. Cels 34.  
 — — — Bot. Mag. 28, 1118.  
 — — — Rehb. Fl. germ. 5, 218.  
 — *multicaulis* L. Jacq. Collect. 1, 17.  
 — — — Wulf. Rehb. Fl. germ. 5, 219.  
 — *nardifolia* Led. Ledeb. Ic. 6.  
 — — — Hook. Fl. Bor. Am. 32.  
 — — — Rehb. Ic. crit. 4, 377.  
 — *neilgherrensis* W. et A. Wight Ic. pl. Ind. 3, 949.  
 — — — Wight Spicil. 15.  
 — *nodosa* Bory. Bory et Chaub. Morée 14.  
 — *norvegica* Gunn. Engl. Bot. 2852.  
 — *nudiuscula* Bert. Novi Comm. Bon. 6, 8.  
 — *obtusata* All. All. Fl. ped. 3, 64.  
 — *obtusiflora* Kze. Willk. Ic. ined.  
 — *oxypetala* Sibth. Sibth. Fl. gr. 437.  
 — *paniculata* Led. Ledeb. Ic. 417.  
 — *pendula* W. et K. W. et Kit. 87.  
 — — — Rehb. Fl. germ. 5, 217.  
 — *peploides* L. Fl. dan. 4, 624.

- Arenaria peploides* L. Engl. Bot. 3, 189.  
 — *pieta* Sibth. Sibth. Fl. gr. 440.  
 — *polygonoides* Wulf. Jacq. Collect. 1, 15.  
 — *Ponae* Rehb. Rehb. Ic. crit. 2, 138.  
 — *procumbens* Vahl. Vahl Symb. 33.  
 — *pungens* Clem. Boiss. Esp. 28.  
 — *purpurascens* DC. DC. Ic. Gall. 45.  
 — *quadrivalvis* R. Br. Rehb. Fl. germ. 5, 201.  
 — *recurva* Wulf. Jacq. Collect. 1, 16.  
 — — — All. All. Fl. ped. 3, 89.  
 — *retusa* Boiss. Boiss. Esp. 27.  
 — *Rosani* Ten. Ten. Fl. nap. 228.  
 — *rubella* Hook. Curt. Lond. 5, 203.  
 — — — Sm. Engl. Bot. 2638.  
 — *rubra* L. Fl. dan. 5, 740.  
 † — — — Schk. Handb. 122.  
 — — — Engl. Bot. 12, 852.  
 — *rupesstris* Lab. Bill. Syr. 4, 4.  
 — *salsuginea* Led. Ledeb. Ic. 409.  
 — *scerpyllifolia* L. Fl. dan. 6, 977.  
 † — — — Gaertn. Carp. 130.  
 † — — — Schk. Handb. 122.  
 — — — Curt. Lond. 2, 51.  
 — — — Engl. Bot. 13, 923.  
 — — — Rehb. Fl. germ. 5, 216.  
 — *sphaerocarpa* Ten. Ten. Fl. nap. 228.  
 — *squarrosa* Michx. Torr. New York 14.  
 — *striata* L. All. Fl. ped. 3, 26.  
 — — — Vill. Dauph. 47.  
 — *stricta* Michx. Hook. Fl. Bor. Am. 33.  
 — *subulata* Led. Ledeb. Ic. 400.  
 — *tenuifolia* L. Lam. Encycl. 378.  
 — — — Fl. dan. 3, 389.  
 — — — Engl. Bot. 4, 219.  
 — *tetragyna* H. B. K. H. B. K. Nov. Gen. 6, 517.  
 — *tetraquetra* All. All. Fl. ped. 3, 89.  
 — — — Rehb. Fl. germ. 5, 219.  
 — — — L. Ann. sc. nat. 4, 3, 4.  
 — — — var. Boiss. Esp. 29.  
 — *thesiifolia* Froel. Rehb. Fl. germ. 5, 219.  
 — *thymifolia* Sibth. Sibth. Fl. gr. 441.  
 — *trichocalycina* Ten. Ten. Fl. nap. 237.  
 — *triflora* Vill. Vill. Dauph. 47.  
 — — — Cav. Cav. Ic. 249.  
 — *trinervia* L. Fl. dan. 3, 429.  
 — — — Curt. Lond. 2, 60.  
 — — — Engl. Bot. 21, 1483.  
 — — — Schk. Handb. 122.  
 — — — Dietr. Fl. bor. 5, 324.  
 — *uliginosa* Schleich. DC. Ic. Gall. 46.  
 — — — Engl. Bot. 2890.  
 — *umbellata* Sol. Sibth. Fl. gr. 439.  
 — *umbrosa* Led. Ledeb. Ic. 322.  
 — *verna* L. Jacq. Fl. austr. 5, 404.  
 — — — Engl. Bot. 8, 512.  
 — — — Lodd. Cab. 98.  
 — — — Baxter Br. Bot. 5, 384.  
 — — — Sturm Flora 7, 26.  
 — *violacea* Led. Ledeb. Ic. 416.  
*Arenga obtusifolia* Mart. Mart. Palm. 147, 148.  
 — *saccharifera* Lab. Mart. Palm. 108.  
 — — — Griffith Palms 235<sup>a</sup>.  
 — *Westerhoutii* Griff. Griffith Palms 235<sup>b c d</sup>.  
 † — *Wightii* Mart. Mart. Palm. Z. 9.  
 — — — Griff. Griffith Palms 235<sup>e</sup>.  
 † *Arethusa* L. Schrad. Neucs Journ. 1, 1.  
 — *biplumata* L. Lam. Encycl. 729.  
 — — — Smith Ic. Linn. 23.  
 — *bulbosa* L. Lam. Encycl. 729.  
 — — — Barton Fl. 2, 53.  
 † — — — Bauer Orch. 7.  
 — — — Bot. Mag. 48, 2204.

- Arethusa bulbosa* L. Hook. Ex. Fl. 170.  
 — — — Lodd. Cab. 1170.  
 — — — *catenata* Sm. Smith Ex. Bot. 104.  
 — — — *divaricata* L. Lam. Encycl. 729.  
 — — — *ophioglossoides* L. Lam. Encycl. 729.  
 — — — Hook. Ex. Fl. 70.  
 — — — *plicata* Andr. Andr. Rep. 5, 321.  
 — — — *simplex* Aub. Aubert Orch. 24.  
*Aretia alpina* L. Jacq. Fl. austr. 5, 18.  
 — — — Lodd. Cab. 297.  
 — — — var. Münchn. Denkschr. 7, 4.  
 † — — — *argentea* Gaertn. Gaertn. Carp. 198.  
 † — — — *glacialis* Schl. Nees Gen. 5, 7.  
 — — — *helvetica* L. Schk. Handb. 32.  
 † — — — *Gaud.* Nees Gen. 5, 7.  
 — — — *pubescens* DC. Lodd. Cab. 1273.  
 † — — — *tomentosa* Gaud. Nees Gen. 5, 7.  
 — — — *Vitaliana* L. Lodd. Cab. 166.  
 † — — — *Gaud.* Nees Gen. 5, 7.  
 † *Argelia Delilii* Dene. Ann. sc. nat. II. 9, 11.  
 † *Argemone* L. Gray Gen. 47.  
 — — — *albiflora* Hornem. Bot. Mag. 49, 2342.  
 — — — *grandiflora* Sweet. Lodd. Cab. 1546.  
 — — — Sweet Fl. G. 226.  
 — — — Bot. Mag. 58, 3073.  
 — — — Bot. Reg. 15, 1264.  
 † — — — *mexicana* L. Gaertn. Carp. 60.  
 † — — — Lam. Encycl. 452.  
 — — — Schk. Handb. 141.  
 — — — Bot. Mag. 7, 243.  
 — — — Desc. Ant. 5, 380.  
 † — — — Mem. Genev. 1, 2.  
 — — — var. Bot. Reg. 16, 1343.  
 — — — Wight Illustr. 11.  
 — — — Gray Gen. 47.  
 — — — *ochroleuca* Sweet. Sweet Fl. G. 242.  
 — — — *platyceras* Lk. Link Ic. II. 43.  
 † *Argithamnia* Sw. Swartz Fl. Ind. 8.  
 † *Argolasia lanata* Lam. Lam. Encycl. 34.  
*Argostemma courtallense* Arn. Wight Ic. pl. Ind. 3, 1160.  
 — — — *montanum* Blume. Bennett Jav. 22.  
 — — — *verticillatum* Wall. Wall. Pl. asiat. rar. 185.  
*Argophyllum ellipticum* Lab. Bill. Sert. 41.  
 † — — — *nitidum* Forst. Forst. Char. 15.  
 † — — — Gaertn. Carp. 210. — Lam. Encycl. 111.  
 — — — Bill. Sert. 40.  
*Argyria radiata* Don. Endl. Ic. 71.  
*Argyranthemum anethifolium* Webb. Webb Can. 94.  
 — — — *foeniculaceum* Webb. Webb Can. 93.  
 — — — *frutescens* Webb.  $\alpha, \beta, \gamma, \delta$ . Webb 91. 92.  
 — — — *jacobaeifolium* Webb. Webb Can. 90.  
 — — — *ochroleucum* Webb. Webb Can. 96.  
 — — — *pinnatifidum* Webb. Webb Can. 95.  
*Argyreia bracteata* Choisy. Hook. Comp. 3.  
 — — — *cuneata* Roxb. Bot. Reg. 8, 661.  
 — — — Choisy. Wight Ic. pl. Ind. 3, 890.  
 — — — *cymosa* Choisy. Wight Ic. pl. Ind. 3, 839.  
 — — — *festiva* Wall. Wall. Pl. asiat. 76.  
 — — — *fulgens* Choisy. Wight Ic. pl. Ind. 4, 1357.  
 — — — *hirsuta* Choisy. Wight Ic. pl. Ind. 3, 891.  
 † — — — *pomacea* Choisy. Wight Illustr. 168<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. 3, 888.  
 — — — *speciosa* Sweet. Wight Ic. pl. Ind. 3, 851.  
 — — — *tilifolia* Wight. Wight Ic. pl. Ind. 4, 1358.  
 † *Argyrella incana* Naud. Ann. sc. nat. III. 13, 6.  
*Argyrochaeta bipinnatifida* Cav. Cav. Ic. 378.  
*Argyrocome ericoides* Lam. Lam. Encycl. 693.  
 † — — — *retorta* Gaertn. Gaertn. Carp. 167.  
 † — — — Lam. Encycl. 693.  
 — — — *verticillata* Lam. Lam. Encycl. 693.  
*Argyrolottis turbinata* Turcz. Bull. Mosc. 1851. 2, 1.  
*Argyrolobium crotalaroides* Jaub. Jaub. Ill. 59.

- Argyrolobium trigonelloides* Jaub. Jaub. Ill. 60.  
*Argyroxiphium sandwicense* DC. DC. Comp. 8.  
 — — — Hook. Ic. pl. 75.  
*Ariocarpus retusus* Scheidw. Bull. de Brux. 5, 0.  
*Arjona tuberosa* Cav. Cav. Ic. 383.  
 — — — Lam. Encycl. 921.  
*Arjoona patagonica* Hombr. Richard Astrol. 15.  
 — — — *pusilla* Hook. fil. Richard Astrol. 17.  
*Ariopsis peltata* Grah. Bot. Mag. 72, 4222.  
*Arisaema curvatum* Mart. Wight Ic. 788.  
 — — — *Dracontium* Schott. Bot. Reg. 8, 668.  
 — — — Torr. New York 123.  
 — — — *filiforme* Bl. Blume Rumphia 28.  
 — — — *Jacquemontii* Bl. Jacquemont Ind. 168.  
 — — — *laminatum* Bl. Blume Rumphia 27. 37.  
 — — — *Murrayi* Hook. Bot. Mag. 74, 4388.  
*Arisarum aspergillum* Dun. Mem. Montp. 1847, 5.  
 † — — — *australe* Rich. Guill. Arch. 1, 2.  
 — — — *simorrhinum* Durieu. Expl. Alger. 44.  
 † — — — *vulgare* Tournef. Expl. Alger. 44.  
 — — — Targ. Rehb. Fl. germ. 7, 7.  
*Aristea capitata* Gawl. Bot. Mag. 17, 605.  
 — — — Lodd. Cab. 1174.  
 — — — Rehb. Exot. 25.  
 — — — *cyanca* Ait. Bot. Mag. 13, 458.  
 — — — Andr. Rep. 1, 10.  
 — — — Red. Lil. 8, 462.  
 — — — Herb. amat. 3, 201.  
 — — — *major* Andr. Andr. Rep. 3, 160.  
 — — — *melaleuca* Gawl. Bot. Mag. 31, 1277.  
 — — — *pusilla* Gawl. Bot. Mag. 30, 1231.  
*Aristida americana* L. Sw. Obs. 2.  
 — — — *capensis* Thbg. Humb. Gram. 171.  
 — — — *capillacea* Lam. Cav. Ic. 468.  
 — — — *ciliata* Desf. Delile Egypte 13.  
 — — — *coeruleascens* Desf. Desf. Fl. 21.  
 — — — Trin. Sp. Gr. 3, 313.  
 — — — *congesta* R. et Sch. Humb. Gram. 172.  
 — — — *dichotoima* Michx. Humb. Gram. 174.  
 — — — Petersb. 2, 6.  
 — — — Torr. New York 149.  
 — — — *divaricata* Jacq. Jacq. Ecl. gram. 6.  
 — — — *elator* Cav. Cav. Ic. 589.  
 — — — *elegant* Rudge. Rudge Pl. Guianac 30.  
 — — — *gibbosa* Tr. Trin. Sp. Gr. 3, 314.  
 — — — *gracilis* Ell. Ell. Carol. 8.  
 — — — *hordeacea* Kth. Humb. Gram. 173.  
 — — — *interrupta* Cav. Cav. Ic. 471.  
 — — — *laxa* Cav. Cav. Ic. 470.  
 — — — *luzoniensis* Cav. Cav. Ic. 470.  
 — — — *mauritanica* Kth. Humb. Gram. 44.  
 — — — *murina* Cav. Cav. Ic. 469.  
 — — — *obtusata* Del. Delile Egypte 13.  
 — — — *pallens* Cav. Cav. Ic. 468.  
 — — — *pennata* Trin. Petersb. 6, 10.  
 — — — *pilosa* Lab. Bill. Sert. 17.  
 — — — *plumosa* L. Vahl Symb. 3.  
 † — — — Lam. Encycl. 41.  
 — — — *pungens* Desf. Desf. Fl. 35.  
 — — — *rigida* Cav. Cav. Ic. 469.  
 — — — *spadicea* Kth. Trin. Sp. Gr. 3, 316.  
 — — — *St. Luciae* Tr. Trin. Sp. Gr. 3, 315.  
 — — — *vagans* Cav. Cav. Ic. 471.  
*Aristolochia acuminata* Roxb. Wight Ic. pl. Ind. 3, 771.  
 — — — *altissima* Desf. Desf. Fl. 249.  
 — — — *anguicida* L. Jacq. Hist. stirp. am. 220.  
 — — — Desc. Ant. 3, 202.  
 — — — Jacq. Bot. Mag. 74, 4361.  
 — — — Fl. d. serres 4, 344.  
 † — — — *angustifolia* Cham. Linnac 7, 5.  
 — — — *arborescens* L. Desc. Ant. 3, 157.  
 — — — *Aucherii* Jaub. Jaub. Ill. 99.



- Aristolochia barbata* Jacq. Jacq. Ic. 608.  
 — *Billardieri* Jaub. Jaub. Ill. 100.  
 — *bilobata* L. Jacq. Ic. 188.  
 — — Desc. Ant. 4, 243. 8, 577.  
 — *Bottae* Jaub. Jaub. Ill. 98.  
 — *Brugierii* Jaub. Jaub. Ill. 129.  
 — *caudata* L. Jacq. Hist. stirp. am. 221.  
 — — Ann. Mus. 2, 35.  
 — — Booth. Bot. Mag. 66, 3769.  
 — — Bot. Reg. 17, 1453.  
 — *chilensis* Bridges. Bot. Reg. 20, 1680.  
 — *ciliata* Hook. Bot. Mag. 66, 3756.  
 — *ciliosa* Benth. Maund Bot. 2, 96.  
 — *Clematidis* L. Curt. Lond. 5, 149.  
 — — Engl. Bot. 6, 398.  
 — — Fl. dan. 7, 1235.  
 — — Sv. Bot. 377.  
 — — Schk. Handb. 276.  
 — — Sturm Flora 2, 6.  
 — — Hayne 9, 24.  
 — — Nees Düsseld. 147.  
 — — Woodv. Med. 1, 61.  
 † — — Mem. Instit. 1830, 3.  
 † — — Ann. sc. nat. 17, 14.  
 † — — Plée Types 21.  
 — — Dietr. Fl. bor. 5, 343.  
 — — Rehb. Fl. germ. 12, 669.  
 — — Baxter-Br. Bot. 1, 28.  
 † — — Nees Gen. 4, 50.  
 † — — Schnizl. Ic. 2, 114.  
 — *cordiflora* Kern. Kern. Hort. 481.  
 — *cretica* Lam. Desf. Ann. Mus. 10, 18.  
 — — Desf. Choix 7.  
 — — Kern. Hort. 336.  
 — *cymbifera* Mart. Mart. Bras. 49.  
 — — Kern. Hort. 716.  
 — — Bot. Reg. 18, 1543.  
 — *cynanchifolia* Mart. Mart. Bras. 51.  
 — *deltoides* H. B. K. H. B. K. Nov. Gen. 2, 112.  
 — — Kern. Hort. 526.  
 † — *Ehrenbergiana* Cham. Linnaea 7, 5.  
 — *eriantha* Mart. Mart. Bras. 53.  
 † — *fimbriata* Cham. Linnaea 7, 6.  
 — *foetens* L. Bot. Reg. 21, 1824.  
 — *foetida* H. B. K. H. B. K. Nov. Gen. 2, 114.  
 — — Kern. Hort. 516.  
 — *fragrantissima* Rz. et P. Rz. et Pav. Memoria 0.  
 — — Lambert Cinch. 0.  
 — *galeata* Mart. Mart. Bras. 50.  
 — *geminiflora* H. B. K. H. B. K. Nov. Gen. 2, 117.  
 — — Kern. Hort. 519.  
 — *gigantea* Mart. Mart. Bras. 48.  
 — — Bot. Mag. 72, 4221.  
 — *Gigas* Ldl. Bot. Reg. 28, 60.  
 — *glauca* Desf. Desf. Fl. 250.  
 — — Bot. Mag. 28, 1115.  
 † — — Nees Gen. 4, 50.  
 — *glaucescens* H. B. K. H. B. K. Nov. Gen. 2, 115.  
 — *grandiflora* Vahl. Vahl Symb. 47.  
 — — Tuss. Ant. 1, 27.  
 — — Kern. Hort. 541.  
 — — Sw. Bot. Mag. 74, 4368. 4369.  
 — — Fl. d. serres 4, 351. 352. 354. 355.  
 — *hastata* H. B. K. H. B. K. Nov. Gen. 2, 116.  
 — *hians* Willd. Mem. Mosc. 2, 5.  
 — *hirta* L. Sibth. Fl. gr. 937.  
 — — Jaub. Ill. 97.  
 — *hyperborea* Paxt. Knowles et Westc. 133.  
 — — Paxt. Mag. 6, 53.  
 — *indica* L. Rheede Hort. mal. 8, 23.  
 — — Rumpf Amb. 5, 177.  
 † — — Gaertn. Carp. 14.

- † *Aristolochia indica* L. Lam. Encycl. 733.  
 — *inflata* H. B. K. H. B. K. Nov. Gen. 2, 111.  
 — *labiata* Willd. Mem. Mosc. 2, 6.  
 — *labiosa* Ker. Bot. Reg. 8, 689.  
 — — Bot. Mag. 52, 2545.  
 — — Rchb. Exot. 156.  
 — *lanceolata* Wight. Wight Ic. pl. Ind. 5, 1858.  
 † — *longa* L. Lam. Encycl. 733.  
 — — Hayne 9, 20.  
 — — Nees Düsseld. 146.  
 — — Woodv. Med. 1, 60.  
 — — Rchb. Fl. germ. 12, 672.  
 † — — Nees Gen. 4, 50.  
 — *lutea* Desf. Ann. Mus. 10, 19.  
 — — Desf. Choix 9.  
 — *maeradenia* Hook. Bot. Mag. 75, 4467.  
 — — Lem. Jard. fl. 22.  
 — *macroGLOSSA* Jaub. Jaub. Ill. 127.  
 — *maxima* L. Jacq. Hist. stirp. am. 223.  
 — — Kern. Hort. 696.  
 — *nummularifolia* H. B. K. H. B. K. Nov. Gen. 2, 110.  
 — *oblongata* Jacq. Jacq. Schoenbr. 2, 183.  
 — *odoratissima* L. Desc. Ant. 5, 356.  
 — *officialis* N. v. E. Nees Düsseld. 144.  
 — *ornithocephala* Hook. Bot. Mag. 70, 4120.  
 — *pallida* Willd. Sibth. Fl. gr. 936.  
 — — W. et K. W. et Kit. 240.  
 — — Hayne 9, 23.  
 — — Rchb. Fl. germ. 12, 672.  
 — *pandurata* Jacq. Jacq. Schoenbr. 4, 497.  
 — *parvifolia* Sm. Sibth. Fl. gr. 935.  
 — *peltata* L. Jacq. Hist. stirp. am. 222.  
 — — Jacq. Obs. 4.  
 — *pentandra* L. Jacq. Hist. stirp. am. 224.  
 — *picta* Karst. Karsten Auswahl 8.  
 — — Fl. d. serres 5, 521.  
 — *pilosa* H. B. K. H. B. K. Nov. Gen. 2, 113.  
 — *Pistolochia* L. Rchb. Fl. germ. 12, 670.  
 — *punctata* Lam. Desc. Ant. 3, 225.  
 — *Raja* Mart. Mart. Bras. 52.  
 † — *ringens* Vahl. Jacq. Collect. 5, 4.  
 — — Kern. Hort. 680.  
 — — Lk. Link Ic. 1, 13.  
 — — Bot. Reg. 8, 689.  
 † — — Hoffmannssegg Verz. 1826, 1.  
 — *rotunda* L. Hayne 9, 22.  
 — — Nees Düsseld. 145.  
 — — Rchb. Fl. germ. 12, 671.  
 — *rumicifolia* Mart. Mart. Bras. 54.  
 — *saccata* Wall. Wall. Pl. asiat. 103.  
 — — Bot. Mag. 65, 4640.  
 — *sempervirens* L. Sibth. Fl. gr. 934.  
 — — Bot. Mag. 28, 1116.  
 — — Lodd. Cab. 231.  
 — *Serpentaria* L. Jacq. Schoenbr. 3, 385.  
 — — Hayne 9, 21.  
 — — Guimp. et Schl. 114.  
 — — Nees Düsseld. 143.  
 — — Wagner 10.  
 — — Big. Med. 49.  
 — — Bart. Med. 28.  
 — — Woodv. Med. 1, 59.  
 † — — Schnizl. Ic. 2, 114.  
 — — Torr. New York 91.  
 — *Sipho* L'her. L'her. Stirp. 7, 7<sup>b</sup>.  
 — — Bot. Mag. 15, 534.  
 — — Guimp. Fr. H. 120.  
 — — Dict. sc. nat. 2.  
 † — — Schnizl. Ic. 2, 114.  
 † — *tagala* Cham. Linnaea 7, 5.  
 — *tomentosa* Sims. Bot. Mag. 33, 1369.  
 — — Lodd. Cab. 641.

- Aristolochia Tournefortii* *Jaub.* *Jaub.* Ill. 128.  
 † — *triangularis* *Cham.* *Linnaea* 7, 6.  
 — *trifida* *Lam.* *Maund Bot.* 1, 3.  
 — — — *Bot. Reg.* 17, 1399.  
 — *trilobata* *L.* *Jacq. Obs.* 3.  
 — — — *Jacq. Ecl. pl.* 26.  
 — — — *Paxt. Mag.* 3, 2.  
 — — — *Bot. Reg.* 17, 1399.  
 — *truncata* *Field.* *Fielding Sert.* 44.  
 † *Aristolochiae* *Juss.* *Schnizl. Ic.* 2, 114.  
 † *Aristolotelia* *L'her.* *Ruiz et Pavon Prodromus* 12.  
 — *Macqui* *L'her.* *L'her. Stirp.* 16.  
 † — — — *Gaertn. Carp.* 211.  
 † — — — *Lam. Encycl.* 399.  
 — — — *Watson Dendr.* 1, 44.  
 — — — *Guimp. Fr. Holszegew.* 88.  
*Armeniaca longifolia* *Desc.* *Herc. Ant.* 2, 108.  
 † — *vulgaris* *Lam.* *Lam. Encycl.* 431.  
 — — — *Dict. sc. nat.* 237.  
 † — — — *Kerner Gen.* 27.  
 † *Armeria* *Willd.* *Ebel Armeria* 0.  
 † — *alliacea* *Willd.* *Mutel Fl.* fr. 54.  
 — — — *Rchb. Ic. crit.* 10, 966.  
 — *alpina* *Willd.* *Sturm Flora* 13, 51.  
 — — — *Flora* 1823, 2.  
 — *australis* *Boiss.* *var. Boiss. Esp.* 153.  
 — *cephalotes* *Lk.* *Bot. Mag.* 70, 4128.  
 — *denticulata* *Bertol.* *Portschl. Dalm.* 5.  
 — *fasciculata* *Ldl.* *Bot. Reg.* 27, 21.  
 — *filicaulis* *Boiss.* *Boiss. Esp.* 154.  
 — — — *var. Willk. Ic. ined.*  
 — *fruticosa* *Lodd.* *Lodd. Cab.* 1587.  
 — *gracilis* *Ten.* *Ten. Fl. nap.* 223.  
 — *pinifolia* *Lk.* *Hoffm. Lk. Fl. port.* 75.  
 — *plantaginea* *Willd.* *Engl. Bot.* 2928.  
 — *pungens* *Schult.* *Hoffm. Lk. Fl. port.* 76.  
 — *scorzonerifolia* *Willd.* *NoCCA et Balb. Fl. tic.* 6.  
 — *vulgaris* *Willd.* *Dietr. Fl. bor.* 2, 138.  
 — — — *Vis. Dalm.* 3.  
 † — — — *Nees Gen.* 5, 3.  
*Armodorum distichum* *Breda.* *Breda Orch. Jav.* 6.  
*Arnebia echioides* *A. DC.* *Bot. Mag.* 74, 4409.  
 — — — *Fl. d. serres* 5, 459.  
 — *fimbriopetala* *Stocks.* *Hook. Journ.* 1851, 6.  
 — *hispidissima* *DC.* *Wight Ic. pl. Ind.* 4, 1393.  
 — — — *Jaub. Ill.* 363.  
 † — *tinctoria* *Forsk.* *Viv. Aeg.* 2.  
*Arnica alpina* *L.* *Sv. Bot.* 699.  
 — *angustifolia* *Vahl.* *Fl. dan.* 9, 1524.  
 — *Bellidiastrum* *Vill.* *Bot. Mag.* 30, 1196.  
 — *Clusii* *All.* *All. Fl. ped.* 3, 17.  
 — *corsica* *Lois.* *Lois. Fl. gall.* 20.  
 — *crenata* *Thunb.* *Lodd. Cab.* 901.  
 — *Doronicum* *Jacq.* *Jacq. Fl. austr.* 1, 92.  
 — *glacialis* *Wulf.* *Jacq. Ic.* 586.  
 — *japonica* *Thunb.* *Thunb. Ic. jap.* 40.  
 — *lanigera* *Ten.* *Ten. Fl. nap.* 193.  
 — *Menziesii* *Hook.* *Hook. Bor. Am.* 111.  
 — *mollis* *Hook.* *Torr. New York* 60.  
 — *montana* *L.* *Fl. dan.* 1, 63.  
 † — — — *Gaertn. Carp.* 173.  
 — — — *Schk. Handb.* 248.  
 — — — *Sv. Bot.* 185.  
 — — — *Bot. Mag.* 42, 1749.  
 — — — *Lodd. Cab.* 1613.  
 — — — *Sala Memoria* 0.  
 — — — *Sturm Flora* 9, 34.  
 — — — *Schrank Fl. monac.* 2, 188.  
 — — — *Dreves* 4, 107.  
 — — — *Hayne* 6, 47.  
 — — — *Guimp. et Schl.* 1.  
 — — — *Nees Diüsseld.* 237.

- Arnica montana* *L.* *Wagner* 222.  
 — — — *Woodv. Med.* 1, 17.  
 — — — *Dietr. Fl. bor.* 9, 608.  
 — *scorpioides* *L.* *Jacq. Fl. austr.* 3, 249.  
 — — — *Lodd. Cab.* 913.  
*Arnopogon asper* *Willd.* *Sibth. Fl. gr.* 782.  
 — *Dalechampii* *Willd.* *Sibth. Fl. gr.* 780.  
 — — — *Bot. Mag.* 39, 1623.  
 — *picroides* *Willd.* *Sibth. Fl. gr.* 781.  
 † *Arnoseric pusilla* *Gaertn.* *Gaertn. Carp.* 157.  
 — — — *Dreves* 4, 112.  
 — — — *Dietr. Fl. bor.* 9, 639.  
 † *Arnottia mauritiana* *A. Rich.* *Mem. hist. nat. Par.* 4, 7.  
 † *Aroideae* *Juss.* *Schnizl. Ic.* 1, 72 — 72<sup>bb</sup>.  
*Aromadendrum elegans* *Bl.* *Blume Jav.* 9, 7. 8.  
*Aronia asiatica* *Zucc.* *Sieb. Jap.* 42.  
*Aronicum Clusii* *Koch.* *Sturm Flora* 10, 38.  
 — *scorpioides* *Koch.* *Sturm Flora* 10, 38.  
*Arouna guianensis* *Aubl.* *Aubl. Guiana* 5.  
 † — — — *Lam. Encycl.* 10.  
 † — — — *Abh. Ac. Berl.* 1832, 3.  
*Arrabidea rosea* *DC.* *Delessert Ic.* 5, 92.  
*Arracacha esculenta* *DC.* *Sprengel Nachrichten* 1.  
 — — — *Mem. Genev.* 6, 1.  
 — — — *Bot. Mag.* 58, 3092.  
 † *Arrhenatherum* *Pal. Beauv.* *Dumortier Gram.* 8.  
 † — *avenaceum* *Pal. B.* *Nees Gen.* 1, 49.  
 — — — *Rchb. Fl. germ.* 1, 104.  
 — — — *Baxter Br. Bot.* 6, 480.  
 — *Kotschy* *Boiss.* *Jaub. Ill.* 198.  
*Arrhoxystylum glabrum* *N. v. E.* *Endl. Bras.* 7, 6.  
*Arrowsmithia stypelioides* *DC.* *Delessert Ic.* 4, 100.  
*Arrudia clusoides* *St. Hil.* *St. Hil. Fl. Bras.* 56.  
*Artabotrys hamata* *Bl.* *Blume Jav.* 1, 29. 31.  
 — *odoratissima* *R. Br.* *Rheede Hort. mal.* 7, 46.  
 — — — *Bot. Reg.* 5, 423.  
 — — — *Blume Jav.* 1, 28. 31.  
 — *suaveolens* *Bl.* *Rumpf Amb.* 5, 14.  
 — — — *Blume Jav.* 1, 30. 31.  
*Artanema fimbriatum* *Don.* *Sweet Fl. G. II.* 234.  
 — *sesamoides* *Benth.* *Rheede Hort. mal.* 9, 87.  
 — — — *Wight Ic. pl. Ind.* 4, 1410.  
 † *Artanthe* *Miq.* *Miquel Comment.* 4.  
 — *abutilifolia* *Miq.* *Endl. Bras.* 11, 6.  
 — *acutifolia* *Miq.* *Miq. Ill. Pip.* 78.  
 — *adenophylla* *Miq.* *Endl. Bras.* 11, 21.  
 † — *adunca* *Miq.* *Endl. Bras.* 11, 14.  
 — *aequalis* *Miq.* *Miq. Ill. Pip.* 88.  
 — *amazonica* *Miq.* *Endl. Bras.* 11, 11.  
 — *ampla* *Miq.* *Endl. Bras.* 11, 20.  
 — *Blanchetii* *Miq.* *Miq. Ill. Pip.* 81.  
 — *brachypoda* *Benth.* *Benth. Sulphur* 54.  
 — *Brunoniana* *Miq.* *Miq. Ill. Pip.* 87.  
 — *Cambessedei* *Miq.* *Endl. Bras.* 11, 17.  
 — *concinna* *Miq.* *Endl. Bras.* 11, 13.  
 — *cornifolia* *Miq.* *Miq. Ill. Pip.* 83.  
 — *denudans* *Miq.* *Endl. Bras.* 11, 21.  
 — *diospyrifolia* *Miq.* *Miq. Ill. Pip.* 82.  
 † — — — *Endl. Bras.* 11, 14.  
 — *elongata* *Miq.* *Endl. Bras.* 11, 14.  
 — *eximia* *Miq.* *Endl. Bras.* 11, 9.  
 — *formosa* *Miq.* *Miq. Ill. Pip.* 69.  
 — *fuscescens* *Miq.* *Endl. Bras.* 11, 10.  
 — *geniculata* *Miq.* *Endl. Bras.* 11, 18.  
 — *glabrata* *Miq.* *Miq. Ill. Pip.* 84.  
 † — — — *Endl. Bras.* 11, 14.  
 — *Hilariana* *Miq.* *Miq. Ill. Pip.* 76.  
 — *hispidia* *Miq.* *Miq. Comment.* 8.  
 — *lanceaeifolia* *Miq.* *Miq. Ill. Pip.* 79.  
 — *laurifolia* *Miq.* *Miq. Ill. Pip.* 89.  
 — *lineata* *Miq.* *Miq. Ill. Pip.* 80.  
 — *Luschnathiana* *Miq.* *Endl. Bras.* 11, 19.

- Artanthe magnifica *Miq.* Miq. Ill. Pip. 71.  
 — Martiana *Miq.* Miq. Ill. Pip. 77.  
 — nitida *Miq.* Miq. Comment. 7.  
 — obtusa *Miq.* Endl. Bras. 11, 12.  
 — obumbrata *Miq.* Endl. Bras. 11, 19.  
 — peduncularis *Miq.* Miq. Ill. Pip. 91.  
 — persicariaefolia *Miq.* Endl. Bras. 11, 19.  
 — phthino-tricha *Miq.* Miq. Ill. Pip. 90.  
 — pothifolia *Miq.* Miq. Ill. Pip. 74.  
 — pseudo-Churumayu *Miq.* Miq. Ill. Pip. 75.  
 — pyrifolia *Miq.* Endl. Bras. 11, 16.  
 — Regnellii *Miq.* Endl. Bras. 11, 6.  
 — richardiaefolia *Miq.* Miq. Ill. Pip. 72.  
 — — — Endl. Bras. 11, 9.  
 — Schottii *Miq.* Endl. Bras. 11, 15.  
 — spectabilis *Miq.* Endl. Bras. 11, 8.  
 — superba *Miq.* Endl. Bras. 11, 7.  
 — tectoniaefolia *Miq.* Miq. Ill. Pip. 73.  
 — tiliaefolia *Miq.* Miq. Ill. Pip. 70.  
 — trichoneura *Miq.* Miq. Ill. Pip. 85.  
 — variegata *Miq.* Endl. Bras. 11, 16.  
 — xylopioides *Miq.* Miq. Ill. Pip. 86.  
 — — — Endl. Bras. 11, 18.  
 — xylosteoides *Miq.* Endl. Bras. 11, 13.  
 † *Artedia squamata* *L.* Gaertn. Carp. 85.  
 † — — — Lam. Encycl. 193.  
 † — — — Sibth. Fl. gr. 268.  
*Artemisia* Abrotanum *L.* Hayne 11, 22.  
 — — — Guimp. et Schl. 199.  
 — — — Nees Düsseld. 232.  
 — — — Wagner 223.  
 — — — Woodv. Med. 1, 21.  
*Absinthium* *L.* Sv. Bot. 106.  
 — — — Engl. Bot. 18, 1230.  
 — — — Fl. dan. 10, 1654.  
 — — — Hayne 2, 11.  
 — — — Guimp. et Schl. 197.  
 — — — Nees Düsseld. 234.  
 — — — Wagner 145, 146.  
 — — — Dietr. Fl. bor. 9, 633.  
 — — — Woodv. Med. 1, 22.  
 — — — Baxter Br. Bot. 5, 339.  
*achilleaefolia* *Ten.* Ten. Fl. nap. 190.  
*afra* *Jacq.* Jacq. Schoenbr. 4, 467.  
*albida* *Willd.* Ledeb. Ic. 478.  
*amygdalina* *Decne.* Jacquemont Ind. 100.  
*androsacca* *Seem.* Seem. Herald 6.  
*aragonensis* *Lam.* Webb Can. 101.  
*arborescens* *L.* Sibth. Fl. gr. 856.  
*argentea* *L'her.* L'her. Sert. 28.  
*argyrophylla* *Led.* Ledeb. Ic. 463.  
*armeniaca* *Lam.* Rehb. Hort. 4.  
*austriaca* *Jacq.* Jacq. Fl. austr. 1, 100.  
*Barrelieri* *Bess.* Boiss. Esp. 94<sup>a</sup>.  
*Biasoletiana* *Vis.* Vis. Dalm. 9.  
*biennis* *Willd.* Bot. Mag. 51, 2472.  
*Bocconi* *All.* All. Fl. ped. 3, 8, 9.  
*caespitosa* *Led.* Ledeb. Ic. 472.  
*campestris* *L.* Fl. dan. 7, 1175.  
 — — — Schk. Handb. 240.  
 — — — Engl. Bot. 5, 338.  
 — — — Hayne 2, 9.  
 — — — Dietr. Fl. bor. 9, 635.  
*canariensis* *Bess.* Webb Can. 100.  
*chamaemelifolia* *Vill.* Vill. Dauph. 35.  
*Chamissoniana* *Bess.* Mem. Mosc. 9, 4.  
*coerulescens* *L.* Engl. Bot. 34, 2426.  
 — — — Ten. Fl. nap. 248.  
*Columnae* *Ten.* Ten. Fl. nap. 190, 192.  
*Contra* *L.* Guimp. et Schl. 200.  
 — — — Nees Düsseld. 229.  
*eriantha* *Ten.* Ten. Fl. nap. 195.

- Artemisia* frigida *Willd.* Ledeb. Ic. 462.  
 — gallica *Willd.* Fl. dan. 12, 2119.  
 — — — Engl. Bot. 14, 1001.  
 — glabrata *Wall.* Wight Ic. pl. Ind. 3, 1111.  
 — glacialis *L.* All. Fl. ped. 3, 8.  
 — — — Jacq. Fl. austr. 5, 35.  
 — — — Jacq. Collect. 2, 7.  
 — glomerata *Sieb.* Acta Leop. 13, 2, 43.  
 — — — Nees Düsseld. 230.  
 — — — Wagner 232.  
 — granatensis *Boiss.* Boiss. Esp. 95.  
 — — — Webb Otia 2.  
 — grata *DC.* Rhede Hort. mal. 10, 45.  
 — groenlandica *Hornem.* Fl. dan. 9, 1585.  
 — herba alba *Asso.* Asso. Aragon. 8.  
 — — — var. Boiss. Esp. 94.  
 — hispanica *Lam.* Jacq. Ic. 172.  
 — — — Boiss. Esp. 94<sup>a</sup>.  
 — holosericea *Led.* Ledeb. Ic. 459.  
 — inculta *Del.* Delile Egypte 43.  
 — indica *Willd.* Wight Ic. pl. Ind. 3, 1112.  
 — insipida *Vill.* Vill. Dauph. 35.  
 — judaica *L.* Delile Egypte 43.  
 — — — Nees Düsseld. 213.  
 — — — Wagner 233.  
 — latifolia *Led.* Ledeb. Ic. 469.  
 — Lercheana *Willd.* Ledeb. Ic. 488.  
 — macrantha *Led.* Ledeb. Ic. 452.  
 — macrobotrys *Led.* Ledeb. Ic. 467.  
 — maritima *L.* Engl. Bot. 24, 1706.  
 — — — Sv. Bot. 323.  
 — — — Fl. dan. 10, 1655.  
 — — — Woodv. Med. 1, 24.  
 — Mertensiana *Wallr.* Wallr. Sched. 4.  
 — minima *L.* Burm. Fl. ind. 58.  
 — monogyna *W. et K.* W. et Kit. 75.  
 — monosperma *Del.* Delile Egypte 43.  
 — Moxa *Bess.* Rumpf Amb. 5, 91, fig. 2.  
 — multicaulis *Led.* Ledeb. Ic. 458.  
 — Mutellina *Vill.* Vill. Dauph. 35.  
 — norvegica *Fries.* Rehb. Pl. crit. 1, 89.  
 — obtusiloba *Led.* Ledeb. Ic. 465, 466.  
 — pedemontana *Balb.* Mem. Tur. 10, 5.  
 — pontica *L.* Jacq. Fl. austr. 1, 99.  
 — — — Hayne 2, 10.  
 — — — Nees Düsseld. 231.  
 — — — var. Rochel Ban. 35.  
 — pycnorhiza *Led.* Ledeb. Ic. 473.  
 — pyromacha *Viv.* Viv. Lib. 13.  
 — reptans *Chr. Smith.* Webb Can. 102.  
 — rupestris *L.* Fl. dan. 5, 801.  
 — — — Sv. Bot. 317.  
 — — — Wallr. Sched. 5.  
 — sacrorum *Led.* Ledeb. Ic. 470, 471.  
 — — — Rehb. Ic. crit. 4, 310.  
 — salina *Willd.* Spreng. Fl. hal. 12.  
 — Santonica *Gmel.* Wagner 231.  
 — — — *L.* Woodv. Med. 1, 25.  
 — scoparia *W. et K.* W. et Kit. 65.  
 — sipontina *Ten.* Ten. Fl. nap. 248.  
 — spicata *Wulf.* Jacq. Fl. austr. 5, 34.  
 — — — Jacq. Rochel Ban. 34.  
 — Stechmanniana *Bess.* Mem. Mosc. 9, 2.  
 — Stelleriana *Bess.* Mem. Mosc. 9, 5.  
 — Stevenciana *Bess.* Mem. Mosc. 9, 3.  
 — subcanescens *Willd.* Noca et Balb. Fl. tic. 14.  
 — succulenta *Led.* Ledeb. Ic. 474.  
 — tanacetifolia *All.* All. Fl. ped. 3, 10, 70.  
 — Tournefortiana *Rehb.* Rehb. Hort. 5.  
 — Triniana *Bess.* Mem. Mosc. 9, 3.  
 — Turczaninoviana *Bess.* Mem. Mosc. 9, 1.  
 — violacea *Led.* Ledeb. Ic. 475.

- Artemisia viridifolia* Led. Rchb. Ic. crit. 4, 389.  
 † — vulgaris L. Gaertn. Carp. 164.  
 † — — — Lam. Encycl. 695.  
 — — — Fl. dan. 7, 1176.  
 — — — Sv. Bot. 417.  
 — — — Engl. Bot. 14, 978.  
 — — — *β. densiflora* Bert. N. C. Bon. 3, 11.  
 — — — Hayne 2, 12.  
 — — — Guimp. et Schl. 198.  
 — — — Schrank Fl. monac. 3, 295.  
 — — — Nees Düssel. 233.  
 — — — Woodv. Med. 1, 23.  
 — — — Dietr. Fl. bor. 9, 634.  
*Arthratherum caloptilum* Jaub. Jaub. III. 336.  
 — ciliatum Jaub. Jaub. III. 334.  
 — hirtiglume Jaub. Jaub. III. 335.  
 — obtusum Jaub. Jaub. III. 338.  
 — pogonoptilum Jaub. Jaub. III. 337.  
 † *Arthroclactylis* Forst. Forst. Char. 75.  
*Arthrolobium ebracteatum* DC. Engl. Bot. 2844.  
 — — — Baxter Br. Bot. 6, 509.  
*Arthropodium candidum* Decne. Raoul Nouv. Zel. 6.  
*Arthropodium cirratum* R. Br. Bot. Mag. 49, 2350.  
 — — — Bot. Reg. 9, 709.  
 — minus R. Br. Bot. Reg. 10, 866.  
 — paniculatum R. Br. Bot. Mag. 35, 1421.  
 — — — Endl. Ic. 28.  
*Arthropogon villosus* N. v. E. Humb. Gram. 200.  
*Arthrostemma fragile* Ldl. Journ. Hort. Soc. 3, 75.  
 † — heterostemon Naud. Ann. sc. nat. III. 13, 6.  
 — nitidum Grh. Bot. Mag. 59, 3142.  
 — versicolor DC. Bot. Mag. 65, 3678.  
 † — Weddellianum Naud. Ann. sc. nat. III. 13, 6.  
 † *Arthrostylidium* (5 spec.) Acad. Pet. 5, 3—5.  
*Arthrotaxis epressoides* Don. Hook. Ic. pl. 559.  
 — laxifolia Hook. Hook. Ic. pl. 573.  
 — selaginoides Don. Hook. Ic. pl. 574.  
 — tetragona Hook. Hook. Ic. pl. 560.  
 † *Artocarpeae* R. Br. Schnizl. Ic. 2, 93.  
 † — — — (Trécul.) Ann. sc. nat. III. 8, 1—6.  
 † *Artocarpus* L. Forster Char. 51. 51<sup>a</sup>.  
 † — — — Ann. sc. nat. III. 8, 1.  
 — Chaplasha Roxb. Wight Ic. pl. Ind. 2, 682.  
 — echinata Roxb. Wight Ic. pl. Ind. 2, 680.  
 — hirsuta Lam. Rheede Hort. mal. 3, 32.  
 — — — Wight Ic. pl. Ind. 6, 1957.  
 † — Jaca Lam. Lam. Encycl. 745.  
 — incisa L. Rumpf Amb. 1, 32. 33. 34.  
 † — — — Forster Brodbaum 1. 2.  
 — — — Panzer Brodbaum 0.  
 — — — Ellis Monogr. 0.  
 † — — — Lam. Encycl. 744.  
 — — — Tuss. Ant. 2, 2. 3.  
 — — — Kerner Hort. 37.  
 — — — Desc. Ant. 8, 539.  
 — — — Dict. sc. nat. 286.  
 — — — Bot. Mag. 55, 2869—2871.  
 † — — — Schnizl. Ic. 2, 93.  
 — integrifolia L. Rheede Hort. mal. 3, 26—28.  
 — — — Rumpf Amb. 1, 30. 31.  
 — — — Tuss. Ant. 2, 4.  
 — — — Kerner Hort. 614. 615.  
 — — — Roxb. Corom. 250.  
 — — — Bot. Mag. 55, 2833. 2834.  
 — — — Wight Ic. pl. Ind. 2, 678.  
 — Laeucha Roxb. Wight Ic. pl. Ind. 2, 681.  
 — lanceaefolia Roxb. Wight Ic. pl. Ind. 2, 679.  
 — Ponga Dennst. Rheede Hort. mal. 4, 35.  
 † *Aruba* Aubl. Acta Leop. 11, 1, 19.  
 — acuminata N. et M. Acta Leop. 11, 1, 29.  
 — alba N. et M. Acta Leop. 11, 1, 28.  
 — coerulea N. et M. Acta Leop. 11, 1, 27.

- Aruba guianensis* Aubl. Aubl. Guiana 115.  
 — — — Lam. Encycl. 209.  
 † *Arum* L. Kerner Gen. 202.  
 — — — ? Ic. plant. Chin. 25.  
 — Arisarum L. Jacq. Schoenbr. 2, 192.  
 — — — Sibth. Fl. gr. 948.  
 — auritum L. Jacq. Schoenbr. 2, 191.  
 — — — Desc. Ant. 3, 231.  
 — bicolor Ait. Jacq. Schoenbr. 2, 186.  
 — — — Kern. Hort. 1.  
 — — — Bot. Mag. 21, 820.  
 — — — Hook. Ex. Fl. 26.  
 — bulbiferum Roxb. Bot. Mag. 46, 2072.  
 — — — Bot. Mag. 51, 2508.  
 — — — Rchb. Exot. 204.  
 — — — Wight Ic. pl. Ind. 3, 783.  
 — campanulatum Roxb. Rheede Hort. mal. 11, 18. 19.  
 — — — Roxb. Corom. 272.  
 — — — Kerner Hort. 697.  
 — — — Rchb. Exot. 3.  
 — — — Bot. Mag. 55, 2812.  
 — — — Wight Ic. pl. Ind. 3, 782. 785.  
 — Colocasia L. Rumpf Amb. 5, 109.  
 — — — Kern. Hort. 166.  
 — — — Desc. Ant. 7, 500.  
 — — — ? Wight Ic. pl. Ind. 3, 786.  
 — costatum Wall. Wallich Tentamen 19.  
 — crenatum Wight. Wight Illustr. in Hook. 3.  
 — crinitum Ait. Bot. Reg. 10, 831.  
 — — — Rchb. Exot. 2.  
 — cucullatum Roxb. Wight Ic. pl. Ind. 3, 787.  
 — curvatum Roxb. Wight Ic. pl. Ind. 3, 788.  
 — cuspidatum Roxb. Wight Ic. pl. Ind. 3, 784.  
 — Dioscoridis Sibth. Sibth. Fl. gr. 947.  
 — divaricatum L. Rheede Hort. mal. 11, 20.  
 — — — Rumpf Amb. 5, 111. fig. 2.  
 — — — Wight Ic. pl. Ind. 3, 790.  
 — Dracontium L. Schk. Handb. 277.  
 — — — Bot. Reg. 8, 668.  
 — — — Lodd. Cab. 1165.  
 † — — — Dracunculus L. Gaertn. Carp. 84.  
 † — — — Lam. Encycl. 740.  
 — — — Sibth. Fl. gr. 946.  
 — echinatum Wall. Wall. Pl. asiat. 136.  
 — erubescens Wall. Wall. Pl. asiat. 135.  
 — esculentum L. Rumpf Amb. 5, 110.  
 — flagelliforme Lodd. Lodd. Cab. 396.  
 — — — Roxb. Wight Ic. pl. Ind. 3, 791.  
 — folio bisecto Desc. Desc. Ant. 7, 506.  
 — fornicatum Roxb. Wight Ic. pl. Ind. 3, 789. 792.  
 — gracile Roxb. Rheede Hort. mal. 11, 21.  
 — — — Wight Ic. pl. Ind. 3, 793.  
 — grandifolium Jacq. Jacq. Schoenbr. 2, 189.  
 — guttatum Wall. Wall. Pl. asiat. 115.  
 — hederaceum L. Jacq. Hist. stirp. am. 230.  
 — — — Desc. Ant. 3, 168.  
 — — — var. majus, Desc. Ant. 7, 510.  
 — helleborifolium Jacq. Jacq. Ic. 613.  
 — indicum Lour. Wight Ic. pl. Ind. 3, 794.  
 — italicum Lam. Kern. Hort. 209.  
 — — — Bot. Mag. 50, 2432.  
 † — — — Ann. sc. nat. III. 15, 2.  
 — — — Mill. Rchb. Fl. germ. 7, 11.  
 — lacerum Jacq. Jacq. Schoenbr. 4, 468.  
 — longispathum Rchb. Rchb. Fl. germ. 7, 10.  
 — maculatum L. Fl. dan. 3, 505.  
 — — — Curt. Lond. 2, 35.  
 — — — Engl. Bot. 19, 1298.  
 — — — Woodv. Med. 4, 249.  
 — — — Baxter Br. Bot. 4, 261.  
 — — — Schrank Fl. monac. 2, 123.  
 — — — Sturm Flora 11, 44.

- Arum maculatum* L. Hayne 13, 32.  
 — — — Br. und Ratzeb. 7.  
 — — — Nees Düsseld. 20.  
 — — — Dietr. Fl. bor. 4, 223.  
 — — — Rchb. Fl. germ. 7, 8.  
 — — — Dict. sc. nat. 3.  
 † — — — Nees Gen. 3, x.  
 † — — — Verhandl. Rheinl. 5, 1.  
 — *margaritifera* Roxb. Wight Ic. pl. Ind. 3, 795.  
 — *minutum* Willd. Rheede Hort. mal. 11, 17.  
 — *montanum* Roxb. Wight Ic. pl. Ind. 3, 796.  
 — *mucronatum* Lam. Rumpf Amb. 5, 106.  
 — — — Kern. Hort. 404.  
 — *nepenthoides* Wall. Wallich Tentamen 18.  
 — *nymphaeifolium* Roxb. Wight Ic. pl. Ind. 3, 786.  
 — *odorum* Roxb. Lodd. Cab. 416.  
 — — — Wight Ic. pl. Ind. 3, 797.  
 — *orientale* M. v. B. Rchb. Fl. germ. 7, 9.  
 — *orixense* Roxb. Andr. Rep. 5, 356.  
 — — — Bot. Reg. 6, 450.  
 — — — Lodd. Cab. 422.  
 — — — Wight Ic. pl. Ind. 3, 801.  
 — *ovatum* L. Rumpf Amb. 5, 108.  
 — *pedatum* Lk. Link Ic. I, 8.  
 — — — Fisch. Kern. Hort. 606.  
 — *peregrinum* L. Rumpf Amb. 5, 111. fig. 1.  
 — *pinnatifidum* Jacq. Jacq. Schoenbr. 2, 187.  
 — *ringens* Thunb. Vriese Hort. Sparnberg. 1.  
 — *Rumphii* Gaudch. Freycinet Voyage 39.  
 — *sagittaeifolium* L. Jacq. Vind. 157.  
 — — — Desc. Ant. 8, 533.  
 — *seguinum* L. Jacq. Hist. stirp. am. 229.  
 — — — Desc. Ant. 3, 162.  
 — — — Hook. Ex. Fl. 1.  
 — — — Mem. Mosc. 1, 14.  
 — *serratum* Thunb. Thunb. Ic. jap. 37.  
 — *sessiliflorum* Roxb. Wight Ic. pl. Ind. 3, 800.  
 — *silvaticum* Roxb. Wight Ic. pl. Ind. 3, 802.  
 — *speciosum* Wall. Wallich Tentamen 20.  
 — *spirale* Retz. Bot. Mag. 48, 2220.  
 — — — Lodd. Cab. 525.  
 — *tennifolium* L. Bot. Reg. 6, 512.  
 — — — Bot. Mag. 49, 2282.  
 — *tortuosum* Wall. Wall. Pl. asiat. 114.  
 — *trilobatum* L. Rumpf Amb. 5, 110.  
 — — — Bot. Mag. 10, 339. 49, 2324.  
 — — — Kern. Hort. 285.  
 — — — Lodd. Cab. 516.  
 — — — Wight Ic. pl. Ind. 3, 803.  
 — *tripartitum* Jacq. Jacq. Schoenbr. 2, 190.  
 — *triphylum* L. Big. Med. 4.  
 — — — Martins Auswahl 11.  
 — — — var. Bot. Mag. 24, 950.  
 — — — var. Lodd. Cab. 320.  
 — *venosum* Willd. Bot. Reg. 12, 1017.  
 — *viviparum* Roxb. Rheede Hort. mal. 12, 9.  
 — — — Wight Ic. pl. Ind. 3, 798.  
 † — — — *vulgare* Lam. Lam. Encycl. 740.  
 † — — — Plée Types 26.  
 † — — — Guill. Arch. 1, 1.  
 — *xanthorrhizon* Jacq. Jacq. Schoenbr. 2, 188.  
*Arundina bambusifolia* Lindl. Wight Ic. pl. Ind. 5, 1661.  
 — *densa* Ldl. Bot. Reg. 28, 38.  
 † *Arundinaria* Richard. (15 spec.) Acad. Pet. 5, 1. 2. 3. 15.  
 — *distans* Tr. Trin. Sp. Gr. 3, 349.  
 — *macrosperma* Michx. Ell. Carol. 4.  
 — *spathiflora* Tr. Trin. Sp. Gr. 3, 350.  
 — *verticillata* N. v. E. Humb. Gram. 155. 156.  
*Arundinella agrostoides* Tr. Trin. Sp. Gr. 3, 263.  
 — *brasiliensis* Raddi. Trin. Sp. Gr. 3, 266.  
 — *flammida* Tr. Trin. Sp. Gr. 3, 267.  
 — *nepalensis* Tr. Trin. Sp. Gr. 3, 268.

- † *Arundo* L. Dumortier Gram. 9.  
 — *ampelodesmon* Cir. Cir. Fl. rar. 2, 12.  
 — *arenaria* L. Fl. dan. 6, 917.  
 — — — Curt. Lond. 5, 181.  
 — — — Engl. Bot. 8, 520.  
 — — — Sv. Bot. 138.  
 † — — — Schrad. Fl. germ. 5.  
 — — — Knapp Gr. 99.  
 † — *baltica* Flügge. Schrad. Fl. germ. 5.  
 — — — Fl. dan. 10, 1684.  
 — *Bambos* L. Desc. Ant. 4, 293.  
 — *bicolor* Desf. Desf. Fl. atl. 33.  
 † — *Calamagrostis* L. Schrad. Fl. germ. 4.  
 — — — Fl. dan. 2, 280. 10, 1624.  
 — — — Engl. Bot. 30, 2159.  
 — — — Sv. Bot. 312.  
 — — — Knapp Gr. 96.  
 — *collina* Ten. Ten. Fl. nap. 108.  
 — *colorata* L. Sv. Bot. 107.  
 — — — Ait. Knapp Gr. 98.  
 — *Donax* L. Host. Gram. 338.  
 † — — — Mutel Fl. fr. 78.  
 — — — Rchb. Fl. germ. 1, 109.  
 † — — — Nees Gen. 1, 36.  
 — *Epigeios* L. Fl. dan. 13, 2165.  
 † — — — Schrad. Fl. germ. 4.  
 — — — Engl. Bot. 6, 403.  
 — — — Knapp Gr. 97.  
 — *festucoides* Desf. Desf. Fl. atl. 34.  
 — *flexuosa* Brongn. Brongn. Coquille 5.  
 — *Karka* Retz. Rheede Hort. mal. 12, 73.  
 † — *lapponica* Wahlbg. Wahlbg. Fl. lapp. 1.  
 — — — Sv. Bot. 649.  
 † — *hitorea* Schrad. Schrad. Fl. germ. 4.  
 — *madagascariensis* Kth. Humb. Gram. 48.  
 † — *mauritanica* Desf. Nees Gen. 1, 36.  
 — *nitida* H. B. K. H. B. K. Nov. Gen. 7, 688. 688<sup>b</sup>.  
 — *penicillata* Lab. Bill. Nov. Holl. 34.  
 — *Phragmites* L. Schk. Handb. 18.  
 † — — — Lam. Encycl. 46.  
 † — — — Schrad. Fl. germ. 5.  
 — — — Host. Gram. 339.  
 — — — Sv. Bot. 114.  
 — — — Engl. Bot. 6, 401.  
 — — — Knapp Gr. 95.  
 — — — var. Fl. dan. 13, 2164.  
 — — — Baxter Br. Bot. 5, 372.  
 † — *Plinii* Turra. Mutel Fl. fr. 78.  
 — — — Rchb. Fl. germ. 1, 109.  
 — *poaeformis* Lab. Bill. Nov. Holl. 35.  
 † — *pseudophragmites* Schrad. Schrad. Fl. germ. 4.  
 — *pygmaea* Spr. Poll. Fl. ver. 1, 1.  
 — — — Petersb. 2, 7.  
 — *Reynaudiana* Kth. Humb. Gram. 49.  
 — *semiannularis* Lab. Bill. Nov. Holl. 33.  
 † — *silvatica* Schrad. Schrad. Fl. germ. 4.  
 — — — Fl. dan. 10, 1683.  
 † — *speciosa* Schrad. Schrad. Fl. germ. 4.  
 † — *stricta* Timm. Schrad. Fl. germ. 4.  
 — — — Sv. Bot. 301.  
 — — — Engl. Bot. 30, 2160.  
 — — — Fl. dan. 11, 1803.  
 † — *strigosa* Wahlbg. Wahlbg. Fl. lapp. 2.  
 † — *tenella* Schrad. Schrad. Fl. germ. 5.  
 — *triodioides* Tr. Trin. Sp. Gr. 3, 351.  
 — *vallatoria* L. Rumpf Amb. 4, 5.  
 † — *varia* Schrad. Schrad. Fl. germ. 4.  
 — *villosa* Tr. Trin. Sp. Gr. 3, 352.  
 — *Wilhelmii* Led. Petersb. 6, 19.  
*Arversia frankenioides* St. Hil. St. Hil. Fl. Bras. 112.  
*Asagraca officinalis* Ldl. Bot. Reg. 25, 33.  
*Asarca acutiflora* P. et E. Poepp. et Endl. 120.

- Asarca bidentata* P. et E. Poepp. et Endl. 121.  
 — *glandulifera* P. et E. Poepp. et Endl. 120.  
 — *leucantha* P. et E. Poepp. et Endl. 119.  
 — *maculosa* P. et E. Poepp. et Endl. 121.  
 — *odoratissima* P. et E. Poepp. et Endl. 118.  
 — *parviflora* P. et E. Poepp. et Endl. 121.  
*Asarum arifolium* Michx. Hook. Ex. Fl. 40.  
 — *canadense* L. Lam. Encycl. 394.  
 — — — Bart. Med. 32.  
 — — — Big. Med. 15.  
 — — — Bot. Mag. 54, 2769.  
 — — — Lodd. Cab. 889.  
 — — — Sweet Fl. G. 95.  
 — — — Torr. New York 92.  
 † — *europaeum* L. Gaertn. Carp. 14.  
 † — — — Lam. Encycl. 394.  
 — — — Schk. Handb. 127.  
 — — — Fl. dan. 4, 633.  
 — — — Engl. Bot. 16, 1083.  
 — — — Sv. Bot. 31.  
 — — — Sturm Flora 1, 2.  
 — — — Tratt. Arch. 78.  
 — — — Schrank Fl. monac. 1, 63.  
 — — — Stephan Ic. pl. mosq. 2.  
 — — — Dreyes 2, 68.  
 — — — Hayne 1, 44.  
 — — — Guimp. et Schl. 132.  
 — — — Nees Düsseld. 148.  
 — — — Wagner 52.  
 — — — Woodv. Med. 1, 66.  
 — — — Baxter Br. Bot. 4, 250.  
 — — — Dietr. Fl. bor. 5, 301.  
 — — — Rchb. Fl. germ. 12, 668.  
 † — — — Nees Gen. 4, 51.  
 † — — — Schnizl. Ic. 2, 114.  
 — *Hookeri* Field. Field. Sert. 32.  
 — *virginicum* Michx. Sweet Fl. G. 18.  
 † *Ascarina polystachya* Forst. Forst. Char. 59.  
 † — — — Lam. Encycl. 798.  
 — *rubra* Poir. Rumpf Amb. 5, 16.  
 † *Ascium violaceum* Vahl. Vahl Ecl. 20.  
 † *Asclepiadeae* R. Br. Jacq. Misc. 1, 1—4.  
 † — — — Wight Ill. 142, 155<sup>b</sup>, 182.  
 † — — — (Pollen.) Abh. Ac. Berl. 1829, i. 2.  
 † *Asclepias* L. Lam. Encycl. 175.  
 † — — — Schk. Handb. 56.  
 † — — — Jacq. Genit. Ascl. 0.  
 † — — — Linn. Transact. 16, 34—36.  
 — *acida* Roxb. Wight Ic. pl. Ind. 2, 595.  
 — *alba* Cav. Cav. Ic. 310.  
 † — *amoena* L. Ann. sc. nat. 24, 13.  
 — — — Michx. Sweet Fl. G. II, 82.  
 — *angustifolia* Willd. Willd. Hort. 104.  
 — *arborescens* L. Jacq. Schoenbr. 1, 50.  
 — *aurantio-alba* Jacq. Jacq. Fragm. 137.  
 — *auriculata* H. B. K. H. B. K. Nov. Gen. 3, 228.  
 — *carnosa* L. Bot. Mag. 21, 788.  
 — — — Smith Ex. Bot. 70.  
 — *citrifolia* Jacq. Jacq. Ic. 343.  
 — *cordata* Burm. Burm. Fl. ind. 27.  
 — *curassavica* L. Bot. Reg. 1, 81.  
 — — — Lodd. Cab. 349.  
 — — — Desc. Ant. 2, 116.  
 — *decumbens* Mill. Sweet Fl. G. II, 24.  
 — *Douglasii* Hook. Hook. Bor. Am. 142.  
 — — — Bot. Mag. 74, 4113.  
 — — — Fl. d. serres 5, 426.  
 — *echinata* Roxb. Wight Ic. pl. Ind. 2, 596.  
 — *foetida* Cav. Cav. Ic. 158.  
 — *fruticosa* L. Capece-Latro Mem. 0.  
 † — — — Ann. sc. nat. 24, 14.  
 — *gigantea* L. Jacq. Hist. stirp. am. 88.

- Asclepias gigantea* L. Jacq. Obs. 69.  
 — — — Jacq. Fragm. 137.  
 — — — Andr. Rep. 4, 271.  
 — *glaucescens* H. B. K. H. B. K. Nov. Gen. 3, 227.  
 — *herbacea* Roxb. Wight Ic. pl. Ind. 2, 492.  
 — *incarnata* L. Jacq. Vind. 107.  
 — — — Bot. Reg. 3, 250.  
 — *lanceolata* Ives. Silliman Journ. 1, 0.  
 — *laniflora* Vahl. Vahl Symb. 7.  
 — *laurifolia* Roxb. Wight Ic. pl. Ind. 2, 598.  
 — *Linaria* Cav. Cav. Ic. 57, 500<sup>b</sup>.  
 — *longistigma* Roxb. Wight Ic. pl. Ind. 2, 475.  
 — *mexicana* Cav. Cav. Ic. 58.  
 — *montana* Roxb. Wight Ic. pl. Ind. 2, 592.  
 † — *nigra* L. Gaertn. Carp. 117.  
 — *nivea* L. Bot. Mag. 29, 1181.  
 — *pallida* Roxb. Wight Ic. pl. Ind. 2, 585.  
 — *parasitica* Roxb. Wight Ic. pl. Ind. 2, 587.  
 — *parviflora* Ait. Willd. Hort. 103.  
 — — — Jacq. Ecl. pl. 28, 101.  
 — *pendula* Roxb. Wight Ic. pl. Ind. 2, 474.  
 † — *phytolaccoides* Pursh. Guill. Arch. 2, 13, 14.  
 — *procera* Ait. Schneev. Ic. 18.  
 — *pseudosarcar* Roxb. Wight Ic. pl. Ind. 2, 594.  
 — *pulchra* Ehrh. Sweet Fl. G. II, 18.  
 † — *purpurascens* L. Jacq. Fragm. 137.  
 † — — — Guill. Arch. 2, 13, 14.  
 — — — Torr. New York 85.  
 — *quadrifolia* Jacq. Jacq. Obs. 33.  
 — — — Barton Fl. 2, 43.  
 — — — Lodd. Cab. 1258.  
 — *racemosa* Roxb. Wight Ic. pl. Ind. 2, 591.  
 — *salicifolia* Lodd. Lodd. Cab. 272.  
 — *scandens* Pal. Pal. Fl. d'Ow. 56.  
 — *setosa* Forsk. Vahl Symb. 8.  
 — *sibirica* L. Comm. Gott. 2, 7.  
 — *syriaca* L. Sonnini Ascl. 1, 2.  
 — — — Dict. sc. nat. 58, 59.  
 † — — — Nees Gen. X, x.  
 — *tenacissima* Roxb. Roxb. Corom. 240.  
 — — — Wight Ic. pl. Ind. 2, 590.  
 — *tenuissima* Roxb. Wight Ic. pl. Ind. 2, 588.  
 — *tetrapetala* Dennst. Rheede Hort. mal. 9, 17.  
 — *tinctoria* Roxb. Wight Ic. pl. Ind. 2, 589.  
 — *tingens* Roxb. Roxb. Corom. 239.  
 — — — Wight Ic. pl. Ind. 2, 593.  
 — *tuberosa* L. Bart. Med. 22.  
 — — — Big. Med. 26.  
 — — — Bot. Reg. 1, 76.  
 — — — Savi Fl. ital. 2, 78.  
 — — — Lodd. Cab. 1297.  
 — — — Herb. amat. 2, 136.  
 — — — Paxt. Mag. 2, 26.  
 — *variegata* L. Bot. Mag. 29, 1182.  
 — — — var. Hook. Bor. Am. 141.  
 — — — Torr. New York 86.  
 — *verticillata* L. Hook. Bor. Am. 144.  
 — — — Lodd. Cab. 1067.  
 — — — Sweet Fl. G. 144.  
 — — — Torr. New York 87.  
 — *vestita* Hook. Bot. Mag. 70, 1106.  
 — *villosa* Balb. Mem. Tur. 7, 4.  
 — *Vincetoxicum* L. Schk. Handb. 55.  
 — — — Fl. dan. 5, 849.  
 — — — Sv. Bot. 249.  
 — — — Schrank Fl. monac. 3, 230.  
 — — — Nees Düsseld. 207.  
 — — — Woodv. Med. 2, 93.  
 — *virgata* Lag. Sweet Fl. G. II, 85.  
 — *viridiflora* Rafin. Hook. Bor. Am. 143.  
 — *volubilis* Roxb. Wight Ic. pl. Ind. 2, 586.  
 † *Ascyrum* L. Gray Gen. 91.

- † *Ascyrum calycinum* Lam. Lam. Encycl. 642.  
 † — *crux Andraeae* L. Gaertn. Carp. 62.  
 — *humifusum* Lab. Bill. Nov. Holl. 175.  
 — *involutum* Lab. Bill. Nov. Holl. 174.  
 — *sibiricum* Lam. Lam. Encycl. 642.  
 — *stans* Michx. Vent. Malm. 90.  
 — — — Gray Gen. 91.  
 † *Asimina* Adans. Gray Gen. 25. 26.  
 — *grandiflora* Duo. Dunal Anon. 11.  
 — — — Herb. amat. 4, 263.  
 — *parviflora* Dun. Dunal Anon. 9.  
 — *pygmaea* Dun. Dunal Anon. 10.  
 — *triloba* Dun. Guimp. Fr. H. 53.  
 — — — Gray Gen. 25. 26.  
 † *Asiphonia piperiformis* Griff. Linn. Tr. 19, 37.  
*Aspalathus acuminata* Lam. Lam. Encycl. 620.  
 — *araneosa* Thunb. Bot. Mag. 21, 829.  
 — *callosa* L. Bot. Mag. 49, 2329.  
 — *capitata* L. Lam. Encycl. 620.  
 — *carnosa* L. Bot. Mag. 32, 1289.  
 — *Chenopoda* L. Bot. Mag. 2225.  
 — — — Lodd. Cab. 316.  
 — *ciliaris* L. Bot. Mag. 48, 2233.  
 — *crassifolia* Andr. Andr. Rep. 5, 353.  
 † — *cretica* L. Wendl. Beob. 3.  
 — *Ebenus* L. Desc. Ant. 7, 487.  
 — *globosa* Andr. Andr. Rep. 8, 510.  
 — *hispidula* Willd. Willd. Hort. 64.  
 — *hystrix* Thunb. Lam. Encycl. 620.  
 — *pedunculata* L'her. L'her. Sert. 26.  
 — — — Bot. Mag. 10, 344.  
 † — *spinosa* L. Gaertn. Carp. 144.  
 † — — — Lam. Encycl. 620.  
 † *Asparageae* Endl. Schnizl. Ic. 1, 55 c.  
*Asparagus acutifolius* L. Sibth. Fl. gr. 337.  
 — *amarus* Red. Red. Lil. 8, 446.  
 — — — Rehb. Fl. germ. 10, 520.  
 — *aphyllus* L. Sibth. Fl. gr. 338.  
 — *arborescens* Brouss. Webb Can. 228.  
 — *asiaticus* L. Wight Ic. pl. Ind. or. 6, 2055.  
 — *Broussoneti* Spr. Jacq. Ecl. pl. 40.  
 — *capensis* L. Jacq. Schoenbr. 3, 266.  
 — *decumbens* Jacq. Jacq. Schoenbr. 1, 97.  
 — *horridus* L. Cav. Ic. 136.  
 — — — Red. Lil. 5, 288.  
 — — — Sibth. Fl. gr. 339.  
 — *marinus* Chus. Rehb. Fl. germ. 10, 520.  
 — *maritimus* Led. Ledeb. Ic. 393.  
 † — *officinalis* L. Gaertn. Carp. 16.  
 † — — — Lam. Encycl. 249.  
 — — — Schk. Handb. 96.  
 — — — Fl. dan. 5, 805.  
 — — — Engl. Bot. 5, 339.  
 — — — Sv. Bot. 213.  
 — — — Hayne 8, 29.  
 — — — Nees Duss. Suppl. 51. 52.  
 — — — Dict. sc. nat. 47.  
 — — — Dietr. Fl. bor. 1, 52.  
 — — — Rehb. Fl. germ. 10, 518.  
 † — — — Nees Gen. 2, 57.  
 — — — Baxter Br. Bot. 6, 403.  
 — *Pastorianus* Webb. Webb Can. 229.  
 — *pectinatus* Red. Red. Lil. 7, 407.  
 — *racemosus* Willd. Rheede Hort. mal. 10, 10.  
 — — — Wight Ic. Ind. or. 6, 2056.  
 — *retrofractus* Mill. Wendl. Hort. herrenh. 22.  
 — *sarmentosus* L. Red. Lil. 8, 460.  
 — *scaber* Brign. Rehb. Fl. germ. 10, 520.  
 — *scoparius* Lowe. Webb Can. 226.  
 — *scrotinus* Wierzb. Rehb. Fl. germ. 10, 518.  
 — *silvaticus* W. et K. W. et Kit. 201.  
 — — — Rehb. Fl. germ. 10, 519.

- Asparagus tenuifolius* Lam. Red. Lil. 8, 434.  
 — — — Kern. Hort. 458.  
 — — — Rehb. Fl. germ. 10, 519.  
 — *tricarinatus* Red. Red. Lil. 8, 451.  
 — *umbellatus* Lk. Webb Can. 227.  
*Aspasia epidendroides* Ldl. Bot. Mag. 68, 3962.  
 — — — Kn. et Westc. 8.  
 — *variegata* Ldl. Bot. Reg. 22, 1907.  
 — — — Bot. Mag. 65, 3679.  
*Aspegrenia scirpoidea* P. et E. Poepp. et Endl. 116.  
*Asperugo aegyptiaca* L. Jacq. Vind. 3, 21.  
 — *divaricata* Murr. Novi Comm. Gott. 7, 2.  
 — *procumbens* L. Schk. Handb. 31.  
 † — — — Lam. Encycl. 94.  
 — — — Fl. dan. 4, 552.  
 — — — Sibth. Fl. gr. 177.  
 — — — Engl. Bot. 10, 661.  
 — — — Roemer Fl. eur. 6, 4.  
 — — — Dietr. Fl. bor. 9, 607.  
 † — — — Schrad. Asp. 0.  
 † — — — Nees Gen. 6, 53.  
 — — — Baxter Br. Bot. 6, 466.  
*Asperula Aparine* Schott. Rehb. Pl. crit. 1, 93.  
 — *arcadiensis* Sims. Bot. Mag. 47, 2146.  
 — *arvensis* L. Engl. Bot. 2792.  
 — *asperrima* Boiss. Boiss. Esp. 84.  
 — *azurea* Jaub. Jaub. Ill. 82.  
 — *brevifolia* Vent. Vent. Cel. 63.  
 — *calabrica* L. L'her. Stirp. 32.  
 — *canescens* Vis. Vis. Dalm. 25.  
 — *ciliata* Roch. Rochel Ban. 9.  
 — *consanguinea* Klotzsch. Prinz Wald. Him. 74.  
 † — *cynanchica* L. Gaertn. Carp. 195.  
 — — — Engl. Bot. 1, 33.  
 — — — Schrank Fl. monac. 3, 299.  
 — — — Dietr. Fl. bor. 6, 413.  
 † — — — Wight Illustr. 128 bis.  
 — *effusa* Boiss. Boiss. Esp. 83.  
 — *flaccida* Ten. Ten. Fl. nap. 110.  
 — *galioides* L. Dietr. Fl. bor. 7, 446.  
 — *hexaphylla* All. All. Fl. ped. 3, 77.  
 — *hirta* Ramond. Bull. philom. 1800, no. 40.  
 — — — Roemer Fl. eur. 14, 1.  
 — *Hoffmeisteri* Klotzsch. Prinz Wald. Him. 75.  
 — *incana* Sibth. Sibth. Fl. gr. 119.  
 — *involverata* Wahlenb. Jaub. Ill. 196.  
 — *litoralis* Sibth. Sibth. Fl. gr. 122.  
 — *longiflora* W. et K. W. et Kit. 150.  
 — *longifolia* Sibth. Sibth. Fl. gr. 118.  
 — *lutea* Sibth. Sibth. Fl. gr. 120.  
 — *macrorrhiza* Lk. Hoffm. Lk. Fl. port. 84.  
 — *neglecta* Guss. Guss. Pl. rar. 13.  
 — *nitens* Guss. Guss. Pl. rar. 13.  
 — *nitida* Sibth. Sibth. Fl. gr. 124.  
 — *odorata* L. Fl. dan. 4, 562.  
 — — — Curt. Lond. 1, 13.  
 — — — Engl. Bot. 11, 755.  
 — — — Schk. Handb. 23.  
 † — — — Lam. Encycl. 61.  
 — — — Sv. Bot. 218.  
 — — — Dreves 1, 36.  
 — — — Schrank Fl. monac. 4, 316.  
 — — — Dietr. Fl. bor. 2, 140.  
 — — — Baxter Br. Bot. 1, 46.  
 † — — — Nees Gen. X, x.  
 — *palustris* Ten. Ten. Fl. nap. 111.  
 — *paniculata* Bunge. Ledeb. Ic. 301.  
 — *pendula* Boiss. Boiss. Esp. 84 a.  
 — *pumila* Moris. Moris. Fl. sard. 78.  
 — *repens* Brot. Brot. Phyt. 10.  
 — *rigida* Sibth. Sibth. Fl. gr. 121.  
 — *rivalis* Sibth. Sibth. Fl. gr. 117.

- Asperula rivalis* Sibth. Rchb. Fl. crit. 1, 93.  
 — *scutellaris* Vis. Vis. Dalm. 25.  
 — *setosa* Jaub. Jaub. Ill. 82.  
 — *sherardioides* Jaub. Jaub. Ill. 83.  
 — *Staliana* Vis. Vis. Dalm. 52.  
 — *suberosa* Sibth. Sibth. Fl. gr. 123.  
 — *taurina* L. Roemer Fl. eur. 13, 4.  
 — *tinctoria* L. Sv. Bot. 244.  
 — — — Dietr. Fl. bor. 5, 327.  
 — *tomentosa* Ten. Ten. Fl. nap. 9.  
 † *Asphodelaeae* Juss. Schnizl. Ic. 1, 55<sup>b</sup>.  
*Asphodeline liburnica* Rchb. Rchb. Fl. germ. 10, 516.  
 — *lutea* Rchb. Rchb. Fl. germ. 10, 517.  
 † — — — Nees Gen. 2, 53.  
 † *Asphodelus* L. Gaertn. Carp. 17.  
 † — — — Lam. Encycl. 241.  
 — *acaulis* Desf. Desf. Fl. atl. 89.  
 — *aestivus* Brot. Rchb. Ic. crit. 5, 451.  
 † — *albus* L. Nees Gen. 2, 52.  
 — — — Rchb. Fl. germ. 10, 515.  
 — *capillaris* Red. Red. Lil. 7, 380.  
 — *creticus* Lam. Desf. Choix 1.  
 — — — Ann. Mus. 10, 11.  
 — — — Lodd. Cab. 915.  
 — *fistulosus* L. Cav. Ic. 202.  
 — — — Sibth. Fl. gr. 335.  
 — — — Red. Lil. 3, 178.  
 — — — Bot. Mag. 25, 984.  
 — — — Lodd. Cab. 1124.  
 — — — Sturm Flora 2, 6.  
 — — — Rchb. Fl. germ. 10, 513.  
 — *liburnicus* Scop. Scop. Fl. carn. 1, 12.  
 — — — Jacq. Ecl. pl. 77.  
 — *luteus* L. Jacq. Vind. 77.  
 — — — Schk. Handb. 93.  
 — — — Rousseau Bot. 3.  
 — — — Red. Lil. 4, 223.  
 — — — Bot. Mag. 20, 773.  
 — — — var. Bot. Reg. 18, 1507.  
 — *microcarpus* Viv. Risso Fl. de Nice 13.  
 — — — Rchb. Fl. germ. 10, 513.  
 — *parviflorus* Wight. Wight Ic. pl. Ind. or. 6, 2062.  
 — *persicus* Jaub. Jaub. Ill. 102.  
 — *ramosus* L. Sibth. Fl. gr. 334.  
 — — — Red. Lil. 6, 314.  
 — — — Novi Comm. Gott. 7, 7.  
 — — — Bot. Mag. 21, 799.  
 — — — Sturm Flora 2, 6.  
 — — — Spr. Gesch. d. Bot. 4.  
 — — — Rchb. Fl. germ. 10, 514.  
 — *tauricus* Pall. Red. Lil. 8, 470.  
 — — — Lodd. Cab. 1102.  
 — *tenuifolius* Cav. Cav. Ic. 587.  
 — *tenuior* M. v. B. Bot. Mag. 53, 2626.  
 † *Aspicarpa Hartwegiana* Juss. Arch. Mus. 3, 21.  
 — *hirtella* Rich. Mem. Mus. 2, 13.  
 † *Aspidalis araneosa* Gaertn. Gaertn. Carp. 171.  
*Aspidistra elatior* Bl. Hoeven Tydschr. 1, 3, 4.  
 — *lurida* Ker. Bot. Reg. 8, 628.  
 — — — Bot. Mag. 51, 2499.  
 — — — Lodd. Cab. 1469.  
 — — — Rchb. Exot. 4.  
 — *punctata* Ldl. Bot. Reg. 12, 977.  
*Aspidium aculeatum* Sw. Schk. Fil. 39.  
 — — — Engl. Bot. 22, 1562.  
 — — — Sturm Flora II, 3, 3.  
 — — — Spenner Fl. frib. 1, 1.  
 — — — Newm. p. 169.  
 — *acutum* Sw. Schk. Fil. 31.  
 — *alatum* Wall. Hook. Ic. Fil. 184.  
 — *alpinum* Sw. Schk. Fil. 62, 62<sup>b</sup>.  
 — — — Sturm Flora II, 3, 5.

- Aspidium angulare* Willd. Engl. Bot. 2776.  
 — — — Sm. Newman p. 173, 174, 182.  
 — *anomophyllum* Zenk. Zenker Pl. ind. 1.  
 — *apifolium* Sw. Schk. Fil. 56<sup>b</sup>.  
 — *aristatum* Sw. Schk. Fil. 42.  
 — *articulatum* Sw. Schk. Fil. 27.  
 — *athyroides* M. et G. Acad. Brux. 15, 18.  
 — *augescens* Lk. Kunze Fil. 59.  
 — *auriculatum* Sw. Schk. Fil. 30.  
 — *axillare* Sw. Schk. Fil. 61.  
 — *Benoitianum* Gaudch. Freycinet Voyage 11.  
 — *Berberianum* Colla. Mem. Tur. 39, 70.  
 — *Braunii* Spenn. Spenner Fl. frib. 1, 2.  
 — *bulbiferum* Sw. Schk. Fil. 57.  
 — *caducum* Wall. Hook. Ic. Fil. 171.  
 — *caryotideum* Wall. Hook. Ic. Fil. 69.  
 — *coadunatum* Wall. Hook. Ic. Fil. 202.  
 — *confertum* Kaulf. Hook. Ic. Fil. 121.  
 — *coriaceum* Sw. Schk. Fil. 50.  
 — *crinitum* M. et G. Acad. Brux. 15, 17.  
 — *cristatum* Sw. Schk. Fil. 37.  
 — — — Curt. Lond. 4, 113.  
 — — — Fl. dan. 9, 1591.  
 — — — Sv. Bot. 390.  
 — — — Engl. Bot. 30, 2125.  
 — — — Newman p. 203, 206.  
 — *Cumingianum* Kze. Kunze Fil. 9.  
 — *cuneatum* Sw. Schk. Fil. 56<sup>b</sup>.  
 — *davallioides* Sw. Hook. Ic. pl. 395, 396.  
 — *depastum* Sw. Schk. Fil. 51.  
 — *dilatatum* Willd. Engl. Bot. 21, 1461.  
 — — — Sm. Newman p. 215.  
 — *discolor* L. et F. Langsd. et Fisch. 18.  
 — *drepanum* Sw. Schk. Fil. 43<sup>b</sup>, 47.  
 — *Dubrueillianum* Gaudch. Freycinet Voyage 9.  
 — *dumetorum* Sm. Newman p. 215.  
 — *elongatum* Sw. Webb Can. 250.  
 — *ensifolium* Sw. Schk. Fil. 32.  
 — *erosum* Sw. Schk. Fil. 45.  
 — *exaltatum* Sw. Schk. Fil. 32<sup>b</sup>.  
 — — — Raddi Fil. 46.  
 — *falcatum* L. et F. Langsd. et Fisch. 15.  
 — *falculatum* Raddi. Raddi Fil. 47.  
 — *Filix femina* Sw. Schk. Fil. 58, 59, 78.  
 — — — Engl. Bot. 21, 1459.  
 — — — Newman p. 237, 244.  
 — — *mas* Sw. Schk. Fil. 44.  
 — — — Curt. Lond. 4, 40.  
 — — — Fl. dan. 8, 1346.  
 — — — Sv. Bot. 51.  
 — — — var. Engl. Bot. 21, 1468, 28, 1949.  
 — — — Newman p. 197.  
 — — — Guimp. et Schl. 11.  
 — — — Wagner 143, 144.  
 — *fontanum* Willd. Schk. Fil. 53.  
 — — — Engl. Bot. 29, 2024.  
 — *fragile* Sw. var. Schk. Fil. 54, 55, 56.  
 — — — Sturm Flora II, 3, 4.  
 — *glandulosum* H. et Gr. Hook. et Grev. Ic. Fil. 140.  
 — *goggylodus* Sw. Schk. Fil. 33<sup>c</sup>.  
 — *hastulatum* Ten. Ten. Fl. nap. 250.  
 — *hirsutulum* Sw. Schk. Fil. 33.  
 — *hirtum* Sw. Schk. Fil. 46<sup>b</sup>.  
 — *inaequale* Schlichtd. Schlichtd. Fil. 12.  
 — *irriguum* Sm. Engl. Bot. 31, 2199.  
 — *lancastricense* Sm. Schk. Fil. 41.  
 — *lobatum* Sw. Schk. Fil. 40.  
 — — — Engl. Bot. 22, 1563.  
 — — — Newman p. 169.  
 — *Lonchitis* Sw. Schk. Fil. 29.  
 — — — Engl. Bot. 12, 797.  
 — — — Newman p. 163, 166.



- Aspidium marginale* Sw. Schk. Fil. 45<sup>b</sup>.  
 — *mohrioides* Bory. Bory Coquille 35.  
 — *D'Urv.* Hook. Fl. ant. 149.  
 — *molle* Sw. Schk. Fil. 34<sup>b</sup>.  
 — *montanum* Sw. Schk. Fil. 63.  
 — — Fl. dan. 13, 2250.  
 — *mucronatum* Sw. Schk. Fil. 29<sup>bc</sup>.  
 — *neriiforme* Sw. Kunze Fil. 18.  
 — *neveboracense* Sw. Schk. Fil. 46.  
 — *nobile* Schlecht. Kunze Fil. 67.  
 — *nodosum* Willd. Hook. Ex. Fl. 117.  
 — *nymphale* Sw. Schk. Fil. 34.  
 — *obtusum* Sw. Schk. Fil. 43<sup>b</sup>.  
 — *Oreopteris* Sw. Schk. Fil. 35. 36.  
 — — Engl. Bot. 15, 1019.  
 — — Newman p. 187. 190.  
 — *paludosum* Raddi. Raddi Fil. 44.  
 — *patens* Raddi. Raddi Fil. 48.  
 — *pedatum* Desv. Kunze Fil. 75.  
 — *pendulum* Raddi. Raddi Fil. 45.  
 — *pilosum* L. et F. Langsd. et Fisch. 16.  
 — *proliferum* H. et Gr. Hook. et Grev. Ic. Fil. 96.  
 — *pumilum* M. et G. Acad. Brux. 15, 17.  
 — *pungens* Kaulf. Schlecht. Fil. 10.  
 — *ramosum* Pal. Pal. Fl. d'Ow. 91.  
 — *rhizophyllum* Sw. Hook. Ic. Fil. 59.  
 — *rigidum* Sw. Schk. Fil. 38.  
 — — Engl. Bot. 2724.  
 — — Sturm Flora II. 3, 2.  
 — — Fl. dan. 13, 2187.  
 — — Newman p. 191. 196.  
 — *scandens* Raddi. Raddi Fil. 49.  
 — *Serra* Sw. Schk. Fil. 33<sup>b</sup>.  
 — *setosum* Thunb. Schk. Fil. 49.  
 — — Langsd. et Fisch. 17.  
 — *singaporianum* Wall. Hook. Ic. Fil. 26.  
 — — Kunze Fil. 9.  
 — *sinuatum* Lab. Bill. Sert. 1.  
 — *spinulosum* Willd. Schk. Fil. 48.  
 — — Engl. Bot. 21, 1460.  
 — — Newman p. 215.  
 — *splendens* Willd. Rbeede Hort. mal. 12, 31.  
 — *stenopteris* Kze. Kunze Fil. 120.  
 — *subquinqüfidum* Pal. Pal. Fl. d'Ow. 19.  
 — *tenuis* Sw. Schk. Fil. 53<sup>b</sup>.  
 — *Thelypteris* Sw. Schk. Fil. 52.  
 — — Engl. Bot. 15, 1018.  
 — — Newman p. 183. 186.  
 — — var. Schlecht. Fil. 11.  
 — *trapezoides* Sw. Schk. Fil. 29<sup>bc</sup>.  
 — *trifoliatum* Sw. Schk. Fil. 28. 28<sup>b</sup>.  
 † — — Hook. Gen. Fil. 33.  
 † — — Schott. Schott Gen. Fil. 13.  
 — *truncatum* Gaudch. Freycinet Voyage 10.  
 — *umbrosum* Sw. Schk. Fil. 60.  
 — *unitum* Sw. Schk. Fil. 33<sup>b</sup>.  
 — *vestitum* Sw. Schk. Fil. 43.  
 — *villosum* Sw. Schk. Fil. 46<sup>b</sup>.  
 — *Wallichii* Hook. Hook. Ex. Fl. 5.  
 — — Kunze Fil. 19.  
 — — Bélanger Ind. or. 5.  
*Aspidopteris glomerata* Wight. Wight Ic. pl. Ind. or. 6, 1986.  
 † — *hirsuta* Juss. Arch. Mus. 3, 17.  
*Aspidosperma macrocarpum* Mart. Mart. Bras. 35. 36.  
 — *tomentosum* Mart. Mart. Bras. 34.  
 † *Asplenium* L. Bernhardt Asp. 1.  
 — *abrotanoides* Presl. Presl Rel. 8.  
 — *acutum* Poll. Poll. Fl. ver. 3, 2.  
 — *adiantioides* Raddi. Raddi Fil. 51.  
 — — Raoul Nouv. Zel. 1.  
 — *Adiantum nigrum* L. Fl. dan. 2, 250.

- Asplenium Adiantum nigrum* L. Schk. Fil. 80<sup>a</sup>.  
 — — — Engl. Bot. 28, 1950.  
 — — — Sturm Flora II. 2, 3.  
 — — — Nees Düssel. 16.  
 — — — Newman p. 255. 257.  
 — — — var. capense, Schlecht. Fil. 17.  
 — *alatum* Humb. Hook. Ic. Fil. 137.  
 — *alternifolium* Wulf. Jacq. Misc. 2, 5.  
 — — — Engl. Bot. 32, 2258.  
 — — Sm. Newman p. 265.  
 — *alternifrons* Dillw. Rbeede Hort. mal. 12, 16.  
 — *ambiguum* Sw. Schk. Fil. 75. 75<sup>b</sup>.  
 — — Raddi Fil. 54. 54<sup>b</sup>.  
 — *anceps* Sol. Hook. Ic. Fil. 195.  
 — *angustifolium* Sw. Jacq. Ic. 199.  
 — — Schk. Fil. 67. 69.  
 — — Guss. Guss. Pl. rar. 65.  
 — *angustum* Willd. Kunze Anal. 14.  
 — *anthriscifolium* Jacq. Jacq. Collect. 2, 2.  
 — *apicedentatum* Hombr. Richard Astrol. 1.  
 — *aspidioides* Schlecht. Schlecht. Fil. 13.  
 — *Athyrium* Sw. Schk. Fil. 78.  
 — *attenuatum* Br. Hook. Ic. Fil. 220.  
 — *auritum* Sw. Schk. Fil. 130<sup>b</sup>.  
 — *australe* Sw. Swartz Syn. Fil. 3.  
 — *brasiliense* Raddi. Raddi Fil. 51.  
 — *Breyonii* Retz. Schk. Fil. 81.  
 — — Sv. Bot. 534.  
 — *bulbiferum* Forst. Schk. Fil. 79.  
 — — Hook. Ic. pl. 423.  
 — — Richard Astrol. 3.  
 — *canariense* Willd. Webb Can. 251.  
 — *caudatum* Sw. Schk. Fil. 77.  
 — *Ceterach* L. Sturm Flora II. 2, 6.  
 — *chondrophyllum* Colla. Mem. Tur. 39, 68.  
 † — *cicutarium* Sw. Hook. Gen. Fil. 6.  
 — *concisum* Desv. Mem. soc. Linn. Par. 6, 9.  
 — *cuneatum* Sw. Schk. Fil. 78.  
 — *cuneifolium* Viv. Viv. Fl. ital. 18.  
 — *Dalhousiae* Hook. Hook. Ic. pl. 2, 105.  
 — *delicatulum* Presl. Presl Rel. 7.  
 — *deltoideum* Presl. Presl Rel. 7.  
 — *dentatum* L. Hook. Ic. Fil. 72.  
 — *divaricatum* Kze. Kunze Fil. 139.  
 — *Douglasii* H. et Gr. Hook. et Gr. Ic. Fil. 150.  
 — *Dregeanum* Kze. Kunze Fil. 27.  
 — *ebeneum* Lodd. Lodd. Cab. 5.  
 — *emarginatum* Pal. Pal. Fl. d'Ow. 61.  
 — *ensiforme* Wall. Hook. Ic. Fil. 71.  
 — *erectum* Bory. Schlecht. Fil. 15.  
 — *Fabianum* Hombr. Richard Astrol. 3<sup>b</sup>.  
 — *falcatum* Lam. Rbeede Hort. mal. 12, 18.  
 † — *falx* Desv. Féc. Fil. 5, 17.  
 — *Filix foemina* Hook. Newman p. 237. 244.  
 — *Finlaysonianum* Wall. Hook. Ic. Fil. 136.  
 — *flabellifolium* Sw. Swartz Syn. Fil. 3.  
 — — Lodd. Cab. 1567.  
 — *flabelliforme* Cav. Hook. Ex. Fl. 208.  
 — *flexuosum* Presl. Presl Rel. 7.  
 — *foeniculaceum* Humb. Hook. Ic. Fil. 92.  
 — *fragrans* Sw. Schk. Fil. 130<sup>b</sup>.  
 — — Hook. Hook. Ic. pl. 1, 88.  
 — *furcatum* Sw. Schk. Fil. 79.  
 — *germanicum* Weiss. Sturm Flora II. 2, 5.  
 — — Newman p. 261. 265.  
 — *Gilliesianum* II. et Gr. Hook. et Gr. Ic. Fil. 73.  
 — *Grevillei* Wall. Hook. Ic. Fil. 228.  
 — *hemionitis* Lam. Lam. Encycl. 867.  
 — *imbricatum* II. et Gr. Hook. et Gr. Ic. Fil. 165.  
 — *laceratum* Desv. Hook. Ic. Fil. 189.  
 — *laetum* Sw. Schk. Fil. 70.  
 — *lanceolatum* Huds. Engl. Bot. 4, 240.

- Asplenium lanceolatum* *Huds.* Newman p. 249.  
 — *lanceum* *Thunb.* Thunb. Ic. jap. 18.  
 — — — *Hook.* Ic. Fil. 27.  
 — *lassum* *Raddi.* Raddi Fil. 22<sup>b</sup>.  
 — *latifolium* *Bory.* Bory Iles fort. 6.  
 — *laxum* *R. Br.* Richard Astrol. 3.  
 — *lucidum* *Forst.* Schk. Fil. 72.  
 — — — *Schlecht.* Fil. 14.  
 — *Macraei* *H. et Gr.* Hook. et Gr. Ic. Fil. 217.  
 — *macrosum* *Colla.* Mem. Tur. 39, 67.  
 — *magellanicum* *Kaulf.* Hook. Ic. Fil. 180.  
 — *marinum* *L.* Schk. Fil. 68.  
 — — — *Curt.* Lond. 4, 60.  
 — — — *Engl. Bot.* 6, 392.  
 — — — *Newman* p. 275.  
 — *Menziesii* *H. et Gr.* Hook. et Gr. Ic. Fil. 100.  
 — *mexicanum* *M. et G.* Acad. Brux. 15, 15.  
 — *minimum* *M. et G.* Acad. Brux. 15, 15.  
 — *monanthemum* *L.* Smith Ic. Linn. 73.  
 — — — *Lodd.* Cab. 1700.  
 — *Nidus* *L.* Raddi Fil. 53.  
 — — — *Bot. Mag.* 58, 3101.  
 — *nitidum* *Sw.* Schk. Fil. 81.  
 — *obliquum* *Lab.* Bill. Nov. Holl. 242.  
 — — — *Schk.* Fil. 71.  
 — *obovatum* *Viv.* Guss. Pl. rar. 64.  
 — — — *Hook.* Ic. Fil. 147.  
 — *obtusatum* *Forst.* Bill. Nov. Holl. 242.  
 — — — *Schk.* Fil. 68.  
 — — — *Richard Astrol.* 1.  
 — *obtusifolium* *L.* Hook. Ic. Fil. 239.  
 — *palmatum* *Sw.* Schk. Fil. 66.  
 — — — *Lodd.* Cab. 868.  
 — *parvulum* *Hook.* Hook. Ic. pl. 3, 222.  
 — — — *Acad. Brux.* 15, 15.  
 — *pellucidum* *L.* Desc. Ant. 4, 288.  
 — *Petrarchae* *Spr.* Hook. Ic. Fil. 152.  
 — *plantagineum* *Lam.* Lam. Encycl. 867.  
 — *Poiretianum* *Gaudch.* Freycinet Voyage 13.  
 — *polymorphum* *M. et G.* Acad. Brux. 15, 15.  
 — *polypodoides* *Sw.* Schk. Fil. 73.  
 — *productum* *Presl.* Presl Rel. 8.  
 — *protensum* *Schrad.* — *Schlecht.* Fil. 16.  
 — *pseudo-nitidum* *Raddi.* Raddi Fil. 53.  
 — *pulchellum* *Raddi.* Raddi Fil. 52.  
 — *pumilum* *Lam.* Lam. Encycl. 867.  
 — *rachirrhizon* *Raddi.* Raddi Fil. 56.  
 — *resectum* *Sm.* Smith Ic. Linn. 72.  
 — — — *Hook.* Ic. Fil. 114.  
 — *rhizophorum* *Sw.* Schk. Fil. 76.  
 — *rhizophyllum* *L.* Dict. sc. nat. 85.  
 — — — *Torr.* New York 159.  
 — *Ruta muraria* *L.* Fl. dan. 2, 190.  
 — — — *Schk.* Fil. 80<sup>b</sup>.  
 — — — *Sv. Bot.* 306.  
 — — — *Engl. Bot.* 3, 150.  
 — — — *Newman* p. 261.  
 — — — *Nees Dusseld.* 16.  
 † — — — *Hook.* Gen. Fil. 30.  
 — *salicifolium* *Raddi.* Raddi Fil. 50.  
 — *Scleroprium* *Hombr.* Richard Astrol. 1.  
 — *Scolopendrium* *L.* Sv. Bot. 143.  
 — — — *Woodv. Med.* 4, 269.  
 — *semicordatum* *Raddi.* Raddi Fil. 52.  
 — *septentrionale* *Sw.* Schk. Fil. 65.  
 — — — *Curt.* Lond. 5, 162.  
 — — — *Engl. Bot.* 15, 1017.  
 — — — *Sv. Bot.* 534.  
 — — — *Sturm Flora II.* 2, 4.  
 — — — *Newman* p. 266.  
 — *Serra* *Sw.* Langsd. et Fisch. 19.  
 — *serratum* *Sw.* Schk. Fil. 64.  
 — *serrulatum* *Sw.* Desc. Ant. 2, 151.  
 — *Sepherdii* *Spr.* Hook. Ex. Fl. 78.  
 — *Shuttleworthianum* *Kze.* Acta Leop. 10, 1, 17.  
 — *sibiricum* *Kze.* Kunze Anal. 15.  
 — *sinuatum* *Pal.* Pal. Fl. d'Ow. 79.  
 — *sorbifolium* *Jacq.* Jacq. Collect. 2, 3.  
 — *stellatum* *Colla.* Mem. Tur. 39, 69.  
 — *stoloniferum* *Bory.* Presl Rel. 6.  
 — *subulatum* *Hook.* Hook. Beech. 71.  
 — *tenerum* *Sw.* Schk. Fil. 69.  
 — *tenue* *Presl.* Presl Rel. 6.  
 — *tenuifolium* *Guss.* Guss. Pl. rar. 65.  
 — *thelypteroides* *Sw.* Schk. Fil. 76<sup>b</sup>.  
 — *trapezoides* *Sw.* Schk. Fil. 67.  
 — *tremulum* *Hombr.* Richard Astrol. 3<sup>b</sup>.  
 † — *Trichomanes* *L.* Hedw. Theor. 7.  
 — — — *Fl. dan.* 1, 119.  
 — — — *Curt.* Lond. 5, 156.  
 — — — *Engl. Bot.* 8, 576.  
 — — — *Sv. Bot.* 131.  
 — — — *Schk.* Fil. 74.  
 — — — *Nees Dusseld.* 16.  
 — — — *Woodv. Med.* 4, 270.  
 — — — *Newman* p. 285.  
 — *triphylum* *Presl.* Hook. Ic. Fil. 88.  
 — *varians* *Wall.* Hook. Ic. Fil. 172.  
 — *virens* *Presl.* Presl Rel. 6.  
 — *viridans* *Lab.* Bill. Sert. 2.  
 — *viride* *Huds.* Schk. Fil. 73.  
 — — — *Fl. dan.* 8, 1289.  
 — — — *Sv. Bot.* 774.  
 — — — *Sturm Flora II.* 1, 10.  
 — — — *Schrank Fl. monac.* 1, 16.  
 — — — *Engl. Bot.* 32, 2257.  
 — — — *Newman* p. 281.  
 — — — *Willd.* Sv. Bot. 462.  
 — *viviparum* *Hombr.* Richard Astrol. 3.  
 — *zamiaefolium* *Willd.* Kunze Fil. 48.  
 — — — *Lodd.* Cab. 854.  
 † *Asprella* *Host.* Dumortier Gram. 12.  
 — *nardiformis* *Host.* Host Gram. 329.  
*Assonia populnea* *Cav.* Cav. Diss. 42.  
 † *Astelia* (nova species) *Schnizl.* Ic. 1, 51<sup>a</sup>.  
 — *alpina* *R. Br.* Hook. Bot. Misc. 3.  
 † — *Banksii* *R. Br.* Van Houtte Hort. 5.  
 — *montana* *R. Br.* Schnizl. Ic. 1, 51<sup>a</sup>.  
 — *pumila* *R. Br.* Hook. Fl. ant. 127.  
 — *veratroides* *Gaudch.* Freycinet Voyage 31.  
 † *Astelieae* *Endl.* Schnizl. Ic. 51<sup>a</sup>.  
*Astelma eximium* *R. Br.* Bot. Reg. 7, 532.  
 — — — *Paxt.* Mag. 5, 103.  
 — *fruticans* *Ker.* Bot. Reg. 9, 726.  
*Astephanus cubensis* *H. B. K.* H. B. K. Nov. Gen. 3, 237.  
 † *Aster* *L.* Lam. Encycl. 681.  
 — *acris* *L.* Cav. Ic. 233.  
 — *aculeatus* *Lab.* Bill. Nov. Holl. 200.  
 — — — *Lodd.* Cab. 830.  
 — *acuminatus* *Michx.* Bot. Mag. 54, 2707.  
 — *adulterinus* *Willd.* Bot. Reg. 19, 1571.  
 — *albus* *Hort. angl.* Bot. Reg. 20, 1656.  
 — *alpinus* *L.* Jacq. Fl. austr. 1, 88.  
 — — — *Bot. Mag.* 6, 199.  
 — — — *Sturm Flora* 10, 37.  
 — — — *var.* Lodd. Cab. 1289.  
 — *alwartensis* *Lodd.* Bot. Mag. 49, 2321.  
 — *amelloides* *Hoffm.* Comm. Gott. 15, 7.  
 — *Amellus* *L.* All. Fl. ped. 3, 69.  
 — — — *Jacq.* Fl. austr. 5, 425.  
 — — — *Bot. Reg.* 4, 340.  
 — — — *Schrank Fl. monac.* 2, 182.  
 — — — *Dietr.* Fl. bor. 9, 63.

- † Aster *Amellus* L. Nees Gen. X, x.  
 — *amygdalinus* Lam. Novi Comm. Bon. 8, 34.  
 — — Bot. Reg. 18, 1517.  
 — *angustifolius* Jacq. Jacq. Schoenbr. 3, 370.  
 — — Royle Illustr. 58.  
 — *annuus* L. Fl. dan. 3, 486.  
 — *aragonensis* Asso. Asso Arag. 8.  
 — — Lam. Encycl. 681.  
 — *argophyllus* Lab. Bill. Nov. Holl. 201.  
 — — Bot. Mag. 38, 1563.  
 — *aurantius* L. Houst. Rel. 18.  
 — *bellidioides* Wall. Wall. Pl. asiat. 101.  
 — *blandus* Lodd. Lodd. Cab. 959.  
 — *Bubonium* Scop. Scop. Fl. carn. 2, 58.  
 — *caespitosus* Hort. Bot. Reg. 19, 1571.  
 — *calendulaefolius* Hort. Herb. amat. 4, 274.  
 — *canus* W. et K. W. et Kit. 30.  
 — *caricifolius* H. B. K. H. B. K. Nov. Gen. 4, 333.  
 — *carolinianus* Walt. Jacq. Ecl. pl. 125.  
 — *chinensis* L. Rousseau Bot. 38.  
 — *concinus* Willd. Bot. Reg. 19, 1619.  
 — — Colla. Mem. Tur. 33, 12.  
 — *concolor* L. Novi Comm. Bon. 8, 34.  
 — *cordifolius* Vog. Trew Pl. rar. 27.  
 — — L. Comm. Gott. 15, 8.  
 — — Bot. Reg. 19, 1597.  
 — — Michx. Bot. Reg. 18, 1487.  
 — *corymbosus* Ait. Bot. Reg. 18, 1532.  
 — *crocifolius* H. B. K. H. B. K. Nov. Gen. 4, 332<sup>a</sup>.  
 — *cyaneus* Hoffm. Hoffm. Phyt. Bl. 2.  
 — — Comm. Gott. 15, 3.  
 — — Bot. Reg. 18, 1495.  
 — *dentatus* Andr. Andr. Rep. 1, 61.  
 — *dumosus* Hoffm. Hoffm. Phyt. Bl. 1.  
 — — Ait. Comm. Gott. 15, 2.  
 — *eminens* Willd. Bot. Reg. 19, 1614, 20, 1656.  
 — *ericoides* L. Schk. Handb. 245.  
 — *fastigiatus* Led. Ledeb. Ic. 161.  
 — *filifolius* Vent. Vent. Malm. 82.  
 — *fragilis* Willd. Bot. Reg. 18, 1537.  
 — *fruticosus* L. Bot. Mag. 54, 2718.  
 — *fruticulosus* L. Jacq. Fragm. 5.  
 — — Bot. Mag. 49, 2286.  
 — *glandulosus* Lab. Bill. Nov. Holl. 197.  
 — *glutinosus* Cav. Cav. Ic. 168.  
 — — Bot. Reg. 3, 187.  
 — *grandiflorus* L. Martyn Hist. 17.  
 — — Bot. Reg. 4, 273.  
 — — Comm. Gott. 15, 1.  
 — — Hoffm. Phyt. Bl. 1.  
 — *hirtus* Scop. Scop. Fl. carn. 2, 58.  
 — *hispidus* Thunb. Kaempf. Jap. 29.  
 — *hortensis* L. var. Fl. d. serres 7, 692 — 694.  
 — *humilis* Willd. Willd. Hort. 67.  
 — *hyssopifolius* L. Cav. Ic. 232.  
 — *juncus* H. B. K. Bot. Reg. 19, 1614.  
 — *laevigatus* Willd. Bot. Mag. 57, 2995.  
 — *laevis* L. Bot. Reg. 18, 1500.  
 — *linarifolius* Michx. Barton Fl. 3, 104.  
 — *longifolius* Lam. Bot. Reg. 19, 1614.  
 — *lusitanus* Brot. Brot. Phyt. 29.  
 — *lyratus* Sims. Bot. Mag. 37, 1509.  
 † *macrophyllus* L. Gaertn. Carp. 170.  
 — *magellanicus* Lam. Lam. Encycl. 681.  
 — *microphyllus* Lab. Bill. Nov. Holl. 199.  
 — — De Cons. Novi Comm. Bon. 8, 34.  
 — *multiflorus* De Cons. Novi Comm. Bon. 8, 34.  
 — *mutabilis* H. B. K. Bot. Reg. 19, 1614.  
 — *myrsinoides* Lab. Bill. Nov. Holl. 202.  
 — *Novae Angliae* L. Bot. Reg. 3, 183.  
 — *nudicaulis* Lam. Lam. Encycl. 681.  
 — *obovatus* Led. Ledeb. Ic. 492.

- Aster *pallens* Willd. Bot. Reg. 18, 1509.  
 — *pallidulus* Vog. Trew Pl. rar. 28.  
 — *pannonicus* Jacq. Jacq. Vind. 8.  
 — *patens* Willd. Sweet Fl. G. 234.  
 — *pendulus* Ait. Comm. Gott. 15, 6.  
 — — Hoffm. Hoffm. Phyt. Bl. 3.  
 — *phlogopappus* Lab. Bill. Nov. Holl. 195.  
 — *pinnatus* Cav. Cav. Ic. 212.  
 — *ptarmicoides* T. et Gr. Torr. New York 52.  
 — *pulcherrimus* Lodd. Lodd. Cab. 6.  
 — *punctatus* W. et K. W. et Kit. 109.  
 — — Bot. Reg. 21, 1818.  
 — *puniceus* L. var. Bot. Reg. 19, 1636.  
 — *Radula* Ait. Torr. New York 50.  
 — *ramulosus* Lab. Bill. Nov. Holl. 198.  
 — *reflexus* L. Andr. Rep. 2, 93.  
 — — Bot. Mag. 23, 881.  
 — *repens* H. B. K. H. B. K. Nov. Gen. 4, 332<sup>b</sup>.  
 — *rigidus* L. Novi Comm. Bon. 8, 35.  
 — *rupestris* H. B. K. H. B. K. Nov. Gen. 4, 334.  
 — *salicifolius* Scholler. Scholler Suppl. Barb. 1.  
 — *salignus* Willd. Fl. dan. 14, 2475.  
 — — Dietr. Fl. bor. 8, 557.  
 — *salinus* Schrad. Schrad. Hort. gott. 3.  
 — *salsuginosus* Rich. Bot. Mag. 56, 2942.  
 — *scabrosus* Bert. Novi Comm. Bon. 8, 33.  
 — *scandens* Jacq. Jacq. Ecl. pl. 125.  
 — *sericeus* Vent. Vent. Cels 33.  
 — — Savi Fl. ital. 2, 67.  
 — *sikkimensis* Hook. Bot. Mag. 77, 4557.  
 — — Lem. Jard. fl. 91.  
 — — Fl. d. serres 6, 624.  
 — *spectabilis* Ait. Bot. Reg. 18, 1527.  
 — — Torr. New York 51.  
 — *stellulatus* Lab. Bill. Nov. Holl. 196.  
 — *tenellus* L. Jacq. Obs. 88.  
 — — Bot. Mag. 1, 33.  
 — *thyrsiflorus* Hoffm. Hoffm. Phyt. Bl. 4.  
 — — Comm. Gott. 15, 10.  
 — *tomentosus* Schrad. et W. Wendl. Sert. hannov. 24.  
 — *Tradescanti* Hoffm. Hoffm. Phyt. Bl. 4.  
 — — Comm. Gott. 15, 9.  
 — *Tripolium* L. Fl. dan. 4, 615.  
 — — Curt. Lond. 5, 196.  
 — — Engl. Bot. 2, 87.  
 — — Sv. Bot. 470.  
 — — Dreves 5, 146.  
 — — Roemer Fl. eur. 5, 6.  
 — — Baxter Br. Bot. 3, 230.  
 — *umbellatus* Hoffm. Hoffm. Phyt. Bl. 2.  
 — — Comm. Gott. 15, 4.  
 — *undulatus* L. Hoffm. Phyt. Bl. 3.  
 — — Comm. Gott. 15, 5.  
 — *Vahlilii* Hook. et Arn. Hook. Ic. pl. 5, 486.  
 — *virginicus* N. v. E. Bot. Reg. 20, 1656.  
 — *viscosus* Lab. Bill. Nov. Holl. 203.  
 — *Asteracantha longifolia* N. v. E. Wight Ic. pl. Ind. 2, 449.  
 — *Asteranthos brasiliensis* Desf. Mem. Mus. 6, 3.  
 † *Asteriscium Chamisso*. Linnæa 1, 5.  
 † — *chilense* Cham. Hook. Bot. Misc. 67<sup>b</sup>.  
 † — *polyccephalum* Gill. Hook. Bot. Misc. 67<sup>b</sup>.  
 † *Asteriscus aquaticus* Less. Nees Gen. X, x.  
 † *Asterocephalus agrestis* W. et K. Rchb. Fl. germ. 12, 691.  
 — *arenarius* Vis. Vis. Aeg. 1.  
 — *atropurpureus* Lag. Rchb. Fl. germ. 12, 685.  
 — *banaticus* W. et K. Rchb. Fl. germ. 12, 696.  
 — *brachiatus* Rchb. Rchb. Fl. germ. 12, 684.  
 — *canevens* Willd. Rchb. Fl. germ. 12, 690.  
 — *columbarius* Spr. Rchb. Fl. germ. 12, 693.  
 — *graminifolius* Spr. Rchb. Fl. germ. 13, 687.  
 — *gramuntius* Spr. Rchb. Fl. germ. 12, 691.  
 — *holosericeus* Bert. Rchb. Fl. germ. 12, 692.

- Asterocephalus lucidus* Vill. *Rchb. Fl. germ.* 12, 695.  
 — *maritimus* Spr. *Rchb. Ic. crit.* 10, 952.  
 — — *Rchb. Fl. germ.* 12, 686.  
 — *ochroleucus* Spr. *Rchb. Fl. germ.* 12, 694.  
 — *pyrenaicus* All. *Rchb. Fl. germ.* 12, 692.  
 — *simplex* DC. *Rchb. Fl. germ.* 12, 688.  
 — *stellatus* Rchb. *Rchb. Fl. germ.* 12, 688.  
 — *suavcolens* Desf. *Rchb. Fl. germ.* 12, 690.  
 — *ucranicus* Spr. *Rchb. Fl. germ.* 12, 699.  
 — *vestinus* Facch. *Rchb. Fl. germ.* 12, 690.  
 † *Asterolinon stellatum* Lk. *Nees Gen.* 5, 13.  
*Asteropeia multiflora* Aub. *Aub. Iles d'Afr.* 15.  
 † *Asteropterus Callicornia* Gaertn. *Gaertn. Carp.* 173.  
*Asterostemma repandum* Decne. *Delessert Ic.* 5, 83.  
 † — — — *Ann. sc. nat.* II, 9, 10.  
*Asterotrichion sidoides* Lk. *Link Ic. III.* 8.  
*Astiria rosea* Ldl. *Bot. Reg.* 30, 49.  
*Astoma seselifolium* DC. *DC. Umbell.* 17.  
 † *Astragalus* L. *Schk. Handb.* 208<sup>b</sup>, 209.  
 † — — — *Lam. Encycl.* 622, 623.  
 — *aemonotrichus* Fenzl. *Russegger Reise* 8.  
 — *adsurgens* Pall. *Pall. Astr.* 31.  
 — — — *Rchb. Hort.* 217.  
 — *aduncus* Willd. *Marsch. Cent.* 80.  
 — — *MB. Trautv. Imag.* 34.  
 — *albicans* Bong. *Acad. Pet.* 6, 2.  
 — *albicanlis* DC. *DC. Astr.* 21.  
 — *albidus* W. et K. *W. et Kit.* 40.  
 — *Alopecias* Pall. *Pall. Astr.* 9.  
 — *alopecuroides* Pall. *Pall. Astr.* 7.  
 † — — — *L. Gaertn. Carp.* 154.  
 — — — *Bot. Mag.* 59, 3193.  
 — *Alopecurus* Pall. *Pall. Astr.* 8.  
 — *alpinus* L. *Linné Fl. lapp.* 9.  
 † — — — *Wahlbg Fl. lapp.* 12.  
 — — — *Fl. dan.* 1, 51.  
 — — — *Engl. Bot.* 2717.  
 — — — *Sv. Bot.* 679.  
 — — — *Pall. Astr.* 32, 33.  
 — *altaicus* Pall. *Pall. Astr.* 45.  
 — *alyssoides* Lam. *DC. Astr.* 18.  
 — *amarus* Pall. *Pall. Astr.* 6.  
 — — — *Goebel Reise* 2, 3.  
 — *ambiguus* Pall. *Pall. Astr.* 43, 43<sup>b</sup>.  
 — *ammodytes* Pall. *Pall. Astr.* 5.  
 — *amoenus* Fzl. *Russegger Reise* 7.  
 — *ampullatus* Pall. *Pall. Astr.* 56.  
 — *andrachnaefolius* Fzl. *Russegger Reise* 6.  
 — *angulosus* DC. *DC. Astr.* 45.  
 — *angustifolius* Sibth. *Sibth. Fl. gr.* 734.  
 — *ankylotus* F. et M. *Goebel Reise* 4.  
 — — — *Bunge Reliq. Lehm.* 10.  
 — *annularis* Forsk. *DC. Astr.* 7.  
 — *anthylloides* Pall. *Pall. Astr.* 13.  
 — — — *Lam. DC. Astr.* 42.  
 — *Arbuscula* Pall. *Pall. Astr.* 17.  
 — *arenarius* L. *Fl. dan.* 4, 614.  
 — — — *Pall. Astr.* 34.  
 — — — *Retz. Obs.* 3, 3.  
 — — — *Sturm Flora* 5, 19.  
 — — — *Sv. Bot.* 734.  
 — — — *var. Rochel Ban.* 15.  
 — — — *Dietr. Fl. bor.* 9, 606.  
 — *argentatus* Pall. *Pall. Astr.* 48.  
 — *argenteus* Vis. *Vis. Dalm.* 46.  
 — *aristatus* Willd. *Sibth. Fl. gr.* 735.  
 — — — *Lodd. Cab.* 1278.  
 — *arpilobus* Kar. et Kir. *Bunge Reliq. Lehm.* 13.  
 — *asper* L. *Jacq. Ic.* 152.  
 — *aureus* Willd. *Mem. Ac. Berl.* 1794, 1.  
 — — — *DC. Astr.* 32.  
 — — — *Trautv. Imag.* 17.

- Astragalus austriacus* L. *Jacq. Fl. austr.* 2, 195.  
 † — *bacticus* L. *Gaertn. Carp.* 154.  
 — — — *Sibth. Fl. gr.* 730.  
 — *baicalensis* Pall. *Pall. Astr.* 52.  
 — *Baicalia* Pall. *Pall. Astr.* 77.  
 — *bakaliensis* Bge. *Bunge Reliq. Lehm.* 14.  
 — *Berterii* Colla. *Mem. Tur.* 37, 9.  
 — *bidentatus* H. B. K. *H. B. K. Nova Genera*  
 6, 584.  
 — *biflorus* Viv. *Viv. Lib.* 20.  
 — *brachycarpus* M. v. B. *Marsch. Cent.* 58.  
 — — — *Bot. Mag.* 49, 2335.  
 — *brachyceras* Led. *Rchb. Ic. crit.* 4, 382.  
 — *bracteosus* Klotzsch. *Prinz Wald. Him.* 5.  
 — *brevicarinatus* DC. *DC. Astr.* 49.  
 — *breviflorus* DC. *DC. Astr.* 31.  
 — *brevifolius* Led. *Ledeb. Ic.* 307.  
 — — — *Lodd. Cab.* 1388.  
 — *buchtormensis* Pall. *Pall. Astr.* 62.  
 — *caespitosus* Pall. *Pall. Astr.* 57.  
 — *calycinus* M. v. B. *Marsch. Cent.* 9.  
 — *campestris* L. *W. et Kit.* 130.  
 — — — *Engl. Bot.* 36, 2522.  
 — *canadensis* L. *Lodd. Cab.* 372.  
 — — — *Torr. New York* 25.  
 — *candicans* Pall. *Pall. Astr.* 49.  
 — *candidissimus* Led. *Ledeb. Ic.* 287.  
 — *canescens* DC. *DC. Astr.* 16.  
 — *caryocarpus* Ker. *Bot. Reg.* 2, 176.  
 — *caucasicus* Pall. *Pall. Astr.* 2.  
 — *caudatus* Pall. *Pall. Astr.* 50.  
 — *cephalanthus* DC. *DC. Astr.* 38.  
 — *cephalotes* Pall. *DC. Astr.* 24.  
 — — — *DC. Astr.* 16.  
 — *chinensis* L. *Linné Hort. ups.* 1, 3.  
 — *chloranthus* Pall. *Pall. Astr.* 25.  
 — *Cicer* L. *Jacq. Fl. austr.* 3, 251.  
 — — — *All. Fl. ped.* 3, 41.  
 — — — *Schrank Fl. monac.* 3, 254.  
 — — — *Sturm Flora* 12, 49.  
 — *cinereus* Willd. *DC. Astr.* 40.  
 — *Clausii* C. A. M. *Goebel Reise* 5.  
 — *clavatus* DC. *DC. Astr.* 41.  
 — *coluteoides* Willd. *DC. Astr.* 32.  
 — *commixtus* Bunge. *Bunge Reliq. Lehm.* 10.  
 — *compactus* Lam. *Mem. Ac. Berl.* 1794, 1.  
 — *compressus* Led. *Ledeb. Ic.* 289.  
 — *conduplicatus* Bert. *Novi Comm. Bon.* 6, 10.  
 — *consanguineus* Bong. *Acad. Pet.* 6, 3.  
 — *contortuplicatus* L. *Pall. Astr.* 79.  
 — — — *Sibth. Fl. gr.* 729.  
 — *corniculatus* M. v. B. *Marsch. Cent.* 45.  
 — *Cracca* DC. *DC. Astr.* 9.  
 — *creticus* Lam. *Mem. Ac. Berl.* 1794, 2.  
 — — — *DC. Astr.* 33.  
 — — — *Sibth. Fl. gr.* 736.  
 — — — *Guimp. et Schl.* 184.  
 — — — *Wagner* 194.  
 — *cymbiformis* Willd. *Brot. Phyt.* 59.  
 — *daguricus* Spr. *Pall. Astr.* 72.  
 — *dasyanthus* Pall. *Pall. Astr.* 65.  
 — *dasyphyllus* Pall. *Pall. Astr.* 75.  
 — *danicus* Retz. *DC. Astr.* 14.  
 — *davuricus* Led. *Ledeb. Ic.* 318.  
 — *dealbatus* Pall. *Pall. Astr.* 23.  
 — *deflexus* Pall. *L'her. Stirp.* 80.  
 — *depressus* L. *All. Fl. ped.* 3, 19.  
 — — — *Sibth. Fl. gr.* 733.  
 — — — *Lodd. Cab.* 680.  
 — *dichopterus* Pall. *Pall. Astr.* 39.  
 — *didymocarpus* Hook. *Hook. Beech.* 81.  
 — *dilichophyllus* Pall. *Pall. Astr.* 68.

- Astragalus Drummondii* Dougl. Hook. Bor. Am. 57.  
 — *echinoides* Willd. DC. Astr. 31.  
 — *ellipsoidens* Eed. Ledeb. Ic. 297.  
 — *emarginatus* Lab. Bill. Syr. 1, 9.  
 — *Epiglottis* L. Sibth. Fl. gr. 731.  
 — *eriocarpus* DC. DC. Astr. 47.  
 — *eriocephalus* W. et K. W. et Kit. 46.  
 — *exscapus* L. Jacq. Ic. 561.  
 — — — Pall. Astr. 64.  
 — — — Hayne 6, 12.  
 — — — Nees Düsseld. 328.  
 — — — Woodv. Med. 3, 155.  
 — *falcatus* Lam. Pall. Astr. 28.  
 — — — DC. Astr. 26.  
 — — — Desf. Desf. Fl. atl. 206.  
 — *floribundus* Pall. Pall. Astr. 37.  
 — *foetidus* Vill. Vill. Dauph. 43.  
 — *follicularis* Pall. Pall. Astr. 14.  
 — *fruticosus* Pall. Pall. Astr. 19.  
 — *galactites* Pall. Pall. Astr. 69.  
 † *galegiformis* L. Gaertn. Carp. 154.  
 — — — Pall. Astr. 29.  
 — *Garvanzillo* Cav. Cav. Ic. 85.  
 — *Gebleri* Fisch. Acad. Pet. 6, 4.  
 — *geminiflorus* H. B. Humb. Pl. aeq. 37.  
 — *gemiculatus* Desf. Desf. Fl. atl. 205.  
 — *glomeratus* Led. Ledeb. Ic. 299.  
 — *glycyphyllus* L. Fl. dan. 7, 1108.  
 — — — Engl. Bot. 3, 203.  
 — — — Sv. Bot. 237.  
 — — — Schrank Fl. monac. 1, 22.  
 — *Grahamianus* Steud. Royle Illustr. 36.  
 — *grandiflorus* Pall. Pall. Astr. 46.  
 — *gummifer* Lab. Hayne 10, 8.  
 — — — Guimp. et Schl. 185.  
 — — — Wagner 190.  
 — — — Nees Düss. Suppl. 62.  
 † *hamosus* L. Gaertn. Carp. 154.  
 — — — Sibth. Fl. gr. 728.  
 — *helminthocarpus* Vill. Vill. Dauph. 42.  
 — *hians* Jacq. Jac. Ic. 153.  
 — *himalayanus* Klotzsch. Prinz Wald. Him. 4.  
 — *hirsutissimus* DC. DC. Astr. 19.  
 — *hirsutus* Vahl. DC. Astr. 43.  
 — *hispidulus* DC. DC. Astr. 13.  
 — *hispidus* Lab. Bill. Syr. 1, 8.  
 — *hypogaeus* Led. Ledeb. Ic. 95.  
 — *hypoglottis* L. Brot. Phytogr. 60.  
 — — — DC. Astr. 14.  
 — — — Engl. Bot. 4, 274.  
 — — — Baxter Br. Bot. 6, 453.  
 — *hyrcanus* Pall. Pall. Astr. 22.  
 — *inarius* Pall. Pall. Astr. 77.  
 — *incanus* Pall. Pall. Astr. 84.  
 — — — L. Sibth. Fl. gr. 732.  
 — *incurvus* Desf. Desf. Fl. atl. 203.  
 — *lactiflorus* Led. Ledeb. Ic. 103.  
 — *lagopodioides* Vahl. Mem. Ac. Berl. 1794, 1.  
 — *Lagurus* Pall. Pall. Astr. 16.  
 — — — Willd. Mem. Ac. Berl. 1794, 1.  
 — — — DC. Astr. 36.  
 — *lanatus* Pall. Pall. Astr. 81.  
 — — — Lab. Bill. Syr. 1, 10.  
 — *lanigerus* Desf. Desf. Fl. atl. 202.  
 — *lanuginosus* Desc. Desc. Ant. 7, 475.  
 — *lasianthus* C. A. M. Acad. Pet. 6, 6, 7.  
 — *latifolius* Lam. DC. Astr. 46.  
 — *Laxmanni* Pall. Pall. Astr. 30.  
 — — — Jacq. Jacq. Vind. 3, 37.  
 — — — Kn. et Westc. 66.  
 — *Lehmannianus* Bge. Bunge Rel. Lehm. 15.  
 — *leontinus* Jacq. Jacq. Ic. 154.

- † *Astragalus leontinus* Wahlbg. Wahlbg. Fl. lapp. 12.  
 — — — Wulf. Roemer Fl. eur. 8, 6.  
 — — — Sturm Flora 6, 24.  
 — — — Lodd. Cab. 432.  
 — *leptocaulis* Led. Ledeb. Ic. 284.  
 — *leptophyllus* Pall. Pall. Astr. 66.  
 — — — Desf. Desf. Fl. atl. 207.  
 — *leptostachyus* Pall. Pall. Astr. 40.  
 — *leucanthus* Pall. Pall. Astr. 47.  
 — *leucocephalus* Grah. Royle Illustr. 33.  
 — *leucophaeus* Sm. Lodd. Cab. 111.  
 — *lignosus* DC. DC. Astr. 39.  
 — *lineatus* Lam. DC. Astr. 11.  
 — *longiflorus* Pall. Pall. Astr. 60. 60<sup>b</sup>.  
 — — — Delile Egypte 39.  
 — *longifolius* Lam. Mem. Ac. Berl. 1794, 2.  
 — — — DC. Astr. 30.  
 — *lupulinus* Pall. Pall. Astr. 15.  
 — *macrocarpus* DC. DC. Astr. 28.  
 — *macrorrhizus* Cav. Cav. Ic. 133.  
 — *macrostachys* DC. DC. Astr. 15.  
 — *maculatus* Lam. DC. Astr. 7.  
 — *mareoticus* Del. Delile Egypte 39.  
 — *megalanthus* DC. DC. Astr. 20.  
 — *melanotrichus* Led. Ledeb. Ic. 294.  
 — *mehilotoides* Pall. Pall. Astr. 41.  
 — *mexicanus* DC. Mem. Genev. 6, 3.  
 — *microphyllus* Pall. Pall. Astr. 76.  
 — *mirpourenus* Jacq. Jacquemont Ind. 46.  
 — *mixtus* M. v. B. Marsch. Cent. 26.  
 — *monspeulanus* L. Scop. Fl. carn. 2, 45.  
 — — — Bot. Mag. 11, 375.  
 — — — Lodd. Cab. 981.  
 — — — Sturm Flora 12, 49.  
 — *montanus* L. Jacq. Fl. austr. 2, 167.  
 — — — Scop. Fl. carn. 2, 45.  
 — — — Bot. Mag. 22, 843.  
 — *multicaulis* Led. Ledeb. Ic. 316.  
 — *mucronatus* DC. DC. Astr. 25.  
 — *muricatus* Pall. Pall. Astr. 73.  
 — *myriophyllus* Pall. Pall. Astr. 71.  
 — *nanus* DC. DC. Astr. 17.  
 — *narbonensis* Pall. Pall. Astr. 10.  
 — *nigrescens* Pall. Pall. Astr. 53.  
 — *numularius* Desf. Desf. Fl. atl. 204.  
 — *obtusifolius* DC. Delessert Ic. 3, 72.  
 — *odoratus* Lam. DC. Astr. 24.  
 — *olympicus* Pall. Pall. Astr. 4.  
 — *Onobrydis* L. Jacq. Fl. austr. 1, 38.  
 — — — var. Bot. Mag. 53, 2665.  
 — *orbiculatus* Led. Ledeb. Ic. 290.  
 — *oroboides* Hornem. Fl. dan. 8, 1396.  
 — *oxyphyllus* Pall. Pall. Astr. 74.  
 — *pauciflorus* Pall. Pall. Astr. 66.  
 — *pelliger* Fzl. Russegger Reise 5.  
 † *pentaglottis* L. Gaertn. Carp. 154.  
 — — — Cav. Ic. 188.  
 — *peregrinus* Vahl. DC. Astr. 27.  
 — *physodes* L. Pall. Astr. 58. 58<sup>b</sup>.  
 — — — DC. Astr. 48.  
 — *physodi affinis* Pall. Pall. Astr. 59.  
 — *pilosus* L. Pall. Astr. 80.  
 — — — Jacq. Fl. austr. 1, 51.  
 — *Polygala* Pall. Pall. Astr. 83.  
 — *ponticus* Pall. Pall. Astr. 11.  
 — *Poterium* Vahl. Pall. Astr. 1.  
 — *procumbens* H. et Arn. Bot. Mag. 60, 3263.  
 — *pseudotragacantha* Pall. Pall. Astr. 3.  
 — *psoraloides* Lam. DC. Astr. 18.  
 — *puberulus* Led. Ledeb. Ic. 291.  
 — *pubescens* Schrk. Schrank Primit. sal. 2.  
 — *Pumilio* Pall. Pall. Astr. 55.

- Astragalus purpureus* Lam. DC. Astr. 12.  
 — *pygmaeus* Pall. Pall. Astr. 54.  
 — *quadrilobatus* Bge. Bunge Reliq. Lehm. 10.  
 — *rariflorus* Led. Ledeb. Ic. 88.  
 — *reduncus* Pall. Pall. Astr. 82.  
 — *reptans* Willd. Willd. Hort. 88.  
 — *retroflexus* Pall. Pall. Astr. 27.  
 — *retusus* Willd. Mem. Ac. Berl. 1794, 2.  
 — DC. DC. Astr. 35.  
 — *roseus* Led. Ledeb. Ic. 300.  
 — *rupifragus* Pall. Pall. Astr. 70<sup>a</sup>, 70<sup>b</sup>.  
 — *rytidocarpus* Led. Ledeb. Ic. 293.  
 — *sabuletorum* Led. Ledeb. Ic. 298.  
 — *scabrisetus* Bong. Acad. Pet. 6, 5.  
 — *Schanginianus* Pall. Pall. Astr. 63.  
 — *scleropodius* Led. Ledeb. Ic. 295.  
 — *semibilocularis* DC. DC. Astr. 23.  
 — *setosus* Pall. Pall. Astr. 44.  
 — *Sieversianus* Pall. Pall. Astr. 12.  
 — *silvicolus* Pall. Pall. Astr. 78.  
 — *sinicus* L. Bot. Mag. 33, 1350.  
 — *sirinicus* Ten. Ten. Fl. nap. 171.  
 — *songaricus* Pall. Pall. Astr. 51.  
 — *stipitatus* Don. Bot. Mag. 50, 2380.  
 — *striatellus* M. v. B. Marsch. Cent. 20.  
 — *strobiliferus* Jacq. Jacquemont Ind. 47.  
 — *subbijugus* Ledeb. Bunge Reliq. Lehm. 13.  
 — *subulatus* Pall. var. Pall. Astr. 20. 20<sup>a</sup> — 20<sup>d</sup>.  
 — Desf. DC. Astr. 7.  
 — *subumbellatus* Klotzsch. Prinz Wald. Him. 3.  
 — *succulentus* Rich. Bot. Reg. 16, 1324.  
 — *sulcatus* L. Jacq. Vind. 3, 40.  
 — *tauricus* Pall. Pall. Astr. 38.  
 — *tenuifolius* Willd. Sweet Fl. G. 73.  
 — *testiculatus* Pall. Pall. Astr. 67.  
 — *tomentosus* Lam. DC. Astr. 29.  
 † — *Tragacantha* L. Gaertn. Carp. 154.  
 — — — Pall. Astr. 4.  
 — — — Mem. Ac. Berl. 1794, 1.  
 — — — Watson Dendr. 2, 84.  
 — — — Woodv. Med. 3, 149.  
 — — — Wagner 192.  
 — *tribuloides* Bunge. Bunge Reliq. Lehm. 14.  
 — *trimestris* L. Jacq. Vind. 174.  
 — *trimorphus* Viv. Viv. Lib. 10.  
 — *triphyllus* Pall. Pall. Astr. 56.  
 — *tuberculosis* DC. DC. Astr. 22.  
 — *uliginosus* L. Pall. Astr. 26.  
 — *uniflorus* DC. DC. Astr. 50.  
 — *unifultus* L'her. DC. Astr. 10.  
 — *uralensis* L. Pall. Astr. 42.  
 — — — Jacq. Ic. 155.  
 — — — Lightf. Fl. scot. 1, 17.  
 — — — Fl. dan. 6, 1041.  
 — — — Engl. Bot. 7, 466.  
 — — — Lodd. Cab. 58.  
 — *utriger* Pall. Pall. Astr. 61. 62.  
 — *vaginans* DC. DC. Astr. 37.  
 — — — Pall. Pall. Astr. 36.  
 — *verrucosus* Moris. Moris Fl. sard. 65.  
 — *versicolor* Pall. Pall. Astr. 35.  
 — *verus* DC. Hayne 10, 7.  
 — — — Oliv. Guimp. et Schl. 183.  
 — *vesicarius* L. All. Fl. ped. 3, 80.  
 — — — Vill. Dauph. 42.  
 — — — Bot. Mag. 60, 3268.  
 — *vesiculosus* Clos. Gay Chile 17.  
 — *vicioides* Led. Ledeb. Ic. 286.  
 — *villosus* Michx. Andr. Rep. 8, 516.  
 — *vimineus* Pall. Pall. Astr. 21.  
 — *virgatus* Pall. Pall. Astr. 18.  
 — — — Winterl Ind. 12.

- Astragalus virgatus* Pall. Kn. et Westc. 126.  
 — *viscosus* Vill. Vill. Dauph. 43.  
 — *vulnerarioides* All. All. Fl. ped. 3, 19.  
 — *xanthotrichus* Led. Ledeb. Ic. 296.  
*Astranthus cochinchinensis* Lour. Bot. Mag. 53, 2659.  
*Astrantia carniolica* Jacq. Jacq. Fl. austr. 5, 10.  
 — — — Tratt. Thes. 75.  
 — — — Sturm Flora 8, 29.  
 — *Epipactis* L. fil. Scop. Fl. carn. 1, 6.  
 — — — Jacq. Fl. austr. 5, 11.  
 — — — Sturm Flora 6, 24.  
 † — — — Mem. Mosc. 5, 1.  
 — *helleborifolia* Salisb. Salisb. Parad. 60.  
 † — *major* L. Gaertn. Carp. 20.  
 † — — — Lam. Encycl. 191.  
 — — — Schk. Handb. 60.  
 — — — Smith Ex. Bot. 76.  
 — — — Hayne 1, 13.  
 — — — Dreves 5, 133.  
 — — — Sturm Flora 8, 29.  
 — — — Schrank Fl. monac. 2, 140.  
 — — — Nees Düsseld. 285.  
 — — — Dietr. Fl. bor. 11, 749.  
 † — — — Nees Gen. X, x.  
 — *maxima* Pall. Bot. Mag. 38, 1553.  
 — *minor* Scop. Scop. Fl. carn. 1, 7.  
 — — — L. Smith Ex. Bot. 77.  
 — — — Tratt. Thes. 76.  
 — — — Lodd. Cab. 93.  
 — — — Sturm Flora 8, 29.  
 † — — — Spr. Mem. Mosc. 5, 1.  
 — *pauciflora* Bert. Rehb. Ic. crit. 4, 378.  
*Astrapaea viscosa* Sweet. Bot. Mag. 76, 4544.  
 — — — Hook. Lem. Jard. fl. 69.  
 — *Wallichii* Ldl. Ldl. Collect. 14.  
 — — — Bot. Reg. 9, 691.  
 — — — Bot. Mag. 51, 2503.  
 — — — Lodd. Cab. 1445.  
 — — — Martius Auswahl 4. 5.  
 — — — Rehb. Exot. 246.  
*Astrocaryum sesamoides* DC. Rehb. Fl. germ. 2, 99.  
*Astrocaryum acaule* Mart. Mart. Palm. 24. 63.  
 — *Ayri* Mart. Mart. Palm. 59<sup>a</sup>.  
 — *campestre* Mart. Mart. Palm. 63. 64.  
 — *Chonta* Mart. D'Orb. Voyage 4. 29.  
 — *gynanthum* Mart. Mart. Palm. 60. 61.  
 — *Huaimi* Mart. D'Orb. Voyage 13. 30.  
 — *Jauari* Mart. Mart. Palm. 52. 65.  
 — *Murumuru* Mart. Mart. Palm. 58. 59.  
 — *Tucuma* Mart. Mart. Palm. 65.  
 — *vulgare* Mart. Mart. Palm. 62. 63.  
*Astroloma humifusum* R. Br. Bot. Mag. 35, 1439.  
 — — — Lodd. Cab. 1554.  
 † *Astronia macrophylla* Bl. Ann. sc. nat. III. 12, 10.  
 — *papetaria* Bl. Rumpf Amb. 4, 69.  
 — — — Blume Rumphia 6.  
 — *spectabilis* Bl. Blume Rumphia 7.  
*Astrotricha floccosa* DC. DC. Umbellif. 5.  
 — *ledifolia* DC. DC. Umbellif. 6.  
 † *Astydamia* DC. DC. Umbellif. 1.  
 — *canariensis* DC. Webb Canar. 76.  
*Astylis venusta* Wight. Wight Ic. pl. Ind. or. 6, 1992.  
*Asystasia coromandeliana* N. v. E. Wight Ic. pl. Ind. 4, 1506.  
 — — — Bot. Mag. 72, 4248.  
 — — — Paxt. Mag. 14, 125.  
 — — — Fl. d. serres 2, 179.  
 — *scandens* Ldl. Bot. Mag. 75, 4449.  
*Ataccia cristata* Kth. Bot. Mag. 77, 4589.  
 — — — Lem. Jard. fl. 186 — 187.  
*Atalantia floribunda* Wight. Wight Ic. pl. Ind. 4, 1611.  
 — *monophylla* DC. Rheede Hort. mal. 4, 12.

- Atalantia racemosa* *Wight*. *Hook. Journ.* 1834, 122.  
*Ataxia Horsfieldii* *Kth.* *Bennett Java* 3.  
*Ate virens* *Lindl.* *Wight Ic. pl. Ind.* 3, 928.  
*Atelandra incana* *Ldl.* *Ldl. Swan River* 5.  
*Athamanta L.* *Gouan Illustr.* 26.  
 — *Cervaria L.* *Jacq. Fl. austr.* 1, 69.  
 — — — *Viv. Fl. ital.* 21.  
 † — — — *Engelm. Anthol.* 5.  
 — *cervariaefolia DC.* *Webb Canar.* 71.  
 — *compacta Led.* *Ledeb. Ic.* 81.  
 — *condensata L.* *Ledeb. Ic.* 178.  
 — *cretensis L.* *Jacq. Fl. austr.* 1, 62.  
 † — — — *Lam. Encycl.* 194.  
 — *Golaka Hacq.* *Hacq. Pl. alp.* 5.  
 — *latifolia Viv.* *Viv. Fl. ital.* 22.  
 — *Libanotis L.* *Jacq. Fl. austr.* 4, 392.  
 — — — *Fl. dan.* 5, 754.  
 — — — *Relhan Fl. cant.* 2.  
 — — — *Engl. Bot.* 2, 138.  
 — *Matthioli Wulf.* *Jacq. Ic.* 57.  
 — *Meum L.* *Jacq. Fl. austr.* 4, 303.  
 — *multiflora Sm.* *Sibth. Fl. gr.* 276.  
 — *Oreoselinum L.* *Jacq. Fl. austr.* 1, 68.  
 — — — *Schk. Handb.* 64.  
 — — — *Hayne* 7, 3.  
 — *panacisfolia Lk.* *Hoffm. Lk. Fl. port.* 107.  
 — *pyrenaica Jacq.* *Jacq. Vind.* 197.  
 — *ramosissima Lk.* *Hoffm. Lk. Fl. port.* 106.  
 — *Turbith Brot.* *Brot. Phytogr.* 169, 170.  
 — *verticillata Sibth.* *Sibth. Fl. gr.* 275.  
 — — — *Portsch. Portschl. Dalm.* 1.  
*Athanasia annua L.* *Schk. Handb.* 239.  
 — — — *Bot. Mag.* 49, 2276.  
 — *cinerea L. fil.* *Lam. Encycl.* 670.  
 — *crenata L.* *Lam. Encycl.* 670.  
 † — *crithmifolia L.* *Gaertn. Carp.* 165.  
 † — — — *Lam. Encycl.* 670.  
 — *cuneifolia Lam.* *Lam. Encycl.* 670.  
 — *lanuginosa Cav.* *Cav. Ic.* 3.  
 — *parviflora Thunb.* *Jacq. Schoenbr.* 2, 149.  
 — *pinnata L. fil.* *Lam. Encycl.* 670.  
 — *virgata Jacq.* *Jacq. Schoenbr.* 2, 148.  
*Athenaea anonacea Sendtn.* *Endl. Bras.* 6, 18.  
 † *Atherandra pubescens Bl.* *Blume Mus.* 1, 26.  
*Atherocephala Drummondii DC.* *Delessert Ic.* 5, 24.  
*Athropogon apudoides Muhlbg.* *Mühlbg. Fl. cestr.* 1.  
 — — — *Jacq. Ecl. gram.* 7.  
 † — — — *Münchn. Denkschr.* 4, 9.  
 — *procumbens Jacq.* *Jacq. Ecl. gram.* 12.  
*Atherosperma moschata Lab.* *Bill. Nov. Holl.* 224.  
 † *Atherostemon javensis Bl.* *Blume Mus.* 1, 23.  
*Atherurus tripartitus Bl.* *Blume Rumphia* 31.  
 † — — — *Blume Rumphia* 37.  
*Athrixia capensis Ker.* *Bot. Reg.* 8, 681.  
*Athrotaxis cupressoides Don.* *Linn. Tr.* 18, 13.  
 — *selaginoides Don.* *Linn. Tr.* 18, 14.  
 † *Athyrium australe Presl.* *Hook. Gen. Fil.* 16.  
 † — *conchatum Fée.* *Fée Fil.* 5, 17.  
 — *fumarioides Presl.* *Presl. Rel.* 6.  
 — *Filix femina Presl.* *var. Newman p.* 237, 244.  
 † — — — *Newman p.* 248.  
 — *rhaeticum Roth.* *Newman p.* 245.  
*Atractylis caespitosa Desf.* *Desf. Fl. atl.* 225.  
 — *cancellata L.* *Risso Fl. de Nice* 10.  
 — — — *Rehb. Fl. germ.* 15, 745.  
 — *flava Desf.* *Desf. Fl. atl. o.* (p. 254.)  
 † — *Fusus agrestis Gaertn.* *Gaertn. Carp.* 161.  
 — *gummifera L.* *Cav. Ic.* 228.  
 — *humilis L.* *Cav. Ic.* 51.  
 † — — — *Lam. Encycl.* 660.  
 — *macrophylla Desf.* *Desf. Fl. atl.* 226.  
 — *mexicana L.* *Smith Ic. Linn.* 66.

- Atractylis Preauxiana Sch. Bip.* *Webb Can.* 117.  
 — *purpurata L.* *Smith Ic. Linn.* 65.  
 — *speciosa DC.* *Delessert Ic.* 4, 71.  
 † *Atragene L.* *Gray Gen.* 1.  
 † — *alpina L.* *Gaertn. Carp.* 74.  
 — — — *Pallas Fl. ross.* 76.  
 — — — *Schk. Handb.* 150.  
 — — — *Jacq. Fl. austr.* 3, 241.  
 — — — *var. Bot. Mag.* 15, 530.  
 — — — *Guimp. Holzgew.* 112.  
 — — — *Sturm Flora* 5, 20.  
 — — — *Rehb. Fl. germ.* 4, 60.  
 — *americana Sims.* *Bot. Mag.* 23, 887.  
 — — — *Gray Gen.* 1.  
 — *austriaca Scop.* *Andr. Rep.* 3, 80.  
 — — — *Lodd. Cab.* 250.  
 — *capensis L.* *Andr. Rep.* 1, 9.  
 — — — *Willd. Bot. Mag.* 19, 716.  
 — — — *Lodd. Cab.* 866.  
 — *sibirica Sims.* *Lodd. Cab.* 1358.  
 — — — *Bot. Mag.* 45, 1951.  
 — *zeylanica L.* *Roxb. Corom.* 188.  
*Atraphaxis angustifolia Jaub.* *Jaub. Ill.* 115.  
 — *Aucherii Jaub.* *Jaub. Ill.* 114.  
 — *Billardieri Jaub.* *Jaub. Ill.* 111.  
 — *canescens Bge.* *Acad. Pet.* 6, 14.  
 — *compacta Led.* *Ledeb. Ic.* 411.  
 — *grandiflora M. v. B.* *Jaub. Ill.* 113.  
 — *replicata Lam.* *Lam. Encycl.* 265.  
 — *spinosa L.* *L'her. Stirp.* 14.  
 † — — — *Gaertn. Carp.* 119.  
 — — — *Lam. Encycl.* 265.  
 — — — *Watson Dendr.* 2, 119.  
 — *Tournefortii Jaub.* *Jaub. Illustr.* 112.  
 — *variabilis Jaub.* *Jaub. Illustr.* 110.  
*Atrema americanum DC.* *DC. Umbellif.* 18.  
 † *Atriplex L.* *Lam. Encycl.* 853.  
 — *acuminata W. et K.* *W. et Kit.* 103.  
 — *angustifolia Sm.* *Engl. Bot.* 25, 1774.  
 — — — *Dietr. Fl. bor.* 12, 850.  
 — — — *Fl. dan.* 13, 2226.  
 — *campestris Koch.* *Sturm Flora* 18, 79.  
 — *cana Led.* *Ledeb. Ic.* 46.  
 — *chilensis Colla.* *Mem. Tur.* 39, 49.  
 — *coriacea Delile.* *Delile Egypte* 52.  
 † — — — *Forsk. Viv. Aeg.* 2.  
 — *crassifolia Led.* *Ledeb. Ic.* 42.  
 — *deltoidea Bab.* *Engl. Bot.* 2860.  
 — *diffusa Ten.* *Ten. Fl. nap.* 249.  
 — *erecta Sm.* *Engl. Bot.* 31, 2223.  
 — — — *Sturm Flora* 18, 79.  
 — *graeca Willd.* *Sibth. Fl. gr.* 963.  
 — *Halimus L.* *Sibth. Fl. gr.* 962.  
 † — — — *Viv. Aeg.* 2.  
 — *hastata L.* *Schk. Handb.* 348.  
 † — — — *Ust. Ann.* 5, 6.  
 † — — — *Mutel Fl. fr.* 57.  
 — — — *Fl. dan.* 8, 1286.  
 — — — *var. Fl. dan.* 10, 1638.  
 — — — *Sv. Bot.* 627.  
 — — — *Rehb. Pl. crit.* 1, 16.  
 — — — *Sturm Flora* 18, 79.  
 — — — *Dietr. Fl. bor.* 8, 525.  
 — *heterantha Wight.* *Wight Ic. pl. Ind.* 5, 1787.  
 † — *hortensis L.* *Schk. Handb.* 349.  
 — — — *Sturm Flora* 18, 79.  
 † — — — *Nees Gen.* 4, 63.  
 — *laciniata L.* *Schk. Handb.* 349.  
 — — — *Engl. Bot.* 3, 165.  
 — — — *Fl. dan.* 8, 1284.  
 — — — *Sv. Bot.* 626.  
 — — — *Sturm Flora* 18, 80.

- Atriplex laevis* Led. Ledeb. Ic. 41.  
 — *latifolia* Wahlbg. Sv. Bot. 628.  
 — — — Sturm Flora 18, 79.  
 — *litoralis* L. Fl. dan. 8, 1287.  
 — — — Engl. Bot. 10, 708.  
 — — — Sturm Flora 18, 79.  
 † — — — Nees Gen. 4, 63.  
 — *marina* L. Sturm Flora 18, 80.  
 † — — *Deth.* Nees Gen. 4, 63.  
 — *micrantha* Led. Ledeb. Ic. 43.  
 — *microsperma* W. et K. W. et Kit. 221. 250.  
 — *nitens* Revent. Schk. Handb. 348.  
 — — — Sturm Flora 18, 79.  
 — — — Fl. dan. 14, 2466.  
 — *oblongifolia* W. et K. Sturm Flora 18, 79.  
 † — *ocymifolia* Viv. Viv. Aeg. 2.  
 — *oppositifolia* DC. Sturm Flora 18, 79.  
 † — *pátula* L. Gaertn. Carp. 75.  
 — — — Schk. Handb. 347.  
 † — — — Ust. Ann. 5, 5.  
 — — — Curt. Lond. 2, 103.  
 — — — Engl. Bot. 13, 936.  
 — — — Fl. dan. 8, 1285.  
 — — — Sturm Flora 18, 79.  
 — — — Dietr. Fl. bor. 8, 526.  
 — — — Baxter Br. Bot. 5, 356.  
 — — — Nees Gen. 4, 63.  
 † — *pedunculata* L. Schk. Handb. 349.  
 — — — Engl. Bot. 4, 232.  
 — — — Fl. dan. 2, 304.  
 — *polysperma* Ten. Ten. Fl. nap. 249.  
 — *portulacoides* L. Engl. Bot. 4, 261.  
 — — — Fl. dan. 11, 1889.  
 — — — Guimp. Holzgew. 209.  
 — *rosea* L. Schk. Handb. 350.  
 — — — Engl. Bot. 2880.  
 — — — Sturm Flora 18, 80.  
 — *ruderalis* Wallr. Sturm Flora 18, 79.  
 — *Sackii* Rostk. Rostk. et Schm. Fl. sed. 1.  
 — — *R. et Schm.* Sturm Flora 18, 79.  
 — *sibirica* L. Schk. Handb. 350.  
 † — *stylosa* Viv. Viv. Aeg. 2.  
 — *tatarica* L. Schk. Handb. 349.  
 — *verrucifera* Led. Ledeb. Ic. 144.  
*Atropa* *arborescens* L. Desc. Ant. 3, 177.  
 † — *Belladonna* L. Gaertn. Carp. 131.  
 † — — — Lam. Encycl. 114.  
 — — — Schk. Handb. 45.  
 — — — Jacq. Fl. austr. 4, 309.  
 — — — Curt. Lond. 1, 79.  
 — — — Fl. dan. 5, 758.  
 — — — Engl. Bot. 9, 592.  
 — — — Sturm Flora 1, 3.  
 — — — Schrank Fl. monac. 1, 62.  
 — — — Hayne 1, 43.  
 — — — Guimp. et Schl. 8.  
 — — — Br. und Ratz. 17.  
 — — — Nees Düsseld. 190.  
 — — — Wagner 18.  
 — — — Woodv. Med. 2, 82.  
 — — — Baxter Br. Bot. 1, 10.  
 — — — Dietr. Fl. bor. 11, 727.  
 † — — — Nees Gen. 5, 60.  
 — — — Meyer Fl. hann. 3.  
 — *biflora* Rz et P. Rz et Pav. Fl. 181.  
 — *dependens* Math. Hook. Ic. pl. 2, 107.  
 — *frutescens* Lam. Lam. Encycl. 114.  
 — *glandulosa* Hook. Hook. Ic. pl. 2, 106.  
 — *gymnosperma* Schmid. Schmid. Ic. 18.  
 — *humifusa* Gouan. Gouan Hortus 1.  
 — *Mandragora* L. Sibth. Fl. gr. 232.  
 — — — Woodv. Med. 2, 83.

- Atropa physalodes* L. Jacq. Obs. 98.  
 — *procumbens* Cav. Jacq. Schoenbr. 4, 492.  
 — — — Cav. Ic. 72.  
 — *punctata* Pers. Kern. Hort. 185.  
 — *rhomboidea* Hook. Hook. Bot. Misc. 37.  
 — *solanacea* L. Trew Pl. rar. 16.  
 — *umbellata* Rz et Pav. Fl. 181.  
 — — — Jacq. Schoenbr. 4, 493.  
 — *viridiflora* H. B. K. H. B. K. Nov. Gen. 3, 196.  
*Atsuki.* Kaempfer Jap. 40.  
 † *Attalea* H. B. K. (Fructus.) Mart. Palm. 168. 169.  
 — *amygdalina* H. B. K. H. B. K. Nov. Gen. 1, 95. 96.  
 — *blepharopus* Mart. D'Orb. Voyage 5. 30.  
 — *compta* Mart. Mart. Palm. 41. 75. 97.  
 — *funifera* Mart. Mart. Palm. 95. 96. tab. T.  
 — — — Hook. Journ. 1849, 4.  
 † — *princeps* Mart. D'Orb. Voyage 31.  
 — *spectabilis* Mart. Mart. Palm. 96.  
*Atylosia* *Candollii* W. et A. Wight Ic. pl. Ind. 3, 754.  
 — *Lawii* Wight. Wight Ic. pl. Ind. 1, 93.  
*Aubertia borbonica* Bory. Bory. Illes d'Afr. 18.  
 † *Aubletia* Schreb. Swartz Fl. Ind. 16.  
 † — *caseolaris* Gaertn. Gaertn. Carp. 78.  
*Aubrietia* *Columnae* Guss. Guss. Pl. rar. 46.  
 — *deltoidea* DC. Sibth. Fl. gr. 628.  
 — — — Guss. Pl. rar. 46.  
 — — — Rehb. Ic. crit. 3, 235.  
 — *purpurea* DC. Lodd. Cab. 1706.  
 — — — Sweet Fl. G. 207.  
*Auchera orientalis* DC. DC. Comp. 11.  
*Aucuba japonica* Thunb. Kaempf. Jap. 6.  
 — — — Thunb. Fl. jap. 12. 13.  
 — — — Lam. Encycl. 759.  
 — — — Bot. Mag. 30, 1197.  
 † — — — Jacq. Collect. 5, 7.  
*Audibertia incana* Benth. Bot. Reg. 17, 1469.  
 † *Audouinia capitata* Ad. Br. Ann. sc. nat. 8, 38.  
*Augusta attenuata* Pohl. Pohl Bras. 104.  
 — *glaucescens* Pohl. Pohl Bras. 105.  
 — — — Rehb. Exot. 309.  
 — *grandiflora* Sacram. Münch. Denks. 7, 14.  
 — *lanceolata* Pohl. Pohl Bras. 101.  
 — — — Rehb. Exot. 308.  
 — *oblongifolia* Pohl. Pohl Bras. 103.  
 — — — Rehb. Exot. 310.  
 — *parviflora* Sacram. Münch. Denks. 7, 14.  
 — *parvifolia* Pohl. Pohl Bras. 102.  
*Aulacospermum anomalum* Led. Ledeb. Ic. 311.  
 — *cuneatum* Led. Ledeb. Ic. 312.  
*Aulax pinifolia* Berg. Tratt. Thes. 9.  
 — *umbellata* R. Br. Bot. Reg. 12, 1015.  
*Aulaxanthus rufus* Ell. Ell. Carol. 6.  
*Aulaya capensis* Harv. Hook. Ic. pl. 400.  
 † — *squamosa* Harv. Wight Illustr. 158<sup>b</sup>.  
 — — — Hook. Ic. pl. 5, 401.  
*Aulonemia Quecko* Goudot. Ann. sc. nat. III. 5, 4.  
*Aurantium myrtifolium* L. Desc. Ant. 3, 219.  
 — *silvestre* Desc. Desc. Ant. 5, 357.  
*Aureliana velutina* Sendtn. Endl. Bras. 6, 19.  
*Australina pusilla* Gaudch. Gaudch. Bonite 114.  
 † *Avena* L. Lam. Encycl. 47.  
 † — — — Novi Comm. Gott. 6, 4.  
 † — — — Dumortier Gram. 8.  
 † — — — Ann. Mus. 17, 10.  
 — *albinervis* Boiss. Boiss. Esp. 176.  
 — *alpestris* Host. Host Gram. 239.  
 — — — Rehb. Fl. germ. 1, 102.  
 — — — Sturm Flora 19, 85.  
 — *alpina* Sm. Rehb. Fl. germ. 1, 101.  
 — *argentea* Willd. Sturm Flora 7, 26.  
 — — — Rehb. Fl. germ. 1, 98.  
 — *arundinacea* Del. Delile Egypte 12.



- Avena* *brevifolia* *Host.* Host Gram. 240.  
 — — *Schrad.* Sturm Flora 7, 26.  
 — *brevis* *Roth.* Host Gram. 242.  
 — — — Metzger Cer. 16.  
 — — — Rehb. Fl. germ. 1, 103.  
 † — — — Andersson Gram. Scand. 12.  
 — *bromoides* *L.* Rehb. Fl. germ. 7, 76.  
 — *bulbosa* *Willd.* Host Gram. 330.  
 — *calycina* *Vill.* Vill. Dauph. 2.  
 — *carpathica* *Host.* Host Gram. 331.  
 — *caryophylla* *Sibth.* Sibth. Fl. gr. 89.  
 — *chinensis* *Metz.* Metzger Cer. 14.  
 — *clauda* *Durieu.* Expl. Alger. 41.  
 — *compressa* *Heuff.* Rehb. Fl. germ. 7, 76.  
 — *deyeuxioides* *H. B. K.* H. B. K. Nov. Gen. 7, 687.  
 — *distichophylla* *Host.* Host Gram. 153.  
 — — *Vill.* Vill. Dauph. 4.  
 — — — Sturm Flora 7, 26.  
 — — — Mutel Fl. fr. 80.  
 — — — Rehb. Fl. germ. 1, 98.  
 — *dubia* *Leers.* Moench Enum. Hass. 2.  
 — *clatior* *L.* Fl. dan. 1, 165.  
 — — — Joerlin Dissert. 0.  
 — — — Schreb. Gram. 1.  
 — — — Host Gram. 149.  
 — — — Schk. Handb. 17.  
 — — — Sv. Bot. 48.  
 — *eriantha* *Durieu.* Expl. Alger. 41.  
 — *fallax* *R. et Sch.* Guss. Pl. rar. 9.  
 — *fatua* *L.* Schreb. Gr. 45.  
 — — — Host Gram. 158.  
 — — — Fl. dan. 10, 1629.  
 — — — Engl. Bot. 31, 2221.  
 — — — Sv. Bot. 144.  
 — — — Metzger Cer. 15.  
 — — — Knapp Gram. 93.  
 — — — Rehb. Fl. germ. 1, 103.  
 — *filiformis* *Lab.* Bill. Nov. Holl. 31.  
 — *flavescens* *L.* Schreb. Gram. 9.  
 — — — Host Gram. 238.  
 — — — Curt. Lond. 3, 80.  
 — — — Engl. Bot. 14, 952.  
 — — — Fl. dan. 9, 1507.  
 — — — Schrank Fl. monac. 4, 388.  
 — — — Knapp Gram. 89.  
 — — — Rehb. Fl. germ. 1, 99.  
 — *Forskålii* *Vahl.* Delile Egypte 12.  
 — *fragilis* *L.* Schreb. Gram. 24.  
 — — — Sibth. Fl. gr. 88.  
 — — — Host Gram. 154.  
 — *geminiflora* *Kth.* Humb. Gram. 61.  
 — *glumosa* *Ell.* Ell. Carol. 11.  
 — *hirsuta* *Roth.* Webb Can. 247.  
 — *latifolia* *Host.* Host Gram. 332.  
 — *leonina* *Steud.* Humb. Gram. 175.  
 — *Loefflingiana* *L.* Cav. Ic. 45.  
 — — — Rehb. Fl. germ. 1, 97.  
 — — — *Willd.* Mag. nat. Fr. 2, 8.  
 — *longifolia* *Thore.* Mutel Fl. fr. 83.  
 — — — Rehb. Fl. germ. 1, 102.  
 — *longiglumis* *Durieu.* Expl. Alger. 41.  
 — *lucida* *Bert.* Rehb. Fl. germ. 7, 76.  
 — *montana* *Vill.* Mutel Fl. fr. 81.  
 — *myriantha* *Bertol.* Ces. Stürp. it. 0.  
 — *neglecta* *Savi.* Savi Fl. pis. 1.  
 — — — Rehb. Fl. germ. 1, 97.  
 — *nitida* *Desf.* Desf. Fl. atl. 31.  
 — *nuda* *L.* Host Gram. 243.  
 — — — Knapp Gram. 94.  
 — — — Metzger Cer. 16.  
 ! — — — *β. chinensis*, Flora 1831, 1.  
 — — — Rehb. Fl. germ. 1, 103.

- Avena* *orientalis* *Schreb.* Host Gram. 244.  
 — — — Metzger Cer. 12.  
 — *parviflora* *Desf.* Desf. Fl. atl. 32.  
 † — *planiculmis* *Schrad.* Schrad. Fl. germ. 6.  
 — — — Engl. Bot. 30, 2141, 2684.  
 — — — Rehb. Fl. germ. 1, 101.  
 — *pratensis* *L.* Fl. dan. 7, 1083.  
 — — — Host Gram. 151.  
 — — — Sv. Bot. 263.  
 — — — Engl. Bot. 17, 1204.  
 — — — Knapp Gram. 91.  
 — — — Rehb. Fl. germ. 1, 99.  
 — *puberula* *Guss.* Guss. Pl. rar. 10.  
 — *pubescens* *L.* Fl. dan. 7, 1203.  
 — — — Host Gram. 150.  
 — — — Engl. Bot. 23, 1640.  
 — — — Knapp Gram. 90.  
 — — — Baxter Br. Bot. 4, 292.  
 — — — Rehb. Fl. germ. 1, 100.  
 — *quadriseta* *Lab.* Bill. Nov. Holl. 32.  
 — *sativa* *L.* Host Gram. 159.  
 — — — Metzger Cer. 12.  
 — — — Guimpel et Schl. 121.  
 — — — Nees Düsseldorf. 28.  
 — — — Woodv. Med. 5, 29.  
 † — — — Nees Gen. 1, 48.  
 — *Scheuchzeri* *All.* Host Gram. 152.  
 — — — Rehb. Fl. germ. 1, 99.  
 — *sempervirens* *Vill.* Vill. Dauph. 5.  
 — — — Host Gram. 241.  
 — — — Mutel Fl. fr. 82.  
 — — — Rehb. Fl. germ. 1, 100.  
 — *setacea* *Vill.* Vill. Dauph. 5.  
 — — — Mutel Fl. fr. 81.  
 — *sterilis* *L.* Jacq. Ic. 23.  
 — — — Schreb. Gram. 15.  
 — — — Host Gram. 157.  
 — — — Rehb. Fl. germ. 1, 103.  
 — *strigosa* *Schreb.* Schreb. Gram. 46.  
 — — — Host Gram. 156.  
 — — — Sv. Bot. 575.  
 — — — Engl. Bot. 18, 1266.  
 — — — Knapp Gram. 92.  
 — — — Metzger Cer. 15.  
 — — — Rehb. Fl. germ. 1, 103.  
 — *subspicata* *L.* Sv. Bot. 722.  
 — — — *Clairv.* Sturm Flora 19, 86.  
 — — — Rehb. Fl. germ. 1, 98.  
 — *sulcata* *Gay.* Delastre Fl. de Vienne 4.  
 — *tenuiflora* *Bertol.* Rehb. Fl. germ. 1, 97.  
 — *tenuis* *Moench.* Host Gram. 155.  
 — — — Rehb. Fl. germ. 1, 97.  
 — *triaristata* *Vill.* Vill. Dauph. 4.  
 — *uniflora* *Parl.* Webb Can. 248.  
 — *versicolor* *Vill.* Vill. Dauph. 4.  
 — — — Sturm Flora 7, 26.  
 — *villosa* *Bertol.* Guss. Pl. rar. 10.  
 — — — Rehb. Fl. germ. 1, 102.  
*Averrhoa* *acida* *L.* Desc. Ant. 5, 335.  
 — *Bilimbi* *L.* Rheedé Hort. mal. 3, 45, 46.  
 — — — Rumpf Amb. 1, 36.  
 — — — Cav. Diss. 219.  
 — — — Lam. Encycl. 385.  
 — — — Tuss. Ant. 3, 29.  
 — — — Desc. Ant. 5, 333.  
 † — — — Ann. Mus. 8, 33.  
 — *Carambola* *L.* Rheedé Hort. mal. 3, 43, 44.  
 — — — Rumpf Amb. 1, 35.  
 — — — Cav. Diss. 220.  
 — — — Desc. Ant. 5, 334.  
 — — — Hort. Tr. 9, 2.  
 † — — — Ann. Mus. 8, 33.

- † *Avicennia L.* (Embryo.) Ann. sc. nat. III. 7, 1.  
 — *africana Pal.* Pal. Fl. d'Ow. 47.  
 — *alba Bl.* Wight Ic. pl. Ind. 4, 1482.  
 † *intermedia Griff.* Linn. Tr. 20, 1.  
 — *nitida L.* Jacq. Hist. stirp. am. 169.  
 — *Oeopata Ham.* Rheede Hort. mal. 4, 45.  
 † *resinifera Forst.* Linn. Tr. 20, 1.  
 — *tomentosa L.* Lam. Encycl. 540.  
 — — — Wall. Pl. asiat. 271.  
 — — — Wight Ic. pl. Ind. 4, 1481.  
 † — — — Wight Illustr. 173<sup>b</sup>.  
*Axanthis ceylanica Wight.* Wight Ic. pl. Ind. 4, 1163.  
 — *elliptica Wight.* Wight Ic. pl. Ind. 4, 1164.  
 — *longifolia Wight.* Wight Ic. pl. Ind. 4, 1165.  
 † *Axinaca Rz et P.* Rz et Pav. Prodr. 12.  
*Axyris amarantoides L.* Schk. Handb. 285<sup>b</sup>.  
 — — — Lam. Encycl. 753.  
 † — *ceratoides L.* Gaertn. Carp. 128.  
 † — — — Lam. Encycl. 753.  
 — — — Jacq. Ic. 189.  
 — *hybrida L.* Schk. Handb. 285<sup>b</sup>.  
 — *pentandra Jacq.* Jacq. Hist. stirp. am. 235.  
 † *Ayenia pusilla L.* Gaertn. Carp. 79.  
 — — — Cav. Diss. 147.  
 — — — Lam. Encycl. 732.  
 — — — Tratt. Arch. 148.  
*Azadirachta indica Juss.* Rheede Hort. mal. 4, 52.  
 † — — — Gaertn. Carp. 180.  
 † — — — Mem. Mus. 19, 13.  
 — — — Wight Ic. pl. Ind. 1, 17.  
*Azalea* ..... Ic. plant. Chinae 27.  
 — *altaclerensis Hort.* Bot. Reg. 28, 27.  
 — *amoena Ldl.* Paxt. Fl. G. 89.  
 — — — Lem. Jard. Fl. 4, 329.  
 — — — Bot. Mag. 79, 4728.  
 — *calendulacea Mchz.* Bot. Mag. 41, 1721. 47, 2143.  
 — — — var. Lodd. Cab. 1324. 1394.  
 — — — var. Bot. Reg. 17, 1402.  
 — *calycina Ldl.* Lem. Jard. fl. 257.  
 — *coccinea major Lodd.* Lodd. Cab. 624.  
 — *crispiflora Hook.* Bot. Mag. 79, 4726.  
 — *Danielsiana Paxt.* Paxt. Mag. 1, 129.  
 — *decandra Burm.* Burm. Fl. ind. 3.  
 — *ferruginosa Pall.* Pallas Fl. ross. 70.  
 — *flammea Ldl.* Bot. Reg. 2, 145.  
 — *fragrans Adans.* Petersb. 2, 14.  
 — *glauca Lam.* Meerb. Pl. sel. 6.  
 † — — — Lam. Encycl. 110.  
 — — — Pursh. Watson Dendr. 1, 5.  
 — *hispida Pursh.* Watson Dendr. 1, 6.  
 — *hybrida encandra Hort.* Bot. Mag. 49, 2308.  
 — *indica L.* Savi Fl. ital. 2, 69.  
 — — — Dict. sc. nat. 70.  
 — — — Bot. Mag. 36, 1480. 51, 2509. 53, 2667.  
 — — — Bot. Reg. 10, 811. 20, 1700. 20, 1716.  
 — — — 28, 56.  
 — — — Lodd. Cab. 275. 1253. 1461. 1735.  
 — — — Paxt. Mag. 2, 145. 7, 175.  
 — — — Paxt. Fl. Garden 70.  
 — — — Fl. d. serres 3, 239. 242. 8, 796.  
 — *Laetitiae Herb.* Bot. Reg. 31, 51.  
 — *lapponica L.* Linné Fl. lapp. 6.  
 — — — Fl. dan. 6, 966.  
 — *ledifolia Hook.* Bot. Mag. 56, 2901. 60, 3239.  
 — — — Rchb. Exot. 301.  
 — *lucida Meerb.* Meerb. Pl. sel. 7.  
 — *Ludoviciae Herb.* Bot. Reg. 31, 60.  
 — *marginata Paxt.* Paxt. Mag. 2, 121.  
 — *nitida Pursh.* Bot. Reg. 5, 414.  
 — *nudiflora L.* var. Bot. Mag. 5, 180.  
 — — — var. Lodd. Cab. 51. 1382.  
 — — — var. Bot. Reg. 2, 120. 16, 1367.

- Azalea nudiflora L.* Guimp. Fr. H. 110.  
 — — — Herb. amat. 4, 213.  
 — *obtusata Ldl.* Bot. Reg. 32, 37.  
 — *ovata Ldl.* Journ. Hort. Soc. 2, 2.  
 — *pontica L.* Pallas Fl. ross. 69.  
 — — — Roemer Fl. eur. 6, 5.  
 — — — Guimp. Fr. H. 109.  
 — — — Savi Fl. ital. 3, 117.  
 — — — Andr. Rep. 1, 16.  
 — — — Bot. Mag. 13, 433. 50, 2383.  
 — — — Bot. Reg. 15, 1253. 18, 1559.  
 — *procumbens L.* Linné Fl. lapp. 6.  
 — — — Pallas Fl. ross. 70.  
 — — — Fl. dan. 1, 9.  
 † — — — Gaertn. Carp. 63.  
 — — — Schk. Handb. 36.  
 † — — — Lam. Encycl. 110.  
 — — — Engl. Bot. 13, 865.  
 — — — Lodd. Cab. 762.  
 — — — Baxter Br. Bot. 6, 463.  
 — *pulchra Paxt.* Paxt. Mag. 1, 126.  
 — *ramentacea Ldl.* Journ. Hort. Soc. 4, 291.  
 — *Rawsonii Paxt.* Paxt. Mag. 3, 123.  
 — *rosmarinifolia Burm.* Burm. Fl. ind. 3.  
 — *rubra Meerb.* Meerb. Pl. sel. 8.  
 — *scintillans Ldl.* Bot. Reg. 17, 1461.  
 — *Seymourii Ldl.* Bot. Reg. 23, 1975.  
 — *sincensis Paxt.* var. Bot. Mag. 12, 55.  
 — — — Lodd. Cab. 855.  
 — *speciosa Willd.* Guimp. Fr. H. 31.  
 — — — Watson Dendr. 2, 116.  
 — — — Lodd. Cab. 1255.  
 — *squamata Ldl.* Bot. Reg. 33, 3.  
 — *Stapletoniana Ldl.* Bot. Reg. 17, 1407.  
 — *subcuprea Ldl.* Bot. Reg. 16, 1366.  
 — *verticillata Lodd.* Lodd. Cab. 1632.  
 — *viscosa Murr.* Meerb. Pl. sel. 9.  
 — — — L. Guimp. Fr. H. 32.  
 — — — Savi Fl. ital. 2, 66.  
 — — — var. Lodd. Cab. 441. 1518.  
 — — — var. Kern. Hort. 528.  
 — — — Torr. New York 66.  
 † *Azara Rz et P.* Rz et Pav. Prodr. 36.  
 — *alpina P. et E.* Poepp. et Endl. 167.  
 — *dentata Rz et P.* Bot. Reg. 21, 1788.  
 — *serrata R. et P.* Hook. Beech. 4.  
*Azeredia pernambucana Allem.* Allemão Diss. 1846.  
 † *Azima tetracantha Lam.* Lam. Encycl. 807.  
 — — — Wight Illustr. 152.  
 † *Azolla cristata Kaulf.* Ann. sc. nat. III. 9, 8.  
 — *filiculoides Lam.* Lam. Encycl. 863.  
 — *magellanica Willd.* Acta Leop. 18. 1, 38.  
 † — — — Schnizl. Ic. 1, 33. 1, suppl. 2.  
 — *microphylla Mart.* Mart. Crypt. bras. 74. 75.  
 — *pinnata R. Br.* Flinders Voyage 10.  
*Azorella caespitosa Cav.* Cav. Ic. 484.  
 — — — Richard Astrol. 17.  
 — *compressa Lab.* Bill. Nov. Holl. 101.  
 — *filamentosa Lam.* Lam. Encycl. 189.  
 — — — Hook. Ic. pl. 6, 541.  
 — — — Richard Astrol. 15.  
 — *lanceolata Lab.* Bill. Nov. Holl. 99.  
 — *linearifolia Cav.* Cav. Ic. 485.  
 † — — — Ann. gen. 4, 51.  
 — *lycopodioides Gaudch.* Richard Astrol. 17.  
 † — — — Ann. sc. nat. 5, 3.  
 — *ovata Lab.* Bill. Nov. Holl. 100.  
 — *Ranunculus d'Urv.* Richard Astrol. 16.  
 — — — Hook. Fl. ant. 98.  
 — *Scлаго Hook.* Hook. Fl. ant. 99.  
 — *tricuspidata Lam.* Lam. Encycl. 189.  
 — *trifoliata Clos.* var. Gay Chile 30.

- Azorella trifoliata* Clos. Hook. New Zeal. 18.  
 — *trifurcata* Gaertn. Richard Astrol. 15.  
 — — — Hook. Ic. pl. 6, 539.  
*Babiana disticha* Gawl. Bot. Mag. 17, 626.  
 — *plicata* Gawl. Bot. Mag. 16, 576.  
 — *ringens* Gawl. Lodd. Cab. 1006.  
 — *rubro-coerulea* Gawl. Rehb. Exot. 30.  
 — *sambucina* Gawl. Bot. Mag. 26, 1019.  
 — — — Kern. Hort. 838.  
 — *spathacea* Gawl. Bot. Mag. 17, 638.  
 — — — Rehb. Exot. 28.  
 — *stricta* Gawl. var. Bot. Mag. 17, 621. 637.  
 — — — 26, 1052.  
 — *sulphurea* Gawl. Bot. Mag. 26, 1053.  
 — *tubiflora* Gawl. Bot. Mag. 18, 680. 22, 847.  
 — — — Rehb. Exot. 27.  
 — *villosa* Gawl. Bot. Mag. 16, 583.  
 — — — Rehb. Exot. 29.  
*Babingtonia Camphorosmae* Ldl. Bot. Reg. 28, 10.  
 † *Bacasia* Rz et P. Rz et Pav. Prodr. 22.  
*Baccaurea ramiflora* Lour. Rumpf Amb. 3, 9.  
*Baccharis articulata* Pers. Brongn. Coquille 62.  
 — *asteroides* Colla. Mem. Tur. 38, 25.  
 — *confertifolia* Colla. Mem. Tur. 38, 25<sup>b</sup>.  
 — *dioica* Vahl. Vahl Symb. 74.  
 — — — Lam. Encycl. 698.  
 — *clegans* H. B. K. H. B. K. Nov. Gen. 4, 324.  
 — *ferruginea* Pers. Hook. Ic. pl. 8, 750.  
 — *floribunda* H. B. K. H. B. K. Nov. Gen. 4, 325.  
 — *genistelloides* Pers. Hook. Bot. Misc. 94.  
 — *humifusa* H. B. K. H. B. K. Nov. Gen. 4, 322.  
 † *ivaeifolia* L. Gaertn. Carp. 166.  
 — — — Schk. Handb. 244.  
 — — — Lam. Encycl. 698.  
 — *magellanica* Pers. Richard Astrolabe 26.  
 — *parviflora* Pers. Lam. Encycl. 698.  
 — *patagonica* H. et Arn. Richard Astrolabe 26.  
 — *platypoda* DC. Hook. Ic. pl. 241. 242.  
 — *resinosa* H. B. K. H. B. K. Nov. Gen. 4, 323.  
 — *Scelopendra* Hook. Hook. Ic. pl. 1, 68.  
 — *thyoides* Pers. Hook. Bot. Misc. 93.  
 — *trifurcata* Trev. Acta Leop. 13. 1, 13.  
 — *Urvilleana* Brongn. Brongn. Coquille 61.  
*Bachhousia myrtifolia* Hook. Bot. Mag. 71, 4133.  
*Bacopa aquatica* Aubl. Aubl. Guiana 49.  
 — — — Lam. Encycl. 102.  
*Bactris acanthocarpa* Mart. Mart. Palm. 70. 71.  
 — *aristata* Mart. Mart. Palm. 73<sup>a</sup>.  
 — *bifida* Mart. Mart. Palm. 73<sup>c</sup>.  
 † *Brongniartii* Mart. D'Orb. Voyage 28.  
 — *caryotaefolia* Mart. Mart. Palm. 74.  
 — *ciliata* Mart. Mart. Palm. 71.  
 — *concinna* Mart. Mart. Palm. 72.  
 — *cuspidata* Mart. Mart. Palm. 73<sup>b</sup>.  
 — *faucium* Mart. D'Orb. Voyage 6. 28.  
 — *fissifrons* Mart. Mart. Palm. 73<sup>b</sup>.  
 — *Gachipaës* H. B. K. H. B. K. Nov. Gen. 7, 700.  
 † *globosa* Gaertn. Lam. Encycl. 895.  
 † *hirta* Mart. Mart. Palm. 60. 74.  
 † *infesta* Mart. D'Orb. Voyage 27.  
 — *inundata* Mart. D'Orb. Voyage 7. 27.  
 — *longipes* Mart. Mart. Palm. 73<sup>d</sup>.  
 — *macroacantha* Mart. Mart. Palm. 73.  
 † *major* Jacq. Mart. Palm. U.  
 — *Maraja* Mart. Mart. Palm. 71.  
 — — — D'Orb. Voyage 7.  
 † *minima* Gaertn. Gaertn. Carp. 139.  
 — *minor* Jacq. Jacq. Hist. stirp. am. 256.  
 † — — — Gaertn. Gaertn. Carp. 9.  
 — *pectinata* Mart. Mart. Palm. 60. 73<sup>a</sup>.  
 — *riparia* Mart. Mart. Palm. 71.  
 — *setosa* Mart. Mart. Palm. 72.

- Bactris simplicifrons* Mart. Mart. Palm. 73<sup>c</sup>.  
 — *socialis* Mart. D'Orb. Voyage 7. 14. 26.  
 — *tomentosa* Mart. Mart. Palm. 73<sup>a</sup>.  
*Bactrylobium Fistula* Willd. Wagner 68.  
 — — — Guimp. et Schl. 125.  
 † *Badamia Commersonii* Gaertn. Gaertn. Carp. 97.  
*Badiera domingensis* DC. Delessert Ic. 3, 21.  
 † — *penaca* DC. Mem. Mus. 17, 29.  
*Badula borbonica* DC. Delessert Ic. 5, 32.  
 — *peruviana* DC. Delessert Ic. 5, 33.  
 — *Sieberi* DC. Linn. Transact. 17, 5.  
*Baca hygrometrica* R. Br. Delessert Ic. 5, 95.  
 † — — — Wight Illustr. 159<sup>b</sup>.  
 † *Bacceka affinis* Hook. Hook. Ic. pl. 3, 284.  
 — *camphorata* R. Br. Bot. Mag. 53, 2694.  
 — *chinensis* Gaertn. Lam. Encycl. 285.  
 — *diosmaefolia* Rudge. Linn. Tr. 8, 13.  
 — *frutescens* L. Bot. Mag. 55, 2802.  
 † — *leptocaulis* Hook. Hook. Ic. pl. 3, 298.  
 — *linifolia* Rudge. Linn. Tr. 8, 12.  
 — *micrantha* DC. Mem. Genev. 9, 14.  
 — — — Hook. Ic. pl. 4, 309.  
 † — *prostrata* Hook. Hook. Ic. pl. 3, 284.  
 — *pulchella* DC. Mem. Genev. 9, 13.  
 — *saxicola* Cunn. Bot. Mag. 59, 3160.  
 † — *sinensis* Gaertn. Gaertn. Carp. 31.  
 — *thymifolia* Hook. Hook. Ic. pl. 3, 284.  
 — *virgata* Andr. Andr. Rep. 9, 598.  
 — — — Colla Hort. Rip. 6.  
 — — — Lodd. Cab. 341.  
 — — — Bot. Mag. 47, 2127.  
 — — — Herb. amat. 4, 278.  
 † *Bacobotrys* Forst. Forst. Char. 11.  
 — *indica* Roxb. Bot. Mag. 46, 2052.  
 † — *lanceolata* Willd. Gaertn. Carp. 210.  
 — — — Vahl Symb. 6.  
 † — *memoralis* Forst. Lam. Encycl. 111.  
 — — — Willd. Martius Auswahl 6.  
 † *Bacothryon caespitosus* N. v. E. Nees Gen. 2, 17.  
 — *Halleri* N. v. E. Nees Gen. 2, 17.  
*Baeria chrysostoma* F. et M. Jard. Petersb. 6.  
 — — — Sert. petrop. 7.  
 — — — Sweet Fl. G. II, 395.  
*Bagassa guianensis* Aubl. Aubl. Guiana 376.  
*Bahia lanata* DC. Bot. Reg. 14, 1167.  
*Baillieria aspera* Aubl. Aubl. Guiana 317.  
 — — — Lam. Encycl. 712.  
 † *Baitaria acaulis* Rz et P. Rz et Pav. Prodr. 36.  
 † *Balangué* Gaertn. Gaertn. Carp. 180.  
*Balanites aegyptiaca* Del. Delile Egypte 28.  
 — — — Wight Ic. pl. Ind. 1, 274.  
 † *Balanophora* Forst. Forst. Char. 50.  
 — *affinis* Griff. Linn. Tr. 20, 4.  
 — *alveolata* Griff. Linn. Tr. 20, 5.  
 — *Burmannica* Griff. Linn. Tr. 20, 3.  
 — *dioica* R. Br. Royle Illustr. 78<sup>a</sup>. 99.  
 — *clongata* Bl. Acta Leop. 18. S. 0.  
 † — *fungosa* Forst. Lam. Encycl. 742.  
 — *globosa* Jungh. Acta Leop. 18. S. 0.  
 † — *indica* Wall. Ann. sc. nat. III. 14, 9.  
 — *pieta* Griff. Linn. Tr. 20, 6.  
 — *polyandra* Griff. Linn. Tr. 20, 7.  
 † *Balanophoreae* Goeppl. Acta Leop. 18. S. 1 — 3.  
 — — — 22. 1, 11 — 15.  
 † — *Rich.* Schnizl. Ic. 1, 39.  
 † *Balanopteris minor* Gaertn. Gaertn. Carp. 98.  
 † — *Tothila* Gaertn. Gaertn. Carp. 99.  
 † *Balantium arborescens* Hook. Hook. Gen. Fil. 20.  
*Balardia platensis* St. Hil. St. Hil. Fl. Bras. 111.  
*Balaustion pulcherrimum* Hook. Hook. Ic. pl. 9, 852.  
 † *Balbisia Berterii* Decne. Ann. sc. nat. II. 1, 1.  
 — — — DC. Delessert Ic. 4, 62.

- Balbisia elongata* Willd. Rchb. Hort. 13.  
 † *Baldingera* Fl. d. Wett. Dumortier Gram. 10.  
 † — arundinacea Dum. Nees Gen. 1, 13.  
 — — Rchb. Fl. germ. 1, 52.  
*Ballessan* Bruce. Stackhouse Extr. 3.  
*Balfouria saligna* R. Br. Endl. Iconogr. 75.  
*Baliospermum indicum* Decne. Jacquemont Ind. 155.  
 — polyandrum Wight. Wight Ic. pl. Ind. 5, 1885.  
 † *Ballota* L. Mutel Fl. fr. 51.  
 — borealis Schweigg. Rchb. Ic. crit. 8, 776.  
 — foetida Lam. Dietr. Fl. bor. 4, 230.  
 † — — Nees Gen. 6, 40.  
 — — Rchb. Ic. crit. 8, 775.  
 — lanata L. Lam. Encycl. 508.  
 — — Mem. Mod. 20, 24.  
 — nigra L. Schk. Handb. 161.  
 — — Lam. Encycl. 508.  
 — — Schrank Fl. monac. 2, 161.  
 — — Rchb. Ic. crit. 8, 773.  
 — — Engl. Bot. 1, 46.  
 — — Baxter Brit. Bot. 2, 86.  
 — odorata L. Desc. Ant. 6, 448.  
 — ruderalis Fries. Sv. Bot. 389.  
 — — Fl. dan. 10, 1702.  
 — suaveolens L. Jacq. Hist. stirp. am. 163.  
 — — Jacq. Vind. 3, 42.  
 — — Desc. Ant. 6, 448.  
 — urticifolia Ortm. Rchb. Ic. crit. 8, 774.  
 — vulgaris Lk. Brot. Phytogr. 111.  
 — — Dietr. Fl. bor. 2, 133.  
 † — — Nees Gen. 6, 40.  
*Baloghia lucida* Endl. Endl. Ic. 122, 123.  
 † *Balsamifluac* Bl. Schnizl. Ic. 2, 98.  
*Balsamina fasciculata* DC. Rheed. Hort. mal. 9, 47.  
 † — femina Gaertn. Gaertn. Carp. 113.  
 — hortensis St. Hil. Rheed. Hort. mal. 9, 52.  
 — latifolia DC. Rheed. Hort. mal. 9, 48.  
 — Mastersiana Paxt. Paxt. Mag. 6, 75.  
 — minor DC. Rheed. Hort. mal. 9, 50, 51.  
 — setacea Hook. Hook. Ex. Fl. 137.  
 — Tilo DC. Rheed. Hort. mal. 9, 49.  
*Balsamita annua* DC. Brot. Phytogr. 162.  
 — grandiflora Desf. Act. soc. hist. nat. Par. 1.  
 — tridentata Del. Delile Egypt. 47.  
 — vulgaris L. Hayne 2, 5.  
*Balsamocarpum brevifolium* Clos. Gay Chile 20.  
*Balsamodendron gileadense* Kth. Nees Düsseld. 354.  
 — Katak Kth. Guimp. et Schl. 281.  
 — — Wagner 240.  
 — — Nees Düsseld. 356.  
 — Myrrha Ehrenb. Guimp. et Schl. 280.  
 — — Nees Düsseld. 355.  
 — — Wagner 240.  
 — Mukul Stocks. Hook. Journ. 1849, 8.  
 — Opobalsamum Kth. Schnizl. Ic. 246.  
 — pubescens Stocks. Hook. Journ. 1849, 9.  
*Balsamona Pinto* Vand. Vandelli Fasc. 3.  
 — — Roemer Script. 4.  
 † *Baltimora recta* L. Gaertn. Carp. 169.  
 † — — Lam. Encycl. 709.  
 — — Schk. Handb. 261<sup>b</sup>.  
*Bambos arundinacea* Retz. Desc. Ant. 4, 293.  
 — — Roxb. Corom. 79.  
 — stricta Roxb. Roxb. Corom. 80.  
 † *Bambusa Schreb.* (11 spec.) Acad. Pet. 5, 11 — 13.  
 — (Vegetatio.) Acad. Pet. 5, 18.  
 — alpina Bory. Bory lles d'Afr. 12.  
 — arundinacea Willd. Rheed. Hort. mal. 1, 16.  
 — baccifera Roxb. Rheed. Hort. mal. 5, 60.  
 — — Roxb. Corom. 243.  
 — capitata Tr. Trin. Sp. Gr. 3, 337.  
 — guadua H. B. Humb. Pl. aeq. 20.

- Bambusa latifolia* H. B. Humb. Pl. aeq. 21.  
 — mitis Poir. Rumpf Amb. 4, 4.  
 — tabacaria R. et Sch. Rumpf Amb. 4, 3.  
 — Thoursii Kth. Humb. Gram. 73.  
 — verticillata Willd. Rumpf Amb. 4, 1.  
 — virgata Tr. Trin. Sp. Gr. 3, 338.  
 — vulgaris Wendl. Wendl. Coll. 47.  
*Bambusae* (Vegetatio.) Blume Rumphia 138.  
*Bamia crinita* Wall. Wall. Pl. asiat. 44.  
*Banalia thyrsoiflora* Moq. Wight Ic. pl. Ind. 5, 1774.  
*Banara guianensis* Aubl. Aubl. Guiana 217.  
 — — Lam. Encycl. 464.  
 — — Abh. Ac. Berl. 1832, 2.  
*Banffya petraea* Baumg. Rchb. Ic. crit. 4, 400.  
 — — Rchb. Fl. germ. 6, 238.  
 † *Banisteria acanthocarpa* Juss. Arch. Mus. 3, 13.  
 — angulosa L. Jacq. Schoenbr. 4, 443.  
 — — Cav. Diss. 252.  
 † — appendiculata Lam. Arch. Mus. 3, 13.  
 — auriculata Cav. Cav. Diss. 255.  
 † — calocarpa Miq. Miq. Surin. 21.  
 — campestris Juss. St. Hill. Fl. Bras. 168.  
 † — — Arch. Mus. 3, 13.  
 — chrysophylla Lam. Jacq. Schoenbr. 1, 103.  
 — — Cav. Diss. 245.  
 — ciliata Lam. Cav. Diss. 254.  
 — coerulea Lam. Cav. Diss. 243.  
 — convolvulifolia Cav. Cav. Diss. 256.  
 — emarginata Cav. Cav. Diss. 249.  
 — ferruginea Cav. Cav. Diss. 248.  
 — fulgens Lam. Cav. Diss. 253.  
 † — heterostyla Juss. Arch. Mus. 3, 13.  
 † — laurifolia L. Gaertn. Carp. 116.  
 — — DC. Bot. Reg. 11, 937.  
 — Leona Cav. Cav. Diss. 247.  
 — — Lam. Encycl. 381.  
 — lucida Rich. Miq. Surin. 20.  
 — microphylla Jacq. Jacq. Obs. 56.  
 — muricata Cav. Cav. Diss. 246.  
 — nitida Lam. Cav. Diss. 244.  
 — ovata Cav. Cav. Diss. 257.  
 — palmata Cav. Cav. Diss. 257.  
 — parvifolia Vent. Vent. Choix 51.  
 — polita Miq. Miq. Surin. 21.  
 — pubipetala Juss. St. Hill. Fl. Bras. 169.  
 — purpurea L. Cav. Diss. 246.  
 — Quapara Aubl. Aubl. Guiana 186.  
 — — Cav. Diss. 250.  
 — sagittata Cav. Cav. Diss. 257.  
 — ? sericea Cav. Cav. Diss. 258.  
 — sinemariensis Aubl. Aubl. Guian. 185.  
 — — Cav. Diss. 251.  
 — tiliacifolia Vent. Vent. Choix 50.  
 † *Banksia* L. Forst. Char. 4.  
 — acmula R. Br. Bot. Mag. 53, 2671.  
 — — Rchb. Exot. 275.  
 — — Bot. Reg. 8, 688.  
 — Baueri R. Br. Hart. Parad. 2, 1.  
 — coccinea R. Br. Bauer Illustr. 3.  
 † — conchifera Gaertn. Gaertn. Carp. 48.  
 — Cunninghami Sieb. Rchb. Hort. 81.  
 — — Bot. Reg. 16, 1363.  
 † — dactyloides Gaertn. Gaertn. Carp. 47.  
 † — — Lam. Encycl. 54.  
 — dentata L. Wendl. Hort. herrenh. 8.  
 — dryandroides Baxt. Sweet Austr. 56.  
 — ericacifolia L. fil. Cav. Ic. 538, 539.  
 — — Andr. Rep. 3, 156.  
 — — Bot. Mag. 19, 738.  
 — — Tratt. Thes. 23.  
 † — insularis R. Br. Schnizl. Ic. 2, 113.  
 — integrifolia L. fil. Cav. Ic. 546.

- † *Banksia integrifolia* *L. fil.* Lam. Encycl. 54.  
 — — Bot. Mag. 54, 2770.  
 — *latifolia* *R. Br.* Bot. Mag. 50, 2406.  
 — *litoralis?* *R. Br.* Bot. Mag. 58, 3060.  
 — — Bot. Reg. 16, 1363.  
 — *marcescens* *R. Br.* Bonpl. Malm. 48.  
 — — Tratt. Thes. 21.  
 — — Bot. Mag. 55, 2803.  
 — — Sweet Austr. 14.  
 † — — Schnizl. Ic. 2, 113.  
 † — *marginata* *Cav.* Cav. Ic. 544.  
 † — — Gaertn. Carp. 220.  
 — — Lodd. Cab. 61.  
 — — Bot. Mag. 45, 1947.  
 — *media* *R. Br.* Bot. Mag. 58, 3120.  
 — *microstachya* *Cav.* Cav. Ic. 541.  
 — *oblongifolia* *Cav.* Cav. Ic. 542.  
 — — Lodd. Cab. 241.  
 — *occidentalis* *R. Br.* Bot. Mag. 63, 3535.  
 — — Lem. Jard. fl. 119—120.  
 — — Paxt. Fl. G. 35.  
 — — Fl. d. serres 6, 636.  
 — *oleaeifolia* *Cav.* Cav. Ic. 545.  
 — *paludosa* *R. Br.* Lodd. Cab. 392.  
 — — Bot. Reg. 9, 697.  
 — *praemorsa* *Andr.* Andr. Rep. 4, 258.  
 — *prostrata* *R. Br.* Bot. Reg. 19, 1572.  
 † — *pyrifomis* *Gaertn.* Gaertn. Carp. 47.  
 † — — Lam. Encycl. 54.  
 — *quercifolia* *R. Br.* Bot. Reg. 17, 1430.  
 — *Robur* *Cav.* Cav. Ic. 543.  
 — *serrata* *L. fil.* Cav. Ic. 539, 540.  
 — — Lam. Encycl. 54.  
 — — Andr. Rep. 2, 82.  
 — — Tratt. Thes. 22.  
 — — Bot. Reg. 16, 1316.  
 — *speciosa* *R. Br.* Bot. Mag. 58, 3052.  
 — — Bot. Reg. 20, 1728.  
 † — *spicata* *Gaertn.* Gaertn. Carp. 48.  
 — *spinulosa* *Sm.* Smith New Holl. 4.  
 — — Cav. Ic. 537.  
 — — Andr. Rep. 7, 457.  
 — — Tratt. Thes. 24.  
 — *undulata* *Ldl.* Bot. Reg. 16, 1316.  
 — *verticillata* *R. Br.* Hook. Ex. Fl. 96.  
*Baphia nitida* *Lodd.* Lodd. Cab. 367.  
*Baptisia exaltata* *Sweet.* Sweet Fl. G. 97.  
 —? *nepalensis* *Hook.* Hook. Ex. Fl. 131.  
 — — Kern. Hort. 746.  
 — *perfoliata* *R. Br.* Lodd. Cab. 1104.  
 — — Bot. Mag. 58, 3121.  
 — *tinctoria* *R. Br.* Lodd. Cab. 588.  
 — — Bart. Med. 29.  
 — *versicolor* *Lodd.* Lodd. Cab. 1144.  
 † *Barbacenia Vand.* Roem. Script. 6. — Herbert Amar. 1.  
 † — *Alexandrinae* *Schomb.* Schomb. Monogr. 1.  
 — *bicolor* *Mart.* Mart. Bras. 18.  
 † — *brasilensis* *Willd.* Lam. Encycl. 252.  
 † — *coccinea* *Mart.* Endl. Bras. 8, 8.  
 — *exscapa* *Mart.* Mart. Bras. 14.  
 — — Rehb. Exot. 78.  
 † — *Gardneri* *Seub.* Endl. Bras. 8, 8.  
 † — *ignea* *Mart.* Endl. Bras. 8, 8.  
 — *longiflora* *Mart.* Mart. Bras. 12.  
 † — *luzulaefolia* *Mart.* Endl. Bras. 8, 8.  
 — *purpurea* *Hook.* Bot. Mag. 54, 2777.  
 — — Lodd. Cab. 1532.  
 — — Maund Bot. 2, 64.  
 — — Paxt. Mag. 12, 27.  
 — — Endl. Bras. 8, 8.  
 † — — Van Houtte Hort. 5.  
 — — Fl. d. serres 4, 348.

- Barbacenia Rogicri* *Hort.* Lem. Jard. fl. 82.  
 — *rubrovirens* *Mart.* Mart. Bras. 14.  
 — — Rehb. Exot. 78.  
 — *schidigera* *Lem.* Lem. Jard. fl. 198—199.  
 — *squamata* *Paxt.* Paxt. Mag. 11, 75.  
 — — Bot. Mag. 71, 4136.  
 — — Fl. d. serres 1, 48.  
 — *tomentosa* *Mart.* Mart. Bras. 11.  
 — *tricolor* *Mart.* Mart. Bras. 10.  
 — — Rehb. Exot. 79.  
 † — *Vandellii* *Pohl.* Endl. Bras. 8, 8.  
 † *Barbaraea* *R. Br.* Gray Gen. 62.  
 — *arcuata* *Rehb.* Rehb. Fl. germ. 2, 48.  
 — — Dietr. Fl. bor. 6, 422.  
 — — *Sturm.* Sturm Flora 11, 43.  
 — *augustana* *Boiss.* Mem. Genev. 11, 1.  
 — *plantaginea* *DC.* Delessert Ic. 2, 19.  
 — *praecox* *R. Br.* Dietr. Fl. bor. 6, 424.  
 — — Rehb. Fl. germ. 2, 49.  
 — — Sturm Flora 15, 66.  
 — *rupicola* *Mor.* Moris Fl. sard. 10.  
 — *stricta* *Andrz.* Dietr. Fl. bor. 6, 423.  
 — — Rehb. Fl. germ. 2, 47.  
 — — Sturm Flora 11, 43.  
 — *vulgaris* *R. Br.* Rehb. Fl. germ. 2, 47.  
 — — Sturm Flora 11, 43.  
 — — Baxter Brit. Bot. 6, 450.  
 — — Gray Gen. 62.  
 — — *Lk. et H.* Dietr. Fl. bor. 6, 421.  
*Barbieria magensis* *P. et E.* Poepp. et Endl. 264.  
 — *polyphylla* *DC.* DC. Legum. 39.  
 † *Barclaya longifolia* *Wall.* Linn. Tr. 15, 18.  
 — — Ann. sc. nat. III, 17, 21.  
 — — Hook. Ic. pl. 9, 809, 810.  
*Bargemontia peruviana* *Gaudich.* Gaudich. Bonite 8.  
*Barkeria elegans* *Kn. et W.* Kn. et Westc. 49.  
 — *Lindleyana* *Batem.* Bateman Orch. 28.  
 — — Paxt. Mag. 13, 193.  
 — *Skinneri* *Paxt.* var. Paxt. Mag. 15, 1.  
 — *spectabilis* *Batem.* Bateman Orch. 33.  
 — — Bot. Mag. 70, 4094.  
 — — Paxt. Mag. 10, 169.  
 — — Fl. d. serres 1, 24.  
*Barkhausia alba* *Cav.* var. Willk. Ic. ined.  
 — *bellidifolia* *DC.* Rehb. Ic. crit. 3, 203.  
 — *caespitosa* *Mor.* Moris Fl. sard. 92.  
 — *foetida* *DC.* Baxter Brit. Bot. 6, 467.  
 — *hiemalis* *Biv.* Bivona Stirp. rar. Sic. 1, 2.  
 — — Rehb. Pl. crit. 1, 40.  
 † — *rubra* *Moench.* Monnier Essai 3.  
 — *setosa* *DC.* DC. Ic. Gall. 19.  
 † *Barleria* *L.* Kern. Gen. 39.  
 — *acuminata* *Wight.* Wight Ic. pl. Ind. 2, 450.  
 — *alba* *Hort.* Lodd. Cab. 360.  
 — *bispinosa* *Vahl.* Rheede Hort. mal. 2, 47.  
 — *buxifolia* *L.* Wight Ic. pl. Ind. or. 3, 870.  
 — *courtallica* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1529.  
 — *cristata* *Lam.* Lam. Encycl. 549.  
 — — *L.* Andr. Rep. 10, 625.  
 — — Bot. Mag. 39, 1615.  
 — — Rehb. Mag. 44.  
 — — Wight Ic. pl. Ind. or. 2, 453.  
 — *cuspidata* *Klein.* Wight Ic. pl. Ind. or. 2, 451.  
 — *flava* *Jacq.* Jacq. Ecl. pl. 46.  
 — — Kern. Hort. 429.  
 — — Bot. Reg. 3, 191.  
 — — Bot. Mag. 70, 4113.  
 — *hexacantha* *Bert.* Novi Comm. Bon. 1, 20.  
 — — *Moris.* Mem. Tur. 36, 7.  
 — *hirsuta* *Jacq.* Jacq. Hist. stirp. am. 172.  
 — — Jacq. Obs. 32.  
 — *Hochstetteri* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1529.

- Barleria Hochstetteri *N. v. E.* Hook. Ic. pl. 9, 803.  
 — *Hystrix L.* Rumpf Amb. Auct. 13.  
 — *involuta N. v. E.* Wight Illustr. 164.  
 † *longiflora L.* Gaertn. Carp. 54.  
 † — — — Lam. Encycl. 549.  
 — — — Vahl Symb. 16.  
 — *longifolia L.* Rheede Hort. mal. 2, 45.  
 — *lupulina Ldl.* Bot. Reg. 18, 1483.  
 — *mitis Ker.* Lodd. Cab. 1911.  
 — *nitida N. v. E.* Wight Ic. pl. Ind. or. 2, 454.  
 — *ovata Lam.* Lam. Encycl. 549.  
 — *polytricha Wall.* Wall. Pl. asiat. 82.  
 — *Prionitis L.* Rheede Hort. mal. 9, 41.  
 — — — Rumpf Amb. Auct. 13.  
 — — — Jacq. Ecl. pl. 39.  
 — — — Wight Ic. pl. Ind. or. 2, 452.  
 — *purpurea Lodd.* Lodd. Cab. 344.  
 Barnadesia rosea *Ldl.* Bot. Reg. 29, 29.  
 — — — Paxt. Mag. 13, 123.  
 — — — Bot. Mag. 72, 4232.  
 † *spinosa L. fil.* Lam. Encycl. 660.  
 † — — — Ann. Mus. 19, 3.  
 — — — *H. B.* Humb. Pl. aeq. 138.  
 Barnardia indica *Wight.* Wight Ic. pl. Ind. or. 6, 2041.  
 — *rosea Ldl.* Belgique hort. 3, 51.  
 — *scilloides Ldl.* Bot. Reg. 12, 1029.  
 — — — Bot. Mag. 66, 3788.  
 Barneoudia chilensis *Gay.* Gay Chile 1.  
 † Barosma *Willd.* Bartling Diosm. 2.  
 — *crenulatum Willd.* Bot. Mag. 62, 3413.  
 † *serratifolium Willd.* Mem. Mus. 12, 29.  
 Barreliera coccinea *Desc.* Desc. Ant. 4, 476.  
 † Barringtonia *Forst.* Forst. Char. 38. 38<sup>a</sup>. 38<sup>b</sup>.  
 — *acutangula Gaertn.* Rheede Hort. mal. 4, 7.  
 † — — — Gaertn. Carp. 101.  
 — *racemosa Bl.* Bot. Mag. 67, 3831.  
 — — — Freycinet Voyage 107.  
 — — — *Roxb.* Rheede Hort. mal. 4, 6.  
 — — — Wight Ic. pl. Ind. or. 1, 152.  
 — *speciosa L.* Rumpf Amb. 3, 114.  
 † — — — Gaertn. Carp. 101.  
 — — — Kern. Hort. 28.  
 — — — Paxt. Mag. 10, 241.  
 — — — Wight Ic. pl. Ind. or. 2, 547.  
 — — — Fl. d. serres 4, 409.  
 † Barrotia *diodon Gaudchd.* Gaudichaud Bonite 13.  
 † — *monodon Gaudchd.* Gaudichaud Bonite 13.  
 † — *tetrodon Gaudchd.* Gaudichaud Bonite 13.  
 Barrowia jasminiflora *DC.* Delessert Ic. 5, 88.  
 Bartholina Burmanniana *R. Br.* Journ. sc. and arts 4, 6.  
 — *pectinata R. Br.* Endl. Iconogr. 40.  
 — — — Bot. Reg. 20, 1653.  
 † Bartlingia *obovata Ad. Br.* Acta Leop. 19, S. II. 1.  
 — *scoparia Rehb.* Rehb. Hort. 11.  
 Bartonia albescens *Don.* Sweet Fl. G. II. 182.  
 — *aurea Ldl.* Bot. Reg. 22, 1831.  
 — — — Bot. Mag. 65, 3649.  
 — — — Sweet Fl. G. II. 357.  
 — *decapetala Sims.* Bot. Mag. 36, 1487.  
 — *laevicaulis Dougl.* Hook. Bor. Am. 69.  
 — *micantha Hook.* Hook. Beech. 85.  
 — *ornata Pursh.* Barton 3, 81.  
 † Bartramia *glandulosa Poir.* Lam. Encycl. 400.  
 † — *Lappago Gaertn.* Gaertn. Carp. 111.  
 † — — — Lam. Encycl. 400.  
 Bartsia alpina *L.* Fl. dan. 1, 43.  
 — — — Curt. Cond. 4, 87.  
 — — — Engl. Bot. 6, 361.  
 — — — Sv. Bot. 573.  
 — — — Schk. Handb. 168.  
 — — — Sturm Flora 5, 17.  
 † — — — Nees Gen. 5, 43.

- Bartsia bicolor *DC.* DC. Ic. Gall. 10.  
 — *latifolia Sm.* Sibth. Fl. gr. 586.  
 — *Odontites Huds.* Curt. Lond. 3, 8.  
 — — — Engl. Bot. 20, 1415.  
 — — — Baxter Brit. Bot. 3, 223.  
 † — *pallida L.* Gaertn. Carp. 198.  
 — *Trixago L.* Sibth. Fl. gr. 585.  
 — *viscosa L.* Curt. Lond. 5, 167.  
 — — — Lightfoot Fl. scot. 1, 14.  
 — — — Engl. Bot. 15, 1045.  
 † — — — Ann. sc. nat. 8, 27.  
 † Baryosma *Tongo Gaertn.* Gaertn. Carp. 93.  
 Basella alba *L.* Rumpf Amb. 5, 154.  
 — — — Wight Ic. pl. Ind. or. 3, 896.  
 — *cordifolia Lam.* Rheede Hort. mal. 7, 24.  
 — *japonica Burm.* Burm. Fl. ind. 39.  
 — *ramosa Jacq.* Jacq. Ecl. pl. 161.  
 — — — Rchb. Hort. 61.  
 † — *rubra L.* Gaertn. Carp. 126.  
 — — — Lam. Encycl. 215.  
 — — — Desc. Ant. 8, 555.  
 † — — — Schnizl. Ic. 2, 101.  
 — *vesicaria Lam.* Lam. Encycl. 215.  
 Basilaca coronata *Lam.* Lam. Encycl. 239.  
 — *punctata Mirb.* Lam. Encycl. 239.  
 † Bassia *dubia Gaertn.* Gaertn. Carp. 104.  
 † — — — Lam. Encycl. 398.  
 — *latifolia Roxb.* Roxb. Corom. 19.  
 — — — Kern. Hort. 82.  
 † — *longifolia L.* Gaertn. Carp. 104.  
 — — — Lam. Encycl. 398.  
 — — — Dict. sc. nat. 62.  
 — — — Wight Illustr. 147.  
 — *microphylla Hook.* Hook. Ic. pl. 1, 74.  
 — *muricata All.* Misc. taur. 3, 4.  
 Bassowia *silvatica Aubl.* Aubl. Guiana 85.  
 † — — — Lam. Encycl. 102.  
 Bastardia *memoralis St. Hil.* St. Hil. Fl. Bras. 39.  
 — *parvifolia H. B. K.* H. B. K. Nov. Gen. 5, 472.  
 † Batatas *Choisy.* Mem. Genev. 6, 1.  
 — *betacea Ldl.* Bot. Reg. 26, 56.  
 — *bonariensis Ldl.* Paxt. Mag. 8, 25.  
 — *Choisyana Wight.* Wight Ic. pl. Ind. or. 2, 491.  
 — *insignis G. Don.* Hart. Parad. 1, 6.  
 — *paniculata Choisy.* Bot. Reg. 1, 75.  
 — *pentaphylla Choisy.* Wight Ic. pl. Ind. or. 3, 834.  
 Batemannia *Colleyi Ldl.* Bot. Reg. 20, 1714.  
 — — — Bot. Mag. 67, 3818.  
 Batis *maritima L.* Jacq. Hist. stirp. am. 246.  
 — — — Lam. Encycl. 806.  
 — — — Desc. Ant. 7, 496.  
 — — — Smithsonian Contrib. 1853, 11.  
 Batschia *canescens Michx.* Michaux Fl. 14.  
 — — — Barton Fl. 2, 58.  
 — — — Paxt. Mag. 15, 151.  
 — *racemosa Mutis.* Usteri Ann. 10, 1.  
 Bauera *galioides Sieb.* Rehb. Hort. 77.  
 — *humilis Sweet.* Lodd. Cab. 1197.  
 — *rubiaefolia Salisb.* Konig Ann. 1, 10.  
 — — — Lodd. Cab. 1313.  
 — — — Tratt. Thes. 71.  
 — — — Rchb. Mag. 6.  
 — *rubioides Andr.* Andr. Rep. 3, 198.  
 — — — Bot. Mag. 19, 715.  
 — — — Vent. Malm. 96.  
 † — — — Kern. Gen. 210.  
 — — — *Sm.* Tratt. Arch. 144. 144<sup>a</sup>.  
 Bauhinia *aculeata L.* Linné Hort. Cliff. 14.  
 — *acuminata L.* Rheede Hort. mal. 1, 34.  
 — — — Lam. Encycl. 329.  
 — — — Kern. Hort. 552.  
 † — — — Korthals Bot. 9.

- Bauhinia acuminata* L. Desc. Ant. 2, 128.  
 — *Acuruana Moric.* Moric. Pl. Am. 51.  
 — *americana DC.* Herb. amat. 5, 315.  
 — *anguina Roxb.* Roxb. Corom. 285.  
 — *corymbosa Roxb.* DC. Legum. 70.  
 — — Bot. Reg. 25, 47.  
 — *cumanensis H. B. K.* Bot. Reg. 14, 1133.  
 — *diphylla Buchan.* Schrad. Journ. 1800. 2, 7.  
 — *divaricata L.* Linné Hort. Cliff. 15.  
 — — Lam. Encycl. 329.  
 — *elongata Korth.* Korthals Bot. 24.  
 — *ferruginea Roxb.* Korthals Bot. 23.  
 — *flexuosa Moric.* Moric. Pl. Am. 53.  
 — *forcata Lk.* Link Ic. 1, 36.  
 — — Bot. Mag. 66, 3741.  
 — *grandiflora Juss.* Rehb. Hort. 180.  
 — — Hook. Bot. Misc. 91.  
 — *guianensis Aubl.* Aubl. Guiana 145.  
 — *heterophylla Kth.* Humb. Mim. 46.  
 — *hirsuta Korth.* Korthals Bot. 9.  
 — *Kockiana Korth.* Korthals Bot. 10.  
 — *Langsdorffiana Bong.* Acad. Pet. 4, 1.  
 — *latifolia Cav.* Cav. Ic. 405.  
 — *latisiliqua Cav.* Cav. Ic. 408.  
 — *lunaria Cav.* Cav. Ic. 407.  
 — *odoratissima Moric.* Moric. Pl. Am. 52.  
 — *Outimonta Aubl.* Aubl. Guiana 144.  
 — *parvifolia Hochst.* Field. Sert. 10.  
 — *pes caprae Cav.* Cav. Ic. 404.  
 — *porrecta Sw.* Jacq. Schoenbr. 1, 100.  
 — — Jacq. Bot. Mag. 41, 1708.  
 — *purpurea L.* Rheede Hort. mal. 1, 33.  
 — — Hill Decade 6.  
 — *pyrraneura Korth.* Korthals Bot. 11.  
 — *racemosa Vahl.* Vahl Symb. 62.  
 — — Asiat. Res. 12, 9.  
 — — Lam. Hook. Ic. pl. 2, 141.  
 — *Raddiana Bong.* Acad. Pet. 4, 3.  
 — *reticulata DC.* Guill. Seneg. 60.  
 — *Riedeliana Bong.* Acad. Pet. 4, 2.  
 — *rosea Miq.* Miq. Surin. 2.  
 — *rufescens Lam.* Lam. Encycl. 329.  
 — *scandens L.* Rheede Hort. mal. 8, 29—31.  
 — — Rumpf Amb. 5, 1.  
 — — Roxb. Wight Ic. pl. Ind. or. 1, 264.  
 — *semibifida Roxb.* Wall. Pl. asiat. 253.  
 — — Wight Ic. pl. Ind. 1, 263.  
 — *subrotundifolia Cav.* Cav. Ic. 406.  
 — *tomentosa L.* Rheede Hort. mal. 1, 35.  
 — *Ungula Jacq.* Jacq. Fragm. 15.  
 — *variegata L.* Rheede Hort. mal. 1, 32.  
 — —  $\beta$ . *chinensis DC.* Ic. pl. Chin. 26.  
 — *versicolor Bert.* Novi Comm. Bon. 3, 25.  
*Baumannia geminiflora DC.* Mem. Genev. 6, 1.  
*Baumea glomerata Gaudchd.* Freycinet Voyage 29.  
*Baxteria australis Hook.* Hook. Lond. Journ. 1843,  
 13, 14, 15.  
*Beaufortia anisandra Schauer.* Acta Leop. 21, 1, 1.  
 — *Dampieri Cunn.* Bot. Mag. 60, 3272.  
 — *decussata Ker.* Bot. Reg. 1, 18.  
 — — R. Br. Bot. Mag. 42, 1733.  
 — — — Paxt. Mag. 8, 269.  
 — — — Colla Hort. Rip. 22.  
 — *splendens Paxt.* Paxt. Mag. 13, 145.  
*Beauharnoisia fructipendula Rz et Pav.* Ruiz et Pav.  
 Ic. ined.  
 — — — Ann. Mus. 11, 9.  
*Beaumontia grandiflora Wall.* Wall. Tentamen 7.  
 — — — Bot. Reg. 11, 911.  
 — — — Rehb. Exot. 172.  
 — — — Bot. Mag. 60, 3213.  
 — — — Paxt. Mag. 13, 103.

- Beaumontia Jerdoniana Wight.* Wight Ic. pl. Ind. or. 4,  
 1314—15.  
*Beautempsia avicenniaefolia Gaudchd.* Gaudchd. Bon. 56.  
*Becium bicolor Ldl.* Bot. Reg. 29, 15.  
*Beckmannia cruceiformis Host.* Host. Gram. 206.  
 — — — Rehb. Fl. germ. 1, 25.  
 † — — — Nees Gen. 1, 40.  
 † *Beclardia elata A. Rich.* Mem. hist. nat. Par. 4, 11.  
 † — *macrostachys A. Rich.* Mem. hist. nat. Par. 4, 11.  
*Becquerelia cymosa Brongn.* Brongn. Coquille 27.  
 — *Merckeliana N. v. E.* Endl. Bras. 3, 27.  
*Bedfordia salicina DC.* Hooker Letter 1.  
 — — — Bot. Reg. 11, 923.  
*Beesha Fax R. et Sch.* Rumpf Amb. 4, 2.  
*Bejaria L.* = *Bejaria*.  
 † *Begonia L.* Linn Tr. 1, 14. — Kern. Gen. 33.  
 — *acerifolia H. B. K.* H. B. K. Nov. Gen. 7, 644.  
 — *acuminata Dryand.* Bot. Reg. 5, 364.  
 — — — Bot. Mag. 69, 4025.  
 — *albo-coccinea Hook.* Bot. Mag. 71, 4172.  
 — — — Bot. Reg. 32, 39.  
 — — — Fl. d. serres 3, 225.  
 — — — Paxt. Mag. 13, 245.  
 — *argyrostigma Fisch.* Hook. Ex. Fl. 18.  
 — — *Lk.* Link Ic. I. 10.  
 — — — Bot. Reg. 8, 666.  
 — — — Kern. Hort. 616.  
 — *Balmisiana Balmis Demonstr.* 2.  
 — *Barkeri Kn. et W.* Kn. et Westc. 135.  
 — *bicolor L.* Desc. Ant. 7, 531.  
 — *biserrata Ldl.* Bot. Mag. 79, 4746.  
 — *bulbillifera Lk.* Link Ic. II. 45.  
 — *caroliniaefolia Hort.* Regel Gartenfl. 1, 25.  
 — *cinnabarina Hook.* Paxt. Mag. 16, 228.  
 — — — Bot. Mag. 75, 4483.  
 — — — Lem. Jard. fl. 28.  
 — — — Fl. d. serres 5, 530.  
 — *coccinea Hook.* Bot. Mag. 69, 3990.  
 — — — Paxt. Mag. 10, 73.  
 — *crassicaulis Ldl.* Bot. Reg. 28, 44.  
 † — *cucullata Willd.* Bot. Zeit. 1847, 7.  
 † — — Ann. sc. nat. III. 9, 1.  
 — *cyathophora P. et E.* Poepp. et Endl. 11.  
 — *dichotoma Jacq.* Jacq. Ic. 619.  
 — *dipetala Grah.* Bot. Mag. 55, 2849.  
 — — — Lodd. Cab. 1730.  
 — — — Paxt. Fl. G. 14.  
 — — — Wight Ic. pl. Ind. or. 5, 1813.  
 — *discolor Ait.* Kern. Hort. 581, 752.  
 — — — Savi Fl. ital. 3, 93.  
 — — — Dict. sc. nat. 17, 18.  
 — *diversifolia Grah.* Bot. Mag. 57, 2966.  
 — — — Kn. et Westc. 14.  
 — *Dregei Otto et Dietr.* Maund Bot. 5, 217.  
 — *echinata Royle.* Royle Illustr. 80.  
 — *elliptica H. B. K.* H. B. K. Nov. Gen. 7, 641.  
 — — — Kern. Hort. 743.  
 — *Erminea L'her.* L'her. Stirp. 47.  
 — *Evansiana Andr.* Andr. Rep. 10, 627.  
 — — — Bonpl. Malm. 63.  
 — — — Bot. Mag. 36, 1473.  
 — *ferruginea L.* Smith Ic. Linn. 44.  
 — — — Kern. Hort. 281.  
 — *Fischeri Otto.* Bot. Mag. 63, 3532.  
 — *foliosa H. B. K.* H. B. K. Nov. Gen. 7, 642.  
 — *fuchsoides Hook.* Bot. Mag. 73, 4281.  
 — — — Paxt. Mag. 14, 217.  
 — — — Fl. d. serres 3, 212.  
 — *geraniifolia Hook.* Bot. Mag. 62, 3387.  
 — *glabra Aubl.* Aubl. Guiana 349.  
 — *Grahamiana Wight.* Wight Ic. pl. Ind. or. 5, 1811.  
 — *grandiflora Kn. et W.* Kn. et Westc. 25.

- Begonia hermandiaefolia* Hook. Bot. Mag. 78, 4676.  
 — — — Fl. d. serres 8, 810.  
 — — — *heracleifolia* Schl. et Ch. Bot. Mag. 62, 3444.  
 — — — Bot. Reg. 20, 1668.  
 — — — *hirsuta* Aubl. Aubl. Guiana 348.  
 — — — *humilis* Ait. Linn. Tr. 1, 15.  
 — — — Hook. Ex. Fl. 17.  
 — — — Roem. Arch. I. (3.) 5.  
 — — — *Bonpl.* Bonpl. Malm. 62.  
 — — — *Dryand.* Bot. Reg. 4, 284.  
 — — — *hydrocotylifolia* Lk. Bot. Mag. 69, 3968.  
 — — — *incarnata* Lk. et O. Link Ic. II. 19.  
 — — — Kn. et Westc. 48.  
 — — — Maund Bot. 3, 103.  
 — — — *insignis* Grh. Bot. Mag. 56, 2900.  
 — — — Bot. Reg. 23, 1996.  
 — — — *isoptera* *Dryand.* Smith Ic. Linn. 43.  
 — — — *longipes* Hook. Bot. Mag. 57, 3001.  
 — — — *malabarica* Lam. Rheede Hort. mal. 9, 86.  
 — — — *Martiana* Lk. et O. Link Ic. II. 25.  
 — — — Paxt. Mag. 12, 151.  
 — — — *Meyeri* Hort. Berol. Kn. et Westc. 130.  
 — — — Bot. Mag. 70, 4100.  
 — — — *miniata* Planch. Fl. d. serres 8, 787.  
 — — — *minor* Jacq. Jacq. Ic. 618.  
 — — — *monoptera* Lk. et O. Link Ic. II. 14.  
 — — — Bot. Mag. 64, 3564.  
 — — — *nana* L'her. L'her. Stirp. 48.  
 — — — *nitida* *Dryand.* Salisb. Parad. 72.  
 — — — Bot. Mag. 69, 4046.  
 — — — Desc. Ant. 5, 344.  
 — — — Lam. Encycl. 778.  
 — — — Maund Bot. 5, 233.  
 — — — Paxt. Mag. 13, 77.  
 — — — Regel Gartenfl. 2, 55.  
 — — — *obliqua* L. Schneev. Ic. 24.  
 + — — — Gaertn. Carp. 31.  
 — — — L'her. Stirp. 46.  
 — — — *Thumb.* Kaempf. Jap. 20.  
 — — — *octopetalata* L'her. Bot. Mag. 64, 3559.  
 — — — Kn. et Westc. 25.  
 — — — *odorata* Willd. Paxt. Mag. 4, 123.  
 — — — *papillosa* Grh. Bot. Mag. 55, 2846.  
 — — — *parviflora* P. et E. Poepp. et Endl. 12.  
 — — — *parvifolia* Schott. Bot. Mag. 66, 3720.  
 — — — *pauciflora* Ldl. Bot. Reg. 6, 471.  
 — — — *pedunculosa* Wall. Wall. Pl. asiat. 97.  
 — — — *petalodes* Ldl. Bot. Reg. 21, 1757.  
 — — — *picta* Sm. Smith Ex. Bot. 101.  
 — — — Lodd. Cab. 571.  
 — — — Hook. Ex. Fl. 89.  
 — — — Bot. Mag. 57, 2962.  
 — — — *platanifolia* Schott. Paxt. Mag. 3, 125.  
 — — — Bot. Mag. 64, 3591.  
 — — — *populifolia* H. B. K. H. B. K. Nov. Gen. 7, 643.  
 — — — *prestoniensis* Moore. Fl. d. serres 8, 819.  
 — — — *punctata* Lk. et Kl. Link Ic. III. 7.  
 — — — *ramentacea* Paxt. Paxt. Mag. 12, 73.  
 — — — *reniformis* *Dryand.* Bot. Mag. 60, 3225.  
 — — — *rubricaulis* Hook. Bot. Mag. 70, 4131.  
 — — — *rubro-venia* Hook. Bot. Mag. 79, 4689.  
 — — — Fl. d. serres 8, 839.  
 — — — *sanguinea* Raddi. Link Ic. II. 13.  
 — — — Bot. Mag. 63, 3520.  
 — — — *semperflorens* Lk. et O. Link Ic. II. 5.  
 — — — Lodd. Cab. 1439.  
 — — — Rchb. Hort. 231.  
 — — — Bot. Mag. 56, 2920.  
 — — — *sinuata* Grh. Bot. Mag. 66, 3731.  
 — — — *spathulata* Willd. Lodd. Cab. 107.  
 — — — *suaveolens* Lodd. Lodd. Cab. 69.  
 — — — *subpeltata* Wight. Wight Ic. pl. Ind. or. 5, 1812.

- Begonia tenera* *Dryand.* Linn. Tr. 1, 16.  
 — — — Roem. Arch. I. (3.) 4.  
 — — — *Thwaitesii* Hook. Bot. Mag. 79, 4692.  
 — — — Fl. d. serres 8, 821.  
 — — — *tuberosa* *Dryand.* Rumpf Amb. 5, 169.  
 — — — *ulmifolia* Willd. Lodd. Cab. 638.  
 — — — Link Ic. 1, 38.  
 — — — Hook. Ex. Fl. 57.  
 — — — *undulata* Grh. Bot. Mag. 54, 2723.  
 — — — *urticaefolia* L. Smith Ic. Linn. 45.  
 — — — *verticillata* Hook. Hook. Ic. pl. 9, 811.  
 — — — *villosa* Ldl. Bot. Reg. 15, 1252.  
 — — — *xanthina* Hook. Bot. Mag. 78, 4683.  
 — — — Fl. d. serres 8, 774.  
 † *Bejaria aestuans* L. Gaertn. Carp. 209.  
 — — — Humb. Pl. aeq. 218.  
 — — — Desc. Ant. 7, 505.  
 — — — Kern. Hort. 390.  
 — — — Fl. d. serres 4, 332.  
 — — — *coarctata* H. B. Humb. Pl. aeq. 121.  
 — — — Lam. Encycl. 959.  
 — — — Paxt. Fl. Garden 17.  
 — — — Bot. Mag. 75, 4433.  
 † — — — Fl. d. serres 4, 332.  
 — — — *glauca* H. B. Humb. Pl. aeq. 117.  
 — — — *grandiflora* H. B. Humb. Pl. aeq. 119.  
 — — — *hispida* P. et E. Poepp. et Endl. 39.  
 — — — *ledifolia* H. B. Humb. Pl. aeq. 120.  
 — — — Lam. Encycl. 959.  
 — — — Fl. d. serres 3, 195.  
 — — — *Lindeniana* Her. Lem. Jard. fl. 23.  
 — — — *Mathewsii* Field. Field. Sertum 69.  
 — — — *paniculata* Michx. Michaux Fl. 26.  
 — — — *racemosa* Vent. Vent. Cels 51.  
 — — — *resinosa* L. fil. Vent. Choix 52.  
*Beilschmiedia Roxburghiana* N. v. E. Wight Ic. pl. Ind. 5, 1828.  
*Belairia spinosa* A. Rich. Ramon Cuba 40.  
*Belamcanda chinensis* DC. Red. Lil. 3, 121.  
*Belangera denticulata* Moric. Moric. Pl. Am. 90.  
 — — — *glabra* Camb. St. Hil. Fl. Br. 115.  
 — — — *speciosa* Camb. St. Hil. Fl. Bras. 117.  
 — — — *tomentosa* Camb. St. Hil. Fl. Bras. 116.  
*Belenia praecalta* Decne. Jacquemont Ind. 120.  
*Bellardia pusilla* Colla. Mem. Tur. 38, 34.  
*Bellendena montana* R. Rr. Guill. Austr. 7.  
 † *Bellevalia ciliata* N. v. E. Nees Gen. 2, 42.  
 — — — *dubia* Rchb. Rchb. Fl. germ. 10, 458.  
 † — — — *romana* Rchb. Nees Gen. 2, 42.  
 — — — Rchb. Fl. germ. 10, 458.  
*Bellidiastrum Michelii* Cass. Sturm Flora 10, 38.  
 † — — — Nees Gen. X, x.  
 — — — *subalpinum* Schrank. Schrank Fl. mon. 3, 251.  
*Bellis aculeata* Lab. Bill. Nov. Holl. 206.  
 — — — *annua* L. Bot. Mag. 47, 2174.  
 — — — Sibth. Fl. gr. 876.  
 — — — *azorica* Hochst. Seubert Fl. azor. 9.  
 — — — *ciliaris* Lab. Bill. Nov. Holl. 207.  
 — — — *graminea* Lab. Bill. Nov. Holl. 204.  
 — — — *hybrida* Ten. Ten. Fl. nap. 194.  
 — — — *integrifolia* Michx. Bot. Mag. 62, 3455.  
 — — — *papulosa* Boiss. Boissier Esp. 91.  
 ! — — — *perennis* L. Gesner Ran. bellidif. 0.  
 ! — — — (in Umbellata.) Roem. Mag. 1, 2.  
 † — — — Gaertn. Carp. 168.  
 † — — — Lam. Encycl. 677.  
 — — — Fl. dan. 3, 503.  
 — — — Schk. Handb. 251.  
 — — — Curt. Lond. 1, 86.  
 — — — Engl. Bot. 6, 424.  
 — — — Baxt. Brit. Bot. 1, 44.  
 — — — Sv. Bot. 238.



- Bellis perennis* L. Rousseau Bot. 34.  
 — — — Drevcs 1, 8.  
 — — — Hayne 3, 24.  
 — — — Schrank Fl. monac. 1, 72.  
 — — — Sturm Fl. 20, 94.  
 — — — Diétr. Fl. bor. 7, 496.  
 † — — — Nees Gen. X, x.  
 — — — var. hort. Bot. Mag. 7, 228.  
 — — — Fl. d. serres 6, 584.  
 — — — silvestris Cir. Cir. Pl. rar. 2, 4.  
 — — — Bot. Mag. 51, 2511.  
 — — — stipitata Lab. Bill. Nov. Holl. 205.  
*Bellium bellidioides* L. Lam. Encycl. 684.  
 — — — Viv. Fl. ital. 10.  
 — — — belliioides Don. Sweet Fl. G. II. 175.  
 — — — cordifolium Kze. Willk. Ic. ined.  
 — — — crassifolium Moris. Moris Fl. sard. 79.  
 — — — Sweet Fl. G. II. 278.  
 — — — dentatum Viv. Viv. Fl. ital. 10.  
*Belloa chilensis* Remy. Gay Chile 38.  
*Bellonia aspera* L. Lam. Encycl. 149.  
 — — — Desc. Ant. 2, 94.  
 — — — spinosa Sw. Tuss. Ant. 1, 30.  
*Bellota Miersii* Gay. Gay Chile 59.  
*Beloperone formosa* Fenzl. Jacq. Ecl. pl. 102.  
 — — — longepetiolata N. v. E. Endl. Bras. 7, 22.  
 — — — oblongata N. v. E. Bot. Reg. 20, 1657.  
*Belotia grevinaefolia* A. Rich. Ramon Cuba 21.  
*Bencomia Moquiniana* Webb. Webb Can. 39.  
 † *Benincasa Savi*. Bibl. ital. 9, p. 158.  
 — — — cerifera Savi. Rheede Hort. mal. 8, 3.  
 — — — Jacq. Ecl. pl. 153, 154.  
 — — — Mem. Genev. 3, 4.  
 — — —  $\beta$ . cylindrica Fenzl. Jacq. Ecl. pl. 155. 156.  
 — — — cylindrica Jacq. Jacq. Ecl. pl. 155. 156.  
 † *Benjaminia utriculariaeformis* Mart. Endl. Bras. 9, 22.  
*Bennettia javanica* R. Br. Bennett Jav. 50.  
*Benteka Rhedii* Lam. Rheede Hort. mal. 4, 30.  
*Benthania fragifera* Ldl. Hort. Tr. 8, 17.  
 — — — Bot. Reg. 19, 1579.  
 † — — — Wight Illustr. 122.  
 — — — Bot. Mag. 78, 4641.  
 — — — Lem. Jard. fl. 261.  
 — — — Fl. d. serres 7, 739.  
 — — — Belgique hort. 2, 62.  
 — — — japonica S. et Zucc. Sieb. Jap. 16.  
 † — — — latifolia A. Rich. Mem. hist. nat. Par. 4, 7.  
*Bentinkia Coddapanna* Mart. Mart. Palm. 139.  
*Benzoin officinale* Hayne. Hayne 11, 24.  
 † *Berardia paleacea* Ad. Br. Ann. sc. nat. 8, 37.  
 — — — subacaulis Vill. Vill. Dauph. 22.  
 — — — Rehb. Fl. germ. 15, 807.  
 † *Berberis* L. Gray Genera 31.  
 — — — actinacantha Mart. Bot. Reg. 31, 55.  
 — — — aetnensis Presl. Moris Fl. sard. 5.  
 — — — altaica Pall. Pallas Fl. ross. 67.  
 — — — Aquifolium Pursh. Pursh Fl. 4.  
 — — — Lodd. Cab. 1718.  
 — — — Bot. Reg. 17, 1425.  
 — — — aristata DC. Bot. Mag. 52, 2549.  
 — — — Hook. Ex. Fl. 98.  
 — — — Bot. Reg. 9, 727.  
 — — — asiatica Roxb. Delessert Ic. 2, 1.  
 — — — aurahuacensis Hort. Fl. d. serres 4, 334.  
 — — — buxifolia Lam. Lam. Encycl. 253.  
 — — — Lodd. Cab. 1941.  
 — — — Richard Astrolabe 21.  
 — — — Hook. Fl. ant. 87.  
 — — — canadensis Pursh. Rafin. Med. 15.  
 — — — Gray Gen. 31.  
 — — — Guimp. Fr. Holzgew. 63.

- Berberis Chitria* Ham. Bot. Reg. 9, 729.  
 — — — concinna Hook. fil. Bot. Mag. 79, 4744.  
 — — — conferta H. B. K. H. B. K. Nov. Gen. 5, 430.  
 — — — congestiflora Gay. Gay Chile 3.  
 — — — coriaria Royle. Bot. Reg. 27, 46.  
 — — — cretica L. Sibth. Fl. gr. 342.  
 — — — Darwinii Hook. Hook. Ic. pl. 7, 672.  
 — — — Bot. Mag. 77, 4590.  
 — — — Paxt. Fl. G. 46.  
 — — — Lem. Jard. fl. 111.  
 — — — Fl. d. serres 7, 663.  
 — — — dealbata Ldl. Bot. Reg. 21, 1750.  
 — — — dulcis Sweet. Maund Bot. 1, 42.  
 — — — Sweet Fl. G. II. 100.  
 — — — Paxt. Mag. 10, 171.  
 — — — emarginata Willd. Guimp. Fr. Holzgew. 62.  
 — — — empetrifolia Lam. Lam. Encycl. 253.  
 — — — Bot. Reg. 26, 27.  
 — — — Richard Astrolabe 20.  
 — — — Sweet Fl. G. II. 350.  
 — — — nervosa Pursh. Bot. Reg. 17, 1426.  
 — — — fascicularis Sims. Bot. Mag. 50, 2396.  
 — — — Ldl. Bot. Reg. 9, 702.  
 — — — flexuosa Rz et P. Rz et Pav. Fl. 281.  
 — — — fraxinifolia Hook. Jacq. Ic. pl. 4, 329. 330.  
 — — — glauca H. B. K. H. B. K. Nov. Gen. 5, 433.  
 — — — glaucescens St. Hil. St. Hil. Fl. Bras. 10.  
 — — — glumacea Spr. Lodd. Cab. 1701.  
 — — — Bot. Reg. 17, 1426.  
 — — — gratissima Klotsch. Prinz Wald. Him. 37.  
 — — — heterophylla Poir. Hook. Ex. Fl. 14.  
 — — — hypoleuca Ldl. Journ. Hort. Soc. 2, 246.  
 — — — ilicifolia Forst. Bot. Mag. 73, 4308.  
 — — — Fl. d. serres 3, 291.  
 — — — Richard Astrolabe 20.  
 — — — Hook. Fl. ant. 86.  
 — — — inermis Pers. Richard Astrolabe 21.  
 — — — integerrima Bge. Bunge Rel. Lehm. 1.  
 — — — latifolia Rz et P. Rz et Pav. Fl. 282.  
 — — — laurifolia Thunb. Thunb. Pl. bras. 2.  
 — — — Leschenaultii Wall. Zenk. Pl. ind. 19.  
 — — — DC. Wight Spicil. 8.  
 — — — Wight Ic. pl. Ind. or. 3, 940.  
 — — — lutea Rz et P. Rz et Pav. Fl. 280.  
 — — — microphylla Hook. Hook. Fl. ant. 87.  
 — — — nepalensis Spr. Paxt. Fl. G. 79.  
 — — — Lem. Jard. fl. 3, 278.  
 — — — nervosa Pursh. Pursh Fl. 5.  
 — — — Sweet Fl. G. II. 171.  
 — — — Bot. Mag. 68, 3949.  
 — — — Fl. d. serres 2, 62.  
 — — — nummularia Bge. Bunge Rel. Lehm. 2.  
 — — — pallida Benth. Bot. Reg. 30, 16.  
 — — — parviflora Ldl. Journ. Hort. Soc. 2, 244.  
 — — — pinnata H. B. K. H. B. K. Nov. Gen. 5, 434.  
 — — — Don. Bot. Reg. 9, 702.  
 — — — quinduensis H. B. K. H. B. K. Nov. Gen. 5, 432.  
 — — — repens Ldl. Lodd. Cab. 1847.  
 — — — Bot. Reg. 14, 1176.  
 — — — rigidifolia H. B. K. H. B. K. Nov. Gen. 5, 431.  
 — — — ruscifolia Lam. Lam. Encycl. 253.  
 — — — sibirica Pall. Guimp. Fr. Holzgew. 64.  
 — — — Comm. Gott. 6, 6.  
 — — — Bot. Reg. 6, 487.  
 — — — sincensis H. Par. Watson Dendr. 1, 26.  
 — — — tenuifolia Ldl. Bot. Reg. 30, 26.  
 — — — tinctoria Lesch. Delessert Ic. 2, 2.  
 — — — Wight Illustr. 8.  
 — — — tomentosa Rz et P. Rz et Pav. Fl. 282.  
 — — — trifoliata Hartw. Bot. Reg. 31, 10.  
 — — — Fl. d. serres 1, 56.  
 — — — Moric. Pl. Am. 69.

- Berberis trigona* *P. et E.* Poepp. et Endl. 187.  
 — *umbellata* *Wall.* Bot. Reg. 30, 44.  
 — *virgata* *Rz et P.* Rz et Pav. Fl. 281.  
 † *vulgaris* *L.* Gaertn. Carp. 42.  
 — — — Lam. Encycl. 253.  
 — — — Schk. Handb. 99.  
 — — — Fl. dan. 6, 904.  
 — — — Engl. Bot. 1, 49.  
 — — — Sv. Bot. 24.  
 — — — Hayne 1, 41.  
 — — — Guimp. Holzgew. 39.  
 — — — Guimp. et Schl. 23.  
 — — — Nees Düsseld. 366.  
 — — — Schrank Fl. mon. 1, 78.  
 — — — Sturm Flora 20, 93.  
 — — — Rchb. Fl. germ. 3, 18.  
 — — — Diatr. Fl. bor. 10, 685.  
 — — — Dict. sc. nat. 119.  
 † — — — Plée Types 12.  
 — — — Woodv. Med. 3, 219.  
 — — — Baxt. Brit. Bot. 2, 115.  
 — *Wallichiana* *DC.* Wall. Pl. asiat. 243.  
 — — — Bot. Mag. 78, 4656.  
 — — — Lem. Jard. fl. 3, 287.  
 † *Berchemia* *Neck.* Gray Gen. 165.  
 † — *floribunda* *Ad. Br.* Ann. sc. nat. 10, 13.  
 — *lineata* *DC.* Hook. Beech. 37.  
 — *parviflora* *Wall.* Wight Ic. pl. Ind. or. 1, 19.  
 — *volubilis* *DC.* Gray Gen. 165.  
*Berchtoldia bromoides* *Presl.* Presl Rel. 43.  
*Berebera ferruginea* *Hochst.* Richard Abyss. 35.  
*Bergera Koenigii* *L.* Rheede Hort. mal. 4, 53.  
 † — — — Linn. Transact. 15, 5.  
 — — — Roxb. Corom. 112.  
 — — — Tratt. Arch. 12.  
 — — — Lodd. Cab. 1019.  
 — — — Wight Ic. pl. Ind. or. 1, 13.  
 † *Bergeretia* *Desv.* Desv. Journ. 5, 25.  
*Bergia ammannioides* *Wight.* Wight Illustr. in Hook. 28.  
 — — — Wight Illustr. 25.  
 — *aquatica* *Roxb.* Roxb. Corom. 142.  
 — *pentandra* *Camb.* Guill. Seneg. 12.  
 — *verticillata* *Willd.* Rheede Hort. mal. 9, 78.  
*Bergsmia javanica* *Bl.* Blume Rumphia 9, 178 c.  
 † *Beringeria hispanica* *Neck.* Nees Gen. 6, 39.  
 † *Berkheya fruticosa* *Ehrh.* Wendl. Beob. 4.  
 — *grandiflora* *Willd.* Bot. Mag. 43, 1844.  
 — *uniflora* *Willd.* Bot. Mag. 46, 2094.  
*Berlandiera texana* *DC.* Delessert Ic. 4, 26.  
 † *Bermudiana graminea* *Gaertn.* Gaertn. Carp. 11.  
*Bernhardia dichotoma* *Willd.* Dict. sc. nat. 81.  
*Berniera nepalensis* *DC.* Delessert Ic. 4, 77.  
*Berrya Ammonilla* *Roxb.* Roxb. Corom. 264.  
 — — — Wight Illustr. 34.  
*Bersama integrifolia* *Dill. et R.* Richard Abyss. 26.  
*Berteroa incana* *DC.* Sturm Flora 12, 48.  
 — — — Rchb. Fl. germ. 2, 22.  
 — — — Diatr. Fl. bor. 9, 623.  
 † — — — Nees Gen. X, x.  
 — *mutabilis* *DC.* Rchb. Ic. crit. 3, 231.  
 — *obliqua* *DC.* Sibth. Fl. gr. 626.  
 — *procumbens* *Portschl.* Portschl. Dalm. 9.  
 — — — Rchb. Fl. germ. 2, 22.  
 — *viridis* *Tausch.* Rchb. Fl. germ. 2, 22.  
*Berthelotia lanceolata* *DC.* Delessert Ic. 4, 21.  
*Bertholletia excelsa* *H. B.* Humb. Pl. aeq. 36.  
 — — — Mem. Mus. 13, 4, 8.  
 † — — — Lam. Encycl. 968.  
 — — — Proc. Bot. Soc. Lond. 1, 3, 4.  
*Bertiera guianensis* *Aubl.* Aubl. Guiana 69.  
 † — — — Lam. Encycl. 165.  
 † — *mucronata* *Gaertn.* Gaertn. Carp. 192.

- † *Bertiera Zaluzania* *Gaertn.* Gaertn. Carp. 192.  
 † — — — Lam. Encycl. 165.  
*Bertolonia glandulosa* *Spin.* Spin. Jard. Sebast. 2.  
 — *maculata* *DC.* Mart. Bras. 257.  
 — — — Bot. Mag. 76, 4531.  
 — — — Lem. Jard. fl. 78.  
 — — — var. Fl. d. serres 7, 750.  
 † — *nymphacifolia* *Raddi.* Mem. Mod. 20, 13.  
 — *paniculata* *Spr.* Spreng. Neue Entd. 2, 1.  
 — *purpurea* *DC.* Ann. Mus. 19, 5.  
 † *Bertya pinifolia* *Planch.* Hook. Lond. J. 1845, 16.  
*Berula angustifolia* *Koch.* Diatr. Fl. bor. 12, 846.  
 † *Berzelia lanuginosa* *Ad. Br.* Ann. sc. nat. 8, 35.  
*Beschormeria tubiflora* *Kth.* Bot. Mag. 78, 4642.  
 — — — Lem. Jard. fl. 4, 334.  
*Besleria coccinea* *Aubl.* Aubl. Guiana 255.  
 — *cristata* *L.* Jacq. Hist. stirp. am. 180.  
 — *incarnata* *Aubl.* Aubl. Guiana 256.  
 † — *lutea* *L.* Gaertn. Carp. 52.  
 † — — — Lam. Encycl. 524.  
 — *melittifolia* *L.* Smith Ex. Bot. 54.  
 — — — Lodd. Cab. 204.  
 — *pulchella* *Donn.* Bot. Mag. 28, 1146.  
 — — — Lodd. Cab. 1028.  
 — — — Rchb. Hort. 41.  
 — *serrulata* *Jacq.* Jacq. Schoenbr. 3, 290.  
 — *umbrosa* *Mart.* Mart. Bras. 218.  
 — *violacea* *Aubl.* Aubl. Guiana 254.  
*Bessera elegans* *Ldl.* Bot. Reg. 25, 34.  
 — — *Schult. fil.* Preuss. Gart. Verein 14, 4.  
 — *fistulosa* *Ldl.* Bot. Reg. 18, 1546.  
 — *miniata* *Ch. Lem.* Fl. d. serres 4, 424.  
*Beta* *L.* Wolf Mangoldarten 1 — 14.  
 — *crispa* *Tratt.* Tratt. Arch. 75.  
 † — *maritima* *L.* Lam. Encycl. 182.  
 — — — Sibth. Fl. gr. 254.  
 — — — Engl. Bot. 4, 285.  
 — — — Baxter Brit. Bot. 3, 231.  
 — — — Fl. dan. 9, 1571.  
 — *procumbens* *Chr. Smith.* Webb Can. 201.  
 — *trigyna* *W. et K.* W. et Kit. 35.  
 — — — Tratt. Arch. 74.  
 † — *vulgaris* *L.* Gaertn. Carp. 75.  
 † — — — Lam. Encycl. 182.  
 — — — Schk. Handb. 56.  
 † — — — Nees Gen. 4, 67.  
 — *Webbiana* *Moq.* Webb Canar. 202.  
 † *Betonica* *L.* Mutel Fl. fr. 50.  
 — *Alopecuross* *L.* Jacq. Fl. austr. 1, 78.  
 — — — Rchb. Ic. crit. 8, 709.  
 † — — — Nees Gen. 6, 34.  
 — *grandiflora* *Thuill.* Herb. amat. 5, 311.  
 — — *Steph.* Rchb. Ic. crit. 8, 715.  
 — — *Willd.* Bot. Mag. 19, 700.  
 — *hirsuta* *L.* Comm. Gott. 2, 3.  
 — — — Roemer Fl. eur. 10, 5.  
 — — — Rchb. Ic. crit. 8, 714.  
 — *hirta* *Leys.* Rchb. Ic. crit. 8, 711.  
 — *incana* *Ait.* Bot. Mag. 47, 2125.  
 — — *Mill.* Rchb. Ic. crit. 8, 713.  
 † — *officinalis* *L.* Lam. Encycl. 507.  
 — — — Curt. Lond. 2, 76.  
 — — — Engl. Bot. 16, 1142.  
 — — — Baxter Brit. Bot. 3, 214.  
 — — — Fl. dan. 5, 726.  
 — — — Sv. Bot. 284.  
 — — — Woodv. Med. 2, 128.  
 — — — Schk. Handb. 160.  
 — — — Hayne 4, 10.  
 — — — Schrank Fl. monac. 3, 291.  
 — — — Rchb. Ic. crit. 8, 710.  
 — — — Diatr. Fl. bor. 11, 783.

- † *Betonica officinalis* L. Nees Gen. 6, 34.  
 — *orientalis* L. Lam. Encycl. 507.  
 — *stricta* Ait. Rehb. Ic. crit. 8, 712.
- † *Betula* L. Willd. Baumzucht 1.  
 — *acuminata* Wall. Wall. Pl. asiat. 109.  
 — *alba* L. Schk. Handb. 288.  
 — — Hartig 27.  
 — — Rehb. Fl. germ. 12, 623.  
 — — Dietr. Fl. bor. 11, 787.
- † — — — Nees Gen. 4, 18.  
 † — — — Schnizl. Ic. 2, 88.  
 † — — — Lam. Encycl. 760.  
 — — — Fl. dan. 9, 1467.  
 — — — Sv. Bot. 80.  
 — — — Engl. Bot. 31, 2198.  
 — — — Baxt. Brit. Bot. 5, 326.  
 — — — var. *pontica*, Watson Dendr. 2, 94.
- † — — — Schacht Baum 6.  
 — — — Sm. E. B. Rehb. Fl. germ. 12, 626.
- † — *Alnus* L. Lam. Encycl. 760.  
 — — — Engl. Bot. 21, 1508.  
 — — — Sv. Bot. 128.  
 — — — *quercifolia* Gled. Schriften naturf. Fr. 7, 6.  
 — *carpathica* W. et K. Rehb. Fl. germ. 12, 624.  
 — *carpinifolia* Ehrh. Wendl. Coll. 41.  
 — *davurica* Pall. Pallas Fl. ross. 39.  
 — *Ermanni* Cham. et Schl. Erman Reise 17.  
 — *excelsa* Willd. Watson Dendr. 2, 95.  
 — *fruticans* Pall. Pallas Fl. ross. 40.  
 — *fruticosa* Willd. Watson Dendr. 2, 154.  
 — — — Hartig 30.  
 — — — Rehb. Fl. germ. 12, 621. 622.  
 — *Gmelini* Bunge. Trautv. Imag. 5.  
 — *intermedia* Thom. Rehb. Fl. germ. 12, 624.  
 — *Jacquemontii* Spach. Jacquemont Ind. 158.  
 — *laciniata* Thunb. Thunberg Betula 0.  
 — — *Wahlbg.* Rehb. Fl. germ. 12, 627.  
 — *lenta* L. Michaux Arb. 2, 4.  
 — — — Guimp. Fr. Holzgew. 83.  
 — — — Wendl. Coll. 40.  
 — — — Watson Dendr. 2, 144.  
 — — — Torr. New York 113.  
 — *lutea* Michx. Michaux Arb. 2, 5.  
 — *nana* L. Linné Fl. lapp. 6.  
 — — — Linné Betula 0.  
 — — — Lightf. Fl. scot. 2, 25.  
 — — — Fl. dan. 1, 91.  
 — — — Sv. Bot. 379.  
 — — — Engl. Bot. 33, 2326.  
 — — — Hartig 31.  
 — — — Rehb. Fl. germ. 12, 621.  
 — — — Torr. New York 114.
- † — *nigra* L. Gaertn. Carp. 90.  
 † — — — Lam. Encycl. 760.  
 — — — Watson Dendr. 2, 153.  
 — *odorata* Bechst. Rehb. Fl. germ. 12, 626.  
 — — — Otto Gart. Z. 1846, 1, 2.  
 — *ovata* Schrk. Guimp. Holzgew. 147.  
 — — — Watson Dendr. 2, 96.  
 — — — Rehb. Fl. germ. 12, 628.  
 — *oycowiensis* Bess. Rehb. Fl. germ. 12, 622.  
 — *papyracea* Ait. Michaux Arb. 2, 1.  
 — — — Watson Dendr. 2, 152.  
 — *pendula* Roth. Rehb. Fl. germ. 12, 625.  
 — — — var. Schk. Handb. 288.  
 — *populifolia* Ait. Michaux Arb. 2, 2.  
 — — — Watson Dendr. 2, 151.  
 — — — Torr. New York 112.  
 — *pubescens* Ehrh. Hartig 28. 29.  
 — — — Otto Gart. Z. 1846, 1, 2.  
 — *pumila* L. Jacq. Vind. 122.  
 — — — Duroi Harbk. Baumzucht 3.

- Betula pumila* L. Watson Dendr. 2, 97.  
 — — — Dict. sc. nat. 301.  
 — *rubra* Michx. Michaux Arb. 2, 3.  
 — — — Lodd. Cab. 1248.  
 — *triphylla* Thunb. Thunberg Betula 0.
- † *Betulaceae* Bartl. Schnizl. Ic. 2, 88.  
*Beurrieria succulenta* Jacq. Jacq. Obs. 26.  
 † — — — Gaertn. Carp. 212.  
 — — — Dict. sc. nat. 47.
- Beyeria viscosa* Miq. Ann. sc. nat. III. 1, 15.  
*Bezanilla chilensis* J. Remy. Gay Chile 46.  
*Biarum Bovei* Decne. Blume Rumphia 29.  
 — *Haenseleri* Willk. Bot. Zeit. 1847, 2.  
 — *tenuifolium* Schott. Bot. Reg. 6, 512.  
 — — — Rehb. Fl. germ. 7, 6.
- † *Biaslia Vandelli*. Roemer Scriptores 6.  
*Bidens* Beekii Torr. Torr. New York 58.  
 † — *bipinnata* L. Nees Gen. X, x.  
 — *bullata* L. Ard. Anim. 2, 18.  
 — *cernua* L. Fl. dan. 5, 841.  
 — — — Curt. Lond. 1, 145.  
 — — — Engl. Bot. 16, 1114.  
 — — — Schk. Handb. 235.  
 — — — Sturm Flora 1, 1.  
 — — — Dietr. Fl. bor. 9, 636.
- † — — — Nees Gen. X, x.  
 — *Coreopsisidis* DC. Bot. Reg. 1, 7.  
 — *crocata* Cav. Cav. Ic. 99.
- † — *frondosa* L. Gaertn. Carp. 167.  
 † — — — Lam. Encycl. 668.  
 — *micrantha* Gaudch. Freycinet Voyage 85.  
 — *minima* L. Fl. dan. 2, 312.  
 — *monticola* P. et E. Poepp. et Endl. 255.  
 — *odorata* Cav. Cav. Ic. 13.  
 — *pilosa* L. Rumpf Amb. 6, 15.
- † — — — Gaertn. Carp. 167.  
 † — — — Lam. Encycl. 668.  
 — *procera* Don. Bot. Reg. 8, 684.  
 — *rubifolia* H. B. K. H. B. K. Nov. Gen. 4, 381.  
 — *sambucifolia* Cav. Cav. Ic. 229.  
 — *striata* Sweet. Sweet Fl. G. 237.  
 — — — Bot. Mag. 59, 3155.  
 — *tenuifolia* Lab. Bill. Sert. 45.  
 — *tripartita* L. Curt. Lond. 1, 144.  
 — — — Engl. Bot. 16, 1113.  
 — — — Baxter Brit. Bot. 6, 446.
- † — — — Gaertn. Carp. 167.  
 † — — — Lam. Encycl. 668.  
 — — — Schrank Fl. monac. 4, 329.  
 — — — Dietr. Fl. bor. 7, 500.
- † — — — Nees Gen. X, x.  
 — — — Fl. dan. 13, 2178.  
 — *valparadisica* Colla. Mem. Tur. 38, 24.
- Biebersteinia Aucheri* Jaub. Jaub. Illustr. 190.  
 — *brachypetala* Jaub. Jaub. Illustr. 192.  
 — *leiosepala* Jaub. Jaub. Illustr. 193.  
 — *multifida* DC. Jaub. Illustr. 191. 192.  
 — *odora* Steph. Mem. Mosc. 1, 9.  
 — — — Ledeb. Ic. 447.  
 — — — Royle Illustr. 30.
- Bifrenaria aurantiaca* Ldl. Bot. Reg. 22, 1875.  
 — — — Bot. Mag. 64, 3597.  
 — *Hadwenii* Ldl. Lem. Jard. fl. 232.  
 — — — Bot. Mag. 78, 4629.  
 — — — Fl. d. serres 7, 731.
- Bigelovia brasiliensis* Spr. Neue Entd. 2, 2.  
 — *nudata* DC. DC. Compos. 5.
- † *Bignonia* L. Aubl. Guiana 262. 263.  
 † — — — Jacq. Fragm. 43.  
 — *adhatodaefolia* Jacq. Jacq. Fragm. 89.  
 — — — Kern. Hort. 485.  
 — *aequinoctialis* L. Desc. Ant. 2, 100.

- Bignonia acquinocialis* L. var. Bot. Reg. 9, 741.  
 — *alba* Aubl. Aubl. Guiana 266.  
 — *amoena* Wall. Wall. Pl. asiat. 183.  
 † — — Wight Illustr. 161<sup>b</sup>.  
 — *capreolata* L. Jacq. Schoenbr. 3, 363.  
 — — Kern. Hort. 279.  
 — — Bot. Mag. 22, 864.  
 — — Lodd. Cab. 714.  
 — — Paxt. Mag. 8, 245.  
 — *Carolinæ* Ldl. Bot. Reg. 30, 54.  
 — — Fl. d. serres 4, 330.  
 — *Catalpa* L. Michaux Arb. 3, 6.  
 — — Wangenheim Beitrag 20.  
 † — — Schk. Handb. 175.  
 — *Chamberlaynii* Sims. Paxt. Mag. 14, 3.  
 — — Bot. Mag. 47, 2148.  
 — — Fl. d. serres 3, 235.  
 — *Cherere* Aubl. Aubl. Guiana 260.  
 — — Rehb. Exot. 295.  
 — — Bot. Reg. 15, 1301.  
 — *Chica* H. B. Humb. Pl. aeq. 31.  
 — *chrysantha* Jacq. Jacq. Schoenbr. 2, 211.  
 — *cicutaria* Koen. Münchn. Denks. 6, d.  
 — *Colais* Ham. Rheede Hort. mal. 6, 26.  
 — *Colei* Boj. Bot. Mag. 55, 2817.  
 — *Copaia* Aubl. Aubl. Guiana 262, 265.  
 — *corallina* Jacq. Jacq. Fragm. 42.  
 — *corymbifera* Vahl. Vahl Eclogae 17.  
 — *echinata* Aubl. Aubl. Guiana 263, 264.  
 † — — Gaertn. Carp. 52.  
 † — — Lam. Encycl. 526.  
 — — Kern. Hort. 347.  
 — *elongata* Vahl. Vahl Eclogae 16.  
 — *fluvialtilis* Aubl. Aubl. Guiana 267.  
 — *fulva* Cav. Cav. Ic. 580.  
 — *glauca* Decne. Jacquemont Ind. 142.  
 — *gracilis* Lodd. Lodd. Cab. 1705.  
 — *grandiflora* Thunb. Kaempf. Jap. 21.  
 — — Salisb. Parad. 61.  
 — — Andr. Rep. 8, 493.  
 — — Kern. Hort. 389.  
 — — Savi Fl. ital. 1, 4.  
 — — Bot. Mag. 34, 1398.  
 — — Bot. Reg. 5, 418.  
 — — Rehb. Exot. 160.  
 — — Jacq. Jacq. Schoenbr. 3, 287.  
 — — Rehb. Exot. 213.  
 — — Bot. Mag. 57, 3011.  
 — *heterophylla* Willd. Kern. Hort. 320.  
 — *incarnata* Aubl. Aubl. Guiana 261.  
 — — Kern. Hort. 306.  
 — *indica* L. Rheede Hort. mal. 1, 43.  
 — *lactiflora* Vahl. Vahl Symb. 66.  
 — — Diet. sc. nat. 52.  
 — *lepidophylla* A. Rich. Ramon Cuba 59.  
 — *Leucoxydon* L. Andr. Rep. 1, 43.  
 — — Kern. Hort. 432.  
 — — Desc. Ant. 3, 204.  
 —? *linearis* Cav. Cav. Ic. 269.  
 —? *longiflora* Cav. Cav. Ic. 581.  
 — *longifolia* Willd. Rheede Hort. mal. 1, 44.  
 — *mollis* Vahl. Vahl Ic. 10.  
 — *multijuga* Wall. Wall. Pl. asiat. 95—96.  
 — *pallida* Ldl. Bot. Reg. 12, 965.  
 — *Pandoræ* Gawl. Bot. Mag. 22, 865.  
 — *pandorana* Andr. Andr. Rep. 2, 86.  
 — — Vent. Malm. 43.  
 — — Kern. Hort. 264.  
 — *paniculata* L. Jacq. Hist. stirp. am. 175.  
 — *picta* Ldl. Bot. Reg. 28, 45.  
 — — Paxt. Mag. 10, 125.  
 — *quadriocularis* Roxb. Roxb. Corom. 145.

- † *Bignonia quadrivalvis* Jacq. Jacq. Fragm. 40.  
 — *Quereus* Lam. Tuss. Ant. 4, 37.  
 — — Desc. Ant. 1, 18.  
 — *radicans* L. Wangenheim Beitrag 26.  
 — — Schk. Handb. 175.  
 — — Guimp. Fr. Holzgew. 90.  
 † — — Lam. Encycl. 526.  
 — — Bot. Mag. 14, 485.  
 — *rigescens* Jacq. Jacq. Schoenbr. 2, 210.  
 — *sempervirens* L. Herb. amat. 3, 169.  
 — *spathacea* L. fil. Rumpf Amb. 3, 46.  
 — — Roxb. Corom. 144.  
 — — Kern. Hort. 484.  
 — *speciosa* Hook. Bot. Mag. 68, 3888.  
 — *stans* L. Jacq. Hist. stirp. am. 176.  
 — *suberosa* Roxb. Roxb. Corom. 214.  
 — *Telfairiæ* Boj. Bot. Mag. 57, 2976.  
 † — *tetragonoloba* Jacq. Jacq. Fragm. 40.  
 — *Twediana* Ldl. Bot. Reg. 26, 45.  
 — *uncata* Andr. Andr. Rep. 8, 530.  
 — — Bot. Mag. 37, 1511.  
 — — Kern. Hort. 476.  
 — *undulata* Sm. Smith Exot. Bot. 19.  
 — — Kern. Hort. 326.  
 — *unguis cati* L. Desc. Ant. 3, 199.  
 — *variabilis* Jacq. Jacq. Schoenbr. 2, 212.  
 — *venusta* Ker. Bot. Reg. 3, 249.  
 — — Bot. Mag. 46, 2050.  
 — — Paxt. Mag. 7, 123.  
 — — Maund Bot. 3, 113.  
 — — Fl. d. serres 7, 745.  
 — *viridiflora* Lodd. Lodd. Cab. 1026.  
 — *xylocarpa* Roxb. Wight Ic. pl. 4, 1335, 1336.  
 † — — Wight Illustr. 161<sup>b</sup>.  
 † *Bignoniaceæ* Juss. Wight Illustr. 161<sup>b</sup>.  
 † *Billardiæ* Sm. Kern. Gen. 149.  
 — *canariensis* Wendl. Wendl. Hort. herrenh. 15.  
 — *fusiformis* Lab. Bill. Nov. Holl. 90.  
 — *longiflora* Lab. Bill. Nov. Holl. 89.  
 — — Bot. Mag. 37, 1507.  
 — *mutabilis* Salisb. Salisb. Parad. 48.  
 — — Bot. Mag. 32, 1313.  
 — — Rehb. Mag. 25.  
 † — *paniculata* Vahl. Vahl Eclogae 10.  
 — *ovalis* Ldl. Bot. Reg. 20, 1719.  
 — *scandens* Sm. Smith New Holl. 1.  
 — — Bot. Mag. 21, 801.  
 — — Sweet Austr. 54.  
 — — Diet. sc. nat. 130.  
 — — Rehb. Mag. 25.  
*Billbergia amoena* Ldl. Bot. Reg. 4, 344.  
 — *bicolor* Lodd. Lodd. Cab. 1819.  
 — *clavata* Ldl. Bot. Reg. 9, 766.  
 — *cruenta* Hook. Bot. Mag. 56, 2892.  
 — *decora* P. et E. Poepp. et Endl. 157.  
 — *fasciata* Ldl. Bot. Reg. 13, 1130.  
 — *iridifolia* Ldl. Bot. Reg. 13, 1068.  
 — — Kn. et Westc. 105.  
 — — Rehb. Exot. 262.  
 — *Liboniana* De Jonghe. Lem. Jard. fl. 197.  
 — *Moreliana* Brongn. Lem. Jard. fl. 138.  
 — — Lem. Jard. fl. 3, 271.  
 — — Paxt. Fl. G. 77.  
 — *nudicaulis* Ldl. Bot. Reg. 3, 203.  
 — *polystachya* Paxt. Paxt. Fl. G. 80.  
 — *purpureo-rosea* Hook. Bot. Mag. 61, 3304.  
 — *pyramidalis* Ldl. var. *bicolor*, Bot. Reg. 14, 1181.  
 † — — Schnizl. Ic. 1, 65.  
 — *rhodocyanea* Lem. Fl. d. serres 3, 207.  
 — *splendida* Lem. Lem. Jard. fl. 181—182.  
 — *thyrsoidæa* Mart. Lem. Jard. Fl. 267.  
 — — Paxt. Fl. G. 74.

- Billbergia zebrina* Ldl. Lodd. Cab. 1912.  
*Billottia acerosa* Colla. Colla Hort. Rip. 23.  
*Biophytum Candolleum* Wight. Wight Illustr. 62.  
 — *Petersianum* Klotzsch. Peters Moss. 15.  
 — *sensitivum* DC. Rheede Hort. mal. 9, 19.  
*Biotia corymbosa* DC. Bot. Reg. 18, 1332.  
*Birchca teretifolia* A. Rich. Ann. sc. nat. II. 15, 10.  
*Birolia paludosa* Bell. Mem. Tur. 10, 11.  
*Bischoffia trifoliata* Hook. Hook. Ic. pl. 9, 844.  
*Bischofia oblongifolia* Decne. Jacquemont Indl. 154.  
 † *Biscutella* L. Mutel Fl. fr. 5. 6.  
 — *alpestris* W. et K. W. et Kit. 228.  
 — *ambigua* DC. Rchb. Ic. crit. 7, 618.  
 — — — var. Ann. Mus. 18, 15.  
 † — *apula* L. Gaertn. Carp. 141.  
 † — — — Schk. Handb. 182.  
 † — — — Lam. Encycl. 560.  
 — — — Rchb. Ic. crit. 7, 613.  
 † — *auriculata* L. Gaertn. Carp. 141.  
 † — — — Lam. Encycl. 560.  
 — — — Schk. Handb. 182.  
 — — — Rchb. Ic. crit. 7, 602.  
 — — — Rchb. Fl. germ. 2, 8.  
 † — — — Ann. Mus. 18, 7.  
 — *chilensis* Lag. Ann. Mus. 18, 12.  
 — *cichoriifolia* Lois. Ann. Mus. 18, 8.  
 — — — Rchb. Ic. crit. 7, 605.  
 — *ciliata* DC. Rchb. Ic. crit. 7, 610.  
 — — — Rchb. Fl. germ. 2, 8.  
 — *Columnae* DC. Sibth. Fl. gr. 629.  
 — *Ten.* Ten. Fl. nap. 162.  
 — — — Rchb. Ic. crit. 7, 612.  
 † — *coronopifolia* L. Schk. Handb. 182.  
 — — — Tratt. Arch. 263.  
 — — — DC. Ic. Gall. 39.  
 — — — Ann. Mus. 18, 14.  
 — — — Rchb. Ic. crit. 7, 617.  
 — — — Rchb. Fl. germ. 2, 8.  
 — *depressa* Willd. Rchb. Ic. crit. 7, 611.  
 — *dilatata* Vis. Visiani Stimp. dalm. 5.  
 — *erigerifolia* DC. Delessert Ic. 2, 55.  
 — — — Rchb. Ic. crit. 7, 603.  
 — *criocarpa* DC. Ann. Mus. 18, 15.  
 — *crucifolia* Rchb. Rchb. Ic. crit. 7, 607.  
 — *hispida* DC. Ann. Mus. 18, 7.  
 — — — Rchb. Ic. crit. 7, 604.  
 — — — Rchb. Fl. germ. 2, 8.  
 — — — Bot. Mag. 51, 2444.  
 — *incana* Ten. Ten. Fl. nap. 162.  
 — *laevigata* L. Jacq. Fl. austr. 4, 339.  
 — — — DC. Ic. Gall. 38.  
 — — — Tratt. Arch. 264.  
 — — — Schrank Fl. monac. 1, 94.  
 — — — Rchb. Ic. crit. 7, 616.  
 — — — Rchb. Fl. germ. 2, 8.  
 — *lucida* Balb. Ann. Mus. 18, 13.  
 — *lyrata* L. Rchb. Ic. crit. 7, 606.  
 — *maritima* Ten. Ten. Fl. nap. 61.  
 — — — Rchb. Ic. crit. 7, 608.  
 — *megalocarpa* Fisch. Ann. Mus. 18, 9.  
 — *montana* Cav. Cav. Ic. 177.  
 — — — Tratt. Arch. 265.  
 — *obcordata* Rchb. Rchb. Ic. crit. 7, 615.  
 — *obovata* Desf. Rchb. Ic. crit. 7, 614.  
 — *peruviana* Lam. Ann. Mus. 18, 10.  
 — *raphanifolia* Poir. Rchb. Ic. crit. 7, 609.  
 — *saxatilis* Schleich. Ann. Mus. 18, 16.  
 — — — Rchb. Ic. crit. 7, 619.  
 — — — Rchb. Fl. germ. 2, 8.  
 — *suffruticosa* DC. Ann. Mus. 18, 11.  
 † *Biserrula Pelecinus* L. Gaertn. Carp. 154.  
 † — — — Lam. Encycl. 622.

- Biserrula Pelecinus* L. Schk. Handb. 209.  
 — — — Sibth. Fl. gr. 737.  
*Bixa Orellana* L. Rumpf Amb. 2, 19.  
 † — — — Gaertn. Carp. 61.  
 † — — — Lam. Encycl. 469.  
 — — — Jacq. Schoenbr. 4, 483.  
 — — — Tuss. Ant. 2, 20.  
 — — — Desc. Ant. 1, 4.  
 — — — Hayne 9, 34.  
 — — — Dict. sc. nat. 149.  
 — — — Bot. Mag. 35, 1456.  
 — — — Wight Illustr. 17.  
 † *Blackburnia* Forst. Forst. Char. 6.  
 † *Blackwellia antarctica* Gaertn. Gaertn. Carp. 117.  
 † — *axillaris* Lam. Lam. Encycl. 412.  
 — *cerasifolia* Vent. Vent. Choix 56.  
 — *foetida* Wall. Delessert Ic. 3, 53.  
 — *glauca* Vent. Vent. Choix 55.  
 — *napalensis* DC. Wall. Pl. asiat. 179.  
 — *padiflora* Ldl. Bot. Reg. 16, 1308.  
 — *spiralis* Wall. Asiat. Res. 13, 14.  
 — *tetrandra* Wight. Wight Ic. pl. Ind. or. 5, 1851.  
 — *tomentosa* Vent. Vent. Choix 57.  
*Bladhia crispa* Thunb. Kaempfer Jap. 7.  
 — *japonica* Thunb. Thunb. Fl. jap. 18.  
 — — — Thunb. Diss. 1, 1.  
 † — — — Gaertn. Carp. 211.  
 — — — Lam. Encycl. 133.  
 — *villosa* Thunb. Thunb. Fl. jap. 19.  
 — — — Lam. Encycl. 133.  
 † *Blaeria articulata* L. Lam. Encycl. 78.  
 — — — Wendl. Coll. 44.  
 — *bracteata* Wendl. Wendl. Coll. 37.  
 — *ciliaris* L. fil. Wendl. Coll. 49.  
 — *dumosa* Don. Wendl. Coll. 38.  
 — *ericoides* L. Wendl. Coll. 25.  
 — *glabella* Willd. Wendl. Coll. 55.  
 — *paucifolia* Wendl. Wendl. Coll. 43.  
 — *pusilla* L. Wendl. Coll. 79.  
 — *scabra* Willd. Wendl. Coll. 31.  
 † *Blairia javanica* Gaertn. Gaertn. Carp. 56.  
 † — *mexicana* Gaertn. Gaertn. Carp. 56.  
 † — *nodiflora* Gaertn. Gaertn. Carp. 56.  
*Blakea quinquenervia* Aubl. Aubl. Guiana 210.  
 — *trinervia* L. Lam. Encycl. 406.  
 — — — Bot. Mag. 13, 451.  
 — — — Tuss. Ant. 3, 24.  
 — — — Kern. Rich. 799.  
*Blanchetia heterotricha* DC. DC. Compos. 2.  
*Blandfordia cordata* Andr. Andr. Rep. 5, 343.  
 — *flammea* Ldl. Paxt. Mag. 16, 354.  
 — — — Fl. d. serres 6, 585.  
 — *grandiflora* R. Br. Bot. Reg. 11, 924.  
 — — — Paxt. Mag. 7, 219.  
 — *marginata* Herb. Bot. Reg. 31, 18.  
 — *nobilis* Sm. Smith Exot. Bot. 4.  
 — — — Bot. Reg. 4, 286.  
 — — — Bot. Mag. 45, 2003.  
 — — — Rchb. Exot. 91.  
 — — — Endl. Iconogr. 27.  
 — — — Hart. Parad. 2, 3.  
*Blansia icosandra* Wight et Arn. Wight Ic. pl. Ind. or. 1, 2.  
 † *Blechnum* L. Féc. Fil. 5, 5.  
 — *australe* L. Schk. Fil. 110<sup>b</sup>.  
 — *boreale* Sm. Curt. Lond. 2, 18.  
 — — — Engl. Bot. 17, 1159.  
 — — — Schk. Fil. 110.  
 — — — Sturm Flora II. 3, 6.  
 — — — Newm. p. 89. 90.  
 — *Boryanum Schlecht.* Schlechtendal Fil. 19.  
 — *calophyllum* L. et F. Langsd. et F. 23.

- Blechnum capense* *Schlecht.* Schlechtendal Fil. 18.  
 — *cartilagineum* *Sw.* Schk. Fil. 108<sup>b</sup>.  
 — *ceterachinum* *Raddi.* Raddi Fil. 60.  
 — *corcovadense* *Raddi.* Raddi Fil. 61. 61<sup>b</sup>.  
 — *Finlaysonianum* *Wall.* Hook. Ic. Fil. 225.  
 — *Fontanesianum* *Gaudch.* Freycinet Voyage 15.  
 — *giganteum* *Schlecht.* Schlechtendal Fil. 20.  
 — *glandulosum* *Lk.* Kunze Fil. 58.  
 — *gracile* *Lodd.* Lodd. Cab. 1905.  
 — *intermedium* *Lk.* Kunze Fil. 57.  
 — *japonicum* *Thunb.* Thunb. Fl. jap. 35.  
 — *Kaulfussianum* *Gaudchd.* Gaudichaud Bonite 78.  
 — *Lanceola* *Sw.* Lodd. Cab. 1592.  
 — — *Bot. Mag.* 60, 3240.  
 — — *Kunze* Fil. 57.  
 — *lanceolatum* *Raddi.* Raddi Fil. 60.  
 — *longifolium* *H. B. K.* Bot. Mag. 55, 2818.  
 — *occidentale* *L.* Jacq. Ic. 644.  
 — — *Lam. Encycl.* 869.  
 — — *Hook. Gen.* Fil. 54.  
 † — *orientale* *L.* Schk. Fil. 109.  
 — *pectinatum* *Hook.* Hook. Ic. pl. 1, 95.  
 — *polypodioides* *Raddi.* Raddi Fil. 60.  
 — — *Kunze* Fil. 58.  
 — *procerum* *Lab.* Bill. Nov. Holl. 247.  
 — *pubescens* *Hook.* Hook. Ic. pl. 1, 97.  
 — *punctulatum* *Sw.* Schlechtendal Fil. 21. 22.  
 — *scandens* *Bory.* Bory Coquille 36.  
 — *seminudum* *Willd.* Willd. Phyt. 8.  
 — *serrulatum* *Michx.* Schk. Fil. 108.  
 — — *Dict. sc. nat.* 88.  
 — *stramineum* *Lab.* Bill. Sertum 3.  
 — *Souleyetianum* *Gaudch.* Gaudichaud Bonite 2. 134.  
 — *squarrosom* *Gaudch.* Gaudichaud Bonite 2.  
 — *stagninum* *Raddi.* Raddi Fil. 62.  
 — *trilobum* *Presl.* Presl Reliq. 9.  
 — — *Hook. Ic.* Fil. 192.  
 — *unilaterale* *Sw.* Mag. nat. Fr. 4, 3.  
 — *volubile* *Kaulf.* Kunze Anal. 13.  
*Blechnum Anisophyllum* *Juss.* Ann. Mus. 9, 21.  
 † — *Brownei* *Juss.* Ann. Mus. 9, 21.  
*Blennosperma chilense* *Less.* Gay Chile 48.  
*Blepharis asperrima* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1534.  
 — *boerhaviaefolia* *Juss.* Wight Ic. pl. Ind. or. 2, 458.  
 † — — *Wight Illustr.* 164<sup>b</sup>.  
 — *pungens* *Klotzsch.* Peters Mossamb. 33.  
*Blepharispermum petiolare* *DC.* Delessert Ic. 4, 19.  
 — — *Wight Ic.* pl. Ind. or. 3, 1092.  
 — *subsessile* *DC.* Delessert Ic. 4, 19.  
 — — *Wight Ic.* pl. Ind. or. 3, 1093.  
*Blepharodon lineare* *Decne.* Delessert Ic. 5, 80.  
 † *Bletia* *Rz et P.* Rz et Pav. Prodr. 26.  
 — *acutipetala* *Hook.* Bot. Mag. 60, 3217.  
 — *angustifolia* *Gaudchd.* Freycinet Voyage 32.  
 — *florida* *R. Br.* Bot. Reg. 17, 1401.  
 — *Gebina* *Ldl.* Bot. Reg. 33, 60.  
 — *gracilis* *Lodd.* Lodd. Cab. 1977.  
 — — *Bot. Reg.* 20, 1681.  
 — *humilis* *Lk.* Link Ic. II. 27.  
 — *hyacinthina* *R. Br.* Lodd. Cab. 1968.  
 — — *Rehb. Exot.* 118.  
 — *pallida* *Lodd.* Lodd. Cab. 629.  
 — *Parkinsoni* *Hook.* Bot. Mag. 66, 3736.  
 — *patula* *Hook.* Bot. Mag. 63, 3518.  
 — *reflexa* *Ldl.* Bot. Reg. 21, 1760.  
 — *sanguinea* *P. et E.* Poepp. et Endl. 95.  
 — *Shepherdii* *Hook.* Bot. Mag. 61, 3319.  
 — — *Paxt. Mag.* 2, 146.  
 — *Tankervilleae* *R. Br.* Lodd. Cab. 20.  
 — — *Bauer Orch.* 1. 6.  
 — — *Bot. Mag.* 44, 1924.  
*Bletia Tankervilleae* *R. Br.* Savi Fl. ital. 3, 115.  
 † — *verecunda* *R. Br.* Bauer Orch. 8. 9. 10.  
 — *Woodfordii* *Hook.* Bot. Mag. 54, 2719.  
 — — *Rehb. Exot.* 63.  
*Blighia sapida* *Konig.* Konig Ann. 2, 16—17.  
 — — *Lodd. Cab.* 1464.  
*Blinckworthia lyeioides* *Choisy.* Mem. Genev. 6, 5.  
 † *Blitum* *L.* Kern. Gen. 90.  
 — *Bonus Henricus* *C. A. M.* Sturm Flora 17, 74.  
 † — *capitatum* *L.* Gaertn. Carp. 126.  
 — — *Sturm Flora* 1, 2. 17, 74.  
 † — — *Nees Gen.* 4, 58.  
 — *glaucum* *Koch.* Sturm Flora 17, 75.  
 — *rubrum* *Rehb.* var. Sturm Flora 17, 74.  
 — *Sanguisorba* *Schk.* Schk. Handb. 300.  
 — *virgatum* *L.* Schk. Handb. 1.  
 † — — *Lam. Encycl.* 5.  
 — — *Bot. Mag.* 8, 276.  
 — — *Sturm Flora* 1, 2. 17, 74.  
 — — *Dict. sc. nat.* 19.  
 † — — *Schnizl. Ic.* 2, 101.  
*Blumea alata* *DC.* Wight Ic. pl. Ind. or. 3, 1101.  
 — — *Wight Spicil.* 109.  
 — *anagallidifolia* *DC.* Rheede Hort. mal. 10, 17.  
 — *Belangeriana* *DC.* Belanger Ind. or. 0.  
 — *elongata* *DC.* Delessert Ic. 4, 25.  
 — *hieracifolia* *DC.* Wight Ic. pl. Ind. or. 3, 1099.  
 — *Musra* *DC.* Delessert Ic. 4, 23.  
 — *pterodonta* *DC.* Wight Ic. pl. Ind. or. 3, 1100.  
 — *senecioides* *DC.* Delessert Ic. 4, 24.  
*Blumenbachia insignis* *Schrad.* Schrad. Blumenbachia 1.  
 — — *Bot. Mag.* 55, 2865.  
 — — *Rehb. Hort.* 121.  
 — — *Sweet Fl. G.* 171.  
 — *latifolia* *Camb.* St. Hil. Fl. Bras. 118.  
 — *multifida* *Hook.* Bot. Mag. 64, 3599.  
*Blysmus brevifolius* *Decne.* Jacquemont Ind. 173.  
 — *compressus* *Panz.* Rehb. Fl. germ. 8, 293.  
 † — — *Nees Gen.* 2, 16.  
 — — *Baxter Brit. Bot.* 4, 308.  
 — *rufus* *Lk.* Rehb. Fl. germ. 8, 293.  
 † — — *Nees Gen.* 2, 16.  
*Blyxa Auberti* *Rich.* Mem. Instit. 1811, 4.  
 — *Roxburghii* *Rich.* Mem. Instit. 1811, 5.  
 † *Bobartia indica* *L.* Lam. Encycl. 40.  
*Bohea elatior* *Gaudch.* Freycinet Voyage 93.  
*Bocagea celebica* *Bl.* Blume Java 1, 43.  
 — *corymbosa* *Bl.* Blume Java 1, 41.  
 — *enneandra* *Spr.* Blume Java 1, 42.  
 — *hexandra* *Bl.* Blume Java 1, 40.  
 — *latifolia* *Bl.* Blume Java 1, 44.  
 — *multiflora* *Mart.* Endl. Bras. 2, 14.  
 — *pisocarpa* *Bl.* Blume Java 1, 45.  
 — *viridis* *St. Hil.* St. Hil. Fl. Bras. 9.  
*Bocconia cordata* *Jacq.* Jacq. Fragm. 93.  
 — — *Tratt. Arch.* 213.  
 — — *Willd.* Bot. Mag. 44, 1905.  
 † — *frutescens* *L.* Gaertn. Carp. 44.  
 † — — *Lam. Encycl.* 394.  
 — — *Tratt. Arch.* 212.  
 — — *Lodd. Cab.* 83.  
 — — *Desc. Ant.* 1, 54.  
 — *integrifolia* *H. B.* Humb. Pl. aeq. 35.  
*Bocoa provassensis* *Aubl.* Aubl. Guiana 391.  
 † *Boea magellanica* *Lam.* Lam. Encycl. 15.  
*Boebera incana* *Ldl.* Bot. Reg. 19, 1602.  
 † *Boehmeria* *Jacq.* Swartz Fl. Ind. 6.  
 — *australis* *Endl.* Endl. Iconogr. 86.  
 — *Candolleana* *Gaudch.* Freycinet Voyage 118.  
 — *caudata* *Lam.* Boup. Malm. 15.  
 — — *Dict. sc. nat.* 283.  
 — *elongata* *Fisch.* Jacq. Ecl. pl. 135.

- Boehmeria hypoleuca* Hochst. Ferret Abyssin. 17.  
 — *interrupta* Willd. Rheede Hort. mal. 2, 40.  
 — *nivea* Hook. Hook. Journ. 1851, 8.  
 — *Puya* Hook. Hook. Journ. 1851, 7.  
 — *ramiflora* Sw. Jacq. Hist. stirp. am. 236.  
 † — *rubescens* Jacq. Jacq. Fragm. 5.  
*Boelia sphaerocarpa* Webb. var. Webb Otia 15. 16.  
*Boerhavia caribaea* Jacq. Jacq. Observ. 84.  
 — *diandra* L. Burm. Fl. ind. 1.  
 — *erecta* L. Burm. Fl. ind. 1.  
 † — — Gaertn. Carp. 127.  
 — — Jacq. Vind. 5. 6.  
 — *foliis ovatis* Desc. Desc. Ant. 3, 206.  
 — *hirsuta* L. Jacq. Vind. 7.  
 — *plumbaginea* Cav. Cav. Ic. 112.  
 — — Willk. Ic. ined.  
 — *procumbens* Roxb. Rheede Hort. mal. 7, 56.  
 — — Wight Ic. pl. Ind. or. 3, 874.  
 — *repanda* Willd. Wight Ic. pl. Ind. or. 5, 1766.  
 — *repens* L. Delile Egypte 3.  
 † — *scandens* L. Gaertn. Carp. 127.  
 † — — Lam. Encycl. 4.  
 — — Jacq. Vind. 4.  
 — *stellata* Wight. Wight Ic. pl. Ind. or. 3, 875.  
 — *viscosa* Jacq. Jacq. Fragm. 46.  
 † *Bohadschia Scop.* Medicus Gatt. 1.  
 — *humifusa* Presl. Presl Reliq. 68.  
*Bojeria speciosa* DC. DC. Compos. 3.  
 † *Boisduvalia Douglasia* Spach. Nouv. Ann. Mus. 4, 31.  
 — *Tocarnalii* Gay. Gay Chile 24.  
*Boissieria bromoides* Hochst. Jaubert Illustr. 197.  
 † *Bolantium Kaulf.* Kaulfuss Enumeratio 1.  
*Bolax Commers.* Ann. gen. 4, 51.  
 — *caespitosa* Hombr. Richard Astrolabe 15.  
 — *Gilliesii* Hook. Hook. Bot. Misc. 63.  
 † — *Glebaria* Commers. Ann. sc. nat. 5, 3.  
 — — Hook. Ic. pl. 5, 492.  
 — — Richard Astrolabe 15.  
 † *Bolbitis serratifolia* Schott. Schott Gen. Fil. 19.  
*Boldoa fragrans* Juss. Bot. Reg. 31, 57.  
*Boleum asperum* Desv. Desv. Journ. 5, 26.  
 † *Bolivaria Chamisso*. Linnaea 1, 4.  
*Boltonia asteroides* Ait. Bot. Mag. 52, 2554.  
 — *glastifolia* L'her. Bot. Mag. 50, 2381.  
 † *Bomarea Mirbel.* Herbert Amar. 36.  
 † — *acutifolia* Herb. Herbert Amar. 1.  
 — — var. Bot. Mag. 67, 3871.  
 † — *amoena* Herb. Herbert Amar. 46.  
 † — *aurantiaca* Herb. Herbert Amar. 46.  
 † — *bracteata* Herb. Herbert Amar. 3.  
 † — *caracensis* Herb. Herbert Amar. 16.  
 † — *cornigera* Herb. Herbert Amar. 17.  
 † — *cornuta* Herb. Herbert Amar. 17.  
 † — *crinita* Herb. Herbert Amar. 15.  
 † — *cumbrens* Herb. Herbert Amar. 18.  
 † — *densiflora* Herb. Herbert Amar. 46.  
 † — *dispar* Herb. Herbert Amar. 19.  
 † — *ebrecteata* Herb. Herbert Amar. 18.  
 † — *Fanningiana* Herb. Herbert Amar. 16.  
 † — *fimbriata* Herb. Herbert Amar. 18.  
 † — *formosissima* Herb. Herbert Amar. 14.  
 † — *glomerata* Herb. Herbert Amar. 15.  
 † — *Halliana* Herb. Herbert Amar. 10.  
 † — *hirtella* Herb. Herbert Amar. 1.  
 † — *Hookeriana* Herb. Herbert Amar. 46.  
 † — *lutea* Herb. Herbert Amar. 5.  
 † — *lyncina* Herb. Herbert Amar. 46.  
 † — *macrocarpa* Herb. Herbert Amar. 4.  
 † — *maranensis* Herb. Herbert Amar. 17.  
 † — *nobilis* Herb. Herbert Amar. 15.  
 † — *obovata* Herb. Herbert Amar. 14.  
 † — *paltarumensis* Herb. Herbert Amar. 18.

- † *Bomarea pardina* Herb. Herbert Amar. 14.  
 † — *patacocensis* Herb. Herbert Amar. 14.  
 † — *praecipua* Herb. Herbert Amar. 14.  
 † — *salsilla* Herb. Herbert Amar. 16.  
 † — *simplex* Herb. Herbert Amar. 15.  
 — — Bot. Mag. 67, 3863.  
 † — *subfalcata* Herb. Herbert Amar. 16.  
 † — *superba* Herb. Herbert Amar. 6.  
 † — *Tatiana* Herb. Herbert Amar. 15.  
*Bombax buonopozense* Pal. B. Pal. Fl. d'Ow. 83.  
 † — *Ceiba* L. Cav. Diss. 152.  
 † — *erianthos* Cav. Cav. Diss. 152.  
 — *globosum* Aubl. Aubl. Guiana 281.  
 — — Cav. Diss. 155.  
 — *Gossypium* L. Cav. Diss. 156.  
 † — *grandiflorum* Cav. Cav. Diss. 154.  
 — *heptaphyllum* L. Tuss. Ant. 4, 14.  
 — — Roxb. Corom. 247.  
 — *insigne* Wall. Wall. Pl. asiat. 79 — 80.  
 — *malabaricum* DC. Rheede Hort. mal. 3, 52.  
 — — Wight Illustr. 29<sup>a</sup>, 29<sup>b</sup>.  
 — *Munjuba* Mart. Mart. Bras. 99.  
 — *orientale* Spr. Kern. Hort. 851.  
 — *parviflorum* Mart. Mart. Bras. 57.  
 — *pentandrum* L. Rumpf. Amb. 1, 80.  
 — — Jacq. Hist. stirp. am. 182.  
 — — Cav. Diss. 151.  
 † — — Lam. Encycl. 587.  
 — — Desc. Ant. 4, 247.  
 — *pubescens* Mart. Mart. Bras. 59.  
 — — Rehb. Exot. 126.  
 † — *pyramidale* Cav. Cav. Diss. 153.  
 — — Desc. Ant. 4, 263.  
 — *retusum* Mart. Mart. Bras. 59.  
*Bombycospermum mexicanum* Presl. Presl Reliq. 71.  
*Bonamia madagascariensis* Aub. Aubert Iles d'Afr. 5.  
 — — Lam. Encycl. 917.  
*Bonapartea juncea* Rz et P. Ruiz et Pav. Fl. 262.  
 — *strobilantha* Rz et P. Ruiz et Pav. Fl. 263.  
 † *Bonatea speciosa* Willd. Bauer Orch. (Gen.) 12. 13.  
 — — Lodd. Cab. 284.  
 — — Bot. Mag. 56, 2926.  
 † *Bonduc canadense* Med. Medicus Theod. 2.  
 † — *majus* Med. Medicus Theod. 3.  
 † — *minus* Med. Medicus Theod. 2.  
*Bongardia Chrysogonum* Spach. Jaub. Illustr. 396.  
*Bonjencia hirsuta* Rehb. Rehb. Ic. crit. 10, 1000.  
*Bonnaya brachiata* Benth. Rheede Hort. mal. 9, 59.  
 — *Lk.* Link Ic. I. 11.  
 — *hyssopioides* Benth. Wight Ic. pl. Ind. or. 3, 857.  
 — *integrifolia* Dillw. Rheede Hort. mal. 9, 57.  
 — *minima?* G. Don. Wight Ic. pl. Ind. or. 3, 858.  
 — *veronicaefolia* Spr. Wight Ic. pl. Ind. or. 4, 1411.  
 — *verbenaefolia* Spr. Wight Ic. pl. Ind. or. 4, 1412.  
 † *Bonnetia Schreb.* Swartz Fl. Ind. 19.  
 — *anceps* Mart. Mart. Bras. 100.  
 — *stricta* N. v. E. et M. Acta Leop. 12. 1, 6.  
*Bonplandia Angostura* Spr. Mem. Instit. 1811, 10.  
 — *geminiflora* Cav. Cav. Ic. 532.  
 — — Bot. Reg. 2, 92.  
 — *trifoliata* Willd. Mem. Acad. Berol. 1802, 1.  
 — — Humb. Pl. aeq. 97.  
 — — Lam. Encycl. 923.  
 — — Tratt. Arch. 17. 17<sup>a</sup>.  
 — — Hayne 1, 18.  
 — — Nees Düssel. 382.  
 — — Woody. Med. 5, 33.  
 † *Bontia daphnoides* L. Gaertn. Carp. 212.  
 † — — Lam. Encycl. 546.  
 — — Desc. Ant. 6, 386.  
 † — *minor* Gaertn. fl. Gaertn. Carp. 212.  
*Boopis alpina* P. et E. Poepp. et Endl. 33.

- Boopis anthemoides* Juss. Ann. Mus. 2, 58.  
 † — — Mem. Mus. 6, 11.  
 — — leucanthera P. et E. Poepp. et Endl. 34.  
*Bootia glutinosa* Rehb. Rehb. Fl. germ. 6, 243.  
 — — ocymoides Neck. Rehb. Fl. germ. 6, 243.  
*Boottia cordata* Wall. Wall. Pl. asiat. 65.  
 † *Boquila trifoliata* Decne. Arch. Mus. 1, 11.  
 † *Boragineae* Juss. Wight Illustr. 142.  
*Borago crassifolia* Vent. Vent. Cels 100.  
 — — cretica Willd. Desf. Choix 17.  
 — — — Ann. Mus. 10, 34.  
 — — — Sibth. Fl. gr. 176.  
 † — — indica L. Gaertn. Carp. 67.  
 † — — — Lam. Encycl. 94.  
 — — laxiflora DC. Bot. Mag. 43, 1798.  
 — — longifolia Poir. Poir. Reise 2.  
 — — — Desf. Fl. atl. 44.  
 † — — officinalis L. Lam. Encycl. 94.  
 — — — Engl. Bot. 1, 36.  
 — — — Woodv. Med. 2, 110.  
 — — — Baxter Brit. Bot. 1, 66.  
 — — — Schk. Handb. 31.  
 — — — Hayne 3, 38.  
 — — — Sturm Flora 2, 8.  
 — — — Dietr. Fl. bor. 2, 94.  
 † — — — Nees Gen. 6, 69.  
 — — — orientalis L. Bot. Reg. 4, 288.  
 — — — Sibth. Fl. gr. 175.  
 — — — zeylanica L. Burm. Fl. ind. 14.  
 — — — Jacq. Ic. 314.  
*Borassus flabelliformis* L. Rheede Hort. mal. 1, 9, 10.  
 — — — Rumpf Amb. 1, 10.  
 † — — — Lam. Encycl. 898.  
 — — — Roxb. Corom. 71, 72.  
 † — — — Kern. Gen. 178—183.  
 — — — Mart. Palm. 108, 121, 162.  
 — — — pinnatifrons Jacq. Jacq. Schoenbr. 2, 147, 148.  
*Borbonia alata* Willd. Willd. Hort. 48.  
 — — barbata Lam. Lam. Encycl. 619.  
 — — cordata L. Jacq. Schoenbr. 2, 218.  
 — — — Andr. Andr. Rep. 1, 31.  
 — — cordifolia Lam. Lam. Encycl. 619.  
 — — crenata L. Bot. Mag. 8, 274.  
 — — — Herb. amat. 4, 222.  
 † — — cupularis Gaertn. fil. Gaertn. Carp. 222.  
 † — — globosa Gaertn. Gaertn. Carp. 222.  
 — — laevigata L. Lodd. Cab. 247.  
 — — lanceolata L. Jacq. Schoenbr. 2, 217.  
 — — — Lodd. Cab. 81.  
 — — perfoliata Thunb. Thunberg Diss. 0.  
 — — ruscifolia Sims. Bot. Mag. 47, 2128.  
 — — serrulata Thunb. Thunberg Diss. 0.  
 — — undulata Thunb. Thunberg Diss. 0.  
*Boreava orientalis* Jaub. Jaubert Illustr. 2.  
*Borkhausenia lucida* Roth. Roehling Borkh. 0.  
*Borkhausia foetida* DC. Baxter Brit. Bot. 6, 467.  
*Boronia alata* Sm. Sweet Austr. 48.  
 — — — Lodd. Cab. 1833.  
 — — anemonaefolia Cunn. Paxt. Mag. 9, 123.  
 — — crenulata Sm. Bot. Mag. 68, 3915.  
 — — — Bot. Reg. 24, 12.  
 — — — Paxt. Mag. 4, 267.  
 — — denticulata Sm. Lodd. Cab. 1377.  
 — — — Bot. Reg. 12, 1000.  
 — — floribunda Sieb. Rehb. Hort. 71.  
 — — Fraseri Hook. Bot. Mag. 70, 4052.  
 — — ledifolia Gay. Paxt. Mag. 8, 123.  
 — — — Rehb. Hort. 74.  
 — — microphylla Sieb. Rehb. Hort. 72.  
 — — nana Hook. Hook. Ic. pl. 3, 270.  
 — — parviflora Sm. Smith Tracts 6.  
 — — — Roem. Arch. III. 3.

- Boronia pilonema* Lab. Bill. Nov. Holl. 126.  
 — — — Lam. Encycl. 944.  
 — — pilosa Lab. Nov. Holl. 124.  
 — — — Lam. Encycl. 944.  
 — — pinnata Sm. Smith Tracts 4.  
 — — — Roemer Arch. III. 3.  
 — — — Andr. Rep. 1, 58.  
 — — — Lodd. Cab. 473.  
 — — — Maund Bot. 2, 99.  
 — — — Vent. Malm. 38.  
 — — — Bot. Mag. 42, 1763.  
 † — — — Mem. Mus. 12, 22.  
 — — polygalacfolia Sm. Smith Tracts 7.  
 — — — Roemer Arch. III. 3.  
 † — — — Gaertn. Carp. 211.  
 — — rhomboidea Hook. Hook. Ic. pl. 8, 722.  
 — — serrulata Sm. Smith Tracts 5.  
 — — — Roemer Arch. III. 3.  
 — — — Lodd. Cab. 997.  
 — — — Sweet Austr. 19.  
 — — — Bot. Reg. 10, 842.  
 — — — Paxt. Mag. 1, 173.  
 — — tetrandra Lab. Bill. Nov. Holl. 125.  
 — — — Lam. Encycl. 944.  
 — — — Paxt. Mag. 16, 227.  
 — — — Paxt. Fl. G. 8.  
 — — triphylla Sieb. Rehb. Hort. 73.  
 — — —  $\beta$ . latifolia, Bot. Reg. 27, 47.  
*Borreria penicillata* Miq. Miq. Surin. 51.  
 — — suaveolens Meyer. Meyer Essequib. 1.  
*Borya lucens* Lab. Lam. Encycl. 936.  
 — — nitida R. Br. Bill. Nov. Holl. 107.  
 — — scirpoidea Ldl. Lindley Swan River 9.  
*Boschia excelsa* Korth. Korthals Bot. 69.  
*Boscia angustifolia* Rich. Guill. Fl. Seneg. 6.  
 — — senegalensis Lam. Lam. Encycl. 395.  
 † *Bosea Yervamora* L. Gaertn. Carp. 77.  
 † — — — Lam. Encycl. 182.  
 — — — Jacq. Ecl. pl. 25.  
*Bossiaea cinerea* R. Br. Bot. Reg. 4, 306.  
 — — coccinea H. B. Bonpl. Malm. 52.  
 — — cordifolia Sweet. Sweet Austr. 20.  
 — — disticha Ldl. Bot. Reg. 27, 55.  
 — — ensata Sieb. Sweet Austr. 51.  
 — — heterophylla Vent. Vent. Cels 7.  
 — — — Sm. Lodd. Cab. 271.  
 — — lanceolata Sims. Bot. Mag. 28, 1144.  
 — — lenticularis Sieb. Lodd. Cab. 1238.  
 — — linophylla R. Br. Lodd. Cab. 174.  
 — — — Maund Bot. 2, 68.  
 — — — Bot. Mag. 51, 2491.  
 — — microphylla Sm. Lodd. Cab. 656.  
 — — paucifolia Benth. Bot. Reg. 29, 63.  
 — — prostrata R. Br. Bot. Mag. 36, 1493.  
 — — rhombifolia Sieb. Sweet Austr. 9.  
 — — rufa Lodd. Lodd. Cab. 1119.  
 — — — R. Br. Maund Bot. 2, 81.  
 — — scolopendria Sm. Bot. Mag. 30, 1235.  
 — — Scolopendrium R. Br. Lodd. Cab. 1747.  
 — — tenuicaulis Grah. Bot. Mag. 68, 3895.  
 — — virgata Hook. Bot. Mag. 69, 3986.  
*Boswellia glabra* Roxb. Rumpf Amb. 2, 50.  
 — — — Roxb. Corom. 207.  
 — — hirsuta Sm. Rumpf Amb. 2, 51.  
 — — papyrifera Dill. et Rich. Richard Abyss. 33.  
 — — serrata Roxb. Stackh. Extr. 3.  
 † — — — Linn. Tr. 15, 5.  
 — — — Hayne 10, 46.  
 — — — Nees Düsseld. 353.  
 — — — Colebr. Guimp. et Schl. 203.  
 — — — Woodv. Med. 5, 32.  
*Botrophis serpentaria* Rafin. Rafin. Med. 16.



- † *Botryanthe Klotzsch*. Wiegmann Archiv 7, 9.  
*Botryanthus Sauli Jaub.* Jaubert Illustr. 329.  
*Botryceras laurinum Willd.* Mag. nat. Fr. 5, 10.  
† *Botryogramme Karwinskii Fée.* Fée Fil. 5, 15.  
*Botryolotus persicus Jaub.* Jaubert Illustr. 63.  
*Botryopteris mexicana Presl.* Presl Reliq. 12.  
*Botrychium daucifolium Wall.* Hook. Ic. Fil. 161.  
— *decompositum M. et G.* Acad. Brux. 15, 1.  
— *dissectum Spr.* Schk. Fil. 153.  
† — *Kannenbergii Klinsm.* Bot. Zeitung 1852, 6.  
— *lanuginosum Wall.* Hook. Ic. Fil. 79.  
— *Lunaria Sw.* Curt. Lond. 4, 66.  
— — — Sv. Bot. 372.  
— — — Dict. sc. nat. 98.  
† — — — Hook. Gen. Fil. 47.  
— — — Newman p. 337.  
— — — Schk. Fil. 154.  
— — — Schrank Fl. monac. 4, 348.  
— — — Flora 1822, 1.  
— — — Nees Düsseld. 14.  
— — — Stempel Fil. 1.  
— — — Schnizl. Ic. 1, 32.  
— *lunarioides Sw.* Schk. Fil. 157.  
— *rutaceum Sw.* Sv. Bot. 372.  
— — — Schk. Fil. 155.  
— *simplex Hitch.* Silliman Journ. 6, 8.  
— — — Hook. Ic. Fil. 82.  
— *ternatum Sw.* Kunze Fil. 121.  
— *virginicum Sw.* Schk. Fil. 156.  
— — — Sv. Bot. 665.  
*Bottionea thysanotoiodes Colla.* Mem. Tur. 37, 11.  
*Boucerosia campanulata Wight.* Wight Ic. pl. 4, 1287.  
— *diffusa Wight.* Wight Ic. pl. Ind. or. 4, 1599.  
— *lasiantha Wight.* Wight Ic. pl. Ind. or. 4, 1286.  
— *Mumbyana Decne.* Explor. Alger. 62.  
— *umbellata W. et A.* Wight Ic. pl. Ind. or. 2, 495.  
*Bouchea copiapensis Clos.* Gay Chile 55.  
† — *hydrabadensis Walp.* Wight Illustr. 173<sup>b</sup>.  
— — — Wight Ic. pl. Ind. or. 4, 1462.  
— *laetevirens Schauer.* Endl. Bras. 10, 33.  
— *marrubifolia Schauer.* Wight Ic. pl. Ind. or. 4, 1461.  
*Bougainvillea = Buginivillea Commers.*  
*Bougueria nubicola Dec.* Hook. Lond. J. 1845, 19.  
*Boussingaultia baselloides H. B. K.* H. B. K. Nov. Gen. 7, 645<sup>b</sup>.  
— — — Bot. Mag. 64, 3620.  
*Bouvardia angustifolia H. B.* Paxt. Mag. 7, 99.  
— *Cavanillesii DC.* Journ. Hort. Soc. 3, 246.  
— *flava DC.* Bot. Reg. 32, 32.  
— — — Fl. d. serres 1, 38.  
— *leiantha Benth.* Lem. Jard. fl. 139.  
— — — Belgique hort. 2, 6.  
— *longiflora H. B. K.* Bot. Mag. 72, 4223.  
— — — Fl. d. serres 2, 59.  
— *splendens Hook.* Bot. Mag. 66, 3781.  
— *triflora H. B. K.* H. B. K. Nov. Gen. 3, 288.  
— *triphylia Salisb.* Salisb. Parad. 89.  
— — — Bot. Reg. 2, 107.  
— — — Bot. Mag. 43, 1854.  
— — — var. *splendens*, Bot. Reg. 26, 37.  
— *versicolor Ker.* Bot. Reg. 3, 245.  
*Bowiea africana Haw.* Mem. Genev. 6, 2.  
† *Bowlesia Rz et P.* Ruiz et Pav. Prodr. 34.  
— *elegans Clos.* Gay Chile 30.  
— *geniculata Spr.* Spreng. Umbellif. 5.  
— *incana Rz et P.* Ruiz et Pav. Fl. 268.  
— — — Spreng. Umbellif. 5.  
— *lobata Rz et P.* Ruiz et Pav. Fl. 251.  
— *oppositifolia Poir.* Lam. Encycl. 934.  
— *palmata Rz et P.* Ruiz et Pav. Fl. 251.  
† — — — Ann. gen. 4, 51.  
*Bowlesia tenera Spr.* Link Ic. II. 4.  
— *uncinata Colla.* Mem. Tur. 37, 19.  
*Bowmania verbascifolia Gardn.* Hook. Ic. pl. 6, 519—520.  
† *Boymia rutacearpa Juss.* Mem. Mus. 12, 25.  
— — — Sieb. Jap. 21.  
† *Brabejum stellulifolium L.* Gaertn. Carp. 217.  
— — — Lam. Encycl. 847.  
† *Brachycarpaea linifolia Eckl. et Z.* Sonder Helioph. 29.  
— *varians DC.* Delessert Ic. 2, 100.  
*Brachycome diversifolia DC.* Bot. Reg. 12, 1025.  
— *iberidifolia Benth.* Bot. Reg. 27, 9.  
— — — Bot. Mag. 67, 3876.  
— — — Maund Bot. 5, 230.  
— — — Belgique hort. 1, 11.  
† *Brachyglottis Forst.* Forster Charact. 46.  
— *claeagnifolia Hook. fil.* Hook. New Zeal. 41.  
† — *repanda Forst.* Lam. Encycl. 677.  
— — — Hook. New Zeal. 40.  
*Brachylepis elatior C. A. M.* Acad. Pet. 6, 15.  
— *nervosa Wight et A.* Wight Ic. pl. Ind. or. 4, 1284.  
† — — — Wight Illustr. 182.  
— — — Delessert Ic. 5, 56.  
— *salsa Led.* Ledeb. Ic. 48.  
*Brachyolobus pyrenaicus All.* All. Fl. ped. 3, 18.  
— *silvestris All.* All. Fl. ped. 3, 56.  
† *Brachypodium Pal. Beauv.* Dumortier Gram. 3.  
— *caespitosum R. et Sch.* Rchb. Fl. germ. 1, 17.  
— *distachyum R. et Sch.* Sturm Flora 19, 86.  
† — *festucoides Lk.* Nees Gen. 1, 70.  
— *gracile Pal. B.* Rchb. Fl. germ. 1, 16.  
— *Hälleri R. et Sch.* Rchb. Fl. germ. 1, 15.  
— *obtusifolium Boiss.* Boissier Esp. 180.  
— *pinnatum Pal. B.* Sv. Bot. 739.  
— — — Rchb. Fl. germ. 1, 16, 17.  
— — — Baxter Brit. Bot. 6, 448.  
† — — — Nees Gen. 1, 70.  
— *Plukenetii Lk.* Rchb. Fl. germ. 1, 18.  
— *ramosum R. et Sch.* Rchb. Fl. germ. 1, 18.  
— *tenellum M. v. B.* Rchb. Fl. germ. 1, 14.  
— *unilaterale R. et Sch.* Rchb. Fl. germ. 1, 15.  
*Brachypterum scandens Benth.* Wight Ic. pl. 1, 275.  
*Brachypterys australis Juss.* Delessert Ic. 3, 34.  
† — *borealis Juss.* Arch. Mus. 3, 11.  
*Brachyramphus Heyneanus Wight.* Wight Ic. pl. Ind. or. 3, 1146.  
— *obtusum DC.* Delessert Ic. 4, 96.  
*Brachyris dracunculoides DC.* Mem. Genev. 7, 1.  
— *microcephala DC.* Hook. Ic. pl. 2, 147.  
— *ramosissima Hook.* Hook. Ic. pl. 2, 142.  
*Brachysema aphyllum Hook.* Bot. Mag. 75, 4481.  
— — — Fl. d. serres 5, 533.  
— *lanceolatum Meisn.* Bot. Mag. 78, 4652.  
— — — Lem. Jard. fl. 3, 301.  
— *latifolium R. Br.* Bot. Mag. 45, 2008.  
— — — Bot. Reg. 2, 118.  
— — — Lodd. Cab. 411.  
— *undulatum Ker.* Bot. Reg. 8, 642.  
— — — Lodd. Cab. 778.  
*Brachystelma crispum Grah.* Bot. Mag. 57, 3016.  
— *lineare Rich.* Richard Abyss. 72.  
— *spathulatum Ldl.* Bot. Reg. 13, 1113.  
— *tuberosum R. Br.* Bot. Mag. 49, 2343.  
— — — Bot. Reg. 9, 722.  
— — — Fl. d. serres 4, 340.  
*Brachystemma calycinum Don.* Endl. Acta 16.  
*Brachystemum muticum Michx.* Michaux Fl. 32.  
— *verticillatum Michx.* Michaux Fl. 31.  
*Brachystepis Aub.* Aubert Orchid. 83.  
*Bradleia glauca Lab.* Bill. Sertum 77.  
† — *Glochidium Gaertn.* Gaertn. Carp. 109.  
† — — — Lam. Encycl. 772.  
— *macrophylla Lab.* Bill. Sertum 78.

- Bradleya philippica* Cav. Cav. Ic. 371.  
 † — *sinica* Gaertn. Gaertn. Carp. 109.  
 † — — Lam. Encycl. 772.  
 † — *zeylanica* Gaertn. Gaertn. Carp. 109.  
 † — — Lam. Encycl. 772.  
 — — Lab. Bill. Sertum 76.  
*Bragantia tomentosa* Blume. Bennett Java 11.  
 — *Wallichii* R. Br. Wight Ic. pl. Ind. or. 2, 520.  
*Brahea dulcis* Mart. Mart. Palm. 137. 162. X.  
*Bramia semiserrata* Mart. Martius Auswahl 8.  
*Brandesia puberula* Mart. Mart. Bras. 126. 127.  
 — *rufa* Mart. Mart. Bras. 125. 127.  
 — *villosa* Mart. Mart. Bras. 128.  
*Brandtia holcoides* Kth. Humb. Gram. 170.  
*Brasavola amazonica* P. et E. Poepp. et Endl. 104.  
 — *cordata* Ldl. Bot. Reg. 22, 1914.  
 — — Bot. Mag. 66, 3782.  
 † — *cuscutata* R. Br. Journ. Hort. Soc. 5, 85.  
 — *cuspidata* Hook. Bot. Mag. 66, 3722.  
 — *Digbyana* Ldl. Bot. Reg. 32, 53.  
 — — Bot. Mag. 75, 4474.  
 — — Fl. d. serres 3, 237.  
 — *elegans* Hook. Bot. Mag. 58, 3098.  
 — *glauca* Batem. Bateman Orch. 16.  
 — — Bot. Reg. 26, 44.  
 — — Bot. Mag. 69, 4033.  
 — *lineata* Hook. Bot. Mag. 79, 4734.  
 — *Martiana* Ldl. Bot. Reg. 25, 5.  
 — *nodosa* Ldl. Bot. Reg. 17, 1465.  
 — — Bot. Mag. 60, 3229.  
 — *odoratissima* Reg. Regel Gartenfl. 1, 33.  
 — *Perrinii* Ldl. Bot. Reg. 18, 1561.  
 — — Bot. Mag. 66, 5761.  
 — *tuberculata* Hook. Bot. Mag. 56, 2878.  
 — *venosa* Ldl. Bot. Reg. 26, 39.  
 — — Bot. Mag. 69, 4021.  
 † *Brasenia* Schreb. Gray Genera 39.  
 — *Hydropeltis* Rafin. Rafin. Med. 17.  
 — *peltata* Pursh. Gray Genera 39.  
*Brasiliastrium americanum* Desc. Desc. Ant. 2, 86.  
*Brassia brachiata* Ldl. Bot. Reg. 33, 29.  
 — *caudata* Ldl. Bot. Reg. 10, 832.  
 — — Hook. Exot. Fl. 179.  
 — — Bot. Mag. 62, 3451.  
 — — Rehb. Exot. 267.  
 — *cochleata* Kn. et W. Kn. et Westc. 53.  
 — *Lanceana* Ldl. Bot. Reg. 21, 1754.  
 — — Bot. Mag. 64, 3577. 66, 3794.  
 — *Lawrenciana* Ldl. Bot. Reg. 27, 18.  
 † — *longiloba* DC. Mem. Genev. 11, 1.  
 — *macrostachya* Ldl. Lindley Sertum 6.  
 † — *maculata* R. Br. Bauer Orchid. 2.  
 — — Bot. Mag. 41, 1691.  
 — — Link Ic. I. 12.  
 — — Paxt. Mag. 6, 5.  
 — — Kern. Hort. 776.  
 — *peruviana* P. et E. Poepp. et Endl. 117.  
 — *verrucosa* Batem. Bateman Orch. 22.  
 — *Wrayae* Skinner. Bot. Mag. 69, 4003.  
 † *Brassica* L. Hoeven Tijdschr. 6, 5. 6.  
 — *alpina* L. Vill. Dauph. 36.  
 — *arvensis* L. Sibth. Fl. gr. 644.  
 — — Roemer Script. 1.  
 — *austriaca* Jacq. Jacq. Fl. austr. 4, 383.  
 — *balearica* Pers. Delessert Ic. 2, 86.  
 — — Rehb. Fl. germ. 2, 98.  
 — — Mem. Mus. 14, 10.  
 — *boetica* Boiss. Boissier Esp. 9.  
 — *Botterii* Vis. Visiani Dalm. 32.  
 — *campestris* L. Fl. dan. 4, 550.  
 — — Engl. Bot. 32, 2234.  
 — — Rehb. Fl. germ. 2, 92.

- Brassica cheiranthiflora* DC. Flora 1822, 1.  
 — — — Rehb. Fl. germ. 2, 91.  
 — — — Dietr. Fl. bor. 12, 857.  
 — *Cheiranthus* Vill. Dietr. Fl. bor. 6, 430.  
 — — — Rehb. Fl. germ. 2, 91.  
 — *cretica* Lam. Sibth. Fl. gr. 645.  
 — *clongata* Kit. Winterl Index 9.  
 — — — W. et Kit. 28.  
 — *Eruca* L. Schk. Handb. 186.  
 — — — var. *α. β.* Sibth. Fl. gr. 646. 647.  
 — *Erucastrum* L. Gaudin Fl. helv. 4, 4.  
 — *fruticulosa* Cr. Cirillo Pl. rar. 2, 1.  
 — — — Sibth. Fl. gr. 648.  
 — *Gravinae* Ten. Tenore Fl. nap. 62.  
 — *incana* Ten. Tenore Fl. nap. 165.  
 — *insularis* Moris. Moris Fl. sard. 11.  
 — *longirostra* Boiss. Boissier Esp. 9<sup>a</sup>.  
 — *lyrata* Desf. Desf. Fl. atl. 166.  
 — *magellanica* Pers. Delessert Ic. 2, 85.  
 — *Maurorum* Durieu. Explor. Alger. 73.  
 — *monensis* Huds. Curt. Lond. 5, 205.  
 — *moriciandoides* Boiss. Boissier Esp. 8.  
 — *Napus* L. Engl. Bot. 30, 2146.  
 — — — Schrank Fl. monac. 3, 218.  
 — — — Rehb. Fl. germ. 2, 93. 94.  
 † — — Arch. Mus. 4, 5.  
 † — *oleracea* L. Gaertn. Carp. 143.  
 † — — Lam. Encycl. 565.  
 — — — Engl. Bot. 9, 637.  
 — — — var. *costata*, Hortic. Tr. 5, 1.  
 — — — Fl. dan. 12, 2056.  
 — — — Rehb. Fl. germ. 2, 97.  
 † — — Engelm. Anthol. 4.  
 † — — var. *costata nepenthiformis* DC. Hoeven Tijdschr. 5, 4.  
 — *orientalis* L. Jacq. Fl. austr. 4, 382.  
 † — — Schk. Handb. 186.  
 — — — Engl. Bot. 26, 1804.  
 — *pinnatifida* Desf. Desf. Fl. atl. 165.  
 — *polymorpha* Murr. N. Comm. Gott. 7, 6.  
 — — — W. et Kit. 90.  
 — *praecox* W. et K. Rehb. Fl. germ. 2, 95.  
 — *Rapa* L. Engl. Bot. 31, 2176.  
 — — — Baxter Brit. Bot. 6, 458.  
 — — — Guimp. et Schl. 283. 284.  
 — — — Nees Düss. Suppl. 70. 71.  
 — — — Rehb. Fl. germ. 2, 96.  
 — *Richerii* Vill. Vill. Dauph. 36.  
 — — — All. Fl. ped. 3, 58. 76.  
 — — — Rehb. Fl. germ. 2, 98.  
 — *sabularia* Brot. Brot. Phytogr. 43.  
 — — — var. *papillaris*, Boissier Esp. 7.  
 — *teretifolia* Desf. Desf. Fl. atl. 164.  
 — *torulosa* Durieu. Explor. Alger. 74.  
 — *Tournefortii* Gouan. Gouan Ill. 20<sup>a</sup>.  
 — *vesicaria* L. Asso Aragon 4.  
 † *Bravoa* La Llave. Herbert Amar. 12.  
 — *geminiflora* La Llave. Fl. d. serres 5, 520.  
 — — — Bot. Mag. 79, 4741.  
*Braya aenea* Bunge. Trautv. Imag. 22.  
 — *alpina* Sternb. et H. Regensb. Denkschr. 1, 1.  
 — — — Hook. Exot. Fl. 121.  
 — — — Delessert Ic. 2, 22.  
 — — — Rehb. Fl. germ. 2, 56.  
 — — — Sturm Flora 11, 43.  
 — — — Flora 1831, 2.  
 — *pilosa* Hook. Hook. Fl. Bor. Am. 17.  
 — *siliquosa* Bunge. Trautv. Imag. 23.  
*Brayera aethelmintica* Kth. Brayer Notice 1.  
 — — — Hook. Journ. 1850, 10.  
 — — — Richard Abyssin. 48.  
*Bredemeyera floribunda* Willd. Neue Schr. nat. Fr. 3, 6.

- † *Bredia hirsuta* *Bl.* Blume Mus. 1, 4.  
 † — — — Ann. sc. nat. III. 15, 12.  
 † *Breweria R. Br.* Mem. Genev. 6, 2.  
 — — — *Roxburghii Choisy.* Wight Ic. pl. Ind. or. 4, 1370.  
 † — — — Wight Illustr. 168<sup>b</sup>.  
*Brexia madagascariensis Aub. Th.* Bot. Reg. 9, 730.  
 — — — *spinosa Colla.* Mem. Tur. 35, 3.  
 — — — *Ldl.* Bot. Reg. 11, 872.  
 — — — var. *integrifolia*, Rehb. Hort. 222.  
 † *Breynia Forst.* Forster Charact. 73.  
 † — — — *disticha Forst.* Lam. Encycl. 860.  
*Bridelia horrida Don.* Rheed. Hort. mal. 4, 18.  
 — — — *scandens Roxb.* Rheed. Hort. mal. 2, 16.  
*Bridgesia echinopsoides Hook.* Hook. Bot. Misc. 92.  
 — — — *incisifolia Camb.* N. Ann. Mus. 3, 13.  
 — — — *spicata Hook.* Hook. Bot. Misc. 102.  
*Brignolia pastinacaefolia Bertol.* Sebast. Rom. pl. 2, 2.  
*Brillantaisia owariensis Pal. B.* Pal. Fl. d'Ow. 100.  
 — — — Bot. Mag. 79, 4717.  
 — — — Rehb. Exot. 212.  
*Brisegnoa chilensis J. Remy.* Gay Chile 58.  
 † *Briza L.* Dumortier Gram. 5.  
 — — — *aspera Knapp.* Knapp Gram. 61.  
 — — — *barbata Trin.* Trin. Sp. Gr. 3, 289.  
 — — — *capensis Thunb.* Petersb. 2, 8.  
 — — — *caroliniana Lam.* Lam. Encycl. 45.  
 — — — *clatior Sibth.* Sibth. Fl. gr. 75.  
 — — — *Eragrostis L.* Elliott Carol. 10.  
 — — — Schreber Gr. 39.  
 — — — *lutescens Desv.* Desv. Journ. 5, 24.  
 † — — — *maxima L.* Gaertn. Carp. 1.  
 — — — Lam. Encycl. 45.  
 — — — Jacq. Obs. 60.  
 — — — Sibth. Fl. gr. 76.  
 — — — Host Gram. 130.  
 — — — Bot. Mag. 10, 357.  
 — — — Rehb. Fl. germ. 1, 92.  
 — — — Trin. Sp. Gr. 3, 290.  
 † — — — Nees Gen. 1, 59.  
 — — — *media L.* Fl. dan. 2, 258.  
 † — — — Lam. Encycl. 45.  
 — — — Engl. Bot. 5, 340.  
 — — — Sv. Bot. 300.  
 — — — Knapp Gram. 60.  
 — — — *Baxter Brit. Bot.* 2, 104.  
 — — — Schk. Handb. 14.  
 — — — Host Gram. 129.  
 — — — *Schrank Fl. monac.* 4, 338.  
 — — — *Sturm Flora* 1, 2.  
 — — — Rehb. Fl. germ. 1, 92.  
 — — — Trin. Sp. Gr. 3, 291.  
 † — — — Nees Gen. 1, 59.  
 — — — *minor L.* Sibth. Fl. gr. 74.  
 — — — Engl. Bot. 19, 1316.  
 — — — Host Gram. 128.  
 — — — Trin. Sp. Gr. 3, 292.  
 — — — Rehb. Fl. germ. 1, 92.  
 — — — *spicata Sibth.* Sibth. Fl. gr. 77.  
 — — — Trin. Sp. Gr. 3, 293.  
 — — — *triloba N. v. E.* Trin. Sp. Gr. 3, 294.  
 — — — *virens L.* Rehb. Fl. germ. 1, 92.  
 † *Brodiaea californica Ldl.* Journ. Hort. Soc. 4, 84.  
 — — — *congesta Sm.* Linn. Tr. 10, 1.  
 — — — *grandiflora Sm.* Maund Bot. 1, 35.  
 — — — Bot. Mag. 56, 2877.  
 — — — Bot. Reg. 14, 1183.  
 — — — Paxt. Mag. 12, 221.  
 — — — *ixioides Sims.* Bot. Mag. 50, 2382.  
*Bromelia Ananas L.* Rumpf Amb. 5, 81.  
 † — — — Lam. Encycl. 223.  
 — — — Red. Lil. 8, 455, 456.  
 — — — Bot. Mag. 38, 1554.

- Bromelia Ananas L.* Desc. Ant. 5, 342.  
 — — — var. *rubra*, Kern. Hort. 661.  
 — — — Belgique hort. 3, 19.  
 — — — *antiacantha Bertol.* Nov. Comm. Bon. 7, 12.  
 — — — *Aquilega Salisb.* Salisb. Parad. 40.  
 — — — *bracteata Sw.* Kern. Hort. 401.  
 — — — *chrysantha Jacq.* Jacq. Schoenbr. 1, 55.  
 † — — — *Commeliana Vriese.* Vriese Descriptions 4.  
 — — — *exudans Lodd.* Lodd. Cab. 801.  
 — — — *fastuosa Ldl.* Lindley Collect. 1.  
 — — — Kern. Hort. 745.  
 — — — *humilis L.* Jacq. Ic. 60.  
 — — — *incarnata Rz et P.* Ruiz et Pav. Fl. 255.  
 — — — *Karatas L.* Jacq. Vind. 31, 32.  
 — — — Red. Lil. 8, 457.  
 — — — Kern. Hort. 109.  
 — — — *longifolia Rudge.* Rudge Pl. Guianac. 49.  
 — — — Paxt. Fl. G. 65.  
 — — — Lem. Jard. fl. 223.  
 — — — *melanantha Ker.* Bot. Reg. 9, 766.  
 — — — *nudicaulis L.* Hook. Exot. Fl. 143.  
 — — — Bot. Reg. 3, 203.  
 — — — Ker. Rehb. Exot. 185.  
 — — — *pallida Ker.* Bot. Reg. 4, 344.  
 — — — Hook. Exot. Fl. 41, 42.  
 — — — Kern. Hort. 757.  
 — — — Rehb. Mag. 94.  
 — — — *paniculigera Sw.* Rehb. Hort. 239, 240.  
 — — — *Pinguin L.* Gil et Xuares 12.  
 — — — Red. Lil. 7, 396.  
 — — — Tuss. Ant. 4, 22.  
 — — — Dict. sc. nat. 49.  
 — — — *pyramidalis Sims.* Bot. Mag. 42, 1732.  
 — — — Rehb. Hort. 156.  
 — — — *rubra Hort.* Desc. Ant. 5, 341.  
 — — — *Sceptrum Fenzl.* Hart. Parad. 1, 8.  
 — — — *silvestris Willd.* Bot. Mag. 50, 2392.  
 — — — Rehb. Exot. 186.  
 — — — *spica comosa Desc.* Desc. Ant. 1, 36.  
 — — — *zebrina Herb.* Bot. Mag. 53, 2686.  
 — — — Rehb. Exot. 261.  
 † *Bromeliaceae Ldl.* Schmilz. Ic. 1, 65.  
*Bromheadia palustris Ldl.* Bot. Reg. 30, 18.  
 — — — Bot. Mag. 69, 4001.  
 — — — Wight Ic. pl. Ind. or. 5, 1740.  
 † *Bromus L.* Dumortier Gram. 7.  
 † — — — Nees Gen. 1, 75.  
 — — — *agrestis All.* Host Gram. 10.  
 — — — *alopecurus Poir.* Bory Morée 5.  
 — — — *ambiguus Cir.* Cirillo Pl. rar. 1, 2.  
 — — — *antarcticus Hook.* Hook. Fl. ant. 54.  
 — — — *arenarius Lab.* Bill. Nov. Holl. 28.  
 — — — *arvensis L.* Fl. dan. 2, 293.  
 — — — Host Gram. 14.  
 — — — Engl. Bot. 28, 1984.  
 — — — Knapp Gram. 82.  
 — — — Rehb. Fl. germ. 1, 74.  
 — — — *asper L. fil.* Curt. Lond. 3, 54.  
 — — — Engl. Bot. 17, 1172.  
 — — — Fl. dan. 8, 1382.  
 — — — Sv. Bot. 461.  
 — — — Host Gram. 7.  
 — — — Rehb. Fl. germ. 1, 76.  
 — — — *With.* Knapp Gram. 85.  
 — — — *asperrimus Ten.* Tenore Fl. nap. 105.  
 — — — *badensis Gm.* Gmelin Fl. bad. 4, 5.  
 — — — *barbatus Savi.* Sebastiani Fl. rom. 1.  
 — — — Sebastiani Rom. pl. 2, 1.  
 — — — *Berterianus Colla.* Mem. Tur. 39, 58.  
 — — — *brachystachys Hornung.* Flora 1833, 2.  
 — — — *brizaeformis Fisch. et M.* Jard. Petersb. 3.  
 — — — Sert. petrop. 10.

- Bromus caespitosus* *Host.* Host Gram. 318.  
 — *caudatus* *Brot.* Brotero Phytogr. 99.  
 — *chrysopogon* *Viv.* Viviani Lib. 2.  
 — *cincinnatus* *Ten.* Tenore Fl. nap. 104.  
 — *commutatus* *Schrad.* Gmelin Fl. bad. 4, 4.  
 — — *Rehb.* Fl. germ. 1, 74.  
 — *confertus* *M. v. B.* Jacq. Ecl. Gram. 14.  
 — — *Rehb.* Fl. germ. 1, 74.  
 — *contortus* *Desf.* Desf. Fl. atl. 25.  
 — *cylindraceus* *Brot.* Brotero Phytogr. 98.  
 — *Danthoniae* *Tr.* Trin. Sp. Gr. 3, 353.  
 — *diandrus* *Curt.* Curt. Lond. 1, 19.  
 — — *Engl. Bot.* 14, 1006.  
 — — *Knapp* Gram. 83.  
 — *distachyos* *L.* Gerard Fl. gallopr. 3.  
 — — *Host* Gram. 20.  
 — *divaricatus* *Rohde.* *Rehb.* Fl. germ. 1, 75.  
 — *erectus* *Huds.* *Engl. Bot.* 7, 471.  
 — — *Knapp* Gram. 86.  
 — — *Fl. dan.* 8, 1383.  
 — — *Sv. Bot.* 473.  
 — — *Roemer* Fl. eur. 6, 2.  
 — — *Rehb.* Fl. germ. 1, 77.  
 — *fasciculatus* *Presl.* Gussone Pl. rar. 8.  
 — *geniculatus* *L.* Schreb. Gr. 31.  
 — — *Brotero* Phytogr. 100.  
 — *giganteus* *L.* Schreb. Gr. 11.  
 — — *Host* Gram. 6.  
 — — *Fl. dan.* 10, 1630.  
 — — *Knapp* Gram. 87.  
 — — *Rehb.* Fl. germ. 1, 76.  
 — *grossus* *Desf.* Gmelin Fl. bad. 4, 2, 3.  
 — *hordaceus* *Gm.* Gmelin Fl. bad. 4, 1.  
 — *humilis* *Cav.* Cav. Ic. 589.  
 — *japonicus* *Thunb.* Thunb. Fl. jap. 11.  
 — *inermis* *L.* Schreb. Gr. 13.  
 — — *Host* Gram. 9.  
 — *jubatus* *Ten.* Tenore Fl. nap. 106.  
 — *Kochii* *Gm.* Gmelin Fl. bad. 4, 6.  
 — *lanceolatus* *Roth.* Gussone Pl. rar. 8.  
 — — *Bory Morée* 4.  
 — *laxus* *Hornem.* *Rehb.* Fl. germ. 1, 77.  
 — *lividus* *H. B. K.* H. B. K. Nov. Gen. 7, 689.  
 — *litoreus* *Retz.* *Host* Gram. 8.  
 — *loliaceus* *Ten.* Tenore Fl. nap. 104.  
 — *macrostachys* *Desf.* Desf. Fl. atl. 19.  
 — *madritensis* *L.* *Host* Gram. 17.  
 — — *Rehb.* Fl. germ. 1, 73.  
 — *maximus* *Desf.* Desf. Fl. atl. 26.  
 — — *Rehb.* Fl. germ. 1, 73.  
 — — *Engl. Bot.* 2820.  
 — *mollis* *L.* Curt. Lond. 3, 5.  
 — — *Engl. Bot.* 15, 1078.  
 — — *Knapp* Gram. 77.  
 — — *Baxter* Brit. Bot. 5, 348.  
 — — *Fl. dan.* 8, 1324.  
 — — *Sv. Bot.* 456.  
 — — *Schreb.* Gram. 6.  
 — — *Schk.* Handb. 16.  
 — — *Host* Gram. 19.  
 — — *Rehb.* Fl. germ. 1, 74.  
 † — — *Münchn. Denkschr.* 4, 11.  
 — *multiflorus* *Willd.* *Host* Gram. 11.  
 — — *Sm.* *Engl. Bot.* 27, 1884.  
 — — *Knapp* Gram. 80.  
 — — *Rehb.* Fl. germ. 1, 75.  
 — *ovatus* *Cav.* Cav. Ic. 591.  
 — *pallens* *Cav.* Cav. Ic. 591.  
 — *patulus* *M. K.* *Rehb.* Fl. germ. 1, 74.  
 — *pinnatus* *L.* Fl. dan. 1, 164.  
 — — *Host* Gram. 22.  
 — — *Engl. Bot.* 11, 730.

- Bromus Plukenetii* *All.* *Host* Gram. 319.  
 — *pratensis* *Sm.* *Engl. Bot.* 13, 920.  
 — *purgans* *L.* Elliott Carol. 10.  
 — *racemosus* *L.* *Engl. Bot.* 15, 1079.  
 — — *Knapp* Gram. 78.  
 — — *Rehb.* Fl. germ. 1, 74.  
 — *ramosus* *L.* Sibth. Fl. gr. 84.  
 — *rigidus* *Roth.* *Rehb.* Fl. germ. 1, 73.  
 — *rubens* *L.* Cav. Ic. 45.  
 — — *Sibth.* Fl. gr. 83.  
 — — *Delile* Egypte 11.  
 — — *Host* Gram. 18.  
 — *rupestris* *Host.* *Host* Gram. 317.  
 — *Scheuchzeri* *Gm.* Gmelin Fl. bad. 4, 7.  
 — *scoparius* *L.* Bory Morée 5.  
 — *secalinus* *L.* *Host* Gram. 12.  
 — — *Sv. Bot.* 204.  
 — — *Fl. dan.* 9, 1446.  
 — — *Rehb.* Fl. germ. 1, 75.  
 — — *Engl. Bot.* 17, 1171.  
 — — *Knapp* Gram. 79.  
 — — *Torr.* New York 157.  
 — *silvaticus* *Poll.* *Host* Gram. 21.  
 — — *Engl. Bot.* 11, 729.  
 — *spiculitenuata* *Knapp.* *Knapp* Gram. 81.  
 — *squarrosus* *L.* *Host* Gram. 13.  
 — — *Rehb.* Fl. germ. 1, 75.  
 — — *Engl. Bot.* 27, 1885.  
 — *sterilis* *L.* Curt. Lond. 3, 97.  
 — — *Engl. Bot.* 15, 1030.  
 — — *Knapp* Gram. 84.  
 — — *Fl. dan.* 8, 1325.  
 — — *Sv. Bot.* 467.  
 — — *Host* Gram. 16.  
 — — *Rehb.* Fl. germ. 1, 73.  
 — *tectorum* *L.* Sibth. Fl. gr. 82.  
 — — *Host* Gram. 15.  
 — — *Rehb.* Fl. germ. 1, 73.  
 — — *Fl. dan.* 11, 1806.  
 — *tenuiflorus* *Viv.* Viviani Lib. 2.  
 — *tomentosus* *Trin.* Petersb. 6, 9.  
 — *triflorus* *L.* Fl. dan. 3, 440.  
 — *trivialis* *Savi.* Savi Fl. pis. 2.  
 † — *velutinus* *Schrad.* Schrad. Fl. germ. 6.  
 — *verticillatus* *Cav.* Cav. Ic. 590.  
 — *wolgensis* *Spr.* Jacq. Ecl. Gram. 15.  
*Brongniartia galeoides* *Presl.* *Presl* Symb. 67.  
 — *intermedia* *Moric.* *Mem. Genev.* 7, 10.  
 — — *Moric.* Pl. Am. 10.  
 — *mollis* *H. B. K.* H. B. K. Nov. Gen. 6, 587.  
 — *podalyrioides* *H. B. K.* H. B. K. Nov. Gen. 6, 588.  
*Bronnia spinosa* *H. B. K.* H. B. K. Nov. Gen. 6, 528.  
 † *Brosimum Swartz.* Swartz Fl. Ind. occ. 1.  
 † — *Ann. sc. nat.* III, 8, 6.  
 — *Alicastrum* *Sv.* Tuss. Ant. 1, 9.  
 — — *Desc.* Ant. 8, 534.  
 — — *Desv. Journ.* 1, 8.  
 — *echinocarpon* *P. et E.* Poepp. et Endl. 148.  
*Brossaea coccinea* *L.* Lam. Encycl. 111.  
*Brotera contrayerva* *Spr.* Schrad. Journ. 1800, 2, 5.  
 — *ovata* *Cav.* Cav. Ic. 433.  
 — *persica* *Spr.* Linnæan Tr. 6, 12.  
*Broteroa bracteosa* *Guill.* Guillem. Seneg. 17.  
*Broughtonia coccinea* *R. Br.* Bot. Mag. 63, 3536.  
 — *lilacina* *Henfr.* Lem. Jard. fl. 172.  
 — *sanguinea* *R. Br.* Lodd. Cab. 793.  
 — — *Bot. Mag.* 58, 3076.  
*Broussaisia arguta* *Gaudch.* Freycinet Voyage 69.  
 — *pellucida* *Gaudch.* Gaudichaud Bonite 9.  
*Broussonetia papyrifera* *Vent.* Rumpf Amb. 4, 53.  
 — — *Andr. Rep.* 7, 488.  
 — — *Bot. Mag.* 50, 2358.

- † *Brossonnetia papyrifera* Vent. Ann. Mus. 8, 34.  
*Browallia demissa* L. Linné Hort. Cliff. 17.  
 † — — — Gaertn. Carp. 53.  
 † — — — Lam. Encycl. 535.  
 — — — Bot. Mag. 28, 1136.  
 † — — — Mem. Genev. 6, 3.  
 — — — *elata* L. Bot. Mag. 1, 34.  
 — — — Herb. amat. 3, 211.  
 — — — *grandiflora* Grah. Bot. Reg. 16, 1384.  
 — — — Bot. Mag. 58, 3069.  
 — — — *Jamesonii* Benth. Bot. Mag. 77, 4605.  
 — — — Fl. d. serres 5, 436.  
 — — — Lem. Jard. fl. 246.  
 — — — Paxton Mag. 16, 5.  
 — — — Belgique hort. 2, 25.  
 — — — *speciosa* Hook. Bot. Mag. 73, 4339.  
 — — — Paxt. Mag. 16, 290.  
*Brownea Ariza* Benth. Paxton Fl. G. 59.  
 — — — Lem. Jard. fl. 191—192.  
 — — — *capitella* Jacq. Jacq. Fragn. 18, 19.  
 — — — *cauliflora* P. et E. Poepp. et Endl. 292.  
 — — — *coccinea* L. Jacq. Hist. stirp. am. 183.  
 — — — Lam. Encycl. 575.  
 — — — Desc. Ant. 7, 523.  
 — — — Bot. Mag. 69, 3964.  
 † — — — *grandiceps* Jacq. Jacq. Collect. 3, 22. 4, 9.  
 — — — Jacq. Fragn. 22, 23.  
 † — — — Lam. Encycl. 575.  
 — — — Bot. Reg. 27, 30.  
 — — — Fl. d. serres 6, 581, 582.  
 — — — *latifolia* Jacq. Jacq. Fragn. 17.  
 — — — Kern. Hort. 240, 829.  
 — — — *leucantha* Jacq. Jacq. Fragn. 20, 21.  
 — — — *racemosa* Jacq. Jacq. Fragn. 16.  
 — — — Kern. Hort. 170.  
 — — — *rosa de monte* Willd. Lam. Encycl. 575.  
*Brownlowia elata* Roxb. Roxb. Corom. 265.  
 — — — Bot. Reg. 17, 1472.  
 — — — Rchb. Exot. 346.  
*Brucea antidysenterica* Lam. Lam. Encycl. 810.  
 — — — *ferruginea* L'her. L'herit. Stirp. 10.  
 — — — Lodd. Cab. 129.  
 — — — Hayne 8, 24.  
 — — — Nces Düsseld. 357.  
 — — — *glabrata* Decne. N. Ann. Mus. 3, 20.  
 — — — *sumatrana* DC. Rumpf Amb. Auct. 15.  
*Bruceca grandiflora* Klotzsch. Karsten Auswahl 10.  
 † *Brugmania Pers.* Kerner Gen. 123—125.  
 — — — *bicolor* Pers. Bot. Reg. 20, 1739.  
 — — — *floribunda* Paxt. Paxton Mag. 9, 3.  
 — — — *sanguinea* Don. Maund Bot. 1, 29.  
 — — — Sweet Fl. G. II. 272.  
 — — — *Waymanniana* Paxt. Paxton Mag. 4, 241.  
 — — — *Zippelii* Bl. Blume Java II, 4, 5, 6.  
 — — — Schnizl. Ic. 1, 41.  
*Bruquiera caryophylloides* Bl. Rumpf Amb. 3, 78.  
 — — — *cylindrica* Bl. Rheede Hort. mal. 6, 33.  
 — — — Rumpf Amb. 3, 70.  
 — — — *criopetala* W. et A. Wight Ic. pl. Ind. or. 1, 239.  
 — — — *gymorrhiza* Lam. Rumpf Amb. 3, 68.  
 † — — — Lam. Encycl. 397.  
 — — — Desc. Ant. 6, 400.  
 — — — Wight Ic. pl. Ind. or. 1, 239.  
 — — — *malabarica* Arn. Hook. Ic. pl. 4, 398.  
 — — — *Rheedei* Bl. Rheede Hort. mal. 6, 31, 32.  
 — — — Rumpf Amb. 3, 69.  
 — — — Hook. Ic. pl. 4, 397.  
 — — — Wight Ic. pl. Ind. 1, 239.  
*Bruinsmania isertioides* Miq. Miquel Surin. 49.  
 † *Brunellia Rz et P.* Ruiz et Pav. Prodr. 12.  
 — — — *acutangula* H. B. Humb. Pl. aeq. 62.  
 — — — *comocladifolia* H. B. Humb. Pl. aeq. 59.

- Brunellia ovalifolia* H. B. Humb. Pl. aeq. 61.  
 — — — *tomentosa* H. B. Humb. Pl. aeq. 60.  
 † *Brunfelsia americana* L. Gaertn. Carp. 212.  
 — — — Lam. Encycl. 548.  
 † — — — Swartz Obs. 4.  
 — — — Bot. Mag. 11, 393.  
 — — — Lodd. Cab. 533.  
 — — — Kern. Hort. 79.  
 — — — Tratt. Arch. 222.  
 — — — Desc. Ant. 2, 567.  
 — — — *calycina* Benth. Lem. Jard. fl. 171.  
 — — — *nitida* Benth. Bot. Mag. 73, 4287.  
 — — — *sinuata* A. Rich. Ramon Cuba 66.  
 — — — *undulata* Sw. Andr. Rep. 3, 167.  
 — — — Lodd. Cab. 388.  
 — — — Bot. Reg. 3, 228.  
 — — — Tratt. Arch. 223.  
 — — — Herb. amat. 4, 231.  
 — — — Rchb. Exot. 294.  
 — — — *violacea* Lodd. Lodd. Cab. 792.  
*Brunia abrotanoides* L. Wendl. Coll. 45.  
 — — — Lodd. Cab. 355.  
 — — — *arachnoidea* Wendl. Wendl. Coll. 62.  
 — — — *deusta* Thunb. Münchn. Denkschr. 1, 7.  
 — — — *ericoides* Wendl. Wendl. Coll. 57.  
 — — — *lanuginosa* L. Wendl. Coll. 11.  
 — — — Lodd. Cab. 572.  
 — — — Dict. sc. nat. 200.  
 — — — *macrocephala* Willd. Münchn. Denkschr. 1, 6.  
 — — — *nodiflora* L. Gaertn. Carp. 30.  
 † — — — Lam. Encycl. 126.  
 — — — Wendl. Coll. 35.  
 † — — — Ann. sc. nat. 8, 36.  
 — — — *paleacea* L. Wendl. Coll. 21.  
 — — — Münchn. Denkschr. 1, 8.  
 † — — — *pinifolia* Ad. Br. Ann. sc. nat. 8, 35.  
 — — — *rubra* Willd. Münchn. Denkschr. 1, 7.  
 — — — *superba* Don. Rchb. Hort. 100.  
 — — — *tenuifolia* Willd. Münchn. Denkschr. 1, 6.  
 † *Brunnichia cirrhosa* Gaertn. Gaertn. Carp. 45.  
 † *Brunonia Smith.* Kerner Gen. 51.  
 — — — *australis* Sm. Linnean Tr. 10, 28.  
 — — — Lam. Encycl. 928.  
 — — — Guill. Austr. 15.  
 — — — Bot. Reg. 22, 1833.  
 — — — Paxton Mag. 7, 267.  
 — — — *sericea* Sm. Linnean Tr. 10, 29.  
 — — — Bauer Illustr. 10.  
 † — — — Schnizl. Ic. 122.  
 † *Brunoniaceae* R. Br. Schnizl. Ic. 122.  
*Brunsvigia Heist.* Heister Desc. nov. gen. 1. 2. 3.  
 † — — — Ker. Herbert Amar. 36.  
 † — — — *Burchelliana* Herb. Herbert Amar. 22.  
 — — — *ciliaris* Ker. Bot. Reg. 14, 1153.  
 — — — Fl. d. serres 3, 193, 194.  
 — — — *falcata* Ker. Lodd. Cab. 745.  
 — — — Bot. Mag. 35, 1443.  
 — — — Rchb. Exot. 191.  
 — — — *grandiflora* Ldl. Bot. Reg. 16, 1335.  
 — — — *Josephinae* Ker. *β. angustifolia*, Bot. Reg. 3, 192, 193.  
 — — — Bot. Mag. 52, 2578.  
 — — — Fl. d. serres 4, 322, 323.  
 — — — *minor* Ldl. Bot. Reg. 11, 954.  
 † — — — Herbert Amar. 32.  
 — — — *multiflora* Dryand. Bot. Mag. 39, 1619.  
 — — — Rchb. Exot. 190.  
 — — — Lady South Afr. 5.  
 — — — *toxicaria* Ker. Bot. Reg. 7, 567.  
 — — — Fl. d. serres 5, 434.  
*Bruxanelia indica* Dennst. Rheede Hort. mal. 5, 42.  
*Brya Ebenus* DC. Bot. Mag. 78, 4670.

- Brya Ebenus* DC. Lem. Jard. fl. 4, 332.  
*Bryanthus erectus* Ldl. Paxt. Fl. G. 19.  
 — — — Lem. Jard. fl. 58.  
 — — — Fl. d. serres 7, 659.  
 † *Bryantia butyróphora* Webb. Gaudichaud Bonite 20.  
 † *Bryonia africana* Thunb. Gaertn. Carp. 88.  
 † — — — Lam. Encycl. 796.  
*Bryonia alba* L. Schk. Handb. 316.  
 — — — Fl. dan. 5, 813.  
 — — — Sv. Bot. 105.  
 — — — Sturm Flora 18, 80.  
 — — — Hayne 6, 23.  
 — — — Nees Düsseld. 270.  
 — — — Guimp. et Schl. 138.  
 — — — Woodv. Med. 2, 73.  
 — *americana* Lam. Desc. Ant. 2, 136.  
 — *amplexicaulis* Lam. Wight Ic. pl. Ind. or. 2, 502.  
 — *cordifolia* L. Rumpf Amb. 5, 166.  
 — *cretica* L. Sibth. Fl. gr. 940.  
 — — — Desf. Choix 70.  
 — — — Ann. Mus. 12, 17.  
 — *dioica* Jacq. Jacq. Fl. austr. 2, 199.  
 † — — — Lam. Encycl. 796.  
 — — — Hayne 6, 24.  
 — — — Sturm Flora 18, 80.  
 — — — Nees Düsseld. 268, 269.  
 — — — Guimp. et Schl. 139.  
 — — — Engl. Bot. 7, 439.  
 — — — Baxter Brit. Bot. 2, 83.  
 — — — Fl. dan. 11, 1830.  
 † — — — Plée Types 42, 43.  
 — *epigaea* Rottl. Wight Ic. pl. Ind. or. 2, 503.  
 — *ficifolia* Lam. Desc. Ant. 6, 391.  
 — *glandulosa* P. et E. Poepp. et Endl. 175.  
 — *grandis* L. Rumpf Amb. 5, 166.  
 — *hederacifolia* Jacq. Jacq. Fragm. 113.  
 — *laciniosa* L. Rheede Hort. mal. 8, 19.  
 † — — — Gaertn. Carp. 88.  
 † — — — Lam. Encycl. 796.  
 — — — Wight Ic. pl. Ind. or. 2, 500.  
 — *mysorensis* Klein. Wight Ic. pl. Ind. or. 3, 758.  
 — — — 4, 1609.  
 — *quinqueloba* Thunb. Bot. Reg. 1, 82.  
 — — — Bot. Mag. 43, 1820.  
 — *scabrella* L. fil. Rheede Hort. mal. 8, 13.  
 — — — Wight Ic. pl. Ind. or. 2, 501.  
 — *umbellata* Klein. Rheede Hort. mal. 8, 26.  
 — *verrucosa* Ait. Webb Canar. 37.  
*Bryophyllum calycinum* Salisb. Salisbury Parad. 3.  
 — — — Lodd. Cab. 877.  
 — — — Bot. Mag. 34, 1409.  
 — — — Wight Illustr. in Hook. 31.  
 — — — Herb. amat. 5, 317.  
*Bubania Feei* De Gir. Explor. Alger. 68.  
*Bubon Galbanum* L. Jacq. Vind. 3, 36.  
 — — — Bot. Mag. 51, 2489.  
 — — — Nees Düsseld. 287.  
 — — — Wagner 160.  
 — — — Woodv. Med. 1, 40.  
 — *garganicum* Ten. Tenore Fl. nap. 25.  
 † — *macedonicum* L. Gaertn. Carp. 23.  
 † — — — Lam. Encycl. 194.  
 — — — Schk. Handb. 70.  
 — *tortuosum* Desf. Desf. Fl. atl. 73.  
*Bucco*  
*acuminata* Wendl. Wendland Coll. 28.  
 — *cuspidata* Wendl. Wendland Coll. 81.  
 — *erecta* Wendl. Wendland Coll. 3.  
 — *imbricata* Wendl. Wendland Coll. 9.  
 — *obtusata* Wendl. Wendland Coll. 13, 14.  
 — *obtusata* Wendl. Wendland Coll. 76.  
 — *ovata* R. et Sch. Wendland Coll. 20.  
 — *prolifera* Wendl. Wendland Coll. 77.

- Bucco villosa* Wendl. Wendland Coll. 2.  
*Buchanania angustifolia* Roxb. Roxb. Corom. 262.  
 — — — Wight Ic. pl. Ind. or. 1, 101.  
 — *intermedia* Wight. Wight Ic. pl. Ind. or. 1, 81.  
 — *lanceolata* Wight. Wight Ic. pl. Ind. or. 1, 237.  
 — *latifolia* Roxb. Delessert Ic. 3, 54.  
 — *oppositifolia* Sm. Smith Ex. Bot. 115.  
*Buchia plantaginea* H. B. K. H. B. K. Nov. Gen. 2, 132.  
 † *Buchnera americana* L. Gaertn. Carp. 55.  
 — *asiatica* L. Rheede Hort. mal. 9, 66.  
 — *euphrasioides* Vahl. Wight Ic. pl. Ind. or. 3, 855.  
 — *foetida* Andr. Andr. Rep. 2, 80.  
 — — — Jacq. Schoenbr. 4, 448.  
 — *hermonthica* Del. Delile Egypte 34.  
 — *hispida* Ham. Wight Ic. pl. Ind. or. 4, 1413.  
 — *mossambicensis* Klotzsch. Peters Mossamb. 34.  
 — *orobanchoides* R. Br. Flora 1832, 2.  
 — *pedunculata* Andr. Andr. Rep. 2, 84.  
 — *urticaefolia* R. Br. Endl. Iconogr. 78.  
 — *viscosa* L'her. Bot. Mag. 7, 217.  
*Bucholzia diffusa* Mart. Mart. Bras. 149, 151.  
 — *maritima* Mart. Mart. Bras. 147.  
 — *polygonoides* Mart. var. *erecta*, Mart. Bras. 148, 151.  
 — — — var. *radicans*, Mart. Bras. 150, 151.  
*Buchozia coprosmoides* L'her. L'héritier Monogr. 0.  
*Bucida Buceras* L. Lam. Encycl. 356.  
 — — — Bot. Reg. 11, 907.  
 — *capitata* Vahl. Vahl Eclogae 8.  
 † — — — Gaertn. Carp. 217.  
*Bucklandia populnea* R. Br. Asiatic Res. 19, 13, 14.  
 † *Bucquetia glutinosa* DC. Ann. sc. nat. III, 16, 25.  
*Buddlea acuminata* H. B. K. H. B. K. Nov. Gen. 2, 187.  
 † — *americana* L. Houston Reliq. 3.  
 — — — Ruiz et Pav. Fl. 82.  
 — *brasiliensis* Jacq. Jacq. Ecl. pl. 158.  
 — — — Grah. Bot. Mag. 54, 2713.  
 — *capitata* Jacq. Jacq. Ic. 307.  
 — *connata* R. et P. Ruiz et Pav. Fl. 81.  
 — — — Bot. Mag. 55, 2853.  
 — *cordata* H. B. K. H. B. K. Nov. Gen. 2, 185.  
 — *diffusa* R. et P. Ruiz et Pav. Fl. 80.  
 — *discolor* Roth. Wight Ic. pl. Ind. or. 3, 894.  
 † — — — Wight Illustr. 165<sup>b</sup>.  
 — *glaberrima* Hort. Herb. amat. 4, 266.  
 — *globosa* Lam. Lam. Encycl. 69.  
 — — — Ruiz et Pav. Fl. 83.  
 — — — Ait. Bot. Mag. 5, 174.  
 — *heterophylla* Ldl. Bot. Reg. 15, 1259.  
 — *incana* R. et P. Ruiz et Pav. Fl. 80.  
 — *Lindleyana* Fort. Bot. Reg. 32, 4.  
 — — — Paxt. Mag. 14, 5.  
 — — — Fl. d. serres 2, 48.  
 — *longifolia* H. B. K. H. B. K. Nov. Gen. 2, 186.  
 — *madagascariensis* Lam. Lam. Encycl. 69.  
 — — — Bot. Mag. 55, 2824.  
 — *Neemda* Roxb. Rchb. Hort. 21.  
 † — *occidentalis* L. Gaertn. Carp. 49.  
 † — — — Lam. Encycl. 69.  
 — — — Ruiz et Pav. Fl. 82.  
 — *salicifolia* Jacq. Jacq. Schoenbr. 1, 29.  
 — *salvifolia* Lam. Jacq. Schoenbr. 1, 29.  
 — *scordioides* H. B. K. H. B. K. Nov. Gen. 2, 183.  
 — *sessiliflora* H. B. K. H. B. K. Nov. Gen. 2, 182.  
 — *spicata* R. et Pav. Ruiz et Pav. Fl. 81.  
 — *verticillata* H. B. K. H. B. K. Nov. Gen. 2, 184.  
*Buena*  
*hexandra* Pohl. Pohl Brasil. 8.  
 — — — Nees Düsseld. Suppl. 3.  
 — *macrocarpa* Benth. Bentham Sulphur 38.  
 — *panamensis* Cav. Cav. Ic. 571.  
 † *Buergeria stellata* S. et Z. Münchn. Abh. 4, 2.  
*Buettneria affinis* Pohl. Pohl Brasil. 147.

- Buettneria catalpaefolia* Jacq. Jacq. Schoenbr. 1, 46.  
 — *celtioides* St. Hil. St. Hil. Fl. Bras. 29.  
 — *cordata* Lam. Cav. Diss. 150.  
 — *dasyphylla* Gay. Mem. Mus. 10, 12.  
 — *dentata* Pohl. Pohl Brasil. 152.  
 — *elliptica* Pohl. Pohl Brasil. 146.  
 — *herbacea* Roxb. Roxb. Corom. 29.  
 — — Wight Ic. pl. Ind. or. 2, 488.  
 — *hermanniaefolia* Gay. Mem. Mus. 10, 13.  
 — *heterophylla* Hook. Hook. Bot. Misc. 61.  
 — *jaculifolia* Pohl. Pohl Brasil. 150.  
 — *inodora* Gay. Diet. sc. nat. 140.  
 — *laevigata* Schott. Pohl Brasil. 145.  
 — *melastomaefolia* St. Hil. St. Hil. Fl. Bras. 29.  
 — *microphylla* Jacq. Cav. Diss. 148.  
 — *mollis* H. B. K. H. B. K. Nov. Gen. 5, 481<sup>a</sup>, 481<sup>b</sup>.  
 — — Kern. Hort. 788.  
 — *oblongata* Pohl. Pohl Brasil. 148.  
 — *ovata* Lam. Cav. Diss. 149.  
 — — Lam. Encycl. 140.  
 — *ramosissima* Pohl. Pohl Brasil. 149.  
 — *sagittaeifolia* St. Hil. St. Hil. Fl. Bras. 27.  
 — *scabra* L. Aubl. Guiana 96.  
 — — Cav. Diss. 148.  
 — — Pohl. Pohl Brasil. 154.  
 — *scalpellata* Pohl. Pohl Brasil. 151.  
 — *tereticaulis* Lam. Cav. Diss. 149.  
 — — Pohl. Lam. Encycl. 140.  
 — *virgata* Pohl. Pohl Brasil. 153.  
*Buffonia* *annua* DC. Tratt. Arch. 280.  
 — — Baxter Brit. Bot. 2, 152.  
 † — *tenuifolia* L. Gaertn. Carp. 129.  
 — — Engl. Bot. 19, 1313.  
 — — Rehb. Fl. germ. 5, 203.  
*Bufonia* *perennis* Lam. Lam. Encycl. 87.  
 — *tenuifolia* L. Lam. Encycl. 87.  
*Buginvillaea* *patagonica* Decne. D'Orb. Voyage 8.  
 — *peruviana* H. B. Humb. Pl. aeq. 49.  
 † — *spectabilis* Willd. Gaertn. Carp. 216.  
 — — Lam. Encycl. 294.  
 — — Paxt. Mag. 12, 51.  
 — — Schnizl. Ic. 2, 104.  
 † *Buglossum* *amoenum* Gaertn. Gaertn. Carp. 67.  
 † — *sempervirens* All. Gaertn. Carp. 67.  
 † — *vulgare* Tausch. Nees Gen. 6, 70.  
*Bulbillaria* *gaceoides* Zucc. Münchn. Abh. 3, 2.  
*Bulbine* *abyssinica* Rich. Richard Abyssin. 97.  
 † — *asiatica* Gaertn. Gaertn. Carp. 13.  
*Bulbocodium* *edentatum* Schur. Siebenb. Verhandl. 2, 6.  
 — *vernum* L. Vill. Dauph. 2.  
 — — Bot. Mag. 5, 153.  
 — — Red. Lil. 4, 197.  
 — — Lam. Encycl. 230.  
 — — Retzius Obs. 2, 1.  
 — — Rehb. Fl. germ. 10, 428.  
 † — — Nees Gen. 2, 33.  
*Bulbophyllum* *acutiflorum* A. Rich. Ann. sc. nat. II, 15, 7.  
 — *barbigerrum* Ldl. Bot. Reg. 23, 1942.  
 — *bracteolatum* Ldl. Bot. Reg. 24, 57.  
 — *caespitosum* Aub. Aubert Orchid. 102.  
 — *Calamaria* Ldl. Bot. Mag. 70, 4088.  
 — *Careyanum* Spr. Bot. Mag. 71, 4166.  
 — *clavatum* Aub. Aubert Orchid. 99.  
 — *cocoinum* Batem. Bot. Reg. 23, 1964.  
 — *Commersoni* Aub. Aubert Orchid. 96.  
 — *conitum* Aub. Aubert Orchid. 99.  
 — *cylindraceum* Ldl. Wall. Pl. asiat. 69.  
 — *densum* Aub. Aubert Orchid. 107.  
 — *erectum* Aub. Aubert Orchid. 95.  
 — *fuscopurpureum* Wight. Wight Ic. pl. Ind. or. 5, 1651.  
 — *gracile* Aub. Aubert Orchid. 100.

- Bulbophyllum incurvum* Aub. Aubert Orchid. 94.  
 — *Lobbii* Ldl. Bot. Mag. 76, 4532.  
 — *longiflorum* Aub. Aubert Orchid. 97.  
 — *macranthum* Ldl. Bot. Reg. 30, 13.  
 — *minutum* Aub. Aubert Orchid. 109.  
 — *neilgherrense* Wight. Wight Ic. pl. Ind. or. 5, 1650.  
 — *nutans* Aub. Aubert Orchid. 106.  
 † — — Mem. hist. nat. Par. 4, 8.  
 — *occultum* Aub. Aubert Orchid. 92, 93.  
 — *pendulum* Aub. Aubert Orchid. 103.  
 — *prismaticum* Aub. Aubert Orchid. 108.  
 † — — Mem. hist. nat. Par. 4, 8.  
 — *pusillum* Aub. Aubert Orchid. 101.  
 — *recurvum* Ldl. Bot. Reg. 12, 963.  
 — *saltatorium* Ldl. Bot. Reg. 23, 1970.  
 — *tremulum* Wight. Wight Ic. pl. Ind. or. 5, 1749.  
 — *umbellatum* Ldl. Bot. Reg. 31, 44.  
 — — Bot. Mag. 72, 4267.  
 — *variegatum* Aub. Aubert Orchid. 107.  
*Bulbostylis pedunculosa* DC. Delessert Ic. 4, 17.  
*Bulliarda Vaillantii* DC. DC. Plantes grasses 74.  
*Bulnesia chilensis* Gay. Gay Chile 15.  
 † *Bumelia* *Sw.* Swartz Fl. Ind. 8.  
 — *buxifolia* Willd. H. B. K. Nov. Gen. 7, 647.  
 — *chrysophylloides* Watson. Watson Dendr. 1, 10.  
 — *cuneifolia* Rudge. Rudge Pl. Guianae 47.  
 † — *lycioides* Willd. Gaertn. Carp. 202.  
 — *reclinata* Vent. Ventenat Choix 22.  
 † — *retusa* Sw. Gaertn. Carp. 202.  
*Bunchosia* *bracteata* Juss. St. Hil. Fl. Bras. 177.  
 † — *nitida* DC. Arch. Mus. 3, 8.  
 — *polystachya* DC. Lodd. Cab. 1360.  
 † *Bunias aegyptiaca* L. Gaertn. Carp. 142.  
 † — — Medicus Gattungen 1.  
 — — Jacq. Vind. 145.  
 — *aspera* Retz. Rehb. Fl. germ. 2, 1.  
 — *balearica* L. Gouan Illustr. 20<sup>b</sup>.  
 † — — Schk. Handb. 189<sup>a</sup>.  
 — — Jacq. Vind. 144.  
 — *Cakile* L. Fl. dan. 7, 1168.  
 — — Engl. Bot. 4, 231.  
 — — Desc. Ant. 1, 43.  
 — *cochlearoides* Murr. Novi Comm. Gott. 8, 3.  
 — — W. et Kit. 107.  
 † — *Erucago* L. Gaertn. Carp. 142.  
 — — Jacq. Fl. austr. 4, 340.  
 — — Schk. Handb. 189<sup>a</sup>.  
 — — Braune Fl. germ. 2, 2.  
 — — Rehb. Fl. germ. 2, 1.  
 — *macroptera* Rehb. Rehb. Fl. germ. 2, 1.  
 † — *myagroides* L. Desv. Journ. 5, 25.  
 † — *orientalis* L. Gaertn. Carp. 142.  
 † — — Schk. Handb. 189<sup>a</sup>.  
 † — — Medicus Gattungen 1.  
 † — — Desv. Journ. 5, 25.  
 — — Fl. dan. 10, 1651.  
 — *ovalis* Viv. Viv. Lib. 16.  
 — *prostrata* Desf. Desf. Fl. atl. 150.  
 † — — Desv. Journ. 5, 25.  
 — *raphanifolia* Sm. Sibth. Fl. gr. 612.  
 † — *spinosa* L. Gaertn. Carp. 142.  
 — — Vent. Malm. 16.  
 — *tenuifolia* Sm. Sibth. Fl. gr. 614.  
 — *virgata* Sm. Sibth. Fl. gr. 613.  
*Bunium* *alpinum* W. et K. W. et Kit. 182.  
 — *Bulbocastanum* L. Schk. Handb. 62.  
 † — — Gaertn. Carp. 140.  
 † — — Lam. Encycl. 197.  
 — — Fl. dan. 2, 220.  
 — — Curt. Lond. 3, 60.  
 — — Engl. Bot. 2862. 14, 988.  
 — *ferulaefolium* Desf. Ann. Mus. 11, 30.

- Bunium ferulaefolium* Desf. Desf. Choix 43.  
 — flexuosum With. Engl. Bot. 14, 988.  
 — — — Baxter Brit. Bot. 6, 2.  
 — junceum M. et R. Mem. Genev. 8, 4.  
 — Macuca Boiss. Boissier Esp. 66.  
 — nivale Boiss. Boissier Esp. 67.  
 — pumilum Sibth. Sibth. Fl. gr. 274.  
 — pyrenaicum Lois. Lois. Fl. gall. 5.  
 † *Buphane* Herbert. Herbert Amar. 36.  
 — ciliaris Herb. Bot. Reg. 14, 1153, 1159.  
 † *guttata* Herb. Herbert Amar. 22.  
 — toxicaria Herb. Bot. Reg. 7, 567.  
 † *Buphthalmum aquaticum* L. Gaertn. Carp. 169.  
 † — — — Lam. Encycl. 682.  
 † — — — Schk. Handb. 257.  
 — — — Sibth. Fl. gr. 899.  
 — asteroideum Viv. Viv. Lib. 25.  
 — australe Spr. Kern. Hort. 778.  
 — cordifolium W. et K. W. et Kit. 113.  
 — — — Herb. amat. 1, 23.  
 — flosculosum Vent. Vent. Cels 25.  
 — frutescens L. Herb. amat. 3, 167.  
 — Garcini Burm. Burm. Fl. ind. 60.  
 — grandiflorum L. Schk. Handb. 257.  
 — graveolens Forsk. Vahl Symb. 19.  
 — helianthoides L. Martyn Hist. 18.  
 — — — L'her. Stirp. 45.  
 — — — Schk. Handb. 257.  
 — inuloides Moris. Moris Fl. sard. 80.  
 — maritimum L. Lam. Encycl. 682.  
 — odorum Schousb. Schousb. Mar. 7.  
 — pratense Vahl. Delile Egypte 48.  
 — salicifolium L. Jacq. Fl. austr. 4, 370.  
 † — — — Gaertn. Carp. 169.  
 † — — — Lam. Encycl. 682.  
 — — — Schrank Fl. monac. 2, 129.  
 † — — — Nees Gen. X, x.  
 — scabrum Cav. Cav. Ic. 167.  
 — sericeum L. Bot. Mag. 43, 1836.  
 — speciosissimum L. Rehb. Ic. crit. 4, 349.  
 — speciosum Schreb. Schreber Ic. 6.  
 — spinosum L. Sibth. Fl. gr. 898.  
 † — — — Schk. Handb. 257.  
 † — — — Lam. Encycl. 682.  
*Bupleurum aciphyllum* Webb. Webb Canar. 70.  
 — acutifolium Boiss. Boissier Esp. 71.  
 — angulosum L. Rehb. Ic. crit. 9, 816.  
 — arborescens Jacq. Jacq. Ic. 351.  
 — aristatum Bartl. Rehb. Ic. crit. 2, 178.  
 — — — Guss. Pl. rar. 23.  
 — aureum Fisch. Rehb. Pl. crit. 6, 521.  
 — baldense W. et K. W. et Kit. 257.  
 — bicalyculatum Bell. Mem. Tur. 7, 2.  
 — bicaule Helm. Mem. Mosc. 2, 8.  
 — caricifolium Willd. Rehb. Ic. crit. 9, 822.  
 — cernuum Ten. Tenore Fl. nap. 125.  
 † — compositum Spr. Mag. nat. Fr. 6, 5.  
 — coriaceum Ait. L'her. Stirp. 67.  
 — dianthifolium Guss. Cesati Stirp. ital. 0.  
 — distichophyllum W. et A. Wight Ic. pl. Ind. or.  
 3, 1006.  
 — diversifolium Roch. Rochel Ban. 28.  
 — falcatum L. Jacq. Fl. austr. 2, 158.  
 — — — Engl. Bot. 2763.  
 — — — Dietr. Fl. bor. 7, 455.  
 † — — — Nees Gen. X, x.  
 — frutescens L. Cav. Ic. 106.  
 — fruticosum L. Sibth. Fl. gr. 263.  
 — — — Watson Dendr. 1, 14.  
 — Gerardi Jacq. Gerard Fl. gallopr. 9.  
 — — — Jacq. Fl. austr. 3, 256.  
 — — — Rehb. Ic. crit. 2, 164, 165.

- Bupleurum Gerardi* Murr. Sibth. Fl. gr. 262.  
 — glaucum Rob. et Cast. Rehb. Ic. crit. 2, 168.  
 — — — DC. Guss. Pl. rar. 23.  
 — glumaceum Sm. Sprengel Umbellif. 3.  
 — — — Rehb. Ic. crit. 2, 179.  
 — gracile M. v. B. Eichw. Cauc. 10.  
 — gracillimum Klotzsch. Prinz Wald. Him. 50.  
 — graminifolium Vahl. Lam. Encycl. 189.  
 — — — Roemer Fl. eur. 7, 2.  
 — — — Rehb. Ic. crit. 9, 820.  
 — Hoffmeisteri Klotzsch. Prinz Wald. Him. 52.  
 — himalayense Klotzsch. Prinz Wald. Him. 51.  
 — incurvum Bell. Mem. Tur. 5, 4.  
 — junceum L. Rehb. Ic. crit. 2, 166.  
 † — — — Nees Gen. X, x.  
 — Koechellii Fenzl. Russegger Reise 18.  
 — longifolium L. Schrank Fl. monac. 4, 306.  
 — nodiflorum Sibth. Sibth. Fl. gr. 260.  
 † — Odontites L. Gaertn. Carp. 22.  
 — — — Jacq. Vind. 3, 91.  
 — — — Engl. Bot. 35, 2468.  
 — — — Rehb. Ic. crit. 2, 177.  
 — — — Gussone Pl. rar. 22.  
 — papillosum DC. Jaub. Illustr. 236.  
 — petraeum L. Vill. Dauph. 14.  
 — — — Jacq. Ic. 56.  
 — — — Rehb. Ic. crit. 9, 819.  
 — plantagineum Desf. Desf. Fl. atl. 57.  
 — plantaginifolium Wight. Wight Ic. pl. Ind. or.  
 1, 281.  
 — procumbens Desf. Desf. Fl. atl. 56.  
 — proliferum Del. Delile Egypte 22.  
 — protractum Lk. Rehb. Ic. crit. 9, 824.  
 — pyrenaicum Gouan. Gouan Illustr. 4.  
 — — — Rehb. Ic. crit. 9, 818.  
 — ramosissimum W. et A. Wight Ic. pl. Ind. or.  
 3, 1007.  
 — — — Wight Spicil. 81.  
 — ranunculoides L. Rehb. Ic. crit. 9, 821.  
 — Rissoni Rich. Risso Fl. de Nice 9.  
 † — rotundifolium L. Gaertn. Carp. 22.  
 — — — Lam. Encycl. 189.  
 — — — Schk. Handb. 60.  
 — — — Engl. Bot. 2, 99.  
 — — — Sturm Flora 2, 5.  
 — — — Hayne 7, 1.  
 — — — Dietr. Fl. bor. 7, 456.  
 — — — Baxter Brit. Bot. 1, 13.  
 † — — — Nees Gen. X, x.  
 — semicompositum L. Gouan Illustr. 7.  
 — — — Sibth. Fl. gr. 261.  
 — — — Rehb. Ic. crit. 2, 183.  
 — Sibthorpiatum Sm. Sibth. Fl. gr. 264.  
 — — — Rehb. Ic. crit. 9, 823.  
 — spinosum L. fil. Gouan Illustr. 2.  
 — stellatum L. Rehb. Ic. crit. 9, 817.  
 — subpinnatum Led. Eichwald Cauc. 11.  
 † — tenuissimum L. Gaertn. Carp. 22.  
 — — — Fl. dan. 7, 1090.  
 — — — Sv. Bot. 618.  
 — — — Engl. Bot. 7, 478.  
 — — — Rehb. Ic. crit. 2, 167.  
 — — — Dietr. Fl. bor. 11, 756.  
 † — — — Nees Gen. X, x.  
 — trifidum Ten. Tenore Fl. nap. 126.  
 — triradiatum Adams. Mem. Mosc. 9, 14.  
 † *Burasaia madagascariensis* Aub. Arch. Mus. 1, 13.  
*Burchellia bubalina* Sims. Bot. Mag. 49, 2339.  
 — capensis R. Br. Bot. Reg. 6, 466.  
 — — — Lodd. Cab. 664.  
 — parviflora Ldl. Bot. Reg. 11, 891.  
 † *Burchardia prismatocarpa* Juss. Arch. Mus. 3, 4.



- †Burgsdorfia romana *Lk.* Nees Gen. 6, 36.  
 Burkea africana *Hook.* Hook. Ic. pl. 6, 593—594.  
 Burlingtonia candida *Ldl.* Bot. Reg. 23, 1927. 1929.  
 — decora *Lem.* Lem. Jard. fl. 188.  
 — — — Fl. d. serres 7, 716.  
 — maculata *Ldl.* Bot. Reg. 25, 44.  
 — rigida *Ldl.* Lindley Sertum 36.  
 — — — Paxt. Mag. 8, 193.  
 — — — Fl. d. serres 1, 2.  
 — venusta *Ldl.* Lindley Sertum 2.  
 †Burmanna *L.* Endl. Bras. 8, 7.  
 † — bicolor *Miers.* Linn. Transact. 18, 37.  
 — — — *Mart.* Mart. Bras. 5.  
 — coelestis *Don.* Royle Illustr. 91.  
 — dasyantha *Mart.* Mart. Bras. 5.  
 — — — Schnizl. Ic. 1, 60.  
 — distachya *R. Br.* Lam. Encycl. 225.  
 — disticha *L.* Roxb. Corom. 242.  
 — flava *Mart.* Mart. Bras. 5.  
 — — — Schnizl. Ic. 1, 60.  
 — Selloviana *Seub.* Endl. Bras. 8, 7.  
 †Burmanniaceae *Bl.* Schnizl. Ic. 1, 60.  
 Burrielia gracilis *DC.* Bot. Mag. 66, 3758.  
 Bursaria spinosa *Cav.* Cav. Ic. 350.  
 — — — Bot. Mag. 42, 1767.  
 — — — Herb. amat. 5, 343.  
 Bursera gummifera *L.* Jacq. Hist. stirp. am. 96.  
 † — — — Jacq. Fragm. 33.  
 — — — Lam. Encycl. 256.  
 — — — Desc. Ant. 2, 97.  
 — — — Dict. sc. nat. 264. 265.  
 † — — — Schnizl. Ic. 246.  
 — serrata *Wall.* Linn. Transact. 15, 4.  
 †Burseraceae *Kth.* Schnizl. Iconogr. 246.  
 Bursinopetalum arboreum *Wight.* Wight Spicil. 24.  
 — — — Wight Ic. pl. Ind. or. 3, 956.  
 Burtonia conferta *DC.* Bot. Reg. 19, 1600.  
 — — — Paxt. Mag. 12, 53.  
 — pulchella *Meisn.* Bot. Mag. 74, 4392.  
 — — — Fl. d. serres 4, 406.  
 — sessilifolia *DC.* Delessert Ic. 3, 61.  
 — — — Hart. Parad. 1, 14.  
 — villosa *Meisn.* Bot. Mag. 74, 4410.  
 Bustillosia chilensis *Clos.* Gay Chile 32.  
 Butea frondosa *Roxb.* Rheede Hort. mal. 6, 16. 17.  
 — — — Roxb. Corom. 21.  
 — — — Kern. Hort. 85.  
 — — — Kern. Ic. pl. scl. 4.  
 — — — Hayne 10, 6.  
 — — — Wight Illustr. in Hook. 32.  
 — — — Nees Düss. Suppl. 10.  
 — parviflora *Roxb.* Wight Ic. pl. Ind. or. 1, 210.  
 — superba *Roxb.* Roxb. Corom. 22.  
 — — — Kern. Hort. 181.  
 Butinia bunioides *Boiss.* Boissier Esp. 80.  
 — capnoides *Decne.* Jacquemont Ind. 80.  
 †Butomaceae *Rich.* Schnizl. Ic. 1, 50.  
 †Butomus *L.* Kerner Gen. 175.  
 † — floridus *Gaertn.* Gaertn. Carp. 19.  
 — lanceolatus *Roxb.* Royle Illustr. 95.  
 — umbellatus *L.* Curt. Lond. 3, 11.  
 — — — Engl. Bot. 10, 651.  
 — — — Baxter Brit. Bot. 1, 34.  
 — — — Fl. dan. 4, 604.  
 — — — Sv. Bot. 296.  
 — — — Red. Lil. 4, 209.  
 † — — — Lam. Encycl. 324.  
 — — — Dict. sc. nat. 44.  
 — — — Schk. Handb. 111.  
 — — — Sturm Flora 5, 18.  
 — — — Dreves 2, 69.  
 — — — Schrank Fl. mon. 3, 271.

- Butomus umbellatus *L.* Dietr. Fl. bor. 1, 25.  
 — — — Rehb. Fl. germ. 7, 58.  
 † — — — Nees Gen. 2, 27.  
 † — — — Schnizl. Ic. 1, 50.  
 †Butonica acutangula *Lam.* Lam. Encycl. 591.  
 — speciosa *Lam.* Lam. Encycl. 590. 591.  
 †Buxus sempervirens *L.* Gaertn. Carp. 108.  
 † — — — Lam. Encycl. 761.  
 — — — Schk. Handb. 287.  
 — — — Guimp. Holzgew. 137.  
 — — — Engl. Bot. 19, 1341.  
 — — — Baxter Brit. Bot. 2, 142.  
 — — — Rehb. Fl. germ. 5, 153.  
 † — — — Nees Gen. 4, 41.  
 — suffruticosa *Lam.* Rehb. Fl. germ. 5, 153.  
 Byblis limiflora *Salisb.* Salisb. Parad. 95.  
 — — — Endl. Iconogr. 113.  
 Byrsanthus Brownii *Guillem.* Delessert Ic. 3, 52.  
 Byrononia angustifolia *H. B. K.* H. B. K. Nov. Gen. 5, 449.  
 † — — — Arch. Mus. 3, 5.  
 † — bicomulata *Juss.* Arch. Mus. 3, 5.  
 — bumeliacifolia *Juss.* St. Hil. Fl. Bras. 180.  
 † — — — Arch. Mus. 3, 5.  
 — cotonifolia *H. B. K.* H. B. K. Nov. Gen. 5, 447.  
 — ferruginea *H. B. K.* H. B. K. Nov. Gen. 5, 446.  
 † — gymnocalycina *Juss.* Arch. Mus. 3, 5.  
 — nitidissima *H. B. K.* H. B. K. Nov. Gen. 5, 448.  
 Bystropogon canariensis *L'hér.* Webb Canar. 151.  
 — organifolius *L'hér.* Webb Canar. 150.  
 — plumosus *L'hér.* L'hér. Sertum 22.  
 — punctatus *L'hér.* L'hér. Sertum 23.  
 — serrulatus *Webb.* Webb Canar. 151.  
 †Caballeria *Rz et P.* Ruiz et Pav. Prodr. 30.  
 †Cabomba *Aubl.* Gray Gen. 38.  
 † — aquatica *Aubl.* Aubl. Guiana 124.  
 † — — — Lam. Encycl. 265.  
 — — — Dict. sc. nat. 80.  
 — caroliniana *Gray.* Gray Gen. 38.  
 — — — Hook. Ic. pl. 7, 642.  
 — piahyensis *Gardn.* Hook. Ic. pl. 7, 641.  
 †Cabralea polytricha *Juss.* Mem. Mus. 19, 16.  
 Cacalia albifrons *L.* Sturm Flora 10, 37.  
 — alpina *L.* Jacq. Fl. austr. 3, 234.  
 — — — Sturm Flora 10, 37.  
 — arborea *H. B. K.* H. B. K. Nov. Gen. 4, 359.  
 — articulata *L.* L'hér. Stirp. 83.  
 — atriplicifolia *L.* Schk. Handb. 236.  
 — — — Torr. New York 59.  
 — bicolor *Willd.* Salisb. Parad. 25.  
 — — — Bot. Reg. 2, 110.  
 — — — Tratt. Arch. 277.  
 — bipinnata *L. fil.* Lam. Encycl. 673.  
 — candicans *Vahl.* Vahl Symb. 71.  
 — coccinea *Sims.* Bot. Mag. 16, 564.  
 — cordifolia *H. B. K.* H. B. K. Nov. Gen. 4, 360.  
 — cylindrica *Lam.* DC. Plantes grasses 48.  
 — dichroa *Bong.* Acad. Pet. 5, 7.  
 — ficoides *L.* Gil et Xarez 29.  
 — — — DC. Plantes grasses 90.  
 † — hastata *L.* Gaertn. Carp. 166.  
 † — — — Lam. Encycl. 673.  
 — — — Pallas Fl. ross. 3, 10.  
 † — Kleinia *L.* Gaertn. Carp. 166.  
 † — — — Lam. Encycl. 673.  
 — — — DC. Plantes grasses 12.  
 — laciniata *Jacq.* Jacq. Ic. 168.  
 — — — DC. Plantes grasses 18.  
 — Linaria *Cav.* Cav. Ic. 357.  
 — linearis *Lab.* Bill. Nov. Holl. 178.  
 — limifolia *Ard.* Ard. Animadv. 2, 19.  
 — ovalis *Ker.* Bot. Reg. 2, 101.

- Cacalia peltata* H. B. K. H. B. K. Nov. Gen. 4, 361.  
 — *peucedanifolia* Jacq. Jacq. Ic. 581.  
 — *Porophyllum* L. Cav. Ic. 222.  
 — *repens* L. DC. Plantes grasses 42.  
 — *rotundifolia* Willd. Willd. Phytogr. 6.  
 — *runcinata* Lam. Lam. Encycl. 673.  
 — *salicina* Lab. Bill. Nov. Holl. 179.  
 — — Bot. Reg. 11, 923.  
 — *sonchifolia* L. Rumpf. Amb. 5, 103.  
 — — Novi Comm. Gott. 3, 7.  
 — — Kern. Hort. 130.  
 — *suaveolens* L. Schk. Handb. 236.  
 — *suffruticosa* L. Lam. Encycl. 673.  
 — *teretifolia* H. B. K. H. B. K. Nov. Gen. 4, 357.  
 — *tomentosa* Jacq. Jacq. Fl. austr. 3, 235.  
 — *vaccinioides* H. B. K. H. B. K. Nov. Gen. 4, 358.  
 — *verbascifolia* Sibth. Sibth. Fl. gr. 848.  
 — *villosa* Jacq. Jacq. Ic. 580.  
*Cacao* *guianense* Aubl. Aubl. Guiana 275.  
 † — *minus* Gaertn. Gaertn. Carp. 122.  
 — *silvestre* Aubl. Aubl. Guiana 276.  
 — *Theobroma* Juss. Tuss. Ant. 1, 13.  
*Cachrys* *amplexifolia* Led. Eichw. Cauc. 9.  
 — *cretica* Lam. Desf. Choix 42.  
 — — Ann. Mus. 11, 29.  
 † — — Mem. Mosc. 5, 1.  
 — *Libanotis* L. Schk. Handb. 65.  
 † — — Mem. Mosc. 5, 1.  
 † — *litoralis* Spr. Mag. nat. Fr. 6, 5.  
 — *macrocarpa* Led. Ledeb. Ic. 313.  
 † — *maritima* Spr. Mag. nat. Fr. 6, 5.  
 † — *odontalgica* Pall. Gaertn. Carp. 140.  
 — *sibirica* Fisch. Rchb. Ic. crit. 5, 489.  
 — *siçula* L. Sibth. Fl. gr. 278.  
 † — — Lam. Encycl. 205.  
 — *vaginata* Led. Ledeb. Ic. 9.  
*Cacosmia rugosa* H. B. K. H. B. K. Nov. Gen. 4, 404.  
*Cacoucia coccinea* Aubl. Aubl. Guiana 179.  
 † — — Lam. Encycl. 359.  
 † *Caectae* DC. (Miquel.) Linnaea 12, 1, 2.  
 † — (Brongniart.) Arch. Mus. 1, 35.  
 † — (Schleiden.) Mem. Petersb. 1840, 1—10.  
 † — (Zuccarini.) Münchn. Abb. 2, 1, 3.  
 † *Cactus* L. (Epidermis.) Mem. Instit. 1849, 1.  
 — *Ackermanni* Haw. Bot. Reg. 16, 1331.  
 — — Hort. Rchb. Exot. 327.  
 — *alatus* Sw. Colla Hort. Rip. 20.  
 — — Bot. Mag. 55, 2820.  
 — *ambiguus* Bonpl. Bonpl. Malm. 36.  
 — — Rchb. Exot. 179.  
 — *Berteri* Colla. Mem. Tur. 37, 17.  
 — *bradypus* Lehm. Acta Leop. 16, 1, 12.  
 — *coccinellifer* L. DC. Plantes grasses 137, 137 bis.  
 — *cochenillifer* L. Andr. Rep. 8, 533.  
 — — Desc. Ant. 7, 515.  
 — — Bot. Mag. 54, 2741, 2742.  
 — — Dict. sc. nat. 203.  
 — *curvispinus* Colla. Mem. Tur. 37, 16.  
 — *Dillenii* Ker. Bot. Reg. 3, 255.  
 — *divaricatus* Lam. Desc. Ant. 1, 66.  
 — *fimbriatus* Lam. Desc. Ant. 6, 419.  
 — *flagelliformis* L. Bot. Mag. 1, 17.  
 — — DC. Plantes grasses 127.  
 — — Tuss. Ant. 2, 28.  
 — — Desc. Ant. 1, 67.  
 — *gibbosus* Haw. Bot. Reg. 2, 137.  
 — — Lodd. Cab. 1524.  
 — — Rchb. Exot. 326.  
 — *grandiflorus* L. Andr. Rep. 8, 508.  
 — — DC. Plantes grasses 52.  
 — — Desc. Ant. 1, 65.  
 — — Lodd. Cab. 1625.

- Cactus hexagonus* L. Andr. Rep. 8, 513.  
 — — — Kern. Hort. 593.  
 — — — Rchb. Hort. 248.  
 — — — Rchb. Exot. 322.  
 — *horridus* Colla. Mem. Tur. 37, 17.  
 — *Lamarckii* Colla. Mem. Tur. 33, 7.  
 — *Langsdorffii* Lehm. Acta Leop. 16, 1, 13.  
 — *Lecchii* Colla. Mem. Tur. 35, 2.  
 — *Linkii* Lehm. Acta Leop. 16, 1, 14.  
 — *mammillaris* L. DC. Plantes grasses 111.  
 — — Tuss. Ant. 2, 32.  
 — *Melocactus* L. DC. Plantes grasses 112.  
 — — Wendl. Coll. 5.  
 — — Tuss. Ant. 2, 27.  
 — — Dict. sc. nat. 206.  
 — *moniliformis* L. Desc. Ant. 7, 514.  
 — *nobilis* L. Desc. Ant. 7, 515.  
 † — *Opuntia* L. Gaertn. Carp. 136.  
 † — — Lam. Encycl. 414.  
 — — var. *nana*, DC. Plantes grasses 138 c.  
 — — var. *nana*, Tuss. Ant. 2, 30.  
 — — var. *inermis*, Tuss. Ant. 2, 34.  
 — — var. *polyanthos*, DC. Pl. grasses 138.  
 — — var. *Tuna*, DC. Plantes grasses 138 bis.  
 — — var. *Tuna*, Tuss. Ant. 2, 31.  
 — — var. *Tuna*, Kern. Hort. 720.  
 — — Desc. Ant. 7, 513.  
 — — Bot. Mag. 50, 2393.  
 — *Otonis* Lehm. Acta Leop. 16, 1, 15.  
 — *parasiticus* L. DC. Plantes grasses 59.  
 — *pendulus* Sw. Tuss. Ant. 3, 22.  
 — *Pereskia* L. Desc. Ant. 4, 294.  
 — *peruvianus* L. DC. Plantes grasses 58.  
 — — Tuss. Ant. 2, 33.  
 — — Comm. Gott. 11, 1—3.  
 — *phyllanthoides* DC. Bot. Mag. 46, 2092.  
 — *Phyllanthus* L. Jacq. Schoenbr. 4, 403.  
 — — DC. Plantes grasses 145.  
 — — Bot. Mag. 53, 2692.  
 — *placentiformis* Lehm. Acta Leop. 16, 1, 16.  
 — *polyanthos* Sims. Bot. Mag. 53, 2691.  
 — *repandus* L. Bot. Reg. 4, 336.  
 — — Kern. Hort. 400.  
 — *reticulatus* Desc. Desc. Ant. 1, 68.  
 — *Royeni* L. DC. Plantes grasses 161.  
 — *serpentinus* Spin. Link. Ic. I. 42.  
 — *speciosissimus* Desf. Mem. Mus. 3, 9.  
 — — Lodd. Cab. 924.  
 — — Bot. Mag. 49, 2306.  
 — — Bot. Reg. 6, 486.  
 — — Herb. amat. 5, 351.  
 — — Rchb. Exot. 180.  
 — *speciosus* Cav. Jacq. Ecl. pl. 141.  
 — — Rchb. Mag. 7.  
 — — *Bonpl.* Bonpl. Malm. 3.  
 — — Bot. Reg. 4, 304.  
 — — Colla Hort. Rip. 10.  
 — — Maund Bot. 1, 12.  
 — — Kern. Hort. 447.  
 — — Dict. sc. nat. 204.  
 — — Herb. amat. 4, 244.  
 — *Spini* Colla. Mem. Tur. 33, 11.  
 — *stellatus* Willd. Lodd. Cab. 79.  
 — *triangularis* L. Tuss. Ant. 4, 26.  
 — — Desc. Ant. 7, 519.  
 — — Dict. sc. nat. 205.  
 — — Bot. Mag. 44, 1884.  
 — *truncatus* Lk. Jacq. Ecl. pl. 142.  
 — — Lodd. Cab. 1207.  
 — — Hook. Exot. Fl. 20.  
 — — Bot. Reg. 9, 696.  
 — — Bot. Mag. 52, 2562.

- Cactus truncatus* Lk. Rehb. Exot. 325.  
 — *Tuna* L. Bot. Mag. 38, 1557.  
*Cadaba capparoides* DC. Delessert Ic. 3, 9.  
 — *farinosa* Forsk. Delessert Ic. 3, 8.  
 — *heterotricha* Stocks. Hook. Ic. pl. 9, 839.  
 — *longifolia* DC. Richard Abyssin. 5.  
 — *triphylla* Wight. Wight Illustr. in Hook. 37.  
*Cadctia angustifolia* Bl. Blume Rumphia 192. 198.  
 — *umbellata* Gaudichd. Freycinet Voyage 33.  
*Cadia arabica* Zuccagni. Usteri Ann. 19, 1.  
 — *varia* L'herit. Richard Abyssin. 46.  
*Caenopteris appendiculata* Lab. Bill. Nov. Holl. 243.  
 — *fiaccida* Thunb. Schk. Fil. 82.  
 — *graminea* Schk. Schk. Fil. 87.  
 — *japonica* Thunb. Willd. Phytogr. 8.  
 — *Novae Zeelandiae* Spr. Schk. Fil. 82.  
 — *rhizophylla* Sm. Smith Ic. Linn. 50.  
 — — Hook. Ic. Fil. 193.  
 † *Caesalpinia* L. Kerner Gen. 143.  
 — *axillaris* DC. Rheede Hort. mal. 6, 20.  
 — *bahamensis* Lam. Desc. Ant. 7, 503.  
 — *Cacalaco* H. B. Humb. Pl. aeq. 137.  
 — *coriaria* Willd. Humb. Mim. 45.  
 — *Crista* L. Desc. Ant. 2, 86. 7, 504.  
 — *digyna* Willd. Neue Schr. naturf. Fr. 4, 3.  
 — — DC. Legum. 3.  
 — *mimosoides* Lam. Rheede Hort. mal. 6, 8.  
 † — — Lam. Encycl. 335.  
 — — Wight Ic. pl. Ind. or. 2, 392.  
 — *paniculata* Roxb. Rheede Hort. mal. 6, 19.  
 — — Wight Ic. pl. Ind. or. 1, 36.  
 — *pectinata* Cav. Dict. sc. nat. 257.  
 — *pulcherrima* Sw. Maund Bot. 4, 151.  
 — — Kern. Hort. 137.  
 — *Sappan* L. Rheede Hort. mal. 6, 2.  
 — — Rumpf Amb. 4, 21.  
 † — — Gaertn. Carp. 144.  
 † — — Lam. Encycl. 335.  
 — — Roxb. Corom. 16.  
 — *sepiaria* Roxb. Wight Ic. pl. Ind. or. 1, 37.  
 † — *vesicaria* L. Gaertn. Carp. 144.  
*Caesarea albiflora* Camb. Mem. Mus. 18, 18.  
*Caesulia axillaris* Roxb. Roxb. Corom. 93.  
 — — — Andr. Rep. 6, 429.  
 — — — Wight Ic. pl. Ind. or. 3, 1102.  
*Cajanus argenteus* DC. Sturm Flora 14, 59.  
 — *bicolor* DC. Rheede Hort. mal. 6, 13.  
 — — — Bot. Reg. 31, 31.  
 — *flavus* DC. Rumpf Amb. 5, 135. fig. 2.  
*Cainito pomiferum* Tuss. Tuss. Ant. 3, 9.  
 — — — Dict. sc. nat. 63.  
*Caiothora cirsiifolia* Presl. Presl Reliq. 56.  
 — *lateritia* Maund. Maund Bot. 3, 119.  
 † *Cakile* L. Gray Genera 74.  
 — *aegyptiaca* Tuss. Tuss. Ant. 1, 17.  
 — *aequalis* L'her. Delessert Ic. 2, 57.  
 — *americana* Nutt. Gray Gen. 74.  
 † *latifolia* Poir. Lam. Encycl. 554.  
 — *maritima* Scop. Lam. Encycl. 554.  
 — — — Curt. Lond. 5, 160.  
 — — — Sv. Bot. 407.  
 — — — Rehb. Fl. germ. 2, 1.  
 — — — Baxter Brit. Bot. 4, 258.  
 † — *Scrapionis* Gaertn. Gaertn. Carp. 141.  
*Caladenia carnea* R. Br. Endl. Iconogr. 51.  
 — *filifera* Ldl. Field. Sertum 73.  
 — *longicauda* Ldl. Lindley Swan River 8.  
 — *minor* Hook. fil. Hook. New Zeal. 56.  
*Caladium auritum* Vent. Kern. Hort. 242.  
 — *Bauersia* Rehb. Rehb. Hort. 160.  
 — *bicolor* Vent. Vent. Cels 30.  
 — — — Hook. Exot. Fl. 26.

- Caladium bicolor* Vent. Lodd. Cab. 255.  
 — — — Bot. Mag. 52, 2543.  
 — *fragrantissimum* Hook. Bot. Mag. 61, 3314.  
 — *grandifolium* Willd. Bot. Mag. 53, 2643.  
 — — — Bot. Mag. 61, 3345.  
 — *helleborifolium* Vent. Kern. Hort. 283.  
 — *lividum* Lodd. Lodd. Cab. 1590.  
 — *maculatum* Lodd. Lodd. Cab. 608.  
 — *nymphaeifolium* Vent. Rheede Hort. mal. 11, 22.  
 — — — Wight Ic. pl. Ind. or. 3, 786.  
 — *odorum* Roxb. Bot. Reg. 8, 641.  
 — *ovatum* Willd. Rheede Hort. mal. 11, 23.  
 — *pedatum* Hook. Hook. Exot. Fl. 206.  
 — *petiolatum* Hook. Bot. Mag. 66, 3728.  
 — *pinnatifidum* Willd. Kern. Hort. 808. 809.  
 — *sagittaeifolium* Willd. Rumpf Amb. 5, 107.  
 — — — Kern. Hort. 128.  
 — *seguinum* Willd. Hook. Exot. Fl. 1.  
 — — — Bot. Mag. 52, 2606.  
 — — — Kern. Hort. 334.  
 — *virginicum* Hook. Hook. Exot. Fl. 182.  
 — — — Kern. Hort. 825.  
 — *viviparum* Roxb. Lodd. Cab. 281.  
 — *zamiaefolium* Lodd. Lodd. Cab. 1408.  
 — *Zour-Colocasia* Schott. Wight Ic. pl. Ind. or. 3, 787.  
 † *Calamagrostis* Roth. Dumortier Gram. 9.  
 † — — Mutel Fl. fr. 78.  
 — *acutiflora* DC. Rehb. Fl. germ. 1, 39.  
 — *alpina* Host. Host Gram. 351.  
 — *canadensis* Pal. B. Torr. New York 150.  
 — *coarctata* Torr. Torr. New York 151.  
 — *deschampsoides* Tr. Trin. Sp. Gr. 3, 354.  
 — *Epigeios* Roth. Host Gram. 342.  
 — — — Rehb. Fl. germ. 1, 43.  
 — — — Baxter Brit. Bot. 6, 412.  
 — *Gaudiniana* Rehb. Rehb. Fl. germ. 1, 41.  
 — *glauca* M. v. B. Rehb. Fl. germ. 1, 43.  
 † — *Halleriana* DC. Nees Gen. 1, 33.  
 — *holciformis* Jaub. Jaub. Illustr. 340.  
 — *Huebneriana* Rehb. Rehb. Fl. germ. 1, 43.  
 — *inexpansa* Gray. Torr. New York 152.  
 — *lanceolata* Roth. Rehb. Fl. germ. 1, 41.  
 — *laxa* Host. Host Gram. 343.  
 — — — Rehb. Fl. germ. 1, 42.  
 — *litorea* DC. Rehb. Fl. germ. 1, 42.  
 — *montana* Host. Host Gram. 346.  
 — — — Rehb. Fl. germ. 1, 39.  
 — *nutans* Saut. Rehb. Fl. germ. 1, 40.  
 — *pseudopragmites* Lk. Rehb. Fl. germ. 1, 40.  
 — *pulchella* Saut. Rehb. Fl. germ. 1, 40.  
 — *pyramidalis* Host. Host Gram. 349.  
 — — — Rehb. Fl. germ. 1, 38.  
 — *ramosa* Host. Host Gram. 344.  
 — *silvatica* Host. Host Gram. 348.  
 — — *Pal. B.*: Rehb. Fl. germ. 1, 38.  
 — *speciosa* Host. Host Gram. 345.  
 — *stricta* Pal. B. Sturm Flora 8, 29.  
 — — — Rehb. Fl. germ. 1, 37.  
 — *tenella* Host. Host Gram. 350.  
 — — *Lk.* Rehb. Fl. germ. 1, 37.  
 — *varia* Host. Host Gram. 347.  
*Calamintha Acinos* Clairv. Sturm Flora 16, 70.  
 — *alpina* Lam. Sturm Flora 13, 51.  
 — *ascendens* Jord. Jord. Obs. 4, 1.  
 — *grandiflora* Moench. Sturm Flora 16, 70.  
 † — — — Nees Gen. 6, 13.  
 — *Nepeta* Clairv. Sturm Flora 16, 70.  
 † — — — Nees Gen. 6, 13.  
 — — *Pursh.* Baxter Brit. Bot. 6, 486.  
 — — *L.* Jord. Obs. 4, 2.  
 — *nepetoides* Jord. Jord. Obs. 4, 2.

- Calamintha officinalis* Moench. Sturm Flora 16, 70.  
 — — — Diatr. Fl. bor. 4, 275.  
 — — — Jord. Obs. 4, 1.  
 — *silvatica* Hook. Engl. Bot. 2897.  
 — *thymifolia* Rehb. Sturm Flora 16, 70.  
*Calamosagus harinaefolius* Griff. Griffith Palms 184.  
 — *laciniosus* Griff. Griffith Palms 183, 216.  
 † — *ochriger* Griff. Griffith Palms 216.  
 — *scaphiger* Griff. Griffith Palms 184<sup>a</sup>.  
 — *wallichiaefolius* Griff. Griffith Palms 184.  
*Calampelis scabra* Don. Bot. Reg. 9, 939.  
 — — — Endl. Iconogr. 95.  
 — — — Sweet Fl. G. II. 30.  
 † *Calamus* L. (Fructus.) Mart. Palm. 175, 176.  
 — *acanthopis* Griff. Griffith Palms 216<sup>b</sup>.  
 — *acanthospathus* Griff. Griffith Palms 190<sup>a b</sup>.  
 — *anceps* Bl. Blume Rumphia 149.  
 — *angustifolius* Griff. Griffith Palms 213<sup>a b</sup>.  
 — *arborescens* Griff. Griffith Palms 188<sup>a b c</sup>.  
 — *asperrimus* Bl. Blume Rumphia 146.  
 — *callicarpus* Griff. Griffith Palms 215<sup>a b c d</sup>, 216.  
 † — *castaneus* Griff. Mart. Palm. Z<sup>21</sup>.  
 — — — Griffith Palms 185<sup>a b c</sup>.  
 — *ciliaris* Bl. Blume Rumphia 147, 163<sup>b</sup>.  
 — *collinus* Griff. Griffith Palms 186.  
 — *Draco* Willd. Hayne 9, 3.  
 — — — Nees Düsseld. 39, 40.  
 † — — — Mart. Palm. U. Y.  
 — — — Blume Rumphia 131—132, 137.  
 — — — Griffith Palms 201<sup>a b</sup>.  
 — *equestris* Willd. Mart. Palm. 113, 128.  
 — *extensus* Mart. Mart. Palm. 116.  
 — *fasciculatus* Roxb. Griffith Palms 190<sup>a</sup>.  
 — *floribundus* Griff. Griffith Palms 197.  
 — *geminiflorus* Griff. Griffith Palms 199<sup>a</sup>.  
 — *geniculatus* Griff. Griffith Palms 202<sup>a b</sup>.  
 — *gracilis* Roxb. Rheed. Hort. mal. 12, 64.  
 — — — Griffith Palms 196.  
 — *grandis* Griff. Griffith Palms 210<sup>a b c</sup>, 216.  
 † — *Griffithianus* Mart. Mart. Palm. Z<sup>21</sup>.  
 — *hygrophilus* Griff. Griffith Palms 213<sup>c</sup>.  
 — *Hystrix* Griff. Griffith Palms 204<sup>a b c</sup>.  
 — *intermedius* Griff. Griffith Palms 211<sup>a b</sup>.  
 † — *javensis* Bl. Blume Rumphia 137.  
 † — *Jenkinsianus* Griff. Griffith Palms 186<sup>a</sup>.  
 — *latifolius* Roxb. Rheed. Hort. mal. 12, 66.  
 — — — Griffith Palms 198.  
 — *leptopus* Griff. Griffith Palms 205<sup>a b</sup>, 216.  
 — *leptospadix* Griff. Griffith Palms 194<sup>a b c</sup>.  
 — *Lewisianus* Griff. Griffith Palms 212.  
 — *longipes* Griff. Griffith Palms 203<sup>a b</sup>.  
 — *longisetus* Griff. Griffith Palms 189<sup>a b</sup>.  
 † — *macrocarpus* Griff. Griffith Palms 186<sup>a</sup>.  
 — *Mastersianus* Griff. Griffith Palms 206.  
 — *melanoloma* Mart. Mart. Palm. 116.  
 — *micranthus* Bl. Blume Rumphia 151.  
 — *monticola* Griff. Griffith Palms 214<sup>a b c</sup>.  
 — *nutantiflorus* Griff. Griffith Palms 208.  
 — *oblongus* Reinw. Mart. Palm. 160.  
 — *ornatus* Bl. Mart. Palm. 116.  
 — — — Blume Rumphia 148.  
 — *palustris* Griff. Griffith Palms 199.  
 † — *petiolaris* Griff. Griffith Palms 216.  
 — *platyacanthus* Mart. Mart. Palm. 160.  
 — *ramosissimus* Griff. Griffith Palms 207.  
 — *Reinwardtii* Mart. Mart. Palm. 112.  
 — *rhomboideus* Bl. Blume Rumphia 154.  
 — *Rotang* L. Rumpf Amb. 5, 51—58.  
 † — — — Gaertn. Carp. 139.  
 † — — — Ann. sc. nat. 2, 13, 14.  
 — — — Woodv. Med. 4, 265.  
 — — — Roxb. Griffith Palms 112 (=192.)

- Calamus Roxburghii* Griff. Griffith Palms 112 (=192.)  
 — *Roylcaraus* Griff. Griffith Palms 191.  
 — *schizospathus* Griff. Griffith Palms 187.  
 — *Scipionum* Lour.? Rheed. Hort. mal. 12, 65.  
 † — — — Lam. Encycl. 770.  
 — *secundiflorus* Pal. B. Pal. Fl. d'Ow. 9, 10.  
 — *spectabilis* Bl. Blume Rumphia 152.  
 † — *symphysipus* Mart. Mart. Palm. Z<sup>9</sup>.  
 — *tenuis* Roxb. Griffith Palms 193<sup>a b c</sup>.  
 — *tetrastichus* Bl. Blume Rumphia 153.  
 — *Wightii* Griff. Griffith Palms 216<sup>c</sup>.  
 — *verticillaris* Griff. Griffith Palms 200<sup>a b c</sup>.  
 — *viminalis* Willd. Blume Rumphia 150, 163.  
 † — — — Mart. Palm. U.  
 † — *Zalacca* Gaertn. Gaertn. Carp. 139.  
 † — — — Lam. Encycl. 770.  
*Calanchoe aegyptiaca* DC. DC. Plantes grasses 64.  
 — *lacinata* DC. DC. Plantes grasses 100.  
 — — — Icones pl. Chin. 8.  
 — *spathulata* DC. DC. Plantes grasses 65.  
 — *teretifolia* Wall. Wall. Pl. asiat. 166.  
 — *varians* Wall. Wall. Pl. asiat. 167.  
*Calandrinia arenaria* H. et Arn. Bot. Reg. 19, 1605.  
 — *calyptrata* Hook. Hook. Ic. pl. 3, 296.  
 — *caulescens* H. B. K. H. B. K. Nov. Gen. 6, 526.  
 — *discolor* Ldl. Bot. Reg. 25, 4.  
 — — — Bartl. Bot. Mag. 61, 3357.  
 — *grandiflora* Ldl. Bot. Reg. 14, 1194.  
 — — — Bot. Mag. 61, 3369.  
 — — — Paxt. Mag. 1, 222.  
 — *micrantha* Schlecht. Schlechtendal Hort. 5.  
 — *procumbens* Moris. Mem. Tur. 37, 23.  
 — *speciosa* Hort. Eps. Bot. Mag. 62, 3379.  
 — — — Ldl. Bot. Reg. 19, 1598.  
 — *splendens* Barn. Gay Chile 28.  
 — *umbellata* DC. Paxt. Mag. 12, 271.  
 — — — Fl. d. serres 2, 34.  
*Calanthe brevicornu* Ldl. Lindley Sert. 9.  
 — *curculigoides* Wall. Bot. Reg. 33, 8.  
 — *densiflora* Ldl. Bot. Reg. 19, 1646.  
 — — — Kn. et Westc. 23.  
 — *discolor* Ldl. Bot. Reg. 26, 55.  
 — *emarginata* Ldl. Wight Ic. pl. Ind. or. 3, 918.  
 — *gracilis* Ldl. Bot. Mag. 79, 4714.  
 — *Masuca* Ldl. Bot. Reg. 30, 37.  
 — — — Bot. Mag. 76, 4541.  
 — — — Lem. Jard. fl. 62.  
 — *Perrottetii* Rich. Wight Ic. pl. Ind. or. 5, 1664—  
 1665.  
 — *plantaginea* Ldl. Lindley Sertum 24.  
 — *veratrifolia* R. Br. Bot. Reg. 9, 720.  
 — — — Bot. Mag. 53, 2615.  
 — — — Lodd. Cab. 958.  
 — *versicolor* Ldl. Lindley Sertum 42.  
 — *vestita* Wall. Bot. Mag. 78, 4671.  
 — — — Paxt. Mag. 16, 129.  
 — — — Lem. Jard. fl. 4, 333.  
 — — — Fl. d. serres 8, 816.  
 — *viridifusca* Hook. Bot. Mag. 78, 4669.  
 — — — Lem. Jard. fl. 4, 336.  
*Calathea fasciculata* Prsl. Presl Reliq. 16.  
 — *flavescens* Ldl. Bot. Reg. 11, 932.  
 — *grandiflora* Ldl. Bot. Reg. 14, 1210.  
 — *laxa* P. et E. Poepp. et Endl. 130.  
 — *leucophaea* P. et E. Poepp. et Endl. 129.  
 — *longibracteata* Ldl. Bot. Reg. 12, 1020.  
 — — — Lodd. Cab. 1719.  
 — *macilenta* Ldl. Lodd. Cab. 1781.  
 — *orbiculata* Lodd. Lodd. Cab. 1879.  
 — *polyphylla* P. et E. Poepp. et Endl. 131.  
 — *villosa* Ldl. Bot. Reg. 31, 14.  
 — *violacea* Ldl. Bot. Reg. 12, 961.

- Calathea violacea* *Ldl.* Lodd. Cab. 1148.  
 — *zebrina* *Ldl.* Bot. Reg. 5, 385.  
*Calboa globosa* *Ldl.* Journ. Hort. Soc. 5, 83.  
 — *vitifolia* *Cav.* Cav. Ic. 476.  
*Calceangis* *Aub.* Aubert Orchid. 77.  
 † *Calcearia fornicata* *Bl.* Blume Tabellen 33.  
 † — *picta* *Bl.* Blume Tabellen 33.  
 ! *Calceolaria* *L.* *Linnaea* 16, 3.  
 ! — — *Morren* *Fuchsia* 5, 6.  
 — — (Varietates.) Fl. d. serres 3, 250.  
 — — *Regel* *Gartenfl.* 1, 28.  
 — *alba* *Rz et P.* Ruiz et Pav. Fl. 27.  
 — — Bot. Mag. 71, 4157.  
 — — Fl. d. serres 6, 637.  
 — *alternifolia* *Cav.* Cav. Ic. 445.  
 — *amplexicaulis* *H. B. K.* H. B. K. Nov. Gen. 2, 171.  
 — — Bot. Mag. 73, 4300.  
 — *angustiflora* *Rz et P.* Ruiz et Pav. Fl. 28.  
 — — Bot. Mag. 58, 3094.  
 — — Bot. Reg. 21, 1743.  
 — *arachnoidea* *Grah.* Bot. Mag. 55, 2874.  
 — — Bot. Reg. 17, 1454.  
 — — Lodd. Cab. 1557.  
 — — *Rchb.* Exot. 290.  
 — — var. *Sweet* Fl. G. II. 227.  
 — *argentea* *H. B. K.* H. B. K. Nov. Gen. 2, 170.  
 — *ascendens* *Ldl.* Bot. Reg. 14, 1215.  
 — *Atkinsiana* *Don.* Sweet Fl. G. II. 168.  
 — *bicolor* *Rz et P.* Ruiz et Pav. Fl. 25.  
 — — Bot. Mag. 57, 3036.  
 — — Lodd. Cab. 1783.  
 — — *Paxt.* Mag. 1, 246.  
 — *bicrenata* *Rz et P.* Ruiz et Pav. Fl. 23.  
 — *biflora* *Rz et P.* Ruiz et Pav. Fl. 20.  
 — *cana* *Cav.* Cav. Ic. 443.  
 — *chiloensis* *Ldl.* Bot. Reg. 17, 1476.  
 — *connata* *Hook.* Bot. Mag. 56, 2876.  
 — — Lodd. Cab. 1807.  
 — *corymbosa* *Rz et P.* Ruiz et Pav. Fl. 20.  
 — — Lodd. Cab. 1025.  
 — — Bot. Reg. 9, 723.  
 — — Bot. Mag. 50, 2418.  
 — — *Rchb.* Exot. 289.  
 — — var. *Paxt.* Mag. 2, 218. 3, 27.  
 — *crenata* *Lam.* Ruiz et Pav. Fl. 26.  
 — — Bot. Reg. 10, 790.  
 — *crenatiflora* *Cav.* Cav. Ic. 446.  
 — — Bot. Mag. 60, 3255.  
 — — Bot. Reg. 19, 1609.  
 ! — — *Linnaea* 16, 3.  
 — — var. *Sweet* Fl. G. II. 262.  
 — *cuneiformis* *Rz et P.* Ruiz et Pav. Fl. 27.  
 — *Darwinii* *Benth.* Hook. Fl. ant. 117.  
 — *deflexa* *Rz et P.* Ruiz et Pav. Fl. 30.  
 — *dentata* *Rz et P.* Ruiz et Pav. Fl. 29.  
 — *diffusa* *Ldl.* Bot. Reg. 16, 1374.  
 — *ferruginea* *Cav.* Cav. Ic. 445.  
 — — *Colla.* Mem. Tur. 38, 46.  
 — *floribunda* *H. B. K.* Bot. Reg. 14, 1214.  
 — — Bot. Mag. 71, 4154.  
 — *Fothergillii* *Ait.* Ait. Hort. Kew. 1, 1.  
 — — Cav. Ic. 442.  
 — — Bot. Mag. 10, 348.  
 — — Lam. Encycl. 15.  
 — — *Tratt.* Arch. 367.  
 — — *Hook.* Fl. ant. 117.  
 — *gemelliflora* *Cav.* Cav. Ic. 450.  
 — *glauca* *Rz et P.* Ruiz et Pav. Fl. 27.  
 — *Herbertiana* *Ldl.* Bot. Reg. 16, 1313.  
 — — var. *parviflora*, Bot. Reg. 19, 1576.  
 — *heterophylla* *Rz et P.* Ruiz et Pav. Fl. 21.  
 — *Hopeana* *Paxt.* Paxt. Mag. 2, 266.

- Calceolaria inflexa* *Rz et P.* Ruiz et Pav. Fl. 25.  
 — *integrifolia* *L.* Bot. Reg. 9, 744.  
 — — var. *angustifolia*, Bot. Reg. 13, 1083.  
 — — var. Bot. Mag. 60, 3214.  
 — — var. *viscosissima*, Paxt. Mag. 1, 269.  
 — *involuta* *Rz et P.* Ruiz et Pav. Fl. 23.  
 — *lanceolata* *Cav.* Cav. Ic. 444.  
 — *lobata* *Cav.* Cav. Ic. 443.  
 — *Martineauae* *Low.* Sweet Fl. G. II. 162.  
 — *mirabilis* *Hort.* Kn. et Westc. 17.  
 — *montana* *Cav.* Cav. Ic. 444.  
 — *multiflora* *Cav.* Cav. Ic. 449.  
 — *nana* *Sm.* Smith Ic. Linn. 1.  
 — *oblonga* *Rz et P.* Ruiz et Pav. Fl. 24.  
 — *ovata* *Sm.* Smith Ic. Linn. 3.  
 — *paralensis* *Spr.* Kern. Hort. 800.  
 — *Paralia* *Cav.* Cav. Ic. 447.  
 — — *Hook.* Exot. Fl. 75.  
 — *Pavonii* *Benth.* Bot. Mag. 76, 4525.  
 — — *Lem.* Jard. fl. 32.  
 — *pendula* *Sweet.* Sweet Fl. G. II. 155.  
 — *perfoliata* *Rz et P.* Ruiz et Pav. Fl. 21.  
 — — *Sm.* Smith Ic. Linn. 4.  
 — *petiolaris* *Cav.* Cav. Ic. 451.  
 — *pinifolia* *Cav.* Cav. Ic. 442.  
 † *pinnata* *L.* Gaertn. Carp. 62.  
 † — — *Lam.* Encycl. 15.  
 — — Bot. Mag. 2, 41.  
 — — *Rz et P.* Ruiz et Pav. Fl. 19.  
 — *plantaginea* *Sm.* Smith Ic. Linn. 2.  
 — — Bot. Mag. 55, 2805.  
 — — Lodd. Cab. 1402.  
 — *polifolia* *Hook.* Bot. Mag. 56, 2897.  
 — — Bot. Reg. 20, 1711.  
 — *polyrrhiza* *Cav.* Cav. Ic. 441.  
 — *punctata* *Vahl.* Kn. et Westc. 11.  
 — *punicea* *Rz et P.* Ruiz et Pav. Fl. 24.  
 — *purpurea* *Grah.* Bot. Mag. 54, 2775.  
 — — Bot. Reg. 19, 1621.  
 — — Lodd. Cab. 1754.  
 — — var. *Sweet* Fl. G. II. 199. 244.  
 — *racemosa* *Cav.* Cav. Ic. 448.  
 — *rugosa* *Rz et P.* Ruiz et Pav. Fl. 25.  
 — — *Hook.* Exot. Fl. 99.  
 — — Bot. Mag. 52, 2523.  
 — — Bot. Reg. 19, 1588.  
 — — Lodd. Cab. 942.  
 — *salicifolia* *Rz et P.* Ruiz et Pav. Fl. 19.  
 — — *Kern.* Hort. 211. 748.  
 — *scabiosaefolia* *R. et Sch.* Bot. Mag. 50, 2405.  
 — *scabra* *Rz et P.* Ruiz et Pav. Fl. 29.  
 — *sessilis* *Rz et P.* Bot. Reg. 19, 1628.  
 — — *Sweet* Fl. G. II. 220.  
 — *Sinclairii* *Hook.* Hook. Ic. pl. 6, 561.  
 — *Standishii* *Paxt.* Paxt. Mag. 9, 75.  
 — *tenella* *P. et E.* Poepp. et Endl. 287.  
 — *terniflora* *Cav.* Cav. Ic. 450.  
 — *thyrsiflora* *Grah.* Bot. Mag. 56, 2915.  
 — — Lodd. Cab. 1649.  
 — *tomentosa* *Rz et P.* Ruiz et Pav. Fl. 22.  
 — *trifida* *Rz et P.* Ruiz et Pav. Fl. 26.  
 — *tripartita* *Rz et P.* Ruiz et Pav. Fl. 22.  
 — *uniflora* *Rz et P.* Ruiz et Pav. Fl. 20.  
 — — *Lam.* Encycl. 15.  
 — *violacea* *Cav.* Cav. Ic. 452.  
 — — Fl. d. serres 8, 780.  
 — *virgata* *Rz et P.* Ruiz et Pav. Fl. 31.  
 — *viscosa* *Rz et P.* Ruiz et Pav. Fl. 30.  
 — *viscosissima* *Ldl.* Bot. Reg. 19, 611.  
 — *Wheeleri* *Sweet.* Sweet Fl. G. II. 130.  
 — *Youngii* *Hort.* Bot. Reg. 17, 1448.  
 † *Calcitrapa Hippophaestum* *Fl. Wett.* Gaertn. Carp. 163.

- † *Caldasia Lagasca*. DC. Ombellif. 2.  
 — *argentea* Hook. Hook. Ic. pl. 3, 300.  
 — *daucoides* Hook. Hook. Fl. ant. 101.  
 — *heterophylla* Willd. Willd. Hort. 71.  
 — — Bot. Reg. 2, 92.  
*Caldcluvia paniculata* Don. Poepp. et Endl. 16.  
*Calea aculeata* Lab. Bill. Nov. Holl. 185.  
 — *aspera* Jacq. Jacq. Ic. 583.  
 — — Lam. Encycl. 669.  
 † — *lobata* Sw. Gaertn. Carp. 174.  
 † — — Lam. Encycl. 669.  
 — — Bot. Mag. 42, 1734.  
 — *peduncularis* H. B. K. H. B. K. Nov. Gen. 4, 408.  
 — *prunifolia* H. B. K. H. B. K. Nov. Gen. 4, 406.  
 — *scoparia* L. Lam. Encycl. 669.  
 — *solidaginea* H. B. K. H. B. K. Nov. Gen. 4, 407.  
 — *spectabilis* Lab. Bill. Nov. Holl. 186.  
*Calectasia cyanea* R. Br. Flinders Voyage 9.  
 — — Lam. Encycl. 939.  
 — — Endl. Iconogr. 38.  
 — — Bot. Mag. 67, 3834.  
 † — — Schnizl. Ic. 1, 51<sup>c</sup>.  
 † *Calendula* L. Lam. Encycl. 715.  
 — *arborescens* Jacq. Jacq. Ic. 596.  
 † — *arvensis* L. Gaertn. Carp. 168.  
 † — — Schk. Handb. 265.  
 — — Sibth. Fl. gr. 920.  
 — *ceratosperma* Viv. Viv. Lib. 20.  
 — *crista galli* Viv. Viv. Lib. 26.  
 — *chrysanthemifolia* Vent. Vent. Malm. 56.  
 — — Bot. Reg. 1, 40.  
 — — Bot. Mag. 48, 2218.  
 — — Kn. et Westc. 32.  
 — — Herb. amat. 1, 33.  
 — *dentata* Jacq. Jacq. Fragm. 103.  
 — — Hort. Andr. Rep. 6, 407.  
 — *flaccida* Vent. Vent. Malm. 20.  
 — — Kern. Hort. 444.  
 † — *Forskåleana* Hort. Schk. Handb. 265.  
 — *graminifolia* L. Bot. Reg. 4, 289.  
 — — Lodd. Cab. 57.  
 — *hybrida* L. Schk. Handb. 264.  
 — — Sweet Fl. G. 39.  
 † — *officinalis* L. Gaertn. Carp. 168.  
 — — Sturm Flora 2, 8.  
 — — Hayne 9, 47.  
 — — Guimp. et Schl. 76.  
 — — Bot. Mag. 59, 3204.  
 † — *pluvialis* L. Gaertn. Carp. 168.  
 † — — Schk. Handb. 264.  
 — *pusilla* Forst. Aubert Th. Mel. 9.  
 — *stellata* Cav. Cav. Ic. 5.  
 — — Schk. Handb. 265.  
 — *suffruticosa* Vahl. Boissier Esp. 99.  
 — *tomentosa* Desf. Desf. Fl. atl. 245.  
 — *Tragus Ait.* Jacq. Schoenbr. 2, 153.  
 — — Bot. Mag. 12, 408. 45, 1981.  
 — — Kern. Hort. 846.  
 — — var. *flaccida*, Bot. Reg. 1, 28.  
 — *viscosa* Andr. Andr. Rep. 6, 412.  
*Calepina Corvini* Desv. Sibth. Fl. gr. 619.  
 — — Winterl Index 2.  
 — — Sturm Flora 16, 68.  
 — — Rchb. Fl. germ. 2, 2.  
*Caleya major* R. Br. Endl. Iconogr. 8.  
*Calimeris flexuosa* Royle. Royle Illustr. 58.  
*Calinea scandens* Aubl. Aublet Guiana 221.  
 † *Calla aethiopica* L. Jacq. Fragm. 32.  
 † — — Gaertn. Carp. 84.  
 † — — Lam. Encycl. 739.  
 — — Bot. Mag. 21, 832.  
 — *aromatica* Roxb. Bot. Mag. 49, 2279.

- Calla aromatica* Roxb. Wight Ic. pl. Ind. or. 3, 805.  
 — *calypttrata* Roxb. Rheede Hort. mal. 11, 16.  
 — — — Wight Ic. pl. Ind. or. 3, 799.  
 — *oblongifolia* Roxb. Wight Ic. pl. Ind. or. 3, 806.  
 — *occulta* Lour. Lodd. Cab. 12.  
 — *palustris* L. Fl. dan. 3, 422.  
 † — — Lam. Encycl. 739.  
 — — Schk. Handb. 278.  
 — — Sv. Bot. 39.  
 — — Sturm Flora 2, 5.  
 — — Dreves 3, 87.  
 — — Liboschitz Petersb. 26.  
 — — Hayne 4, 5.  
 — — Bot. Mag. 43, 1831.  
 † — — Hopkirk Fl. anom. 5.  
 — — Rchb. Fl. germ. 7, 13.  
 — — Dietr. Fl. bor. 1, 62.  
 † — — Nees Gen. 3, x.  
 † — — Guill. Archives 1, 2.  
 — *picta* Roxb. Wight Ic. pl. Ind. or. 3, 804.  
 — *rubescens* Roxb. Wight Ic. pl. Ind. or. 3, 807.  
 — *virosa* Roxb. Wight Ic. pl. Ind. or. 3, 808.  
*Callianassa Isabeliana* Webb. Webb Canar. 183.  
*Calliandra brevipes* Benth. Bot. Mag. 76, 4500.  
 — — Lem. Jard. fl. 8.  
 — — Fl. d. serres 6, 549.  
 — *californica* Benth. Bentham Sulphur 11.  
 — *diademata* Lem. Lem. Jard. fl. 3, 305. 306.  
 — *Harrisii* Benth. Bot. Mag. 72, 4238.  
 — *Tweediei* Benth. Bot. Mag. 71, 4188.  
*Callianira melastomoides* Miq. Miquel Ill. Pip. 62.  
*Callianthemum cachemirianum* Jacq. Jacquem. Ind. 3.  
 — *coriandrifolium* Rchb. Rchb. Fl. germ. 3, 25.  
 — *rutaefolium* Rchb. Rchb. Fl. germ. 3, 25.  
 † *Callicarpa americana* L. Gaertn. Carp. 94.  
 — — Lam. Encycl. 69.  
 — *cana* L. Rheede Hort. mal. 4, 60.  
 — — Bot. Mag. 47, 2107.  
 — *cordifolia* R. et P. Ruiz et Pav. Fl. 77.  
 — *globiflora* R. et P. Ruiz et Pav. Fl. 77.  
 — *longifolia* Lam. Lam. Encycl. 69.  
 — — Hook. Exot. Fl. 133.  
 — — Bot. Reg. 10, 864.  
 — *macrophylla* Vahl. Vahl Symb. 53.  
 — *nudiflora* Hook. Hook. Beechey 46.  
 — *rubella* Ldl. Bot. Reg. 11, 883.  
 † — *tomentosa* L. Gaertn. Carp. 94.  
 — *Wallichiana* Walp. Wight Ic. pl. Ind. or. 4, 1480.  
 † — — Wight Illustr. 173<sup>c</sup>.  
*Callicephalus nitens* C. A. M. Jaubert Ill. 219.  
*Callichroa platyglossa* F. et M. Sert. petrop. 5.  
 — — Fisch. et M. Jard. Pet. 8.  
 — — Bot. Mag. 66, 3719.  
 — — Sweet Fl. G. II. 373.  
*Callicocca Ipecauanha* Brot. Linn. Transact. 6, 11.  
 — — Wagner 118.  
*Callicoma serratifolia* Andr. Andr. Rep. 9, 566.  
 — — Bot. Mag. 43, 1811.  
 — — Lodd. Cab. 1167.  
 — — Herb. amat. 5, 299.  
*Calliglossa Douglasii* Hook. Fisch. et M. Sert. petrop. 6.  
 — — Fisch. et M. Jard. Pet. 7.  
 † *Calligonum polygonoides* L. Gaertn. Carp. 215.  
 † — — Lam. Encycl. 410.  
*Calliopsis Atkinsonii* DC. Bot. Reg. 16, 1376.  
 — *bicolor* Rchb. Rchb. Mag. 70.  
 — — Savi Fl. ital. 3, 92.  
 — — Paxt. Mag. 2, 243.  
 — *Drummondii* Hort. Sweet Fl. G. II. 315.  
 — *tinctoria* DC. Bot. Reg. 10, 846.  
 — — Nutt. var. Bot. Mag. 63, 3511.  
*Calliprora lutea* Ldl. Bot. Reg. 19, 1590.

- Calliprora lutea *Ldl.* Bot. Mag. 64, 3588.  
 Callipsyche eucrosioides *Herb.* Bot. Reg. 31, 45.  
 † Callipteris prolifera *Bory.* Fée Fil. 5, 17.  
 † Callirrhoe *Nutt.* Gray Genera 117, 118.  
 — involuerata *Gray.* Gray Genera 117.  
 — pedata *Gray.* Gray Genera 118.  
 Callisia repens *L.* Ruiz et Pav. Fl. 73.  
 — — — Jacq. Hist. stirp. am. 14.  
 — — — Lam. Encycl. 35.  
 — umbellata *Lam.* Lam. Encycl. 35.  
 Callistachys lanceolata *Vent.* Vent. Malm. 115.  
 — — — Bot. Reg. 3, 216.  
 — linearis *Benth.* Bot. Mag. 68, 3882.  
 — longifolia *Paxt.* Paxt. Mag. 8, 31.  
 — ovata *Sims.* Bot. Mag. 44, 1925.  
 — retusa *Lodd.* Lodd. Cab. 1883.  
 Callistemma hortense *Cass.* Cassini Opusc. 1, 6.  
 — — — Dict. sc. nat. 90.  
 Callistemon brachyandrus *Ldl.* Journ. Hort. Soc. 4, 112.  
 — capitatus *Rehb.* Rehb. Hort. 84.  
 — lophanthus *Sweet.* Sweet Austr. 29.  
 — — — Lodd. Cab. 1302.  
 — microstachys *Ldl.* Bot. Reg. 24, 7.  
 — pinifolius *DC.* Bot. Mag. 69, 3989.  
 — rigidus *R. Br.* Bot. Reg. 5, 393.  
 — scaber *Lodd.* Lodd. Cab. 1288.  
 Callistephus Wightianus *DC.* Wight Ic. pl. Ind. or. 3,  
 1089.  
 Callisthene fasciculata *Mart.* St. Hil. Fl. Bras. 192.  
 — major *Mart.* Mart. Bras. 75.  
 — minor *Mart.* Mart. Bras. 76.  
 Callithauma angustifolium *Herb.* Bot. Mag. 67, 3866.  
 — viridiflorum *Herb.* Bot. Mag. 67, 3866.  
 † Callitriche *L.* Mutel Fl. fr. 18.  
 — aquatica *Huds.* Curt. Lond. 4, 127.  
 — — — Engl. Bot. 11, 722.  
 — autumnalis *L.* (20 var.) Rehb. Ic. crit. 9, 890  
 — — — — 900.  
 — — — Rehb. Fl. germ. 5, 130.  
 — — — Engl. Bot. (2606.) 2732.  
 — — — Fl. dan. 12, 2120.  
 — brutia *Petagna.* Guss. Pl. rar. 1.  
 — hamulata *Kützing.* Rehb. Fl. germ. 5, 130.  
 — intermedia *Hoffm.* Sturm Flora 1, 3.  
 — pedunculata *DC.* Engl. Bot. 2606.  
 — — — Guss. Pl. rar. 2.  
 — platycarpa *Kützing.* (13 var.) Rehb. Ic. crit. 9,  
 883—889.  
 — — — Rehb. Fl. germ. 5, 129.  
 — — — Sturm Flora 1, 3.  
 — — — Engl. Bot. 2864.  
 † — — — Nees Gen. 4, 4.  
 — stagnalis *Scop.* Rehb. Ic. crit. 9, 882.  
 — — — Rehb. Fl. germ. 5, 129.  
 — truncata *Guss.* Guss. Pl. rar. 2.  
 † — verna *L.* Gaertn. Carp. 68.  
 † — — — Lam. Encycl. 5.  
 — — — Schk. Handb. 1.  
 — — — Fl. dan. 1, 129. 10, 1741.  
 — — — Rehb. Ic. crit. 9, 581.  
 — — — Rehb. Fl. germ. 5, 129.  
 — — — Baxter Brit. Bot. 5, 392.  
 † — — — Nees Gen. 4, 4.  
 † — — — Schnizl. Ic. 2, 84.  
 — — — Wightiana *Wall.* Wight Ic. pl. Ind. or. 6, 1947.  
 † Callitrichineae *Lev.* Schnizl. Ic. 2, 84.  
 † Callitris oblonga *Rich.* Richard Conif. 18.  
 † — quadrivalis *Vent.* Richard Conif. 8.  
 † — rhomboidea *R. Br.* Richard Conif. 18.  
 † Callixene marginata *Commers.* Lam. Encycl. 248.  
 † — — — Ann. sc. nat. 5, 2.  
 — parviflora *Hook.* Hook. Ic. pl. 7, 632.

- Callixene polyphylla *Hook.* Hook. Ic. pl. 7, 674.  
 † Callogramme Cacciliae *Fée.* Fée Fil. 5, 15.  
 Calopisma amplexifolium *Mart.* Mart. Bras. 184.  
 — perfoliatum *Mart.* Mart. Bras. 183.  
 Calluna vulgaris *Salisb.* Curt. Lond. 3, 84.  
 — — — Sturm Flora 1, 1.  
 — — — Hayne 4, 17.  
 — — — Guimp. Holzgew. 45.  
 — — — Baxter Brit. Bot. 1, 76.  
 Calocephalus citreus *Less.* Brongn. Coquille 60.  
 — lacteus *Less.* Brongn. Coquille 60.  
 Calochilus campestris *R. Br.* Bot. Mag. 59, 3187.  
 — paludosus *R. Br.* Endl. Iconogr. 14.  
 Calochortus albus *Dougl.* Maund Bot. 2, 98.  
 — elegans *Dougl.* Hort. Transact. 7, 9.  
 — flavus *Schult. fil.* Maund Bot. 4, 170.  
 — luteus *Dougl.* Bot. Reg. 19, 1567.  
 — — — Paxt. Mag. 1, 221.  
 — — — Fl. d. serres 2, 40.  
 — macrocarpus *Dougl.* Hort. Transact. 7, 8.  
 — — — Bot. Reg. 14, 1152.  
 — nitidus *Dougl.* Hort. Transact. 7, 9.  
 — splendens *Benth.* Hort. Transact. 8, 15.  
 — — — Bot. Reg. 20, 1676.  
 — — — Fl. d. serres 2, 40.  
 — uniflorus *Hook.* Hook. Beechey 94.  
 — venustus *Benth.* Bot. Reg. 20, 1669.  
 — — — Maund Bot. 1, 30.  
 — — — Paxt. Mag. 1, 175.  
 — — — Hort. Transact. 8, 15.  
 — — — Fl. d. serres 2, 40.  
 Calodendron capense *Thunb.* Journ. d'hist. nat. Par. 1, 3.  
 † — — — Mem. Mus. 12, 19.  
 Calodracon nobilis *Planch.* Fl. d. serres 7, 682. 683.  
 Calodryum tubiflorum *Desv.* Ann. sc. nat. 9, 51.  
 † — — — Mem. Mus. 19, 12.  
 Calogonia procumbens? *Kern.* Hort. 707.  
 Calographis *Aub.* Aubert Orchid. 43. 44.  
 Calomeria amaranthoides *Vent.* Vent. Malm. 73.  
 † Calonyction *Choisy.* Mem. Genev. 6, 1.  
 — megalocarpum *A. Rich.* Ramon Cuba 63.  
 — noctilucum *Don.* Bot. Reg. 11, 889.  
 — speciosum *Choisy.* Wight Ic. pl. Ind. or. 4, 1361.  
 Calopappus acerous *Meyen.* Delessert Ic. 4, 79.  
 Calophanes oblongifolia *Don.* Sweet Fl. G. II. 181.  
 — vagans *Wight.* Wight Ic. pl. Ind. or. 4, 1526.  
 Calophyllum acuminatum *Lam.* Rumpf Amb. 2, 72.  
 — brasiliense *St. Hil.* St. Hil. Fl. Bras. 67.  
 — Burmanni *Wight.* Wight Ic. pl. Ind. or. 1, 107. 108.  
 — Calaba *Jacq.* Jacq. Hist. stirp. am. 249.  
 — — — *L.* Desc. Ant. 2, 74.  
 — decipiens *Wight.* Wight Ic. pl. Ind. or. 1, 106.  
 — Inophyllum *L.* Rheede Hort. mal. 4, 38.  
 — — — Rumpf Amb. 2, 71.  
 † — — — Gaertn. Carp. 43.  
 † — — — Lam. Encycl. 459.  
 — — — Nees Düsseld. 420.  
 — — — Wight Illustr. in Hook. 17.  
 — — — Wight Ic. pl. Ind. or. 1, 77.  
 — Moonii *Wight.* Wight Ic. pl. Ind. or. 1, 111.  
 — Nagassarum *Burm.* Rumpf Amb. Auct. 2.  
 — spurium *DC.* Rheede Hort. mal. 4, 39.  
 † — Tacamahaca *Willd.* Mem. Mus. 16, 17.  
 — — — Nees Düsseld. 421.  
 — tomentosum *Wight.* Wight Ic. pl. Ind. or. 1, 110.  
 Calophytum Walkerii *Wight.* Wight Illustr. 45.  
 Calopogon Lessonii *Brongn.* Brongn. Coquille 37.  
 — pulchellus *R. Br.* Lodd. Cab. 340.  
 — — — Barton Fl. 2, 68.  
 — — — Sweet Fl. G. 115.  
 Calopsis paniculata *Desv.* Ann. sc. nat. 13, 3.  
 Caloptilium Lagascae *Hook.* Gay Chile 41.

- Calorophus elongata* Lab. Bill. Nov. Holl. 228.  
 † *Calosanthus indica* Blume. Wight Illustr. 161<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1337—38.  
*Caloscordum nerinefolium* Herb. Bot. Reg. 33, 5.  
 † *Calostemma* R. Br. Herbert Amar. 34.  
 — *carneum* Ldl. Bot. Reg. 26, 26.  
 — *luteum* Sims. Bot. Mag. 46, 2101.  
 — — — Bot. Reg. 5, 421.  
 — — — Bot. Reg. 26, 19.  
 — *purpureum* R. Br. Bot. Mag. 46, 2100.  
 — — — Bot. Reg. 5, 422.  
 — — — Rchb. Exot. 43.  
*Calostigma insigne* Decne. Delessert Ic. 5, 73.  
 † — — — Ann. sc. nat. II, 9, 12.  
*Calothamnus clavata* Mackay. Lodd. Cab. 1447.  
 — *planifolia* Lehm. Acta Leop. 21, 1, 1.  
 — *quadrifida* R. Br. Bot. Mag. 37, 1506.  
 — — — Lodd. Cab. 737.  
 — — — Rchb. Mag. 9.  
 — *sanguinea* Lab. Bill. Nov. Holl. 164.  
 — *villosa* R. Br. Lodd. Cab. 92.  
 — — — Bot. Reg. 13, 1099.  
 — — — Rchb. Mag. 9.  
 — — — Mem. Tur. 31, 15.  
*Calothea barbata* Tr. Trin. Sp. Gr. 3, 289.  
 — *elegans* Pal. Beauv. Humb. Gram. 88.  
*Calotis cuneifolia* R. Br. Bot. Reg. 6, 504.  
 — — — Lodd. Cab. 825.  
*Calotropis gigantea* R. Br. Rheede Hort. mal. 2, 31.  
 — — — Bot. Reg. 1, 58.  
 — — — Wight Illustr. 155, 155<sup>b</sup>.  
 — *herbacea* Wight. Wight Ic. pl. Ind. or. 2, 492.  
 — *Madarii indico-orientalis* Cas. Casanova Essai 1.  
 — *procera* R. Br. Bot. Reg. 21, 1792.  
 — — — Wight Ic. pl. Ind. or. 4, 1278.  
*Calpandria lanceolata* Bl. Korthals Bot. 31.  
 † — — — Mem. Mus. 19, 20.  
*Calpicarpum Roxburghii* Don. Wight Ic. pl. Ind. or. 2, 431.  
*Calpidia lanceolata* Aub. Aubert Iles d'Afrique 8.  
 † *Caltha* L. Kerner Genera 115.  
 † — — — Gray Genera 10.  
 — *alba* Jacq. Jacquemont Ind. 4.  
 — *appendiculata* Pers. Delessert Ic. 1, 43.  
 — *dioneaeifolia* Hook. Hook. Fl. ant. 84.  
 — *fiabellifolia* Pursh. Pursh Fl. 17.  
 — *leptosepala* DC. Hook. Bor. Am. 10.  
 — *Novae Zelandiae* Hook. Hook. New Zeal. 6.  
 † — *palustris* L. Gaertn. Carp. 118.  
 † — — — Lam. Encycl. 500.  
 — — — Schk. Handb. 154.  
 — — — Curt. Lond. 1, 2.  
 — — — Fl. dan. 4, 668.  
 — — — Engl. Bot. 8, 506.  
 — — — Sv. Bot. 200.  
 — — — Sturm Flora 2, 8.  
 — — — Dreves 1, 10.  
 — — — Schrank Fl. mon. 1, 48.  
 — — — Brandt u. Ratzeb. 37.  
 — — — Rchb. Fl. germ. 4, 101.  
 — — — Dietr. Fl. bor. 2, 101.  
 † — — — Nees Gen. X, x.  
 — — — Baxter Brit. Bot. 2, 153.  
 — — — Gray Gen. 10.  
 — *radicans* Forst. Engl. Bot. 31, 2175.  
 — — — Linn. Transact. 8, 17.  
 — *sagittata* Cav. Cav. Ic. 414.  
 — — — Bot. Mag. 70, 4056.  
*Calucechinus antarctica* Rich. Richard Astrolabe 6. 7.  
 — *Montagni* Rich. Richard Astrolabe 8.  
*Calusparassus betuloides* Hombr. Richard Astrolabe 7.  
 — *Forsteri* Hombr. Richard Astrolabe 6.

- Calusparassus Pumilio* Rich. Richard Astrolabe 8.  
 † *Calvaria globosa* Gaertn. fl. Gaertn. Carp. 201.  
 † — *hexangularis* Gaertn. fl. Gaertn. Carp. 201.  
 † — *major* Gaertn. fl. Gaertn. Carp. 200.  
*Calycandra pinnata* Rich. Guillem. Seneg. 9.  
*Calycanthemum leucanthum* Klotzsch. Peters Mossambique 40.  
*Calycanthus ferax* Michx. Herb. amat. 3, 172<sup>b</sup>.  
 — *fertilis* Andr. Andr. Rep. 8, 539.  
 — — — Walt. Bot. Reg. 5, 404.  
 — *floridus* L. Schk. Handb. 138.  
 † — — — Lam. Encycl. 445.  
 — — — Bot. Mag. 14, 503.  
 — — — Guimp. Fr. Holzgew. 4.  
 † — — — Ann. sc. nat. 14, 13.  
 — *glaucus* Willd. Guimp. Fr. Holzgew. 5.  
 — *laevigatus* Willd. Willd. Hort. 80.  
 — — — Guimp. Fr. Holzgew. 6.  
 — — — Bot. Reg. 6, 481.  
 — *occidentalis* Hook. Hook. Beechey 84.  
 — *praecox* L. Ait. Hort. Kew. 2, 10.  
 † — — — Lam. Encycl. 445.  
 — — — Bot. Mag. 13, 466.  
 — — — Lodd. Cab. 617.  
 — — — Dict. sc. nat. 235.  
 † — — — (Fructus.) Acta Leop. 11, 1, 10.  
 † *Calycera balsamitaefolia* Rich. Mem. Mus. 6, 10.  
 † — *Cavanillesii* Rich. Mem. Mus. 6, 10.  
 — *herbacea* Cav. Cav. Ic. 358.  
 † *Calycocarpum* Gray. Gray Genera 30.  
 — *Lyoni* Gray. Gray Genera 30.  
*Calycogonium cubense* A. Rich. Ramon Cuba 44.  
*Calycophyllum Stanleyanum* Schomb. Hook. Lond. J. 1844, 23. 24.  
 † *Calycopteris floribunda* Lam. Lam. Encycl. 357.  
*Calycoseris Wrightii* Gray. Smiths. Contrib. 5, 16.  
*Calycothrix aurea* Ldl. Lindley Swan River 3.  
 † — *conferta* Cunn. Acta Leop. 19, S. II. 6.  
 — *flavescens* A. Cunn. Fielding Sertum 38.  
 — *glabra* R. Br. Bot. Reg. 5, 409.  
 — — — Lodd. Cab. 586.  
 — *scabra* DC. Mem. Genev. 9, 1.  
 — *tetragona* Lab. Bill. Nov. Holl. 146.  
 — *virgata* Cunn. Bot. Mag. 61, 3323.  
*Calycotome spinosa* Lk. Bot. Reg. 32, 55.  
 † *Calyplectus* Re et P. Ruiz et Pav. Prodr. 13.  
 — *speciosus* H. B. K. H. B. K. Nov. Gen. 6, 548<sup>ab</sup>.  
*Calypso* Aubert. Aubert Iles d'Afrique 6.  
 — *borealis* Salisb. Salisb. Parad. 89.  
 — — — Hook. Exot. Fl. 12. 2.  
 — — — Bot. Mag. 54, 2763.  
 — *bulbosa* Rchb. fl. Rchb. Fl. germ. 13, 489.  
 — *campestris* Camb. St. Hil. Fl. Bras. 104.  
 — *salacioides* Aub. Lam. Encycl. 906.  
 † *Calypterium sensibile* Bernh. Schrad. Journ. 1801, 1.  
 — — — Konig Ann. 1, 1.  
 † *Calyptranthes* Swartz. Swartz Fl. Ind. 15.  
 † — — — Ruiz et Pav. Prodr. 13.  
 — *aromatica* St. Hil. St. Hil. Pl. us. 14.  
 — *caryophyllata* Sw. Hayne 10, 39.  
 — *cordifolia* Moon. Wight Ic. pl. Ind. or. 2, 544.  
 — *eugenioides* Camb. St. Hil. Fl. Bras. 155.  
 — *rigida* Sw. Tuss. Ant. 3, 26.  
*Calyptrocalyx spicatus* Bl. Blume Rumphia 102. 118. 161.  
*Calyptrocarya Poeppigiana* N. v. E. Endl. Bras. 3, 28.  
*Calyptrospatha pubiflora* Klotzsch. Peters Mossamb. 18.  
*Calyptrostylis florida* N. v. E. Endl. Bras. 3, 13.  
*Calysaccion longifolium* Wight. Wight Ic. pl. Ind. or. 6, 1999.  
 † *Calystegia* R. Br. Mem. Genev. 6, 2.  
 — *marginata* R. Br. Hook. New Zeal. 48.



- Calystegia pubescens* Ldl. Bot. Reg. 32, 42.  
 — — — Paxt. Mag. 13, 243.  
 — — — Fl. d. serres 2, 172.  
 — — — reniformis R. Br. Sweet Fl. G. 181.  
 † — — — sepium R. Br. Nees Gen. 5, 63. 63<sup>a</sup>.  
 † — — — Pléc Types 24.  
 — — — var. incarnata, Fl. d. serres 8, 826.  
 — — — spithamea Pursh. Hook. Exot. Fl. 97.  
 — — — tuguriorum R. Br. Hook. New Zeal. 47.  
*Calythrix* = *Calycothrix* Lab.  
 † *Calytriplex obovata* Rz et P. Ruiz et Pav. Prodr. 19.  
*Calyxhymenia expansa* Rz et P. Ruiz et Pav. Fl. 75.  
 — — — ovata Rz et P. Ruiz et Pav. Fl. 75.  
 — — — prostrata Rz et P. Ruiz et Pav. Fl. 75.  
 — — — viscosa Ort. Dict. sc. nat. 22.  
*Camarea affinis* St. Hil. St. Hil. Fl. Bras. 175.  
 † — — — Arch. Mus. 3, 22.  
 — — — axillaris St. Hil. St. Hil. Fl. Bras. 176.  
 † — — — Arch. Mus. 3, 22.  
 — — — ericoides St. Hil. St. Hil. Pl. rem. 18.  
 — — — Mem. Mus. 10, 23.  
 † — — — Arch. Mus. 3, 22.  
*Camaridium ochroleucum* Ldl. Bot. Reg. 10, 844.  
*Camarotris purpurea* Ldl. Lindley Sertum 19.  
 — — — Paxt. Mag. 7, 25.  
*Camassia esculenta* Ldl. Bot. Reg. 18, 1486.  
 — — — Fl. d. serres 3, 275.  
*Cambessedesia latevenosa* DC. Mart. Bras. 263.  
 — — — membranacea Gardn. Fielding Sertum 64.  
 — — — purpurata DC. Mart. Bras. 262.  
 † *Camelina* Crantz. Nees Gen. X, x.  
 — — — barbaraefolia DC. Delessert Ic. 2, 70.  
 — — — dentata Pers. Dietr. Fl. bor. 11, 758.  
 — — — Fl. dan. 11, 1824.  
 — — — Rchb. Fl. germ. 2, 24.  
 — — — macrocarpa Heuff. Rchb. Fl. germ. 2, 24.  
 — — — microcarpa Andr. Delessert Ic. 2, 69.  
 — — — Dietr. Fl. bor. 11, 759.  
 — — — Rchb. Fl. germ. 2, 24.  
 † — — — sativa Crantz. Medicus Gatt. 1.  
 — — — Curt. Lond. 4, 70.  
 — — — Sturm Flora 2, 4.  
 — — — Rchb. Fl. germ. 2, 24.  
 — — — Dietr. Fl. bor. 11, 757.  
 — — — Baxter Brit. Bot. 6, 447.  
*Camellia axillaris* Roxb. Lodd. Cab. 675.  
 — — — Bot. Reg. 4, 349.  
 — — — Bot. Mag. 46, 2047.  
 — — — euryoides Ldl. Lodd. Cab. 1493.  
 — — — Bot. Reg. 12, 983.  
 — — — japonica L. Schneev. Ic. 7.  
 — — — Jacq. Ic. 553.  
 — — — Cav. Diss. 160.  
 † — — — Lam. Encycl. 594.  
 † — — — Roemer Arch. I. 3, 3.  
 — — — Savi Fl. ital. 1, 13. 3, 96.  
 — — — Colla Camelliografia 1. 2.  
 — — — Chandler and Booth Illustr. 1 — 40.  
 — — — Chandler Camell. brit. 1 — 8.  
 — — — Baumann Camell. Bollw. 1 — 49.  
 — — — Berlese Iconographic 1 — x.  
 — — — Hort. Transact. 7, 14.  
 — — — Sieb. Fl. Japon. 82.  
 † — — — Mem. Institut 1850, 8.  
 — — — Bot. Mag. 2, 42. 40, 1654. 1670. 52,  
 1571. 2577. 54, 2745.  
 — — — Andr. Rep. 1, 25. 2, 91. 3, 199.  
 9, 559. 10, 660. 663.  
 — — — Bot. Reg. 1, 22. 2, 112. 5, 353. 8, 633.  
 9, 708. 11, 897. 15, 1267. 17, 1398.  
 18, 1501. 22, 1854.  
 — — — Lodd. Cab. 140. 170. 899.

- Camellia japonica* L. Maund Bot. 3, 145.  
 — — — Paxt. Mag. 2, 25. 73. 122. 5, 171. 8, 53.  
 14, 169.  
 — — — Sweet Fl. G. II. 2. 133.  
 — — — Fl. d. serres 2, 52. 54. 56. 63. 77. 150.  
 167. 3, 279. 4, 328. 341. 342. 349. 5,  
 483 — 6. 501. 7, 652. 679. 8, 843. 851.  
 — — — Dict. sc. nat. 152.  
 — — — Herb. amat. 1, 43 — 46.  
 — — — Kern. Hort. 42. 301. 373. 462. 513. 522.  
 591. 617. 618. 635. 662. 802. 805.  
 817. 820. 835.,  
 — — — Rchb. Exot. 354 — 358.  
 — — — Kissi Wall. Wallich Pl. asiat. 256.  
 — — — Lodd. Cab. 1815.  
 — — — mutabilis Paxt. Paxt. Mag. 2, 122.  
 — — — oleifera Abel. Bot. Reg. 11, 942.  
 — — — Lodd. Cab. 1065.  
 — — — reticulata Ldl. Bot. Reg. 13, 1078.  
 — — — Bot. Mag. 54, 2784.  
 — — — Rchb. Exot. 360.  
 — — — Paxt. Mag. 3, 101.  
 — — — Sasanqua Thunb. Thunb. Fl. jap. 30.  
 — — — Cav. Diss. 160.  
 — — — Bot. Mag. 46, 2080.  
 — — — Bot. Reg. 1, 12. 7, 547. 13, 1091.  
 — — — Lodd. Cab. 1134. 1275.  
 — — — Rchb. Exot. 359.  
 — — — Sieb. Fl. Japon. 83.  
*Cameraria angustifolia* L. Lam. Encycl. 173.  
 — — — dubia Sims. Bot. Mag. 40, 1646.  
 — — — Kern. Hort. 560.  
 — — — latifolia L. Jacq. Hist. stirp. am. 39.  
 — — — Andr. Rep. 4, 201.  
 † — — — Lam. Encycl. 173.  
 — — — Desc. Ant. 3, 193.  
 — — — Tamaquarina Aubl. Aubl. Guiana 102.  
 † *Camirium cordifolium* Gaertn. Gaertn. Carp. 125.  
 † *Campanula* L. Lam. Encycl. 123.  
 † — — — Ann. sc. nat. II. 12, 4. III. 12, 5.  
 † — — — Engelmann Anthol. 3.  
 — — — Adami M. v. B. Marschall Cent. 16.  
 — — — DC. Camp. 11.  
 — — — adpressa L. fil. Petersb. 4, 7.  
 — — — aggregata Willd. Lodd. Cab. 505.  
 — — — Noeca et Balb. Fl. tic. 5.  
 — — — Rchb. Ic. crit. 6, 555 — 557.  
 — — — alata Desf. Desf. Fl. atl. 50.  
 — — — algida Fisch. DC. Camp. 11.  
 — — — alliariaefolia Willd. Salisb. Parad. 26.  
 — — — Bot. Mag. 23, 912.  
 — — — Rchb. Ic. crit. 3, 202. 6, 592.  
 — — — Allionii Vill. Vill. Dauph. 10.  
 — — — alpestris All. All. Fl. ped. 3, 6.  
 — — — Alphonsii Wall. Wight Spicil. 125.  
 — — — Wight Ic. pl. Ind. or. 4, 1177.  
 — — — alpina Jacq. Jacq. Fl. austr. 2, 118.  
 — — — Bot. Mag. 24, 957.  
 — — — Rchb. Exot. 155.  
 — — — Sturm Flora 13, 51.  
 — — — altaica A. DC. DC. Camp. 10.  
 — — — anclusiflora Sibth. Sibth. Fl. gr. 212.  
 — — — aurea L. fil. Jacq. Schoenbr. 4, 472.  
 — — — Bot. Reg. 1, 57.  
 — — — Kern. Hort. 219.  
 — — — Vent. Malm. 116.  
 — — — azurea Banks. Bot. Mag. 16, 551.  
 — — — barbata L. Jacq. Obs. 37.  
 — — — Lodd. Cab. 788.  
 — — — Bot. Mag. 31, 1258.  
 — — — Zollik. Alpenfl. 4.  
 — — — δ' cyanea, Sweet Fl. G. II. 409.

- Campanula Barclieri *Presl*. *Presl Symb.* 19.  
 — Bellardi *All.* *All. Fl. ped.* 3, 85.  
 — betonicaefolia *Sibth.* *Sibth. Fl. gr.* 210.  
 — bicaulis *Picot.* *Picot Pyren.* 7.  
 — Biebersteiniana *R. et Sch.* *DC. Camp.* 10.  
 — biflora *Rz et P.* *Ruiz et Pav. Fl.* 200.  
 — Billardieri *A. DC.* *DC. Camp.* 13.  
 — bononiensis *L.* *Rehb. Ic. crit.* 2, 111.  
 — — *Sturm Flora* 17, 72.  
 — caespitosa *Scop.* *Scop. Fl. carn.* 1, 4.  
 — — *Schrank Fl. monac.* 4, 350.  
 — calaminthifolia *Desf.* *Ann. Mus.* 11, 12.  
 — — *Desf. Choix* 27.  
 — canariensis *L.* *Linné Hort. Cliff.* 8.  
 — capensis *L.* *Bot. Mag.* 20, 782.  
 — — *Petersb.* 4, 6.  
 — caperonioides *Klotzsch.* *Prinz Waldem. Him.* 78.  
 — capillacea *Thunb.* *Petersb.* 4, 5.  
 — capillaris *Lodd.* *Lodd. Cab.* 1406.  
 — capitata *Sims.* *Bot. Mag.* 21, 811.  
 — — *Rehb. Ic. crit.* 6, 575.  
 — carpatica *L. fil.* *Jacq. Vind.* 57.  
 — — *Bot. Mag.* 4, 117.  
 — — *Roemer Fl. eur.* 3, 7.  
 † — *Jacq.* *DC. Camp.* 2.  
 — cashmeriana *Royle.* *Royle Illustr.* 62.  
 — caudata *Vis.* *Visiani Dalm.* 33.  
 — Cavolini *Ten.* *Tenore Fl. nap.* 213.  
 — cenisia *L.* *All. Fl. ped.* 3, 6.  
 — — *Rehb. Pl. crit.* 1, 85.  
 — cernua *Hort.* *Petersb.* 4, 7.  
 — Cervicaria *L.* *Fl. dan.* 5, 787.  
 — — *Lodd. Cab.* 452.  
 — — *Schrank Fl. monac.* 3, 290.  
 — — *Rehb. Ic. crit.* 6, 572.  
 — cichoracea *Sibth.* *Sibth. Fl. gr.* 209.  
 — cinerea *L. fil.* *Petersb.* 4, 6.  
 — collina *M. v. B.* *Marschall Cent.* 42.  
 — — *Rehb. Ic. crit.* 10, 957.  
 — — *Sims.* *Bot. Mag.* 24, 927.  
 — colorata *Wall.* *Bot. Mag.* 77, 4555.  
 — — *Fl. d. serres* 6, 614.  
 — — *Lem. Jard. fl.* 89.  
 — cordata *Vis.* *Visiani Stirp. dalm.* 2.  
 — coronata *Ker.* *Bot. Reg.* 2, 149.  
 — corymbosa *Desf.* *Ann. Mus.* 11, 15.  
 — — *Desf. Choix* 30.  
 — crassifolia *N. v. E.* *Nees Amoen. bonn.* 4.  
 — crenata *Lk.* *Rehb. Pl. crit.* 6, 509.  
 — damascena *Lab.* *Bill. Syr.* 5, 5.  
 — dasyantha *M. v. B.* *DC. Camp.* 10.  
 — — *Rehb. Pl. crit.* 1, 85.  
 — decumbens *A. DC.* *DC. Camp.* 12.  
 — dehiscens *Roxb.* *Asiat. Res.* 12, 8.  
 — dichotoma *L.* *Jacq. Collect.* 5, 12.  
 — — *Sibth. Fl. gr.* 211.  
 — — *Rehb. Pl. crit.* 5, 441.  
 — — *Sweet Fl. G.* 280.  
 — diffusa *Vahl.* *Tenore Fl. nap.* 213.  
 — divergens *Willd.* *Sweet Fl. G. II.* 256.  
 — drabaefolia *Sibth.* *Sibth. Fl. gr.* 215.  
 — Elatines *L.* *All. Fl. ped.* 3, 7.  
 — elatior *Lk.* *Hoffm. et Lk. Fl. port.* 80.  
 — elliptica *Kit.* *Rehb. Ic. crit.* 6, 559.  
 — erinoides *L.* *Boissier Esp.* 120.  
 — Erinus *L.* *Sibth. Fl. gr.* 214.  
 † — — *DC. Camp.* 2.  
 — excisa *Schleich.* *Lodd. Cab.* 561.  
 — — *Gaudin Fl. helv.* 2, 2.  
 — — *Rehb. Pl. crit.* 1, 78.  
 — expansa *Rudolphi.* *Petersb.* 4, 2.  
 — fasciculata *L. fil.* *Petersb.* 4, 6.

- Campanula fastigiata *Dufour.* *DC. Camp.* 12.  
 — filicaulis *Durieu.* *Explor. Alger.* 62.  
 — filiformis *Rz et P.* *Ruiz et Pav. Fl.* 200.  
 — flagellaris *H. B. K.* *H. B. K. Nov. Gen.* 3, 265.  
 — flexuosa *W. et K.* *W. et Kit.* 136.  
 — foliosa *Ten.* *Tenore Fl. nap.* 18.  
 — — *Rehb. Ic. crit.* 6, 560.  
 — fragilis *Cir.* *Cirillo Pl. rar.* 1, 11.  
 — — *Tenore Fl. nap.* 119.  
 — — *Paxt. Mag.* 11, 25.  
 — — *β. hirsuta, Bot. Reg.* 20, 1738.  
 — fulgens *Wall.* *Wight Spicil.* 127.  
 — — *Wight Illustr.* 136.  
 — — *Wight Ic. pl. Ind. or.* 4, 1179.  
 — garganica *Ten.* *Ac. neap.* 3, 5.  
 — — *Tenore Fl. nap.* 224.  
 — — *Visiani Dalm.* 14.  
 — — *Bot. Reg.* 21, 1768.  
 — — *Sweet Fl. G. II.* 252.  
 — glomerata *L.* *All. Fl. ped.* 3, 39.  
 — — *Curt. Lond.* 5, 146.  
 — — *Engl. Bot.* 2, 90.  
 — — *Fl. dan.* 8, 1328.  
 — — *var. speciosa, Bot. Reg.* 8, 620.  
 — — *Rehb. Ic. crit.* 6, 553, 554.  
 — — *Dietr. Fl. bor.* 10, 656.  
 — gracilis *Forst.* *Smith Exot. Bot.* 45.  
 — — *Bot. Mag.* 18, 691.  
 — graminifolia *L.* *Sibth. Fl. gr.* 206.  
 — — *W. et Kit.* 154.  
 — grandiflora *Jacq.* *Jacq. Vind.* 3, 2.  
 — — *Bot. Mag.* 7, 252.  
 — — *Lodd. Cab.* 1972.  
 — — *Herb. amat.* 2, 112.  
 — grandis *F. et M.* *Paxt. Mag.* 10, 31.  
 — hederacea *L.* *Fl. dan.* 2, 330.  
 — — *Curt. Lond.* 4, 93.  
 — — *Engl. Bot.* 2, 73.  
 — — *Roemer Fl. eur.* 1, 5.  
 — Herminii *Lk. et H.* *Hoffm. Lk. Fl. port.* 79.  
 — — *Boissier Esp.* 120.  
 — heterophylla *L.* *Sibth. Fl. gr.* 208.  
 — — *Jaubert Illustr.* 391.  
 — himalayensis *Klotzsch.* *Prinz Wald. Him.* 78.  
 — Hoffmeisteri *Klotzsch.* *Prinz Wald. Him.* 77.  
 — hortensis *Meerb.* *Meerb. Pl. scl.* 10.  
 — hybrida *L.* *Engl. Bot.* 6, 375.  
 — Jacobaea *Chr. Sm.* *Hook. Ic. pl.* 8, 772.  
 — — *Hook. Niger Flora* 12.  
 — infundibuliformis *Sims.* *Bot. Mag.* 53, 2632.  
 — infundibulum *Vent.* *Rehb. Ic. crit.* 1, 77.  
 — isophylla *Mor.* *Rehb. Ic. crit.* 3, 202.  
 — laciniata *L.* *Andr. Rep.* 6, 385.  
 — lactiflora *M. v. B.* *Marschall Cent.* 10.  
 — — *Bot. Mag.* 45, 1973.  
 — — *DC. Camp.* 7.  
 — — *Bot. Reg.* 3, 241.  
 — lamiifolia *M. v. B.* *Rehb. Ic. crit.* 6, 551.  
 — Larraini *Colla.* *Mem. Tur.* 38, 35.  
 — latifolia *L.* *Fl. dan.* 1, 85, 5, 782.  
 — — *Engl. Bot.* 5, 302.  
 — — *Sv. Bot.* 272.  
 — — *Sturm Flora* 17, 72.  
 — — *Sm.* *Bot. Mag.* 52, 2553.  
 — lilifolia *L.* *W. et Kit.* 247.  
 — — *Jacq. Schoenbr.* 3, 335.  
 — — *Bot. Reg.* 3, 236.  
 — linearis *Willd.* *Petersb.* 4, 5.  
 — lingulata *W. et K.* *W. et Kit.* 64.  
 — — *Rehb. Ic. crit.* 6, 574.  
 — linifolia *Lam.* *Lodd. Cab.* 1267.  
 — litoralis *Lab.* *Bill. Nov. Holl.* 70.

- Campanula Loefflingii Brot. Brotero Phytogr. 18.  
 — — Hoffm. Lk. Fl. port. 82.  
 — — A. DC. Bot. Reg. 29, 19.  
 — longifolia Picot. Picot Pyren. 6.  
 — Lorei Poll. Poll. Fl. ver. 1, 2.  
 — — — Bot. Mag. 52, 2581.  
 — — — Sweet Fl. G. II. 332.  
 — lunariaefolia Willd. Rehb. Ic. crit. 6, 552.  
 — macrantha Fisch. Bot. Mag. 61, 3347.  
 — macrophylla Sims. Bot. Mag. 23, 912.  
 — marginata Thunb. Thunb. Ic. jap. 24.  
 † — Medium L. et var. polypetalae, DC. Camp. 2.  
 — mollis L. Bot. Mag. 12, 404.  
 — — — Roemer Fl. eur. 7, 1.  
 — Morettiana Rehb. Rehb. Ic. crit. 4, 320.  
 — multiflora W. et K. W. et Kit. 263.  
 — nobilis Ldl. Bot. Reg. 32, 65.  
 — — — Fl. d. serres 3, 247.  
 — — — var. alba, Fl. d. serres 6, 563.  
 — nutabunda Guss. Gussone Pl. rar. 18.  
 — obliqua Jacq. Jacq. Schoenbr. 3, 336.  
 — — — Rehb. Hort. 178.  
 — obliquifolia Ten. Tenore Fl. nap. 17.  
 — — — Rehb. Ic. crit. 6, 510.  
 — Olivieri A. DC. DC. Camp. 9.  
 — paniculata Willd. Petersb. 4, 7.  
 — parviflora Lam. Ann. Mus. 11, 14.  
 — — — Desf. Choix 29.  
 — patula L. Fl. dan. 3, 373.  
 — — — Curt. Lond. 4, 51.  
 — — — Engl. Bot. 1, 42.  
 — — — Liboschitz Pet. 23.  
 — — — Schrank Fl. monac. 4, 370.  
 — — — Dietr. Fl. bor. 12, 828.  
 — — — var. Rochel Ban. 6.  
 — pauciflora Desf. Ann. Mus. 11, 7.  
 — — — Desf. Choix 26.  
 — pelviformis Lam. Ann. Mus. 11, 16.  
 — — — Desf. Choix 31.  
 — Pentagonia L. Ann. Mus. 11, 18.  
 — — — Desf. Choix 33.  
 — — — Bot. Reg. 1, 56.  
 — peregrina L. Jacq. Schoenbr. 3, 337.  
 — — — Hoffm. Lk. Fl. port. 83.  
 — — — Bot. Mag. 31, 1257.  
 — persicifolia L. Sibth. Fl. gr. 205.  
 — — — Fl. dan. 7, 1087.  
 — — — Bot. Mag. 12, 397.  
 — — — Engl. Bot. 2773.  
 — — — Schrank Fl. monac. 1, 91.  
 — — — Dietr. Fl. bor. 12, 827.  
 — — — var. calycina Rehb. Rehb. Pl. crit. 1, 77.  
 — — — var. coronata, Fl. d. serres 7, 699.  
 ! — — — Belgique hort. 1, 17.  
 ! — petraea L. Rehb. Ic. crit. 6, 571.  
 — phrygia Jaub. Jaubert Illustr. 233.  
 — pilosa Led. Ledeb. Ic. 209.  
 — Portenschlagiana R. et Sch. DC. Camp. 13.  
 — — — Bot. Reg. 23, 1995.  
 — primulaefolia Brot. Brotero Phytogr. 19. 20.  
 — Prismaticarpus Ait. L'her. Sertum 3.  
 — — — Bot. Mag. 54, 2733.  
 — ptarmicaefolia Lam. Ann. Mus. 11, 6.  
 — — — Desf. Choix 25.  
 — pubescens Schm. Rehb. Pl. crit. 1, 78.  
 — pulla L. Jacq. Fl. austr. 3, 285.  
 — — — Jacq. Obs. 18.  
 — — — Sturm Flora 9, 34.  
 — — — Lodd. Cab. 554.  
 — — — Bot. Mag. 51, 2492.  
 — — — Sweet Fl. G. II. 80.  
 — pumila Sims. Bot. Mag. 15, 512.

- Campanula Pumilio Portsch. Portenschlag Dalm. 2.  
 — punctata Lam. Bot. Mag. 41, 1723.  
 — pusilla Haenke. Zollk. Alp. 3.  
 — Raineri Perpent. Rehb. Ic. crit. 3, 211.  
 — ramosissima Sibth. Sibth. Fl. gr. 204.  
 — ramulosa Wall. Wight Spicil. 126.  
 — — — Wight Ic. pl. Ind. or. 4, 1178.  
 — rapunculooides L. Engl. Bot. 20, 1369.  
 — — — Sv. Bot. 369.  
 † — — — DC. Camp. 1.  
 — — — Fl. dan. 8, 1327.  
 — — — Schrank Fl. monac. 1, 95.  
 — — — Dietr. Fl. bor. 10, 658.  
 — — — Rehb. Pl. crit. 6, 507.  
 † — Rapunculus L. Gaertn. Carp. 31.  
 — — — Fl. dan. 5, 855.  
 — — — Schk. Handb. 39.  
 — — — Curt. Lond. 4, 80.  
 — — — Engl. Bot. 4, 283.  
 — — — Fl. dan. 8, 1326.  
 — — — Sv. Bot. 629.  
 † — — — DC. Camp. 2.  
 — — — Dietr. Fl. bor. 12, 829.  
 — retrorsa Lab. Bill. Syr. 5, 3.  
 — rhomboidea L. Lodd. Cab. 603.  
 — — — Sturm Flora 17, 72.  
 — Rosani Ten. Tenore Fl. nap. 120.  
 — rotundifolia All. All. Fl. ped. 3, 47.  
 — — — L. var. γ. Fl. dan. 2, 189.  
 — — — Fl. dan. 7, 1086.  
 — — — Curt. Lond. 1, 105.  
 — — — Engl. Bot. 13, 866.  
 — — — Sv. Bot. 297.  
 — — — Drevs 2, 42.  
 — — — Schrank Fl. monac. 1, 87.  
 — — — Dietr. Fl. bor. 10, 660.  
 — — — Baxter Brit. Bot. 1, 61.  
 † — — — DC. Camp. 1.  
 † — — — Plée Types 19.  
 † — — — (Pollen.) Hook. Lond. J. 1842, 20.  
 † — — — Schmilz. Ic. 125.  
 — rupestris Sibth. Sibth. Fl. gr. 213.  
 — ruthenica M. v. B. Bot. Mag. 53, 2653.  
 — sarmatica Ker. Bot. Reg. 3, 237.  
 — — — Bot. Mag. 45, 2019.  
 — — — Lodd. Cab. 581.  
 — saxatilis L. Jaubert Illustr. 392.  
 — saxifraga M. v. B. DC. Camp. 10.  
 — Scheuchzeri Vill. Vill. Dauph. 10.  
 — — — Lodd. Lodd. Cab. 485.  
 — Scouleri A. DC. Hook. Bor. Am. 125.  
 — serpyllifolia Vis. Visiani Dalm. 15.  
 — sessiliflora L. Petersb. 4, 5.  
 — sibirica L. Jacq. Fl. austr. 2, 200.  
 — — — Bot. Mag. 18, 659.  
 — silvatica Wall. Paxt. Mag. 12, 245.  
 — spathulata W. et K. W. et Kit. 258.  
 — — — Sibth. Sibth. Fl. gr. 203.  
 — speciosa Hornem. Bot. Mag. 53, 2649.  
 — — — Rehb. Ic. crit. 6, 558.  
 — spicata L. All. Fl. ped. 3, 46.  
 — — — Sturm Flora 17, 72.  
 — Speculum L. Bot. Mag. 3, 102.  
 — — — Sibth. Fl. gr. 216.  
 — — — Schrank Fl. monac. 1, 26.  
 — stricta Lab. Bill. Syr. 5, 4.  
 — — — Ann. Mus. 11, 13.  
 — — — Desf. Choix 28.  
 — subulata Willd. Petersb. 4, 6.  
 — tenella L. fl. Petersb. 4, 7.  
 — tenuiflora Ten. Tenore Fl. nap. 210.  
 — tenuiflora W. et K. W. et Kit. 155.

- Campanula thaliana* Wallr. Rehb. Ic. crit. 2, 112.  
 — — — Dict. Fl. bor. 10, 659.  
 — — — *thyrsoides* L. Jacq. Fl. austr. 5, 411.  
 — — — Jacq. Obs. 21.  
 — — — Lodd. Cab. 1644.  
 — — — Bot. Mag. 32, 1290.  
 — — — Sturm Flora 11, 41.  
 — — — *tomentosa* Lam. Vent. Cels 18.  
 — — — *trachelioides* M. v. B. Rehb. Pl. crit. 6, 508.  
 — — — *Trachelium* L. Fl. dan. 6, 1026. 13, 2167.  
 — — — Curt. Lond. 4, 109.  
 — — — Engl. Bot. 1, 12.  
 — — — Dict. sc. nat. 79.  
 — — — Roemer Fl. eur. 5, 2.  
 — — — Schrank Fl. monac. 3, 237.  
 — — — Dict. Fl. bor. 10, 657.  
 — — — *trichocalycina* Ten. Tenore Fl. nap. 16.  
 — — — *tridentata* L. Schreber Ic. 2.  
 — — — *tubulosa* Lam. Ann. Mus. 11, 17.  
 — — — Desf. Choix 32.  
 — — — *unidentata* L. fil. Petersb. 4, 5.  
 — — — *uniflora* Vill. Vill. Dauph. 10.  
 — — — L. Linné Fl. lapp. 9.  
 — — — Fl. dan. 9, 1512.  
 — — — Sv. Bot. 526.  
 — — — *valdensis* All. All. Fl. ped. 3, 6.  
 — — — *velutina* Desf. Desf. Fl. atl. 51.  
 — — — *verruculosa* Lk. Hoffm. Lk. Fl. port. 81.  
 — — — *versicolor* Andr. Andr. Rep. 6, 396.  
 — — — Sibth. Fl. gr. 207.  
 — — — Kern. Hort. 236.  
 — — — *vesula* All. All. Fl. ped. 3, 7.  
 — — — *Vidalii* Wats. Hook. Ic. pl. 7, 684.  
 — — — Lem. Jard. fl. 3, 274.  
 — — — Fl. d. serres 7, 729.  
 — — — Bot. Mag. 79, 4748.  
 — — — *vincaeflora* Vent. Vent. Malm. 12.  
 — — — *virgata* Lab. Bill. Syr. 2, 6.  
 — — — *Waldsteiniana* R. et Sch. Rehb. Pl. crit. 1, 85.  
 — — — *Wanneri* Roch. Rochel Ban. 5.  
 — — — *Zoysii* Wulf. Jacq. Ic. 334.  
 — — — Roemer Fl. eur. 5, 1.  
 — — — Sturm Flora 6, 22.  
 † *Campanulaceae* DC. Schnizl. Ic. 125.  
*Campanumoea lanceolata* Zucc. Sieb. Fl. Jap. 91.  
 † *Campbellia aurantiaca* Wight. Wight Illustr. 158<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1424.  
 — — — *cytinoides* Wight. Wight Ic. pl. Ind. or. 4, 1425.  
*Campderia floribunda* Benth. Bentham Sulphur 52.  
 † *Campelia bibracteata* N. v. E. Acta Leop. 11. 1, 1.  
 — — — *officinatum* N. v. E. Hayne 12, 27.  
 — — — Wight Ic. pl. Ind. or. 5, 1818.  
*Camphorosma annuum* Pall. Pall. Ill. 58.  
 † — — — *monspeliacum* L. Gaertn. Carp. 213.  
 — — — Lam. Encycl. 86.  
 — — — Schk. Handb. 26.  
 † — — — Nees Gen. 4, 60.  
 — — — *ovatum* W. et K. W. et Kit. 63.  
 † — — — Nees Gen. 4, 60.  
 — — — *perenne* Pall. Pall. Ill. 57.  
 — — — *Pteranthus* L. Sibth. Fl. gr. 153.  
 † *Campium subrenatum* Presl. Hook. Gen. Fil. 80.  
 † *Campomanesia Rz et P.* Ruiz et Pav. Prodr. 13.  
 — — — *cornifolia* H. B. K. H. B. K. Nov. Gen. 6, 547.  
 — — — *crassifolia* Benth. Bentham Sulphur 37.  
*Campsandra rosea* P. et E. Poepp. et Endl. 268.  
*Campoceras Pindari* Stev. Bull. Mosc. 1852. 1, 7.  
 † *Campteria biaurata* Hook. Hook. Gen. Fil. 65.  
*Camptosema rubicundum* H. et Arn. Bot. Mag. 77, 4608.  
 — — — Lem. Jard. fl. 229.  
 — — — Fl. d. serres 7, 700.  
 † *Camptosurus rhizophyllus* Hook. Hook. Gen. Fil. 57.  
*Campuleia coccinea* Hook. Hook. Exot. Fl. 203.  
 — — — Kern. Hort. 831.  
*Campuloclinium palustre* DC. Delessert Ic. 4, 16.  
 — — — *surinamense* Mig. Miquel Surin. 53.  
*Campulosus aciculatus* Tr. Trin. Sp. Gr. 3, 301.  
 — — — *brachystachys* N. v. E. Trin. Sp. Gr. 3, 302.  
 — — — *chapidensis* Tr. Trin. Sp. Gr. 3, 303.  
 — — — *cirrhosus* N. v. E. Trin. Sp. Gr. 3, 304.  
*Campylanthera Fraseri* Hook. Hook. Ic. pl. 1, 82.  
*Campylanthus Benthami* Webb. Hook. Ic. pl. 8, 776.  
 — — — Hook. Niger Fl. 16.  
 — — — *ramosissimus* Wight. Wight Ic. pl. Ind. 4, 1416.  
 — — — *salsoloides* Roth. Webb Canar. 176.  
*Campylia blattaria* Sweet. Sweet Ger. 98.  
 — — — *cana* Sweet. Sweet Ger. 114.  
 — — — *carinata* Sweet. Sweet Ger. 21.  
 — — — *elegans* Sweet. Sweet Ger. 222.  
 — — — *holosericea* Sweet. Sweet Ger. 75.  
 — — — *variegata* Sweet. Sweet Ger. 266.  
 — — — *verbasciflora* Sweet. Sweet Ger. 157.  
*Campylobotrys discolor* Lem. Bot. Mag. 76, 4530.  
 — — — *discolor* Lem. Fl. d. serres 5, 427.  
 — — — Lem. Jard. fl. 42.  
*Campyloncuron cubense* Fée. Mem. Strassb. 4, 3.  
 — — — *Jamesonii* Fée. Mem. Strassb. 4, 2.  
 † — — — *repens* Presl. Hook. Gen. Fil. 71.  
*Campylopus cerastioides* Spach. Jaubert Illustr. 15.  
*Campynema lineare* Lab. Bill. Nov. Holl. 121.  
 † — — — Lam. Encycl. 940.  
*Canala heliotropioides* Pohl. Pohl Bras. 142.  
*Canalia daphnoides* Schmidt. Schmidt N. Beob. 1.  
*Cananga Ouregou* Aubl. Aublet Guiana 244.  
 † *Canarina Campanula* L. fil. Gaertn. Carp. 211.  
 † — — — Bot. Encycl. 259.  
 — — — Lam. Mag. 13, 444.  
 — — — Lodd. Cab. 376.  
 † — — — DC. Camp. 4.  
 — — — Herb. amat. 3, 143.  
*Canarium commune* L. Rumpf Amb. 2, 47.  
 † — — — Lam. Encycl. 812.  
 † — — — König Ann. 1, 7.  
 † — — — Kern. Gen. 173.  
 — — — *decumanum* Willd. Rumpf Amb. 2, 55.  
 † — — — Gaertn. Carp. 102.  
 † — — — Lam. Encycl. 812.  
 † — — — *Mehenbethena* Gaertn. Gaertn. Carp. 102.  
 — — — *microcarpum* Willd. Rumpf Amb. 2, 54.  
 † — — — *Pimelea König.* König Ann. 1, 7.  
 — — — *silvestre* Gaertn. Rumpf Amb. 2, 49.  
 † — — — Gaertn. Carp. 102.  
*Canavalia bonariensis* Ldl. Bot. Reg. 14, 1199.  
 — — — Rehb. Exot. 311.  
 — — — *ensiflora* DC. Bot. Mag. 69, 4027.  
 — — — *gladiata* DC. Rheede Hort. mal. 8, 44.  
 — — — Wight Ic. pl. Ind. or. 3, 753.  
 — — — *leguminibus incurvis*, Desc. Ant. 8, 557.  
 — — — *obtusifolia* DC. Rheede Hort. mal. 8, 43.  
 — — — *paranensis* H. et Arn. Bot. Reg. 14, 1199.  
 — — — *virosa* W. et A. Rheede Hort. mal. 8, 45.  
*Candidea senegalensis* Ten. Acad. Neap. 4, 1. 2.  
*Candollea cuneiformis* Lab. Bill. Nov. Holl. 176.  
 — — — Bot. Mag. 54, 2711.  
 — — — *Cunninghamii* Hort. Maund Bot. 2, 85.  
 — — — *glauca* Lab. Ann. Mus. 6, 64.  
 — — — *pilosa* Lab. Ann. Mus. 6, 63.  
 — — — *serrulata* Lab. Ann. Mus. 6, 64.  
 — — — *tetrandra* Ldl. Bot. Reg. 29, 50.  
*Canella alba* Sw. Linn. Transact. 1, 8.  
 — — — Hayne 9, 5.  
 — — — Murr. Guimp. et Schl. 231.  
 — — — Nees Düsseld. 416.  
 — — — Woodv. Med. 4, 237.

- Canella axillaris *N. et M.* Acta Leop. 12. 1, 3.  
 † — Winterana *Gaertn.* Gaertn. Carp. 77.  
 † Canephora axillaris *Lam.* Lam. Encycl. 151.  
 Cankrinia chrysantha *Vriese.* Fl. d. serres 7, p. 58.  
 † Canna *L.* Hegetschweiler Comm. 1. 2.  
 † — — Schnizl. Ic. 1, 69.  
 — Achiras *Gillies.* Bot. Reg. 16, 1358.  
 — angustifolia *Hort.* Herb. amat. 3, 189.  
 — aurantiaca *Rosc.* Rosc. Scit. 21.  
 — carnea *Rosc.* Rosc. Scit. 15.  
 — coccinea *Ait.* Rosc. Scit. 11.  
 — — Lodd. Cab. 739.  
 — compacta *Rosc.* Rosc. Scit. 22.  
 — crocea *Lag.* Rchb. Hort. 148.  
 — denudata *Rosc.* Rosc. Scit. 23. 24.  
 — discolor *Ldl.* Bot. Reg. 15, 1231.  
 — edulis *Ker.* Rosc. Scit. 5.  
 — — Bot. Reg. 9, 775.  
 — — Bot. Mag. 51, 2498.  
 — excelsa *Lodd.* Lodd. Cab. 743.  
 — flaccida *Rosc.* Salisb. Ic. rar. 2.  
 — — Rosc. Scit. 6.  
 — — Red. Lil. 2, 107.  
 — — Wendl. Coll. 68.  
 — — Lodd. Cab. 562.  
 — — Savi Fl. ital. 2, 58.  
 — — Dict. sc. nat. 69.  
 — gigantea *Red.* Red. Lil. 6, 331.  
 — — Hook. Exot. Fl. 47. 48.  
 — — Bot. Mag. 49, 2316.  
 — — Bot. Reg. 3, 206.  
 — — Kern. Hort. 637.  
 — glauca *L.* Rosc. Scit. 7.  
 — — Sm. Exot. Bot. 102.  
 — — Red. Lil. 6, 354.  
 — — Wendl. Coll. 67.  
 — — var. Bot. Mag. 49, 2302.  
 — — var. Bot. Mag. 62, 3437.  
 — — Tratt. Thes. 25.  
 — indica *L.* Rheede Hort. mal. 11, 43.  
 † — — Gaertn. Carp. 12.  
 † — — Lam. Encycl. 1.  
 — — Red. Lil. 4, 201.  
 — — Bot. Mag. 13, 454.  
 — — Rosc. Scit. 1.  
 — — Desc. Ant. 4, 240.  
 — — Tratt. Arch. 254. 254<sup>a</sup>.  
 — — var. floribunda, Rchb. Hort. 130.  
 † — — Ann. sc. nat. 17, 7.  
 — — *Rosc.* var. maculata, Hook. Exot. Fl. 53.  
 — — Bot. Reg. 9, 776.  
 — iridiflora *Rz et P.* Rosc. Scit. 14.  
 — — Bot. Mag. 45, 1968.  
 — — Bot. Reg. 8, 609.  
 — — Lodd. Cab. 905.  
 — — Rchb. Exot. 182.  
 — lagunensis *Ldl.* Bot. Reg. 16, 1311. 1358.  
 — Lamberti *Ldl.* Rosc. Scit. 2.  
 — — Bot. Reg. 6, 470.  
 — lanuginosa *Rosc.* Rosc. Scit. 16.  
 — latifolia *Rosc.* Rosc. Scit. 4.  
 — — Lodd. Cab. 634.  
 — limbata *Rosc.* Rosc. Scit. 9.  
 — — Bot. Reg. 9, 771.  
 — — Lodd. Cab. 449.  
 — — Kn. et Westc. 58.  
 — lutea *Rosc.* Rosc. Scit. 18.  
 — — Bot. Reg. 9, 773.  
 — — Lodd. Cab. 646.  
 — — Bot. Mag. 46, 2085.  
 — occidentalis *Rosc.* Bot. Reg. 9, 772.  
 — orientalis *Rosc.* Rumpf Amb. 5, 71.

- Canna orientalis *Rosc.* Rosc. Scit. 12. 13.  
 — pallida *Rosc.* Rosc. Scit. 19. 20.  
 — — — var. Lodd. Cab. 1950.  
 — paniculata *Rz et P.* Ruiz et Pav. Fl. 1.  
 — — — Kern. Hort. 840.  
 — patens *Rosc.* Rosc. Scit. 3.  
 — — — Hook. Exot. Fl. 228.  
 — — — Bot. Reg. 3, 206. 7, 576.  
 — — — Lodd. Cab. 1693.  
 — pedunculata *Sims.* Rosc. Scit. 8.  
 — — — Lodd. Cab. 622.  
 — — — Bot. Mag. 49, 2323.  
 — Reevesii *Ldl.* Bot. Reg. 23, 2004.  
 — silvestris *Rosc.* Rosc. Scit. 10.  
 — speciosa *Rosc.* Rosc. Scit. 17.  
 — — — Bot. Reg. 15, 1276.  
 — — — Bot. Mag. 49, 2317.  
 — — — Rchb. Hort. 140.  
 — — — Warzewiczii *Hort.* Belgique hort. 2, 48.  
 Cannabis indica *Lam.* Rumpf Amb. 5, 77.  
 — sativa *L.* Rheede Hort. mal. 10, 60. 61.  
 † — — Gaertn. Carp. 75.  
 † — — Lam. Encycl. 814.  
 — — — Schk. Handb. 325.  
 — — — Hayne 8, 35.  
 — — — Guimp. et Schl. 175.  
 — — — Nees Düsseld. 102.  
 — — — Wagner 133. 134.  
 — — — Dietr. Fl. bor. 10, 720.  
 — — — Rchb. Fl. germ. 12, 655.  
 † — — — Nees Gen. 4, 30.  
 † — — — Reissek Fasergewebe 10—11.  
 † Canneae *R. Br.* (Lestiboudois.) Ann. sc. nat. II. 17, 10.  
 Cannomois Cephalotes *Pal. B.* Ann. sc. nat. 13, 3.  
 † Canscora alata *Wall.* Wight Illustr. 157<sup>b</sup>.  
 — grandiflora *Wight.* Wight Ic. pl. Ind. or. 4, 1326.  
 — Lawii *Wight.* Wight Ic. pl. Ind. or. 4, 1327.  
 — perfoliata *Lam.* Rheede Hort. mal. 10, 52.  
 — — — Wight Ic. pl. Ind. or. 4, 1327.  
 — tenella *Wight.* Wight Ic. pl. Ind. or. 4, 1327.  
 † Cansjera malabarica *Lam.* Lam. Encycl. 289.  
 — scandens *Roxb.* Rheede Hort. mal. 7, 4.  
 — — — Roxb. Corom. 103.  
 — — — Tratt. Arch. 13.  
 — Rhedii *Gmel.* Rheede Hort. mal. 7, 2.  
 — — — Wight Ic. pl. Ind. or. 5, 1861.  
 Canthium cordatum *Ham.* Rheede Hort. mal. 7, 17.  
 † — didymum *Gaertn.* Gaertn. Carp. 196.  
 — dubium *Ldl.* Bot. Reg. 12, 1026.  
 — neilgherrense *Wight.* Wight Ic. pl. 3, 1064<sup>a</sup>.  
 — Leschenaultii *W. et A.* Wight Ic. pl. Ind. or. 3, 826.  
 — parviflorum *Lam.* Rheede Hort. mal. 5, 36.  
 † — — Gaertn. Carp. 196.  
 — — — Roxb. Corom. 51.  
 — pedunculare *Cav.* Cav. Ic. 436.  
 — quadrifidum *Lab.* Bill. Nov. Holl. 94.  
 — Rhedii *DC.* Rheede Hort. mal. 5, 37.  
 — umbellatum *Wight.* Wight Spicil. 97.  
 — — — Wight Ic. pl. Ind. or. 3, 1034.  
 Cantua bicolor *Lem.* Paxt. Mag. 15, 219.  
 — — — Fl. d. serres 4, 343.  
 — — — *Ldl.* Bot. Mag. 79, 4729.  
 † — buxifolia *Lam.* Lam. Encycl. 106.  
 — — — Bot. Mag. 77, 4582.  
 — — — Fl. d. serres 4, 343.  
 — — — Paxt. Fl. G. 49.  
 — — — Lem. Jard. fl. 115.  
 — — — *Juss.* Ann. Mus. 3, 8.  
 — coronopifolia *Willd.* Andr. Rep. 6, 415.  
 — dependens *Pers.* Kern. Hort. 348.  
 — — — Fl. d. serres 7, 650.  
 — ovata *Cav.* Cav. Ic. 363.

- † *Cantua pyrifolia* *Juss.* Lam. Encycl. 406. 603/  
 — — — Ann. Mus. 3, 7.  
 — — — Bot. Mag. 74, 4386.  
 — — — Fl. d. serres 4, 383.  
 — *tomentosa* *Cav.* Cav. Ic. 364.  
*Capanca grandiflora* *Dec.* Fl. d. serres 5, 499. 500.  
*Capassa violacea* *Klotzsch.* Peters Mossamb. 5.  
 † *Capnoides lutea* *Gaertn.* Gaertn. Carp. 115.  
 † *Capnophyllum africanum* *Gaertn.* Gaertn. Carp. 85.  
*Capparis acuminata* *Willd.?* Icones pl. Chinae 29.  
 — — — *Ldl.* Bot. Reg. 16, 1320.  
 — *aegyptia* *Lam.* Delile Egypte 31.  
 — — — Dict. sc. nat. 184.  
 — *angustifolia* *H. B. K.* H. B. K. Nov. Gen. 5, 438.  
 — *arborescens* *Mill.* Desc. Ant. 1, 29.  
 — *brevispina* *W. et A.* Hook. Ic. pl. 2, 126.  
 — *Breynia* *L.* Jacq. Hist. stirp. am. 152.  
 — *crotonoides* *H. B. K.* H. B. K. Nov. Gen. 5, 437.  
 — *cynophallophora* *L.* Jacq. Hist. stirp. am. 145.  
 — — — *Rchb.* Hort. 233.  
 — — — *Kern.* Hort. 689.  
 — — — Desc. Ant. 5, 355.  
 — *divaricata* *Lam.* Wight Ic. pl. Ind. or. 3, 889.  
 — *diversifolia* *W. et A.* Hook. Ic. pl. 2, 181.  
 — *emarginata* *A. Rich.* Ramon Cuba 9.  
 — *erythrocarpa* *Isert.* Schriften nat. Fr. 9, 9.  
 — *Eustachiana* *Jacq.* Jacq. Hist. stirp. am. 146.  
 — *ferruginea* *L.* Desc. Ant. 5, 373.  
 — *floribunda* *Wight.* Wight Illustr. 14.  
 — *frondosa* *Jacq.* Jacq. Hist. stirp. am. 153.  
 — *grandis* *L. fil.* Wight Ic. pl. Ind. or. 1, 21.  
 — *hastata* *L.* Jacq. Hist. stirp. am. 147.  
 — *herbacea* *Willd.* *Rchb.* Ic. crit. 3, 281.  
 — *Heyneana* *W. et A.* Rhède Hort. mal. 6, 57.  
 — *horrida* *L. fil.* Wight Ic. pl. Ind. or. 1, 173.  
 — *jamaicensis* *Jacq.* Jacq. Hist. stirp. am. 150.  
 — *incanescens* *DC.* Hook. Ic. pl. 2, 123.  
 — *leucophylla* *DC.* Delessert Ic. 3, 10.  
 — *linearis* *Jacq.* Jacq. Hist. stirp. am. 151.  
 — *mariana* *Jacq.* Jacq. Schoenbr. 1, 109.  
 — *Murrayana* *Grah.* Wight Ic. pl. Ind. or. 2, 379.  
 — *memorosa* *Jacq.* Jacq. Hist. stirp. am. 156.  
 — *obovata* *Royle.* Jacquemont Ind. 21.  
 — *octandra* *Jacq.* Jacq. Hist. stirp. am. 149.  
 — *odoratissima* *Jacq.* Jacq. Schoenbr. 1, 110.  
 — *ovata* *M. v. B.* Marschall Cent. 68.  
 — *paradoxa* *Jacq.* Jacq. Schoenbr. 1, 111.  
 — *pedunculosa* *Wall.* Hook. Ic. pl. 2, 128.  
 — *polymorpha* *Rich.* Guillemin Seneg. 5.  
 — *pubiflora* *DC.* Delessert Ic. 3, 12.  
 — *pulcherrima* *Jacq.* Jacq. Hist. stirp. am. 155.  
 — — — *Kern.* Hort. 12.  
 — *pyrifolia* *Lam.* Delessert Ic. 3, 11.  
 — — — Wight Ic. pl. Ind. or. 3, 1047.  
 — *Roxburghii* *DC.* Wight Ic. pl. Ind. or. 3, 1048.  
 — *rupestris* *Sibth.* Sibth. Fl. gr. 487.  
 — — — *Rchb.* Fl. germ. 3, 19.  
 — *Sandwichiana* *DC.* Gaudichaud Bonite 55.  
 — *separia* *L.* Jacquemont Ind. 22.  
 — *Sinclairii* *Benth.* Bentham Sulphur 27.  
 — *spinosa* *L.* Schk. Handb. 139.  
 — — — Lam. Encycl. 446.  
 — — — Smith Spicil. 20.  
 — — — Bot. Mag. 9, 291.  
 — — — Sibth. Fl. gr. 486.  
 — — — Woodv. Med. 2, 141.  
 — — — *Rchb.* Fl. germ. 3, 19.  
 — *unisiliqua* *Jacq.* Jacq. Hist. stirp. am. 154.  
 — *verrucosa* *Jacq.* Jacq. Hist. stirp. am. 148.  
*Capraria biflora* *L.* Jacq. Hist. stirp. am. 174.  
 † — — — Gaertn. Carp. 53.  
 † — — — Lam. Encycl. 534.

- Capraria biflora* *L.* Desc. Ant. 4, 300.  
 — *crustacea* *L.* Rumpf Amb. 5, 170. fig. 3.  
 — *dissecta* *Del.* Delile Egypte 32.  
 — *lanceolata* *L.* Link Ic. 1. 4.  
 — *lucida* *Ait.* Jacq. Fragm. 48.  
 — *multifida* *Michx.* Michaux Fl. 35.  
 — *undulata* *L'her.* L'her. Sertum 25.  
 † — — — Lam. Encycl. 534.  
 — — — Bot. Mag. 38, 1556.  
 — *uniflora* *Burm.* Burm. Fl. ind. 14.  
*Caprificus gigantea* *Gasp.* Rend. Ac. Neap. 1844. 1.  
 — *leuocarpa* *Gasp.* Rend. Ac. Neap. 1844. 2. 3.  
 † *Caprifoliaceae* *Juss.* Wight Illustr. 121.  
 † *Caprifolium alpigenum* *Gaertn.* Gaertn. Carp. 27.  
 — *hispidulum* *Ldl.* Bot. Reg. 21, 1761.  
 — *longiflorum* *Sab.* Bot. Reg. 15, 1232.  
 — *occidentale* *Ldl.* Bot. Reg. 17, 1457.  
 — *pilosum* *H. B. K.* H. B. K. Nov. Gen. 3, 298.  
 — — — *Kern.* Hort. 598.  
 — *pubescens* *Goldie.* Hook. Exot. Fl. 27.  
 † — *xylosteum* *Gaertn.* Gaertn. Carp. 27.  
*Caproxyton Hedwigii* *Tuss.* Tuss. Ant. 4, 30.  
*Capsella bursa pastoris* *Moench.* *Rchb.* Fl. germ. 2, 11.  
 — — — *Sturm* Flora 15, 66.  
 — — — *Dietr.* Fl. bor. 9, 600.  
 — — — *Baxter* Brit. Bot. 3, 191.  
 † — — — *Nees* Gen. X, v.  
 — *pauciflora* *Koch.* *Sturm* Flora 15, 66.  
 — — — *Rchb.* Fl. germ. 2, 11.  
 — *procumbens* *Fries.* var. *Sturm* Flora 15, 66.  
 — — — *C. A. M.* *Rchb.* Fl. germ. 2, 11.  
 † *Capsicum* *L.* Lam. Encycl. 116.  
 † — — — *Kerner* Genera 172.  
 † — — — *Fingerhuth* Monogr. 1.  
 † — *angulosum* *Mill.* *Fingerh.* Monogr. 8.  
 — *annuum* *L.* *Rheede* Hort. mal. 9, 35.  
 † — — — *Gaertn.* Carp. 132.  
 — — — *Schk.* Handb. 47.  
 — — — Desc. Ant. 6, 422.  
 † — — — *Fingerh.* Monogr. 2.  
 — — — *Hayne* 10, 24.  
 — — — *Nees* Düsseld. 189.  
 — — — *Guimp.* et *Schl.* 16.  
 — — — *Woodv.* Med. 2, 30.  
 † — — — *Nees* Gen. 5, 57.  
 — *baccatum* *L.* *Rumpf* Amb. 5, 88. fig. 2.  
 — — — *Gil* et *Xuarez* 23.  
 — — — Desc. Ant. 6, 423.  
 † — — — *Fingerh.* Monogr. 4.  
 — *bicolor* *Jacq.* Jacq. Fragm. 99.  
 † — — — *Fingerh.* Monogr. 3.  
 — — — Bot. Mag. 43, 1835.  
 † — *cerasiforme* *Willd.* *Fingerh.* Monogr. 5.  
 † — *ceratocarpum* *Fingerh.* *Fingerh.* Monogr. 6.  
 — *cereolum* *Bert.* *Novi* Comm. Bon. 3, 24.  
 — *chinense* *Jacq.* Jacq. Vind. 3, 67.  
 † — — — *Fingerh.* Monogr. 8.  
 † — *conoides* *Mill.* *Fingerh.* Monogr. 3.  
 † — *cordiforme* *Mill.* *Fingerh.* Monogr. 9. 10.  
 † — *fastigiatum* *Bl.* Wight Illustr. 166<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1617.  
 — *frutescens* *L.* *Rheede* Hort. mal. 2, 56.  
 — — — *Rumpf* Amb. 5, 88. fig. 1. 3. 4.  
 — — — Lam. Encycl. 116.  
 — — — *Gil* et *Xuarez* 22.  
 † — — — *Fingerh.* Monogr. 4.  
 † — *grossum* *Willd.* *Fingerh.* Monogr. 5. 6.  
 † — *longum* *DC.* *Fingerh.* Monogr. 6. 7.  
 † — *luteum* *Lam.* *Fingerh.* Monogr. 8.  
 † — *microcarpum* *DC.* *Fingerh.* Monogr. 4.  
 † — *ovatum* *DC.* *Fingerh.* Monogr. 9.  
 † — *pendulum* *Willd.* *Fingerh.* Monogr. 7.

- † *Capsicum pyramidale* Mill. Fingerh. Monogr. 3.  
 † — *sinense* Jacq. Fingerh. Monogr. 8.  
 † — *sphaericum* Willd. Fingerh. Monogr. 9.  
 † — *strictum* Fingerh. Fingerh. Monogr. 5.  
 † — *tetragonum* Mill. Fingerh. Monogr. 10.  
 — *turbinatum* Desc. Desc. Ant. 6, 423.  
 — *ustulatum* Paxt. Paxt. Mag. 5, 197.  
*Caracalla* Trew. Trew Pl. rar. 10.  
 † *Caragana arborescens* Lam. Lam. Encycl. 607.  
 — *argentea* Lam. Lam. Encycl. 607.  
 — *Bungii* Led. Ledeb. Ic. 464.  
 — *ferox* Lam. Lam. Encycl. 607.  
 — *frutescens* DC. Sweet Fl. G. 227.  
 — *Gerardiana* Royle. Royle Illustr. 34.  
 — *pygmaea* DC. Bot. Reg. 12, 1021.  
 — *spinossissima* Benth. Jacquemont Ind. 43.  
 † *Caraguata lingulata* Ldl. Morren Fuchsia 1.  
*Caraipa angustifolia* Aubl. Aublet Guiana 224.  
 — *glabrata* Mart. Mart. Bras. 65.  
 — *latifolia* Aubl. Aublet Guiana 224.  
 — *longifolia* Aubl. Aublet Guiana 223.  
 — *paniculata* Mart. Mart. Bras. 64.  
 — *parvifolia* Aubl. Aublet Guiana 223.  
 — *Richardiana* Camb. Mem. Mus. 16, 18.  
*Carallia ceylanica* Arn. var.  $\beta$ . Wight Illustr. 90.  
 — *corymbosa* Arn. Rheede Hort. mal. 5, 13.  
 — *lanceaefolia* Roxb. Wight Ic. pl. Ind. or. 2, 604.  
 — *lucida* Roxb. Roxb. Corom. 211.  
 — — Wight Ic. pl. Ind. or. 2, 605.  
*Caralluma attenuata* Wight. Wight Ic. pl. Ind. or. 4, 1268.  
 † — — — Wight Illustr. 155<sup>b</sup>.  
 — *crenulata* Wall. Wall. Pl. asiat. 7.  
 — — — Lodd. Cab. 1774.  
 — *fimbriata* Wall. Wall. Pl. asiat. 8.  
 — — — Lodd. Cab. 1863.  
 † — *subulata* Decne. Ann. sc. nat. II. 9, 9.  
 † *Caranda pedunculata* Gaertn. Gaertn. Carp. 83.  
*Carapa guianensis* Aubl. Aublet Guiana 387.  
 † — — — Lam. Encycl. 301.  
 — — — Desc. Ant. 6, 446.  
 † — — — Mem. Mus. 19, 20.  
 — *moluccensis* DC. Rumpf Amb. 3, 61.  
 — *sericea* P. et E. Poepp. et Endl. 245.  
 — *surinamensis* Miq. Miquel Surin. 19.  
*Carapichea guianensis* Aubl. Aublet Guiana 64.  
 † *Carara* *Caesalp.* Medicus Gatt. 1.  
 † *Cardamine* L. Gray Genera 55.  
 — *alpina* Willd. Sturm Flora 7, 28.  
 — — — Rchb. Fl. germ. 2, 25.  
 — *amara* L. All. Fl. ped. 3, 56.  
 — — — Vill. Dauph. 39.  
 † — — — Schk. Handb. 187.  
 — — — Curt. Lond. 1, 131.  
 — — — Engl. Bot. 14, 1000.  
 — — — Hayne 5, 31.  
 — — — Schrank Fl. monac. 4, 361.  
 — — — Sturm Flora 12, 45.  
 — — — Rchb. Fl. germ. 2, 27.  
 — — — Dietr. Fl. bor. 10, 677.  
 — *angulata* Hook? Hook. Bot. Misc. 69.  
 — *asarifolia* L. Bot. Mag. 42, 1735.  
 — — — Rchb. Fl. germ. 2, 25.  
 — *bellidifolia* L. Linné Fl. lapp. 9.  
 — — — All. Fl. ped. 3, 18.  
 — — — Jacq. Misc. 1, 17.  
 — — — Fl. dan. 1, 20.  
 — — — Sv. Bot. 772.  
 — — — Engl. Bot. 33, 2355.  
 — *borbonica* Pers. Wight Spicil. 9.  
 — — — Wight Ic. pl. Ind. or. 3, 941.  
 — *carriosa* W. et K. W. et Kit. 129.

- Cardamine carnosa* W. et K. Rchb. Fl. germ. 2, 29.  
 — *chelidonia* L. Rchb. Fl. germ. 2, 27.  
 — *chenopodifolia* Juss. St. Hil. Fl. bras. 106.  
 — *corymbosa* Hook. fil. Hook. Ic. pl. 7, 686.  
 — *depressa* Hook. Hook. Fl. ant. 3, 4.  
 — *diversifolia* Sternb. et H. Reg. Denkschr. 1, 2.  
 — *fariensis* Hornem. Fl. dan. 8, 1392.  
 — *geraniifolia* DC. Hook. Fl. ant. 88.  
 — *glauca* Spr. Delessert Ic. 2, 31.  
 † — *graecca* L. Gaertn. Carp. 143.  
 † — — — Lam. Encycl. 562.  
 — — — Sibth. Fl. gr. 631.  
 — *granulosa* All. Rchb. Fl. germ. 2, 28.  
 — *hastulata* Sm. Engl. Bot. 7, 469.  
 — — — Fl. dan. 9, 1462.  
 — *hederacea* DC. Delessert Ic. 2, 30.  
 — *heterophylla?* Hook. Hook. Ic. pl. 1, 58.  
 — *hirsuta* L. Scop. Fl. carn. 2, 38.  
 — — — Fl. dan. 1, 148.  
 — — — Curt. Lond. 2, 37.  
 — — — Engl. Bot. 7, 492.  
 — — — Schk. Handb. 187.  
 — — — Sturm Flora 12, 45.  
 — — — Rchb. Fl. germ. 2, 26.  
 — *Impatiens* L. Fl. dan. 5, 735.  
 — — — Fl. dan. 8, 1339.  
 — — — Engl. Bot. 2, 80.  
 † — — — Schk. Handb. 187.  
 — — — Sturm Flora 12, 45.  
 — — — Rchb. Fl. germ. 2, 26.  
 — *indica* Burm. Belanger Ind. or. 0.  
 — *intermedia* Hornem. Fl. dan. 10, 1762.  
 — — — Hook. Hook. Ic. pl. 3, 258.  
 — *lenensis* Led. Ledeb. Ic. 268.  
 — *Lunaria* Gouan. Gouan Hortus 2.  
 — *macrophylla* DC. Ledeb. Ic. 146.  
 — *maritima* *Portschl.* Portenschlag Dalm. 11.  
 — — — Delessert Ic. 2, 32.  
 — — — Rchb. Fl. germ. 2, 29.  
 — *parviflora* L. Sv. Bot. 568.  
 — — — Rchb. Fl. germ. 2, 26.  
 — — — Sturm Flora 12, 45.  
 — *petiolaris* DC. Delessert Ic. 2, 30.  
 — *petraea* L. Lightf. Fl. scot. 1, 15.  
 — — — Fl. dan. 3, 386.  
 — — — Sv. Bot. 676.  
 — *picta* Hook. Hook. Lond. J. 1847, 12.  
 — *Plumieri* Vill. Vill. Dauph. 38.  
 — *pratensis* L. Fl. dan. 6, 1039.  
 † — — — Lam. Encycl. 562.  
 — — — Curt. Lond. 3, 48.  
 — — — Engl. Bot. 11, 776.  
 — — — Sv. Bot. 350.  
 † — — — Schk. Handb. 187.  
 — — — Dreyes 1, 15.  
 — — — Hayne 5, 30.  
 — — — Schrank Fl. monac. 3, 219.  
 — — — var. Sturm Flora 2, 8, 12, 45.  
 — — — Dietr. Fl. bor. 10, 678.  
 — — — Rchb. Fl. germ. 2, 28.  
 — — — Woodv. Med. 3, 143.  
 — — — Baxter Brit. Bot. 2, 141.  
 — — — var. uniflora, Reg. Denkschr. 1, 2.  
 ! — — — Roem. Arch. II. 1, 2.  
 ! — — — Godron Descr. monstr. 1.  
 — *radicata* Hook. fil. Hook. Ic. pl. 9, 882.  
 — *resedifolia* L. All. Fl. ped. 3, 57.  
 — — — Jacq. Fl. austr. 5, 21.  
 — — — Hook. Exot. Fl. 54.  
 — — — Sturm Flora 7, 28.  
 — — — Rchb. Fl. germ. 2, 26.  
 — *rhomboidea* DC. Hook. Bot. Misc. 108.

- Cardamine rhomboidea* DC. Gray Genera 55.  
 — *rotundifolia* Michx. Hook. Bot. Misc. 109.  
 — *scutata* Thunb. Thunb. Ic. jap. 29.  
 — *silvatica* Lk. Rchb. Fl. germ. 2, 26.  
 — — — Sturm Flora 12, 45.  
 — *stellata* Hook. Hook. Fl. ant. 4.  
 — *stolonifera* Scop. Scop. Fl. carn. 2, 39.  
 — *thalictroides* All. All. Fl. ped. 3, 57.  
 — — — Rchb. Fl. germ. 2, 25.  
 — *trifolia* L. Jacq. Fl. austr. 1, 27.  
 — — — Bot. Mag. 13, 452.  
 — — — Sturm Flora 7, 23.  
 — — — Rchb. Fl. germ. 2, 25.  
 — *tuberosa* DC. Delessert Ic. 2, 29.  
*Cardamomum malabaricum* Salisb. Linn. Tr. 10, 4, 5.  
*Cardaria Draba* Desv. Rchb. Fl. germ. 2, 9.  
*Cardiandra alternifolia* S. et Zucc. Sieb. Japon. 65, 66.  
† *Cardiochlaena macrophylla* Fée. Fée Fil. 5, 24.  
*Cardionema multicaule* DC. DC. Paron. 1.  
*Cardiophora Hindsii* Benth. Bentham Sulphur 56.  
*Cardiopteris javanica* Bl. Blume Rumphia 177.  
 — *lobata* Wall. Bennett Java 49.  
 — *moluccana* Bl. Blume Rumphia 177.  
† *Cardiospermum* L. Gray Genera 181.  
 — *anomalum* Juss. St. Hil. Fl. Bras. 73.  
 — *canescens* Wall. Wall. Pl. asiat. 14.  
 — — — Wight Ic. pl. Ind. or. 1, 74.  
† — *coluteoides* H. B. K. Mem. Mus. 18, 1.  
 — *elegans* H. B. K. H. B. K. Nov. Gen. 5, 439.  
 — *Halicacabum* L. Rheede Hort. mal. 8, 28.  
 — — — Rumpf Amb. 6, 24.  
† — — — Gaertn. Carp. 79.  
† — — — Lam. Encycl. 317.  
 — — — Bot. Mag. 26, 1049.  
 — — — Desc. Ant. 4, 241.  
† — — — Mem. Mus. 18, 1.  
 — — — Wight Ic. pl. Ind. or. 2, 508.  
 — — — Gray Genera 181.  
 — *tortuosum* Benth. Bentham Sulphur 6.  
*Cardopatum amethystinum* Spach. Explor. Alger. 56.  
*Carduncellus Monspelienisium* All. Rchb. Fl. germ. 15,  
 747.  
*Cardunculus hispanicus* Boiss. Boissier Esp. 108.  
 — *lanatus* Moris. Rchb. Fl. germ. 15, 746.  
† *Carduus* L. Mutel Fl. fr. 32, 33.  
 — *acanthoides* L. Curt. Lond. 3, 75.  
 — — — Fl. dan. 8, 1341.  
 — — — Schk. Handb. 228.  
 — — — Jacq. Fl. austr. 3, 249.  
 — — — Engl. Bot. 14, 973.  
 — — — Rchb. Ic. crit. 10, 988—990.  
 — — — Dietr. Fl. bor. 12, 802.  
 — *acaulis* L. Fl. dan. 7, 1114.  
 — — — Jacq. Ic. 579.  
 — *afers* Jacq. Jacq. Schoenbr. 2, 145.  
 — *affinis* Guss. Gussone Pl. rar. 57.  
 — *alatus* Don. Sweet Fl. G. 103.  
 — *alpestris* W. et K. W. et Kit. 267.  
 — *antarcticus* Vill. Vill. Dauph. 19.  
 — *arabicus* L. Jacq. Ic. 166.  
 — *arenarius* Desf. Desf. Fl. atl. 222.  
 — *argentatus* L. Jacq. Vind. 192.  
 — *argyrea* Biv. Rchb. Ic. crit. 5, 449.  
 — *arvensis* L. Liboschitz Pet. 6.  
 — *atriplicifolius* Trev. Rchb. Hort. 18.  
 — *aurosicus* Vill. Vill. Dauph. 20.  
 — *baeocephalus* Webb. Webb Canar. 112.  
 — *bicolor* Vis. Visiani Dalm. 49.  
 — *candicans* W. et K. W. et Kit. 83.  
 — *canus* L. Jacq. Fl. austr. 1, 42, 43.  
 — *carlinoides* Gouan. Gouan Ill. 23.  
 — *Casabonae* L. Schmidel Ic. 51, 52.

- Carduus cephalanthus* Viv. Moris Fl. sard. 90.  
 — *chius* Jacq. Jacq. Vind. 3, 5.  
 — *chrysacanthus* Ten. Tenore Fl. nap. 188.  
 — *cichoraceus* Cir. Cirillo Pl. rar. 2, 7.  
 — — — Tenore Fl. nap. 191.  
 — *ciliatus* Murr. Comm. Gott. 6, 5.  
 — *clavulatus* Lk. Webb Canar. 113.  
 — *collinus* W. et K. W. et Kit. 232.  
 — *corymbosus* Ten. Tenore Fl. nap. 188.  
 — *crispus* L. Fl. dan. 4, 621.  
† — — — Schk. Handb. 228.  
 — — — Schrank Fl. monac. 3, 281.  
! — — — Linnæa 11, 6.  
 — — — Huds. Dietr. Fl. bor. 10, 715.  
† — *cyanoides* L. Schk. Handb. 228.  
 — — — Spr. Sprengel Fl. hal. 11.  
 — *defloratus* L. Jacq. Fl. austr. 1, 89.  
 — — — Schrank Fl. monac. 4, 358.  
 — *diacantha* Lab. Bill. Syr. 2, 3.  
 — *criphorus* L. Jacq. Fl. austr. 2, 171.  
 — *erisithales* Jacq. Jacq. Obs. 17.  
 — *flavescens* L. Cav. Ic. 46.  
 — *giganteus* Desf. Desf. Fl. atl. 221.  
 — *glaucus* Cav. Cav. Ic. 226.  
 — *glyceanthus* Sibth. Sibth. Fl. gr. 826.  
 — *gnaphaloides* Cir. Cirillo Pl. rar. 1, 9.  
 — *hamulosus* Ehrh. W. et Kit. 233.  
 — *heterophyllus* L. Fl. dan. 1, 109.  
 — *Hippolyti* Bory. Bory et Chaub. Mor. 29.  
 — *lanceolatus* L. Fl. dan. 7, 1173.  
† — *leptocladus* Durieu. Explor. Alger. 50.  
 — *leucanthus* Cav. Cav. Ic. 165.  
† — *leucographus* L. Gaertn. Carp. 162.  
† — — — Lam. Encycl. 663.  
 — — — All. Fl. ped. 3, 73.  
 — — — Jacq. Vind. 3, 23.  
 — *litigiosus* Nocca. Nocca et Balb. Fl. tic. 12.  
 — *lycopifolius* Vill. Vill. Dauph. 19.  
 — *macrocephalus* Desf. Explor. Alger. 50.  
 — *Marianus* L. Curt. Lond. 3, 62.  
 — — — Engl. Bot. 14, 976.  
† — — — Schk. Handb. 228.  
 — — — Hayne 7, 31.  
 — — — Nees Düsseld. 221.  
 — *medius* Gouan. Gouan Ill. 24.  
 — *microcephalus* Gaud. Tenore Fl. nap. 246.  
 — *mollis* Poll. Jacq. Fl. austr. 1, 18.  
 — — — L. Sprengel Fl. hal. 11.  
† — *myriacanthus* Salzm. Explor. Alger. 50.  
 — *neglectus* Ten. Tenore Fl. nap. 187.  
 — *nigrescens* Vill. Vill. Dauph. 20.  
 — — — Jord. Obs. 3, 8.  
 — *nitidus* W. et K. W. et Kit. 52.  
 — *numidicus* Durieu. Explor. Alger. 49.  
 — *nutans* L. Fl. dan. 4, 675.  
† — — — Schk. Handb. 228.  
 — — — Engl. Bot. 16, 1112.  
 — — — Schrank Fl. monac. 3, 263.  
 — — — Dietr. Fl. bor. 8, 546.  
 — — — Baxter Brit. Bot. 3, 177.  
 — *Personata* Jacq. All. Fl. ped. 3, 35.  
 — — — Jacq. Fl. austr. 4, 348.  
† — *personatus* Gaertn. Gaertn. Carp. 162.  
 — *pinnatifidus* Cav. Cav. Ic. 83.  
† — — — Lam. Encycl. 663.  
 — *podacantha* DC. Rchb. Ic. crit. 5, 426.  
† — *pteracanthus* Durieu. Explor. Alger. 50.  
 — *pumilus* Vill. Vill. Dauph. 20.  
 — *pycnocephalus* L. Jacq. Vind. 44.  
† — — — Schk. Handb. 228.  
 — *pygmaeus* Jacq. Jacq. Enum. vind. 8.  
 — *pyrenaicus* Gouan. Jacq. Obs. 95.



- Carduus radiatus* *W. et K. W. et Kit.* 11.  
 — *rivularis* *Jacq.* *Jacq. Fl. austr.* 1, 91.  
 — *Roseni* *Vill.* *Vill. Dauph.* 21.  
 — *sardous* *DC.* *Moris Fl. sard.* 89.  
 — *seminudus* *M. v. B.* *Masschall Cent.* 75.  
 — *serratuloides* *Jacq.* *Jacq. Fl. austr.* 2, 127.  
 — *Spachianus* *Durieu.* *Explor. Alger.* 51.  
 — *spinigerus* *Jord.* *Jord. Obs.* 3, 8.  
 — *sumanus* *Poll.* *Poll. Fl. ver.* 2, 6.  
 — *tartarius* *L.* *Jacq. Fl. austr.* 1, 90.  
 — *tenuiflorus* *Curt.* *Curt. Lond.* 2, 33.  
 — — *Fl. dan.* 12, 2058.  
 — — *Sm.* *Engl. Bot.* 6, 412.  
 — — *Rehb. Ic. crit.* 8, 723.  
 — *virginianus* *L.* *Jacq. Obs.* 99.  
 — *wivariensis* *Jord.* *Jord. Obs.* 3, 8.  
 — *wolgensis* *Willd.* *Marschall Cent.* 44.  
 † *Carex* *L. (Leers.)* *Leers Fl. herbom.* 14—16.  
 † — — (*Wahlenberg.*) *König Ann.* 2, 8.  
 † — — (*Kunth.*) *Wiegmann Archiv* 2, 5.  
 — *acaulis* *Brongn.* *Brongniart Coquille* 28.  
 — *acuminata* *Willd.* *Schk. Handb.* 286 Cecc.  
 — — *Rehb.* *Rehb. Fl. germ.* 8, 267.  
 — *acuta* *L.* *Curt. Lond.* 2, 11.  
 — — *Schk. Handb.* 286 Ec. 286 Ff.  
 — — *Host Gram.* 95.  
 — — *Engl. Bot.* 6, 580.  
 — — *Sv. Bot.* 408.  
 — — *Sturm Monogr.* 85.  
 — — *Rehb. Fl. germ.* 8, 231. 232. 233.  
 — — *Fl. dan.* 13, 2247.  
 — *aestivalis* *Curtis.* *Kunze Car.* 28.  
 — *aethiopia* *Schk.* *Schk. Handb.* 286 Z.  
 — *aethostachya* *Schk.* *Schk. Handb.* 286 Llll.  
 — *agastachys* *Ehrh.* *Sturm Monogr.* 63.  
 — *alba* *Scop.* *Schk. Handb.* 286 O.  
 — — *Host Gram.* 59.  
 — — *Sturm Monogr.* 36.  
 — — *Rehb. Fl. germ.* 8, 239.  
 — *alolepis-caespitoso-acuta* *Rehb.* *Rehb. Fl. germ.*  
 8, 233.  
 — *alpina* *Sm.* *Fl. dan.* 3, 403.  
 — *ambigua* *Lk.* *Schk. Handb.* 286 Bbb.  
 — *amplifolia* *Boott.* *Hook. Bor. Am.* 226.  
 — *ampullacea* *Good.* *Engl. Bot.* 11, 780.  
 — — *Schk. Handb.* 286 Tt.  
 — — *Host Gram.* 99.  
 — — *Sturm Monogr.* 96.  
 — — *Rehb. Fl. germ.* 8, 277.  
 — — *Fl. dan.* 13, 2248.  
 — *anceps* *Mühlenb.* *Schk. Handb.* 286 Fff.  
 — *antucensis* *Kze.* *Kunze Car.* 13.  
 — *aperta* *Boott.* *Hook. Bor. Am.* 219.  
 — *appressa* *R. Br.* *Kunze Car.* 11.  
 — *approximata* *Hoppe.* *Schk. Handb.* 286 Iii.  
 — *aquatilis* *Wahlbg.* *Engl. Bot.* 2758.  
 — — *Rehb. Fl. germ.* 8, 234.  
 — — *Silliman Journ.* 10, 2.  
 — *arctica* *Dew.* *Silliman Journ.* 27, 5.  
 — *arenaria* *L.* *Meier Monogr.* 0.  
 — — *Schk. Handb.* 286 B. 286 Dd.  
 — — *Sv. Bot.* 156.  
 — — *Engl. Bot.* 13, 928.  
 — — *Host Gram.* 49.  
 — — *Hueser Monogr.* 0.  
 — — *Fl. dan.* 10, 1766.  
 — — *Sturm Monogr.* 99.  
 — — *Hayne* 5, 7.  
 — — *Guimp. et Schl.* 5.  
 — — *Nees Düsseld.* 26.  
 — — *Rehb. Fl. germ.* 8, 209.  
 — *argyroglochin* *Hornem.* *Fl. dan.* 10, 1710.

- Carex argyroglochin* *Hornem.* *Sturm Monogr.* 53.  
 — — — *Rehb. Fl. germ.* 8, 211.  
 — *aristata* *Dew.* *Silliman Journ.* 9, A.  
 — — *R. Br.* *Silliman Journ.* 27, 5.  
 — *aspera* *Willd.* *Mem. Ac. Berl.* 1794, 3.  
 — — *Willd. Fl. berol.* 1.  
 — *aterrima* *Hoppe.* *Sturm Monogr.* 12.  
 — — — *Rehb. Fl. germ.* 8, 236.  
 — *atrata* *L.* *Fl. dan.* 1, 156.  
 — — — *Engl. Bot.* 29, 2044.  
 — — — *Sv. Bot.* 754.  
 — — — *Schk. Handb.* 286 X.  
 — — — *Host Gram.* 88.  
 — — — *Sturm Monogr.* 11.  
 — — — *Rehb. Fl. germ.* 8, 237.  
 — *atrofusca* *Schk.* *Schk. Handb.* 286 Y.  
 — — — *Rehb. Fl. germ.* 8, 250.  
 — *aurea* *Nutt.* *Kunze Car.* 46.  
 — *austriaca* *Schk.* *Schk. Handb.* 286 Qqq.  
 — *axillaris* *Good.* *Linn. Tr.* 2, 19.  
 — — — *Engl. Bot.* 14, 993.  
 — — — *Schk. Handb.* 286 R.  
 — — — *Röemer Arch.* II, 2, 1.  
 — — — *Sturm Monogr.* 54.  
 — — — *Rehb. Fl. germ.* 8, 219.  
 — *Backana* *Dew.* *Silliman Journ.* 29, 3.  
 — *Backii* *Boott.* *Hook. Bor. Am.* 209.  
 — — — *Silliman Journ.* 49, 1.  
 — *baldensis* *L.* *Vill. Dauph.* 6.  
 — — — *Schk. Handb.* 286 Y.  
 — — — *Host Gram.* 380.  
 — — — *Sturm Monogr.* 8.  
 — — — *Rehb. Fl. germ.* 8, 224.  
 — *Baldwinia* *Dew.* *Silliman Journ.* 26, T.  
 — *Banksii* *Boott.* *Hook. Fl. ant.* 142.  
 — *basilaris* *Jord.* *Jord. Obs.* 3, 12.  
 — *Bellardi* *All.* *All. Fl. ped.* 3, 92.  
 — — — *Schk. Handb.* 286 D.  
 — — — *Host Gram.* 378.  
 — — — *Fl. dan.* 9, 1529.  
 — *Bertolonii* *Schk.* *Schk. Handb.* 286 Rrrr.  
 — *bicolor* *All.* *Schk. Handb.* 286 Aaaa.  
 — — — *Sv. Bot.* 701.  
 — — — *Fl. dan.* 12, 2122.  
 — — — *Sturm Monogr.* 7.  
 — — — *Rehb. Fl. germ.* 8, 225.  
 — *biligularis* *DC.* *Cosson Atlas* 35.  
 — *bina* *Schk.* *Schk. Handb.* 286 G.  
 — *binervis* *Willd.* *Schk. Handb.* 286 Rrr.  
 — — *Sm.* *Engl. Bot.* 18, 1235.  
 — — — *Sturm Monogr.* 57.  
 — — — *Rehb. Fl. germ.* 8, 255.  
 — *bipartita* *All.* *All. Fl. ped.* 3, 89.  
 — *bispicata* *Hook.* *Hook. Beechey* 28.  
 — *blepharophora* *Gray.* *Silliman Journ.* 1830, 1.  
 — *Boeninghausiana* *Weihe.* *Sturm Monogr.* 55.  
 — — — *Rehb. Fl. germ.* 8, 219.  
 — — — *Engl. Bot.* 2910.  
 — — — *Fl. dan.* 13, 2300.  
 — — — *Kunze Car.* 22.  
 — *bohemica* *Schreb.* *Schreb. Gr.* 28.  
 — *Boryana* *Schk.* *Schk. Handb.* 286 Gggg.  
 — *brachystachys* *Schrank.* *Schk. Handb.* 286 P.  
 — — — *Sturm Monogr.* 45.  
 — — — *Rehb. Fl. germ.* 8, 241.  
 — *bracteosa* *Kze.* *Kunze Car.* 2.  
 — *brevicollis* *DC.* *Kunze Car.* 4.  
 — — — *Rehb. Fl. germ.* 8, 244.  
 — *brevifolia* *Host.* *Host Gram.* 390.  
 — *brizoides* *L.* *Schk. Handb.* 286 C. U  
 — — — *Host Gram.* 47.  
 — — — *Sturm Monogr.* 22.

- Carex brizoides *L.* Rchb. Fl. germ. 8, 207.  
 — — — Fl. dan. 13, 2180.  
 — Brizopyrum *Kze.* Kunze Car. 43.  
 — bromoides *Schk.* Schk. Handb. 286 Xxx.  
 — brunnea *Thunb.* Schk. Handb. 286 Xx.  
 — Buckleyi *Dew.* Silliman Journ. 48, 1.  
 — bullata *Schk.* Schk. Handb. 286 Uun.  
 — Buxbaumii *Wahlenb.* Fl. dan. 8, 1406.  
 — — — Engl. Bot. 2885.  
 — — — Sturm Monogr. 73.  
 — — — Rchb. Fl. germ. 8, 235.  
 — caespitosa *L.* Willd. Fl. berol. 2.  
 — — — Linn. Transact. 2, 21.  
 — — — Host Gram. 91.  
 — — — Schk. Handb. 286 Aa. 286 Bb.  
 — — — Roemer Arch. II. 2, 3.  
 — — — Fl. dan. 8, 1281.  
 — — — Sturm Monogr. 29.  
 — — — Rchb. Fl. germ. 8, 229.  
 — — — Dict. sc. nat. 15.  
 — — — Engl. Bot. 21, 1507.  
 — — — Sv. Bot. 222.  
 — campestris *Host.* Host Gram. 389.  
 — canescens *L.* Fl. dan. 2, 285.  
 — — — Host Gram. 57.  
 — — — Sturm Monogr. 24.  
 — — — Rchb. Fl. germ. 8, 206.  
 — capensis *Thunb.* Schk. Handb. 286 Bbbb.  
 — capillaris *L.* Scop. Fl. carn. 2, 59.  
 — — — Fl. dan. 1, 168.  
 — — — Schk. Handb. 286 O.  
 — — — Host Gram. 62.  
 — — — Sturm Monogr. 46.  
 — — — Rchb. Fl. germ. 8, 241.  
 — — — Engl. Bot. 29, 2069.  
 — capitata *L.* Schk. Handb. 286 Y.  
 — — — Fl. dan. 3, 372. 12, 2060.  
 — — — Sturm Monogr. 18.  
 — — — Rchb. Fl. germ. 8, 195.  
 — Careyana *Torr.* Kunze Car. 27.  
 — — — Torrey New York 145.  
 — — — Silliman Journ. 1830, 2.  
 — Carltonia *Dew.* Silliman Journ. 27, 5.  
 — caroliniana *Buckl.* Silliman Journ. 48, 1.  
 — cephalophora *Wahlenb.* Schk. Handb. 286 Hhh.  
 — chordorrhiza *L.* Schk. Handb. 286 G. Ii.  
 — — — Fl. dan. 8, 1408.  
 — — — Sturm Monogr. 49.  
 — — — Ehrh. Rchb. Fl. germ. 8, 200.  
 — ciliata *Willd.* Mem. Ac. Berl. 1794, 3.  
 — — — Host Gram. 384.  
 — — — Schk. Handb. 286 I.  
 — clandestina *Good.* Schk. Handb. 286 K.  
 — — — Engl. Bot. 30, 2124.  
 — clavaeformis *Hoppe.* Sturm Monogr. 80.  
 — — — Rchb. Fl. germ. 8, 270.  
 — clavata *Thunb.* Kunze Car. 17.  
 — Columbiana *Dew.* Silliman Journ. 1830, 2.  
 — compacta *R. Br.* Silliman Journ. 27, 5.  
 — conglobata *Kit.* Kunze Car. 3.  
 — — — Rchb. Fl. germ. 8, 264.  
 — conoidea *Schk.* Schk. Handb. 286 Vvv.  
 — contigua *Hoppe.* Sturm Monogr. 66.  
 — Cooleyi *Dew.* Silliman Journ. 48, 2.  
 — crassa *Ehrh.* Host Gram. 93.  
 — crinita *Lam.* Schk. Handb. 286 Eec. 286 Ttt.  
 — — — Torrey New York 143.  
 — cristata *Schweinitz.* Kunze Car. 44.  
 — crus corvi *Shuttlew.* Kunze Car. 32. 42.  
 — cryptocarpa *Meyer.* Silliman Journ. 29, 1.  
 — cryptostachys *Brongn.* Brongniart Coquille 25.  
 — curta *Good.* Mem. Ac. Berl. 1794, 2.

- Carèx curta *Good.* Schk. Handb. 286 C.  
 — — — Host Gram. 48.  
 — — — Engl. Bot. 20, 1386.  
 — curvirostris *Kze.* Kunze Car. 20.  
 — curvula *All.* All. Fl. ped. 3, 92.  
 — — — Schk. Handb. 286 D. Hh.  
 — — — Host Gram. 278.  
 — — — Sturm Monogr. 9.  
 — — — Rchb. Fl. germ. 8, 201.  
 — — — Cesati Stirp. ital. 0.  
 — — — var. mirabilis *Schleich.* Cesati Stirp. ital. 0.  
 — cuspidata *Wahlenb.* Host Gram. 97.  
 — cyperoides *L.* Schk. Handb. 286 A.  
 — — — Host Gram. 43.  
 — — — Fl. dan. 9, 1465.  
 — — — Sturm Monogr. 52.  
 — — — Rchb. Fl. germ. 8, 224.  
 — Darwinii *Boott.* Hook. Fl. ant. 144.  
 — dasycarpa *Mühlb.* Elliott Carol. 12.  
 — Davalliana *Sm.* Engl. Bot. 30, 2123.  
 — — — Sturm Monogr. 17.  
 — — — Rchb. Fl. germ. 8, 194.  
 — decomposita *Mühlbg.* Torrey New York 142.  
 — demissa *Hornem.* Fl. dan. 8, 1342.  
 — depauperta *Sm.* Curt. Lond. 1, 77.  
 — — — Engl. Bot. 16, 1098.  
 — — — Rchb. Fl. germ. 8, 256.  
 — depressa *Lk.* Schk. Handb. 286 Ccc.  
 — Deweyana *Schw.* Silliman Journ. 9, 3.  
 — digitata *L.* Host Gram. 60.  
 — — — Schk. Handb. 286 H.  
 — — — Fl. dan. 9, 1466.  
 — — — Engl. Bot. 9, 615.  
 — — — Sturm Monogr. 75.  
 — — — Rchb. Fl. germ. 8, 240.  
 — dioica *L.* Fl. dan. 3, 369.  
 — — — Schk. Handb. 286 A. 286 Q. 286 W.  
 — — — Host Gram. 41.  
 — — — Engl. Bot. 8, 543.  
 — — — Sv. Bot. 551.  
 — — — Sturm Monogr. 97.  
 — — — Rchb. Fl. germ. 8, 194.  
 — disperma *Devey.* Silliman Journ. 9, 1.  
 — — — Kunze Car. 33.  
 — distans *L.* Fl. dan. 6, 1049.  
 — — — Host Gram. 77.  
 — — — Schk. Handb. 286 T. Yy.  
 — — — Engl. Bot. 18, 1234.  
 — — — Sturm Monogr. 41.  
 — — — Rchb. Fl. germ. 8, 253. 254.  
 — — — Cosson Atlas 35.  
 — diversiflora *Host.* Host Gram. 70.  
 — divisa *Good.* Fl. dan. 3, 371.  
 — — — Linn. Transact. 2, 19.  
 — — — Schk. Handb. 286 R.  
 — — — Roemer Arch. II. 2, 1.  
 — — — Engl. Bot. 16, 1096.  
 — — — Rchb. Fl. germ. 8, 205.  
 — divulsa *Good.* Schk. Handb. 286 Dd. 286 Ww.  
 — — — Host Gram. 55.  
 — — — Engl. Bot. 9, 629.  
 — — — Fl. dan. 8, 1280.  
 — — — Sturm Monogr. 83.  
 — — — Rchb. Fl. germ. 8, 220.  
 — Douglasii *Boott.* Hook. Bor. Am. 214.  
 — Drummondiana *Dew.* Silliman Journ. 29, 3.  
 — Drymeia *Ehrh.* Mem. Ac. Berl. 1794, 3.  
 — — — Sturm Monogr. 62.  
 — Durieui *Steud.* Kunze Car. 38.  
 — eburnea *Boott.* Hook. Bor. Am. 225.  
 — echinoclöe *Kze.* Kunze Car. 12.

- Carex Ecklonii *N. v. E.* Kunze Car. 5.  
 — elegans *Willd.* Willd. Fl. berol. 1.  
 — elongata *L.* Schk. Handb. 286 E.  
 — — — Host Gram. 279.  
 — — — Fl. dan. 7, 1236.  
 — — — Engl. Bot. 27, 1920.  
 — — — Sturm Monogr. 26.  
 — — — Rehb. Fl. germ. 8, 218.  
 — emarginata *Schk.* Schk. Handb. 286 Ooo.  
 — enervis *Led.* Ledeb. Ic. 349.  
 — ericetorum *Pollich.* Fl. dan. 10, 1765.  
 — — — Sturm Monogr. 86.  
 — — — Rehb. Fl. germ. 8, 262.  
 — erinacea *Cav.* Cav. Ic. 464.  
 — — — Schk. Handb. 286 Nann.  
 — erythrostachys *Hoppe.* Sturm Monogr. 107.  
 — — — Rehb. Fl. germ. 8, 270.  
 — evoluta *Hartm.* Sturm Monogr. 108.  
 — — — Rehb. Fl. germ. 8, 267.  
 — — — Kunze Car. 7.  
 — excelsa *Poepp.* Kunze Car. 19.  
 — exilis *Devey.* Silliman Journ. 14, Q.  
 — — — Kunze Car. 41.  
 — extensa *Good.* Linn. Transact. 2, 21.  
 — — — Roemer Archiv II. 2, 3.  
 — — — Schk. Handb. 286 V. 286 Xx.  
 — — — Host Gram. 73.  
 — — — Fl. dan. 10, 1709.  
 — — — Engl. Bot. 12, 833.  
 — — — Sturm Monogr. 89.  
 — — — Rehb. Fl. germ. 8, 274.  
 — fasciculata *Lk.* Schk. Handb. 286 Zz.  
 — ferruginea *Schk.* Schk. Handb. 286 M.  
 — — — Sturm Monogr. 43.  
 — — — Rehb. Fl. germ. 8, 247.  
 — — — *Host.* Host Gram. 81.  
 — — — *Scop.* Rehb. Fl. germ. 8, 248.  
 — festiva *Dewey.* Silliman Journ. 29, 1.  
 — — — Kunze Car. 45.  
 — festucacea *Schk.* Schk. Handb. 286 Wvv.  
 — filifolia *Nutt.* Hook. Ic. pl. 5, 448.  
 — filiformis *L.* Linn. Transact. 2, 20.  
 — — — Roemer Archiv II. 2, 2.  
 — — — Engl. Bot. 13, 904.  
 — — — ? Fl. dan. 6, 1048.  
 — — — Fl. dan. 8, 1344.  
 — — — Schk. Handb. 286 K.  
 — — — Host Gram. 86.  
 — — — Sturm Monogr. 35.  
 — — — Rehb. Fl. germ. 8, 265.  
 — fimbriata *Schk.* Schk. Handb. 286 Uuu.  
 — — — Rehb. Fl. germ. 8, 248.  
 — firma *Host.* Host Gram. 75.  
 — — — Schk. Handb. 286 O. Y.  
 — — — Sturm Monogr. 90.  
 — — — Rehb. Fl. germ. 8, 247.  
 — flacca *Schreb.* Schk. Handb. 286 O. 286 P. 286 Zz.  
 — — — Host Gram. 90.  
 — flava *L.* Fl. dan. 6, 1047.  
 — — — Schk. Handb. 286 F. 286 H.  
 — — — Lam. Encycl. 752.  
 — — — Engl. Bot. 18, 1294.  
 — — — Host Gram. 63.  
 — — — Sturm Monogr. 87.  
 — — — Rehb. Fl. germ. 8, 273.  
 — — — *Nees* Gen. 2, 1.  
 — — — var. *Cosson* Atlas 35.  
 — flavescens *Host.* Host. Gram. 397.  
 — flexilis *Rudge.* Linn. Transact. 7, 10.  
 — flexuosa *Schk.* Schk. Handb. 286 Aaaa. 286 Ddd.  
 — Floresiana *Hochst.* Seubert Fl. azor. 3.  
 — floridana *Schw.* Silliman Journ. 10, 4.

- Carex foetida *All.* Schk. Handb. 286 Hh.  
 — — — Sturm Monogr. 2.  
 — — — Rehb. Fl. germ. 8, 199.  
 — folliculata *L.* Schk. Handb. 286 N.  
 — — — Linn. Transact. 7, 9.  
 — formosa *Dew.* Silliman Journ. 9, B.  
 — Frankii *Kth.* Kunze Car. 9.  
 — Franklinii *Boott.* Hook. Bor. Am. 218.  
 — Fraseri *Andr.* Andr. Rep. 10, 639.  
 — — — Bot. Mag. 34, 1391.  
 — frigida *All.* Host. Gram. 391.  
 — — — Sturm Monogr. 42.  
 — — — Rehb. Fl. germ. 8, 250.  
 — fuliginosa *Schk.* Schk. Handb. 286 Cc.  
 — — — Host Gram. 394.  
 — — — Sturm Monogr. 13.  
 — — — Regensb. Denkschr. 1, 3.  
 — — — Rehb. Fl. germ. 8, 249.  
 — — — *Sternb. et H.* Kunze Car. 14.  
 — fulva *Good.* Linn. Transact. 2, 20.  
 — — — Roemer Archiv II. 2, 2.  
 — — — Host Gram. 396.  
 — — — Fl. dan. 10, 1768.  
 — — — Engl. Bot. 18, 1295.  
 — — — Sturm Monogr. 93.  
 — — — Rehb. Fl. germ. 8, 252.  
 — fulvicoma *Dewey.* Silliman Journ. 29, 3.  
 — fusca *Schk.* Schk. Handb. 286 Cc. 286 T.  
 — fuscula *Brongn.* Brongniart Coquille 28.  
 — Gaudiniana *Guthn.* Sturm Monogr. 100.  
 — — — Rehb. Fl. germ. 8, 202.  
 — Gebhardi *Schk.* Schk. Handb. 286 Hhhh.  
 — — — *Willd.* Rehb. Fl. germ. 8, 218.  
 — — — *Hoppe.* Sturm Monogr. 25.  
 — — — Rehb. Fl. germ. 8, 206.  
 — geminata *Schk.* Schk. Handb. 286 Pp. 286 W.  
 — geniculata *Host.* Host Gram. 395.  
 — Geyeri *Boott.* Kunze Car. 47.  
 — Gibsoni *Bab.* Jardine Annals 11, 5.  
 — gigantea *Rudge.* Linn. Transact. 7, 10.  
 — glareosa *Wahlenb.* Sv. Bot. 645.  
 — — — Schk. Handb. 286 Aaa.  
 — glauca *Scop.* Fl. dan. 6, 1051.  
 — — — Sturm Monogr. 47.  
 — — — Rehb. Fl. germ. 8, 269.  
 — globularis *L.* Fl. dan. 3, 443.  
 — — — Schk. Handb. 286 Eeee. 286 Gg.  
 — — — *Willd.* Mem. Ac. Berl. 1794, 2.  
 — glomerata *Schk.* Schk. Handb. 286 I.  
 — — — *Host.* Host Gram. 44.  
 — Gmelini *Hook.* Hook. Beechey 27.  
 — gracilis *Ehrh.* Schk. Handb. 286 E.  
 — gracillima *Schweinitz.* Kunze Car. 8.  
 — Grahami *Boott.* Engl. Bot. 2923.  
 — granularioides *Schw.* Silliman Journ. 9, 1.  
 — granularis *Mühlbg.* Schk. Handb. 286 Vvv.  
 — Greeniana *Dewey.* Silliman Journ. 1830, 2.  
 — Grioletii *Roemer.* Schk. Handb. 286 Rrrr.  
 — Grosseckii *Heuff.* Rehb. Fl. germ. 8, 198.  
 — Grypus *Schk.* Schk. Handb. 286 Hhhh.  
 — — — Sturm Monogr. 84.  
 — — — Rehb. Fl. germ. 8, 203.  
 — guestphalica *Boenn.* Rehb. Fl. germ. 8, 220.  
 — Guthnickiana *Gay.* Kunze Car. 1.  
 — gynobasis *Vill.* Schk. Handb. 286 G.  
 — — — Sturm Monogr. 16.  
 — — — Rehb. Fl. germ. 8, 259.  
 — gynocrates *Wormsk.* Kunze Car. 31.  
 — gynomane *Bertol.* Rehb. Fl. germ. 8, 258.  
 — Halleriana *Asso.* Asso Aragon. 9.  
 — Heleonastes *Ehrh.* Schk. Handb. 286 Ii.  
 — — — Sturm Monogr. 6.

- Carex *Heleonastes Ehrh.* Rehb. Fl. germ. 8, 204.  
 — *helodes Lk.* Schk. Handb. 286 Bbb.  
 — *Hepburnii Boott.* Hook. Bor. Am. 207.  
 — *hermaphrodita Jacq.* Jacq. Ic. 615.  
 — *hirsuta Willd.* Schk. Handb. 286 Www.  
 — *hirta L.* Schk. Handb. 286 Uu.  
 — — Fl. dan. 3, 379, 425. 10, 1711.  
 — — Engl. Bot. 10, 685.  
 — — Host Gram. 96.  
 — — Hayne 5, 9.  
 — — Nees Düsseld. 27.  
 — — Sturm Monogr. 64.  
 — — Rehb. Fl. germ. 8, 257.  
 — *hispidula Willd.* Schk. Handb. 286 S.  
 — *Hitchcockiana Dewey.* Silliman Journ. 10, 2.  
 — *Hochstetteriana Gay.* Kunze Car. 34.  
 — — Seubert Fl. azor. 2.  
 — *Hoodii Boott.* Hook. Bor. Am. 211.  
 — — Silliman Journ. 49, 1.  
 — *Hookeriana Dewey.* Hook. Bor. Am. 212.  
 — — Silliman Journ. 29, 2.  
 — *Hoppneri Boott.* Hook. Bor. Am. 220.  
 — — Silliman Journ. 49, 1.  
 — *hordeiformis Host.* Schk. Handb. 286 S.  
 — — Host Gram. 76.  
 — — *Wahlbg.* Sturm Flora 57.  
 — *hordeistichos Vill.* Vill. Dauph. 6.  
 — — Schk. Handb. 286 Ddd.  
 — — Rehb. Fl. germ. 8, 257.  
 — *Hornschuchiana Hoppe.* Sturm Monogr. 92.  
 — — Fl. dan. 13, 2249.  
 — — Rehb. Fl. germ. 8, 252.  
 — — Cosson Atlas 35.  
 — *Houghtoniana Torr.* Silliman Journ. 1830, 2.  
 — *humilis Leyss.* Host Gram. 67.  
 — — Sturm Monogr. 103.  
 — — Rehb. Fl. germ. 8, 239.  
 — *hyperboraea Drejer.* var. Fl. dan. 14, 2482, 2483.  
 — *hystericina Willd.* Schk. Handb. 286 Fff.  
 — *japonica Thunb.* Schk. Handb. 286 Ww.  
 — *incurva Lightf.* Lightf. Fl. scot. 2, 24.  
 — — Fl. dan. 3, 432.  
 — — Schk. Handb. 286 Hh.  
 — — Engl. Bot. 13, 927.  
 — — Sturm Monogr. 1.  
 — — Rehb. Fl. germ. 8, 199.  
 — *indica Schk.* Schk. Handb. 286 Bb. 286 Qqqq.  
 — *intermedia Good.* Schk. Handb. 286 B. 286 Sss.  
 — — Host Gram. 50.  
 — — Fl. dan. 8, 1343.  
 — — Engl. Bot. 29, 2042.  
 — — Hayne 5, 8.  
 — — Sturm Monogr. 51.  
 — — Rehb. Fl. germ. 8, 210.  
 — *intumescens Rudge.* Linnæan Transact. 7, 9.  
 — *irrigua Sm.* Engl. Bot. 2895.  
 — — Sturm Monogr. 38.  
 — — Rehb. Fl. germ. 8, 238.  
 — *juncifolia All.* All. Fl. ped. 3, 92.  
 — — Schk. Handb. 286 G. 286 Ii.  
 — — Rehb. Fl. germ. 8, 199.  
 — *Kochiana DC.* Sturm Monogr. 111.  
 — — Rehb. Fl. germ. 8, 271.  
 — *Lachenalii Schk.* Schk. Handb. 286 Y.  
 — *lacustris Willd.* Schk. Handb. 286 Ooo.  
 — *laevicaulis Hochst.* Kunze Car. 6.  
 — *laevigata Sm.* Schk. Handb. 286 Sss.  
 — — Engl. Bot. 20, 1387.  
 — — Sturm Monogr. 58.  
 — — Rehb. Fl. germ. 8, 254.  
 — *laevirostris Fr.* Kunze Car. 49.  
 — *lagopina Wahlbg.* Sturm Monogr. 5.

- Carex *lagopina Wahlbg.* Rehb. Fl. germ. 8, 204.  
 — — *β. furva*, Webb Otia 41.  
 — *lagopodioides Schk.* Schk. Handb. 286 Yyy.  
 — *lanceata Dewey.* Silliman Journ. 29, 2.  
 — *lanuginosa Michx.* Torr. New York 144<sup>a</sup>.  
 — *laxa Wahlbg.* Wahlbg. Fl. lapp. 15.  
 — — Sv. Bot. 718.  
 — *laxiflora Lam.* Schk. Handb. 286 Kkk. 286 U.  
 — *leiorrhyncha C. A. M.* Kunze Car. 2.  
 — — Rehb. Fl. germ. 8, 221.  
 — *lenticularis Dewey.* Silliman Journ. 9, A.  
 — *lepidocarpa Tausch.* Kunze Car. 13.  
 — — Sturm Monogr. 106.  
 — — Rehb. Fl. germ. 8, 272.  
 — *leporina L.* Fl. dan. 2, 294.  
 — — Schk. Handb. 286 Fff.  
 — — Host Gram. 381.  
 — — Engl. Bot. 2815.  
 — — Sturm Monogr. 4.  
 — — Rehb. Fl. germ. 8, 211.  
 — *leptostachys Ehrh.* Sturm Monogr. 61.  
 — *leucoglochis L.* Fl. dan. 8, 1279.  
 — — Sv. Bot. 539.  
 — — *Ehrh.* Rehb. Fl. germ. 8, 196.  
 — *Liddoni Boott.* Hook. Bor. Am. 215.  
 — — Silliman Journ. 49, 1.  
 — *limosa L.* Fl. dan. 4, 646.  
 — — Host Gram. 89.  
 — — Schk. Handb. 286 Aaa. 286 X.  
 — — Sturm Monogr. 39.  
 † — — var. *γ.* Wahlbg. Fl. lapp. 15.  
 — — Engl. Bot. 29, 2043.  
 — — Rehb. Fl. germ. 8, 238.  
 — *Linkii Schk.* Schk. Handb. 286 Bbb.  
 — — Sturm Monogr. 72.  
 — *Linnaeana Host.* Host Gram. 277.  
 — *litorea Lab.* Bill. Nov. Holl. 219.  
 — *livida Wahlbg.* Schk. Handb. 286 Ssss.  
 — *lobata Vill.* Schk. Handb. 286 D. 286 Ii.  
 — *loliacea L.* Schk. Handb. 286 Ee.  
 — — Fl. dan. 8, 1403.  
 — — Sv. Bot. 664.  
 — — Sturm Monogr. 98.  
 — — Rehb. Fl. germ. 8, 214.  
 — *longearistata Biv.* Bivona Stirp. rar. Sic. 4, 2.  
 — *longifolia Host.* Host Gram. 386.  
 — *longirostris Torr.* Silliman Journ. 9, C.  
 — *lucorum Willd.* Kunze Car. 39.  
 — *lupulina Mühlbg.* Schk. Handb. 286 Ddd. 286 Iiii.  
 — *lusitanica Schk.* Schk. Handb. 286 Ccc.  
 — *Lyngbyei Hornem.* Fl. dan. 11, 1888.  
 — *Lyoni Boott.* Hook. Bor. Am. 208.  
 — — Silliman Journ. 49, 1.  
 — *macrocephala Willd.* Hook. Bor. Am. 216.  
 — — Silliman Journ. 43, 2.  
 — *macrolepis DC.* Kunze Car. 36.  
 — — Rehb. Fl. germ. 8, 246.  
 — *magellanica Lam.* Schk. Handb. 286 N.  
 — — Hook. Fl. ant. 143.  
 — *Mairii Coss. et Germ.* Cosson Atlas 35.  
 — — Kunze Car. 37.  
 — *marcida Boott.* Hook. Bor. Am. 213.  
 — — Silliman Journ. 49, 1.  
 — *marginata Mühlbg.* Schk. Handb. 286 Lll.  
 — *marina Dewey.* Silliman Journ. 29, 2.  
 — *maritima Müller.* Fl. dan. 4, 703.  
 — — *Vahl.* Schk. Handb. 286 W.  
 — *maxima Scop.* Sturm Flora 13, 55.  
 — *Meadii Dewey.* Silliman Journ. 43, 2.  
 — *melanantha Led.* Ledeb. Ic. 317.  
 — *membranacea Hook.* Silliman Journ. 29, 2.  
 — — *Hoppe.* Sturm Monogr. 74.

- Carex membranacea* Hoppe. Rehb. Fl. germ. 8, 262.  
 — *Mertensii* Prescott. Hook. Bor. Am. 217.  
 — *Michauxii* Dewey. Silliman Journ. 10, 4.  
 — — *Schweinitz*. Kunze Car. 25.  
 — *Michelliana* Sm. Engl. Bot. 32, 2236.  
 — *Michellii* Host. Schk. Handb. 286 P. 286 Vv.  
 — — — Host Gram. 72.  
 — — — Sturm Monogr. 59.  
 — — — Rehb. Fl. germ. 8, 256.  
 — *microcarpa* Bert. Kunze Car. 50.  
 — *microcephala* Led. Ledeb. Ic. 319.  
 — *microglochis* Wahlbg. Schk. Handb. 286 Ssss.  
 — — — Fl. dan. 8, 1402.  
 — — — Sv. Bot. 539.  
 — — — Sturm Monogr. 69.  
 — — — Rehb. Fl. germ. 8, 196.  
 — *microstachya* Ehrh. Schk. Handb. 286 C.  
 — — — Sturm Monogr. 56.  
 — — — Rehb. Fl. germ. 8, 202.  
 — *microstyla* Gay. Gaudin Fl. helv. 6, 1.  
 — — — Rehb. Fl. germ. 8, 203.  
 — *Mielichhoferi* Schk. Schk. Handb. 286 Mmmm.  
 — — — Sturm Monogr. 44.  
 — — — Sm. Engl. Bot. 32, 2293.  
 — *miliacea* Mühlenbg. Schk. Handb. 286 Ooo.  
 — *mirabilis* Host. Host Gram. 379.  
 — — — Dewey. Silliman Journ. 1830, 2.  
 — *miser* Buckl. Silliman Journ. 48, 1.  
 — *Mitchelliana* Curt. Silliman Journ. 48, 1.  
 — *mollis* Host. Host Gram. 383.  
 — *monile* Tuck. Silliman Journ. 49, 1.  
 — *montana* L.? Fl. dan. 3, 444.  
 — — — Fl. dan. 10, 1769.  
 — — — Schk. Handb. 286 F.  
 — — — Host Gram. 66.  
 — — — Sturm Monogr. 104.  
 — — — Rehb. Fl. germ. 8, 261.  
 — — — Engl. Bot. 2924.  
 — *mucronata* All. Schk. Handb. 286 K.  
 — — — Host Gram. 388.  
 — — — Sturm Monogr. 28.  
 — — — Rehb. Fl. germ. 8, 201.  
 — *Mühlenbergii* Schk. Schk. Handb. 286 Yyy.  
 — *multiflora* Mühlenbg. Schk. Handb. 286 Lll.  
 — — — var. Silliman Journ. 10, 3.  
 — *multispicata* Kze. Kunze Car. 10.  
 — *muricata* L. Fl. dan. 2, 284. 9, 1526.  
 — — — Schk. Handb. 286 Dd. 286 E.  
 — — — Host Gram. 54.  
 — — — Engl. Bot. 16, 1097.  
 — — — var. Sturm Monogr. 65.  
 — — — Rehb. Fl. germ. 8, 215.  
 — *mutabilis* Willd. Willd. Fl. berol. 2, 3.  
 — *mutica* R. Br. Silliman Journ. 29, 4.  
 — *myosuroides* Vill. Vill. Dauph. 6.  
 — *nardina* Fries. Kunze Car. 23.  
 — *nemorosa* Lumn. Schk. Handb. 286 Dddd.  
 — — — Host Gram. 382.  
 — — — Rehb. Fl. germ. 8, 215.  
 — — — *Rebent*. Sturm Monogr. 81.  
 — — — Rehb. Fl. germ. 8, 216.  
 — *nigra* All. Schk. Handb. 286 Aaa. 286 Llll.  
 — — — Sturm Monogr. 10.  
 — — — Rehb. Fl. germ. 8, 236.  
 — *nigricans* Meyer. Silliman Journ. 29, 3.  
 — *nitida* Host. Host Gram. 71.  
 — — — Sturm Monogr. 15.  
 — — — Rehb. Fl. germ. 8, 264.  
 † — *norvegica* Wahlbg. Wahlbg. Fl. lapp. 15.  
 — — — Schk. Handb. 286 S.  
 — *Novae Angliae* Schw. Silliman Journ. 9, 2.  
 — *nutans* Host. Host Gram. 83.

- Carex nutans* Host. Schk. Handb. 286 Qqqq.  
 — — — Sturm Monogr. 77.  
 — — — Rehb. Fl. germ. 8, 265.  
 — *Nuttallii* Dewey. Silliman Journ. 43, 2.  
 — *Oakesiana* Dewey. Silliman Journ. 14, Q.  
 — *obtusata* Liljeb. Sv. Bot. 533.  
 — — — Schk. Handb. 286 Qqq.  
 — — — Rehb. Fl. germ. 8, 197.  
 — *Oederi* Ehrh. Host Gram. 65.  
 — — — Schk. Handb. 286 F.  
 — — — Mem. Ac. Berl. 1794, 1.  
 — — — Sturm Monogr. 88.  
 — — — Rehb. Fl. germ. 8, 272.  
 — — — Engl. Bot. 25, 1773.  
 — *Ohmülleriana* Lang. Rehb. Fl. germ. 8, 213.  
 — *olbiensis* Jord. Jord. Obs. 3, 12.  
 — *oligocarpa* Schk. Schk. Handb. 286 Vvv.  
 — — — var. Silliman Journ. 10, 3.  
 — — — Fl. dan. 13, 2181.  
 — *ornithopoda* Willd. Fl. dan. 8, 1405.  
 — — — Sturm Monogr. 76.  
 — — — Rehb. Fl. germ. 8, 240.  
 — — — Nees Gen. 2, 1.  
 — *orthostachys* Led. Ledeb. Ic. 324.  
 — *ovalis* Good. Host Gram. 51.  
 — — — Fl. dan. 7, 1115.  
 — — — Schk. Handb. 286 B.  
 — — — Engl. Bot. 5, 306.  
 — *ovata* Rudge. Linn. Transact. 7, 9.  
 — — — Led. Ledeb. Ic. 323.  
 — *pacifica* Drej. Rehb. Fl. germ. 8, 229.  
 — *pallescens* L. Curt. Lond. 5, 178.  
 — — — Engl. Bot. 31, 2185.  
 — — — Fl. dan. 6, 1050.  
 — — — Host Gram. 74.  
 — — — Schk. Handb. 286 Kk.  
 — — — Sturm Monogr. 40.  
 — — — Rehb. Fl. germ. 8, 251.  
 — *paludosa* Good. Curt. Lond. 2, 10.  
 — — — Engl. Bot. 12, 807.  
 — — — Fl. dan. 10, 1767.  
 — — — Host Gram. 92.  
 — — — Schk. Handb. 286 Oo. 286 Vv.  
 — — — var. Sturm Monogr. 48.  
 — — — Rehb. Fl. germ. 8, 266.  
 — — — Nees Gen. 2, 1.  
 † — *panicca* L. Fl. dan. 2, 261.  
 — — — Engl. Bot. 21, 1505.  
 — — — Host Gram. 79.  
 — — — Schk. Handb. 286 Ll.  
 — — — Sturm Monogr. 32.  
 — — — Rehb. Fl. germ. 8, 245.  
 † — — — Nees Gen. 2, 1.  
 — *paniculata* L. Host Gram. 58.  
 — — — Schk. Handb. 286 D. 286 Tt.  
 — — — Fl. dan. 7, 1116.  
 — — — Engl. Bot. 15, 1064.  
 — — — Sturm Monogr. 21.  
 — — — Rehb. Fl. germ. 8, 223.  
 — *paradoxa* Willd. Mem. Ac. Berl. 1794, 1.  
 — — — Schk. Handb. 286 E.  
 — — — Engl. Bot. 2896.  
 — — — Fl. dan. 11, 1887.  
 — — — Sturm Monogr. 20.  
 — — — Rehb. Fl. germ. 8, 222.  
 — *Parryana* Dewey. Silliman Journ. 27, 5.  
 — *parviflora* Host. Host Gram. 87.  
 — — — Schk. Handb. 286 Llll.  
 — *patula* Scop. Scop. Fl. carn. 2, 59.  
 — — — Host Gram. 64.  
 — — — Schk. Handb. 286 Bbb.  
 — *pauciflora* Lightf. Lightf. Fl. scot. 1, 6.

- Carex pauciflora* *Lightf.* Engl. Bot. 29, 2041.  
 — — — Host Gram. 42.  
 — — — Schk. Handb. 286 A.  
 — — — Sturm Monogr. 68.  
 — — — Rehb. Fl. germ. 8, 196.  
 — pedata *L.* Host Gram. 61.  
 — — — Schk. Handb. 286 H.  
 — — — Wahlbg. Fl. lapp. 14.  
 — — — Sv. Bot. 684.  
 — — — *Wahlbg.* Rehb. Fl. germ. 8, 240.  
 — pediformis *C. A. M.* Kunze Car. 16.  
 — pedunculata *Mühlbg.* Schk. Handb. 286 Ggg.  
 — pellita *Mühlbg.* Schk. Handb. 286 Nnn.  
 — — — Torr. New York 144<sup>a</sup>.  
 — pendula *Good.* Curt. Lond. 1, 66.  
 — — — Engl. Bot. 33, 2315.  
 — — — Host Gram. 100.  
 — — — Schk. Handb. 286 Q.  
 — — — Rehb. Fl. germ. 8, 243.  
 — Persoonii *Sieb.* Rehb. Fl. germ. 8, 206.  
 — petasata *Dewey.* Silliman Journ. 29, 1.  
 — petraea *Wahlbg.* Fl. dan. 8, 1401.  
 — — — Host Gram. 377.  
 — — — Schk. Handb. 286 Kkk.  
 — — — Rehb. Fl. germ. 8, 198.  
 — petricosa *Dewey.* Silliman Journ. 29, 1.  
 — phaeostachya *Sm.* Engl. Bot. 2731.  
 — phleoides *Cav.* Cav. Ic. 464.  
 — physodes *M. v. B.* Mem. Mosc. 2, 7.  
 — pichinchensis *H. B. K.* H. B. K. Nov. Gen. 7, 696.  
 — pilosa *Scop.* Host Gram. 78.  
 — — — Schk. Handb. 286 M.  
 — — — Sturm Monogr. 60.  
 — — — Rehb. Fl. germ. 8, 244.  
 — pilulifera *L.* Willd. Fl. berol. 1.  
 — — — Mem. Ac. Berl. 1794, 2.  
 — — — Host Gram. 385.  
 — — — Schk. Handb. 286 I.  
 — — — Fl. dan. 6, 1048.  
 — — — Engl. Bot. 13, 885.  
 — — — Rehb. Fl. germ. 8, 260.  
 — — — Sturm Monogr. 31.  
 — planostachys *Kze.* Kunze Car. 35.  
 — plantaginea *Lam.* Schk. Handb. 286 Kkkk.  
 — podocarpa *R. Br.* Hook. Bor. Am. 224.  
 — — — Silliman Journ. 29, 4.  
 — polyandra *Schk.* Schk. Handb. 286 Dd.  
 — polygama *Schk.* Schk. Handb. 286 X.  
 — polytrichoides *Mühlbg.* Schk. Handb. 286 Iii.  
 — praecox *Jacq.* Jacq. Fl. austr. 5, 446.  
 — — — Host Gram. 68.  
 — — — Schk. Handb. 286 F.  
 — — — Curt. Lond. 4, 22.  
 — — — Engl. Bot. 16, 1099.  
 — — — Fl. dan. 9, 1527.  
 — — — Sturm Monogr. 105.  
 — — — Rehb. Fl. germ. 8, 261.  
 — provincialis *Degl.* Kunze Car. 18.  
 — pseudo-arenaria *Rehb.* Rehb. Fl. germ. 8, 208.  
 — Pseudocyperus *L.* Host Gram. 85.  
 — — — Schk. Handb. 286 Mm.  
 — — — Fl. dan. 7, 1117.  
 — — — Engl. Bot. 4, 242.  
 — — — Sturm Monogr. 94.  
 — — — Rehb. Fl. germ. 8, 275.  
 — pubescens *Mühlbg.* Schk. Handb. 286 Ecc.  
 — pulicaris *L.* Fl. dan. 1, 166.  
 — — — Host Gram. 376.  
 — — — Schk. Handb. 286 A.  
 † — — — Lam. Encycl. 752.  
 — — — Curt. Lond. 5, 177.  
 — — — Engl. Bot. 15, 1051.

- Carex pulicaris* *L.* Sv. Bot. 533.  
 — — — Sturm Monogr. 33.  
 — — — Rehb. Fl. germ. 8, 195.  
 — pulla *Good.* Linn. Transact. 3, 14.  
 — — — Roem. Arch. II. 2, 5.  
 — — — Engl. Bot. 29, 2045.  
 — — — Schk. Handb. 286 R.  
 — pumila *Thunb.* Schk. Handb. 286 Yy.  
 — punctata *Gaud.* Gaudin Fl. helv. 6, 2.  
 — — — Sturm Monogr. 78.  
 — — — Rehb. Fl. germ. 8, 251.  
 — — — Kunze Car. 6.  
 — pyrenaica *Degl.* Rehb. Fl. germ. 8, 198.  
 — Ramondiana *DC.* Rehb. Fl. germ. 8, 198.  
 — ramosa *Schk.* Schk. Handb. 286 Pppp.  
 — rariflora *Sm.* Engl. Bot. 35, 2516.  
 — recta *Boott.* Hook. Bor. Am. 222.  
 — recurva *Huds.* Fl. dan. 6, 1051.  
 — — — Engl. Bot. 21, 1506.  
 — — — Schk. Handb. 286 Nn. 286 Z.  
 — — — Baxter Brit. Bot. 6, 440.  
 — Redowskyana *C. A. M.* Silliman Journ. 29, 3.  
 — — — Kunze Car. 31.  
 — refracta *Schk.* Schk. Handb. 286 Iii.  
 — remota *L.* Fl. dan. 3, 370.  
 — — — Host Gram. 52.  
 — — — Schk. Handb. 286 E.  
 — — — Engl. Bot. 12, 832.  
 — — — Sturm Monogr. 27.  
 — — — Rehb. Fl. germ. 8, 212.  
 — repens *Bell.* Schk. Handb. 286 Iii.  
 — retroflexa *Mühlbg.* Schk. Handb. 286 Kkk.  
 — rhynchocarpa *Heuffel.* Sturm Monogr. 109.  
 — Richardsoni *R. Br.* Hook. Bor. Am. 223.  
 — rigida *Good.* Linn. Transact. 2, 22.  
 — — — Roem. Arch. II. 2, 4.  
 — — — Engl. Bot. 29, 2047.  
 — — — Schk. Handb. 286 U.  
 — — — Rehb. Fl. germ. 8, 225.  
 — — — var. Fl. dan. 14, 2479. 2480.  
 — rigidifolia *Hochst.* Seubert Fl. azor. 2.  
 — riparia *Curt.* Curt. Lond. 2, 9.  
 — — — Engl. Bot. 9, 579.  
 — — — Fl. dan. 7, 1118.  
 — — — Schk. Handb. 286 Qq. 286 Rr.  
 — — — Sturm Monogr. 110.  
 — — — Rehb. Fl. germ. 8, 268.  
 — rivularis *Willd.* Schk. Handb. 286 Cc.  
 — rosea *Schk.* Schk. Handb. 286 Zzz.  
 — rostrata *Schk.* Schk. Handb. 286 Hhh.  
 — rotundata *Wahlbg.* Sv. Bot. 755.  
 — — — Fl. dan. 8, 1407.  
 — rufina *Drejer.* Fl. dan. 14, 2481.  
 — — — Kunze Car. 23.  
 — Rugeliana *Kze.* Kunze Car. 48.  
 — rupestris *All.* All. Fl. ped. 3, 92.  
 — — — Schk. Handb. 286 Nnnn.  
 — — — Engl. Bot. 2814.  
 — — — Sturm Monogr. 71.  
 — — — Rehb. Fl. germ. 8, 198.  
 — salina *Wahlbg.* Schk. Handb. 286 Cccc.  
 — — — Sv. Bot. 756.  
 — Sartwellii *Dewey.* Silliman Journ. 43, 2.  
 — saxatilis *L.* Fl. dan. 1, 159.  
 — — — Schk. Handb. 286 I. 286 Tt.  
 — — — Sturm Monogr. 101.  
 — — — ? Rehb. Fl. germ. 8, 225.  
 — Schiedena *Kze.* Kunze Car. 30.  
 — Schkuhrii *Willd.* Schk. Handb. 286 Qqq.  
 — schoenoides *Host.* Host Gram. 45.  
 — — — Sturm Monogr. 50.  
 — Schraderi *Schk.* Schk. Handb. 286 Pppp.

- Carex Schreberi Willd.* Host Gram. 46.  
 — — — Schk. Handb. 286 B.  
 — — — Fl. dan. 11, 1829.  
 — — — Sturm Monogr. 67.  
 — — — Rchb. Fl. germ. 8, 207.  
 — Schweinitzii *Dewey.* Silliman Journ. 9, 2.  
 — scirpoides *Schk.* Schk. Handb. 286 Zzz.  
 — scoparia *Schk.* Schk. Handb. 286 Xxx.  
 — Scopoliiana *Willd.* Schk. Handb. 286 Nnnn.  
 — secalina *Willd.* Sturm Monogr. 95.  
 — — *Wahlbg.* Rchb. Fl. germ. 8, 257.  
 — sempervirens *Vill.* Sturm Flora 13, 53.  
 — — — Rchb. Fl. germ. 8, 247.  
 — setacea *Dewey.* Silliman Journ. 9, B.  
 — setifolia *Kze.* Kunze Car. 26.  
 — Shortiana *Dewey.* Silliman Journ. 1830, 1.  
 — siccata *Dewey.* Silliman Journ. 1830, 2.  
 — — — Silliman Journ. 10, 3.  
 — silvatica *Huds.* Fl. dan. 3, 404.  
 — — — Engl. Bot. 14, 995.  
 — — — Host Gram. 84.  
 — — — Schk. Handb. 286 Ll.  
 — — — Rchb. Fl. germ. 8, 242.  
 — sitchensis *Prescott.* Hook. Bor. Am. 221.  
 — spadicea *Roth.* Host Gram. 392.  
 — — *Schk.* Schk. Handb. 286 L.  
 — sparganioides *Mühlbg.* Schk. Handb. 286 Lll.  
 — spectabilis *Dewey.* Silliman Journ. 29, 2.  
 — speirostachya *Sw. msc.* Engl. Bot. 2770.  
 — sphaerostachya *Dewey.* Silliman Journ. 49, 1.  
 — spicata *Schk.* Schk. Handb. 286 D.  
 — — — Sturm Monogr. 70.  
 — — — Rchb. Fl. germ. 8, 197.  
 + — — — Nees Gen. 2, 1.  
 — splendida *Willd.* Willd. Fl. berol. 1.  
 — squamosa *Dewey.* Silliman Journ. 14, Q.  
 — stans *Drejer.* Fl. dan. 14, 2477.  
 — stellulata *Good.* Host Gram. 53.  
 — — — Schk. Handb. 286 C.  
 — — — Engl. Bot. 12, 806.  
 — — — var. Sturm Monogr. 23.  
 — — — Rchb. Fl. germ. 8, 214.  
 — stenolepis *Torr.* Silliman Journ. 1830, 1.  
 — stenophylla *Wahlbg.* Sturm Monogr. 3.  
 — — — Rchb. Fl. germ. 8, 200.  
 — sterilis *Willd.* Schk. Handb. 286 Mmm.  
 — — — Krock. Fl. sil. 3, 4.  
 — Stendelii *Kth.* Silliman Journ. 49, 1.  
 — — — Kunze Car. 3.  
 — stictocarpa *Sm.* Engl. Bot. 2772.  
 — stipata *Mühlbg.* Schk. Handb. 286 Hhh.  
 — stolonifera *Hoppe.* Sturm Monogr. 102.  
 — straminea *Willd.* Schk. Handb. 286 G. 286 Xxx.  
 — stricta *Good.* Linn. Transact. 2, 21.  
 — — — Roemer Archiv II. 2, 3.  
 — — — Host Gram. 91.  
 — — — Schk. Handb. 286 V.  
 — — — Engl. Bot. 15, 614.  
 — — — Sturm Monogr. 39.  
 — — — Rchb. Fl. germ. 8, 228. 230.  
 — strigosa *Good.* Linn. Transact. 2, 20.  
 — — — Roemer Archiv II. 2, 2.  
 — — — Schk. Handb. 286 N.  
 — — — Fl. dan. 7, 1237.  
 — — — Engl. Bot. 14, 994.  
 — — — Sturm Flora 13, 55.  
 — — — Rchb. Fl. germ. 8, 242.  
 — styloflexa *Buckl.* Silliman Journ. 48, 1.  
 — stylosa *C. A. M.* Kunze Car. 29.  
 — subspathacea *Wormsk.* Fl. dan. 9, 1530.  
 — — — *Hornem.* Kunze Car. 24.  
 — subulata *Michx.* Torr. New York 147.

- Carex subulata Michx.* Kunze Car. 40.  
 — Sullivantii *Boott.* Silliman Journ. 49, 1.  
 — supina *Wahlbg.* Sturm Monogr. 14.  
 — — — Rchb. Fl. germ. 8, 259.  
 — tenella *Schk.* Schk. Handb. 286 Pp.  
 — tenera *Dewey.* Silliman Journ. 9, 3.  
 — tentaculata *Mühlbg.* Schk. Handb. 286 Ggg.  
 — — — Torr. New York 144.  
 — tenuiflora *Wahlbg.* Schk. Handb. 286 Eeee.  
 — tenuis *Rudge.* Linnean Transact. 7, 9.  
 — — *Host.* Host Gram. 393.  
 — — — Sturm Flora 13, 53.  
 — — — Rchb. Fl. germ. 8, 241.  
 — teretiuscula *Good.* Linnean Transact. 2, 19.  
 — — — Roemer Archiv II. 2, 1.  
 — — — Schk. Handb. 286 D. 286 T.  
 — — — Fl. dan. 11, 1886.  
 — — — Engl. Bot. 15, 1065.  
 — — — Sturm Monogr. 19.  
 — — — Rchb. Fl. germ. 8, 222.  
 — tetanica *Schk.* Schk. Handb. 286 Ggg. 286 Oooo.  
 — thuringiaca *Willd.* Schk. Handb. 286 Ppp.  
 — tomentosa *L.* Host Gram. 82.  
 — — — Schk. Handb. 286 F.  
 — — — Fl. dan. 8, 1404.  
 — — — Engl. Bot. 29, 2046.  
 — — — Sturm Monogr. 34.  
 — — — Rchb. Fl. germ. 8, 263.  
 + — — — Nees Gen. 2, 1.  
 — Torreyi *Tuck.* Silliman Journ. 49, 1.  
 — triceps *Michx.* Silliman Journ. 48, 1.  
 — trichocarpa *Mühlbg.* Schk. Handb. 286 Nnn.  
 — trifida *Cuv.* Cav. Ic. 465.  
 — — — Schk. Handb. 286 Oooo.  
 — triflora *Willd.* Willd. Phytogr. 1.  
 — — — Schk. Handb. 286 M.  
 — trigona *All.* All. Fl. ped. 3, 89.  
 — trinervis *Degl.* Kunze Car. 1.  
 — tripartita *All.* All. Fl. ped. 3, 92.  
 — — — Rchb. Fl. germ. 8, 205.  
 — trisperma *Dewey.* Silliman Journ. 9, C.  
 — tristachya *Thunb.* Schk. Handb. 286 Ww.  
 — Tuckermani *Dewey.* Silliman Journ. 49, 1.  
 — umbellata *Schk.* Schk. Handb. 286 Www.  
 — — — var. vicina, Silliman Journ. 10, 1.  
 — umbrosa *Host.* Host Gram. 69.  
 — — — Schk. Handb. 286 Ffff.  
 — — — Sturm Monogr. 91.  
 — — — Rchb. Fl. germ. 8, 263.  
 — uncinata *L.* Schk. Handb. 286 G.  
 — undulata *Kze.* Kunze Car. 4.  
 — — — Rchb. Fl. germ. 8, 251.  
 — ursina *Dewey.* Hook. Bor. Am. 210.  
 — — — Silliman Journ. 27, 5.  
 — ustulata *Wahlbg.* Sv. Bot. 717.  
 — — — Engl. Bot. 34, 2404.  
 — — — Fl. dan. 9, 1590.  
 — — — Sturm Monogr. 37.  
 — — — Rchb. Fl. germ. 8, 250.  
 — vaginata *Tausch.* Sturm Monogr. 79.  
 — — — Rchb. Fl. germ. 8, 246.  
 — — — Kunze Car. 15.  
 — VahlII *Schk.* Schk. Handb. 286 Gg. 286 Ppp.  
 — — — Engl. Bot. 2666.  
 — — — Rchb. Fl. germ. 8, 235.  
 — varia *Host.* Host Gram. 80.  
 — — — Schk. Handb. 286 Uuu.  
 — venusta *Dewey.* Silliman Journ. 26, T.  
 — verna *Schk.* Schk. Handb. 286 L. 286 Ppp. 286 Ffff.  
 — — — Host Gram. 387.  
 — verrucosa *Mühlbg.* var. Silliman Journ. 48, 2.  
 — vesicaria *L.* Fl. dan. 4, 647.

- Carex vesicaria* L. Engl. Bot. 11, 779.  
 — — — Sv. Bot. 216.  
 — — — Host Gram. 98.  
 — — — Schk. Handb. 286 Ss.  
 — — — Sturm Monogr. 112.  
 — — — Rehb. Fl. germ. 8, 276.  
 — vestita Willd. Schk. Handb. 286 Bbbb.  
 — Villarsii Schk. Schk. Handb. 286 Ddd.  
 — virescens Mühlbg. Schk. Handb. 286 Mmm.  
 — Vulcani Hochst. Seubert Fl. azor. 3.  
 — vulgaris Fries. Fl. dan. 14, 2478.  
 — — — Rehb. Fl. germ. 8, 226. 227. 228.  
 † vulpina L. Gaertn. Carp. 2.  
 † — — — Lam. Encycl. 752.  
 — — — Fl. dan. 2, 308.  
 — — — Host Gram. 56.  
 — — — Schk. Handb. 286 C.  
 — — — Engl. Bot. 5, 307.  
 — — — Sturm Monogr. 82.  
 — — — Rehb. Fl. germ. 8, 216. 217.  
 — Washingtoniana Dewey. Sill. Journ. 10, 1. 14, R.  
 — Willdenovii Schk. Schk. Handb. 286 Mmm.  
 — Wormskioldiana Hornem. Fl. dan. 9, 1528.  
 — — — Silliman Journ. 14, R.  
 — xanthophysa Wahlbg. Silliman Journ. 10, 1.  
 — Zinkii Schk. Rehb. Fl. germ. 8, 258.  
 † *Careya* Roxb. Kerner Genera 40.  
 — arborea Roxb. Rheede Hort. mal. 3, 36.  
 — — — Roxb. Corom. 218.  
 — — — Wight Illustr. 99. 100.  
 — herbacea Roxb. Roxb. Corom. 217.  
 — — — Wight Ic. pl. Ind. or. 2, 557.  
 — sphaerica Roxb. Wight Ic. pl. Ind. or. 1, 147.  
 2, 556.  
*Cargillia australis* R. Br. Bot. Mag. 60, 3274.  
*Carica cauliflora* Jacq. Jacq. Schoenbr. 3, 311.  
 — — — Kern. Hort. 83.  
 — citrifolia Jacq. fil. Jacq. Ecl. pl. 68. 69.  
 — — — Kern. Hort. 795. 796.  
 — — — Bot. Mag. 65, 3633.  
 † — — — Schnizl. Ic. 200.  
 — heterophylla P. et E. Poepp. et Endl. 182.  
 — microcarpa Jacq. Jacq. Schoenbr. 3, 309. 310.  
 † — — — Schnizl. Ic. 200.  
 — monoica Desf. Ann. Mus. 1, 18.  
 — — — Kern. Hort. 409.  
 — Papaya L. Rheede Hort. mal. 1, 15.  
 — — — Rumpf Amb. 1, 50. 51.  
 — — — Gil et Xvarez 10.  
 — — — Tuss. Ant. 3, 10. 11.  
 — — — Desc. Ant. 1, 47.  
 † — — — Kerner Genera 119—122.  
 — — — Bot. Mag. 56, 2898. 2899.  
 — — — Bot. Reg. 6, 459.  
 — — — Dict. sc. nat. 212.  
 — — — Wight Illustr. 106. 107.  
 † — — — Schnizl. Ic. 200.  
 — peltata Hook. Hook. Beechey 98.  
 — pyriformis Willd. Gay Chile 25.  
 — spinosa Aubl. Aublet Guiana 346.  
 † *Carionia elegans* Naud. Ann. sc. nat. III. 15, 15.  
*Carissa Carandas* L. Rumpf Amb. Auct. 25.  
 — — — Lam. Encycl. 118.  
 — — — Roxb. Corom. 77.  
 — — — Lodd. Cab. 663.  
 † — — — Ann. Mus. 8, 32.  
 — — — Hook. Comp. 12.  
 — — — Wight Ic. pl. Ind. or. 2, 426.  
 — congesta Wight. Wight Ic. pl. Ind. or. 4, 1289.  
 — diffusa Roxb. Wight Ic. pl. Ind. or. 2, 427.  
 — edulis Vahl. Cailliaud Voyage 63.  
 — mitis Vahl. Vahl Symbolae 59.

- † *Carissa paucinervia* DC. Wight Illustr. 154<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1290.  
 — Schimper DC. Richard Abyssin. 68.  
 — spinarum L. Rumpf Amb. Auct. 19. fig. 1.  
 — — — Lam. Encycl. 118.  
 — — — Lodd. Cab. 162.  
 — villosa Roxb. Wight Ic. pl. Ind. or. 2, 437.  
 — Xyloperion Aub. Th. Aub. Th. Mel. 15.  
*Carlina acanthifolia* All. All. Fl. ped. 3, 51.  
 — — — Rehb. Fl. germ. 15, 740.  
 — acaulis L. Hayne 10, 45.  
 — — — Schk. Handb. 232.  
 — — — Nees Düsseld. 228.  
 — — — Schrank Fl. mon. 4, 332.  
 — — — Rehb. Fl. germ. 15, 741.  
 — corymbosa L. Sibth. Fl. gr. 837.  
 — — — Rehb. Fl. germ. 15, 744.  
 — lanata L. Sibth. Fl. gr. 836.  
 — — — Rehb. Fl. germ. 15, 743.  
 — longifolia Rehb. Rehb. Ic. crit. 8, 761.  
 — — — Rehb. Fl. germ. 15, 742.  
 — macrocephala Moris. Moris Fl. sard. 84.  
 — racemosa L. Rehb. Fl. germ. 15, 743.  
 — Pola Haecq. Haecquet Pl. alp. 4.  
 — salicifolia Cav. Webb Canar. 115.  
 — sicula Ten. Tenore Fl. nap. 187.  
 — simplex W. et K. W. et Kit. 152.  
 — sulphurea Desf. Desf. Fl. atl. 224.  
 — Utzka Haecq. Haecquet Pl. alp. 1.  
 † vulgaris L. Gaertn. Carp. 163.  
 † — — — Lam. Encycl. 662.  
 — — — Fl. dan. 7, 1174.  
 — — — Sv. Bot. 434.  
 — — — Schk. Handb. 232.  
 — — — Engl. Bot. 16, 1144.  
 — — — Baxter Brit. Bot. 6, 405.  
 — — — Rehb. Fl. germ. 15, 742.  
 — xeranthemoides L. fil. Webb Canar. 116.  
*Carlowitzia salicifolia* Moench. Jacq. Ecl. pl. 5.  
 — — — Ann. Mus. 16, 15.  
 † *Carludovica* Rz et P. Ruiz et Pav. Prodr. 31.  
 — Gardneri Hook. Hook. Journ. 1840, 3. 4.  
 — latifolia Rz et P. Lodd. Cab. 1068.  
 — trigona Rz et P. Poepp. et Endl. 151. 154.  
*Carmelia formosa* Gay. Gay Chile 37.  
*Carmichaelia australis* R. Br. Bot. Reg. 11, 912.  
 — — — Lodd. Cab. 1061.  
 — — — Raoul Nouv. Zel. 28.  
 — — — Cunninghami Deene. Raoul Nouv. Zel. 28.  
*Carminatia tenuiflora* DC. Delessert Ic. 4, 98.  
*Carmona heterophylla* Cav. Cav. Ic. 438.  
*Carolinea alba* Lodd. Lodd. Cab. 752.  
 — — — Maund Bot. 2, 80.  
 — — — Hook. Exot. Fl. 100.  
 — — — Rehb. Exot. 249.  
 — insignis Sw. Lodd. Cab. 1004.  
 — minor Sims. Bot. Mag. 34, 1412.  
 — — — Kern. Hort. 634.  
 — princeps L. Desc. Ant. 3, 232.  
 — tomentosa Mart. Mart. Bras. 56.  
 — — — Rehb. Exot. 142.  
*Caroxylon indicum* Wight. Wight Ic. pl. Ind. or. 5, 1794.  
*Carpangis* Aub. Aubert Orchid. 75.  
*Carpenteria californica* Torr. Smiths. Contrib. 5, 7.  
*Carpesium abrotanoides* L. Jacq. Fragm. 134.  
 — — — Vill. Cat. Strasb. 4.  
 — — — Lam. Encycl. 696.  
 † — — — cernuum L. Gaertn. Carp. 164.  
 † — — — Lam. Encycl. 696.  
 — — — Jacq. Fl. austr. 3, 204.  
 — — — Schk. Handb. 244.  
 — nepalense Less. Wight Ic. pl. Ind. or. 3, 1120.



- Carpesium nepalense* Less. Wight Spicil. 112.  
*Carpha arundinacea* Brongn. Brongniart Coquille 30.  
 — *schoenoides* Banks et Sol. Hook. Fl. ant. 148.  
*Carphalea madagascariensis* Lam. Lam. Encycl. 59.  
*Carpinus americana* Michx. Guimp. Fr. Holzgew. 84.  
 — — — Watson Dendr. 2, 157.  
 — — — Torrey New York 103.  
 † *Carpinus Betulus* L. Gaertn. Carp. 89.  
 † — — — Lam. Encycl. 780.  
 — — — Schk. Handb. 304.  
 — — — Tratt. Arch. 163.  
 — — — Hartig 21.  
 — — — Schrank Fl. mon. 4, 389.  
 — — — Rchb. Fl. germ. 12, 632.  
 † — — — Nees Gen. 4, 20.  
 — — — Fl. dan. 8, 1345.  
 — — — Sv. Bot. 433.  
 — — — Engl. Bot. 29, 2032.  
 — — — Baxter Brit. Bot. 3, 234.  
 — *duinensis* Scop. Scop. Fl. carn. 2, 60.  
 — — — Rchb. Fl. germ. 12, 634.  
 — *intermedia* Wierzb. Rchb. Fl. germ. 12, 633.  
 — *orientalis* Lam. Watson Dendr. 2, 98.  
 — — — Tratt. Arch. 164.  
 — — — Rchb. Fl. germ. 12, 634.  
 — *Ostrya* L. Michaux Arb. 3, 7.  
 — *viminea* Wall. Wall. Pl. asiat. 106.  
 — *virginiana* Michx. Michaux Arb. 3, 8.  
 † *Carpodetus serratus* Forst. Forster Char. 17.  
 † — — — Lam. Encycl. 143.  
 — — — Hook. Ic. pl. 6, 564.  
 — — — Regensb. Denkschr. 3, 1. 2.  
 † *Carpolyza Salisb.* Herbert Amar. 29.  
 — *spiralis* Salisb. Salisb. Parad. 63.  
*Carponema filiforme* Eckl. et Z. Sonder Helioph. 17.  
*Carpophora Hoffmeisteri* Klotzsch. Prinz Waldemar  
 Him. 32.  
*Carthamus coceruleus* L. Sibth. Fl. gr. 843.  
 — — — Bot. Mag. 49, 2293.  
 — *corymbosus* L. Sibth. Fl. gr. 844.  
 † *creticus* L. Schk. Handb. 233.  
 — *dentatus* Vahl. Vahl Symbolae 17.  
 — — — Sibth. Fl. gr. 840.  
 — *helenoides* Desf. Desf. Fl. atl. 230.  
 — *laevis* Hill. Hill Hort. Kew. 5.  
 — *lanatus* L. Bot. Mag. 47, 2142.  
 — — — Schk. Handb. 233.  
 † — — — Lam. Encycl. 661.  
 — — — Sibth. Fl. gr. 841.  
 — *leucocaulos* Sibth. Sibth. Fl. gr. 842.  
 † *maculatus* Lam. Lam. Encycl. 661.  
 — *marcoticus* Del. Delile Egypte 48.  
 — *multifidus* Desf. Desf. Fl. atl. 227.  
 — *pectinatus* Desf. Desf. Fl. atl. 228.  
 — *pinnatus* Desf. Desf. Fl. atl. 229.  
 — *tinctorius* L. Rumpf Amb. 5, 79.  
 † — — — Gaertn. Carp. 161.  
 † — — — Schk. Handb. 233.  
 — — — Lam. Encycl. 661.  
 — — — Bot. Reg. 2, 170.  
 — — — Nees Düsseld. 227.  
 — — — Rchb. Fl. germ. 15, 746.  
 — *tingitanus* L. Cav. Ic. 128.  
*Cartonema spicatum* R. Br. Bauer Illustr. 7.  
 † *Carum Carvi* L. Gaertn. Carp. 23.  
 — — — Schk. Handb. 77.  
 — — — Jacq. Fl. austr. 4, 393.  
 — — — Fl. dan. 7, 1091.  
 — — — Engl. Bot. 21, 1503.  
 — — — Sv. Bot. 115.  
 — — — Hayne 7, 19.  
 — — — Guimp. et Schl. 131.

- Carum Carvi* L. Nees Düsseld. 275.  
 — — — Wagner 67.  
 — — — Woodv. Med. 1, 41.  
 — — — Dietr. Fl. bor. 11, 753.  
 — — — Baxter Brit. Bot. 3, 232.  
 † — — — Nees Gen. X, x.  
 † — *Bulbocastanum* Koch. Nees Gen. X, x.  
 — *Bunias* L. Jacq. Vind. 198.  
*Carya* *alba* Nutt. Emerson Rep. Massach. 12.  
 — *amara* Nutt. Emerson Rep. Massach. 15.  
 — *glabra* Torr. Torrey New York 101.  
 — *porcina* Nutt. Emerson Rep. Massach. 14.  
 — — — Torrey New York 101.  
 — *tomentosa* Nutt. Emerson Rep. Massach. 13.  
 — — — var. Torrey New York 100.  
*Caryocar amygdaliferum* Mutis. Cav. Ic. 361. 362.  
 — *brasiliense* St. Hil. St. Hil. Fl. Bras. 67<sup>bis</sup>.  
 — *nuciferum* L. Bot. Mag. 54, 2727. 2728.  
 — — — Rchb. Exot. 247. 248.  
 — — — Fl. d. serres 3, 183. 184.  
 † *Caryolobis indica* Gaertn. Gaertn. Carp. 45.  
*Caryophyllus aromaticus* L. Rumpf Amb. 2, 1. 2. 3.  
 † — — — Gaertn. Carp. 33.  
 † — — — Lam. Encycl. 417.  
 — — — Desc. Ant. 8, 566.  
 — — — Hayne 10, 38.  
 — — — Guimp. et Schl. 72.  
 — — — Nees Düsseld. 298.  
 — — — Woodv. Med. 3, 193.  
 — — — Dict. sc. nat. 222. 223.  
 — — — Bot. Mag. 54, 2749. 2750.  
 — *ellipticus* Lab. Bill. Sertum 63.  
 † *Caryota maxima* Bl. Blume Rumphia 163.  
 — *obtusidentata* Griff. Griffith Palms 236<sup>a b</sup>.  
 — *propinqua* Bl. Blume Rumphia 162.  
 — *sobolifera* Mart. Griffith Palms 236<sup>c</sup>.  
 — *urens* L. Rheede Hort. mal. 1, 11.  
 — — — Rumpf Amb. 1, 14.  
 † — — — Jacq. Fragm. 12.  
 † — — — Gaertn. Carp. 7.  
 † — — — Lam. Encycl. 897.  
 — — — Desc. Ant. 7, 501.  
 — — — Mart. Palm. 107. 108. 162.  
 † — — — Mart. Palm. V. Y.  
*Casalea adscendens* St. Hil. St. Hil. Fl. Bras. 1.  
*Casasia calophylla* A. Rich. Ramon Cuba 49.  
*Cascarilla* *Carua* Wedd. Weddell Hist. 25.  
 — *Hookeriana* Wedd. Weddell Hist. 24.  
 — *muzonensis* Wedd. Weddell Hist. 24.  
 — *Riveroana* Wedd. Weddell Hist. 23.  
*Casearia adamantium* St. Hil. St. Hil. Fl. Bras. 125.  
 — *coriacea* Vent. Vent. Choix 45.  
 — *elliptica* Willd. Wight Ic. pl. Ind. or. 5, 1849.  
 — *esculenta* Roxb. Rheede Hort. mal. 5, 50.  
 † — *flavovirens* Bl. Blume Mus. 1, 50.  
 — *grandiflora* St. Hil. St. Hil. Fl. Bras. 126.  
 † — *hirta* Sw. Gaertn. Carp. 224.  
 — *javitensis* H. B. K. H. B. K. Nov. Gen. 5, 479.  
 — *ilicifolia* Vent. Vent. Choix 44.  
 — *inaequilatera* St. Hil. St. Hil. Fl. Bras. 127.  
 — *mollis* H. B. K. H. B. K. Nov. Gen. 5, 480.  
 — *nitida* Jacq. Jacq. Hist. stirp. am. 126.  
 — *ovata* Willd. Rheede Hort. mal. 4, 49.  
 — *parviflora* Jacq. Jacq. Hist. stirp. am. 127.  
 — *stipularis* Vent. Vent. Choix 46.  
 — *tinifolia* Vent. Vent. Choix 47.  
 † *Cassebeera* *Kaulf.* Kaulfuss Enum. 1.  
 — *gleichenioides* Gardn. Hook. Ic. pl. 6, 507.  
 — *pinnata* Kaulf. Kunze Anal. 24.  
 — — — Mart. Crypt. bras. 61.  
 † — *triphylla* Kaulf. Hook. Gen. Fil. 66.  
*Casselia integrifolia* N. v. E. Acta Leop. 11. 1, 6.

- Casselia integrifolia* *N. v. E.* Paxt. Mag. 15, 75.  
 — — — Fl. d. serres 4, 361.  
 — Mansoi *Schauer.* Endl. Bras. 10, 32<sup>b</sup>.  
 — serrata *N. v. E.* Acta Leop. 11, 1, 6.  
 † *Cassia* *L.* (Bischoff.) Bot. Zeitung 1850, 9.  
 — acutifolia *Del.* Delile Egypte 27.  
 — — — Hayne 9, 40.  
 — — — Nees Düssel. 344.  
 — Absus *L.* Jacq. Ecl. pl. 53.  
 — — — Nees Düssel. 348.  
 — Aeschynomene *DC.* Colladon Cass. 17.  
 — alata *L.* var.  $\beta$ . Rumpf Amb. Auct. 18.  
 — — — Wight Ic. pl. Ind. or. 1, 253.  
 — — — Desc. Ant. 6, 443.  
 — — — Rchb. Mag. 84.  
 — angustissima *DC.* Rumpf Amb. 6, 67, fig. 1.  
 — aphylla *Cav.* Cav. Ic. 561.  
 — Apoucouita *Aubl.* Aublet Guiana 146.  
 — Arereh *Delile.* Richard Abyssin. 47.  
 — — — Ferret Abyssin. 3.  
 — australis *Sims.* Bot. Mag. 53, 2676.  
 — — — Bot. Reg. 16, 1322.  
 — aversiflora *Herb.* Bot. Mag. 53, 2638.  
 — Bacillus *Roxb.* Wight Ic. pl. Ind. or. 1, 252.  
 — Barclayana *Sweet.* Sweet Austr. 32.  
 — Barrenfieldii *Colla.* Mem. Tur. 35, 11.  
 — bauhiniæfolia *H. B.* Humb. Mim. 37.  
 — Berteri *Colla.* Colla Hort. Rip. 24.  
 — bicapsularis *L.* Jacq. Fragm. 58.  
 — biflora *L.* Bot. Mag. 21, 810.  
 — — — Bot. Reg. 16, 1310.  
 — bifoliolata *DC.* Colladon Cass. 9.  
 — biglandulosa *Bertol.* Opusc. sc. Bon. 3, 19.  
 — brevifolia *Lam.* Colladon Cass. 19.  
 — brevipes *DC.* Colladon Cass. 9.  
 — Brongniartii *Gaudich.* Gaudichaud Bonite 10.  
 — Browniana *H. B.* Humb. Mim. 41.  
 — calycioides *DC.* Colladon Cass. 20.  
 — capensis *Thunb.* Lodd. Cab. 511.  
 — — — Colladon Cass. 19.  
 — caracasana *Jacq.* Jacq. Schoenbr. 3, 270.  
 — chamaecrista *L.* Bot. Mag. 3, 107.  
 — Chatelainiana *Gaudich.* Freycinet Voyage 111.  
 — chinensis *Lam.* Rumpf Amb. 4, 23.  
 — — — Colladon Cass. 10.  
 — — — *Jacq.* Jacq. Ic. 73.  
 — chrysotricha *Collad.* Colladon Cass. 13.  
 — coluteoides *Collad.* Colladon Cass. 12.  
 — coromandeliana *Jacq.* Jacq. Fragm. 100.  
 — corymbosa *Lam.* Jacq. Fragm. 101.  
 — — — Bot. Mag. 17, 633.  
 — Crista *Jacq.* Jacq. Ic. 74.  
 — crotalarioides *H. B.* Humb. Mim. 40.  
 — cytisioides *DC.* Colladon Cass. 14.  
 — diphylla *L.* Cav. Ic. 600.  
 — filipendula *Bojer.* Acta Leop. 22, 2, 42.  
 — Fistula *L.* Rheede Hort. mal. 1, 22.  
 — — — Rumpf Amb. 2, 21.  
 — — — Gaertn. Carp. 147.  
 † — — — Lam. Encycl. 332.  
 † — — — Nectoux Voyage 4.  
 — — — Tuss. Ant. 4, 2.  
 — — — Desc. Ant. 2, 125.  
 — — — Hayne 9, 39.  
 — — — Nees Düssel. 342.  
 — — — Woodv. Med. 3, 160.  
 — fistuloides *Collad.* Colladon Cass. 1.  
 — flexuosa *DC.* Mem. Genev. 7, 4.  
 — floribunda *Cav.* Colladon Cass. 11.  
 — — — Bot. Reg. 17, 1422.  
 — fruticosa *Mill.* Houst. Reliq. 17.  
 — geminiflora *Collad.* Colladon Cass. 3.

- Cassia glandulosa* *L.* Bot. Mag. 62, 3435.  
 — glauca *Lam.* Rheede Hort. mal. 6, 9, 10.  
 — gracilis *H. B.* Humb. Mim. 36.  
 — hecatophylla *DC.* Colladon Cass. 18.  
 — — — *Herbertiana* *Ldl.* Bot. Reg. 17, 1422.  
 † — herpetica *Jacq.* Jacq. Obs. 45.  
 — javanica *Ham.* Rumpf Amb. 2, 22.  
 — Kleinii *W. et A.* Rheede Hort. mal. 9, 21.  
 — laevigata *Willd.* Colladon Cass. 5.  
 — lanceolata *Lam.* Lam. Encycl. 332.  
 — — — Nectoux Voyage 2.  
 — — — Nees Düssel. 343.  
 — — — *Forsk.* Colladon Cass. 15.  
 — — — Hayne 9, 41.  
 — — — Guimp. et Schl. 205.  
 — — — Wagner 135.  
 — — — Royle Illustr. 37.  
 — — — Bot. Zeitung 1850, 10.  
 — ligustrina *L.* Martyn Hist. 19.  
 — — — Desc. Ant. 2, 134.  
 — — — Bot. Reg. 2, 109.  
 — — — Bot. Mag. 43, 1829.  
 — macranthera *DC.* Colladon Cass. 8.  
 — macrophylla *H. B.* Humb. Mim. 38.  
 — marylandica *L.* Martyn Hist. 21.  
 — — — Schk. Handb. 113.  
 — — — Barton Med. 12.  
 — — — Bigelow Med. 39.  
 — — — Nees Düssel. 347.  
 — mexicana *Jacq.* Jacq. Schoenbr. 2, 203.  
 — — — Rchb. Hort. 235.  
 — multiglandulosa *L.* Jacq. Ic. 72.  
 — Mutisiana *H. B.* Humb. Mim. 43.  
 — nectitans *L.* Linné Hort. Cliff. 36.  
 — nodosa *Roxb.* Wight Ic. pl. Ind. or. 2, 410.  
 — nutans *Collad.* Colladon Cass. 4.  
 — obovata *Collad.* Colladon Cass. 15.  
 — — — Hayne 9, 42.  
 — — — Nees Düssel. 345.  
 — — — Guimp. et Schl. 206.  
 — obtusa *Roxb.* Wight Ic. pl. Ind. or. 3, 757.  
 — obtusata *Hayne.* Hayne 9, 43.  
 — — — Guimp. et Schl. 207.  
 — obtusifolia *L.* Rumpf Amb. 5, 97.  
 — occidentalis *L.* Martyn Hist. 20.  
 — — — Bot. Reg. 1, 83.  
 — — — Desc. Ant. 2, 135.  
 — oxyphylla *H. B.* Humb. Mim. 39.  
 — patellaria *DC.* Colladon Cass. 16.  
 — pilosa *L.* Colladon Cass. 20.  
 — planisiliqua *Burm.* Rumpf Amb. 4, 23.  
 — polyantha *Moç. et S.* Colladon Cass. 2.  
 — polyphylla *Jacq.* Jacq. Ic. 460.  
 — pubescens *Jacq.* Jacq. Fragm. 57.  
 — pulchella *Salisb.* Lodd. Cab. 1839.  
 — purpurea *Carey.* Bot. Reg. 10, 856.  
 — — — Jacq. Ecl. pl. 148.  
 — rhombifolia *Roxb.* Wight Ic. pl. Ind. or. 1, 269.  
 — Richardiana *H. B.* Humb. Mim. 42.  
 — rostrata *Mart.* Preuss. Gart. Verein 3, 7.  
 — Roxburghii *DC.* Wight Illustr. 83.  
 — ruscifolia *L.* Jacq. Ic. 71.  
 — Schultesii *Colla.* Mem. Tur. 33, 10.  
 — Senna *L.* Burm. Fl. ind. 33.  
 † — — — Lam. Encycl. 332.  
 — — — Nectoux Voyage 1.  
 — — — Jacq. Ecl. pl. 87.  
 — — — Desc. Ant. 2, 133.  
 — — — Woodv. Med. 3, 159.  
 — — — Nees Düssel. 346.  
 — — — Wagner 180.  
 — sennoides *Jacq.* Jacq. Ic. 70.

- Cassia sensitiva* Jacq. Jacq. Ic. 459.  
 — *Sophora* L. Rheede Hort. mal. 2, 52.  
 — — — Rumpf Amb. 5, 97.  
 — — — Bot. Reg. 10, 856.  
 — *spectabilis* DC. Colladon Cass. 7.  
 — *sulcata* DC. Colladon Cass. 6.  
 — *Tora* L. Rheede Hort. mal. 2, 53.  
 — *triflora* Jacq. Jacq. Schoenbr. 4, 480.  
 — *umbellata* Rehb. Rehb. Hort. 206.  
 † *Cassieae* DC. (Germinatio.) DC. Legum. 22 — 26.  
*Cassine capensis* L. Lam. Encycl. 130.  
 — *magellanica* Lam. Lam. Encycl. 130.  
 † *Maurocenia* L. Gaertn. Carp. 92.  
 — — — Lam. Encycl. 130.  
 — — — Hook. Ic. pl. 6, 552.  
 — *Peragua* L. Schk. Handb. 84.  
 — *xylocarpa* Vent. Vent. Choix 23.  
*Cassinia aurea* R. Br. Bot. Reg. 9, 764.  
 — *spectabilis* R. Br. Bot. Reg. 8, 678.  
*Cassipourea elliptica* Poir. Hook. Ic. pl. 3, 280.  
 — *guianensis* Aubl. Aublet Guiana 211.  
 † — — — Lam. Encycl. 406.  
*Cassupa verrucosa* H. B. Humb. Pl. aeq. 12.  
 — — — Lam. Encycl. 938.  
 † *Cassuvium pomiferum* Lam. Lam. Encycl. 322.  
 — — — Tuss. Ant. 3, 13.  
 — — — Dict. sc. nat. 261.  
*Cassytha corniculata* L. Burm. Fl. ind. 33.  
 — *filiformis* L. Rumpf Amb. 5, 184. fig. 4.  
 — — — Jacq. Hist. stirp. am. 116.  
 † — — — Gaertn. Carp. 27.  
 † — — — Lam. Encycl. 323.  
 — — — Hook. Exot. Fl. 167.  
 — — — Wight Ic. pl. Ind. or. 5, 1847.  
 — *zeylanica* Gaertn. Rheede Hort. mal. 7, 44.  
*Castalia magnifica* Salisb. Salisb. Parad. 14. 14<sup>bis</sup>.  
 — *pygmaea* Salisb. Salisb. Parad. 68.  
*Castanea argentea* Bl. Blume Java 4, 21.  
 — *chrysophylla* Dougl. Hook. Lond. Journ. 1843, 16.  
 — *javonica* Bl. Blume Java 4, 23. 24.  
 — *indica* Roxb. Wight Ic. pl. Ind. or. 2, 417.  
 — *martabanica* Wall. Wall. Pl. asiat. 107.  
 — *pumila* Mill. Michaux Arb. 2, 7.  
 — — — Tratt. Archiv 65.  
 — *Tungurrut* Bl. Blume Java 4, 22.  
 † *vesca* Gaertn. Gaertn. Carp. 37.  
 — — — Michaux Arb. 2, 6.  
 — — — Tratt. Archiv 64.  
 — — — Hartig 19.  
 — — — Dict. sc. nat. 304. 305.  
 — — — Baxter Brit. Bot. 6, 485.  
 — — — var. Torr. New York 111.  
 — — — Rehb. Fl. germ. 12, 640.  
 † — — — Nees Gen. 4, 25.  
*Castanospermum australe* Cunn. Hook. Bot. Misc. 51. 52.  
 — — — Annales d'hortic. 1852, 0.  
 † *Castela Turp.* Gray Genera 158.  
 — *depressa* Turp. Dict. sc. nat. 126.  
 — — — Ann. Mus. 7, 5.  
 — *erecta* Turp. Ann. Mus. 7, 5.  
 — *Nicholsoni* Hook. Hook. Bot. Misc. 55.  
 — — — Gray Genera 158.  
*Castelia cuneato-ovata* Cav. Cav. Ic. 583.  
*Castelnavia fimbriata* Tul. Arch. Mus. 6, 11.  
 — *fruticulosa* Tul. Arch. Mus. 6, 12.  
 — *monandra* Tul. Arch. Mus. 6, 12.  
 — *multipartita* Tul. Arch. Mus. 6, 11.  
 — *princeps* Tul. Arch. Mus. 6, 11.  
 — *serpens* Tul. Arch. Mus. 6, 12.  
 † *Castiglionea* R. et P. Ruiz et Pav. Prodr. 37.  
*Castilleia coccinea* Spr. Bot. Reg. 14, 1136.  
 — *coronopifolia* Vent. Vent. Choix 59.

- † *Castilleia fissifolia* L. fil. Lam. Encycl. 519.  
 — — — Smith Ic. Linn. 40.  
 — *integrifolia* L. fil. Smith Ic. Linn. 39.  
 † — — — Lam. Encycl. 519.  
 — *lithospermoides* H. B. K. H. B. K. Nov. Gen. 2, 164.  
 — — — Fl. d. serres 4, 371.  
 — *nubigena* H. B. K. H. B. K. Nov. Gen. 2, 163.  
 — *scorzoneracifolia* H. B. K. H. B. K. Nov. Gen. 2, 165.  
 — *septentrionalis* Ldl. Bot. Reg. 11, 925.  
 † *Castilloa Cerv.* Ann. sc. nat. III. 8, 5.  
 † *Castratella piloselloides* Naud. Ann. sc. nat. III. 14, 4.  
 † *Casuarina* L. Forster Char. 52.  
 † — — — Ann. sc. nat. II. 18, 1.  
 — *distyla* Vent. Vent. Cels 62.  
 — *equisitifolia* L. fil. Rumpf Amb. 3, 57.  
 — — — Lam. Encycl. 746.  
 — — — Lodd. Cab. 607.  
 — — — Hortie. Transact. 3, 12.  
 † — — — Schnizl. Ic. 2, 86.  
 — *lateriflora* Lam. Lam. Encycl. 746.  
 — *muricata* Roxb. Schnizl. Ic. 2, 86.  
 † *nodiflora* Forst. Gaertn. Carp. 91.  
 † — — — Lam. Encycl. 746.  
 — *quadrivalvis* Lab. Bill. Nov. Holl. 218.  
 — — — Dict. sc. nat. 299. 300.  
 — *stricta* Ait. Andr. Rep. 5, 346.  
 † — — — Schnizl. Ic. 2, 86.  
 — *sumatrana* Jungh. Vriese Pl. nov. 1.  
 † — *torulosa* Ait. Schnizl. Ic. 2, 86.  
 † *Casuarinaceae* Mirb. Schnizl. Ic. 2, 86.  
 † *Catabrosa* Pal. B. Dumortier Gram. 4.  
 — *algida* Fries. Andersson Monogr. 1.  
 — *antarctica* Hook. Hook. Fl. ant. 56.  
 † — *aquatica* Pal. B. Nees Gen. 1, 58.  
 — — — Baxter Brit. Bot. 4, 252.  
*Catachaetum recurvatum* Lk. Link Icones III. 42.  
*Catalpa syringaeifolia* Sims. Lodd. Cab. 1285.  
 — — — Bot. Mag. 27, 1094.  
*Catamanche caespitosa* Desf. Desf. Fl. atl. 217.  
 — *coerulea* L. Bot. Mag. 9, 293.  
 — — — Schk. Handb. 226.  
 † — — — Lam. Encycl. 658.  
 † — *lutea* L. Gaertn. Carp. 157.  
 † — — — Lam. Encycl. 658.  
 † — — — Schk. Handb. 226.  
 — — — Sibth. Fl. gr. 821.  
 † *Catapodium liliaceum* Lk. Nees Gen. 1, 69.  
 — — — Rehb. Fl. germ. 1, 15.  
 — *tuberculosum* Moris. Explor. Alger. 41.  
 † *Catappa Benzoin* Gaertn. Gaertn. Carp. 127.  
 † — *brasiliensis* Raddi. Mem. Mod. 18, 5.  
 † — *guianensis* Lam. Gaertn. Carp. 217.  
*Catasetum abruptum* Hook. Bot. Mag. 68, 3929.  
 — *atratum* Ldl. Bot. Reg. 24, 63.  
 — *barbatum* Ldl. Bot. Reg. 21, 1778.  
 † — — — var. *proboscideum* Ldl. Bot. Reg. 27, 5.  
 † — *callosum* Ldl. Bot. Reg. 27, 5.  
 — — — Bot. Mag. 72, 4219.  
 — *Claveringii* Ldl. Bot. Reg. 10, 840.  
 — — — Lodd. Cab. 1344.  
 — — — Rehb. Exot. 122.  
 † — *cornutum* Ldl. Bot. Reg. 27, 5.  
 — *cristatum* Ldl. Bot. Reg. 12, 966.  
 † — — — var. *monstrosum*, Bot. Reg. 23, 1951.  
 † — — — var. *monstrosum*, Hook. Ic. pl. 2, 177.  
 — *deltoidium* Ldl. Bot. Reg. 22, 1896.  
 — *discolor* Ldl. Bot. Reg. 20, 1735.  
 — *floribundum* Hook. Hook. Exot. Fl. 151.  
 — *globiferum* Hook. Bot. Mag. 68, 3942.  
 — *Hookeri* Ldl. Lindley Collect. 40.

- Catasetum integerrimum* Hook. Bot. Mag. 67, 3823.  
 — *laminatum* Ldl. Lindley Sertum 38.  
 † — — var. *eburneum*, Bot. Reg. 27, 5.  
 † — *lanciferum* Ldl. Bot. Reg. 27, 5.  
 — *longifolium* Ldl. Lindley Sertum 31.  
 — *luridum* Ldl. Bot. Reg. 20, 1667.  
 — — Bot. Mag. 64, 3590.  
 — *macrocarpum* H. B. K. H. B. K. Nov. Gen. 7, 631.  
 — *maculatum* H. B. K. H. B. K. Nov. Gen. 7, 630.  
 — — *Batem.* Bateman Orchid. 2.  
 — — Bot. Reg. 26, 62.  
 — *planiceps* Ldl. Bot. Reg. 29, 9.  
 — *purum* N. v. E. Nees Amoen. bonn. 1.  
 — — Bot. Mag. 62, 3388.  
 — *Russellianum* Hook. Bot. Mag. 66, 3777.  
 — *saccatum* Ldl. Lindley Sertum 41.  
 — *semiapertum* Hook. Hook. Exot. Fl. 213.  
 — — Bot. Reg. 20, 1708.  
 — *tridentatum* Hook. Hook. Exot. Fl. 90. 91.  
 — — Bot. Mag. 52, 2559. 61, 3329.  
 — — Bot. Reg. 10, 840.  
 — — Rehb. Exot. 60.  
 — *trifidum* Hook. Bot. Mag. 60, 3262.  
 — — Bot. Reg. 20, 1721.  
 — *Trulla* Ldl. Bot. Reg. 27, 34.  
 — *viridiflavum* Hook. Bot. Mag. 69, 4017.  
 — *Wailiesii* Hook. Bot. Mag. 68, 3937.  
*Catesbaea latifolia* Ldl. Bot. Reg. 10, 858.  
 — — Rehb. Exot. 279.  
 † — *longiflora* Sw. Lam. Encycl. 67.  
 — *macrantha* A. Rich. Ramon Cuba 47.  
 † — *parviflora* Sw. Gaertn. Carp. 192.  
 † — — Vahl Eclogae 10.  
 † — — Lam. Lam. Encycl. 67.  
 — *spinosa* L. Bot. Mag. 4, 131.  
 — — Tratt. Archiv 211.  
 — *Vavasseurii* Kl. Lambert Cinch. 13.  
 † *Catha cassinoides* Webb. Webb. Canar. 69 B.  
 — *Forskälii* Dill. et Rich. Richard Abyssin. 30.  
*Catharanthus pusillus* G. Don. Rheede Hort. mal. 9, 33.  
 † *Cathartocarpus bacillaris* Pers. Jacq. Fragm. 85.  
 — *Bacillus* Pers. Bot. Reg. 11, 881.  
 † — *brasilianus* Loud. Jacq. Fragm. 85.  
 — *Fistula* Pers. Nees Düsseld. 342.  
*Cathartolinum alternum* Rehb. Rehb. Fl. germ. 6, 327.  
 — *corymbulosum* Rehb. Rehb. Fl. germ. 6, 326.  
 — *gallicum* Rehb. Rehb. Fl. germ. 6, 326.  
 — *pratense* Rehb. Rehb. Fl. germ. 6, 325.  
 — *salsoloides* Rehb. Rehb. Fl. germ. 6, 328.  
 — *spicatum* Rehb. Rehb. Fl. germ. 6, 327.  
 — *strictum* Rehb. Rehb. Fl. germ. 6, 327.  
 — *suffruticosum* Rehb. Rehb. Fl. germ. 6, 328.  
 — *tennifolium* Rehb. Rehb. Fl. germ. 6, 328.  
*Cathcartia villosa* Hook. Bot. Mag. 77, 4596.  
 — — Lem. Jard. fl. 167.  
 — — Fl. d. serres 7, 686.  
*Cathestecum prostratum* Presl. Presl Reliq. 42.  
 † *Cathetostemma laurifolium* Bl. Blume Mus. 1, 13.  
 † *Catimbiium erectum* Juss. Ann. sc. nat. II. 15, 18.  
 † — *nutans* Juss. Ann. sc. nat. II. 15, 18.  
*Catinga aromatica* Aubl. Aublet Guiana 203.  
 — *moschata* Aubl. Aublet Guiana 203.  
*Catocoma altissima* P. et E. Poepp. et Endl. 273.  
*Catophractes Alexandri* Don. Linn. Transact. 18, 22.  
*Cattleya Aclandiae* Ldl. Bot. Reg. 26, 48.  
 — — Paxt. Mag. 9, 1.  
 — — Fl. d. serres 7, 674.  
 — *amethystina* Morr. Annales de Gand 1848, 32.  
 — *bicolor* Ldl. Lindley Sertum 5.  
 — *Brysiana* Lem. Lem. Jard. fl. 3, 275. 276.  
 — *bulbosá* Ldl. Bot. Reg. 33, 42.  
 — — Paxt. Mag. 15, 49.

- Cattleya citrina* Ldl. Bot. Mag. 66, 3742.  
 — *crispa* Ldl. Bot. Reg. 14, 1172.  
 — — Paxt. Mag. 5, 5.  
 — — Rehb. Exot. 268.  
 — — Bot. Mag. 68, 3910.  
 — *elegans* Morr. Annales de Gand 1848, 15.  
 — — Bot. Mag. 79, 4700.  
 — *Forbesii* Ldl. Bot. Reg. 11, 953.  
 — — Lodd. Cab. 1152.  
 — — Bot. Mag. 60, 3265.  
 — *granulosa* Ldl. Bot. Reg. 28, 1.  
 — — var. *Russelliana*, Bot. Reg. 31, 59.  
 — — Fl. d. serres 3, 199.  
 — *guttata* Ldl. Hort. Transact. 9, 8.  
 — — Lodd. Cab. 1715.  
 — — Bot. Reg. 17, 1406.  
 — — var. *Russelliana*, Bot. Mag. 65, 3693.  
 — — var. *Russelliana* Hook. Hart. Parad. 1, 8.  
 — *Harrisoniana* Paxt. Paxt. Mag. 4, 247.  
 — — Hart. Parad. 1, 7.  
 — *intermedia* Grab. Bot. Mag. 55, 2851.  
 — — var. Bot. Mag. 66, 3711. 70, 4085.  
 — — Paxt. Mag. 1, 151.  
 — — var. *pallida*, Bot. Reg. 22, 1919.  
 — — Maund Bot. 4, 195.  
 — — Rehb. Exot. 64.  
 — *Karwinskii* Mart. Martius Auswahl 10.  
 — *labiata* Ldl. Lindley Collect. 33.  
 — — Hook. Exot. Fl. 157.  
 — — Lodd. Cab. 1956.  
 — — Bot. Reg. 22, 1859.  
 — — var. *Mossiae*, Bot. Reg. 26, 58.  
 — — Kn. et Westc. 26.  
 — — Bot. Mag. 69, 3998.  
 — — Paxt. Mag. 4, 121. 7, 73.  
 — — Paxt. Fl. G. 24.  
 — — var. *picta*, Fl. d. serres 7, 660. 661.  
 — *Lemoniana* Ldl. Bot. Reg. 32, 35.  
 — *Loddigesii* Ldl. Lindley Collect. 37.  
 — — Hook. Exot. Fl. 186.  
 — *marginata* Paxt. Paxt. Mag. 10, 265.  
 — *maxima* Ldl. Bot. Reg. 32, 1.  
 — *Mossiae* Hook. Bot. Mag. 65, 3669.  
 — *ovata* Ldl. Bot. Reg. 22, 1919.  
 — *pallida* Ldl. Lem. Jard. fl. 161.  
 — — Paxt. Fl. G. 48.  
 — *Perrinii* Ldl. Bot. Reg. 24, 2.  
 — — Hart. Parad. 1, 10.  
 — *pumila* Hook. Bot. Mag. 65, 3656.  
 — — Bot. Reg. 30, 5.  
 — *Skinneri* Batem. Bateman Orchid. 13.  
 — — Bot. Mag. 72, 4270.  
 — — Paxt. Mag. 11, 193.  
 — — Hart. Parad. 2, 1.  
 — *sphenophora* Morr. Annales de Gand 1848, 5.  
 — *superba* Ldl. Lindley Sertum 22.  
 — — Paxt. Mag. 9, 265.  
 — — *Schomb.* Bot. Mag. 70, 4083.  
 — *Walkeriana* Gardn. Paxt. Fl. G. 3.  
*Caturus spiciflorus* L. Rumpf Amb. 4, 37.  
 — — Lam. Encycl. 805.  
*Caucalis Anthriscus* Huds. Curt. Lond. 3, 72.  
 — — Engl. Bot. 14, 987.  
 — — Roth. Hayne 1, 36.  
 † — *daucoides* L. Gaertn. Carp. 20.  
 — — Jacq. Fl. austr. 2, 157.  
 — — Sturm Flora 18, 81.  
 — — Dietr. Fl. bor. 11, 750.  
 — — Engl. Bot. 3, 197.  
 — — Baxter Brit. Bot. 6, 459.  
 — *glabra* Forsk. Delile Egypte 23.  
 † — *glochidiata* Spr. Comm. Gott. rec. 2, 1.

- † *Caucalis grandiflora* L. Gaertn. Carp. 20.  
 † — — — Lam. Encycl. 192.  
 — — — Jacq. Fl. austr. 1, 54.  
 — — — *helvetica* Jacq. Jacq. Vind. 3, 16.  
 — — — *humilis* Jacq. Jacq. Vind. 195.  
 — — — *infesta* Curt. Curt. Lond. 3, 68.  
 — — — Engl. Bot. 19, 1314.  
 † — — — *latifolia* L. Gaertn. Carp. 20.  
 — — — Jacq. Vind. 128.  
 — — — Gerard Fl. gallopr. 10.  
 — — — Engl. Bot. 3, 198.  
 — — — *leptophylla* L. Schk. Handb. 61.  
 — — — Sturm Flora 1, 3.  
 — — — *maritima* Gouan. Cav. Ic. 101.  
 — — — *muricata* Bisch. Sturm Flora 18, 81.  
 — — — *nodosa* Huds. Engl. Bot. 3, 199.  
 — — — Fl. dan. 12, 1990.  
 † — — — *parviflora* Lam. Lam. Encycl. 192.  
 — — — *platycarpus* L. Jacq. Vind. 3, 10.  
 † — — — *pumila* Gouan. Comm. Gott. rec. 2, 1.  
 — — — *purpurea* Ten. Tenore Fl. nap. 131.  
 — — — *tenella* Delile. Delile Egypte 21.  
*Caulinia flexilis* Willd. Mem. Ac. Berl. 1798, 1.  
 — — — Konig Ann. 2, 1.  
 — — — *fragilis* Willd. Mem. Ac. Berl. 1798, 1.  
 — — — Konig Ann. 2, 1.  
 — — — Lam. Encycl. 799.  
 † — — — Ann. sc. nat. 2, 2. 3.  
 † — — — Nees Gen. 3, x.  
 — — — *indica* Willd. Mem. Ac. Berl. 1798, 1.  
 — — — Konig Ann. 2, 2.  
 — — — *intermedia* Balb. Nocca et Balb. Fl. tic. 15.  
 — — — *microphylla* Balb. Nocca et Balb. Fl. tic. 16.  
 — — — *oceanica* DC. Acad. Neap. 5, 3.  
 — — — Dict. sc. nat. 37.  
 † *Caulophyllum Michx.* Gray Genera 32.  
 — — — *thalioides* Michx. Michaux Fl. 21.  
 — — — Lam. Encycl. 937.  
 — — — Rafinesque Med. 19.  
*Caustis flexuosa* R. Br. Guillem. Austr. 14.  
 † *Cavanillea philippensis* Lam. Lam. Encycl. 454.  
 — — — Desr. Bot. Reg. 14, 1139.  
 † *Cavanillesia* Rz et P. Ruiz et Pav. Prodr. 20.  
 † *Ceanothus* L. Gray Genera 169.  
 † — — — *americanus* L. Gaertn. Carp. 106.  
 — — — Lam. Encycl. 129.  
 — — — Schk. Handb. 46.  
 — — — Bot. Mag. 36, 1479.  
 — — — Herb. amat. 2, 81.  
 — — — Gray Genera 169.  
 — — — *asiaticus* L. Cav. Ic. 440.  
 — — — Lam. Encycl. 129.  
 — — — *azureus* Desf. Bot. Reg. 4, 291.  
 — — — Paxt. Mag. 2, 74.  
 † — — — Ann. sc. nat. 10, 15.  
 — — — *buxifolius* Willd. H. B. K. Nov. Gen. 7, 615.  
 † — — — *circumscissus* Gaertn. Gaertn. Carp. 106.  
 — — — *coeruleus* Lag. Lodd. Cab. 110.  
 — — — *collinus* Dougl. Kn. et Westcott 13.  
 — — — Maund Bot. 1, 16.  
 — — — *cuneatus* Nutt. Journ. Hort. Soc. 6, 220.  
 — — — *dentatus* Torr. et Gr. Paxt. Fl. G. 4.  
 — — — Lem. Jard. fl. 25.  
 — — — Fl. d. serres 6, 567.  
 — — — Ysabeau Journal 1850, 4.  
 — — — Belgique hort. 3, 16.  
 — — — *discolor* Vent. Vent. Malm. 58.  
 — — — *globulosus* Lab. Bill. Nov. Holl. 85.  
 — — — *granulosus* Rz et P. Ruiz et Pav. Fl. 228.  
 — — — *infestus* H. B. K. H. B. K. Nov. Gen. 7, 614.  
 — — — *laniger* Andr. Andr. Rep. 9, 569.  
 — — — *macrocarpus* Cav. Cav. Ic. 276.

- Ceanothus ovalis* Big. Torr. New York 20.  
 — — — *pallidus* Ldl. Bot. Reg. 26, 20.  
 — — — *papillosus* Torr. et Gr. Lem. Jard. fl. 17.  
 — — — Fl. d. serres 6, 567.  
 — — — Hook. Ic. pl. 272.  
 — — — Belgique hort. 3, 16.  
 — — — *pubescens* Rz et P. Ruiz et Pav. Fl. 228.  
 — — — *rigidus* Nutt. Journ. Hort. Soc. 5, 197.  
 — — — Lem. Jard. fl. 4, 348.  
 — — — Bot. Mag. 78, 4664.  
 — — — Belgique hort. 3, 16.  
 — — — *spathulatus* Lab. Bill. Nov. Holl. 84.  
 — — — *thyrsoiflorus* Eschscholtz. Bot. Reg. 30, 38.  
 — — — *velutinus* Dougl. Hook. Bot. Am. 45.  
 — — — *verrucosus* Nutt. Journ. Hort. Soc. 7, 277.  
 — — — Lem. Jard. fl. 3, 316.  
 — — — Bot. Mag. 78, 4660.  
 † *Cecropia* L. Ann. sc. nat. III. 8, 1.  
 † — — — *peltata* L. Jacq. Obs. 46.  
 — — — Lam. Encycl. 800.  
 — — — Desc. Ant. 2, 75.  
 † *Cedrela angustifolia* DC. Mem. Mus. 19, 23.  
 — — — *brasilensis* Juss. St. Hil. Fl. Bras. 101.  
 — — — *febrifuga* Blume. Forsten Monogr. 1.  
 † — — — *odorata* L. Gaertn. Carp. 95.  
 † — — — Lam. Encycl. 137.  
 — — — Desc. Ant. 6, 411.  
 — — — *serrata* Royle. Royle Illustr. 25.  
 — — — *Toona* Roxb. Rumpf Amb. 3, 39.  
 — — — Roxb. Corom. 238.  
 — — — Wight Ic. pl. Ind. or. 1, 161.  
*Cedronella cana* Hook. Bot. Mag. 77, 4618.  
 — — — Lem. Jard. fl. 218.  
 — — — Belgique hort. 2, 58.  
 — — — *pallida* Benth. Bot. Reg. 32, 29.  
*Cedrus atlantica* Morr. Belgique hort. 2, 66.  
 — — — *Deodara* Loud. Pinetum Woburn. 48. 49.  
 † *Ceiba pentandra* Gaertn. Gaertn. Carp. 133.  
*Celasine azurea* Herb. Fl. d. serres 4, 411.  
 † *Celastrus* L. Gray Genera 170.  
 — — — *alatus* Thunb. Thunb. Ic. jap. 33.  
 — — — *buxifolius* L. Bot. Mag. 47, 2114.  
 — — — *cassinoides* L'her. L'her. Sertum 10.  
 — — — *coriaceus* Guillem. Guillem. Seneg. 36.  
 — — — *cymosus* Soland. Bot. Mag. 46, 2070.  
 — — — *decolor* Delile. Caillaud Voyage 64.  
 — — — *edulis* Vahl. Ferret Abyssin. 4.  
 — — — *marginatus* Rz et P. Ruiz et Pav. Fl. 229.  
 — — — *europaeus* Boiss. Boissier Esp. 38.  
 — — — *heterophyllus* Savi. Mem. Tur. 38, 2.  
 — — — *integrifolius* Thunb. Herb. amat. 4, 260.  
 — — — *linearis* L. fil. Roemer Archiv III. 3, 3.  
 — — — *lucidus* L. L'her. Stürp. 25.  
 — — — *lutcolus* Delile. Ferret Abyssin. 8.  
 — — — *macrocarpos* Rz et P. Ruiz et Pav. Fl. 230.  
 — — — *magellanicus* DC. Hook. Ic. pl. 6, 537.  
 — — — *montanus* Roxb. Wight Ic. pl. Ind. or. 2, 382.  
 — — — *ovatus* Hill. Hill Hort. Kew. 16.  
 — — — *paniculatus* Willd. Wight Illustr. 72.  
 — — — Wight Ic. pl. Ind. or. 1, 158.  
 — — — *parviflorus* Vahl. Ferret Abyssin. 5.  
 † — — — *pyracanthus* L. Gaertn. Carp. 95.  
 — — — Sims. Bot. Mag. 29, 1167.  
 † — — — *scandens* L. Gaertn. Carp. 95.  
 — — — Schk. Handb. 47.  
 — — — Gray Genera 170.  
 — — — *subspicatus* Hook. Hook. Ic. pl. 5, 482.  
 — — — *Tsaad* Delile. Ferret Abyssin. 4.  
 — — — *uncinatus* Rz et P. Ruiz et Pav. Fl. 230.  
 — — — *verticillatus* Rz et P. Ruiz et Pav. Fl. 229.  
*Celmisia cbricea* Hook. fil. Hook. New Zeal. 32.  
 — — — *hieracioides* Hook. fil. Hook. New Zeal. 34.

- Celmisia holosericea* *Hook. fil.* *Hook. New Zeal.* 31.  
 — *incana* *Hook. fil.* *Hook. New Zeal.* 34.  
 — *longifolia* *Gaudich.* *Freycinet Voyage* 91.  
 — *Mackaui* *Decne.* *Raoul Nouv. Zel.* 14.  
 — *spectabilis* *Hook. fil.* *Hook. New Zeal.* 33.  
 — *vernica* *Hook.* *Hook. Fl. antarct.* 26. 27.  
*Celosia argentea* *L.* *Rheede Hort. mal.* 10, 38. 39.  
 — — *Martyn Hist.* 6.  
 — — *Mog.* *Wight Ic. pl. Ind. or.* 5, 1767.  
 — *baccata* *Koenig.* *Wight Ic. pl. Ind. or.* 2, 728.  
 — *castrensis* *L.* *Rumpf Amb.* 5, 84.  
 — *cernua* *Andr.* *Andr. Rep.* 10, 635.  
 — — *Roxb.* *Wight Ic. pl. Ind. or.* 2, 730.  
 — *coccinea* *L.* *Bot. Reg.* 22, 1834.  
 † — *cristata* *L.* *Gaertn. Carp.* 128.  
 — — *Lam. Encycl.* 168.  
 † — — *Schnizl. Ic.* 2, 102.  
 — *glauca* *Wendl.* *Wendl. Hort. herrenh.* 2.  
 — *lanata* *L.* *Jacq. Vind.* 3, 85.  
 — *longifolia* *Mart.* *Mart. Bras.* 157. 158.  
 — *nodiflora* *L.* *Jacq. Vind.* 98.  
 — *paniculata* *L.* *Desc. Ant.* 4, 254.  
 — *procumbens* *Jacq.* *Jacq. Ic.* 51.  
 — — *Comm. Gotting.* 5, 5.  
 — *pulchella* *Mog.* *Wight Ic. pl. Ind. or.* 5, 1768.  
 — *pyramidalis* *Burm.* *Burm. Fl. ind.* 25.  
 — *trigyna* *Roxb.* *Wight Ic. pl. Ind. or.* 2, 729.  
 — *trigyna* *L.* *Jacq. Vind.* 3, 15.  
 † — — *Lam. Encycl.* 168.  
 — *virgata* *Jacq.* *Jacq. Ic.* 339.  
*Celsia acaulis* *Bory.* *Bory et Chaub. Morée* 18.  
*Arcturus* *L.* *Jacq. Vind.* 117.  
 † — — *Schk. Handb.* 173.  
 — — *Bot. Mag.* 45, 1962.  
 — *betoniaefolia* *Desf.* *Jacq. Fragm.* 96.  
 — *coromandelina* *Vahl.* *Wight Ic. pl. Ind. or.* 4,  
 1406.  
 — *cretica* *L.* *Jacq. Schoenbr.* 4, 474.  
 — — *Bot. Mag.* 24, 964.  
 — — *Rchb. Exot.* 206.  
 — — *Vill. Cat. Strasb.* 3.  
 † — — *Mutel Fl. fr.* 40.  
 — — *Risso Fl. de Nice* 8.  
 — *heterophylla* *Desf.* *Jacq. Fragm.* 97.  
 — *lanceolata* *Vent.* *Vent Cels* 27.  
 — *linearis* *Jacq.* *Jacq. Ic.* 497.  
 — — *Bot. Mag.* 6, 210.  
 — *orientalis* *L.* *Linné Hort. ups.* 2.  
 — — *Risler Verbasc.* 0.  
 † — — *Gaertn. Carp.* 55.  
 † — — *Lam. Encycl.* 532.  
 — — *Sibth. Fl. gr.* 605.  
 — — *Schk. Handb.* 173.  
 † — — *Nees Gen.* 5, 28.  
 — *sublanata* *Jacq.* *Jacq. Fragm.* 126.  
 — — *Bot. Reg.* 6, 438.  
 — *urticaefolia* *Curt.* *Bot. Mag.* 12, 417.  
 — *viscosa* *Roth.* *Hook. Journ.* 1834, 129.  
 † *Celtideae* *Endl.* *Schnizl. Ic.* 2, 91.  
*Celtis amboinensis* *Willd.* *Brongniart Coquille* 47<sup>a</sup>.  
 — *aspera* *Brongn.* *Brongniart Coquille* 48.  
 — *australis* *L.* *Schk. Handb.* 355.  
 — — *Hartig* 58.  
 — — *Rchb. Fl. germ.* 12, 667.  
 — — *Watson Dendr.* 2, 105.  
 — *cordifolia* *Duh.* *Schk. Handb.* 355.  
 — *crassifolia* *Lam.* *Michaux Arb.* 3, 9.  
 — *discolor* *Brongn.* *Brongniart Coquille* 47<sup>b</sup>.  
 — *eriocarpa* *Decne.* *Jacquemont Ind.* 152.  
 † — *occidentalis* *L.* *Gaertn. Carp.* 77.  
 — — *Schk. Handb.* 354.  
 † — — *Lam. Encycl.* 844.

- Celtis occidentalis* *L.* *Michaux Arb.* 3, 8.  
 — — *Guimp. Fr. Holzgew.* 96.  
 — — *Desc. Ant.* 1, 19.  
 — — *Watson Dendr.* 2, 147.  
 † — — *Schnizl. Ic.* 2, 91.  
 † — — *Nees Gen.* 4, 35.  
 — — *Emerson Rep. Mass.* 16.  
 — *orientalis* *L.* *Rheede Hort. mal.* 4, 40.  
 — — *Wight Ic. pl. Ind. or.* 2, 602. 603.  
 — *serotina* *Planch.* *Wight Ic. pl. Ind. or.* 6, 1970.  
 † — *Tournefortii* *Lam.* *Lam. Encycl.* 844.  
 — — *Jaubert Illustr.* 400.  
 — *Wightii* *Planch.* *Wight Ic. pl. Ind. or.* 6, 1969.  
*Cenarrhenes nitida* *Lab.* *Bill. Nov. Holl.* 50.  
 — — *Lam. Encycl.* 914.  
*Cenchrus anomoplexis* *Lab.* *Bill. Sertum* 19.  
 — *calyculatus* *Cav.* *Cav. Ic.* 463.  
 — *capitatus* *L.* *Schk. Handb.* 345.  
 — — *Sibth. Fl. gr.* 100.  
 — *ciliaris* *Poir.* *Lam. Encycl.* 838.  
 † — *echinatus* *L.* *Gaertn. Carp.* 80.  
 † — — *Lam. Encycl.* 838.  
 — — *Schreber Gräser* 23.  
 — — *Cav. Ic.* 462.  
 — *marginalis* *Rudge.* *Rudge Pl. Guianae* 25.  
 — *mysurooides* *H. B. K.* *H. B. K. Nov. Gen.* 1, 35.  
 — *muricatus* *L.* *Schreber Gräser* 34.  
 — *ovatus* *Lam.* *Lam. Encycl.* 838.  
 — *pilosus* *H. B. K.* *H. B. K. Nov. Gen.* 1, 36.  
 — *racemosus* *L.* *Schreber Gräser* 4.  
 — *spinifex* *Cav.* *Cav. Ic.* 461.  
 — *tribuloides* *L.* *Elliott Carol.* 4.  
 † *Cenolophium Fischeri* *Koch.* *DC. Umbellif.* 3.  
 † *Cenostigma macrophyllum* *Tul.* *Ann. sc. nat.* II, 20, 3.  
 † *Centaura* *L.* *Mutel Fl. fr.* 31. 32.  
 † — (Semina.) *Ann. Mus.* 16, 5.  
 — *acaulis* *L.* *Desf. Fl. atl.* 243.  
 — — *Boissier Esp.* 105.  
 — *acicularis* *Sibth.* *Sibth. Fl. gr.* 911.  
 — *Adami* *Willd.* *Rchb. Fl. germ.* 15, 795.  
 — *adulterina* *Moretti.* *Rchb. Fl. germ.* 15, 786.  
 — *aegyptiaca* *L.* *Sibth. Fl. gr.* 907.  
 — — *Delile Egypte* 49.  
 — *alexandrina* *Del.* *Delile Egypte* 49.  
 — *alata* *Lam.* *Vent. Cels* 80.  
 — *alba* *L.* *Rchb. Fl. germ.* 15, 752.  
 — *alpina* *L.* *Rchb. Fl. germ.* 15, 751.  
 — *amara* *L.* *Rchb. Fl. germ.* 15, 753.  
 — *Amberboi* *Lam.* *Lam. Encycl.* 703.  
 — *ambigua* *Guss.* *Gussone Pl. rar.* 61.  
 † — *ambracea* *Schk.* *Schk. Handb.* 261.  
 — *americana* *Nutt.* *Barton Fl.* 2, 50.  
 — — *Rchb. Hort.* 132.  
 — — *Fl. d. serres* 4, 327.  
 — — *Colla.* *Mem. Tur.* 31, 6.  
 — *apolepa* *Moretti.* *Moretti Bot. ital.* 3.  
 — — *Rchb. Fl. germ.* 15, 778.  
 — *arenaria* *M. v. B.* *Rchb. Pl. crit.* 5, 443.  
 — *arguta* *N. v. E.* *Horae berol.* 25. 26.  
 — *aspera* *L.* *Rchb. Fl. germ.* 15, 799.  
 — *aspero - Calcitrapa* *G. et Gr.* *Rchb. Fl. germ.*  
 15, 797.  
 — *atropurpurea* *W. et K.* *W. et Kit.* 116.  
 — — *Rchb. Ic. crit.* 5, 447.  
 — *augustana* *Rchb. fil.* *Rchb. Fl. germ.* 15, 785.  
 — *aurea* *Ait.* *Bot. Mag.* 12, 421.  
 — *austriaca* *Willd.* *Rochel Banat.* 36.  
 — — *Rchb. Ic. crit.* 4, 376.  
 — — *Rchb. Fl. germ.* 15, 761.  
 — *axillaris* *Willd.* *Rchb. Fl. germ.* 15, 770.  
 — *badensis* *Tratt.* *Tratt. Archiv* 23.  
 — *Balsamita* *Lam.* *Jacq. Eclogae* pl. 10.

- Centaurea Balsamita Lam. Sweet Fl. G. II. 355.  
 — Benedicta L. Sibth. Fl. gr. 906.  
 — — Hayne 7, 34.  
 — — Guimp. et Schl. 164.  
 — — Woodv. Med. 1, 14.  
 — — Nees Düsseld. 222.  
 — bimorpha Viv. Viviani Lib. 24.  
 — Boissieri DC. Boissier Esp. 101.  
 — bombycina Boiss. Boissier Esp. 101.  
 — Brachtii Rechb. fil. Rechb. Fl. germ. 15, 786.  
 — caespitosa Cir. Cirillo Pl. rar. 1, 8.  
 — — Roemer Fl. eur. 1, 2.  
 — calcarea Jord. Rechb. Fl. germ. 15, 773.  
 † — Calcitrapa L. Schk. Handb. 261.  
 — — Sturm Flora 1, 4.  
 — — Dreves 5, 147.  
 — — Dietr. Fl. bor. 8, 551.  
 — — Rechb. Fl. germ. 15, 798.  
 — — Engl. Bot. 2, 125.  
 — — Fl. dan. 12, 1998.  
 — calcitrapoides L. Rechb. Fl. germ. 15, 798.  
 — calocephala Willd. Rechb. Ic. crit. 5, 446.  
 — — Rechb. Fl. germ. 15, 789.  
 — canariensis Willd. Webb Canar. 118.  
 — ceratophylla Ten. Tenore Fl. nap. 85.  
 — Chaubardi Rechb. fil. Rechb. Fl. germ. 15, 781.  
 — cheiranthifolia Willd. Willd. Phytogr. 7.  
 — chilensis Colla. Mem. Tur. 38, 22.  
 — Cineraria L. Jacq. Vind. 92.  
 — — Rechb. Fl. germ. 15, 772.  
 — cinerea Lam. Rechb. Ic. crit. 10, 965.  
 — — Rechb. Fl. germ. 15, 773.  
 — cirrhata Rechb. Rechb. Ic. crit. 10, 964.  
 — — Rechb. Fl. germ. 15, 762.  
 † — Clementei Boiss. Boissier Esp. 102<sup>a</sup>.  
 † — coerulescens Willd. Jordan Obs. 5, 4.  
 — collina L. Sibth. Fl. gr. 914.  
 — — Rechb. Fl. germ. 15, 790.  
 — contracta Viv. Viviani Lib. 24.  
 — coriacea W. et K. W. et Kit. 195.  
 — — Rechb. Fl. germ. 15, 774.  
 — Cornuti Rechb. Hort. 146.  
 † — corymbosa Purr. Jordan Obs. 5, 4.  
 — — Rechb. Fl. germ. 15, 788.  
 — cristata Bartl. Rechb. Fl. germ. 15, 777.  
 — erithimifolia Vis. Rechb. Fl. germ. 15, 786.  
 † — Crocodilium L. Schk. Handb. 261.  
 † — Crupina L. Schk. Handb. 261.  
 — — Sibth. Fl. gr. 900.  
 — cuneifolia Sibth. Sibth. Fl. gr. 901.  
 — cuspidata Vis. Visiani Dalm. 12.  
 — — Rechb. Fl. germ. 15, 767.  
 — Cyanus L. Curt. Lond. 3, 16.  
 — — Engl. Bot. 4, 277.  
 — — Baxter Brit. Bot. 1, 35.  
 — — Fl. dan. 6, 993.  
 — — Sv. Bot. 52.  
 † — — Lam. Encycl. 703.  
 — — Rousseau Bot. 37.  
 — — Sturm Flora 1, 4.  
 — — Schrank Fl. monac. 2, 130.  
 — — Hayne 7, 32.  
 — — Dietr. Fl. bor. 8, 547.  
 — — Rechb. Fl. germ. 15, 768.  
 — cylindrocarpa Rechb. fil. Rechb. Fl. germ. 15, 781.  
 — dealbata Willd. Marschall Cent. 53.  
 — Debeauxii Godr. et Gr. Rechb. Fl. germ. 15, 759.  
 — decipiens Thuill. Rechb. Ic. crit. 10, 985.  
 — depressa M. v. B. Bot. Mag. 65, 3662.  
 — deusta Ten. Tenore Fl. nap. 84.  
 — dissecta Ten. Rechb. Fl. germ. 15, 787.  
 — divergens Vis. Visiani Dalm. 41.

- Centaurea divergens Vis. Rechb. Fl. germ. 15, 782.  
 — dracunculifolia Duf. Rechb. Fl. germ. 15, 755.  
 — drabifolia Sibth. Sibth. Fl. gr. 910.  
 — elegans All. All. Fl. ped. 3, 49.  
 — eriophora L. Lam. Encycl. 703.  
 — cryngioides Lam. Sibth. Fl. gr. 913.  
 — Ferdinandi Gren. Rechb. Fl. germ. 15, 765.  
 — ferox Desf. Desf. Fl. atl. 242.  
 — filiformis Viv. Moris Fl. sard. 86.  
 — Fischeri Willd. Willd. Hort. 97.  
 — flosculosa Balb. Rechb. Ic. crit. 4, 362.  
 — — Rechb. Fl. germ. 15, 764.  
 — fragilis Durieu. Explor. Alger. 54.  
 — Friderici Vis. Visiani Dalm. 48.  
 — — Rechb. Fl. germ. 15, 776.  
 — fuscata Desf. Desf. Fl. atl. 244.  
 — galactites L. Cav. Ic. 231.  
 † — — Schk. Handb. 261.  
 — — Sibth. Fl. gr. 919.  
 — glastifolia L. Bot. Mag. 2, 62.  
 — Grafiana DC. Rechb. Fl. germ. 15, 791.  
 — granatensis Boiss. Boissier Esp. 104.  
 — gymnocarpa Moris. Mem. Tur. 2, (1840.) 2.  
 — Hanrii Jord. Jordan Obs. 5, 4.  
 — Heuffelii Rechb. fil. Rechb. Fl. germ. 15, 801.  
 — horrida Badaro. Moris Fl. sard. 85.  
 — — Rechb. Fl. germ. 15, 788.  
 — hybrida All. DC. Ic. Gall. 22.  
 — — Rechb. Fl. germ. 15, 785.  
 — Jacea L. Fl. dan. 3, 519.  
 — — Engl. Bot. 24, 1678.  
 † — — Schk. Handb. 261.  
 — — Sturm Flora 1, 4.  
 — — Dietr. Fl. bor. 8, 548.  
 — — Rechb. Ic. crit. 10, 962.  
 — — Rechb. Fl. germ. 15, 754. 755. 759.  
 — iberica Trev. Rechb. Fl. germ. 15, 798.  
 — incana Ten. Tenore Fl. nap. 247.  
 — — Rechb. Fl. germ. 15, 759.  
 — incompta Vis. Visiani Dalm. 49.  
 — — Rechb. Fl. germ. 15, 787.  
 — Isnardi L. Engl. Bot. 32, 2256.  
 † — kartschiana Scop. Scop. Fl. carn. 2, 55.  
 — — Rechb. Ic. crit. 9, 811.  
 — — Rechb. Fl. germ. 15, 777.  
 — Kotschyana Koch. Rechb. Fl. germ. 15, 775. 801.  
 — lappacea Ten. Tenore Fl. nap. 193.  
 † — leucophaea Jord. Jordan Obs. 5, 4.  
 — — Rechb. Fl. germ. 15, 784.  
 — limbata Link. Hoffm. Lk. Fl. port. 97.  
 † — Lippii L. Schk. Handb. 261.  
 — lugdunensis Jord. Jordan Obs. 5, 3.  
 — — Rechb. Fl. germ. 15, 769.  
 — macrocephala Willd. Bot. Mag. 31, 1248.  
 † — maculosa Lam. Jordan Obs. 5, 4.  
 — — Rechb. Fl. germ. 15, 779.  
 — melitensis L. Sibth. Fl. gr. 909.  
 † — — Schk. Handb. 261.  
 — — Rechb. Fl. germ. 15, 796.  
 — microptilon Godr. et Gr. Rechb. Fl. germ. 15, 758.  
 — mollis W. et K. W. et Kit. 219.  
 — montana L. Bot. Mag. 3, 771.  
 — — Jacq. Fl. austr. 4, 371.  
 — — Schrank Fl. monac. 2, 133.  
 — — Jordan Obs. 5, 3.  
 — — Rechb. Fl. germ. 15, 771.  
 — monticola Boiss. Boissier Esp. 102.  
 † — moschata L. Schk. Handb. 261.  
 † — muricata L. Schk. Handb. 261.  
 — mutabilis St. Amans. Mem. Mus. 1, 24.  
 — myacantha DC. DC. Ic. Gall. 23.  
 — — Rechb. Fl. germ. 15, 797.

- Centaurea nana* Desf. Desf. Fl. atl. 241.  
 — *napifolia* L. Sibth. Fl. gr. 905.  
 — — — Rchb. Fl. germ. 15, 800.  
 — *napulifera* Rochel. Erivaldski Balk. 3.  
 — — — Rchb. Fl. germ. 15, 768.  
 — *nervosa* Willd. Rchb. Ic. crit. 4, 372.  
 — — — Rchb. Fl. germ. 15, 763.  
 — *nicacensis* All. All. Fl. ped. 3, 74.  
 — — — Rchb. Fl. germ. 15, 796.  
 — *nigra* L. Fl. dan. 6, 996.  
 — — — Reichard Fl. francof. 1.  
 — — — Engl. Bot. 4, 278.  
 — — — Rchb. Fl. germ. 15, 761.  
 — *ochroleuca* Puschk. Marschall Cent. 46.  
 — — — Bot. Mag. 29, 1175.  
 — *orientalis* L. Rchb. Fl. germ. 15, 790.  
 — *pallescens* Del. Delile Egypte 49.  
 — *pallida* Friv. Rchb. Fl. germ. 15, 784.  
 — *paniculata* L. Jacq. Fl. austr. 4, 320.  
 — — — Schrank Fl. monac. 3, 235.  
 — — — Dietr. Fl. bor. 8, 550.  
 † — — — Jordan Obs. 5, 4.  
 — — — Rchb. Fl. germ. 15, 780.  
 — *parviflora* Sibth. Sibth. Fl. gr. 912.  
 — *pectinata* L. Rchb. Ic. crit. 7, 642.  
 — — — Rchb. Fl. germ. 15, 760.  
 — *Petteri* Rchb. fl. Rchb. Fl. germ. 15, 783.  
 — *phrygia* L. Fl. dan. 3, 520.  
 — — — Schk. Handb. 261.  
 — — — Dietr. Fl. bor. 11, 773.  
 — — — Rchb. Ic. crit. 4, 375.  
 — — — Rchb. Fl. germ. 15, 764.  
 — — — var. *adscendens*, Schweizer Denks. 3, 4.  
 — *polyacantha* Willd. Hoffm. Lk. Fl. port. 98.  
 — — — Boissier Esp. 105.  
 † — *polycephala* Jord. Jordan Obs. 5, 4.  
 — — — Rchb. Fl. germ. 15, 782.  
 — *Pouzini* DC. Rchb. Fl. germ. 15, 797.  
 — *pratensis* Thuill. Rchb. Ic. crit. 10, 963.  
 — — — Rchb. Fl. germ. 15, 758.  
 — *procumbens* Balb. Mem. Tur. 9, 1.  
 — — — Rchb. Fl. germ. 15, 760.  
 — *prolifera* Vent. Vent. Cels 16.  
 — *Prolongi* Boiss. Boissier Esp. 103.  
 — *pubescens* Willd. Willd. Hort. 42.  
 — *pulchella* Led. Ledeb. Ic. 93.  
 — *pulcherrima* Willd. Rchb. Ic. crit. 8, 716.  
 — *pulchra* DC. Bot. Reg. 26, 28.  
 — *pullata* L. Rchb. Ic. crit. 4, 373.  
 — — — Rchb. Fl. germ. 15, 766.  
 — *pumila* Desf. Ann. Mus. 1, 19.  
 — — — L. Vent. Malm. 9.  
 — — — Sibth. Fl. gr. 918.  
 — *punctata* Vis. Visiani Dalm. 11.  
 — — — Rchb. Fl. germ. 15, 778.  
 — *ragusina* L. Bot. Mag. 14, 494.  
 — — — Sibth. Fl. gr. 903.  
 — — — Rchb. Fl. germ. 15, 794.  
 — *raphanina* DC. Sibth. Fl. gr. 917.  
 — *reflexa* Lam. Rchb. Fl. germ. 15, 793.  
 — *Reuteri* Rchb. fl. Rchb. Fl. germ. 15, 780.  
 — *rhaetica* Moritz. Schweizer Denkschr. 3, 3.  
 — — — Rchb. Fl. germ. 15, 762.  
 — *Rhapontica* L. Bot. Mag. 42, 1752.  
 — *rigidula* Jord. Jordan Obs. 5, 4.  
 — *rupestris* L. Sibth. Fl. gr. 915.  
 — — — Rchb. Fl. germ. 15, 792.  
 — *rutifolia* Sibth. Sibth. Fl. gr. 916.  
 — *salmantica* L. Jacq. Vind. 64.  
 † — — — Schk. Handb. 261.  
 — *salonitana* Vis. Visiani Dalm. 13.  
 — — — Rchb. Fl. germ. 15, 793.

- Centaurea Scabiosa* L. Engl. Bot. 1, 56.  
 — — — Sv. Bot. 327.  
 — — — Fl. dan. 7, 1231.  
 — — — Hayne 7, 33.  
 — — — Dietr. Fl. bor. 8, 549.  
 — — — Rchb. Fl. germ. 15, 774.  
 — *scabra* Presl. Schrank Fl. monac. 2, 168.  
 — *semidecurrens* Jord. Jordan Obs. 5, 3.  
 † — *seridis* L. Schk. Handb. 261.  
 — *seusana* Vill. Rchb. Fl. germ. 15, 769.  
 † — *sicula* L. Schk. Handb. 261.  
 — *solstitialis* L. Engl. Bot. 4, 243.  
 — — — Sibth. Fl. gr. 908.  
 † — — — Schk. Handb. 261.  
 — — — Rchb. Fl. germ. 15, 795.  
 — *sonchifolia* L. Rchb. Fl. germ. 15, 799.  
 — *sordida* Willd. Rchb. Fl. germ. 15, 791.  
 — *sphaerocephala* L. Sibth. Fl. gr. 904.  
 — — — Bot. Mag. 52, 2551.  
 — — — Rchb. Fl. germ. 15, 800.  
 — *spinulosa* Roch. Rochel Banat. 36.  
 — — — Rchb. Fl. germ. 15, 775.  
 — *spinosa* L. Sibth. Fl. gr. 902.  
 — — — Bot. Mag. 51, 2493.  
 — — — Rchb. Fl. germ. 15, 788.  
 — *stereophylla* Bess. Rchb. Pl. crit. 5, 444.  
 — — — Rchb. Fl. germ. 15, 775, 809.  
 — *straminea* Willd. Willd. Hort. 26.  
 — *stricta* W. et K. W. et Kit. 178.  
 — *suaveolens* Willd. Sweet Fl. G. 51.  
 — *sulphurea* Lag. Rchb. Ic. crit. 5, 460.  
 — — — Willd. Boissier Esp. 100.  
 — *tagana* Brot. Brotero Phytogr. 32.  
 — *tatarica* L. fl. Rchb. Ic. crit. 5, 445.  
 — *tenuifolia* Duf. Boissier Esp. 102.  
 — *tenuisecta* Jord. Rchb. Fl. germ. 15, 779.  
 — *transalpina* Schleich. Rchb. Fl. germ. 15, 756.  
 — *trincervia* Steph. Rchb. Fl. germ. 15, 767.  
 — *tuberosa* Vis. Visiani Dalm. 12.  
 — *uliginosa* Brot. Brotero Phytogr. 30.  
 — *uniflora* L. Rchb. Ic. crit. 4, 374.  
 — — — Rchb. Fl. germ. 15, 765.  
 — *vallsiaca* Rchb. fl. Rchb. Fl. germ. 15, 783.  
 — *Verutum* L. Jacq. Ic. 178.  
 — *virgata* Cav. Cav. Ic. 230.  
 — *yochinensis* Bernh. Rchb. Fl. germ. 15, 757.  
 — *Weldeniana* Rchb. Rchb. Fl. germ. 15, 753.  
*Centaurella paniculata* Michx. Michaux Fl. 12.  
 — *verna* Michx. Michaux Fl. 12.  
*Centaropsis lanuginosa* Boj. Delessert Ic. 4, 7.  
*Centotheca lappacea* Desv. Humb. Gram. 70.  
*Centrachna viscida* Schott. Rchb. Ic. crit. 4, 361.  
*Centradenia floribunda* Planch. Fl. d. serres 5, 453.  
 — *roscia* Ldl. Bot. Reg. 29, 20.  
 — — — Paxt. Mag. 10, 101.  
*Centranthera hispida* Wall. Rheede Hort. mal. 9, 68.  
 — — — R. Br. Wall. Pl. asiat. 45.  
 † — — — Wight Illustr. 165<sup>b</sup>.  
 † *Centranthus angustifolius* DC. Nees Gen. X, x.  
 — — — Rchb. Fl. germ. 12, 718.  
 — *Calceitrapa* Duf. Rchb. Fl. germ. 12, 717.  
 — *macrosiphon* Boiss. Boissier Esp. 85<sup>a</sup>.  
 — — — Paxt. Fl. G. 67.  
 — — — Lem. Jard. fl. 3, 273.  
 — *nervosus* Moris. Moris Fl. sard. 78<sup>b</sup>.  
 — *ruber* DC. Rchb. Fl. germ. 12, 718.  
*Centrocapha grandiflora* Sweet. Sweet Fl. G. II. 87.  
 † *Centrochilus gracilis* Schauer. Acta Leop. 19. Suppl. 13.  
*Centroclinium altissimum* P. et E. Poepp. et Endl. 259.  
 — *appressum* Hook. Bot. Mag. 58, 3115.  
 — *reflexum* Hook. Bot. Mag. 58, 3114.  
 † *Centrolepideae* Desv. Schnizl. Ic. 1, 44.



- Centrolepis acmula* *Rudge*. Linn. Transact. 10, 12.  
 — — — *Lam. Encycl.* 901.  
 — *cuspidigera* *Rudge*. Linn. Transact. 10, 12.  
 — *fascicularis* *Lab.* Bill. Nov. Holl. 1.  
 — — — *Lam. Encycl.* 901.  
 — — — *Ann. sc. nat.* 13, 2.  
 — — — *Endl. Iconogr.* 49.  
 — *pulvinata* *Desv.* Ann. sc. nat. 13, 2.  
 † *Centrophorum chinense* *Trin.* Trin. Fundam. 5.  
*Centropogon cordifolius* *Decne.* Fl. d. serres 4, 362.  
 — *fastuosus* *Decne.* Revue horticole 1853, 10.  
 — *surinamensis* *Presl.* Paxt. Mag. 13, 149.  
 — — — *Annales de Gand* 1846, 96.  
 — *tovarensis* *Planch.* Fl. d. serres 8, 802.  
*Centrosema heptaphyllum* *Moric.* Moricand Pl. Am. 61.  
 — *Plumieri* *Benth.* Bot. Reg. 4, 268.  
 — *virginianum* *Benth.* Bot. Reg. 13, 1047.  
 † *Centrosia Auberti* *A. Rich.* Mem. hist. nat. Par. 4, 7.  
*Centrosia silvatica* *Aub.* Aubert Orchid. 35, 36.  
*Centrosolenia bractescens* *Hook.* Bot. Mag. 78, 4675.  
 — *glabra* *Benth.* Hook. Ic. pl. 9, 873.  
 — — — *Bot. Mag.* 76, 4552.  
 —? — — — *Fl. d. serres* 6, 638.  
 — — — *Lem. Jard. fl.* 85.  
 — *picta* *Hook.* Bot. Mag. 77, 4611.  
 — — — *Fl. d. serres* 7, 701.  
*Centrospermum Chrysanthemum* *Spr.* Jacq. Ecl. pl. 146.  
 — *xanthioides* *H. B. K.* H. B. K. Nov. Gen. 4, 397.  
 † — — — *Lam. Encycl.* 988.  
*Centrostachys aquatica* *Wall.* Wight Ic. pl. Ind. 5, 1780.  
 — — — *Endl. Iconogr.* 20.  
 — *diandra* *Wall.* Wight Ic. pl. Ind. or. 2, 722.  
*Centrostemma Lindleyanum* *Decne.* Hart. Parad. 1, 12.  
 † — *micanthum* *Bl.* Blume Mus. 1, 12.  
 † — *multiflorum* *Decne.* Ann. sc. nat. II, 9, 10.  
 — — — *Annales de Gand* 1845, 2.  
*Centunculus angustifolius* *Scop.* Scop. Fl. carn. I, 19.  
 — *minimus* *L.* Fl. dan. 1, 177.  
 — — — *Schk. Handb.* 24.  
 † — — — *Gaertn. Carp.* 50.  
 † — — — *Lam. Encycl.* 83.  
 — — — *Curt. Lond.* 2, 118.  
 — — — *Engl. Bot.* 8, 531.  
 — — — *Sv. Bot.* 610.  
 — — — *Sturm Flora* 8, 30.  
 — — — *Dietr. Fl. bor.* 7, 494.  
 — — — *Baxter Brit. Bot.* 4, 296.  
 † — — — *Nees Gen.* 5, 19.  
 — *rigidus* *Scop.* Scop. Fl. carn. I, 19.  
 — *simplex* *Hornem.* Fl. dan. 9, 1567.  
 — *tenellus* *Duby.* Wight Ic. pl. Ind. or. 6, 2000.  
 † *Ceodes umbellata* *Forst.* Forster Char. 71.  
 † *Cephaëlis* *Sw.* Swartz Fl. Ind. 10.  
 — *calycina* *Ldl.* Lindley Coll. 21.  
 — *dichotoma* *Rudge.* Rudge Pl. Guianae 44.  
 — *fragrans* *Hook.* Hook. Beechey 13.  
 — *Ipecacuanha* *Rich.* Berl. Jahrb. 1804, 1, 1821, 1.  
 — — — *Richard Hist. nat. Ipec.* 1.  
 — — — *St. Hil. Pl. usuelles* 6.  
 — — — *Hayne* 8, 20.  
 — — — *Nees Düsseld.* 257.  
 — — — *Guimp. et Schld.* 43.  
 — — — *Woodv. Med.* 4, 274, 5, 6.  
 — — — *Münchn. Denkschr.* 9, 1.  
 — — — *Bot. Mag.* 70, 4063.  
 — *justiciaefolia* *Rudge.* Rudge Pl. Guianae 43.  
 — *peduncularis* *Salisb.* Salisb. Parad. 99.  
*Cephalanthera acuminata* *Ldl.* Jacquemont Ind. 164.  
 — — — *Wight Ic. pl. Ind. or.* 5, 1721.  
 — *ëcullata* *Boiss.* Rchb. Fl. germ. 13, 472.  
 — *ensifolia* *Rich.* Dietr. Fl. bor. 1, 19.  
 — *Lonchophyllum* *Rchb. fil.* Rchb. Fl. germ. 13, 471.

- Cephalanthera ochroleuca* *Rchb.* Rchb. Fl. germ. 13, 472.  
 — *pallens* *Rich.* Dietr. Fl. bor. 1, 18.  
 † — — — *Nees Gen.* 3, x.  
 — — — *rubra* *Rich.* Fl. dan. 2, 345.  
 — — — *Dietr. Fl. bor.* 1, 20.  
 — — — *Rchb. Fl. germ.* 13, 469.  
 — *Xiphophyllum* *Rchb. fil.* Rchb. Fl. germ. 13, 470.  
 † *Cephalanthus occidentalis* *L.* Gaertn. Carp. 86.  
 † — — — *Lam. Encycl.* 59.  
 — — — *Schk. Handb.* 21.  
 — — — *Rafin. Med.* 20.  
 — — — *Herb. amat.* 4, 272.  
 — *salicifolius* *H. B.* Humb. Pl. acq. 98.  
 † *Cephalaria Schrad.* Mem. Genev. 2, 1.  
 † — *alpina* *Schrad.* Nees Gen. X, x.  
 — *cachemiriana* *Decne.* Jacquemont Ind. 94.  
*Cephalocarpus Dracaenula* *N. v. E.* Endl. Bras. 3, 18.  
*Cephalocroton mollis* *Klotzsch.* Peters Mossamb. 17.  
 † *Cephalomanes atrovirens* *Prsl.* Prager Abh. 3, 5.  
 — *oblongifolium* *Prsl.* Prager Abh. 6, 10.  
*Cephalopappus sonchifolius* *N. et M.* Acta Leop. 12, 1, 1.  
*Cephalophora glauca* *Cav.* Cav. Ic. 599.  
*Cephalostigma Perrottetii* *DC.* Delessert Ic. 5, 15.  
*Cephalotaxus Fortunei* *Hook.* Bot. Mag. 76, 4499.  
 — — — *Lem. Jard. fl.* 6.  
 — — — *Fl. d. serres* 6, 555.  
*Cephalotus follicularis* *Lab.* Bill. Nov. Holl. 145.  
 — — — *Flinders Voyage* 4.  
 † — — — *Lam. Encycl.* 960.  
 — — — *Bot. Mag.* 58, 3118, 3119.  
 — — — *Fl. d. serres* 3, 290.  
 † — — — *Schnizl. Ic.* 169.\*\*  
*Cephaloxis flabellata* *Desv.* Desvaux Journ. 1, 11.  
*Ceranthera dentata* *Pal. B.* Pal. B. Fl. d'Oware 65.  
 — — — *Lam. Encycl.* 927.  
 — *subintegriifolia* *Pal. B.* Pal. B. Fl. d'Oware 66.  
 † *Ceraseoides* *S. et Z.* Münchn. Abh. 3, 5.  
 † *Cerastium* *L.* Lam. Encycl. 392.  
 † — — — *Mutel Fl. fr.* 13, 14.  
 † — — — *Gray Genera* 114.  
 — *alpinum* *L.* Fl. dan. 1, 6, 6, 979.  
 — — — *Engl. Bot.* 7, 472.  
 — — — *Sv. Bot.* 745.  
 — — — *Sturm Flora* 15, 64.  
 — — — *Rchb. Fl. germ.* 6, 232.  
 — *amplexicaule* *Sims.* Bot. Mag. 43, 1789.  
 — *anomalum* *W. et K.* W. et Kit. 22.  
 — *aquaticum* *L.* Fl. dan. 8, 1337.  
 — — — *Curt. Lond.* 2, 61.  
 — — — *Engl. Bot.* 8, 538.  
 † — — — *Schk. Handb.* 125.  
 — — — *Schrank Fl. monac.* 3, 260.  
 — — — *Dietr. Fl. bor.* 3, 216.  
 — — — *Rchb. Fl. germ.* 6, 237.  
 — *arvense* *L.* Fl. dan. 4, 626.  
 — — — *Curt. Lond.* 2, 13.  
 — — — *Engl. Bot.* 2, 93.  
 — — — *Schk. Handb.* 125.  
 — — — *Schrank Fl. monac.* 3, 280.  
 — — — *Sturm Flora* 2, s. 15, 64.  
 — — — *Dietr. Fl. bor.* 5, 320.  
 — — — *Rchb. Fl. germ.* 6, 234.  
 — — — *Baxter Brit. Bot.* 4, 286.  
 — *atlanticum* *Durieu.* Explor. Alger. 82.  
 — *atrovirens* *Bab.* Jard. Mag. 2, 9.  
 — — — *Rchb. Fl. germ.* 5, 228.  
 — *azoricum* *Hochst.* Seubert Fl. azor. 14.  
 — *Biebersteinii* *DC.* Hort. Genev. 11.  
 — — — *Bot. Mag.* 54, 2782.  
 — *brachypetalum* *Desp.* DC. Ic. Gall. 44.  
 — — — *Sturm Flora* 15, 63.  
 — — — *Rchb. Ic. crit.* 3, 234.

- Cerastium brachypetalum* Desp. Rchb. Fl. germ. 5, 229.  
 — — — Cosson Atlas 4.  
 — — — campanulatum Viv. Sebastiani Fl. rom. 3.  
 — — — Sebastiani Rom. pl. 2, 3.  
 — — — Moris Fl. sard. 20.  
 — — — Rchb. Fl. germ. 6, 233.  
 — — — carinthiacum Vest. Rchb. Fl. germ. 6, 233.  
 — — — ciliatum W. et K. W. et Kit. 225.  
 — — — Rchb. Fl. germ. 6, 235.  
 — — — filiforme Schleich. Sturm Flora 15, 64.  
 — — — gibraltarium Boiss. Boissier Esp. 32.  
 — — — glabratum Hartm. Sturm Flora 15, 64.  
 — — — glaciale Gaud. Sturm Flora 15, 64.  
 — — — glomeratum Thuill. Sturm Flora 15, 63.  
 — — — Cosson Atlas 4.  
 — — — glutinosum Fr. Rchb. Fl. germ. 5, 228.  
 — — — grandiflorum W. et K. W. et Kit. 168.  
 — — — var. banaticum, Rochel Ban. 2.  
 — — — var. banaticum, Sturm Flora 15, 64.  
 — — — Rchb. Fl. germ. 6, 236.  
 — — — hirsutum Ten. Tenore Fl. nap. 141.  
 — — — holosteoides Fries. Rchb. Ic. crit. 2, 181.  
 — — — illyricum Ard. Arduino Anim. 2, 11.  
 — — — Rchb. Fl. germ. 6, 233.  
 — — — incanum Led. Ledeb. Ic. 149.  
 — — — indicum W. et A. Wight Illustr. 26.  
 — — — insubricum Moretti. Rchb. Fl. germ. 6, 235.  
 — — — lanatum Lam. Picot Pyren. 10.  
 — — — Rochel Ban. 2.  
 — — — Sturm Flora 15, 64.  
 — — — Rchb. Fl. germ. 6, 232.  
 — — — lanuginosum Willd. Rchb. Fl. germ. 5, 230.  
 — — — laricifolium Vill. Vill. Dauph. 48.  
 — — — Rchb. Fl. germ. 6, 234.  
 — — — latifolium L. Lightf. Fl. scot. 1, 10.  
 — — — Engl. Bot. 7, 473.  
 — — — Jacq. Collect. 1, 20.  
 — — — Sturm Flora 6, 24.  
 — — — var.  $\beta$ .  $\gamma$ .  $\delta$ .  $\epsilon$ . Sturm Flora 15, 64.  
 — — — Rchb. Fl. germ. 6, 231.  
 — — — lineare All. All. Fl. ped. 3, 88.  
 — — — lithospermifolium Led. Ledeb. Ic. 433.  
 — — — longifolium Ten. Tenore Fl. nap. 140.  
 — — — macilentum Fr. Rchb. Ic. crit. 3, 230.  
 — — — Rchb. Fl. germ. 5, 228.  
 — — — manticum L. W. et Kit. 96.  
 — — — maximum Led. Ledeb. Ic. 424.  
 — — — nutans Rafin. Gray Genera 114.  
 — — — ovatum Hoppe. Sturm Flora 15, 64.  
 — — — pauciflorum Led. Ledeb. Ic. 407.  
 — — — pedunculare Bory. Bory et Chaub. Morée 12.  
 — — — pedunculatum Bab. Jard. Mag. 2, 6.  
 — — — Gaud. Rchb. Fl. germ. 6, 231.  
 — — — pilosum Sibth. Sibth. Fl. gr. 454.  
 — — — Led. Ledeb. Ic. 351.  
 — — — praecox Ten. Tenore Fl. nap. 140.  
 — — — pumilum Curt. Curt. Lond. 1, 18.  
 — — — Sturm Flora 15, 63.  
 — — — Rchb. Fl. germ. 5, 228.  
 — — — ramosissimum Boiss. Boissier Esp. 31.  
 — — — repens L. Rchb. Fl. germ. 6, 235.  
 — — — Sturm Flora 15, 64.  
 — — — rigidum Led. Ledeb. Ic. 432.  
 — — — rotundifolium Sternb. Rchb. Ic. crit. 3, 234.  
 — — — Scarani Ten. Tenore Fl. nap. 141.  
 — — — semidecandrum L. Curt. Lond. 3, 101.  
 — — — Engl. Bot. 23, 1630.  
 — — — Fl. dan. 7, 1212.  
 — — — Sturm Flora 15, 63.  
 — — — Rchb. Ic. crit. 2, 181.  
 — — — Rchb. Fl. germ. 5, 228.  
 — — — silvaticum W. et K. W. et Kit. 97.

- Cerastium silvaticum* W. et K. Sturm Flora 15, 63.  
 — — — Rchb. Fl. germ. 5, 230.  
 — — — strictum Haenke. Sturm Flora 15, 64.  
 — — — L. Rchb. Fl. germ. 6, 234.  
 — — — strigosum Fr. Rchb. Ic. crit. 3, 230.  
 — — — suffruticosum L. Sturm Flora 15, 64.  
 — — — Rchb. Fl. germ. 6, 236.  
 — — — tetrandrum Curt. Curt. Lond. 3, 102.  
 — — — Engl. Bot. 3, 166.  
 — — — Fl. dan. 12, 2117.  
 — — — Sturm Flora 15, 64.  
 — — — trigynum Vill. Vill. Dauph. 46.  
 — — — triviale Lk. Rchb. Ic. crit. 3, 245.  
 — — — Rchb. Fl. germ. 5, 229.  
 — — — Sturm Flora 15, 63.  
 — — — var.  $\gamma$ .  $\delta$ . Sturm Flora 15, 63.  
 — — — Cosson Atlas 4.  
 — — — tomentosum L. Sibth. Fl. gr. 455.  
 — — — Rchb. Fl. germ. 6, 236.  
 — — — Sturm Flora 15, 64.  
 — — — umbellatum Huds. Curt. Lond. 4, 13.  
 — — — varians Coss. et G. Cosson Atlas 5.  
 — — — viscosum L. Curt. Lond. 1, 137.  
 — — — Engl. Bot. 11, 790.  
 — — — Fl. dan. 7, 1211. 11, 1931.  
 — — — Rchb. Ic. crit. 3, 244.  
 † — — vulgatum L. Gaertn. Carp. 130.  
 — — — Curt. Lond. 1, 136.  
 — — — Engl. Bot. 11, 789.  
 — — — Rchb. Ic. crit. 3, 233.  
 — — — Rchb. Fl. germ. 5, 229.  
 — — — Fl. dan. 10, 1645.  
 — — — Wight Ic. pl. Ind. or. 3, 948.  
*Cerasus acida* Borkh. Nees Düsseld. 314<sup>a</sup><sup>b</sup>.  
 — — — acuminata Wall. Wall. Pl. asiat. 181.  
 — — — borealis Michx. Michaux Arb. 3, 8.  
 — — — Caproniana polygyna DC. DC. Hort. genev. 18.  
 — — — caroliniana Michx. Michaux Arb. 3, 7.  
 — — — cornuta Wall. Royle Illustr. 38.  
 — — — dulcis Borkh. Nees Düsseld. 313. 314<sup>b</sup>.  
 — — — fruticosa Pall. Pallas Fl. ross. 8<sup>b</sup>.  
 — — — Hixa Sweet. Webb Canar. 38.  
 — — — ilicifolia Hook. Hook. Beechey 83.  
 — — — Puddum Wall. Wall. Pl. asiat. 143.  
 — — — sphaerocarpa Lois. Bot. Mag. 59, 3141.  
 — — — virginiana Michx. Michaux Arb. 3, 6.  
 † *Ceratandra chloroleuca* Eckl. Bauer Arch. (Gen.) 16.  
*Ceratella rosulata* Hook. Hook. Fl. ant. 18.  
*Ceratiola cricoides* Michx. Pursh Fl. 13.  
 — — — Bot. Mag. 54, 2758.  
 † *Ceratium compressum* Bl. Blume Tabellen 46.  
*Ceratocalyx macrolepis* Coss. Ann. sc. nat. III. 9, 10.  
*Ceratocarpus umbrosa* Durieu. Explor. Alger. 78.  
 † *Ceratocarpus arenarius* L. Gaertn. Carp. 127.  
 † — — — Lam. Encycl. 741.  
*Ceratocephalus falcatus* Pers. Rchb. Fl. germ. 3, 1.  
 † — — — Bull. Mosc. 1852. 1, 7.  
 † — — — incurvus Stev. Bull. Mosc. 1852. 1, 7.  
 † — — — leiocarpus Stev. Bull. Mosc. 1852. 1, 7.  
 — — — orthoceras DC. Delessert Ic. 1, 23.  
 — — — Sturm Flora 13, 56.  
 — — — Rchb. Fl. germ. 3, 1.  
 † — — — Bull. Mosc. 1852. 1, 7.  
 † — — — platyceras Stev. Bull. Mosc. 1852. 1, 7.  
 † — — — reflexus Stev. Bull. Mosc. 1852. 1, 7.  
 † — — — syriacus Stev. Bull. Mosc. 1852. 1, 7.  
 † *Ceratochilus biglandulosus* Bl. Blume Tabellen 25.  
 — — — grandiflorus Lodd. Lodd. Cab. 1414.  
 — — — oculus Lodd. Lodd. Cab. 1764.  
*Ceratochloa breviaristata* Hook. Hook. Bor. Am. 234.  
 — — — grandiflora Hook. Hook. Bor. Am. 235.  
 † *Ceratodactylis osmundioides* Sm. Hook. Gen. Fil. 36.

- Ceratogynum rhamnoides* *Wight*. *Wight Ic. pl. Ind. or.* 5, 1900.  
 — *concolor* *Bl.* *Blume Rumphia* 130.  
*Ceratolobus glaucescens* *Bl.* *Blume Rumphia* 129, 137.  
 — — — *Mart. Palm.* 115.  
 — *Zippelii* *Bl.* *Blume Rumphia* 130.  
*Ceratonia Siliqua* *L.* *Cav. Ic.* 113.  
 † — — — *Gaertn.-Carp.* 146.  
 † — — — *Lam. Encycl.* 859.  
 — — — *Andr. Rep.* 9, 567.  
 — — — *Tratt. Archiv* 62.  
 — — — *Gallesio Pomona* 2, 1, 2.  
 — — — *Hayne* 7, 36.  
 — — — *Nees Düsseld.* 339.  
 — — — *Guimp. et Schl.* 103.  
 ! — — — (*Folium.*) *Hoeven Tijdschr.* 7, 9.  
*Ceratopetalum gummiferum* *Sm.* *Smith New Holl.* 3.  
 † *Ceratophylleae* *Gray.* *Schnizl. Ic.* 2, 83.  
 † *Ceratophyllum demersum* *L.* *Gaertn. Carp.* 44.  
 — — — *Schk. Handb.* 297.  
 † — — — *Lam. Encycl.* 775.  
 — — — *Engl. Bot.* 14, 947.  
 — — — *Baxter Brit. Bot.* 4, 260.  
 — — — *Fl. dan.* 12, 2000.  
 † — — — *Nees Gen.* 4, 1.  
 † — — — *Schnizl. Ic.* 2, 83.  
 † — *missionis* *Wall.* *Wight Ic. pl. Ind. or.* 6, 1948.  
 † — *muricatum* *Cham.* *Wight Ic. pl. Ind. or.* 6, 1948.  
 † — *platyacanthum* *Cham.* *Nees Gen.* 4, 1.  
 — — *submersum* *L.* *Fl. dan.* 3, 510.  
 — — — *Engl. Bot.* 10, 679.  
 † — — — *Lam. Encycl.* 775.  
 † — — — *Nees Gen.* 4, 1.  
 † — *tuberculatum* *Cham.* *Wight Ic. pl. Ind. or.* 6, 1948.  
 † *Ceratopteris cornuta* *Brongn.* *Ann. sc. nat.* 19, 4.  
 — *Gaudichaudii* *Brongn.* *Freycinet Voyage* 20.  
 — *thalictroides* *Brongn.* *Bull. philom.* 1821, 1.  
 † — — — *Hook. Gen. Fil.* 12.  
*Ceratosticyos Ecklonii* *N. v. E.* *Jard. Ann.* 3, 10.  
*Ceratostemma biflorum* *P. et E.* *Poepp. et Endl.* 10.  
 — *buxifolium* *Field.* *Fielding Sertum* 7.  
 † — *longiflorum* *Ldl.* *Fl. d. serres* 4, 353.  
 † *Ceratostyles graminea* *Bl.* *Blume Tabellen* 56.  
*Ceratotheca scsamoides* *Endl.* *Endl. Atacta* 5.  
 † — — — *Linnaea* 7, 1, 2, 3.  
*Ceratozamia mexicana* *Brongn.* *Ann. sc. nat.* III, 5, 1.  
 † *Cerbera Ahouai* *L.* *Lam. Encycl.* 170.  
 — — — *Bot. Mag.* 19, 737.  
 — — — *Andr. Rep.* 4, 231.  
 — *dichotoma* *Lodd.* *Lodd. Cab.* 1516.  
 — *fruticosa* *Roxb.* *Lodd. Cab.* 326.  
 — — — *Bot. Reg.* 5, 391.  
 — — — *Rchb. Exot.* 103.  
 — — — *Wight Ic. pl. Ind. or.* 2, 431.  
 — *lactaria* *Ham.* *Rumpf Amb.* 2, 81.  
 — *laurifolia* *Hort.* *Lodd. Cab.* 989.  
 † — *Manghas* *Gaertn.* *Gaertn. Carp.* 123, 124.  
 † — — — *Wendl. Beob.* 3.  
 — — — *Herb. amat.* 4, 261.  
 — — — *Lodd. Cab.* 304.  
 — — — *Andr. Rep.* 10, 655.  
 — — — *Bot. Mag.* 43, 1815.  
 — *musculiformis* *Lam.* *Rumpf Amb.* 2, 60.  
 — *Odalam* *Burm.* *Rheede Hort. mal.* 1, 39.  
 † — *Odollam* *Gaertn.* *Gaertn. Carp.* 124.  
 — — — *Wight Ic. pl. Ind. or.* 2, 441.  
 — *oppositifolia* *Lam.* *Rumpf Amb.* 2, 84.  
 — *ovata* *Cav.* *Cav. Ic.* 270.  
 — — — *Kern. Hort.* 610.  
 † — *platyspermus* *Gaertn.* *Gaertn. Carp.* 124.  
 — *Tanghin* *Poir.* *Bot. Mag.* 57, 2968.  
 — — — *Rchb. Exot.* 106.

- Cerbera Thevetia* *L.* *Jacq. Hist. stirp. am.* 47.  
 — — — *Ruiz et Pav. Fl.* 153.  
 — — — *Lam. Encycl.* 170.  
 — — — *Tuss. Ant.* 4, 7.  
 † — — — *Kerner Genera* 184.  
 — — — *Desc. Ant.* 3, 158.  
 — — — *Dict. sc. nat.* 56, 57.  
 — — — *Bot. Mag.* 49, 2309.  
 — *triphylla* *Rudge.* *Rudge Pl. Guianae* 48.  
 — *undulata* *Andr.* *Andr. Rep.* 2, 130.  
 † *Cereis* *L.* *Kerner Genera* 35.  
 — *canadensis* *L.* *Guimp. Fr. Holzgew.* 92.  
 — *japonica* *Sieb.* *Fl. d. serres* 8, 849.  
 † — *Siliquastrum* *L.* *Gaertn. Carp.* 144.  
 † — — — *Lam. Encycl.* 328.  
 — — — *Schk. Handb.* 112.  
 — — — *Sibth. Fl. gr.* 367.  
 — — — *Bot. Mag.* 28, 1138.  
 † — — — *Ann. sc. nat.* 17, 16.  
 † — — — *Mem. Instit.* 1830, 5.  
*Cercocarpus betulaeifolius* *Nutt.* *Hook. Ic. pl.* 4, 322.  
 — *fothergilloides* *H. B. K.* *H. B. K. Nov. Gen.* 6, 559.  
 — *ledifolius* *Nutt.* *Hook. Ic. pl.* 4, 324.  
 — *parvifolius* *Nutt.* *Hook. Ic. pl.* 4, 323.  
*Cercodea erecta* *Banks.* *Comm. Gott.* 3, 1.  
 † — — — *Gaertn. Carp.* 32.  
 † — — — *Lam. Encycl.* 319.  
 † *Cerdana alliödora* *Rz et P.* *Ruiz et Pav. Prodr.* 6.  
 — — — *Ruiz et Pav. Fl.* 184.  
*Cordia virescens* *Moq. et S.* *DC. Paron.* 2.  
*Ceresia elegans* *Pers.* *Jacq. Fragm.* 86.  
 — *fruitans* *Ell.* *Elliott Carolina* 6.  
*Cereus Ackermanni* *Ldl.* *Bot. Reg.* 16, 1331.  
 — — — *Bot. Mag.* 64, 3598.  
 — *alatus* *Sw.* *Link Ic. II.* 39.  
 — *Baumannii* *Lem.* *Lem. Jard. fl.* 48.  
 — *coccineus* *Salm.* *Pfeiffer Cact.* 1, 15.  
 — *coerulescens* *Salm.* *Pfeiffer Cact.* 2, 24.  
 — — — *Bot. Mag.* 68, 3922.  
 — *crenatus* *Ldl.* *Bot. Reg.* 30, 31.  
 — *Crimsonii* *Hort.* *Bot. Reg.* 19, 1565.  
 — *Curtisii* *Lk. et O.* *Pfeiffer Cact.* 1, 11.  
 — *eriphorus* *Lk. et O.* *Pfeiffer Cact.* 1, 22.  
 — *extensus* *Salm.* *Bot. Mag.* 70, 4066.  
 — *fragriformis* *Zucc.* *Pfeiffer Cact.* 1, 12.  
 — *grandifloro-speciosissimus* *Maynardi.* *Fl. d. serres* 3, 233—34.  
 — *grandiflorus* *DC.* *Bot. Mag.* 62, 3381.  
 — — *Maynardi.* *Paxt. Mag.* 14, 75.  
 — *Hookeri* *Lk. et O.* *Pfeiffer Cact.* 1, 5.  
 — *latifrons* *DC.* *Pfeiffer Cact.* 1, 10.  
 — — *Zucc.* *Bot. Mag.* 67, 3813.  
 — *Lecanus* *Hook.* *Bot. Mag.* 75, 4417.  
 — *leptophis* *DC.* *DC. Cact.* 12.  
 — *leucanthus* *Pfeiff.* *Bot. Reg.* 26, 13.  
 — *Mac Donaldiae* *Hook.* *Bot. Mag.* 79, 4707.  
 — *Mallisoni* *Hort.* *Preuss. Gart. Verein* 12, 1.  
 — *Martianus* *Zucc.* *Bot. Mag.* 66, 3768.  
 ! — *monstruosus* *DC.* *Münchn. Abh.* 2, 4.  
 — *multiplex* *Pfeiff.* *Bot. Mag.* 66, 3789.  
 — *Napoleonis* *Grah.* *Bot. Mag.* 63, 3458.  
 — — — *Hart. Parad.* 2, 1.  
 — *nycticallus* *Link.* *Preuss. Gart. Verein* 10, 4.  
 — *oxypetalus* *DC.* *Mem.-Mus.* 17, 14.  
 — *pentalophus* *DC.* *Bot. Mag.* 65, 3651.  
 — *peruvianus* *Haw.* *Pfeiffer Cact.* 2, 5.  
 ! — — — *Mem. Mus.* 17, 11.  
 — — — *Preuss. Gart. Verein* 14, 1.  
 — *phyllanthus* *Zucc.* *Pfeiffer Cact.* 1, 10.  
 — *Pitajaya* *DC.* *Bot. Mag.* 70, 4084.  
 — *reductus* *Link.* *Bot. Mag.* 75, 4443.  
 — *repandus* *Haw.* *Bot. Reg.* 4, 336.

- Cereus repandus* Haw. Mem. Mus. 17, 13.  
 — *Royenii* Haw. Bot. Mag. 59, 3125.  
 — *Schrankii* Zucc. Pfeiffer Cact. 1, 27.  
 — *serpentinus* Lag. Bot. Mag. 64, 3566.  
 — — Mem. Mus. 17, 12.  
 ! — — Münchn. Abh. 4, 2.  
 — *setaceus* Salm. Pfeiffer Cact. 1, 16.  
 — *setosus* Lodd. Lodd. Cab. 1887.  
 — *speciosissimus* DC. Jacq. Ecl. pl. 141.  
 — — Bot. Reg. 6, 486. 19, 1596. 28, 49.  
 — — Kern. Hort. 613.  
 — — Bot. Mag. 67, 3822.  
 — *speciosus* DC. Bot. Reg. 4, 304.  
 — *triangularis* Haw. Bot. Reg. 21, 1807.  
 — — Kerner Hort. 673.  
 — *truncatus* DC. Bot. Reg. 9, 696.  
 — *tubiflorus* Pfeiff. Hart. Parad. 1, 8.  
 — *Tweediei* Hook. Bot. Mag. 76, 4498.  
 — — Fl. d. serres 6, 559.  
 — *undatus* Lk. et O. Pfeiffer Cact. 1, 23.  
 — *variabilis* Pfeiff. Pfeiffer Cact. 2, 15.  
 † *Cerintho* L. Mutel Fl. fr. 37.  
 † — — Kerner Genera 50.  
 — *alpina* Kit. Sturm Flora 16, 68.  
 — — Rchb. Ic. crit. 5, 466.  
 — *aspera* Roth. Sibth. Fl. gr. 170.  
 — — Rchb. Ic. crit. 8, 740.  
 — *auriculata* Ten. Tenore Fl. nap. 212.  
 — *maculata* L. Rchb. Ic. crit. 4, 309.  
 † — *major* L. Gaertn. Carp. 67.  
 † — — Lam. Encycl. 93.  
 — — Schk. Handb. 30.  
 — — Bot. Mag. 10, 333.  
 — — Sturm Flora 3, 12.  
 — — Rchb. Ic. crit. 8, 739.  
 † — — Nees Gen. 6, 66.  
 — *minor* L. Jacq. Fl. austr. 2, 124.  
 — — Schrank Fl. monac. 1, 90.  
 — — Rchb. Ic. crit. 4, 308.  
 — — Sturm Flora 16, 68.  
 † — — Nees Gen. 6, 66.  
 — *purpurea* Vis. Visiani Dalm. 21.  
 — *retorta* Sibth. Sibth. Fl. gr. 171.  
 — — Rchb. Ic. crit. 8, 738.  
 — *strigosa* Rchb. Rchb. Ic. crit. 8, 741.  
*Ceriops Candolleana* Arn. Wight Ic. pl. Ind. or. 1, 240.  
 † *Ceriscus malabaricus* Gaertn. Gaertn. Carp. 28.  
*Ceropegia acuminata* Roxb. Roxb. Corom. 8.  
 — *africana* R. Br. Bot. Reg. 8, 626.  
 — — Lodd. Cab. 906.  
 — *aphylla* Haw. Link Ic. I. 18.  
 — *attenuata* Hook. Hook. Ic. pl. 9, 867.  
 — *bulbosa* Roxb. Roxb. Corom. 7.  
 — — Kern. Hort. 5, 50.  
 — — Wight Illustr. in Hook. 2.  
 — — Wight Ic. pl. Ind. or. 3, 815.  
 — *cancellata* Rchb. Rchb. Hort. 207.  
 — *Candelabrum* L. Rheede Hort. mal. 9, 16.  
 — — Hill Decade 7.  
 — *ciliata* Wight. Wight Ic. pl. Ind. or. 4, 1262.  
 — *Cumingiana* Decne. Bot. Mag. 74, 4349.  
 — — Fl. d. serres 4, 315.  
 — *Decaisneana* Wight. Wight Ic. pl. Ind. or. 4, 1259.  
 — *elegans* Wall. Bot. Mag. 57, 3015.  
 — — Bot. Reg. 20, 1706.  
 — — Wight Ic. pl. Ind. or. 4, 1265.  
 — *intermedia* Wight. Wight Ic. pl. Ind. or. 4, 1263.  
 — *juncea* Roxb. Roxb. Corom. 10.  
 — — Wight Ic. pl. Ind. or. 4, 1260.  
 — *longifolia* Wall. Wall. Pl. asiat. 73.  
 — *lucida* Wall. Wall. Pl. asiat. 139.  
 — *Lushii* Griseb. Bot. Mag. 61, 3300.

- Ceropegia Munronii* Wight. Wight Ic. pl. Ind. or. 4, 1264.  
 — *mysorensis* Wight. Wight Ic. pl. Ind. or. 3, 846.  
 — *oculata* Hook. Bot. Mag. 70, 4093.  
 — *pubescens* Wall. Wall. Pl. asiat. 187.  
 — *pusilla* W. et Arn. Wight Ic. pl. Ind. or. 4, 1261.  
 — *sagittata* L. Jacq. Schoenbr. 1, 38.  
 — — Lam. Encycl. 179.  
 — *spiralis* Wight. Wight Ic. pl. Ind. or. 4, 1267.  
 † — *squamulata* Decne. Ann. sc. nat. II. 9, 9.  
 — *stapeliiformis* Haw. Maund Bot. 4, 154.  
 — — Bot. Mag. 64, 3567.  
 — — Fl. d. serres 2, 53.  
 — *tenuifolia* L. fil. Lam. Encycl. 179.  
 — *tuberosa* Roxb. Roxb. Corom. 9.  
 — — Kerner Hort. 63.  
 — — Wight Ic. pl. Ind. or. 2, 353.  
 † — *variegata* Decne. Ann. sc. nat. II. 9, 9.  
 — *vincaefolia* Hook. Bot. Mag. 66, 3740.  
 — *Walkeriae* Wight. Wight Ic. pl. Ind. or. 4, 1266.  
 — *Wallichii* Royle. Royle Illustr. 66.  
 — *Wightii* Griseb. Bot. Mag. 60, 3267.  
*Ceroxylon andicola* H. B. Humb. Pl. aeq. 1. 1 ♀.  
 — — Lam. Encycl. 996.  
 † *Cervantesia* R. et P. Ruiz et Pav. Prodr. 7.  
 † — — Kerner Genera 49.  
 — *bicolor* Cav. Cav. Ic. 475.  
 — *tomentosa* R. et P. Ruiz et Pav. Fl. 241.  
 † *Cervaria Rivini* Gaertn. Gaertn. Carp. 21.  
*Cervicina campanuloides* Del. Delile Egypte 5.  
*Cespiphylis* Aub. Aubert Orchid. 102.  
*Cestichis* Aub. Aubert Orchid. 89.  
*Cestrum alaternoides* Ham. Bot. Mag. 56, 2929.  
 — *angustifolium* Lodd. Lodd. Cab. 618.  
 — *aurantiacum* Ldl. Bot. Reg. 31, 22.  
 — — Paxt. Mag. 14, 77.  
 — — Fl. d. serres 1, 33.  
 — *auriculatum* L'her. L'her. Stirp. 35.  
 — — Ruiz et Pav. Fl. 155.  
 — *bracteatum* Lk. Link Ic. II. 6.  
 — — Bot. Mag. 57, 2974.  
 — *cauliflorum* Jacq. Jacq. Schoenbr. 3, 325.  
 — *confertum* R. et P. Ruiz et Pav. Fl. 153.  
 — *conglomeratum* R. et P. Ruiz et Pav. Fl. 156.  
 — *diurnum* L. Herb. amat. 2, 94.  
 — *fastigiatum* Jacq. Jacq. Schoenbr. 3, 330.  
 — — Bot. Mag. 42, 1729.  
 — *foetidissimum* Jacq. Jacq. Schoenbr. 3, 329.  
 † — — Jacq. Fragm. 42.  
 — *hirsutum* Jacq. Jacq. Schoenbr. 3, 324.  
 — *lanuginosum* R. et P. Ruiz et Pav. Fl. 157.  
 † — *latifolium* Vahl. Vahl Eclogae 10.  
 — *laurifolium* L'her. L'her. Stirp. 34.  
 — — Smith Spicil. 2.  
 — — Lodd. Cab. 1688.  
 — — Kern. Hort. 110.  
 — *longiflorum* R. et P. Ruiz et Pav. Fl. 154.  
 — *macrophyllum* Vent. Vent. Choix 18.  
 — — Herb. amat. 5, 337.  
 † — *nocturnum* L. Gaertn. Carp. 77.  
 † — — Lam. Encycl. 112.  
 — — Desc. Ant. 3, 160.  
 — *odontospermum* Jacq. Jacq. Schoenbr. 3, 331.  
 — *oppositifolium* Lam. Lam. Encycl. 112.  
 — *organense* Miers. Miers Illustr. 16.  
 — *Parqui* L'her. L'her. Stirp. 36.  
 — — Bot. Mag. 42, 1770.  
 — *pendulinum* Jacq. Jacq. Schoenbr. 3, 327.  
 — — Kern. Hort. 172.  
 — *racemosum* R. et P. Ruiz et Pav. Fl. 154.  
 — *roseum* H. B. K. H. B. K. Nov. Gen. 3, 197.  
 — — Kern. Hort. 543.

- Cestrum salicifolium* Jacq. Jacq. Schoenbr. 3, 326.  
 — — — Kern. Hort. 144.  
 — strigillatum *Rz et P.* Ruiz et Pav. Fl. 156.  
 — suberosum Jacq. Jacq. Schoenbr. 4, 452.  
 — tinctorium Jacq. Jacq. Schoenbr. 3, 332.  
 — undulatum *Rz et P.* Ruiz et Pav. Fl. 155.  
 — vespertinum *L.* Jacq. Schoenbr. 3, 328.  
 — — — Novi Comm. Gott. 5, 8.  
 — vestitum *Hook.* Hook. Ic. pl. 4, 381.  
 — viridiflorum *Hook.* Bot. Mag. 69, 4022.
- Ceterach aspidioides* Willd. Raddi Fil. 21.  
 — capense *Kze.* Kunze Analecta 3.  
 † — — — Fée Fil. 5, 30.  
 † — cordatum *Fée.* Fée Fil. 5, 30.  
 — latifolium *Bory.* Fée Fil. 5, 30.  
 — officinarum *Willd.* Hayne 8, 48.  
 † — — — Hook. Gen. Fil. 113.  
 † — — — Fée Fil. 5, 30.  
 — — — Newman p. 293.  
 — pedunculatum *H. et Gr.* Hook. et Gr. Ic. Fil. 5.  
 — polyodioides *Raddi.* Raddi Fil. 22.
- Cevallia sinuata* Lag. Lagasca Gen. et sp. 1.  
 — — — Hook. Ic. pl. 3, 252.  
 — — — Regensb. Denkschr. 3, 4.
- Chabraea abbreviata* Colla. Mem. Tur. 38, 27.  
 — glabra *DC.* Delessert Ic. 4, 89.  
 — glacialis *DC.* Delessert Ic. 4, 91.  
 — purpurea *DC.* Ann. Mus. 19, 5.  
 — rosea *DC.* Delessert Ic. 4, 90.  
 — runcinata *Hook.* Bot. Mag. 70, 4116.  
 — salina *Remy.* Gay Chile 41.  
 — suaveolens *DC.* Hook. Ic. pl. 5, 496.  
 — — — Hook. Fl. antarct. 111.
- Chaenestes lanceolata* *Miers.* Bot. Mag. 73, 4338.  
 — — — Fl. d. serres 4, 309.
- Chaenomeles cancellata* *Ldl.* Bot. Reg. 11, 905.  
 — japonica *Ldl.* var. umbilicata *Sieb.* Fl. d. serres  
 5, 510—512.  
 — — — Belgique hort. 1, 29.
- Chaenostoma polyanthum* *Benth.* Bot. Reg. 33, 32.  
 — — — Paxt. Mag. 13, 31.
- † *Chaerophyllum* *L.* Lam. Encycl. 201.  
 † — angulatum *Kit.* Comm. Gott. rec. 2, 1.  
 — aromaticum *L.* Jacq. Fl. austr. 2, 150.  
 — — — Engl. Bot. 2636.  
 — — — Rehb. Pl. crit. 6, 514.  
 — aurcum *L.* Jacq. Fl. austr. 1, 64.  
 — — — Rousseau Bot. 31.  
 — — — Engl. Bot. 30, 2103.  
 — bulbosum *L.* Jacq. Fl. austr. 1, 63.  
 — — — Hayne 1, 32.  
 — — — Nees Düsseld. Suppl. 5, 6.  
 — — — Dietr. Fl. bor. 10, 714.  
 — coloratum *L.* Jacq. Vind. 51.  
 — gracillimum *Klotzsch.* Prinz Wald. Him. 46.  
 — hirsutum *L.* Jacq. Fl. austr. 2, 148.  
 — hybridum *Ten.* Tenore Fl. nap. 129.  
 — maculatum *Willd.* Willd. Hort. 107.  
 — magellense *Ten.* Tenore Fl. nap. 130.  
 — millefolium *Klotzsch.* Prinz Wald. Him. 45.  
 † — sativum *Gaertn.* Gaertn. Carp. 23.  
 — — — Fl. dan. 10, 1640.  
 — silvestre *L.* Jacq. Fl. austr. 2, 149.  
 — — — Schk. Handb. 73.  
 — — — Curt. Lond. 1, 81.  
 — — — Sv. Bot. 124.  
 — — — Engl. Bot. 11, 752.  
 — — — Fl. dan. 12, 2050.  
 — — — Hayne 1, 33.  
 — — — Guimp. et Schl. 202.  
 — temulentum *L.* Engl. Bot. 22, 1521.  
 — — — Baxter Brit. Bot. 6, 483.

- Chaerophyllum temulum* *L.* Jacq. Fl. austr. 1, 65.  
 — — — Curt. Lond. 1, 62.  
 — — — Fl. dan. 6, 918.  
 — — — Hayne 1, 34.  
 — — — Dietr. Fl. bor. 10, 713.
- † *Chaetanthera* *Rz et P.* Ruiz et Pav. Prodr. 23.  
 — Berteriana *Colla.* Mem. Tur. 38, 27.  
 — chilensis *DC.* Ann. Mus. 19, 3.  
 — glandulosa *Remy.* Gay Chile 35.  
 — linearis *Less.* Delessert Ic. 4, 80.  
 — multiflora *H. B.* Humb. Pl. aeq. 135.  
 — pinnatifida *H. B.* Humb. Pl. aeq. 136.  
 — pungens *H. B.* Humb. Pl. aeq. 127.  
 † — — — Lam. Encycl. 983.  
 — serrata *Rz et P.* Sweet Fl. G. II. 214.  
 — tenella *DC.* Delessert Ic. 4, 82.  
 — tenuifolia *Gill.* Delessert Ic. 4, 81.
- Chaetocalyx* *vincentina* *DC.* Bot. Reg. 10, 799.  
 † *Chaetocrater* *Rz et P.* Ruiz et Pav. Prodr. 35.  
*Chaetogastra* *alpestris* *Mart.* Mart. Bras. 247.  
 † — bicolor *Naud.* Ann. sc. nat. III. 14, 4.  
 † — Bonplandiana *Naud.* Ann. sc. nat. III. 14, 4.  
 — gracilis *DC.* Bot. Mag. 63, 3481.  
 — havanensis *DC.* DC. Melast. 8.  
 † — hermannioides *Naud.* Ann. sc. nat. III. 14, 4.  
 — lanccolata *DC.* Bot. Mag. 55, 2836.  
 † — nigrifolia *Naud.* Ann. sc. nat. III. 14, 4.  
 — repanda *Mart.* Mart. Bras. 246.  
 † — stricta *DC.* Ann. sc. nat. III. 14, 4.  
 — strigillosa *DC.* Mart. Bras. 245.  
 — strigosa *DC.* Paxt. Mag. 15, 265.
- † *Chaetolepis* *alpina* *Naud.* Ann. sc. nat. III. 14, 5.  
*Chaetospora* *antaretica* *Hook.* Hook. Fl. ant. 147.  
 — Burmanni *Schrad.* Comm. Gott. rec. 7, 3.  
 — circinalis *Schrad.* Comm. Gott. rec. 7, 3.  
 — ferruginea *R. Br.* Rehb. Fl. germ. 8, 285.  
 † — flexuosa *Schrad.* Comm. Gott. rec. 7, 3.  
 — laxa *Hook.* Hook. Fl. ant. 146.
- Chaetostoma* *pungens* *DC.* Mart. Bras. 264.  
 † — tetrasticha *DC.* Mart. Bras. 264.
- Chaetosus* *volubilis* *Benth.* Benth. Sulphur 57.  
*Chaetothylax* *tocantinus* *N. v. E.* Endl. Bras. 7, 26.  
*Chaetotropis* *chilensis* *Kit.* Humb. Gram. 47.  
*Chaeturus* *fasciicularis* *Lk.* Humb. Gram. 214.  
*Chaetymenia* *peduncularis* *Hook.* Hook. Beechey 62.
- Chaillietia* *cymosa* *Hook.* Hook. Ic. pl. 6, 591.  
 — deflexa *Klotzsch.* Peters Mossamb. 20.  
 — floribunda *Planch.* Hook. Ic. pl. 8, 792.  
 — — — Hook. Niger Fl. 30.  
 — mossambicensis *Klotzsch.* Peters Mossamb. 19.  
 — pedunculata *DC.* Ann. Mus. 17, 1.  
 — — — Dict. sc. nat. 247.  
 — sessiliflora *DC.* Ann. Mus. 17, 1.
- Chaiturus* *Marrubiastrum* *Rehb.* Sturm Flora 19, 84.  
 † — — — *Ehrh.* Nees Gen. 6, 31.
- Chalcas* *Camuneng* *Burm.* Rumpf Amb. 5, 17.  
 — paniculata *L.* Rumpf Amb. 5, 17.
- Chamabainia* *cuspidata* *Wight.* Wight Ic. pl. Ind. or.  
 6, 1981.
- Chamaebatia* *foliosa* *Torr.* Smiths. Contrib. 5, 6. *bot.*  
*Chamaecytisus* *dalmaticus* *Vis.* Visiani Dalm. 55.  
 † *Chamaedactylis* *maritima* *N. v. E.* Nees Gen. 1, 66.  
 † *Chamaedorea* *conocarpa* *Mart.* D'Orbigny Voyage 16.  
 — clatior *Mart.* Mart. Palm. 126. R. Z.  
 † — clegans *Mart.* Mart. Palm. R. Z. 9.  
 † — — — Otto Gartenz. 1834, 6 q.  
 — fragrans *Mart.* Mart. Palm. 3.  
 — gracilis *Willd.* D'Orbigny Voyage 6.  
 — — — Kern. Hort. 781—783.  
 † — lanccolata *Mart.* D'Orbigny Voyage 16.  
 † — oblongata *Mart.* Mart. Palm. Z.  
 — pauciflora *Mart.* Mart. Palm. 3.

- Chamaedorea Schiedeana *Mart.* Mart. Palm. 138.  
 † — — — Mart. Palm. R. V. Z. Z<sup>9</sup>. Z<sup>23</sup>.  
 † — — — Otto Gartenz. 1834, 6<sup>b</sup>.  
 Chamaegrostis minima *Borkh.* Sturm Flora 2, 7.  
 † — — — Nees Gen. 1, 6.  
 Chamaelaucium Brownii *Desf.* Mem. Mus. 5, 19.  
 † — ciliatum *Desf.* Lam. Encycl. 961.  
 — — — Mem. Mus. 5, 3.  
 — — plumosum *Desf.* Mem. Mus. 5, 3, 4.  
 † — virgatum *Endl.* Acta Leop. 19. Suppl. II. 3.  
 † Chamaelea tricoccos *Gaertn.* Gaertn. Carp. 70.  
 Chamaemeles coriacea *Ldl.* Linn. Transact. 13, 11.  
 † Chamaemelum arvense *Gaertn.* Gaertn. Carp. 168.  
 — uniglandulosum *Vis.* Visiani Dalm. 51.  
 Chamaenerium halimifolium *Salisb.* Salisb. Parad. 58.  
 Chamaepeuce Casabonae *DC.* Moris Fl. sard. 88.  
 — hispanica *DC.* Boissier Esp. 107.  
 † Chamaepitys vulgaris *Bauh.* Nees Gen. 6, 48.  
 Chamaeranthemum Beyrichii *N. v. E.* Endl. Bras. 28.  
 Chamaeraphis hordeacea *R. Br.* Humb. Gram. 56.  
 † Chamaeropes alpina *Spr.* Nees Gen. 3, x.  
 Chamaerhodos grandiflora *Led.* Ledeb. Ic. 271.  
 — sabulosa *Led.* Ledeb. Ic. 257.  
 † Chamaeriphes major *Gaertn.* Gaertn. Carp. 9.  
 † — minor *Gaertn.* Gaertn. Carp. 9.  
 Chamaerops Antillarum *Desc.* Desc. Ant. I, 28.  
 — excelsa *Thunb.* Mart. Palm. 125.  
 † — humilis *L.* Lam. Encycl. 900.  
 — — — Andr. Rep. 9, 599.  
 — — — Bot. Mag. 47, 2152.  
 † — — — Kerner Gen. 198 — 201.  
 — — — Mart. Palm. 120, 124. X. Z<sup>9</sup>. Z<sup>23</sup>.  
 — — — Linnean Transact. 10, 8.  
 — — — Preuss. Garten-Verein 1, 2.  
 — — — Risso Fl. de Nice 18.  
 † — — — Nees Gen. 3, xx.  
 ! — — — (Flores monstrosi.) Mart. Palm. Z<sup>20</sup>.  
 — Hystrix *Fraser.* Mart. Palm. 125.  
 — Khasyana *Griff.* Griffith Palms 227<sup>abc</sup>.  
 — Martiana *Mart.* Wall. Pl. asiat. 211.  
 — — — Griffith Palms 227<sup>a</sup>.  
 — Palmetto *Michx.* Michaux Arb. 2, 10.  
 — — — Kern. Hort. 517.  
 Chamira cornuta *Thunb.* Sonder Helioph. 29.  
 Chamissoa albida *Moq.* Wight Ic. pl. Ind. or. 5, 1769.  
 — altissima *H. B. K.* H. B. K. Nov. Gen. 2, 125.  
 — aspera *Wight.* Wight Ic. pl. Ind. or. 5, 1772.  
 — dichotoma *Moq.* Wight Ic. pl. Ind. or. 5, 1771.  
 — nodiflora *Mart.* Wight Ic. pl. Ind. or. 5, 1770.  
 † Chamitis integrifolia *Gaertn.* Gaertn. Carp. 22.  
 † — tricuspidata *Gaertn.* Gaertn. Carp. 22.  
 Chaptalia gossypina *Royle.* Royle Illustr. 59.  
 — runcinata *H. B. K.* H. B. K. Nov. Gen. 4, 303.  
 — — — Lam. Encycl. 986.  
 — tomentosa *Vent.* Vent. Cels 61.  
 — — — Bot. Mag. 48, 2257.  
 † Chara *L.* (Vaucher.) Mem. Genev. 1, 1.  
 † — — — (Martius.) Acta Leop. 9, 2.  
 † — — — (Amici.) Ann. sc. nat. 2, 3, 4.  
 † — — — (Kaulfuss.) Kaulfuss Keimen 1.  
 † — — — (Agardh.) Acta Leop. 13, 1, 10.  
 † — — — (Meyen.) Linnaea 2, 2, 3.  
 † — — — (Schultz.) Schultz Natur d. Pfl. 1, 2, 2, 3.  
 † — — — (Bischoff.) Bischoff Crypt. Gew. 1, 1, 2.  
 † — — — (Raspail.) Ann. d'obs. 2, 9.  
 † — — — (Slack.) Transact. soc. arts and manuf. 49,  
 1 — 4.  
 † — — — (Fritzsch.) Fritzsch Pollen 1, 2.  
 † — — — (Dutrochet.) Ann. sc. nat. II. 9, 1, 2.  
 † — — — (Meyen.) Meyen Neues System 2, 7, 8, 3, 12.  
 † — — — (Thuret.) Ann. sc. nat. II. 14, 5 — 8.  
 † — — — (Dutrochet.) Mem. Institut 18, 1.

- † Chara *L.* (Kützing.) Kützing Phyc. gen. 39.  
 † — — — (Hassall.) Hassall Brit. Fr. Water Algae 61.  
 † — — — (Mettenius.) Bot. Zeitung 1845, 1.  
 † — — — (K. Müller.) Bot. Zeitung 1845, 3.  
 † — — — (Goepfert und Cohn.) Bot. Zeitg. 1849, 10.  
 † — — — (Thuret.) Ann. sc. nat. III. 16, 8, 9.  
 † — — — (Montagne.) Ann. sc. nat. III. 18, 2.  
 — aspera *Willd.* Engl. Bot. 2738.  
 — — — Wallroth Annus 6.  
 — — — Greville Scott. Crypt. Fl. 68.  
 — — — Cosson Atlas 38.  
 — baltica *Fr.* Fl. dan. 13, 2311.  
 — barbata *Meyen.* Linnaea 2, 3.  
 — — — Rehb. Ic. crit. 8, 800, 9, 801.  
 — batrachosperma (*Thull.*) *Rehb.* Rehb. Ic. crit.  
 8, 794.  
 — Braunii *Gm.* Bischoff Crypt. Gew. 1, 1.  
 — — — Rehb. Ic. crit. 9, 802, 803.  
 — Brongniartiana *Coss.* Cosson Atlas 40.  
 — capitata *N. v. E.* Regensb. Denkschr. 2, 6.  
 — — — Linnaea 2, 3.  
 — ceratophylla *Walbr.* Wallroth Annus 5.  
 — — — Fl. dan. 10, 1656.  
 — — — Ganterer Char. 2.  
 — corallina *Klein.* Mem. Acad. Berl. 1803, 2.  
 — coronata *Ziz.* Bischoff Crypt. Gew. 1, 1.  
 — — — Ganterer Char. 1.  
 — — — var. Explor. Alger. 39.  
 — Cortiana *Amici.* Corti Tremella 1.  
 — — — Acad. Mod. 1, 1, 3.  
 — crinita *Walbr.* Wallroth Annus 3.  
 — — — Ganterer Char. 2.  
 — elastica *Amici.* Acad. Mod. 1, 1, 2.  
 — exigua *Rabenh.* Flora 1837, 1.  
 — exilis *Barbieri.* Barbieri Memoria 1.  
 — — — Acad. Mod. 1, 3.  
 — fasciculata *Amici.* Acad. Mod. 1, 4, 5.  
 — flexilis *L.* Lam. Encycl. 742.  
 — — — Schk. Bot. Handb. 280.  
 — — — Engl. Bot. 15, 1070.  
 — — — Linnaea 2, 2.  
 — — — Bischoff Crypt. Gew. 1, 1.  
 — — — Rehb. Ic. crit. 8, 795.  
 — — — var. nidifica, Rehb. Ic. crit. 8, 796.  
 — — — var. stellata, Wallroth Annus 6.  
 — foetida *A. Br.* Cosson Atlas 37.  
 — — — Ganterer Char. 2.  
 — foliolosa *Mühlbg.* Mem. Acad. Berl. 1803, 1.  
 — fragilis *Desv.* Cosson Atlas 38.  
 — — — Ganterer Char. 2.  
 — — — Ann. sc. nat. III. 16, 8, 9.  
 — fulcrata *Gant.* Ganterer Char. 2.  
 — furcata *Amici.* Acad. Mod. 1, 5.  
 — galioides *DC.* var. Explor. Alger. 39.  
 — glomerata *Desv.* Bischoff Crypt. Gew. 1, 1.  
 — — — Cosson Atlas 41.  
 — gracilis *Sm.* Engl. Bot. 30, 2140.  
 — — — Bischoff Crypt. Gew. 1.  
 — — — Rehb. Ic. crit. 8, 793.  
 — — — Ganterer Char. 1.  
 — haitensis *Turp.* Dict. sc. nat. 101.  
 — Hedwigii *Ag.* Engl. Bot. 2762.  
 — hispida *L.* Fl. dan. 1, 154, 11, 1940.  
 — — — Lam. Encycl. 742.  
 — — — Engl. Bot. 7, 463.  
 — — — Wallroth Annus 4.  
 — — — Bischoff Crypt. Gew. 1, 1.  
 — — — Cosson Atlas 38.  
 — — — Ganterer Char. 2.  
 — imperfecta *Al. Br.* Explor. Alger. 39.  
 — inermis pellucida *Schmid.* Schmidel Ic. 14.  
 — Kokeilii *A. Br.* Ganterer Char. 2.

- Chara latifolia Willd.* Hook. Ic. pl. 6, 532.  
 — *mucronata Al. Br.* Cosson Atlas 40.  
 — *nidifica Müll.* Fl. dan. 5, 761.  
 — — — Engl. Bot. 24, 1703.  
 — *polysperma A. Br.* Ganterer Char. 1.  
 — *pulchella Wallr.* Wallroth Annus 2.  
 — — — Bischoff Crypt. Gew. 1, 1.  
 — — — Engl. Bot. 2824.  
 — *radians Chev.* Chevallier Flore 15.  
 — *scoparia Bauer.* Ganterer Char. 1.  
 — — — Chev. Chevallier Flore 15.  
 — *setosa Klein.* Mem. Acad. Berl. 1803, 1.  
 — *spinosa Barbieri.* Acad. Mod. 1, 3.  
 — *stelligera Bauer.* Cosson Atlas 40.  
 — — — Ganterer Char. 1.  
 — *syncarpa Thuill.* Rchb. Ic. crit. 8, 797—799.  
 — — — Cosson Atlas 39.  
 — *tenuissima Desv.* Rchb. Ic. crit. 8, 791. 792.  
 — — — Cosson Atlas 41.  
 — — — Ganterer Char. 1.  
 — *tomentosa L.* Fl. dan. 11, 1941.  
 — *translucens Pers.* Engl. Bot. 26, 1855.  
 — — — Rchb. Ic. crit. 9, 804. 805.  
 — *ulvoides Bertol.* Acad. Mod. 1, 4.  
 — — — Ganterer Char. 1.  
 — *vulgaris L.* Gaertn. Carp. 84.  
 — — — Hedwig Theoria 34. 35.  
 — — — Lam. Encycl. 742.  
 — — — Engl. Bot. 5, 336.  
 — — — Wallroth Annus 1.  
 — — — Schnizlein Ic. 1, 4.  
 — *zeylanica Klein.* Mem. Acad. Berl. 1803, 2.  
*Chardinia xeranthemoides Desf.* Mem. Mus. 3, 21.  
 † — — — Mem. hist. nat. Par. 3, 8.  
 † — — — Mem. Mosc. 10, 13.  
*Charicis heterophylla Cass.* Bot. Reg. 6, 490.  
*Charwoodia congesta Sweet.* Sweet Austr. 18.  
*Charpentiera obovata Gaudich.* Freycinet Voyage 48.  
 — *ovata Gaudich.* Freycinet Voyage 47.  
*Chartolepis Biebersteinii Jaub.* Jaubert III. 208.  
 — *cappadocica Jaub.* Jaubert III. 291.  
 — *Tournefortii Jaub.* Jaubert III. 207.  
*Chartoloma platycarpum Bge.* Bunge Rel. Lehm. 3.  
*Chascanum cuneifolium Meyer.* Maund Bot. 4, 196.  
*Chascolytrum erectum Desv.* Humb. Gram. 86.  
 — *subaristatum Desv.* Humb. Gram. 87.  
*Chasmonia incisa Presl.* Bot. Reg. 15, 1244.  
 † *Chastenea coriacea Naud.* Ann. sc. nat. III. 4, 3.  
 — *Merianiae DC.* Delessert Ic. 5, 2.  
*Chavica Arnottiana Miq.* Miquel III. Pip. 40.  
 — *Betle Miq.* Wight Ic. pl. Ind. or. 6, 1926.  
 — *bochmeriaefolia Miq.* Miquel III. Pip. 37.  
 — *celebica Miq.* Miquel III. Pip. 41.  
 — *Chaba Miq.* Miquel III. Pip. 31.  
 — *Chuvya Miq.* Miquel III. Pip. 39.  
 — *densa Miq.* Miquel III. Pip. 32.  
 — *lanceolata Miq.* Miquel III. Pip. 36.  
 — *macrostachya Miq.* Miquel III. Pip. 29.  
 — *maritima Miq.* Miquel III. Pip. 35.  
 — *miniata Miq.* Miquel III. Pip. 28.  
 — *officinarum Miq.* Miquel III. Pip. 34.  
 — — — Hayne 14, 21.  
 — *peepuloides Miq.* Wight Ic. pl. Ind. or. 6, 1927.  
 — *penangensis Miq.* Miquel III. Pip. 44.  
 — *pothoides Miq.* Miquel III. Pip. 38.  
 — *Roxburghii Miq.* Miquel III. Pip. 30.  
 — — — Hayne 14, 20.  
 — — — Wight Ic. pl. Ind. or. 6, 1928.  
 — *sarmentosa Miq.* Wight Ic. pl. Ind. or. 6, 1929.  
 — *silvatica Miq.* Wight Ic. pl. Ind. or. 6, 1930.  
 — *sphaerostachya Miq.* Miquel III. Pip. 42. 43.  
 — — — Wight Ic. pl. Ind. or. 6, 1931.

- Chavica Wallichii Miq.* Miquel III. Pip. 33.  
*Chayota edulis Jacq.* Jacq. Hist. stirp. am. 245.  
*Cheilanthes brasiliensis Raddi.* Raddi Fil. 75.  
 — *candida M. et G.* Acad. Brux. 15, 20.  
 — *canescens Kze.* Kunze Fil. 35.  
 — *capensis Sw.* Schlechtd. Fil. 28.  
 † — *commutata Kze.* Hook. Gen. Fil. 67.  
 — *cuneata Kaulf.* Kunze Fil. 36.  
 — *dealbata Don.* Hook. Sp. Fil. 78.  
 — *dichotoma Sw.* Swartz Syn. Fil. 3.  
 — *dicksonioides Endl.* Kunze Fil. 8.  
 — *elegans Desv.* Desv. Journ. 4, 13.  
 — *farinosa Kaulf.* Hook. Ic. Fil. 134.  
 — *fimbriata Vis.* Visiani Dalm. 1.  
 — *fragrans Sw.* Swartz Syn. Fil. 3.  
 — *hirta Sw.* Schlechtd. Fil. 30.  
 — *lanuginosa M. et G.* Acad. Brux. 15, 20.  
 — *marginata H. B. K.* H. B. K. Nov. Gen. 7, 669.  
 — *Mathewsii Kze.* Kunze Fil. 25.  
 — *micropteris Sw.* Swartz Syn. Fil. 3.  
 — *minor M. et G.* Acad. Brux. 15, 21.  
 — *monticola Gardn.* Hook. Ic. pl. 5, 487.  
 — *multifida Sw.* Schlechtd. Fil. 29.  
 — *myriophylla Desv.* Desv. Journ. 4, 13.  
 — *obtusata Presl.* Presl Reliq. 11.  
 — *odora Sw.* Schk. Fil. 123.  
 — *paleacea M. et G.* Acad. Brux. 15, 21.  
 — *profusa Kze.* Kunze Fil. 17.  
 — *pulchella Bory.* Webb Canar. 252.  
 — *Schimperi Kze.* Kunze Fil. 26.  
 — *squamosa Gill.* Hook. Ic. Fil. 151.  
 — *speciosissima A. Braun.* Kunze Analecta 23.  
 — *suaveolens Sm.* Sibth. Fl. gr. 966.  
 † — — — Hook. Gen. Fil. 106.  
 — *tenuifolia Sw.* Rumpf Amb. 6, 34. fig. 2.  
 — — — Schk. Fil. 125.  
 — — — Hook. Sp. Fil. 87.  
 — *vestita Sw.* Schk. Fil. 124.  
*Cheilolepton Blumeinum Fée.* Fée Fil. 51.  
 † — — — Fée Fil. 5, 3.  
*Cheiranthra cyanea Brongn.* Brongniart Coquille 77.  
 — *lincarisa A. Cunn.* Hook. Ic. pl. 1, 47.  
 — — — Fl. d. serres 8, 856.  
 — — — Regel Gartenfl. 1852. 22.  
*Cheiranthus alpinus All.* All. Fl. ped. 3, 20.  
 — — — *Jacq.* Jacq. Fl. austr. 1, 75.  
 † — — — *L.* Wahlbg. Fl. lapp. 12.  
 — *armeniacus Sims.* Bot. Mag. 22, 835.  
 — *Bocconi All.* All. Fl. ped. 3, 58.  
 — *Cheiri L.* Curt. Lond. 5, 147.  
 † — — — Lam. Encycl. 564.  
 — — — Rousseau Bot. 8.  
 — — — *γ. Chamaeleon*, Bot. Reg. 3, 219.  
 — — — Dict. sc. nat. 182.  
 † — — — Mem. Institut. 1830, 9.  
 — — — Sturm Flora 12, 45.  
 — — — Dietr. Fl. bor. 12, 853.  
 — — — Rchb. Fl. germ. 2, 45.  
 † — — — Webb Canar. 8 a.  
 † — — — Schweizer Denkschr. 5, 5.  
 — — — Baxter Brit. Bot. 3, 237.  
 — *cinereus Webb.* Webb Canar. 5.  
 — *cuspidatus M. v. B.* W. et Kit. 231.  
 — *erysimoides Jacq.* Jacq. Fl. austr. 1, 74.  
 — *Farsctia L.* Desf. Fl. atl. 160.  
 — *fenestralis L.* Linné Hort. ups. 2, 16.  
 — — — Jacq. Vind. 179.  
 — *fruticulosus L.* Engl. Bot. 27, 1934.  
 — *helveticus Jacq.* Jacq. Vind. 3, 9.  
 — *himalayensis Camb.* Jacquemont Ind. 13.  
 — *incanus L.* Engl. Bot. 27, 1935.  
 — *juncus W. et K.* W. et Kit. 234.

- Cheiranthus leptophyllus* *M. v. B.* Delessert Ic. 2, 13.  
 — *longifolius* *Vent.* Vent. Malm. 83.  
 — *longipetalus* *Vent.* Vent. Cels. 93.  
 — *maritimus* *L.* Bot. Mag. 5, 166.  
 — *mutabilis* *Ait.* Bot. Mag. 6, 195.  
 — — — *Comm.* Gott. 12, 4.  
 — — — *Bot. Reg.* 17, 1431.  
 — *ochroleucus* *Hall. fil.* Kn. et Westc. 120.  
 — *odoratissimus* *Pall.* Jacq. Schoenbr. 4, 479.  
 — *quadrangulus* *L'her.* L'her. Stirp. 44.  
 — *scapigerus* *Willd.* Willd. Fl. berol. 5.  
 — *scoparius* *Willd.* Bot. Reg. 3, 219.  
 — — — *Webb* Canar. 6.  
 — *sinuatus* *L.* Engl. Bot. 7, 462.  
 — — — *Roemer* Fl. eur. 10, 7.  
 — *tricuspidatus* *L.* Schk. Handb. 184.  
 † — — — *Gaertn.* Carp. 143.  
 † *tristis* *L.* Bot. Mag. 19, 729.  
 — — — *Sturm* Flora 6, 22.  
 † *turritoides* *Lam.* Lam. Encycl. 564.  
*Cheirinia cheiranthoides* *Lk.* Dietr. Fl. bor. 6, 426.  
 — *crepidifolia* *Lk.* Dietr. Fl. bor. 7, 446.  
 — *hieracifolia* *Lk.* Dietr. Fl. bor. 6, 427.  
*Cheirostemon platanoides* *H. B.* Humb. Pl. acq. 24.  
 — — — *Lam. Encycl.* 976.  
 — — — *Dict. sc. nat.* 139.  
 — — — *Petersb.* 5, 9.  
 — — — *Fl. d. serres* 7, 649.  
*Chelostylis flabellata* *Wight.* Wight Ic. pl. Ind. or. 5,  
 1727.  
 † — *montana* *Bl.* Blume Orchid. 16.  
 † *Chelidonium corniculatum* *L.* Schk. Handb. 140.  
 † — *Glaucium* *L.* Schk. Handb. 140.  
 — — — *Fl. dan.* 4, 585.  
 — — — *Sv. Bot.* 171.  
 — *laciniatum* *Mill.* Rehb. Fl. germ. 3, 10.  
 — — — *Fl. dan.* 12, 2054.  
 † — *majus* *L.* Gaertn. Carp. 115.  
 † — — — *Lam. Encycl.* 450.  
 — — — *Schk. Handb.* 140.  
 — — — *Fl. dan.* 4, 542, 676.  
 — — — *Engl. Bot.* 22, 1581.  
 — — — *Sv. Bot.* 67.  
 — — — *Dreves* 1, 18.  
 — — — *Hayne* 4, 6.  
 — — — *Guimp. et Schl.* 92.  
 — — — *Nees Düsseld.* 406.  
 — — — *Woodv. Med.* 2, 140.  
 — — — *Schrank* Fl. monac. 2, 120.  
 — — — *Dietr. Fl. bor.* 3, 184.  
 — — — *Rehb. Fl. germ.* 3, 10.  
 — — — *Baxter* Brit. Bot. 1, 51.  
 † — — — *Mem. Genev.* 1, 2.  
 † — — — *Ann. sc. nat.* 2, 13.  
 † — — — *Plée* Types 11.  
 † — — — *Nees* Gen. X, x.  
 † *Chelonanthera longifolia* *Bl.* Blume Tabellen 51.  
 † — *speciosa* *Bl.* Blume Tabellen 51.  
 † — *ventricosa* *Bl.* Blume Tabellen 51.  
*Chelone angustifolia* *H. B. K.* H. B. K. Nov. Gen. 2, 173.  
 — *atropurpurea* *Sweet.* Sweet Fl. G. 235.  
 — *barbata* *Cav.* Cav. Ic. 242.  
 — — — *Bot. Reg.* 2, 116.  
 — — — *Kern. Hort.* 39.  
 — *campanulata* *Cav.* Cav. Ic. 29.  
 — — — *Herb. amat.* 5, 338.  
 — *campanuloides* *Andr.* Andr. Rep. 1, 40.  
 — *centranthifolia* *Benth.* Bot. Reg. 20, 1737.  
 — — — *Paxt. Mag.* 2, 50.  
 — *cheilanthisfolia* *Paxt.* Paxt. Mag. 2, 50.  
 — *Digitalis* *Nutt.* Sweet Fl. G. 120.  
 — *gentianoides* *H. B. K.* H. B. K. Nov. Gen. 2, 172.  
 † *Chelone glabra* *L.* Gaertn. Carp. 54.  
 — — — *Barton* Fl. 3, 76.  
 — *Lyoni* *Pursh.* Sweet Fl. G. 293.  
 — — — *Paxt. Mag.* 7, 269.  
 — *major* *Sims.* Bot. Mag. 44, 1864.  
 — *memorosa* *Dougl.* Bot. Reg. 14, 1211.  
 — *obliqua* *L.* Schk. Handb. 172.  
 — — — *Bot. Reg.* 2, 175.  
 — — — *Lodd. Cab.* 813.  
 — — — *Paxt. Mag.* 7, 149.  
 † — *Pentstemon* *L.* Lam. Encycl. 528.  
 — *rosea* *Cerv.* Sweet Fl. G. 230.  
 — *ruellioides* *Andr.* Andr. Rep. 1, 34.  
*Chenoclea canariensis* *Moquin.* Webb Canar. 200.  
 — *incana* *Jacq.* Jacq. Fragm. 120.  
*Chenopodia indica* *Wight.* Wight Ic. pl. Ind. or. 5, 1793.  
 † *Chenopodeae* *Vent.* Schnizl. Ic. 2, 101.  
*Chenopodium acuminatum* *Willd.* N. Schr. nat. Fr. 2, 5.  
 — — — *Ledeb.* Ic. 168.  
 — *acutifolium* *Kit.* Sturm Flora 17, 75.  
 — — — *Engl. Bot.* 21, 1481.  
 — *album* *L.* Curt. Lond. 2, 93.  
 — — — *Engl. Bot.* 24, 1723.  
 — — — *β. viride*, *Sv. Bot.* 411.  
 — — — *Sturm* Flora 17, 75.  
 — — — *Dietr. Fl. bor.* 5, 297.  
 † — — — *Nees* Gen. 4, 56.  
 † — — — *Schnizl.* Ic. 2, 101.  
 — *altissimum* *Schrad.* Comm. Gott. rec. 1, 1.  
 — *ambrosioides* *L.* Desc. Ant. 1, 58.  
 — — — *Sturm* Flora 17, 75.  
 — — — *Hayne* 13, 15.  
 — — — *Nees Düsseld.* 122.  
 — — — *Wagner* 130.  
 — — — *Guimp. et Schl.* 269.  
 — — — *Wight* Ic. pl. Ind. or. 5, 1786.  
 — *anthelminticum* *L.* Barton Med. 44.  
 — — — *Rafin. Med.* 21.  
 — — — *Desc. Ant.* 1, 57.  
 — *augustanum* *All.* All. Fl. ped. 3, 38.  
 — *baccatum* *Lab.* Bill. Nov. Holl. 96.  
 — *Bonus Henricus* *L.* Schk. Handb. 56.  
 — — — *Curt. Lond.* 2, 94.  
 — — — *Fl. dan.* 4, 579.  
 † — — — *Lam. Encycl.* 181.  
 — — — *Engl. Bot.* 15, 1033.  
 — — — *Schrank* Fl. monac. 4, 382.  
 — *botryoides* *L.* Engl. Bot. 32, 2247.  
 — *Botrys* *L.* Sibth. Fl. gr. 253.  
 — — — *Hayne* 13, 14.  
 — — — *Guimp. et Schl.* 270.  
 — — — *var.* *Sturm* Flora 17, 75.  
 † — — — *Nees* Gen. 4, 56.  
 — *caudatum* *Jacq.* Jacq. Ic. 344.  
 — *concatenatum* *Thuill.* Sturm Flora 17, 75.  
 — *crassifolium* *Hort. par.* Dietr. Fl. bor. 5, 300.  
 — *ficifolium* *Sm.* Curt. Lond. 3, 78.  
 — — — *Engl. Bot.* 24, 1724.  
 — — — *Sturm* Flora 17, 75.  
 — — — *Dietr. Fl. bor.* 5, 298.  
 — *frutescens* *Led.* Ledeb. Ic. 10.  
 — *fruticosus* *Schrad.* Comm. Gott. rec. 1, 1.  
 — *glaucum* *L.* Fl. dan. 7, 1151.  
 — — — *Engl. Bot.* 21, 1454.  
 — *graveolens* *Lag.* Jacq. Eel. pl. 67.  
 — *guineense* *Jacq.* Jacq. Ic. 345.  
 — *hybridum* *L.* Curt. Lond. 2, 102.  
 — — — *Engl. Bot.* 27, 1919.  
 — — — *Baxter* Brit. Bot. 5, 352.  
 — — — *Fl. dan.* 12, 2049.  
 — — — *Sturm* Flora 17, 75.  
 — *intermedium* *M. et K.* Sturm Flora 17, 75.



- Chenopodium lanceolatum* *Merat.* Sturm Flora 17, 75.  
 — *maritimum* *L.* Fl. dan. 3, 489.  
 — — — Engl. Bot. 9, 633.  
 — *multifidum* *L.* Gil et Xuares 24.  
 — *murale* *L.* Curt. Lond. 3, 117.  
 — — — Engl. Bot. 24, 1722.  
 — — — Fl. dan. 12, 2038.  
 — — — Sturm Flora 17, 75.  
 — — — Dietr. Fl. bor. 12, 848.  
 — *olidum* *Curt.* Curt. Lond. 2, 96.  
 — — — Engl. Bot. 15, 1034.  
 — *opulifolium* *Schrad.* Sturm Flora 17, 75.  
 — — — Dietr. Fl. bor. 5, 296.  
 — *polyspermum* *L.* Fl. dan. 7, 1153.  
 — — — Curt. Lond. 2, 112.  
 — — — Engl. Bot. 21, 1480.  
 — — — Dietr. Fl. bor. 11, 780.  
 — — — Sturm Flora 17, 75.  
 — *purpurascens* *Juss.* Jacq. Vind. 3, 80.  
 — *Quinoa* *Willd.* Bot. Mag. 65, 3641.  
 — *radiatum* *Schrad.* Comm. Gott. rec. 1, 1.  
 † — *rubrum* *L.* Gaertn. Carp. 75.  
 † — — — Lam. Encycl. 181.  
 — — — Fl. dan. 7, 1149.  
 — — — Curt. Lond. 3, 29.  
 — — — Engl. Bot. 24, 1721.  
 — — — Dietr. Fl. bor. 5, 299.  
 — *tenue* *Colla.* Mem. Tur. 39, 50.  
 — *urbicum* *L.* Fl. dan. 7, 1148.  
 — — — Sv. Bot. 459.  
 — — — Engl. Bot. 10, 717.  
 — — — Sturm Flora 17, 75.  
 — — — Dietr. Fl. bor. 12, 849.  
 — *viride* *L.* Fl. dan. 7, 1150.  
 — — — Sturm Flora 17, 75.  
 — *Vulvaria* *L.* Fl. dan. 7, 1152.  
 — — — Nees Düsseld. 124.  
 — — — Woodv. Med. 4, 228.  
 — — — Sturm Flora 17, 75.  
 — — — Dietr. Fl. bor. 12, 847.  
*Cherleria sedoides* *L.* Jacq. Fl. austr. 3, 284.  
 — — — Schk. Handb. 123.  
 — — — Lam. Encycl. 379.  
 — — — Engl. Bot. 17, 1212.  
 — — — Rchb. Fl. germ. 5, 204.  
 — — — Baxter Brit. Bot. 4, 316.  
*Chesneya daucoides* *Bert.* Novi Comm. Bon. 5, 41.  
 — *rytidosperra* *Jaub.* Jaubert Illustr. 47.  
 — *vaginalis* *Jaub.* Jaubert Illustr. 48.  
*Chevalieria ornata* *Gaudich.* Gaudichaud Bonite 62.  
 — *sphaerocephala* *Gaudich.* Gaudichaud Bonite 61.  
*Chevreulia Thouarsii* *Remy.* Gay Chile 37.  
*Chickrassia* = *Chukrasia* *Juss.*  
*Chiliocalyx tenuifolius* *Klotzsch.* Peters Mossamb. 28.  
*Chiliotrichum amelloides* *Cass.* Hook. Ic. pl. 5, 485.  
 — *Feliciae* *Hombr.* Richard Astrolabe 28.  
 — *ovatifolium* *Hombr.* Richard Astrolabe 25.  
 † *Chilocarpus suaveolens* *Bl.* Blume Mus. 1, 53.  
 — *zeylanicus* *Wight.* Wight Ic. pl. Ind. or. 4, 1288.  
 † — — — Wight Illustr. 154<sup>b</sup>.  
 † *Chilochloa* *Pal. Beauv.* Nees Gen. 1, 9.  
 — *aspera* *Pal. Beauv.* Rchb. Fl. germ. 1, 51.  
 — *Boehmeri* *Pal. Beauv.* Rchb. Fl. germ. 1, 51.  
 — *cuspidata* *Pal. Beauv.* Rchb. Fl. germ. 1, 51.  
 — *dentata* *Tr.* Trin. Sp. Gr. 1, 73.  
 — *Michelii* *Rchb.* Rchb. Fl. germ. 1, 51.  
*Chilodia scutellarioides* *R. Br.* Bot. Mag. 62, 3405.  
 — — — Paxt. Mag. 5, 195.  
*Chiloglottis diphylla* *R. Br.* Bauer Illustr. 8.  
 † *Chiloporus andinus* *Naud.* Ann. sc. nat. III. 4, 3.  
*Chioschista usneoides* *Ldl.* Lindley Serum Frontispice.  
 — — — Wight Ic. pl. Ind. or. 5, 1741.

- Chimonanthus fragrans* *Ldl.* *β. grandiflorus*, Bot. Reg. 6, 451.  
 — — — Dict. sc. nat. 235.  
*Chimophila maculata* *Pursh.* Barton Fl. 1, 11.  
 — — — Torr. New York 70.  
 — *Menziesii* *R. Br.* Hook. Bor. Am. 138.  
 — *umbellata* *Nutt.* Barton Med. 1.  
 — — — Radius Pyrola 5.  
 — — — Dietr. Fl. bor. 4, 237.  
*Chiococca anguifuga* *Mart.* Münchn. Denkschr. 9, 5, 9.  
 — — — Guimp. et Kl. 5.  
 — — — Nees Düss. Suppl. 21.  
 — *barbata* *Forst.* Hook. Beechey 14.  
 — *brachiata* *Rz et P.* Ruiz et Pav. Fl. 219.  
 — *densifolia* *Mart.* Münchn. Denkschr. 9, 6.  
 — — — Guimp. et Kl. 4.  
 — *malabarica* *Demst.* Rheede Hort. mal. 10, 57.  
 — *racemosa* *L.* Jacq. Hist. stirp. am. 69.  
 † — — — Gaertn. Carp. 26.  
 — — — Lam. Encycl. 160.  
 — — — Andr. Rep. 4, 284.  
 — — — Hook. Exot. Fl. 93.  
 — — — Hayne 14, 7.  
 — — — Guimp. et Kl. 3.  
 — — — Nees Düss. Suppl. 20.  
 — — — Desc. Ant. 4, 292.  
 — *tenuifolia* *Bab.* Linn. Transact. 19, 3.  
*Chiogenes hispidula* *T. et Gr.* Torr. New York 68.  
*Chionanthus caribaea* *Jacq.* Jacq. Collect. 2, 6.  
 — *Ghaeri* *Gaertn.* Rheede Hort. mal. 5, 55.  
 † — — — Gaertn. Carp. 39.  
 † — — — Lam. Encycl. 9.  
 — *ramiflora* *Roxb.* Wight Ic. pl. Ind. or. 2, 734.  
 — *virginica* *L.* Lam. Encycl. 9.  
 — — — Guimp. Fr. Holzgew. 73.  
 — — — Lodd. Cab. 1264.  
 — — — Watson Dendr. 1, 1.  
 † — *zeylanica* *Lam.* Gaertn. Carp. 39.  
 — — — Lam. Encycl. 9.  
*Chionopectera Gayophyta* *DC.* Delessert Ic. 4, 75.  
*Chirantodendron* *Larr.* Larrategui Chirant. 1. 2.  
*Chirita bifolia* *Royle.* Royle Illustr. 70.  
 — *grandiflora* *Wall.* Wall. Pl. asiat. 50.  
 — *macrophylla* *Wall.* Wall. Pl. asiat. 72.  
 — *Moonii* *Gardn.* Bot. Mag. 74, 4405.  
 — — — Paxt. Mag. 16, 33.  
 — — — Fl. d. serres 4, 407, 408.  
 — *sinensis* *Ldl.* Bot. Reg. 30, 59.  
 — — — Bot. Mag. 73, 4284.  
 — — — Paxt. Mag. 14, 243.  
 — — — Fl. d. serres 1, 23.  
 † — — — (Folium prolif.) Hook. Journ. 1849, 5.  
 — *vulgaris* *Hort.* Belgique hortic. 3, 36.  
 — *Walkeriae* *Gardn.* Bot. Mag. 73, 4327.  
 — — — Fl. d. serres 3, 285.  
 — *zeylanica* *Hook.* Bot. Mag. 71, 4182.  
 — — — Paxt. Mag. 13, 265.  
 — — — Fl. d. serres 2, 32.  
*Chironia angustifolia* *Sims.* Bot. Mag. 21, 818.  
 † — *baccifera* *L.* Gaertn. Carp. 114.  
 — — — Bot. Mag. 7, 233.  
 — *Centaurium* *Schm.* Curt. Lond. 1, 22.  
 — — — Engl. Bot. 6, 417.  
 — — — Woodv. Med. 2, 96.  
 — — — Hayne 1, 29.  
 — *decussata* *Vent.* Vent. Cels 31.  
 — — — Bot. Mag. 19, 707.  
 — — — Savi Fl. ital. 1, 22.  
 — — — Kerner Hort. 173.  
 — — — Rchb. Hort. 244.  
 — *floribunda* *Paxt.* Paxt. Mag. 12, 123.  
 — *frutescens* *L.* Bot. Mag. 2, 37.

- Chironia frutescens* L. Wendl. Coll. 4.  
 — — — Kerner Hort. 122.  
 † — — — Lam. Encycl. 108.  
 — glutinosa Paxt. Paxt. Mag. 15, 245.  
 — jasminoides Lam. Lam. Encycl. 108.  
 — — L. Bot. Reg. 3, 197.  
 — — Lodd. Cab. 27.  
 — inaperta Willd. Hayne 1, 30.  
 — linoides L. Bot. Mag. 15, 511.  
 — — — Herb. amat. 4, 269.  
 — litoralis Sm. Engl. Bot. 33, 2305.  
 — maritima Willd. Sibth. Fl. gr. 237.  
 — nudicaulis Thunbg. Linn. Transact. 7, 12.  
 — orthostylis Rehb. Rehb. Hort. 245.  
 — peduncularis Ldl. Bot. Reg. 21, 1803.  
 — pulchella L. Engl. Bot. 7, 458.  
 — spicata Willd. Sibth. Fl. gr. 238.  
 — tetragona Thunbg. Linn. Transact. 7, 12.  
 — trinervis Hort. Paxt. Mag. 3, 149.  
 — uliginosa Lap. W. et Kit. 259.  
 — uniflora Lam. Lam. Encycl. 108.  
 † *Chitonina albicans* Don. Ann. sc. nat. III. 16, 25.  
 — mexicana DC. Münchn. Abh. 1, 17.  
 † *Chlaenaceae-Thouars*. Schnizl. Ic. 214.  
 † *Chlamydia tenacissima* Gaertn. Gaertn. Carp. 18.  
*Chlamysperma arenarioides* Hook. Hook. Beechey 64.  
*Chlamysporum juncifolium* Salisb. Salisb. Parad. 103.  
 † *Chlidanthus fragrans* Herb. Herbert Amar. 27.  
 — — — Lindley Coll. 34.  
 — — — Bot. Reg. 8, 640.  
 — — — Rehb. Exot. 45.  
 — — — Fl. d. serres 4, 326.  
*Chloanthes Stoechadis* R. Br. Bauer Illustr. 4.  
 † *Chlora* L. Mutel Fl. fr. 36.  
 — acuminata Koch et Ziz. Rehb. Ic. crit. 3, 207.  
 — dubia Lam. Lam. Encycl. 296.  
 — hybrida Tratt. Tratt. Archiv 229.  
 — imperfoliata L. fil. Rehb. Ic. crit. 5, 412.  
 — lanceolata Koch et Ziz. Rehb. Ic. crit. 3, 209.  
 — longifolia Lam. Lam. Encycl. 296.  
 — perfoliata L. Curt. Lond. 4, 2.  
 — — — Engl. Bot. 1, 60.  
 † — — — Lam. Encycl. 296.  
 — — — Schk. Handb. 106.  
 — — — Roemer Fl. eur. 4, 3.  
 — — — Tratt. Archiv 228.  
 — — — Soc. des amat. 1, 3.  
 — — — Rehb. Ic. crit. 3, 206.  
 — — — Baxter Brit. Bot. 1, 69.  
 † — — — Nees Gen. X, x.  
 — serotina Koch. Rehb. Ic. crit. 3, 208.  
 † — sessilifolia Gaertn. Gaertn. Carp. 198.  
 — — — Desv. Soc. des amat. 1, 3.  
 † *Chloraea Lindl.* Linn. Transact. 18, 38.  
 — alpina P. et E. Poepp. et Endl. 53.  
 — campestris P. et E. Poepp. et Endl. 49.  
 — Commersonii Brongn. Brongniart Coquille 44.  
 — cylindrostachya P. et E. Poepp. et Endl. 50.  
 — decipiens P. et E. Poepp. et Endl. 55.  
 — fimbriata P. et E. Poepp. et Endl. 51.  
 — Gaudichaudii Brongn. Brongniart Coquille 44.  
 — grandiflora P. et E. Poepp. et Endl. 48.  
 — incisa P. et E. Poepp. et Endl. 54.  
 — longibracteata Ldl. Maund Bot. 2, 94.  
 — nudilabia P. et E. Poepp. et Endl. 52.  
 — speciosa P. et E. Poepp. et Endl. 46.  
 — virescens Ldl. Bot. Reg. 31, 49.  
 — viridiflora P. et E. Poepp. et Endl. 47.  
 † *Chloranthaceae* R. Br. Schnizl. Ic. 2, 30.  
 † *Chloranthus* Sw. Kerner Genera 136.  
 — brachystachys Bl. Blume Java 3, 2.  
 — inconspicuus Sw. L'her. Sertum 2.

- † *Chloranthus inconspicuus* Sw. Schnizl. Ic. 2, 80.  
 — indicus Wight. Wight Ic. pl. Ind. or. 6, 1945.  
 — monostachys R. Br. Lindley Coll. 17.  
 — — — Bot. Mag. 48, 2190.  
 — officinalis Bl. Blume Java 3, 1.  
 † *Chloris* Sw. Swartz Flora Ind. occ. 3.  
 — acuminata Tr. Trin. Sp. Gr. 3, 305.  
 — barbata Roxb. Rheede Hort. mal. 12, 51.  
 — — — Sw. Schk. Handb. 343.  
 — — — Jacq. Ecl. gram. 8.  
 — — — Trin. Sp. Gr. 3, 306.  
 † — — — Panz. Münchn. Denkschr. 4, 10.  
 — Beyrichiana Kth. Humb. Gram. 56.  
 — ciliata Sw. Jacq. Fragn. 121.  
 — — — Trin. Sp. Gr. 3, 307.  
 — distachya Kth. Humb. Gram. 57.  
 — distichophylla Lag. Trin. Sp. Gr. 3, 308.  
 — dubia H. B. K. H. B. K. Nov. Gen. 7, 694.  
 — elegans H. B. K. H. B. K. Nov. Gen. 1, 49.  
 — equitans Tr. Trin. Sp. Gr. 3, 309.  
 — falcata Sw. Neue Schr. nat. Fr. 3, 1.  
 — — — Trin. Sp. Gr. 3, 310.  
 — foliosa Willd. Humb. Gram. 55.  
 — — — Trin. Sp. Gr. 3, 311.  
 — Gayana Kth. var. Humb. Gram. 58.  
 — gracilis H. B. K. Jacq. Ecl. gram. 10.  
 — humilis Kth. Humb. Gram. 180.  
 — macrantha Jaub. Jaubert Illustr. 328.  
 — petraea Sw. Schk. Handb. 343.  
 — — — Elliott Carol. 11.  
 — — — Jacq. Ecl. gram. 11.  
 — polydaetyla Jacq. Jacq. Ecl. gram. 9.  
 — Prieurii Kth. Humb. Gram. 134.  
 — pycnothrix Tr. Trin. Sp. Gr. 3, 312.  
 — radiata Sw. Humb. Gram. 179.  
 — — — Schk. Handb. 343.  
 † — — — Panz. Münchn. Denkschr. 4, 10.  
 — submutica H. B. K. H. B. K. Nov. Gen. 1, 50.  
 — truncata R. Br. Humb. Gram. 178.  
 — villosa Pers. Jaubert Illustr. 327.  
*Chlorophytum inornatum* Gawl. Bot. Mag. 27, 1071.  
 — Orchidastrum Ldl. Bot. Reg. 10, 813.  
 † *Chlorosa latifolia* Bl. Blume Tabellen 31.  
 † *Chloroxylon Swietenia* DC. Mem. Mus. 19, 23.  
 — — — Wight Illustr. 56<sup>b</sup>.  
*Chnoophora excelsa* Mart. Mart. Crypt. bras. 27, 37.  
*Choeradoplectron Spiranthus* Schauer. Acta Leop. 19.  
 — — — Suppl. 13.  
*Choisya ternata* H. B. K. H. B. K. Nov. Gen. 6, 513.  
*Chomelia spinosa* Jacq. Jacq. Hist. stirp. am. 17.  
 — tenuiflora Benth. Miquel Surin. 50.  
*Chondodendron convolvulaceum* P. et E. Poepp. et  
 — — — Endl. 190.  
*Chondrilla graminea* M. v. B. Ledeb. Ic. 177.  
 † — juncea L. Gaertn. Carp. 158.  
 † — — — Lam. Encycl. 650.  
 — — — Schk. Handb. 218.  
 — — — Jacq. Fl. austr. 5, 427.  
 — — — Fl. dan. 10, 1652.  
 — — — Dietr. Fl. bor. 9, 619.  
 — nudicaulis L. Novi Comm. Gott. 3, 4.  
 — pauciflora Led. Ledeb. Ic. 198.  
 — prenanthoides Vill. Villars Précis 1.  
 † — purpurea Lam. Lam. Encycl. 650.  
 — ramosissima Sibth. Sibth. Fl. gr. 795.  
 — stricta Led. Ledeb. Ic. 37.  
 — viminea Lam. Lam. Encycl. 650.  
*Chondropetalum deustum* Rottb. Rottb. Descr. 3.  
 — nudum Rottb. Rottb. Descr. 3.  
*Chondrosium gracile* H. B. K. H. B. K. Nov. Gen. 1, 58.  
 — hirtum H. B. K. H. B. K. Nov. Gen. 1, 59.  
 — humile Pal. B. H. B. K. Nov. Gen. 1, 56.

- Chondrosium tenue* *Pal. B.* H. B. K. Nov. Gen. 1, 57.  
*Chondrospermum smilacifolium* *Wall.* Wight Ill. 151<sup>b</sup>.  
*Chonemorpha antidysenterica* *G. Don.* Wight Ic. pl. Ind. or. 2, 439.  
 — *macrophylla* *G. Don.* Wight Ic. pl. Ind. or. 2, 432.  
 † *Choretis galvestonensis* *Herb.* Herb. Amar. 41.  
 † — *glauca* *Herb.* Herb. Amar. 35. 41.  
 — — — Kn. et Westc. 71.  
*Choretrum glomeratum* *R. Br.* Endl. Iconogr. 45.  
*Choripetalum aurantiacum* *DC.* Wight Spicil. 136.  
 — — — Wight Ic. pl. Ind. or. 4, 1210.  
 † *Chorisia crispiflora* *H. B. K.* H. B. K. Nov. Gen. 5, 485.  
 † — *insignis* *H. B. K.* H. B. K. Nov. Gen. 5, 485.  
 — *speciosa* *St. Hil.* St. Hil. Pl. us. 63.  
 — *ventricosa* *N. v. E.* Acta Leop. 11, 1, 9.  
*Chorispora elegans* *Camb.* Jacquemont Ind. 14.  
 — *iberica* *DC.* Delessert Ic. 2, 58.  
 — *sabulosa* *Camb.* Jacquemont Ind. 15.  
 — — — Hook. Journ. 1852, 11.  
*Chorizandra pinnata* *Wight.* Wight Ic. pl. Ind. or. 6, 1994.  
*Chorizanthe pungens* *Benth.* Linn. Transact. 17, 19.  
 — *virgata* *Benth.* Linn. Transact. 17, 19.  
 † *Chorozema* *Lab. Sm.* Kerner Genera 128.  
 — *cordatum* *Ldl.* Kn. et Westc. 50.  
 — — — Paxt. Mag. 5, 97.  
 — — — Bot. Reg. 24, 10.  
 — — — Maund Bot. 2, 89.  
 — *Dicksonii* *Benth.* Maund Bot. 3, 106.  
 — — — Paxt. Mag. 8, 173.  
 — *diversifolium* *DC.* Mem. Genev. 7, 8.  
 — *flavum* *Henfr.* Lem. Jard. fl. 13.  
 — *Henchmanni* *R. Br.* Bot. Reg. 12, 986.  
 — — — Bot. Mag. 64, 3607.  
 — — — Lodd. Cab. 1233.  
 — — — Paxt. Mag. 2, 171.  
 — *ilicifolium* *Lab.* Bonpl. Malm. 35.  
 — — — Herb. amat. 2, 87.  
 — — — Rehb. Exot. 316.  
 — *nanum* *Sims.* Bot. Mag. 26, 1032.  
 — — — Lam. Encycl. 948.  
 — — — Lodd. Cab. 1002.  
 — — — Rehb. Mag. 11.  
 — *ovatum* *Ldl.* Bot. Reg. 18, 1528.  
 — — — Paxt. Mag. 4, 153.  
 — *rhombeum* *R. Br.* Sweet Austr. 40.  
 — — — Lodd. Cab. 1619.  
 — — — Rehb. Hort. 219.  
 — *spartioides* *Lodd.* Lodd. Cab. 1953.  
 — — — Paxt. Mag. 10, 127.  
 — *spectabile* *Ldl.* Bot. Reg. 27, 45.  
 — — — Bot. Mag. 68, 3907.  
 — *triangulare* *Ldl.* Bot. Reg. 18, 1513.  
 — — — Paxt. Mag. 13, 73.  
 — — — Lem. Jard. fl. 27.  
 — *varium* *Benth.* Bot. Reg. 25, 49.  
 — — — Kn. et Westc. 132.  
 — — — Hort. Transact. 9, 12.  
 — — — Paxt. Mag. 6, 175.  
*Chresta angustifolia* *Gardn.* Hook. Lond. J. 1842, 8.  
 — *speciosa* *Gardn.* Hook. Lond. J. 1842, 9.  
 — *sphaerocephala* *DC.* Delessert Ic. 4, 6.  
*Christannia salicifolia* *Presl.* Presl Reliq. 67.  
 † *Christatella* *Gray.* Gray Genera 77.  
 — *Jamesii* *Torr. et Gr.* Gray Genera 77.  
*Christisonia aurantiaca* *Wight.* Wight Ic. pl. Ind. or. 4, 1486.  
 — *calcarata* *Wight.* Wight Ic. pl. Ind. or. 4, 1426.  
 † — — — Wight Illustr. 158<sup>b</sup>.  
 — *Lawii* *Wight.* Wight Ic. pl. Ind. or. 4, 1427.  
 — *Stocksii* *Hook.* Hook. Ic. pl. 9, 836.

- Christisonia subacaulis?* *Benth.* Wight Ic. pl. Ind. or. 4, 1423.  
*Christmannia Courondi* *Dennst.* Rheede Hort. mal. 4, 50.  
*Christolea crassifolia* *Camb.* Jacquemont Ind. 17.  
*Christya speciosa* *Ward et Harv.* Hook. Journ. 1842, 21.  
*Chrysanthellum procumbens* *Rich.* Rehb. Hort. 66.  
 — *indicum* *DC.* Delessert Ic. 4, 39.  
*Chrysanthemum alpinum* *L.* Sturm Flora 5, 19.  
 — *aragonense* *Asso.* Asso Arag. 9.  
 — *arcticum* *L.* Willd. Hort. 33.  
 — — — Lodd. Cab. 785.  
 — *atratum* *L.* Jacq. Fragm. 44.  
 — — — *Hoppe.* Sturm Flora 5, 19.  
 — *Balsamita* *L.* Jacq. Obs. 89.  
 — *carinatum* *Schousb.* Schousb. Marocco 6.  
 — — — Kerner Hort. 48.  
 — *ceratophylloides* *All.* All. Fl. ped. 3, 37.  
 — *coccineum* *Sims.* Bot. Mag. 27, 1080.  
 — *coronarium* *L.* Sibth. Fl. gr. 877.  
 † — — — Gaertn. Carp. 168.  
 † — — — Schk. Handb. 233.  
 † — *corymbiferum* *L.* Schk. Handb. 253.  
 — *corymbosum* *L.* Jacq. Fl. austr. 4, 379.  
 — — — var. *Tratt.* Archiv 5.  
 — *discoideum* *All.* All. Fl. ped. 3, 11.  
 — *elegans* *Steud.* Poll. Fl. ver. 2, 6.  
 — *frutescens* *L.* Herb. amat. 3, 167.  
 — *fruticulosum* *Led.* Ledeb. Ic. 495.  
 — *fuscatum* *Desf.* Desf. Fl. atl. 237.  
 — *graminifolium* *L.* Jacq. Obs. 92.  
 — *Herminii* *Lk.* Hoffm. Lk. Fl. port. 102.  
 — *indicum* *L.* Rheede Hort. mal. 10, 44.  
 — — — Rumpf Amb. 5, 91. fig. 1.  
 — — — Bot. Mag. 10, 327. 46, 2042.  
 — — — Bot. Reg. 1, 4. 15, 1287.  
 — — — Hort. Transact. 4, 12—14. 5, 3. 17. 6, 3. 4.  
 — — — Savi Fl. ital. 1, 11. 2, 53. 54.  
 — — — Dict. sc. nat. 88.  
 — — — Kerner Hort. 66.  
 — *inodorum* *L.* Fl. dan. 4, 696.  
 — — — Schk. Handb. 233.  
 — — — Dreves 4, 125.  
 — — — Nees Düsseld. 241.  
 — *integrifolium* *Rich.* Hook. Bor. Am. 109.  
 — *Leucanthemum* *L.* Fl. dan. 6, 994.  
 — — — *Curt.* Lond. 1, 40.  
 — — — *Engl.* Bot. 9, 601.  
 — — — *Sv.* Bot. 346.  
 — — — *Liboschitz* Petersb. 11.  
 † — — — *Schk.* Handb. 233.  
 — — — *Schrank* Fl. monac. 2, 194.  
 — — — *Sturm* Flora 1, 2.  
 — *macrocephalum* *Viv.* Viv. Lib. 10.  
 — *macrophyllum* *W. et K.* W. et Kit. 94.  
 — *maximum* *Ram.* Bull. philom. 1800. no. 42.  
 — — — *Tratt.* Archiv 143. 143<sup>a</sup>.  
 — *monsperiense* *L.* Jacq. Obs. 93.  
 — — — *Schk.* Handb. 233.  
 — *montanum* *L.* All. Fl. ped. 3, 37.  
 — — — *Jacq.* Obs. 91.  
 — *multicaule* *Desf.* Desf. Fl. atl. 236.  
 — *Myconis* *L.* Jacq. Obs. 94.  
 — — — *Jacq.* Ecl. pl. 147.  
 — *paludosum* *Desf.* Desf. Fl. atl. 238.  
 — *perpusillum* *Lois.* Loiseleur Notice 6.  
 — — — *Desv.* Journ. 2, 13.  
 — *praecaltum* *Vent.* Vent. Cels 43.  
 — *pusillum* *Viv.* Viv. Lib. 13.  
 — *rotundifolium* *W. et K.* W. et Kit. 236.  
 — *segetum* *L.* Fl. dan. 6, 995.  
 — — — *Curt.* Lond. 2, 6.

- Chrysanthemum segetum *L.* Engl. Bot. 8, 540.  
 — — — Sv. Bot. 496.  
 — — — Baxter Brit. Bot. 4, 306.  
 † — — — Schk. Handb. 253.  
 — — — Dreves 3, 102.  
 — — — Diétr. Fl. bor. 9, 632.  
 — sericeum *Lk.* Hoffm. Lk. Fl. port. 101.  
 — serotinum *L.* Jacq. Obs. 90.  
 — sinense *Sab.* Bot. Mag. 52, 2556.  
 — — — var. Sweet Fl. G. 7. 14.  
 — — — Kerner Hort. 693. 694.  
 — sinuatum *Led.* Ledeb. Ic. 494.  
 — tomentosum *Lois.* Loiseleur Fl. gall. 18.  
 — tricolor *Andr.* Andr. Rep. 2, 109.  
 — — — Bot. Mag. 15, 308.  
 — trifurcatum *Desf.* Desf. Fl. atl. 235.  
 — tripartitum *Sweet.* Sweet Fl. G. 193.  
 — Turreanum *Vis.* Visiani Stirp. dalm. 8.  
 — viscosum *Desf.* Jacq. Ecl. pl. 146.  
 Chryseis californica *Ldl.* Bot. Reg. 14, 1168.  
 — compacta *Ldl.* Bot. Reg. 23, 1948.  
 — crocea *Ldl.* Bot. Reg. 20, 1677.  
 Chrysiphiala flava *Ker.* Bot. Reg. 10, 778.  
 — pauciflora *Hook.* Hook. Exot. Fl. 132.  
 † Chrysithrix *L. fil.* Linné Gram. 0.  
 † — capensis *L. fil.* Lam. Encycl. 842.  
 Chrysobactron *Hookeri Colenso.* Bot. Mag. 77, 4602.  
 — — — Hook. Ic. pl. 9, 817.  
 — — — Lem. Jard. fl. 185.  
 — Rossii *Hook.* Hook. Fl. ant. 44. 45.  
 † Chrysobalanca *R. Br.* Schnizl. Ic. 274.  
 Chrysobalanus. *Isaco L.* Jacq. Hist. stirp. am. (141; 142).  
 † — — — Lam. Encycl. 428.  
 — — — Tuss. Ant. 4, 31.  
 — — — Desc. Ant. 2, 84.  
 — — — Dict. sc. nat. 236.  
 — — — Schnizl. Ic. 274.  
 Chrysobaphus *Roxburghii Wall.* Wall. Tentamen 27.  
 † Chrysobotrya *intermedia Spach.* Ann. sc. nat. II. 4, 1.  
 † — *Lindleyana Spach.* Ann. sc. nat. II. 4, 1.  
 † — *revoluta Spach.* Ann. sc. nat. II. 4, 1.  
 Chrysocalyx *cbenoides Guill.* Guillem. Seneg. 43.  
 — *Perrottetii Guill.* Guillem. Seneg. 43.  
 Chrysochlamys *multiflora P. et E.* Poepp. et Endl. 211.  
 Chrysocoma *aurea Thunb.* Lam. Encycl. 698.  
 — *candicans Del.* Delile Egypte 46.  
 — *cinerea Lab.* Bill. Nov. Holl. 182.  
 — *comaurea L.* Bot. Mag. 45, 1972.  
 — — — Lodd. Cab. 833.  
 — *cuneifolia Jacq.* Jacq. Collect. 3, 22.  
 — *denticulata Jacq.* Jacq. Schoenbr. 3, 368.  
 — *dichotoma L.* Jacq. Ic. 171.  
 † — *graminifolia L.* Schk. Handb. 238.  
 † — *Linosyris L.* Gaertn. Carp. 166.  
 † — — — Lam. Encycl. 698.  
 — — — Schk. Handb. 238.  
 — — — All. Fl. ped. 3, 11.  
 — — — Sibth. Fl. gr. 849.  
 — — — Engl. Bot. 35, 2505.  
 — — — Baxter Brit. Bot. 3, 233.  
 — *reticulata Lab.* Bill. Nov. Holl. 183.  
 — *spinosa Del.* Delile Egypte 46.  
 — *squamata Lab.* Bill. Nov. Holl. 184.  
 — — — Bot. Mag. 64, 3625.  
 — *tomentosa L.* Jacq. Schoenbr. 2, 147.  
 † — *villosa L.* Gaertn. Carp. 166.  
 † — — — Lam. Encycl. 698.  
 — — — W. et Kit. 58.  
 Chrysodium *cayennense Fée.* Fée Fil. 59.  
 — *fraxinifolium Fée.* Fée Fil. 62.  
 † — *hirsutum Fée.* Fée Fil. 62.  
 — *scalpturatum Fée.* Fée Fil. 61.

- Chrysodium *Urvillei Fée.* Fée Fil. 60.  
 † Chrysoglossum *villosum Bl.* Blume Tabellen 7.  
 † Chrysogonum *virginianum L.* Gaertn. Carp. 174:  
 — — — Lam. Encycl. 713.  
 Chrysophyllum *argenteum L.* Jacq. Hist. stirp. am. 51.  
 — *Cainito L.* Jacq. Hist. stirp. am. 51.  
 † — — — Gaertn. Carp. 201.  
 † — — — Lam. Encycl. 120.  
 — — — Tuss. Ant. 3, 9.  
 — — — Desc. Ant. 2, 70.  
 — — — Dict. sc. nat. 63.  
 — *carolinense Jacq.* Jacq. Obs. 54.  
 — *coeruleum Jacq.* Jacq. Hist. stirp. am. 52.  
 † — *ferrugineum Gaertn.* Gaertn. Carp. 202.  
 — *glabrum Jacq.* Jacq. Hist. stirp. am. 55.  
 — *Macoucou Aubl.* Aublet Guiana 92.  
 † — *macrophyllum Gaertn.* Gaertn. Carp. 202.  
 — *microphyllum Jacq.* Jacq. Hist. stirp. am. 53.  
 — *monopyrenum Sw.* Bot. Mag. 61, 3303.  
 — *oliviforme Lam.* Desc. Ant. 2, 71.  
 — *psilophyllum DC.* Delessert Ic. 5, 36.  
 Chrysopsis *fasciculata Aub. Th.* Aubert Iles d'Afr. 24.  
 — *microphylla Camb.* Mem. Mus. 16, 19.  
 † Chrysopogon *Gryllus Trin.* Nees Gen. 1, 93.  
 — *serrulatus Trin.* Trin. Sp. Gr. 3, 331.  
 Chrysopsis *falcata Elliott.* Torr. New York 56.  
 — *gossypina DC.* Novi Comm. Bon. 9, 10.  
 — *graminifolia DC.* Novi Comm. Bon. 9, 12.  
 — *mariana DC.* Novi Comm. Bon. 9, 11.  
 — *scabra Elliott.* Novi Comm. Bon. 9, 13.  
 Chrysorrhoe *nitens Ldl.* Lindley Swan River 1.  
 — *serrata Ldl.* Hook. Journ. 1840, 13.  
 Chrysospermum *repens Pal. B.* Pal. B. Fl. d'Oware 74.  
 Chrysosplenium *alternifolium L.* Fl. dan. 3, 366.  
 — — — Engl. Bot. 1, 54.  
 † — — — Gaertn. Carp. 44.  
 † — — — Lam. Encycl. 374.  
 — — — Schk. Handb. 108.  
 — — — Dreves 2, 72.  
 — — — Schrank Fl. monac. 2, 166.  
 — — — Sturm Flora 3, 12.  
 — — — Diétr. Fl. bor. 4, 241.  
 — *macranthum Hook.* Hook. Lond. J. 1842, 16.  
 — *nudicaule Led.* Ledeb. Ic. 405.  
 — *oppositifolium L.* Fl. dan. 3, 365.  
 — — — Curt. Lond. 2, 133.  
 — — — Engl. Bot. 7, 420.  
 — — — Baxter Brit. Bot. 2, 140.  
 — — — Dreves 3, 76.  
 — — — Sturm Flora 1, 4.  
 — — — Diétr. Fl. bor. 4, 242.  
 — *ovalifolium Led.* Ledeb. Ic. 404.  
 — *valdivicum Hook.* Hook. Lond. J. 1842, 17.  
 Chrysostachys *ovatifolia Pohl.* Pohl Bras. 143.  
 Chrysostemma *tripteris Less.* Bot. Mag. 64, 3583.  
 Chrysurus *aureus Pers.* Rehb. Fl. germ. 1, 58.  
 — *giganteus Ten.* Tenore Fl. nap. 210.  
 † Chukrasia *tabularis Juss.* Mem. Mus. 19, 22.  
 — — — Wight Illustr. 56.  
 Chuquiraga *chrysantha Field.* Fielding Sertum 42.  
 — *insignis H. B.* Lam. Encycl. 691.  
 — *juniperina Decne.* D'Orbigny Voyage 11.  
 — *microphylla H. B.* Humb. Pl. aeq. 43.  
 — *ruscifolia Gill.* Fielding Sertum 43.  
 † Chusquea *anelytra N. v. E.* Acad. Pet. 5, 6.  
 — *capitata Rupr.* Acad. Pet. 5, 8.  
 — *capituliflora Tr.* Trin. Sp. Gr. 3, 339.  
 † — — — Acad. Pet. 5, 9.  
 † — *Cumingii N. v. E.* Acad. Pet. 5, 7. 9.  
 — *Dombejana Kth.* Humb. Gram. 191.  
 † — — — Acad. Pet. 5, 6.  
 — *Gaudichaudii Kth.* Humb. Gram. 78.

- † *Chusquea Gaudichaudii* *Kth.* Acad. Pet. 5, 9.  
 — *oligophylla* *Rupr.* Acad. Pet. 5, 7.  
 — *pinifolia* *N. v. E.* Trin. Sp. Gr. 3, 310.  
 † — — — Acad. Pet. 5, 9.  
 — *Quila* *Kth.* Humb. Gram. 77.  
 † — — — Acad. Pet. 5, 9.  
 † — *scandens* *Rupr.* Acad. Pet. 5, 6.  
 † — *Sellowii* *Rupr.* Acad. Pet. 5, 9.  
 † — *tenella* *N. v. E.* Acad. Pet. 5, 6.  
*Chymocarpus pentaphyllos* *Don.* Sweet Fl. G. II. 245.  
*Chysis aurea* *Ldl.* Bot. Reg. 23, 1937.  
 — — — Bot. Mag. 61, 3617.  
 — — — var. *maculata*, Bot. Mag. 77, 4376.  
 — — — var. *maculata*, Lem. Jard. fl. 121.  
 — — — var. *maculata*, Fl. d. serres 7, 671.  
 — — *bractescens* *Ldl.* Bot. Reg. 27, 23.  
 — — — Fl. d. serres 7, 675.  
 — *laevis* *Batem.* Bateman Orchid. 31.  
 † *Chytra anomala* *Gaertn.* Gaertn. Carp. 214.  
 † *Cibotium Kaulf.* Kaulfuss Enum. 1.  
 — *assamicum* *Hook.* Hook. Sp. Fil. 29.  
 — *glaucescens* *Kze.* Kunze Fil. 31.  
 — *glaucum* *Hook. et Arn.* Hook. Sp. Fil. 29.  
 — *Menziesii* *Hook.* Hook. Sp. Fil. 29.  
 † — *Schiedei* *Schlecht.* Hook. Gen. Fil. 25.  
 — — — Hook. Sp. Fil. 30.  
*Cicca disticha* *L.* Lam. Encycl. 757.  
 — *nodiflora* *Lam.* Lam. Encycl. 757.  
 † *Cicendia Adans.* Nees Gen. X, x.  
 — *exaltata* *Griseb.* Hook. Bor. Am. 157.  
 † — *fastigiata* *Griseb.* Wight Illustr. 157<sup>b</sup>.  
 — *hyssopifolia* *Hook.* Hook. Comp. 28.  
 — *Roxburghii* *Griseb.* Hook. Lond. J. 1845, 22.  
 † *Cicer arietinum* *L.* Gaertn. Carp. 151.  
 † — — — Lam. Encycl. 632.  
 — — — Schk. Handb. 202.  
 — — — Sibth. Fl. gr. 703.  
 — — — Bot. Mag. 49, 2274.  
 † — — — DC. Legum. 54.  
 † — — — Mem. Instit. 1830, 10.  
 — — — Wight Ic. pl. Ind. or. 1, 20.  
 — *floribundum* *Fzl.* Russegger Reise 9.  
 — *Montbretii* *Jaub.* Jaubert Illustr. 43.  
 — *pimpinellifolium* *Jaub.* Jaubert Illustr. 42.  
 — *pinnatifidum* *Jaub.* Jaubert Illustr. 42.  
 — *songaricum* *Steph.* DC. Legum. 54.  
 — — — Jaubert Illustr. 43.  
 — *spirocceras* *Jaub.* Jaubert Illustr. 44.  
 — *tragacanthoides* *Jaub.* Jaubert Illustr. 45.  
*Cicerbita Plumieri* *Kirschl.* Mem. Strassb. 4, 1.  
*Cichorium glaucum* *Lk.* Hoffm. Lk. Fl. port. 95.  
 † — *Intybus* *L.* Gaertn. Carp. 157.  
 † — — — Schk. Handb. 226.  
 † — — — Lam. Encycl. 658.  
 — — — Curt. Lond. 1, 50.  
 — — — Engl. Bot. 8, 539.  
 — — — Fl. dan. 6, 907.  
 — — — Sv. Bot. 56.  
 — — — Rousseau Bot. 36.  
 — — — Woodv. Med. 1, 29.  
 — — — Hayne 2, 24.  
 — — — Nees Düsseld. 247.  
 — — — Wagner 139, 140.  
 — — — Sturm Flora 2, 6.  
 — — — Schrank Fl. monac. 2, 102.  
 — — — Dietr. Fl. bor. 8, 559.  
 — — — Baxter Brit. Bot. 6, 417.  
 — *minimum* *Portensch.* Portenschlag Dalm. 12.  
 — *pumilum* *Jacq.* Jacq. Obs. 80.  
 — — — Sibth. Fl. gr. 822.  
 — *spinosum* *L.* Lam. Encycl. 658.  
 — — — Sibth. Fl. gr. 823.

- Ciconium cerinum* *Sweet.* Sweet Ger. 176.  
 — *Fothergillii* *Sweet.* Sweet Ger. 226.  
 — *hybridum* *Hoffmannsegg.* Sweet Ger. 53.  
 — *micranthum* *Sweet.* Sweet Ger. 295.  
 — *monstrum* *Hoffmannsegg.* Sweet Ger. 13.  
 — *reticulatum* *Sweet.* Sweet Ger. 145.  
 † *Cicuta africana* *Lam.* Lam. Encycl. 195.  
 † — *maculata* *Gaertn.* Gaertn. Carp. 22.  
 — — — Bigelow Med. 12.  
 † — *major* *Lam.* Lam. Encycl. 195.  
 — — — Rousseau Bot. 29.  
 — *tenuifolia* *Schrank.* Münchn. Denkschr. 7, 4.  
 — *virosa* *L.* Fl. dan. 2, 208.  
 — — — Engl. Bot. 7, 479.  
 — — — Sv. Bot. 134.  
 — — — Schk. Handb. 71.  
 — — — Schrank Fl. monac. 1, 19.  
 — — — Hayne 1, 37.  
 — — — Nees Düsseld. 284.  
 — — — Brandt und Ratzeb. 29.  
 — — — Woodv. Med. 1, 39.  
 — — — Baxter Brit. Bot. 5, 395.  
 † — — — Nees Gen. X, x.  
*Cicutaria aquatica* *Lam.* Lam. Encycl. 195.  
 — *maculata* *Lam.* Lam. Encycl. 195.  
*Cienfuegosia digitata* *Cav.* Cav. Diss. 72.  
 † — — — Lam. Encycl. 577.  
 † *Cimicifuga* *L.* Gray Genera 20.  
 — *cordifolia* *Pursch.* Bot. Mag. 46, 2069.  
 † — *foetida* *L.* Gaertn. Carp. 140.  
 — — — Lam. Encycl. 487.  
 — — — Rehb. Fl. germ. 4, 121.  
 — *frigida* *Wall.* Royle Illustr. 14.  
 — *palmata* *Pursch.* Bot. Mag. 39, 1630.  
 — *racemosa* *Elliott.* Torrey New York 4.  
 — — — Gray Genera 20.  
*Ciminalis grandiflora* *Schrank.* Schrank Fl. monac. 1, 37.  
 † *Cinchona* *L.* Weddell Hist. 1, 2.  
 † — — (Folium.) Mem. Instit. 1850, 15.  
 — *acutifolia* *Rz et P.* Ruiz et Pav. Fl. 225.  
 — *amygdalifolia* *Wedd.* Weddell Hist. 6, 28.  
 — *angustifolia* *Sw.* Lambert Cinchona 9.  
 — — — Lam. Encycl. 164.  
 — — — *Ruiz.* Guimp. et Schl. 209.  
 — *asperifolia* *Wedd.* Weddell Hist. 20.  
 — *australis* *Wedd.* Weddell Hist. 8.  
 — *boliviana* *Wedd.* Weddell Hist. 9, 30.  
 — *brachycarpa* *Vahl.* Lambert Cinchona 8.  
 — — — Transact. Edinb. 3, 7.  
 — *caduciflora* *H. B.* Tratt. Archiv 319.  
 — *Calisaya* *Wedd.* Weddell Hist. 3, 3<sup>bis</sup>, 28.  
 — — — Paxt. Fl. G. 107.  
 — *carabayensis* *Wedd.* Weddell Hist. 19.  
 — *caribaea* *L.* Jacq. Hist. stirp. am. 63.  
 — — — Jacq. Obs. 47.  
 † — — — Gaertn. Carp. 33.  
 † — — — Lam. Encycl. 164.  
 — — — Lambert Cinchona 4.  
 — — — Andr. Rep. 7, 481.  
 — *Chomeliana* *Wedd.* Weddell Hist. 13.  
 — *Condaminea* *H. B.* Humb. Pl. aeq. 10.  
 — — — Lambert Cinchona 1.  
 — — — Tratt. Archiv 66, 66<sup>a</sup>.  
 — — — Hayne 7, 37.  
 — — — Guimp. et Schl. 208.  
 — — — Nees Düsseld. 259.  
 — — — Wagner 245.  
 — — — Weddell Hist. 4, 4<sup>b</sup>.  
 — *cordifolia* *Mutis.* Hayne 7, 40.  
 — — — Guimp. et Schl. 212.  
 — — — Nees Düsseld. 261.  
 — — — Woodv. Med. 5, 8.

- Cinchona cordifolia* Mutis. Weddell Hist. 17. 30.  
 — *corymbifera* Forst. Lambert Cinchona 5.  
 — *dichotoma* R<sub>z</sub> et P. Ruiz et Pav. Fl. 197.  
 — *excelsa* Roxb. Roxb. Corom. 106.  
 — — — Tratt. Archiv 131.  
 — — — Hayne 7, 43.  
 — *ferruginea* St. Hil. St. Hil. Pl. us. 2.  
 — *floribunda* Sw. Lambert Cinchona 7.  
 — — — Lam. Encycl. 164.  
 — *glandulifera* R<sub>z</sub> et P. Ruiz et Pav. Fl. 224.  
 — — — Weddell Hist. 21.  
 — *grandiflora* R<sub>z</sub> et P. Ruiz et Pav. Fl. 198.  
 — *gratissima* Wall. Wall. Tentamen 21.  
 — *hirsuta* R<sub>z</sub> et P. Ruiz et Pav. Fl. 192.  
 — — — Weddell Hist. 21.  
 — *Humboldtiana* Lamb. Weddell Hist. 10.  
 — *lanceolata* R<sub>z</sub> et P. Ruiz et Pav. Fl. 223.  
 — — — Wagner 247.  
 — *lanceifolia* Mutis. Hayne 7, 38.  
 — — — Nees Düsseld. 260.  
 — — — Weddell Hist. 5.  
 — *lineata* Vahl. Lambert Cinchona 6.  
 — *longiflora* Lamb. Lambert Cinchona 12.  
 — *lucumaeifolia* Pav. Weddell Hist. 4<sup>b</sup>.  
 — *macrocalyx* Pav. Weddell Hist. 4<sup>b</sup>.  
 — *macrocarpa* Vahl. Lambert Cinchona 3.  
 — — — Kerner Hort. 91.  
 — *magnifolia* R<sub>z</sub> et P. Ruiz et Pav. Fl. 196.  
 — — — Guimp. et Schl. 213.  
 — — — Wagner 249.  
 — — — H. B. Humb. Pl. acq. 39.  
 — *micrantha* R<sub>z</sub> et P. Ruiz et Pav. Fl. 194.  
 — — — Weddell Hist. 14. 15. 30.  
 — *montana* Raddi. Roemer Mag. 2, 3.  
 — — — Desc. Ant. 1, 13.  
 — *Mutisii* Lamb. Hayne 14, 15.  
 — — — Weddell Hist. 22.  
 — *nitida* R<sub>z</sub> et P. Ruiz et Pav. Fl. 191.  
 — — — Desc. Ant. 7, 495.  
 — — — Weddell Hist. 10.  
 — *oblongifolia* Mutis. Hayne 7, 41.  
 — — — Nees Düsseld. 262.  
 — — — Woodv. Med. 2, 92. 5, 9.  
 † *officinalis* L. Gaertn. Carp. 33.  
 — — — Lam. Encycl. 164.  
 — — — Lambert Cinchona 1.  
 — — — Woodv. Med. 2, 91.  
 — *ovalifolia* H. B. Humb. Pl. acq. 19.  
 — — — Tratt. Archiv 195.  
 — — — Hayne 7, 42.  
 — *ovata* R<sub>z</sub> et P. Ruiz et Pav. Fl. 195.  
 — — — Nees Düsseld. 261.  
 — — — Guimp. et Schl. 211.  
 — — — Wagner 248.  
 — — — Weddell Hist. 11. 29.  
 — *philippica* Cav. Cav. Ic. 329.  
 — *pubescens* Vahl. Lambert Cinchona 2.  
 — — — Weddell Hist. 16. 29.  
 — *purpurascens* Wedd. Weddell Hist. 18.  
 — *purpurea* R<sub>z</sub> et P. Ruiz et Pav. Fl. 193.  
 — — — Hayne 14, 14.  
 — — — Wagner 246.  
 — *rosea* R<sub>z</sub> et P. Ruiz et Pav. Fl. 199.  
 — — — Hayne 7, 39.  
 — *rufinervis* Wedd. Weddell Hist. 12.  
 — *serobiculata* H. B. Humb. Pl. acq. 47.  
 — — — Tratt. Archiv 237.  
 — — — Guimp. et Schl. 210.  
 — — — Nees Düsseld. Suppl. 1.  
 — — — Weddell Hist. 7. 28.  
 — *spinosa* Vavass. Lambert Cinchona 13.  
*Cinchnalis havens* Fée. Fée Fil. 5, 30.

- † *Cineraria* L. Mutel Fl. fr. 28.  
 — — — (Var. hortenses.) Paxt. Mag. 12, 149.  
 — — — Annales de Gand 1846, 69.  
 — *acanthifolia* Rchb. Rchb. Hort. 24.  
 — *alpestris* Hoppe. Rchb. Ic. crit. 2, 110.  
 — *alpina* L. Relhan Fl. cant. 4.  
 — — — All. Fl. ped. 3, 38.  
 — — — Jacq. Misc. 1, 17.  
 — *amelloides* L. Bot. Mag. 7, 249.  
 — *anomala* Sibth. Sibth. Fl. gr. 872.  
 — *aurantiaca* Sims. Lodd. Cab. 325.  
 — — — Hoppe. Bot. Mag. 48, 2262.  
 — — — Rchb. Ic. crit. 2, 127.  
 — — — Sweet Fl. G. 256.  
 — *aurita* L'her. L'her. Sertum 31.  
 — — — Bot. Mag. 43, 1786.  
 — — — Andr. Andr. Rep. 1, 24.  
 — *campestris* Retz. Fl. dan. 7, 1177.  
 — — — Curt. Lond. 4, 75.  
 — — — Baxter Brit. Bot. 3, 206.  
 — — — Rchb. Ic. crit. 2, 131 — 133.  
 — *capitata* Wahlenbg. Rchb. Ic. crit. 2, 128.  
 — *chamaedrifolia* Lam. Lam. Encycl. 675.  
 — *cordata* Jacq. Jacq. Fl. austr. 2, 176. 177.  
 — *crassiflora* Lam. Lam. Encycl. 675.  
 — *crassifolia* Kit. Rchb. Ic. crit. 2, 107.  
 — *crispa* L. fil. Jacq. Fl. austr. 2, 178.  
 — — — Rchb. Ic. crit. 2, 104.  
 — *crocea* Tratt. Tratt. Archiv 4.  
 — — — Rchb. Ic. crit. 2, 103.  
 — *cruenta* L'her. L'her. Sertum 33.  
 — — — Vent. Malm. 99.  
 — — — Bot. Mag. 12, 406.  
 — *discolor* Sw. Bot. Mag. 53, 2647.  
 — *gigantea* Sm. Smith Exot. Bot. 65.  
 — *glabrata* Led. Ledeb. Ic. 94.  
 — *Hinniculus* Hort. Marnock Mag. 1839, 6.  
 — *hirsuta* Vent. Vent. Malm. 95.  
 — *integrifolia* Jacq. Jacq. Fl. austr. 2, 179. 180.  
 — — — Sm. Engl. Bot. 3, 152.  
 — — — Schk. Schk. Handb. 246<sup>b</sup>.  
 — *lactea* Jacq. Jacq. Ecl. pl. 105.  
 — — — Willd. Knowles et Westc. 35.  
 — *lanata* Jacq. Jacq. Collect. 3, 19.  
 — — — L'her. L'her. Sertum 30.  
 — — — Bot. Mag. 2, 53.  
 † — — — Lam. Encycl. 675.  
 — *linifolia* L. Jacq. Schoenbr. 3, 308.  
 — *lobata* L'her. L'her. Sertum 34.  
 — *longifolia* Jacq. Jacq. Fl. austr. 2, 181.  
 — — — Sturm Flora 10, 40.  
 — — — Rchb. Ic. crit. 2, 125.  
 — *lyrata* Led. Rchb. Ic. crit. 2, 101.  
 — *macrophylla* Led. Ledeb. Ic. 367.  
 — *malvaefolia* L'her. L'her. Sertum 32.  
 — *maritima* L. Sibth. Fl. gr. 871.  
 — *minuta* Cav. Cav. Ic. 33.  
 — *palmensis* N. v. E. Horae berol. 24.  
 † — *palustris* L. Gaertn. Carp. 170.  
 — — — Schk. Handb. 246.  
 — — — Fl. dan. 4, 573.  
 — — — Engl. Bot. 3, 151.  
 — — — Sv. Bot. 737.  
 — *papposa* Rchb. Rchb. Ic. crit. 2, 124.  
 — *parviflora* R. Br. Bot. Mag. 45, 1990.  
 — *Petasitis* Sims. Bot. Mag. 37, 1336.  
 — *platanifolia* Colla. Mem. Tur. 31, 12.  
 — — — Schrank. Herb. amat. 4, 259.  
 — *populifolia* L'her. Vent. Malm. 100.  
 — *praecox* Cav. Cav. Ic. 244.  
 — — — DC. Hort. 7.  
 — *pratensis* Hoppe. Rchb. Ic. crit. 2, 108. 109.

- Cineraria ramentosa* L'her. Vent. Malm. 101.  
 — *rivularis* W. et K. W. et Kit. 239.  
 — — — Rchb. Ic. crit. 2, 105.  
 — *robusta* Led. Ledeb. Ic. 354.  
 — *Schkuhrii* Rchb. Rchb. Ic. crit. 2, 106.  
 — *sibirica* W. et K. W. et Kit. 16.  
 — — — L. Picot Pyrenées 5.  
 — — — Bot. Mag. 44, 1869.  
 — *spathulaefolia* Gm. Sturm Flora 10, 40.  
 — — — Rchb. Ic. crit. 2, 126.  
 — *speciosa* Schrad. Bot. Reg. 10, 812.  
 — *spinulosa* Lam. Lam. Encycl. 675.  
 — *sudetica* Koch. Rchb. Ic. crit. 2, 102.  
 — *thyrsoides* Led. Ledeb. Ic. 157.  
 — *Tussilaginis* L'her. Bot. Mag. 60, 3215.  
 — — — Bot. Reg. 18, 1550.  
 — *viscosa* Ait. Jacq. Fragm. 7.  
 — *Waterhousiana* Paxt. Paxt. Mag. 4, 219.  
 — *Webberiana* Paxt. Paxt. Mag. 9, 125.  
*Cinna arundinacea* L. Schreber Gräser 49.  
 † *Cinnamomum N. v. E.* (Cortices.) Blume Rumphia 20, 21.  
 — *albiflorum* N. v. E. Blume Rumphia 14.  
 — — — Wight Ic. pl. Ind. or. 1, 140.  
 — *aromaticum* N. v. E. Wight Ic. pl. Ind. or. 1, 136.  
 — *camphoratum* Bl. Blume Rumphia 14.  
 — *Capparu-Coronde* Bl. Blume Rumphia 9.  
 — *Cassia* Bl. Hayne 12, 23.  
 — *Culilawan* N. v. E. Nees Düsseld. Suppl. 82.  
 — — — Hayne 12, 25.  
 — — — Wight Ic. pl. Ind. or. 1, 137.  
 — — — Blume Rumphia 9, 10, 20.  
 — *dubium* N. v. E. Wight Ic. pl. Ind. or. 1, 135.  
 — *dulce* Wight. Wight Ic. pl. Ind. or. 1, 138.  
 — — — Schnitzl. Ic. 2, 106.  
 — *eucalyptoides* N. v. E. Nees Düsseld. Suppl. 81.  
 — *iners* N. v. E. Wight Ic. pl. Ind. or. 1, 122 bis.  
 — — — Reinw. Wight Ic. pl. Ind. or. 1, 130.  
 — — — Blume Rumphia 17, 18.  
 — *Malabathrum* N. v. E. Rheede Hort. mal. 5, 53.  
 — — — Acta Leop. 17, 2, 45.  
 — — — Blume Rumphia 13.  
 — *multiflorum* Wight. Wight Ic. pl. Ind. or. 1, 126, 131.  
 — *neglectum* Bl. Blume Rumphia 11.  
 — *nitidum* Hook. Hook. Exot. Fl. 176.  
 — — — Hayne 12, 22.  
 — — — N. v. E. Nees Düsseld. Suppl. 80.  
 — — — Wight Ic. pl. Ind. or. 1, 124.  
 — — — Bl. Blume Rumphia 13, 15, 16.  
 — *obtusifolium* N. v. E. Wight Ic. pl. Ind. or. 2, 139.  
 — *ochraceum* Bl. Blume Rumphia 10.  
 — *ovalifolium* Wight. Wight Ic. pl. Ind. or. 1, 125.  
 — *perpetuo florens* Burm. Wight Ic. pl. Ind. or. 1, 141.  
 — *Rauwolfii* Bl. Blume Rumphia 9.  
 — *rubrum* Bl. Blume Rumphia 11.  
 — *Sintoc* Bl. Hayne 12, 24.  
 — — — var. *javanicum*, Blume Rumphia 19.  
 — — — var. *spurium*, Blume Rumphia 12.  
 — *Tamala* N. v. E. Nees Düsseld. Suppl. 83.  
 — — — Hayne 12, 26.  
 — — — Blume Rumphia 14.  
 — *villosum* Wight. Wight Ic. pl. Ind. or. 1, 127.  
 — *xanthoneuron* Bl. Blume Rumphia 13.  
 — *zeylanicum* N. v. E. Rheede Hort. mal. 1, 57.  
 — — — var. *Cassia*, Nees Düsseld. Suppl. 79.  
 — — — var. *vulgare*, Hayne 12, 20.  
 — — — var. *cordifolium*, Hayne 12, 21.  
 — — — Wight Ic. pl. Ind. or. 123, 128, 129, 134.  
*Cionisaccus lanceolatus* Kuhl et H. Breda Orch. Jav. 8.  
 † *Ciponima guianensis* Aubl. Gaertn. Carp. 209.

- Ciponima guianensis* Aubl. Cav. Diss. 217.  
*Cipura Northiana* Endl. Hart. Parad. 1, 4.  
 — *paludosa* Aubl. Aublet Guiana 13.  
 † — — — Lam. Encycl. 30.  
*Circaea alpina* L. Fl. dan. 2, 256, 8, 1321.  
 — — — Lam. Encycl. 16.  
 — — — Engl. Bot. 15, 1057.  
 — — — Sv. Bot. 567.  
 — — — Tratt. Thes. 33.  
 — — — Sturm Flora 6, 23.  
 — — — Dietr. Fl. bor. 8, 530.  
 — — — Wight Illustr. 101 bis.  
 — *cordata* Royle. Royle Illustr. 43.  
 — *intermedia* Ehrh. Sv. Bot. 703.  
 — *lutetiana* L. Fl. dan. 2, 210.  
 † — — — Lam. Encycl. 16.  
 — — — Sv. Bot. 586.  
 — — — Curt. Lond. 1, 43.  
 — — — Engl. Bot. 15, 1056.  
 — — — Baxter Brit. Bot. 1, 9.  
 † — — — Gaertn. Carp. 24.  
 — — — Schk. Handb. 2<sup>a</sup>.  
 — — — Dreves 2, 37.  
 — — — Schrank Fl. monac. 4, 344.  
 — — — Sturm Flora 6, 23.  
 — — — Dietr. Fl. bor. 3, 193.  
*Cirrhaca fusco-lutea* Ldl. Bot. Mag. 66, 3726.  
 — *Loddigesii* Ldl. Bot. Reg. 18, 1538.  
 — *obtusata* Ldl. Bot. Reg. 23, 2005.  
 — *tristis* Ldl. Bot. Reg. 22, 1889.  
 — *viridi-purpurea* Lodd. Lodd. Cab. 1967.  
 — — — var. *Knowles* et Westc. 94.  
 — *Warreana* Ldl. Lodd. Cab. 1999.  
*Cirrhopetalum album* Wight. Wight Ic. pl. Ind. 5, 1653.  
 — *auratum* Ldl. Bot. Reg. 29, 61.  
 — *caudatum* Wight. Wight Ic. pl. Ind. or. 5, 1658.  
 — *chinense* Ldl. Bot. Reg. 29, 49.  
 — *cornutum* Ldl. Bot. Mag. 79, 4753.  
 — *fimbriatum* Ldl. Bot. Mag. 74, 4391.  
 — — — Wight. Wight Ic. pl. Ind. or. 5, 1655.  
 — *grandiflorum* Wight. Wight Ic. pl. Ind. or. 5, 1656.  
 — *Macraei* Ldl. Bot. Mag. 75, 4422.  
 — — — Wight Ic. pl. Ind. or. 5, 1652.  
 — *Medusae* Ldl. Bot. Reg. 28, 12.  
 — — — Hart. Parad. 2, 5.  
 — *neilgherrense* Wight. Wight Ic. pl. Ind. or. 5, 1654.  
 — *nutans* Ldl. Bot. Mag. 75, 4418.  
 — *picturatum* Lodd. Hart. Parad. 2, 5.  
 — *Thouarsii* Ldl. Bot. Reg. 24, 11.  
 — — — Bot. Mag. 72, 4237.  
 — *Walkerianum* Wight. Wight Ic. pl. Ind. or. 5, 1657.  
 — *Wallichii* Ldl. Wall. Pl. asiat. 67.  
 † *Cirsellium cancellatum* Gaertn. Gaertn. Carp. 163.  
 † — — — Lam. Encycl. 662.  
 — *gummiferum* Poir. Lam. Encycl. 662.  
*Cirsium Acarna* Moench. Rchb. Fl. germ. 15, 820.  
 — *acaule* All. var. Fl. dan. 11, 1884.  
 — — — Sturm Flora 6, 24.  
 — — — Dietr. Fl. bor. 8, 553.  
 — — — Rchb. Fl. germ. 15, 840.  
 — *anglicum* Lam. Rchb. Fl. germ. 15, 839.  
 — *arachnoideum* M. v. B. Rchb. Ic. crit. 4, 359.  
 — *arctioides* Scop. Scop. Fl. carn. 2, 53.  
 — *argyraecanthum* DC. Wight Spicil. 116—117.  
 — — — Wight Ic. pl. Ind. or. 3, 1137—38.  
 — *arvense* Scop. Dietr. Fl. bor. 8, 554.  
 — — — Rchb. Fl. germ. 15, 842.  
 — — — Torrey New York 61.  
 — *autareticum* Mutel. Rchb. Fl. germ. 15, 851.  
 — *bulbosum* DC. Rchb. Fl. germ. 15, 839.  
 — *canum* M. v. B. Rchb. Fl. germ. 15, 828—830.

- Cirsium carniolicum* Scop. Scop. Fl. carn. 2, 54.  
 — — — Rehb. Fl. germ. 15, 822.  
 — crinitum Boiss. Boissier Esp. 111.  
 — desertorum Fisch. Rehb. Ic. crit. 10, 986.  
 — Drejeri Rehb. fil. Rehb. Fl. germ. 15, 827.  
 — echinatum DC. Rehb. Fl. germ. 15, 823.  
 — eriophorum Scop. Dietr. Fl. bor. 12, 801.  
 — — — Rehb. Fl. germ. 15, 822.  
 — Erisithales Scop. Rehb. Fl. germ. 15, 837.  
 — Erisithali-heterophyllum Naeg. Rehb. Fl. germ. 15, 844. 850.  
 — ferox DC. Rehb. Fl. germ. 15, 824.  
 — flavispina Boiss. Boissier Esp. 112.  
 — helenioides All. All. Fl. ped. 3, 13.  
 — heterophyllo-Erisithales Rehb. fil. Rehb. Fl. germ. 15, 847.  
 — heterophyllum All. All. Fl. ped. 3, 34.  
 — — — Rehb. Fl. germ. 15, 838.  
 — hybridum Koch. Rehb. Fl. germ. 15, 847.  
 — igniarium Spr. Ledeb. Ic. 477.  
 — italicum DC. Moris Fl. sard. 87.  
 — — — Rehb. Fl. germ. 15, 827.  
 — lanceolato-palustre Naeg. Schw. Denkschr. 5, 8.  
 — lanceolatum Scop. Dietr. Fl. bor. 7, 499.  
 — — — Rehb. Fl. germ. 15, 826.  
 — lanigerum Naeg. var. silvestre, Schw. Denks. 5, 3.  
 — Lobelii Ten. Tenore Fl. nap. 189.  
 — medium All. All. Fl. ped. 3, 49.  
 — — — Rehb. Fl. germ. 15, 849.  
 — monspessulanum All. Rehb. Fl. germ. 15, 830.  
 — Morisianum Rehb. fil. Rehb. Fl. germ. 15, 823.  
 — neglectum Fisch. Rehb. Ic. crit. 10, 987.  
 — nemorale Rehb. Rehb. Fl. germ. 15, 826.  
 — odontolepis Boiss. Boissier Esp. 110.  
 — oleraceo-arvense Naeg. Schw. Denkschr. 5, 4.  
 — oleraceo-palustre Naeg. δ. Schw. Denkschr. 5, 7.  
 — oleraceum Scop. Dietr. Fl. bor. 8, 552.  
 — — — Rehb. Fl. germ. 15, 834.  
 — palustre Scop. var. glomeratum Naeg. Schw. Denkschr. 5, 2.  
 — — — var. putatum Naeg. Schw. Denks. 5, 2.  
 — — — Dietr. Fl. bor. 10, 716.  
 — — — Rehb. Fl. germ. 15, 831.  
 — palustri-Erisithales Naeg. Rehb. Fl. germ. 15, 845.  
 — palustri-lanceolatum Rehb. fil. Rehb. Fl. germ. 15, 843.  
 — palustri-oleraceum Naeg. Rehb. Fl. germ. 15, 846.  
 — pannonicum-Erisithales Naeg. Rehb. Fl. germ. 15, 845.  
 — pannonicum Gaud. Rehb. Fl. germ. 15, 829.  
 — pauciflorum Spr. Rehb. Fl. germ. 15, 833.  
 — purpureum All. All. Fl. ped. 3, 36.  
 — pyrenaicum All. All. Fl. ped. 3, 12.  
 — rivulare Lk. Rehb. Fl. germ. 15, 835.  
 — Rosani Ten. Tenore Fl. nap. 189.  
 — semidecurrens Richt. Rehb. Fl. germ. 15, 843.  
 — serratuloides Led. Ledeb. Ic. 375.  
 — setigerum Led. Ledeb. Ic. 35.  
 — spathulatum Gaud. Rehb. Fl. germ. 15, 821.  
 — spectabile DC. Belanger Ind. or. 0.  
 — spinosissimo-acaule Naeg. Schw. Denkschr. 5, 5.  
 — spinosissimo-rivulare Naeg. Schw. Denkschr. 5, 6.  
 — spinosissimum Scop. Rehb. Fl. germ. 15, 836.  
 — stellatum All. Rehb. Fl. germ. 15, 841.  
 — subalpinum Schleich. Rehb. Fl. germ. 15, 844.  
 † — syriacum Gaertn. Gaertn. Carp. 163.  
 — tataricum W. et Gr. Rehb. Fl. germ. 15, 818.  
 — uliginosum Delastre. Delastre Vienne 3.  
 † *Cissampelos* L. Swartz Obs. 10.  
 — — — Icones plantarum Chinae 1.  
 — andromorpha DC. Delessert Ic. 1, 99.  
 — canescens Miq. Miquel Sertum 4.

- Cissampelos communis* St. Hil. St. Hil. Fl. Bras. 11.  
 — ebracteata St. Hil. St. Hil. Fl. us. 35.  
 — mauritiana Aub. Th. Desv. Journ. 2, 3—4.  
 — ovalifolia DC. St. Hil. Pl. us. 34.  
 † — Parreira L. Lam. Encycl. 830.  
 — — — Berl. Jahrb. 1822, 2.  
 — — — Desc. Ant. 3, 201.  
 — — — Nees Düsseld. 365.  
 — — — Woodv. Med. 1, 65.  
 — smilacina L. Jacq. Ic. 629.  
 — tropaeolifolia DC. Delessert Ic. 1, 98.  
*Cissarobryon elegans* Kze. - Gay Chile 13.  
*Cissus* acida L. Jacq. Schoenbr. 1, 33.  
 — adnata Roxb. Wight Ic. pl. Ind. or. 1, 144.  
 — antarctica Vent. Tenore Choix 21.  
 — — — Bot. Mag. 51, 2488.  
 — auriculata Roxb. Wight Ic. pl. Ind. or. 1, 145.  
 — capreolata Royle. Royle Illustr. 26.  
 — carnosa Roxb. Rumpf. Amb. 5, 165.  
 — caustica Tuss. Tuss. Ant. 1, 16.  
 — — — Desc. Ant. 3, 167.  
 — — — Dict. sc. nat. 161.  
 — compressicaulis Rz et P. Ruiz et Pav. Fl. 100.  
 — cordifolia L. Desc. Ant. 5, 309.  
 — discolor Bl. Fl. d. serres 8, 804—805.  
 — Duareteana St. Hil. St. Hil. Fl. Bras. 71.  
 — granulosa Rz et P. Ruiz et Pav. Fl. 101.  
 — hydrophora Gaudich. Gaudich. Bonite 131. 132.  
 — latifolia Lam. Desc. Ant. 5, 311.  
 — obliqua Rz et P. Ruiz et Pav. Fl. 101.  
 — orientalis Lam. Lam. Encycl. 84.  
 — — — Watson Dendr. 2, 113.  
 — palmata Poir. St. Hil. Fl. Bras. 72.  
 — quadrangularis L. Rumpf. Amb. 5, 44. fig. 2.  
 — quinquefolia Sol. Bot. Mag. 51, 2443.  
 — rosea Royle. Royle Illustr. 26.  
 — serratifolia Rottl. Wight Illustr. in Hook. 6.  
 — sicyoides L. Rumpf. Amb. 5, 164.  
 — — — Jacq. Hist. stirp. am. 20.  
 — — — Lam. Encycl. 84.  
 — — — Desc. Ant. 7, 481.  
 — striata Rz et P. Ruiz et Pav. Fl. 100.  
 — trifoliata L. Desc. Ant. 7, 348.  
 — tuberculata Jacq. Jacq. Schoenbr. 1, 32.  
 — venatorum Desc. Desc. Ant. 5, 309.  
 † *Cistaceae* DC. Ann. sc. nat. II. 6, 16. 17.  
*Cistanche lutea* Lk. Hoffm. Lk. Fl. port. 63.  
 — — — Rehb. Ic. crit. 7, 700.  
 † *Cistella cernua* Bl. Blume Tabellern 55.  
*Cistus acuminatus* Viv. Viv. Fl. ital. 14.  
 — acutifolius Sweet. Sweet Cist. 78.  
 — aegyptiacus L. Jacq. Obs. 68.  
 — albidus L. Sweet Cist. 31.  
 — — — Rehb. Fl. germ. 3, 39.  
 — algarvensis Sims. Bot. Mag. 17, 627.  
 — alpestris Jacq. Scop. Fl. carn. 1, 23.  
 — — — Lodd. Cab. 131.  
 — angustifolius Juss. Jacq. Vind. 3, 53.  
 — arabicus L. Vahl Symbolae 35.  
 — — — Sibth. Fl. gr. 503.  
 — asperifolius Sweet. Sweet Cist. 87.  
 — canariensis Jacq. Jacq. Ic. 97.  
 — candissimus Dun. Sweet Cist. 3.  
 — — — Webb Canar. 12.  
 — canescens Sweet. Sweet Cist. 45.  
 — canus Jacq. Jacq. Fl. austr. 3, 277.  
 — — — L. All. Fl. ped. 3, 45.  
 — carolinianus Walt. Vent. Cels 74.  
 — ciliatus Desf. Desf. Fl. atl. 109.  
 — cinereus Cav. Cav. Ic. 141.  
 — Clusii Dun. Sweet Cist. 32.  
 — corbariensis Pourr. Sweet Cist. 8.



- Cistus corbariensis *Pourr.* Rchb. Fl. germ. 3, 36.  
 — cretensis *L.* Jacq. Ic. 95.  
 — creticus *L.* Sibth. Fl. gr. 495.  
 — — Sweet Cist. 112.  
 — — Hayne 13, 33.  
 — — Nees Düsseld. 430.  
 — — Rchb. Fl. germ. 3, 40.  
 — — Woodv. Med. 3, 207.  
 — crispus *L.* Cav. Ic. 174.  
 — — Sweet Cist. 22.  
 — — Rchb. Fl. germ. 3, 38.  
 — croceus *Desf.* Desf. Fl. atl. 110.  
 — Cupanianus *Presl.* Presl Symbolae 22.  
 — — Sweet Cist. 70.  
 — cymosus *Dunal.* Sweet Cist. 90.  
 — cyprius *Lam.* Sweet Cist. 39.  
 — — Hayne 13, 35.  
 — — Nees Düsseld. 428.  
 — dichotomus *Cav.* Cav. Ic. 263.  
 — ellipticus *Desf.* Desf. Fl. atl. 107.  
 — — Sibth. Fl. gr. 502.  
 — ericoides *Cav.* Cav. Ic. 172.  
 — florentinus *Lam.* Sweet Cist. 59.  
 — foetidus *L.* Jacq. Ic. 98.  
 — formosus *Curt.* Bot. Mag. 8, 264.  
 — — Kerner Hort. 90.  
 — Fumana *L.* Jacq. Fl. austr. 3, 252.  
 — — var.  $\alpha$ . Desf. Fl. atl. 105.  
 — galactites *Schmid.* Schmidel Ic. 65.  
 — garganicus *Ten.* Tenore Fl. nap. 235.  
 — glaucus *Cav.* Cav. Ic. 261.  
 — glutinosus *L.* Cav. Ic. 145.  
 — grandiflorus *Scop.* Scop. Fl. carn. 1, 25.  
 — guttatus *L.* Curt. Lond. 2, 58.  
 — — Engl. Bot. 8, 544.  
 — — Sibth. Fl. gr. 498.  
 — — Schk. Handb. 143.  
 — — Roemer Fl. eur. 11, 2.  
 — halimifolius *L.* Cav. Ic. 138.  
 — Helianthemum *L.* Fl. dan. 1, 101.  
 — — Curt. Lond. 2, 68.  
 — — Engl. Bot. 19, 1321.  
 — — var. Lodd. Cab. 202.  
 — — Lam. Encycl. 477.  
 — heterophyllus *Desf.* Desf. Fl. atl. 104.  
 — — Sweet Cist. 6.  
 — hirsutus *Lam.* Sweet. Cist. 19.  
 — hirtus *L.* Cav. Ic. 146.  
 — — Sibth. Fl. gr. 501.  
 — incanus *L.* Bot. Mag. 2, 43.  
 — — Sibth. Fl. gr. 494.  
 — — Sweet Cist. 44.  
 — — Rchb. Fl. germ. 3, 39.  
 — ladaniferus *L.* Bot. Mag. 4, 112.  
 — —  $\alpha$ .  $\beta$ . Sweet Cist. 84. 1.  
 — — Kerner Hort. 292.  
 — — Hayne 13, 36.  
 — — Nees Düsseld. 429.  
 — — Herb. amat. 4, 265.  
 — laevipes *L.* Jacq. Vind. 158.  
 — — Cav. Ic. 173.  
 — — Gerard Fl. gallopr. 14.  
 — — Bot. Mag. 43, 1782.  
 — laevis *Cav.* Cav. Ic. 145.  
 — lanuginosus *Viv.* Viv. Lib. 14.  
 — latifolius *Sweet.* Sweet Cist. 15.  
 — laurifolius *L.* Sweet Cist. 52.  
 — — Rchb. Fl. germ. 3, 37.  
 — lavandulaefolius *Lam.* Jacq. Collect. 5, 10.  
 — laxus *Brot.* Brotero Phytogr. 75.  
 — — *Ait.* Sweet Cist. 12.  
 — ledifolius *L.* Engl. Bot. 34, 2414.

- Cistus Ledon *Lam.* Hayne 13, 34.  
 — linearis *Cav.* Cav. Ic. 216.  
 — lunulatus *All.* Allioni Auct. 2.  
 — marifolius *L.* Cav. Ic. 143.  
 — — Curt. Lond. 5, 171.  
 — — Engl. Bot. 6, 396.  
 — — Lodd. Cab. 670.  
 — micranthus *Viv.* Viv. Lib. 14.  
 — mollis *Cav.* Cav. Ic. 262.  
 † monspeliensis *L.* Gaertn. Carp. 76.  
 † — — Lam. Encycl. 477.  
 — — Sibth. Fl. gr. 493.  
 — — Sweet Cist. 27.  
 — — Rchb. Fl. germ. 3, 37.  
 — mutabilis *L.* Jacq. Ic. 99.  
 — numularius *L.* Cav. Ic. 142.  
 — oblongifolius *Sweet.* Sweet Cist. 67.  
 — obtusifolius *Sweet.* Sweet Cist. 42.  
 — oclandicus *L.* Jacq. Fl. austr. 4, 399.  
 — —? var. Roemer Script. 1.  
 — organifolius *Lam.* Cav. Ic. 262.  
 — ovatus *Viv.* Viv. Fl. ital. 8.  
 — parviflorus *Lam.* Sibth. Fl. gr. 496.  
 — — Sweet Cist. 14.  
 — — Rchb. Hort. 22.  
 — pilosus *L.* All. Fl. ped. 3, 45.  
 — platysepalus *Sweet.* Sweet Cist. 47.  
 — polifolius *L.* Engl. Bot. 19, 1322.  
 — polyanthos *Desf.* Desf. Fl. atl. 108.  
 — populifolius *L.* Cav. Ic. 215.  
 — — Sweet Cist. 23.  
 — psilosepalus *Sweet.* Sweet Cist. 33.  
 — purpureus *Lam.* Bot. Reg. 5, 408.  
 — — Kerner Hort. 180.  
 — — Sweet Cist. 17.  
 — racemosus *L.* Cav. Ic. 140.  
 — roseus *All.* All. Fl. ped. 3, 45.  
 — — *Jacq.* Jacq. Vind. 3, 65.  
 — — *Tausch.* Tausch Hort. Canal. 8.  
 — rotundifolius *Sweet.* Sweet Cist. 75.  
 — ruficomus *Viv.* Viv. Lib. 14.  
 — salicifolius *L.* Cav. Ic. 144.  
 — — Sibth. Fl. gr. 499.  
 — salvifolius *L.* Jacq. Collect. 2, 8.  
 — — Cav. Ic. 137.  
 — — Sibth. Fl. gr. 497.  
 — — Sweet Cist. 54.  
 — — Rchb. Fl. germ. 3, 36.  
 — sampucifolius *Cav.* Cav. Ic. 96.  
 — — *Sims.* Bot. Mag. 43, 1803.  
 — serratus *Cav.* Cav. Ic. 175.  
 — sessiliflorus *Desf.* Desf. Fl. atl. 106.  
 — squamatus *L.* Cav. Ic. 139.  
 — strictus *Cav.* Cav. Ic. 263.  
 — surrejanus *L.* Engl. Bot. 31, 2207.  
 — symphytifolius *Lam.* Dict. sc. nat. 190.  
 — syriacus *Jacq.* Jacq. Ic. 96.  
 — syrticus *Viv.* Viv. Lib. 14.  
 — thymifolius *L.* Sibth. Fl. gr. 500.  
 — tomentosus *Scop.* Scop. Fl. carn. 1, 24.  
 — — Engl. Bot. 31, 2208.  
 — Tuberaria *L.* Cav. Ic. 97.  
 — undulatus *Dun.* Sweet Cist. 63.  
 — — Rchb. Fl. germ. 3, 38.  
 — vaginatus *Ait.* Jacq. Schoenbr. 3, 282.  
 — — Bot. Reg. 3, 225.  
 — — Sweet Cist. 9.  
 † villosus *Lam.* Lam. Encycl. 477.  
 — — *L.* Sweet Cist. 35.  
 — — Rchb. Fl. germ. 3, 40.  
 — violaceus *Cav.* Cav. Ic. 147.  
 † Citharexylon caudatum *L.* Lam. Encycl. 545.

- Citharexylon cinereum* L. Jacq. Hist. stirp. am. 178.  
 — *cyanocarpum* Hook. Hook. Beechey 11.  
 — *erectum* Sw. Jacq. Ic. 501.  
 — *molle* Jacq. Jacq. Schoenbr. 4, 417.  
 † — *paniculatum* Gaertn. Gaertn. Carp. 56.  
 † — — *Poir.* Lam. Encycl. 545.  
 — *pentandrum* Vent. Vent. Cels 47.  
 — *quadrangulare* L. Jacq. Vind. 22.  
 — *villosum* Jacq. Jacq. Ic. 118.  
*Citharoloma Lehmanni* Bge. Bunge Rel. Lehm. 5.  
 — *vernum* Bge. Bunge Rel. Lehm. 5.  
*Citrahensis* Aub. Aubert Orchid. 16.  
*Citrangis* Aub. Aubert Orchid. 61.  
 † *Citrosma Rz et P.* Ruiz et Pav. Prodr. 29.  
 — *cristatum* P. et E. Poepp. et Endl. 164.  
*Citrullus Colocynthis* Arn. Wight Ic. pl. Ind. or. 2, 498.  
 — *fiatulosus* Stocks. Hook. Journ. 1851, 3.  
 † *Citrus L.* Risso Orangers 1. 2.  
 — — His Orangers 1.  
 † — — Kerner Genera 60.  
 † — — (Fructus.) Münchn. Abh. 4, 6.  
 — *angulata* Willd. Rumpf Amb. 2, 32.  
 — *Aurantium* L. Rumpf Amb. 2, 35.  
 † — — Lam. Encycl. 639.  
 — — — Tuss. Ant. 3, 14.  
 — — — Desc. Ant. 1, 38.  
 — — — Risso Orangers 3—29.  
 — — — Dict. sc. nat. 159.  
 — — — Hayne 11, 28.  
 — — — Guimp. et Schl. 71.  
 — — — Nees Düsseld. 423.  
 — — — Wagner 49, 50.  
 — — — Woodv. Med. 3, 188.  
 — — — var. *myrtifolia*, Bot. Reg. 4, 346.  
 — — — var. *Ann. Mus.* 20, 3.  
 ! — — — (Fructus monstr.) N. Comm. Bon. 3, 10.  
 ! — — — (Fructus monstr.) Mem. Mod. 23, 0.  
 † — — — (Folium.) Mem. Instit. 1850, 10.  
 — *Bergamia* Risso. Risso Orangers 53—56.  
 — *Bigaradia Duhamel.* Tuss. Ant. 3, 15.  
 — — — Kerner Hort. 766.  
 — — — Risso Orangers 30—52.  
 — *decumana* L. Rumpf Amb. 2, 24.  
 — — — (Pompelmos.) Risso Orangers 61—66.  
 — — — Tuss. Ant. 3, 17, 18.  
 — *dulcimedulla* Desc. Desc. Ant. 5, 339.  
 — *fusca* Lour. Rumpf Amb. 2, 33.  
 — *Gordoni* Risso. Risso Fl. de Nice 6.  
 — *Hystrix* DC. Atti Geogof. 15, 1.  
 — *japonica* Thumb. Thunb. Ic. jap. 15.  
 — — — Sieb. Fl. Japon. 15.  
 — *javanica* Bl. Rumpf Amb. 2, 29.  
 — *Limetta* Risso. Risso Orangers 57—60.  
 — — — var. *Ann. Mus.* 20, 4.  
 — — — Wight Ic. pl. Ind. or. 3, 958.  
 — *Limon Loiseleur.* Desc. Ant. 5, 337.  
 — *Limonum* Risso. Risso Orangers 70—95.  
 — — — Wight Spicil. 26.  
 — *Lumia* Risso. Risso Orangers 67—69.  
 — *madurensis* Lour. Rumpf Amb. 2, 31.  
 † — *Medica* L. Gaertn. Carp. 121.  
 † — — Lam. Encycl. 639.  
 ! — — — Beschäft. naturf. Fr. 3, 10.  
 — — — var. *acida*, Tuss. Ant. 3, 19.  
 — — — Desc. Ant. 1, 7.  
 — — — var. *odoratissima*, Andr. Rep. 10, 609.  
 — — — Hayne 11, 27.  
 — — — Nees Düsseld. 422.  
 — — — Guimp. et Schl. 70.  
 — — — Wagner 47, 48.  
 — — — Woodv. Med. 3, 189.  
 — — — var. *Ann. Mus.* 20, 4.

- Citrus Medica* Risso. Risso Orangers 96—107.  
 — *nobilis* Lour. Rumpf Amb. 2, 34.  
 — — — Andr. Rep. 9, 608.  
 — — — Kerner Hort. 670.  
 — — — var. *minor*, Bot. Reg. 3, 211.  
 — *Peretta* Risso. var. *domingensis*, Tuss. Ant. 3, 16.  
 — *Rissoi* Risso. Risso Fl. de Nice 5.  
 — *salicifolia* Savi. Atti Geogof. 15, 1.  
 — *sinensis* Pers. Desc. Ant. 5, 338.  
 — *taitensis* Risso. Risso Fl. de Nice 7.  
 — *vulgaris* Risso. Wight Ic. pl. Ind. or. 3, 957.  
 — — — Wight Spicil. 25.  
*Cladanthus arabicus* Cass. Dict. sc. nat. 87.  
 † *Cladium germanicum* Schrad. Schrad. Fl. germ. 5.  
 † — — *R. Br.* Nees Gen. 2, 8.  
 — *Mariscus* R. Br. Sturm Flora 11, 44.  
 — — — Rehb. Fl. germ. 8, 287.  
 — — — Baxter Brit. Bot. 6, 500.  
*Cladocaulon brasiliense* Gardn. Hook. Ic. pl. 6, 528.  
*Cladostyles paniculata* H. B. Humb. Pl. aeq. 57.  
 — — — Lam. Encycl. 933.  
*Cladothamnus pyroliflorus* Bong. Acad. Pet. 2, 1.  
*Claoxylon digynum* Wight. Wight Ic. pl. Ind. 5, 1884.  
 — *muricatum* Wight. Wight Ic. pl. Ind. or. 5, 1886.  
*Clappertonia ficifolia* DC. Delessert Ic. 5, 1.  
*Clarionea carthamoides* Don. Delessert Ic. 4, 93.  
 † — *magellanica* DC. Ann. Mus. 19, 3.  
 — — — Hook. Fl. ant. 111.  
 — *pedicularifolia* DC. Delessert Ic. 4, 92.  
*Clarionella magellanica* DC. Richard Astrolabe 10.  
 † *Clarisia Rz et P.* Ruiz et Pav. Prodr. 28.  
*Clarkia elegans* Dougl. Bot. Mag. 64, 3592.  
 — — — Bot. Reg. 19, 1575.  
 — — — Sweet Fl. G. II. 209.  
 — *gauroides* Dougl. Sweet Fl. G. II. 379.  
 — *pulchella* Pursh. Pursh Fl. 11.  
 — — — Lam. Encycl. 942.  
 — — — Bot. Mag. 56, 2918.  
 — — — Bot. Reg. 13, 1100.  
 — — — Rehb. Hort. 211.  
 — — — Sweet Fl. G. II. 160.  
 — *rhomboidea* Dougl. Bot. Reg. 23, 1981.  
*Clausena excavata* Burm. Burm. Fl. ind. 29.  
 — — — Lam. Encycl. 310.  
 — *Wildenowii* W. et A. Wight Ic. pl. Ind. or. 1, 14.  
*Clavigera scoparia* DC. Delessert Ic. 4, 12.  
 † *Clavija Rz et P.* Ruiz et Pav. Prodr. 30.  
 — *lanceifolia* Desf. Nouv. Ann. Mus. 1, 14.  
 — *ornata* Don. Bot. Reg. 21, 1764.  
 — *spathulata* Rz et P. Hook. Ic. pl. 2, 140.  
 † *Clavimyrtyus lineata* Bl. Blume Mus. 1, 49.  
*Clavophyllis* Aub. Aubert Orchid. 99.  
 † *Claytonia L.* Gray Genera 97.  
 — *acutifolia* Pall. Ledeb. Ic. 272.  
 — *alsinoides* Sims. Bot. Mag. 32, 1309.  
 — — — Baxter Brit. Bot. 4, 253.  
 — *australasica* Hook. Hook. Ic. pl. 3, 293.  
 — *caroliniana* Michx. Sweet Fl. G. 208.  
 — *cubensis* H. B. Humb. Pl. aeq. 26.  
 — — — Ann. Mus. 7, 6.  
 — *filicaulis* Dougl. Hook. Bor. Am. 72.  
 — *grandiflora* Sweet. Sweet Fl. G. 216.  
 — *gypsophiloides* F. et M. Sweet Fl. G. II. 375.  
 — *lanceolata* Pursh. Pursh Fl. 3.  
 — *linearis* Dougl. Hook. Bor. Am. 71.  
 — *parviflora* Dougl. Hook. Bor. Am. 73.  
 — *perfoliata* Donn. Jacq. Fragm. 51.  
 — — — Bot. Mag. 33, 1336.  
 — — — Belgique hort. 1, 58.  
 † — *Portulacaria L.* Lam. Encycl. 144.  
 — *sarmentosa* C. A. M. Mem. Mosc. 7, 3.  
 — — — Seemann Herald 5.

- *Claytonia sibirica* L. Svensk Acad. 1746, 5.  
 † — — — Gaertn. Carp. 129.  
 — — — Bot. Mag. 48, 2243.  
 — — — Sweet Fl. G. 16.  
 — *spathulaefolia* Salisb. Salisb. Parad. 71.  
 — *spathulata* Dougl. Hook. Bor. Am. 74.  
 — *stolonifera* C. A. M. Mem. Mosc. 7, 3.  
 — *virginica* L. Schk. Handb. 50.  
 — — — Lam. Encycl. 144.  
 — — — DC. Plantes grasses 131.  
 — — — Bot. Mag. 24, 941.  
 — — — Tratt. Thes. 17.  
 — — — Dict. sc. nat. 195.  
 — — — Lodd. Cab. 643.  
 — — — Barton Fl. 2, 51.  
 — — — Sweet Fl. G. II. 163.  
 — — — Gray Genera 97.  
*Cleghornia acuminata* Wight. Wight Ic. pl. Ind. 4, 1310.  
 — *cymosa* Wight. Wight Ic. pl. Ind. or. 4, 1312.  
*Cleisocotera elegans* Korth. Korthals Bot. 62.  
*Cleisostoma crassifolium* Ldl. Paxt. Fl. G. 99.  
 — *ionosum* Ldl. Bot. Reg. 33, 41.  
 † — *sagittatum* Bl. Blume Tabellen 27.  
*Cleistanthus polystachyus* Hook. fil. Hook. Ic. pl. 8, 779.  
 — — — Hook. Niger Flora 36.  
*Cleistes speciosa* Gardn. Hook. Ic. pl. 5, 474.  
 † *Cleistocalyx nitidus* Bl. Blume Mus. 1, 56.  
 † *Clematis* L. Gray Genera 2.  
 — *albida* Klotzsch. Prinz Wald. Him. 40.  
 — *anethifolia* Hook. Hook. Ic. pl. 1, 78.  
 — *angustifolia* Jacq. Jacq. Ic. 104.  
 — — — Rehb. Fl. germ. 4, 62.  
 — — — Watson Dendr. 2, 112.  
 — — — Lodd. Cab. 918.  
 — *aristata* R. Br. Bot. Reg. 3, 238.  
 — — — Lodd. Cab. 620.  
 — *bannatica* Wierzb. Rehb. Fl. germ. 4, 64.  
 — *Bojeri* Hook. Hook. Ic. pl. 1, 10.  
 — *brachiata* Ker. Bot. Reg. 2, 97.  
 — *brasiliانا* DC. Delessert Ic. 1, 1.  
 — *calycina* Ait. Bot. Mag. 24, 959.  
 — — — Lodd. Cab. 720.  
 — — — Sweet Fl. G. II. 335.  
 — *campaniflora* Brot. Brotero Phytogr. 81.  
 — — — Lodd. Cab. 987.  
 — — — Sweet Fl. G. II. 217.  
 — *chinensis* Retz. Retzius Obs. 2, 2.  
 — *chlorantha* Ldl. Bot. Reg. 15, 1234.  
 — *cirrhusa* L. Sibth. Fl. gr. 517.  
 — — — Bot. Mag. 27, 1070.  
 — — — Lodd. Cab. 1806.  
 — *coerulea* Ldl. Bot. Reg. 23, 1955.  
 — — — Maund Bot. 3, 126.  
 — — — Paxt. Mag. 4, 193.  
 — — — *β. grandiflora*, Bot. Mag. 69, 3953.  
 — — — *β. azurea*, Hart. Parad. 1, 3.  
 — *Colensoi* Hook. Hook. New Zeal. 1.  
 — *cordata* Walt. Bot. Mag. 43, 1816.  
 — *crispa* L. Bot. Mag. 44, 1892.  
 — — — Bot. Reg. 32, 60.  
 — — — Gray Genera 2.  
 — *cylindrica* Sims. Bot. Mag. 29, 1160.  
 — *divaricata* Jacq. Jacq. Ecl. pl. 33.  
 — *diversifolia* DC. Delessert Ic. 1, 4.  
 — *Douglasii* Hook. Hook. Bor. Am. 1.  
 — *elongata* Tratt. Tratt. Archiv 149.  
 — *erecta* L. Jacq. Fl. austr. 3, 291.  
 — — — Sturm Flora 2, 8.  
 — — — Hayne 12, 30.  
 — — — Nees Dusseld. 390.  
 — — — Guimp. et Schl. 24.  
 — — — Woodv. Med. 3, 171.

- Clematis erecta* L. Rehb. Fl. germ. 4, 61.  
 — *Flammula* L. Hayne 12, 31.  
 — — — Rehb. Fl. germ. 4, 62, 63.  
 — *florida* Thunb. Jacq. Schoenbr. 3, 357.  
 — — — Andr. Rep. 6, 402.  
 — — — Bot. Mag. 22, 834.  
 — — — Maund Bot. 5, 241.  
 — — — var. *bicolor*, Bot. Reg. 24, 25.  
 — — — var. *Sieboldii*, Sweet Fl. G. II. 396.  
 — — — var. *Sieboldii*, Fl. d. serres 5, 487.  
 — *foetida* Decne. Raoul Nouv. Zel. 22.  
 — *fragrans* Ten. Tenore Fl. nap. 48.  
 — *Gebleriana* Bong. Acad. Petersb. 6, 1.  
 — *gentianoides* DC. Delessert Ic. 1, 5.  
 — *glauca* Willd. Watson Dendr. 1, 73.  
 — *Gouriana* Roxb. Wight Ic. pl. Ind. or. 3, 933, 934.  
 — — — Wight Spicil. 1—2.  
 — *Grahami* Benth. Fl. d. serres 4, 376.  
 — *grata* Wall. Wall. Pl. asiat. 98.  
 — *graveolens* Ldl. Bot. Mag. 76, 4495.  
 — — — Lem. Jard. fl. 128.  
 — — — Fl. d. serres 4, 376, 6, 548.  
 — *havanensis* H. B. K. Ramon Cuba 1.  
 — *hedysarifolia* DC. Bot. Reg. 7, 599.  
 — *hexasepala* DC. Bot. Reg. 32, 44.  
 — *inciso-dentata* Dill. et R. Richard Abyssin. 1.  
 — *indivisa* Willd. var. Bot. Mag. 74, 4398.  
 — — — Annales de Gand 1848, 61.  
 — — — var. Fl. d. serres 4, 402.  
 — — — var. *lobata*, Revue hort. 1853, 13.  
 — *integrifolia* L. Bot. Mag. 2, 65.  
 — — — Jacq. Fl. austr. 4, 363.  
 — — — Tratt. Archiv 150.  
 — — — Rehb. Fl. germ. 4, 60.  
 — *lanuginosa* Ldl. Paxt. Fl. G. 94.  
 — — — Fl. d. serres 8, 811.  
 — *lathyrifolia* Bess. Bot. Reg. 25, 61.  
 — *lineariloba* DC. Delessert Ic. 1, 3.  
 — *macropetalata* Led. Ledeb. Ic. 11.  
 — *mauritiana* Lam. Delessert Ic. 1, 2.  
 — *montana* Ham. Wall. Pl. asiat. 217.  
 — — — Bot. Reg. 26, 53.  
 — — — var. *grandiflora*, Bot. Mag. 70, 4061.  
 — — — Sweet Fl. G. II. 253.  
 — *Munroiana* Wight. Wight Illustr. 1.  
 — *ochroleuca* Tratt. Tratt. Archiv 209.  
 — — — Ait. Lodd. Cab. 661.  
 — — — Torrey New York 1.  
 — *oligophylla* Hook. Hook. Ic. pl. 1, 80.  
 — *orientalis* L. Kerner Hort. 691.  
 — *parviflora* DC. DC. Hort. genev. 12.  
 — *patens* Decne. var. Sophia, Fl. d. serres 8, 852.  
 — *pedicellata* Ldl. Bot. Reg. 33, 21.  
 — *pimpinellifolia* Hook. Hook. Ic. pl. 1, 77.  
 — *recta* L. = *Clematis erecta* L.  
 — *reticulata* Walt. Watson Dendr. 1, 72.  
 — *Sieboldii* Don. Paxt. Mag. 4, 147.  
 — *smilacifolia* Wall. Bot. Mag. 72, 4259.  
 — — — Fl. d. serres 2, 175.  
 — *Stanleyi* Hook. Hook. Ic. pl. 6, 589.  
 — *subpeltata* Wall. Wall. Pl. asiat. 20.  
 — *trifida* Hook. Hook. Ic. pl. 1, 79.  
 — *tubulosa* Turcz. Journ. Hort. Soc. 3, 79.  
 — — — Bot. Mag. 72, 4269.  
 — — — Paxt. Mag. 14, 31.  
 — — — Annales de Gand 1847, 135.  
 — — — Fl. d. serres 3, 196.  
 — *violacea* A. DC. Mem. Genev. 11, 1.  
 — — — Annales de Gand 1845, 45.  
 — *Viorna* L. Jacq. Ecl. pl. 32.  
 — — — Andr. Andr. Rep. 1, 71.  
 — *virginiana* L. Watson Dendr. 1, 74.

- Clematis Vitalba* L. Curt. Lond. 1, 73.  
 — — — Engl. Bot. 9, 612.  
 † — — — Gaertn. Carp. 74.  
 † — — — Lam. Encycl. 497.  
 — — — Jacq. Fl. austr. 4, 308.  
 — — — Schk. Handb. 151.  
 — — — Schrank Fl. mon. 2, 108.  
 — — — Hayne 12, 32.  
 — — — Guimp. Holzgew. 113.  
 — — — Rchb. Fl. germ. 4, 64.  
 — — — Baxter Brit. Bot. 2, 129.  
 — — — Viticella L. Sibth. Fl. gr. 516.  
 — — — Bot. Mag. 16, 565.  
 — — — Rchb. Fl. germ. 4, 65.  
 † — — — Acta Leop. 14, 2, 37.  
 — — — Wightiana Wall. Wight Ic. pl. Ind. or. 3, 935.  
 — — — Wight Spicil. 3.  
*Cleome* L.? Martyn Hist. 43.  
 † — — — Gray Genera 76.  
 — — — arabica L. Linné Fasc. pl. ups. 8.  
 — — — aspera Koenig. Wight Ic. pl. Ind. or. 1, 287.  
 — — — Candelabrum Sims. Bot. Mag. 53, 2656.  
 — — — chilensis a. DC. Delessert Ic. 3, 2.  
 † — — — crenopetala DC. Mem. Genév. 6, 2.  
 — — — dendroides Schult. Bot. Mag. 61, 3296.  
 — — — dodecandra L. Barton Fl. 1, 22.  
 — — — droserifolia Delile. Delile Egypte 36.  
 — — — fruticosa L. Burm. Fl. ind. 46.  
 — — — gigantea L. Jacq. Obs. 76.  
 — — — Bot. Mag. 59, 3137.  
 — — — glauca DC. Delessert Ic. 3, 4.  
 — — — glaucescens DC. Delessert Ic. 3, 5.  
 — — — guianensis Aubl. Aublet Guiana 273.  
 — — — integrifolia Torr. et Gr. Gray Genera 76.  
 — — — lutea Hook. Hook. Bor. Am. 25.  
 — — — Bot. Reg. 27, 67.  
 — — — monandra DC. DC. Hort. genev. 15.  
 — — — monophylla L. Rheede Hort. mal. 9, 34.  
 — — — nummularia DC. Delessert Ic. 3, 3.  
 — — — ornithopoides L. Sibth. Fl. gr. 650.  
 — — — pentaphylla L. Rumpf Amb. 5, 96. fig. 3.  
 — — — Jacq. Vind. 24.  
 — — — Lam. Encycl. 567.  
 — — — Bot. Mag. 40, 1681.  
 — — — Desc. Ant. 7, 509.  
 — — — procumbens L. Jacq. Hist. stirp. am. 181.  
 — — — pubescens Sims. Bot. Mag. 43, 1857.  
 — — — pungens Willd. Willd. Hort. 18.  
 — — — rosea Vahl. Bot. Reg. 12, 960.  
 — — — ruta Camb. Jacquemont Ind. 19.  
 — — — speciosa H. B. K. H. B. K. Nov. Gen. 5, 436.  
 — — — speciosissima Deppe. Bot. Reg. 16, 1312.  
 — — — spinosa L. Bot. Mag. 40, 1640.  
 — — — Kerner Hort. 559.  
 — — — Rchb. Exot. 154.  
 — — — uniglandulosa Cav. Cav. Ic. 306.  
 † — — — violacea L. Gaertn. Carp. 76.  
 — — — Schk. Handb. 189<sup>b</sup>.  
 — — — Lam. Encycl. 567.  
 — — — viscosa L. Martyn Hist. 23.  
 † *Cleomella* DC. Gray Genera 75.  
 — — — mexicana DC. Hook. Ic. pl. 1, 28.  
 — — — Gray Gen. 75.  
 † *Cleonia lusitanica* L. Gaertn. Carp. 66.  
 † *Cleophora lontaroides* Gaertn. Gaertn. Carp. 120.  
*Clermontia grandiflora* Gaudich. Freycinet Voyage 73.  
 — — — macrocarpa Gaudich. Gaudichaud Bonite 49.  
 — — — oblongifolia Gaudich. Freycinet Voyage 71.  
 — — — persicifolia Gaudich. Freycinet Voyage 72.  
*Clerodendron Bethuneanum* Lowe. Bot. Mag. 75, 4485.  
 — — — capitatum Schum. Bot. Mag. 74, 4355.  
 — — — castaneaeifolium Klotzsch. Prinz Wald. Him. 65.

- Clerodendron deflexum* Wall. Wall. Pl. asiat. 215.  
 — — — emirnense Bojer. Bot. Mag. 56, 2925.  
 — — — fragrans Willd. Bot. Mag. 43, 1834.  
 — — — Bot. Reg. 24, 41.  
 — — — hastatum Wall. Bot. Reg. 16, 1307.  
 — — — Bot. Mag. 62, 3398.  
 — — — inerme Roxb. Rheede Hort. mal. 5, 49.  
 † — — — Gaertn. Carp. 57.  
 — — — infortunatum L. Rumpf Amb. 3, 20, 4, 49.  
 † — — — Gaertn. Carp. 57.  
 † — — — Lam. Encycl. 544.  
 — — — Bot. Reg. 30, 19.  
 — — — Paxt. Mag. 11, 169.  
 — — — Wight Ic. pl. Ind. or. 4, 1471.  
 — — — Kaempferi Fisch. Annales de Gand 1845, 3.  
 — — — lividum Ldl. Bot. Reg. 11, 945.  
 — — — macrophyllum Sims. Bot. Mag. 52, 2536.  
 — — — Rchb. Exot. 209.  
 — — — nutans Wall. Bot. Mag. 58, 3049.  
 — — — paniculatum L. Bot. Reg. 5, 406.  
 — — — Rchb. Exot. 208.  
 — — — phlomoides L. fil. Wight Ic. pl. Ind. or. 4, 1473.  
 — — — pubescens Ldl. Bot. Reg. 12, 1035.  
 — — — pyramidale Andr. Andr. Rep. 10, 628.  
 — — — scandens Pal. B. Pal. Fl. d'Oware 62.  
 — — — Bot. Mag. 74, 4354.  
 — — — serratum Spr. Wight Ic. pl. Ind. or. 4, 1472.  
 — — — sinuatum Hook. Bot. Mag. 72, 4255.  
 — — — Fl. d. serres 3, 224.  
 — — — Siphonanthus R. Br. Wight Illustr. 173.  
 — — — speciosissimum Paxt. Paxt. Mag. 3, 217, 271.  
 — — — splendens G. Don. Bot. Reg. 28, 7.  
 — — — Paxt. Mag. 9, 103.  
 — — — Hart. Parad. 2, 4.  
 — — — squamatum Vahl. Bot. Reg. 8, 649.  
 — — — Lodd. Cab. 796.  
 — — — Maund. Bot. 1, 13.  
 — — — Annales de Gand 1845, 3.  
 — — — tomentosum R. Br. Andr. Rep. 9, 607.  
 — — — Bot. Mag. 37, 1518.  
 — — — trichotomum Thunb. Kaempf. Jap. 22.  
 — — — villosum Bl. Rheede Hort. mal. 2, 25.  
 — — — viscosum Vent. Vent. Malm. 25.  
 — — — Bot. Reg. 8, 629.  
 — — — Bot. Mag. 43, 1805.  
 — — — Kerner Hort. 148.  
 — — — volubile Pal. B. Pal. Fl. d'Oware 32.  
*Clethra acuminata* Michx. Barton Fl. 3, 71.  
 — — — Lodd. Cab. 1427.  
 † — — — alnifolia L. Gaertn. Carp. 63.  
 † — — — Lam. Encycl. 369.  
 — — — Schk. Handb. 118.  
 — — — Guimp. Fr. Holzgew. 76.  
 — — — arborea Ait. Schneevogt Ic. 22.  
 — — — Vent. Malm. 40.  
 — — — Bot. Mag. 26, 1057.  
 — — — fimbriata H. B. K. H. B. K. Nov. Gen. 3, 264.  
 — — — quercifolia Ldl. Bot. Reg. 28, 23.  
 — — — tomentosa Lam. Bot. Mag. 66, 3743.  
 — — — Watson Dendr. 1, 39.  
 — — — Guimp. Fr. Holzgew. 77.  
*Clethropsis nitida* Spach. Jacquemont Ind. 159.  
*Cleyera gymnanthera* W. et A. Wight Spicil. 19.  
 — — — Wight Ic. pl. Ind. or. 1, 47.  
 — — — japonica Thunb. Sibb. Jap. 81.  
 — — — Milletii Hook. et Arn. Hook. Beechey 33.  
*Clianthus carneus* Ldl. Bot. Reg. 27, 51.  
 — — — Dampieri Cunn. Paxt. Fl. G. 10.  
 — — — Fl. d. serres 6, 571.  
 — — — puniceus Soland. Bot. Reg. 21, 1775.  
 — — — Maund Bot. 1, 44.  
 — — — Bot. Mag. 64, 3584.

- Clianthus puniceus* *Soland.* Paxt. Mag. 2, 169.  
 — — — Sweet Fl. G. II. 397.  
 — — — Hort. Transact. 8, 22.  
*Clibadium peruvianum* *P. et E.* Poepp. et Endl. 253.  
 † *Clidemia elegans* *Don.* var. Miquel Comment. 10.  
 — polyandra *Benth.* Benth. Sulphur 34.  
 — rhodopogon *DC.* Mart. Bras. 282.  
 — rubra *Mart.* Mart. Bras. 281.  
 — surinamensis *Miq.* Miquel Comment. 11.  
*Cliffortia arachnoides* *Lodd.* Lodd. Cab. 260.  
 — cordifolia *Lam.* Lam. Encycl. 827.  
 — ilicifolia *L.* Linné Hort. Cliff. 30.  
 — — — Lam. Encycl. 827.  
 — polygonifolia *L.* Linné Hort. Cliff. 32.  
 — ruscifolia *L.* Linné Hort. Cliff. 31.  
 † — — — Lam. Encycl. 827.  
 † *Cliftonia nitida* *Gaertn.* Gaertn. Carp. 225.  
 † *Clinanthus luteus* *Herb.* Herbert Amar. 27.  
*Clinopodium incanum* *L.* Lam. Encycl. 511.  
 — origanifolium *Lab.* Bill. Syr. 4, 9.  
 — vulgare *L.* Schk. Handb. 163.  
 † — — — Lam. Encycl. 511.  
 — — — Fl. dan. 6, 930.  
 — — — Engl. Bot. 20, 1401.  
 — — — Sv. Bot. 441.  
 — — — Schrank. Fl. monac. 2, 195.  
 — — — Dietr. Fl. bor. 2, 124.  
 † — — — Nees Gen. 6, 12.  
 — — — Baxter Brit. Bot. 5, 346.  
*Clintonia elegans* *Dougl.* Bot. Reg. 15, 1241.  
 — pulchella *Ldl.* Bot. Reg. 17, 1909.  
 — — — Maund Bot. 5, 297.  
 — — — Paxt. Mag. 4, 145.  
 — — — Sweet Fl. G. II. 412.  
 † *Clitoria* *L.* Kerner Genera 105.  
 — amoena *Roth.* Roth Catal. 2, 3.  
 — arborescens *Ait.* Bot. Mag. 59, 3165.  
 — calcarigera *Salisb.* Salisb. Parad. 51.  
 — fulgens *Paxt.* Paxt. Mag. 11, 121.  
 — heterophylla *Lam.* Vent. Choix 26.  
 — — — Bot. Mag. 47, 2111.  
 — Mariana *L.* Torrey New York 24.  
 — Plumieri *Poir.* Tuss. Ant. 4, 27.  
 — — — Bot. Reg. 4, 268.  
 — pudica *Steud.* Desc. Ant. 8, 589.  
 — rubiginosa *Pers.* Desc. Ant. 8, 591.  
 — Ternatea *L.* Rheede Hort. mal. 8, 38.  
 — — — Rumpf Amb. 5, 31.  
 — — — Gaertn. Carp. 149.  
 † — — — Lam. Encycl. 609.  
 — — — Bot. Mag. 37, 1542.  
 — — — Paxt. Mag. 7, 147. 13, 79.  
 — — — Rehb. Exot. 226.  
 — virginiana *L.* Bot. Reg. 13, 1047.  
 — — — Desc. Ant. 8, 590.  
 — viridiflora *Bout.* Hook. Ic. pl. 2, 152.  
 † *Clivia* *Ldl.* Herbert Amar. 36.  
 — nobilis *Ldl.* Bot. Reg. 14, 1182.  
 — — — Lodd. Cab. 1906.  
*Clomenocoma montana* *Benth.* Fielding Sertum 37.  
*Closia Cotula* *J. Remy.* Gay Chile 46.  
*Closterandra minor* *Bvn.* Belanger Ind. or. 0.  
*Clowesia rosea* *Ldl.* Bot. Reg. 29, 39.  
 † *Clusia* *L.* Kerner Genera 134. 135.  
 — alba *L.* Jacq. Hist. stirp. am. 250.  
 — — — Kerner Hort. 849.  
 — Criuva *St. Hil.* St. Hil. Fl. Bras. 65.  
 — flava *L.* Jacq. Hist. stirp. am. 251.  
 — — — Andr. Rep. 4, 223.  
 — Galactodendron *Desv.* Ann. sc. nat. II. 18, 8.  
 — grandiflora *Splittg.* Miquel Surin. 25. 26.  
 — insignis *Mart.* Mart. Bras. 288.

- Clusia retusa* *Poir.* Lam. Encycl. 852.  
 — rosea *L.* Tuss. Ant. 4, 15.  
 — — — Desc. Ant. 7, 485.  
 — — — Dict. sc. nat. 155. 156.  
 — — — Linnaea 8, 4.  
*Cluytia alaternoides* *L.* Willd. Hort. 50.  
 — — — Bot. Mag. 32, 1321.  
 — collina *Roxb.* Roxb. Corom. 169.  
 — — — Kerner Hort. 545.  
 — daphnoides *Willd.* Willd. Hort. 52.  
 — Eluteria *L.* Woody. Med. 4, 223.  
 — ericoides *Thunbg.* Bot. Reg. 10, 779.  
 — montana *Roxb.* Roxb. Corom. 171.  
 — patula *Roxb.* Roxb. Corom. 170.  
 — polifolia *Jacq.* Jacq. Sçoënbr. 2, 250.  
 — polygonoides *L.* Willd. Hort. 51.  
 † — pulchella *L.* Gaertn. Carp. 107.  
 † — — — Lam. Encycl. 835.  
 — — — Bot. Mag. 45, 1945.  
 — scandens *Roxb.* Roxb. Corom. 173.  
 — spinosa *Roxb.* Roxb. Corom. 172.  
*Clypea Burmanni* *W. et A.* Rheede Hort. mal. 7, 49.  
 — glaucescens *Decne.* Nouv. Ann. Mus. 3, 18.  
 — hernandifolia *W. et A.* Wight Spicil. 7.  
 — — — Wight Ic. pl. Ind. or. 3, 939.  
 † *Clypeola* *Desv.* Desvaux Journ. 5, 25.  
 — alliacea *Crantz.* Crantz Crucif. 1.  
 † — — — Lam. Encycl. 560.  
 — chaetocarpa *Jaub.* Jaubert Illustr. 206.  
 — Jonthaspi *L.* Cav. Ic. 34.  
 † — — — Gaertn. Carp. 141.  
 † — — — Lam. Encycl. 560.  
 — — — Rehb. Fl. germ. 2, 12.  
 — lasiocarpa *Pers.* Jaubert Illustr. 205.  
*Cnemidostachys bidentata* *Mart.* Mart. Bras. 43.  
 — marginata *Mart.* Mart. Bras. 41.  
 — myrtilloides *Mart.* Mart. Bras. 40.  
 — scoparia *Mart.* Mart. Bras. 44.  
 — serrulata *Mart.* Mart. Bras. 42.  
*Cneorum pulverulentum* *Vent.* Vent. Cels 77.  
 — — — Webb Canar. 66 B.  
 † — tricoccum *L.* Lam. Encycl. 27.  
 † — — — Webb Canar. 66 B.  
*Cnestis glabra* *Lam.* Lam. Encycl. 387.  
 — obliqua *Pal. B.* Pal. B. Fl. d'Oware 59.  
 — pinnata *Pal. B.* Pal. B. Fl. d'Oware 60.  
 † — polyphylla *Lam.* Lam. Encycl. 387.  
*Cnicus Acarna* *L.* Cav. Ic. 53.  
 — — — Sibth. Fl. gr. 827.  
 † — acaulis *Hoffm.* Schk. Handb. 229.  
 — — — Engl. Bot. 3, 161.  
 — afer *Willd.* Sibth. Fl. gr. 829.  
 — — — Jacq. Bot. Mag. 49, 2287.  
 — alsophilus *Poll.* Poll. Fl. ver. 2, 5.  
 — arvensis *Hoffm.* Curt. Lond. 1, 74.  
 — — — Engl. Bot. 14, 975.  
 — — — Schrank Fl. monac. 3, 214.  
 † — benedictus *L.* Gaertn. Carp. 162.  
 — — — Nees Düsseld. 222.  
 — — — Rehb. Fl. germ. 15, 748.  
 — cernuus *L.* Pallas Fl. ross. 3, 7.  
 † — ciliatus *Willd.* Schk. Handb. 229.  
 — cynaroides *Willd.* Sibth. Fl. gr. 828.  
 — — — Desf. Choix 35.  
 — — — Ann. Mus. 11, 20.  
 — dubius *Willd.* Willd. Fl. berol. 6.  
 — eriophorus *Roth.* Engl. Bot. 6, 386.  
 — — — Schrank Fl. monac. 4, 347.  
 — ferox *L.* All. Fl. ped. 3, 50.  
 — heterophyllus *Willd.* Curt. Lond. 4, 26.  
 — — — Engl. Bot. 10, 675.  
 — lanceolatus *Hoffm.* Sv. Bot. 416.

- Cnicus lanceolatus Hoffm.* Engl. Bot. 2, 107.  
 — — — Baxter Brit. Bot. 6, 410.  
 — — — Schrank Fl. monac. 3, 263.  
 — — — *oleraceus L.* Fl. dan. 5, 860.  
 — — — Sv. Bot. 698.  
 — — — Schk. Handb. 229.  
 — — — Schrank Fl. monac. 2, 147.  
 — — — *palustris Willd.* Curt. Lond. 1, 56.  
 — — — Engl. Bot. 14, 974.  
 — — — Sv. Bot. 428.  
 † — — — Schk. Handb. 229.  
 — — — Schrank Fl. monac. 4, 375.  
 — — — *pascuarensis H. B. K.* H. B. K. Nov. Gen. 4, 310.  
 — — — *pauciflorus W. et K.* W. et Kit. 161.  
 — — — *pubescens Willd.* Engl. Bot. 3, 177.  
 — — — *pungens Seb.* Sebast. Fl. rom. 1, 2.  
 — — — Sebast. Fl. rom. 7.  
 — — — *spinosissimus L.* Bot. Mag. 33, 1366.  
 — — — *stellatus Willd.* Sibth. Fl. gr. 830.  
 — — — *strictus Ten.* Tenore Fl. nap. 75.  
 † — — — *syriacus Willd.* Schk. Handb. 229.  
 — — — Sibth. Fl. gr. 831.  
 — — — Sebast. Fl. rom. 8.  
 — — — Sebast. Rom. pl. 2, 6.  
 — — — *tuberosus Willd.* Engl. Bot. 36, 2562.  
 — — — Schrank Fl. monac. 4, 347.  
 † *Cnidium apioides Spr.* Nees Gen. X, x.  
 — — — *diffusum DC.* Wight Ic. pl. Ind. or. 2, 569.  
 † — — — *Monnieri Cass.* Spr. Umb. Prodr. 1.  
 † — — — *Silaus Spr.* Magazin nat. Fr. 6, 5.  
 — — — *venosum Koch.* Dietr. Fl. bor. 10, 707.  
 † — — — Nees Gen. X, x.  
*Cnidioscolus hamosus Pohl.* Pohl Bras. 49.  
 — — — *Maregravii Pohl.* Pohl Bras. 50.  
 — — — *neglectus Pohl.* Pohl Bras. 51.  
 — — — *vitifolius Pohl.* Pohl Bras. 52.  
*Cobaea macrostema Pav.* Bot. Mag. 66, 3780.  
 — — — *scandens Cav.* Cav. Ic. 16. 17. 500<sup>b</sup>.  
 — — — Jacq. Fragn. 87.  
 — — — Andr. Rep. 5, 342.  
 — — — Bot. Mag. 22, 851.  
 † — — — Mem. Inst. 1809, 1.  
 — — — Lam. Encycl. 920.  
 — — — Herb. amat. 1, 52.  
 — — — Seidel Verzeichniss 0.  
 — — — *stipularis Benth.* Bot. Reg. 27, 25.  
*Coburgia coccinea Herb.* Bot. Mag. 67, 3865.  
 — — — *fulva Herb.* Bot. Mag. 60, 3221.  
 — — — Bot. Reg. 18, 1497.  
 — — — *humilis Herb.* Bot. Reg. 28, 46.  
 † — — — *incarnata Herb.* Herbert Amar. 47.  
 — — — Sweet Fl. G. II. 17.  
 † — — — *splendens Herb.* Herbert Amar. 47.  
 — — — *trichroma Herb.* Bot. Mag. 67, 3867.  
 — — — *versicolor Herb.* Bot. Reg. 28, 66.  
*Coccinia indica W. et A.* Rheede Hort. mal. 8, 14.  
 — — — Hook. Ic. pl. 2, 138.  
 — — — Jacquemont Ind. 72.  
 † — — — Wight Illustr. 105<sup>bis</sup>.  
*Coccolobryon capense Klotzsch.* Miquel Ill. Pip. 61.  
 † *Coccolobryon P. Br.* Swartz Fl. Ind. occ. 5.  
 † — — — *herbaceum Lam.* Lam. Encycl. 64.  
*Coccoloba barbadensis L.* Jacq. Obs. 8.  
 — — — *diversifolia Jacq.* Jacq. Hist. stirp. am. 113.  
 — — — Hook. Exot. Fl. 102.  
 — — — *emarginata L.* Jacq. Obs. 9.  
 — — — *excoriata L.* Jacq. Hist. stirp. am. 115.  
 — — — *fagifolia Jacq.* Jacq. Schoenbr. 3, 352.  
 — — — *flavescens Jacq.* Jacq. Hist. stirp. am. 112.  
 — — — *laurifolia Jacq.* Jacq. Schoenbr. 3, 267.  
 — — — Herb. amat. 5, 323.  
 — — — *macrophylla Desf.* Bot. Mag. 76, 4536.

- Coccoloba macrophylla Desf.* Lem. Jard. fl. 47.  
 — — — Fl. d. serres 6, 617.  
 — — — *nivea Jacq.* Desc. Ant. 5, 352.  
 — — — *obtusifolia Jacq.* Jacq. Hist. stirp. am. 111.  
 — — — *pubescens L.* Bot. Mag. 59, 3166.  
 — — — *punctata L.* Jacq. Hist. stirp. am. 114.  
 † — — — *tenuifolia L.* Lam. Encycl. 316.  
 — — — *uvifera L.* Jacq. Hist. stirp. am. 110.  
 † — — — Gaertn. Carp. 45.  
 † — — — Lam. Encycl. 316.  
 — — — Hayne 10, 4.  
 — — — Nees Düsseld. Suppl. 9.  
 — — — Desc. Ant. 2, 77.  
 — — — Dict. sc. nat. 16.  
 — — — Bot. Mag. 59, 3130.  
 — — — *virens Ldl.* Bot. Reg. 21, 1816.  
 † *Cocculus DC.* Gray Genera 28.  
 — — — *acuminatus DC.* Rheede Hort. mal. 7, 3.  
 — — — Delessert Ic. 1, 95.  
 — — — *Bacis A. Rich.* Guillem. Seneg. 4.  
 — — — *carolinus DC.* Gray Genera 28.  
 — — — *cordifolius DC.* Rheede Hort. mal. 7, 21.  
 — — — Wight Ic. pl. Ind. or. 2, 485. 486.  
 — — — *Cotoncastr DC.* Delessert Ic. 1, 93.  
 † — — — *crispus Coleb.* Linn. Transact. 13, 6.  
 — — — *domingensis DC.* Delessert Ic. 1, 96.  
 — — — *Ferrandianus Gaudich.* Freycinet Voyage 101.  
 — — — *flavescens DC.* Rumpf Amb. 5, 24.  
 † — — — *incanus Coleb.* Linn. Transact. 13, 6.  
 — — — *lacunosus DC.* Rumpf Amb. 5, 22.  
 — — — *laurifolius DC.* Delessert Ic. 1, 97.  
 † — — — Arch. Mus. 1, 10.  
 — — — *macranthus Hook. fil.* Hook. Ic. pl. 8, 759.  
 — — — Hook. Niger Flora 18.  
 — — — *macrocarpus Wight.* Wight Illustr. 7.  
 — — — *malabaricus DC.* Rheede Hort. mal. 7, 19. 20.  
 — — — *orbiculatus DC.* Rheede Hort. mal. 11, 62.  
 — — — *ovalifolius DC.* Delessert Ic. 1, 94.  
 — — — *palmatus DC.* Bot. Mag. 57, 2970. 2971.  
 — — — Woodv. Med. 5, 7.  
 — — — Guimp. et Schl. 227. 228.  
 — — — ? *platyphyllus St. Hil.* St. Hil. pl. us. 42.  
 — — — *Plukenetii DC.* Wight Ic. pl. Ind. or. 3, 824. 825.  
 † — — — *sepium Coleb.* Linn. Transact. 13, 6.  
 — — — *suberosus DC.* Archiv d. Pharm. 1835, 1.  
 † *Cochlearia Tournef.* Medicus Gatt. 1.  
 — — — *anglica L.* Fl. dan. 2, 329.  
 — — — Engl. Bot. 8, 552.  
 — — — Rehb. Fl. germ. 2, 16.  
 — — — *Armoracia L.* Schk. Handb. 181.  
 — — — Hayne 5, 29.  
 — — — Guimp. et Schl. 31.  
 — — — Nees Düsseld. 398.  
 — — — Wagner 195. 196.  
 — — — Rehb. Fl. germ. 2, 17.  
 — — — Woodv. Med. 3, 145.  
 — — — Sv. Bot. 242.  
 — — — Engl. Bot. 33, 2323.  
 — — — *Coronopus L.* Fl. dan. 2, 202.  
 † — — — Schk. Handb. 181.  
 — — — *Crantzii Crantz.* Crantz Crucif. 2.  
 — — — *danica L.* Fl. dan. 1, 100.  
 — — — var. Fl. dan. 11, 1934.  
 † — — — Lam. Encycl. 558.  
 — — — Engl. Bot. 10, 696.  
 — — — Lodd. Cab. 1482.  
 — — — Sweet Brit. Bot. 1, 2.  
 — — — Tratt. Archiv 168.  
 — — — Rehb. Fl. germ. 2, 16.  
 — — — *Draba L.* Jacq. Fl. austr. 4, 315.  
 — — — *flava Buchan.* Hook. Ic. pl. 9, 805.  
 † — — — *glastifolia L.* Schk. Handb. 181.

- Cochlearia groenlandica* L. Engl. Bot. 34, 2403.  
 — — — Lodd. Cab. 45.  
 — — — Rehb. Fl. germ. 2, 16.  
*macrocarpa* W. et K. W. et Kit. 184.  
 — — — Rehb. Fl. germ. 2, 17.  
*nilotica* Delile. Delile Egypte 34.  
*officinalis* L. Fl. dan. 1, 135.  
 — — — Curt. Lond. 5, 148.  
 — — — Engl. Bot. 8, 551.  
 † — — — Lam. Encycl. 558.  
 — — — Rousseau Bot. 10.  
 — — — Sv. Bot. 87.  
 — — — Tratt. Archiv 167.  
 — — — Hayne 5, 28.  
 — — — Guimp. et Schl. 30.  
 — — — Nees Düsseld. 397.  
 — — — Wagner 176.  
 — — — Woodv. Med. 3, 142.  
 — — — Rehb. Fl. germ. 2, 16.  
 — — — Baxter Brit. Bot. 5, 375.  
*pusilla* Brot. Brotero Phytogr. 21.  
 — — — Jacq. Ecl. pl. 132.  
*pyrenaica* DC. Delessert Ic. 2, 48.  
*saxatilis* Lam. Crantz Crucif. 1.  
*saxifragaefolia* DC. Delessert Ic. 2, 50.  
*velutina* DC. Delessert Ic. 2, 49.  
 † *Cochlia violacea* Bl. Blume Tabellen 59.  
*Cochliasanthus* Trew. Trew Pl. rar. 10.  
 † *Cochlidium graminoides* Schott. Schott Gen. Fil. 7.  
*Cochlospermum Gossypium* DC. Wight III. in Hook. 18.  
 — — — *insigne* St. Hil. St. Hil. Pl. us. 57.  
 — — — *tinctorium* A. Rich. Guillemin Seneg. 21.  
*Cocos aculeata* Jacq. Jacq. Hist. stirp. am. 254.  
 † — — — *australis* Mart. Mart. Palm. Z.  
 — — — D'Orbigny Voyage 1. 30.  
 — — — *botryophora* Mart. Mart. Palm. 73<sup>d</sup>. 83. 84.  
 — — — D'Orbigny Voyage 4. 30.  
 — — — *campestris* Mart. Mart. Palm. 87.  
 — — — *capitata* Mart. Mart. Palm. 78—80.  
 — — — *comosa* Mart. Mart. Palm. 89.  
 — — — *coronata* Mart. Mart. Palm. 81. T.  
 — — — *flexuosa* Mart. Mart. Palm. 64. 86.  
 † — — — Griffith Palms 241.  
 † — — — *lapidea* Gaertn. Gaertn. Carp. 6.  
 — — — *nucifera* L. Rheed. Hort. mal. 1, 1—4.  
 — — — Rumpf Amb. 1, 1—3.  
 — — — Jacq. Hist. stirp. am. 253.  
 † — — — Gaertn. Carp. 4. 5.  
 † — — — Lam. Encycl. 894.  
 — — — Tuss. Ant. 4, 34.  
 — — — Desc. Ant. 1, 21.  
 † — — — Kerner Genera 41—47.  
 — — — Dict. sc. nat. 1.  
 † — — — Annales de Fromont 1829, 1.  
 — — — Roxb. Corom. 73.  
 † — — — Gaudichaud Bonite 122—123.  
 — — — Mart. Palm. 62. 75. 88.  
 — — — Hook. Journ. 1850, 1.  
 — — — Wallace Palms 48.  
 — — — *oleracea* Mart. Mart. Palm. 82. Z.  
 — — — *petraea* Mart. D'Orbigny Voyage 9.  
 — — — *pitrophylla* Mart. D'Orbigny Voyage 3.  
 — — — *schizophylla* Mart. Mart. Palm. 84. 85. T.  
 — — — *Yatai* Mart. D'Orbigny Voyage 1. 9. 30.  
 † *Codarium acutifolium* Afz. Afz. Gen. guin. 1.  
 † — — — *nitidum* Vahl. Abh. Ac. Berl. 1832, 2.  
 † *Codia montana* Forst. Forster Char. 30.  
 † — — — Lam. Encycl. 314.  
 — — — Bill. Sertum. 46.  
*Codiaeum pictum* Hook. Bot. Mag. 58, 3051.  
 — — — *variegatum* Bl. Rumpf Amb. 4, 25—27.  
 † *Codon aculeatum* Gaertn. Gaertn. Carp. 95.

- Codon Royeni* L. Andr. Rep. 5, 325.  
*Codonanthus? alternifolia* Planch. Hook. Ic. pl. 8, 796.  
*Codonopsis ovata* Benth. Royle Illustr. 69.  
 — — — *rotundifolia* Benth. Royle Illustr. 62.  
*Codonorchis Lessonii* Ldl. Hook. Fl. ant. 125.  
*Coelachne pulchella* R. Br. Humb. Gram. 143.  
 — — — Endl. Iconogr. 2.  
 † *Coelebogyne ilicifolia* Sm. Linn. Transact. 18, 36.  
*Coelostina coerulea* Cass. Cassini Opusc. 1, 5.  
 — — — Dict. sc. nat. 93.  
 † *Coelia Baierana* Ldl. Bauer Orchid. (Genera.) 3.  
 — — — Bot. Reg. 28, 36.  
 — — — *macrostachya* Ldl. Journ. Hort. Soc. 4, 115.  
 — — — Bot. Mag. 79, 4712.  
 † *Cœlocline acutiflora* DC. Mem. Genev. 5, 5.  
*Coclogyne angustifolia* A. Rich. Ann. sc. nat. II. 15, 6.  
 — — — Wight Ic. pl. Ind. or. 5, 1641.  
 — — — *corrugata* Wight. Wight Ic. pl. Ind. or. 5, 1639.  
 — — — *cristata* Ldl. Bot. Reg. 27, 57.  
 — — — *Cumingii* Ldl. Bot. Reg. 27, 29.  
 — — — Bot. Mag. 78, 4645.  
 — — — Lem. Jard. fl. 4, 337.  
 — — — Fl. d. serres 8, 764.  
 — — — *elata* Ldl. Wall. Pl. asiat. 218.  
 — — — *fimbriata* Ldl. Bot. Reg. 11, 868.  
 — — — Lodd. Cab. 1425.  
 — — — *flaccida* Ldl. Bot. Reg. 27, 31.  
 — — — Bot. Mag. 61, 3318.  
 — — — *fuliginosa* Lodd. Bot. Mag. 75, 4440.  
 — — — Lem. Jard. fl. 7.  
 — — — *Gardneriana* Ldl. Wall. Pl. asiat. 38.  
 — — — Paxt. Mag. 6, 73.  
 — — — *Lowii* Hort. Paxt. Mag. 16, 225.  
 — — — *maculata* Ldl. Wall. Pl. asiat. 53.  
 — — — Bot. Mag. 79, 4691.  
 — — — *nervosa* Rich. Wight Ic. pl. Ind. or. 5, 1638.  
 — — — *ocellata* Ldl. Bot. Mag. 66, 3767.  
 — — — *ochracea* Ldl. Bot. Reg. 32, 69.  
 — — — Bot. Mag. 78, 4661.  
 — — — Lem. Jard. fl. 4, 342.  
 — — — *odoratissima* Ldl. Wight Ic. pl. Ind. or. 5, 1640.  
 — — — *praecox* Ldl. Paxt. Mag. 14, 7.  
 — — — *speciosa* Ldl. Rumpf Amb. 6, 48.  
 — — — Bot. Reg. 33, 23.  
 — — — *triptera* Brongn. Brongniart Coquille 42.  
 — — — *Wallichiana* Ldl. Wall. Pl. asiat. 54.  
 — — — Bot. Reg. 26, 24.  
 — — — Bot. Mag. 76, 4496.  
 — — — Paxt. Mag. 6, 25.  
*Coelorachis muricata* Brongn. Brongniart Coquille 14.  
*Coelostylis loganioides* Torr. et Gr. Endl. Iconogr. 101.  
*Coenopteris achilleaeifolia* M. et G. Acad. Brux. 15, 16.  
*Coffea acuminata* Rz et P. Ruiz et Pav. Fl. 214.  
 — — — Kerner Hort. 523.  
 — — — *alpestris* Wight. Wight Spicil. 100.  
 — — — Wight Ic. pl. Ind. or. 3, 1040.  
 — — — *arabica* L. Ellis Monogr. 1.  
 † — — — Gaertn. Carp. 25.  
 † — — — Lam. Encycl. 160.  
 † — — — Kerner Genera 94.  
 — — — Tuss. Ant. 1, 18.  
 — — — Desc. Ant. 8, 564.  
 — — — Dict. sc. nat. 99.  
 — — — Herb. amat. 5, 285.  
 — — — Bot. Mag. 32, 1303.  
 — — — Tratt. Archiv 306.  
 — — — Hayne 9, 32.  
 — — — Nees Düsseld. 256.  
 — — — Woodv. Med. 1, 70.  
 — — — Wight Ic. pl. Ind. or. 1, 53.  
 — — — *ciliata* Rz et P. Ruiz et Pav. Fl. 216.  
 — — — *foveolata* Rz et P. Ruiz et Pav. Fl. 216.

- Coffea grumelioides* Wight. Wight Spicil. 101.  
 — — — Wight Ic. pl. Ind. or. 3, 1041.  
 — — — guianensis Aubl. Aublet Guiana 57.  
 — — — longifolia Rz et P. Ruiz et Pav. Fl. 218.  
 — — — mauritiana Lam. Lam. Encycl. 160.  
 — — — microcarpa Rz et P. Ruiz et Pav. Fl. 218.  
 — — — nitida Rz et P. Ruiz et Pav. Fl. 217.  
 — — — occidentalis Jacq. Jacq. Hist. stirp. am. 68.  
 — — — paniculata Aubl. Aublet Guiana 58.  
 — — — racemosa Rz et P. Ruiz et Pav. Fl. 214.  
 — — — — Kerner Hort. 383.  
 — — — spicata H. B. K. H. B. K. Nov. Gen. 3, 286.  
 — — — subsessilis Rz et P. Ruiz et Pav. Fl. 215.  
 — — — — Kerner Hort. 792.  
 — — — umbellata Rz et P. Ruiz et Pav. Fl. 215.  
 — — — — Kerner Hort. 192.  
 — — — verticillata Rz et P. Ruiz et Pav. Fl. 217.  
 — — — Wightiana Wall. Wight Ic. pl. Ind. or. 4, 1598.
- † Coix  
 — — — Linn. Ann. Mus. 17, 6.  
 — — — agrestis Lour. Rumpf Amb. 6, 9, fig. 1.  
 — — — exaltata Jacq. Jacq. Ecl. gram. 40.  
 — — — Lacryma Jobi L. Rheede Hort. mal. 12, 70.  
 — — — — Rumpf Amb. 5, 75, fig. 2.  
 — — — — Schk. Handb. 285.  
 † — — — — Lam. Encycl. 750.  
 — — — — Bot. Mag. 51, 2479.  
 — — — — Webb Canar. 242, 243.
- Colax Harrisoniae Ldl. Rchb. Exot. 112.
- Colchicum alpinum DC. Rchb. Fl. germ. 10, 425.  
 — — — arenarium W. et K. W. et Kit. 179.  
 — — — — Red. Lil. 8, 467.  
 — — — — Rchb. Fl. germ. 10, 425.  
 — — — — β. umbrosum, Bot. Reg. 7, 541.  
 † — — — autumnale L. Gaertn. Carp. 18.  
 † — — — — Lam. Encycl. 267.  
 † — — — Hedwig Samml. 1, 4.  
 — — — — Schk. Handb. 101.  
 — — — — Red. Lil. 4, 228, 8, 468.  
 ! — — — Roemer Archiv II. 2, 7.  
 — — — — Engl. Bot. 2, 133.  
 — — — — var. β. Engl. Bot. 20, 1432.  
 † — — — — Kerner Genera 4.  
 — — — — Tratt. Archiv 177, 177<sup>a</sup>.  
 — — — — Dict. sc. nat. 45.  
 — — — — Hayne 5, 45.  
 — — — — Guimp. et Schl. 95.  
 — — — — Brandt und Ratzeb. 4.  
 — — — — Nees Düsseld. 49.  
 — — — — Woodv. Med. 4, 258.  
 — — — — Schrank Fl. monac. 1, 47.  
 — — — — Sturm Flora 1, 3.  
 — — — — Dietr. Fl. bor. 1, 30.  
 — — — — Rchb. Fl. germ. 10, 426.  
 — — — — Fl. dan. 10, 1642.  
 — — — — Baxter Brit. Bot. 1, 17.  
 † — — — — Nees Gen. 2, 34.  
 — — — — Meyer Fl. hann. 4.  
 — — — Bertolonii Stev. Rchb. Fl. germ. 10, 424.  
 — — — Bivonae Guss. Rchb. Fl. germ. 10, 427.  
 — — — bulbocodioides Brot. Brotero Phytogr. 50.  
 — — — — M. v. B. Mem. Mosc. 7, 16.  
 — — — byzantinum Gawl. Bot. Mag. 28, 1122.  
 — — — crociflorum Sims. Bot. Mag. 53, 2673.  
 — — — Cupani Guss. Rchb. Fl. germ. 10, 424.  
 — — — laetum Stev. Mem. Mosc. 7, 13.  
 — — — latifolium Sibth. Sibth. Fl. gr. 350.  
 — — — — Rchb. Fl. germ. 10, 427.  
 — — — lusitanum Brot. Brotero Phytogr. 173, 174.  
 — — — montanum All. All. Fl. ped. 3, 74.  
 — — — — Visiani Stirp. dalm. 6.  
 — — — — Rchb. Fl. germ. 10, 424.  
 — — — neapolitanum Ten. Tenore Fl. nap. 138.

- Colchicum parvulum* Ten. Tenore Fl. nap. 221.  
 — — — speciosum Stev. Mem. Mosc. 7, 15.  
 — — — umbrosum Stev. Mem. Mosc. 7, 14.  
 — — — variegatum L. Red. Lil. 4, 238.  
 — — — — Tratt. Archiv 178.  
 — — — — Bot. Mag. 26, 1028.  
 — — — — Sibth. Rchb. Exot. 57.  
 — — — versicolor Ker. Bot. Reg. 7, 571.
- † *Coldenia procumbens* L. Gaertn. Carp. 68.  
 † — — — Lam. Encycl. 89.
- Colea floribunda* Bojer. Bot. Reg. 27, 19.  
*Colecanthus subtilis* Seidel. Sturm Flora 11, 41.  
 — — — — Rchb. Fl. germ. 1, 48.
- Colebrookea oppositifolia* Sm. Smith Exot. Bot. 115.  
 — — — — Lodd. Cab. 487.  
 — — — — ternifolia Roxb. Roxb. Corom. 245.
- Coleogyne ramosissima* Torr. Smiths. Contr. 5, 4.  
 † *Coleonema* Bartl. Bartling Diosmaceae 1.  
 — — — album Bartl. Mem. Mus. 12, 19.  
 — — — pulchrum Hook. Bot. Mag. 61, 3340.
- † *Coleostachys genipaeifolia* Juss. Arch. Mus. 3, 5.  
 † — — — spicata Juss. Arch. Mus. 3, 5.
- Colecostephus macrotus* Durieu. Explor. Alger. 58.  
 † — — — multicaulis Durieu. Explor. Alger. 58.
- Coleus amboinicus* Lour. Rumpf Amb. 5, 102, fig. 2.  
 — — — aromaticus Benth. Rheede Hort. mal. 9, 74.  
 — — — — Wight Illustr. 175.  
 — — — — Bot. Reg. 18, 1520.  
 — — — barbatus Benth. Maund Bot. 4, 159.  
 — — — — Paxt. Mag. 8, 219.  
 — — — — Wight Ic. pl. Ind. or. 4, 1432.  
 — — — Blumei Benth. Fl. d. serres 8, 801.  
 — — — — Bot. Mag. 79, 4754.  
 — — — grandifolius Benth. Delessert Ic. 3, 85.  
 — — — Macraei Benth. Bot. Mag. 79, 4690.  
 — — — spicatus Benth. Wight Ic. pl. Ind. or. 4, 1431.  
 — — — Wightii Benth. Wight Ic. pl. Ind. or. 4, 1433.
- Colladoa distachya* Cav. Cav. Ic. 460.
- Collaea pendula* Benth. Bot. Reg. 4, 269.  
 — — — speciosa DC. DC. Legum. 40.  
 — — — trinervia DC. DC. Legum. 41.
- Collandra picta* Lem. Lem. Jard. fl. 214.
- † *Collania acicularis* Herb. Herbert Amar. 11.  
 † — — — andinamaricana Herb. Herbert Amar. 8.  
 — — — — Bot. Mag. 72, 4247.  
 — — — — Annales de Gand 1847, 125.
- † — — — dulcis Herb. Herbert Amar. 7.  
 — — — — Bot. Reg. 33, 34.
- † — — — glaucescens Herb. Herbert Amar. 10.  
 † — — — involucrosa Herb. Herbert Amar. 10.  
 † — — — puberula Herb. Herbert Amar. 11.
- ! *Colletia bictonensis* Ldl. Journ. Hort. Soc. 5, 31.  
 — — — cruciata Gill. et Hook. Hook. Bot. Misc. 43.  
 — — — discolor Hook. Hook. Ic. pl. 6, 538.  
 — — — — Richard Astrolabe 14.  
 — — — Ephedra Vent. Vent. Choix 16.  
 — — — — Lodd. Cab. 1830.
- † — — — ferox Gill. et Hook. Hook. Bot. Misc. 44.  
 — — — horrida Brongn. Bot. Mag. 65, 3644.  
 — — — — Bot. Reg. 21, 1776.
- † — — — — Ann. sc. nat. 10, 14.  
 — — — obcordata Vent. Vent. Cels 92.  
 — — — serratifolia Vent. Vent. Choix 15.  
 — — — — Lam. Encycl. 930.  
 — — — — Journ. Hort. Soc. 8, 59.  
 — — — spartioides Colla. Mem. Tur. 37, 6.
- † — — — spinosa Lam. Lam. Encycl. 129.  
 † — — — — Hook. Bot. Misc. 44.  
 ! — — — — Journ. Hort. Soc. 5, 30.  
 — — — — Tralhoun Colla. Mem. Tur. 37, 7.
- † — — — ulicina Gill. et Hook. Hook. Bot. Misc. 44.
- Colliguaja Dombeyana* Gay. Gay Chile 61.



- Colliguaja integerrima *Gill. et Hook.* Hook. Bot. Misc. 39.  
 — odorifera *Molina.* Delessert Ic. 3, 88.  
 — — — Hook. Bot. Misc. 40.  
*Collinsia bicolor Benth.* Bot. Reg. 20, 1734.  
 — — — Bot. Mag. 63, 3488.  
 — — — Paxt. Mag. 3, 195.  
 — — — Sweet Fl. G. II. 307.  
 — grandiflora *Ldl.* Bot. Reg. 13, 1107.  
 — heterophylla *Hook.* Bot. Mag. 65, 3695.  
 — multicolor *Ldl.* Paxt. Fl. G. 55.  
 — — — Lem. Jard. fl. 193.  
 — parviflora *Ldl.* Bot. Reg. 13, 1082.  
 — verna *Nutt.* Sweet Fl. G. 220.  
*Collinsonia anisata Sims.* Bot. Mag. 30, 1213.  
 — canadensis *L.* Linné Hort. Cliff. 5.  
 † — — — Gaertn. Carp. 66.  
 † — — — Lam. Encycl. 21.  
 — — — Schk. Handb. 2<sup>b</sup>.  
 — — — Desc. Ant. 3, 221.  
 — — — Raffin. Méd. 23.  
 — — — Torrey New York 75<sup>a</sup>.  
*Collomia Cavanillesii H. et Arn.* Bot. Mag. 63, 3468.  
 — — — Bot. Reg. 19, 1622.  
 — coccinea *Lehm.* Bot. Reg. 19, 1622.  
 — grandiflora *Dougl.* Bot. Mag. 56, 2894.  
 — — — Bot. Reg. 14, 1174.  
 — heterophylla *Hook.* Bot. Mag. 56, 2895.  
 — — — Bot. Reg. 16, 1347.  
 — lateritia *Don.* Sweet Fl. G. II. 206.  
 — linearis *Nutt.* Bot. Mag. 56, 2893.  
 — — — Bot. Reg. 14, 1166.  
*Colmeiroa buxifolia Reuter.* Mem. Genev. 10, 0.  
*Colobachne Gerardi Lk.* Rehb. Fl. germ. 1, 50.  
 † — — — Pal. B. Nees Gen. 1, 8.  
 † — — — vaginata *Pal. B.* Nees Gen. 1, 8.  
*Colobanthus crassifolius Hook.* Richard Astrolabe 17.  
 — kerguelensis *Hook.* Hook. Fl. ant. 92.  
 — muscoides *Hook.* Richard Astrolabe 17.  
 — quitensis *Bartling.* Presl Reliq. 49.  
 — subulatus *Hook.* Hook. Fl. ant. 93.  
*Colocasia antiquorum Schott.* Wight Ic. pl. Ind. or.  
 — — — 3, 786.  
 — hederacea *Plum.* Desc. Ant. 7, 500.  
 — indica *Schott.* Wight Ic. pl. Ind. or. 3, 794.  
 — montana *Schott.* Wight Ic. pl. Ind. or. 3, 796.  
 † — — — odora *Schott.* Nouv. Ann. Mus. 3, 7.  
 — — — Wight Ic. pl. Ind. or. 3, 797.  
 — odorata *Brongn.* Bot. Mag. 68, 3933.  
*Cologania angustifolia Kth.* Humb. Mim. 58.  
 — procumbens *Kth.* Humb. Mim. 57.  
 — — — Kerner Hort. 707.  
 — pulchella *H. B.* Maund Bot. 3, 110.  
*Colona serratifolia Cav.* Cav. Ic. 370.  
*Colophonia mauritiana DC.* Delessert Ic. 3, 56.  
*Colpodium altaicum Led.* Ledeb. Ic. 226.  
 † — — — Steveni *Trin.* Trin. Fund. 7.  
*Colpoon compressum Berg.* Bergius Cap. 1.  
*Colquhounia coccinea Wall.* Wallich Tentamen 6.  
 — — — Bot. Mag. 76, 4514.  
 — — — Lem. Jard. fl. 20.  
 — elegans *Wall.* Wallich Pl. asiat. 268.  
 — vestita *Wall.* Wallich Pl. asiat. 267.  
*Colsmannia flava Lehm.* Mag. nat. Fr. 8, 1.  
*Colubrina asiatica Brongn.* Rheede Hort. mal. 5, 47.  
 — — — Wight Illustr. 74.  
 † — — — ferruginea *Brongn.* Ann. sc. nat. 10, 15.  
*Columellea biennis Jacq.* Jacq. Schoenbr. 3, 301.  
 † *Columellia Rz et P.* Ruiz et Pav. Prodr. 1.  
 — oblonga *Rz et P.* Ruiz et Pav. Fl. 8.  
 — — — Lam. Encycl. 903.  
 — — — Endl. Iconogr. 84.  
 † — — — Schnizl. Ic. 159.\*\*

- Columellia obovata Rz et P.* Ruiz et Pav. Fl. 12.  
 † — — — Schnizl. Ic. 159.\*\*  
 † *Columelliaceae Endl.* Schnizl. Ic. 159.\*\*  
*Columnnea aurantiaca Decne.* Fl. d. serres 6, 552.  
 — aureonitens *Hook.* Bot. Mag. 73, 4294.  
 — crassifolia *Brongn.* Bot. Mag. 73, 4330.  
 — — — Fl. d. serres 3, 286.  
 — erecta *Lam.* Herb. amat. 4, 216.  
 † — hirsuta *Sw.* Lam. Encycl. 524.  
 — — — Bot. Mag. 58, 3081.  
 — moesta *P. et E.* Poepp. et Endl. 201.  
 — ovata *Cav.* Cav. Ic. 391.  
 — pilosa *Ch. Lem.* Fl. d. serres 3, 233.  
 — rotundifolia *Salisb.* Salisb. Parad. 29.  
 — — — Tratt. Archiv. 234.  
 — — — Kerner Hort. 359.  
 — scandens *L.* Jacq. Hist. stirp. am. 177.  
 — — — Jacq. Vind. 3, 48.  
 — — — Lam. Encycl. 524.  
 — — — Salisb. Parad. 29.  
 — — — Bot. Mag. 39, 1614.  
 — — — Tratt. Archiv. 233.  
 — — — Lodd. Cab. 403.  
 — — — Bot. Reg. 10, 805.  
 — Schiedeana *Schlechtl.* Bot. Mag. 69, 4045.  
 — — — Paxt. Mag. 9, 31.  
 — splendens *Paxt.* Paxt. Mag. 10, 5.  
 — violacea *Jacq.* Jacq. Ecl. pl. 164.  
 † *Colutea arborescens L.* Gaertn. Carp. 154.  
 † — — — Lam. Encycl. 624.  
 — — — Bot. Mag. 3, 81.  
 — — — Sibth. Fl. gr. 707.  
 — — — Guimp. Holzgew. 133.  
 † — — — (Folia.) Colladon Cass. 15.  
 — frutescens *L.* Bot. Mag. 6, 181.  
 — galegifolia *Sims.* Bot. Mag. 21, 792.  
 — — — Herb. amat. 3, 181.  
 † — herbacea *L.* Gaertn. Carp. 154.  
 † — — — Lam. Encycl. 624.  
 † — humilis *Scop.* Schk. Handb. 204.  
 — media *Willd.* Watson Dendr. 2, 140.  
 — nepalensis *Sims.* Bot. Mag. 53, 2622.  
 — — — Bot. Reg. 20, 1727.  
 — orientalis *Lam.* Cav. Ic. 307.  
 — — — Schk. Handb. 204.  
 — — — Lam. Encycl. 634.  
 — perennans *Jacq.* Jacq. Vind. 3, 3.  
 — — — Novi Comm. Gott. 5, 7.  
*Colvillea racemosa Bojer.* Bot. Mag. 61, 3325. 3326.  
*Colythrum puberulum Schott.* Schott Rutaceae 7.  
*Comaclinium aurantiacum Scheidw.* Fl. d. serres 8, 756.  
*Comandra elegans Nutt.* Rehb. Fl. germ. 11, 547.  
 — livida *Rich.* Hook. Brit. Bor. Am. 179.  
 — umbellata *Nutt.* Hook. Bor. Am. 179.  
 — — — Rehb. Fl. germ. 11, 547.  
 † *Comaropsis Rich.* Nestler Potent. 1.  
*Comarostaphylis arbutoides Ldl.* Bot. Reg. 29, 30.  
 † *Comarum palustre L.* Gaertn. Carp. 73.  
 † — — — Lam. Encycl. 444.  
 — — — Schk. Handb. 138.  
 — — — Hoffmann D. Fl. 1791, 7.  
 — — — Fl. dan. 4, 636.  
 — — — Engl. Bot. 3, 172.  
 — — — Drevs 3, 92.  
 — — — Sv. Bot. 310.  
 — — — Dietr. Fl. bor. 12, 824.  
 — — — Baxter Brit. Bot. 3, 197.  
 † *Combretum altum DC.* Mem. Genev. 4, 5.  
 — Bugi *Camb.* St. Hil. Fl. Bras. 130.  
 † — coccineum *Lam.* Lam. Encycl. 282.  
 — — — Dict. sc. nat. 221.  
 — comosum *G. Don.* Bot. Reg. 14, 1165.

- Combretum decandrum *Roxb.* Roxb. Corom. 59.  
 — dipterum *A. Rich.* Ramon Cuba 43.  
 — elegans *Camb.* St. Hil. Fl. Bras. 129.  
 — frangulaefolium *H.B.K.* H.B.K. Nov. Gen. 6, 538.  
 — glutinosum *Perrottet.* Guillemain Seneg. 68.  
 — grandiflorum *Don.* Bot. Mag. 56, 2944.—  
 — — Bot. Reg. 19, 1631.  
 — — Paxt. Mag. 9, 169.  
 — Heyneanum *Wall.* Wight Illustr. in Hook. 22.  
 — latifolium *Don.* Paxt. Mag. 12, 103.  
 — laxum *Aubl.* Aublet Guiana 137.  
 † — — Gaertn. Carp. 36.  
 † — — Lam. Encycl. 282.  
 — mexicanum *H. B.* Humb. Pl. aeq. 132.  
 — obtusifolium *Rich.* Miquel Surin. 16.  
 — parviflorum *Rchb.* Rchb. Hort. 62.  
 — Petitianum *Dill. et Rich.* Richard Abyssin. 49.  
 — pisoniaeflorum *Klotzsch.* Peters Mossamb. 14.  
 — purpureum *Vahl.* Sonnerat Ind. or. 140.  
 — — Bot. Mag. 46, 2102.  
 — — Bot. Reg. 5, 429.  
 — — Lodd. Cab. 563.  
 — racemosum *Pal. B.* Pal. B. Fl. d'Oware 118.  
 — — Guillemain Seneg. 67.  
 — salicifolium *E. M.* Hook. Ic. pl. 6, 592.  
 † — species nova *DC.* Mem. Genev. 4, 5.  
 — trifoliatum *Vent.* Vent. Choix 58.  
 — Wightianum *Wall.* Rheede Hort. mal. 7, 23.  
 — — Wight Ic. pl. Ind. or. 1, 227.  
 Comersophylis *Aub.* Aubert Orchid. 96.  
 Comesperma calymega *Lab.* Bill. Nov. Holl. 162.  
 — conferta *Lab.* Bill. Nov. Holl. 161.  
 — flava *DC.* Delessert Ic. 3, 20.  
 — floribunda *St. Hil.* St. Fl. Bras. 91.  
 † — — Mem. Mus. 17, 29.  
 — gracilis *Paxt.* Paxt. Mag. 5, 145.  
 — Kunthiana *St. Hil.* St. Hil. Fl. Bras. 90.  
 — retusa *Lab.* Bill. Nov. Holl. 160.  
 — virgata *Lab.* Bill. Nov. Holl. 159.  
 — volubilis *Lab.* Bill. Nov. Holl. 163.  
 Cometes abyssinica *R. Br.* Wall. Pl. asiat. 18.  
 † — alterniflora *L.* Lam. Encycl. 76.  
 — surattensis *Burm.* Burm. Fl. ind. 15.  
 — — Wall. Pl. asiat. 17.  
 — — Wight Ic. pl. Ind. or. 5, 1785.  
 Commelina acquinocialis *Pal. B.* Pal. B. Fl. d'Ow. 38.  
 † — africana *L. & Gaertn.* Carp. 15.  
 † — — Lam. Encycl. 35.  
 — — Schmidel Ic. 30.  
 — — Red. Lil. 4, 207.  
 — — Bot. Mag. 35, 1431.  
 — — Desc. Ant. 7, 518.  
 — agraria *Kth.* Webb Canar. 238.  
 — ambigua *Pal. B.* Pal. B. Fl. d'Oware 15.  
 — angustifolia *Michx.* Rchb. Hort. 143.  
 — benghalensis *L.* Rumpf Amb. 6, 9, fig. 2.  
 — — Comm. Gott. 2, 5.  
 — — Wight Ic. pl. Ind. or. 6, 2065.  
 — beniniensis *Pal. B.* Pal. B. Fl. d'Oware 87.  
 — canescens *Vahl.* Webb Canar. 239.  
 — coelestis *Willd.* Sweet Fl. G. 3.  
 † — communis *L.* Gaertn. Carp. 15.  
 † — — Lam. Encycl. 35.  
 — cristata *L.* Burm. Fl. ind. 7.  
 — — Linné Fl. zeylan. 1.  
 — debilis *Led.* Rchb. Hort. 151.  
 — deficiens *Herb.* Bot. Mag. 53, 2644.  
 — dianthifolia *DC.* Red. Lil. 7, 390.  
 — diffusa *Burm.* Burm. Fl. ind. 7.  
 — dubia *Jacq.* Jacq. Obs. 59.  
 — — *DC.* Red. Lil. 6, 359.  
 — Ehrenbergiana *Link et Kl.* Link Ic. III. 30.

- Commelina erecta *L.* Red. Lil. 2, 95.  
 — fasciculata *Rz et P.* Ruiz et Pav. Fl. 72.  
 — gracilis *Rz et P.* Ruiz et Pav. Fl. 72.  
 — — Bot. Mag. 58, 3047.  
 — hexandra *Aubl.* Aublet Guiana 12.  
 — hispida *Rz et P.* Ruiz et Pav. Fl. 73.  
 — longicaulis *Jacq.* Jacq. Ic. 294.  
 — mollis *Jacq.* Jacq. Ic. 293.  
 — nervosa *Burm.* Burm. Fl. ind. 7.  
 — nudicaulis *Burm.* Burm. Fl. ind. 8.  
 — nudiflora *L.* Rchb. Hort. 136.  
 — pallida *H. B.* Willd. Hort. 87.  
 — papilionacea *Burm.* Burm. Fl. ind. 7.  
 — parviflora *Link.* Rchb. Hort. 142.  
 — persicariaefolia *DC.* Red. Lil. 8, 472.  
 — polyspatha *Wight.* Wight Ic. pl. Ind. or. 6, 2066.  
 — rubens *DC.* Red. Lil. 7, 367.  
 — stricta *Desf.* Rchb. Hort. 144.  
 — tuberosa *L.* Schmidel Ic. 49.  
 † — — Gaertn. Carp. 15.  
 † — — Lam. Encycl. 35.  
 — — Andr. Rep. 6, 399.  
 — — Red. Lil. 2, 108.  
 — — Bot. Mag. 41, 1695.  
 — — Herb. amat. 2, 114.  
 — — Lodd. Cab. 193.  
 — — Schnizl. Ic. 1, 48.  
 — undulata *Lodd.* Lodd. Cab. 1553.  
 — variabilis *Schlecht.* Schlechtendal Hortus 7.  
 — vulgaris *Schmid.* Schmidel Ic. 40. 41.  
 — — Red. Lil. 4, 206.  
 — Zanonina *L.* Red. Lil. 4, 192.  
 † — — Lam. Encycl. 35.  
 † Commelinaceae *R. Br.* Schnizl. Ic. 1, 48.  
 Commersonia *Sonnerat.* Sonnerat Voyage 8. 9.  
 — dasphylla *Hort.* Andr. Rep. 9, 603.  
 — echinata *Forst.* Rumpf Amb. 3, 119.  
 † — — Forster Char. 22.  
 † — — Gaertn. Carp. 94.  
 † — — Lam. Encycl. 218.  
 — — Andr. Rep. 8, 519.  
 † — Fraseri *Gay.* Mem. Mus. 10, 15.  
 — Gaudichaudii *Gay.* Mem. Mus. 10, 14.  
 — platyphylla *Andr.* Bot. Mag. 43, 1813.  
 Commilobium abruptum *Moric.* Moricand Pl. Am. 62.  
 Commiphora madagascariensis *Spr. Jacq.* Schoenb. 2, 249.  
 — — Berl. Jahrb. 1802, 2.  
 Comocladia dentata *L.* Desc. Ant. 3, 163.  
 † — ilicifolia *Sw.* Lam. Encycl. 27.  
 † — integrifolia *L.* Lam. Encycl. 27.  
 — mollissima *H. B. K.* H. B. K. Nov. Gen. 7, 607.  
 Comparettia coccinea *Ldl.* Bot. Reg. 24, 68.  
 — — Maund Bot. 4, 186.  
 — cryptocera *Morr.* Belgique hortic. 2, 53.  
 — falcata *P. et E.* Poepp. et Endl. 73.  
 — rosea *Ldl.* Paxt. Mag. 10, 1.  
 — — Fl. d. serres 2, 45.  
 — saccata *P. et E.* Poepp. et Endl. 72.  
 † Compositae *R. Br.* (Meese.) Meese XIX. Classe  
 1—7.  
 † — — (Lessing.) Linnæa 4, 2. 5, 1. 2. 3. 4. 6, 1. 2. 6.  
 † — — (Cassini.) Cassini Opusc. 1, 1. 2.  
 † — — (Wight.) Wight Illustr. 134.  
 † — — (Cosson.) Cosson Atlas 25.  
 † — — (Hook. et Arn.) Hook. et Arn. Brit. Fl. 3. 4. 5.  
 † — — (Stylus.) Desvaux Journ. 3, 7. 8.  
 † — — (Stylus.) Lessing Syn. Comp. 1.  
 † — — Hopkirk Fl. anom. 6.  
 † — — Engelmann Anthol. 5.  
 † Comptonia asplenifolia *Gaertn.* Gaertn. Carp. 90.  
 † — — Watson Dendr. 2, 166.  
 — — Barton Med. 19.

- Conami brasiliensis *Aubl.* Aublet Guiana 354.  
 † Conandron ramondioides *Sieb. et Zucc.* Münchn. Abhandl. 3, 3.  
 Conanthera bifolia *Rz et P.* Ruiz et Pav. Fl. 301.  
 — — *Sims.* Bot. Mag. 51, 2496.  
 — — Lodd. Cab. 904.  
 — ? campanulata *Hook.* Hook. Exot. Fl. 214.  
 — — *Ldl.* Bot. Reg. 14, 1193.  
 — — *Rchb.* Exot. 263.  
 — *Echeandia Pers.* Link Ic. II. 3.  
 Conchium aciculare *Sm.* Vent. Malm. 111.  
 † — cornutum *Gaertn. fil.* Gaertn. Carp. 219.  
 — — dactyloides *Vent.* Vent. Malm. 110.  
 † — drupaceum *Gaertn. fil.* Gaertn. Carp. 219.  
 † — nervosum *Gaertn. fil.* Gaertn. Carp. 219.  
 † — salicifolium *Gaertn. fil.* Gaertn. Carp. 219.  
 † — teretifolium *Gaertn. fil.* Gaertn. Carp. 219.  
 Conchocarpus cuneifolius *N. et M.* Acta Leop. 11, 1, 21.  
 — — macrophyllus *Mik.* Mikand. Bras. 2.  
 † — — Acta Leop. 11, 1, 18.  
 † Condalia *Rz et P.* Ruiz et Pav. Prodr. 2.  
 † Condalia *Cav.* Gray Genera 164.  
 † — — microphylla *Cav.* Cav. Ic. 525.  
 — — — Ann. sc. nat. 10, 12.  
 — — obovata *Hook.* Hook. Ic. pl. 3, 287.  
 — — — Gray Genera 164.  
 — — repens *Rz et P.* Ruiz et Pav. Fl. 84.  
 Condonanthus alternifolius *Planch.* Hook. Niger Fl. 46.  
 Condylocarpon guianense *Desf.* Mem. Mus. 8, 11.  
 Congea azurea *Wall.* Wight Ic. pl. Ind. or. 4, 1479.  
 † — — — Wight Illustr. 173<sup>b</sup>.  
 — — — tomentosa *Roxb.* Roxb. Corom. 293.  
 — — — Wight Ic. pl. Ind. or. 4, 1479<sup>b</sup> or 1565.  
 — — — velutina *Roxb.* Wight Ic. pl. Ind. or. 4, 1479.  
 — — — Wight. Wight Ic. pl. Ind. or. 4, 1479<sup>c</sup> or 1566.  
 † — — — Wight Illustr. 173<sup>b</sup>.  
 † Coniferae *Juss.* (Alex. Braun.) Acta Leop. 15, 1, 17—50.  
 † — — (Zuccarini.) Münchn. Abh. 3, 1—5.  
 † — — (Zuccarini.) Sieb. Fl. japon. 137.  
 † — — (Mirb. et Spach.) Ann. sc. nat. II. 20, 5, 8—11.  
 † — — (Robert Brown.) Jard. Ann. 13, 7.  
 † — — (Hartig.) Hartig Forstgewächse 18, 25.  
 † Coniogramme javanica *Fée.* Fée Fil. 5, 14.  
 † — serrulata *Fée.* Fée Fil. 5, 14.  
 Conioselinum canadense *T. et Gr.* Torr. New York 35.  
 Coniphylis *Aub.* Aubert Orchid. 99.  
 Conium africanum *Jacq.* Jacq. Vind. 194.  
 — — Arracacha *Hook.* Hook. Exot. Fl. 152.  
 — — dichotomum *Desf.* Desf. Fl. atl. 66.  
 — — maculatum *L.* Jacq. Fl. austr. 2, 156.  
 — — — Schk. Handb. 62.  
 — — — Curt. Lond. 2, 88.  
 — — — Engl. Bot. 17, 1191.  
 — — — Sv. Bot. 226.  
 — — — Hayne 1, 31.  
 — — — Guimp. et Schl. 12.  
 — — — Nees Düsseld. 281.  
 — — — Wagner 99.  
 — — — Brandt und Ratzeb. 25.  
 — — — Woodv. Med. 1, 42.  
 — — — Bigelow Med. 11.  
 — — — Dict. sc. nat. 110.  
 — — — Fl. dan. 13, 2168.  
 — — — Baxter Brit. Bot. 4, 303.  
 — — moschatum *H. B. K.* H. B. K. Nov. Gen. 5, 420.  
 — — strictum *Tratt.* Tratt. Archiv 21.  
 Connarus africanus *Lam.* Cav. Diss. 221.  
 — — decumbens *Thunb.* Roemer Archiv I. 1, 1.  
 — — monocarpus *L.* Rheede Hort. mal. 7, 26.  
 — — pentagynus *Lam.* Cav. Diss. 223.

- Connarus pentagynus *Lam.* Dict. sc. nat. 267.  
 — — pinnatus *Lam.* Rheede Hort. mal. 6, 24.  
 † — — — Lam. Encycl. 572.  
 — — — Cav. Diss. 222.  
 — — — Wight Illustr. 63.  
 — — pubescens *DC.* Mem. hist. nat. Par. 2, 19.  
 Conobea aquatica *Aubl.* Aublet Guiana 258.  
 † — — — Gaertn. Carp. 198.  
 — — — Lam. Encycl. 522.  
 Conocarpus acuminata *DC.* Mem. Genev. 4, 3.  
 — — erecta *Jacq.* Jacq. Hist. stirp. am. 78.  
 † — — — Gaertn. Carp. 177.  
 — — — Lam. Encycl. 126.  
 — — — Desc. Ant. 6, 399.  
 — — — latifolia *Roxb.* Royle Illustr. 45.  
 — — — Wight Ic. pl. Ind. or. 3, 994.  
 † — — procumbens *L.* Gaertn. Carp. 216.  
 — — — Lam. Encycl. 126.  
 — — — racemosa *L.* Jacq. Hist. stirp. am. 79.  
 † Conocephalus *Blume.* Ann. sc. nat. III. 8, 2.  
 — — Blumei *Gaudich.* Gaudichaud Bonite 96.  
 — — naucleiflorus *Ldl.* Bot. Reg. 14, 1203.  
 — — niveus *Wight.* Wight Ic. pl. Ind. or. 6, 1959.  
 — — suaveolens *Blume.* Bennett Java 12.  
 Conoclinium prasifolium *DC.* Delessert Ic. 4, 15.  
 Conohoria castaneaefolia *St. Hil.* St. Hil. Ic. pl. I, 63.  
 — — flavescens *Aubl.* Aublet Guiana 95.  
 — — Lobolobo *St. Hil.* St. Hil. Pl. us. 10.  
 Conomorpha multipunctata *Miq.* Miquel Surin. 34.  
 Conopholis americana *Wall.* Endl. Iconogr. 81.  
 † — — — Endl. Wight Illustr. 158<sup>b</sup>.  
 † Conopsidium platantherum *Walbr.* Wallroth Beitr. 2.  
 † — — sthenantherum *Walbr.* Wallroth Beitr. 2.  
 Conoria ulmifolia *H. B. K.* H. B. K. Nov. Gen. 5, 491.  
 Conosiphon aureus *P. et E.* Poepp. et Endl. 233.  
 Conospermum ericifolium *Sm.* Linn. Transact. 10, 17.  
 — — — Bot. Mag. 55, 2850.  
 — — — Endl. Iconogr. 31.  
 — — — longifolium *Sm.* Smith Exot. Bot. 82.  
 — — — Tratt. Archiv 395.  
 † — — taxifolium *Sm.* Gaertn. Carp. 215.  
 — — — Bot. Mag. 54, 2724.  
 — — — teretifolium *R. Br.* Endl. Iconogr. 46.  
 Conostegia polyandra *Benth.* Benth. Sulphur 35.  
 Conostephium pendulum *Benth.* Delessert Ic. 5, 23.  
 † Conostylis *R. Br.* Herbert Amar. 1.  
 — — aculeata *R. Br.* Bot. Mag. 57, 2989.  
 — — americana *Pursh.* Pursh Fl. 6.  
 — — setigera *R. Br.* Fl. d. serres 3, 259.  
 — — setosa *Ldl.* Lindley Swan River 6.  
 — — vaginata *Endl.* Hook. Ic. pl. 9, 833.  
 Conradia calycosa *Hook.* Hook. Ic. pl. 7, 689—690.  
 — — floribunda *Paxt.* Paxt. Mag. 15, 99.  
 — — neglecta *Hook.* Hook. Ic. pl. 9, 874.  
 Conringia austriaca *Pers.* Rchb. Fl. germ. 2, 61.  
 — — orientalis *Pers.* Rchb. Fl. germ. 2, 61.  
 — — perfoliata *Link.* Dietr. Fl. bor. 11, 732.  
 — — Thaliana *Rchb.* Rchb. Fl. germ. 2, 60.  
 † Contarenia *Vand.* Roemer Scriptorum 7.  
 † Contortae *Endl.* Rottboell Bot. Nytte 0.  
 Conuleum guianense *Rich.* Mem. hist. nat. Par. 1, 25.  
 † Convallaria *L.* Kerner Genera 96.  
 — — bifolia *L.* Fl. dan. 2, 291.  
 — — — Sv. Bot. 454.  
 — — — Bot. Mag. 15, 510.  
 — — — cirrhifolia *Wall.* Asiat. Res. 13, 5.  
 — — japonica *L. fil.* Red. Lil. 2, 80.  
 — — — Tratt. Archiv 260.  
 — — — latifolia *Jacq.* Jacq. Fl. austr. 3, 232.  
 — — — Schrank Fl. monac. 2, 173.  
 — — — Rchb. Fl. germ. 10, 434.  
 † — — majalis *L.* Gaertn. Carp. 16.

- † *Convallaria majalis* L. Lam. Encycl. 248.  
 — — — Fl. dan. 5, 854.  
 — — — Curt. Lond. 1, 8.  
 — — — Engl. Bot. 15, 1035.  
 — — — Abbot Fl. bedford. 2.  
 — — — Sv. Bot. 9.  
 — — — Red. Lil. 4, 227.  
 — — — var. Herb. amat. 1, 17. 18.  
 — — — Hayne 3, 18.  
 — — — Guimp. et Schl. 56.  
 — — — Nees Düsseld. 43.  
 — — — Schrank Fl. monac. 1, 41.  
 — — — Sturm Flora 4, 13.  
 — — — Dietr. Fl. bor. 1, 33.  
 — — — Rehb. Fl. germ. 10, 432.  
 † — — — Nees Gen. 2, 61.  
 — — — Baxter Brit. Bot. 1, 78.  
 — — — multiflora L. Fl. dan. 1, 152.  
 — — — Curt. Lond. 4, 39.  
 — — — Engl. Bot. 4, 279.  
 — — — Sv. Bot. 392.  
 — — — Schk. Handb. 97.  
 — — — Dreves 2, 52.  
 — — — Liboschitz Petersb. 4.  
 — — — Schrank Fl. monac. 2, 122.  
 — — — Hayne 3, 20.  
 — — — var. Rehb. Fl. germ. 10, 433.  
 — — — oppositifolia Wall. Asiatic Res. 13, 4.  
 — — — Bot. Mag. 63, 3529.  
 — — — Lodd. Lodd. Cab. 640.  
 — — — Hook. Exot. Fl. 125.  
 — — — Polygonatum L. Fl. dan. 3, 377.  
 — — — Curt. Lond. 4, 38.  
 — — — Engl. Bot. 4, 280.  
 — — — Sv. Bot. 41.  
 — — — Hayne 3, 19.  
 — — — Nees Düsseld. 44.  
 — — — Woodv. Med. 4, 261.  
 — — — Rehb. Fl. germ. 10, 434.  
 — — — pubescens Willd. Willd. Hort. 45.  
 — — — racemosa L. Bot. Mag. 23, 599.  
 — — — rosea Led. Ledeb. Ic. 1.  
 — — — stellata L. Bot. Mag. 26, 1043.  
 — — — Lodd. Cab. 1080.  
 — — — verticillata L. Fl. dan. 1, 86.  
 — — — Engl. Bot. 2, 128.  
 — — — Lodd. Cab. 1108.  
 — — — Rehb. Fl. germ. 10, 435.  
 † *Convulvulaceae* Guss. Wight Illustr. 168<sup>b</sup>.  
 † *Convulvulus* L. Mem. Genév. 6, 1.  
 † — — — Kerner Genera 174.  
 — — — acanthocladus Boiss. Jaubert Illustr. 367.  
 — — — albivenius Ldl. Bot. Reg. 13, 1116.  
 — — — althaeoides L. Bot. Mag. 10, 359.  
 — — — Sibth. Fl. gr. 194.  
 — — — Tratt. Thes. 57.  
 — — — β. tenuior, Tratt. Thes. 58.  
 — — — angularis Burm. Burm. Fl. ind. 19.  
 — — — armatus Delile. Delile Egypte 18.  
 — — — arvensis L. Fl. dan. 3, 459.  
 — — — Curt. Lond. 3, 42.  
 † — — — Usteri Ann. 5, 5.  
 — — — Engl. Bot. 5, 312.  
 — — — Bot. Reg. 4, 322.  
 — — — Sv. Bot. 341.  
 — — — Liboschitz Petersb. 16.  
 — — — Dreves 1, 24.  
 — — — Schrank Fl. monac. 1, 27.  
 — — — Dietr. Fl. bor. 3, 156.  
 † — — — Plée Types 55.  
 — — — Baxter Brit. Bot. 1, 58.  
 † — — — Nees Gen. 5, 64.

- Convulvulus atropurpureus* Wall. Wall. Pl. asiat. 43.  
 — — — barbatus Wall. Wall. Pl. asiat. 155.  
 — — — Batatas L. Rumpf Amb. 5, 130.  
 — — — Gil et Xarez 1.  
 — — — Maorter Batatas 0.  
 — — — Kerner Hort. 540.  
 † — — — Mem. Mus. 19, 5.  
 † — — — Annales d'hortic. 1840, 0.  
 — — — Bentira Ham. Rheede Hort. mal. 11, 54.  
 — — — bicolor Hort. Beng. Bot. Mag. 48, 2205.  
 — — — bonariensis Cav. Cav. Ic. 480.  
 — — — brevispinus Jaub. et Sp. Jaubert Illustr. 369.  
 — — — bryoniacifolius Sims. Bot. Mag. 24, 943.  
 — — — Kerner Hort. 571.  
 — — — cairicus L. Bot. Mag. 19, 699.  
 — — — Rehb. Exot. 153.  
 — — — canariensis L. Bot. Mag. 30, 1228.  
 — — — candicans Sol. Bot. Mag. 39, 1603.  
 — — — Cantabrica L. Jacq. Fl. austr. 3, 296.  
 — — — capitatus Cav. Cav. Ic. 189.  
 — — — chinensis Ker. Bot. Reg. 4, 322.  
 — — — Cneorum L. Bot. Mag. 13, 459.  
 — — — Sibth. Fl. gr. 200.  
 — — — crenatifolius Rz et P. Ruiz et Pav. Fl. 118.  
 — — — crenatus Jacq. Jacq. Ic. 315.  
 — — — cymosus Rz et P. Ruiz et Pav. Fl. 117.  
 — — — dahuricus Herb. Bot. Mag. 53, 2609.  
 — — — discolor H. B. K. H. B. K. Nov. Gen. 3, 212.  
 — — — dissectus Cav. Cav. Ic. 480.  
 — — — L. Jacq. Vind. 159.  
 — — — Jacq. Obs. 28.  
 — — — Doryenium L. Sibth. Fl. gr. 201.  
 — — — clongatus Willd. Bot. Reg. 6, 498.  
 — — — erinaceus Led. Eichwald Cauc. 7.  
 — — — erubescens Sims. Bot. Mag. 27, 1067.  
 — — — evolvuloides Desf. Desf. Fl. atl. 49.  
 — — — Sibth. Fl. gr. 198.  
 — — — Falkia Jacq. Jacq. Schoenbr. 2, 198.  
 — — — farinosus L. Jacq. Vind. 35.  
 — — — Salisb. Parad. 45.  
 — — — Bot. Reg. 16, 1323.  
 — — — floribundus H. B. K. H. B. K. Nov. Gen. 3, 210.  
 — — — floridus L. fl. Jacq. Ic. 34.  
 — — — Forskälil. Delile. Delile Egypte 18.  
 — — — gemellus Burm. Burm. Fl. ind. 21.  
 — — — genistoides Jaub. et Sp. Jaubert Illustr. 370.  
 — — — glaber Aubl. Aublet Guiana 53.  
 — — — glomeratus Choisy. Wight Ic. pl. Ind. or. 4, 1366.  
 — — — grandiflorus Jacq. Jacq. Vind. 3, 69.  
 — — — guianensis Aubl. Aublet Guiana 52.  
 † — — — havanensis Jacq. Jacq. Obs. 45.  
 † — — — hederaceus L. Gaertn. Carp. 134.  
 — — — Hermannia L'her. L'her. Stirp. 33.  
 — — — hirsutus M. v. B. Marschall Cent. 6.  
 — — — Ten. Tenore Fl. nap. 15.  
 — — — holosericeus M. v. B. Marschall Cent. 24.  
 — — — humilis Jacq. Jacq. Collect. 4, 22.  
 — — — Jalapa L. Lam. Encycl. 104.  
 — — — Mem. Instit. 1806, 10. 11.  
 — — — Lodd. Cab. 518.  
 — — — Bot. Mag. 38, 1572.  
 — — — Kerner Hort. 125.  
 — — — Ann. Mus. 2, 40. 41.  
 — — — Desc. Ant. 2, 140.  
 — — — Guimp. et Schl. 117. 118.  
 — — — Nees Düsseld. 196. 197.  
 — — — Wagner 151. 152.  
 — — — Woodv. Med. 2, 87.  
 — — — Imperati Vahl. Tenore Fl. nap. 121.  
 — — — involucratum Willd. Bot. Reg. 4, 318.  
 — — — italicus Guss. Bot. Reg. 33, 12.  
 — — — laciniatum Lam. Cav. Ic. 479.

- Convolvulus lanatus* Vahl. Sibth. Fl. gr. 202.  
 — *lasianthus* Cav. Cav. Ic. 479.  
 — *lasiophaeus* Jaub. et Sp. Jaubert Illustr. 368.  
 — *lasiopermus* Vis. Visiani Aeg. 1.  
 — *lafiflorus* Desc. Desc. Ant. 7, 557.  
 — *linaris* Curt. Bot. Mag. 9, 289.  
 — *lineatus* L. Sibth. Fl. gr. 199.  
 — *lucanus* Ten. Tenore Fl. nap. 213.  
 — *macrocalyx* Rz et P. Ruiz et Pav. Fl. 118.  
 — *macrorrhizos* L. Desc. Ant. 2, 138.  
 — *mammosus* Desc. Rumpf Amb. 5, 131.  
 — *maritimus* Lam. Desc. Ant. 2, 131.  
 — *martinicensis* Jacq. Jacq. Hist. stirp. am. 24.  
 — *mauritanicus* Boiss. Boissier Esp. 122<sup>a</sup>.  
 — *meonanthus* Lk. Hoffm. Lk. Fl. port. 69.  
 — *microphyllus* Sieb. Wight Ic. pl. Ind. or. 4, 1367.  
 — *mollis* Burm. Burm. Fl. ind. 17.  
 — *munitus* Wall. Wight Illustr. in Hook. 7.  
 — *muricatus* L. Kerner Hort. 238.  
 — *nervosus* Burm. Burm. Fl. ind. 20.  
 — *Nil* L. Bot. Mag. 6, 188.  
 — *nitidus* Boiss. Boissier Esp. 122.  
 — *ocellatus* Hook. Bot. Mag. 70, 4065.  
 — *ochraceus* Ldl. Bot. Reg. 13, 1060.  
 — *palustris* Cav. Cav. Ic. 600.  
 — *panduratus* L. Barton Med. 23.  
 — — Bot. Mag. 44, 1939.  
 — *pannifolius* Salisb. Salisb. Parad. 20.  
 — — Bot. Reg. 3, 222.  
 — — Kerner Hort. 354.  
 — *pellitus* Led. Ledeb. Ic. 206.  
 — *peltatus* L. Rumpf Amb. 5, 157.  
 — *pennatus* Lam. Desc. Ant. 6, 415.  
 — *pentanthus* Jacq. Jacq. Ic. 316.  
 — — Bot. Mag. 47, 2151.  
 — — Bot. Reg. 6, 439.  
 — — Paxt. Mag. 6, 219.  
 — *pentapetaloides* L. Cav. Ic. 123.  
 — — Sibth. Fl. gr. 197.  
 — *pes caprae* L. Rumpf Amb. 5, 159.  
 — *platycarpus* Cav. Cav. Ic. 482.  
 — *prostratus* Roth. Roth Abhandl. 3.  
 — *pubibundus* Ldl. Bot. Reg. 12, 999.  
 — *purpureus* L. Bot. Mag. 4, 113. 25, 1005. 41,  
 1682.  
 — *quinquefolius* L. Desc. Ant. 6, 394.  
 — *repens* L. Desc. Ant. 2, 145.  
 — *reptans* L. Rumpf Amb. 5, 155.  
 — *retusus* Colla. Mem. Tur. 35, 8.  
 — *Rheedii* Wall. Wight Illustr. in Hook. 8.  
 — — Wight Ic. pl. Ind. or. 3, 850.  
 — *rhynospemus* Hochst. Wight Ic. pl. Ind. or. 4,  
 1368.  
 — *rufescens* Choisy. Wight Ic. pl. Ind. or. 4, 1365.  
 † — — Wight Illustr. 168<sup>b</sup>.  
 — *sabatius* Viv. Cesati Stirp. ital. 0.  
 — *sagittifolius* Sibth. Sibth. Fl. gr. 193.  
 — *Scammonia* L. Sibth. Fl. gr. 192.  
 — — Hayne 12, 35.  
 — — Guimp. et Schl. 177.  
 — — Nees Düsseld. 194.  
 — — Wagner 169.  
 — — Woodv. Med. 2, 86.  
 — — Sweet Fl. G. II. 173.  
 — *scoparius* L. fil. Vent. Choix 24.  
 — — Hayne 12, 36.  
 — — Nees Düsseld. 195.  
 — — Bot. Reg. 27, 43.  
 — *scrobicellatus* Ldl. Bot. Reg. 13, 1076.  
 — *secundus* Rz et P. Ruiz et Pav. Fl. 117.  
 — *sepium* L. Fl. dan. 3, 458.  
 — — Curt. Lond. 1, 32.

- Convolvulus sepium* L. Engl. Bot. 5, 313.  
 † — — Lam. Encycl. 104.  
 — — var. *americanus*, Bot. Mag. 19, 732.  
 — — Sv. Bot. 514.  
 — — Tenore Fl. nap. 213.  
 — — Schk. Handb. 38.  
 — — Schrank Fl. monac. 2, 103.  
 — — Sturm Flora 1, 1.  
 — — Dietr. Fl. bor. 2, 83.  
 † — — Engelmann Anthol. 1.  
 — *sericeus* Burm. Burm. Fl. ind. 19.  
 — *siculus* L. Sibth. Fl. gr. 196.  
 — — Bot. Reg. 6, 445.  
 — *silvaticus* W. et K. W. et Kit. 261.  
 — *Soldanella* L. Engl. Bot. 5, 314.  
 — — Hayne 12, 37.  
 — *speciosus* L. Smith Ic. pict. 17.  
 — — Kerner Hort. 17.  
 — *sphaerostigma* Cav. Cav. Ic. 481.  
 — *spinosus* Burm. Burm. Fl. ind. 19.  
 — — Forsk. Eichwald Cauc. 22.  
 — *stoloniferus* Cir. Cirillo Pl. rar. 1, 5.  
 — *subvolubilis* Led. Ledeb. Ic. 205.  
 — *suffruticosus* Desf. Desf. Fl. atl. 48.  
 — — Dryand. Bot. Reg. 2, 133.  
 — *suffultus* H. B. K. H. B. K. Nov. Gen. 3, 211.  
 — *tenuissimus* Sibth. Sibth. Fl. gr. 195.  
 — *tricolor* L. Bot. Mag. 1, 27.  
 † — — Hopkirk Fl. anom. 4.  
 — — var. *vittatus*, Fl. d. serres 3, 298.  
 — *Turpethum* L. Bot. Mag. 46, 2093.  
 — — Wight Illustr. in Hook. 38.  
 — *umbellatus* L. Desc. Ant. 7, 524.  
 — *undulatus* Cav. Cav. Ic. 277.  
 — *uniflorus* Burm. Burm. Fl. ind. 21.  
 — *valentinus* Cav. Cav. Ic. 180.  
 — *vitifolius* L. Burm. Fl. ind. 18.  
 — *Wightii* Wall. Wall. Pl. asiat. 171.  
*Conyza amoena* Link. Rehb. Hort. 69.  
 † *anthelmintica* L. Schk. Handb. 241.  
 — *articulata* Lam. Lam. Encycl. 697.  
 — *balsamifera* L. Rumpf Amb. 6, 24.  
 — *candida* L. Sibth. Fl. gr. 864.  
 — — Tenore Fl. nap. 76.  
 — — Tratt. Archiv 52.  
 — *carolinensis* Jacq. Jacq. Ic. 585.  
 — *chilensis* Link. Rehb. Hort. 167.  
 — *chinensis* L. Rumpf Amb. 6, 14.  
 — *Chingoyo* H. B. K. H. B. K. Nov. Gen. 4, 328.  
 — *chrysocomoides* Desf. Desf. Fl. atl. 232.  
 — *cinerea* L. Rumpf Amb. 6, 14.  
 † — — Schk. Handb. 241.  
 — *cupressiformis* Lam. Lam. Encycl. 697.  
 — *geminiflora* Ten. Tenore Fl. nap. 77.  
 — *gnaphalioides* H. B. K. H. B. K. Nov. Gen. 4, 327.  
 — *ivaefolia* Burm. Burm. Fl. ind. 58.  
 — *lacera* Burm. Burm. Fl. ind. 59.  
 — *limonifolia* Sibth. Sibth. Fl. gr. 865.  
 — *lobata* L. Desc. Ant. 5, 363.  
 — *lycopodioides* Lam. Lam. Encycl. 697.  
 — *odorata* L. Desc. Ant. 3, 217.  
 — *petiolaris* Wall. Delessert Ic. 4, 22.  
 — *prolifera* Willd. Rumpf Amb. 5, 104. fig. 1.  
 — *pubigera* L. Rumpf Amb. 5, 103.  
 — *pumila* Sibth. Sibth. Fl. gr. 863.  
 — *rupestris* L. Schmidel Ic. 36.  
 — *sagittalis* Lam. Jacq. Ecl. pl. 133.  
 — *saxatilis* L. Schk. Handb. 241.  
 — — Sm. Sibth. Fl. gr. 862.  
 — *sophiacifolia* Willd. H. B. K. Nov. Gen. 4, 326.  
 — *spicata* Lam. Cav. Ic. 12.  
 — *squarrosa* L. Gaertn. Carp. 166.

- Conyza squarrosa* L. Fl. dan. 4, 622.  
 — — — Engl. Bot. 17, 1195.  
 † — — — Lam. Encycl. 697.  
 — — — Dreves 2, 56.  
 — — — Nees Düsseld. Suppl. 76, 77.  
 — — — Baxter Brit. Bot. 4, 290.  
 † — — — Nees Gen. X, x.  
 — thujoides Lam. Lam. Encycl. 697.  
*Cookia punctata* Retz. Rumpf Amb. 1, 55.  
 † — — — Lam. Encycl. 354.  
 — — — Jacq. Schoenbr. 1, 101.  
 — — — Tratt. Archiv 61. 61<sup>a</sup>.  
 † *Cooperia* Hook. Herbert Amar. 36.  
 † — chlorosolen Herb. Herbert Amar. 24.  
 — — — Bot. Mag. 63, 3482.  
 † — Drummondiana Herb. Herbert Amar. 24.  
 — — — Bot. Reg. 22, 1835.  
 — pedunculata Herb. Bot. Mag. 66, 3727.  
*Copaifera Beyrichii* Hayne. Hayne 10, 12.  
 — bijuga Hayne. Hayne 10, 16.  
 — — — Nees Düsseld. Suppl. 43.  
 — — — Guimp. et Schl. 221.  
 — cordifolia Hayne. Hayne 10, 21.  
 — coriacea Mart. Hayne 10, 20.  
 — — — Guimp. et Schl. 225.  
 — — — Nees Düsseld. Suppl. 64.  
 — glabra Vogel. Guimp. et Kl. 1.  
 — guianensis Desf. Mem. Mus. 7, 13.  
 — — — Guimp. et Schl. 219.  
 — — — Hayne 10, 13.  
 — hymenaefolia Moric. Moricand Pl. Am. 1.  
 — — — Mem. Genev. 6, 1.  
 — Jacquini Desf. Hayne 10, 14.  
 — — — Guimp. et Schl. 220.  
 — Langsdorffii Desf. Mem. Mus. 7, 14.  
 — — — Hayne 10, 19.  
 — — — Nees Düsseld. Suppl. 44.  
 — — — Guimp. et Schl. 224.  
 — laxa Hayne. Hayne 10, 18.  
 — — — Guimp. et Schl. 223.  
 — Martii Hayne. Hayne 10, 15.  
 — — — Nees Düsseld. Suppl. 65.  
 — nitida Mart. Hayne 10, 17.  
 — — — Guimp. et Schl. 222.  
 — oblongifolia Mart. Hayne 10, 23.  
 — officinalis L. Jacq. Hist. stirp. am. 125.  
 — — — H. B. K. Nov. Gen. 7, 659.  
 — — — Lam. Encycl. 342.  
 — — — Nees Düsseld. 338.  
 — — — Wagner 170.  
 — — — Desc. Ant. 7, 470.  
 — — — Woodv. Med. 3, 216.  
 — Sellowii Hayne. Hayne 10, 22.  
*Copernicia cerifera* Mart. Mart. Palm. 50<sup>a</sup>.  
 — — — D'Orbigny Voyage 1. 24.  
*Copiantha indica* Hill. Hill Decade 1.  
 † *Coprosma* Forst. Forster Char. 69.  
 — affinis Hook. Hook. Fl. ant. 14.  
 — Baueri Endl. Endl. Iconogr. 111.  
 — cuneata Hook. Hook. Fl. ant. 15.  
 — foetidissima Forst. Hook. Fl. ant. 13.  
 — hirtella Lab. Bill. Nov. Holl. 95.  
 † lucida Forst. Gaertn. Carp. 182.  
 † — — — Lam. Encycl. 186. 854.  
 — pumila Hook. Hook. Fl. ant. 16.  
 — repens A. Rich. Hook. Fl. ant. 21.  
 — robusta Decne. Raoul Nouv. Zel. 16.  
 † *Coptis* Salisb. Gray Genera 13.  
 — aspleniifolia Salisb. Hook. Bor. Am. 11.  
 — trifolia Salisb. Bigelow Med. 5.  
 — — — Barton Med. 34.  
 — — — Lodd. Cab. 173.

- Coptis trifolia* Salisb. Fl. dan. 9, 1519.  
 — — — Gray Genera 13.  
*Coptophyllum buniifolium* Gardn. Hook. Ic. pl. 5, 477.  
 — millefolium Gardn. Hook. Ic. pl. 5, 478.  
*Coquebertia ilicifolia* Brongn. Brongniart Coquille 75.  
 † — — — Schnizl. Iconogr. 276.  
*Corallophyllum coeruleum* H. B. K. H. B. K. Nov. Gen. 7, 660<sup>b</sup>.  
*Corallorrhiza ericetorum* Drejer. Rchb. Fl. germ. 13, 491.  
 — hiemalis Nutt. Barton Fl. 2, 52.  
 — Jacquemontii Decne. Jacquemont Ind. 165.  
 — innata R. Br. Curt. Lond. 4, 142.  
 — — — Sv. Bot. 554.  
 — — — Dietr. Fl. bor. 1, 23.  
 — — — Rchb. Fl. germ. 13, 490.  
 † — — — Nees Gen. 3, x.  
 — — — Baxter Brit. Bot. 6, 422.  
 — multiflora Nutt. Hooker Exot. Fl. 174.  
 — — — Torr. New York 126.  
 — odontorrhiza Nutt. Torr. New York 126.  
*Corbularia monophylla* Durieu. Explor. Alger. 47.  
 — serotina Haw. Sweet Fl. G. II. 164.  
 † *Corchoropsis crenata* Sieb. et Zucc. Münchn. Abh. 3, 4.  
 † *Corchorus* L. Gray Genera 137.  
 — acutangulus Lam. Wight Ic. pl. Ind. or 3, 739.  
 † — aestuans L. Gaertn. Carp. 64.  
 † — — — Lam. Encycl. 478.  
 — — — Jacq. Vind. 85.  
 — bullatus Jacq. Jacq. Ecl. pl. 163.  
 — capsularis L. Rumpf Amb. 5, 78.  
 † — — — Gaertn. Carp. 179.  
 † — — — Lam. Encycl. 478.  
 — — — Jacq. Ecl. pl. 119.  
 — — — Hook. Journ. 1850, 3.  
 — — — Wight Ic. pl. Ind. or 1, 311.  
 — decemangularis Roxb.? Rheede Hort. mal. 10, 53.  
 — fruticulosus Vis. Visiani Aeg. 3.  
 — hirsutus L. Jacq. Hist. stirp. am. 157.  
 — — — Jacq. Vind. 3, 57.  
 — hirtus L. Jacq. Vind. 3, 58.  
 — humilis Munro. Wight Ic. pl. Ind. or 3, 1073.  
 — japonicus Thunb. Andr. Rep. 9, 587.  
 — — — Bot. Mag. 32, 1296.  
 — — — Kerner Hort. 415.  
 — — — Herb. amat. 1, 49.  
 — — — Savi Fl. ital. 1, 3.  
 — javanicus Burm. Burm. Fl. ind. 36.  
 — olitorius L. Trév Pl. rar. 4.  
 † — — — Gaertn. Carp. 64.  
 — — — Lam. Encycl. 478.  
 — — — Bot. Mag. 55, 2810.  
 — pilobolus Lk. Jacq. Ecl. pl. 163.  
 — pilosus H. B. K. H. B. K. Nov. Gen. 5, 487.  
 — siliquosus L. Jacq. Vind. 3, 59.  
 — — — Gray Genera 137.  
 — tortipes St. Hil. St. Hil. Fl. Bras. 55.  
 — tridens L. Burm. Fl. ind. 37.  
 — trilocularis L. Jacq. Vind. 173.  
*Cordia angiocarpa* A. Rich. Ramon Cuba 56.  
 — Collococca L. Desc. Ant. 6, 441.  
 — Collococcus Aubl. Aublet Guiana 86.  
 — crenata Delile. Delile Egypte 20.  
 — decandra Hook. et Arn. Hook. Beechey 10.  
 — dentata Vahl. Vahl Eclogae 22.  
 — flavescens Aubl. Aublet Guiana 89.  
 — fulvosa Wight. Wight Ic. pl. Ind. or 4, 1380.  
 † — Geraschanthus L. Houstoun Reliq. 6.  
 — — — Lam. Encycl. 96.  
 — glomerata Lem. Lem. Jard. fl. 4, 326.  
 — grandiflora Ldl. Bot. Reg. 18, 1491.  
 — laevis Jacq. Jacq. Schoenbr. 1, 40.  
 — leucocephala Moric. Moricand Pl. Am. 88.

- Cordia monoica* Roxb. Roxb. Corom. 58.  
 — — — Kerner Hort. 302.  
 — Myxa L. Rumpf Amb. 3, 97.  
 † — — — Jacq. Fragm. 103.  
 — — — Delile Egypte 19.  
 — — — Hayne 9, 33.  
 — — — Wight Illustr. 169.  
 — obliqua Willd. Willd. Phytogr. 4.  
 — — — Wight Ic. pl. Ind. or. 4, 1378.  
 — officinalis Lam. Rheede Hort. mal. 4, 37.  
 † — — — Lam. Encycl. 96.  
 — panicularis Rudge. Rudge Pl. Guianae 46.  
 — Perrottetii DC. Wight Ic. pl. Ind. or. 4, 1381.  
 — quercifolia Klotzsch. Peters Mossamb. 43.  
 — riparia H. B. K. H. B. K. Nov. Gen. 3, 207.  
 — Rothii R. et Sch. Wight Ic. pl. Ind. or. 4, 1379.  
 — rotundifolia R. et P. Ruiz et Pav. Fl. 148.  
 — Sebestena L. Rumpf Amb. 2, 75.  
 — — — Jacq. Hist. stirp. am. 44.  
 † — — — Lam. Encycl. 96.  
 — — — Andr. Rep. 3, 157.  
 — — — Bot. Mag. 21, 794.  
 — — — Kerner Hort. 155.  
 — — — Tratt. Archiv 303.  
 — — — Desc. Ant. 4, 277.  
 — serrata Roxb. Wight Ic. pl. Ind. or. 2, 469.  
 — tetrandra Aubl. Aublet Guiana 87.  
 — tetraphylla Aubl. Aublet Guiana 88.  
 — Toqueve Aubl. Aublet Guiana 90.  
*Cordyla africana* Lour. Peters Mossamb. 4.  
 † *Cordyline australis* Endl. Gaudichaud Bonite 125.  
 † — — — Ann. sc. nat. III. 3, 13, 14.  
 — parviflora H. B. K. H. B. K. Nov. Gen. 7, 674.  
 — Rumphii Hook. Bot. Mag. 73, 4279.  
 — stricta Endl. Hook. New Zeal. 58.  
*Cordylocarpus muricatus* Desf. Desf. Fl. atl. 152.  
 — — — Lam. Encycl. 975.  
*Cordylogyne globosa* E. M. Delessert Ic. 5, 64.  
*Coreocarpus parthenioides* Benth. Benth. Sulphur 16.  
*Coreopsis alata* Cav. Cav. Ic. 260.  
 † — alternifolia L. Gaertn. Carp. 171.  
 — — — Jacq. Vind. 110.  
 — artemisiaefolia Jacq. Jacq. Ic. 595.  
 — Atkinsoniana Dougl. Bot. Reg. 16, 1376.  
 — aurea Ait. Bot. Reg. 15, 1228.  
 — auriculata L. Schk. Handb. 260.  
 — Bidens L. Schrank Fl. monac. 4, 330.  
 † — bipinnata Lam. Lam. Encycl. 704.  
 — coronata Hook. Bot. Mag. 63, 3460.  
 — diversifolia Jacq. Jacq. Ecl. pl. 54.  
 — — — Hook. Bot. Mag. 63, 3474.  
 — ferulaefolia Jacq. Jacq. Schoenbr. 3, 373.  
 — — — Bot. Mag. 46, 2059.  
 — filifolia Hook. Bot. Mag. 63, 3505.  
 — foetida Cav. Cav. Ic. 77.  
 — formosa Bonato. Bonato Memoria 2.  
 — grandiflora Hogg. Lodd. Cab. 1290.  
 — — — Sweet Fl. G. 175.  
 — heterophylla Cav. Cav. Ic. 268.  
 — jasmminifolia Bert. Novi Comm. Bon. 9, 15.  
 — incisa Ker. Bot. Reg. 1, 7.  
 — lanceolata L. Martyn Hist. 24.  
 — — — Lodd. Cab. 821.  
 — — — Bot. Mag. 51, 2451.  
 — — — Sweet Fl. G. 10.  
 — leucantha L. Desc. Ant. 8, 583.  
 — limensis Jacq. Jacq. Ic. 594.  
 — longipes Hook. Bot. Mag. 64, 3586.  
 — ovata Cav. Cav. Ic. 280.  
 — parviflora Jacq. Jacq. Schoenbr. 3, 374.  
 — reptans L. Smith Spic. 22.  
 — rosea Nutt. Barton Fl. 1, 12.

- Coreopsis rosea* Nutt. Torrey New York 57.  
 — — — senifolia Michx. Bot. Mag. 63, 3484.  
 — — — tenuifolia Ehrh. Schk. Handb. 260<sup>b</sup>.  
 — — — tinctoria Nutt. Barton Fl. 2, 45.  
 — — — — Bot. Mag. 51, 2512.  
 — — — — Link Ic. I. 33.  
 — — — — Sweet Fl. G. 72.  
 — — — — Bot. Reg. 10, 846.  
 — — — trifida Lam. Lam. Encycl. 704.  
 — — — verticillata L. Bot. Mag. 5, 156.  
 — — — — Schk. Handb. 260<sup>b</sup>.  
 — — — — Barton Fl. 3, 73.  
*Corethrostylis bracteata* Endl. Bot. Reg. 30, 47.  
 † *Coriandrum sativum* L. Gaertn. Carp. 22.  
 † — — — Lam. Encycl. 196.  
 — — — — Schk. Handb. 72.  
 — — — — Sibth. Fl. gr. 283.  
 — — — — Engl. Bot. 1, 67.  
 — — — — Fl. dan. 12, 1989.  
 — — — — Sturm Flora 1, 3.  
 — — — — Hayne 7, 13.  
 — — — — Guimp. et Schl. 128.  
 — — — — Nees Düsseld. 292.  
 — — — — Wagner 75.  
 — — — — Woodv. Med. 1, 53.  
 — — — — Baxter Brit. Bot. 6, 504.  
 — — — — Wight Ic. pl. Ind. or. 2, 516.  
 † — — — Wight Illustr. 117.  
 — — — testiculatum L. Lam. Encycl. 196.  
*Coriaria myrtifolia* L. Schk. Handb. 334.  
 — — — — Lam. Encycl. 822.  
 — — — — Watson Dendr. 2, 103.  
 — — — — Dict. sc. nat. 288, 289.  
 — — — — Nees Düsseld. Suppl. 14.  
 — — — — Rehb. Fl. germ. 5, 160.  
 — — — — napalensis Wall. Wall. Pl. asiat. 289.  
 — — — — sarmentosa Forst. Bot. Mag. 51, 2470.  
 — — — — thymifolia H. B. K. H. B. K. Nov. Gen. 7, 636.  
 † *Coris monspeliensis* L. Gaertn. Carp. 183.  
 — — — — Lam. Encycl. 102.  
 — — — — Bot. Mag. 47, 2131.  
 — — — — Bot. Reg. 7, 536.  
 † — — — — Nees Gen. 5, 18.  
*Corispermum hyssopifolium* L. Pallas Fl. ross. 98.  
 † — — — — Gaertn. Carp. 75.  
 † — — — — Lam. Encycl. 5.  
 — — — — Sibth. Fl. gr. 1.  
 — — — — intermedium Schweigg. Sturm Flora 16, 67.  
 † — — — — Nees Gen. 4, 75.  
 — — — — Marshallii Stev. Sturm Flora 16, 67.  
 — — — — nitidum Kit. Winter Index 24.  
 — — — — Sturm Flora 16, 67.  
 † — — — — Nees Gen. 4, 75.  
 † — — — — Pallasii Led. Nees Gen. 4, 75.  
 — — — — squarrosum Pall. Pallas Fl. ross. 99.  
 — — — — subpentandrum Pall. Pallas Illustr. 59.  
*Cornacchinia fragiformis* Savi. Mem. Mod. 21, 7.  
 † *Corneae* DC. Wight Illustr. 122.  
*Cornelia verticillata* Ard. Arduino Anim. 2, 1.  
*Cornidia integerrima* Hook. et Arn. Delessert Ic. 3, 79.  
 — — — — Poepp. et Endl. 17.  
 † — — — — umbellata R. et P. Ruiz et Pav. Prodr. 35.  
*Cornucopiae cucullatum* L. Schreber Gräser 41.  
 — — — — Sibth. Fl. gr. 51.  
 — — — — Smith Spicil. 14.  
 † — — — — Lam. Encycl. 40.  
*Cornulaca monacantha* Delile. Delile Egypte 22.  
 † *Cornus* L. Wight Illustr. 122.  
 — — — — alba L. Meerburg Fl. sel. 2.  
 — — — — Pallas Fl. ross. 34.  
 † — — — — Hook. Journal 1850, 5.  
 — — — — alternifolia L. fil. L'her. Cornus 6.

- Cornus alternifolia* L. *fil.* Guimp. Fr. Holzgew. 43.  
 — *canadensis* L. L'her. Cornus 1.  
 — — — Usteri Del. 2, 1.  
 — — — Bot. Mag. 22, 880.  
 — — — Lodd. Cab. 651.  
 — *capitata* Wall. Wall. Pl. asiat. 214.  
 — *circinata* L'her. L'her. Cornus 3.  
 — — — Usteri Del. 2, 2.  
 — — — Guimp. Fr. Holzgew. 6.  
 — *coerulea* Meerb. Meerburg Pl. sel. 3.  
 — *florida* L. Bot. Mag. 15, 526.  
 — — — Michaux Arb. 3, 3.  
 — — — Guimp. Fr. Holzgew. 19.  
 — — — Bigelow Med. 28.  
 — — — Barton Med. 3.  
 † — *mascula* L. Gaertn. Carp. 26.  
 † — — — Lam. Encycl. 74.  
 — — — Sibth. Fl. gr. 151.  
 — — — Bot. Mag. 53, 2675.  
 — — — Schk. Handb. 24.  
 — — — Sturm Flora 13, 52.  
 — — — Schrank Fl. monac. 1, 28.  
 — — — Hartig 62.  
 — — — Dict. sc. nat. 103.  
 — *officinalis* Z. et S. Sieb. Japon. 50.  
 — *paniculata* L'her. L'her. Cornus 5.  
 — — — Torrey New York 41.  
 † — *sanguinea* L. Gaertn. Carp. 86.  
 † — — — Lam. Encycl. 74.  
 — — — Fl. dan. 3, 481.  
 — — — Engl. Bot. 4, 249.  
 — — — Sv. Bot. 235.  
 — — — Schrank Fl. monac. 3, 240.  
 — — — Sturm Flora 13, 52.  
 — — — Hartig 63.  
 — — — Baxter Brit. Bot. 2, 114.  
 † — — — Nees Gen. X, x.  
 † — — — Hook. Journ. 1850, 5.  
 — *sericea* L. Meerburg Pl. sel. 1.  
 — — — L'her. Cornus 2.  
 — — — Barton Med. 9.  
 — — — Guimp. Fr. Holzgew. 85.  
 — *stricta* L'her. L'her. Cornus 4.  
 — *suecica* L. Linné Fl. lapp. 5.  
 — — — Fl. dan. 1, 5.  
 — — — Curt. Lond. 5, 194.  
 — — — Engl. Bot. 5, 310.  
 — — — Sv. Bot. 201.  
 — — — Sturm Flora 13, 52.  
 † *Cornutia pubescens* Gaertn. *fil.* Gaertn. Carp. 213.  
 † — *punctata* Willd. Gaertn. Carp. 213.  
 — — — Bot. Mag. 53, 2611.  
 — — — Tratt. Archiv 9.  
 † — *pyramidata* L. Lam. Encycl. 541.  
*Corokia buddleoides* Cunn. Hook. Ic. pl. 5, 424.  
 — *Cotoneaster Decne.* Raoul Nouv. Zel. 20.  
 † *Coronilla* L. Mutel Flore franç. 15, 16.  
 — *coronata* Jacq. Jacq. Fl. austr. 1, 95.  
 — — — Bot. Mag. 23, 907.  
 — — — Rehb. Pl. crit. 1, 32.  
 — — — Riv. Rehb. Pl. crit. 1, 33.  
 — *cretica* L. Jacq. Vind. 25.  
 — — — Sibth. Fl. gr. 713.  
 † — *Emerus* L. Lam. Encycl. 630.  
 — — — Sibth. Fl. gr. 710.  
 — — — Bot. Mag. 13, 445.  
 — — — Sv. Bot. 343.  
 — — — Guimp. Holzgew. 134.  
 — *criocarpa* Boiss. Boissier Esp. 54.  
 — *glauca* L. Bot. Mag. 1, 13.  
 — — — Sibth. Fl. gr. 711.  
 — *iberica* M. v. B. Bot. Mag. 53, 2646.

- Coronilla iberica* M. v. B. Lodd. Cab. 789.  
 — — — Sweet Fl. G. 25.  
 — *juncea* L. Bot. Reg. 10, 820.  
 — — — Lodd. Cab. 235.  
 — *minima* Jacq. Jacq. Fl. austr. 3, 271.  
 — — — L. Lam. Encycl. 630.  
 — — — Sturm Flora 12, 49.  
 — — — Bot. Mag. 47, 2179.  
 — *montana* Scop. Scop. Fl. carn. 2, 44.  
 — — — Sturm Flora 12, 49.  
 — *Securidaca* L. Sibth. Fl. gr. 712.  
 — *squamata* Cav. Cav. Ic. 155.  
 — *vaginalis* Lam. Sturm Flora 12, 49.  
 — — — Rehb. Pl. crit. 1, 31.  
 † — *valentina* L. Gaertn. Carp. 155.  
 † — — — Lam. Encycl. 630.  
 — — — Bot. Mag. 6, 185.  
 — *varia* L. Schk. Handb. 205.  
 — — — Bot. Mag. 8, 258.  
 — — — Schrank Fl. monac. 1, 7.  
 — — — Sturm Flora 12, 49.  
 — — — Dietr. Fl. bor. 6, 361.  
 — — — Brandt und Ratzeb. 24.  
 — *viminalis* Salisb. Salisb. Parad. 13.  
*Coronopus depressus* Moench. Sv. Bot. 733.  
 — *didymus* Sm. Engl. Bot. 4, 248.  
 † — *Ruellii* All. Gaertn. Carp. 142.  
 — — — Engl. Bot. 24, 1660.  
 — — — Baxter Brit. Bot. 4, 320.  
 † — *vulgaris* Desf. Lam. Encycl. 558.  
*Corradoria incanescens* DC. Willkomm Glob. 1.  
 † *Correa* Sm. (Colla.) Mem. Tur. 5, (1843.) 0.  
 — *alba* Andr. Andr. Rep. 1, 17.  
 — — — Vent. Malm. 13.  
 — — — Bot. Reg. 6, 515.  
 — — — Lodd. Cab. 152.  
 — — — Tratt. Archiv 133.  
 — — — Lam. Encycl. 945.  
 † — — — Mem. Mus. 12, 21.  
 — *Backhousiana* Hook. Hook. Ic. pl. 1, 2.  
 — *bicolor* Hort. Paxt. Mag. 9, 267.  
 — — — Fl. d. serres 1, 12.  
 — *cotinifolia* Salisb. Salisb. Parad. 100.  
 — *ferruginea* Backh. Hook. Ic. pl. 1, 3.  
 — — — Maund Bot. 3, 124.  
 — *Harrisii* Paxt. Paxt. Mag. 7, 79.  
 — *longiflora* Paxt. Paxt. Mag. 7, 195.  
 — *pulchella* Mackay. Sweet Austral. 1.  
 — — — Maund Bot. 4, 152.  
 — — — Lodd. Cab. 1684.  
 — — — Bot. Reg. 15, 1224.  
 — — — Rehb. Exot. 345.  
 — — — Bot. Mag. 69, 4020.  
 — — — Annales de Gand 1845, 8.  
 — — — var. Paxt. Mag. 12, 77, 14, 147.  
 † — *rufa* Gaertn. *fil.* Gaertn. Carp. 210.  
 — — — Glenny Journal 1839, 0.  
 — *speciosa* Donn. Andr. Rep. 10, 633.  
 — — — Bot. Mag. 42, 1746.  
 — — — Lodd. Cab. 112.  
 — — — Bot. Reg. 1, 26.  
 — — — Herb. amat. 5, 309.  
 — *virens* Sm. Smith Exot. Bot. 72.  
 — — — Bot. Reg. 1, 3.  
 — — — Lodd. Cab. 336.  
 — — — Bot. Mag. 44, 1901.  
 — — — Tratt. Archiv 134.  
 — *viridiflora* Andr. Andr. Rep. 7, 436.  
 — — — Bonpland Malm. 12.  
 † *Correia Vandelli*. Roemer Scriptores 6.  
*Corrigiola litoralis* L. Fl. dan. 2, 334.  
 — — — Sibth. Fl. gr. 292.



- † *Corrigiola litoralis* L. Gaertn. Carp. 75.  
 — — — Lam. Encycl. 213.  
 — — — Schk. Handb. 85.  
 — — — Engl. Bot. 10, 668.  
 — — — Dietr. Fl. bor. 3, 205.  
 — — — Baxter Brit. Bot. 4, 312.  
 — — — telephiifolia *Pourr.* Rehb. Ic. crit. 2, 161.  
*Cortesia cuneifolia* Cav. Cav. Ic. 377.  
 — cuneiformis *Poir.* Lam. Encycl. 921.  
 † *Cortusa Gmelini* L. Gaertn. Carp. 50.  
 — — — Lam. Encycl. 99.  
 † — — *Matthioli* L. Gaertn. Carp. 50.  
 — — — Lam. Encycl. 99.  
 — — — All. Fl. ped. 3, 5.  
 — — — Jacq. Ic. 32.  
 — — — Schk. Handb. 33.  
 — — — Roemer Fl. eur. 3, 2.  
 — — — Andr. Rep. 1, 1.  
 — — — Bot. Mag. 25, 987.  
 — — — Lodd. Cab. 956.  
 † — — — Nees Gen. 5, 9.  
*Corvisartia indica* Royle. Royle Illustr. 60.  
*Coryanthes Albertinae* Karst. Karsten Auswahl 1.  
 — — — Fl. d. serres 8, 755.  
 † — — *Feildingii* Ldl. Journ. Hort. Soc. 3, 16, 17.  
 — — — Fl. d. serres 4, 364, 365.  
 — — — macrantha *Hook.* Bot. Reg. 22, 1841.  
 — — — Paxt. Mag. 5, 31.  
 — — — Hart. Parad. 2, 4.  
 — — — maculata *Hook.* Bot. Mag. 58, 3102.  
 — — — var. Bot. Mag. 66, 3747.  
 — — — Bot. Reg. 21, 1793.  
 — — — Maund Bot. 5, 228.  
 — — — *Parkerii* Ldl. Hart. Parad. 2, 4.  
 — — — speciosa *Hook.* var. Bateman Orchid. 36.  
 — — — var. vitellina, Annal. de Gand 1846, 51.  
*Corybas aconitiflorus* Salisb. Salisb. Parad. 83.  
 † *Corycium Swartz.* Svensk Acad. 1809, 3.  
 — — — Schrader N. Journ. 1, 1.  
 † — — bicolor *Sw.* Bauer Orchid. (Genera.) 15.  
 — — — Journ. sc. and arts 6, 1.  
 — — — orobanchoides *Sw.* Bot. Reg. 24, 45.  
 — — — Journ. sc. and arts 8, 3.  
 † *Corydalis Vent.* Wight Illustr. 11<sup>a</sup>.  
 † — — Gray Genera 52.  
 — — — acaulis *Wulf.* Rehb. Fl. germ. 3, 5.  
 — — — aurea *Willd.* Bot. Reg. 1, 66.  
 — — — Gray Genera 52.  
 — — — bracteata *Pers.* Bot. Mag. 60, 3242.  
 — — — Bot. Reg. 19, 1644.  
 — — — bulbosa *Pers.* Rehb. Fl. germ. 3, 8.  
 — — — DC. Hayne 5, 1.  
 — — — Nees Düsseld. Suppl. 91.  
 — — — Sweet Brit. Bot. 1, 2.  
 — — — canadensis *Goldb.* Silliman Journ. 26, 1.  
 — — — capnoides *Pers.* Sturm Flora 14, 62.  
 — — — Cashmeriana *Royle.* Royle Illustr. 16.  
 — — — cava *Schweigg.* Sturm Flora 3, 11.  
 — — — Dietr. Fl. bor. 2, 106.  
 — — — chaerophylla *DC.* Wallich Tentamen 40.  
 — — — claviculata *DC.* Rehb. Fl. germ. 3, 5.  
 — — — crassissima *Camb.* Jacquemont Ind. 11.  
 — — — Hook. Journ. 1852, 9.  
 — — — digitata *Pers.* Rehb. Fl. germ. 3, 7.  
 — — — Erdelii *Zucc.* Münchn. Abh. 3, 9.  
 — — — fabacea *Pers.* Fl. dan. 8, 1394.  
 — — — Hayne 5, 2.  
 — — — Rehb. Fl. germ. 3, 7.  
 — — — formosa *Pursh.* Herb. amat. 5, 289.  
 — — — Silliman Journ. 26, 1.  
 — — — fungosa *Vent.* Vent. Choix 19.  
 — — — Gebleri *Led.* Ledeb. Ic. 49.

- Corydalis Govaniana* Wall. Royle Illustr. 16.  
 — — — Halleri *Willd.* Hayne 5, 3.  
 — — — Nees Düsseld. Suppl. 91.  
 — — — Hoffmeisteri *Klotzsch.* Prinz Wald. Him. 35.  
 — — — intermedia *Merat.* Dietr. Fl. bor. 2, 108.  
 — — — juncea *Wall.* Wallich Tentamen 42.  
 — — — longiflora *Pers.* Bot. Mag. 60, 3230.  
 — — — Link Ic. II. 2.  
 — — — longipes *DC.* Wallich Tentamen 42.  
 — — — lutea *Pers.* Sturm Flora 14, 62.  
 — — — Rehb. Fl. germ. 3, 6.  
 — — — Dict. sc. nat. 176.  
 † — — — Plée Types 52.  
 — — — Marschalliana *Pers.* Delessert Ic. 2, 10.  
 — — — meifolia *Wall.* Wallich Tentamen 41.  
 — — — nobilis *Pers.* Bot. Reg. 5, 395.  
 — — — ochroleuca *Koch.* Sturm Flora 14, 62.  
 — — — pauciflora *Pers.* Delessert Ic. 2, 9.  
 — — — Led. Ledeb. Ic. 450.  
 — — — physocarpa *Camb.* Jacquemont Ind. 12.  
 — — — pumila *Host.* Rehb. Fl. germ. 3, 7.  
 — — — rutifolia *Sibth.* Sibth. Fl. gr. 667.  
 — — — Scouleri *Hook.* Hook. Bor. Am. 14.  
 — — — solida *Sm.* Sv. Bot. 531.  
 — — — Sturm Flora 20, 94.  
 — — — Dietr. Fl. bor. 2, 107.  
 — — — Baxter Brit. Bot. 3, 190.  
 — — — stricta *Steph.* Ledeb. Ic. 56.  
 — — — triternata *Zucc.* Münchn. Abh. 3, 9.  
 — — — tuberosa *DC.* Nees Düsseld. Suppl. 90.  
*Corylopsis pauciflora* S. et Zucc. Sieb. Japon. 20.  
 — — — spicata S. et Zucc. Sieb. Japon. 19.  
 † *Corylus* L. Linnaea 4, 3.  
 — — — americana *Michx.* Dict. sc. nat. 302.  
 † — — Avellana L. Gaertn. Carp. 89.  
 † — — — Lam. Encycl. 780.  
 — — — Schk. Handb. 305.  
 — — — Curt. Lond. 4, 17.  
 — — — Engl. Bot. 11, 723.  
 — — — Fl. dan. 9, 1468.  
 — — — Sv. Bot. 139.  
 — — — Schrank Fl. monac. 2, 124.  
 — — — Hartig 15.  
 — — — Dietr. Fl. bor. 12, 842.  
 — — — Rehb. Fl. germ. 12, 636-638.  
 † — — — Dict. sc. nat. 303.  
 † — — — Mem. Instit. 1830, 8.  
 † — — — Nees Gen. 4, 22.  
 — — — Baxter Brit. Bot. 5, 338.  
 † — — Colurna L. Schk. Handb. 305.  
 — — — Hartig 17.  
 — — — Rehb. Fl. germ. 12, 638.  
 — — — Watson Dendr. 2, 99.  
 — — — Belgique hortic. 2, 61.  
 — — — ferox *Wall.* Wall. Pl. asiat. 87.  
 — — — heterophylla *Fisch.* Trautv. Imagines 4.  
 — — — Jacquemontii *Deene.* Jacquemont Ind. 160.  
 — — — tubulosa *Willd.* Hartig 16.  
 — — — Rehb. Fl. germ. 12, 637.  
*Corymbis Aub.* Aubert Orchid. 37, 38.  
*Corymbium glabrum* Thunb. Lam. Encycl. 723.  
 — — — gramineum *Lam.* Lam. Encycl. 723.  
 † — — scabrum L. Gaertn. Carp. 86.  
 — — — Lam. Encycl. 723.  
*Corymborchis Aub.* Aubert Orchid. 37.  
*Corynandra pulchella* Schrad. Rehb. Hort. 147.  
 † *Corynephorus Pal. B.* Dumortier Gram. 8.  
 — — — canescens *Pal. B.* Rehb. Fl. germ. 1, 94.  
 † — — — Nees Gen. 1, 42.  
 † *Corynocarpus laevigata* Forst. Forster Char. 16.  
 † — — — Lam. Encycl. 143.  
 — — — Bot. Mag. 74, 4379.

- Corynostylis Hybanthus Mart.* Mart. Brás. 17. 18.  
*Corypha cerifera Arruda.* Mart. Palm. 49. 50.  
 — *elata Roxb.* Griffith Palms 220<sup>d</sup>.  
 — *Gebanga Bl.* Blume Rumphia 97. 98. 105.  
 — *minor Lam.* Jacq. Vind. 3, 8.  
 † — — Jacq. Fragn. 7.  
 — *rotundifolia Lam.* Mart. Palm. 102.  
 — *Taliera Roxb.* Roxb. Corom. 253. 256.  
 † — — Kerner Gen. 106—108.  
 — — — Mart. Palm. 127.  
 — — — Griffith Palms 220<sup>ef</sup>.  
 — *umbraculifera L.* Rheede Hort. mal. 3, 1—12.  
 — — — Rumpf Amb. 1, 8.  
 † — — — Gaertn. Carp. 7.  
 — — — Lam. Encycl. 899.  
 — — — Mart. Palm. 108. 127.  
 — *Utan Lam.* Rumpf Amb. 1, 11.  
*Crysanthes fimbriata R. Br.* Flinders Voyage 10.  
 — *unguiculata R. Br.* Endl. Iconogr. 18.  
*Coscinium fenestratum Colebr.* Bot. Mag. 78, 4658.  
*Cosmea bipinnata Willd.* Bot. Mag. 37, 1535.  
 — *lutea Sims.* Bot. Mag. 41, 1689.  
*Cosmelia rubra R. Br.* Bot. Reg. 21, 1822.  
 † *Cosmibuena Rz et P.* Ruiz et Pav. Prodr. 2.  
 — *acuminata Rz et P.* Ruiz et Pav. Fl. 226.  
 — — — Kerner Hort. 290.  
 — *obtusifolia Rz et P.* Ruiz et Pav. Fl. 198.  
 — *ochracea Endl.* Endl. Iconogr. 90.  
*Cosmos bipinnatus Cav.* Cav. Ic. 14.  
 — — — Savi Fl. ital. 3, 84.  
 — *chrysanthemifolius H. B. K.* H. B. K. Nov. Gen. 4, 382.  
 — *diversifolius Otto.* Knowles et Westc. 47.  
 — *scabiosoides H. B. K.* Bot. Reg. 24, 15.  
 — *sulphureus Cav.* Cav. Ic. 79.  
 — *tenuifolius Ldl.* Bot. Reg. 23, 2007.  
*Cosmostigma acuminatum Wight.* Wight Ic. pl. Ind. or. 4, 1270.  
 — *racemosum Wight.* Wight Ic. pl. Ind. or. 2, 591.  
 — — — Delessert Ic. 5, 84.  
*Cossinia pinnata Lam.* Lam. Encycl. 256.  
*Costaea cubensis A. Rich.* Ramon Cuba 53.  
*Costus afer Ker.* Bot. Reg. 8, 683.  
 — *Anachiri Jacq.* Jacq. Fragn. 78.  
 — — — Kerner Hort. 233.  
 — *arabicus L.* Jacq. Ic. 1.  
 — *argenteus Rz et P.* Ruiz et Pav. Fl. 4.  
 — *cylindricus Jacq.* Jacq. Fragn. 77.  
 — — — *Rosc.* Roscoe Scit. 78.  
 — — — Kerner Hort. 648.  
 — *discolor Rosc.* Roscoe Scit. 81.  
 — *maculatus Rosc.* Roscoe Scit. 82.  
 — *nepalensis Rosc.* Roscoe Scit. 80.  
 — *niveo-purpureus Jacq.* Jacq. Fragn. 67. 79.  
 — *pictus Don.* Bot. Reg. 19, 1594.  
 — *Pisonis Ldl.* Bot. Reg. 11, 899.  
 † — — — Ann. sc. nat. II. 15, 21.  
 — *sarmentosus Bojer.* Ann. sc. nat. II. 4, 8.  
 — *scaber Rz et P.* Ruiz et Pav. Fl. 3.  
 — *speciosus Sm.* Rheede Hort. mal. 11, 8.  
 — — — Rumpf Amb. 6, 64.  
 — — — Berl. Jahrb. 1792, 2.  
 — — — Rehb. Exot. 69.  
 — — — *β. angustifolius*, Bot. Reg. 8, 665.  
 — — — Paxt. Mag. 4, 245.  
 † — — — Ann. sc. nat. II. 15, 21.  
 — — — Wight Ic. pl. Ind. or. 6, 2014.  
 — *spicatus Sw.* Roscoe Scit. 77.  
 † — — — Hegetschweiler Comm. 3.  
 — — — Kerner Hort. 132.  
 — *spiralis Rosc.* Roscoe Scit. 79.  
 — *villosissimus Jacq.* Jacq. Fragn. 80.

- Cotoncaster acuminata Ldl.* Linn. Transact. 13, 9.  
 — *affinis Ldl.* Lodd. Cab. 1522.  
 — *buxifolia Wall.* Wight Spicil. 65.  
 — — — Wight Ic. pl. Ind. or. 3, 992.  
 — *denticulata H. B. K.* H. B. K. Nov. Gen. 6, 556.  
 — *frigida Wall.* Lodd. Cab. 1512.  
 — — — Bot. Reg. 15, 1229.  
 — *granatensis Boiss.* Boissier Esp. 60.  
 — *laxiflora Jacq.* Bot. Reg. 15, 1305.  
 — — — Bot. Mag. 63, 3519.  
 — *melanocarpa Lodd.* Lodd. Cab. 1531.  
 — *microphylla Wall.* Lodd. Cab. 1374.  
 — — — Bot. Reg. 13, 1114.  
 — *multiflora Led.* Ledeb. Ic. 274.  
 — *rotundifolia Wall.* Bot. Reg. 14, 1187.  
 — *uniflora Led.* Ledeb. Ic. 269.  
 — *vulgaris Ldl.* Curt. Lond. 5, 209.  
 — — — Engl. Bot. 2713.  
 — — — Hartig 83.  
 — — — Dietr. Fl. bor. 7, 448.  
 — — — Baxter Brit. Bot. 6, 402.  
*Cottea pappophoroides Kth.* Humb. Gram. 52.  
*Cotonia macrostachya Wight.* Wight Ic. pl. 5, 1775.  
*Cotula anthemoides L.* Lam. Encycl. 700.  
 — *aurea L.* Sibth. Fl. gr. 878.  
 — — — Schk. Handb. 254.  
 — *cinerea Delile.* Delile Egypte 47.  
 — *complanata Sibth.* Sibth. Fl. gr. 879.  
 — *coronopifolia L.* Fl. dan. 2, 341.  
 † — — — Gaertn. Carp. 165.  
 † — — — Lam. Encycl. 700.  
 — — — Schk. Handb. 254.  
 — — — Dreves 3, 82.  
 — — — Sturm Flora 1, 7.  
 — *elongata Vogel.* Trew Pl. rar. 26.  
 — *grandis L.* Jacq. Obs. 81.  
 — *myriophylloides Harv.* Hook. Ic. pl. 4, 335.  
 — *tanacetifolia L.* Lam. Encycl. 700.  
 † *Cotyledon L.* DC. Crassulacées 1.  
 — *angulata Guillem.* DC. Plantes grasses 168.  
 — *cacspitosa Haw.* DC. Hort. genev. 14.  
 — *coccinea Cav.* Cav. Ic. 170.  
 — — — Bot. Mag. 52, 2572.  
 — — — Lodd. Cab. 832.  
 — — — Kerner Hort. 424.  
 — — — Herb. amat. 2, 129.  
 — *coruscans Haw.* Bot. Mag. 52, 2601.  
 — — — Lodd. Cab. 1030.  
 — *crenata Vent.* Vent. Malm. 49.  
 — — — Bot. Mag. 35, 1436.  
 — *cristata Haw.* Mem. Genev. 7, 7.  
 — *curviflora Sims.* Bot. Mag. 46, 2044.  
 — *cymosa DC.* Dict. sc. nat. 202.  
 — *decussata Sims.* Bot. Mag. 51, 2518.  
 — — — Bot. Reg. 11, 915.  
 — *hemisphaerica L.* Roth Abhandl. 6.  
 — *Ait.* DC. Plantes grasses 87.  
 — *hispanica L.* DC. Plantes grasses 122.  
 — — — Tratt. Archiv 232.  
 — *hispida Lam.* DC. Plantes grasses 69.  
 — *horizontalis Guss.* Tenore Fl. nap. 234.  
 — *integra Medikus.* Acta palat. 3, 9.  
 — *lacinata L.* Rumpf Amb. 5, 95.  
 — *leucantha Led.* Ledeb. Ic. 395.  
 — *libanotica Lab.* Bill. Syr. 3, 1.  
 — *Lievenii Led.* Ledeb. Ic. 57.  
 — *lusitanica Lam.* Lam. Encycl. 389.  
 — *lutea Huds.* Engl. Bot. 22, 1522.  
 — *Mucizonia Ortega.* Jacq. Collect. 5, 13.  
 — *orbiculata Ait.* DC. Plantes grasses 76.  
 — — — Bot. Mag. 9, 321.  
 — — — *L.* Herb. amat. 1, 20.

- Cotyledon ovata* Haw. Lodd. Cab. 1392.  
 — *papillaris* L. fil. Bot. Reg. 11, 915.  
 — *parviflora* Sibth. Sibth. Fl. gr. 445.  
 — — Desf. Ann. Mus. II, 45.  
 — — — Desf. Choix 57.  
 — *serrata* L. Sibth. Fl. gr. 444.  
 — *spinosa* L. Nov. Comm. Gott. 7, 5.  
 — *tardiflora* Bonpl. Bonpland Malm. 37.  
 — *tuberculosa* Lam. DC. Plantes grasses 86.  
 † *Umbilicus* L. Lam. Encycl. 389.  
 — — Huds. Curt. Lond. 5, 184.  
 — — — Engl. Bot. 5, 325.  
 — — — Baxter Brit. Bot. 4, 279.  
 — Verea Jacq. Jacq. Schoenbr. 4, 435.  
*Coublandia frutescens* Aubl. Aublet Guiana 356.  
*Coucevciba guianensis* Aubl. Aublet Guiana 353.  
*Coupeia guianensis* Aubl. Aublet Guiana 207.  
*Couleia amentacea* Dennst. Rheede Hort. mal. 5, 54.  
*Coulteria horrida* H. B. K. H. B. K. Nov. Gen. 6, 568  
 † — — Flora 1838, 1.  
 — *tinctoria* H. B. K. H. B. K. Nov. Gen. 6, 569.  
*Couma guianensis* Aubl. Aublet Guiana 392.  
*Coumarouna odora* Aubl. Aublet Guiana 296.  
 — — — Lam. Encycl. 601.  
 — — — Desc. Ant. 7, 472.  
*Coupou aquatica* Aubl. Aublet Guiana 377.  
*Couratari guianensis* Aubl. Aublet Guiana 290.  
 — — — Ann. sc. nat. 1, 21.  
 † — — — Mem. Mus. 13, 8.  
 — *rufescens* Camb. St. Hil. Fl. Bras. 159.  
*Courimari guianensis* Aubl. Aublet Guiana 384.  
*Couroupita guianensis* Aubl. Aublet Guiana 282.  
 — — — Tuss. Ant. 2, 10, 11.  
 — — — Desc. Ant. 5, 340.  
 † — — — Kerner Gen. 158—160.,  
 — — — Bot. Mag. 59, 3158, 3159.  
 † — — — Dict. sc. nat. 227—229.  
 † — — — Mem. Mus. 13, 7.  
*Courtoisia bipinnatifolia* Rehb. Rehb. Hort. 208.  
*Cousinia actinocephala* Jaub. Jaubert Illustr. 175.  
 — *aggregata* DC. Belanger Ind. or. x.  
 — *anisoptera* Jaub. Jaubert Illustr. 170.  
 — *assyriaca* Jaub. Jaubert Illustr. 169.  
 — *brachyptera* DC. Jaubert Illustr. 159.  
 — *calciatrapaeiformis* Jaub. Jaubert Illustr. 158.  
 — *calocephala* Jaub. Jaubert Illustr. 178.  
 — *Candolleana* Jaub. Jaubert Illustr. 156.  
 — *chrysacantha* Jaub. Jaubert Illustr. 160.\*  
 — *crispa* Jaub. Jaubert Illustr. 163.  
 — *cylindrocephala* Jaub. Jaubert Illustr. 166.  
 — *erinacea* Jaub. Jaubert Illustr. 165.  
 — *ilicifolia* Jaub. Jaubert Illustr. 164.  
 — *involverata* Jaub. Jaubert Illustr. 173.  
 — *Oliverii* DC. Jaubert Illustr. 172.  
 — *onopordioides* Led. Eichwald Cauc. 37.  
 — *palmatiloba* Jaub. Jaubert Illustr. 162.  
 — *prasina* Jaub. Jaubert Illustr. 168.  
 — *prolifera* Jaub. Jaubert Illustr. 157.  
 — *pugionifera* Jaub. Jaubert Illustr. 174.  
 — *pyrrhocephala* Jaub. Jaubert Illustr. 167.  
 — *ramosissima* DC. Jaubert Illustr. 171.  
 — *Schultziana* Jaub. Jaubert Illustr. 177.  
 — *silyboides* Jaub. Jaubert Illustr. 176.  
 — *sphaerocephala* Jaub. Jaubert Illustr. 161.  
 † *Coussapoa* Aubl. Ann. sc. nat. III. 8, 1.  
 — *angustifolia* Aubl. Aublet Guiana 363.  
 — *intermedia* Mart. Endl. Bras. 12, 43.  
 — *latifolia* Aubl. Aublet Guiana 362.  
 — *Martiana* Miq. Endl. Bras. 12, 42.  
 — *nitida* Miq. Endl. Bras. 12, 44.  
 — *obovata* Miq. Miquel Pl. surin. Focke 3.  
 — *subincana* Mart. Endl. Bras. 12, 45.

- Coussarea flava* P. et E. Poepp. et Endl. 231.  
 — *violacea* Aubl. Aublet Guiana 38.  
 † — — — Lam. Encycl. 65.  
*Coutarea pubescens* Pohl. Pohl Bras. 200.  
 — *speciosa* Aubl. Aublet Guiana 122.  
 † — — — Gaertn. Carp. 194.  
 † *Coutarea* (Portlandia hexandra) Lam. Encycl. 257.  
 † *Coutoubea alba* Lam. Lam. Encycl. 79.  
 — — — Desc. Ant. 8, 587.  
 — *densiflora* Mart. Mart. Bras. 185.  
 † — *purpurea* Lam. Gaertn. Carp. 198.  
 — *ramosa* Aubl. Aublet Guiana 28.  
 — *spicata* Aubl. Aublet Guiana 27.  
 — *ternifolia* Cav. Cav. Ic. 328.  
 † *Covellia Gasp.* Rendic. Acad. Neap. 1844, 8.  
 — *Barclayana* Miq. Hook. Lond. Journ. 1848, 7.  
 — *cuneata* Miq. Hook. Lond. Journ. 1848, 8.  
 — *guttata* Wight. Wight Ic. pl. Ind. or. 6, 1966.  
 — *microcarpa* Miq. Hook. Lond. Journ. 1848, 9.  
 — *volkameriaefolia* Miq. Hook. Lond. Journ. 1848, 8.  
*Cowania mexicana* Don. Linn. Transact. 14, 22.  
 — *plicata* Don. Sweet Fl. G. II. 400.  
 — *purpurea* Zucc. Münch. Abh. 4, 2.  
*Crambe aspera* M. v. B. Delessert Ic. 2, 91.  
 — — — Rehb. Fl. germ. 2, 2.  
 — *filiformis* Jacq. Jacq. Ic. 504.  
 † — *hispanica* L. Gaertn. Carp. 142.  
 † — — — Lam. Encycl. 533.  
 — — — Schk. Handb. 189<sup>a</sup>.  
 — *maritima* L. Fl. dan. 2, 316.  
 — — — Sv. Bot. 493.  
 — — — Engl. Bot. 13, 924.  
 — — — Baxter Brit. Bot. 2, 107.  
 — — — Sturm Flora 5, 18.  
 — — — Rehb. Fl. germ. 2, 2.  
 — *orientalis* L. Jacq. Ic. 128.  
 — *pinnatifida* R. Br. Rehb. Fl. germ. 2, 2.  
 — *reniformis* Desf. Desf. Fl. atl. 151.  
 — *strigosa* L'her. L'her. Stirp. 72.  
 — *Tataria* Jacq. Jacq. Ic. 129.  
 — — — Rehb. Fl. germ. 2, 2.  
 † *Cranichis* Sw. Swartz Flora Ind. occ. 29.  
 † — — Svensk Acad. 1800, 3.  
 † — — Schrader Neues Journ. 1, 1.  
*Craniolaria annua* L. Jacq. Hist. stirp. am. 166.  
 — *unibracteata* N. v. E. Acta Leop. 11, 1, 4.  
*Craniospermum hirsutum* DC. Delessert Ic. 5, 98.  
 — *parviflorum* Decne. Jacquemont Ind. 130.  
 — *subvillosum* Lehm. Lehmann Asperif. 50.  
*Craniotome versicolor* Rehb. Rehb. Hort. 54.  
*Crantzia lineata* Nutt. Hook. Fl. ant. 100.  
*Craspedaria Gestaniana* Fée. Mem. Strassb. 4, 4.  
 — *numularia* Fée. Mem. Strassb. 4, 5.  
*Craspedia glauca* Spr. Bot. Reg. 22, 1908.  
 — *macrocephala* Hook. Bot. Mag. 62, 3415.  
*Craspidospermum verticillatum* Bojer. Delessert Ic. 5, 45.  
*Crassangis* Aub. Aubert Orchid. 71.  
 † *Crassula* L. DC. Crassulacées 1.  
 — *acutifolia* Lam. DC. Plantes grasses 2.  
 — *albiflora* Sims. Bot. Mag. 50, 2391.  
 — *caespitosa* Cav. Cav. Ic. 69.  
 — *capitata* Lodd. Lodd. Cab. 1029.  
 — *centauroides* L. Bot. Mag. 42, 1765.  
 — *ciliata* L. DC. Plantes grasses 7.  
 — *coccinea* L. DC. Plantes grasses 1.  
 — — — Bot. Mag. 14, 495.  
 — — — Lodd. Cab. 486.  
 — — — Herb. amat. 3, 202.  
 — *conglomerata* Jacq. Jacq. Fragm. 88.  
 — *cordata* Ait. Jacq. Schoenbr. 4, 431.  
 — — — DC. Plantes grasses 121.  
 — — — Lodd. Lodd. Cab. 359.

- Crassula corymbulosa* Link. Link Ic. I. 16.  
 — *Cotyledon* Curt. Bot. Mag. 11, 384.  
 — *crenata* Desf. Ann. Mus. 11, 46.  
 — — — Desf. Choix 58.  
 — *cultrata* L. Trew Pl. rar. 12.  
 † — — — Lam. Encycl. 220.  
 — — — Bot. Mag. 44, 1940.  
 — *dejecta* Jacq. Jacq. Schoenbr. 4, 433.  
 — *falcata* Dryand. Bot. Mag. 46, 2035.  
 — *glomerata* L. DC. Plantes grasses 67.  
 — *jasminea* Sims. Lodd. Cab. 1040.  
 — — — Bot. Mag. 47, 2178.  
 — *indica* Decne. Jacquemont Ind. 73.  
 — *lactea* Ait. Jacq. Schoenbr. 4, 430.  
 — — — DC. Plantes grasses 37.  
 — — — Smith Exot. Bot. 33.  
 — — — Lodd. Cab. 735.  
 — — — Bot. Mag. 43, 1771.  
 — — — Herb. amat. 1, 38.  
 — *marginalis* Ait. Jacq. Schoenbr. 4, 471.  
 — *nudicaulis* L. DC. Plantes grasses 133.  
 — *obliqua* Andr. Andr. Rep. 6, 414.  
 — *obvallata* L. Trew Pl. rar. 11.  
 — — — DC. Plantes grasses 61.  
 — *odoratissima* Andr. Andr. Rep. 1, 26.  
 — — — Jacq. Schoenbr. 4, 434.  
 — *orbicularis* L. DC. Plantes grasses 43.  
 — *pellucida* Jacq. Jacq. Fragm. 44.  
 — *perfoliata* L. DC. Plantes grasses 13.  
 † — — — Lam. Encycl. 220.  
 — — — Andr. Rep. 10, 656.  
 — *perfossa* Lam. Jacq. Schoenbr. 4, 432.  
 — — — DC. Plantes grasses 25.  
 — *portulacaeae* Lam. DC. Plantes grasses 79.  
 — *ramuliflora* Link. Link Ic. I. 17.  
 — *retroflexa* Thunb. Meerburg Pl. sel. 16.  
 — *rubens* L. DC. Plantes grasses 55.  
 — *scabra* L. Martyn Hist. 22.  
 — *spathulata* Thunb. DC. Plantes grasses 49.  
 — *spinosa* L. Jacq. Fragm. 127.  
 — *tetragona* L. DC. Plantes grasses 19.  
 — *turrita* Thunb. Jacq. Schoenbr. 1, 52.  
 — — — Bot. Reg. 16, 1344.  
 — *Umbella* Jacq. Jacq. Ic. 352.  
 — — — Tratt. Archiv 221.  
 — *undulata* Haw. Lodd. Cab. 584.  
 — *versicolor* Burch. Lodd. Cab. 433.  
 — — — Bot. Mag. 50, 2356.  
 — — — Bot. Reg. 4, 320.  
*Crataegus arbutifolia* Ait. Lodd. Cab. 201.  
 — *Aria* L. Fl. dan. 2, 301—302.  
 † — — — Lam. Encycl. 433.  
 — *Aronia* Bosc. Bot. Reg. 22, 1897.  
 — *Azarolus* L. Hartig 86.  
 — — — Andr. Rep. 9, 579.  
 — *Chamaemespilus* Jacq. Jacq. Fl. austr. 3, 231.  
 — *coccinea* L. Bot. Mag. 62, 3432.  
 — — — Bot. Reg. 23, 1957.  
 — *cordata* Ait. Bot. Reg. 14, 1151.  
 — *crenulata* Roxb. Bot. Reg. 30, 52.  
 — *cretica* Willd. Ann. Mus. 12, 5.  
 — — — Desf. Choix 60.  
 — *Crus galli* L. Trew Pl. rar. 17.  
 — — — var. *ovalifolia*, Bot. Reg. 22, 1860.  
 — — — Belgique hort. 1, 14.  
 — *Douglasii* Ldl. Bot. Reg. 21, 1810.  
 — *flava* Ait. Bot. Reg. 23, 1939.  
 — — — var. *lobata*, Bot. Reg. 23, 1932.  
 — *florentina* Targ. Mem. Mod. 20, 20.  
 — *glabra* Thunb. Lodd. Cab. 248.  
 — — — Bot. Mag. 47, 2105.  
 — — — Savi Fl. ital. 2, 45.

- Crataegus glandulosa* Willd. Lodd. Cab. 1012.  
 — — —  $\beta$ . *macracantha*, Bot. Reg. 22, 1912.  
 — *granatensis* Boiss. Boissier Esp. 61.  
 — *heterophylla* Flügge. Ann. Mus. 12, 38.  
 — — — Bot. Reg. 14, 1161, 22, 1847.  
 — *indica* L. Bot. Mag. 42, 1726.  
 † — *kyrtostyla* Fingerh. Linnæa 4, 3.  
 — *leucophaeos* Moench. Moench Weissenstein 2.  
 — *lucida* Wangenh. Wangenheim Beitr. 17.  
 — *maroccana* Pers. Bot. Reg. 22, 1855.  
 — *mexicana* DC. Bot. Reg. 22, 1910.  
 — — — Don. Sweet Fl. G. II. 300.  
 — *microcarpa* Ldl. Bot. Reg. 22, 1846.  
 — *monogyna* Jacq. Pallas Fl. ross. 12.  
 — — — Jacq. Fl. austr. 3, 292.  
 — — — Fl. dan. 7, 1162.  
 † — — — Linnæa 4, 3.  
 — *nigra* W. et K. W. et Kit. 61.  
 — — — Lodd. Cab. 1021.  
 — *odoratissima* Ldl. Bot. Reg. 22, 1885.  
 — *orientalis* Ldl. Bot. Reg. 22, 1852.  
 — *Oxyacantha* L. Jacq. Fl. austr. 3, 292.  
 — — — Fl. dan. 4, 634.  
 — — — Sv. Bot. 157.  
 — — — Schk. Handb. 132.  
 — — — Schrank Fl. monac. 1, 97.  
 — — — Hartig 84.  
 — — — var. *punicca*, Lodd. Cab. 1363.  
 — — — var. *Oliveriana*, Bot. Reg. 23, 1933.  
 — — — var. *rosea*, Paxt. Mag. 1, 198.  
 — — — var. *punicca plena*, Annales de Gand  
 1847, 146.  
 — — — Baxter Brit. Bot. 2, 118.  
 † — — — Linnæa 4, 3.  
 — *oxyacanthoides* Thuill. Bot. Reg. 13, 1128.  
 — *platyphylla* Ldl. Bot. Reg. 22, 1874.  
 — *prunifolia* Bosc. Bot. Reg. 22, 1868.  
 — *punctata* Ait. Jacq. Vind. 28.  
 — *pyrifolia* Ait. Bot. Reg. 22, 1877.  
 — *rotundifolia* Lam. Moench Weissenst. 1.  
 — *sanguinea* Pall. Pallas Fl. ross. 11.  
 — *sinensis* Hort. Herb. amat. 4, 247.  
 — *spathulata* Michx. Lodd. Cab. 1261.  
 — — — Bot. Reg. 22, 1890.  
 — *spinosissima* Lodd. Lodd. Cab. 1100.  
 — *tanacetifolia* Pers. Bot. Reg. 22, 1884.  
 — *tomentosa* L. Kerner Oekon. Gew. 699.  
 — *torminalis* L. Fl. dan. 5, 798.  
 — — — Jacq. Fl. austr. 5, 443.  
 — — — Lam. Encycl. 433.  
 — *trilobata* Lab. Bill. Syr. 4, 10.  
*Crataeva Adansonii* DC. Delessert Ic. 3, 7.  
 — *capparioides* Andr. Andr. Rep. 3, 176.  
 — *fragrans* Sims. Bot. Mag. 16, 596.  
 — *Marmelos* L. Rumpf Amb. 1, 81.  
 — *Nurvala* Ham. Rheede Hort. mal. 3, 42.  
 — *religiosa* Forst. Lam. Encycl. 395.  
 — *Roxburghii* R. Br. Hook. Ic. pl. 2, 178.  
*Cratoxylon polyanthum* Korth. Korthals Bot. 36.  
*Crawfordia fasciculata* Wall. Wallich Tentamen 47.  
 — *speciosa* Wall. Wallich Tentamen 48.  
*Cremanium milleforium* DC. Mart. Bras. 286.  
*Cremastostemon capensis* Jacq. Jacq. Fragm. 103.  
 † *Crepidaria horrida* Presl. Hook. Gen. Fil. 4.  
*Crepolobus peruvianus* DC. Hook. Ic. pl. 1, 48.  
 — *pinnatifidus* Hook. Hook. Ic. pl. 1, 100.  
 — *pubescens* Hook. Hook. Ic. pl. 1, 81.  
 — *rhomboides* Hook. Hook. Ic. pl. 1, 32.  
 — *sinuatus* Hook. Hook. Ic. pl. 1, 99.  
*Crenea maritima* Aubl. Aublet Guiana 209.  
 † — — — Lam. Encycl. 407.  
 † *Crepidium Rheedii* Bl. Blume Tabellen 63.

- † *Crepis L.* Mutel Flore franç. 33.  
 — *adenantha Vis.* Visiani Dalm. 5.  
 — *Adonis Spr.* Tratt. Archiv 220.  
 — *agrestis W. et K.* W. et Kit. 220.  
 — *albida Vill.* Vill. Dauph. 33.  
 — — *All.* All. Fl. ped. 3, 32.  
 — — *Jacq.* Ic. 164.  
 — *alpestris Tausch.* Sturm Flora 7, 28.  
 † *alpina L.* Gaertn. Carp. 158.  
 † — — *Lam.* Encycl. 651.  
 — *ambigua Balb.* Mem. Tur. 8, 2.  
 † *aspera L.* Schk. Handb. 222.  
 — — *Sibth.* Fl. gr. 804.  
 — *aurea Tausch.* Sturm Flora 10, 37.  
 † — — *Cass.* Monnier Essai 2.  
 — *austriaca All.* All. Fl. ped. 3, 30.  
 — — *Jacq.* Jacq. Enum. vind. 5.  
 — — *Jacq.* Fl. austr. 5, 441.  
 — *barbata L.* Bot. Mag. 1, 35.  
 — *bellidifolia Lois.* Lois. Fl. gall. 18.  
 † — *biennis L.* Gaertn. Carp. 158.  
 † — — *Lam.* Encycl. 651.  
 † — — *Schk.* Handb. 222.  
 — — *Engl.* Bot. 3, 149.  
 — — *Sv.* Bot. 735.  
 — — *Fl. dan.* 12, 1997.  
 — — *Schrank Fl. monac.* 1, 289.  
 — — *Dietr.* Fl. bor. 9, 638.  
 — — *var.* Rochel Banat. 30.  
 — *blattarioides Vill.* Sturm Flora 10, 39.  
 — *cernua Ten.* Tenore Fl. nap. 183.  
 — — *Rehb.* Ic. crit. 4, 306.  
 — *coronopifolia Desf.* Act. soc. hist. nat. Par. 9.  
 — *corymbosa Ten.* Tenore Fl. nap. 184.  
 — *Dioscoridis Gochn.* Gochnat Cichor. 3.  
 — *L.* *Sibth.* Fl. gr. 808.  
 — — *DC.* Ic. Gall. 18.  
 — — *Schk.* Handb. 222.  
 — — *Schrank Fl. monac.* 1, 295.  
 — *filiformis Viv.* Viviani Lib. 21.  
 — *foetida L.* Engl. Bot. 6, 406.  
 — *glandulosa Guss.* Gussone Pl. rar. 56.  
 — *hieracioides W. et K.* W. et Kit. 70.  
 — *hispidula W. et K.* W. et Kit. 43.  
 — *hispidula Delile.* Delile Egypte 42.  
 — *hyoseroides Sibth.* *Sibth.* Fl. gr. 809.  
 — *Jacquini Tausch.* Sturm Flora 10, 39.  
 — *incana Sibth.* *Sibth.* Fl. gr. 802.  
 — *incarnata Vis.* Visiani Stirp. dalm. 6.  
 — — *Tausch.* Sturm Flora 10, 39.  
 — *insularis Moris.* Mem. Tur. 2, (1840.) 3.  
 — *interrupta Sibth.* *Sibth.* Fl. gr. 803.  
 — *intybacea Brot.* Brotero Phytogr. 26.  
 — *laccra Ten.* Tenore Fl. nap. 74.  
 — — *Rehb.* Pl. crit. 1, 19.  
 — *Lachenalii Gochn.* Gochnat Cichor. 1.  
 — *latialis Seb.* Sebast. Rom. pl. 2, 5.  
 — *Lowei Schultz.* *β. canariensis*, Webb Canar. 123.  
 — *macrorrhiza H. Banks.* Bot. Mag. 57, 2988.  
 — *multicaulis Led.* Ledeb. Ic. 36.  
 — *multiflora Sibth.* *Sibth.* Fl. gr. 806.  
 — *muricata Sibth.* *Sibth.* Fl. gr. 807.  
 — *neglecta L.* *Sibth.* Fl. gr. 805.  
 — *nemausensis Gouan.* All. Fl. ped. 3, 75.  
 — *nigricans Viv.* Viviani Lib. 10.  
 — *nudiflora Viv.* Viviani Lib. 13.  
 — *oporinoides Boiss.* Boissier Esp. 117.  
 — *praecox Balb.* Mem. Tur. 7, 9.  
 — *praemorsa Tausch.* Sturm Flora 10, 39.  
 † *pulchra L.* Schk. Handb. 222.  
 — — *Engl.* Bot. 33, 2325.  
 — *radicata Sibth.* *Sibth.* Fl. gr. 800.

- Crepis rhagadioloides L.* Jacq. Schoenbr. 2, 144.  
 — *rigida W. et K.* Winterl Index 3.  
 — — *W. et Kit.* 19.  
 — *rubra L.* *Sibth.* Fl. gr. 801.  
 — — *Herb. amat.* 1, 14.  
 — *senecioides Delile.* Delile Egypte 42.  
 — *setosa Hall. fil.* Engl. Bot. 2945.  
 — *spathulata Lam.* Lam. Encycl. 651.  
 — *stricta Scop.* Scop. Fl. carn. 2, 47.  
 — — *Rehb.* Ic. crit. 4, 307.  
 — *succisaefolia Tausch.* Sturm Flora 10, 39.  
 — *taraxacifolia Thuill.* Engl. Bot. 2929.  
 — *tectorum L.* Curt. Lond. 2, 66.  
 — — *Engl.* Bot. 16, 1111.  
 † — — *Schk.* Handb. 222.  
 — — *Dietr.* Fl. bor. 9, 610.  
 † *virens L.* Schk. Handb. 222.  
 † — — *Monnier* Essai 3.  
 — — *Baxter* Brit. Bot. 5, 366.  
 — *virgata Desf.* Act. soc. hist. nat. Par. 8.  
 † *Crescentia cucurbitina L.* Gaertn. Carp. 223.  
 — *Cujete L.* Jacq. Hist. stirp. am. 167.  
 † — — *Jacq.* Fragn. 33.  
 — — *Tuss.* Ant. 2, 19.  
 — — *Desc.* Ant. 4, 244.  
 — — *Bot. Mag.* 62, 3430.  
 — *edulis Desv.* Desc. Ant. 5, 318.  
 — *latifolia Lam.* Lam. Encycl. 547.  
 — — *Desc.* Ant. 3, 182.  
 — *obovata Benth.* Benth. Sulphur 46.  
 † — *pinnata Jacq.* Jacq. Fragn. 33.  
 † — — *Jacq.* Collect. 3, 18.  
 — *toxicaria Tuss.* Tuss. Ant. 4, 17.  
*Cressa cretica L.* *Sibth.* Fl. gr. 256.  
 — — *Lam.* Encycl. 183.  
 † — *indica Roxb.* Wight Illustr. 168<sup>b</sup>.  
*Crinodendron Patagua Molina.* Cav. Diss. 158.  
 — — *Hook.* Bot. Misc. 100.  
 † *Crinonia carnea Bl.* Blume Tabellen 41.  
*Crinum L.* (Ker.) Journ. sc. and arts 3, 3.  
 † — *africanum L.* Gaertn. Carp. 83.  
 † — — *Lam.* Encycl. 234.  
 — *amabile Donn.* Bot. Mag. 39, 1605<sup>a b</sup>.  
 — — *Kerner* Hort. 553.  
 — — *Hart.* Parad. 1, 5.  
 — — *var. angustum*, Bot. Reg. 8, 679.  
 — *americanum L.* Red. Lil. 6, 322. 332.  
 — — *Bot. Mag.* 26, 1034.  
 — — *Desc.* Ant. 8, 552.  
 — *aquaticum Herb.* Bot. Mag. 49, 2352.  
 — *arenarium Herb.* Bot. Mag. 49, 2355. 52, 2531.  
 — *asiaticum L.* Rumpf Amb. 6, 69.  
 — — *Red.* Lil. 6, 348.  
 — — *Bot. Mag.* 27, 1073.  
 — — *var. bracteatum*, Bot. Reg. 3, 179.  
 — *angustum Roxb.* Bury Hexandrian pl. 4.  
 — — *Bot. Reg.* 8, 679.  
 — — *Bot. Mag.* 50, 2397.  
 — *australe Donn.* Bot. Reg. 1, 52.  
 — *bracteatum Willd.* Jacq. Schoenbr. 4, 495.  
 — — *Bot. Reg.* 3, 179.  
 — *Broussonetii Herb.* Lodd. Cab. 688.  
 — — *Bot. Mag.* 47, 2121.  
 — — *Rehb.* Exot. 48.  
 — *capense Herb.* Maund Bot. 1, 39.  
 — — *var.* Bot. Reg. 7, 546.  
 — — *var.* Bot. Mag. 53, 2688.  
 † — — *Hoeven* Tijdschr. 7, 3.  
 — *Careyanum Herb.* Bot. Mag. 51, 2466.  
 — *Commelini Jacq.* Jacq. Schoenbr. 2, 202.  
 — — *Kerner* Hort. 333.  
 — *confertum Herb.* Bot. Mag. 51, 2522.

- Crinum cruentum* Ker. Bury Hexandrian pl. 22.  
 — — — Lodd. Cab. 346.  
 — — — Bot. Reg. 2, 171.  
 — — — Rchb. Exot. 192.  
 — *declinatum* Herb. Bury Hexandrian pl. 43.  
 — — — Bot. Mag. 48, 2231.  
 — *defixum* Ker. Rheede Hort. mal. 11, 38.  
 — — — Lodd. Cab. 362.  
 — — — Bot. Mag. 48, 2208.  
 — *elegans* Herb. Bot. Mag. 52, 2592.  
 — *ensifolium* Roxb. Bot. Mag. 49, 2301.  
 — *crubescens* Ait. Jacq. Schoenbr. 4, 494.  
 — — — Red. Lil. 1, 27.  
 — — — Bury Hexandrian pl. 34.  
 — — — Kerner Hort. 72.  
 — — — Lodd. Cab. 31.  
 — — — Bot. Mag. 30, 1232.  
 † — — — Ann. sc. nat. 2, 1.  
 — *crubescenti-capense* Herb. Bot. Mag. 49, 2336.  
 — *falcatum* Jacq. Jacq. Vind. 3, 60.  
 — *flaccidum* Herb. Bot. Reg. 5, 426.  
 — — — Bot. Mag. 47, 2133.  
 — *giganteum* Andr. Red. Lil. 4, 181.  
 — — — Bury Hexandrian pl. 17.  
 — — — Andr. Rep. 3, 169.  
 — *govenium hybridum* Herb. Hort. Transact. 3, 6.  
 — *Herbertianum* Wall. Wall. Pl. asiat. 145.  
 — *humile* Herb. Bot. Mag. 53, 2636.  
 — *Knyffii* Morr. Belgique hort. 2, 63.  
 — *latifolium* L. Rheede Hort. mal. 11, 39.  
 — — — Andr. Rep. 7, 478.  
 — — — Bot. Reg. 15, 1297.  
 — — — Herb. amat. 3, 204.  
 — — — Wight Ic. pl. Ind. or. 6, 2019. 2020.  
 — *longiflorum* Herb. Bot. Reg. 4, 303.  
 — *mauritanum* Lodd. Lodd. Cab. 650.  
 — *moluccanum* Roxb. Bot. Mag. 49, 2292.  
 — — — Herb. Rchb. Exot. 47.  
 — *ornatum* Herb. Bury Hexandrian pl. 18.  
 — — — Bot. Reg. 7, 579.  
 — — — var. Bot. Reg. 15, 1297.  
 — *pedunculato-zeylanicum* Hort. Bury Hex. pl. 30.  
 — *pedunculatum* R. Br. Bury Hexandrian pl. 11.  
 — — — Bot. Reg. 1, 52.  
 — *plicatum* Livingst. Bot. Mag. 56, 2908.  
 — — — Rchb. Exot. 193.  
 — *procerum* Carey. Bot. Mag. 53, 2684.  
 † — *pusillum* Herb. Herbert Amar. 32.  
 — *revolutum* Herb. Bot. Reg. 13, 1049.  
 — *rigidum* Herb. Bot. Reg. 2, 171.  
 — *scabrum* Herb. Bury Hexandrian pl. 32.  
 — — — Lodd. Cab. 529.  
 — — — Bot. Mag. 47, 2180.  
 — — — Rchb. Exot. 49.  
 — *speciosum* Herb. Bot. Mag. 48, 2217.  
 — *spirale* Andr. Andr. Rep. 2, 92.  
 — *strictum* Herb. Bot. Mag. 53, 2635.  
 — *submersum* Herb. Bot. Mag. 51, 2463.  
 — *sumatranum* Roxb. Bot. Reg. 13, 1049.  
 — *taitense* Red. Red. Lil. 7, 408.  
 — — — Kerner Hort. 445.  
 † — — — Ann. sc. nat. 2, 1.  
 — *tenellum* L. Jacq. Ic. 363.  
 — *toxicarium* Roxb. Lodd. Cab. 669.  
 — — — Wight Ic. pl. Ind. or. 6, 2021. 2022.  
 — *undulatum* Hook. Hook. Exot. Fl. 200.  
 — — — Kerner Hort. 832.  
 — *urceolatum* R. et P. Ruiz et Pav. Fl. 287.  
 — *variabile* Herb. Bot. Reg. 8, 615.  
 — — — var. *roseum*, Bot. Reg. 30, 9.  
 — *yuccaeiflorum* Salisb. Salisb. Parad. 52.  
 — *yuccaeoides* Herb. Bury Hexandrian pl. 21.

- Crinum zeylanicum* L. Bury Hexandrian pl. 29.  
*Criptangis* Aub. Aubert Orchid. 50.  
*Cristaria coccinea* Pursch. Bot. Mag. 40, 1673.  
 — *glaucophylla* Cav. Cav. Ic. 418.  
*Crithmum maritimum* L. Rumpf Amb. 6, 72. fig. 2.  
 — — — Jacq. Vind. 187.  
 † — — — Lam. Encycl. 197.  
 — — — Schk. Handb. 64.  
 — — — Engl. Bot. 12, 819.  
 — — — Baxter Brit. Bot. 4, 267.  
*Crithodium aegilopioides* Lk. Linnæa 9, 3.  
*Crithopsis rhachitricha* Jaub. Jaubert Illustr. 321.  
 † *Critonia Kuhnia Gaertn.* Gaertn. Carp. 174.  
*Crocanthus mossambicensis* Klotzsch. Peters Moss. x.  
*Crocidium multicaule* Hook. Hook. Bor. Am. 118.  
*Crococsmia aurea* Planch. Fl. d. serres 7, 702.  
*Crocus* L. Descourtilz Voyages 1, 6—10.  
 — — — (19 varietates.) Hort. Transact. 7, 11. 12.  
 † — — — Kerner Genera 53.  
 † — — — Mutel Flore franç. 70. 71. 72.  
 — *annulatus* Herb. Bot. Mag. 67, 3868.  
 — *aureus* Sm. Sibth. Fl. gr. 35.  
 — — — Engl. Bot. 2646.  
 — — — Bot. Mag. 57, 2986.  
 — — — Rchb. Ic. crit. 10, 925.  
 — — — Rchb. Fl. germ. 9, 357.  
 — *autumnalis* Brot. var. *multifidus*, Brot. Phyt. 94.  
 — *bannaticus* Heuff. Rchb. Fl. germ. 9, 361.  
 — *biflorus* Mill. Andr. Rep. 6, 362.  
 — — — Bot. Mag. 22, 845.  
 — — — Red. Lil. 5, 294.  
 — — — Herb. amat. 2, 101.  
 — — — Rchb. Exot. 37.  
 — — — Rchb. Ic. crit. 10, 935. 936.  
 — — — Rchb. Fl. germ. 9, 356.  
 — *Boryi* Gay. Bory Morée 3.  
 — — — Bot. Reg. 33, 16.  
 — *byzantinus* Ker. Bot. Reg. 31, 37. 33, 4.  
 — *Cambessedianus* Gay. Bot. Reg. 31, 37.  
 — *cancellatus* Herb. Bot. Reg. 33, 16.  
 — *Cartwrightianus* Herb. Bot. Reg. 30, 3. 31, 37.  
 — *chrysanthus* Herb. Bot. Reg. 33, 4.  
 — *Clusianus* Gay. Bot. Reg. 31, 37.  
 — *damascenus* Herb. Bot. Reg. 31, 37.  
 — *gargaricus* Herb. Bot. Reg. 33, 16.  
 — *hadriaticus* Herb. Bot. Reg. 33, 16.  
 — *Imperati* Ten. Tenore Mem. 3.  
 — — — Tenore Fl. nap. 206.  
 — — — Rchb. Ic. crit. 10, 937.  
 — — — Bot. Reg. 23, 1993.  
 — — — Sweet Fl. G. II. 98.  
 — — — Colla. Mem. Tur. 33, 5.  
 — *insularis* Gay. Bot. Reg. 29, 21.  
 — *iridiflorus* Heuff. Rchb. Fl. germ. 9, 361.  
 — *lacteus* Sab. Sweet Fl. G. II. 194.  
 — *laevigatus* Bory. Bory et Chaub. Morée 2.  
 — *lagenaeiflorus* Salisb. Salisb. Parad. 106.  
 — — — Bot. Mag. 53, 2655. 67, 3869.  
 — *longiflorus* Rafin. Rafinesque Caratteri 19.  
 — — — Rchb. Ic. crit. 10, 946.  
 — — — Tenore Fl. nap. 201.  
 — — — Parlatores Ic. pl. rar. pan. 2.  
 — — — Bot. Reg. 30, 3.  
 — *luteus* Lam. Red. Lil. 4, 196.  
 — — — Hayne 6, 27.  
 — — — Sturm Flora 7, 27.  
 — — — Rchb. Ic. crit. 10, 926.  
 — — — Rchb. Fl. germ. 9, 357.  
 † — — — Nees Gen. 3, x.  
 — *margaritaceus* Herb. Bot. Reg. 33, 16.  
 — *mazziaricus* Herb. Bot. Reg. 33, 16.  
 — *medius* Balb. Rchb. Ic. crit. 10, 944.

- Crocus medius* *Balb.* Bot. Reg. 31, 37.  
 — *meridionalis* *Risso.* *Risso Fl. de Nice* 17.  
 — *minimus* *DC.* Red. Lil. 2, 81.  
 — — Bot. Mag. 57, 2991.  
 — — *Rchb. Ic. crit.* 10, 941.  
 — — *Rchb. Fl. germ.* 9, 359.  
 — *moesiacus* *Gawl.* Bot. Mag. 28, 1111.  
 — — *Herb. amat.* 2, 100.  
 — *multifidus* *Ramond.* Bull. philom. 1800. no. 40.  
 — — *Roemer Fl. eur.* 13, 1.  
 — — *Sm.* *Rchb. Ic. crit.* 10, 947.  
 — *napolitanus* *Hort.* *Herb. amat.* 2, 101.  
 — *nervifolius* *Rchb.* *Rchb. Ic. crit.* 10, 942. 943.  
 — *nivalis* *Bory.* *Bory et Chaub. Morée* 2.  
 — — Bot. Reg. 33, 4.  
 — *nudiflorus* *Sm.* *Engl. Bot.* 7, 491.  
 — — *Baxter Brit. Bot.* 2, 137.  
 — *odorus* *Biv.* *Bivona Stirp. rar. Sic.* 3, 2.  
 † — — *Tenore Fl. nap.* 206.  
 — — Bot. Reg. 30, 3.  
 — *Pallasianus* *Herb.* Bot. Reg. 30, 3.  
 — *Pallasii* *M. v. B.* *Rchb. Fl. germ.* 9, 360.  
 — *praecox* *Haw.* *Engl. Bot.* 2645.  
 — *pulchellus* *Herb.* Bot. Reg. 30, 3.  
 — *pusillus* *Ten.* *Tenore Memoria* 2.  
 — — *Tenore Fl. nap.* 206.  
 — — *Lodd. Cab.* 1454.  
 — — Bot. Reg. 23, 1987.  
 — — *Sweet Fl. G.* 106.  
 — *Reinwardtii* *Rchb.* *Rchb. Ic. crit.* 10, 938.  
 — *reticulatus* *Stev.* *Marschall Cent.* 1.  
 — — *Rchb. Ic. crit.* 10, 939. 940.  
 — — *Rchb. Fl. germ.* 9, 356.  
 — — *Lodd. Cab.* 1822.  
 — — var. *albicans*, Bot. Reg. 33, 16.  
 — *Salzmannianus* *Gay.* Bot. Reg. 33, 4.  
 † — *sativus* *L.* *Lam. Encycl.* 30.  
 — — Red. Lil. 3, 173.  
 — — *Rousseau Bot.* 4.  
 — — *Engl. Bot.* 5, 343.  
 — — *Woodv. Med.* 4, 259.  
 — — var. *vernus*, *Schk. Handb.* 6.  
 — — *Hayne* 6, 25.  
 — — *Nees Düsseld.* 58.  
 — — *Guimp. et Schl.* 173.  
 — — *Wagner* 29.  
 † — — *Tenore Fl. nap.* 206.  
 — — var. *cashmerianus*, *Royle Illustr.* 90.  
 — — *Rchb. Fl. germ.* 9, 360.  
 † — — *Nees Gen.* 3, x.  
 — — *Berg Darstellung* 1<sup>d</sup>.  
 — *serotinus* *Salisb.* *Salisb. Parad.* 30.  
 — — Bot. Mag. 31, 1267.  
 — — *Rchb. Ic. crit.* 10, 945.  
 — *speciosus* *M. v. B.* *Marschall Cent.* 71.  
 — — *Rchb. Ic. crit.* 10, 948.  
 — — Bot. Mag. 67, 3861.  
 — — *Engl. Bot.* 2752.  
 — — *Engl. Bot.* Bot. Reg. 25, 40.  
 — *stellaris* *Haw.* *Hortic. Transact.* 1, 6.  
 — *suavcolens* *Bertol.* *Tenore Fl. nap.* 206.  
 — — Bot. Mag. 67, 3864.  
 — — *Sweet Fl. G. II.* 352.  
 — *sulphureus* *Ker.* Bot. Mag. 24, 938. 34, 1384.  
 — — *Rchb. Ic. crit.* 10, 927.  
 — *susianus* *Ker.* Bot. Mag. 18, 652.  
 — — Red. Lil. 5, 293.  
 — — *Hayne* 6, 28.  
 — — *Rchb. Ic. crit.* 10, 928.  
 — — *Rchb. Fl. germ.* 9, 358.  
 † — — *Nees Gen.* 3, x.  
 — *Thomasii* *Ten.* *Tenore Memoria* 4.

- Crocus Thomasii* *Ten.* *Tenore Fl. nap.* 204. 205.  
 — — *Rchb. Ic. crit.* 10, 951.  
 — — Bot. Reg. 30, 3.  
 — *Tournefortianus* *Gay.* Bot. Reg. 31, 37.  
 — *vallicola* *Herb.* Bot. Reg. 33, 16.  
 — *variegatus* *Hoppe et H.* *Hoppe et Hornsch. Tagebuch* 1.  
 — — *Sturm Flora* 13, 54.  
 — *veluchensis* *Ldl.* Bot. Reg. 33, 4.  
 — *vernus* *All. Jacq. Fl. austr.* 5, 36.  
 — — Bot. Mag. 2, 45.  
 — — *Engl. Bot.* 5, 344.  
 — — Red. Lil. 5, 266.  
 — — *Hayne* 6, 26.  
 — — *Sturm Flora* 6, 22. 7, 27.  
 — — *Rchb. Exot.* 22.  
 — — *Rchb. Ic. crit.* 10, 929—934.  
 — — *Rchb. Fl. germ.* 9, 355.  
 — — *Dietr. Fl. bor.* 1, 31.  
 † — — *Nees Gen.* 3, x.  
 — — *Fl. dan.* 12, 2042.  
 — — *Tenore Memoria* 1.  
 — — *Tenore Fl. nap.* 205.  
 — — var. *neapolitanus*, Bot. Mag. 22, 860.  
 — — var. *obovatus*, Bot. Mag. 48, 2240.  
 — — var. *pictus*, Bot. Reg. 17, 1440.  
 — — var. *leucorhynchus*, Bot. Reg. 17, 1416.  
 — *versicolor* *Gawl.* Bot. Mag. 28, 1110.  
 † *Croomia* *Torrey.* *Gray Genera* 37.  
 — *pauciflora* *Torr.* *Gray Genera* 37.  
*Crossandra axillaris* *N. v. E.* *Wight Ic. pl. Ind. or.* 2, 460.  
 † — — *Wight Illustr.* 164<sup>b</sup>.  
 — *flava* *Hook.* Bot. Mag. 79, 4710.  
 — *infundibuliformis* *N. v. E.* *Rheede Hort. mal.* 9, 62.  
 — — *Wight Ic. pl. Ind. or.* 2, 461.  
 — *undulaefolia* *Salisb.* *Salisb. Parad.* 12.  
 — — Bot. Reg. 1, 69.  
 — — Bot. Mag. 47, 2186.  
 — — *Herb. amat.* 4, 224.  
*Crossolepis pusilla* *Hügel.* *Hook. Ic. pl.* 5, 413.  
*Crossosoma californica* *Nutt.* *Journ. ac. Philad. II.* 1, 23.  
 † *Crossostylis* *Forst.* *Forster Char.* 44.  
*Crotalaria angulosa* *Lam.* *Cav. Ic.* 321.  
 — *angustifolia* *Jacq.* *Jacq. Schoenbr.* 2, 219.  
 † — *arborescens* *Lam.* *Guillemin Archives* 2, 16.  
 — *argentea* *Jacq.* *Jacq. Schoenbr.* 2, 220.  
 — *barbata* *Grah.* *Wight Ic. pl. Ind. or.* 3, 980.  
 — — *Wight Spicil.* 52.  
 — *bifaria* *L.* *Wight Ic. pl. Ind. or.* 1, 30.  
 — *biflora* *L.* *Burm. Fl. ind.* 48.  
 — *bracteata* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 273.  
 — *Browni* *Bert.* *Rchb. Hort.* 232.  
 — *bupleurifolia* *Schlechtld.* *Hook. Ic. pl.* 4, 372.  
 — *capensis* *Thumb.* *Jacq. Vind.* 3, 64.  
 — *capitata* *Lam.* *Lam. Encycl.* 617.  
 — *coerulea* *Jacq.* *Jacq. Ic.* 144.  
 — *cordifolia* *L.* *Lodd. Cab.* 1158.  
 — *crassipes* *Hook.* *Hook. Ic. pl.* 9, 830.  
 — *Cunninghamii* *R. Br.* *Hook. Ic. pl.* 9, 829.  
 — *dichotoma* *Grah.* Bot. Mag. 54, 2714.  
 — *evoluloides* *Wight.* *Wight Ic. pl. Ind. or.* 1, 31.  
 — *fenestrata* *Sims.* Bot. Mag. 44, 1933.  
 — *fertilis* *Del.* *Ferret Abyssin.* 11.  
 — *floribunda* *Lodd.* *Lodd. Cab.* 509.  
 — *formosa* *Grah.* *Wight Ic. pl. Ind. or.* 3, 981.  
 — — *Wight Spicil.* 53.  
 — *guianensis* *Aubl.* *Aublet Guiana* 305.  
 — *hirta* *Willd.* *Münchn. Denkschr.* 6, F.  
 — *incana* *L.* *Cav. Ic.* 322.  
 — — *Jacq. Obs.* 82.  
 — — Bot. Reg. 5, 377.  
 — *juncea* *L.* *Andr. Rep.* 6, 422.

- Crotalaria juncea* L. Bot. Mag. 14, 490.  
 — — Roxb. Corom. 193.  
 — — *laburnifolia* L. Rheede Hort. mal. 9, 27.  
 — — — Lodd. Cab. 1796.  
 — — *lunulata* Heyne. Wight Ic. pl. Ind. or. 2, 480.  
 — — *lupulina* DC. H. B. K. Nov. Gen. 6, 590.  
 — — *macilenta* Del. Cailliand Voyage 64.  
 — — *nana* Burm. Burm. Fl. ind. 48.  
 — — *Notonii* W. et A. Wight Ic. pl. Ind. or. 3, 752.  
 — — *obtecta* Griseb. Wight Ic. pl. Ind. or. 1, 208. 2, 383.  
 — — *orixensis* Roxb. Münchn. Denkschr. 6, H.  
 — — *ovalis* Pursh. Bot. Mag. 57, 3006.  
 — — *prostrata* Roxb. Münchn. Denkschr. 6, E.  
 — — *pulchella* Andr. Andr. Rep. 6, 417.  
 — — — Bot. Mag. 41, 1699.  
 — — — Kerner Hort. 235.  
 — — *pulcherrima* Roxb. Bot. Mag. 46, 2027.  
 — — — Wight Ic. pl. Ind. or. 2, 481.  
 — — *pulchra* Andr. Andr. Rep. 9, 601.  
 — — *purpurea* Vent. Vent. Malm. 66.  
 — — — Tratt. Archiv 278.  
 — — — Kerner Hort. 183.  
 — — — Bot. Reg. 2, 128.  
 — — — Bot. Mag. 44, 1913.  
 — — *quinquefolia* L. Rheede Hort. mal. 9, 28.  
 — — — Wight Illustr. in Hook. 16.  
 — — *recta* Steud. Ferret Abyssin. 10.  
 — — *retusa* L. Rheede Hort. mal. 9, 25.  
 — — — Rumpf Amb. 5, 96. fig. 1.  
 † — — — Gaertn. Carp. 148.  
 † — — — Lam. Encycl. 617.  
 — — — Bot. Reg. 3, 253.  
 — — — Bot. Mag. 52, 2561.  
 — — *rubiginosa* Willd. Wight Ic. pl. Ind. or. 3, 885.  
 — — *sagittalis* L. Martyn Hist. 41.  
 — — — Desc. Ant. 6, 434.  
 — — *Saltiana* R. Br. Andr. Rep. 10, 648.  
 — — *sempervirens* Vent. Vent. Cels 17.  
 — — — Kerner Hort. 184.  
 — — *sericea* Burm. Burm. Fl. ind. 84.  
 — — *speciosa* Heyne. Wight Ic. pl. Ind. or. 1, 29.  
 — — *striata* DC. Bot. Mag. 59, 3200.  
 — — *tenuifolia* Roxb. Bot. Reg. 12, 982.  
 — — *tetragona* Roxb. Andr. Rep. 9, 593.  
 — — — Kerner Hort. 456.  
 — — *tridentata* Rees. Rheede Hort. mal. 9, 26.  
 — — *triflora* L. Bot. Mag. 14, 482.  
 — — *Trifolium* Willd. Neue Schr. naturf. Fr. 4, 5.  
 — — — Wight Ic. pl. Ind. or. 2, 421.  
 — — *turgida* DC. Herb. amat. 4, 238.  
 — — *uncinella* Lam. Lam. Encycl. 617.  
 — — *verrucosa* L. Rheede Hort. mal. 9, 29.  
 — — — Andr. Rep. 5, 308.  
 — — — Bot. Mag. 57, 3034.  
 — — — Bot. Reg. 14, 1137.  
 — — — Paxt. Mog. 13, 223.  
 — — — Wight Ic. pl. Ind. or. 1, 200.  
 — — — Annales de Gand 1847, 118.  
 — — *virgata* Roxb. Münchn. Denkschr. 6, G.  
 — — *vitellina* Ker. Bot. Reg. 6, 447.  
 — — *Wallichiana* W. et A. Wight Spicil. 54.  
 — — — Wight Ic. pl. Ind. or. 3, 982.  
 † *Croton* Linn. Lam. Encycl. 790.  
 — — *argenteum* L. Comm. Gotting. 4, 4.  
 † — — *aromaticum* L. Gaertn. Carp. 107.  
 — — *balsamiferum* L. Jacq. Hist. stirp. am. 242.  
 — — — Jacq. Vind. 3, 46.  
 — — *campestre* St. Hil. St. Hil. Pl. us. 60.  
 † — — *Cardiospermum* Gaertn. Gaertn. Carp. 107.  
 — — *Cascarilla* L. Woodv. Med. 3, 222.  
 — — — Desc. Ant. 1, 3.  
 — — — Berl. Jahrb. 1824, 3.

- Croton castaneifolium* L. Rheede Hort. mal. 5, 7.  
 — — — Burm. Fl. ind. 64.  
 — — — Bot. Mag. 55, 2794.  
 — — *chamaedrifolium* Lam. Desc. Ant. 7, 491.  
 — — *coccineum* Willd.? Rheede Hort. mal. 5, 22.  
 — — *corylifolium* Lam. Desc. Ant. 5, 366.  
 † — — *cyanospermum* Gaertn. Gaertn. Carp. 107.  
 — — *dioicum* Cav. Cav. Ic. 6.  
 — — *Eluteria* Sw. Berl. Jahrb. 1824, 2.  
 — — — Nees Düsseld. 139.  
 — — — Guimp. et Schl. 260.  
 — — — Wagner 243.  
 — — — Hayne 14, 1.  
 — — *glandulosum* L. Jacq. Ic. 194.  
 — — *gossypifolium* Vahl. Vahl Symbolae 49.  
 — — *guianense* Aubl. Aublet Guiana 339.  
 — — *hastatum* L. Burm. Fl. ind. 63.  
 — — *hirtinum* Vent. Vent. Malm. 50.  
 — — *hirtum* L'her. L'her. Stirp. 9.  
 — — *japonicum* Thunb. Thunb. Fl. jap. 28. 29.  
 — — *lacciferum* L. Rumpf Amb. 3, 127.  
 † — — — Gaertn. Carp. 107.  
 — — — Wight Ic. pl. Ind. or. 5, 1915.  
 — — *lanceolatum* Cav. Cav. Ic. 557.  
 — — *lineare* Lodd. Lodd. Cab. 481.  
 — — — Lam. Berl. Jahrb. 1824, 3.  
 — — *lobatum* L. Martyn Hist. 44.  
 — — — Pal. Flore d'Oware 36.  
 — — *matourense* Aubl. Aublet Guiana 338.  
 — — *mauritanum* Lam. Rumpf Amb. 3, 127<sup>b</sup>.  
 — — *micans* Sw. Nees Düsseld. Suppl. 105.  
 — — *moluccanum* Lam. Rumpf Amb. 2, 58.  
 — — *obliquifolium* Vis. Visiani Aeg. 7.  
 — — *oblongifolium* Delile. Delile Egypte 51.  
 — — *oblongum* Burm. Burm. Fl. ind. 64.  
 — — *organifolium* Lam. Desc. Ant. 7, 471.  
 — — *palustre* L. Martyn Hist. 36.  
 — — *pedicellatum* H. B. K. H. B. K. Nov. Gen. 2, 104.  
 — — *penicillatum* Vent. Vent. Choix 12.  
 — — — Lodd. Cab. 440.  
 — — *perdicipes* St. Hil. St. Hil. pl. us. 59.  
 — — *pictum* Hort. Lodd. Cab. 870.  
 — — *Polot* Burm. Rumpf Amb. 3, 141.  
 — — *polyandrum* Roxb. Rheede Hort. mal. 10, 76.  
 — — *polygamum* Jacq. Jacq. Hist. stirp. am. 243.  
 — — *Pseudo-China* Schlecht. Berl. Jahrb. 1829, 1.  
 — — — Nees Düsseld. Suppl. 105.  
 — — — Hayne 14, 2.  
 — — *punctatum* Jacq. Jacq. Ic. 621.  
 — — *pungens* Jacq. Jacq. Ic. 622.  
 — — *quadrupartitum* Lab. Bill. Nov. Holl. 223.  
 — — *racemosum* Burm. Burm. Fl. ind. 62.  
 — — *sphaerocarpum* H. B. K. H. B. K. Nov. Gen. 2, 105.  
 — — *Tiglium* L. Rheede Hort. mal. 2, 33.  
 — — — Rumpf Amb. 4, 42.  
 † — — — Gaertn. Carp. 107.  
 — — — Nees Düsseld. 138.  
 — — — Guimp. et Schl. 261.  
 — — — Hayne 14, 3.  
 — — — Journ. sc. and arts 20, 4.  
 — — — Woodv. Med. 5, 21.  
 — — *tiliaefolium* Lam. Rumpf Amb. 3, 126.  
 — — *tinctorium* L. Burm. Fl. ind. 62.  
 † — — — Gaertn. Carp. 107.  
 — — — Sibth. Fl. gr. 950.  
 — — — Berl. Jahrb. 1824, 1.  
 — — *umbellatum* Willd. Wight Ic. pl. Ind. or. 5, 1874.  
 — — *variegatum* L. Rheede Hort. mal. 6, 61.  
 — — — Rumpf Amb. 4, 25—27.  
 — — *verbascifolium* Sibth. Bory Morée 33.  
 — — *villosum* Sibth. Sibth. Fl. gr. 951.



- Croton viscosus* Lab. Bill. Nov. Holl. 222.  
*Crotonopsis linearis* Michx. Michaux Fl. 46.  
 — — — Lam. Encycl. 995.  
*Crowea latifolia* Paxt. Paxt. Mag. 14, 222.  
 — — — Annales de Gand 1848, 10.  
 — — — *saligna* Andr. Andr. Rep. 2, 79.  
 — — — Lodd. Cab. 310.  
 — — — Bot. Mag. 25, 989.  
 — — — Vent. Malm. 7.  
 † — — — Mem. Mus. 12, 21.  
 — — — Tratt. Thes. 70.  
 — — — Rehb. Exot. 152.  
*Crozophora Brocchiana* Vis. Visiani Aeg. 8.  
 — *peltata* Lab. Bill. Sert. 75.  
 — *tinctoria* Ad. Juss. Rehb. Fl. germ. 5, 152.  
 † — — — Nees Gen. 4, 37.  
 † *Crucianella angustifolia* L. Gaertn. Carp. 24.  
 † — — — Lam. Encycl. 61.  
 — — — Smith Exot. Bot. 109.  
 — *capitata* Lab. Bill. Syr. 1, 3.  
 — *gilanica* Trin. Petersb. 6, 12.  
 — *latifolia* L. Schmidel Ic. 23, 24.  
 — — — Sibth. Fl. gr. 139.  
 — *molluginoides* M. v. B. Marschall Cent. 65.  
 — — — Rehb. Ic. crit. 3, 262.  
 — *monspeliaca* L. Sibth. Fl. gr. 140.  
 — *stylosa* Trin. Petersb. 6, 11.  
 — — — Knowles' et Westcott 81.  
 — — — Bot. Reg. 24, 55.  
 † *Cruciferae* Juss. (Kunth.) Abh. Acad. Berl. 1832, 1. 2. 3.  
 † — — (Spenner.) Spenner Fl. frib. 3, 1.  
 † — — (Mirbel.) Ann. sc. nat. 6, 11.  
 † — — (DC.) Mem. Mus. 7, 6, 7.  
 † — — (Cosson.) Cosson Atlas 10.  
 † — — (Tulasne.) Ann. sc. nat. III. 12, 6, 7.  
*Cruckshanksia cistiflora* Hook. Hook. Bot. Misc. 90.  
 — *glacialis* P. et E. Poepp. et Endl. 236.  
 — *Montiana* Clos. Gay Chile 33.  
 — *pumila* Clos. Gay Chile 33.  
*Crumenaria decumbens* Mart. Mart. Bras. 160.  
 † *Crupina Crupinastrum* Vis. Visiani Dalm. 51.  
 — — — Rehb. Fl. germ. 15, 746. 749.  
 † — — — *vulgaris* Cass. Visiani Dalm. 51.  
 — — — Rehb. Fl. germ. 15, 746. 749.  
*Crusea parviflora* Hook. Hook. Beechey 99.  
 — *rubra* Cham. et Schl. Maund Bot. 2, 82.  
*Crybe rosea* Ldl. Bot. Reg. 22, 1872.  
 † *Crypsis aculeata* Ait. Lam. Encycl. 42.  
 — — — Host Gram. 31.  
 — — — Sturm Flora 7, 26.  
 — — — Rehb. Fl. germ. 1, 48.  
 † — — — Nees Gen. 1, 5.  
 — *alopecuroides* Sieb. Delile Egypte 9.  
 — — — Schrad. Sturm Flora 7, 26.  
 — — — Rehb. Fl. germ. 1, 48.  
 — *pygmaea* Jaub. Jaubert Illustr. 307.  
 — *schoenoides* Lam. Lam. Encycl. 42.  
 — — — Sturm Flora 7, 26.  
 — — — Rehb. Fl. germ. 1, 48.  
 † — — — Münchn. Denkschr. 4, 8.  
 † — — — Nees Gen. 1, 5.  
 † *Crypta* Nutt. Gray Genera 95.  
*Cryptadenia uniflora* Meisn. Bot. Mag. 71, 4143.  
*Cryptandra amara* Sm. Linn. Transact. 10, 18.  
 † — — — Ann. sc. nat. 10, 14.  
 — *ericifolia* Sm. Linn. Transact. 10, 18.  
 — *suavis* Ldl. Bot. Reg. 30, 56.  
*Cryptangium uliginosum* Schrad. Endl. Bras. 3, 19.  
*Cryptarrhena lunata* R. Br. Bot. Reg. 2, 153.  
*Crypterpis* Aub. Aubert Orchid. 28, 30.  
*Cryptocarpa tribuloides* Cass. Dict. sc. nat. 94.

- Cryptocarpus cordifolius* Moric. Moricand Pl. Am. 50.  
 — *globosus* H. B. K. H. B. K. Nov. Gen. 2, 123.  
 — *pyrifolius* H. B. K. H. B. K. Nov. Gen. 2, 124.  
*Cryptocarya canenilla* H. B. K. H. B. K. Nov. Gen. 7, 645.  
 — *floribunda* N. v. E. Wight Ic. pl. Ind. or. 5, 1829.  
 — *Griffithiana* Wight. Wight Ic. pl. Ind. or. 5, 1830.  
*Cryptochilus sanguinea* Wall. Wallich Tentamen 26.  
 — — — Bot. Reg. 24, 23.  
 — — ? — Wight Ic. pl. Ind. or. 5, 1757.  
 † *Cryptocoryne ciliata* Fisch. Linn. Transact. 20, 10—12.  
 † — — — Ann. nat. hist. 1853, 3.  
 — — — Wight Ic. pl. Ind. or. 3, 775.  
 — *retrospiralis* Fisch. Wight Ic. pl. Ind. or. 3, 772.  
 † — *spiralis* Fisch. Blume Rumphia 36.  
 — — — Wight Ic. pl. Ind. or. 3, 773.  
 — *unilocularis* Wight. Wight Ic. pl. Ind. or. 3, 774.  
 † *Cryptoglottis serpyllifolia* Bl. Blume Tabellen 42.  
*Cryptogramma acrostichoides* R. Br. Hook. Ic. Fil. 29.  
 — *Brunoniana* Wall. Hook. Ic. Fil. 158.  
 † — *crispa* R. Br. Hook. Gen. Fil. 115.  
 — — — Newman p. 103, 108.  
 — *retrofracta* Hook. Hook. Bot. Misc. 112.  
*Cryptolepis Buchanani* R. Br. Rheede Hort. mal. 9, 11.  
 — — — Linn. Transact. 19, 5.  
 — — — Wight Ic. pl. Ind. or. 2, 494.  
 † — — — Wight Illustr. 182.  
 — *grandiflora* Wight. Wight Ic. pl. Ind. or. 3, 831.  
 † — — — Wight Illustr. 155<sup>b</sup>.  
 † — *javanica* Bl. Blume Mus. 1, 25.  
 — *pauciflora* Wight. Wight Ic. pl. Ind. or. 2, 493.  
*Cryptomeria japonica* Don. Linnean Transact. 18, 13.  
 — — — Journ. Hort. Soc. 1, 58.  
 — — — Hook. Ic. pl. 7, 668.  
 — — — Sieb. Fl. Japon. 124, 124<sup>b</sup>.  
*Cryptophragmium axillare* N. v. E. Wight Ic. pl. Ind. or. 4, 1496.  
 — *canescens* N. v. E. Wight Ic. pl. Ind. or. 4, 1495.  
 — *venustum* N. v. E. Bot. Reg. 16, 1380.  
 — — — Bot. Mag. 60, 3208.  
*Cryptophyllis* Aub. Aubert Orchid. 92, 93.  
*Cryptopus elatus* Ldl. Hook. Journ. 1834, 115.  
 † *Cryptosorus Dionaea* Fée. Fée Fil. 5, 19.  
 † — *elasticus* Fée. Fée Fil. 5, 19.  
*Cryptostegia grandiflora* R. Br. Bot. Reg. 5, 435.  
 — — — Rehb. Exot. 132.  
 — — — Wight Ic. pl. Ind. or. 3, 832.  
 † — — — Wight Illustr. 182.  
*Cryptostemma calendulacea* R. Br. Bot. Mag. 48, 2252.  
 † *Cryptostylis longifolia* R. Br. Bauer Orch. (Gen.) 17, 18.  
 — — — Endl. Iconogr. 17.  
*Ctenium brachystachyum* Kth. Humb. Gram. 137.  
 — *carolinianum* Panzer. Münchn. Denkschr. 4, 13.  
 — *cirrhosum* Kth. Humb. Gram. 136.  
 — *elegans* Kth. Humb. Gram. 59.  
 — — — Munby Fl. d'Algérie 1.  
 † *Cubeba* Miq. Miquel Comment. 4.  
 † — *borbonensis* Miq. Miquel Illustr. Pip. 46.  
 † — *canina* Miq. Miquel Illustr. Pip. 46.  
 — *Lowong* Miq. Miquel Illustr. Pip. 48.  
 — *officialis* Miq. Hayne 14, 8.  
 † — — — Schnizl. Iconogr. 2, 81.  
 — *sumatrana* Miq. Miquel Comment. 5.  
 — *Wallichii* Miq. Miquel Illustr. Pip. 46, 47.  
 — — — Wight Ic. pl. Ind. or. 6, 1932.  
*Cucifera thebaica* Delile. Delile Egypte 1. 2.  
 — — — Dict. sc. nat. 28, 29.  
*Cucubalus acaulis* L. Fl. dan. 1, 21.  
 — *alpestris* All. Allioni Auct. 1.  
 — *angustifolius* Mill. Tenore Fl. nap. 37.  
 — *angustissimus* Nocca. - Nocca et Balb. Fl. tic. 7.  
 † — *bacciferus* L. Gaertn. Carp. 77.  
 † — — — Schk. Handb. 121.

- † *Cucubalus bacciferus* *L.* Lam. Encycl. 377.  
 — — — Engl. Bot. 22, 1577.  
 — — — Baxter Brit. Bot. 6, 507.  
 — — — Rchb. Fl. germ. 6, 302.  
 — — — Dietr. Fl. bor. 5, 289.  
 — — — Behen *L.* Fl. dan. 5, 857, 6, 914.  
 — — — Schk. Handb. 121.  
 — — — Dreves 2, 50.  
 — — — Lam. Encycl. 377.  
*catholicus* *L.* Jacq. Vind. 59.  
*chloranthus* *Willd.* Willd. Fl. berol. 5.  
*fimbriatus* *Balb.* Mem. Tur. 10, 6.  
*italicus* *L.* Jacq. Obs. 97.  
*lacerus* *Stev.* Linn. Transact. 11, 34.  
*mollissimus* *W. et K.* W. et Kit. 248.  
*multiflorus* *Ehrh.* W. et Kit. 56.  
*Otites* *L.* Fl. dan. 3, 518.  
 — — — Roemer Fl. eur. 3, 8.  
*saxifragus* *L.* Schreber Ic. 5.  
*sibiricus* *L.* Haller Enum. gott. 0.  
*spergulifolius* *Willd.* Ann. Mus. 11, 43.  
 — — — Desf. Choix 55.  
*stellatus* *L.* Bot. Mag. 28, 1107.  
*viscosus* *L.* Fl. dan. 7, 1209.  
*Cucullangis* *Aub.* Aubert Orchid. 48.  
† *Cucumeroides* *Gaertn.* Gaertn. Carp. 180.  
*Cucumis acutangulus* *L.* Rumpf Amb. 5, 149.  
 — — — Jacq. Vind. 3, 73, 74.  
 — — — Desc. Ant. 5, 328.  
*africanus* *L. fil.* Bot. Reg. 12, 980.  
*amarissimus* *Schrad.* Nees Düsseld. Suppl. 108, 109.  
*anguinus* *L.* Rumpf Amb. 5, 148.  
*Anguria* *L.* Gil et Xuares 9.  
 — — — Desc. Ant. 5, 329.  
† — — — Ann. sc. nat. 17, 12.  
† — — — Mem. Instit. 1830, 1.  
*cantalupensis* *Hab.* var. Belgique hort. 2, 35.  
*Chito* *Morr.* Belgique hort. 1, 24.  
*Citrullus Seringe.* Nees Düsseld. Suppl. 109, 110.  
*clavatus* *Willd.* Mem. Genev. 3, 3.  
*Colocynthis* *L.* Woody. Med. 2, 71.  
 — — — Nees Düsseld. 267.  
 — — — Guimp. et Schl. 275.  
 — — — Wagner 234.  
 — — — Wight Ic. pl. Ind. or. 2, 498.  
*compressus* *Desc.* Desc. Ant. 5, 327.  
*Dudaim* *L.* Gil et Xuares 17.  
 — — — Andr. Rep. 8, 548.  
*ficifolius* *Rich.* Richard Abyssin. 53 bis.  
*Hardwickii* *Royle.* Royle Illustr. 47.  
*lineatus* *Bosc.* Journ. d'hist. nat. Par. 2, 37.  
*Melo* *L.* Wagner 13, 14.  
 — — — var. *viridis*, Desc. Ant. 5, 321.  
 — — — Jacquin Monogr. 1 — 39.  
*pictus* *Jacq.* Jacq. Vind. 3, 27.  
*Prophetarum* *L.* Jacq. Vind. 9.  
 — — — Schk. Handb. 315.  
*Pseudo-Colocynthis* *Royle.* Royle Illustr. 47.  
*pubescens* *Willd.* Royle Illustr. 47.  
 — — — Wight Ic. pl. Ind. or. 2, 496.  
*sativus* *L.* Rheede Hort. mal. 8, 6.  
† — — — Gaertn. Carp. 88.  
† — — — Lam. Encycl. 795.  
† — — — *trigonus* *Roxb.* Wight Ic. pl. Ind. or. 2, 497.  
† — — — Wight Illustr. 105 bis.  
*Cucurbita Anguria* *Duchesne.* Desc. Ant. 5, 305.  
 — *Citrullus* *L.* Rumpf Amb. 5, 146.  
 — — — Desc. Ant. 5, 305.  
 — *lagenaria* *L.* Rumpf Amb. 5, 144.  
† — — — Gaertn. Carp. 88.  
† — — — Lam. Encycl. 795.  
 — *latior folio molli* *Desc.* Desc. Ant. 5, 324.

- Cucurbita maxima* *W. et A.* Rheede Hort. mal. 8, 2.  
 — — — *Duchesne.* Wight Ic. pl. Ind. or. 2, 507.  
† — — — Wight Illustr. 105 bis.  
† — — — *γ.* Courgero *Ser.* Mem. Genev. 3, 1.  
 — *Melopepo* *L.* var. Belgique hort. 3, 55.  
 — *ovifera* *L.?* Schk. Handb. 314.  
 — — — *α.* pyriformis *Ser.* Mem. Genev. 3, 1.  
† — *Pepo* *L.* Gaertn. Carp. 88.  
† — — — Lam. Encycl. 795.  
 — — — Desc. Ant. 5, 323.  
 — — — Wagner 57, 58.  
 — *venenosa* *Desc.* Desc. Ant. 5, 322.  
 — *verrucosa* *L.* Desc. Ant. 5, 326.  
† *Cucurbitaceae* *Juss.* Transact. Edinb. 11, 9.  
† — — — Mem. Mus. 5, 24, 25.  
† — — — Wight Illustr. 105 bis.  
*Cudicia gyandra* *Ham.* Rheede Hort. mal. 9, 9.  
 — *trichotoma* *Ham.* Rheede Hort. mal. 9, 10.  
† *Cudrania Trécul.* Ann. sc. nat. III. 8, 3.  
 — *javanensis* *Trécul.* Wight Ic. pl. Ind. or. 6, 1960.  
† *Cuellaria Rz et P.* Ruiz et Pav. Prodr. 10.  
*Culcasia scandens* *Pal.* Pal. B. Fl. d'Oware 3.  
† *Culcita macrocarpa* *Presl.* Hook. Gen. Fil. 60.  
*Culcitium canescens* *H. B.* Humb. Pl. acq. 67.  
 — — — Lam. Encycl. 981.  
 — *magellanicum* *Rich.* Richard Astrolabe 11.  
 — *nivale* *H. B. K.* H. B. K. Nov. Gen. 4, 363.  
 — *reflexum* *H. B. K.* H. B. K. Nov. Gen. 4, 362.  
 — *rufescens* *H. B.* Humb. Pl. acq. 66.  
† — — — Lam. Encycl. 981.  
*Cullenia excelsa* *Wight.* Wight Ic. pl. 5, 1761 — 1762.  
*Cullumia ciliaris* *R. Br.* Lodd. Cab. 302.  
 — — — Bot. Reg. 5, 384.  
 — — — Bot. Mag. 46, 2095.  
*Cultidendris* *Aub.* Aubert Orchid. 86.  
*Cuminia Fernandezia* *Colla.* Mem. Tur. 38, 47.  
† *Cuminum Cuminum* *L.* Gaertn. Carp. 23.  
† — — — Lam. Encycl. 194.  
 — — — Cav. Ic. 360.  
 — — — Woody. Med. 1, 56.  
 — — — Haync 7, 11.  
 — — — Nees Düsseld. 286.  
 — — — Guimp. et Schl. 218.  
† — — — Wight Illustr. 117.  
*Cunningia campanulata* *Don.* Sweet Fl. G. 257.  
 — — — Bot. Reg. 14, 1193.  
 — *trimaculata* *Don.* Sweet Fl. G. II. 88.  
 — — — Paxt. Mag. 11, 127.  
 — — — Fl. d. serres 1, 31.  
*Cunila coccinea* *Nutt.* Hook. Exot. Fl. 163.  
 — *glabella* *Michx.* Novi Comm. Bon. 6, 18.  
 — *Mariana* *L.* Lodd. Cab. 1205.  
 — — — Barton Med. 42.  
 — — — Torrey New York 76.  
 — — — Sweet Fl. G. 243.  
 — *pulegioides* *L.* Lam. Encycl. 19.  
*Cunina Sanfuentes* *Clos.* Gay Chile 34.  
*Cunninghamia lanceolata* *Hook.* Bot. Mag. 54, 2743.  
† — *sinensis* *Rich.* Richard Conif. 18.  
 — — — Pinetum Woburnense 57.  
 — — — Sieb. Fl. Japon. 103 — 104.  
*Cunonia capensis* *L.* Büttner Desc. Horti 1.  
† — — — Gaertn. Carp. 225.  
 — — — Lam. Encycl. 371.  
 — — — Lodd. Cab. 826.  
 — — — Bot. Reg. 10, 828.  
† *Cupania americana* *L.* Gaertn. Carp. 177.  
 — — — Desc. Ant. 2, 89.  
 — *apetala* *Lab.* Bill. Sert. 73.  
 — *Aubletii* *Miq.* Miquel Surin. 17, 18.  
 — *Cunninghamii* *Hook.* Bot. Mag. 75, 4470.  
 — *lentiscifolia* *Pers.* Lam. Encycl. 944.

- Cupania Lessertiana Camb. Mem. Mus. 18, 3.  
 — multijuga A. Rich. Ramon Cuba 31.  
 — oppositifolia A. Rich. Ramon Cuba 32.  
 — paniculata St. Hil. St. Hil. Fl. Bras. 80.  
 — pentaphylla Wight. Wight Ic. pl. Ind. or. 2, 402.  
 — zanthoxyloides St. Hil. St. Hil. Fl. Bras. 79.  
 † Cuphea P. Br. Ruiz et Pav. Prodr. 11.  
 — aequipetala Cav. Cav. Ic. 382.  
 — arenarioides St. Hil. St. Hil. Fl. Bras. 184.  
 — — var. muscosa, St. Hil. Fl. Bras. 184.  
 — cinnabarina Planch. Fl. d. serres 5, 527.  
 — circacoides Sm. Bot. Mag. 48, 2201.  
 — cordata R. et P. Bot. Mag. 72, 4208.  
 — — Fl. d. serres 2, 27.  
 — diosmacfolia St. Hil. St. Hil. Fl. Bras. 182.  
 — ericoides Cham. var. Hervita, St. Hil. Fl. Bras. 183.  
 — lanceolata Ait. Knowles et Westcott 84.  
 — — Sweet Fl. G. II. 402.  
 — ligustrina Cham. var. St. Hil. Fl. Bras. 185.  
 — Llavea DC. Bot. Reg. 16, 1386.  
 — Melvilla Ldl. Bot. Reg. 10, 852.  
 — — Paxt. Mag. 8, 197.  
 — micropetala H. B. K. H. B. K. Nov. Gen. 6, 551.  
 — miniata Brongn. Paxt. Mag. 14, 101.  
 — — Fl. d. serres 2, 9.  
 — multiflora Lodd. Lodd. Cab. 808.  
 — parviflora Hook. Hook. Exot. Fl. 161.  
 — platycentra Benth. Paxt. Mag. 13, 267.  
 — — Fl. d. serres 2, 180.  
 — — Oefv. Svensk Acad. 1848, 1.  
 — procumbens Cav. Cav. Ic. 380.  
 — — Bot. Mag. 44, 1931.  
 — — Bot. Reg. 3, 182.  
 — pulchra Moric. Moricand Pl. Am. 98.  
 — purpurea Hort. Fl. d. serres 4, 412.  
 — serpyllifolia H. B. K. H. B. K. Nov. Gen. 6, 550.  
 — — Sims. Bot. Mag. 52, 2580.  
 — silenoides N. v. E. Bot. Mag. 74, 4362.  
 — — Annales de Gand 1847, 115.  
 — spicata Cav. Cav. Ic. 381.  
 — strigillosa Ldl. Bot. Reg. 32, 14.  
 — strigillosa H. B. K. Paxt. Mag. 11, 241.  
 — — Fl. d. serres 1, 14.  
 — verticillata H. B. K. H. B. K. Nov. Gen. 6, 552.  
 — — Fl. d. serres 6, 540.  
 — virgata Cav. Cav. Ic. 382.  
 — viscosissima Jacq. Jacq. Vind. 177.  
 † — — Gaertn. Carp. 44.  
 † — — Lam. Encycl. 407.  
 — — Barton Fl. 1, 18.  
 — — Sweet Fl. G. 60.  
 Cupia corymbosa DC. Bot. Reg. 2, 119.  
 Cupresso genus affine novum, Pacho Voyage 100.  
 Cupressus americana Trautv. Trautv. Imag. 7.  
 — disticha L. Michaux Arb. 3, 1.  
 — — Schk. Handb. 310.  
 — funebris Morr. Belgique hort. 3, 20.  
 † — Goveniana Gord. Journ. Hort. Soc. 4, 295.  
 — horizontalis Mill. Pinetum Woburnense 61.  
 † — japonica Thunb. Gaertn. Carp. 91.  
 † — — Lam. Encycl. 787.  
 † — Lambertiana Hort. Journ. Hort. Soc. 4, 297.  
 — lusitanica Willd. Lambert Pinus 2, 49.  
 — — Pinetum Woburnense 62.  
 — pendula L'her. L'her. Stirp. 8.  
 — — Thunb. Lambert Pinus 2, 50.  
 — sempervirens L. Pallas Fl. ross. 53.  
 † — — Gaertn. Carp. 91.  
 † — — Lam. Encycl. 787.  
 — — Schk. Handb. 310.  
 † — — Richard Conif. 9.  
 — — Watson Dendr. 2, 155.

- Cupressus sempervirens L. Rehb. Fl. germ. 11, 534.  
 † — — Nees Gen. 4, 10.  
 — thyoides L. Michaux Arb. 3, 2.  
 — — Schk. Handb. 310.  
 — — Watson Dendr. 2, 156.  
 Curatella alata Vent. Vent. Choix 49.  
 — americana Aubl. Aublet Guiana 232.  
 — — Lam. Encycl. 479.  
 — Cambaiba St. Hil. St. Hil. Pl. us. 24.  
 † Curculigo Gaertn. Herbert Amar. 1.  
 — brevifolia Ait. Wight Ic. pl. Ind. or. 6, 2043.  
 — latifolia Drgand. Bot. Reg. 9, 754.  
 — — Bot. Mag. 46, 2034.  
 — malabarica Wight. Wight Ic. pl. Ind. or. 6, 2043.  
 — orchoides Gaertn. Rheedee Hort. mal. 12, 59.  
 † — — Gaertn. Carp. 16.  
 — — Roxb. Corom. 13.  
 — — Bot. Mag. 27, 1076.  
 — — Kerner Hort. 202.  
 — plicata Ait. var. Bot. Reg. 4, 345.  
 — — Schnizl. Ic. 1, 63.  
 — recurvata Dryand. Rumpf Amb. 6, 53.  
 — — Bot. Reg. 9, 770.  
 — Rumphiana E. et Sch. Rumpf Amb. 6, 54. fig. 1.  
 — stans Lab. Bill. Sertum 24.  
 — sumatrana Roxb. Lodd. Cab. 443.  
 — — Wight Ic. pl. Ind. or. 6, 2042.  
 Curcuma aeruginosa Roxb. Roscoe Scit. 106.  
 — Amada Roxb. Roscoe Scit. 99.  
 — amarissima Roxb. Roscoe Scit. 101.  
 — aromatica Salisb. Salisbury Parad. 96.  
 — — Roscoe Scit. 103.  
 — — Wight Ic. pl. Ind. or. 6, 2005.  
 — — Nees Düsseld. Suppl. 99.  
 — cordata Wall. Wall. Pl. asiat. 10.  
 — — Bot. Mag. 75, 4435.  
 — — Fl. d. serres 5, 448.  
 — elata Roxb. Roscoe Scit. 104.  
 — ferruginea Roxb. Roscoe Scit. 105.  
 — latifolia Rosc. Roscoe Scit. 108.  
 — leucorrhiza Roxb. Roscoe Scit. 102.  
 — longa L. Rheedee Hort. mal. 11, 11.  
 — — Red. Lil. 8, 473.  
 — — Tratt. Archiv 198. 198<sup>a</sup>.  
 — — Woodv. Med. 4, 252.  
 — — Guimp. et Schl. 258.  
 — — Wagner 131. 132.  
 — — Bot. Reg. 11, 886.  
 — montana Roxb. Roxb. Corom. 151.  
 — neilgherrensis Wight. Wight Ic. pl. Ind. or. 6, 2006.  
 — parviflora Wall. Wall. Pl. asiat. 57.  
 — petiolata Roxb. Roscoe Scit. 100.  
 — Roscoeana Wall. Wall. Pl. asiat. 9.  
 — — Paxt. Mag. 7, 1.  
 — — Glenny Journal 1839, 0.  
 — — Lem. Jard. fl. 4, 327.  
 — — Bot. Mag. 78, 4667.  
 — rotunda L. Rumpf Amb. 5, 67.  
 — rubescens Roxb. Roscoe Scit. 107.  
 — Zedoaria Rosc. Rumpf Amb. 5, 68.  
 — — Roscoe Scit. 109.  
 — — Bot. Mag. 37, 1546.  
 — — Guimp. et Schl. 259.  
 — — Rehb. Exot. 71.  
 — Zerumbet Roxb. Rheedee Hort. mal. 11, 7.  
 — — Roxb. Corom. 201.  
 — — Kerner Hort. 503.  
 — — Nees Düsseld. 60.  
 † — — Ann. sc. nat. II. 15, 19.  
 Curinila Rheedii R. et Sch. Rheedee Hort. mal. 7, 25.  
 † Curtia Cham. et Schl. Linnæa 1, 4.

- Curtisia faginea* Thunb. Lam. Encycl. 71.  
*Curvargis* Aub. Aubert Orchid. 56.  
*Curvophylis* Aub. Aubert Orchid. 94.  
 † *Cuscuta* L. Jardine Annals 13, 4.  
 † — — Mutel Flore franç. 36. 37.  
 — — — Desc. Ant. 2, 150.  
 † — — *americana* L. Mem. Genev. 9, 4.  
 † — — *approximata* Bab. Jardine Annals 16, 1.  
 † — — *arabica* Fresen. Mem. Genev. 9, 1.  
 — — — Wight Ic. pl. Ind. or. 4, 1371.  
 † — — *babylonica* Auch. Mem. Genev. 9, 1.  
 — ? — — *californica* Choisy. Journ. Hort. Soc. 3, 167.  
 — — — *calycina* Webb. Webb Canar. 142.  
 † — — *capensis* Choisy. Mem. Genev. 9, 1.  
 † — — *Cephalanthi* Engelm. Silliman Journ. 43, 6.  
 † — — — Hook. London Journ. 1843, 3.  
 — — — *chilensis* Ker. Bot. Reg. 7, 603.  
 † — — *chinensis* Lam. Mem. Genev. 9, 3.  
 — — — — Wight Ic. pl. Ind. or. 4, 1373.  
 † — — *compacta* Just. Mem. Genev. 9, 4.  
 † — — *Coryli* Engelm. Silliman Journ. 43, 6.  
 † — — — Hook. London Journ. 1843, 3.  
 — — — *corymbosa* Rz et P. Ruiz et Pav. Fl. 105.  
 — — — *densiflora* Soyler Will. Cosson Atlas 14.  
 — — — *Epilinum* Weihe. Engl. Bot. 2850.  
 — — — — Fl. dan. 12, 1987.  
 — — — — Rchb. Ic. crit. 5, 500.  
 — — — *Episonchum* Webb. Webb Canar. 141.  
 — — — *Epithymum* Murr. Fl. dan. 3, 427.  
 — — — — Engl. Bot. 1, 55.  
 † — — — — Jardine Annals 16, 1.  
 — — — — Rchb. Ic. crit. 5, 499.  
 — — — — Cosson Atlas 14.  
 † — — — *europaea* L. Gaertn. Carp. 62.  
 † — — — — Lam. Encycl. 88.  
 — — — — Fl. dan. 2, 199.  
 — — — — Curt. Lond. 4, 67.  
 — — — — Engl. Bot. 6, 378.  
 — — — — Baxter Brit. Bot. 1, 18.  
 — — — — Sv. Bot. 352.  
 — — — — var. *barbuvea*, Brotero Phytogr. 165.  
 — — — — Dict. sc. nat. 49.  
 — — — — Schk. Handb. 27.  
 — — — — Sturm Flora 3, 10.  
 — — — — Rchb. Ic. crit. 5, 497.  
 † — — — — Nees Gen. 5, 65.  
 † — — — *glomerata* Choisy. Mem. Genev. 9, 4.  
 † — — — *grandiflora* H. B. K. H. B. K. Nov. Gen. 3, 213.  
 † — — — *Gronovii* Willd. Mem. Genev. 9, 4.  
 — — — — *hassiac* Pfeiff. Bot. Zeitung 1846, 1.  
 — — — — *hyalina* Roxb. Wight Ic. pl. Ind. or. 4, 1372.  
 † — — — ? Wight Illustr. 168<sup>b</sup>.  
 † — — — *inclusa* Choisy. Mem. Genev. 9, 2.  
 † — — — *indecora* Choisy. Mem. Genev. 9, 3.  
 † — — — *intermedia* Choisy. Mem. Genev. 9, 2.  
 — — — — *lupuliformis* Krock. Krock. Fl. sil. 1, 36.  
 — — — — — Fl. dan. 13, 2224.  
 † — — — *major* DC. Cosson Atlas 14.  
 † — — — *micrantha* Choisy. Mem. Genev. 9, 1.  
 — — — — *monogyna* Vahl. Sibth. Fl. gr. 257.  
 — — — — — Krock. Fl. sil. 4, 2.  
 — — — — — Rchb. Ic. crit. 5, 498.  
 † — — — *nitida* C. A. M. Mem. Genev. 9, 2.  
 — — — — *odorata* Rz et P. Ruiz et Pav. Fl. 105.  
 † — — — — Mem. Genev. 9, 2.  
 † — — — *partita* Choisy. Mem. Genev. 9, 5.  
 — — — — *pedicellata* Led. Ledeb. Ic. 234.  
 † — — — *pentagona* Engelm. Silliman Journ. 43, 6.  
 † — — — — Hook. Lond. Journ. 1843, 3.  
 — — — — *planiflora* Ten. Tenore Fl. nap. 220.  
 † — — — *Polygonorum* Engelm. Silliman Journ. 43, 6.  
 † — — — — Hook. Lond. Journ. 1843, 3.
- † *Cuscuta prismatica* Pavon. Mem. Genev. 9, 3.  
 † — — *racemosa* Mart. Mem. Genev. 9, 3.  
 — — — *reflexa* Roxb. Roxb. Corom. 104.  
 — — — — var. *verrucosa*, Hook. Exot. Fl. 150.  
 † — — *Sandwichiana* Choisy. Mem. Genev. 9, 5.  
 † — — *Saururi* Engelm. Silliman Journ. 43, 6.  
 † — — — Hook. Lond. Journ. 1843, 3.  
 † — — *spectabilis* Choisy. Mem. Genev. 9, 5.  
 † — — *stylosa* Choisy. Mem. Genev. 9, 5.  
 † — — *Trifolii* Bab. Jardine Annals 16, 1.  
 — — — — Engl. Bot. 2898.  
 † — — *verrucosa* Engelm. Silliman Journ. 43, 6.  
 † — — — Hook. Lond. Journ. 1843, 3.  
 † — — — *Pursh.* Sweet Fl. G. 6.  
 † — — *vulgivaga* Engelm. Silliman Journ. 43, 6.  
 † — — — Hook. Lond. Journ. 1843, 3.  
 † *Cuspidaria* Fée. Fée Fil. 5, 8.  
 † *Cuspidocarpus rupestris* Spenn. Nees Gen. 6, 18.  
*Cussambium spinosum* Ham. Rumpf Amb. 1, 57.  
*Cussapoa villosa* P. et E. Poepp. et Endl. 147.  
*Cussonia arborea* Hochst. Richard Abyssin. 56.  
 — — — *thyrsiflora* Thunb. Jacq. Ecl. pl. 61.  
 † — — — Lam. Encycl. 187.  
 — — — *triptera* Colla. Colla Hort. Rip. 26.  
*Cutubea densiflora* Mart. Mart. Bras. 185.  
*Cuviera acutiflora* DC. Ann. Mus. 9, 16.  
*Cyamopsis psoraleoides* DC. Wight Ic. pl. Ind. or. 1, 248.  
 — — — *senegalensis* Guill. Guillemin Senég. 45.  
*Cyamus luteus* Bart. Barton Fl. 2, 63.  
 — — — *Nelumbo* Sm. Smith Exot. Bot. 31. 32.  
 — — — — Tratt. Archiv 180. 180<sup>a</sup>. 180<sup>b</sup>.  
*Cyananthus integra* Wall. Royle Illustr. 69.  
 — — — *lobata* Wall. Royle Illustr. 69.  
 — — — — Bot. Reg. 33, 6.  
*Cyanea Grimesiana* Gaudich. Freycinet Voyage 75.  
*Cyanella alba* L. fil. Svensk Acad. 1794, 7.  
 † — — — *capensis* L. Gaertn. Carp. 17.  
 † — — — — Lam. Encycl. 239.  
 — — — — Jacq. Vind. 3, 35.  
 — — — — Red. Lil. 7, 373.  
 — — — — Andr. Rep. 2, 141.  
 — — — — Bot. Mag. 16, 568.  
 — — — — Lodd. Cab. 732.  
 — — — *lutea* L. fil. Svensk Acad. 1794, 7.  
 — — — — Bot. Mag. 31, 1252.  
 — — — — *odoratissima* Ldl. Bot. Reg. 13, 1111.  
 — — — — Rchb. Exot. 199.  
 — — — — *orchidiformis* Jacq. Jacq. Ic. 447.  
*Cyanobotrys mexicana* Zucc. Münchn. Abh. 4, 5.  
*Cyanorchis* Aub. Aubert Orchid. 33. 34.  
*Cyanospermum tomentosum* Wight et Arn. Jacq. Ecl. pl. 138.  
 — — — — Wight Illustr. 84.  
*Cyanotis abyssinica* Rich. Richard Abyssin. 98.  
 — — — *axillaris* D. Don. Rheed. Hort. mal. 10, 13.  
 — — — *Burmanni* Wight. Wight Ic. pl. Ind. or. 6, 2089.  
 — — — *cristata* D. Don. Rheed. Hort. mal. 7, 58.  
 — — — — R. et Sch. Wight Ic. pl. Ind. or. 6, 2082.  
 — — — *decumbens* Wight. Wight Ic. pl. Ind. or. 6, 2088.  
 — — — *dichrotricha* Stocks. Wight Ic. pl. Ind. or. 6, 2087.  
 — — — *fasciculata* R. et Sch. Wight Ic. pl. Ind. or. 6, 2086.  
 — — — *lanceolata* Wight. Wight Ic. pl. Ind. or. 6, 2085.  
 — — — *Lawiana* Wight. Wight Ic. pl. Ind. or. 6, 2086.  
 — — — *longifolia* Wight. Wight Ic. pl. Ind. or. 6, 2084.  
 — — — *papilionacea* R. et Sch. Wight Ic. pl. Ind. or. 6, 2089.  
 — — — — *pilosa* R. et Sch. Wight Ic. pl. Ind. or. 6, 2083.  
 — — — *sarmentosa* Wight. Wight Ic. pl. Ind. or. 6, 2087.  
 — — — *vaginata* Wight. Wight Ic. pl. Ind. or. 6, 2088.  
 † *Cyanus eriophorus* Gaertn. Gaertn. Carp. 161.  
 † — — *niger* Gaertn. Gaertn. Carp. 161.  
*Cyathantha lanceolata* Pohl. Pohl Bras. 188.

- Cyathea arborea* Willd. Rumpf Amb. 6, 27.  
 — — — Dict. sc. nat. 57.  
 — — — Beyrichiana Presl. Hook. Ic. pl. 7, 623.  
 — — — bisulca Schk. Schk. Fil. 132<sup>b</sup>.  
 — — — Burkei Hook. Hook. Sp. Fil. 17.  
 — — — canaliculata Willd. Hook. Sp. Fil. 11.  
 — — — *γ. latifolia*, Hook. Sp. Fil. 13.  
 — — — cuspidata Kze. Hook. Sp. Fil. 12.  
 — — — dentata Sm. Engl. Bot. 23, 1588.  
 — — — divergens Kze. Hook. Sp. Fil. 11.  
 — — — Dregei Kze. Hook. Sp. Fil. 10, 175.  
 † — — — elegans Hew. Hook. Gen. Fil. 23.  
 — — — equestris Kze. Kunze Fil. 76.  
 — — — excelsa Sw. Hook. Sp. Fil. 12.  
 — — — extensa Sw. Schk. Fil. 132.  
 — — — fragilis Sm. Engl. Bot. 23, 1587.  
 — — — Gardneri Hook. Hook. Sp. Fil. 10.  
 — — — hirtula Mart. Mart. Crypt. bras. 53.  
 — — — Imrayana Hook. Hook. Sp. Fil. 9.  
 — — — incisa Sm. Engl. Bot. 3, 163.  
 — — — integra Sm. Hook. Ic. pl. 7, 638.  
 — — — medullaris Sw. Schk. Fil. 133.  
 — — — Schanschin Mart. Mart. Crypt. bras. 54.  
 — — — Serra Willd. Hook. Sp. Fil. 9.  
 — — — sinuata H. et Gr. Hook. et Gr. Ic. Fil. 106.  
 — — — speciosa Kaulf. Hook. Sp. Fil. 13.  
 — — — spinulosa Wall. Hook. Sp. Fil. 12.  
 — — — vestita Mart. Mart. Crypt. bras. 52.  
 — — — villosa H. B. K. H. B. K. Nov. Gen. 7, 670.  
 — — — Walkeræ Hook. Hook. Ic. pl. 7, 647.  
 † *Cyathella repanda* Decne. Ann. sc. nat. II, 9, 12.  
*Cyathidium taraxacifolium* Ldl. Royle Illustr. 6, 56.  
*Cyathocline lutea* Law. Wight Ic. pl. Ind. or. 3, 1150.  
 † — — — Calcutta Journal 1847, 3.  
 — — — lyrata DC. Wight Ic. pl. Ind. or. 3, 1098.  
*Cyathodes disticha* Lab. Bill. Nov. Holl. 82.  
 — — — Lam. Encycl. 925.  
 — — — glauca Lab. Bill. Nov. Holl. 81.  
 — — — Lam. Encycl. 925.  
*Cyathoglottis candida* P. et E. Poepp. et Endl. 94.  
*Cyathula capitata* Moq. Wight Ic. pl. Ind. or. 5, 1782.  
 — — — tomentosa Moq. Wight Ic. pl. Ind. or. 5, 1781.  
*Cybianthus angustifolius* DC. Fielding Sertum 24.  
 † *Cycadeæ R. Br.* Linnaea 21, 6.  
 † — — — Miquel Monogr. Cycad. 1, 2.  
 † — — — Ann. sc. nat. III, 3, 8, 9.  
 † — — — Schnizl. Ic. 1, 38.  
 † *Cycas L.* Pet. Th. Histoire (1804.) 1, 2.  
 — — — circinalis L. Rumpf Amb. 1, 20—24.  
 † — — — Lam. Encycl. 891.  
 — — — Desc. Ant. 6, 449.  
 — — — Dict. sc. nat. 310, 311.  
 — — — Bot. Mag. 55, 2826, 2827.  
 † — — — Richard Conif. 24—26.  
 † — — — Linnaea 18, 4—6, 19, 1.  
 † — — — Blume Rumphia 176<sup>b</sup>, 176<sup>c</sup>.  
 — — — media R. Br. Miquel Monogr. Cycad. 3.  
 — — — revoluta Thunb. Linn. Transact. 6, 29, 30.  
 † — — — Ann. sc. nat. 16, 20, 21.  
 — — — Bot. Mag. 57, 2963, 2964.  
 — — — N. Verhandl. Nederl. Ac. 12, 1.  
 — — — Denkschr. schles. Ges. 1853, 10.  
 — — — sphaerica Roxb. Rheede Hort. mal. 3, 13—21.  
 † *Cyclamen L.* Kerner Genera 48.  
 — — — africanum Hort. Fl. d. serres 8, 841.  
 — — — Atkinsii Hort. Lem. Jard. fl. 3, 297.  
 — — — Clusii Ldl. Bot. Reg. 12, 1013.  
 — — — coum Mill. Bot. Mag. 1, 4.  
 — — — Lodd. Cab. 108.  
 — — — Tratt. Archiv 175.  
 — — — europæum L. Jacq. Fl. austr. 5, 401.  
 † — — — Gaertn. Carp. 183.

- † *Cyclamen europæum L.* Lam. Encycl. 100.  
 — — — Schk. Handb. 35.  
 — — — Tratt. Archiv 173.  
 — — — var. descendens, Tratt. Archiv 174.  
 — — — Sturm Flora 9, 34.  
 — — — Hayne 13, 8.  
 — — — Brandt und Ratzeb. 11.  
 — — — Engl. Bot. 8, 548.  
 — — — Sweet Fl. G. 176.  
 — — — hederacfolium Ait. Bot. Mag. 25, 1001.  
 — — — Tratt. Archiv 231.  
 — — — Kerner Hort. 813.  
 — — — Lodd. Cab. 992.  
 — — — Baxter Brit. Bot. 6, 505.  
 † — — — Nees Gen. 5, 10.  
 † — — — ibericum Goldie? Lem. Jard. fl. 3, 297.  
 — — — latifolium Sm. Sibth. Fl. gr. 185.  
 — — — linearifolium DC. DC. Ic. Gall. 8.  
 — — — Tratt. Archiv 176.  
 — — — litorale Ldl. Bot. Reg. 32, 56.  
 — — — macrophyllum Hort. Fl. d. serres 8, 841.  
 — — — neapolitanum Ten. Tenore Fl. nap. 118.  
 — — — Bot. Reg. 24, 49.  
 — — — persicum Mill. Bot. Mag. 2, 44.  
 — — — Lodd. Cab. 751.  
 — — — var. laciniatum Ldl. Bot. Reg. 13, 1095.  
 † — — — Duvernoy Untersuch. 1.  
 — — — Poli Chiaje. Delle Chiaje Memoria 0.  
 — — — repandum Sibth. Sibth. Fl. gr. 186.  
 — — — Lodd. Cab. 1942.  
 — — — Sweet Fl. G. 117.  
 — — — vernum Rehb. Sweet Fl. G. 9.  
 † *Cyclantheæ Poit.* Schnizl. Ic. 1, 74<sup>a</sup>.  
*Cyclanthus bipartitus* Poit. Mem. Mus. 9, 2.  
 — — — Dict. sc. nat. 5, 6.  
 — — — Poepp. et Endl. 152, 154.  
 — — — Plumieri Poit. Mem. Mus. 9, 3.  
*Cyclobothra alba* Benth. Hort. Transact. 8, 14.  
 — — — Bot. Reg. 20, 1661.  
 — — — barbata Sweet. Sweet Fl. G. 273.  
 — — — lutea Ldl. Bot. Reg. 20, 1663.  
 — — — pulchella Benth. Hort. Transact. 8, 14.  
 — — — Bot. Reg. 20, 1662.  
 — — — purpurea Sweet. Sweet Fl. G. II, 20.  
 † *Cyclobothrya monophylla* Ldl. Journ. Hort. Soc. 4, 81.  
 † *Cyclodium confertum* Presl. Hook. Gen. Fil. 49.  
*Cyclogyne canescens* Benth. Paxt. Mag. 7, 199.  
 † *Cyclolepis platyphylla* Moq. Ann. sc. nat. II, 1, 9.  
 † *Cyclophorus Desv.* Mag. naturf. Fr. 5, 7, fig. 4.  
 — — — stigmosus Desv. Desv. Journ. 3, 2.  
*Cyclopia genistoides* R. Br. Lodd. Cab. 1111.  
 — — — Kerner Hort. 427.  
*Cyclopogon ovalifolium* Presl. Presl Reliq. 13.  
*Cyclostegia strobilifera* Benth. Rumpf Amb. 6, 16, fig. 2.  
*Cynoches aureum* Ldl. Paxt. Fl. G. 75.  
 — — — Lem. Jard. fl. 264.  
 — — — barbatum Ldl. Bot. Mag. 75, 4479.  
 — — — chlorochilon Ldl. Lindley Sertum 16.  
 — — — Hart. Parad. 1, 2.  
 — — — Egertonianum Batem. Bateman Orchid. 40.  
 — — — var. viride, Bot. Reg. 32, 46.  
 — — — Loddigesii Ldl. Lodd. Cab. 2000.  
 — — — Knowles et Weste. 15.  
 — — — Bot. Reg. 21, 1742.  
 — — — var. Bot. Mag. 67, 3855.  
 — — — Bot. Mag. 72, 4215.  
 — — — Hart. Parad. 2, 3.  
 — — — maculatum Ldl. Lindley Sertum 33.  
 — — — Maund Bot. 4, 156.  
 — — — pentadactylum Ldl. Bot. Reg. 29, 22.  
 — — — ventricosum Batem. Bateman Orchid. 5.  
 — — — Maund Bot. 2, 54.

- Cyanoches ventricosum* *Batem.* var. *Bot. Mag.* 70, 4054.  
 — — — *Annales de Gand* 1848, 187.  
*Cyanogeton Hügelii* *Endl.* *Endl. Iconogr.* 73.  
*Cyanogeton latifolium* *Naud.* *Delessert Ic.* 5, 3.  
 † — — — *Ann. sc. nat.* III, 4, 2.  
*Cydonia chinensis* *Thouin.* *Bot. Reg.* 11, 905.  
 — — — *Ann. Mus.* 19, 8, 9.  
 — — — *Kerner Hort.* 508.  
 — — — *Herb. amat.* 2, 99.  
 — — — *japonica* *Pers.* *Savi Fl. ital.* 1, 18.  
 — — — *Herb. amat.* 2, 73.  
 — — — var. *umbilicata*, *Fl. d. serr.* 5, 510—512.  
 — — — *speciosa* *Sweet.* *Guimp. Fr. Holzgew.* 70.  
 † — — — *vulgaris* *Pers.* *Kerner Genera* 214, 215.  
 — — — *Hartig* 81.  
 — — — *Hayne* 4, 47.  
 — — — *Guimp. et Schl.* 17.  
 — — — *Wagner* 81.  
 † — — — *Ann. sc. nat.* III, 19, 2.  
*Cylicodaphne Wightiana* *N. v. E.* *Wight Ic. pl.* 5, 1833.  
*Cylindria rubra* *Lour.* *Rumpf Amb.* 4, 73.  
*Cylista albiflora* *Sims.* *Bot. Mag.* 43, 1859.  
 — — — *scariosa* *Ait.* *Roxb. Corom.* 92.  
 † — — — *Münchn. Denkschr.* 6, C.  
 — — — *Wight Ic. pl. Ind. or.* 4, 1597.  
 — — — *tomentosa* *Roxb.* *Roxb. Corom.* 221.  
 — — — *Jacq. Ecl. pl.* 138.  
*Cymaria acuminata* *Decne.* *Delessert Ic.* 3, 86.  
*Cymbaria borysthenica* *Pall.* *Horae berol.* 21.  
 † — — — *daurica* *L.* *Gaertn. Carp.* 53.  
 † — — — *Lam. Encycl.* 530.  
 — — — *davurica* *Messersch.* *Horae berol.* 21.  
 † *Cymbidium* *Sw.* *Schrader Journ.* 1799, 2, 1.  
 † — — — *aloefolium* *Bl.* *Blume Tabellen* 19.  
 — — — *aloifolium* *Sw.* *Rheede Hort. mal.* 12, 8.  
 — — — *Lodd. Cab.* 967.  
 — — — *Wight Ic. pl. Ind. or.* 5, 1687—1688.  
 — — — *Andersoni* *Lamb.* *Andr. Rep.* 10, 651.  
 — — — *aphyllum* *Sw.* *Kerner Hort.* 95.  
 — ? — — — *bituberculatum* *Hook.* *Hook. Exot. Fl.* 116.  
 — — — *coccineum* *Sw.* *Bot. Mag.* 35, 1437.  
 — — — *Kerner Hort.* 395.  
 — — — *Corallorrhiza* *Sw.* *Liboschitz Pet.* 25.  
 — — — *dependens* *Lodd.* *Lodd. Cab.* 936.  
 — — — *Devonianum* *Paxt.* *Paxt. Mag.* 10, 97.  
 — — — *eburneum* *Ldl.* *Bot. Reg.* 33, 67.  
 — — — *Paxt. Mag.* 15, 145.  
 — — — *elegans* *Ldl.* *Lindley Sertum* 14.  
 — — — *ensifolium* *Sw.* *Bot. Mag.* 42, 1751.  
 — — — var. *striatum*, *Bot. Reg.* 23, 1976.  
 — — — *equitans* *Sw.* *Aubert Orchid.* 91.  
 — — — *erectum* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1753.  
 — — — *giganteum* *Wall.* *Lindley Sertum* 4.  
 — — — *Paxt. Mag.* 12, 241.  
 — — — *graminoides* *Sw.* *Swartz Annot.* 1.  
 — — — *hyacinthinum* *Sm.* *Smith Exot. Bot.* 60.  
 — — — *Bot. Mag.* 36, 1492.  
 † — — — *javanicum* *Bl.* *Blume Tabellen* 19.  
 — — — *lancifolium* *Hook.* *Hook. Exot. Fl.* 51.  
 — — — *Lodd. Cab.* 927.  
 — — — *marginatum* *Willd.* *Bot. Reg.* 18, 1530.  
 — — — *Mastersii* *Griff.* *Bot. Reg.* 31, 50.  
 — — — *Paxt. Fl. G.* 78.  
 — — — *Lem. Jard. fl.* 3, 289.  
 — — — *nutans* *Sw.* *Kerner Hort.* 96.  
 — — — *ochroleucum* *Edl.* *Bot. Reg.* 71, 4141.  
 — — — *ovatum* *Willd.* *Rheede Hort. mal.* 12, 7.  
 — — — *pendulum* *Sw.* *Kerner Hort.* 75, 657.  
 — — — *Bot. Reg.* 26, 25.  
 — — — var. *brevilabre*, *Bot. Reg.* 30, 24.  
 — — — *plicatum* *Harv.* *Hook. Ic. pl.* 2, 104.  
 — — — *pubescens* *Ldl.* *Bot. Reg.* 27, 38.

- Cymbidium purpureum* *Hort.* *Herb. amat.* 4, 251.  
 — — — *pusillum* *Sw.* *Swartz Annot.* 1.  
 — — — *sinense* *Willd.* *Lodd. Cab.* 37.  
 — — — *stapcloides* *Link.* *Link Ic. I.* 52.  
 — — — *tenuifolium* *Willd.* *Rheede Hort. mal.* 12, 5, 6.  
 — — — *Wight Ic. pl. Ind. or.* 5, 1689.  
 — — — *tessellatum* *Sw.* *Kerner Hort.* 52.  
 — — — *triste* *Willd.* *Bot. Mag.* 65, 3648.  
 — — — *Wight Ic. pl. Ind. or.* 3, 911.  
 — — — *xiphiifolium* *Ldl.* *Bot. Reg.* 7, 529.  
 † *Cymbocarpa refracta* *Miers.* *Linn. Transact.* 18, 38.  
*Cymbonotus Lawsonianus* *Gaudich.* *Freycinet Voy.* 86.  
*Cymburus mutabilis* *Salisb.* *Salisb. Parad.* 49.  
 † *Cyminosma Ankenda* *Gaertn.* *Gaertn. Carp.* 58.  
 — — — *oblongifolia* *Cunn.* *Bot. Mag.* 61, 3322.  
 — — — *pedunculata* *W. et A.* *Rheede Hort. mal.* 5, 4.  
 — — — *Roxb.* *Rheede Hort. mal.* 5, 15.  
 — — — *Gaertn.* *Link Ic. II.* 42.  
 † — — — *DC.* *Mem. Mus.* 12, 17.  
 — — — *Wight Illustr.* 65.  
 — — — *resinosa* *Lour.* *Rumpf Amb.* 3, 122.  
*Cymodocea aequorea* *Konig.* *Konig Annals* 2, 7.  
*Cynanchum abyssinicum* *Decne.* *Delessert Ic.* 5, 69.  
 † — — — *acutum* *L.* *Gaertn. Carp.* 117.  
 † — — — *Lam. Encycl.* 177.  
 — — — *Schk. Handb.* 54.  
 — — — *Sibth. Fl. gr.* 250.  
 — — — *altissimum* *Jacq.* *Jacq. Hist. stirp. am.* 83.  
 — — — *Argel* *Delile.* *Delile Egypte* 20.  
 — — — *Colladon* *Cass.* 15.  
 — — — *Nees Düsseld. Suppl.* 13.  
 — — — *bicolor* *Andr.* *Andr. Rep.* 9, 562.  
 — — — *carolinense* *Jacq.* *Jacq. Ic.* 342.  
 — — — *clausum* *Jacq.* *Jacq. Hist. stirp. am.* 87.  
 — — — *crispum* *Thunb.* *Jacq. Fragm.* 34.  
 — — — *denticulatum* *Vahl.* *Vahl Ic.* 8.  
 — — — *discolor* *Sims.* *Bot. Mag.* 31, 1273.  
 — — — *erectum* *L.* *Jacq. Vind.* 38.  
 † — — — *Lam. Encycl.* 177.  
 — — — *extensum* *Ait.* *Jacq. Ic.* 54.  
 — — — *filiforme* *Jacq.* *Jacq. Hist. stirp. am.* 86.  
 — — — *fimbriatum* *H. B. K.* *H. B. K. Nov. Gen.* 3, 234.  
 † — — — *fruticosum* *Decne.* *Ann. sc. nat.* II, 9, 12.  
 — — — *grandiflorum* *Cav.* *Cav. Ic.* 21.  
 — — — *heterophyllum* *Delile.* *Calliaud Voyage* 63.  
 — — — *Jacquemontianum* *Decne.* *Jacquemont Ind.* 112.  
 — — — *Ipecacuanha* *Willd.* *Berl. Jahrb.* 1795, 2.  
 — — — *longiflorum* *Jacq.* *Jacq. Hist. stirp. am.* 85.  
 — — — *Magale* *Ham.* *Rheede Hort. mal.* 7, 32.  
 — — — *maritimum* *L.* *Jacq. Hist. stirp. am.* 82.  
 — — — *microphyllum* *H. B. K.* *H. B. K. Nov. Gen.* 3, 236.  
 — — — *monspeliacum* *L.* *Cav. Ic.* 60.  
 — — — *Jacq. Ic.* 340.  
 — — — *Sibth. Fl. gr.* 251.  
 — — — *Hayne* 12, 42.  
 — — — *mucronatum* *Andr.* *Andr. Rep.* 8, 515.  
 — — — *H. B. K.* *H. B. K. Nov. Gen.* 3, 235.  
 — — — *nigrum* *Cav.* *Cav. Ic.* 159.  
 — — — *R. Br.* *Bot. Mag.* 50, 2390.  
 — — — *obliquum* *Jacq.* *Jacq. Ic.* 341.  
 — — — *olcaefolium* *Nect.* *Nectoux Voyage* 3.  
 — — — *pauciflorum* *R. Br.* *Wight Ic. pl. Ind. or.* 2, 354.  
 — — — *pilosum* *R. Br.* *Bot. Reg.* 2, 111.  
 — — — *planiflorum* *L.* *Jacq. Hist. stirp. am.* 81.  
 — — — *prostratum* *Cav.* *Cav. Ic.* 7.  
 — — — *pyrotechnicum* *Forsk.* *Delile Egypte* 20.  
 — — — *racemosum* *L.* *Jacq. Hist. stirp. am.* 80.  
 — — — *rostratum* *Vahl.* *Vahl Ic.* 7.  
 — — — *sibiricum* *Willd.* *Neue Schr. naturf. Fr.* 2, 6.  
 — — — *undatum* *Andr.* *Andr. Rep.* 6, 410.  
 — — — *undulatum* *L.* *Jacq. Hist. stirp. am.* 84.

- Cynanchum Vincetoxicum* *R. Br.* Sturm Flora 3, 9.  
 — — — Brandt und Ratzeb. 21.  
 — — — Dietr. Fl. bor. 7, 482.  
 — — — Hayne 6, 30.  
 — — — *viridiflorum* *Sims.* Bot. Mag. 44, 1929.  
 † *Cynara* *L.* Kerner Genera 151.  
 — — — *acaulis* *L.* Desf. Fl. atl. 223.  
 — — — Lam. Encycl. 663.  
 — — — *alba* *Boiss.* Boissier Esp. 109.  
 — — — *Cardunculus* *L.* var. Bot. Mag. 55, 2862.  
 — — — var. Bot. Mag. 60, 3241.  
 — — — *horrida* *Ait.* Sibth. Fl. gr. 834.  
 — — — Webb Canar. 114. (errore 117.)  
 † — — — *humilis* *L.* Schk. Handb. 231.  
 — — — Sibth. Fl. gr. 835.  
 — — — *pusilla* *Lab.* Bill. Syr. 3, 7.  
 † — — — *Scolymus* *L.* Lam. Encycl. 663.  
 — — — Woodv. Med. 1, 28.  
 — — — Schk. Handb. 231.  
 † *Cynocrambe prostrata* *Gaertn.* Gaertn. Carp. 75.  
*Cynoctonum alatum* *DC.* Wight Ic. pl. Ind. or. 4, 1280.  
 — — — *callialatum* *DC.* Wight Ic. pl. Ind. or. 4, 1279.  
 — — — *eurychiton* *Decne.* Delessert Ic. 5, 66.  
 † *Cynodon* *Rich.* Dumortier Gramin. 15.  
 — — — *Dactylon* *Rich.* Rechb. Fl. germ. 1, 26.  
 † — — — Nees Gen. 1, 39.  
 — — — Baxter Brit. Bot. 1, 59.  
 — — — *pilosissimus* *Rasp.* Annales d'obs. 3, 3.  
 — — — *tenellus* *R. Br.* Humb. Gram. 133.  
*Cynoglossum anchusioides* *Ldl.* Bot. Reg. 28, 14.  
 † — — — *apenninum* *L.* Gaertn. Carp. 67.  
 — — — *Berteri* *Colla.* Mem. Tur. 38, 43.  
 — — — *cheirifolium* *L.* Winterl Ind. 17.  
 — — — Rechb. Ic. crit. 8, 781.  
 — — — *clandestinum* *Desf.* Desf. Fl. atl. 42.  
 — — — Brotero Phytogr. 158.  
 — — — *clavatum* *Viv.* Viviani Lib. 5.  
 — — — *coelestinum* *Ldl.* Bot. Reg. 25, 36.  
 — — — *Columnae* *Ten.* Tenore Fl. nap. 116.  
 — — — *divaricatum* *Lehm.* Lehmann Asperif. 15.  
 — — — *furcatum* *Wall.* Wight Ic. pl. Ind. or. 4, 1395.  
 — — — *glastifolium* *Willd.* Ann. Mus. 10, 35.  
 — — — Desf. Choix 18.  
 — — — *glochidiatum* *Wall.* Bot. Reg. 27, 15.  
 — — — *hirsutum* *Jacq.* Jacq. Schoenbr. 4, 489.  
 — — — *japonicum* *Thunb.* Thunb. Ic. jap. 22.  
 † — — — *laevigatum* *L.* Gaertn. Carp. 67.  
 † — — — Lam. Encycl. 92.  
 — — — *lanatum* *Lam.* Ann. Mus. 10, 37.  
 — — — Desf. Choix 20.  
 — — — *lateriflorum* *Lam.* Lam. Encycl. 92.  
 † — — — *linifolium* *L.* Gaertn. Carp. 67.  
 — — — *longiflorum* *Royle.* Bot. Reg. 26, 50.  
 — — — *lusitanicum* *Brot.* Brotero Phytogr. 24.  
 — — — *magellense* *Ten.* Tenore Fl. nap. 117.  
 — — — *mollissimum* *Lehm.* Lehmann Asperif. 41.  
 — — — *myosotoides* *Lab.* Bill. Syr. 2, 2.  
 — — — *nitidum* *Willd.* Bot. Mag. 52, 2529.  
 † — — — *officinale* *L.* Lam. Encycl. 92.  
 — — — Fl. dan. 7, 1147.  
 — — — Sv. Bot. 302.  
 — — — Curt. Lond. 1, 15.  
 — — — Woodv. Med. 2, 109.  
 — — — Engl. Bot. 13, 921.  
 — — — Baxter Brit. Bot. 6, 477.  
 — — — Schk. Handb. 30.  
 — — — Sturm Flora 3, 9.  
 — — — Schrank Fl. monac. 1, 23.  
 — — — Hayne 1, 26.  
 — — — Nees Düssel. Suppl. 37, 38.  
 — — — Guimp. et Schl. 124.  
 — — — Dietr. Fl. bor. 4, 256.

- † *Cynoglossum officinale* *L.* Nees Gen. 6, 56.  
 — — — *omphalodes* *L.* Scop. Fl. carn. 1, 3.  
 — — — Bot. Mag. 1, 7.  
 — — — Dreves 2, 53.  
 — — — Tratt. Archiv 179.  
 — — — Herb. amat. 1, 4.  
 — — — *pictum* *Ait.* Brotero Phytogr. 159.  
 — — — Hoffm. Lk. Fl. port. 24.  
 — — — Bot. Mag. 47, 2134.  
 — — — *pilosum* *Rz et P.* Ruiz et Pav. Fl. 111.  
 — — — *Rindera* *L. fil.* Pallas Fl. ross. 88.  
 — — — *silvaticum* *Haenke.* Engl. Bot. 23, 1642.  
 — — — *stamineum* *Desf.* Ann. Mus. 10, 36.  
 — — — Desf. Choix 19.  
 — — — *umbellatum* *W. et K.* W. et Kit. 148.  
 — — — *viridiflorum* *Lehm.* Lehmann Asperif. 42.  
 — — — Ledeb. Ic. 106.  
 † *Cynometra* *L.* Kerner Genera 113.  
 — — — *cauliflora* *L.* Rumpf Amb. 1, 62.  
 — — — Gaertn. Carp. 156.  
 † — — — Lam. Encycl. 331.  
 — — — *cubensis* *Ramon.* Ramon Cuba 41.  
 — — — *polyandra* *Roxb.* Roxb. Corom. 286.  
 — — — *ramiflora* *L.* Rheed. Hort. mal. 4, 31.  
 — — — Rumpf Amb. 1, 63.  
 † — — — Lam. Encycl. 331.  
 † *Cynomorium coccineum* *L.* Lam. Encycl. 742.  
 — — — Tratt. Thes. 30.  
 — — — Desc. Ant. 2, 96.  
 † — — — Mem. Mus. 8, 21.  
 † — — — Ann. sc. nat. III. 14, 11.  
*Cynorchis fastigiata* *Aub.* Aubert Orchid. 13.  
 — — — Bot. Reg. 23, 1998.  
*Cynosciadium digitatum* *DC.* DC. Umbellif. 11.  
 — — — *pinnatum* *DC.* DC. Umbellif. 11.  
*Cynosorchis purpurascens* *Aub.* Aubert Orchid. 15.  
 — — — *triphylla* *Aub.* Aubert Orchid. 14.  
 † *Cynosurus* *L.* Dumortier Gramin. 6.  
 — — — *aureus* *L.* Sibth. Fl. gr. 79.  
 — — — Host Gram. 204.  
 — — — *Cavara* *Ham.* Rheed. Hort. mal. 12, 69.  
 — — — *coeruleus* *L.* Jacq. Ic. 21.  
 — — — *coracanus* *L.* Rumpf Amb. 5, 76.  
 — — — Schreber Gräser 35.  
 — — — *crista galli* *Munby.* Munby Fl. d'Alg. 2.  
 — — — *cristatus* *L.* Fl. dan. 2, 238.  
 † — — — Lam. Encycl. 47.  
 — — — Engl. Bot. 5, 316.  
 — — — Knapp Gram. 64.  
 — — — Baxter Brit. Bot. 3, 216.  
 — — — Sv. Bot. 66.  
 — — — Schreber Gräser 8.  
 — — — Host Gram. 196.  
 — — — Schk. Handb. 15.  
 — — — Sturm Flora 1, 4.  
 — — — Rechb. Fl. germ. 1, 7.  
 † — — — Nees Gen. 1, 76.  
 — — — *domingensis* *Jacq.* Jacq. Ic. 22.  
 — — — *durus* *L.* Pollich Palat. 1, 1.  
 † — — — *echinatus* *L.* Gaertn. Carp. 1.  
 † — — — Lam. Encycl. 47.  
 — — — Sibth. Fl. gr. 78.  
 — — — Host Gram. 195.  
 — — — Engl. Bot. 19, 1333.  
 — — — Knapp Gram. 65.  
 — — — var. *Mutel* Fl. fr. 84.  
 — — — Rechb. Fl. germ. 1, 7.  
 † — — — Nees Gen. 1, 76.  
 — — — *elegans* *Desf.* Desf. Fl. atl. 17.  
 — — — *Mutel* Fl. fr. 84.  
 — — — *Lima* *L.* Cav. Ic. 91.  
 — — — Desf. Fl. atl. 19.

- Cynosurus paspaloides* Vahl. Vahl Symbolae 27.  
 — *phleoides* Desf. Desf. Fl. atl. 18.  
 — *separius* Desc. Desc. Ant. 4, 264.  
 — *siculus* Jacq. Jacq. Obs. 43.  
 — *sphaerocephalus* Wulfen. Jacq. Ic. 20.  
*Cypella* *Herberti* Hook. Maud Bot. 4, 199.  
 — — — Lodd. Cab. 1810.  
 — — — Rchb. Exot. 20.  
 — — — Sweet Fl. G. II. 33.  
 — — — Fl. d. serres 5, 537.  
† *Cyperaceae* DC. Wiegmann Archiv 2, 6, 3, 5.  
† — — Schnitz. Ic. 1, 43, 43<sup>a</sup>.  
*Cyperus* *aegyptiacus* Glox. Gloxin Observ. 3.  
 — *alopecuroides* Rottb. Rottb. Descr. 8.  
 — *alternifolius* L. Jacq. Ic. 298.  
 — *amentaceus* Rudge. Rudge Pl. Guianac 19.  
 — *aristatus* Rottb. Rottb. Descr. 6.  
 — *Aucherii* Jaub. Jaubert Illustr. 101.  
 — *aureus* Ten. Tenore Fl. nap. 101.  
 — — — Rchb. Ic. crit. 3, 212.  
 — — — Rchb. Fl. germ. 8, 281.  
 — *badius* Desf. Desf. Fl. atl. 7.  
 — — — Tenore Fl. nap. 208.  
 — — — Rchb. Fl. germ. 8, 283.  
 — — — Sturm Flora 18, 78.  
 — *chalaranthus* Presl. Presl Reliq. 32.  
 — *comosus* Sibth. Sibth. Fl. gr. 44.  
 — *compressus* L. Jacq. Vind. 3, 12.  
 — — — Rottb. Descr. 9.  
 — — — Nees Gen. 2, 21.  
† — *conglomeratus* Rottb. Rottb. Descr. 15.  
 — *corymbosus* Rottb. Rottb. Descr. 7.  
 — *crassipes* Vahl. Pal. B. Fl. d'Oware 97.  
 — *cruentus* Rottb. Rottb. Descr. 5.  
 — *difformis* L. Sibth. Fl. gr. 46.  
 — — — Rottb. Descr. 9.  
 — — — Rchb. Fl. germ. 8, 284.  
 — *distachyos* All. Allioni Auct. 2.  
 — *distans* L. Jacq. Ic. 299.  
 — — — Pal. B. Fl. d'Oware 20.  
 — *dives* Delile. Delile Egypte 4.  
 — *dubius* Rottb. Rottb. Descr. 4.  
 — *effusus* Rottb. Rottb. Descr. 12.  
 — *elatus* L.? Rheede Hort. mal. 12, 42.  
 — — — Rottb. Rottb. Descr. 10.  
† — *elegans* Rottb. Rottb. Descr. 6.  
 — — — Desc. Ant. 6, 402.  
 — *esculentus* L. Host Gram. 275.  
 — — — Sturm Flora 13, 52.  
 — *fascicularis* Desf. Lam. Encycl. 38.  
 — *fastigiatus* Rottb. Rottb. Descr. 7.  
 — *Fernandezianus* Colla. Mem. Tur. 39, 56.  
 — *filicinus* Vahl. Novi Comm. Bonon. 9, 35.  
 — *flabelliformis* Rottb. Rottb. Descr. 12.  
 — *flavescens* L. Lam. Encycl. 38.  
 — — — Schk. Handb. 7.  
 — — — Sibth. Fl. gr. 47.  
 — — — Host Gram. 272.  
 — — — Sturm Flora 13, 52.  
 — — — Fl. dan. 10, 1682.  
 — — — Rchb. Fl. germ. 8, 278.  
 — *flavissimus* Schrad. Comm. Gott. rec. 7, 2.  
 — *Fontanesii* Kth. Novi Comm. Bonon. 9, 35.  
 — *fuscus* L. Fl. dan. 1, 179.  
 — — — Curt. Lond. 4, 85.  
 — — — Schk. Handb. 7.  
 — — — Sibth. Fl. gr. 48.  
 — — — Host Gram. 273.  
 — — — Sturm Flora 13, 52.  
 — — — Engl. Bot. 2626.  
 — — — Rchb. Fl. germ. 8, 280.  
 — — — Dict. sc. nat. 12.

- Cyperus glaber* L. Sturm Flora 13, 52.  
 — — — Rchb. Ic. crit. 3, 204.  
 — — — Rchb. Fl. germ. 8, 280.  
 — *globosus* All. Rchb. Ic. crit. 3, 229.  
 — — — Rchb. Fl. germ. 8, 279.  
 — *glomeratus* L. Host Gram. 271.  
 — — — Sturm Flora 13, 52.  
 — — — Rchb. Fl. germ. 8, 284.  
 — *Grayi* Torr. Torrey New York 138.  
 — *Haspan* L. Rottb. Descr. 6.  
 — *hexastachyus* R. et Sch. Rumpf Amb. 6, 1, fig. 2.  
 — *hexastichos* Rottb. Rottb. Descr. 14.  
 — *Hydra* Michx. Elliott Carolina 2.  
 — *jeminicus* Rottb. Rottb. Descr. 8.  
 — *inundatus* Roxb. Rheede Hort. mal. 12, 56.  
 — *jubaeflorus* Rudge. Rudge Pl. Guianae 21.  
 — *junciformis* Cav. Cav. Ic. 204.  
 — — — Desf. Desf. Fl. atl. 7.  
 — *kyllingiaecoides* R. et Sch. Rumpf Amb. 6, 2, fig. 1.  
 — *laevigatus* L. Rottb. Descr. 16.  
 — *ligularis* L. Rottb. Descr. 11.  
 — *longus* L. Jacq. Ic. 297.  
 — — — Host Gram. 276.  
 — — — Tenore Fl. nap. 208.  
 — — — Engl. Bot. 19, 1309.  
 — — — Sturm Flora 13, 52.  
 — — — Rchb. Fl. germ. 8, 282.  
 — — — Baxter Brit. Bot. 6, 452.  
 — *Luzulae* Rottb. Rottb. Descr. 13.  
 — *monostachyus* L. Rottb. Descr. 13.  
 — *Monti* L. fil. Host Gram. 367.  
 — — — Sturm Flora 13, 52.  
 — — — Rchb. Fl. germ. 8, 279.  
 — *mucronatus* Willd. Sibth. Fl. gr. 49.  
 — — — Rottb. Rottb. Descr. 8.  
 — — — Rchb. Fl. germ. 8, 278.  
 — *myriostachyus* Ten. Tenore Fl. nap. 207, 208.  
 — *niloticus* Vahl. Pal. B. Fl. d'Oware 97.  
 — *Nuttallii* Torr. Torrey New York 135.  
 — *odoratus* L. Burm. Fl. ind. 8.  
 — *officinalis* N. v. E. Nees Düsseld. 25.  
 — *olivaris* Targ. Rchb. Fl. germ. 8, 281.  
 — *pallescens* Desf. Desf. Fl. atl. 9.  
 — *Pangorei* Rottb. Rottb. Descr. 7.  
 — *pannonicus* Jacq. Jacq. Fl. austr. 5, 6.  
 — — — Host Gram. 270.  
 — — — Sturm Flora 13, 52.  
 — — — Rchb. Fl. germ. 8, 278.  
 — *Papyrus* L. Henckel Adumbr. pl. 0.  
 — — — Tratt. Archiv 132, 132<sup>a</sup>.  
 — *patulus* M. v. B. Host Gram. 274.  
 — *pes avium* Bert. Novi Comm. Bonon. 9, 34.  
 — *pictus* Ten. Tenore Fl. nap. 211.  
 — *polystachyus* Rottb. Rottb. Descr. 11.  
 — *procerus* L. Rottb. Descr. 5.  
 — *protractus* Delile. Delile Egypte 5.  
 — *pumilus* L. Gaertn. Carp. 2.  
 — — — Rottb. Descr. 9.  
 — *pygmaeus* Vahl. Rheede Hort. mal. 12, 54.  
 — — — Rottb. Descr. 14.  
 — — — Cav. Cav. Ic. 588.  
 — *radicosus* Sibth. Sibth. Fl. gr. 45.  
 — — — Rchb. Fl. germ. 8, 281.  
 — *repens* Ell. Torrey New York 137.  
 — *rotundus* L. Rheede Hort. mal. 12, 50.  
 — — — Rumpf Amb. 6, 1, fig. 1.  
 — — — Nees Düsseld. 25.  
 — *rubicundus* Vahl. Webb Canar. 240.  
 — *Santonici* Rottb. Rottb. Descr. 9.  
 — *scopellatus* Rich. Vahl Ic. 12.  
 — *simplex* H. B. K. Presl Reliq. 31.  
 — *squarrosus* L. Rottb. Descr. 6.



- Cyperus stellatus* Rudge. Rudge Pl. Guianae 20.  
 — strigosus Rottb. Rottb. Descr. 11.  
 — — *L.* Torrey New York 136.  
 † — surinamensis Rottb. Rottb. Descr. 6.  
 — Tenorei Presl. Rehb. Fl. germ. 8, 281.  
 — tenuiflorus Rottb. Rottb. Descr. 14.  
 — — Jacq. Ic. 296.  
 † — — *Ten.* Tenore Fl. nap. 208.  
 — tetrastachyus Desf. Desf. Fl. atl. 8.  
 — thermalis Dumort. Rehb. Fl. germ. 8, 283.  
 † — — Nees Gen. 2, 21.  
 — tuberosus Rottb. Rottb. Descr. 7.  
 — umbellatus Burm. Burm. Fl. ind. 9.  
 — ventricosus R. Br. Rheede Hort. mal. 12, 55.  
 — viscosus Sw. Jacq. Ic. 295.  
*Cyphia glandulifera* Hochst. Richard Abyssin. 64.  
 — Phyteuma Willd. Bot. Reg. 8, 625.  
*Cyphocarpus rigescens* Miers. Miers Illustr. 27.  
 — — Gay Chile 50.  
 † *Cyphomandra betacea* Sendtn. Flora 1845, 6.  
 † — brachypodia Sendtn. Flora 1845, 5.  
 † — calycina Sendtn. Flora 1845, 1.  
 † — caracasana Sendtn. Flora 1845, 2.  
 † — corymbiflora Sendtn. Flora 1845, 8.  
 † — diplocoenos Sendtn. Flora 1845, 3.  
 † — divaricata Sendtn. Flora 1845, 9.  
 † — pendula Sendtn. Flora 1845, 7.  
 † — sciadostylis Sendtn. Flora 1845, 4.  
 — — Endl. Bras. 6, 16.  
 — sycocarpa Sendtn. Endl. Bras. 6, 15.  
 — velutina Sendtn. Endl. Bras. 6, 17.  
*Cyripedium acaule* Ait. Bot. Mag. 6, 192.  
 — — Lam. Encycl. 729.  
 — album Ait. Schneevogt Ic. 2.  
 — — Bot. Mag. 6, 216.  
 — — Rehb. Exot. 98.  
 — Atsmori Morr. Belgique hort. 1, 21.  
 — arietinum R. Br. Bot. Mag. 38, 1569.  
 — — Lodd. Cab. 1240.  
 — — Sweet Fl. G. 213.  
 — barbatum Ldl. Bot. Reg. 28, 17.  
 — — Bot. Mag. 72, 4234.  
 † — — Ann. sc. nat. III. 13, 2.  
 — — Fl. d. serres 3, 190.  
 — bulbosum L. Linné Fl. lapp. 12.  
 — — Smith Spicil. 11.  
 — — Roemer Fl. eur. 1, 7.  
 — Calceolus L. Schk. Handb. 275.  
 — — Roemer Fl. eur. 4, 5.  
 — — Schrank. Fl. monac. 1, 81.  
 — — Sturm Flora 2, 8.  
 — — Dietr. Fl. bor. 1, 24.  
 † — — Nees Gen. 3, x.  
 — — Rehb. Fl. germ. 13, 496.  
 — — Fl. dan. 6, 999.  
 — — Sv. Bot. 524.  
 — — Red. Lil. 1, 19.  
 — — Herb. amat. 1, 65.  
 † — — Lam. Encycl. 729.  
 † — — Linn. Transact. 1, 2.  
 — — Curt. Lond. 4, 42.  
 — — Engl. Bot. 1, 1.  
 — — Baxter Brit. Bot. 2, 105.  
 — — Lodd. Cab. 363.  
 — — Paxt. Mag. 3, 247.  
 — caudatum Ldl. Hook. Ic. pl. 7, 658. 659.  
 — — Paxt. Fl. G. 9.  
 — — Fl. d. serres 6, 566.  
 — cordigerum Don. Jacquemont Ind. 166.  
 — flavescens Red. Red. Lil. 1, 20.  
 — — Dict. sc. nat. 70.  
 † — glanduliferum Bl. Blume Rumphia 198.

- Cyripedium guttatum* Sw. Rehb. Ic. crit. 3, 210.  
 — — — Rehb. Fl. germ. 13, 495. 520.  
 — — — Fl. d. serres 6, 573.  
 † — humile Salisb. Linn. Transact. 1, 3.  
 — — — Barton Fl. 3, 83.  
 — — — Lodd. Cab. 130.  
 — — — Sweet Fl. G. II. 161.  
 — — — Annales de Gand 1846, 80.  
 — japonicum Thunb. Thunb. Ic. jap. 1.  
 — javanicum Reimo. Fl. d. serres 7, 703.  
 — insigne Wall. Hook. Exot. Fl. 34.  
 — — — Lindley Collect. 32.  
 — — — Kerner Hort. 686.  
 — — — Lodd. Cab. 1321.  
 — — — Maund Bot. 2, 56.  
 — — — Bot. Mag. 62, 3412.  
 — — — Blume Rumphia 195.  
 — — — Hart. Parad. 1, 1.  
 — irapeanum L. et Lex. Bot. Reg. 32, 58.  
 — — — Fl. d. serres 3, 186.  
 — Lowii Ldl. Annales de Gand 1848, 195.  
 — — — Fl. d. serres 4, 375.  
 † — — — Journ. Hort. Soc. 5, 27.  
 — — — Ysabeau Journal 1850, 8.  
 — luteum Rafin. Rafin. Med. 30.  
 — macranthum Sw. Bot. Reg. 18, 1534.  
 — — — Bot. Mag. 56, 2938.  
 — — — Rehb. Exot. 99.  
 — — — Rehb. Fl. germ. 13, 498.  
 — parviflorum Sw. Bot. Mag. 23, 911.  
 — — — Lodd. Cab. 414.  
 † — — Salisb. Linn. Transact. 1, 2.  
 — — — Bot. Mag. 57, 3024.  
 — — — Pers. Sweet Fl. G. 80.  
 — pubescens Willd. Willd. Hortus 13.  
 — — — Kerner Hort. 143.  
 — — — Barton Fl. 3, 74.  
 — — — Lodd. Cab. 895.  
 — — — Herb. amat. 2, 134.  
 — — — Hook. Bor. Am. 206.  
 — — — Sweet Fl. G. 71.  
 — — — Belgique hort. 1, 21.  
 — purpuratum Ldl. Bot. Reg. 23, 1991.  
 — — — Wight Ic. pl. Ind. or. 5, 1760.  
 — — — Hart. Parad. 1, 1.  
 † — spectabile Sw. Linn. Transact. 1, 3.  
 — — — Barton Fl. 2, 65.  
 — — — Kerner Hort. 580.  
 — — — Lodd. Cab. 697.  
 — — — Bot. Reg. 20, 1666.  
 — — — Sweet Fl. G. 240.  
 — — — Fl. d. serres 5, 430.  
 — — — Belgique hort. 1, 21.  
 — ventricosum Sw. Sweet Fl. G. II. 1.  
 — — — Rehb. Fl. germ. 13, 497.  
 — venustum Wall. Hook. Ex. Fl. 35.  
 — — — Lodd. Cab. 585.  
 — — — Kerner Hort. 727.  
 — — — Rehb. Exot. 100.  
 — — — Bot. Reg. 10, 788.  
 — — — Bot. Mag. 47, 2129.  
 — — — Hart. Parad. 1, 4.  
*Cypsolea humifusa* Turp. Ann. Mus. 7, 12.  
*Cyrilla americana* L. Swartz Obs. 4.  
 — aquatica Roxb. Roxb. Corom. 189.  
 † — caroliniana Michx. Gaertn. Carp. 209.  
 — pulchella L'her. L'her. Stirp. 71.  
 — — — Bot. Mag. 11, 374.  
 — — — Kerner Hort. 80.  
 — — — Savi Fl. ital. 2, 80.  
 — racemiflora L. Jacq. Ic. 47.  
 — — — Bot. Mag. 51, 2456.

- † *Cyrtandra Forst.* Forster Charact. 3.  
 † — — Lam. Encycl. 11.  
 — *cordifolia Gaudich.* Freycinet Voyage 56.  
 — *Endlicheriana N. v. E.* Acta Leop. 19, Suppl. 10.  
 — *Garnotiana Gaudich.* Freycinet Voyage 53.  
 † *glabra Gaertn.* Gaertn. Carp. 224.  
 — *grandiflora Gaudich.* Freycinet Voyage 55.  
 — *Lessoniana Gaudich.* Freycinet Voyage 54.  
 † — *macrophylla Jack.* Linn. Transact. 14, 2.  
 † — — Calcutta Journal 1844, 15.  
 — *pendula Bl.* Hook. Ic. pl. 8, 735 — 736.  
 — *staminea Vahl.* Dict. sc. nat. 78.  
 — *triflora Gaudich.* Freycinet Voyage 52.  
 † *Cyrtandraceae Jack.* Wight Illustr. 142, 159<sup>b</sup>.  
*Cyrtanthera aurantiaca Hook.* Bot. Mag. 75, 4468.  
 — *catalpaefolia N. v. E.* Bot. Mag. 75, 4444.  
 — — Lem. Jard. fl. 1.  
 — *Ghiesbreghtiana Decne.* Fl. d. serres 4, 339.  
 — *Liboniana Lem.* Lem. Jard. fl. 3, 311.  
 — *magnifica N. v. E.* Endl. Bras. 7, 14.  
 † *Cyrtanthus Ait.* Herbert Amar. 33.  
 — *angustifolius Ait.* Bot. Mag. 8, 271.  
 — — — Jacq. Schoenbr. 1, 76.  
 — — — Red. Lil. 7, 388.  
 — — — Lodd. Cab. 368.  
 — — — Herb. amat. 4, 253.  
 — *carneus Ldl.* Bot. Reg. 17, 1462.  
 — *collinus Burch.* Bot. Reg. 2, 162.  
 — *obliquus Ait.* Jacq. Schoenbr. 1, 75.  
 — — — Red. Lil. 7, 381.  
 — — — Andr. Rep. 4, 265.  
 — — — Lodd. Cab. 947.  
 — — — Bot. Mag. 28, 1133.  
 — — — Kerner Hort. 157.  
 — — — Rehb. Exot. 120.  
 — — — Fl. d. serres 2, 156.  
 — *odorus Ker.* Bot. Reg. 6, 503.  
 — *pallidus Sims.* Bot. Mag. 51, 2471.  
 — *spiralis Burch.* Lodd. Cab. 1945.  
 — — — Bot. Reg. 2, 167.  
 — — — Rehb. Exot. 42.  
 — *striatus Herb.* Bot. Mag. 52, 2534.  
 — *uniflorus Ker.* Bot. Reg. 2, 168.  
 — *ventricosus Willd.* Kerner Hort. 234.  
 — *vittatus Desf.* Red. Lil. 4, 182.  
*Cyrtocarpa procera H. B. K.* H. B. K. Nov. Gen. 7, 609.  
*Cyrtoceras floribundum Maund.* Maund Bot. 4, 178.  
 — *reflexum Bennett.* Bennett Java 21.  
*Cyrtochilum bictoriense Batem.* Bateman Orchid. 6.  
 — *citrinum Hook.* Bot. Mag. 75, 4454.  
 — *filipes Ldl.* Bot. Reg. 27, 59.  
 — *flavescens Ldl.* Bot. Reg. 19, 1627.  
 — *leucochilum Planch.* Fl. d. serres 5, 522.  
 — *maculatum Ldl.* Lindley Sertum 25.  
 — — — Knowles et Westc. 57.  
 — — — var. *ecornutum*, Bot. Mag. 67, 3836.  
 — — — Bot. Mag. 68, 3880.  
 — — — Bot. Reg. 24, 44.  
 — *mystacinum Ldl.* Bot. Reg. 25, 62.  
 — *stellatum Ldl.* Lindley Sertum 7.  
 — *undulatum H. B. K.* H. B. K. Nov. Gen. 1, 84.  
 — *volubile P. et E.* Poepp. et Endl. 61.  
 † *Cyrtomium caryotideum Presl.* Hook. Gen. Fil. 49.  
*Cyrtopera Cullenii Wight.* Wight Ic. pl. Ind. or. 5, 1754.  
 — *flava Ldl.* Royle Illustr. 88.  
 — *fusca Wight.* Wight Ic. pl. Ind. or. 5, 1690.  
*Cyrtopodium Andersonii R. Br.* Lodd. Cab. 121.  
 — — — Bot. Mag. 43, 1800.  
 — — — Bot. Reg. 27, 8.  
 — *elegans Ham.* Hamilt. Prodr. Fl. Ind. occ. 0.  
 — *flavum Link et O.* Rehb. Hort. 214.  
 † — *glutiniferum Raddi.* Mem. Mod. 19, 0.

- Cyrtopodium glutiniferum Raddi.* Savi Fl. ital. 3, 97.  
 — *punctatum Ldl.* Lindley Sertum 12.  
 — — — Bot. Mag. 63, 3507.  
 — *Willmorei Kn. et W.* Knowles et Westcott 4.  
 — *Woodfordii Sims.* Bot. Mag. 43, 1814.  
 — — — Bot. Reg. 18, 1508.  
*Cyrtosia altissima Bl.* Blume Rumphia. 70.  
 † — *javanica Bl.* Blume Tabellen 6.  
 — — — Blume Rumphia 69.  
*Cyrtostachys Renda Bl.* Blume Rumphia 120.  
*Cyrtostylis reniformis R. Br.* Hook. Journ. 1834, 135.  
*Cyrtotropis carnea Wall.* Wall. Pl. asiat. 62.  
*Cystanche lutea Link.* Wight Ic. pl. 4, 1420, 1420<sup>b</sup>.  
 † — — — Wight Illustr. 158<sup>b</sup>.  
*Cystanthe sprengelioides R. Br.* Delessert Ic. 5, 27.  
 — — — Bot. Mag. 67, 3826.  
*Cyseta angulata Sm.* Engl. Bot. 2790.  
 — *angustata Sm.* Newman p. 156.  
 — *dentata Sm.* Newman p. 154.  
 — *fragilis Sm.* Newman p. 155.  
 — *regia Sm.* Newman p. 157.  
 † *Cysticapnos africana Gaertn.* Gaertn. Carp. 115.  
*Cyrtidanthus campanulatus Hassk.* Fl. d. serres 6, 623.  
 † *Cyrtodium sorbifolium Sm.* Hook. Gen. Fil. 96.  
 † *Cystogyne Gasp.* Rendic. Acad. Neap. 1844, 8.  
*Cystopteris alpina Hook.* Newman p. 149.  
 — *dentata Hook.* Newman p. 149.  
 — *dimidiata Decne.* Jacquemont Ind. 178.  
 † — *fragilis Bernh.* Schott Gen. Fil. 3.  
 † — — — Hook. Gen. Fil. 52.  
 — — — Newman p. 149 sq.  
 — *montana Link.* Newman p. 159.  
 — *retusa Decne.* Jacquemont Ind. 177.  
 — *rufescens Fée.* Mem. Strassb. 4, 6.  
*Cytheris Griffithii Wight.* Wight Ic. pl. 5, 1751, 1752.  
 † *Cytineae Brongn.* Schnizl. Ic. 1, 40, 1, suppl. 3.  
*Cytinus dioicus Juss.* Hook. Ic. pl. 4, 336.  
 † — *Hypocistis L.* Atti Nap. 1788, 18.  
 — — — Brotero Phytogr. 51.  
 — — — Cav. Ic. 171.  
 — — — Hook. Exot. Fl. 153.  
 — — — Tratt. Archiv 197.  
 — — — Tratt. Thes. 29.  
 — — — Sibth. Fl. gr. 938.  
 † — — — Lam. Encycl. 737.  
 † — — — Ann. sc. nat. 1, 4.  
 — — — Dict. sc. nat. 3.  
 — — — Schnizl. Ic. 1, 40.  
 — — — Rehb. Fl. germ. 11, 540.  
 † — — — Parlat. Giorn. bot. 2, 1.  
 † — — — Rendic. Acad. Neap. 1852, 0.  
*Cytisopsis doryeniifolia Jaub.* Jaubert Illustr. 84.  
*Cytisus acutangulus Jaub.* Jaubert Illustr. 153.  
 — *aeolicus Guss.* Bot. Reg. 22, 1902.  
 — — — Sweet Fl. G. II. 382.  
 — *albidus DC.* Webb Canar. 49.  
 — *alpinus Mill.* W. et Kit. 260.  
 † — — — Schk. Handb. 203.  
 — — — Guimp. Holzgew. 128.  
 — *Alschingeri Vis.* Visiani Dalm. 54.  
 — *argenteus L.* Brotero Phytogr. 69.  
 — — — Sturm Flora 14, 59.  
 — *austriacus L.* Jacq. Fl. austr. 1, 21.  
 — — — Sturm Flora 14, 59.  
 — — — Guimp. Holzgew. 131.  
 — *biflorus L'her.* W. et Kit. 166.  
 — — — Sturm Flora 14, 59.  
 — — — Ker. Bot. Reg. 4, 308.  
 — *Cajan L.* Gil et Xarez 5.  
 — — — Tuss. Ant. 4, 32.  
 — — — Desc. Ant. 4, 290.  
 — *calycinus M. v. B.* Lodd. Cab. 673.

- † *Cytisus candicans* Lam. Lam. Encycl. 618.  
 — capitatus Jacq. Jacq. Fl. austr. 1, 33.  
 — — — Sturm Flora 14, 59.  
 — — — Guimp. Holzgew. 130.  
 — — — Lodd. Cab. 497.  
 — divaricatus Sibth. Sibth. Fl. gr. 704.  
 — — — L'her. Bot. Mag. 34, 1387.  
 — elongatus W. et K. W. et Kit. 183.  
 — — — Guimp. Fr. Holzgew. 60.  
 — — — Andr. Rep. 10, 632.  
 — — — Watson Dendr. 2, 82.  
 — — — Bot. Reg. 4, 308.  
 — falcatus W. et K. W. et Kit. 238.  
 — — — Lodd. Cab. 520.  
 — filipes Webb. Webb. Canar. 47.  
 — foliolosus Ait. Bot. Mag. 12, 426.  
 — hirsutus L. Jacq. Obs. 96.  
 — — — Sibth. Sibth. Fl. gr. 706.  
 — laburno-purpureus Maund. Maund Bot. 1, 7.  
 — Laburnum L. Jacq. Fl. austr. 4, 306.  
 — — — Schk. Handb. 203.  
 — — — Guimp. Holzgew. 127.  
 — — — Bot. Reg. 5, 176.  
 — — — var. purpureum, Bot. Reg. 23, 1965.  
 — leucanthus W. et K. W. et Kit. 132.  
 — — — var. Rochel Banat. 13.  
 — — — Bot. Mag. 35, 1438.  
 — multiflorus Ldl. Bot. Reg. 14, 1191.  
 — nanus Willd. Watson Dendr. 2, 81.  
 — nigricans L. Jacq. Fl. austr. 4, 387.  
 — — — Sturm Flora 3, 12.  
 — — — Schrank Fl. monac. 2, 152.  
 — — — Lam. Encycl. 618.  
 — — — Guimp. Holzgew. 129.  
 — — — Dietr. Fl. bor. 9, 642.  
 — — — Lodd. Cab. 570.  
 — — — Bot. Reg. 10, 802.  
 — nubigenus DC. Webb. Canar. 46.  
 — pauciflorus Willd. Rehb. Ic. crit. 3, 259.  
 — persicus Burm. Burm. Fl. ind. 51.  
 — pinnatus L. Pallas Fl. ross. 47.  
 — proliferus L. fil. Vent. Cels 13.  
 — — — Lodd. Cab. 761.  
 — — — Bot. Mag. 44, 1908.  
 — — — Bot. Reg. 2, 121.  
 — pseudocajan Jacq. Jacq. Vind. 119.  
 — purpureus Scop. Schneevogt Ic. 34.  
 — — — Scop. Fl. carn. 2, 43.  
 — — — Jacq. Fl. austr. 5, 48.  
 — — — Sturm Flora 6, 24.  
 — — — Guimp. Fr. Holzgew. 107.  
 — — — Bot. Mag. 29, 1176.  
 — — — Lodd. Cab. 892.  
 — ramosissimus Ten. Tenore Fl. nap. 246.  
 — roscus Camb. Jacquemont Ind. 40.  
 — sessilifolius L. Bot. Mag. 8, 255.  
 — — — Sibth. Fl. gr. 705.  
 — — — Lam. Encycl. 618.  
 — spinescens Presl. Tenore Fl. nap. 242.  
 — — — Sieb. Visiani Dalm. 40.  
 — spinosus Lam. Desc. Ant. 1, 8.  
 — supinus Jacq. Jacq. Fl. austr. 1, 20.  
 — — — Schrank Fl. monac. 2, 175.  
 — — — Sturm Flora 14, 59.  
 — — — Guimp. Holzgew. 132.  
 — tener Jacq. Jacq. Ic. 147.  
 — tomentosus Andr. Andr. Rep. 4, 237.  
 — tribacteolatus Webb. Webb. Otia 3.  
 — triflorus L'her. Knowles et Westcott 102.  
 — Villarsii Vis. Visiani Dalm. 55.  
 — violaceus Aubl. Aublet Guiana 306.  
 — viscosus Hill. Hill Hortus Kew. 17.

- Cytisus Weldeni* Vis. Visiani Dalm. 39.  
 — — — Bot. Reg. 29, 40.  
 — — — wolgaricus Willd. Watson Dendr. 2, 83.  
 † *Czackia Liliastrum* Andr. Nees Gen. 2, 55.  
 — — — Bess. Rehb. Fl. germ. 10, 509.  
*Daboccia polifolia* Don. var. alba, Sweet Fl. G. II. 276.  
*Daerydium Colensoi* Hook. Hook. Ic. pl. 6, 548.  
 — — — cupressinum Soland. Pinetum Woburn. 67.  
 † — — — Richard Conif. 2.  
 — — — Lambert Pinus 2, 51.  
 — — — elatum Wall. Blume Rumphia 172<sup>b</sup>. 172<sup>c</sup>.  
 — — — Hook. Lond. Journ. 1843, 2.  
 — — — Franklinii Hook. Hook. Lond. Journ. 1845, 6.  
 — — — laxifolium Hook. fil. Hook. Ic. pl. 9, 815.  
*Dactylicapnos thalictrifolia* Wall. Wallich Tentamen 39.  
 — — — Link Ic. II. 34.  
 — — — Sweet Fl. G. II. 127.  
 † *Dactylis* Linn. Dumortier Gramin. 6.  
 — — — abbreviata Bernh. Rehb. Fl. germ. 1, 59.  
 — — — caespitosa Forst. Hook. Lond. Journ. 1843, 9, 10.  
 — — — Hook. Fl. ant. 136—137.  
 — — — cynosuroides L. Linné Fasc. pl. ups. 9.  
 — — — geniculata Burm. Burm. Fl. ind. 12.  
 — — — glomerata L. Fl. dan. 5, 743.  
 † — — — Lam. Encycl. 44.  
 — — — Schreber Gräser 8.  
 — — — Schk. Handb. 14.  
 — — — Host Gram. 194.  
 — — — Sturm Flora 2, 6.  
 — — — Engl. Bot. 5, 335.  
 — — — Knapp Gram. 62.  
 — — — Sv. Bot. 32.  
 — — — Elliott Carolina 9.  
 — — — Rehb. Fl. germ. 1, 59.  
 † — — — Münchn. Denkschr. 4, 8.  
 — — — Baxter Brit. Bot. 2, 108.  
 † — — — Nees Gen. 1, 65.  
 — — — hispanica Roth. Rehb. Fl. germ. 1, 59.  
 — — — lagopodioides L. Burm. Fl. ind. 12.  
 † — — — Lam. Encycl. 44.  
 — — — litoralis Willd. Host Gram. 328.  
 — — — maritima Schrad. Schrad. Fl. germ. 6.  
 — — — Suffr. Rehb. Fl. germ. 1, 59.  
 — — — pungens Schreb. Schreber Gräser 27.  
 — — — Desf. Fl. atl. 16.  
 — — — repens Sieb. Desf. Fl. atl. 15.  
 — — — Smithii Link. Webb. Canar. 249.  
 — — — stricta Ait. Engl. Bot. 6, 380.  
 — — — Knapp Gram. 63.  
*Dactyloctenium mucronatum* Willd. Trin. Sp. Gr. 1, 69.  
*Dactylostegium sparsiflorum* N. v. E. Endl. Bras. 7, 31.  
 † *Dactylostemon* Klotzsch. Wieg. Archiv 7, 8.  
*Daemia extensa* R. Br. Wight Ic. pl. Ind. or. 2, 596.  
 † — — — incana Decne. Ann. sc. nat. II. 9, 12.  
 † *Daemonorops* Bl. (Fructus.) Mart. Palm. 175. 176. Z<sup>12</sup>.  
 — — — accedens Bl. Blume Rumphia 133.  
 — — — adpersus Bl. Blume Rumphia 142—143.  
 — — — barbatus Bl. Blume Rumphia 145.  
 — — — crinitus Bl. Blume Rumphia 136.  
 — — — Draco Bl. Blume Rumphia 131—132. 137.  
 — — — fissus Bl. Blume Rumphia 144.  
 — — — heteracanthus Bl. Blume Rumphia 139.  
 — — — hirsutus Bl. Blume Rumphia 135. 163<sup>b</sup>.  
 — — — hygrophilus Mart. Mart. Palm. 177. Z<sup>9</sup>.  
 † — — — Jenkinsianus Mart. Mart. Palm. Z<sup>21</sup>.  
 — — — Kirtong Griff. Griffith Palms 216<sup>b</sup>.  
 † — — — Korthalsii Bl. Blume Rumphia 163<sup>b</sup>.  
 — — — melanochaetes Bl. Blume Rumphia 134. 137.  
 — — — Mart. Palm. 117. 125.  
 — — — oblongus Bl. Blume Rumphia 140. 141.  
 † — — — palimbanicus Bl. Blume Rumphia 163<sup>b</sup>.  
 † — — — strictus Bl. Blume Rumphia 163<sup>b</sup>.

- Dahlia* *Barkeriae* *Fl. Cab.* Knowles et Westcott 127.  
 — *bidentifolia* *Salisb.* *Salisb. Parad.* 19.  
 — *coccinea* *Cav.* *Cav. Ic.* 266.  
 — — — *Bot. Mag.* 20, 762.  
 — — — *Kerner Hort.* 299. 316. 317.  
 — — — *Ann. Mus.* 3, 37.  
 — *excelsa* *Maund.* *Maund Bot.* 2, 88.  
 — *glabrata* *Ldl.* *Bot. Reg.* 26, 29.  
 — — — *Bot. Mag.* 67, 3878.  
 — *nana* *Andr.* *Andr. Rep.* 7, 483.  
 — — — *var.* *Regel Gartenfl.* 1852, 10.  
 — *pinnata* *Cav.* *Cav. Ic.* 80.  
 — — — *Andr. Rep.* 6, 418.  
 — — — *Ann. Mus.* 3, 37.  
 — *purpurea* *Poir.* *Lam. Encycl.* 984.  
 — — — *Herb. amat.* 5, 291.  
 — *rosea* *Cav.* *Cav. Ic.* 265.  
 — — — *Ann. Mus.* 3, 37.  
 — *sambucifolia* *Salisb.* *Salisb. Parad.* 16.  
 — *scapigera* *Maund.* *Maund Bot.* 4, 161.  
 — — — *Knowles et Westcott* 118.  
 — *superflua* *R. Br.* *Bot. Reg.* 1, 55.  
 — — — *Bot. Mag.* 44, 1885.  
 — *variabilis* *Desf.* *Bot. Reg.* 1, 55.  
 — — — *Kerner Hort.* 289. 314. 315.  
 — — — *Fl. d. serres* 6, 556.
- Dais* *coccinea* *Gaudich.* *Freycinet Voyage* 44.  
 † *cotinifolia* *L.* *Gaertn. Carp.* 39.  
 † — — — *Lam. Encycl.* 368.  
 — — — *Bot. Mag.* 5, 147.  
 † — — — *Wendl. Beob.* 3.  
 — — — *Herb. amat.* 4, 214.  
 — *laurifolia* *Jacq.* *Jacq. Ic.* 77.  
 — *linifolia* *Lam.* *Lam. Encycl.* 368.  
 — *madagascariensis* *Lam.* *Lam. Encycl.* 368.  
 — *octandra* *L.* *Burm. Fl. ind.* 32.  
 — *spicata* *Endl.* *Endl. et Fenzl Sert. cab.* 3.
- Dalbergia* *Barclayii* *Telf.* *Hook. Exot. Fl.* 188.  
 — — — *Kerner Hort.* 824.  
 — *frondosa* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 266.  
 † *lanceolata* *Lam.* *Lam. Encycl.* 601.  
 — *latifolia* *Roxb.* *Roxb. Corom.* 113.  
 — — — *Wight Ic. pl. Ind. or.* 3, 1156.  
 — *marginata* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 87.  
 — *melanoxylon* *Guill.* *Guillemin Seneg.* 53.  
 † *monetaria* *Lam.* *Lam. Encycl.* 601.  
 — *ooginensis* *Roxb.* *Wight Ic. pl. Ind. or.* 2, 391.  
 — *paniculata* *Roxb.* *Rheede Hort. mal.* 5, 58.  
 — — — *Roxb. Corom.* 114.  
 — *phoenicea* *Tuss.* *Tuss. Ant.* 1, 19.  
 — *reniformis* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 261.  
 — *rimosa* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 262.  
 — *robusta* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 244.  
 — *rubiginosa* *Roxb.* *Roxb. Corom.* 115.  
 — *scandens* *Roxb.* *Rheede Hort. mal.* 6, 22.  
 — — — *Roxb. Corom.* 192.  
 — *stipulata* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 243.  
 — *tamarindifolia* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 242.  
 — *volubilis* *Roxb.* *Roxb. Corom.* 191.
- Dalea* *agastachya* *Moric.* *Moricand Pl. Am.* 44.  
 — *Alopecurus* *Moric.* *Moricand Pl. Am.* 8.  
 — — — *Mem. Genev.* 7, 8.  
 — *bicolor* *Willd.* *Willd. Hortus* 89.  
 — — — *Bonpland Malm.* 58.  
 — — — *Hook. Exot. Fl.* 43.  
 — *diffusa* *Moric.* *Mem. Genev.* 6, 6.  
 — — — *Moricand Pl. Am.* 6.  
 — *gracilis* *H. B.* *Humb. Mim.* 48.  
 — *Linnaei* *Michx.* *Michaux Fl.* 38.  
 † *Lippiastrum* *Gaertn.* *Gaertn. Carp.* 51.  
 — *macrostachya* *Moric.* *Mem. Genev.* 6, 5.  
 — — — *Moricand Pl. Am.* 5.

- Dalea* *mutabilis* *Willd.* *Bonpl. Malm.* 57.  
 — — — *Bot. Mag.* 51, 2486.  
 — *Mutisii* *H. B.* *Humb. Mim.* 47.  
 — *pectinata* *H. B.* *Humb. Mim.* 49.  
 — *penicillata* *Moric.* *Moricand Pl. Am.* 45.  
 — *Psoralea purpurea* *Lam.* *Lam. Encycl.* 980.  
 — *psoralicoides* *Moric.* *Mem. Genev.* 6, 4.  
 — — — *Moricand Pl. Am.* 4.  
 — *pulchella* *Moric.* *Mem. Genev.* 7, 7.  
 — — — *Moricand Pl. Am.* 7.  
 — *purpurea* *Vent.* *Vent. Cels* 40.  
 — *ramosissima* *Benth.* *Bentham Sulphur* 10.  
 — *trifoliata* *Moric.* *Mem. Genev.* 6, 3.  
 — — — *Moricand Pl. Am.* 3.
- Dalechampia* *indica* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1882.  
 — *micantha* *P. et E.* *Poepp. et Endl.* 222.  
 — *papposa* *Endl.* *Endl. Alacta* 20. 21.  
 — *scandens* *L.* *Jacq. Hist. stirp. am.* 239.  
 — *velutina* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1881.  
 † *villosa* *Lam.* *Lam. Encycl.* 788.
- Dalenia* *pulchra* *Korth.* *Korthals Bot.* 58.
- Dalhousiea* *bracteata* *Wall.* *Wight Ic. pl. Ind. or.* 1, 265.
- † *Dalibarda* *Linn.* *Nestler Potent.* 1.  
 — *calycina* *DC.* *Royle Illustr.* 39.  
 — *fragarioides* *Michx.* *Michaux Fl.* 28.  
 — — — *Bot. Mag.* 38, 1567.  
 — — — *Lodd. Cab.* 408.  
 — *lobata* *Baldw.* *Hook. Ic. pl.* 1, 76.  
 — *ternata* *Steph.* *Mem. Mosc.* 1, 10.  
 — *violaeoides* *Michx.* *Michaux Fl.* 27.
- Dalrympelia* *pomifera* *Roxb.* *Roxb. Corom.* 279.
- Dalzellia* *foliosa* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1919.  
 — *Lawii* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1919.  
 — *pedunculosa* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1919.  
 — *ramosissima* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1920.  
 — *zeylanica* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1919.
- Damasonium* *indicum* *Willd.* *Rheede Hort. mal.* 11, 46.  
 — — — *Roxb. Corom.* 185.  
 — — — *Bot. Mag.* 30, 1201.
- Dammara* *australis* *Don.* *Pinetum Woburn.* 59.  
 — — — *Lambert Pinus* 2, 44.
- † *graveolens* *Gaertn.* *Gaertn. Carp.* 103.  
 — *orientalis* *Don.* *Lambert Pinus* 2, 43.  
 — — — *Pinetum Woburn.* 58.  
 — *Perousii* *Moore.* *Hook. Journ.* 1852, 4.
- † *Damnacanthus* *indicus* *Gaertn. fil.* *Gaertn. Carp.* 182.
- † *Dampiera* *ovalifolia* *R. Br.* *Ann. Mus.* 18, 2.  
 † *stricta* *R. Br.* *Ann. Mus.* 18, 2.
- Danaa* *aquilegifolia* *All.* *All. Fl. ped.* 3, 63.  
 — — — *Mem. Mosc.* 5, 1. 2.
- Danae* *androgyna* *Webb.* *Webb Canar.* 224.  
 — *Gaya* *Webb.* *Webb Canar.* 224.
- † *Danaea* *Siv.* *Schrader Journal* 1801, 2.  
 † — — — *Kaulfuss Enum.* 1.  
 † *alata* *Sm.* *Hook. Gen. Fil.* 7.  
 — — — *Hook. Ic. Fil.* 1, 18.  
 — *elliptica* *Sm.* *Hook. Ic. Fil.* 1, 52.  
 — *geniculata* *Raddi.* *Raddi Fil.* 5.  
 — *Leprieurii* *Kze.* *Kunze Fil.* 60.  
 — *nodosa* *Sm.* *Schk. Fil.* 151.  
 — — — *Hook. Ic. Fil.* 1, 51.  
 — *paleacea* *Raddi.* *Raddi Fil.* 5.  
 — *simplicifolia* *Rudge.* *Rudge Pl. Guianae* 36.  
 — — — *Kunze Fil.* 50.  
 — *stenophylla* *Kze.* *Kunze Fil.* 28.  
 — *trifoliata* *Rehb.* *Kunze Analecta* 2.  
 — *Yegua Colla.* *Mem. Tur.* 38, 28.
- † *Danais* *fragrans* *Gaertn.* *Gaertn. Carp.* 195.
- † *Danthonia* *DC.* *Ann. Mus.* 17, 10.  
 — *Anisopogon* *Tr.* *Trin. Sp. Gr.* 1, 61.  
 — *cachemiriana* *Jaub.* *Jaubert Illustr.* 331.  
 — *caespitosa* *Gaudichd.* *Humb. Gram.* 177.

- Danthonia calycina* *Rchb.* *Rchb. Fl. germ.* 1, 103.  
 — *curvifolia* *Schrad.* *Trin. Sp. Gr.* 1, 50.  
 — *Forskâlii* *Tr.* *Trin. Sp. Gr.* 1, 49.  
 — *lanata* *Schrad.* *Trin. Sp. Gr.* 1, 62.  
 — *livida* *Tr.* *Trin. Sp. Gr.* 1, 50.  
 — *macrantha* *Schrad.* *Trin. Sp. Gr.* 1, 63.  
 — *pallescens* *Schrad.* *Trin. Sp. Gr.* 1, 64.  
 — *pallida* *R. Br.* *Trin. Sp. Gr.* 1, 65.  
 — *papillosa* *Schrad.* *Trin. Sp. Gr.* 1, 66.  
 — *pilosa* *R. Br.* *Trin. Sp. Gr.* 1, 51.  
 † — *provincialis* *DC.* *Nees Gen.* 1, 50.  
 — — — *Sturm Flora* 19, 86.  
 — — — *Trin. Sp. Gr.* 1, 67.  
 — *semiannularis* *R. Br.* *Trin. Sp. Gr.* 1, 52.  
 — *sericea* *Nutt.* *Trin. Sp. Gr.* 1, 53.  
 — *spicata* *Pal. Beauv.* *Humb. Gram.* 65.  
 — — — *Nutt.* *Trin. Sp. Gr.* 1, 54.  
 — *Thunbergii* *Kth.* *Humb. Gram.* 176.  
 — *tortuosa* *Tr.* *Trin. Sp. Gr.* 1, 0.  
 — *Unarede* *Decne.* *Raoul Nouv. Zel.* 3.  
 † *Daphne* *Linn.* *Kerner Genera* 190.  
 — *alpina* *L.* *Lodd. Cab.* 66.  
 — — — *Brandt und Ratzeb.* 10.  
 — — — *Sturm Flora* 6, 22.  
 — — — *Rchb. Fl. germ.* 11, 553.  
 — *altaica* *Pall.* *Pallas Fl. ross.* 35.  
 — — — *Lodd. Cab.* 399.  
 — — — *Bot. Mag.* 44, 1875.  
 — — — *Guimp. Fr. Holzgew.* 13.  
 — *andina* *P. et E.* *Poepp. et Endl.* 191.  
 — *argentea* *Sibth.* *Sibth. Fl. gr.* 355.  
 — *australis* *Cirillo.* *Bot. Reg.* 24, 56.  
 — *Blagayana* *Freyer.* *Rchb. Fl. germ.* 11, 555.  
 — *buxifolia* *Vahl.* *Sibth. Fl. gr.* 357.  
 — — — *Jaubert Illustr.* 306.  
 — *cannabinata* *Lour.* *Asiat. Res.* 13, 7, 8.  
 — *Cneorum* *L.* *Jacq. Fl. austr.* 5, 426.  
 — — — *Pollich Palat.* 1, 1.  
 — — — *Bot. Mag.* 9, 313.  
 — — — *Tratt. Archiv* 92.  
 — — — *Guimp. Holzgew.* 50.  
 — — — *Schrank Fl. monac.* 3, 252.  
 — — — *Brandt und Ratzeb.* 10.  
 — — — *Lodd. Cab.* 1800.  
 — — — *Rchb. Fl. germ.* 11, 554.  
 — *collina* *Dicks.* *Smith Spicil.* 18.  
 — — — *Sibth. Fl. gr.* 359.  
 — — — *Bot. Mag.* 12, 428.  
 — — — *Roemer Fl. eur.* 7, 4.  
 — — — *Lodd. Cab.* 1348.  
 — — — *var.* *Bot. Reg.* 10, 822.  
 — — — *Rchb. Fl. germ.* 11, 554.  
 — *coridifolia* *Lam.* *Lam. Encycl.* 290.  
 — *dioica* *Gouan.* *Gouan Illustr.* 17.  
 — *foliis pertusis*, *Desc. Ant.* 7, 512.  
 — *Fortunci* *Ldl.* *Journ. Hort. Soc.* 2, 1.  
 — — — *Fl. d. serres* 3, 208.  
 — *Gardneri* *Wall.* *Asiat. Res.* 13, 9.  
 — *Genkwa* *Sieb.* *Sieb. Fl. Jap.* 75.  
 — *glandulosa* *Bertol.* *Rchb. Fl. germ.* 10, 553.  
 — *glomerata* *Lam.* *Jaubert Illustr.* 303.  
 — *gnidioides* *Jaub.* *Jaubert Illustr.* 304.  
 — *Gnidium* *L.* *Sibth. Fl. gr.* 356.  
 — — — *Hayne* 3, 45.  
 — — — *Lodd. Cab.* 150.  
 — — — *Rchb. Fl. germ.* 11, 553.  
 — *hybrida* *Ldl.* *Bot. Reg.* 14, 1177.  
 — — — *Colv.* *Sweet Fl. G.* 200.  
 — *japonica* *Thunb.* *Paxt. Mag.* 8, 175.  
 — *jasminea* *Sibth.* *Sibth. Fl. gr.* 358.  
 — *indica* *L.* *Herb. amat.* 2, 105.  
 — — — *Hook. Beechey* 15.

- Daphne involucreta* *Wall.* *Asiat. Res.* 13, 6.  
 — *Laureola* *L.* *Jacq. Fl. austr.* 2, 183.  
 — — — *Curt. Lond.* 5, 206.  
 — — — *Engl. Bot.* 2, 119.  
 — — — *Hayne* 3, 44.  
 — — — *Brandt und Ratzeb.* 9.  
 — — — *Guimp. Holzgew.* 49.  
 — — — *Nees Düsseld.* 126.  
 — — — *Rchb. Fl. germ.* 11, 555.  
 † — — — *Nees Gen.* 4, 46.  
 — *Mezereum* *L.* *Fl. dan.* 2, 268.  
 † — — — *Lam. Encycl.* 290.  
 — — — *Schk. Handb.* 107<sup>a</sup>.  
 — — — *Sturm Flora* 2, 8.  
 — — — *Schrank Fl. mon.* 1, 36.  
 — — — *Liboschitz Pet.* 3.  
 — — — *Engl. Bot.* 20, 1381.  
 — — — *Sv. Bot.* 7.  
 — — — *Hayne* 3, 43.  
 — — — *Brandt und Ratzeb.* 8.  
 — — — *Guimp. Holzgew.* 48.  
 — — — *Guimp. et Schl.* 15.  
 — — — *Nees Düsseld.* 125.  
 — — — *Wagner* 85.  
 — — — *Woodv. Med.* 4, 245.  
 — — — *Dietr. Fl. bor.* 5, 302.  
 — — — *Rchb. Fl. germ.* 11, 556.  
 — — — *Sweet Brit. Bot.* 1, 1.  
 — — — *Baxter Brit. Bot.* 2, 96.  
 — — — *Dict. sc. nat.* 9.  
 † — — — *Plée Types* 25.  
 † — — — *Nees Gen.* 4, 46.  
 † — — — *Schnizl. Ic.* 2, 109.  
 — — — *var. foliis purpureis*, *Fl. d. serres* 6, 592.  
 — *mucronata* *Royle.* *Royle Illustr.* 6, 81.  
 — *napolitana* *Lodd.* *Lodd. Cab.* 719.  
 — *odora* *Thunb.* *Kaempfer Jap.* 16.  
 — — — *Jacq. Schoenbr.* 3, 351.  
 — — — *Smith Exot. Bot.* 47.  
 — — — *Bot. Mag.* 38, 1587.  
 — — — *Tratt. Archiv* 224.  
 — — — *Lodd. Cab.* 1927.  
 — — — *β. rubra*, *Sweet Fl. G. II.* 320.  
 — — — *Herb. amat.* 2, 105.  
 — — — *Schnizl. Ic.* 2, 109.  
 — *oleoides* *L.* *Schreber Ic.* 7.  
 — — — *Bot. Mag.* 44, 1917.  
 — — — *Lodd. Cab.* 299.  
 — — — *var. puberula*, *Jaubert Illustr.* 305.  
 — *papyracea* *Wall.* *Jacquemont Ind.* 148.  
 — *pendula* *Sm.* *Smith Ic. Linn.* 34.  
 — *pontica* *L.* *Andr. Rep.* 2, 73.  
 — — — *Bot. Mag.* 31, 1282.  
 — *sericea* *Vahl.* *Desf. Choix* 9.  
 — — — *Ann. Mus.* 10, 20.  
 — — — *Tratt. Archiv* 225.  
 — *Sophia* *Kalenicz.* *Bull. Mosc.* 1849, 1, 3.  
 — *striata* *Tratt.* *Tratt. Archiv* 91.  
 — — — *Brandt und Ratzeb.* 9.  
 — — — *Rchb. Fl. germ.* 11, 554.  
 — *Tartonraira* *L.* *Sibth. Fl. gr.* 354.  
 — — — *Lam. Encycl.* 290.  
 — *thesioides* *Lam.* *Lam. Encycl.* 290.  
 — *Thymelaea* *L.* *Gerard Fl. gallopr.* 17.  
 † *Daphnoidae* *Vent.* *Schnizl. Ic.* 2, 109.  
 † *Darea fiaccida* *Willd.* *Fée Fil.* 5, 27.  
 † — *inaequalis* *Willd.* *Fée Fil.* 5, 27.  
 — *obtusa* *Desv.* *Desvaux Journ.* 4, 12.  
 — *rhizophylla* *Lam. Encycl.* 867.  
 — *triloba* *Desv.* *Desvaux Journ.* 4, 12.  
 † — *vivipara* *Willd.* *Fée Fil.* 5, 27.  
*Dargeria limifolia* *Decne.* *Jacquemont Ind.* 121.

- Darlingtonia brachyloba DC. DC. Legum. 66.  
 — californica Torr. Smiths. Contr. 5, 12.  
 Daroea? furcans Bory. Bory Coquille 35.  
 Dartus perlaris Lour. Rumpf Amb. 4, 57.  
 Darwinia fascicularis Rudge. Linn. Transact. 11, 22.  
 † — — Acta Leop. 19, Suppl. II. 2.  
 Dasianthera luzonensis Presl. Presl Reliq. 66.  
 Dasyhirion graminifolium Zucc. Münchn. Abh. 3, 1.  
 — — — Otto Gart. Z. 1841, 1.  
 Dasyroma bengalense DC. Wight Ic. pl. Ind. or. 2, 568.  
 Dasyrcema pubescens Schott. Poepp. et Endl. 284.  
 Dasyphyllum argenteum H. B. K. H. B. K. N. G. 4, 308.  
 Dasyopogon bromeliaefolius R. Br. Flinders Voyage 8.  
 — — — Schmilz. Ic. 1, 51<sup>c</sup>.  
 Dasystemon calycinum DC. DC. Crassulacées 3.  
 Dasystephana asclepidea Borkh. Schrank Fl. mon. 1, 60.  
 † Datisca cannabina L. Gaertn. Carp. 30.  
 — — — Schk. Handb. 336.  
 † — — — Lam. Encycl. 823.  
 — — — Sibth. Fl. gr. 960.  
 † Datura L. Ann. sc. nat. III. 18, 16.  
 — alba N. v. E. Rheede Hort. mal. 2, 28.  
 — — — Wight Ic. pl. Ind. or. 3, 852.  
 — arborea L. Ruiz et Pav. Fl. 128.  
 — — — Kerner Hort. 8.  
 — ceratocaula Jacq. Jacq. Schoenbr. 3, 339.  
 — — — Kerner Hort. 171.  
 — — — Desc. Ant. 3, 175.  
 — — — Ort. Bot. Reg. 12, 1031.  
 — — — Bot. Mag. 61, 3352.  
 — cornigera Hook. Bot. Mag. 72, 4252.  
 — dubia Pers. Rheede Hort. mal. 2, 29. 30.  
 — fastuosa L. Rumpf Amb. 5, 87.  
 — — — Wight Ic. pl. Ind. or. 4, 1396.  
 † — — — Wight Illustr. 166<sup>bis</sup>.  
 — guayaquilensis Kth. Sweet Fl. G. II. 380.  
 — Hummatu Bernh. Annales de Gand 1846, 100.  
 — inermis Juss. Jacq. Vind. 3, 82.  
 — Metel L. Rumpf Amb. 5, 87.  
 — — — Bot. Mag. 35, 1440.  
 — — — Roxb. Wight Ic. pl. Ind. or. 3, 852.  
 — sarmentosa Lam. Desc. Ant. 3, 194.  
 — Stramonium L. Fl. dan. 3, 436.  
 — — — Curt. Lond. 1, 33.  
 — — — Woodv. Med. 2, 74.  
 — — — Schk. Handb. 43.  
 † — — — Lam. Encycl. 113.  
 — — — Sv. Bot. 43.  
 — — — Engl. Bot. 18, 1288.  
 — — — Desc. Ant. 3, 173.  
 — — — Bigelow Med. 1.  
 — — — Hayne 4, 7.  
 — — — Schrank Fl. monac. 2, 118.  
 — — — Brandt und Ratzeb. 15.  
 — — — Guimp. et Schl. 45.  
 — — — Nees Düsseld. 192.  
 — — — Dietr. Fl. bor. 3, 203.  
 — — — Baxter Brit. Bot. 2, 121.  
 † — — — Nees Gen. 5, 53.  
 — Tatula L. Meerburg Pl. sel. 13.  
 — — — Sweet Fl. G. 83.  
 Daubentonia punicea DC. Hart. Parad. 1, 13.  
 Daubentonia aurea Ldl. Bot. Reg. 21, 1813.  
 — fulva Ldl. Bot. Reg. 25, 53.  
 Dauceria acuta Dennst. Rheede Hort. mal. 5, 12.  
 — obtusa Dennst. Rheede Hort. mal. 5, 11.  
 Daucus aureus Desf. Desf. Fl. atl. 61.  
 — bicolor Sibth. Sibth. Fl. gr. 270.  
 — brachylobus Boiss. Boissier Esp. 68.  
 — Broteri Ten. Tenore Fl. nap. 222.  
 † — Carota L. Gaertn. Carp. 20.  
 † — — — Lam. Encycl. 192.  
 Daucus Carota L. Fl. dan. 5, 723.  
 — — — Schk. Handb. 61.  
 — — — Woodv. Med. 1, 50.  
 — — — Engl. Bot. 17, 1174.  
 — — — Sv. Bot. 104.  
 — — — Rousseau Bot. 28.  
 — — — Hayne 7, 2.  
 — — — Guimp. et Schl. 127.  
 — — — Nees Düsseld. 293.  
 — — — Wagner 61. 62.  
 — — — Dietr. Fl. bor. 10, 708.  
 — — — Baxter Brit. Bot. 3, 180.  
 † — — — Wight Illustr. 117.  
 — coadunatus Ten. Tenore Fl. nap. 222.  
 — crinitus Desf. Desf. Fl. atl. 62.  
 — glaberrimus Desf. Desf. Fl. atl. 64.  
 — gracilis Steinh. Ann. sc. nat. II. 9, 8.  
 — grandiflorus Desf. Desf. Fl. atl. 59.  
 — guttatus Sibth. Sibth. Fl. gr. 269.  
 — halophilus Brot. Brotero Phytogr. 168.  
 — hispidus Desf. Desf. Fl. atl. 63.  
 — involucratu Sibth. Sibth. Fl. gr. 271.  
 — littoralis Sibth. Sibth. Fl. gr. 272.  
 † — maritimus L. Gaertn. Carp. 20.  
 — — — Engl. Bot. 36, 2560.  
 — mauritanicus All. All. Fl. ped. 3, 61.  
 — meifolius Brot. Brotero Phytogr. 36.  
 † — muricatus L. Gaertn. Carp. 20.  
 — parviflorus Desf. Desf. Fl. atl. 60.  
 — polygamus Gouan. Jacq. Vind. 3, 78.  
 — serratus Moris. Moris Fl. sard. 77<sup>b</sup>.  
 — setifolius Desf. Desf. Fl. atl. 65.  
 — Visnaga L. Jacq. Vind. 3, 26.  
 Davallia achilleaeifolia Wall. Hook. Sp. Fil. 56.  
 — aculeata Hedw. Hedwig Fil. 23.  
 — — Sw. Hook. Sp. Fil. 54.  
 — affinis Hook. Hook. Sp. Fil. 52.  
 — amboinensis Hook. Hook. Sp. Fil. 56.  
 — angustata Wall. Hook. Ic. Fil. 2, 231.  
 — Belangeri Bory. Bélanger Ind. or. 7.  
 — Berteriana Colla. Mem. Tur. 39, 65.  
 — bidentata Schk. Schk. Fil. 127.  
 — bifida Kaulf. Hook. Ic. Fil. 2, 238.  
 — Blumeana Hook. Hook. Sp. Fil. 54.  
 — Boryana Presl. Hook. Ic. Fil. 2, 143.  
 — bullata Wall. Hook. Sp. Fil. 50.  
 — calvescens Wall. Hook. Sp. Fil. 48.  
 — canariensis Sm. Lodd. Cab. 142.  
 — — — Hook. Sp. Fil. 56.  
 — chaerophylla Wall. Hook. Sp. Fil. 51.  
 — chinensis Sw. Langsdorf et F. 27.  
 — ciliata Hook. Hook. Sp. Fil. 60.  
 — — Roxb. Calcutta Journal 1844, 32.  
 — contigua Sw. Hedwig Fil. 20.  
 — — — Hook. Ic. Fil. 2, 141.  
 — concinna Schrad. Kunze Fil. 37.  
 — Cumingii Hook. Hook. Sp. Fil. 45.  
 — decurrens Hook. Hook. Sp. Fil. 44.  
 — didyma Hedw. Hedwig Fil. 22.  
 — elata Sw. Schk. Fil. 127<sup>b</sup>.  
 — — — Hook. Sp. Fil. 55.  
 — elegans Sw. a. bidentata, Hook. Sp. Fil. 43.  
 — — — δ. conifolia, Hook. Sp. Fil. 43.  
 — Emersoni Hook. et Gr. Hook. Ic. Fil. 1, 105.  
 — epiphylla Forst. Schk. Fil. 127<sup>b</sup>.  
 — falcinella Presl. Presl Reliq. 11.  
 — fejeensis Hook. Hook. Sp. Fil. 55.  
 — ferruginea Willd. Acta Leop. II. 1, 12.  
 — flagellifera Wall. Hook. Ic. Fil. 2, 183.  
 — fumaroides Sw. Schk. Fil. 129.  
 — gibberosa Sw. Schk. Fil. 128.  
 — — — Hedwig Fil. 21.

- Davallia gibberosa* Sw. Sweet Austr. 31.  
 — *Goudotiana* Kze. Kunze Anal. 22.  
 — — Hook. Sp. Fil. 50.  
 — *Griffithiana* Hook. Hook. Sp. Fil. 49.  
 — *hemiptera* Bory. Bélanger Ind. or. 7.  
 — *heterophylla* Sm. Hook. Ic. Fil. 2, 230.  
 — *Hookeriana* Wall. Hook. Sp. Fil. 47.  
 — *Inrayana* Hook. Hook. Sp. Fil. 49.  
 — *inaequalis* Kze. Hook. Sp. Fil. 57.  
 — —  $\gamma$ . minor, Hook. Sp. Fil. 58.  
 — *Khasiyana* Hook. Hook. Sp. Fil. 47, 57.  
 — *Lindeni* Hook. Hook. Sp. Fil. 56.  
 — *Lindleyi* Hook. Hook. Sp. Fil. 58.  
 — *lonchitidea* Wall. Hook. Sp. Fil. 46.  
 — *mauritiania* Hook. Hook. Sp. Fil. 55.  
 — *membranulosa* Wall. Hook. Sp. Fil. 53.  
 — *multiflora* Roxb. Calcutta Journ. 1844, 31.  
 — *nitidula* Kze. Kunze Fil. 37.  
 — — Hook. Sp. Fil. 44.  
 — *Novae Zelandiae* Col. Hook. Sp. Fil. 51.  
 — *parallela* Wall. Hook. Sp. Fil. 42.  
 — *Parkeri* Hook. Hook. Sp. Fil. 53.  
 — *parvula* Wall. Hook. Ic. Fil. 2, 138.  
 — *pectinata* Sm. Hook. Ic. Fil. 2, 139.  
 — *pedata* Sw. Acta Leop. 11, 1, 13.  
 — — Hook. Sp. Fil. 45.  
 — *pentaphylla* Bl. Kunze Fil. 108.  
 — *pilosa* Roxb. Calcutta Journal 1844, 32.  
 — *pinnata* Cav. Hook. Sp. Fil. 60.  
 — *polyantha* Hook. Hook. Sp. Fil. 59.  
 — *polysperma* Poir. Lam. Encycl. 871.  
 — *procera* Hedw. Hedwig Fil. 24.  
 — *pulchella* Hook. Hook. Sp. Fil. 53.  
 † *pyxidata* Cav. Hook. Gen. Fil. 27.  
 — — Hook. Sp. Fil. 55.  
 — *retusa* Cav. Hook. Sp. Fil. 52.  
 † *Schimperi* Hook. Hook. Sp. Fil. 50.  
 — — Fée Fil. 5, 27.  
 — *Schlechtendalii* Presl. Hook. Sp. Fil. 54.  
 — *serraefolia* Wall. Hook. Ic. pl. 93.  
 — *sessilifolia* Bl. Kunze Fil. 107.  
 — *solida* Sw. Schk. Fil. 126.  
 — —  $\beta$ . latifolia, Hook. Sp. Fil. 42.  
 — *triphylla* Hook. Hook. Sp. Fil. 46.  
 — *uncinella* Kze. Kunze Fil. 140.  
 — *venusta* Schk. Schk. Fil. 128.  
 — *vestita* Bl. Hook. Sp. Fil. 41.  
 — *villosa* Wall. Hook. Sp. Fil. 48.  
 — *Vogelii* Hook. Hook. Sp. Fil. 59.  
*Daviesia acicularis* Sm. Lodd. Cab. 1234.  
 — — Bot. Mag. 53, 2679.  
 — *alata* Sm. Bot. Reg. 9, 728.  
 — *corymbosa* Andr. Andr. Rep. 10, 611.  
 — *denudata* Vent. Vent. Choix 6.  
 — — Lam. Encycl. 950.  
 — *genistoides* Lodd. Lodd. Cab. 1552.  
 — *glauca* Lodd. Lodd. Cab. 43.  
 — *latifolia* Andr. Andr. Rep. 10, 638.  
 — — Bot. Mag. 42, 1757.  
 — — Paxt. Mag. 4, 223.  
 — *linearis* Lodd. Lodd. Cab. 1615.  
 — *mimosoides* Dryand. Bot. Mag. 45, 1957.  
 — *physodes* Cunn. Bot. Mag. 72, 4244.  
 — — Annales de Gand 1846, 82.  
 — *ulicifolia* Andr. Andr. Rep. 5, 304.  
 — *ulicina* Sm. Lodd. Cab. 44.  
 — — Paxt. Mag. 4, 29.  
 — *umbellata* Lab. Bill. Nov. Holl. 137.  
 — *virgata* Cunn. Bot. Mag. 59, 3196.  
 † *Davilla Vandelli*. Roemer Scriptorcs 7.  
 — *brasiliانا* DC. Delessert Ic. 1, 71.  
 — *ciliata* A. Rich. Ramon Cuba 3.

- Davilla elliptica* St. Hil. St. Hil. Pl. us. 23.  
 — *flexuosa* St. Hil. St. Hil. Fl. Bras. 2.  
 — *lucida* Presl. Seemann Herald 13.  
 — *rugosa* Poir. St. Hil. Pl. us. 22.  
 — *Sagraeana* A. Rich. Ramon Cuba 2.  
 † *Davya Clausenii* Naud. Ann. sc. nat. III, 3, 7.  
 — *guianensis* DC. DC. Melast. 3.  
 — *paniculata* DC. Mart. Bras. 261.  
*Dawsonia Belangeri* Bory. Bélanger Ind. or. 16.  
*Debregeasia velutina* Gaudich. Gaudichaud Bonite 90.  
*Decacheata Haenkeana* DC. Delessert Ic. 4, 13.  
*Decadia aluminosa* Willd. Rumpf Amb. 3, 100.  
*Decaisnea densiflora* Brongn. Brongniart Coquille 39.  
 † *Decalepis Hamiltonii* W. et A. Wight Illustr. 182.  
 — — Wight Ic. pl. Ind. or. 4, 1285.  
*Decanema Bojerianum* Decne. Delessert Ic. 5, 68.  
 † — — Ann. sc. nat. II, 9, 12.  
*Decanenum courtalense* Wight. Wight Ic. pl. Ind. or. 3, 1081.  
 — *divergens* DC. Wight Ic. pl. Ind. or. 3, 1084.  
 — *Epilegium?* Wight. Rheede Hort. mal. 10, 63.  
 — *molle* DC. Delessert Ic. 4, 2.  
 — — — Wight Ic. pl. Ind. or. 3, 1082.  
 — *reticulatum* DC. DC. Composés 1.  
 — — — Wight Ic. pl. Ind. or. 3, 1080.  
 — — — Wight Spicil. 104.  
 — *silhetense* DC. Wight Ic. pl. Ind. or. 3, 1083.  
 † *Decaraphe Fockeana* Mig. Miquel Comment. 10.  
*Decaschistia crotonifolia* W. et A. Wight Ic. pl. Ind. or. 1, 42.  
 — *trilobata* Wight. Wight Ic. pl. Ind. or. 1, 88.  
 † *Decaspermum* Forst. Forster Charact. 37.  
*Decaspora Cunninghami* DC. Delessert Ic. 5, 25.  
*Declieuxia chiococcoides* H. B. K. H. B. K. Nov. Gen. 3, 281.  
*Decodon verticillatum* Ell. Torrey New York 28.  
 † *Decumaria barbara* L. Lam. Encycl. 403.  
 — *sarmentosa* Bosc. Act. soc. hist. nat. Par. 13.  
*Deeringia celosiooides* R. Br. Rumpf Amb. 5, 83.  
 — — — Endl. Iconogr. 62.  
 — — — Bot. Mag. 54, 2717.  
 — — — Wight Ic. pl. Ind. or. 2, 728.  
 — *tetragnyna* Roxb. Wight Ic. pl. Ind. or. 2, 729.  
*Defforgia borbonica* Lam. Lam. Encycl. 125.  
*Deguelia scandens* Aubl. Aublet Guiana 300.  
 — — — Lam. Encycl. 603.  
*Dehaasia cuneata* Bl. Blume Rumphia 46.  
 — *elongata* Bl. Blume Rumphia 47.  
 — *media* Bl. Blume Rumphia 45.  
 — *microcarpa* Bl. Blume Rumphia 44.  
*Deidamia alata* Aub. Aubert Iles d'Afr. 20.  
*Delaria ovalifolia* Desv. Ann. sc. nat. 9, 52.  
 — *pyrifolia* Desv. Ann. sc. nat. 9, 53.  
*Delima hebecarpa* DC. Delessert Ic. 1, 72.  
 — *sarmentosa* L. Burm. Fl. ind. 37.  
 † — — Gaertn. Carp. 106.  
 † — — Lam. Encycl. 475.  
 — — — Bot. Mag. 58, 3058.  
*Delissea acuminata* Gaudich. Freycinet Voyage 76.  
 — *clermontioides* Gaudich. Gaudichaud Bonite 47.  
 — *Kunthiana* Gaudich. Gaudichaud Bonite 77.  
 — *subcordata* Gaudich. Freycinet Voyage 77.  
 — *undulata* Gaudich. Freycinet Voyage 78.  
 † *Delphinium* L. Gray Genera 15.  
 — *Aconiti* L. Vahl Symb. 13.  
 — — — Rehb. III. Ac. 6.  
 — *Ajacis* L. Rehb. Fl. germ. 4, 67.  
 — *axilliflorum* DC. Delessert Ic. 1, 58.  
 — *alpinum* W. et K. W. et Kit. 246.  
 — — — Rehb. Fl. germ. 4, 74.  
 — *altissimum* Wall. Wall. Pl. asiat. 128.  
 — *axilliflorum* DC. Delessert Ic. 1, 50.

- Delphinium azureum* *Michx.* Delessert Ic. 1, 60.  
 — — — Bot. Reg. 23, 1999.  
 — — — Barlowii *Hort.* Bot. Reg. 23, 1944.  
 — — — Paxt. Mag. 5, 265.  
 — — — cashmerianum *Royle.* Royle Illustr. 12.  
 — — — cheilanthum *Fisch.* Rot. Reg. 6, 473.  
 — — — Lem. Jard. fl. 49.  
 — — — Sweet Fl. G. II. 309.  
 — — — chinense *Fisch.* Lodd. Cab. 71.  
 — — — Paxt. Mag. 7, 171.  
 — — — coeruleum *Camb.* Jacquemont Ind. 6.  
 — — — *Consolida* *L.* Fl. dan. 4, 683.  
 † — — — Lam. Encycl. 482.  
 — — — Sibth. Fl. gr. 504.  
 — — — Engl. Bot. 26, 1839.  
 — — — Sv. Bot. 58.  
 — — — Rchb. Fl. germ. 4, 66.  
 — — — Dietr. Fl. bor. 5, 336.  
 † — — — Plée Types 17.  
 — — — Baxter Brit. Bot. 4, 297.  
 — — — cuneatum *Stew.* Bot. Reg. 4, 327.  
 — — — Delessert Ic. 1, 61.  
 — — — decorum *F. et M.* Bot. Reg. 26, 64.  
 — — — divaricatum *Led.* Eichwald Cauc. 16.  
 — — — Knowles et Westc. 16.  
 — — — Rchb. Fl. germ. 4, 66.  
 † — — — elatum *L.* Gaertn. Carp. 65.  
 — — — Schk. Handb. 145.  
 † — — — Arch. Mus. 4, 4.  
 — — — exsertum *DC.* Delessert Ic. 1, 53.  
 — — — fissum *W. et K. W.* et Kit. 81.  
 — — — Rchb. Fl. germ. 4, 70.  
 — — — flavum *DC.* Delessert Ic. 5, 54.  
 — — — flexuosum *M. v. B.* Marschall Centur. 64.  
 — — — Treviranus Obs. 1.  
 — — — Forskålii *Rchb.* Rchb. Ill. Ac. 5.  
 — — — grandiflorum *L.* Rchb. Ill. Ac. 12. 13. 14.  
 — — — Bot. Mag. 41, 1686.  
 — — —  $\beta$ . chinense, Bot. Reg. 6, 472.  
 — — — var. Annales de Gand 1846, 83.  
 — — — halteratum *Sibth.* Sibth. Fl. gr. 507.  
 — — — Hoffmeisteri *Klotzsch.* Prinz Waldem. Himal. 39.  
 — — — Jacquemontianum *Camb.* Jacquemont Ind. 7.  
 — — — intermedium *Ait.* Bot. Reg. 23, 1963.  
 — — — var. coeruleascens, Bot. Reg. 23, 1984.  
 — — — var. pallidum, Bot. Reg. 23, 1969.  
 — — — var. palmatifidum, Bot. Reg. 24, 38.  
 — — — var. saphirinum, Bot. Reg. 24, 52.  
 — — — Rchb. Fl. germ. 4, 72.  
 — — — junceum *DC.* Rchb. Fl. germ. 4, 68.  
 — — — laxiflorum *DC.* Bot. Reg. 24, 30.  
 — — — macropetalum *DC.* Delessert Ic. 1, 56.  
 — — — magnificentum *Part.* Paxt. Mag. 16, 258.  
 — — — Menziesii *DC.* Bot. Reg. 14, 1192.  
 — — — montanum *DC.* Bot. Reg. 23, 1936.  
 — — — Rchb. Fl. germ. 4, 73.  
 — — — obcordatum *DC.* Delessert Ic. 1, 57.  
 — — — Oliverianum *DC.* Delessert Ic. 1, 51.  
 — — — pentagynum *Lam.* Brotero Phytogr. 78.  
 — — — Desf. Fl. atl. 111.  
 — — — peregrinum *L.* All. Fl. ped. 3, 25.  
 — — — Sibth. Fl. gr. 506.  
 — — — Rchb. Fl. germ. 4, 68.  
 — — — pictum *Willd.* Sweet Fl. G. 123.  
 — — — puniceum *Pall.* Knowles et Westc. 7.  
 — — — pusillum *Lab.* Bill. Syr. 4, 2.  
 — — — Requierii *DC.* Delessert Ic. 1, 63.  
 — — — rigidum *DC.* Delessert Ic. 1, 52.  
 — — — speciosum *M. v. B.* Marschall Cent. 5.  
 — — — Delessert Ic. 1, 62.  
 — — — Bot. Reg. 18, 1503.  
 — — — ? var. Wheeleri, Lem. Jard. fl. 196.

- Delphinium Staphisagria* *L.* Sibth. Fl. gr. 508.  
 — — — Woodv. Med. 3, 168.  
 — — — Nees Düssel. 392.  
 — — — Rchb. Fl. germ. 4, 69.  
 — — — tenuissimum *Sibth.* Sibth. Fl. gr. 505.  
 — — — Maund Bot. 1, 32.  
 — — — Sweet Fl. G. II. 366.  
 — — — tricornis *Michx.* Delessert Ic. 1, 59.  
 — — — Lodd. Cab. 306.  
 — — — Gray Genera 15.  
 — — — triste *Fisch.* Knowles et Westcott 54.  
 — — — urceolatum *Jacq.* Jacq. Ic. 101.  
 — — — Bot. Mag. 43, 1791.  
 — — — velutinum *Bertol.* Rchb. Fl. germ. 4, 71.  
 — — — vimineum *Don.* Bot. Mag. 64, 3593.  
 — — — Sweet Fl. G. II. 374.  
 — — — virgatum *Poir.* Delessert Ic. 1, 55.  
*Delilia Berterii* *Spr.* Bull. philom. 1823, 1.  
*Delima?* Piripu *DC.* Rheede Hort. mal. 7, 54.  
*Delucia ostruthioides* *DC.* Delessert Ic. 4, 40.  
*Demidovia tetragonoides* *Pall.* Pallas Enum. 1.  
*Dendrium buxifolium* *Desv.* Herb. amat. 4, 242.  
 † *Dendrobium Sw.* Schrader Journal 1799. 2, 2.  
 † — — — Bauer Orchid. 5.  
 † — — — acuminatum *Bl.* Blume Tabellen 69.  
 — — — aduncum *Wall.* Bot. Reg. 32, 15.  
 — — — aemulum *R. Br.* Bot. Mag. 56, 2906.  
 — — — aggregatum *Roxb.* Bot. Reg. 20, 1695.  
 — — — Bot. Mag. 65, 3643.  
 — — — Paxt. Mag. 6, 145.  
 — — — albosanguineum *Ldl.* Lem. Jard. fl. 203.  
 — — — Paxt. Fl. G. 57.  
 — — — Fl. d. serres 7, 721.  
 — — — album *Hook.* Hook. Exot. Fl. 142.  
 — — — *Wight.* Wight Ic. pl. Ind. or. 5, 1645.  
 — — — alpestre *Sw.* Swartz Annot. 1.  
 — — — Royle Illustr. 88.  
 — — — amoenum *Wall.* Knowles et Westc. 117.  
 — — — amplum *Ldl.* Wall. Pl. asiat. 29.  
 — — — Paxt. Mag. 7, 121.  
 — — — anceps *Sw.* Bot. Reg. 15, 1239.  
 — — — anosum *Ldl.* Paxt. Mag. 15, 97.  
 — — — antennatum *Ldl.* Bentham Sulphur 59.  
 † — — — appendiculatum *Ldl.* Blume Tabellen 69.  
 — — — aqueum *Ldl.* Bot. Reg. 29, 54.  
 — — — Lem. Jard. fl. 262.  
 — — — Bot. Mag. 78, 4640.  
 — — — Arachnites *Aub.* Aubert Orchid. 87.  
 — — — aureum *Ldl.* Wight Ic. pl. Ind. or. 5, 1646.  
 — — — var. pallidum, Bot. Reg. 25, 20.  
 — — — barbatulum *Ldl.* Wight Ic. pl. Ind. or. 3, 910.  
 — — — Barringtoniae *Sw.* Hook. Exot. Fl. 119.  
 — — — bifalce *Ldl.* Bentham Sulphur 58.  
 — — — Calceolaria *Carey.* Hook. Exot. Fl. 184.  
 — — — Cambridgeanum *Part.* Paxt. Mag. 6, 265.  
 — — — Bot. Mag. 75, 4450.  
 — — — carnosum *Presl.* Presl Symbolae 24.  
 — — — chrysanthum *Ldl.* Bot. Reg. 15, 1299.  
 — — — chrysoxylum *Ldl.* Bot. Reg. 33, 36.  
 — — — coeruleascens *Wall.* Lindley Sertum 18.  
 — — — compressum *Ldl.* Bot. Reg. 30, 53.  
 — — — cretaceum *Ldl.* Bot. Reg. 33, 62.  
 — — — Bot. Mag. 78, 4686.  
 — — — Lem. Jard. fl. 4, 344.  
 — — — Fl. d. serres 8, 818.  
 — — — crumenatum *Sw.* Rumpf Amb. 6, 47. fig. 2.  
 — — — Bot. Mag. 69, 4013.  
 — — — Bot. Reg. 25, 22.  
 — — — cucullatum *R. Br.* Bot. Reg. 7, 748.  
 — — — Bot. Mag. 48, 2242.  
 — — — Rchb. Exot. 65.  
 — — — cucumerinum *Mac Leay.* Bot. Reg. 29, 37.



- Dendrobium cucumerinum* Mac Leay. Bot. Mag. 77, 4619.
- — — Belgique hortic. 2, 69.
- cultriforme Aub. Aubert Orchid. 86.
- † — — — Mem. hist. nat. Par. 4, 8.
- cupreum Herb. Bot. Reg. 21, 1779.
- cymbidioides Ldl. Bot. Mag. 79, 4755.
- Dalhousieanum Paxt. Paxt. Mag. 11, 145.
- — — Bot. Reg. 32, 10.
- — — Fl. d. serres 7, 698.
- densiflorum Wall. Wall. Pl. asiat. 40.
- — — Bot. Mag. 62, 3118.
- — — Paxt. Mag. 5, 121.
- — — Herb. Bot. Reg. 21, 1828.
- Devonianum Paxt. Paxt. Mag. 7, 169.
- — — Bot. Mag. 75, 4429.
- — — Lem. Jard. fl. 11.
- — — Fl. d. serres 7, 647.
- — — Belgique hortic. 3, 31.
- discolor Ldl. Bot. Reg. 27, 52.
- Farmerii Paxt. Paxt. Mag. 15, 241.
- — — Lem. Jard. fl. 3, 307.
- — — Fl. d. serres 7, 741.
- — — Bot. Mag. 78, 4659.
- filiforme Wight. Wight Ic. pl. Ind. or. 5, 1642.
- fimbriatum Hook. Hook. Exot. Fl. 71.
- — — Bot. Mag. 71, 4160.
- — — Paxt. Mag. 2, 172.
- — — Paxt. Fl. G. 84.
- — — Lem. Jard. fl. 3, 314.
- — — Wall. Knowles et Westc. 109.
- † — flavescens Ldl. Blume Tabellen 69.
- foliosum Brongn. Brongniart Coquille 41.
- formosum Roxb. Wall. Pl. asiat. 39.
- — — Bot. Reg. 25, 64.
- — — Paxt. Mag. 6, 49.
- — — Fl. d. serres 3, 226.
- — — Annales de Gand 1848, 171.
- funiforme Bl. Blume Rumphia 193, 198.
- fusiforme Aub. Aubert Orchid. 85.
- Gibsonii Paxt. Paxt. Mag. 5, 169.
- graminifolium Wight. Wight Ic. pl. Ind. or. 5, 1649.
- grandiflorum H. B. K. H. B. K. Nov. Gen. 1, 88.
- Harrisoniae Hook. Hook. Exot. Fl. 120.
- heterocarpum Wall. Wall. Pl. asiat. 196.
- — — Ldl. Bot. Mag. 79, 4708.
- — — Fl. d. serres 8, 842.
- heteroideum Bl. Blume Rumphia 193.
- Heyneanum Ldl. Wight Ic. pl. Ind. or. 3, 909.
- humile Wight. Wight Ic. pl. Ind. or. 5, 1643.
- Jenkinsii Wall. Bot. Reg. 25, 37.
- Jerdonianum Wight. Wight Ic. pl. Ind. or. 5, 1644.
- Kingianum Bidwill. Paxt. Mag. 12, 97.
- — — Bot. Reg. 31, 61.
- — — Bot. Mag. 76, 4527.
- — — Lem. Jard. fl. 143.
- † — Kuhlii Ldl. Bot. Reg. 33, 47.
- † — lamellatum Ldl. Blume Tabellen 10.
- Lanceola Sw. Swartz Annot. 2.
- leopardinum Wall. Wallich Tentamen 28.
- linguiforme Sw. Smith Exot. Bot. 11.
- longicornu Ldl. Bot. Reg. 16, 1315.
- macranthum Ldl. Bot. Mag. 69, 3970.
- — — Fl. d. serres 8, 757.
- macrophyllum Rich. Lindley Sertum 35.
- — — Paxt. Mag. 8, 97.
- macrostachyum Ldl. Bot. Reg. 22, 1865.
- — — Wight Ic. pl. Ind. or. 3, 1647.
- mexicanum Presl. Presl Symbolae 25.
- microbolbon A. Rich. Ann. sc. nat. II. 15, 8.
- Mirbelianum Gaudich. Freycinet Voyage 38.

- Dendrobium moniliforme* Sw. Bot. Reg. 16, 1314.
- — — Maund Bot. 4, 194.
- — — Paxt. Mag. 3, 77.
- — — Bot. Mag. 71, 4153.
- — — Annales de Gand 1847, 137.
- moschatum Wall. Wall. Pl. asiat. 195.
- — — Maund Bot. 1, 37.
- — — Paxt. Mag. 2, 241.
- — — Bot. Mag. 67, 3837.
- — — Hart. Parad. 2, 2.
- nobile Ldl. Lindley Sertum 3.
- — — Hart. Parad. 1, 11.
- — — Paxt. Mag. 7, 7.
- nutans Presl. Presl Symbolae 23.
- Paxtoni Ldl. Paxt. Mag. 6, 169.
- — — Fl. d. serres 7, 725.
- Pierardi Roxb. Hook. Exot. Fl. 9.
- — — Bot. Mag. 52, 2584.
- — — Lodd. Cab. 750.
- — — Bot. Reg. 21, 1756.
- — — Wight Ic. pl. Ind. or. 3, 908.
- polystachyum Aub. Aubert Orchid. 84.
- † — — — Mem. hist. nat. Par. 4, 8.
- — — Lindley Collect. 20.
- — — Lodd. Cab. 458.
- ? pubescens Hook. Hook. Exot. Fl. 124.
- — — Kerner Hort. 836.
- pulchellum Roxb. Lodd. Cab. 1935.
- — — Maund Bot. 1, 5.
- punctatum Sw. Smith Exot. Bot. 12.
- † — pusillum Ldl. Blume Tabellen 69.
- ramosissimum Wight. Wight Ic. pl. Ind. or. 5, 1648.
- rhombeum Ldl. Bot. Reg. 29, 17.
- Ruckeri Ldl. Bot. Reg. 29, 60.
- sanguinolentum Ldl. Bot. Reg. 29, 6.
- secundum Ldl. Bot. Reg. 15, 1291.
- — — Rehb. Exot. 269.
- — — Wall. Bot. Mag. 74, 4352.
- speciosum Sm. Smith Exot. Bot. 10.
- † — — — Bauer Orchid. (Gen.) 6.
- — — Bot. Mag. 58, 3074.
- — — Bot. Reg. 19, 1610.
- squalens Ldl. Bot. Reg. 9, 732.
- — — Lodd. Cab. 1059.
- sulcatum Ldl. Bot. Reg. 24, 65.
- taurinum Ldl. Bot. Reg. 29, 28.
- — — Paxt. Mag. 10, 217.
- teretifolium R. Br. Endl. Iconogr. 99.
- — — Bot. Mag. 79, 4711.
- tortile Ldl. Bot. Mag. 75, 4477.
- transparens Wall. Bot. Mag. 78, 4663.
- — — Paxt. Fl. G. 27.
- — — Lem. Jard. fl. 68.
- triadenium Ldl. Bot. Reg. 33, 1.
- tribuloides Sw. Swartz Annot. 1.
- veratrifolium Ldl. Bentham Sulphur 69.
- † *Dendrochilum pallidiflavens* Bl. Blume Tabellen 52.
- † — simile Bl. Blume Tabellen 52.
- † *Dendrocolla arachnites* Bl. Blume Tabellen 67.
- † — emarginata Bl. Blume Tabellen 67.
- † *Dendroglossa Fée.* Fée Fil. 5, 7.
- Dendromecon rigidum* Benth. Hook. Ic. pl. 1, 37.
- Dendrophila trifoliata* Bl. Blume Rumphia 190.
- Densophyllis* Aub. Aubert Orchid. 107.
- † *Dentaria* L. Gray Genera 56.
- bulbifera L. Schk. Handb. 183.
- — — Fl. dan. 3, 361.
- — — Engl. Bot. 5, 309.
- — — Sv. Bot. 356.
- — — Tratt. Archiv 152.
- — — Sturm Flora 12, 48.

- Dentaria bulbifera* *L.* *Rchb. Fl. germ.* 2, 31.  
 — — — *Baxter Brit. Bot.* 2, 145.  
 — *canescens* *Ten.* *Tenore Fl. nap.* 241.  
 — *digitata* *Lam.* *Lodd. Cab.* 757.  
 — — — *Sturm Flora* 12, 48.  
 — — — *Sweet Fl. G. II.* 72.  
 — *diphylla* *Michx.* *Bot. Mag.* 36, 1465.  
 — *enneaphylla* *L.* *Jacq. Fl. austr.* 4, 316.  
 — — — *Rchb. Fl. germ.* 2, 30.  
 — — — *Sturm Flora* 12, 48.  
 — *glandulosa* *W. et K.* *W. et Kit.* 272.  
 — — — *Sturm Flora* 12, 45.  
 — — — *Rchb. Fl. germ.* 2, 30.  
 — *heptaphyllos* *Clus.* *Rchb. Fl. germ.* 2, 32.  
 — *laciniata* *Mühlenb.* *Barton Flora* 3, 72.  
 — *maxima* *Nutt.* *Gray Genera* 56.  
 — *pentaphylla* *L.* *Bot. Mag.* 48, 2202.  
 — — — *Rchb. Fl. germ.* 2, 31.  
 † *pinnata* *Lam.* *Lam. Encycl.* 562.  
 — — — *Sturm Flora* 12, 48.  
 — *polyphylla* *W. et K.* *W. et Kit.* 160.  
 — — — *Rchb. Fl. germ.* 2, 32.  
 — *quinquefolia* *M. v. B.* *Delessert Ic.* 2, 33.  
 — *trifida* *Lam.* *Lam. Encycl.* 562.  
 — *trifolia* *W. et K.* *W. et Kit.* 139.  
 — — — *Rchb. Fl. germ.* 2, 30.  
*Dentella repens* *Forst.* *Rheede Hort. mal.* 9, 39.  
 † — — — *Forster Char.* 13.  
 † — — — *Lam. Encycl.* 118.  
*Deparia Mathewsii* *Hook.* *Hook. Sp. Fil.* 30.  
 — *Moorii* *Hook.* *Hook. Journ.* 1852, 3.  
 † — *prolifera* *Hook.* *Hook. Gen. Fil.* 44.  
 — — — *Hook. Ic. Fil.* 2, 154.  
 —? — — — *Gaudichaud Bonite* 80.  
*Deppea hedyotidea* *DC.* *Endl. Atacta* 24.  
*Derderia berardioides* *Jaub.* *Jaubert Illustr.* 290.  
 — *cheirifolia* *Jaub.* *Jaubert Illustr.* 180.  
 — *macrocephala* *Jaub.* *Jaubert Illustr.* 67.  
 † *Deschampsia* *Pal. Beauv.* *Dumortier Gramin.* 7.  
 — — — *Trin. Sp. Gr.* 3, 253—260.  
 — *caespitosa* *Pal. B.* *var. Trin. Sp. Gr.* 3, 255.  
 † — — — *Nees Gen.* 1, 43.  
 — *calycina* *Presl.* *Trin. Sp. Gr.* 3, 257.  
 † — *flexuosa* *Trin.* *Nees Gen.* 1, 43.  
 † *Desfontainea* *Rz et P.* *Ruiz et Pav. Prodr.* 5.  
 — *spinosa* *Rz et P.* *Ruiz et Pav. Fl.* 186.  
 — — — *Hook. Ic. pl.* 1, 33.  
 — — — *Gay Chile* 56.  
 — *splendens* *H. B.* *Humb. Pl. aeq.* 45.  
*Desmanthus depressus* *H. B.* *Humb. Mim.* 33.  
 — *natans* *Willd.* *Rheede Hort. mal.* 9, 20.  
 — — — *Jacq. Ecl. pl.* 50.  
 — — — *Andr. Rep.* 10, 629.  
 — *trichostachys* *DC.* *DC. Legum.* 67.  
 — *triqueter* *Willd.* *Wight Ic. pl. Ind. or.* 3, 756.  
 — *virgatus* *Willd.* *Bot. Mag.* 51, 2454.  
 † *Desmidorchis Forskålîi* *Decne.* *Ann. sc. nat.* II, 9, 9.  
 — *quadrangula* *Ehrenb.* *Ehrenb. Symb.* 7.  
 — *retrospiciens* *Ehrenb.* *Ehrenb. Symb.* 7.  
*Desmochaeta atropurpurea* *DC.* *Rheede Hort. mal.* 10, 59.  
 — — — *Jacq. Ecl. pl.* 96.  
 — — — *Wight Ic. pl. Ind. or.* 2, 731.  
 — *flavescens* *DC.* *Jacq. Ecl. pl.* 75.  
 — *muricata* *DC.* *Wight Ic. pl. Ind. or.* 2, 732.  
 — *prostrata* *DC.* *Rheede Hort. mal.* 10, 79.  
 — — — *Wight Ic. pl. Ind. or.* 2, 733.  
*Desmodium adscendens* *DC.* *Bot. Reg.* 10, 815.  
 — *canadense* *DC.* *Bot. Mag.* 64, 3553.  
 — *cephalotes* *Wall.* *Wight Ic. pl. Ind. or.* 2, 373.  
 — *congestum* *Wall.* *Wight Ic. pl. Ind. or.* 1, 209.  
 — *diffusum* *DC.* *Wight Ic. pl. Ind. or.* 1, 298.  
 — — — 2, 409.  
*Desmodium dubium* *Ldl.* *Bot. Reg.* 12, 967.  
 — — — *Bot. Mag.* 57, 2960.  
 — *gangeticum* *DC.* *Rumpf Amb.* 6, 66.  
 — — — *Wight Ic. pl. Ind. or.* 1, 271.  
 — *gyrans* *DC.* *Wight Ic. pl. Ind. or.* 1, 294.  
 — *latifolium* *DC.* *Bot. Reg.* 5, 355.  
 — — — *Wight Ic. pl. Ind. or.* 1, 270.  
 — — — *Wight.* *Wight Ic. pl. Ind. or.* 1, 272.  
 † — *marylandicum* *DC.* *Denkschr. d. Wiener Ak.* 1, 3.  
 — *nutans* *Hook.* *Bot. Mag.* 55, 2867.  
 — *patens* *Rozeb.* *Wight Ic. pl. Ind. or.* 2, 407.  
 — *pendulum* *Wall.* *Wall. Pl. asiat.* 94.  
 — *podocarpum* *DC.* *Hook. Beechey* 96.  
 — *polycarpum* *DC.* *Wight Ic. pl. Ind. or.* 2, 406.  
 — *quinqueangulare* *Wight.* *Wight Ic. pl.* 1, 293.  
 — *recurvatum* *Grah.* *Wight Ic. pl. Ind. or.* 2, 374.  
 — *rufescens* *DC.* *Wight Ic. pl. Ind. or.* 3, 984.  
 — — — *Wight Illustr.* 79.  
 — — — *Wight Spicil.* 57.  
 — *sequax* *Wall.* *Wall. Pl. asiat.* 157.  
 — *strangulatum* *W. et A.* *Wight Ic. pl. Ind. or.* 3, 985.  
 — — — *Wight Spicil.* 58.  
 — *triflorum* *DC.* *Wight Ic. pl. Ind. or.* 1, 291. 292.  
 † *Desmoncus* *sp. nova,* *Mart. Palm.* Z<sup>9</sup>.  
 — *lophacanthos* *Mart.* *Mart. Palm.* 165.  
 — *macroacanthus* *Mart.* *Wallace Palms* 27.  
 — *orthacanthos* *Mart.* *Mart. Palm.* 69. 98.  
 — *polyacanthos* *Mart.* *Mart. Palm.* 68.  
 — *rudentum* *Mart.* *D'Orbigny Voyage* 14. 26.  
 † *Desmoscelis villosa* *Naud.* *Ann. sc. nat.* III, 12, 14.  
 † *Desmotrichum angulatum* *Bl.* *Blume Tabellen* 35.  
 † — *pusillum* *Bl.* *Blume Tabellen* 35.  
*Despretzia mexicana* *Kth.* *Humb. Gram.* 157.  
*Destrugesia scabrada* *Gaudich.* *Gaudichaud Bonite* 57.  
 † *Desvauxia Billardieri* *R. Br.* *Acta Leop.* 17. 1, 2.  
 — *exserta* *R. Br.* *Guillem. Austr.* 17.  
 — *pulvinata* *R. Br.* *Guillem. Austr.* 17.  
 — *strigosa* *R. Br.* *Guillem. Austr.* 17.  
*Detarium senegalense* *Gmel.* *Guillem. Seneg.* 59.  
*Deutzia corymbosa* *R. Br.* *Royle Illustr.* 46.  
 — — — *Bot. Reg.* 26, 5.  
 — *crenata* *Sieb. et Z.* *Sieb. Fl. Japon.* 6.  
 — *gracilis* *Sieb. et Z.* *Sieb. Fl. Japon.* 8.  
 — — — *Lem. Jard. fl.* 44.  
 — — — *Fl. d. sorrés* 6, 611.  
 — — — *Belgique hortic.* 1, 53.  
 — *scabra* *Thunb.* *Thunb. Fl. jap.* 24.  
 — — — *Thunb. Diss.* 1, 1.  
 † — — — *Gaertn. Carp.* 184.  
 — — — *Lam. Encycl.* 380.  
 — — — *Bot. Reg.* 20, 1718.  
 — — — *Bot. Mag.* 67, 3838.  
 — — — *Sieb. Fl. Japon.* 7.  
 — — — *Sweet Fl. G. II.* 393.  
 — *staminea* *R. Br.* *Wall. Pl. asiat.* 191.  
 — — — *Bot. Reg.* 33, 13.  
 — — — *Annales de Gand* 1847, 141.  
*Devillea flagelliformis* *Tul.* *Arch. Mus.* 6, 13.  
*Deyouxia effusa* *H. B. K.* *H. B. K. Nov. Gen.* 1, 46.  
 † — *montana* *Poir.* *Lam. Encycl.* 907.  
 — *recta* *H. B. K.* *H. B. K. Nov. Gen.* 7, 686.  
 † — *silvatica* *Kth.* *Nees Gen.* 1, 34.  
 † *Diacalpe aspidioides* *Bl.* *Hook. Gen. Fil.* 99.  
*Diadenium micranthum* *P. et E.* *Poepp. et Endl.* 71.  
*Dialesta discolor* *H. B. K.* *H. B. K. Nov. Gen.* 4, 320.  
*Dialium guineense* *Willd.* *Roemer Archiv* I, 6.  
 — *javanicum* *Burm.* *Rumpf Amb.* 3, 137.  
 — *indum* *L.* *Rumpf Amb.* 3, 137.  
 — — — *Bennett Java* 30.  
 — *nitidum* *Guill.* *Guillem. Seneg.* 58.  
 † *Diamorpha Nutt.* *DC. Crassulacées* 1.  
*Dianella coerulea* *Sims.* *Bot. Mag.* 15, 505.

- Dianella* *cocrulea* Sims. Red. Lil. 2, 79.  
 — *dubia* H. B. K. H. B. K. Nov. Gen. 7, 675.  
 — *ensifolia* Ait. Red. Lil. 1, 1.  
 — — Bot. Mag. 34, 1404.  
 — — Wight Ic. pl. Ind. or. 6, 2053.  
 — *longifolia* R. Br. Bot. Reg. 9, 734.  
 — *memorosa* Jacq. Jacq. Schoenbr. 1, 94.  
 — — Lam. Encycl. 250.  
 — *revoluta* R. Br. Bot. Reg. 13, 1120.  
 — *strumosa* Ker. Bot. Reg. 9, 751.  
 — — Lodd. Cab. 1136.  
 — — Rchb. Exot. 90.
- Dianthera* *acuminata* R. et P. Ruiz et Pav. Fl. 16.  
 — *appendiculata* R. et P. Ruiz et Pav. Fl. 11.  
 — *bicalyculata* Retz. Svensk Acad. 1775, 9.  
 — *ciliata* R. et P. Ruiz et Pav. Fl. 14.  
 — *hirsuta* R. et P. Ruiz et Pav. Fl. 13.  
 — *hyssopifolia* Burm. Burm. Fl. ind. 5.  
 — *japonica* Thunb. Thunb. Fl. jap. 4.  
 † — *malabarica* L. Gaertn. Carp. 51.  
 — *mucronata* R. et P. Ruiz et Pav. Fl. 16.  
 — *multiflora* R. et P. Ruiz et Pav. Fl. 14.  
 — *Petersiana* Klotzsch. Peters Mossamb. 27.  
 — *repens* R. et P. Ruiz et Pav. Fl. 15.  
 — *secundiflora* R. et P. Ruiz et Pav. Fl. 15.  
 — *tetrandra* Retz. Svensk Acad. 1775, 8.
- † *Dianthus* *L.* Mutel Fl. fr. 11. 12. 13.  
 — *aggregatus* Poir. Sweet Fl. G. II. 166.  
 — *alpestris* Balb. Mem. Tur. 7, 1.  
 — *alpinus* L. Jacq. Fl. austr. 1, 52.  
 — — Sturm Flora 13, 51.  
 — — Rchb. Fl. germ. 6, 262.  
 — — Andr. Rep. 7, 482.  
 — — Lodd. Cab. 67.  
 — — Bot. Mag. 30, 1205.  
 — — Sweet Fl. G. II. 408.  
 — *anticarius* B. et R. Willkomm Ic. 1, 11.  
 — *arboreus* L. Sibth. Fl. gr. 406.  
 — — Lodd. Cab. 439.  
 — — Rchb. Ic. crit. 6, 541.  
 — *Arbuscula* R. Br. Bot. Reg. 13, 1086.  
 — *arenarius* L. DC. Ic. Gall. 41.  
 — — Sv. Bot. 613.  
 — — Bot. Mag. 46, 2038.  
 — — Rchb. Ic. crit. 2, 137.  
 — — Rchb. Fl. germ. 6, 256.  
 — — Dietr. Fl. bor. 7, 491.  
 — *Armeria* *L.* Fl. dan. 2, 230.  
 — — Curt. Lond. 4, 134.  
 — — Engl. Bot. 5, 317.  
 — — Schk. Handb. 121.  
 — — Sturm Flora 6, 23.  
 — — Rchb. Fl. germ. 6, 249.  
 — *armerio-deltoides* Rchb. Rchb. Fl. germ. 6, 263.  
 — *asper* Schleich. Rchb. Ic. crit. 6, 544.  
 — — Rchb. Fl. germ. 6, 254.  
 — *atrorubens* All. Jacq. Ic. 467.  
 — — Bot. Mag. 43, 1775.  
 — — Rchb. Ic. crit. 6, 538.  
 — — Rchb. Fl. germ. 6, 250.  
 — *attenuatus* Sm. Willkomm Ic. 1, 3. 4.  
 — *Balbisii* Ser. Sweet Fl. G. II. 23.  
 — *barbatus* L. Bot. Mag. 6, 207.  
 — — Rchb. Fl. germ. 6, 248.  
 — *bebius* Vis. Rchb. Fl. germ. 6, 264.  
 — *bicolor* M. v. B. Rchb. Hort. 25.  
 — *biflorus* Sibth. Sibth. Fl. gr. 393.  
 — *Bisignani* Ten. Tenore Fl. nap. 39.  
 — — Rchb. Ic. crit. 6, 591.  
 — — Bot. Reg. 24, 29.  
 — *Boissieri* Willk. Willkomm Ic. 1, 13.  
 — *brachyanthus* Boiss. Boissier Esp. 24.

- Dianthus* *brachyanthus* Boiss. Willkomm Ic. 1, 5.  
 — *caesius* Sm. Engl. Bot. 1, 62.  
 — — — Tratt. Thes. 67.  
 — — — Roemer Fl. eur. 5, 5.  
 — — — Sturm Flora 9, 34.  
 — — — Rchb. Fl. germ. 6, 265.  
 — *campestris* M. v. B. Marschall Cent. 8.  
 — — — Bot. Mag. 44, 1876.  
 — — — Rchb. Pl. crit. 6, 520.  
 — *capitatus* Pall. Rchb. Ic. crit. 6, 539.  
 — — — Rchb. Fl. germ. 6, 249.  
 — *Carthusianorum* L. Sibth. Fl. gr. 392.  
 — — — Bot. Mag. 46, 2039.  
 — — — Sweet Fl. G. II. 282.  
 — — — Fl. dan. 10, 1694.  
 — — — Dreyes 4, 109.  
 — — — Schrank Fl. monac. 3, 293.  
 — — — Sturm Flora 7, 27.  
 — — — Dietr. Fl. bor. 3, 197.  
 — — — Rchb. Ic. crit. 6, 536.  
 — — — Rchb. Fl. germ. 6, 252.  
 — *caryophylloides* Schult. Rchb. Fl. germ. 6, 267.  
 † — — Willkomm Ic. 1, 12.  
 ! — *Caryophyllus* L. Hill prolif. Bl. 6.  
 † — — Lam. Encycl. 376.  
 — — — Bot. Mag. 2, 39. 39, 1622. 54, 2744.  
 — — — Engl. Bot. 3, 214.  
 — — — Woodv. Med. 3, 205.  
 — — — Baxter Brit. Bot. 2, 81.  
 ! — — — Flora 1821, 2.  
 — — — Rchb. Fl. germ. 6, 268.  
 † — — Preuss. Garten-Verein 8, 1. 2.  
 — — — Annales de Gand 1846, 75.  
 — — — Regel Gartenfl. 1, 32.  
 — — — Flore de serres 7, 711.  
 † — — Willkomm Ic. 1, 12.  
 — *caucaseus* Sims. Bot. Mag. 21, 795.  
 — *caucasicus* M. v. B. Rchb. Ic. crit. (5, 420.) 6, 548.  
 — *chinensis* L. Bot. Mag. 1, 25.  
 — *ciliatus* Guss. Gussone Pl. rar. 33.  
 — — — Rchb. Fl. germ. 6, 266.  
 — *cinnamomeus* Sibth. Sibth. Fl. gr. 400.  
 — *cintranus* Boiss. et Reut. Willkomm Ic. 1, 10.  
 — *collinus* W. et K. W. et Kit. 38.  
 — — — Salisb. Parad. 62.  
 — — — Rchb. Ic. crit. 6, 542.  
 — — — Rchb. Fl. germ. 6, 253.  
 — *compactus* W. et Kit. Rchb. Fl. germ. 6, 248.  
 — *controversus* Gaud. Rchb. Fl. germ. 6, 258.  
 — *corymbosus* Sibth. Sibth. Fl. gr. 395.  
 — — — Rchb. Fl. germ. 6, 255.  
 — *Courtoisii* Rchb. Rchb. Fl. germ. 6, 255.  
 — *crassipes* de Römer. Willkomm Ic. 1, 1.  
 — *crenatus* Thunb. Bot. Reg. 3, 256.  
 — *crinitus* Sm. Sibth. Fl. gr. 401.  
 — *cruentus* Griseb. Fl. d. serres 5, 488.  
 — — — Regel Gartenfl. 1, 26.  
 — *deltoides* L. Fl. dan. 4, 577.  
 — — — Curt. Lond. 5, 195.  
 — — — Engl. Bot. 1, 61.  
 — — — Sv. Bot. 477.  
 — — — Liboschitz Petersb. 7.  
 — — — Roemer Fl. europ. 1, 4.  
 — — — Tratt. Thes. 3.  
 — — — Dietr. Fl. bor. 4, 254.  
 — — — Rchb. Pl. crit. 6, 519.  
 — — — var. Rchb. Fl. germ. 6, 263.  
 — *dentosus* Fisch. Rchb. Ic. crit. 6, 546.  
 — *diffusus* Sibth. Sibth. Fl. gr. 396.  
 — *discolor* Sims. Bot. Mag. 29, 1162.  
 — *diutinus* Kit. Rchb. Ic. crit. 6, 533.  
 — — — Rchb. Fl. germ. 6, 251.

- Dianthus elatus* Led. Ledeb. Ic. 420.  
 — *erubescens* Trevir. Sprengel Jahrb. 1.  
 — *ferrugineus* L. Rehb. Ic. crit. 6, 537.  
 — — Bot. Reg. 25, 15.  
 — — Maund Bot. 1, 22.  
 — *Fischeri* Spr. Rehb. Ic. crit. 6, 545.  
 — — Sweet Fl. G. 245.  
 — *fragrans* Salisb. Salisb. Parad. 112.  
 — — Bot. Mag. 46, 2067.  
 — *fruticosus* L. Sibth. Fl. gr. 407.  
 — — Jaubert Illustr. 395.  
 — *furcatus* Balb. Mem. Tur. 7, 2.  
 — — Rehb. Fl. germ. 6, 265.  
 — *giganteus* D'Urv. Sweet Fl. G. 288.  
 — *glacialis* Haenke. Rehb. Fl. germ. 6, 261.  
 — — Sturm Flora 7, 28.  
 — *glaucophyllus* Horn. Rehb. Fl. germ. 6, 250.  
 — *glaucus* Willd. Rehb. Ic. crit. 6, 550.  
 — — L. Rehb. Fl. germ. 6, 263.  
 — *gracilis* Sibth. Sibth. Fl. gr. 404.  
 — *graniticus* Jord. Willkomm Ic. 1, 8.  
 — *guttatus* M. v. B. Rehb. Ic. crit. 5, 462.  
 — *Hendersonianus* Paxt. Paxt. Mag. 14, 126.  
 — *hirtus* Vill. Vill. Dauph. 46.  
 — — Rehb. Fl. germ. 6, 264.  
 — *hispanicus* Asso. Asso. Aragon. 3.  
 — — var. Willkomm Ic. 1, 9.  
 — *hungaricus* Pers. Rehb. Fl. germ. 6, 257.  
 — *japonicus* Thunb. Thunb. Fl. jap. 23.  
 † *inodorus* Gaertn. Gaertn. Carp. 129.  
 — *integer* Vis. Visiani Dalm. 36.  
 — — Rehb. Fl. germ. 6, 264.  
 — *lanccolatus* Stev. Rehb. Ic. crit. 6, 549.  
 — *laricifolius* B. et R. Willkomm Ic. 1, 6.  
 — *latifolius* Willd. Sweet Fl. G. 2.  
 — *leptopetalus* Willd. Bot. Mag. 42, 1739.  
 — *leucophaeus* Sibth. Sibth. Fl. gr. 405.  
 — *Libanotis* Lab. Bill. Syr. 1, 5.  
 — — Bot. Reg. 18, 1548.  
 — — Sweet Fl. G. II. 231.  
 — *liburnicus* Bartl. Rehb. Fl. germ. 6, 249.  
 — *longicaulis* Ten. Tenore Fl. nap. 138.  
 — — Rehb. Hort. 56.  
 — — Rehb. Fl. germ. 6, 268.  
 † *longiflorus* Lam. Lam. Encycl. 376.  
 — *longigulmis* Delile. Richard Abyssin. 12.  
 — *lusitanus* Brot. Brotero Phytogr. 70.  
 — — Willkomm Ic. 1, 2.  
 — *mansicus* Ten. Tenore Fl. nap. 228.  
 — *monadelphus* Vent. Vent. Cels. 39.  
 — *monspessulanus* L. Rehb. Fl. germ. 6, 258.  
 — — var.  $\gamma$ . Sturm Flora 7, 28.  
 — — Willkomm Ic. 1, 7.  
 — *montanus* M. v. B. Rehb. Ic. crit. 5, 420.  
 — *neglectus* Lois. Rehb. Fl. germ. 6, 261.  
 — *nitidus* W. et K. W. et Kit. 191.  
 — — Rehb. Fl. germ. 6, 261.  
 — *obcordatus* M. et R. Mem. Genév. 8, 2.  
 — — Visiani Dalm. 22.  
 — *orientalis* Donn. Bot. Mag. 27, 1069.  
 — *pallens* Sibth. Sibth. Fl. gr. 399.  
 — *petraeus* W. et K. W. et Kit. 222.  
 — — Rehb. Fl. germ. 6, 256.  
 — — Donn. Bot. Mag. 30, 1204.  
 — *plumarius* L. Schrank Fl. monac. 2, 157.  
 — — Rehb. Fl. germ. 6, 257.  
 — *pomeridianus* Sm. Salisb. Parad. 57.  
 — *polymorphus* M. v. B. Rehb. Ic. crit. 6, 534.  
 — — Rehb. Fl. germ. 6, 251.  
 — *prolifer* L. Fl. dan. 2, 221.  
 — — Sibth. Fl. gr. 394.  
 — — Engl. Bot. 14, 956.

- Dianthus prolifer* L. Krock. Fl. sil. 4, 4.  
 — — Dietr. Fl. bor. 12, 800.  
 — *prostratus* Jacq. Jacq. Schoenbr. 3, 271.  
 — *Pseudoarmeria* Poir. Bot. Mag. 49, 2288.  
 — — M. v. B. Marshall Cent. 70.  
 — — Rehb. Ic. crit. 6, 540.  
 — *pubescens* Sm. Sibth. Fl. gr. 397.  
 — — Sweet Fl. G. II. 27.  
 — *pulchellus* Pers. Rehb. Fl. germ. 6, 262.  
 — *punctatus* Spr. Lodd. Cab. 896.  
 — *pungens* Godr. Willkomm Ic. 1, 6.  
 † *purpureus* Lam. Lam. Encycl. 376.  
 — *racemosus* Vis. Visiani Dalm. 35.  
 — *ramosissimus* Pall. Ledeb. Ic. 197.  
 — *repens* Willd. Seemann Herald 4.  
 — *rigidus* M. v. B. Tratt. Ther. 68.  
 — *rupicola* Biv. Bivona Pl. sic. 1, 1.  
 — *sanguineus* Vis. Visiani Dalm. 36.  
 — — Rehb. Fl. germ. 6, 250.  
 — *saxicola* Jord. Willkomm Ic. 1, 12.  
 — *Scheuchzeri* Rehb. Rehb. Fl. germ. 6, 267.  
 — *Schraderi* Rehb. Rehb. Hort. 35.  
 — *Seguieri* Vill. Rehb. Ic. crit. 6, 543.  
 — — Rehb. Fl. germ. 6, 253.  
 — —  $\beta$ . silvaticus, Sturm Flora 7, 28.  
 — *serotinus* W. et K. W. et Kit. 172.  
 — — Rehb. Fl. germ. 6, 256.  
 — *serratifolius* Sibth. Sibth. Fl. gr. 402.  
 — *serrulatus* Desf. Willkomm Ic. 1, 7.  
 — — var. *grandiflorus*, Boiss. Esp. 23.  
 — *silvestris* Wulf. Jacq. Ic. 82.  
 — — Sturm Flora 7, 28.  
 — — Rehb. Fl. germ. 6, 262.  
 † — — Willkomm Ic. 1, 13.  
 — *speciosus* Rehb. Rehb. Fl. germ. 6, 260.  
 — *spinosus* Desf. Ann. Mus. 1, 16.  
 — *squarrosus* M. v. B. Marshall Cent. 33.  
 — *strictus* Sibth. Sibth. Fl. gr. 403.  
 — *suaveolens* Spr. Rehb. Hort. 135.  
 — *subcaulis* Vill. Loiseleur Notice 6.  
 — — Desv. Journ. 2, 13.  
 — — Rehb. Fl. germ. 6, 261.  
 — *superbus* L. Jacq. Obs. 25.  
 — — Fl. dan. 4, 578.  
 — — Smith Spicil. 19.  
 — — Bot. Mag. 9, 297.  
 — — Sv. Bot. 436.  
 — — Roemer Fl. eur. 8, 3.  
 — — Schrank Fl. monac. 3, 247.  
 — — Herb. amat. 1, 21.  
 — — Dietr. Fl. bor. 3, 196.  
 — — Rehb. Fl. germ. 6, 259.  
 — *tataricus* Fisch. Rehb. Ic. crit. 6, 547.  
 — *tener* Balb. Mem. Tur. 7, 3.  
 — *tergestinus* Rehb. Rehb. Fl. germ. 6, 266.  
 — *toletanus* B. et R. Willkomm Ic. 1, 11.  
 — *trifasciculatus* Kit. Rehb. Fl. germ. 6, 254.  
 — *tripunctatus* Sibth. Sibth. Fl. gr. 398.  
 — *vaginatus* Vill. Rehb. Ic. crit. 6, 535.  
 — — Rehb. Fl. germ. 6, 251.  
 — *valentinus* Willk. Willkomm Ic. 1, 7.  
 — *velutinus* Guss. Gussone Pl. rar. 32.  
 — *versicolor* Fisch. Rehb. Hort. 48.  
 — *virginicus* L. Jacq. Fl. austr. 1, 15.  
 — — Bot. Mag. 42, 1740.  
 — — Rehb. Fl. germ. 6, 266.  
 — *viridescens* Vis. Visiani Dalm. 53.  
 — *viscidus* Bory. Bory et Chaub. Morée 12.  
 — *Waldsteinii* Sternb. Rehb. Fl. germ. 6, 259.  
 — *Webbianus* Parol. Mem. Ist. ven. 1, 3.  
*Diapensia lapponica* L. Linné Fl. lapp. 1.  
 † — — Wahlenbg. Fl. lapp. 9.

- Diapensia lapponica* L. Fl. dan. 1, 47.  
 — — — Lam. Encycl. 102.  
 — — — Sv. Bot. 517.  
 — — — Schk. Handb. 32.  
 — — — Bot. Mag. 28, 1108.  
 — — — Sweet Fl. G. II. 251.  
 — obtusifolia Pursh. Salisb. Parad. 104.  
*Diarrhena americana* Pal. Beauv. Jacq. Ecl. Gram. 29.  
*Diarrhena carinatum* Jaub. Jaubert Illustr. 105.  
*Diascia Bergiana* Link. Link Ic. I. 2.  
*Diasia graminifolia* DC. Red. Lil. 1, 54. 3, 163.  
 — iridifolia DC. Red. Lil. 1, 54.  
*Diastema ochroleuca* Hook. Bot. Mag. 72, 4254.  
 — quinquevulnera Planch. Flore de serres 8, 832.  
 † *Diblemma saramensis* Sm. Hook. Gen. Fil. 109.  
*Dibrachion brasiliensis* Tulasne. Arch. Mus. 4, 7.  
*Dicalyx cochinchinensis* Lour. Rumpf. Amb. 3, 104.  
*Dicarpaea linifolia* Presl. Presl Symbolae 26.  
 † *Dicella lancifolia* Juss. Arch. Mus. 3, 9.  
 † — oratifolia Juss. Arch. Mus. 3, 9.  
 † *Dicentra* Borkh. Gray Genera 50.  
 — canadensis DC. Gray Genera 50.  
 — spectabilis Ch. Lem. Fl. d. serres 3, 258.  
 — — DC. Belgique hortic. 1, 11.  
 † *Dicera* Forst. Forster Charact. 40.  
*Dicerna biarticulatum* DC. Wight Ic. pl. Ind. or. 2, 419.  
 — pulchellum DC. Wight Ic. pl. Ind. or. 2, 418.  
*Dicercocaryum sinuatum* Bojer. Ann. sc. nat. II. 4.  
 † *Dicerolepis paludosa* Bl. Blume Mus. 1, 21.  
*Dichaea calyculata* P. et E. Poepp. et Endl. 106.  
 — maculata P. et E. Poepp. et Endl. 105.  
*Dichaspermum juncoides* Wight. Wight Ic. pl. 6, 2078.  
 — lanceolatum Wight. Wight Ic. pl. Ind. or. 6, 2078.  
 — repens Wight. Wight Ic. pl. Ind. or. 6, 2078.  
 † *Dichaetandra Goudotii* Naud. Ann. sc. nat. III. 12, 14.  
 † *Dichaetanthera articulata* Naud. Ann. sc. nat. III. 14, 7.  
 † *Dichasium parallelogrammum* A. Br. Fée Fil. 5, 23.  
 † — patentissimum Fée. Fée Fil. 5, 23.  
*Dicheranthus plocamoides* Webb. Ann. sc. nat. III. 5, 2.  
*Dichilus lebekkoides* DC. DC. Legum. 35.  
*Dichodon anomalum* Bartl. Rechb. Fl. germ. 5, 221.  
 — cerastoides Bartl. Rechb. Fl. germ. 5, 221.  
*Dichoglottis linifolia* Fisch. et M. Goebel Reise 2.  
 — tubulosa Jaub. Jaubert Illustr. 6.  
 † *Dichondra* Forst. Forster Charact. 20.  
 † — Swartz Fl. Ind. occ. 11.  
 — argentea Willd. Willd. Hort. 81.  
 — repens Forst. Smith Ic. Linn. 8.  
 — — — Lam. Encycl. 183.  
 — sericea Sw. Swartz Ic. Ind. occ. 10.  
*Dichopogon undulatus* Reg. Regel Gartenfl. 2, 37.  
 † *Dichorisandra gracilis* N. v. E. Acta Leop. 11, 1, 1.  
 — leucophthalmos Hook. Bot. Mag. 79, 4733.  
 — ovata Mart. Paxt. Mag. 15, 5.  
 — — — Annales de Gand 1845, 26.  
 — oxypetala Hook. Bot. Mag. 54, 2721.  
 — — — Lodd. Cab. 1440.  
 — picta Lodd. Lodd. Cab. 1667.  
 — — — Bot. Mag. 80, 4760.  
 † — puberula N. v. E. Acta Leop. 11, 1, 1.  
 — radicalis N. v. E. Acta Leop. 11, 1, 1.  
 — thysiflora Mik. Mikan Del. Bras. 3.  
 — — — Bot. Reg. 8, 682.  
 — — — Lodd. Cab. 1196.  
 — — — Paxt. Mag. 3, 127.  
 † *Dichostylis Micheliana* N. v. E. Nees Gen. 2, 13.  
 — — — Rechb. Fl. germ. 8, 312.  
 † *Dichroanthus mutabilis* Webb. Webb Canar. 8 a.  
*Dichrocephala chrysanthemifolia* DC. Wight Ic. pl. Ind. or. 3, 1095.  
 — — — Wight Spicil. 108.  
 — latifolia DC. Wight Ic. pl. Ind. or. 3, 1096.

- Dichrocephala Schmidii* Wight. Wight Ic. pl. 4, 1610.  
*Dichroma coccinea* Cav. Cav. Ic. 582.  
*Dichromena ciliata* Vahl. Presl Reliq. 32.  
 — leucocephala Michx. Elliott Carolina 3.  
*Dichrostachys cinerea* W. et A. Wight Ic. pl. 2, 357.  
*Dicksonia abrupta* Bory. Bory Iles d'Afrique 30.  
 — adiantoides H. B. K. Hook. Sp. Fil. 26.  
 — antarctica Lab. Bill. Nov. Holl. 249.  
 — anthriscifolia Kaulf. Hook. Sp. Fil. 27.  
 — apiifolia Sw. Hook. Sp. Fil. 26.  
 — appendiculata Wall. Hook. Sp. Fil. 27.  
 — arborescens L'her. Hook. Sp. Fil. 22.  
 — Berteroana Hook. Hook. Sp. Fil. 23.  
 — conifolia Hook. Hook. Sp. Fil. 24.  
 — cuneata Hook. Hook. Sp. Fil. 28.  
 — deltoidea Hook. Hook. Sp. Fil. 28.  
 — dissecta Sw. Schk. Fil. 130 b.  
 — dubia Gaudichaud. Hook. Sp. Fil. 24.  
 — fibrosa Colenso. Hook. Sp. Fil. 23.  
 — flaccida Sw. Schk. Fil. 129.  
 † — fragilis Trevir. Mag. naturf. Fr. 7, 3.  
 — lanata Colenso. Hook. Sp. Fil. 23.  
 — Lindeni Hook. Hook. Sp. Fil. 25.  
 — Martiana Klotzsch. Hook. Sp. Fil. 24.  
 — ordinata Kaulf. Kunze Fil. 106.  
 — Pavoni Hook. Hook. Sp. Fil. 26.  
 — pubescens Schk. Schk. Fil. 131.  
 — rubiginosa Kaulf. Hook. Sp. Fil. 27.  
 — scabra Wall. Hook. Sp. Fil. 28.  
 — Sellowiana Hook. Hook. Sp. Fil. 22.  
 — Smithii Hook. Hook. Sp. Fil. 28.  
 — sorbifolia Sm. Hook. Sp. Fil. 25.  
 — squarrosa Sw. Schk. Fil. 130.  
 — straminea Lab. Bill. Sert. 10.  
 — strigosa Sw. Kunze Fil. 94.  
 † — tenera Presl. Hook. Gen. Fil. 61.  
 — — — Mart. Mart. Crypt. bras. 66. 72.  
 † — — — Fée Fil. 5, 26.  
*Diclidanthera laurifolia* Mart. Mart. Bras. 197.  
 — penduliflora Mart. Mart. Bras. 196.  
*Diclidium lenticulare* Schrad. Endl. Bras. 3, 2.  
 — Maximiliani Schrad. Endl. Bras. 3, 1.  
 † *Dicliptera* Juss. Ann. Mus. 9, 21.  
 † — bivalvis Juss. Wight Ic. pl. Ind. or. 4, 1551.  
 † — — — Wight Illustr. 164 b.  
 — cuneata N. v. E. Wight Ic. pl. Ind. or. 4, 1552.  
 — Pohlmann N. v. E. Endl. Bras. 7, 30.  
 — spinosa Lodd. Lodd. Cab. 1244.  
*Dicytra tenuifolia* DC. Delessert Ic. 2, 9.  
*Dicoma lanuginosa* DC. Wight Ic. pl. Ind. or. 3, 1140.  
 † — — — Wight Illustr. 134.  
*Dicoryphe Aub. Th.* Aubert Iles d'Afrique 4.  
 — madagascariensis Poir. Lam. Encycl. 946.  
*Dieraea dichotoma* Tul. Arch. Mus. 6, 9.  
 — — — Wight Ic. pl. Ind. or. 5, 1916.  
 — elongata Tul. Arch. Mus. 6, 9.  
 — — — Wight Ic. pl. Ind. or. 5, 1917.  
 — erythroliehen Tul. Arch. Mus. 6, 10.  
 — longifolia Wight. Wight Ic. pl. Ind. or. 5, 1916.  
 — rigida Tul. Wight Ic. pl. Ind. or. 5, 1916.  
 — stylosa Wight. Wight Ic. pl. Ind. or. 5, 1917.  
 — Wallichii Tul. Wight Ic. pl. Ind. or. 5, 1916.  
 — Wightii Tul. Wight Ic. pl. Ind. or. 5, 1916.  
*Dierananthera hedyotideia* Presl. Presl Symbolae 50.  
 — — — Ann. sc. nat. III. 12, 13.  
 — — — Salzmanni Naud. Ann. sc. nat. III. 12, 13.  
*Dieranolepis disticha* Planch. Hook. Ic. pl. 8, 798.  
 — — — Hook. Niger Fl. 48.  
 † *Dieranostachys Trécul.* Ann. sc. nat. III. 8, 1.  
 † *Dierypta Baueri* Ldl. Bauer Orchid. (Gen.) 5.  
 — — — Bot. Reg. 12, 1028.  
 — densifolia P. et E. Poepp. et Endl. 68.

- ! *Dictamnus L.* *Linnaea* 1, 7.  
 † — *albus L.* *Lam. Encycl.* 344.  
 — — — *Jacq. Fl. austr.* 5, 428.  
 — — — *Schk. Handb.* 114.  
 — — — *Hayne* 6, 7.  
 — — — *Nees Düssel.* 377.  
 — — — *Woodv. Med.* 3, 166.  
 — — — *Dietr. Fl. bor.* 12, 823.  
 ! — — — *Proc. Hort. Soc.* 1838, p. 37.  
 — — — *angustifolius Don.* *Sweet Fl. G. II.* 93.  
 † — *Calodendron Lour.* *Lam. Encycl.* 344.  
 — *Fraxinella Pers.* *Sturm Flora* 1, 6.  
 — — — *Rchb. Fl. germ.* 5, 159.  
 † — — — *Mem. Mus.* 12, 18.  
 — *himalyanus Royle.* *Royle Illustr.* 29.  
 — *obtusifolius Koch.* *Rchb. Fl. germ.* 5, 159.  
*Dictyanthus Pavonii Decne.* *Fl. d. serres* 8, 6, 770.  
 — — — *Bot. Mag.* 79, 4750.  
 † *Dictyogramme japonica Fée.* *Fée Fil.* 5, 15.  
*Dictyoloma Vandellianum Juss.* *Mem. Mus.* 12, 24.  
 † *Dictyopteris attenuata Presl.* *Hook. Gen. Fil.* 71.  
 † — *macrodonata Presl.* *Fée Fil.* 5, 21.  
 † — *pteroides Presl.* *Fée Fil.* 5, 21.  
*Dictyospermum montanum Wight.* *Wight Ic. pl. Ind. or.*  
 6, 2069.  
 — *ovalifolium Wight.* *Wight Ic. pl. Ind. or.* 6, 2070.  
 — *protensum Wight.* *Wight Ic. pl. Ind. or.* 6, 2071.  
 † *Dictyostega Miers.* *Endl. Bras.* 8, 7.  
 † — *orobanchioides Miers.* *Linn. Transact.* 18, 37, 38.  
 † — *umbellata Miers.* *Linn. Transact.* 18, 37.  
 † *Dictyoxiphium panamense Hook.* *Hook. Gen. Fil.* 62.  
 † *Didelta capensis Lam.* *Lam. Encycl.* 705.  
 † — *spinosa L'her.* *Wendland Beob.* 4.  
 — *tetragoniaefolia L'her.* *L'herit. Stirp.* 28.  
*Didesmus aegyptius Desv.* *Delessert Ic.* 2, 92.  
*Didiscus coeruleus DC.* *Bot. Reg.* 15, 1225.  
 — — — *Bot. Mag.* 55, 2875.  
 — *cyaneus DC.* *DC. Ombellif.* 4.  
 — *humilis Hook. fil.* *Hook. Ic. pl.* 4, 304.  
 — *pilosus Hüg.* *Hook. Ic. pl.* 4, 307.  
*Didymanthus Roëi Endl.* *Endl. Iconogr.* 100.  
*Didymeles Aub.* *Aubert Iles d'Afrique* 1.  
*Didymocarpus aromatica Wall.* *Wall. Pl. asiat.* 141.  
 † — *crinita Jack.* *Linn. Transact.* 14, 2.  
 † — — — *Calcutta Journal* 1844, 15.  
 — — — *Bot. Mag.* 77, 4554.  
 — — — *Fl. d. serres* 6, 631.  
 — — — *Lcm. Jard. fl.* 87.  
 — *Griffithii Wight.* *Wight Illustr.* 159.  
 — *Humboldtiana Gardn.* *Bot. Reg.* 79, 4757.  
 — *lyrata Wight.* *Wight Ic. pl. Ind. or.* 4, 1350.  
 — *macrophylla Wall.* *Royle Illustr.* 70.  
 — *oblonga Wall.* *Wall. Pl. asiat.* 140.  
 — *ovalifolia Wight.* *Wight Ic. pl. Ind. or.* 4, 1351.  
 — *Rexii Bowie.* *Hook. Exot. Fl.* 227.  
 — — — *Bot. Mag.* 57, 3005.  
 — — — *Lodd. Cab.* 1305.  
 — *Rottleriana Wall.* *Wight Ic. pl. Ind. or.* 4, 1348.  
 — *tomentosa Wight.* *Wight Ic. pl. Ind. or.* 4, 1349.  
 † — — — *Wight Illustr.* 159 bis.  
 † *Didymocheton nutans Bl.* *Mem. Mus.* 19, 16.  
 † *Didymochlaena Desv.* *Mag. naturf. Fr.* 5, 7, fig. 6.  
 — *dimidiata Kze.* *Kunze Fil.* 84.  
 — *sinuosa Desv.* *Desv. Journ.* 3, 2.  
 — — — *Mart. Crypt. bras.* 28.  
 † — — — *Hook. Gen. Fil.* 8.  
 † — — — *Gaudich. Freycinet Voyage* 12.  
*Didymoglossum decipiens Desv.* *Mem. soc. Linn. Par.*  
 6, 7, 11, 9.  
 † — *Filicula Presl.* *Prager Abb.* 3, 8.  
*Didymonema filifolia Presl.* *Presl Symbolae* 3.  
*Didymoplexis pallens Griff.* *Calcutta Journal* 1844, 17.

- Diectomis fastigiata Pal. B.* *H. B. K. Nov. Gen.* 1, 64.  
*Dieffenbachia Seguinum Schott.* *Maund Bot.* 3, 121.  
 † *Dielytra Borkh.* *Wight Illustr.* 11 a.  
 † — — — *Gray Genera* 50.  
 — *canadensis DC.* *Bot. Mag.* 57, 3031.  
 — — — *Gray Genera* 50.  
 — *chrysantha H. et A.* *Hook. Beechey* 73.  
 — — — *Paxt. Fl. G.* 103.  
 — — — *Fl. d. serres* 8, 820.  
 — — — *Belgique hortic.* 3, 56.  
 — *eximia DC.* *Bot. Reg.* 1, 50.  
 — *spectabilis DC.* *Bot. Mag.* 75, 4458.  
 — — — *Journ. Hort. Soc.* 2, 3.  
 — — — *Paxt. Mag.* 15, 127.  
*Dienia cylindrostachya Ldl.* *Wight Ic. pl.* 5, 1630.  
*Diervilla amabilis Carrière.* *Fl. d. serres* 8, 855.  
 — *canadensis Willd.* *Hayne* 7, 26.  
 — — — *Guimp. Fr. Holzgew.* 55.  
 — *floribunda S. et Zucc.* *Sieb. Fl. Japon.* 32.  
 — *grandiflora S. et Zucc.* *Sieb. Fl. Japon.* 31.  
 — *hortensis S. et Zucc.* *Sieb. Fl. Japon.* 29, 30, 33.  
 — *humilis Pers.* *Bot. Mag.* 43, 1796.  
 — *versicolor S. et Zucc.* *Sieb. Fl. Japon.* 33.  
*Diesingia scandens Endl.* *Endl. Atacta* 1, 2.  
*Dietes bicolor Sweet.* *Annales de Gand* 1846, 70.  
*Dietrichia coccinea Tratt.* *Tratt. Archiv* 400.  
 — — — *Tratt. Thes.* 19.  
 † *Digitalis L.* *Kerner Genera* 69.  
 † — — — *Lindley Digitalis* 1.  
 † — — — *Mutel Fl. fr.* 44, 45.  
 — *ambigua Schk.* *Schk. Handb.* 174.  
 — — — *Willd. Schrank Fl. monac.* 3, 258.  
 — — — *Bot. Reg.* 1, 64.  
 — — — *Murr. Herb. amat.* 1, 7.  
 — — — *Lindley Digitalis* 7.  
 — — — *Dietr. Fl. bor.* 6, 418.  
 — — — *Meyer Fl. hann.* 2.  
 — *aurea Ldl.* *Lindley Digitalis* 13.  
 — *canariensis L.* *Lam. Encycl.* 525.  
 — — — *Lindley Digitalis* 27.  
 — — — *Bot. Reg.* 1, 48.  
 — — — *Tratt. Archiv* 276.  
 — — — *Herb. amat.* 1, 8.  
 — — — *Lodd. Cab.* 1329.  
 — *eriotachya Bess.* *Rchb. Hort.* 230.  
 — *ferruginea L.* *Lindley Digitalis* 12.  
 — — — *Bot. Mag.* 43, 1828.  
 — — — *Sibth. Fl. gr.* 606.  
 — — — *Rchb. Ic. crit.* 2, 156.  
 — *fucata Loiseleur.* *Bull. philom.* 1812, 6.  
 — — — *Desv. Journ.* 4, 16.  
 — *fulva Ldl.* *Lindley Digitalis* 9.  
 — — — *Rchb. Ic. crit.* 2, 157.  
 — *fuscescens W. et K.* *W. et Kit.* 274.  
 — — — *Rchb. Ic. crit.* 2, 158.  
 — *grandiflora Lam.* *Rchb. Ic. crit.* 2, 159.  
 † — — — *Nees Gen.* 5, 33.  
 — — — *α. acutiflora, Sturm Flora* 3, 11.  
 — *hybrida Dutour.* *Desv. Journ.* 4, 16.  
 — — — *Bull. philom.* 1812, 6.  
 ! — — — *Hensl. Tr. Cambr. Soc.* 5, 15, 18.  
 — *laciniata Ldl.* *Bot. Reg.* 14, 1201.  
 — — — *Boissier Esp.* 126.  
 — *laevigata W. et K.* *W. et Kit.* 158.  
 — — — *Lindley Digitalis* 10.  
 — — — *Rchb. Ic. crit.* 2, 155.  
 — *lanata Ehrh.* *W. et Kit.* 74.  
 — — — *Bot. Mag.* 29, 1159.  
 — — — *Lindley Digitalis* 15.  
 — — — *Sweet Fl. G.* 291.  
 — *leucophaea Sibth.* *Sibth. Fl. gr.* 607.  
 — — — *Lindley Digitalis* 14.

- Digitalis lutea* L. Jacq. Vind. 105.  
 — — — Bot. Reg. 3, 251.  
 — — — Lindley *Digitalis* 23. 24.  
 — — — Rehb. Ic. crit. 2, 151.  
 — — — *δ. fucata* Ldl. Bot. Mag. 68, 3925.  
 — — — *ε. vittata*, Lindley Collect. 35.  
 — — — var. *vittata*, Kerner Hort. 787.  
 — *lutescens* Ldl. Lindley *Digitalis* 21.  
 — *Mariana* Boiss. Boissier Esp. 126<sup>a</sup>.  
 — *media* Roth. Rehb. Ic. crit. 2, 152.  
 — *mierantha* Roth. Rehb. Ic. crit. 2, 153.  
 — *minor* L. Bot. Mag. 47, 2160.  
 — — — Lindley *Digitalis* 5. 6.  
 — *obscura* L. Jacq. Vind. 91.  
 — — — Tratt. Archiv 275.  
 — — — Bot. Mag. 47, 2157.  
 — — — Lindley *Digitalis* 26.  
 — *ochroleuca* Jacq. Jacq. Fl. austr. 1, 57.  
 — — — Lindley *Digitalis* 8.  
 — — — Dietr. Fl. bor. 6, 419.  
 — — — Rehb. Ic. crit. 2, 160.  
 — *orientalis* Lam. Bot. Reg. 7, 554.  
 — — — Bot. Mag. 48, 2253.  
 — — — Lindley *Digitalis* 16.  
 — — — Jaubert Illustr. 409.  
 — *parviflora* Jacq. Jacq. Vind. 17.  
 — — — Bot. Reg. 3, 257.  
 — — — Lindley *Digitalis* 17.  
 — *purpurascens* Roth. Bonpland Malm. 61.  
 — — — Lindley *Digitalis* 20.  
 — — — Rehb. Ic. crit. 2, 151.  
 — *purpurea* L. Fl. dan. 1, 74.  
 — — — Curt. Lond. 1, 34.  
 † — — — Gaertn. Carp. 53.  
 † — — — Lam. Encycl. 525.  
 — — — Engl. Bot. 19, 1297.  
 — — — Woodv. Med. 2, 78.  
 — — — Rousseau Bot. 27.  
 — — — Dreves 2, 46.  
 — — — Hayne 1, 45.  
 — — — Brandt und Ratzeb. 12.  
 — — — Guimp. et Schl. 7.  
 — — — Nees Düssel. 154.  
 — — — Wagner 17.  
 — — — Sturm Flora 3, 11.  
 — — — Dietr. Fl. bor. 11, 762.  
 — — — Baxter Brit. Bot. 2, 113.  
 — — — Lindley *Digitalis* 2.  
 — — — Meyer Fl. hann. 1.  
 — — — var. *Paxt. Mag.* 10, 29.  
 ! — — — heptandra, Linnaea 1, 6.  
 ! — — — Het Institut 1842, o. 1845, 1. 2.  
 ! — — — Flora 1844, 1. 1846, 1.  
 — *rigida* Ldl. Lindley *Digitalis* 19.  
 — *Sceptum* L. fil. L'her. Sertum 24.  
 — — — Smith Exot. Bot. 73.  
 — — — Lindley *Digitalis* 28.  
 — — — Kerner Hort. 40.  
 — — — Rehb. Hort. 212.  
 — *sibirica* Ldl. Lindley *Digitalis* 11.  
 — *Thapsi* L. Smith Exot. Bot. 43.  
 — — — Brotero Phytogr. 150.  
 — — — Hoffm. Lk. Fl. portug. 30.  
 — — — Lindley *Digitalis* 3. 4.  
 — *tomentosa* Lk et H. Hoffm. Lk. Fl. portug. 29.  
 — — — Brotero Phytogr. 149.  
 — — — Sims. Bot. Mag. 48, 2194.  
 — *tubiflora* Ldl. Lindley *Digitalis* 22.  
 — *viridiflora* Ldl. Lindley *Digitalis* 18.  
 † *Digitaria* Haller. Dumortier Gramin. 13.  
 † — *ciliaris* Pal. Beauv. Nees Gen. 1, 18.  
 — — — Koel. Rehb. Fl. germ. 1, 27.

- Digitaria filiformis* Koel. Rehb. Fl. germ. 1, 27.  
 — — — Pal. B. Torrey New York 147.  
 — — — *humifusa* Pers. Engl. Bot. 2613.  
 — — — *malabarica* R. et Sch. Rheede Hort. mal. 12, 45.  
 — — — *nodosa* Parl. Webb Canar. 246.  
 — — — *pilosa* Michx. Petersb. 2, 4.  
 — — — *sanguinalis* Scop. Baxter Brit. Bot. 5, 332.  
 — — — Rehb. Fl. germ. 1, 27.  
 — — — Torrey New York 146.  
 † — *sarmentosa* Schrad. Schrad. Fl. germ. 3.  
 — *villosa* Pers. Elliott Carolina 7.  
 † *Diglottis* N. et M. Acta Leop. 11. 1, 19.  
 — *obovata* N. et M. Acta Leop. 11. 1, 25.  
 † *Diglyphosa latifolia* Bl. Blume Tabellen 60.  
 † *Digrammaria ambigua* Presl. Hook. Gen. Fil. 56.  
*Dilatris corymbosa* Berg. Bergius Cap. 3.  
 — — — Smith Exot. Bot. 16.  
 † — *viscosa* Thunb. Gaertn. Carp. 182.  
 — — — Lam. Encycl. 34.  
 — — — Schnizl. Ic. 1, 62.  
*Dilvaria ebracteata* Juss. Rumpf Amb. 6, 71.  
 — *ilicifolia* Juss. Rheede Hort. mal. 2, 48.  
 — — — Wight Ic. pl. Ind. or. 2, 459.  
 — *volubilis* N. v. E. Rumpf Amb. 6, 71. fig. 2.  
*Dillenia aurea* Sm. Smith Exot. Bot. 92. 93.  
 — — — Tratt. Archiv 256. 256<sup>a</sup>.  
 — *bracteata* Wight. Wight Ic. pl. Ind. or. 2, 358.  
 — *dentata* Thunb. Linn. Transact. 1, 20.  
 — — — Kerner Hort. 558.  
 — *elliptica* Thunb. Rumpf Amb. 2, 45.  
 — *indica* L. Rheede Hort. mal. 3, 38. 39.  
 — — — Hill Decade 3.  
 — *integra* Thunb. Lam. Encycl. 492.  
 — — — Linn. Transact. 1, 18.  
 — — — Kerner Hort. 547.  
 — *ornata* Wall. Wall. Pl. asiat. 23.  
 — *pentagyna* Roxb. Roxb. Corom. 20.  
 — *procumbens* Lab. Bill. Nov. Holl. 156.  
 — *retusa* Thunb. Linn. Transact. 1, 19.  
 — — — Lam. Encycl. 492.  
 — *scabrella* Roxb. Wall. Pl. asiat. 22.  
 — *serrata* Thunb. Rumpf Amb. 2, 46.  
 — *speciosa* Thunb. Smith Exot. Bot. 2. 3.  
 — — — Bot. Mag. 13, 449.  
 — — — Tratt. Archiv 257. 257<sup>a</sup>.  
 — — — Kerner Hort. 505.  
 — — — Wight Ic. pl. Ind. or. 3, 823.  
 — *volubilis* Vent. Vent. Choix 11.  
*Dillwynia cinerascens* R. Br. Bot. Mag. 48, 2247.  
 — — — Lodd. Cab. 527.  
 — *clavata* Paxt. Paxt. Mag. 11, 5.  
 — *ericacifolia* Sm. Smith Exot. Bot. 25.  
 — — — Bot. Mag. 37, 1545.  
 — — — Lodd. Cab. 1277.  
 — *floribunda* Sm. Smith Exot. Bot. 26.  
 — — — Lodd. Cab. 305.  
 — *glaberrima* Sm. Bill. Nov. Holl. 139.  
 — — — Bot. Mag. 24, 944.  
 — — — Lodd. Cab. 582.  
 — *glycinifolia* Sm. Paxt. Mag. 4, 99.  
 — *juniperina* Lodd. Lodd. Cab. 401.  
 — *laxiflora* Benth. Hügel Archiv 9.  
 — *myrtifolia* Sm. Herb. amat. 5, 344.  
 — *obovata* Lab. Bill. Nov. Holl. 140.  
 † — — — Lam. Encycl. 952.  
 — — — Bot. Mag. 31, 1274.  
 — *parvifolia* R. Br. Bot. Mag. 37, 1527.  
 — — — Lodd. Cab. 559.  
 — *pungens* Mackay. Lodd. Cab. 1502.  
 — *scabra* Schlecht. Lem. Jard. fl. 3, 296.  
 — *speciosa* Paxt. Paxt. Mag. 7, 27.  
*Dilophia salsa* Thomson. Hook. Journ. 1852, 12.

- Dimacria astragalifolia* Sweet. Sweet Ger. 103.  
 — *bipartita* Sweet. Sweet Ger. 142.  
 — *depressa* Sweet. Sweet Ger. 290.  
 — *elegans* Sweet. Sweet Ger. 202.  
 — *pinnata* Sweet. Sweet Ger. 46.  
 — *sulphurea* Sweet. Sweet Ger. 163.  
*Dimeresia glauca* Lab. Bill. Sert. 51.  
 †*Dimeria ornithopoda* Trin. Trin. Fund. 14.  
*Dimocarpus Longan* Lour. Hort. Transact. 2, 28\*.  
*Dimorpha grandiflora* Rudge. Linn. Transact. 9, 20.  
*Dimorphanthus elatus* Miq. Miquel Comment. 12.  
*Dimorpholepis australis* A. Gray. Hook. Ic. pl. 9, 856.  
*Dimorphothecca aurantiaca* DC. Bot. Reg. 1, 28.  
 — *chrysanthemifolia* DC. Bot. Reg. 1, 40.  
 — *graminifolia* DC. Bot. Reg. 4, 289.  
*Dinaeba aegyptiaca* Delile. Delile Egypte 11.  
*Dinebra arabica* Jacq. Jacq. Fragm. 121.  
 — *aristidoides* H. B. K. H. B. K. Nov. Gen. 7, 695.  
 — *bromoides* H. B. K. H. B. K. Nov. Gen. 1, 51.  
 — *chondrosioides* H. B. K. H. B. K. Nov. Gen. 1, 53.  
 — *repens* H. B. K. H. B. K. Nov. Gen. 1, 52.  
 — *retroflexa* Panz. Münchn. Denkschr. 4, 12.  
*Dinema polybulbon* Ldl. Bot. Mag. 70, 4067.  
 †*Dinemagonum* Gayanum Adr. Juss. Gay Chile 10.  
 †*Dinemandra ericoides* Adr. Juss. Arch. Mus. 3, 19.  
 — — Gaudichaud Bonite 11.  
 — *glaberrima* Adr. Juss. Gay Chile 9.  
*Dinetus racemosus* Sweet. Sweet Fl. G. 127.  
*Dioclea sericea* H. B. K. H. B. K. Nov. Gen. 6, 576.  
*Diodia spicata* Miq. Miquel Surin. 52.  
 † — *virginica* L. Gaertn. Carp. 25.  
 † — — Lam. Encycl. 63.  
 † — — Jacq. Ic. 29.  
 †*Diolena hygrophila* Naud. Ann. sc. nat. III. 16, 24.  
*Diomedea thurifera* Colla. Mem. Tur. 38, 31.  
 †*Dionaea* L. Gray Genera 84, 85.  
 — *muscipula* L. Ellis Dionaea 1.  
 — — Hill Decade 5,  
 — — Lam. Encycl. 362.  
 — — Vent. Malm. 29.  
 — — Bot. Mag. 20, 785.  
 — — Tratt. Thes. 2.  
 — — Lodd. Cab. 48.  
 — — Dict. sc. nat. 185.  
 — — Herb. amat. 5, 349.  
 † — — St. Hil. Pl. rem. 7.  
 † — — Mem. Mus. 11, 9.  
 — — Rehb. Exot. 340.  
 — — Fl. d. serres 3, 280.  
 — — Gray Genera 84, 85.  
 †*Dionycha Bojerii* Naud. Ann. sc. nat. III. 14, 7.  
*Dioscorea aculeata* L. Rheede Hort. mal. 7, 37.  
 — — Rumpf Amb. 5, 126.  
 — — Wight Ic. pl. Ind. or. 6, 2060.  
 — *adenocarpa* Mart. Endl. Bras. 5, 6.  
 — *alata* L. Rheede Hort. mal. 7, 38.  
 — — Rumpf Amb. 5, 121.  
 — — Tussac Ant. 28.  
 — — Desc. Ant. 8, 537.  
 — — Wight Ic. pl. Ind. or. 3, 810.  
 — *altissima* L. Desc. Ant. 8, 535.  
 — *amoena* Roxb. Wight Ic. pl. Ind. or. 3, 811.  
 — *bulbifera* L. Rheede Hort. mal. 7, 36.  
 — — Rumpf Amb. 5, 124, 125.  
 — — Wight Ic. pl. Ind. or. 3, 878.  
 — *cinnamomifolia* Hook. Bot. Mag. 55, 2825.  
 † *Cliffortiana* Lam. Lam. Encycl. 818.  
 — *daemonia* Roxb. Wight Ic. pl. Ind. or. 3, 811.  
 — *globosa* Roxb. Wight Ic. pl. Ind. or. 3, 812.  
 † *hirsuta* Bl. Rheede Hort. mal. 7, 51, 52.  
 — *humilis* Colla. Mem. Tur. 39, 51.  
 — *linearis* Colla. Mem. Tur. 39, 51.

- Dioscorea oppositifolia* L. Rumpf Amb. 5, 120.  
 — — Wight Ic. pl. Ind. or. 3, 813.  
 — *pentaphylla* L. Rheede Hort. mal. 7, 34, 35.  
 — — Rumpf Amb. 5, 127.  
 — — Wight Ic. pl. Ind. or. 3, 814.  
 — *pusilla* Hook. Hook. Ic. pl. 7, 678.  
 — *Quartiniana* Rich. Richard Abyssin. 96.  
 — *quinqueloba* Thunb. Kaempfer Japon. 15.  
 — *sativa* L. Rheede Hort. mal. 8, 51.  
 — — Rumpf Amb. 5, 180.  
 — — Linné Hort. Cliff. 28.  
 † — — Gaertn. Carp. 17.  
 — — Desc. Ant. 8, 537.  
 — *spiculata* Bl. Rumpf Amb. 5, 123.  
 — *tamifolia* Salisb. Salisb. Parad. 17.  
 — *tomentosa* Koenig. Wight Ic. pl. Ind. or. 3, 815.  
 — *triphylla* L. Rheede Hort. mal. 7, 33.  
 — — Rumpf Amb. 5, 128.  
 — — Jacq. Ic. 627.  
 — — Richard Abyssin. 96.  
 — *villosa* L.? Rumpf Amb. 5, 162.  
 — — Jacq. Ic. 626.  
 — — Schk. Handb. 329.  
 † — — Schnizl. Ic. 1, 57.  
 †*Dioscoreae* R. Br. Schnizl. Ic. 1, 57.  
 †*Diosma* L. Bartling Diosmeae 1.  
 — *acuminata* Lodd. Lodd. Cab. 493.  
 — *amoena* Lodd. Lodd. Cab. 161.  
 — — Bot. Reg. 7, 553.  
 — *ambigua* Lodd. Lodd. Cab. 451.  
 — *betulina* Lam. Lam. Encycl. 127.  
 — *bifida* Jacq. Jacq. Collect. 3, 20.  
 — *capitata* L. Lodd. Cab. 860.  
 — *Cerefolium* Vent. Vent. Malm. 93.  
 — *ciliata* Willd. Lodd. Cab. 210.  
 — — Bot. Reg. 5, 366.  
 — *cistoides* Lam. Lam. Encycl. 127.  
 — *crenata* L. Lodd. Cab. 404.  
 — — Woodv. Med. 5, 14.  
 — — Nees Düsseld. 375.  
 — *cupressina* L. Wendl. Coll. 61.  
 — — Lodd. Cab. 303.  
 — *dioica* Ker. Bot. Reg. 6, 502.  
 — *ericacifolia* Andr. Andr. Rep. 7, 451.  
 — *ericoides* L. Bot. Mag. 49, 2332.  
 — *fragrans* Sims. Lodd. Cab. 775.  
 — — Bot. Mag. 37, 1519.  
 † — *hirsuta* L. Gaertn. Carp. 94.  
 — — Wendl. Coll. 27.  
 — *hirta* Lam. Vent. Malm. 72.  
 — — Lodd. Cab. 1122.  
 — — Bot. Reg. 5, 369.  
 — *imbricata* L. Roemer Mag. 3, 3.  
 — *lanceolata* Mill. Bot. Reg. 6, 476.  
 — *latifolia* Andr. Andr. Rep. 1, 33.  
 — — Lodd. Lodd. Cab. 290.  
 — *linifolia* Hort. Lodd. Cab. 400.  
 — *longifolia* Wendl. Wendl. Coll. 19.  
 — *ovata* Andr. Andr. Rep. 7, 464.  
 — — Thunb. Bot. Mag. 39, 1616.  
 — *pulchella* L. Bot. Mag. 33, 1357.  
 — *rubra* L. Bot. Reg. 7, 563.  
 — — Lodd. Cab. 1498.  
 — *serratifolia* Curt. Vent. Malm. 77.  
 — — Bot. Mag. 13, 456.  
 — — Lodd. Cab. 373.  
 — — Tratt. Thes. 69.  
 — — Nees Düsseld. 376.  
 — *speciosa* Sims. Bot. Mag. 31, 1271.  
 — *sphacrocephala* Lodd. Lodd. Cab. 1490.  
 — *subulata* Wendl. Wendl. Coll. 8.  
 — *succulenta* Berg. Wendl. Coll. 1.



- † *Diosma tenuifolia Willd.* Mem. Mus. 12, 18.  
 — *tenuissima Lodd.* Lodd. Cab. 1624.  
 — *umbellata Hort.* Herb. amat. 3, 163.  
 — *uniflora L.* Bot. Mag. 8, 273.  
 — — — Schrad. Sert. hannov. 8.  
 — — — Dict. sc. nat. 124.  
 — — — Herb. amat. 2, 111.  
 † *Diospyros L.* Wight Illustr. 148<sup>b</sup>.  
 — *ambigua Vent.* Vent. Malm. 17.  
 — *Candolleana Wight.* Wight Ic. pl. Ind. or. 4, 1221.  
     1222.  
 — *capitulata ♂ Wight.* Wight Ic. pl. Ind. or. 4, 1224.  
 — — ♀ — Wight Ic. pl. Ind. or. 4, 1588<sup>bis</sup>.  
 — *chloroxylon Roxb.* Roxb. Corom. 49.  
 † *Commerstonii Gaertn. fil.* Gaertn. Carp. 208.  
 — *cordifolia Roxb.* Roxb. Corom. 50.  
 — — — Wight Illustr. 148.  
 — *decandra Lour.* Rumpf Amb. 3, 6.  
 — *digyna Jacq.* Jacq. Schoenbr. 3, 313.  
 — *dubia ♂ Wall.* Wight Ic. pl. Ind. or. 4, 1223.  
 † *Ebenum Retz.* Gaertn. Carp. 208.  
 — — *Wight.* Wight Ic. pl. Ind. or. 1, 188.  
 — *Embryopteris Pers.* Rheede Hort. mal. 3, 41.  
 — — — Bot. Reg. 6, 499.  
 † *Hebenaster Gaertn.* Gaertn. Carp. 179.  
 † *hirsuta Desf.* Ann. Mus. 6, 2.  
 — *Kaki Roxb.* Wight Ic. pl. Ind. or. 1, 415.  
 — *laurifolia A. Rich.* Ramon Cuba 55.  
 — *Lotus L.* Pallas Fl. ross. 58.  
 † — — — Lam. Encycl. 858.  
 — — — Dict. sc. nat. 65.  
 — *lycioides Desf.* Ann. Mus. 6, 62.  
 — *Mabola Roxb.* Bot. Reg. 14, 1139.  
 — *melanoxylon Roxb.* Roxb. Corom. 46.  
 — — — Kerner Hort. 64.  
 — *montana Roxb.* Roxb. Corom. 48.  
 — — ♀ — Wight Ic. pl. Ind. or. 4, 1225.  
 — *obovata Jacq.* Jacq. Schoenbr. 3, 312.  
 — — — Wight Ic. pl. Ind. or. 4, 1226.  
 — *obtusifolia H. B. K.* H. B. K. Nov. Gen. 3, 247.  
 — *ovalifolia Wight.* Wight Ic. pl. Ind. or. 4, 1227.  
 — *racemosa Roxb.* Wight Ic. pl. Ind. or. 2, 416.  
 — *ramiflora Roxb.* Wight Ic. pl. Ind. or. 1, 189.  
 † *rubra Gaertn. fil.* Gaertn. Carp. 208.  
 — *Sapota Roxb.* Bot. Mag. 69, 3988.  
 — *silvatica Roxb.* Roxb. Corom. 47.  
 † *tetrasperma Sw.* Gaertn. Carp. 208.  
 — *tomentosa Roxb.* Wight Ic. pl. Ind. or. 1, 182, 183.  
 — *vaccinioides Ldl.* Hook. Exot. Fl. 139.  
 — — — Lodd. Cab. 1549.  
 † *virginiana L.* Gaertn. Carp. 207.  
 — — — Michaux Arb. 2, 12.  
 — — — Rafin. Med. 32.  
 — — — Watson Dendr. 2, 146.  
 — *Waldemarii Klotzsch.* Prinz Waldem. Him. 55.  
*Diothonea imbricata Ldl.* Lindley Sertum 40.  
 † *Diotis ceratoides Schr.* Nees Gen. 4, 65.  
 † — *ferruginea N. v. E.* Nees Gen. 4, 65.  
 — *maritima Cass.* Curt. Lond. 4, 137.  
 — — — Baxter Brit. Bot. 6, 499.  
*Diotosperma Drummondii A. Gray.* Hook. Ic. pl. 9, 855.  
*Dipholis salicifolia DC.* Delessert Ic. 5, 40.  
 † *Diphyes bicolor Bl.* Blume Tabellen 66.  
 † — *crassifolia Bl.* Blume Tabellen 66.  
 † — *gibbosa Bl.* Blume Tabellen 66.  
 † — *tenella Bl.* Blume Tabellen 66.  
 † *Diphylleia Michx.* Gray Genera 33.  
 — *cymosa Michx.* Michaux Fl. 19, 20.  
 — — — Lam. Encycl. 937.  
 — — — Bot. Mag. 40, 1666.  
 — — — Gray Genera 33.  
 † *Diphysa carthagensis Jacq.* Lam. Encycl. 605.

- † *Diplachne serotina Lk.* Nees Gen. 1, 74.  
 — — — Rehb. Fl. germ. 1, 71.  
*Diplacrum caricinum R. Br.* Endl. Iconogr. 25.  
 — *tridentatum Brongn.* Brongniart Coquille 26.  
*Diplacus glutinosus Nutt.* Paxt. Fl. G. 92.  
 — — — var. *Lem. Jard. f. 3, 308.*  
 — *punicus Nutt.* Bot. Mag. 65, 3655.  
 — — — Knowles et Westcott 107.  
 — — — Paxt. Mag. 6, 221.  
*Dipladenia atropurpurea A. DC.* Fl. d. serres 1, 29.  
 — *crassinoda A. DC.* Paxt. Mag. 12, 25.  
 — — — Bot. Reg. 30, 64.  
 — *flava Hook.* Bot. Mag. 79, 4702.  
 — *nobilis Morr.* Annales de Gand 1847, 152.  
 — — — Paxt. Mag. 16, 4.  
 — — — Fl. d. serres 5, 437.  
 — *rosa campestris Ch. Lem.* Fl. d. serres 3, 256.  
 — *splendens DC.* Fl. d. serres 1, 30.  
 — *urophylla Hook.* Bot. Mag. 74, 4414.  
 — — — Paxt. Mag. 16, 67.  
 — — — Fl. d. serres 5, 425.  
 — *vincaeflora Ch. Lem.* Fl. d. serres 2, 74.  
*Diplandra lopezioides Hook.* Hook. Beechey 60.  
 † *Diplanthera Aub. Th.* Ann. sc. nat. II, 9, 4.  
*Diplax avenacea Decne.* Raoul Nouv. Zel. 4.  
*Diplazium acuminatum Raddi.* Raddi Fil. 57.  
 — *alismaefolium Presl.* Presl Reliq. 8.  
 — *ambiguum Raddi.* Raddi Fil. 58.  
 — *cordifolium Bl.* Hook. Ic. pl. 2, 184.  
 — *juglandifolium Sw.* Schk. Fil. 85.  
 — *lanceum Bory.* Bélanger Ind. or. 4.  
 — *malabaricum Bl.* Rheede Hort. mal. 12, 15.  
 — — — Spr. Rumpf Amb. 6, 29.  
 † — *malaccense Presl.* Fée Fil. 5, 17.  
 † — *marginatum Hook.* Hook. Gen. Fil. 55.  
 — *microphyllum Desv.* Mem. soc. Linn. Par. 6, 7.  
 — *pinnatifidum Kze.* Kunze Analecta 16.  
 — *plantagineum Sw.* Swartz Syn. Fil. 2.  
 — — — Schk. Fil. 85.  
 † — — — Hook. Gen. Fil. 55.  
 — — — Lodd. Cab. 1588.  
 — *pulcherrimum Raddi.* Opusc. sc. Bon. 3, 12.  
 — — — Raddi Fil. 59.  
 † — *radicans Presl.* Hook. Gen. Fil. 55.  
 — *serampurensis Spr.* Acta Leop. 10, 1, 17.  
 — *silvaticum Sw.* Schk. Fil. 85<sup>b</sup>.  
 † — *striatum Presl.* Hook. Gen. Fil. 55.  
*Diplectrum amoenum Aub.* Aubert Orchid. 21, 22.  
*Diplocalyx chrysophylloides A. Rich.* Ramon Cuba 54.  
*Diplocentrum congestum Wight.* Wight Ic. pl. Ind. or. 5, 1682.  
 — *longifolium Wight.* Wight Ic. pl. Ind. or. 5, 1681.  
 — *recurvum Ldl.* Wight Ic. pl. Ind. or. 5, 1680.  
*Diplochita bracteata DC.* Mart. Bras. 274.  
*Diploclinium Arnottianum Wight.* Wight Ic. pl. Ind. or. 5, 1815.  
 — *biloculare Wight.* Wight Ic. pl. Ind. or. 5, 1814.  
 — *cordifolium Wight.* Wight Ic. pl. Ind. or. 5, 1816.  
 — *Lindleyanum Wight.* Wight Ic. pl. Ind. or. 5, 1817.  
*Diplocoma villosa Don.* Sweet Fl. G. 246.  
*Diploconchium inocephalum Schauer.* Acta Leop. 19. Suppl. 12.  
*Diplodium australe Sw.* Mag. naturf. Fr. 4, 3.  
*Diplodon arboreus P. et E.* Poepp. et Endl. 192.  
 † *Diplogenea viscoidea Ldl.* Ann. sc. nat. III, 15, 13.  
*Diplolaena Dampieri Desf.* Mem. Mus. 3, 20.  
 — — — Bot. Mag. 70, 4059.  
 — — — Bot. Reg. 27, 64.  
 — — — Fl. d. serres 2, 61.  
 — *grandiflora Desf.* Mem. Mus. 3, 19.  
 † — — — Lam. Encycl. 955.

- Diplopappus canescens* Hook. Paxt. Mag. 2, 49.  
 — *incanus* Ldl. Paxt. Mag. 2, 49.  
 — — — Bot. Mag. 62, 3382.  
 — — — Bot. Reg. 20, 1693.  
*Diplopeltis Hügelii* Ldl. Bot. Reg. 25, 69.  
*Diplophractum auriculatum* Desf. Mem. Mus. 5, 1.  
 † — — — Lam. Encycl. 964.  
*Diploprion medicaginoides* Viv. Viv. Lib. 19.  
*Diplopterys paralias* Juss. Delessert Ic. 3, 33.  
 † — — — Arch. Mus. 3, 20.  
*Diplosastera tinctoria* Pohl. Tausch Hort. Canal. 4.  
*Diplosiphon oryzerorum* Decne. Jacquemont Ind. 167.  
*Diplospora viridiflora* DC. Bot. Reg. 12, 1026.  
*Diplostephium amygdalinum* Cass. Bot. Reg. 18, 1517.  
 — *lavandulifolium* H. B. K. H. B. K. Nov. Gen. 4, 335.  
*Diplotaxis auriculata* Durieu. Explor. Alger. 76.  
 — *Barrelieri* DC. Rehb. Fl. germ. 2, 83.  
 — *crucoides* DC. Rehb. Fl. germ. 2, 84.  
 — *hispidia* DC. Delessert Ic. 2, 89.  
 — *muralis* DC. Sturm Flora 16, 68.  
 — — — var. *subpinnatifida*, Sturm Flora 16, 68.  
 — — — Rehb. Fl. germ. 2, 82.  
 — *saxatilis* DC. Rehb. Fl. germ. 2, 83.  
 — *scaposa* DC. Delessert Ic. 2, 90.  
 — *tenuifolia* DC. Sturm Flora 16, 68.  
 — — — var. *integrifolia*, Sturm Flora 16, 68.  
 — — — var. *subpinnatifida*, Sturm Flora 16, 68.  
 — — — Dietr. Fl. bor. 7, 450.  
 — — — Rehb. Fl. germ. 2, 82.  
 — *viminea* DC. Rehb. Fl. germ. 2, 81.  
 — — — Sturm Flora 16, 68.  
*Diplothemium campestre* Mart. Mart. Palm. 76, 78.  
 — *caudescens* Mart. Mart. Palm. 70, 77.  
 — *litorale* Mart. Mart. Palm. 76.  
 — — — D'Orbigny Voyage 9.  
 — *maritimum* Mart. Mart. Palm. 75, 77, 77<sup>a</sup>.  
 — *Torallyi* Mart. D'Orbigny Voyage 15, 28.  
*Diplusodon alutacens* Pohl. Pohl Bras. 80.  
 — *Candollii* Pohl. St. Hil. Fl. Bras. 188.  
 — *decussatus* Gardn. Fielding Sertum 1.  
 — *divaricatus* Pohl. Pohl Bras. 67.  
 — — — Rehb. Exot. 333.  
 — *floribundus* Pohl. Pohl Bras. 70.  
 — *imbricatus* Pohl. Pohl Bras. 68.  
 — *incanus* Gardn. Fielding Sertum 2.  
 — *kielmeyeroides* St. Hil. St. Hil. Fl. Bras. 189.  
 — *lanceolatus* Pohl. Pohl Bras. 81.  
 — *marginatus* Pohl. Pohl Bras. 66.  
 — *microphyllus* Pohl. Pohl Bras. 76.  
 — *oblongus* Pohl. Pohl Bras. 78.  
 — *ovatus* Pohl. Pohl Bras. 69.  
 — — — Rehb. Exot. 334.  
 — *punctatus* Pohl. Pohl Bras. 72.  
 — *ramosissimus* Pohl. Pohl Bras. 77.  
 — *rosmarinifolius* St. Hil. St. Hil. Fl. Bras. 189.  
 — *scaber* Pohl. Pohl Bras. 79.  
 — *strigosus* Pohl. Pohl Bras. 71.  
 — *villosus* Pohl. Pohl Bras. 74.  
 — *villosissimus* Pohl. Pohl Bras. 75.  
 — *virgatus* Pohl. Pohl Bras. 73.  
 — — — Rehb. Exot. 333.  
*Diplycosia ciliolata* Hook. fil. Hook. Ic. pl. 9, 894.  
*Dipodium punctatum* R. Br. Bot. Reg. 23, 1980.  
 — — — Maund Bot. 2, 66.  
 † *Diposis* DC. DC. Umbellif. 2.  
 — *Bulbocastanum* DC. Gay Chile 31.  
 † *Dipsaceae* Juss. (Coulter.) Mem. Genev. 2, 1, 2.  
 † *Dipsacus* L. Mem. Genev. 2, 1.  
 † — — — Ann. sc. nat. II, 16, 13.  
 — *ferox* Lois. Loiseleur Fl. gall. 3.  
 — — — Tratt. Archiv 196.  
*Dipsacus ferox* Lois. Jacq. Ecl. pl. 107.  
 — — — Rehb. Fl. germ. 12, 706.  
 — *fullonum* L. Schk. Handb. 21.  
 † — — — Lam. Encycl. 56.  
 — — — Engl. Bot. 29, 2080.  
 — — — Rehb. Fl. germ. 12, 705.  
 † — — — Nces Gen. X, x.  
 — *Gmelini* M. v. B. Jacq. Ecl. pl. 106.  
 — *laciniatus* L. Jacq. Fl. austr. 5, 403.  
 † — — — Gaertn. Carp. 86.  
 — — — Lam. Encycl. 56.  
 — — — Rehb. Fl. germ. 12, 705.  
 — *Leschenaultii* Coult. Wight Illustr. 130.  
 — *pilosus* L. Jacq. Fl. austr. 3, 248.  
 — — — Curt. Lond. 3, 32.  
 — — — Fl. dan. 9, 1448.  
 — — — Engl. Bot. 13, 877.  
 — — — Dietr. Fl. bor. 8, 520.  
 — — — Rehb. Fl. germ. 12, 704.  
 — *Roylei* Klotzsch. Prinz Waldem. Him. 84.  
 — *silvestris* L. Fl. dan. 6, 965.  
 — — — Curt. Lond. 3, 31.  
 — — — Engl. Bot. 15, 1032.  
 — — — Baxter Brit. Bot. 6, 490.  
 — — — Dict. sc. nat. 95.  
 — — — Jacq. Fl. austr. 5, 402.  
 — — — Schrank Flora monac. 2, 187.  
 — — — Dietr. Fl. bor. 7, 493.  
 — — — Rehb. Fl. germ. 12, 707.  
 — *Walkeri* Arn. Wight Ic. pl. Ind. or. 4, 1166.  
*Dipteracanthus bahiensis* Moric. Moricand Pl. Am. 91.  
 — *Blanchetianus* Moric. Moricand Pl. Am. 95.  
 — *patulus* N. v. E. Wight Ic. pl. Ind. or. 4, 1505.  
 — *spectabilis* Hook. Bot. Mag. 76, 4494.  
 — — — Lem. Jard. fl. 10.  
 — — — Fl. d. serres 6, 554.  
 † *Dipterocalyx hirtus* Chamisso. Linnæa 7, 7.  
 † *Dipterocarpeae* Bl. Schnizl. Ic. 213.  
*Dipterocarpus Baudii* Korth. Korthals Bot. 5.  
 † — *costatus* Gaertn. Gaertn. Carp. 187.  
 — *gracilis* Bl. Blume Java 5, 5.  
 — *Hasseltii* Bl. Blume Java 5, 6.  
 — *litoralis* Bl. Blume Java 5, 4.  
 — *retusus* Bl. Blume Java 5, 2.  
 — *Spanoghei* Bl. Blume Java 5, 3.  
 — *trinervis* Bl. Blume Cat. Buitenzorg 0.  
 — — — Blume Java 5, 1.  
 † — *turbinatus* Gaertn. Gaertn. Carp. 188.  
 — — — Roxb. Corom. 213.  
*Dipterygium glaucum* Decne. Ann. sc. nat. II, 4, 3.  
 † *Dipteryx oleifera* Hook. Hook. Journ. 1850, 7.  
*Diptychandra aurantiaca* Tulasne. Arch. Mus. 4, 8.  
*Dirca palustris* L. Lam. Encycl. 293.  
 — — — Schk. Handb. 107<sup>b</sup>.  
 — — — Guimp. Fr. Holzgew. 49.  
 — — — Bigelow Med. 37.  
 — — — Bot. Reg. 4, 292.  
*Dircaea cardinalis* Reg. Regel Gartenfl. 2, 41.  
 — *lobulata* Lem. Lem. Jard. fl. 219—220.  
 — *picta* Lem. Lem. Jard. fl. 3, 302.  
*Dirichletia glabra* Klotzsch. Peters Mossamb. 47.  
 — *pubescens* Klotzsch. Peters Mossamb. 48.  
 † *Disa* Linn. Svensk Acad. 1800, 3.  
 † — — Schrader N. Journal I, 1.  
 — *bracteata* Sw. Bot. Reg. 4, 324.  
 — *cornuta* Sw. Bot. Mag. 70, 4091.  
 — *ferruginea* Sw. Hook. Ic. pl. 3, 214.  
 — *graminifolia* Ker. Journ. sc. and arts 6, 1.  
 — *grandiflora* L. fil. Lam. Encycl. 727.  
 — — — Lindley Sertum 49.  
 — — — Bot. Mag. 70, 4073.  
 — — — Bot. Reg. 11, 926.

- Disa grandiflora* *L. fil.* Journ. sc. and arts 4, 6.  
 — — — Rehb. Exot. 110.  
 — — — Fl. d. serres 2, 160.  
 — — — longicornu *L. fil.* Lam. Encycl. 727.  
 — — — porrecta *Sw.* Journ. sc. and arts 5, 1.  
 — — — prasinata *Ker.* Bot. Reg. 3, 210.  
 — — — pulchella *Hochst.* Richard Abyssin. 93.  
 — — — scutellifera *A. Rich.* Richard Abyssin. 94.  
 † — — — Ann. sc. nat. II. 14, 18.  
 † — — — spathulata *Sw.* Bauer Orchid. (Gen.) 14.  
 — — — Journ. sc. and arts 4, 6.  
 — — — uniflora *Berg.* Bergius Cap. 4.  
 † *Disandra africana* *Lam.* Lam. Encycl. 275.  
 — — — Mem. Mus. 14, 18.  
 † — — — prostrata *L. fil.* Gaertn. Carp. 185.  
 — — — Jacq. Fragm. 6.  
 — — — Bot. Mag. 7, 218.  
 — — — Belgique hortic. 2, 44.  
*Disarrhenum antarcticum* *Lab.* Bill. Nov. Holl. 232.  
 † *Discaria americana* *Hook.* Hook. Bot. Misc. 44.  
 † — — — australis *Hook.* Hook. Bot. Misc. 45.  
 — — — Toumatou *Decne.* Raoul Nouv. Zel. 29.  
*Dischidia bengalensis* *Colebr.* Linn. Transact. 12, 15<sup>b</sup>.  
 — — — Bot. Mag. 56, 2916.  
 † — — — cochleata *Bl.* Blume Mus. 1, 27.  
 — — — numularia *R. Br.* Rumpf Amb. 5, 176.  
 — — — Rafflesiana *Wall.* Wall. Pl. asiat. 142.  
 † — — — Linn. Transact. 20, 17, 18.  
 — — — timorensis *Decne.* N. Ann. Mus. 3, 17.  
 † *Dischisma capitatum* *Choisy.* Mem. Genev. 2, 1.  
 — — — ciliatum *γ. Choisy.* Jacq. Ecl. pl. 151.  
*Discocactus biformis* *Ldl.* Bot. Reg. 31, 9.  
 — — — Lem. Jard. fl. 3, 321.  
 — — — insignis *Pfeiff.* Pfeiffer Cact. 2, 1.  
 — — — Acta Leop. 19, I, 15.  
 — — — tricornis *Monv.* Pfeiffer Cact. 2, 28.  
 † *Discocarpus Klotzsch.* Wiegmann Archiv 7, 9.  
*Discopleura capillacea* *DC.* DC. Umbellif. 8.  
 — — — Nuttallii *DC.* DC. Umbellif. 9.  
*Discopodium penninervium* *Hochst.* Richard Abyss. 79.  
*Disemma adiantifolia* *DC.* Bot. Reg. 3, 233.  
 — — — aurantia *Lab.* Bill. Sertum 79.  
 — — — Bot. Mag. 71, 4140.  
 — — — Herbertiana *DC.* Bot. Reg. 9, 737.  
*Diseris neilgherrensis* *Wight.* Wight Ic. pl. Ind. or. 5, 1719.  
*Disernestum gummiferum* *Jaub.* Jaubert Illustr. 40.  
 † *Disparago ericoides* *Gaertn.* Gaertn. Carp. 173.  
 † *Disperis Sw.* Svensk Acad. 1800, 3.  
 † — — — Schrader N. Journal 1, 1.  
 — — — alata *Lab.* Bill. Nov. Holl. 210.  
 — — — capensis *Sw.* Journ. sc. and arts 5, 1.  
 — — — cucullata *Sw.* Journ. sc. and arts 6, 1.  
 — — — secunda *Sw.* Journ. sc. and arts 5, 1.  
 — — — tripetaloida *Ldl.* Wight Ic. pl. Ind. or. 3, 930.  
 — — — villosa *Sw.* Journ. sc. and arts 6, 1.  
*Disporum ceylanicum* *Wight.* Wight Ic. pl. Ind. or. 6, 2049.  
 — — — Leschenaultianum *Don.* Wight Ic. pl. Ind. or. 6, 2048.  
 — — — mysorensis *Wight.* Wight Ic. pl. Ind. or. 6, 2049.  
*Dissochaeta bracteata* *Körth.* Korthals Bot. 55.  
 — — — cyanocarpa *Bl.* Korthals Bot. 56.  
 † — — — Ann. sc. nat. III. 15, 4.  
 † — — — decipiens *Naud.* Ann. sc. nat. III. 15, 4.  
 † — — — intermedia *Bl.* Blume Mus. 1, 5.  
 † — — — pallida *Naud.* Ann. sc. nat. III. 15, 4.  
 † — — — spoliata *Naud.* Ann. sc. nat. III. 15, 4.  
*Dissorhynchium muricatum* *Schauer.* Acta Leop. 19, Suppl. 13.  
*Dissothrix Gardneri* *Gray.* Hook. Journ. 1851, 5.  
*Disteganthus basi-lateralis* *Ch. Lem.* Fl. d. serres 3, 227.

- † *Distegocarpus carpinoides* *S. et Z.* Münchn. Abh. 4, 3.  
 † *Distemma carinatum* *Van Houtte.* Van Houtte Hort. 5.  
*Distichis Aub.* Aubert Orchid. 88.  
*Distylis Berardiana* *Gaudich.* Freycinet Voyage 80.  
*Distylium racemosum* *Sieb. et Z.* Sieb. Fl. Japon. 94.  
*Ditassa decussata* *Mart.* Mart. Bras. 31.  
 — — — manicata *Decne.* Delessert Ic. 5, 72.  
 — — — mucronata *Mart.* Mart. Bras. 31.  
 — — — trivialis *P. et E.* Pöcp. et Endl. 277.  
*Ditaxis dioica* *H. B. K.* H. B. K. Nov. Gen. 7, 639.  
*Dithyrea californica* *Hav.* Hook. Lond. J. 1845, 5.  
*Dithyrocarpus petiolatus* *Wight.* Wight Ic. pl. Ind. or. 6, 2079.  
 — — — Rothii *Wight.* Wight Ic. pl. Ind. or. 6, 2080.  
 — — — undulatus *Wight.* Wight Ic. pl. Ind. or. 6, 2080.  
 † *Ditoca muscosa* *Gaertn.* Gaertn. Carp. 126.  
 † *Diuris Smith.* Svensk Acad. 1800, 3.  
 † — — — Schrader N. Journal 1, 1.  
 — — — aurea *Sm.* Smith Exot. Bot. 9.  
 — — — filifolia *Ldl.* Lindley Swan River 8.  
 — — — maculata *Sm.* Smith Exot. Bot. 30.  
 — — — Bot. Mag. 59, 3156.  
 — — — punctata *Sm.* Smith Exot. Bot. 8.  
*Dobera glabra* *Juss.* Ehrenberg Symb. 3.  
*Dobrowskia scabra* *DC.* Delessert Ic. 5, 9.  
 † *Dodartia orientalis* *L.* Gaertn. Carp. 53.  
 † — — — Lam. Encycl. 530.  
 — — — Bot. Mag. 48, 2199.  
 — — — Sweet Fl. G. 147.  
 — — — Jaubert Illustr. 410.  
 † *Dodecatheon L.* Kerner Genera 30.  
 — — — frigidum *Cham.* Seemann Herald 9.  
 — — — integrifolium *Michx.* Bot. Mag. 64, 3622.  
 † — — — Meadia *L.* Gaertn. Carp. 50.  
 † — — — Lam. Encycl. 99.  
 — — — Bot. Mag. 1, 12.  
 — — — Schk. Handb. 34.  
 — — — *γ.* Sweet Fl. G. II. 60.  
 — — — var. alba, Lodd. Cab. 1489.  
 — — — var. laciniata, Annal. de Gand 1846, 71.  
 † *Dodonaea L.* Gray Genera 182.  
 — — — angustifolia *Lam.* Lam. Encycl. 304.  
 — — — asplenifolia *Rudge.* Linn. Transact. 11, 20.  
 — — — attenuata *Cumm.* Lodd. Cab. 1470.  
 — — — Bot. Mag. 55, 2860.  
 — — — bialata *H. B. K.* H. B. K. Nov. Gen. 5, 442.  
 — — — Burmanniana *DC.* Wight Illustr. 52.  
 — — — cuneata *Rudge.* Linn. Transact. 11, 19.  
 — — — hispidula *Endl.* Endl. Atacta 30.  
 — — — humilis *Endl.* Endl. Atacta 31.  
 — — — oblongifolia *Lk.* Bot. Reg. 13, 1051.  
 — — — tricuspidata *Desc.* Desc. Ant. 7, 530.  
 — — — trifoliata *Trew.* Trew Pl. rar. 9.  
 — — — triquetra *Sm.* Andr. Rep. 4, 230.  
 — — — Tratt. Archiv 396.  
 — — — viseosa *L.* Rumpf Amb. 4, 50.  
 — — — Cav. Ic. 327.  
 † — — — Gaertn. Carp. 111.  
 † — — — Lam. Encycl. 304.  
 — — — Gray Genera 182.  
*Dolia clavata* *Miers.* Gaudichaud Bonite 111.  
 — — — salsoloides *Ldl.* Gaudichaud Bonite 113.  
 — — — vermiculata *Ldl.* Gaudichaud Bonite 112.  
 — — — Miers Illustr. 12.  
*Dolichangis Aub.* Aubert Orchid. 66, 69.  
*Dolichogyne Candollei* *Remy.* Gay Chile 45.  
*Dolichos acinaciformis* *Jacq.* Jacq. Ic. 559.  
 — — — altissimus *L.* Jacq. Hist. stirp. am. 190.  
 — — — bengalensis *Jacq.* Jacq. Vind. 124.  
 — — — bulbosus *L.* Rumpf Amb. 5, 132, fig. 2.  
 — — — Catjang *L.* Rumpf Amb. 5, 139, fig. 1.  
 — — — emarginatus *Jacq.* Jacq. Schoenbr. 2, 221.

- Dolichos emarginatus* *Pal. B.* Pal. Fl. d'Oware 114.  
 — *ensiformis* *L.* Rumpf Amb. 5, 135. fig. 1.  
 — — — *Kaempfer* Japon. 25.  
 — *fabaeformis* *L'her.* L'her. Stirp. 78.  
 — *galeatus* *Gaudich.* Freycinet Voyage 115.  
 — *gladiatus* *Jacq.?* *Kaempfer* Japon. 39.  
 — — — *Jacq.* Ic. 560.  
 — *hirsutus* *Thunb.* Andr. Rep. 7, 446.  
 — *Lablab* *L.* Schk. Handb. 199<sup>b</sup>.  
 † — — — *Gaertn.* Carp. 150.  
 † — — — *Lam. Encycl.* 610.  
 — — — *Bot. Mag.* 23, 896.  
 — *lignosus* *L.* Rumpf Amb. 5, 136.  
 — — — *Linné Hort. Cliff.* 20.  
 — — — *Smith Spicil.* 21.  
 — — — *Bot. Mag.* 11, 380.  
 — *luteolus* *Jacq.* *Jacq.* Vind. 90.  
 — *memnonius* *Delile.* Delile Egypte 38.  
 — *minimus* *L.* *Linné Hort. Cliff.* 21.  
 — — — *Jacq. Obs.* 22.  
 — — — *Desc. Ant.* 3, 171.  
 — *mollis* *Jacq.* *Jacq.* Fragm. 88.  
 — *niloticus* *Delile.* Delile Egypte 38.  
 — *obtusifolius* *Lam.* *Desc. Ant.* 3, 169.  
 — *pilosus* *Klein.* Rumpf Amb. 5, 142.  
 — *pruriens* *L.* *Jacq. Hist. stirp. am.* 188.  
 — — — *Woodv. Med.* 3, 153.  
 — — — *Desc. Ant.* 1, 49.  
 — *pubescens* *L.* *Jacq. Vind.* 101.  
 — *purpureus* *L.* *Smith Exot. Bot.* 74.  
 — — — *Bot. Reg.* 10, 830.  
 † — *pyramidalis* *Lam.* *Lam. Encycl.* 610.  
 — *ruber* *Jacq.* *Jacq. Hist. stirp. am.* 191.  
 — *sanguineus* *Jacq.* *Jacq. Fragm.* 55.  
 — *scarabaeoides* *L.* *Jacq. Ecl. pl.* 152.  
 — *sesquipedalis* *L.* *Jacq. Vind.* 67.  
 — *sinensis* *L.* *Rheede Hort. mal.* 8, 41.  
 — — — *Rumpf Amb.* 5, 134.  
 — — — *Jacq. Vind.* 3, 71.  
 — — — *Bot. Mag.* 48, 2232.  
 — *Soja* *L.* *Svensk Acad.* 1764, 9.  
 — — — *Jacq. Ic.* 145.  
 — *tetragonolobus* *L.* *Rumpf Amb.* 5, 133.  
 — *tranquebaricus* *Jacq.* *Jacq. Vind.* 3, 70.  
 — *trilobus* *L.* *Burm. Fl. ind.* 50.  
 — *tuberosus* *L.* *Desc. Ant.* 8, 554.  
 — *uncinatus* *L.* *Desc. Ant.* 8, 553.  
 — *unguiculatus* *L.* *Rumpf Amb.* 5, 138.  
 — — — *Jacq. Vind.* 23.  
 — *urens* *L.* *Jacq. Hist. stirp. am.* 189.  
 — — — *Desc. Ant.* 4, 233.  
*Doliocarpus Rolandri* *Gmel.* *Svensk Acad.* 1756, 9.  
*Dollingeria amygdalina* *N. v. E.* *Bot. Reg.* 18, 1517.  
*Dolomiaea macrocephala* *DC.* *Delessert Ic.* 4, 70.  
 — — — *Royle Illustr.* 57.  
*Dolophragma globiflorum* *Fzl.* *Annal. d. Wien. Mus.* 1, 7.  
 — *juniperinum* *Fzl.* *Annal. d. Wien. Mus.* 1, 7.  
† *Dombeya* *Cav.* *Ruiz et Pav. Prodr.* 17.  
† — *acerifolia* *Gaertn.* *Gaertn. Carp.* 137.  
 — *acutangula* *Cav.* *Cav. Diss.* 38.  
 — *Ameliae* *Lem.* *Fl. d. serres* 6, 605.  
 — *angulata* *Cav.* *Cav. Diss.* 39.  
 — — — *Bot. Mag.* 56, 2905.  
 — — — *Rehb. Exot.* 164.  
† — *borbonica* *Gaertn.* *Gaertn. Carp.* 137.  
 — *cannabina* *Hels et Boj.* *Bot. Mag.* 64, 3619.  
† — *chilensis* *Lam.* *Lam. Encycl.* 828.  
 — *decanthera* *Cav.* *Cav. Diss.* 40.  
 — *Erythroxylon* *Willd.* *Andr. Rep.* 6, 389.  
 — *ferruginea* *Cav.* *Cav. Diss.* 42.  
 — *lappacea* *L'her.* *L'her. Stirp.* 17.  
 — — — *Salisb. Ic. rar.* 3.  
*Dombeya mollis* *Hook.* *Bot. Mag.* 77, 4578.  
 — — — *Lem. Jard. fl.* 134.  
 — *ovata* *Cav.* *Cav. Diss.* 41.  
 — *palmata* *Cav.* *Cav. Diss.* 38.  
 — — — *Wall. Pl. asiat.* 235.  
 — *phoenicea* *Cav.* *Cav. Diss.* 43.  
 — *punctata* *Cav.* *Cav. Diss.* 40.  
 — *reflexa* *Drapiez.* *Rehb. Exot.* 348.  
 — *Schimperia* *Dill. et Rich.* *Richard Abyss.* 19.  
 — *tiliaefolia* *Cav.* *Cav. Diss.* 39.  
 — *umbellata* *Cav.* *Cav. Diss.* 41.  
 — *viburniflora* *Bojer.* *Bot. Mag.* 77, 4568.  
 — — — *Lem. Jard. fl.* 116.  
 — — — *Fl. d. serres* 6, 626.  
† *Donatia fascicularis* *Forst.* *Forster Char.* 5.  
 — *magellanica* *Lam.* *Lam. Encycl.* 51.  
 — — — *Hook. Ic. pl.* 1, 16.  
 — *Novae Zelandiae* *Hook.* *Hook. New Zeal.* 20.  
† *Dondia Epipactis* *Spr.* *Sprengel Umbellif. Prodr.* 1.  
 — — — *Lodd. Cab.* 1832.  
*Donia ciliata* *Nutt.* *Hook. Exot. Fl.* 45.  
 — *glutinosa* *Pursch.* *Bot. Reg.* 3, 187.  
 — *punicea* *Don.* *Paxt. Mag.* 2, 169.  
 — *squarrosa* *Pursch.* *Bot. Mag.* 41, 1706.  
 — *uniflora* *Hook.* *Hook. Bor. Am.* 124.  
*Dontostemon micranthus* *Led.* *Ledeb. Ic.* 353.  
 — *perennis* *Led.* *Ledeb. Ic.* 203.  
*Donzella spinosa* *Ten.* *Mem. Mod.* 22, 2.  
*Doodia aspera* *R. Br.* *Hook. Exot. Fl.* 8.  
 — — — *Lodd. Cab.* 39.  
† — — — *Hook. Gen. Fil.* 54.  
† — — — *Sprengel Neue Entd.* 1, 3.  
 — *caudata* *R. Br.* *Hook. Exot. Fl.* 25.  
 — *connexa* *Kze.* *Kunze Fil.* 6.  
 — *dives* *Kze.* *Kunze Fil.* 105.  
 — *Kunthiana* *Gaudich.* *Freycinet Voyage* 14.  
† — — — *Hook. Gen. Fil.* 54.  
*Doona zeylanica* *Thw.* *Hook. Journ.* 1851, 12.  
*Dopatrium lobelioides* *Benth.* *Wight Ic. pl. Ind. or.*  
 — — — 3, 859.  
*Doraena japonica* *Thunb.* *Thunb. Ic. jap.* 23.  
† — — — *Gaertn. Carp.* 184.  
*Doronicum altaicum* *Pall.* *Pallas Enum.* 2.  
 — *Arnottii* *DC.* *Wight Ic. pl. Ind. or.* 3, 1125.  
 — *asplenifolium* *Lam.* *Lam. Encycl.* 679.  
 — *austriacum* *Jacq.* *Jacq. Fl. austr.* 2, 130.  
 — — — *Sturm Flora* 10, 38, 18, 80.  
 — *Bellidiastrum* *L.* *Jacq. Fl. austr.* 4, 400.  
 — *Candolleum* *Arn.* *Wight Ic. pl. Ind. or.* 3,  
 — — — 1127.  
 — — — *Wight Spicil.* 114.  
 — *caucasicum* *M. v. B.* *Rochel Banat.* 31.  
 — — — *Bot. Mag.* 59, 3143.  
 — — — *Lodd. Cab.* 1465.  
 — — — *Sturm Flora* 18, 80.  
 — *Columnae* *Ten.* *Tenore Fl. nap.* 79.  
 — *incanum* *Lam.* *Lam. Encycl.* 679.  
 — *Lessingianum* *Arn.* *Wight Ic. pl. Ind. or.* 3, 1126.  
 — — — *Wight Spicil.* 113.  
 — *macrophyllum* *Fisch.* *Sturm Flora* 18, 80.  
 — *mexicanum* *Cerv.* *Link Ic. II.* 22.  
† — *oppositifolium* *Lam.* *Lam. Encycl.* 679.  
 — *Pardalianches* *L.* *Jacq. Fl. austr.* 4, 350.  
† — — — *Gaertn. Carp.* 173.  
 — — — *Schk. Handb.* 249.  
† — — — *Lam. Encycl.* 679.  
 — — — *Curt. Lond.* 4, 88.  
 — — — *Engl. Bot.* 9, 630.  
 — — — *Engl. Bot.* 2654.  
 — — — *Hayne* 6, 21.  
 — — — *Sturm Flora* 6, 21, 18, 80.  
 — — — *Baxter Brit. Bot.* 2, 157.

- † *Doronicum reticulatum* *Wight*. *Calcutta Journ.* 1847, 3.  
 — — *Wight* Ic. pl. Ind. or. 3, 1151.  
 — *rotundifolium* *Desf.* *Desf. Fl. atl.* 235.  
 — *rupestre* *Wight*. *Wight Ic. pl. Ind. or.* 3, 1128.  
 — *scorpioides* *Willd.* *Sturm Flora* 18, 80.  
 — — *Hayne* 6, 22.  
 — *tenuifolium* *Wight*. *Wight Ic. pl. Ind. or.* 3, 1129.  
 † — *tomentosum* *Wight*. *Calcutta Journal* 1847, 3.  
 — — *Wight* Ic. pl. Ind. or. 3, 1151.  
 — *Wightii* *DC.* *Wight Ic. pl. Ind. or.* 3, 1124.  
 † *Dorstenia* *L.* *Swartz Observ.* 7.  
 — *arifolia* *Lam.* *Lam. Encycl.* 83.  
 — — *Hook.* *Exot. Fl.* 6.  
 — — *Lodd.* *Cab.* 999.  
 — — *Bot. Mag.* 51, 2476.  
 — — var. *Endl. Bras.* 12, 60.  
 — *asaroides* *Gardn.* *Hook. Ic. pl.* 4, 399.  
 — — *Endl. Bras.* 12, 61.  
 — *brasilensis* *Lam.* *Nees Düsseld.* 99.  
 — *caulescens* *L.* *Desc. Ant.* 4, 257.  
 — — *Vell.* *Fielding Sertum* 13.  
 — *ceratosanthes* *Lodd.* *Lodd. Cab.* 1216.  
 — — *Bot. Mag.* 54, 2760.  
 — *Contrajerva* *L.* *Jacq. Ic.* 614.  
 — — *Lam. Encycl.* 83.  
 † — — *Roemer Archiv* L 7.  
 — — *Desc. Ant.* 3, 207.  
 — — *Dict. sc. nat.* 284.  
 — — *Nees Düsseld.* 98.  
 — — *Woodv. Med.* 4, 240.  
 † — — *Schnizl. Ic.* 2, 92.  
 — *Drakena* *L.* *Lodd. Cab.* 677.  
 — *clata* *Gardn.* *Hook. Ic. pl.* 3, 220.  
 — — *Endl. Bras.* 12, 55.  
 — *excentrica* *Moric.* *Moricand Pl. Am.* 59.  
 — *Houstoni* *L.* *Schrader Journ.* 1800, 1, 1, 2.  
 — — *Bot. Mag.* 45, 2017.  
 — — *Lodd. Cab.* 1005.  
 — *indica* *Wight*. *Wight Ic. pl. Ind. or.* 6, 1964.  
 — *infundibuliformis* *Lodd.* *Lodd. Cab.* 1784.  
 — *longifolia* *Moric.* *Moricand Pl. Am.* 58.  
 — *multiformis* *Miq.* *Endl. Bras.* 12, 57, 58, 59.  
 — *nervosa* *Desv.* *Endl. Bras.* 12, 56.  
 — *setosa* *Moric.* *Moricand Pl. Am.* 64.  
 — *tubicina* *Rz et P.* *Ruiz et Pav. Fl.* 102.  
 — — *Bot. Mag.* 55, 2804.  
 — *vitifolia* *Gardn.* *Fielding Sertum* 14.  
 † *Doryanthes excelsa* *Correa*. *Linn. Transact.* 6, 23, 24.  
 — — *Bauer Illustr.* 12 — 14.  
 — — *Bot. Mag.* 41, 1685 <sup>a</sup><sub>b</sub>.  
 — — *Lodd. Cab.* 765.  
 — — *Glenny Journal* 1839, 1, 2.  
*Doryenium argenteum* *Delile*. *Delile Egypte* 40.  
 — *decumbens* *Jord.* *Jordan Obs.* 3, 4.  
 † — *gracile* *Jord.* *Jordan Obs.* 3, 4.  
 — *herbaceum* *Vill.* *Vill. Dauph.* 41.  
 † — — *Jordan Obs.* 3, 4.  
 — *spectabile* *Webb.* *Webb Canar.* 58.  
 † — *suffruticosum* *Vill.* *Jordan Obs.* 3, 4.  
 — *torulosum* *Presl.* *Presl Symbolae* 11.  
*Doryphora Sassafras* *Endl.* *Endl. Iconogr.* 10.  
*Dorystigma caulescens* *Miers.* *Miers Illustr.* 6.  
 — *madagascariense* *Gaudich.* *Gaudich. Bonite* 31.  
 † — *mauritianum* *Gaudich.* *Gaudichaud Bonite* 13.  
 — *squarrosus* *Miers.* *Miers Illustr.* 6.  
*Dossinia marmorata* *Morr.* *Annales de Gand* 1848, 193.  
*Doupea tortuosa* *Camb.* *Jacquemont Ind.* 18.  
*Douglasia nivalis* *Ldl.* *Bot. Reg.* 22, 1886.  
 — — *Hook. Ic. pl.* 2, 180.  
 † *Douma thebaica* *Duhamel*. *Lam. Encycl.* 900.  
 † *Draba* *Linn.* *Mutel Flore franç.* 5.  
 † — — *Gray Genera* 68, 69.

- Draba aizoides* *L.* *Jacq. Fl. austr.* 2, 192.  
 — — *Bot. Mag.* 5, 170.  
 — — *Engl. Bot.* 18, 1271.  
 — — *Rehb. Fl. germ.* 2, 15.  
 — — *α. alpina*, *Sturm Flora* 14, 60.  
 — — *β. affinis*, *Sturm Flora* 14, 60.  
 — — *γ. montana*, *Sturm Flora* 14, 60.  
 — *Aizoon* *Wahlbg.* *Rehb. Fl. germ.* 2, 15.  
 — *alpicola* *Klotzsch.* *Prinz Waldem. Him.* 34.  
 — *alpina* *L.* *Fl. dan.* 1, 56.  
 — — *Sv. Bot.* 771.  
 — — *Rehb. Ic. crit.* 8, 772.  
 — — *Rehb. Fl. germ.* 2, 15.  
 — *alyssoides* *H. B.* *Hook. Bot. Misc.* 32.  
 — *androsacea* *Wahlbg.* *Wahlenbg Fl. lapp.* 11.  
 — *arabisans* *Michx.* *Gray Genera* 68.  
 — *arctica* *Vahl.* *Fl. dan.* 13, 2294.  
 — *aretoides* *H. B. K.* *H. B. K. Nov. Gen.* 5, 435.  
 — *aurea* *Vahl.* *Fl. dan.* 9, 1460.  
 — — *Bot. Mag.* 56, 2934.  
 — *austriaca* *Crantz.* *Rehb. Ic. crit.* 3, 213.  
 — *carinthiaca* *Hoppe.* *Rehb. Ic. crit.* 4, 366.  
 — — *Rehb. Fl. germ.* 2, 13.  
 — — *Sturm Flora* 15, 65.  
 — *carnica* *Scop.* *Scop. Fl. carn.* 2, 33.  
 — *ciliaris* *Gerard.* *Gerard Fl. gallopr.* 13.  
 — *ciliata* *Scop.* *Scop. Fl. carn.* 2, 33.  
 — — *Sturm Flora* 14, 60.  
 — — *Rehb. Fl. germ.* 2, 14.  
 — *confusa* *Ehrh.* *Sturm Flora* 14, 60.  
 — — *Rehb. Ic. crit.* 8, 770.  
 — — *Rehb. Fl. germ.* 2, 14.  
 — *dasycarpa* *Led.* *Ledeb. Ic.* 264.  
 — *dentata* *Hook. et Arn.* *Hook. Ic. pl.* 1, 31.  
 — *elongata* *Host.* *Sturm Flora* 14, 60.  
 — — *Visiani Dalm.* 32.  
 — *fadnizensis* *Wulf.* *Jacq. Misc.* 1, 17.  
 — — *Rehb. Ic. crit.* 8, 765.  
 — — *Rehb. Fl. germ.* 2, 13.  
 — — *Sturm Flora* 15, 65.  
 — *frigida* *Saut.* *Rehb. Ic. crit.* 3, 213.  
 — — *Rehb. Fl. germ.* 2, 13.  
 — — *Sturm Flora* 14, 60.  
 — *funiculosa* *Hook.* *Hook. Fl. ant.* 89.  
 — *grandiflora* *Led.* *Ledeb. Ic.* 267.  
 — — *Rehb. Ic. crit.* 8, 777.  
 — *grandis* *Langsd.* *Delessert Ic.* 2, 47.  
 — *heterocoma* *Fenzl.* *Russegger Reise* 16.  
 — *himalayensis* *Klotzsch.* *Prinz Waldem. Him.* 34.  
 — *hirsuta* *Crantz.* *Crantz Crucif.* 1.  
 — *hirta* *Jacq.* *Jacq. Fl. austr.* 5, 432.  
 — — *Fl. dan.* 1, 142.  
 — — *Wahlenbg Fl. lapp.* 11.  
 — — *Engl. Bot.* 19, 1338.  
 — — *Sv. Bot.* 768.  
 — — *Rehb. Ic. crit.* 8, 768.  
 — *hispanica* *Boiss.* *Boissier Esp.* 13.  
 — *Hoppeana* *Rehb.* *Rehb. Fl. germ.* 2, 15.  
 — — *Sturm Flora* 15, 65.  
 — *incana* *L.* *Fl. dan.* 1, 130.  
 — — *Engl. Bot.* 6, 388.  
 — — *Sturm Flora* 14, 60.  
 — — *Rehb. Ic. crit.* 8, 769.  
 — — *Rehb. Fl. germ.* 2, 14.  
 — *incompta* *Stev.* *Delessert Ic.* 2, 44.  
 — *Johannis* *Host.* *Sturm Flora* 14, 60, 15, 65.  
 — *lactea* *Adams.* *Ledeb. Ic.* 200.  
 — *laevigata* *Hoppe.* *Sturm Flora* 15, 65.  
 — — *Rehb. Ic. crit.* 4, 387.  
 — — *Rehb. Fl. germ.* 2, 13.  
 — *laevipes* *DC.* *Delessert Ic.* 2, 46.  
 — *laponica* *Willd.* *Sturm Flora* 15, 65.

- Draba lapponica* Willd. Rchb. Ic. crit. 8, 766.  
 — — Rchb. Fl. germ. 2, 14.  
 — lasiocarpa *Rochel.* Sturm Flora 14, 60.  
 — mollis *Scop.* Scop. Fl. carn. 2, 34.  
 — mollissima *Stev.* Delessert Ic. 2, 45.  
 — muralis *L.* Gmelin Fl. bad. 3, 1.  
 — — — Lam. Encycl. 556.  
 — — — Curt. Lond. 4, 64.  
 — — — Engl. Bot. 18, 912.  
 — — — Sturm Flora 14, 60.  
 — — — Rchb. Fl. germ. 2, 12.  
 — — — Dietr. Fl. bor. 7, 452.  
 — muricella *Wahlenb.* Wahlenberg Fl. lapp. 11.  
 — — — Sv. Bot. 769.  
 — — — Rchb. Ic. crit. 8, 767.  
 — nemoralis *Ehrh.* Rchb. Fl. germ. 2, 12.  
 — — — Sturm Flora 14, 60.  
 — nemorosa *L.* Sv. Bot. 767.  
 — nivalis *Willd.* Rchb. Ic. crit. 8, 778.  
 — — — Rchb. Fl. germ. 2, 13.  
 — parryoides *Cham.* Erman Reise, Atlas 17.  
 — pontica *Desf.* Desf. Choix 51.  
 — — — Ann. Mus. 11, 38.  
 — — — Tratt. Archiv 349.  
 — praecox *Stev.* Rchb. Fl. germ. 2, 12.  
 — pyrenaica *L.* All. Fl. ped. 3, 8.  
 — — — ? Fl. dan. 1, 143.  
 † — — — Bot. Mag. 19, 713.  
 — repens *DC.* Ledeb. Ic. 145.  
 — — — *M. v. B.* Rchb. Ic. crit. 8, 771.  
 — rubra *Crantz.* Crantz Crucif. 1.  
 — rupestris *R. Br.* Rchb. Fl. germ. 2, 14.  
 — — —  $\beta$ . altaica, Ledeb. Ic. 260.  
 — Sauteri *Hoppe.* Rchb. Ic. crit. 4, 385.  
 — — — Rchb. Fl. germ. 2, 15.  
 — — — Sturm Flora 14, 60.  
 — spathulata *Lang.* Sturm Flora 15, 65.  
 — Spitzelii *Hoppe.* Sturm Flora 14, 60.  
 — stellata *Jacq.* Jacq. Enum. vind. 4.  
 — — — Delessert Ic. 2, 46.  
 — — — Lodd. Cab. 32.  
 — — — Rchb. Fl. germ. 2, 13.  
 — — — Sturm Flora 14, 60.  
 — subamplexicaulis *Led.* Ledeb. Ic. 265.  
 — Subularia *Lam.* Lam. Encycl. 556.  
 — tomentosa *Wahlenb.* Wahlenberg Helvet. 3.  
 — — — Rchb. Ic. crit. 8, 764.  
 — — — Rchb. Fl. germ. 2, 13.  
 — — — Sturm Flora 14, 60.  
 — Traunsteineri *Hoppe.* Rchb. Fl. germ. 2, 14.  
 — — — Sturm Flora 15, 65.  
 † — verna *L.* Gaertn. Carp. 141.  
 — — — Lam. Encycl. 556.  
 — — — Fl. dan. 6, 983.  
 — — — Curt. Lond. 1, 97.  
 — — — Engl. Bot. 9, 586.  
 — — — Schk. Handb. 179.  
 † — — — Usteri Annalen 5, 2.  
 — — — Dreves 4, 115.  
 — — — Sv. Bot. 298.  
 — — — Barton Fl. 3, 88.  
 — — — Liboschitz Petersb. 13.  
 — — — Schrank Fl. monac. 4, 359.  
 — — — Sturm Flora 2, 4, 15, 65.  
 — — — Rchb. Fl. germ. 2, 12.  
 — — — Baxter Brit. Bot. 1, 38.  
 — — — Gray Genera 69.  
 — violacea *DC.* Hook. Ic. pl. 1, 35.  
 — Wahlenbergii *Hartm.* Sv. Bot. 770.  
 — Zahlbruckneri *Host.* Sturm Flora 14, 60.

*Dracaena australis* Forst. Bot. Mag. 55, 2835.  
 — Boerhaavii *Ten.* Ac. Neap. 3, 3.

- Dracaena borealis* Ait. Ait. Hort. Kew. 1, 6.  
 — — — Andr. Rep. 3, 206.  
 — cernua *Jacq.* Jacq. Schoenbr. 1, 96.  
 — Draco *L.* Vandelli Fasc. 2.  
 — — — Berens Dracaena 1.  
 — — — Ludwig Delectus 6.  
 — — — Roemer Scriptoros 2, 2<sup>b</sup>.  
 † — — — Jacq. Fragm. 2.  
 — — — Mem. Ac. Berl. 1796, 1, 2.  
 † — — — Lam. Encycl. 249.  
 — — — Hayne 9, 2.  
 — — — Guimp. et Schl. 268.  
 — — — Nees Düssel. 41, 42.  
 — — — Ann. sc. nat. 14, 7, 8.  
 † — — — Ann. sc. nat. III, 3, 13—15.  
 — — — Acta Leop. 13, 2, 35—39.  
 — — — Gaudichaud Bonite 1.  
 — — — Bot. Mag. 77, 4571.  
 — — — Lem. Jard. fl. 124.  
 — — — Fl. d. serres 6, 613.  
 — ensifolia *L.* Rumpf Amb. 5, 73.  
 † — — — Gaertn. Carp. 16.  
 — — — Kerner Hort. 24.  
 — ferrea *L.* Bot. Mag. 46, 2053.  
 — — — Lodd. Cab. 136.  
 — filiformis *Thunb.* Thunberg Diss. 0.  
 — fragrans *Gawl.* Bot. Mag. 27, 1081.  
 — graminifolia *L.* Lam. Encycl. 249.  
 — obliqua *Thunb.* Thunberg Diss. 0.  
 — ovata *Gawl.* Bot. Mag. 29, 1180.  
 — reflexa *Lam.* Red. Lil. 2, 92.  
 † — — — Gaudichaud Bonite 126.  
 — Sieboldii *Planck.* Fl. d. serres 6, 569.  
 — stricta *Sims.* Bot. Mag. 52, 2575.  
 — — — Bot. Reg. 12, 956.  
 — surculosa *Ldl.* Bot. Reg. 14, 1169.  
 — terminalis *L.* Rumpf Amb. 4, 34.  
 — — — Jacq. Ic. 448.  
 † — — — Medikus Theod. 2.  
 — — — Red. Lil. 2, 91.  
 — — — Tratt. Archiv 172, 172<sup>a</sup>.  
 — — — Lodd. Cab. 1224.  
 — — — Bot. Reg. 21, 1749.  
 — — — Wight Ic. pl. Ind. or. 6, 2054.  
 — umbraculifera *Jacq.* Jacq. Schoenbr. 1, 95.  
 — — — Lodd. Cab. 289.
- Draco yucciformis* *Vand.* Vandelli Diss. 0.  
*Dracocephalum* *L.* Hillebrandt Monogr. 9, 11, 12, 13, 14.  
 — altaiense *L.* Rchb. Mag. 96.  
 — — — Sweet Fl. G. II, 57.  
 — argunense *Fisch.* Lodd. Cab. 797.  
 — — — Rchb. Mag. 1.  
 — — — Sweet Fl. G. 47.  
 — austriacum *L.* Jacq. Ic. 112.  
 ! — — — (Pelrnia.) Schmidt Samml. 2.  
 ! — — — Tratt. Archiv 258.  
 — — — Tratt. Thes. 61.  
 — — — Sturm Flora 20, 90.  
 † — — — Nees Gen. 6, 25.  
 — canariense *L.* Desc. Ant. 5, 372.  
 — canescens *L.* Sweet Fl. G. 38.  
 — chamaedryoides *Balb.* Mem. Tur. 7, 7.  
 — denticulatum *Ait.* Lodd. Cab. 1400.  
 — — — Bot. Mag. 6, 214.  
 — foetidum *Led.* Ledeb. Ic. 193.  
 — fragile *Turcz.* Bull. Mosc. 1851, 2, 8.  
 — grandiflorum *L.* Pallas Fl. ross. 3, 12.  
 — — — Bot. Mag. 25, 1009.  
 — — — Lodd. Cab. 180.  
 — — — Paxt. Mag. 13, 51.  
 — integrifolium *Led.* Ledeb. Ic. 120.  
 — lamiifolium *Desf.* Desf. Choix 15.

- Dracocephalum lamifolium* Desf. Ann. Mus. 10, 26.  
 — mexicanum H. B. K. H. B. K. Nov. Gen. 2, 160.  
 — Moldavica L. Pallas Fl. ross. 3, 16.  
 † — — Lam. Encycl. 513.  
 † — — Schk. Handb. 165.  
 — — Hayne 8, 32.  
 — — Sturm Flora 20, 90.  
 — — Nees Düsseld. 182.  
 — nutans L. Pallas Fl. ross. 3, 15.  
 — — Bot. Reg. 10, 841.  
 — origanoides Steph. Ledeb. Ic. 128.  
 — peltatum L. Lam. Encycl. 513.  
 — peregrinum L. Pallas Fl. ross. 3, 17.  
 — — Bot. Mag. 27, 1084.  
 — — Regel Gartenflora 2, 47.  
 — pinnatum L. Pallas Fl. ross. 3, 11.  
 — — Ledeb. Ic. 445.  
 — Ruyschiana L. Fl. dan. 1, 121.  
 — — Sturm Flora 20, 90.  
 — — Nees Gen. 6, 29.  
 † — sibiricum L. Pallas Fl. ross. 3, 13.  
 — — Bot. Mag. 47, 2185.  
 — speciosum Sweet. Sweet Fl. G. 93.  
 † — thymiflorum L. Gaertn. Carp. 66.  
 — — Pallas Fl. ross. 3, 14.  
 — — Schk. Handb. 165.  
 — variegatum Vent. Vent. Cels 44.  
 — virginianum L. Desc. Ant. 5, 371.  
*Dracontium hexandrum* Aubl. Aublet Guiana 326.  
 — lanceaeifolium Jacq. Jacq. Ic. 612.  
 — — Lam. Encycl. 738.  
 — pertusum L. Jacq. Schoenbr. 2, 184. 185.  
 — — Desc. Ant. 3, 229.  
 — polyphyllum L. Desc. Ant. 3, 165.  
 — — Bot. Reg. 9, 700<sup>a</sup><sup>b</sup>.  
 — — Rehb. Exot. 7, 8.  
 — repens Lam. Desc. Ant. 7, 499.  
 † *Dracontomelon mangiferum* Bl. Blume Mus. 1, 42.  
*Dracophyllum capitatum* R. Br. Lodd. Cab. 1846.  
 — — Bot. Mag. 64, 3624.  
 — gracile R. Br. Lodd. Cab. 1346.  
 — — Bot. Mag. 53, 2678.  
 — Lessonianum A. Rich. Richard Astrolabe 27<sup>b</sup>.  
 — longifolium Forst. Hook. Fl. ant. 31, 32.  
 — — R. Br. Richard Astrolabe 27.  
 — — retortum, Richard Astrolabe 27.  
 — Milligani Hook. Hook. Ic. pl. 9, 845.  
 — scoparium Hook. Hook. Fl. ant. 33.  
 — secundum R. Br. Guillemain Austr. 1.  
 — — Bot. Mag. 60, 3264.  
 — — Rehb. Hort. 108.  
 — virginianum L. Bot. Mag. 13, 467.  
*Dracopis amplexicaulis* Cass. Bot. Mag. 66, 3716.  
*Dracunculus canariensis* Kth. Webb Canar. 219.  
 — crinitus Schott. Bot. Reg. 10, 831.  
 — — Fl. d. serres 5, 445. 446.  
 † — polyphyllus Bl. Blume Rumphia 37.  
 — — Rehb. Fl. germ. 7, 12.  
 † *Drapetes* Lam. Journ. d'hist. nat. Par. 1, 10.  
 — Dieffenbachii Hook. Hook. Lond. Journ. 1843, 17.  
 — cricoides Hook. fil. Hook. Ic. pl. 9, 895.  
 † — muscoides Lam. Gaertn. Carp. 215.  
 — — Lam. Encycl. 915.  
 — tasmanica Hook. fil. Hook. Journ. 1853, 7.  
*Dregea floribunda* E. M. Delessert Ic. 5, 86.  
 — — Fielding Sertum 62.  
*Drejera ramosa* N. v. E. Endl. Bras. 7, 17.  
*Driessenia axantha* Korth. Korthals Bot. 53.  
 † — — Ann. sc. nat. III. 15, 4.  
*Drimia acuminata* Lodd. Lodd. Cab. 1041.  
 — altissima Gawl. Bot. Mag. 27, 1074.  
 — ciliaris Jacq. Jacq. Ic. 377.

- † *Drimia ciliaris* Jacq. Jacq. Collect. 5, 5.  
 — — Bot. Mag. 35, 1444.  
 — elata Jacq. Jacq. Ic. 373.  
 † — — Jacq. Fragm. 2.  
 — — Red. Lil. 8, 430.  
 — — Bot. Mag. 21, 822.  
 — lanceaeifolia Gawl. Bot. Mag. 34, 1380.  
 — — Lodd. Cab. 278.  
 — media Jacq. Jacq. Ic. 375.  
 † — — Jacq. Collect. 5, 5.  
 — purpurascens Jacq. Jacq. Ecl. pl. 30.  
 — pusilla Jacq. Jacq. Ic. 374.  
 — undulata Jacq. Jacq. Ic. 376.  
 — — Lodd. Cab. 1898.  
 — villosa Ldl. Bot. Reg. 16, 1346.  
 † *Drimys* Forst. Forster Charact. 42.  
 — aromatica Desc. Desc. Ant. I, 40.  
 † — axillaris Forst. Lam. Encycl. 494.  
 — — Hook. Ic. pl. 6, 576.  
 — chilensis DC. Delessert Ic. 1, 83.  
 — colorata Decne. Raoul Nouv. Zel. 23.  
 — granatensis L. fil. St. Hil. Pl. usuelles 26. 27. 28.  
 — piperita Hook. fil. Hook. Ic. pl. 9, 896.  
 — punctata Lam. Lam. Encycl. 494.  
 — Winteri Forst. Hayne 9, 6.  
 — — Richard Astrolabe 19.  
 † *Drimyspermum urens* Reimw. Ann. sc. nat. II. 19, 1.  
*Droguetia elliptica* Gaudich. Gaudichaud Bonite 86.  
 — Thouarsiana Gaudich. Gaudichaud Bonite 87.  
*Drosanthe fimbriata* Spach. Jaubert Illustr. 34.  
 — helianthemoides Spach. Jaubert Illustr. 36.  
 — hirtella Spach. Jaubert Illustr. 35.  
 † *Drosera* L. Gray Genera 83.  
 — anglica Huds. Engl. Bot. 13, 869.  
 — — Dietr. Fl. bor. 5, 294.  
 — — Hayne 3, 29.  
 — Arcturi Hook. Hook. Ic. pl. 1, 56.  
 — binata Lab. Bill. Nov. Holl. 105.  
 — — Bot. Mag. 58, 3082.  
 — bulbosa Hook. Hook. Ic. pl. 4, 375.  
 — Burmanni Vahl. Wight Ic. pl. Ind. or. 3, 944.  
 — — Wight Illustr. 20.  
 — — Wight Spicil. 12.  
 — communis St. Hil. St. Hil. Pl. usuelles 15.  
 — filiformis Rafn. Bot. Mag. 63, 3540.  
 — — Torrey New York 10.  
 — — Gray Genera 83.  
 † — gracilis Hook. Ann. sc. nat. III. 9, 5.  
 — graminifolia St. Hil. Mem. Mus. 11, 19.  
 — — St. Hil. Pl. rem. 25.  
 — indica L. Rheede Hort. mal. 10, 20.  
 — — Wight Illustr. 20.  
 — intermedia Hayne. Dreves 3, 75.  
 — — Fl. dan. 12, 2108.  
 — — Rehb. Fl. germ. 3, 24.  
 — — Wight Illustr. 20.  
 — — Cosson Atlas 9.  
 ! — — Ann. sc. nat. II. 14, 1.  
 ! — — Ann. sc. nat. III. 9, 5. 6.  
 † — linearis Goldie. Hook. Bor. Am. 27.  
 † — longifolia L. Gaertn. Carp. 61.  
 — — Lam. Encycl. 220.  
 — — Curt. Lond. 5, 183.  
 — — Schk. Handb. 87.  
 — — Dreves 3, 75.  
 — — Fl. dan. 7, 1093.  
 — — Sv. Bot. 689.  
 — — Dietr. Fl. bor. 5, 295.  
 — — Rehb. Fl. germ. 3, 24.  
 — — Cosson Atlas 9.  
 — — Sm. Engl. Bot. 13, 868.  
 — — Hayne 3, 28.

- Drosera Loureirii* Hook. Hook. Beechey 31.  
 — *lunata* Buchan. Hook. Ic. pl. 1, 54.  
 — *macrophylla* Ldl. Hook. Ic. pl. 4, 376.  
 — *maritima* St. Hil. St. Hil. Pl. rem. 25.  
 — — Mem. Mus. 11, 19.  
 — *Menziesii* R. Br. Hook. Ic. pl. 1, 53.  
 — *obovata* M. et K. Rehb. Fl. germ. 3, 24.  
 — *peltata* Sm. Smith Exot. Bot. 41.  
 — — Bill. Nov. Holl. 106.  
 — — var. *Tratt.* Archiv 273.  
 — — Wight Illustr. 20.  
 — *pusilla* H. B. K. H. B. K. Nov. Gen. 5, 490.  
 — *rotundifolia* L. Curt. Lond. 5, 189.  
 — — Fl. dan. 6, 1028.  
 — — Lam. Encycl. 220.  
 — — Engl. Bot. 13, 867.  
 — — Sv. Bot. 688.  
 † — — Schk. Handb. 87.  
 — — Dreves 3, 74.  
 — — Hayne 3, 27.  
 — — Desc. Ant. 7, 508.  
 — — Dietr. Fl. bor. 5, 293.  
 — — Rehb. Fl. germ. 3, 24.  
 — — Baxter Brit. Bot. 3, 201.  
 — — Cosson Atlas 9.  
 — *sessilifolia* St. Hil. Mem. Mus. 11, 19.  
 — — St. Hil. Pl. rem. 25.  
 — *spathulata* Lab. Bill. Nov. Holl. 106.  
 — *stenopetala* Hook. Hook. New Zeal. 9.  
 — *stolonifera* Endl. Hook. Ic. pl. 4, 389.  
 — *tenella* H. B. K. H. B. K. Nov. Gen. 5, 490.  
 † *Drusa oppositifolia* DC. Sprengel Umb. Prodr. 1.  
 — — Ann. Mus. 10, 38.  
 — — Webb Canar. 66B.  
*Dryandra aretotidis* R. Br. Bot. Mag. 69, 4035.  
 — *armata* R. Br. Bot. Mag. 60, 3236.  
 — *carduacea* Ldl. var. *angustifolia*, Bot. Mag. 73, 4317.  
 — *cordata* Thunb. Kaempfer Japon. 23.  
 — — Thunb. Fl. jap. 27.  
 — *floribunda* R. Br. Bot. Mag. 38, 1581.  
 — *formosa* R. Br. Linn. Transact. 10, 3.  
 — — Sweet Austr. 53.  
 — — Bot. Mag. 70, 4102.  
 — *longifolia* R. Br. Bot. Mag. 38, 1582.  
 — — Sweet Austr. 3.  
 — — Rehb. Exot. 220.  
 — — Paxt. Mag. 3, 171.  
 — *nervosa* Mackay. Bot. Mag. 58, 3063.  
 — — Sweet Austr. 22.  
 — *nobilis* Ldl. Bot. Mag. 78, 4633.  
 — — Lem. Jard. fl. 226.  
 — — Fl. d. serres 7, 728.  
 — *pteridifolia* R. Br. Bot. Mag. 63, 3500.  
 — *tenuifolia* R. Br. Bot. Mag. 63, 3513.  
 † — *vernicia* Correa. Ann. Mus. 8, 32.  
*Dryas Drummondii* Richards. Bot. Mag. 57, 2972.  
 — *geoides* Pall. Pallas Fl. ross. 3, 4.  
 — — Jacq. Vind. 3, 68.  
 — *integrifolia* Vahl. Fl. dan. 7, 1216.  
 — — Hook. Exot. Fl. 220.  
 — *octopetala* L. Pallas Fl. ross. 3, 5.  
 — — Fl. dan. 1, 31.  
 — — Engl. Bot. 7, 451.  
 — — Sv. Bot. 427.  
 † — — Gaertn. Carp. 74.  
 † — — Lam. Encycl. 443.  
 — — Schk. Handb. 137.  
 — — Schrank Fl. monac. 3, 236.  
 — — Guimp. Holzgew. 105.  
 — — Sturm Flora 5, 20.  
 † — — Jard. Ann. 10, 7.

- Dryas octopetala* L. Baxter Brit. Bot. 4, 248.  
 — *pentapetala* Pall. Pallas Fl. ross. 3, 6.  
*Drymaria frankenioides* H. B. K. H. B. K. Nov. Gen. 6, 515.  
 — *stellarioides* Willd. H. B. K. Nov. Gen. 6, 516.  
*Drymoda picta* Ldl. Lindley Sertum 8.  
 † *Drymoglossum carnosum* Hook. Hook. Gen. Fil. 78.  
 † — *subcordatum* Fée. Fée Fil. 5, 9.  
*Drymonia bicolor* Mart. Bot. Reg. 24, 4.  
 — *calcarata* Mart. Mart. Bras. 224.  
 — *cristata* Mig. Fl. d. serres 4, 388.  
 — *longifolia* P. et E. Poepp. et Endl. 204.  
 — *punctata* Ldl. Bot. Mag. 70, 4089.  
*Drynaria oodes* Fée. Mem. Strassb. 4, 7.  
 † — *phymatodes* Fée. Fée Fil. 5, 21.  
 — *Pricurii* Fée. Mem. Strassb. 4, 2.  
 — *Proustiana* Bory. Gaudichaud Bonite 3.  
 — *stenoloma* Fée. Mem. Strassb. 4, 4.  
 — *stenophylla* J. Sm. Mem. Strassb. 4, 8.  
 — *torulosa* Fée. Mem. Strassb. 4, 5.  
 — *vestita* Fée. Mem. Strassb. 4, 4.  
 † *Dryobalanops aromatica* Gaertn. Gaertn. Carp. 186.  
 — *Camphora* Colebr. Asiat. Res. 12, 5.  
 — — Hayne 12, 17.  
 — — Woodv. Med. 5, 34.  
 — — Vriese Archief 3, 1.  
 — — Hook. Journ. 1852, 7, 8.  
 † *Dryomenis phymatodes* Fée. Fée Fil. 5, 18.  
*Dryopeia discolor* Aub. Aubert Orchid. 2.  
 — *oppositifolia* Aub. Aubert Orchid. 1, 4.  
 — *tripetaloides* Aub. Aubert Orchid. 3.  
*Dryopetalum runcinatum* Gray. Smiths. Contr. 5, 13.  
*Dryorchis* Aub. Aubert Orchid. 1, 4.  
*Dryostachyum pilosum* Sm. Kunze Fil. 61.  
 † — *splendens* Sm. Hook. Gen. Fil. 95.  
*Drypetes alba* Poit. Mem. Mus. 1, 7.  
 — *crocea* Poit. Mem. Mus. 1, 8.  
 — *glauca* Poit. Mem. Mus. 1, 6.  
 — *sessiliflora* All. Allemão Diss. 1844, 0.  
 † *Drypis spinosa* L. Gaertn. Carp. 128.  
 † — — Lam. Encycl. 214.  
 — — Schk. Handb. 86.  
 — — Jacq. Vind. 49.  
 — — Bot. Mag. 48, 2216.  
 — — Rehb. Fl. germ. 6, 238.  
 — — Sweet Fl. G. II. 170.  
*Dubautia plantaginea* Gaudich. Freycinet Voyage 84.  
*Duboisia myoporoides* R. Br. Endl. Iconogr. 77.  
*Dubyaea hispida* DC. DC. Composées 19.  
*Duchesnea fragiformis* Sm. Lam. Encycl. 962.  
 † *Dufourea alternifolia* R. et Sch. Schnitzl. Ic. 2, 85.  
 — *sericea* H. B. K. H. B. K. Nov. Gen. 3, 214.  
 — — Lam. Encycl. 919.  
 † *Dufresnia orientalis* DC. DC. Valerianées 3.  
 — — Bull. Mosc. 1851, 2, 13.  
*Duguetia lanceolata* St. Hil. St. Hil. Fl. Bras. 7.  
 † — *Spixiana* Mart. Endl. Bras. 2, 5.  
*Dulichium spathaceum* Pers. Elliott Carol. 2.  
*Dulongia acuminata* H. B. K. H. B. K. Nov. Gen. 7, 623.  
*Dumartroya fagifolia* Gaudich. Gaudichaud Bonite 97.  
*Dumasia congesta* Grah. Wight Ic. pl. Ind. or. 2, 445.  
 — *pubescens* DC. DC. Legum. 43.  
 — — Bot. Reg. 12, 962.  
 — *villosa* DC. DC. Legum. 44.  
*Dumerilia Alamani* DC. DC. Composées 17.  
 — *axillaris* Lag. Ann. Mus. 19, 6.  
 — *paniculata* DC. Ann. Mus. 19, 7.  
 — — Dict. sc. nat. 92.  
*Dunalia lycioides* Miers. Miers Illustr. 2.  
 — *solanacea* H. B. K. H. B. K. Nov. Gen. 3, 194.  
 — — Lam. Encycl. 918.  
*Dunantia Achyranthes* DC. Delessert Ic. 4, 37.



- Duperreya sericea* *Gaudich.* Freycinet Voyage 63.  
*Dupontia psilosantha* *Rupr.* Rupr. Fl. Samoij. 6.  
 — *scleroclada* *Rupr.* Rupr. Fl. Samoij. 6.  
*Dupuisia juglandifolia* *Guill.* Guillemin Seneg. 38.  
*Duranta Ellisia* *L.* Jacq. Hist. stirp. am. 179.  
 — — — Jacq. Vind. 3, 99.  
 — — — Lam. Encycl. 545.  
 — — — Bot. Mag. 42, 1759.  
 — Plumieri *L.* Jacq. Ic. 502.  
 † — — — Gaertn. Carp. 57.  
 † — — — Lam. Encycl. 545.  
 — — — Bot. Reg. 3, 244.  
 — — — Lodd. Cab. 280.  
 — — — Herb. amat. 4, 270.  
 — — — Dict. sc. nat. 41.  
*Durio zibethinus* *L.* Rumpf Amb. 1, 29.  
 — — — Linn. Transact. 7, 14—16.  
 † — — — Kerner Genera 55, 56.  
 † — — — Lam. Encycl. 641.  
*Durva Asiatic Researches* 4, 0.  
*Duvalia oxalidifolia* *Bonpl.* Bonpl. Malm. 53.  
 — — — Rchb. Exot. 165.  
*Duvaua dependens* *DC.* Bot. Reg. 19, 1578.  
 — *latifolia* *Gillies.* Bot. Reg. 19, 1580.  
 — *longifolia* *Ldl.* Bot. Reg. 29, 59.  
 — *ovata* *Ldl.* Bot. Reg. 19, 1568.  
*Dyckia princeps* *Lem.* Lem. Jard. fl. 224—225.  
 — *rariflora* *Schult.* Bot. Reg. 21, 1782.  
 — — — Bot. Mag. 62, 3449.  
*Dyonisia* *Aub.* Aubert Orchid. 23.  
*Dypsipis forcifolia* *Mart.* Mart. Palm. 143.  
 — *pinnatifrons* *Mart.* Mart. Palm. 158.  
*Dyschoriste littoralis* *N. v. E.* Wight Ic. pl. Ind. or. 4, 2, 447.  
*Dysodia incana* *DC.* Bot. Reg. 19, 1602.  
*Dysodium divaricatum* *Colla.* Mem. Tur. 27, 0.  
 † — — — Ann. sc. nat. III. 18, 17.  
*Dysophylla auricularia* *Blume.* Wight Ic. pl. Ind. or. 4, 1445.  
 — *stellata* *Benth.* Bot. Reg. 31, 23.  
 — *tetraphylla* *Wight.* Wight Ic. pl. Ind. or. 4, 1444.  
*Dysoxylum alliaceum* *Bl.* Rumpf Amb. 2, 20.  
*Earina mucronata* *Ldl.* Hook. Ic. pl. 5, 431.  
 † *Ebenaceae* Wight Illustr. 148<sup>b</sup>.  
*Ebenidium Lagopus* *Jaub.* Jaubert Illustr. 249.  
*Ebenoxylum verum* *Lour.* Rumpf Amb. 3, 1.  
*Ebenus cretica* *L.* Sibth. Fl. gr. 739.  
 — — — Sweet Fl. G. II. 260.  
 — *erinacea* *Jaub.* Jaubert Illustr. 255.  
 — *hirsuta* *Jaub.* Jaubert Illustr. 251.  
 — *macrophylla* *Jaub.* Jaubert Illustr. 253.  
 — *Montbretii* *Jaub.* Jaubert Illustr. 250.  
 — *pinnata* *Desf.* Act. soc. hist. nat. Par. 3.  
 — — — Sibth. Sibth. Fl. gr. 740.  
 — *pogonotropis* *Jaub.* Jaubert Illustr. 252.  
 — *Sibthorpii* *DC.* DC. Legum. 53.  
 — *tragacanthoides* *Jaub.* Jaubert Illustr. 254.  
 † *Ebermaiera glauca* *N. v. E.* Wight Illustr. 164<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1488.  
*Eburnangis* *Aub.* Aubert Orchid. 65.  
 † *Eccremocarpus* *Rz et P.* Rz et Pav. Prodr. 18.  
 — *longiflorus* *H. B.* Humb. Pl. aeq. 65.  
 — — — Lam. Encycl. 972.  
 — *scaber* *Rz et P.* Lodd. Cab. 1411.  
 — — — Bot. Reg. 11, 939.  
*Ecdysanthera glandulifera* *DC.* Wight Ic. pl. Ind. or. 4, 1307.  
 — *rosea* *Hook. et Arn.* Hook. Beechey 42.  
*Echaltium piscidium* *Wight.* Wight Ic. pl. Ind. or. 2, 472.  
*Echeandia terniflora* *Ortega.* Red. Lil. 6, 313.  
*Echenais carlinoides* *Cass.* DC. Hort. genev. 22.  
*Echeveria acutifolia* *Ldl.* Bot. Reg. 28, 29.

- Echeveria bracteolata* *Lk. et Kl.* Link Ic. III. 27.  
 — *fulgens* *Lem.* Lem. Jard. fl. 244.  
 — *gibbiflora* *DC.* DC. Crassulacées 5.  
 — — — Bot. Reg. 15, 1247.  
 — — — Rchb. Exot. 321.  
 — *grandifolia* *Haw.* Sweet Fl. G. 275.  
 — *lurida* *Ldl.* Bot. Reg. 27, 1.  
 — *mucronata* *Schlecht.* Schlechtend. Hort. hal. 10.  
 — *pubescens* *Schlecht.* Schlechtend. Hort. hal. 9.  
 — *quitensis* *Ldl.* Journ. Hort. Soc. 7, 269.  
 — *racemosa* *Hort. Cl.* Bot. Mag. 64, 3570.  
 — — — Maund Bot. 1, 11.  
 — *retusa* *Ldl.* Bot. Reg. 33, 57.  
 — — — Paxt. Fl. G. 73.  
 — *rosea* *Ldl.* Bot. Reg. 28, 22.  
 — *Scheerii* *Ldl.* Bot. Reg. 31, 27.  
 — *secunda* *Ldl.* Bot. Reg. 26, 57.  
 — *teretifolia* *DC.* DC. Crassulacées 6.  
*Echinacea Dicksoni* *Ldl.* Bot. Reg. 24, 27.  
 — *dubia* *Kn. et Westc.* Knowles et Westcott 131.  
 — *heterophylla* *Don.* Sweet Fl. G. II. 32.  
 — *intermedia* *Ldl.* Paxt. Mag. 15, 79.  
 — — — Fl. d. serres 4, 356.  
*Echinaria capitata* *Desf.* Rchb. Fl. germ. 1, 56.  
 † — — — Nees Gen. 1, 38.  
*Echinocactus acutissimus* *Lk. et O.* Pfeiffer Cact. 1, 20.  
 † — *alteolens* *Van Houtte.* Van Houtte Hort. 5.  
 — *arrigens* *Lk.* Pfeiffer Cact. 2, 27.  
 — *Asterias* *Karw.* Münchn. Abh. 4, 3.  
 — *bicolor* *Gal.* Pfeiffer Cact. 2, 25.  
 — *Bridgesii* *Pfeiff.* Pfeiffer Cact. 2, 14.  
 — *centeterius* *Lehm.* Pfeiffer Cact. 1, 2.  
 — — — Bot. Mag. 69, 3974.  
 — *chlorophthalmus* *Hook.* Bot. Mag. 74, 4373.  
 — *cinnabarinus* *Hook.* Bot. Mag. 73, 4326.  
 — — — Annales de Gand 1848, 174.  
 — *concinus* *Lem.* Pfeiffer Cact. 2, 11.  
 — — — Bot. Mag. 70, 4115.  
 — *coptonogonus* *Lem.* Pfeiffer Cact. 2, 19.  
 — *cornigerus* *DC.* DC. Cactées 10.  
 — — — Mem. Mus. 17, 7.  
 — *corynodes* *Pfeiff.* Bot. Mag. 68, 3906.  
 — *crispatus* *DC.* Mem. Mus. 17, 8.  
 — *denudatus* *Lk.* Link Ic. II. 9.  
 — *Echiné* *DC.* DC. Cactées 11.  
 — *echinoides* *Salm.* Pfeiffer Cact. 2, 29.  
 — *ellipticus* *Lem.* Lem. Jard. fl. 3, 270.  
 — *Eyriesii* *Otto.* Bot. Mag. 62, 3411.  
 — — — Bot. Reg. 20, 1707.  
 — — — var. *glauca*, Bot. Reg. 24, 31.  
 — *fossulatus* *Scheidw.* Pfeiffer Cact. 2, 13.  
 — *hexaedrophorus* *Lem.* Bot. Mag. 73, 4311.  
 — *hybocentrus* *Lehm.* Pfeiffer Cact. 1, 21.  
 † — *ingens* *Zucc.* Acta Leop. 19, 1, 16.  
 — *Langsdorfii* *Lehm.* Link Ic. II. 40.  
 — *Lecanus* *Hook.* Bot. Mag. 71, 4184.  
 † — *leucacanthus* *Zucc.* Münchn. Abh. 2, 2.  
 — — — Pfeiffer Cact. 1, 14.  
 — *longihamatus* *Gal.* Pfeiffer Cact. 2, 16.  
 — — — Bot. Mag. 78, 4632.  
 — *Mackjancus* *Hook.* Bot. Mag. 64, 3561.  
 — *macracanthus* *Vr.* Hoeven Tijdschr. 6, 2.  
 — *macrodiscus* *Mart.* Acta Leop. 16, 1, 26.  
 — *mammillarioides* *Hook.* Bot. Mag. 64, 3558.  
 — *marginatus* *Salm.* Pfeiffer Cact. 2, 30.  
 — *melocactiformis* *DC.* Mem. Mus. 17, 10.  
 — *multiflorus* *Hook.* Bot. Mag. 71, 4181.  
 — *myriostigma* *Salm.* Bot. Mag. 71, 4177.  
 — *obvallatus* *DC.* Mem. Mus. 17, 9.  
 — — — Pfeiffer Cact. 2, 27.  
 — *Otonis* *Lehm.* Link Ic. II. 16.  
 — — — Bot. Mag. 58, 3107.

- Echinocactus Ottonis* *Lehm.* Bot. Reg. 24, 42.  
 — *oxygonus* *Lk. et O.* Preuss. Gart. Verein 6, 1.  
 — — — Bot. Reg. 20, 1717.  
 — — — Bot. Mag. 71, 4162.  
 — *pectiniferus* *Lehm.* Bot. Mag. 71, 4190.  
 — — — Fl. d. serres 2, 65.  
 — *Pentlandi* *Hort.* Bot. Mag. 70, 4124.  
 — *Pfeifferi* *Zucc.* Münchn. Abh. 2, 5.  
 — — — Pfeiffer Cact. 2, 2.  
 — — — Hoeven Tijdschr. 6, 1. fig. 2.  
 — *phyllacanthus* *Mart.* Pfeiffer Cact. 1, 9.  
 — *pilosus* *Galeotti.* Belgique hortic. 4, 2.  
 — *pulchellus* *Mart.* Acta Leop. 16, 1, 23.  
 — *rhodophthalmus* *Hook.* Bot. Mag. 76, 4486.  
 — — — var. Bot. Mag. 78, 4634.  
 — — — Lem. Jard. fl. 101.  
 † *robustus* *H. Ber.* Acta Leop. 19, 1, 16.  
 — *Scopa* *Lk. et O.* Link Ic. II. 41.  
 — — — Bot. Reg. 25, 24.  
 — *Sellovi* *Lk. et O.* Pfeiffer Cact. 1, 1.  
 — *sessiliflorus* *Mackie.* Bot. Mag. 64, 3569.  
 † *spiralis* *Karw.* Acta Leop. 19, 1, 16.  
 — *streptocaulon* *Hook.* Bot. Mag. 77, 4562.  
 — *tenuispinus* *Lk. et O.* Bot. Mag. 68, 3963.  
 — *tetracanthus* *Lehm.* Pfeiffer Cact. 2, 6.  
 — *tortuosus* *Lk.* Link Ic. II. 15.  
 — *tubiflorus* *Pfeiff.* Bot. Mag. 65, 3627.  
 — *turbiniiformis* *Pfeiff.* Pfeiffer Cact. 2, 3.  
 — *uncinatus* *Gal.* Pfeiffer Cact. 2, 18.  
 — *Visnaga* *Hook.* Bot. Mag. 77, 4559.  
 — — — Lem. Jard. fl. 123.  
 — — — Fl. d. serres 6, 616.  
 — — — Belgique hortic. 4, 2.  
 — *Williamsii* *Lehm.* Bot. Mag. 73, 4296.  
 — — — Pfeiffer Cact. 2, 21.  
 — *xanthacanthus* *Miq.* Linnaea 11, 4.  
 † *Echinochloa crus galli* *Pal. B.* Nees Gen. 1, 21.  
 — — — Rchb. Fl. germ. 1, 29.  
 — *eruciformis* *Sm.* Rchb. Fl. germ. 1, 29.  
*Echinocystis lobata* *T. et Gr.* Torrey New York 30.  
*Echinodendrum parviflorum* *A. Rich.* Ramon Cuba 47<sup>b</sup>.  
*Echinolaena polystachya* *H. B. K.* H. B. K. Nov. Gen. 7, 679.  
 — *scabra* *H. B. K.* H. B. K. Nov. Gen. 1, 38.  
 † — — — Lam. Encycl. 911.  
*Echinolytrum dipsaceum* *Desv.* Desv. Journ. 1, 1.  
*Echinophora platyloba* *DC.* Jaubert Illustr. 240.  
 — *spinosa* *L.* Cav. Ic. 127.  
 † — — — Lam. Encycl. 190.  
 — — — Sibth. Fl. gr. 265.  
 — — — DC. Ombellif. 16.  
 — — — Engl. Bot. 34, 2413.  
 — — — Baxter Brit. Bot. 6, 478.  
 — *tenuifolia* *L.* Sibth. Fl. gr. 266.  
 † — — — Lam. Encycl. 290.  
 — *Tournefortii* *Jaub.* Jaubert Illustr. 241.  
 — *trichophylla* *Sm.* Jaubert Illustr. 239.  
 † *Echinops* *L.* (12 species.) Trautv. Monogr. 0.  
 — *Acantholepis* *Jaub.* Jaubert Illustr. 273.  
 — *bannaticus* *Roch.* Rchb. Fl. germ. 15, 733.  
 — — — Rchb. Ic. crit. 10, 992.  
 — — — Rchb. Fl. germ. 15, 735.  
 — *lanuginosus* *Sibth.* Sibth. Fl. gr. 925.  
 — — — Lam. Encycl. 719.  
 — *longifolius* *Rich.* Richard Abyssin. 61.  
 — *Neumayeri* *Vis.* Visiani Dalm. 10<sup>c</sup>.  
 — — — Rchb. Fl. germ. 15, 736.  
 — *niveus* *Wall.* Royle Illustr. 56.  
 — *Olivieri* *Jaub.* Jaubert Illustr. 274.  
 — *paniculatus* *Jacq.* Jacq. Ecl. pl. 49.  
 — — — Bot. Reg. 5, 356.  
*Echinops Ritro* *L.* Schk. Handb. 268.  
 — — — Bot. Mag. 24, 932.  
 — — — Rchb. Ic. crit. 10, 991.  
 — — — Rchb. Fl. germ. 15, 732.  
 — *ruthenicus* *M. v. B.* Rochel Banat. 37.  
 — — — Rchb. Ic. crit. 5, 450.  
 † — *sphaerocephalus* *L.* Gaertn. Carp. 160.  
 † — — — Lam. Encycl. 719.  
 — — — Sibth. Fl. gr. 923.  
 — — — Fl. dan. 13, 2179.  
 — — — Rchb. Fl. germ. 15, 734.  
 — *spinus* *L.* Sibth. Fl. gr. 924.  
 — *strictus* *Sims.* Bot. Mag. 51, 2457.  
 — *strigosus* *L.* Bot. Mag. 47, 2109.  
 — *tenuissimus* *Sibth.* Sibth. Fl. gr. 926.  
*Echinopsis campylacantha* *Pfeiff.* Bot. Mag. 77, 4567.  
 — — — Lem. Jard. fl. 98.  
 — — — Fl. d. serres 6, 635.  
 — *cristata* *Salm.* Bot. Mag. 76, 4521. 78, 4687.  
 — — — var. Lem. Jard. fl. 73, 74.  
 — *multiplex* *Zucc.* Pfeiffer Cact. 1, 4.  
 — *oxygona* *Zucc.* Pfeiffer Cact. 2, 4.  
 — *pectinata* *Salm.* Pfeiffer Cact. 2, 10.  
 — *turbinata* *Zucc.* Pfeiffer Cact. 2, 7.  
 — *valida* *Salm.* Regel Gartenfl. 1, 29.  
 † *Echinopterys* *Lappula* *Juss.* Arch. Mus. 3, 9.  
*Echinoschoenus sparganioides* *Ldl.* Endl. Bras. 3, 10.  
*Echinosperrum brachycentrum* *Led.* Ledeb. Ic. 302.  
 — *coelestinum* *Wight.* Wight Ic. pl. Ind. or. 4, 1394.  
 — *compressum* *Turcz.* Bull. Mosc. 1850, 12.  
 — *cristatum* *Bong.* Acad. Pet. 6, 11.  
 — *deflexum* *Lehm.* Sturm Flora 11, 43.  
 — *floribundum* *Lehm.* Hook. Bor. Am. 164.  
 — *heteracanthum* *Led.* Eichwald Cauc. 21.  
 — *intermedium* *Led.* Ledeb. Ic. 180.  
 — *Lappula* *Lehm.* Sturm Flora 11, 43.  
 — — — Dietr. Fl. bor. 4, 267.  
 — *macranthum* *Led.* Ledeb. Ic. 29.  
 — *microcarpum* *Led.* Ledeb. Ic. 183.  
 — *semiglabrum* *Led.* Ledeb. Ic. 28.  
 † — *squarrosus* *Rchb.* Nees Gen. 6, 54.  
 — — — Sturm Flora 11, 43.  
 — *strictum* *Led.* Ledeb. Ic. 27.  
 — *tenuis* *Led.* Ledeb. Ic. 182.  
 — *tuberculosum* *Led.* Eichwald Cauc. 6.  
 † — *vulgare* *Sw.* Schrader Asperif. 0.  
*Echiochilon fruticosum* *Desf.* Desf. Fl. atl. 47.  
 † *Echioglossum javanicum* *Bl.* Blume Tabellen 28.  
*Echites acuminata* *Rz et P.* Ruiz et Pav. Fl. 134.  
 — — — *Roxb.* Wight Ic. pl. Ind. or. 2, 424.  
 — *adglutinata* *L.* Burm. Fl. ind. 27.  
 — — — Jacq. Hist. stirp. am. 30.  
 — *antidysenterica* *Roxb.* Wight Ic. pl. Ind. or. 2, 439.  
 — *atropurpurea* *Ldl.* Bot. Reg. 29, 27.  
 — — — Paxt. Mag. 9, 199.  
 — *biflora* *L.* Jacq. Hist. stirp. am. 28.  
 — — — Desc. Ant. 7, 510.  
 — *bogotensis* *H. B. K.* H. B. K. Nov. Gen. 3, 243.  
 — *caryophyllata* *Roxb.* Bot. Mag. 44, 1919.  
 — — — Wight Ic. pl. Ind. or. 2, 440.  
 — *caudata* *L.* Burm. Fl. ind. 26.  
 — *corymbosa* *Jacq.* Jacq. Hist. stirp. am. 37.  
 — *cymosa* *Roxb.* Wight Ic. pl. Ind. or. 2, 395.  
 — *dichotoma* *Roxb.* Wight Ic. pl. Ind. or. 2, 438.  
 — *difformis* *Walt.* Barton Fl. 1, 10.  
 — *domingensis* *Sw.* Jacq. Ic. 53.  
 — *edulis* *Thunb.* Thunberg Diss. 0.  
 — *Franciscea* *A. DC.* Bot. Reg. 33, 24.  
 — — — Bot. Mag. 76, 4547.  
 — — — Lem. Jard. fl. 67.  
 — *frutescens* *Roxb.* Wight Ic. pl. Ind. or. 2, 430.  
 — *glandulosa* *Rz et P.* Ruiz et Pav. Fl. 135.

- Echites glandulosa* *Rz et P.* Kerner Hort. 104.  
 — *grandiflora* *Roxb.* Roxb. Corom. 281.  
 — *hircosa* *Roxb.* Wight Ic. pl. Ind. or. 2, 429.  
 — *hirsuta* *Rz et P.* Ruiz et Pav. Fl. 136.  
 — — Kerner Hort. 386.  
 — — Bot. Mag. 69, 3997.  
 — — *Rich.* Miquel Surin. 44.  
 — *laxa* *Rz et P.* Ruiz et Pav. Fl. 134.  
 — — Kerner Hort. 260.  
 — *longiflora* *Desf.* Mem. Mus. 5, 20.  
 — *macrophylla* *Roxb.* Rheede Hort. mal. 9, 5, 6.  
 — — Wight Ic. pl. Ind. or. 2, 432.  
 — *malabarica* *Lam.* Rheede Hort. mal. 9, 12.  
 — *marginata* *Roxb.* Wight Ic. pl. Ind. or. 2, 425.  
 — *nitida* *Vahl.* Vahl Eclogae 13.  
 — *nobilis* *Morr.* var. *rosea*, Annales de Gand 1848,  
 215.  
 — *numularia* *Burm.* Burm. Fl. ind. 28.  
 — *nutans* *Anders.* Bot. Mag. 51, 2473.  
 — *paludosa* *Vahl.* Vahl Ic. 5.  
 — *paniculata* *Roxb.* Wight Ic. pl. Ind. or. 2, 396.  
 — *parviflora* *Roxb.* Wight Ic. pl. Ind. or. 2, 423.  
 — *peltata* *Vellozo.* Fl. d. serres 4, 390.  
 — *ptarmica* *P. et E.* Poepp. et Endl. 278.  
 — *pulchella* *Gardn.* Hook. Ic. pl. 5, 470.  
 — *quinqueangularis* *L.* Jacq. Hist. stirp. am. 32.  
 — *repens* *Jacq.* Jacq. Hist. stirp. am. 35.  
 — *rhychosperma* *Wall.* Wall. Pl. asiat. 49.  
 — *Rosa campestris* *Endl.* Hart. Parad. 1, 5.  
 — *sanguinolenta* *Juss.* Tussac Ant. 1, 11.  
 — *scabra* *Lab.* Bill. Sertum 31.  
 — *scholaris* *L.* Rumpf Amb. 2, 82.  
 — — Wight Ic. pl. Ind. or. 2, 422.  
 — *spicata* *Jacq.* Jacq. Hist. stirp. am. 36.  
 — *splendens* *Hook.* Bot. Mag. 69, 3976.  
 — — Paxt. Mag. 10, 25.  
 — *stellaris* *Ldl.* Bot. Reg. 20, 1664.  
 — *suberecta* *L.* Jacq. Hist. stirp. am. 33.  
 — — Lam. Encycl. 174.  
 — — Andr. Rep. 3, 187.  
 — — Kerner Hort. 446.  
 — — Bot. Mag. 27, 1064.  
 — — Maund Bot. 3, 143.  
 — — Paxt. Mag. 7, 101.  
 — — Desc. Ant. 7, 468.  
 — *succulenta* *L. fil.* Jacq. Fragm. 117.  
 — *tenuifolia* *Mik.* Mikan Del. Bras. 14.  
 — *tomentosa* *Vahl.* Vahl Ic. 4.  
 — *torosa* *Jacq.* Jacq. Hist. stirp. am. 34.  
 — *torulosa* *L.* Lam. Encycl. 174.  
 — — Desc. Ant. 3, 192.  
 — *trifida* *L.* Jacq. Hist. stirp. am. 31.  
 — *umbellata* *L.* Jacq. Hist. stirp. am. 29.  
 — *venenata* *Roxb.* Wight Ic. pl. Ind. or. 2, 436.  
 — *volubilis* *Thunb.* Thunberg Diss. 0.  
*Echium aculeatum* *DC.* Lehmann Asperif. 5.  
 — *acutifolium* *Lehm.* Lehmann Asperif. 2.  
 — *albicans* *Boiss.* Boissier Esp. 125.  
 — — Webb Otia 12.  
 — *altissimum* *Jacq.* Jacq. Fl. austr. 5, 16.  
 — *angustifolium* *Lam.* Lehmann Asperif. 22.  
 — *arenarium* *Guss.* Gussone Pl. rar. 17.  
 — *argenteum* *L.* Andr. Rep. 3, 154.  
 — *Auberianum* *Webb.* Webb Canar. 144.  
 — *australe* *Lam.* Sweet Fl. G. 101.  
 — *bifrons* *DC.* Webb Canar. 148.  
 — *calycinum* *Viv.* Viv. Fl. ital. 4.  
 — *candicans* *Lam.* Lam. Encycl. 94.  
 — — *L. fil.* Jacq. Ic. 30.  
 — — Bot. Reg. 1, 44.  
 — — Savi Fl. ital. 3, 91.  
 — *capitatum* *L.* Lehmann Asperif. 27.

- Echium caudatum* *Thunb.* Lehmann Asperif. 32.  
 — *clavatum* *Willd.* Lehmann Asperif. 18.  
 † — *creticum* *L.* Gaertn. Carp. 67.  
 — — Sibth. Fl. gr. 183.  
 — — Bot. Mag. 44, 1934.  
 — *cyrenaicum* *Pacho.* Pacho Voyage 97.  
 — *Decaisnei* *Webb.* Webb Canar. 147.  
 — *diffusum* *Sibth.* Sibth. Fl. gr. 182.  
 — *distachyum* *Viv.* Viviani Lib. 5.  
 — *fastuosum* *Jacq.* Jacq. Ecl. pl. 41.  
 — *ferocissimum* *Andr.* Andr. Rep. 1, 39.  
 — *flavum* *Desf.* Desf. Fl. atl. 45.  
 — *formosum* *Pers.* Kerner Hort. 205.  
 — *fruticosum* *Jacq.* Jacq. Schoenbr. 1, 34.  
 — — Bot. Mag. 43, 1772.  
 — — *L.* Bot. Reg. 1, 36.  
 — — Dict. sc. nat. 44.  
 — —  $\beta$ . Lehmann Asperif. 38.  
 — *giganteum* *L. fil.* Vent. Malm. 71.  
 — — Jacq. Ecl. pl. 63.  
 — — Webb Canar. 149.  
 — — Paxt. Mag. 5, 149.  
 — *glabrum* *Vahl.* Lehmann Asperif. 26.  
 — *glaucophyllum* *Jacq.* Jacq. Ic. 312.  
 — — Andr. Rep. 3, 165.  
 — *grandiflorum* *Desf.* Desf. Fl. atl. 46.  
 — — Andr. Rep. 1, 20.  
 — — Vent. Malm. 97.  
 — — Bot. Reg. 2, 124.  
 — — Tratt. Archiv 279.  
 — — Herb. amat. 3, 195.  
 — *hispidum* *Sibth.* Sibth. Fl. gr. 181.  
 — — Lehmann Asperif. 25.  
 — *incanum* *Thunb.* Lehmann Asperif. 33.  
 — *italicum* *L.* Engl. Bot. 29, 2081.  
 — *laevigatum* *L.* Lehmann Asperif. 3.  
 — *lineatum* *Jacq.* Jacq. Ecl. pl. 42.  
 — *longifolium* *Delile.* Delile Egypte 16.  
 — *macrophyllum* *Lehm.* Lehmann Asperif. 19.  
 — *Mertensii* *Lehm.* Lehmann Asperif. 4.  
 — *molle* *Lag.* Lehmann Asperif. 31.  
 — *onosmaefolium* *Webb.* Webb Canar. 147.  
 — *orientale* *L.* Trew Pl. rar. 1.  
 — *paniculatum* *Thunb.* Lehmann Asperif. 23.  
 — *papillosum* *Lehm.* Lehmann Asperif. 21.  
 — *petraeum* *Tratt.* Tratt. Thes. 34.  
 — — Portenschlag Dalmat. 7.  
 — — Lehmann Asperif. 20.  
 — — Bot. Reg. 29, 26.  
 — *Pininana* *Webb.* Webb Canar. 146.  
 — *plantagineum* *L.* Sibth. Fl. gr. 179.  
 — — var. *Jacq.* Vind. 45.  
 — — St. Hilaire Pl. usuelles 25.  
 — *pomponium* *Boiss.* Boissier Esp. 124.  
 — *prostratum* *Desf.* Delile Egypte 17.  
 — — *Ten.* Tenore Fl. nap. 12.  
 — *pustulatum* *Sibth.* Sibth. Fl. gr. 180.  
 — *Rauwolfii* *Delile.* Delile Egypte 19.  
 — *rosmarinifolium* *Vahl.* Lehmann Asperif. 34.  
 — *rubrum* *Jacq.* Jacq. Fl. austr. 5, 3.  
 — — *Willd.* Bot. Mag. 43, 1826.  
 — *scabrum* *Lehm.* Lehmann Asperif. 35.  
 — *Schifferi* *Lang.* Sylloge Ratisb. 2, 1.  
 — *sericeum* *Vahl.* Lehmann Asperif. 49.  
 — *setosum* *Vahl.* Delile Egypte 17.  
 — *simplex* *DC.* Webb Canar. 145.  
 — *spathulatum* *Viv.* Viviani Lib. 9.  
 — *sphaerocephalum* *Vahl.* Lehmann Asperif. 28.  
 — *spicatum* *L.* Lehmann Asperif. 1.  
 — *stenosiphon* *Webb.* Hook. Niger Fl. 15.  
 — — Hook. Ic. pl. 8, 772.  
 — *strictum* *L. fil.* Jacq. Schoenbr. 1, 35.

- Echium strigosum Sw.* Lehmann *Asperif.* 17.  
 — *Swartzii* *Lehm.* Lehmann *Asperif.* 16.  
 † *tinctorium Viv.* Viviani *Aeg.* 2.  
 — *trichotomum Thunb.* Lehmann *Asperif.* 24.  
 — *trigonum Thunb.* Lehmann *Asperif.* 36.  
 † *verecundum Viv.* Viviani *Aeg.* 2.  
 — *verrucosum Sw.* Lehmann *Asperif.* 37.  
 — *violaceum L.* Engl. *Bot.* 2798.  
 — *vulgare L.* Fl. dan. 3, 445.  
 — — — *Sv. Bot.* 274.  
 † — — — *Lam. Encycl.* 94.  
 — — — *Engl. Bot.* 3, 181.  
 — — — *Baxter Brit. Bot.* 3; 189.  
 — — — *Schk. Handb.* 32.  
 — — — *Hayne I.* 27.  
 — — — *Schrank Fl. monac.* 3, 209.  
 — — — *Sturm Flora* 5, 18.  
 — — — *Dietr. Fl. bor.* 2, 141.  
 † — — — *Nees Gen.* 6, 65.  
*Eclipta erecta L.* Rumpf *Amb.* 6, 18, fig. 1.  
 † — — — *Gaertn. Carp.* 169.  
 † — — — *Lam. Encycl.* 687.  
 — — — *Schk. Handb.* 255.  
 † — — — *Ann. sc. nat.* III, 18, 17.  
 — *humilis H. B. K.* H. B. K. *Nov. Gen.* 4, 394.  
 — *prostrata L.* Rheede *Hort. mal.* 10, 41.  
 † — — — *Gaertn. Carp.* 169.  
 † — — — *Lam. Encycl.* 687.  
 † — *punctata L.* Jacq. *Hist. stirp. am.* 197.  
 † *Eclopes palceae Gaertn.* *Lam. Encycl.* 689.  
 — *trinervis Less.* *Bot. Reg.* 7, 587.  
 † — *viscida Gaertn.* *Gaertn. Carp.* 169.  
 † — — — *Lam. Encycl.* 689.  
*Ecrosia leporina R. Br.* *Humb. Gram.* 69.  
*Edgeworthia buxifolia Falc.* *Linn. Transact.* 19, 9.  
 — *chrysantha Ldl.* *Bot. Reg.* 33, 48.  
 — — — *Fl. d. serres* 3, 289.  
 — *Gardneri Meisn.* *Regensb. Denkschr.* 3, 6.  
*Edmonstonia pacifica Seem.* *Seeman Herald* 18.  
 † *Edokke Gaertn.* *Gaertn. Carp.* 180.  
*Edwardsia chilensis Miers.* *Bot. Reg.* 21, 1798.  
 — *chrysophylla Salisb.* *Bot. Reg.* 9, 738.  
 — *grandiflora Salisb.* *Lodd. Cab.* 1162.  
 — — — *Herb. amat.* 3, 182.  
 — *Macnabiana Grah.* *Bot. Mag.* 66, 3735.  
 — *madraspata Wight.* *Wight Ic. pl. Ind. or.* 3, 1054.  
 — *microphylla Salisb.* *Bot. Mag.* 35, 1442.  
 — — — *Rehb. Mag.* 19.  
 — *mollis Royle.* *Royle Illustr.* 32.  
 — *tetraptera Poir.* *Rehb. Mag.* 19.  
*Egania dioica Remy.* *Gay Chile* 36.  
 † *Egenolfia Hamiltoniana Schott.* *Schott Gen. Fil.* 18.  
*Ehrenbergia tribuloides Mart.* *Mart. Bras.* 163.  
*Ehretia amoena Klotzsch.* *Peters Mossamb.* 41.  
 — *aspera Willd.* *Willdenow Phytogr.* 2.  
 — — — *Roxb. Corom.* 55.  
 — *Bourreria L.* *Jacq. Hist. stirp. am.* 45.  
 — — — *Dict. sc. nat.* 47.  
 — *buxifolia Roxb.* *Roxb. Corom.* 57.  
 — *calophylla A. Rich.* *Ramon Cuba* 61.  
 — *cuneata Wight.* *Wight Ic. pl. Ind. or.* 4, 1385.  
 — *ferrea Willd.* *Willdenow Phytogr.* 2.  
 — *halimifolia L'her.* *L'her. Stirp.* 23.  
 — *internodis L'her.* *L'her. Stirp.* 24.  
 — *laevis Roxb.* *Roxb. Corom.* 56.  
 — — — *Wight Ic. pl. Ind. or.* 4, 1382.  
 — *latifolia Hort.* *Herb. amat.* 5, 350.  
 — *laxa Jacq.* *Jacq. Schoenbr.* 1, 41.  
 † — — — *Jacq. Fragm.* 5.  
 — *mossambicensis Klotzsch.* *Peters Mossamb.* 42.  
 — *ovalifolia Wight.* *Wight Ic. pl. Ind. or.* 4, 1383.  
*Ehretia serrata Roxb.* *Bot. Reg.* 13, 1097.  
 — — — *Wight Illustr.* 170.  
 — *ternifolia H. B. K.* H. B. K. *Nov. Gen.* 3, 209.  
 † — *tinifolia L.* *Lam. Encycl.* 96.  
 — *tomentosa H. B. K.* H. B. K. *Nov. Gen.* 3, 208.  
 — *Wightiana Wall.* *Wight Ic. pl. Ind. or.* 4, 1384.  
 † *Ehrharta L.* *Linné Gram.* 0.  
 † — — — *(Swartz.) Linn. Transact.* 6, 3, 4.  
 † — *bulbosa Lam.* *Lam. Encycl.* 263.  
 — *calycina Sm.* *Smith Ic. Linn.* 33.  
 — *capensis Thunb.* *Svensk Acad.* 1779, 8.  
 — *distichophylla Lab.* *Bill. Nov. Holl.* 117.  
 † — *erecta Lam.* *Lam. Encycl.* 263.  
 — *longiflora Sm.* *Smith Ic. Linn.* 32.  
 — *nutans Lam.* *Lam. Encycl.* 263.  
 — *panicea Sm.* *Smith Ic. Linn.* 9.  
 — *stipoides Lab.* *Bill. Nov. Holl.* 118.  
 — *Urvilleana Kth.* *Humb. Gram.* 6.  
 — — — *Brongniart Coquille* 24.  
*Eichhornia tricolor Seub.* *Endl. Bras.* 8, 11.  
*Eichwaldia oxyana Led.* *Eichwald Cauc.* 34.  
*Ekebergia capensis Sparrm.* *Svensk Acad.* 1779, 9.  
 † — — — *Jacq. Fragm.* 63.  
 — — — *Lam. Encycl.* 358.  
 † — — — *Mem. Mus.* 19, 17.  
 — *Petitiana A. Rich.* *Richard Abyssin.* 24.  
 — *senegalensis Juss.* *Guillemin Seneg.* 31.  
 † — — — *Mem. Mus.* 19, 17.  
*Elachia euphrasioides DC.* *Delessert Ic.* 4, 99.  
 † *Elaeagnae R. Br.* *Schnizl. Ic.* 2, 111.  
 † *Elaeagnus L.* *Kerner Genera* 95.  
 — *angustifolia L.* *Pallas Fl. ross.* 4.  
 — — — *Sibth. Fl. gr.* 152.  
 † — — — *Gaertn. Carp.* 216.  
 † — — — *Lam. Encycl.* 73.  
 † — — — *Mem. hist. nat. Par.* 1, 24.  
 † — — — *Usteri Annalen* 21, 1.  
 — — — *Schk. Handb.* 26.  
 — — — *Sturm Flora* 2, 5.  
 — — — *Guimp. Holzgew.* 4.  
 — — — *Lodd. Cab.* 1339.  
 — — — *Bot. Reg.* 14, 1156.  
 — — — *Dict. sc. nat.* 7.  
 — — — *Rehb. Fl. german.* 11, 549.  
 † — — — *Nees Gen.* 4, 43.  
 † — — — *Schnizl. Ic.* 2, 111.  
 — *argentea Colla.* *Colla Hort. Rip.* 28.  
 — — — *Pursh. Watson Dendr.* 2, 161.  
 — *latifolia L.* *Lam. Encycl.* 73.  
 — — — *Wight Ic. pl. Ind. or.* 5, 1856.  
 — *orientalis L. fil.* *Pallas Fl. ross.* 5.  
 — *parvifolia Wall.* *Royle Illustr.* 81.  
 — — — *Bot. Reg.* 29, 51.  
 † — *spadicea Savi.* *Mem. Mod.* 21, 6.  
 — *umbellata Thunb.* *Thunb. Fl. jap.* 14.  
*Elacis guineensis Jacq.* *Jacq. Hist. stirp. am.* 257.  
 † — — — *Gaertn. Carp.* 6.  
 † — — — *Lam. Encycl.* 896.  
 — — — *Desc. Ant.* 6, 408.  
 — — — *Mart. Palm.* 54, 56, Z.  
 † — *melanococca Gaertn.* *Gaertn. Carp.* 6.  
 — — — *Mart. Palm.* 33, 55.  
*Elaeocarpus acuminatus Wall.* *Bonpl. Malm.* 50.  
 — *bifidus Hook.* *Hook. Beechey* 24.  
 — *coriaceus Hook.* *Hook. Ic. pl.* 2, 154.  
 — *cyaneus Sims.* *Bot. Mag.* 42, 1737.  
 — — — *Lodd. Cab.* 1055.  
 — — — *Dict. sc. nat.* 148.  
 — — — *Herb. amat.* 4, 237.  
 — *Hinau Cunn.* *Hook. Ic. pl.* 7, 602.  
 — *Hookerianus Deene.* *Raoul Nouv. Zel.* 25.  
 † — *integrifolius Lam.* *Lam. Encycl.* 459.

- Elaeocarpus lanceaeifolius* *Roxb.* Wight Ic. pl. Ind. or. 1, 65.  
 — *monoceras* *Cav.* Cav. Ic. 501.  
 — *oblongus* *Gaertn.* Rheed Hort. mal. 4, 24.  
 — — — Rumpf Amb. 3, 102.  
 † — — — *Gaertn.* Carp. 43.  
 — — — Wight Ic. pl. Ind. or. 1, 46.  
 — *peduncularis* *Lab.* Bill. Nov. Holl. 155.  
 — *photiniaefolius* *Hook.* Hook. Beechey 53.  
 — *pubescens* *Hook.* Hook. Ic. pl. 2, 155.  
 — *reticulatus* *Sm.* Bot. Reg. 8, 657.  
 — *robustus* *Roxb.* Wight Ic. pl. Ind. or. 1, 64.  
 — *serratus* *L.* Rumpf Amb. 3, 101.  
 — — — Lam. Encycl. 459.  
*Elaeochytris meifolia* *Fz.* Russegger Reise 19.  
*Elaeodendrum australe* *Vent.* Vent. Malm. 117.  
 — *capense* *Eckl. et Z.* Bot. Mag. 67, 3835.  
 † — *indicum* *Gaertn.* Gaertn. Carp. 57.  
 — *micranthum* *Hook.* Hook. Lond. Journ. 1844, 8.  
 — *orientale* *Jacq.* Jacq. Ic. 48.  
 † — — — Lam. Encycl. 132.  
 — *Roxburghii* *W. et A.* Wight Illustr. 71.  
*Elaeoselinum foetidum* *Boiss.* Boissier Esp. 78.  
 — *Lagascac* *Boiss.* Boissier Esp. 77.  
 — *millefolium* *Boiss.* Boissier Esp. 76.  
 † *Elaeira oblongifolia* *Bl.* Blume Tabellen 14.  
*Elangis* *Aub.* Aubert Orchid. 79, 79.  
*Elaphoglossum alatum* *Gaudich.* Gaudich. Bonite 135.  
 — *pellucidum* *Gaudich.* Gaudichaud Bonite 79.  
 — ? *reticulatum* *Gaudich.* Gaudichaud Bonite 79.  
 † — *simplex* *Schott.* Hook. Gen. Fil. 105.  
 † *Elaphrium excelsum* *H. B. K.* H. B. K. Nov. Gen. 7, 611.  
 — *fagarioides* *H. B. K.* H. B. K. Nov. Gen. 7, 611.  
 — *Hindsianum* *Benth.* Benth. Sulphur s.  
 — *Jacquinianum* *H. B. K.* H. B. K. Nov. Gen. 7, 613.  
 — *jurullense* *H. B. K.* H. B. K. Nov. Gen. 7, 612.  
 — *rhoifolium* *Benth.* Benth. Sulphur 7.  
 — *tomentosum* *Jacq.* Jacq. Hist. stirp. am. 106.  
 — — — Lam. Encycl. 304.  
 — — — Nees Düsseld. Suppl. 67.  
 † *Elate silvestris* *L.* Lam. Encycl. 893.  
*Elatium carthaginense* *L.* Jacq. Hist. stirp. am. 232.  
 — — — Lam. Encycl. 743.  
 † *Elatine* *L.* Gray Genera 95.  
 — *aestivosa* *Wight et Arn.* Wight Ic. pl. Ind. or. 1, 222.  
 † — *Alsinastrum* *L.* Gaertn. Carp. 112.  
 † — — — Lam. Encycl. 320.  
 — — — Fl. dan. 13, 2239.  
 — — — Dietr. Fl. bor. 8, 574.  
 — — — Acta Leop. 21, 1, 5.  
 † — — — Ann. sc. nat. III, 9, 1.  
 — *ambigua* *Wight.* Wight Illustr. in Hook. 5.  
 — — — Wight Illustr. 25.  
 — — — Acta Leop. 21, 1, 2.  
 — *americana* *Arn.* Gray Genera 95.  
 — *hexandra* *DC.* DC. Ic. Gall. 43.  
 — — — Rchb. Ic. crit. 5, 413.  
 — — — Dietr. Fl. bor. 8, 575.  
 — — — Baxter Brit. Bot. 6, 487.  
 — *Hydropiper* *L.* Fl. dan. 1, 156.  
 † — — — Lam. Encycl. 320.  
 — — — DC. Ic. Gall. 43.  
 — — — Schk. Handb. 109<sup>a</sup>, 109<sup>b</sup>.  
 — — — Dreves 2, 71.  
 — — — Engl. Bot. 14, 955, 2670.  
 — — — Sv. Bot. 597.  
 — — — var. *Moris* Fl. sard. 20.  
 — — — Acta Leop. 21, 1, 3.  
 — *luxurians* *Delile.* Delile Egypte 26.  
 — *macropoda* *Guss.* Acta Leop. 21, 1, 3.  
 — *minima* *F. et M.* Acta Leop. 21, 1, 2.

- Elatine paludosa* *α. Seub.* Acta Leop. 21, 1, 4.  
 — *texana* *Torr. et Gr.* Gray Genera 96.  
 — *triandra* *Schk.* Schk. Handb. 109<sup>b</sup>.  
 — — — Dreves 2, 71.  
 — — — Sturm Flora 2, 3.  
 — — — Acta Leop. 21, 1, 2.  
 † *Elatostema* *Forst.* Forster Charact. 53.  
 — *cuneata* *Wight.* Wight Ic. pl. Ind. or. 6, 2091.  
 — *cuspidata* *Wight.* Wight Ic. pl. Ind. or. 6, 1983, 2091.  
 — *lineolata* *Wight.* Wight Ic. pl. Ind. or. 6, 1984.  
 — *macrophylla* *Brongn.* Brongniart Coquille 45.  
 — *ovata* *Wight.* Wight Ic. pl. Ind. or. 6, 1985, 2091.  
 — *parvifolia* *Brongn.* Brongniart Coquille 46.  
 — *pedunculata* *Forst.* Schrader Journ. 1800, 1, 4.  
 — *sessilis* *Forst.* Schrader Journ. 1800, 1, 3.  
 — *surculosa* *Wight.* Wight Ic. pl. Ind. or. 6, 2091.  
 — *Urvilleana* *Brongn.* Brongniart Coquille 46.  
 † *Electra calycina* *Panz.* Münchn. Denkschr. 4, 9.  
 † *Elegia juncea* *Thunb.* Gaertn. Carp. 181.  
*Elephantopus scaber* *L.* Rheed Hort. mal. 10, 7.  
 † — — — Gaertn. Carp. 165.  
 † — — — Lam. Encycl. 718.  
 — — — Wight Ic. pl. Ind. or. 3, 1086.  
 † — *spicatus* *Aubl.* Gaertn. Carp. 165.  
 † — — — Lam. Encycl. 718.  
*Elettaria cannaecarpa* *Wight.* Wight Ic. pl. Ind. or. 6, 2007.  
*Eleusine aegyptiaca* *Roxb.* Rumpf Amb. 6, 4, fig. 1.  
 — *coracana* *Pers.* Rheed Hort. mal. 12, 78.  
 † — — — Gaertn. Carp. 1.  
 † — — — Lam. Encycl. 48.  
 — — — Trin. Sp. Gr. 1, 70.  
 † — — — Münchn. Denkschr. 4, 8.  
 — *crucinata* *Lam.* Lam. Encycl. 48.  
 † *domingensis* *Pers.* Münchn. Denkschr. 4, 10.  
 — *filiformis* *Pers.* Jacq. Ecl. Gram. 4.  
 — *indica* *Gaertn.* Rumpf Amb. 6, 4, fig. 2.  
 — — — Lam. Encycl. 48.  
 — — — Elliott Carolina 11.  
 — — — Trin. Sp. Gr. 1, 71.  
 — — — var. *brachystachya*, Trin. Sp. Gr. 1, 72.  
*Eleutherine anomala* *Herb.* Bot. Reg. 29, 57.  
*Eliea articulata* *Camb.* Ann. sc. nat. 20, 13.  
*Elionurus ciliaris* *H. B. K.* H. B. K. Nov. Gen. 1, 63.  
 — *elegans* *Kth.* Humb. Gram. 94.  
 — *tripsacoides* *H. B. K.* H. B. K. Nov. Gen. 1, 62.  
*Elisena longipetala* *Herb.* Bot. Mag. 67, 3873.  
*Elizaldia nonneoides* *Willk.* Willkomm Strandgeb. 1.  
*Ellertonia Rheedii* *Wight.* Wight Ic. pl. Ind. or. 4, 1295.  
 † *Ellisia Nyctelea* *L.* Gaertn. Carp. 184.  
 † — — — Lam. Encycl. 97.  
 — — — Tratt. Archiv 135.  
 † — — — Ann. sc. nat. III, 18, 16.  
 † *Elodea* *Adans.* Gray Genera 94.  
 — *granatensis* *H. B.* Humb. Pl. aeq. 128.  
 — — — Lam. Encycl. 905.  
 — — — Rchb. Fl. germ. 7, 59.  
 — *guianensis* *Rich.* Mem. Institut. 1811, 1.  
 — *virginica* *Nutt.* Gray Genera 94.  
 — *palustris* *Spach.* Rchb. Fl. germ. 6, 342.  
*Elsholtzia cristata* *Willd.* Roemer Mag. 4, 1.  
 — — — Sturm Flora 20, 90.  
 — — — Bot. Mag. 52, 2560.  
 † — — — Nees Gen. 6, 3.  
 — *densa* *Benth.* Jacquemont Ind. 131.  
 — *Hoffmeisteri* *Klotzsch.* Prinz Waldem. Him. 66.  
 — *leptostachya* *Benth.* Jacquemont Ind. 132.  
*Elsneria crataegifolia* *Walp.* Acta Leop. 19, Suppl. 7, 8.  
*Elvasia calophyllea* *DC.* Ann. Mus. 17, 31.  
 † *Elymus* *L.* Dumortier Gramin. 1.  
 — *angustus* *Led.* Ledeb. Ic. 229.

- Elymus arenarius* L. Schreber Gräser 40.  
 — — — Host Gram. 312.  
 — — — Fl. dan. 5, 847.  
 — — — Sv. Bot. 60.  
 — — — Engl. Bot. 24, 1672.  
 — — — Knapp Gram. 108.  
 — — — Rchb. Fl. germ. 1, 10.  
 † — — — Nees Gen. 1, 82.  
 — *caninus* L. Schk. Handb. 19.  
 — *caput Medusae* L. Schreber Gräser 24.  
 — *crinitus* Schreb. Schreber Gräser 24.  
 — — — Host Gram. 27.  
 — — — Sibth. Fl. gr. 96.  
 — — — Rchb. Fl. germ. 1, 9.  
 — *dasystachys* Led. Ledeb. Ic. 249.  
 † — *europaeus* L. Lam. Encycl. 49.  
 — — — Host Gram. 28.  
 — — — Fl. dan. 10, 1631.  
 — — — Rchb. Fl. germ. 1, 9.  
 — — — Engl. Bot. 19, 1317.  
 — — — Baxter Brit. Bot. 6, 496.  
 † — — — Nees Gen. 1, 82.  
 — *geniculatus* Delile. Delile Egypte 13.  
 — — — Curt. Jacq. Ecl. Gram. 39.  
 — — — Engl. Bot. 23, 1586.  
 — — — Knapp Gram. 109.  
 — *giganteus* Vahl. Jacq. Ecl. Gram. 37.  
 — *Hystrix* L. Jacq. Ic. 305.  
 — *juncus* Fisch. Mem. Mosc. 1, 4.  
 — *lanuginosus* Led. Ledeb. Ic. 250.  
 — *mexicanus* Cav. Jacq. Ecl. Gram. 19.  
 — *ovatus* Led. Ledeb. Ic. 251.  
 — *sabulosus* M. v. B. Jacq. Ecl. Gram. 38.  
 — *sibiricus* L. Schreber Gräser 21.  
 — *virginicus* L. Elliott Carolina 12.  
 † — — — Nees Gen. 1, 82.  
*Elyna capillifolia* Decne. Jacquemont Ind. 174.  
 — *caricina* M. et K. Baxter Brit. Bot. 6, 484.  
 — *spicata* Schrad. Rchb. Fl. germ. 8, 193.  
 — — — Sturm Flora 7, 26.  
 † — — — Nees Gen. 2, 4.  
*Elytranthe albida* Bl. Blume Java 8, 22. 23.  
*Elytraria marginata* Vahl. Pal. Fl. d'Oware 93.  
 — *virgata* Michx. Michaux Fl. 1.  
 † *Elytrigia Desv.* Desvaux Journ. 3, 3.  
*Elytrophorus articulatus* Pal. Beauv. Humb. Gram. 154.  
 † — — — Lam. Encycl. 912.  
*Embelia angustifolia* DC. Delessert Ic. 5, 29.  
 — *Gardneriana* Wight. Wight Ic. pl. Ind. or. 4, 1208.  
 — — — Wight Spicil. 135.  
 — *Ribes* Burm. Burm. Fl. ind. 23.  
 — — — Lam. Encycl. 133.  
 — — — Wight Ic. pl. Ind. or. 4, 1207.  
 — *Tsjeriam* Cottam DC. Wight Ic. pl. Ind. or. 4, 1209.  
 — *vestita* Roxb. Delessert Ic. 5, 30.  
 † *Emblia grandis* Gaertn. Gaertn. Carp. 108.  
 † — *officinalis* Gaertn. Gaertn. Carp. 108.  
 — — — Wight Ic. pl. Ind. or. 5, 1896.  
 † *Embothrium* Forst. Forster Charact. 8.  
 † — — — Ruiz et Pav. Prodr. 3.  
 — *buxifolium* Sm. Smith New Holl. 10.  
 — — — Andr. Rep. 4, 218.  
 — *coccineum* Forst. Cav. Ic. 65.  
 † — — — Lam. Encycl. 55.  
 — *cytisoides* Cav. Cav. Ic. 386.  
 — *dentatum* Rz et P. Ruiz et Pav. Fl. 94.  
 — *emarginatum* Rz et P. Ruiz et Pav. Fl. 95.  
 — *ferrugineum* Cav. Cav. Ic. 385.  
 — *genianthum* Cav. Cav. Ic. 387.  
 — *grandiflorum* H. B. Humb. Pl. acq. 139.

- Embothrium herbaceum* Cav. Cav. Ic. 384.  
 — *lanceolatum* Rz et P. Ruiz et Pav. Fl. 96.  
 — — — Kerner Hort. 200.  
 — *lineare* Andr. Andr. Rep. 4, 272.  
 — *linearifolium* Cav. Cav. Ic. 386.  
 — *monospermum* Rz et P. Ruiz et Pav. Fl. 98.  
 † — *myricoides* Gaertn. Gaertn. Carp. 218.  
 — *obliquum* Rz et P. Ruiz et Pav. Fl. 97.  
 — *pinnatum* Rz et P. Ruiz et Pav. Fl. 99.  
 — *salicifolium* Vent. Vent. Cels 8.  
 — *salignum* Andr. Andr. Rep. 3, 215.  
 — *sericeum* Sm. Smith New Holl. 9.  
 — — — Andr. Rep. 2, 100.  
 — — — Bot. Mag. 22, 862.  
 — *silafolium* Sm. Smith New Holl. 8.  
 — *spathulatum* Cav. Cav. Ic. 388.  
 † — — — Gaertn. Carp. 218.  
 — *species nova* Giord. Giordano Osserv. 1.  
 — *speciosissimum* Sm. Smith New Holl. 7.  
 — — — Bot. Mag. 28, 1128.  
 — — — Rchb. Exot. 159.  
 — *speciosum* Cav. Salisb. Parad. 111.  
 — *strobilinum* Lab. Bill. Nov. Holl. 265.  
 — *tinctorium* Lab. Bill. Nov. Holl. 42. 43.  
 — *truncatum* Lab. Bill. Nov. Holl. 44.  
 † — *umbellatum* Forst. Lam. Encycl. 55.  
*Embryopteris glutinifera* Roxb. Roxb. Corom. 70.  
 — — — Kerner Hort. 127.  
 — — — Wight Ic. pl. Ind. or. 3, 843. 844.  
 † — *peregrina* Gaertn. Gaertn. Carp. 29.  
 † *Emex australis* Steinh. Ann. sc. nat. II. 9, 7.  
*Emilia flammea* Cass. Cassini Opusc. 1, 4.  
 — — — Dict. sc. nat. 91.  
 — *scabra* DC. Wight Ic. pl. Ind. or. 3, 1123.  
 — *sonchifolia* DC. Rheede Hort. mal. 10, 68.  
*Empedoclea alnifolia* St. Hil. St. Hil. Fl. Bras. 3.  
 † *Empetrum album* L. Gaertn. Carp. 106.  
 — — — Hoffm. Lk. Fl. port. 72.  
 † — — — Lam. Encycl. 803.  
 — *nigrum* L. Fl. dan. 6, 975.  
 — — — Schk. Handb. 318.  
 † — — — Lam. Encycl. 803.  
 — — — Sv. Bot. 259.  
 — — — Engl. Bot. 8, 526.  
 — — — Rchb. Fl. germ. 5, 158.  
 — — — Baxter Brit. Bot. 6, 469.  
 † — — — Nees Gen. 4, 42.  
 — *rubrum* Willd. Bot. Reg. 21, 1783.  
 † — *serrulatum* Ait. Mem. Mus. 12, 20.  
*Emplectocladus fasciculatus* Torr. Smithson. Contr. 5, 5.  
 † *Empleurum* Ait. Bartling Diosmeae 2.  
 — *serrulatum* Soland. Smith Exot. Bot. 63.  
 † — — — Gaertn. Carp. 211.  
 — — — Lam. Encycl. 86.  
 † — — —  $\alpha. \beta. \gamma.$  Bot. Zeitung 1853, 12.  
 — — — Berg Darstellung 0.  
 † *Enargea marginata* Gaertn. Gaertn. Carp. 59.  
*Enarthrocarpus arcuatus* Lab. Bill. Syr. 5, 2.  
 — *pterocarpus* DC. Delessert Ic. 2, 93.  
*Encelia canescens* Lam. Cav. Ic. 61.  
 † — — — Lam. Encycl. 709.  
 — — — Bot. Reg. 11, 909.  
 — *halimifolia* Cav. Cav. Ic. 210.  
*Encephalartus Altensteinii* Lehm. Lehm. Pug. 6. 4—5.  
 — — — Otto Gart. Z. 1834, 4. 5.  
 † — — — Linnæa 19, 5.  
 — — — Vriese Descriptions 1. 2. 4.  
 † — — — Flora 1853, 2.  
 — *brachyphyllus* Lehm. Hoeven Tijdschr. 4, 6. 7.  
 — *elongatus* Lehm. Miquel Comment. 13.  
 — — — Hoeven Tijdschr. 4, 8.  
 — *Friderici* Guilelmi Lehm. Lehm. Pug. 6, 1—3.

- Encephalartus Friderici Guilelmi *Lehm.* Otto Gart. Z. 1834, 1—3.  
 — — — Hart. Parad. 1, 7.  
 — horridus *Lehm.* Hoeven Tijdschr. 6, 3. 4.  
 — latifrons *Lehm.* Hoeven Tijdschr. 4, 9.  
 — Lehmanni *Eckl.* Otto Gart. Z. 1836, 1.  
 — pungens *Lehm.* Linnæa 19, 4.  
 — spinulosus *Lehm.* Hoeven Tijdschr. 4, 7.  
 — tridentatus *Lehm.* Miquel Monogr. Cyc. 6.  
 — Van Hallii *Vriese.* Hoeven Tijdschr. 4, 10.  
 Encholirium Augustae *Lk.* Preuss. Gart. Verein 18, 2.  
 Enchysia erecta *DC.* Delessert Ic. 5, 13.  
 Enckea ceanothifolia *Miq.* Endl. Bras. 11, 3.  
 — heptandra *Miq.* Miquel Ill. Pip. 64.  
 — Lessertiana *Miq.* Miquel Ill. Pip. 63.  
 — Lindenii *Miq.* Miquel Ill. Pip. 66.  
 — Martiana *Miq.* Endl. Bras. 11, 3.  
 — Sieberi *Miq.* Miquel Ill. Pip. 65.  
 — — — Endl. Bras. 11, 3.  
 Encyanthus quinqueflorus *Lour.* Bot. Mag. 40, 1649.  
 — — — Bot. Reg. 11, 844.  
 — — — Lodd. Cab. 1101.  
 — — — Rehb. Exot. 300.  
 — reticulatus *Ldl.* Icones pl. Chinae 14.  
 — — — Bot. Reg. 11, 885.  
 — — — Maund Bot. 1, 1.  
 — — — Paxt. Mag. 5, 127.  
 Encyclia macrostachya *P. et E.* Poepp. et Endl. 114.  
 — nana *P. et E.* Poepp. et Endl. 113.  
 — patens *Hook.* Bot. Mag. 57, 3013.  
 — polystachya *P. et E.* Poepp. et Endl. 113.  
 — viridiflora *Hook.* Bot. Mag. 55, 2831.  
 Endema grandiflora *Planch.* Hook. Lond. Journ. 1844, 22.  
 Endlichera brasiliensis *Presl.* Presl Symbolae 49.  
 Endopogon capitatus *Wight.* Wight Ic. pl. Ind. or. 4, 1499.  
 — foliosus *Wight.* Wight Ic. pl. Ind. or. 4, 1501.  
 — rhamnifolius *Wight.* Wight Ic. pl. Ind. or. 4, 1521.  
 — strobilanthes *Wight.* Wight Ic. pl. Ind. or. 4, 1500.  
 — versicolor *Wight.* Wight Ic. pl. Ind. or. 4, 1497.  
 † — — — Wight Illustr. 164<sup>b</sup>.  
 — viscosus *Arn.* Wight Ic. pl. Ind. or. 4, 1498.  
 Endymion nutans *Dumort.* Sturm Flora 20, 93.  
 Engelhardtia aceriflora *Bl.* Blume Java 7, 2. 5.  
 — Colebrookeana *Ldl.* Wall. Pl. asiat. 208.  
 — rigida *Bl.* Blume Java 7, 3.  
 — Roxburghiana *Ldl.* Wall. Pl. asiat. 199.  
 — selanica *Bl.* Rumpf Amb. 2, 56.  
 — serrata *Reinw.* Blume Java 7, 4. 5.  
 — spicata *Leschen.* Blume Java 7, 1. 5.  
 Engelmannia suaveolens *Pfeiff.* Bot. Zeitung 1846, 1.  
 † Enodium *Link.* Dumortier Gramin. 4.  
 Enoura capreolata *Aubl.* Aublet Guiana 235.  
 — — — Lam. Encycl. 484.  
 Ensenia albida *Nutt.* Delessert Ic. 5, 63.  
 Entada monostachya *DC.* Rheede Hort. mal. 9, 77.  
 — polystachya *DC.* DC. Legum. 61. 62.  
 — Pursaetha *DC.* Rheede Hort. mal. 8, 32—34.  
 — — — Rumpf Amb. 5, 4.  
 Entelea arborescens *R. Br.* Bot. Mag. 51, 2480.  
 † Entoganium laevigatum *Gaertn.* Gaertn. Carp. 68.  
 † Epacris *Forst.* Forster Charact. 10.  
 — — — (Variæ hybridæ.) Paxt. Mag. 15, 193.  
 — — — (Variæ hybridæ.) Lem. Jard. fl. 175.  
 — attenuata *Lodd.* Lodd. Cab. 38.  
 — autumnalis *Hort.* Paxt. Mag. 11, 195.  
 — — — Fl. d. serres 1, 4.  
 — campanulata *Lodd.* Lodd. Cab. 1925. 1931.  
 — — — var. Copelandii, Annales de Gand 1847, 143.  
 — ceraeflora *Grah.* Bot. Mag. 60, 3243.  
 — cerinthoides *Lab.* Bill. Nov. Holl. 59.

- Epacris coccinea *Paxt.* Paxt. Mag. 6, 123.  
 — diosmaefolia *Lodd.* Lodd. Cab. 1934.  
 — dubia *Ldl.* Bot. Reg. 32, 38.  
 † — frondosa *Gaertn.* Gaertn. Carp. 94.  
 — grandiflora *Sm.* Smith Exot. Bot. 39.  
 — — — Bot. Mag. 25, 982.  
 — — — Lodd. Cab. 21.  
 — — — Paxt. Mag. 1, 52.  
 — heteronema *Lab.* Bill. Nov. Holl. 56.  
 — — — Bot. Mag. 60, 3257.  
 — impressa *Lab.* Bill. Nov. Holl. 58.  
 — — — Sweet Austr. 4.  
 — — — Lodd. Cab. 1691.  
 — — — Maund Bot. 5, 232.  
 — — — Bot. Mag. 62, 3407.  
 — — — Paxt. Mag. 2, 97. 4, 126.  
 — — —  $\beta$ . parviflora, Bot. Reg. 25, 19.  
 — lanuginosa *Lab.* Bill. Nov. Holl. 57.  
 — longiflora *Cav.* Cav. Ic. 344.  
 — — — Herb. amat. 3, 185.  
 † — longifolia *Forst.* Lam. Encycl. 111.  
 — microphylla *R. Br.* Bot. Mag. 65, 3658.  
 — miniata *Ldl.* Bot. Reg. 31, 5.  
 — — — Paxt. Mag. 12, 5.  
 — — — Fl. d. serres 2, 58.  
 — myrtifolia *Lab.* Bill. Nov. Holl. 55.  
 — nivalis *Lodd.* Lodd. Cab. 1821.  
 — — — Bot. Mag. 60, 3253.  
 — — — Bot. Reg. 18, 1531.  
 — — — Maund Bot. 2, 57.  
 — obtusifolia *Sm.* Smith Exot. Bot. 40.  
 — — — Bot. Mag. 66, 3775.  
 — — — Lodd. Cab. 292.  
 — onosmaeflora *Cunn.* Bot. Mag. 59, 3168.  
 — paludosa *R. Br.* Lodd. Cab. 1226.  
 — pulchella *Cav.* Cav. Ic. 345.  
 — — — Bot. Mag. 29, 1170.  
 — — — Lodd. Cab. 194.  
 † — pumila *Forst.* Lam. Encycl. 111.  
 — pungens *Cav.* Cav. Ic. 346.  
 — — — Bot. Mag. 22, 844. 30, 1199.  
 — — — Dict. sc. nat. 72.  
 — purpurascens *R. Br.* Lodd. Cab. 237. 876.  
 — — — Herb. amat. 3, 155.  
 — rosea *Lodd.* Lodd. Cab. 863.  
 — spuria *Cav.* Cav. Ic. 347.  
 — Tauntoniensis *Paxt.* Paxt. Mag. 14, 195.  
 — variabilis *Lodd.* Lodd. Cab. 1816.  
 — — — Paxt. Mag. 4, 125.  
 — villosa *Cav.* Cav. Ic. 347.  
 Eperua falcata *Aubl.* Aublet Guiana 142.  
 — — — Lam. Encycl. 338.  
 † Ephedra *L.* Ann. sc. nat. 26, 3.  
 † — — — (Germinatio.) Acad. Pet. 7, 8.  
 — — — Alte *C. A. M.* Acad. Pet. 7, 3.  
 — — — altissima *Desf.* Desf. Fl. atl. 253.  
 † — — — Richard Conif. 4.  
 — — — Acad. Pet. 7, 1.  
 † — americana *H. B.* Richard Conif. 29.  
 — botryoides *F. et M.* Acad. Pet. 7, 8.  
 — campylopoda *C. A. M.* Acad. Pet. 7, 2.  
 — distachya *L.* Sibth. Fl. gr. 961.  
 — — — Schk. Handb. 339.  
 † — — — Lam. Encycl. 830.  
 — — — Rehb. Fl. germ. 11, 539.  
 † — — — Nees Gen. 4, 13.  
 — fragilis *Desf.* Acad. Pet. 7, 1.  
 — graeca *C. A. M.* Acad. Pet. 7, 5.  
 † — helvetica *C. A. M.* Acad. Pet. 7, 8.  
 — lomatolepis *Schrenk.* Acad. Pet. 7, 6.  
 † — monosperma *Gm.* Acad. Pet. 7, 8.  
 — monostachya *L.* Pallas Fl. ross. 83.

- † *Ephedra monostachya* L. Lam. Encycl. 830.  
 — — — Watson Dendr. 2, 142.  
 — — — Rehb. Fl. germ. 11, 539.  
 — — — *procera* F. et M. Acad. Pet. 7, 4.  
 † — — *stenosperma* Schrenk. Acad. Pet. 7, 3.  
 — — — *Tweediana* F. et M. Acad. Pet. 7, 7.  
 † — — *vulgaris* Rich. Richard Conf. 4.  
 † *Ephemerum nemorum* Rehb. Nees Gen. 5, 16.  
*Ephippiorhynchium polycephalum* N. v. E. Endl. Bras. 3, 12.  
 † *Ephippium ciliatum* Bl. Blume Tabellen 65.  
 † — — *cornutum* Bl. Blume Tabellen 65.  
 — — — *grandiflorum* Bl. Blume Rumphia 195, 199.  
 † *Epibaterium* Forst. Forster Charact. 54.  
*Epicampes strictus* Presl. Presl Reliq. 39.  
*Epicarpurus microphyllus* Decne. Raoul Nouv. Zel. 9.  
 — — — *orientalis* Bl. Wight Ic. pl. Ind. or. 6, 1961.  
 — — — *spinosus* Wight. Wight Ic. pl. Ind. or. 6, 1962.  
 — — — *timorensis* Decne. N. Ann. Mus. 3, 21.  
 — — — *zeylanicus* Thw. Hook. Journ. 1851, 11.  
 † *Epicharis speciosa* Juss. Mem. Mus. 19, 15.  
 † *Epicranthes javanica* Bl. Blume Tabellen 9.  
 † *Epidendrum* L. Ruiz et Pav. Prodr. 27.  
 † — — — Schrader Journal 1799, 2, 1.  
 — — — *aemulum* Ldl. Bot. Reg. 22, 1898.  
 — — — *alatum* Batem. Bateman Orchid. 18.  
 — — — Bot. Reg. 33, 53.  
 — — — *aloifolium* L. Jacq. Schoenbr. 3, 383.  
 — — — Red. Lil. 2, 114.  
 — — — Bot. Mag. 11, 387.  
 — — — Bateman Orchid. 25.  
 — — — *altissimum* Jacq. Jacq. Hist. stirp. am. 215.  
 — — — *amabile* L. Rumpf Amb. 6, 43.  
 — — — *anceps* Jacq. Jacq. Hist. stirp. am. 208.  
 — — — Sw. Lodd. Cab. 887.  
 — — — *antenniferum* H. B. Humb. Pl. aeq. 28.  
 — — — *armeniaceum* Ldl. Bot. Reg. 22, 1867.  
 — — — *aromaticum* Batem. Bateman Orchid. 10.  
 — — — *aurantiacum* Batem. Bateman Orchid. 12.  
 — — — *Barringtoniae* Sm. Smith Ic. pict. 15.  
 — — — *basilare* Lk et Kl. Link Ic. III. 45.  
 — — — *bicornutum* Hook. Bot. Mag. 61, 3332.  
 — — — Paxt. Mag. 5, 245.  
 — — — *bifidum* Aubl. Red. Lil. 2, 84.  
 — — — Bot. Reg. 22, 1879.  
 — — — *brachystachyum* Aub. Aubert Orchid. 83.  
 — — — *caespitosum* P. et E. Poepp. et Endl. 101.  
 — — — *calocheilum* Hook. Bot. Mag. 68, 3898.  
 — — — *Candollei* Ldl. Mem. Genev. 9, 3.  
 — — — *cartagenense* Jacq. Jacq. Hist. stirp. am. 214.  
 — — — Kerner Hort. 120.  
 — — — *caudatum* L. Desc. Ant. 6, 439.  
 — — — *Cebolleta* Jacq. Jacq. Hist. stirp. am. 217.  
 — — — *cepiforme* Don. Bot. Mag. 66, 3765.  
 — — — *chloroleucum* Hook. Bot. Mag. 64, 3557.  
 — — — *ciliare* L. Jacq. Hist. stirp. am. 209.  
 — — — Red. Lil. 2, 82.  
 — — — Bot. Mag. 13, 463.  
 — — — Lodd. Cab. 9.  
 — — — Bot. Reg. 10, 784.  
 † — — — Bauer Orchid. 10.  
 — — — *cinnabarinum* Salzm. Bot. Reg. 28, 25.  
 — — — Hart. Parad. 1, 14.  
 — — — *clavatum* Ldl. Bot. Reg. 22, 1870.  
 — — — *coccineum* L. Jacq. Hist. stirp. am. 205.  
 — — — *cochleatum* L. Jacq. Ic. 605.  
 — — — Bot. Mag. 5, 152, 16, 572.  
 — — — Andr. Rep. 1, 13.  
 — — — Red. Lil. 6, 346.  
 — — — Lam. Encycl. 730.  
 — — — Desc. Ant. 6, 440.  
 — — — Herb. amat. 4, 232.

- Epidendrum cochleatum* L. Lodd. Cab. 22.  
 — — — Rehb. Exot. 96.  
 — — — *conopseum* R. Br. Bot. Mag. 62, 3457.  
 — — — *coriaceum* Park. Bot. Mag. 61, 3595.  
 — — — *coriifolium* Ldl. Journ. Hort. Soc. 6, 219.  
 — — — *crassifolium* Ldl. Bot. Mag. 64, 3543.  
 — — — *crassilabium* P. et E. Poepp. et Endl. 102.  
 — — — *cucullatum* L. Bot. Mag. 15, 543.  
 — — — *cuspidatum* Lodd. Lodd. Cab. 10.  
 — — — Bot. Reg. 10, 783.  
 — — — *densiflorum* Hook. Bot. Mag. 66, 3791.  
 — — — *difforme* Jacq. Jacq. Hist. stirp. am. 206.  
 — — — *diffusum* Sw. Bot. Mag. 64, 3565.  
 — — — Lodd. Cab. 846.  
 — — — *dipus* Ldl. Bot. Reg. 31, 4.  
 — — — *ellipticum* Grab. Hook. Exot. Fl. 207.  
 — — — *ellipticum* Lodd. Lodd. Cab. 1276.  
 — — — *elongatum* Jacq. Jacq. Ic. 604.  
 — — — Bot. Mag. 17, 611.  
 — — — Lam. Encycl. 730.  
 † — — — Bauer Orchid. 11.  
 — — — Lodd. Cab. 986.  
 — — — *ensifolium* L. Thunb. Ic. jap. 8.  
 — — — Smith Spicil. 24.  
 — — — Andr. Rep. 5, 344.  
 — — — *erubescens* Batem. Bateman Orchid. 32.  
 — — — *floribundum* H. B. K. H. B. K. Nov. Gen. 1, 86.  
 — — — Bot. Mag. 65, 3637.  
 — — — *fragrans* R. Br. Andr. Rep. 10, 645.  
 — — — Bot. Mag. 40, 1669.  
 — — — Lodd. Cab. 1039.  
 — — — Paxt. Mag. 2, 217.  
 — — — *fulgens* Brongn. Brongniart Coquille 43.  
 — — — *funiferum* Morr. Annales de Gand 1848, 199.  
 — — — *furvum* L. Rumpf Amb. 6, 46, fig. 1.  
 — — — *fuscatum* Sm. Smith Spic. 23.  
 — — — Andr. Rep. 7, 441.  
 — — — Bot. Reg. 1, 67.  
 — — — Bot. Mag. 55, 2844.  
 — — — Lodd. Cab. 472.  
 — — — *globosum* Jacq. Jacq. Hist. stirp. am. 203.  
 — — — *glumaceum* Ldl. Bot. Reg. 26, 6.  
 — — — *gracile* Ldl. Bot. Reg. 21, 1765.  
 — — — *Grahami* Hook. Bot. Mag. 68, 3885.  
 — — — *grandiflorum* H. B. Humb. Pl. aeq. 27.  
 — — — *guttatum* L. Dict. sc. nat. 75.  
 — — — *Harrisoniae* Hook. Bot. Mag. 60, 3209.  
 — — — *hircinum* A. Rich. Ramon Cuba 77.  
 — — — *humile* Sm. Smith Exot. Bot. 98.  
 — — — *labiatum* Sw. Swartz Annot. 2.  
 † — — — *lacertinum* Ldl. Fl. d. serres 4, 376.  
 — — — *lancifolium* Ldl. Bot. Reg. 28, 504.  
 — — — *leiobulbon* Ldl. Hook. Journ. 1841, 10.  
 — — — *leucochilum* Lk et Kl. Link Ic. III. 46.  
 — — — *lineare* L. Jacq. Hist. stirp. am. 201.  
 — — — Andr. Rep. 7, 445.  
 — — — *linearifolium* Hook. Bot. Mag. 77, 4572.  
 — — — Lem. Jard. fl. 145.  
 — — — *longicolle* Ldl. Bot. Mag. 71, 4165.  
 — — — *longipetalum* Ldl. Paxt. Fl. G. 30.  
 — — — Lem. Jard. fl. 81.  
 — — — *macrochilum* Hook. Bateman Orchid. 17.  
 — — — Bot. Mag. 63, 3534.  
 — — — var. Paxt. Mag. 11, 243.  
 — — — var. Annales de Gand 1846, 86.  
 — — — var. Fl. d. serres 4, 372.  
 — — — *macrostachyum* Aub. Aubert Orchid. 82.  
 — — — *marginatum* Lk et Kl. Link Ic. III. 36.  
 — — — *microbulbon* Hook. Hook. Ic. pl. 4, 347.  
 — ? — — *monophyllum* Hook. Hook. Exot. Fl. 109.  
 — — — *nematocaulon* A. Rich. Ramon Cuba 79.  
 — — — *nervosum* Thunb. Thunb. Ic. jap. 10.



- Epidendrum nocturnum* L. Jacq. Hist. stirp. am. 210.  
 — — — Lodd. Cab. 713.  
 — — — Link Ic. I. 9.  
 — — — Bot. Mag. 61, 3298.  
 — — — *β. latifolium*, Bot. Reg. 23, 1961.  
 — nodosum L. Jacq. Hist. stirp. am. 213.  
 — nutans Sw. Hook. Exot. Fl. 50.  
 — — — Bot. Reg. 1, 17.  
 — — — Maund Bot. 5, 226.  
 — — — Lodd. Cab. 645.  
 — oblongatum A. Rich. Ramon Cuba 80.  
 — obtusifolium Willd. Desc. Ant. 6, 438.  
 — ochraceum Ldl. Bot. Reg. 24, 26.  
 — ochranthum A. Rich. Ramon Cuba 78.  
 — odoratissimum Ldl. Bot. Reg. 17, 1415.  
 — oncioides Ldl. Bot. Reg. 19, 1623.  
 — ophioglossoides L. Jacq. Hist. stirp. am. 211.  
 — pallidiflorum Hook. Bot. Mag. 57, 2980.  
 — papillosum Batem. Bot. Mag. 65, 3631.  
 — Parkinsonianum Hook. Bot. Mag. 66, 3778.  
 — Pastoris Llave. Link Ic. II. 12.  
 — patens Sw. Bot. Mag. 67, 3800.  
 — — — Lodd. Cab. 1537.  
 — pendulum Roxb. Roxb. Corom. 44.  
 — phoeniceum Ldl. Lindley Sertum 46.  
 — — — Paxt. Mag. 9, 97.  
 — — — Fl. d. serres 2, 47.  
 — — — var. Fl. d. serres 4, 306.  
 — plicatum Ldl. Bot. Reg. 33, 35.  
 — polyanthum Ldl. Bateman Orchid. 34.  
 — ? polybulbon Sw. Hook. Exot. Fl. 112.  
 — — — Lodd. Cab. 1230.  
 — polystachyum Aub. Aubert Orchid. 81.  
 — porphyreum Ldl. Hook. Journ. 1841, 7. 8.  
 — praecox Sm. Smith Exot. Bot. 97.  
 — praemorsum Roxb. Roxb. Corom. 43.  
 — pterocarpum Ldl. Bot. Reg. 30, 34.  
 — pygmaeum Hook. Bot. Mag. 60, 3233.  
 — — — Hook. Journ. 1834, 118.  
 — pyriforme Ldl. Bot. Reg. 33, 50.  
 — radiatum Ldl. Bot. Reg. 30, 45.  
 — radicans Paxt. Paxt. Mag. 12, 145.  
 — ramosum Jacq. Jacq. Hist. stirp. am. 202.  
 — raniferum Ldl. Bot. Reg. 28, 42.  
 — rigidum Jacq. Jacq. Hist. stirp. am. 204.  
 — — — Hook. Ic. pl. 4, 314.  
 — — — Lodd. Lodd. Cab. 1600.  
 — rubrum Lam. Desc. Ant. 5, 362.  
 — ruscifolium L. Jacq. Hist. stirp. am. 212.  
 — Schomburgkii Ldl. Bot. Reg. 24, 53.  
 — — — Maund Bot. 4, 165.  
 — — — Paxt. Mag. 10, 121.  
 — scriptum L. Rumpf Amb. 6, 42.  
 — secundum L. Jacq. Hist. stirp. am. 207.  
 — sinense Andr. Andr. Rep. 3, 216.  
 — — — Red. Lil. 2, 113.  
 — — — Bot. Mag. 23, 888.  
 — — — Rchb. Exot. 97.  
 — — — Dict. sc. nat. 74.  
 — Skinneri Batem. Bot. Mag. 68, 3951.  
 — — — Bot. Reg. 22, 1870. 1881.  
 — Stamfordianum Batem. Bateman Orchid. 11.  
 — — — Lem. Jard. fl. 251.  
 — — — Bot. Mag. 80, 4759.  
 — stenopetalum Hook. Bot. Mag. 62, 3410.  
 — sterile Lam. Rheede Hort. mal. 12, 22. 23.  
 — striatum Sw. Thunb. Ic. jap. 9.  
 — teres Thunb. Thunb. Ic. jap. 7.  
 † — — — terrestre Gaertn. Gaertn. Carp. 14.  
 † — — — Lam. Encycl. 730.  
 — tessellatum Roxb. Roxb. Corom. 42.  
 — — — Batem. Bot. Mag. 65, 3633.

- Epidendrum tetragonum* Aub. Aubert Orchid. 34.  
 — tetrapetalum Jacq. Jacq. Hist. stirp. am. 216.  
 — Tridens P. et E. Poepp. et Endl. 103.  
 — tripterum Sm. Smith Ic. pict. 14.  
 — umbellatum Sw. Bot. Mag. 46, 2030.  
 — — — Bot. Reg. 1, 80.  
 — — — Maund Bot. 5, 216.  
 — — — Lodd. Cab. 26.  
 — undulatum Sw. Bot. Mag. 20, 777.  
 — Vanilla L. Desc. Ant. 8, 561.  
 — variegatum Hook. Bot. Mag. 59, 3151.  
 — — — Bot. Reg. 25, 11.  
 — verrucosum Ldl. Bot. Reg. 30, 51.  
 — — — Lodd. Cab. 1084.  
 — — — Paxt. Mag. 13, 101.  
 — — — Bot. Mag. 77, 4606.  
 — — — Lem. Jard. fl. 253.  
 — vincentinum Ldl. Hook. Journ. 1841, 11.  
 — violaceum Lodd. Lodd. Cab. 337.  
 — — — Bot. Mag. 66, 3751.  
 — virescens Lodd. Lodd. Cab. 1867.  
 — viridi-purpureum Hook. Bot. Mag. 65, 3666.  
 — vitellinum Ldl. Lindley Sertum 45.  
 — — — Bot. Reg. 26, 35.  
 — — — Bot. Mag. 70, 4107.  
 — — — Paxt. Mag. 11, 49.  
 — — — voluere Aub. Aubert Orchid. 80.  
*Epidorchis* Aub. Aubert Orchid. 80.  
*Epigaea cordifolia* Sw. Lam. Encycl. 367.  
 — repens L. Bull. philom. 1797. no. 6.  
 — — — Mem. Instit. an VII, 9.  
 — — — Lam. Encycl. 367.  
 — — — Andr. Rep. 2, 102.  
 — — — Lodd. Cab. 160.  
 — — — Bot. Reg. 3, 201.  
 — — — Tratt. Archiv 83.  
 — — — Herb. amat. 4, 239.  
 — — — *β. rubicunda*, Sweet Fl. G. II. 384.  
*Epigynum Griffithianum* Wight. Wight Ic. pl. Ind. or. 4, 1308.  
 † — — — Wight Illustr. 154 bis.  
 † *Epilobium* Linn. Mutel Fl. fr. 16. 17.  
 — alpestre Jacq. Rchb. Ic. crit. 2, 200.  
 — alpinum L. Lightf. Fl. scot. 1, 10.  
 — — — Fl. dan. 2, 322.  
 — — — Curt. Lond. 5, 170.  
 — — — Engl. Bot. 28, 2001.  
 — — — Sv. Bot. 707.  
 — — — Sturm Flora 18, 81. 82.  
 — alsinifolium Vill. Engl. Bot. 28, 2000.  
 — anagallidifolium Lam. Lam. Encycl. 278.  
 — angustifolium L. Fl. dan. 2, 289.  
 — — — Curt. Lond. 1, 64.  
 — — — Engl. Bot. 28, 1947.  
 — — — Sv. Bot. 130.  
 — — — Schk. Handb. 106.  
 — — — Schrank Fl. monac. 2, 107.  
 — — — Dietr. Fl. bor. 8, 570.  
 — — — Sturm Flora 18, 81.  
 — — — Baxter Brit. Bot. 1, 14.  
 — angustissimum Ait. Bot. Mag. 3, 76.  
 — — — W. et Kit. 76.  
 — — — Rchb. Ic. crit. 4, 342.  
 — confertifolium Hook. fil. Hook. Ic. pl. 7, 685.  
 — cordifolium Dill. et Rich. Richard Abyssin. 50.  
 — denticulatum Rz et P. Ruiz et Pav. Fl. 314.  
 — Dodonaei Vill. Sturm Flora 17, 72.  
 — Fleischeri Hochst. Sturm Flora 17, 72.  
 — grandiflorum All. var. Rochel Banat. 5.  
 — hirsutum L. Fl. dan. 2, 326.  
 — — — Curt. Lond. 1, 134.  
 — — — Engl. Bot. 12, 838.

- Epilobium hirsutum* L. Schrank Fl. monac. 1, 61.  
 — — — Sturm Flora 18, 81.  
 — — — Dietr. Fl. bor. 8, 571.  
 † — — — Plée Types 33.  
 † — — — Cosson Atlas 12.  
 — — — Hornemannianum *Rehb.* *Rehb.* Ic. crit. 2, 180.  
 — — — hypericifolium *Tausch.* *Tausch Hort. Canal.* 7.  
 — — — Sturm Flora 17, 72.  
 — — — lanceolatum *Seb. et M. Sebastiani* Fl. rom. 1.  
 — — — Engl. Bot. 2935.  
 — — — latifolium L. Fl. dan. 4, 565.  
 — — — laxum *Royle.* *Royle Illustr.* 43.  
 — — — linnaeoides *Hook.* *Hook. Fl. ant.* 6.  
 — — — macranthum *Hook. fil.* *Hook. Ic. pl.* 3, 297.  
 — — — macropus *Hook.* *Hook. Ic. pl.* 9, 812.  
 — — — melanocaulon *Hook.* *Hook. Ic. pl.* 9, 813.  
 † — — — molle *Lam.* *Cosson Atlas* 12.  
 † — — — montanum L. *Gaertn. Carp.* 31.  
 † — — — Lam. *Encycl.* 278.  
 — — — Curt. *Lond.* 1, 85.  
 — — — Engl. *Bot.* 17, 1177.  
 — — — Fl. dan. 6, 922.  
 — — — *Rehb.* *Ic. crit.* 2, 189.  
 — — — Sturm Flora 17, 72.  
 — — —  $\beta$ . verticillatum, Sturm Flora 17, 72.  
 — — —  $\gamma$ . lanceolatum, Sturm Flora 17, 72.  
 † — — — Cosson Atlas 12.  
 — — — nutans *Hornem.* Fl. dan. 8, 1387.  
 — — — *Schm.* *Rehb.* *Ic. crit.* 2, 197.  
 — — — obscurum *Schreb.* *Rehb.* *Ic. crit.* 2, 199.  
 — — — origanifolium *Lam.* Sturm Flora 18, 81.  
 — — — *Rehb.* *Ic. crit.* 2, 180.  
 — — — palustre *Sm.* Engl. *Bot.* 5, 346.  
 — — — Fl. dan. 9, 1574.  
 — — — L. Sturm Flora 18, 81.  
 † — — — Cosson Atlas 12.  
 — — — parviflorum *Schreb.* Curt. *Lond.* 1, 132.  
 — — — Engl. *Bot.* 12, 795.  
 — — — Fl. dan. 2, 347.  
 — — — Sturm Flora 18, 81.  
 — — — Schrank Fl. monac. 4, 327.  
 — — — Dietr. Fl. bor. 8, 572.  
 — — — rivulare *Wahlenbg.* *Rehb.* *Ic. crit.* 2, 170.  
 — — — roseum *Schreb.* Fl. dan. 11, 1815.  
 — — — Engl. *Bot.* 10, 693.  
 — — — Sv. *Bot.* 742.  
 — — — Sturm Flora 18, 81.  
 — — — *Rehb.* *Ic. crit.* 2, 190.  
 † — — — Cosson Atlas 12.  
 — — — rosmarinifolium *Haenke.* *Rehb.* *Ic. crit.* 4, 341.  
 — — — Schmidtianum *Rostk.* *Rostk. et Schm. Fl. sed.* 2.  
 — — — simplex *Tratt.* *Tratt. Archiv* 53.  
 — — — sparsiflorum *Schreb.* *Winter Index* 16.  
 — — — speciosum *Decne.* *Jacquemont Ind.* 69.  
 † — — — spicatum *Lam.* *Lam. Encycl.* 278.  
 † — — — Cosson Atlas 12.  
 — — — tetragonum L. Curt. *Lond.* 1, 133.  
 — — — Engl. *Bot.* 28, 1948.  
 — — — Fl. dan. 6, 1029.  
 — — —  $\beta$ . *Willd.* Fl. dan. 8, 1267.  
 — — — Sturm Flora 18, 81.  
 — — — *Rehb.* *Ic. crit.* 2, 198.  
 † — — — Cosson Atlas 12.  
 — — — tomentosum *Vent.* *Vent. Cels* 90.  
 — — — trigonum *Schrank.* Sturm Flora 18, 81.  
 — — — virgatum *Lam.* *Lam. Encycl.* 278.  
 — — — *Fr.* Sturm Flora 18, 81.  
*Epimedium alpinum* L. *Sibth. Fl. gr.* 150.  
 — — — Engl. *Bot.* 7, 438.  
 — — — Schk. *Handb.* 24.  
 — — — *Lam. Encycl.* 83.  
 — — — *Roemer Fl. eur.* 2, 1.

- Epimedium alpinum* L. Sturm Flora 11, 44.  
 † — — — Ann. sc. nat. II, 2, 12.  
 † — — — Ann. sc. nat. III, 18, 14.  
 — — — Herb. amat. 5, 302.  
 — — — *Rehb.* *Fl. germ.* 3, 18.  
 — — — Dietr. Fl. bor. 6, 398.  
 — — — Baxter Brit. Bot. 1, 47.  
 — — — diphyllum *Lodd.* *Lodd. Cab.* 1858.  
 — — — Bot. *Mag.* 62, 3448.  
 — — — clatum *Decne.* *Jacquemont Ind.* 8.  
 † — — — Ann. sc. nat. II, 2, 12.  
 — — — hexandrum *Hook.* *Hook. Bor. Am.* 13.  
 — — — macranthum *Morr.* Ann. sc. nat. II, 2, 13.  
 — — — Bot. *Reg.* 22, 1906.  
 — — — Maund *Bot.* 2, 90.  
 — — — Paxt. *Mag.* 5, 151.  
 — — — Musschianum *Morr.* *Bot. Mag.* 66, 3745.  
 — — — pinnatum *Fisch.* *Jard. Petersb.* 1.  
 — — — Sert. *petrop.* 1.  
 — — — Annales de Gand 1846, 61.  
 — — — Bot. *Mag.* 75, 4456.  
 — — — pteroceras *Morr.* Annales de Gand 1845, 14.  
 — — — violaceum *Morr.* *Bot. Reg.* 26, 43.  
 — — — Bot. *Mag.* 66, 3751.  
 — — — Paxt. *Mag.* 5, 123.  
 — — — Ann. sc. nat. II, 2, 12.  
 † *Epipactis* *Hall.* *Svensk Acad.* 1800, 3.  
 † — — — Schrader N. Journal 1, 1.  
 † — — — Linnaea 16, 17.  
 — — — atrorubens *Hoffm.* Dietr. Fl. bor. 7, 435.  
 — — — *Rehb.* *Ic. crit.* 9, 849.  
 — — — *Schult.* *Rehb.* *Fl. germ.* 13, 485.  
 — — — atrorubentimicrophylla *Rehb.* *Rehb.* *Fl. germ.* 13, 484.  
 — — — cordata *All.* Sv. *Bot.* 472.  
 — — — Liboschitz *Petersb.* 21.  
 — — — cucullata *Lab.* Bill. *Nov. Holl.* 211.  
 — — — Dalhousiae *Wight.* *Wight Ic. pl. Ind. or.* 5, 1723.  
 — — — ensifolia *Sw.* Curt. *Lond.* 4, 77.  
 — — — gigantea *Dougl.* *Hook. Bor. Am.* 202.  
 † — — — grandiflora *Gaud.* *Bauer Orchid. (Gen.)* 19. 20.  
 — — — latifolia *All.* Fl. dan. 2, 267.  
 — — —  $\beta$ . *Sw.* Fl. dan. 11, 1938.  
 — — — Curt. *Lond.* 4, 102.  
 — — — Lodd. *Cab.* 982.  
 — — — Dict. sc. nat. 72.  
 † — — — Mutel *Fl. fr.* 67.  
 † — — — Ann. sc. nat. 24, 7—9.  
 — — — Dietr. Fl. bor. 1, 12.  
 † — — — Nees *Gen.* 3, x.  
 — — — *Rehb.* *Fl. germ.* 13, 488.  
 — — — brevifolia *Irm.* *Rehb.* *Fl. germ.* 13, 486.  
 — — — longifolia *Rehb. fil.* *Rehb.* *Fl. germ.* 13, 483.  
 — — — *Schmidt.* *Rehb.* *Fl. germ.* 13, 491.  
 — — — macrostachya *Ldl.* *Wight Ic. pl. Ind. or.* 5, 1722.  
 — — — microphylla *Sw.* W. et *Kit.* 270.  
 — — — *Rehb.* *Fl. germ.* 13, 484.  
 — — — nidus avis *Sw.* Dict. sc. nat. 73.  
 — — — Schrank Fl. monac. 3, 294.  
 — — — ovalis *Bab.* Engl. *Bot.* 2884.  
 — — — ovata *Sw.* Schrank Fl. monac. 3, 292.  
 — — — pallens *Sw.* Curt. *Lond.* 4, 76.  
 — — — Fl. dan. 8, 1400.  
 — — — Sv. *Bot.* 465.  
 — — — palustris *Crantz.* Curt. *Lond.* 4, 89.  
 — — — Sv. *Bot.* 449.  
 — — — Lodd. *Cab.* 156.  
 — — — Baxter Brit. Bot. 4, 317.  
 — — — Sturm Flora 4, 13.  
 — — — Dietr. Fl. bor. 1, 11.  
 † — — — Nees *Gen.* 3, x.  
 — — — purpurata *Sm.* Engl. *Bot.* 2775.

- Epipactis purpurata* Sm. *Rchb. Fl. germ.* 13, 486.  
 — *reflexa* Lab. *Bill. Nov. Holl.* 211.  
 — *rubra* Willd. *Sibth. Fl. gr.* 933.  
 — *viridiflora* Hoffm. *Rchb. Ic. crit.* 9, 850.  
 — — *Dietr. Fl. bor.* 8, 509.  
 — — *Rchb. Fl. germ.* 13, 487, 488.  
 † *Epiphanes javanica* Bl. *Blume Tabellen* 4.  
*Epiphegus americanus* Nutt. *Endl. Iconogr.* 80.  
 † — — *Wight Illustr.* 159<sup>b</sup>.  
*Epiphyllum Altensteini* Pfeiff. *Pfeiffer Cact.* 1, 28.  
 — *Russellianum* Hook. *Bot. Mag.* 66, 3717.  
 — — *Paxt. Mag.* 10, 245.  
 — *splendidum* Paxt. *Paxt. Mag.* 1, 49.  
 — *truncatum* Haw. *Jacq. Ecl. pl.* 142.  
 — — *var.* *Paxt. Mag.* 8, 79.  
 † *Epiphystis ophiuroides* Trin. *Trin. Fund.* 1.  
*Epipogium aphyllum* Sw. *Sv. Bot.* 512.  
 † — — *Nees Gen.* 3, x.  
 — — *Rchb. Fl. germ.* 13, 468.  
 — *Gmelini* Rich. *Chevallier Fung. Illustr.* 1.  
 — — *Sturm Flora* 5, 18.  
 — — *Dietr. Fl. bor.* 7, 433.  
*Episcia bicolor* Hook. *Bot. Mag.* 74, 4390.  
 — — *Annales de Gand* 1848, 221.  
 — — *Lem. Jard. fl.* 159.  
 — — *Fl. d. serres* 4, 398.  
 — *decumbens* Mart. *Mart. Bras.* 216.  
 — *melittifolia* Mart. *Hart. Parad.* 2, 5.  
 — — *Bot. Mag.* 79, 4720.  
 — *reptans* Mart. *Mart. Bras.* 217.  
*Epistephium amplexicaule* P. et E. *Poepp. et Endl.* 91.  
 — *elatum* H. B. K. *H. B. K. Nov. Gen.* 7, 632.  
 — *monanthum* P. et E. *Poepp. et Endl.* 92.  
 † *Epistylum* Sw. *Swartz Fl. Ind. occ.* 22.  
*Epitechia glauca* Kn. et Westc. *Knowles et Westcott* 87.  
*Epithema ceylanicum* Gurdn. *Wight Ic. pl. Ind. or.* 4,  
 1354.  
 † — — *Wight Illustr.* 159<sup>b</sup>.  
 † *Equisetum* L. *Lam. Encycl.* 862.  
 † — — *Bischoff Crypt. Gew.* 3, 4, 5.  
 † — — (*Henderson.*) *Linn. Transact.* 18, 39.  
 † — — (*Agardh.*) *Mem. Mus.* 9, 13.  
 † — — (*Vaucher.*) *Mem. Mus.* 10, 27.  
 † — — (*Milde.*) *Schles. Denkschr.* 1853, 1.  
 † — — (*Bischoff.*) *Bot. Zeitung* 1853, 2.  
 † — — (*Bischoff.*) *Ann. sc. nat.* III, 19, 9.  
 † — — (*Pringsheim.*) *Bot. Zeitung* 1853, 6.  
 — *arvense* L. *Act. palat.* 3, 22.  
 — — *Schk. Fil.* 167.  
 — — *Curt. Lond.* 3, 27.  
 — — *Engl. Bot.* 29, 2020.  
 — — *Sv. Bot.* 474.  
 — — *Fl. dan.* 11, 1942, 12, 2001.  
 — — *Chevallier Fl. de Paris* 19.  
 — — *Dreves* 4, 117.  
 — — *Hayne* 8, 46.  
 — — *Nees Düsseld. Suppl.* 34, 35.  
 — — *Mem. Genev.* 1, 1.  
 — — *Petersb.* 1, 5.  
 — — *Newman p.* 77, 82.  
 † — — *Schnizl. Ic.* I, 25, I, Suppl. 2.  
 — *Burchellii* Vauch. *Mem. Genev.* 1, 10.  
 — *campanulatum* Vauch. *Mem. Genev.* 1, 12.  
 — *debile* Roxb. *Calcutta Journ.* 1846, 26.  
 — *Drummondii* Hook. *Engl. Bot.* 2777.  
 — — *Newman p.* 63.  
 — *eburneum* Schreb. *Chevallier Fl. de Paris* 19.  
 — *elongatum* Willd. *Schlechtendal Fil.* 1.  
 — — *Mem. Genev.* 1, 13.  
 — — *Hook.* *Newman p.* 25.  
 — *fluviale* L. *Schk. Fil.* 168.  
 — — *Fl. dan.* 7, 1184.

- Equisetum fluviale* L. *Dict. sc. nat.* 102.  
 — — *Mem. Genev.* 1, 2, 2<sup>a</sup>.  
 — — *Newman p.* 51.  
 — — *Engl. Bot.* 29, 2022.  
 — — *Newman p.* 67, 76.  
 — *giganteum* L. *Mem. Genev.* 1, 7.  
 — — *Desc. Ant.* 2, 112.  
 — *hiemale* L. *Act. palat.* 3, 23.  
 — — *Schk. Fil.* 172<sup>a</sup>.  
 — — *Curt. Lond.* 5, 161.  
 — — *Engl. Bot.* 13, 915.  
 — — *Fl. dan.* 8, 1409.  
 — — *Sv. Bot.* 330.  
 — — *Mem. Genev.* 1, 9.  
 — — *Chevallier Fl. de Paris* 19.  
 — — *Newman p.* 17.  
 † — — *Schnizl. Ic.* 1, 25.  
 — *incanum* Vauch. *Mem. Genev.* 1, 13.  
 — *limosum* L. *Schk. Fil.* 171.  
 — — *Mem. Genev.* 1, 8.  
 — — *Chevallier Fl. de Paris* 20.  
 † — — *Ann. sc. nat.* III, 16, 15.  
 — — *Sm.* *Engl. Bot.* 13, 929.  
 — — *Newman p.* 51.  
 — *Mackayi* Newm. *Newman p.* 25.  
 — *pallidum* Bory. *Bory Morée* 35.  
 — *palustre* L. *Schk. Fil.* 169, 170.  
 — — *Fl. dan.* 7, 1183.  
 — — *Sv. Bot.* 402.  
 — — *Mem. Genev.* 1, 5.  
 † — — *Acta Leop.* 14, 2, 44.  
 — — *Chevallier Fl. de Paris* 19.  
 — — *Engl. Bot.* 29, 2021.  
 — — *Newman p.* 43.  
 — — *var. polystachyon*, *Newman p.* 47.  
 — — *var. nudum*, *Newman p.* 49.  
 — — *Meyer Fl. hann.* 15.  
 — *pratense* Ehrh. *Hoffmann Phyt. Bl.* 2.  
 — *ramosissimum* Vauch. *Mem. Genev.* 1, 6.  
 — *ramosum* Schleich. *Schk. Fil.* 172<sup>b</sup>.  
 — *reptans* Wahlb. *Sv. Bot.* 702.  
 — *setaceum* Vauch. *Mem. Genev.* 1, 11.  
 † — *silvaticum* L. *Hedwig Theoria* 1, 2.  
 — — *Schk. Fil.* 166.  
 — — *Fl. dan.* 7, 1182.  
 — — *Mem. Genev.* 1, 3.  
 — — *Chevallier Fl. de Paris* 20.  
 — — *Engl. Bot.* 27, 1874.  
 — — *Newman p.* 59, 62.  
 † — — *Schles. Denkschrift* 1853, 1.  
 — *stipulaceum* Vauch. *Mem. Genev.* 1, 11.  
 — *Telmateja* Ehrh. *Fl. dan.* 9, 1469.  
 — — *Newman p.* 67, 76.  
 — *Thunbergii* Wikstr. *Svensk Acad.* 1821, 6.  
 — *timorianum* Vauch. *Mem. Genev.* 1, 10.  
 — *umbrosum* Willd. *Fl. dan.* 10, 1770.  
 — — *Mem. Genev.* 1, 4.  
 — — *Newman p.* 63.  
 — *variegatum* Schleich. *Schk. Fil.* 172<sup>b</sup>.  
 — — *Mem. Genev.* 1, 12.  
 — — *Fl. dan.* 14, 2490.  
 — — *Engl. Bot.* 28, 1987.  
 — — *Newman p.* 31.  
 — — *var. Wilsoni*, *Newman p.* 39.  
*Equitiris* Aub. *Aubert Orchid.* 91.  
*Eragrostis arabica* Jaub. *Jaubert Illustr.* 322.  
 — *clongata* Jacq. *Jacq. Ecl. Gram.* 3.  
 — *major* Host. *Host Gram.* 324.  
 — *megastachya* Lk. *Rchb. Fl. germ.* 1, 91.  
 — *pilosa* Pal. B. *Rchb. Fl. germ.* 1, 91.  
 † — — *Nees Gen.* 1, 55.  
 — *poaeformis* Lk. *Rchb. Fl. germ.* 1, 91.

- †*Eragrostis poaeformis* Lk. Nees Gen. 1, 55.  
 — *verticillata* Pal. B. Rehb. Fl. germ. 1, 91.  
*Eranthemum albidiflorum* Hook. Bot. Mag. 72, 4225.  
 — *angustifolium* L. Lam. Encycl. 17.  
 — *bicolor* Spr. Savi Fl. ital. 3, 109.  
 — *cinnabarinum* Wall. Wall. Pl. asiat. 21.  
 — *coccineum* Ch. Lem. Fl. d. serres 3, 240.  
 — *crenulatum* Wall. Bot. Reg. 11, 879.  
 — *flavum* Willd.? Colla Hort. Rip. 29.  
 — *foecundum* Ldl. Bot. Reg. 18, 1494.  
 — *modestum* N. v. E. Endl. Bras. 7, 29.  
 — *montanum* Roxb. Bot. Mag. 70, 4031.  
 — — — var. *a.* N. v. E. Wight Ic. pl. Ind. or.  
 2, 466.  
 — *nervosum* R. Br. Iconogr. pl. Chin. 7.  
 — *parvifolium* L. Lam. Encycl. 17.  
 — *pulchellum* Andr. Andr. Rep. 2, 88.  
 — — — Paxt. Mag. 11, 55.  
 — *strictum* Colebr. Bot. Mag. 58, 3068.  
 — — — Bot. Reg. 10, 867.  
 — — — Paxt. Mag. 14, 171.  
 — — — Annales de Gand 1847, 168.  
 — *variabile* R. Br. Paxt. Mag. 13, 75.  
 — — — Annales de Gand 1846, 87.  
†*Eranthis hiemalis* Salisb. Plée Types 6.  
 — — — Rehb. Fl. germ. 4, 101.  
*Erasmia floribunda* Miq. Miquel Ill. Pip. 24.  
*Erblichia odorata* Seem. Seemann Herald 27.  
†*Ercilla volubilis* Juss. Ann. sc. nat. 25, 3.  
*Eremia Bartlingiana* Klotzsch. Delessert Ic. 5, 20.  
*Eremocarpus setigerus* Benth. Bentham Sulphur 26.  
*Eremodendron Cunninghami* DC. Delessert Ic. 5, 100.  
*Eremogone procera* Rehb. Rehb. Fl. germ. 5, 220.  
*Eremopyrum orientale* Led. Jaubert Illustr. 319.  
 — *squarrosus* Jaub. Jaubert Illustr. 320.  
*Eremostachys laciniata* Benth. Bot. Reg. 31, 52.  
 — *moluccelloides* Bge. Ledeb. Ic. 437.  
 — — — Bélanger Ind. or. 0.  
 — *phlomooides* Bge. Ledeb. Ic. 122.  
 — *superba* Royle. Royle Illustr. 74.  
*Eremosyne pectinata* Endl. Endl. Iconogr. 112.  
*Eremurus altaicus* Stev. Mem. Mosc. 9, 8.  
 — *caucasicus* Stev. Mem. Mosc. 9, 6.  
 — *spectabilis* M. v. B. Marshall Cent. 61.  
 — — — Sweet Fl. G. 188.  
 — *tauricus* Stev. Mem. Mosc. 9, 7.  
*Eria acervata* Ldl. Journ. Hort. Soc. 6, 58.  
 — *alba* Ldl. Wall. Pl. asiat. 197.  
 — *armeniaca* Ldl. Bot. Reg. 27, 42.  
 — *bractescens* Ldl. Bot. Reg. 30, 29.  
 — *convallarioides* Ldl. Bot. Reg. 27, 62.  
 — — — *β. major*, Bot. Reg. 33, 63.  
 — — — Wall. Pl. asiat. 159.  
 — *Dillwynii* Hook. Bot. Mag. 71, 4163.  
 — *excavata* Ldl. Wall. Pl. asiat. 160.  
 — *ferruginea* Ldl. Bot. Reg. 25, 35.  
 — *floribunda* Ldl. Bot. Reg. 30, 20.  
 — *paniculata* Ldl. Wall. Pl. asiat. 36.  
 — *pauciflora* Wight. Wight Ic. pl. Ind. or. 5, 1636.  
 — *polystachya* A. Rich. Ann. sc. nat. II. 15, 9.  
 — — — Wight Ic. pl. Ind. or. 5, 1634, 1635.  
 — *polyura* Ldl. Bot. Reg. 28, 32.  
 — *pubescens* Wight. Wight Ic. pl. Ind. or. 5, 1635.  
 — *reticosa* Wight. Wight Ic. pl. Ind. or. 5, 1637.  
 — *rosea* Ldl. Bot. Reg. 12, 978.  
 — — — Lodd. Cab. 1817.  
 — *stellata* Ldl. Bot. Reg. 11, 904.  
 — — — Bot. Mag. 64, 3605.  
 — *stricta* Ldl. Lindley Collect. 41.  
 — *vestita* Ldl. Bot. Reg. 31, 2.  
*Eriachne capillaris* R. Br. Humb. Gram. 63.  
 — *glauca* R. Br. Humb. Gram. 64.  
*Eriachne squarrosa* R. Br. Brongniart Coquille 3.  
*Erianthera serpyllifolia* N. v. E. Wight Ic. pl. 2, 517.  
*Erianthus brevibarbis* Michx. Elliott Carolina 1.  
† — *Ravennae* Pal. B. Nees Gen. 1, 90.  
†*Erica* L. Linné Diss. de Erica 1.  
† — — Waitz Heiden 1, 2.  
† — — Hort. eric. Woburn. 1 — 4.  
† — — Aleksandrowitsch Monogr. 1 — 5.  
 — *abietina* L. Schneevogt Ic. 23.  
 — *acuminata* Andr. Andrews Engr. 3, 145.  
 — — — Andrews Heathy 3, 101.  
 — — — *angustiflora*, Andrews Heathy 6, 251.  
 — — — Lodd. Cab. 216.  
 — — — Tratt. Archiv 287.  
 — *acuta* Andr. Andrews Engr. 2, 73.  
 — — — Andrews Heathy 1, 1.  
 — *acutangula* Lodd. Lodd. Cab. 1868.  
 — *aggregata* Wendl. Wendland Ericae 2, 5.  
 — — — Lodd. Cab. 1678.  
 — *Aitoniana* Curt. Bot. Mag. 12, 429.  
 — — — Andrews Engr. 1, 1.  
 — — — Andrews Heathy 3, 102.  
 — — — Lodd. Cab. 144.  
 — — — Tratt. Archiv 282.  
 — *albena* L. Bot. Mag. 13, 440.  
 — — — Andrews Engr. 1, 2.  
 — — — Andrews Heathy 1, 2.  
 — — — Wendland Ericae 1, 31.  
 — — — Lodd. Cab. 95.  
 — — — Tratt. Archiv 290.  
 — *alopeuroides* Wendl. Wendland Ericae 2, 45.  
 — — — Lodd. Lodd. Cab. 874.  
 — *ambigua* Wendl. Wendland Ericae 2, 24.  
 — *amoena* Wendl. Wendland Ericae 2, 28.  
 — *ampullacea* Curt. Bot. Mag. 9, 303.  
 — — — Andrews Engr. 1, 3.  
 — — — Andrews Heathy 3, 103.  
 — — — Wendland Ericae 2, 64.  
 — — — Lodd. Cab. 508.  
 — — — Kerner Hort. 86.  
 — — — Kerner Ic. pl. scl. 1.  
 — — — Tratt. Archiv 285.  
 — *andromedaeflora* Andr. Andrews Engr. 3, 146.  
 — — — Andrews Heathy 4, 151.  
 — — — *alba*, Andrews Engr. 4, 217.  
 — — — *alba*, Andrews Heathy 5, 201.  
 — — — Lodd. Cab. 521.  
† — — — Hort. eric. Woburn. 3.  
 — — — Maund Bot. 3, 132.  
 — — — Bot. Mag. 31, 1250.  
 — — — *triumphans*, Bot. Mag. 49, 2322.  
 — *arborea* L. Sibth. Fl. gr. 351.  
 — *arbuscula* Lodd. Lodd. Cab. 843.  
† — — — Hort. eric. Woburn. 3.  
† — — — *arbutiflora* Wendl. Wendland Ericae 3, 12.  
 — — — Hort. eric. Woburn. 3.  
 — *Archeriana* Andr. Andrews Engr. 2, 74.  
 — — — Andrews Heathy 1, 3.  
 — — — Lodd. Cab. 1466.  
 — *ardens* Andr. Andrews Engr. 2, 75.  
 — — — Andrews Heathy 2, 51.  
 — — — Lodd. Cab. 47.  
 — — — Bot. Reg. 2, 115.  
† — — — Hort. eric. Woburn. 3.  
 — *argentiflora* Andr. Andrews Engr. 4, 218.  
 — — — Andrews Heathy 5, 202.  
 — *aristata* Andr. Andrews Engr. 3, 147.  
 — — — Andrews Heathy 4, 152.  
 — — — *minor*, Andrews Engr. 4, 219.  
 — — — *minor*, Andrews Heathy 5, 203.  
 — — — Lodd. Cab. 73.  
 — — — Bot. Mag. 31, 1249.

- Erica aristata* Andr. Kerner Hort. 454.  
 † — — — Hort. eric. Woburn. 2.  
 — — — Hart. Parad. 1, 15.  
 — — — major, Annales de Gand 1847, 147.  
 † — — — *aristella* Bedf. Hort. eric. Woburn. 4.  
 — — — *articularis* L. Bot. Mag. 12, 423.  
 — — — *aspera* Andr. Andrews Engr. 3, 148.  
 — — — Andrews Heathery 3, 104.  
 — — — *aurea* Andr. Andrews Engr. 2, 76.  
 — — — Andrews Heathery 4, 153.  
 — — — *pallida*, Andrews Engr. 3, 149.  
 — — — *pallida*, Andrews Heathery 5, 204.  
 — — — *australis* L. Andrews Engr. 3, 150.  
 — — — Andrews Heathery 2, 52.  
 — — — Wendland *Ericae* 1, 54.  
 — — — Lodd. Cab. 1472.  
 † — — — Hort. eric. Woburn. 2.  
 — — — *baccans* L. Schneevogt Ic. 13.  
 — — — Bot. Mag. 10, 358.  
 — — — Andrews Engr. 1, 4.  
 — — — Andrews Heathery 2, 53.  
 — — — Wendland *Ericae* 1, 36.  
 — — — Herb. amat. 3, 168.  
 † — — — Hort. eric. Woburn. 3.  
 — — — *Bandoniana* Andr. Andrews Engr. 4, 220.  
 — — — Andrews Heathery 5, 205.  
 — — — *Banksiana* Andr. Andrews Engr. 1, 5.  
 — — — Andrews Heathery 3, 105.  
 — — — *purpurea*, Andrews Engr. 3, 151.  
 — — — *purpurea*, Andrews Heathery 3, 106.  
 — — — Wendland *Ericae* 2, 8.  
 — — — Tratt. Archiv 299.  
 — — — Paxt. Mag. 7, 243.  
 — — — *barbata* Andr. major, Andrews Engr. 2, 77.  
 — — — major, Andrews Heathery 1, 4.  
 — — — minor, Andrews Engr. 2, 78.  
 — — — minor, Andrews Heathery 1, 5.  
 — — — Lodd. Cab. 124.  
 — — — *Baucerana* Andr. Andrews Engr. 4, 221.  
 — — — Andrews Heathery 6, 252.  
 — — — *Beaumontiana* Andr. Andrews Engr. 4, 222.  
 — — — Andrews Heathery 6, 233.  
 — — — Lodd. Cab. 1686.  
 — — — *Bergiana* L. Wendland *Ericae* 1, 12.  
 — — — *glabra*, Wendland *Ericae* 2, 72.  
 — — — Lodd. Cab. 939.  
 — — — *bicolor* Andr. Andrews Engr. 2, 79.  
 — — — Andrews Heathery 2, 54.  
 — — — Thunb. Wendland *Ericae* 2, 53.  
 — — — Lodd. Cab. 1001.  
 — — — *biflora* Lodd. Lodd. Cab. 683.  
 — — — *Blaeria* Thunb. Lodd. Cab. 85.  
 — — — *blanda* Andr. Andrews Engr. 3, 152.  
 — — — Andrews Heathery 3, 107.  
 — — — Lodd. Cab. 13.  
 — — — *Blandfordiana* Andr. Andrews Engr. 3, 153.  
 — — — Andrews Heathery 4, 154.  
 — — — Lodd. Cab. 115.  
 — — — Bot. Mag. 43, 1793.  
 † — — — Hort. eric. Woburn. 2.  
 — — — *Bonplandiana* Lodd. Lodd. Cab. 345.  
 — — — Bot. Mag. 47, 2126.  
 — — — *Bowieana* Lodd. Lodd. Cab. 842.  
 — — — *Broadleyana* Andr. Andrews Engr. 3, 154.  
 — — — Andrews Heathery 5, 206.  
 — — — *Bruckenthalii* Spr. Rehb. Ic. crit. 2, 169.  
 — — — *bruniades* L. Andrews Engr. 1, 6.  
 — — — Andrews Heathery 1, 6.  
 — — — Wendland *Ericae* 2, 20.  
 — — — Tratt. Archiv 155.  
 — — — Lodd. Cab. 1365.  
 † — — — Hort. eric. Woburn. 4.

- Erica bucciniflora* Sims. Bot. Mag. 51, 2465.  
 — — — Lodd. Cab. 1127.  
 — — — *Burnettii* Hort. Fl. d. serres 8, 845.  
 — — — *caesia* Salisb. Wendland *Ericae* 2, 67.  
 — — — *caffra* Andr. Andrews Engr. 1, 7.  
 — — — Andrews Heathery 1, 7.  
 — — — Lodd. Cab. 196.  
 † — — — Hort. eric. Woburn. 3.  
 — — — *callosa* Wendl. Wendland *Ericae* 2, 33.  
 — — — *calostoma* Lodd. Lodd. Cab. 1750.  
 — — — *calycina* Andr. Andrews Engr. 1, 8.  
 — — — Andrews Heathery 1, 8.  
 — — — major, Andrews Engr. 3, 155.  
 — — — major, Andrews Heathery 4, 155.  
 — — — minor, Andrews Engr. 3, 156.  
 — — — minor; Andrews Heathery 3, 108.  
 — — — *melastoma*, Andrews Heathery 6, 254.  
 — — — Lodd. Cab. 594.  
 — — — Thunb. Wendland *Ericae* 1, 59.  
 — — — *calyculata* Wendl. Wendland *Ericae* 1, 20.  
 — — — *campanulata* Andr. Andrews Engr. 1, 9.  
 — — — Andrews Heathery 2, 55.  
 — — — Wendland *Ericae* 2, 1.  
 — — — Lodd. Cab. 184.  
 † — — — Hort. eric. Woburn. 4.  
 — — — *canaliculata* Andr. Andrews Engr. 3, 157.  
 — — — Andrews Heathery 4, 156.  
 — — — minor, Andrews Engr. 3, 158.  
 — — — minor, Andrews Heathery 4, 157.  
 — — — *canescens* Wendl. Wendland *Ericae* 2, 65.  
 — — — *cantharaefolius* Lodd. Lodd. Cab. 1961.  
 — — — *capitata* L. Andrews Engr. 1, 10.  
 — — — Andrews Heathery 2, 56.  
 — — — Wendland *Ericae* 1, 13.  
 — — — Lodd. Cab. 1519.  
 — — — *carinata* Lodd. Lodd. Cab. 1071.  
 — — — *carnea* L. Jacq. Fl. austr. 1, 32.  
 — — — Sturm Flora 7, 26.  
 — — — Savi Fl. ital. 1, 16.  
 — — — Lodd. Cab. 1452.  
 † — — — Nees Gen. X, x.  
 — — — *carniula* Lodd. Lodd. Cab. 926.  
 — — — *Cavendishiana* Paxt. Paxt. Mag. 13, 3.  
 — — — Fl. d. serres 2, 78.  
 — — — *Celsiana* Sweet. Lodd. Cab. 1777.  
 — — — *cerinthoides* L. Schneevogt Ic. 37.  
 — — — Bot. Mag. 7, 220.  
 — — — Andrews Engr. 1, 11.  
 — — — Andrews Heathery 5, 207.  
 — — — Wendland *Ericae* 1, 40.  
 — — — Tratt. Archiv 154.  
 — — — Kerner Hort. 10.  
 — — — Herb. amat. 2, 108.  
 — — — Lodd. Cab. 1679.  
 — — — major, Hort. eric. Woburn. 2.  
 — — — *cernua* Andr. Andrews Engr. 1, 12.  
 — — — Andrews Heathery 1, 9.  
 — — — Lodd. Cab. 822.  
 — — — *cernua lanceolata* Wendl. Wendland *Ericae* 1, 48.  
 — — — *chloroloma* Ldl. Bot. Reg. 24, 17.  
 — — — *ciliaris* L. Wendland *Ericae* 1, 37.  
 — — — Bot. Mag. 14, 484.  
 — — — Engl. Bot. 2618.  
 — — — Lodd. Cab. 1805.  
 — — — *cinerea* L. Fl. dan. 1, 38.  
 — — — Curt. Lond. 2, 55.  
 — — — Engl. Bot. 15, 1015.  
 — — — *atropurpurea*, Lodd. Cab. 1409.  
 — — — *pallida*, Lodd. Cab. 1503.  
 — — — Dietr. Fl. bor. 4, 235.  
 † — — — *clavaeflora* Salisb. Hort. eric. Woburn. 2.  
 — — — *clavata* Andr. Andrews Engr. 3, 159.

- Erica clavata* Andr. Andrews Heathy 5, 208.  
 — *Cliffordiana* Lodd. Lodd. Cab. 34.  
 — *coarctata* Wendl. Wendland Ericae 2, 37.  
 — *coccinea* L. Andrews Engr. 1, 13.  
 — — — Andrews Heathy 2, 57.  
 — — — Wendland Ericae 1, 16.  
 — — — Lodd. Cab. 1375.  
 — — — Maund Bot. 4, 162.  
 — *codonodes* Ldl. Bot. Reg. 20, 1698.  
 — *colorans* Andr. Andrews Engr. 4, 223.  
 — — — Andrews Heathy 5, 209.  
 — — — Lodd. Cab. 224.  
 — — — Link Ic. I. 15.  
 — — — Bot. Reg. 7, 601.  
 † — — — Hort. eric. Woburn. 4.  
 — *comosa* L. Bauer Ericae 13.  
 — — — Andrews Engr. 2, 80.  
 — — — Andrews Heathy 1, 10.  
 — — — rubra, Andrews Engr. 2, 81.  
 — — — rubra, Andrews Heathy 1, 11.  
 — — — Wendland Ericae 1, 69.  
 — — — Tratt. Archiv 289.  
 — *Comptoniana* Andr. Andrews Engr. 4, 224.  
 — — — Andrews Heathy 6, 255.  
 — *concaua* Lodd. Lodd. Cab. 134.  
 — — — Bot. Mag. 47, 2149.  
 — *concinna* Ait. Schneevogt Ic. 31.  
 — — — Andrews Engr. 2, 82.  
 — — — Andrews Heathy 2, 58.  
 — — — Wendland Ericae 1, 52.  
 — — — Bonpland Malm. 22.  
 — — — Kerner Hort. 36.  
 — — — Tratt. Archiv 297.  
 — *conferta* Andr. Andrews Engr. 2, 83.  
 — — — Andrews Heathy 2, 59.  
 — — — Lodd. Cab. 1335.  
 — *confertifolia* Wendl. Wendland Ericae 2, 46.  
 — *congesta* Wendl. Wendland Ericae 2, 29.  
 — — — Lodd. Lodd. Cab. 1743.  
 — *conica* Lodd. Lodd. Cab. 1179.  
 — *conspicua* Ait. Bauer Ericae 9.  
 — — — Andrews Engr. 1, 14.  
 — — — Andrews Heathy 1, 12.  
 — — — Wendland Ericae 1, 22.  
 — — — Kerner Hort. 380.  
 — *copiosa* Wendl. Wendland Ericae 3, 1.  
 — *cordata* Andr. Andrews Engr. 3, 160.  
 — — — Andrews Heathy 4, 158.  
 — *corifolia* L. spicata, Wendland Ericae 2, 70.  
 — *coronata* Andr. Andrews Engr. 1, 15.  
 — — — Andrews Heathy 3, 109.  
 — — — Hort. eric. Woburn. 2.  
 — *corsica* DC. DC. Icones Gall. rar. 17.  
 — — — Tratt. Archiv 291.  
 — *costata* Andr. Andrews Engr. 1, 37.  
 — — — Andrews Heathy 1, 16.  
 — — — superba, Andrews Engr. 4, 225.  
 — — — superba, Andrews Heathy 6, 256.  
 — *Coventryana* Andr. Andrews Engr. 4, 226.  
 — — — Andrews Heathy 5, 210.  
 — — — Lodd. Cab. 423.  
 † — — — Hort. eric. Woburn. 4.  
 — *crassifolia* Andr. Andrews Engr. 4, 227.  
 — — — Andrews Heathy 6, 257.  
 — *crinita* Lodd. Lodd. Cab. 1432.  
 — *cruciformis* Andr. Andrews Engr. 4, 228.  
 — — — Andrews Heathy 6, 258.  
 — *cruenta* Ait. Bauer Ericae 7.  
 — — — Andrews Engr. 1, 17.  
 — — — Andrews Heathy 3, 110.  
 — — — Wendland Ericae 1, 23.  
 — — — Kerner Hort. 70.

- Erica cruenta* Ait. Lodd. Cab. 1656.  
 — *cubica* L. Andrews Engr. 1, 18.  
 — — — Andrews Heathy 1, 14.  
 — — — minor, Andrews Engr. 2, 84.  
 — — — minor, Andrews Heathy 1, 15.  
 — — — Wendland Ericae 1, 66.  
 — — — Lodd. Cab. 972.  
 † — *cupressina* Bedf. Hort. eric. Woburn. 3.  
 — *curviflora* L. Andrews Engr. 1, 19.  
 — — — Andrews Heathy 1, 16.  
 — — — rubra, Andrews Engr. 3, 161.  
 — — — rubra, Andrews Heathy 5, 211.  
 — — — Wendland Ericae 1, 15.  
 — — — Lodd. Cab. 1663.  
 — *cyathiformis* Salisb. Regel Gartenfl. 2, 43.  
 — *cylindrica* Andr. Andrews Engr. 2, 85.  
 — — — Andrews Heathy 2, 60.  
 — — — Lodd. Cab. 1734.  
 — — — Thunb. Wendland Ericae 1, 63.  
 — *Daboecia* Sm. Wendland Ericae 2, 31.  
 — — — Rocmer Fl. eur. 4, 2.  
 — *daphneflora* Wendl. Wendland Ericae 3, 7.  
 — — — Lodd. Cab. 543.  
 — *daphnoides* Lodd. Lodd. Cab. 154.  
 — *declinata* Lodd. Lodd. Cab. 1662.  
 — *decora* Andr. Andrews Engr. 3, 162.  
 — — — Andrews Heathy 4, 159.  
 — — — Lodd. Cab. 1385.  
 — *densa* Andr. Andrews Engr. 3, 163.  
 — — — Andrews Heathy 5, 212.  
 — *dentata* Wendl. Wendland Ericae 2, 38.  
 — *denticulata* L. Wendland Ericae 3, 2.  
 — — — Lodd. Cab. 1090.  
 — *depressa* L. Thunberg Erica 6.  
 — — — Andrews Engr. 2, 86.  
 — — — Andrews Heathy 1, 17.  
 — *dichromata* Lodd. Lodd. Cab. 1813.  
 — *Dickinsoni* Lodd. Lodd. Cab. 1793.  
 — *discolor* Andr. Andrews Engr. 1, 20.  
 — — — Andrews Heathy 4, 160.  
 — — — Wendland Ericae 1, 28.  
 — — — Lodd. Cab. 1453.  
 — *divaricata* Wendl. Wendland Ericae 1, 38.  
 — *droseroides* Andr. Andrews Engr. 1, 21.  
 — — — Andrews Heathy 1, 18.  
 — — — minor, Andrews Engr. 4, 229.  
 — — — minor, Andrews Heathy 6, 259.  
 — — — Lodd. Cab. 1685.  
 — *dumosa* Andr. Andrews Engr. 4, 230.  
 — — — Andrews Heathy 5, 213.  
 — *echiiflora* Andr. Andrews Engr. 3, 164.  
 — — — Andrews Heathy 4, 161.  
 — — — purpurea, Andrews Engr. 4, 231.  
 — — — purpurea, Andrews Heathy 6, 260.  
 — — — Lodd. Cab. 364.  
 — *Edelinia* Bonpl. Bonpland Malm. 16.  
 — *elata* Andr. Andrews Engr. 2, 87.  
 — — — Andrews Heathy 3, 112.  
 — — — Lodd. Cab. 1788.  
 — — — Kerner Hort. 549.  
 — *elegans* Andr. Andrews Engr. 3, 165.  
 — — — Andrews Heathy 3, 111.  
 — — — Lodd. Cab. 185.  
 — — — Bot. Mag. 24, 966.  
 † — — — Hort. eric. Woburn. 2. 4.  
 — — — var. Fl. d. serres 6, 640.  
 — *elongata* Lodd. Lodd. Cab. 738.  
 — *emarginata* Andr. Andrews Engr. 3, 166.  
 — — — Andrews Heathy 5, 214.  
 — *empetrifolia* L. Schneevogt Ic. 17.  
 — — — Bot. Mag. 13, 447.  
 — — — Wendland Ericae 1, 30.

- Erica empetrifolia* *L. glauca*, Wendland *Ericae* 1, 65.  
 — — — Lodd. Cab. 1875.  
 † — — — Hort. eric. Woburn. 3.  
 — — — *empetroides* *Andr.* Andrews Engr. 2, 88.  
 — — — Andrews Heathery 1, 19.  
 — — — Lodd. Cab. 1758.  
 — — — *epistomia* *Lodd.* Lodd. Cab. 1186.  
 † — — — Hort. eric. Woburn. 4.  
 — — — *eriocephala* *Andr.* Andrews Engr. 2, 89.  
 — — — Andrews Heathery 2, 61.  
 — — — Lodd. Cab. 1270.  
 — — — *erosa* *Lodd.* Lodd. Cab. 133.  
 — — — *erubescens* *Andr.* Andrews Engr. 3, 167.  
 — — — Andrews Heathery 3, 113.  
 — — — Lodd. Cab. 1826.  
 — — — *Ewerana* *Ait.* Lodd. Cab. 1303.  
 — — — *pilosa*, Lodd. Cab. 1992.  
 — — — *eximia* *Lodd.* Lodd. Cab. 1105.  
 — — — *exposita* *Lodd.* Lodd. Cab. 1521.  
 — — — *exurgens* *Andr.* Andrews Engr. 1, 22.  
 — — — Andrews Heathery 1, 20, 21.  
 — — — *hybrida*, Andrews Engr. 4, 232.  
 — — — *hybrida*, Andrews Heathery 6, 261.  
 — — — *longiflora*, Andrews Heathery 5, 215.  
 — — — Lodd. Cab. 835.  
 — — — *exudans* *Andr.* Andrews Engr. 4, 233.  
 — — — Andrews Heathery 5, 216.  
 — — — Lodd. Cab. 287.  
 — — — *fascicularis* *Willd.* Bauer *Ericae* 11.  
 — — — Wendland *Ericae* 2, 12.  
 — — — Kerner Hort. 379.  
 — — — *fastigiata* *L.* Andrews Engr. 2, 90.  
 — — — Andrews Heathery 2, 62.  
 — — — Wendland *Ericae* 2, 39.  
 — — — Lodd. Cab. 207.  
 — — — Bot. Mag. 46, 2084.  
 — — — *ferruginea* *Andr.* Andrews Engr. 3, 168.  
 — — — Andrews Heathery 4, 162.  
 — — — *filamentosa* *Andr.* Andrews Engr. 2, 91.  
 — — — Andrews Heathery 1, 22.  
 — — — Lodd. Cab. 395.  
 — — — Bot. Reg. 1, 6.  
 — — — *fimbriata* *Andr.* Andrews Engr. 3, 169.  
 — — — Andrews Heathery 2, 63.  
 — — — Lodd. Cab. 1047.  
 † — — — Hort. eric. Woburn. 3.  
 — — — *flagelliformis* *Andr.* Andrews Engr. 4, 234.  
 — — — Andrews Heathery 6, 262.  
 — — — *flammea* *Andr.* Andrews Engr. 2, 92.  
 — — — Andrews Heathery 1, 23.  
 — — — *flava* *Andr.* Andrews Engr. 2, 93.  
 — — — Andrews Heathery 2, 64.  
 — — — Lodd. Cab. 882.  
 — — — *imbricata*, Bot. Mag. 43, 1815.  
 — — — *flexuosa* *Andr.* Andrews Engr. 1, 23.  
 — — — Andrews Heathery 2, 65.  
 — — — Lodd. Cab. 1495.  
 — — — *floribunda* *Wendl.* Wendland *Ericae* 2, 7.  
 — — — *Lodd.* Lodd. Cab. 176.  
 — — — *florida* *Thunb.* Thunberg *Erica* 6.  
 — — — Lodd. Cab. 234.  
 † — — — Hort. eric. Woburn. 4.  
 — — — *campanulata*, Bot. Mag. 65, 3639.  
 — — — *foliacea* *Andr.* Andrews Engr. 4, 235.  
 — — — Andrews Heathery 6, 263.  
 — — — *formosa* *Thunb.* Thunberg *Erica* 3.  
 — — — *Andr.* Andrews Engr. 2, 94.  
 — — — Andrews Heathery 3, 114.  
 — — — *bicolor*, Andrews Engr. 4, 236.  
 — — — *bicolor*, Andrews Heathery 5, 217.  
 — — — *bicolor*, Kerner Hort. 671.  
 — — — *fragrans* *Andr.* Andrews Engr. 2, 95.

- Erica fragrans* *Andr.* Andrews Heathery 4, 163.  
 — — — Lodd. Cab. 288.  
 — — — Bot. Mag. 47, 2181.  
 — — — *fucata* *Thunb.* Wendland *Ericae* 2, 14.  
 — — — *fulgida* *Bonpl.* Bonpland Mafm. 61.  
 — — — Lodd. Cab. 1633.  
 † — — — Hort. eric. Woburn. 4.  
 — — — *galioides* *Lam.* Lam. Encycl. 287.  
 — — — *gelida* *Andr.* Andrews Engr. 2, 96.  
 — — — Andrews Heathery 1, 24.  
 — — — Lodd. Cab. 699.  
 — — — *gemmafera* *Lodd.* Lodd. Cab. 457.  
 — — — Bot. Mag. 48, 2266.  
 — — — *gilva* *Wendl.* Wendland *Ericae* 2, 6.  
 — — — *glandulosa* *Andr.* Andrews Engr. 2, 97.  
 — — — Andrews Heathery 3, 115.  
 — — — *Thunb.* Wendland *Ericae* 2, 2.  
 — — — *glauca* *Andr.* Andrews Engr. 1, 24.  
 — — — Andrews Heathery 1, 25.  
 — — — Bot. Mag. 16, 580.  
 — — — Wendland *Ericae* 3, 11.  
 — — — *globosa* *Andr.* Andrews Engr. 3, 170.  
 — — — Andrews Heathery 3, 116.  
 — — — *glomerata* *Andr.* Andrews Engr. 4, 237.  
 — — — Andrews Heathery 6, 264.  
 — — — *glutinosa* *Berg.* Bauer *Ericae* 6.  
 — — — *Andr.* Andrews Engr. 1, 25.  
 — — — Andrews Heathery 2, 66.  
 — — — *minor*, Andrews Engr. 3, 171.  
 — — — *minor*, Andrews Heathery 2, 67.  
 — — — *Thunb.* Wendland *Ericae* 2, 60.  
 — — — *gnaphalodes* *Berg.* Wendland *Ericae* 2, 42.  
 — — — *gracilis* *Wendl.* Wendland *Ericae* 1, 46.  
 — — — Andrews Engr. 2, 98.  
 — — — Andrews Heathery 2, 68.  
 — — — Lodd. Cab. 244.  
 † — — — Hort. eric. Woburn. 3.  
 — — — *grandiflora* *Ait.* Bauer *Ericae* 15.  
 — — — Bot. Mag. 6, 189.  
 — — — Andrews Engr. 1, 26.  
 — — — Andrews Heathery 3, 117.  
 — — — *brevifolia*, Wendland *Ericae* 1, 39.  
 — — — *longifolia*, Wendland *Ericae* 1, 32.  
 — — — Bonpland Malm. 10.  
 — — — Lodd. Cab. 498.  
 — — — Kerner Hort. 562.  
 — — — Tratt. Archiv 294.  
 — — — Herb. amat. 5, 300.  
 — — — *grandinosa* *Andr.* Andrews Engr. 4, 238.  
 — — — Andrews Heathery 6, 265.  
 — — — Lodd. Cab. 627.  
 † — — — Hort. eric. Woburn. 2.  
 — — — *haemastoma* *Wendl.* Wendland *Ericae* 3, 17.  
 — — — *halicacaba* *L.* Bauer *Ericae* 17.  
 — — — Andrews Engr. 2, 91.  
 — — — Andrews Heathery 4, 164.  
 — — — Wendland *Ericae* 1, 33.  
 — — — Lam. Encycl. 288.  
 — — — Kerner Hort. 411.  
 — — — Tratt. Archiv 160.  
 — — — *Hartnello*-*hiemalis* *Planch.* Fl. d. serres 8, 845.  
 — — — *herbacea* *L.* Bot. Mag. 1, 11.  
 — — — Wendland *Ericae* 1, 51.  
 — — — Guimp. Holzgew. 47.  
 — — — Schrank Fl. monac. 1, 58.  
 — — — Sturm Flora 7, 26.  
 — — — Tratt. Archiv 293.  
 — — — *Hibbertiana* *Andr.* Andrews Engr. 3, 172.  
 — — — Andrews Heathery 3, 118.  
 — — — Kerner Hort. 426.  
 — — — Bot. Mag. 42, 1758.  
 — — — *hirsuta* *Lodd.* Lodd. Cab. 754.

- Erica hirta* *Thumb.* Thunberg *Erica* 2.  
 — — — *Wendland* *Ericae* 3, 16.  
 — — — *Andr.* *Andrews* *Engr.* 2, 101.  
 — — — *Andrews* *Heathery* 4, 165.  
 — — — *viridiflora*, *Andrews* *Engr.* 3, 173.  
 — — — *viridiflora*, *Andrews* *Heathery* 4, 166.  
 — — — *Lodd.* *Cab.* 1116.  
 — *hirtiflora* *Curt.* *Bot. Mag.* 14, 481.  
 — — — *Lodd.* *Cab.* 1812.  
 — *hispidula* *Andr.* *Andrews* *Engr.* 2, 100.  
 — — — *Andrews* *Heathery* 2, 69.  
 — — — *Lodd.* *Cab.* 1992.  
 — — — *Thumb.* *Wendland* *Ericae* 3, 14.  
 — *hispidula* *L. fil.* *Wendland* *Ericae* 2, 50.  
 — *horizontalis* *Andr.* *Andrews* *Engr.* 2, 102.  
 — — — *Andrews* *Heathery* 2, 70.  
 — *Humeana* *Lodd.* *Lodd.* *Cab.* 389.  
 — *hyacinthoides* *Andr.* *Andrews* *Engr.* 3, 174.  
 — — — *Andrews* *Heathery* 4, 167.  
 — *Jacksonii* *Paxt.* *Paxt. Mag.* 8, 149.  
 — *jasminiflora* *Andr.* *Andrews* *Engr.* 1, 29.  
 — — — *Andrews* *Heathery* 1, 26.  
 — — — *minor*, *Andrews* *Engr.* 4, 241.  
 — — — *minor*, *Andrews* *Heathery* 5, 220.  
 — — — *minor*, *Kerner* *Hort.* 418.  
 — — — *Tratt.* *Archiv* 284.  
 — — — *Bot. Mag.* 70, 4074.  
 — — — *Wendl.* *Wendland* *Ericae* 3, 13.  
 — *ignescens* *Andr.* *Andrews* *Engr.* 2, 103.  
 — — — *Andrews* *Heathery* 1, 27.  
 — — — *Wendl.* *Wendland* *Ericae* 1, 43.  
 — — — *atropurpurea*, *Wendland* *Ericae* 2, 44.  
 † *imbecilla* *Sweet.* *Hort. eric.* *Woburn.* 3.  
 — *imbricata* *L.* *Andrews* *Engr.* 1, 27.  
 — — — *Andrews* *Heathery* 3, 119.  
 — — — *Lodd.* *Cab.* 1243.  
 — — — *Wendl.* *Wendland* *Ericae* 2, 51.  
 — *imperialis* *Andr.* *Andrews* *Engr.* 4, 239.  
 — — — *Andrews* *Heathery* 6, 266.  
 — — — *Kerner* *Hort.* 570.  
 — *incana* *Wendl.* *Wendland* *Ericae* 2, 34.  
 — *incarnata* *Andr.* *Andrews* *Engr.* 1, 28.  
 — — — *Andrews* *Heathery* 4, 168.  
 — — — *Lodd.* *Cab.* 1655.  
 — — — *Thumb.* *Wendland* *Ericae* 1, 18.  
 — *incurva* *Andr.* *Andrews* *Engr.* 3, 175.  
 — — — *Andrews* *Heathery* 4, 169.  
 — — — *Wendl.* *Wendland* *Ericae* 2, 57.  
 — *inflata* *Thumb.* Thunberg *Erica* 2.  
 — *infundibuliformis* *Andr.* *Andrews* *Engr.* 4, 240.  
 — — — *Andrews* *Heathery* 5, 218.  
 — — — *Lodd.* *Cab.* 589.  
 † — — — *Hort. eric.* *Woburn.* 2.  
 — *intertexta* *Lodd.* *Lodd.* *Cab.* 1034.  
 — *Irbyana* *Andr.* *Andrews* *Engr.* 3, 176.  
 — — — *Andrews* *Heathery* 5, 219.  
 — — — *Lodd.* *Cab.* 816.  
 — — — *Bot. Mag.* 69, 4016.  
 — *Juliana* *Lodd.* *Lodd.* *Cab.* 799.  
 — *lachnaea* *Andr.* *Andrews* *Engr.* 3, 177.  
 — — — *Andrews* *Heathery* 3, 120.  
 — — — *purpurea*, *Andrews* *Engr.* 3, 178.  
 — — — *purpurea*, *Andrews* *Heathery* 4, 170.  
 — *lactiflora* *Lodd.* *Lodd.* *Cab.* 991.  
 — *laevis* *Andr.* *Andrews* *Engr.* 3, 182.  
 — — — *Andrews* *Heathery* 5, 221.  
 — — — *Lodd.* *Cab.* 1393.  
 — *lagenaeiformis* *Salisb.* *Vent. Malm.* 33.  
 — — — *Tratt.* *Archiv* 283.  
 — *Lambertiana* *Andr.* *Andrews* *Engr.* 2, 104.  
 — — — *Andrews* *Heathery* 4, 171.  
 — — — *Lodd.* *Cab.* 3.

- Erica Lambertiana* *Andr.* *Maund Bot.* 4, 163.  
 † — — — *Hort. eric.* *Woburn.* 3.  
 — *lanata* *Andr.* *Andrews* *Engr.* 3, 179.  
 — — — *Andrews* *Heathery* 3, 121.  
 — — — *Wendl.* *Wendland* *Ericae* 1, 26.  
 — *laniflora* *Schmidt.* *Wendland* *Ericae* 1, 9.  
 — *laniflora glabra* *Wendl.* *Wendland* *Ericae* 2, 40.  
 — *lanuginosa* *Andr.* *Andrews* *Engr.* 3, 180.  
 — — — *Andrews* *Heathery* 3, 122.  
 — — — *Tratt.* *Archiv* 300.  
 — *lateralis* *Andr.* *Andrews* *Engr.* 1, 30.  
 — — — *Andrews* *Heathery* 2, 71.  
 — *latifolia* *Andr.* *Andrews* *Engr.* 2, 105.  
 — — — *Andrews* *Heathery* 2, 72.  
 — *Lawsoni* *Sims.* *Bot. Mag.* 41, 1720.  
 — *Lawsoniana* *Andr.* *Andrews* *Engr.* 4, 242.  
 — — — *Andrews* *Heathery* 6, 267.  
 — — — *Lodd.* *Cab.* 488.  
 — *laxa* *Andr.* *Andrews* *Engr.* 3, 181.  
 — — — *Andrews* *Heathery* 2, 73.  
 — *Lecana* *Andr.* *Andrews* *Engr.* 1, 31.  
 — — — *Andrews* *Heathery* 2, 74.  
 — — — *Lodd.* *Cab.* 298.  
 — *leucanthera* *L. fil.* *Andrews* *Engr.* 2, 108.  
 — — — *Andrews* *Heathery* 1, 28.  
 — *Linnaeana* *Andr.* *Andrews* *Engr.* 2, 106.  
 — — — *Andrews* *Heathery* 2, 75.  
 — — — *Lodd.* *Cab.* 102.  
 — — — *Tratt.* *Archiv* 298.  
 † — — — *Hort. eric.* *Woburn.* 2.  
 — — — *superba*, *Andrews* *Engr.* 4, 243.  
 — — — *superba*, *Andrews* *Heathery* 6, 268.  
 — — — *superba*, *Lodd.* *Cab.* 1778.  
 † — — — *superba*, *Hort. eric.* *Woburn.* 4.  
 — *linnaeoides* *Andr.* *Andrews* *Engr.* 2, 107.  
 — — — *Andrews* *Heathery* 3, 123.  
 — *longiflora* *Salisb.* *Andrews* *Engr.* 3, 183.  
 — — — *Andrews* *Heathery* 5, 222.  
 — — — *Lodd.* *Cab.* 983.  
 — — — *Kerner* *Hort.* 496.  
 — — — *Dict. sc. nat.* 68.  
 — *longifolia* *Salisb.* *Bauer* *Ericae* 12.  
 — — — *Bot. Mag.* 19, 706.  
 — *longipedunculata* *Lodd.* *Lodd.* *Cab.* 103.  
 — *lucida* *Andr.* *Andrews* *Engr.* 2, 109.  
 — — — *Andrews* *Heathery* 4, 172.  
 — *lusitanica* *Rud.* *Hoffm. Lk. Fl. port.* 71.  
 — *lutea* *L.* *Lam. Encycl.* 287.  
 — — — *Andrews* *Engr.* 1, 32.  
 — — — *Andrews* *Heathery* 1, 29.  
 — — — *Wendland* *Ericae* 1, 4.  
 — — — *Lodd.* *Cab.* 64.  
 — *Lycopodiastrum* *Lam.* *Lam. Encycl.* 287.  
 — *Mackayana* *Bab.* *Engl. Bot.* 2900.  
 — *Macnabiana* *Paxt.* *Paxt. Mag.* 7, 125.  
 — *magnifica* *Andr.* *Andrews* *Engr.* 4, 244.  
 — — — *Andrews* *Heathery* 5, 223.  
 — *mammosa* *L.* *Andrews* *Engr.* 1, 33.  
 — — — *Andrews* *Heathery* 3, 124.  
 — — — *Lodd.* *Cab.* 125.  
 — — — *Herb. amat.* 3, 148.  
 — — — *Hart. Parad.* 1, 12.  
 — — — *minor*, *Andrews* *Engr.* 3, 184.  
 — — — *minor*, *Andrews* *Heathery* 3, 125.  
 — — — *pallida*, *Lodd.* *Cab.* 951.  
 — *manipuliflora* *Salisb.* *Sibth. Fl. gr.* 352.  
 — *margaritacea* *Ait.* *Andrews* *Engr.* 1, 35.  
 — — — *Andrews* *Heathery* 3, 126.  
 — — — *Wendland* *Ericae* 1, 47.  
 — *marifolia* *Ait.* *Bauer* *Ericae* 4.  
 — — — *Andrews* *Engr.* 1, 29.  
 — — — *Andrews* *Heathery* 3, 127.



- Erica marifolia* *Ait.* - Wendland *Ericae* 1, 34.  
 — — — Kerner Hort. 561.  
 — — — longifolia, Wendland *Ericae* 3, 8.  
 — Massoni *L. fil.* Thunberg *Erica* 3.  
 — — — Bauer *Ericae* 18.  
 — — — Bot. Mag. 10, 356.  
 — — — Andrews Engr. 1, 36.  
 — — — Andrews Heathery 3, 128.  
 — — — Wendland *Ericae* 3, 9.  
 — — — Kerner Hort. 38.  
 — — — Lodd. Cab. 1069.  
 † — — — Hort. eric. Woburn. 4.  
 — mediterranea *L.* Bot. Mag. 14, 471.  
 — —β— Engl. Bot. 2774.  
 — — — Wendland *Ericae* 1, 41.  
 — melanthera *Lodd.* Lodd. Cab. 867.  
 — melastoma *Andr.* Andrews Engr. 1, 37.  
 — — — Andrews Heathery 1, 30.  
 — — — Wendland *Ericae* 2, 25.  
 — — — Lodd. Cab. 333.  
 † — — — Hort. eric. Woburn. 2.  
 — metulaeflora *Sims.* Andrews Engr. 3, 185.  
 — — — Andrews Heathery 5, 224.  
 — — — discolor, Andrews Heathery 6, 269.  
 — — — Bot. Mag. 17, 612.  
 — — — Lodd. Cab. 1763.  
 † — — — bicolor, Hort. eric. Woburn. 4.  
 — minima *Andr.* Andrews Engr. 2, 124.  
 — minutiflora *Andr.* Andrews Engr. 4, 245.  
 — — — Andrews Heathery 6, 270.  
 — mirabilis *Andr.* Andrews Engr. 4, 246.  
 — — — Andrews Heathery 6, 271.  
 — — — Lodd. Cab. 1804.  
 — mollis *Andr.* Andrews Engr. 4, 247.  
 — — — Andrews Heathery 6, 272.  
 † — — — Hort. eric. Woburn. 3.  
 — monadelpha *Andr.* Andrews Engr. 1, 38.  
 — — — Andrews Heathery 3, 129.  
 — — — *Sims.* Bot. Mag. 33, 1370.  
 † — — — Hort. eric. Woburn. 2.  
 — Monsoniana *L. fil.* Thunberg *Erica* 1.  
 — — — Bauer *Ericae* 16.  
 — — — Andrews Engr. 2, 110.  
 — — — Andrews Heathery 4, 173.  
 — — — Wendland *Ericae* 1, 58.  
 — — — Kerner Hort. 761.  
 — — — Bot. Mag. 44, 1915.  
 † — — — Hort. eric. Woburn. 2.  
 — Mooreana (hybr.) Lem. Jard. fl. 259.  
 — moschata *Andr.* Andrews Engr. 4, 248.  
 — — — Andrews Heathery 5, 226.  
 — — — Lodd. Cab. 614.  
 † — — — Hort. eric. Woburn. 4.  
 — mucosa *L.* Bauer *Ericae* 3.  
 — — — Andrews Engr. 1, 39.  
 — — — Andrews Heathery 4, 174.  
 — — — Wendland *Ericae* 1, 24.  
 — — — Kerner Hort. 5, 53.  
 — — — Lodd. Cab. 35.  
 — mucosoides *Lodd.* Lodd. Cab. 1202.  
 — mucronata *Andr.* Andrews Engr. 3, 186.  
 — — — Andrews Heathery 5, 225.  
 — multiflora *L.* Andrews Engr. 2, 111.  
 — — — Andrews Heathery 4, 175.  
 — — — Wendland *Ericae* 2, 62.  
 — — — longipedicellata, Wendland *Ericae* 1, 27.  
 — — — Lodd. Cab. 1572.  
 — mundula *Andr.* Andrews Engr. 4, 249.  
 — — — Andrews Heathery 6, 273.  
 — — — Lodd. Cab. 114.  
 † — — — Hort. eric. Woburn. 4.  
 — Murrayana *Paxt.* Paxt. Mag. 11, 77.

- Erica Muscari* *Andr.* Andrews Engr. 1, 40.  
 — — — Andrews Heathery 3, 130.  
 — — — Wendland *Ericae* 1, 32.  
 — mutabilis *Andr.* Andrews Engr. 3, 187.  
 — — — Andrews Heathery 4, 176.  
 — — — Lodd. Cab. 46.  
 — — — Bot. Mag. 49, 2348.  
 — nana *Salisb.* Wendland *Ericae* 3, 4.  
 — Neillii *Paxt.* Paxt. Mag. 9, 195.  
 — — — Fl. d. serres 2, 41.  
 — nidularia *Lodd.* Lodd. Cab. 764.  
 — nigrita *L.* Andrews Engr. 1, 41.  
 — — — Andrews Heathery 1, 31.  
 — — — Wendland *Ericae* 1, 71.  
 — — — Lodd. Cab. 54.  
 — nitida *Andr.* Andrews Engr. 3, 188.  
 — — — Andrews Heathery 3, 131.  
 — — — Lodd. Cab. 1131.  
 — nivalis *Andr.* Andrews Engr. 4, 250.  
 — — — Andrews Heathery 6, 274.  
 — Niveniana *Andr.* Andrews Engr. 2, 112.  
 — — — Andrews Heathery 2, 76.  
 — — — longiflora, Andrews Engr. 3, 189.  
 — — — longiflora, Andrews Heathery 5, 227.  
 — nudiflora *L.* Smith Ic. Linn. 57.  
 — nutans *Wendl.* Wendland *Ericae* 1, 14.  
 — obbata *Andr.* Andrews Engr. 2, 113.  
 — — — Andrews Heathery 1, 32.  
 — — — umbellata, Andrews Engr. 3, 190.  
 — — — umbellata, Andrews Heathery 3, 132.  
 — — — Tratt. Archiv 288.  
 — obliqua *Thunb.* Thunberg *Erica* 1.  
 — — — Bauer *Ericae* 10.  
 — — — Andrews Engr. 1, 42.  
 — — — Andrews Heathery 1, 33.  
 — — — Wendland *Ericae* 2, 30.  
 — — — Lodd. Cab. 14.  
 — obtusa *Lodd.* Lodd. Cab. 1027.  
 — octophylla *Thunb.* Thunberg *Erica* 3.  
 — odorata *Andr.* Andrews Engr. 3, 191.  
 — — — Andrews Heathery 4, 177.  
 — — — Lodd. Cab. 633.  
 — — — Bot. Mag. 34, 1399.  
 — ollula *Andr.* Andrews Engr. 4, 251.  
 — — — Andrews Heathery 6, 275.  
 — — — Lodd. Cab. 1646.  
 † — — — Hort. eric. Woburn. 2.  
 — oppositifolia *Andr.* Andrews Engr. 3, 192.  
 — — — Andrews Heathery 4, 178.  
 — — — Lodd. Cab. 1343.  
 — — — rubra, Andrews Engr. 3, 193.  
 — — — rubra, Andrews Heathery 4, 180.  
 — — — rubra, Lodd. Cab. 1060.  
 — — — major, Andrews Heathery 4, 179.  
 — orbicularis *Lodd.* Lodd. Cab. 153.  
 — ostrina *Lodd.* Lodd. Cab. 1218.  
 — ovata *Lodd.* Lodd. Cab. 417.  
 † — — — Hort. eric. Woburn. 3.  
 — pallens *Andr.* Andrews Engr. 3, 194.  
 — — — Andrews Heathery 4, 182.  
 — pallida *Wendl.* Wendland *Ericae* 3, 5.  
 — — — Lodd. Cab. 1355.  
 — palustris *Andr.* Andrews Engr. 2, 114.  
 — — — Andrews Heathery 2, 77.  
 — — — Lodd. Cab. 4.  
 — paniculata *L. alba*, Wendland *Ericae* 2, 10.  
 — — — Lodd. Cab. 1194.  
 — Parmentieri *Lodd.* Lodd. Cab. 197.  
 † — parviflora *L.* Hort. eric. Woburn. 3.  
 — patens *Andr.* Andrews Engr. 2, 115.  
 — — — Andrews Heathery 3, 133.  
 — — — Wendland *Ericae* 3, 10.

- Erica patens* Andr. Lodd. Cab. 1228.  
 — *Patersoniana* Andr. Andrews Engr. 1, 43.  
 — — — Andrews Heathery 4, 181.  
 — — — *coccinea*, Andrews Engr. 3, 196.  
 — — — *coccinea*, Andrews Heathery 3, 134.  
 — — — *major*, Andrews Engr. 3, 195.  
 — — — *major*, Andrews Heathery 5, 228.  
 — — — *Wendland Ericae* 1, 5.  
 — — — *Bonpland Malm.* 44.  
 — — — Lodd. Cab. 1727.  
 — *pedunculata* Wendl. *Wendland Ericae* 2, 66.  
 — — — Andrews Engr. 4, 252.  
 — — — Andrews Heathery 5, 229.  
 — *pellucida* Andr. Andrews Engr. 3, 197.  
 — — — Andrews Heathery 4, 183.  
 — — — *yubra*, Andrews Engr. 4, 253.  
 — — — *rubra*, Andrews Heathery 6, 277.  
 — — — Lodd. Cab. 276.  
 — *peltata* Andr. Andrews Engr. 4, 254.  
 — — — Andrews Heathery 6, 276.  
 — *pelviformis* Salisb. *Regel Gartenfl.* 2, 43.  
 — *pendula* Wendl. *Wendland Ericae* 1, 60.  
 — — — Lodd. Cab. 902.  
 — *penicillata* Andr. Andrews Engr. 2, 116.  
 — — — Andrews Heathery 3, 135.  
 — — — Lodd. Cab. 1918.  
 — *persoluta* L. *Bot. Mag.* 10, 342.  
 — — — *Wendland Ericae* 2, 11.  
 — — — *major*, *Wendland Ericae* 2, 71.  
 — *perspicua* Wendl. *Wendland Ericae* 1, 1.  
 — — — Andrews Engr. 4, 255.  
 — — — Andrews Heathery 5, 230.  
 † — — — *Hort. eric. Woburn.* 4.  
 † — *perspicuoides* Bedf. *Hort. eric. Woburn.* 4.  
 — *petiolata* Thunb. *Thunberg Erica* 6.  
 — — — *Salisb.* Andrews Engr. 3, 198.  
 — — — Andrews Heathery 3, 136.  
 — — — *Wendland Ericae* 3, 15.  
 — — — Lodd. Cab. 1150.  
 † — — — *Hort. eric. Woburn.* 3.  
 — *Petiveriana* Andr. Andrews Engr. 1, 44.  
 — — — Andrews Heathery 2, 78.  
 — — — *aurantiaca*, Andrews Engr. 2, 117.  
 — — — *aurantiaca*, Andrews Heathery 2, 79.  
 — — — *hirsuta*, Andrews Engr. 2, 118.  
 — — — *hirsuta*, Andrews Heathery 2, 80.  
 — — — *Wendland Ericae* 2, 9.  
 — — — *fusca*, *Wendland Ericae* 1, 49.  
 — — — *lutea*, *Wendland Ericae* 1, 50.  
 — — — *Lam. Encycl.* 288.  
 — — — Lodd. Cab. 1426.  
 — *Peziza* Lodd. Lodd. Cab. 265.  
 † — — — *Hort. eric. Woburn.* 3.  
 — *physodes* L. *Bot. Mag.* 13, 443.  
 — — — Andrews Engr. 1, 45.  
 — — — Andrews Heathery 1, 34.  
 — — — *Wendland Ericae* 1, 42.  
 — — — Lodd. Cab. 223.  
 † — — — *Hort. eric. Woburn.* 3.  
 — *pilosa* Lodd. Lodd. Cab. 606.  
 — *pilularis* Lodd. Lodd. Cab. 1563.  
 — *pilulifera* L. Andrews Heathery 6, 278.  
 — — — *Wendland Ericae* 2, 41.  
 — *pinca* Thunb. Andrews Engr. 1, 46.  
 — — — Andrews Heathery 1, 35.  
 — — — *Wendland Ericae* 1, 3, 2, 4.  
 — — — *purpurea*, Lodd. Cab. 1259.  
 — *pinifolia* Andr. Andrews Engr. 3, 199.  
 — — — Andrews Heathery 4, 184.  
 — — — *coccinea*, Andrews Engr. 2, 119.  
 — — — *coccinea*, Andrews Heathery 3, 137.  
 — — — *discolor*, Andrews Engr. 3, 200.

- Erica pinifolia* Andr. *discolor*, Andrews Heathery 3, 138.  
 — — — *Kerner Hort.* 492.  
 — — — *planifolia* L. Andrews Engr. 3, 201.  
 — — — Andrews Heathery 4, 185.  
 — — — *Wendl.* *Wendland Ericae* 2, 23.  
 — *Plukenetii* L.  $\beta$ . *Thunberg Erica* 2.  
 — — — *Bauer Ericae* 19.  
 — — — Andrews Heathery 4, 186.  
 — — — *albens*, Andrews Engr. 4, 256.  
 — — — *albens*, Andrews Heathery 4, 187.  
 — — — *nana*, Andrews Engr. 1, 47.  
 — — — *nana*, Andrews Heathery 3, 139.  
 — — — *conferta*, *Wendland Ericae* 2, 69.  
 — — — *inflata*, *Wendland Ericae* 2, 55.  
 — — — *interrupta*, *Wendland Ericae* 1, 8.  
 — — — *pinca*, *Wendland Ericae* 1, 2.  
 — — — *Kerner Hort.* 774.  
 — — — Lodd. Cab. 1274.  
 — *plumosa* Andr. Andrews Engr. 2, 120.  
 — — — Andrews Heathery 1, 36.  
 — — — Lodd. Cab. 1702.  
 — — — *Wendl.* *Wendland Ericae* 1, 68.  
 — *Pohlmanni* Lodd. Lodd. Cab. 1852.  
 † — *polytrichifolia* Spach. *Spach Suites* 88.  
 — *praeceox* Lodd. Lodd. Cab. 1413.  
 — *praegnans* Andr. Andrews Engr. 3, 202.  
 — — — Andrews Heathery 5, 231.  
 — — — Lodd. Cab. 945.  
 † — — — *Hort. eric. Woburn.* 4.  
 — *praestans* Andr. Andrews Engr. 4, 257.  
 — — — Andrews Heathery 5, 232.  
 — — — Lodd. Cab. 1695.  
 — *primuloides* Andr. Andrews Engr. 3, 203.  
 — — — Andrews Heathery 5, 233.  
 — — — Lodd. Cab. 715.  
 — — — *Bot. Mag.* 38, 1548.  
 — *princeps* Andr. Andrews Engr. 2, 121.  
 — — — Andrews Heathery 3, 140.  
 — — — Lodd. Cab. 647.  
 — — — *Kerner Hort.* 258.  
 — *procera* Wendl. *Wendland Ericae* 2, 27.  
 — *procumbens* Lodd. Lodd. Cab. 1993.  
 — *propendens* Andr. Andrews Engr. 2, 122.  
 — — — Andrews Heathery 3, 141.  
 — — — Lodd. Cab. 63.  
 — — — *Bot. Mag.* 47, 2140.  
 — *pseudo-vestita* Benth. *Maund Bot.* 3, 104.  
 — *pubescens* L. *Thunberg Erica* 5.  
 — — — Andrews Engr. 1, 48.  
 — — — Andrews Heathery 1, 37.  
 — — — *minor*, Andrews Engr. 2, 123.  
 — — — *minor*, Andrews Heathery 1, 38, 39.  
 — — — *Wendland Ericae* 1, 35.  
 — — — *villosa* Thunb. *Wendland Ericae* 1, 29.  
 — — — *pilosa* Wendl. *Wendland Ericae* 2, 16.  
 — — — *Bot. Mag.* 14, 480.  
 — — — Lodd. Cab. 167.  
 † — — — *Hort. eric. Woburn.* 3.  
 — *pulchella* Thunb. *Thunberg Erica* 4.  
 — — — Andr. Andrews Engr. 1, 49.  
 — — — Andrews Heathery 1, 40.  
 — — — Lodd. Cab. 307.  
 — *pulverulenta* Bedf. *Paxt. Mag.* 16, 161.  
 — *pumila* Andr. Andrews Engr. 4, 258.  
 — — — Andrews Heathery 5, 234.  
 — *pura* Lodd. Lodd. Cab. 72.  
 — *purpurea* Andr. Andrews Engr. 1, 50.  
 — — — Andrews Heathery 2, 81.  
 — — — *Wendland Ericae* 2, 15.  
 — — — *Bonpland Malm.* 28.  
 — — — Lodd. Cab. 703.  
 — *pygmaea* Andr. Andrews Engr. 4, 259.

- Erica pygmaea* *Andr.* Andrews *Heathery* 6, 279.  
 — *pyramidalis* *Ait.* Bot. Mag. 11, 366.  
 — — — Andrews *Engr.* 1, 51.  
 — — — Andrews *Heathery* 3, 142.  
 — — — *Wendland Ericae* 1, 25, 2, 68.  
 — — — Lodd. Cab. 319.  
 — *pyriformis* *Maund.* Maund Bot. 5, 250.  
 — *quadrangularis* *Andr.* Andrews *Engr.* 4, 260.  
 — — — Andrews *Heathery* 6, 280.  
 † — — — Hort. eric. Woburn. 2.  
 — *quadrata* *Lodd.* Lodd. Cab. 1943.  
 — *quadrifolia* *Andr.* Andrews *Engr.* 2, 125.  
 — — — Andrews *Heathery* 1, 41.  
 — *racemifera* *Andr.* Andrews *Engr.* 3, 204.  
 — — — Andrews *Heathery* 4, 188.  
 — *racemosa* *Thunb.* Thunberg *Erica* 5.  
 — — — *Wendland Ericae* 1, 55.  
 — *radiata* *Andr.* Andrews *Engr.* 1, 52.  
 — — — Andrews *Heathery* 1, 42.  
 — — — *discolor*, Andrews *Engr.* 4, 261.  
 — — — Andrews *Heathery* 6, 281.  
 — *ramentacea* *L.* Lam. *Encycl.* 287.  
 — — — Andrews *Engr.* 1, 53.  
 — — — Andrews *Heathery* 3, 143.  
 — — — *Wendland Ericae* 1, 6.  
 — — — Lodd. Cab. 446.  
 — *ramosissima* *Wendl.* *Wendland Ericae* 2, 36.  
 — *ramulosa* *Viv.* Viviani Fl. ital. 7.  
 — *recurvata* *Andr.* Andrews *Engr.* 4, 262.  
 — — — Andrews *Heathery* 6, 282.  
 — — — Lodd. Cab. 1093.  
 — — — Bot. Mag. 62, 3427.  
 — *reflexa* *Link.* Andrews *Engr.* 4, 263.  
 — — — Andrews *Heathery* 6, 283.  
 — — — Lodd. Cab. 1787.  
 — *refulgens* *Andr.* Andrews *Engr.* 4, 264.  
 — — — Andrews *Heathery* 6, 284.  
 — *regerminans* *Andr.* Andrews *Engr.* 4, 265.  
 — — — Andrews *Heathery* 5, 235.  
 — — — Lodd. Cab. 1728.  
 — *resinosa* *Sims.* Bot. Mag. 28, 1139.  
 — — — Lodd. Cab. 679.  
 — *retorta* *Montin.* Svensk Acad. 1774, 7.  
 — — — Lam. *Encycl.* 288.  
 — — — Bot. Mag. 11, 362.  
 — — — Andrews *Engr.* 1, 54.  
 — — — Andrews *Heathery* 3, 144.  
 — — — *Wendland Ericae* 2, 18.  
 — — — Lodd. Cab. 804.  
 — — — Tratt. *Archiv* 286.  
 — *retroflexa* *Wendl.* *Wendland Ericae* 1, 45.  
 — *rigida* *Lodd.* Lodd. Cab. 1286.  
 — *rigidifolia* *Wendl.* *Wendland Ericae* 2, 48.  
 — *rosca* *Andr.* Andrews *Engr.* 2, 126.  
 — — — Andrews *Heathery* 2, 82.  
 — — — Lodd. Cab. 782.  
 — *rubella* *Lodd.* Lodd. Cab. 658.  
 — — — Bot. Mag. 47, 2165.  
 — *rubens* *Andr.* Andrews *Engr.* 2, 127.  
 — — — Andrews *Heathery* 1, 43.  
 — — — Lodd. Cab. 557.  
 — — — *Thunb.* *Wendland Ericae* 2, 17.  
 — *rubida* *Lodd.* Lodd. Cab. 1166.  
 — *rubrocalyx* *Andr.* Andrews *Engr.* 4, 266.  
 — — — Andrews *Heathery* 6, 285.  
 — *rugosa* *Andr.* Andrews *Engr.* 4, 267.  
 — — — Andrews *Heathery* 5, 236.  
 — *rupestris* *Andr.* Andrews *Engr.* 2, 128.  
 — — — Andrews *Heathery* 3, 145.  
 — — — *rubra*, Andrews *Engr.* 4, 268.  
 — — — *rubra*, Andrews *Heathery* 5, 237.  
 — — — Lodd. Cab. 835.

- Erica rupestris* *Andr.* Tratt. *Archiv* 158.  
 — *Russeliana* *Andr.* Andrews *Engr.* 4, 269.  
 — — — Andrews *Heathery* 6, 286.  
 — — — Lodd. Cab. 1013.  
 — *Sainsburyana* *Andr.* Andrews *Engr.* 4, 270.  
 — — — Andrews *Heathery* 6, 287.  
 — *Salisburyana* *Andr.* Andrews *Engr.* 4, 271.  
 — — — Andrews *Heathery* 6, 288.  
 — *sanguinea* *Lodd.* Lodd. Cab. 86.  
 — *sanguinolenta* *Lodd.* Lodd. Cab. 468.  
 — — — Bot. Mag. 48, 2263.  
 — *Savileana* *Andr.* Andrews *Engr.* 3, 205.  
 — — — Andrews *Heathery* 5, 238.  
 — — — Lodd. Cab. 96.  
 — *scabriuscula* *Lodd.* Lodd. Cab. 517.  
 — *scariosa* *Wendl.* *Wendland Ericae* 2, 52.  
 — — — Lodd. Lodd. Cab. 477.  
 — *Schollii* *Lodd.* Lodd. Cab. 538.  
 — *scoparia* *L.* Bauer *Ericae* 8.  
 — *Sebana* *Ait.* Bauer *Ericae* 20.  
 — — — *Wendland Ericae* 1, 56.  
 — — — Lodd. Cab. 23.  
 — — — Kerner Hort. 402.  
 — — — *aurantia*, Andrews *Engr.* 1, 55.  
 — — — *aurantia*, Andrews *Heathery* 2, 83.  
 — — — *lutea*, Andrews *Engr.* 1, 56.  
 — — — *lutea*, Andrews *Heathery* 2, 84.  
 — — — *lutea*, Lodd. Cab. 266.  
 — — — *nana*, Andrews *Engr.* 3, 206.  
 — — — *nana*, Andrews *Heathery* 4, 189.  
 — — — *spicata*, Andrews *Engr.* 2, 129.  
 — — — *spicata*, Andrews *Heathery* 4, 190.  
 — — — *viridis*, Andrews *Engr.* 1, 57.  
 — — — *viridis*, Andrews *Heathery* 2, 85.  
 — *serpyllifolia* *Andr.* Andrews *Engr.* 4, 272.  
 — — — Andrews *Heathery* 6, 289.  
 — — — Lodd. Cab. 744.  
 — *serratifolia* *Andr.* Andrews *Engr.* 1, 58.  
 — — — Andrews *Heathery* 1, 44.  
 — — — Lodd. Cab. 1703.  
 — *sessiliflora* *Andr.* Andrews *Engr.* 2, 130.  
 — — — Andrews *Heathery* 2, 86.  
 — — — *Wendl.* *Wendland Ericae* 2, 56.  
 — *setacea* *Andr.* Andrews *Engr.* 1, 59.  
 — — — Andrews *Heathery* 2, 87.  
 — *sexfaria* *Ait.* Andrews *Engr.* 2, 131.  
 — — — Andrews *Heathery* 2, 88.  
 † — — — Hort. eric. Woburn. 3.  
 — *Shannoneana* *Andr.* Andrews *Engr.* 4, 273.  
 — — — Andrews *Heathery* 5, 239.  
 — — — Kerner Hort. 425.  
 — — — Lodd. Cab. 168.  
 — — — Bot. Mag. 70, 4069.  
 — *simpliciflora* *Willd.* *Wendland Ericae* 2, 26.  
 — *Smithiana* *Lodd.* Lodd. Cab. 1614.  
 † — *socciflora* *Salisb.* Hort. eric. Woburn. 4.  
 — *Solandriana* *Andr.* Andrews *Engr.* 2, 132.  
 — — — Andrews *Heathery* 2, 89.  
 — *solandroides* *Andr.* Andrews *Engr.* 4, 274.  
 — — — Andrews *Heathery* 6, 290.  
 — *sordida* *Andr.* Andrews *Engr.* 1, 60.  
 — — — Andrews *Heathery* 4, 191.  
 — — — Lodd. Cab. 1973.  
 — *Sparmanni* *L. fil.* Svensk Acad. 1778, 2.  
 — *sparsa* *Lodd.* Lodd. Cab. 1467.  
 — *speciosa* *Schneev.* Schneevogt Ic. 3.  
 — — — *Andr.* Andrews *Engr.* 2, 133.  
 — — — Andrews *Heathery* 4, 192.  
 — — — Lodd. Cab. 575.  
 — — — Kerner Hort. 495.  
 — — — Tratt. *Archiv* 305.  
 — — — Rchb. *Exot.* 158.

- Erica spicata* *Thunb.* Thunberg *Erica* 4.  
 — — — Andrews *Engr.* 1, 61.  
 — — — Andrews *Heathery* 1, 45.  
 — — — Wendland *Ericae* 1, 11.  
 — — — Lodd. *Cab.* 1203.  
 — *spiculifolia* *Salisb.* Sibth. *Fl. gr.* 353.  
 — *splendens* *Wendl.* Wendland *Ericae* 1, 44.  
 — — — *Andr.* Andrews *Engr.* 4, 275.  
 — — — Andrews *Heathery* 5, 240.  
 — — — Kerner *Hort.* 701.  
 † — — — *Hort. eric.* Woburn. 4.  
 — *Sprengelii* *Hort.* Hart. *Parad.* 1, 0.  
 — *spumosa* *Thunb.* Wendland *Ericae* 2, 19.  
 — — — Lodd. *Cab.* 566.  
 — *spuria* *Andr.* Andrews *Engr.* 1, 62.  
 — — — Andrews *Heathery* 2, 90.  
 — *squamosa* *Andr.* Andrews *Engr.* 3, 207.  
 — — — Andrews *Heathery* 2, 91.  
 — *staminea* *Andr.* Andrews *Engr.* 3, 208.  
 — — — Andrews *Heathery* 4, 193.  
 — *stellata* *Lodd.* Lodd. *Cab.* 893.  
 — *stellifera* *Andr.* Andrews *Engr.* 4, 276.  
 — — — Andrews *Heathery* 6, 291.  
 — — — Lodd. *Cab.* 1622.  
 — *straminea* *Wendl.* Wendland *Ericae* 3, 18.  
 — *stricta* *Don.* Andrews *Engr.* 2, 134.  
 — — — Andrews *Heathery* 2, 92.  
 — *strigosa* *Ait.* Wendland *Ericae* 1, 10.  
 — *suaveolens* *Andr.* Andrews *Engr.* 4, 277.  
 — — — Andrews *Heathery* 6, 292.  
 — — — Lodd. *Cab.* 24.  
 — *subulata* *Wendl.* Wendland *Ericae* 2, 47.  
 — *sulphurea* *Andr.* Andrews *Engr.* 4, 278.  
 — — — Andrews *Heathery* 5, 241.  
 — — — Lodd. *Cab.* 1762.  
 — — — *Bot. Mag.* 45, 1984.  
 — *Swainsoniana* *Andr.* Andrews *Engr.* 3, 209.  
 — — — Andrews *Heathery* 5, 242.  
 — *taxifolia* *Ait.* Bauer *Ericae* 14.  
 — — — Andrews *Engr.* 1, 63.  
 — — — Andrews *Heathery* 2, 93.  
 — — — major, Andrews *Engr.* 4, 279.  
 — — — major, Andrews *Heathery* 5, 243.  
 — — — Wendland *Ericae* 1, 7.  
 — — — Kerner *Hort.* 54.  
 — *Templeana* *Andr.* Andrews *Engr.* 4, 280.  
 — — — Andrews *Heathery* 6, 293.  
 † — — — *Hort. eric.* Woburn. 4.  
 — *tenella* *Andr.* Andrews *Engr.* 2, 135.  
 — — — Andrews *Heathery* 2, 94.  
 — — — Wendland *Ericae* 2, 59.  
 — — — Lodd. *Cab.* 375.  
 † — — — *Hort. eric.* Woburn. 3.  
 — *tenuiflora* *Andr.* Andrews *Engr.* 3, 210.  
 — — — Andrews *Heathery* 3, 146.  
 — — — alba, Andrews *Engr.* 3, 211.  
 — — — alba, Andrews *Heathery* 4, 194.  
 — — — carnea, Andrews *Engr.* 4, 281.  
 — — — carnea, Andrews *Heathery* 6, 294.  
 — — — Lodd. *Cab.* 1717.  
 — *tenuissima* *Wendl.* Wendland *Ericae* 1, 34.  
 — *teretiuscula* *Wendl.* Wendland *Ericae* 2, 54.  
 — *tetragona* *Thunb.* Thunberg *Erica* 4.  
 — — — Andrews *Engr.* 3, 212.  
 — — — Andrews *Heathery* 2, 95.  
 — — — Wendland *Ericae* 2, 61.  
 — — — Lodd. *Cab.* 1239.  
 — *Tetralix* *L.* *Fl. dan.* 1, 81.  
 — — — *Sv. Bot.* 439.  
 — — — Curt. *Lond.* 3, 122.  
 — — — *Engl. Bot.* 15, 1014.  
 — — — Baxter *Brit. Bot.* 6, 418.

- Erica Tetralix* *L.* Dreyes 3, 80.  
 — — — Guimpel *Holzgev.* 46.  
 — — — *Diatr. Fl. bor.* 4, 236.  
 — — — *Tratt. Archiv* 292.  
 † — — — Spach *Suites* 88.  
 — *thaliotriflora* *Lodd.* Lodd. *Cab.* 1294.  
 — *Thomsonii* *Lem.* *Lem. Jard. fl.* 259.  
 — *Thunbergii* *L. fil.* Andrews *Engr.* 4, 282.  
 — — — Andrews *Heathery* 5, 244.  
 — — — *Bot. Mag.* 30, 1214.  
 — — — Lodd. *Cab.* 277.  
 † — — — *Hort. eric.* Woburn. 4.  
 — *thymifolia* *Andr.* Andrews *Engr.* 2, 136.  
 — — — Andrews *Heathery* 4, 195.  
 — — — *Tratt. Archiv* 159.  
 — *tiaeraeflora* *Andr.* Andrews *Engr.* 3, 213.  
 — — — Andrews *Heathery* 4, 196.  
 — *togata* *Sims.* *Bot. Mag.* 39, 1626.  
 — *translucens* *Andr.* Andrews *Heathery* 6, 295.  
 — *transparens* *Andr.* Andrews *Engr.* 4, 283.  
 — — — Andrews *Heathery* 6, 296.  
 — — — Lodd. *Cab.* 177.  
 — *triceps* *Link.* Lodd. *Cab.* 962.  
 — *tricolor* *Paxt.* *Paxt. Mag.* 6, 3.  
 — *triflora* *L.* Thunberg *Erica* 5.  
 — — — Andrews *Engr.* 4, 284.  
 — — — Andrews *Heathery* 5, 245.  
 — — — Wendland *Ericae* 1, 72.  
 — — — aristata, Wendland *Ericae* 2, 58.  
 — — — Lodd. *Cab.* 1733.  
 — *triumphans* *Lodd.* Lodd. *Cab.* 257.  
 † — — — *Hort. eric.* Woburn. 3.  
 — *trossula* *Lodd.* Lodd. *Cab.* 668. 1742.  
 — *tubiflora* *L.* Andrews *Engr.* 1, 64.  
 — — — Andrews *Heathery* 1, 46.  
 — — — Wendland *Ericae* 1, 21.  
 † — — — *Hort. eric.* Woburn. 2, 4.  
 — *tubiuscula* *Lodd.* Lodd. *Cab.* 1157.  
 † — — — *Bedf.* *Hort. eric.* Woburn. 3.  
 — *tubulosa* *Andr.* Wendland *Ericae* 2, 32.  
 — *tumida* *Ker.* *Bot. Reg.* 1, 65.  
 — *turbinata* *Andr.* Andrews *Heathery* 6, 297.  
 — *Uhria* *Andr.* Andrews *Engr.* 2, 141.  
 — — — Andrews *Heathery* 3, 149.  
 — — — pilosa, Andrews *Engr.* 2, 142.  
 — — — pilosa, Andrews *Heathery* 3, 150.  
 — — — Wendland *Ericae* 2, 35.  
 — *umbellata* *L.* Bauer *Ericae* 5.  
 — — — Andrews *Engr.* 2, 143.  
 — — — Andrews *Heathery* 2, 99.  
 — — — Wendland *Ericae* 1, 19.  
 — — — Lodd. *Cab.* 1217.  
 — *umbellifera* *Wendl.* Wendland *Ericae* 3, 6.  
 — *undulata* *Andr.* Andrews *Engr.* 4, 288.  
 — — — Andrews *Heathery* 6, 300.  
 — — — Lodd. *Cab.* 1792.  
 — *unicolor* *Wendl.* Wendland *Ericae* 3, 3.  
 — *urceolaris* *Berg.* Bauer *Ericae* 2.  
 — — — Wendland *Ericae* 1, 53.  
 — — — Lodd. *Cab.* 1894.  
 — *vagans* *L.* *Engl. Bot.* 1, 3.  
 — *varia* *Lodd.* Lodd. *Cab.* 1325.  
 — *ventricosa* *Thunb.* Thunberg *Erica* 1.  
 — — — *Bot. Mag.* 10, 350.  
 — — — Andrews *Engr.* 1, 65.  
 — — — Andrews *Heathery* 4, 197.  
 — — — Wendland *Ericae* 1, 17.  
 — — — Lodd. *Cab.* 431.  
 — — — *Herb. amat.* 1, 62.  
 † — — — *Hort. eric.* Woburn. 4.  
 — *verecunda* *Lodd.* Lodd. *Cab.* 1827.  
 — *vernalis* *Lodd.* Lodd. *Cab.* 1608.

- Erica vernix* *Andr.* Andrews Engr. 3, 214.  
 — — — Andrews Heathery 5, 250.  
 — — — rubra, Andrews Engr. 4, 286.  
 — — — rubra, Andrews Heathery 6, 298.  
 — — — longiflora, Andrews Engr. 4, 285.  
 — — — longiflora, Andrews Heathery 5, 248.  
 — — — Lodd. Cab. 1443.  
 † — — — Hort. eric. Woburn. 3.  
 — — — coccinea, Hort. eric. Woburn. 3.  
 — — — *versicolor* *Andr.* Bonpland Malm. 38.  
 — — — Andrews Engr. 1, 67.  
 — — — Andrews Heathery 1, 47.  
 — — — longiflora, Andrews Heathery 5, 249.  
 — — — longiflora, Kerner Hort. 624.  
 — — — Wendland *Ericae* 1, 61.  
 — — — ciliata, Wendland *Ericae* 2, 43.  
 — — — Lodd. Cab. 208.  
 — — — major, Lodd. Cab. 1316.  
 — — — *verticillata* *Andr.* Andrews Engr. 1, 66.  
 — — — Andrews Heathery 1, 48.  
 — — — Lodd. Cab. 145.  
 — — — *vestita* *Thumb.* var. Bot. Mag. 12, 402.  
 — — — Bonpland Malm. 43.  
 — — — alba, Andrews Engr. 1, 68.  
 — — — alba, Andrews Heathery 3, 147.  
 — — — alba, Wendland *Ericae* 1, 67.  
 — — — alba, Lodd. Cab. 243.  
 — — — carnea, Andrews Heathery 5, 246.  
 — — — carnea, Lodd. Cab. 1696.  
 — — — coccinea, Andrews Engr. 1, 70.  
 — — — coccinea, Andrews Heathery 4, 199.  
 — — — coccinea, Wendland *Ericae* 1, 62.  
 — — — coccinea, Lodd. Cab. 55.  
 — — — formosa, Wendland *Ericae* 2, 63.  
 — — — fulgida, Andrews Engr. 2, 137.  
 — — — fulgida, Andrews Heathery 2, 96.  
 — — — incarnata, Andrews Engr. 2, 138.  
 — — — incarnata, Andrews Heathery 2, 97.  
 — — — lutea, Andrews Engr. 3, 215.  
 — — — lutea, Andrews Heathery 5, 247.  
 — — — purpurea, Andrews Engr. 1, 69.  
 — — — purpurea, Andrews Heathery 4, 198.  
 — — — purpurea, Wendland *Ericae* 1, 57.  
 — — — purpurea, Lodd. Cab. 217.  
 — — — rosea, Andrews Engr. 2, 139.  
 — — — rosea, Andrews Heathery 2, 98.  
 — — — Tratt. Archiv 295, 296.  
 — — — blanda, Lodd. Cab. 1716.  
 — — — *villosa* *Andr.* Andrews Engr. 3, 216.  
 — — — Andrews Heathery 4, 200.  
 — — — *Wendl.* Wendland *Ericae* 2, 21.  
 — — — *villosiuscula* *Lodd.* Lodd. Cab. 1844.  
 — — — *virgata hirta* *Wendl.* Wendland *Ericae* 2, 13.  
 — — — *virgulata* *Wendl.* Wendland *Ericae* 2, 49.  
 — — — *viridescens* *Lodd.* Lodd. Cab. 233.  
 — — — *viridiflora* *Andr.* Andrews Engr. 4, 287.  
 — — — Andrews Heathery 6, 299.  
 — — — Lodd. Cab. 917.  
 — — — *viridis* *Andr.* Andrews Engr. 2, 140.  
 — — — Andrews Heathery 3, 148.  
 — — — *viscaria* *L.* Bauer *Ericae* 1.  
 — — — Andrews Engr. 1, 71.  
 — — — Andrews Heathery 1, 49.  
 — — — Wendland *Ericae* 1, 70.  
 — — — Lodd. Cab. 726.  
 — — — *viscida* *Wendl.* Wendland *Ericae* 2, 3.  
 † — — — *vulgaris* *L.* Gaertn. Carp. 63.  
 — — — Lam. Encycl. 287.  
 — — — Fl. dan. 4, 677.  
 — — — Sv. Bot. 53.  
 — — — Engl. Bot. 15, 1013.  
 — — — Schk. Handb. 107<sup>a</sup>.

- Erica vulgaris* *L.* Schrank Fl. monac. 4, 381.  
 — — — Sturm Flora 1, 1.  
 — — — Dietr. Fl. bor. 2, 139.  
 — — — *Walkeriana* *Andr.* Andrews Engr. 1, 72.  
 — — — Andrews Heathery 1, 50.  
 — — — rubra, Andrews Engr. 2, 144.  
 — — — rubra, Andrews Heathery 2, 100.  
 — — — Tratt. Archiv 156.  
 — — — rubra, Tratt. Archiv 157.  
 — — — Lodd. Cab. 256.  
 — — — *Willmorei* *Kn. et W.* Knowles et Westcott 73.  
 † *Ericaceae* *Ldl.* Wight Illustr. 141.  
 † — — — Spach Suites 88.  
*Ericinella gracilis* *Benth.* Delessert Ic. 5, 19.  
*Erigenia bulbosa* *Nutt.* Torrey New-York 39.  
 † *Erigeron acris* *L.* Gaertn. Carp. 170.  
 † — — — Lam. Encycl. 681.  
 — — — Schk. Handb. 241.  
 † — — — Hoffmann D. Fl. 1791, 11.  
 — — — Curt. Lond. 2, 36.  
 — — — Engl. Bot. 17, 1158.  
 — — — Dreves 1, 27.  
 — — — Hayne 3, 30.  
 — — — Schrank Fl. monac. 4, 352.  
 — — — Baxter Brit. Bot. 3, 166.  
 — — — Dietr. Fl. bor. 9, 621.  
 † — — — Nees Gen. X, x.  
 — — — *aegyptiacus* *L.* Jacq. Vind. 3, 19.  
 — — — *alpinus* *L.* Lam. Encycl. 681.  
 — — — Engl. Bot. 7, 464.  
 — — — Lodd. Cab. 590.  
 — — — Sturm Flora 10, 38.  
 — — — *asteroides* *Don.* Rehb. Hort. 168.  
 — — — *bellidifolius* *Willd.* Bot. Mag. 50, 2402.  
 † — — — *canadensis* *L.* Hoffmann D. Fl. 1791, 12.  
 — — — Dietr. Fl. bor. 9, 622.  
 — — — Fl. dan. 8, 1274.  
 — — — Engl. Bot. 29, 2019.  
 — — — *chinensis* *L.* Jacq. Schoenbr. 3, 303.  
 — — — *ciliatus* *Led.* Ledeb. Ic. 100.  
 — — — *compositus* *Pursch.* Fl. dan. 12, 1999.  
 — — — Linn. Transact. 14, 13.  
 — — — *delphinifolius* *H. B.* Willd. Hort. 90.  
 — — — *droebachiensis* *Müll.* Fl. dan. 5, 874.  
 — — — *elongatus* *Led.* Ledeb. Ic. 31.  
 — — — *eriocephalus* *Vahl.* Fl. dan. 13, 2299.  
 — — — *frigidus* *Boiss.* Boissier Esp. 89.  
 — — — *glabellus* *Nutt.* Lodd. Cab. 1631.  
 — — — Bot. Mag. 56, 2923.  
 — — — *glaucus* *Ker.* Bot. Reg. 1, 10.  
 — — — *gnaphalioides* *H. B. K.* H. B. K. Nov. Gen. 4, 331.  
 — — — *Gouani* *L.* Jacq. Vind. 3, 79.  
 — — — *gramineus* *L.* Lam. Encycl. 681.  
 — — — *grandiflorus* *Hook.* Hook. Bor. Am. 123.  
 — — — *graveolens* *L.* Sibth. Fl. gr. 866.  
 — — — *heterophyllus* *Mühlbg.* Barton Med. 21.  
 — — — *jamaicensis* *L.* Swartz Obs. 8.  
 — — — *integrifolius* *Bigelow.* Novi Comm. Bon. 8, 32.  
 — — — *lanatus* *Hook.* Hook. Bor. Am. 121.  
 — — — *pappocroma* *Lab.* Bill. Nov. Holl. 193.  
 — — — *philadelphicus* *L.* Barton Med. 20.  
 — — — Rehb. Hort. 134.  
 — — — *Pisonis* *Burm.* Burm. Fl. ind. 59.  
 — — — *quercifolius* *Lam.* Lam. Encycl. 681.  
 — — — *radicatus* *Hook.* Hook. Bor. Am. 122.  
 — — — *siculus* *L.* Mem. Mod. 22, 0.  
 — — — *trifidus* *Hook.* Hook. Bor. Am. 120.  
 — — — *uniflorus* *L.* Linné Fl. lapp. 9.  
 — — — Fl. dan. 2, 292, 8, 1397.  
 — — — Sibth. Fl. gr. 867.  
 — — — Engl. Bot. 34, 2416.

- Erigeron uniflorus* L. Sturm Flora 10, 38.  
 — *Villarsii* Bell. Mem. Tur. 5, 9.  
 — — — Bot. Reg. 7, 583.  
 — — — Lodd. Cab. 1390.  
 — *viscosus* L. Jacq. Vind. 165.  
 — *Wightii* DC. Wight Ic. pl. Ind. or. 3, 1090.  
 — — — Wight Spicil. 106.  
 † *Erinosma* Herb. Herbert Amar. 34.  
 † *Erinus alpinus* L. Gaerm. Carp. 55.  
 † — — — Lam. Encycl. 521.  
 — — — Schk. Handb. 176.  
 — — — Bot. Mag. 9, 310.  
 — — — Lodd. Cab. 969.  
 — — — Tratt. Archiv 320.  
 † — — — Mem. Genev. 6, 3.  
 — — — Sturm Flora 20, 94.  
 † — — — Nees Gen. 5, 34.  
 — — *lychnidea* L. fil. Bot. Mag. 51, 2504.  
 — — — Bot. Reg. 9, 748.  
 — — — Lodd. Cab. 957.  
*Eriobotrya japonica* Ldl. Bot. Reg. 5, 365.  
 — — — Sieb. Fl. Japon. 97.  
 — — — Wight Ic. pl. Ind. or. 1, 226.  
*Eriocalia major* Sm. Smith Exot. Bot. 78.  
 — *minor* Sm. Smith Exot. Bot. 79.  
 † *Eriocaulon* L. Acta Leop. 17, 1, 5.  
 — *affine* Bong. Acad. Pet. 5, 32.  
 — *amplexicaule* Rothb. Rottboell Surin. 1.  
 — *anthemiflorum* Bong. Acad. Pet. 2, 15.  
 — *arenarium* Gardn. Hook. Lond. Journ. 1842, 13.  
 — *bahiense* Bong. Acad. Pet. 3, 20.  
 — *blepharophorum* Bong. Acad. Pet. 2, 16.  
 — *brachypus* Bong. Acad. Pet. 1, 6.  
 — *Brownianum* Mart. Wall. Pl. asiat. 248.  
 — *bryoides* Bong. Acad. Pet. 1, 10.  
 — *caespitosum* Wikstr. Svensk Acad. 1820, 4.  
 — *chrysanthemifolium* Mart. Schnizl. Ic. 1, 46.  
 — *ciliatum* Bong. Acad. Pet. 1, 5.  
 — *corymbosum* Bong. Acad. Pet. 2, 18.  
 — *crassifolium* Bong. Acad. Pet. 5, 29.  
 — *curvifolium* Bong. Acad. Pet. 3, 24.  
 — *cuyabense* Bong. Acad. Pet. 1, 10.  
 — *decangulare* L. Lodd. Cab. 1310.  
 — — — Bot. Mag. 59, 3126.  
 — *dendroides* H. B. K. H. B. K. Nov. Gen. 1, 69.  
 — — — Dict. sc. nat. 41.  
 — *divaricatum* Bong. Acad. Pet. 1, 3.  
 — *elegans* Bong. Acad. Pet. 2, 13.  
 — *elichrysoides* Bong. Acad. Pet. 3, 27.  
 — *ensifolium* H. B. K. H. B. K. Nov. Gen. 1, 70.  
 — *fasciculatum* Lam. Lam. Encycl. 50, fig. 3.  
 — — — Rottboell Surin. 2.  
 — *flaccidum* Bong. Acad. Pet. 1, 4.  
 — *flagellare* Guillem. Delessert Ic. 3, 98.  
 — *flavescens* Bong. Acad. Pet. 5, 35.  
 — *Freyreisii* Thunb. Thunberg Pl. bras. 1.  
 — *geniculatum* Bong. Acad. Pet. 5, 31.  
 — *glareosum* Bong. Acad. Pet. 3, 25.  
 — *gramineum* Bong. Acad. Pet. 3, 26.  
 † — *Hamiltonianum* Mart. Acta Leop. 17, 1, 1.  
 — *hirsutum* Wikstr. Svensk Acad. 1820, 4.  
 — *lanuginosum* Bong. Acad. Pet. 2, 19.  
 — *lingulatum* Bong. Acad. Pet. 2, 12.  
 — *luzulaefolium* Mart. Schnizl. Ic. 1, 46.  
 — *macrocephalum* Bong. Acad. Pet. 5, 33.  
 — *macrorrhizon* Bong. Acad. Pet. 2, 11.  
 — *Maximiliani* Schrad. Acad. Pet. 1, 1.  
 — *melaleucum* Bong. Acad. Pet. 3, 23.  
 — *microphyllum* Guillem. Delessert Ic. 3, 96.  
 — *mucronatum* Bong. Acad. Pet. 2, 19.  
 — *nitidum* Bong. Acad. Pet. 2, 14.  
 — *paludosum* Bong. Acad. Pet. 1, 9.

- Eriocaulon piliferum* Bong. Acad. Pet. 2, 12.  
 — *plantagineum* Bong. Acad. Pet. 2, 17.  
 — *polyanthum* Bong. Acad. Pet. 1, 2.  
 — *proliferum* Bong. Acad. Pet. 5, 28.  
 — *pusillum* Bong. Acad. Pet. 5, 29.  
 — *ramosum* Wikstr. Svensk Acad. 1820, 3.  
 — — — Schnizl. Ic. 1, 46.  
 — *repens* Lam. Lam. Encycl. 50, fig. 2.  
 — — — Acad. Pet. 1, 7.  
 — *Riedelianum* Bong. Acad. Pet. 5, 34.  
 — *rigidum* Bong. Acad. Pet. 3, 21.  
 — *saxatile* Bong. Acad. Pet. 5, 30.  
 — *septangulare* With. Engl. Bot. 11, 733.  
 — — — Curt. Lond. 4, 52.  
 — — — Baxter Brit. Bot. 6, 465.  
 — *setaceum* L. Rheede Hort. mal. 12, 68.  
 † — — — Gaertn. Carp. 83.  
 — *sexangulare* Burm. Burm. Fl. ind. 9.  
 — *Sollyanum* Royle. Royle Illustr. 97.  
 — *splendens* Bong. Schnizl. Ic. 1, 46.  
 — *stellare* Guillem. Delessert Ic. 3, 97.  
 — *striatum* Lam. Lam. Encycl. 50, fig. 1.  
 — *tuberosum* Bong. Acad. Pet. 3, 22.  
 — *umbellatum* Lam. Lam. Encycl. 50, fig. 4.  
 — *Vautherianum* Guillem. Delessert Ic. 3, 95.  
 — *verticillatum* Bong. Acad. Pet. 1, 8.  
 — *viviparum* Bong. Acad. Pet. 5, 28<sup>a</sup>.  
 — *Wallichianum* Mart. Wall. Pl. asiat. 249.  
 — — — Schnizl. Ic. 1, 46.  
 † *Erioccephalus africanus* L. Lam. Encycl. 717.  
 — — — Bot. Mag. 22, 833.  
 — *racemosus* L. Jacq. Collect. 5, 11.  
 † — — — Gaertn. Carp. 168.  
 † — — — Lam. Encycl. 717.  
*Eriochilus autumnalis* R. Br. Endl. Iconogr. 6.  
*Eriochloa distachya* H. B. K. H. B. K. Nov. Gen. 1, 30.  
 — — — Lam. Encycl. 909.  
 — *polystachya* H. B. K. H. B. K. Nov. Gen. 1, 31.  
 — — — Lam. Encycl. 909.  
 — *villosa* Kunth. Humb. Gram. 13.  
 † *Eriochrysis cayennensis* Pal. Beauv. Lam. Encycl. 908.  
 — — — Dict. sc. nat. 20.  
 † *Eriocnema fulva* Naud. Ann. sc. nat. III, 3, 7.  
 — *Hilariana* Naud. Ann. sc. nat. III, 16, 24.  
 — *marmorea* Naud. Fl. d. serres 7, 750.  
*Eriocoma floribunda* H. B. K. H. B. K. Nov. Gen. 4, 396.  
 — *fragrans* Don. Sweet Fl. G. II, 44.  
*Eryocycla nuda* Ldl. Royle Illustr. 51.  
*Eriodendron anfractuosum* DC. Rheede H. m. 3, 49—51.  
 — — — Bot. Mag. 61, 3360.  
 — — — Wight Ic. pl. Ind. or. 2, 400.  
 — *jasminodorum* St. Hil. St. Hil. Fl. Bras. 52.  
 — *leiantherum* DC. Mart. Bras. 96, 97.  
 † — — — Spach Suites 24.  
 — — — Rechb. Exot. 349.  
 — *Samauma* Mart. Mart. Bras. 98.  
 — — — Spach Suites 24.  
*Erioglossum cauliflorum* A. Rich. Guillem. Seneg. 28.  
 — *edule* Bl. Blume Rumphia 166.  
*Eriogonum angulosum* Benth. Linn. Transact. 17, 18.  
 — *compositum* Dougl. Bot. Reg. 21, 1774.  
 — — — Bot. Mag. 79, 4703.  
 — *crassifolium* Benth. Hook. Bor. Am. 176.  
 — *intricatum* Benth. Benth. Sulphur 22.  
 — *multiflorum* Benth. Hook. Ic. pl. 3, 250.  
 — *sphaerocephalum* Dougl. Hook. Bor. Am. 175.  
 — *staticifolium* Hook. Hook. Journ. 1853, 10.  
 — *stellatum* Benth. Hook. Bor. Am. 177.  
 — *tomentosum* Michx. Michaux Fl. 24.  
 — — — Lam. Encycl. 947.  
 — *umbellatum* Benth. Linn. Transact. 17, 18.  
*Eriogygia pectinata* Hook. Hook. Bor. Am. 88.

- Eriolaena Candollii* Wall. Wall. Pl. asiat. 64.  
 — Wallichii DC. Mem. Mus. 10, 5.  
 †*Eriolithis mirabilis* Gaertn. Gaertn. Carp. 140.  
*Eriope macrostachya* Mart. Hook. Ic. pl. 5, 461.  
*Eriophorum alpinum* L. Lam. Encycl. 39.  
 — — — Fl. dan. 4, 620.  
 — — — Engl. Bot. 5, 311.  
 — — — Host Gram. 40.  
 — — — Sv. Bot. 426.  
 — — — Sturm Flora 3, 10.  
 — — — Rchb. Fl. germ. 8, 288.  
 † — — — Nees Gen. 2, 20.  
 — — — Torrey New York 140.  
 — *angustifolium* Roth. Curt. Lond. 2, 99.  
 — — — Engl. Bot. 8, 564.  
 — — — Fl. dan. 9, 1442.  
 — — — Sv. Bot. 490.  
 — — — Dict. sc. nat. 14.  
 — — — Sturm Flora 3, 10.  
 — — — Rchb. Fl. germ. 8, 291.  
 † — — — Nees Gen. 2, 20.  
 — *caespitosum* Host. Host Gram. 39.  
 — *capitatum* Host. Host Gram. 38.  
 — — — Schrad. Fl. dan. 9, 1502.  
 — — — Engl. Bot. 34, 2387.  
 — — — Sv. Bot. 426.  
 — *gracile* Roth. Engl. Bot. 34, 2402.  
 — — — Sv. Bot. 490.  
 — — — Koch. Engl. Bot. 2886.  
 — — — Sturm Flora 3, 10.  
 — — — Rchb. Fl. germ. 8, 290.  
 — *Hoefftii* Nyl. Acta fenn. 3, 2.  
 — *latifolium* Hoppe. Fl. dan. 8, 1381.  
 — — — Host Gram. 373.  
 — — — Sturm Flora 3, 10.  
 — — — Rchb. Fl. germ. 8, 292.  
 — *polystachyum* L. Host Gram. 37.  
 † — — — Gaertn. Carp. 2.  
 † — — — Lam. Encycl. 39.  
 — — — Schk. Handb. 8.  
 — — — Sv. Bot. 180.  
 — — — Engl. Bot. 8, 563.  
 — — — Rchb. Fl. germ. 8, 291, 292.  
 — *pubescens* Sm. Engl. Bot. 2633.  
 — — — Rchb. Fl. germ. 8, 292.  
 — *russeolum* Fries. Acta fenn. 3, 1.  
 — *Scheuchzeri* Hoppe. Sturm Flora 3, 10.  
 — — — Rchb. Fl. germ. 8, 289.  
 — *triquetrum* Hoppe. Host Gram. 374.  
 — — — Fl. dan. 9, 1441.  
 — — — Sturm Flora 3, 10.  
 — — — Rchb. Fl. germ. 8, 290.  
 — *vaginatum* L. Lam. Encycl. 39.  
 — — — Fl. dan. 2, 236.  
 — — — Sv. Bot. 281.  
 — — — Curt. Lond. 2, 100.  
 — — — Engl. Bot. 13, 873.  
 — — — Baxter Brit. Bot. 6, 427.  
 — — — Sturm Flora 3, 10.  
 — — — Rchb. Fl. germ. 8, 289.  
 — — — Torrey New York 141.  
 — *virginicum* L. Elliott Carolina 4.  
*Eriophyllum caespitosum* Dougl. Bot. Reg. 14, 1167.  
*Eriopsis biloba* Ldl. Bot. Reg. 33, 18.  
 — *rutidobulbon* Hook. Bot. Mag. 75, 4437.  
*Eriosema incanum* Klotzsch. Peters Mossamb. 6.  
 †*Eriosorus Ruizianus* Fée. Féc Fil. 5, 13.  
 † — *scandens* Fée. Féc Fil. 5, 13.  
 †*Eriospermeae* Endl. Schnizl. Ic. 1, 56\*.  
*Eriospermum* —? Jacq. Fragn. 47.  
 — *folioliferum* Andr. Andr. Rep. 8, 521.  
 — — — Bot. Reg. 10, 795.

- Eriospermum lanceaefolium* Jacq. Jacq. Ic. 421.  
 — — — Red. Lil. 7, 394.  
 — *lanuginosum* Jacq. Jacq. Schoenbr. 3, 264.  
 — *latifolium* Jacq. Jacq. Ic. 420.  
 — — — Bot. Mag. 34, 1382.  
 — *parvifolium* Jacq. Jacq. Ic. 422.  
 — *pubescens* Jacq. Jacq. Schoenbr. 3, 265.  
 — — — Bot. Reg. 7, 578.  
*Eriostemon buxifolius* Sm. Delessert Ic. 3, 45.  
 — — — Lodd. Cab. 1831.  
 — — — Bot. Mag. 70, 4101.  
 — *corymbosus* Lab. Bill. Sert. 58.  
 — *cuspidatus* Cunn. Lodd. Cab. 1247.  
 — — — Maund Bot. 1, 4.  
 — *dentatus* Colla. Colla Hort. Rip. 30.  
 — *intermedius* Hook. Bot. Mag. 75, 4439.  
 — — — Fl. d. serres 5, 443.  
 † — *lanceolatus* Gaertn. Gaertn. Carp. 210.  
 — *myoporoides* DC. Delessert Ic. 3, 47.  
 — — — Bot. Mag. 59, 3180.  
 — *obcordatus* Cunn. Hook. Ic. pl. 1, 60.  
 — *salicifolius* Sm. Linn. Transact. 11, 26.  
 † — — — Mem. Mus. 12, 21.  
 — — — Delessert Ic. 3, 46.  
 — — — Bot. Mag. 55, 2854.  
 — *scaber* Paxt. Paxt. Mag. 13, 127.  
 — *squameus* Lab. Bill. Nov. Holl. 141.  
 † — — — Lam. Encycl. 956.  
*Eriostomum lusitanicum* H. et Lk. Link Fl. port. 7.  
 †*Eriosynaphe* DC. DC. Umbellif. 1.  
*Erisma floribunda* Rudge. Rudge Pl. Guian. 1.  
 — *violacea* Mart. Mart. Bras. 82.  
 — — — Rchb. Exot. 161.  
 †*Erithalis fruticosa* L. Gaertn. Carp. 26.  
 † — — — Lam. Encycl. 159.  
 — — — Desc. Ant. 4, 242.  
 † — *uniflora* Gaertn. Gaertn. Carp. 196.  
*Eritrichium arctioides* DC. Seemann Herald 8.  
 — *fruticulosum* Klotzsch. Prinz Waldem. Him. 62.  
 — *Jacquemontii* Decne. Jacquemont Ind. 127.  
 — *longifolium* Decne. Jacquemont Ind. 129.  
 † — *nanum* Schrad. Nees Gen. 6, 59.  
 — — — Sturm Flora 11, 42.  
 — *phaceloides* Clos. Gay Chile 52<sup>b</sup>.  
 — *primuloides* Decne. Jacquemont Ind. 128.  
 † — *tergloviense* Endl. Nees Gen. 6, 59.  
 †*Ernestia tenella* DC. Ann. sc. nat. III. 12, 14.  
 †*Ernoidea* Sw. Swartz Fl. Ind. occ. 4.  
 — *littoralis* Sw. Jacq. Schoenbr. 1, 31.  
 † — — — Gaertn. Carp. 196.  
 — *montana* Sibth. Sibth. Fl. gr. 143.  
*Erodendrum amplexicaule* Salisb. Salisb. Parad. 67.  
 — — — 67<sup>bis</sup>.  
 — *formosum* Salisb. Salisb. Parad. 76.  
 — *speciosum* Knight. Knight Proteaceae 0.  
 — *tenax* Salisb. Salisb. Parad. 70.  
 — *turbiniiflorum* Salisb. Salisb. Parad. 108.  
 †*Erodium* L'her. Gray Genera 151.  
 — *absinthioides* Sibth. Sibth. Fl. gr. 652.  
 — — — Willd. Jaubert Illustr. 203.  
 — *albiflorum* Moris. Moris Fl. sard. 24.  
 — *alpinum* L'her. L'heritier Ger. 3.  
 — — — Sibth. Fl. gr. 653.  
 — *apenninum* Ten. Tenore Fl. nap. 242.  
 — *brevicaule* Bert. Novi Comm. Bon. 6, 9.  
 — *cadmaeum* Jaub. Jaubert Illustr. 189.  
 — *caucalifolium* Sweet. Sweet Ger. 6.  
 — *chamaedryoides* Willd. L'heritier Ger. 6.  
 — *chium* Willd. Sibth. Fl. gr. 657.  
 — *chrysanthum* L'her. Regel Gartenfl. 1, 27.  
 — *chumbulense* Munro. Wight Ic. pl. Ind. or. 3,  
 — — — 1074.

- Erodium ciconium* Willd. Rchb. Fl. germ. 5, 184.  
 — *cicutarium* L'her. Curt. Lond. 3, 23.  
 — — — Engl. Bot. 25, 1768.  
 — — — Rchb. Fl. germ. 5, 183.  
 — — — Dietr. Fl. bor. 5, 331.  
 — *crassifolium* Willd. Kerner Hort. 296.  
 — — — Sweet Ger. 111.  
 — *dancoides* Boiss. Boissier Esp. 37.  
 — *geoides* St. Hil. St. Hil. Fl. Bras. 19.  
 — *glaucophyllum* Ait. Sweet Ger. 283.  
 — *gruinum* Willd. Sibth. Fl. gr. 656.  
 — *Gussonii* Ten. Tenore Fl. nap. 63.  
 — — — Bot. Mag. 51, 2445.  
 — — — Sweet Ger. 200.  
 — *hirtum* Willd. Jacq. Ecl. pl. 58, 101.  
 — *hymenodes* L'her. L'heritier Ger. 4.  
 — — — Bot. Mag. 29, 1174.  
 — — — Sweet Ger. 23.  
 — *incarnatum* L'her. L'heritier Ger. 5.  
 — — — Bot. Mag. 8, 261.  
 — — — Sweet Ger. 94.  
 — — — Herb. amat. 1, 11.  
 — *laciniatum* Sm. Sibth. Fl. gr. 655.  
 — — — Rchb. Fl. germ. 5, 186.  
 — *littoreum* Lam. Rchb. Fl. germ. 5, 185.  
 — *macrademum* L'her. L'heritier Ger. 1.  
 — *malacoides* Willd. Sibth. Fl. gr. 658.  
 — — — Rchb. Fl. germ. 5, 185.  
 — *malopoides* DC. var. Moris Fl. sard. 25.  
 — *Manescavi* Coss. Ann. sc. nat. III, 7, 11.  
 — *maritimum* Sm. Engl. Bot. 9, 646.  
 — — — Rchb. Fl. germ. 5, 186.  
 — *moschatum* Ait. Engl. Bot. 13, 902.  
 — — — Sturm Flora 2, 5.  
 — — — Rchb. Fl. germ. 5, 184.  
 — — — Baxter Brit. Bot. 5, 362.  
 — *multicaule* Link. Sweet Ger. 137.  
 — *pelargoniflorum* Boiss. Regel Gartenfl. 1852, 19.  
 — *petraeum* Sibth. Sibth. Fl. gr. 651.  
 — *pimpinellifolium* Sm. Rchb. Fl. germ. 5, 183.  
 — *Reichardi* L'her. Lam. Encycl. 573.  
 — *ribifolium* Jacq. Jacq. Ic. 509.  
 — *romanum* Willd. Sibth. Fl. gr. 654.  
 — — — Bot. Mag. 11, 377.  
 — *ruthenicum* M. v. B. Marschall Cent. 48.  
 — *sebaceum* Delile. Index sem. Monsp. 1838, 1.  
 — *serotinum* Stev. Petersb. 3, 15.  
 — — — Sweet Fl. G. II. 312.  
 — *Sibthorpium* Boiss. Jaubert Illustr. 204.  
 — *stellatum* Delile. Index sem. Monsp. 1838, 2.  
 — *Stephanianum* Willd. Ledeb. Ic. 184.  
 — *supracanum* L'her. L'heritier Ger. 2.  
 — *texanum* Gray. Gray Genera 151.  
 — *trichomanifolium* L'her. Boissier Esp. 37.  
 — *trilobatum* Jacq. Jacq. Ic. 508.  
 † *Erophila* DC. Gray Genera 69.  
 † — *vulgaris* DC. Nees Gen. X, x.  
 — — — Dietr. Fl. bor. 9, 599.  
*Erpetina radicans* Naud. Ann. sc. nat. III. 15, 14.  
*Erpetion reniforme* Sweet. Sweet Fl. G. 170.  
*Erporchis* Aub. Aubert Orchid. 28.  
*Eruca sativa* Lam. Rchb. Fl. germ. 2, 84.  
 † *Erucaria aleppica* Gaertn. Gaertn. Carp. 143.  
 — — — Vent. Cels 64.  
 — — — Sibth. Fl. gr. 649.  
 — *crassifolia* Delile. Delile Egypte 34.  
 — *hypogaea* Viv. Link Ic. II. 44.  
 — *latifolia* DC. Delessert Ic. 2, 95.  
*Erucastrum canariense* Webb. Webb Canar. 8.  
 — *elongatum* Rchb. Rchb. Fl. germ. 2, 90.  
 — *incanum* Koch. Engl. Bot. 2843.  
 — *inodorum* Rchb. Rchb. Fl. germ. 2, 89.

- Erucastrum obtusangulum* Schleich. Rchb. Fl. germ. 2, 89.  
 — — — Sturm Flora 15, 66.  
 — *Pollichii* Schimp. et Sp. Sturm Flora 15, 66.  
 — *varium* Durieu. Explor. Alger. 75.  
*Eryum centoides* Ten. Tenore Fl. nap. 167.  
 † — *Ervilia* L. Gaertn. Carp. 151.  
 † — — — Lam. Encycl. 634.  
 — — — Sibth. Fl. gr. 702.  
 — *hirsutum* L. Fl. dan. 4, 639.  
 — — — Schk. Handb. 102.  
 — — — Curt. Lond. 3, 25.  
 — — — Engl. Bot. 14, 970.  
 — — — Baxter Brit. Bot. 5, 322.  
 — — — Torrey New York 21.  
 † — *Lens* L. Schk. Handb. 102.  
 † — — — Lam. Encycl. 634.  
 — — — Sturm Flora 8, 32.  
 — *Lenticula* Schreb. Sturm Flora 8, 32.  
 — *nigricans* M. v. B. Moris Fl. sard. 71.  
 — *parviflorum* Bert. Moris Fl. sard. 71.  
 — *soloniense* L. Lam. Encycl. 634.  
 — *tetraspermum* L. Fl. dan. 1, 95.  
 — — — Curt. Lond. 3, 26.  
 — — — Engl. Bot. 17, 1223.  
 — *uniflorum* Ten. Tenore Fl. nap. 172.  
 — — — Sebastiani Fl. rom. 5.  
 — — — Sebastiani Rom. pl. 2, 4.  
 — *vicioides* Desf. Desf. Fl. atl. 198.  
*Erycibe paniculata* Roxb. Roxb. Corom. 159.  
 — — — Wight Illustr. 180.  
 — *Rheedii* Bl. Rheedie Hort. mal. 7, 39.  
*Eryngium alpinum* L. Jacq. Ic. 55.  
 — — — Bot. Mag. 23, 922.  
 — — — Tratt. Archiv 181. 181<sup>a</sup>.  
 — *amethystinum* L. W. et Kit. 215.  
 — — — Tratt. Archiv 182. 182<sup>a</sup>.  
 † — — — Nees Gen. X, x.  
 — — — dilatatum, Brotero Phytogr. 166.  
 — *aquaticum* L. Jacq. Ic. 347.  
 — — — Tratt. Archiv 190. 190<sup>a</sup>.  
 — — — Bot. Reg. 5, 372.  
 — — — Desc. Ant. 8, 586.  
 — *aquifolium* Cav. Dela Roche Eryng. 10.  
 — *asperifolium* Dela R. Dela Roche Eryng. 11.  
 — — — Tratt. Archiv 321. 321<sup>a</sup>.  
 — *Billardieri* Dela R. Dela Roche Eryng. 2.  
 — — — Tratt. Archiv 322. 322<sup>a</sup>.  
 — *Bonplandii* Dela R. Dela Roche Eryng. 22.  
 — *Bourgati* Gouan. Gouan Illustr. 3.  
 — — — Tratt. Thes. 74.  
 — — — Tratt. Archiv 183. 183<sup>a</sup>.  
 — *bromeliaefolium* Dela R. Dela Roche Eryng. 28.  
 — — — Tratt. Archiv 329.  
 — *bupleuroides* Hook. et Arn. Delessert Ic. 3, 78.  
 — *campestre* L. Jacq. Fl. austr. 2, 155.  
 † — — — Gaertn. Carp. 20.  
 † — — — Lam. Encycl. 187.  
 — — — Schk. Handb. 59.  
 — — — Fl. dan. 4, 554.  
 — — — Engl. Bot. 1, 57.  
 — — — Rousseau Bot. 32.  
 — — — Tratt. Archiv 184. 184<sup>a</sup>.  
 — — — Hayne 2, 1.  
 — — — Nees Dusseld. 294.  
 — — — Dietr. Fl. bor. 9, 583.  
 † — — — Nees Gen. X, x.  
 — *Carlinae* Dela R. Dela Roche Eryng. 23.  
 — — — Tratt. Archiv 327.  
 — *Cervantesii* Dela R. Dela Roche Eryng. 18.  
 — — — Tratt. Archiv 330.  
 — *comosum* Dela R. Dela Roche Eryng. 7.  
 — *corniculatum* Brot. Brotero Phytogr. 38.



- Eryngium corniculatum* Brot. Dela Roche Eryng. 15.  
 — — Bot. Mag. 35, 1427.  
 — *creticum* Lam. Dela Roche Eryng. 8.  
 — — Tratt. Archiv 324.  
 — *cyaneum* Sibth. Sibth. Fl. gr. 258.  
 — *cymosum* Dela R. Dela Roche Eryng. 31.  
 — — Tratt. Archiv 323.  
 — *dichotomum* Desf. Desf. Fl. atl. 55.  
 — — Dela Roche Eryng. 14.  
 — — Tratt. Archiv 325, 326.  
 — *dilatatum* Lam. Dela Roche Eryng. 4.  
 — *dubium* Tratt. Tratt. Archiv 188.  
 — *ebracteatum* Lam. Dela Roche Eryng. 32.  
 — *falcatum* Dela R. Dela Roche Eryng. 13.  
 — *foetidum* L. Desc. Ant. 8, 585.  
 — *frutescens* Moris. Mem. Tur. 38, 1.  
 — *glaciale* Boiss. Boissier Esp. 65.  
 — *glomeratum* Lam. Dela Roche Eryng. 6.  
 — *gracile* Dela R. Dela Roche Eryng. 24.  
 — — Tratt. Archiv 328.  
 — *gramineum* Dela R. Dela Roche Eryng. 27.  
 — *Humboldtii* Dela R. Dela Roche Eryng. 29.  
 — *humile* Cav. Cav. Ic. 556.  
 — — var. Dela Roche Eryng. 18.  
 — — var. Hook. Ic. pl. 3, 216.  
 — *ilicifolium* Lam. Desf. Fl. atl. 53.  
 — — Hoffm. Lk. Fl. port. 105.  
 — *longifolium* Cav. Cav. Ic. 555.  
 — *maritimum* L. Fl. dan. 5, 875.  
 — — Curt. Lond. 5, 185.  
 — — Engl. Bot. 10, 718.  
 — — Woodv. Med. 1, 46.  
 — — Tratt. Archiv 185, 185<sup>a</sup>.  
 — — Diet. sc. nat. 112.  
 — — Baxter Brit. Bot. 3, 162.  
 — — Dietr. Fl. bor. 10, 655.  
 — *monocephalum* Cav. Cav. Ic. 553.  
 — *multifidum* Sibth. Sibth. Fl. gr. 259.  
 — *nasturtiifolium* Juss. Dela Roche Eryng. 17.  
 — *nudicaule* Lam. Lam. Encycl. 187.  
 — *Oliverianum* Dela R. Dela Roche Eryng. 12.  
 — *paniculatum* Cav. Dela Roche Eryng. 26.  
 — *Phyteumae* Dela R. Dela Roche Eryng. 21.  
 — *planum* L. Jacq. Fl. austr. 4, 391.  
 — — Tratt. Archiv 189.  
 — — Dietr. Fl. bor. 11, 754.  
 — *proteaeiflorum* Dela R. Dela Roche Eryng. 30.  
 — *pusillum* L. J. Dela Roche Eryng. 16.  
 — — Tratt. Archiv 191.  
 — *rostratum* Cav. Cav. Ic. 552.  
 — *scariosum* Dela R. Dela Roche Eryng. 5.  
 — *serratum* Cav. Cav. Ic. 554.  
 — *Spinalba* Vill. Vill. Dauph. 15.  
 — — Dela Roche Eryng. 3.  
 — — Tratt. Archiv 186, 186<sup>a</sup>.  
 — *stellatum* Mutis. Dela Roche Eryng. 25.  
 — *subacaule* Cav. Cav. Ic. 556.  
 — *ternatum* Poir. Tausch Hort. Canal. 5.  
 — *tricuspidatum* L. Dela Roche Eryng. 9.  
 — — Tratt. Archiv 187.  
 — *triquetrum* Vahl. Desf. Fl. atl. 54.  
 — *vesiculosum* Lab. Bill. Nov. Holl. 98.  
 — *virgatum* Lam. Dela Roche Eryng. 20.  
 — — Lodd. Cab. 1636.  
 — *virginianum* Lam. Dela Roche Eryng. 19.  
 — *viviparum* Gay. Ann. sc. nat. III. 9, 11.

† *Erysimum* L. Mutel Fl. fr. 2, 3, 4.

- † — Gray Genera 63.  
 — *Alliaria* L. Fl. dan. 6, 935.  
 — — Curt. Lond. 3, 85.  
 — — Engl. Bot. 12, 796.  
 — — Sv. Bot. 208.

- † *Erysimum Alliaria* L. Usteri Ann. 5, 2.  
 † — — Schk. Handb. 183.  
 — — Dreves 2, 58.  
 — — Hayne 5, 34.  
 — — Schrank Fl. monac. 2, 128.  
 — — Woodv. Med. 3, 148.  
 — *altaicum* C. A. M. β. Ledeb. Ic. 347.  
 — *angustifolium* Ehrh. W. et Kit. 98.  
 — *arkansanum* Nutt. Gray Genera 63.  
 — *asperum* DC. Hook. Bor. Am. 22.  
 — *aureum* M. v. B. Delessert Ic. 2, 66.  
 — *Barbaraea* L. Sv. Bot. 194.  
 — — Fl. dan. 6, 985.  
 — — Engl. Bot. 7, 443.  
 — — Schrank Fl. monac. 4, 302.  
 — *canescens* Roth. Rchb. Fl. germ. 2, 69.  
 — *carnioleum* Doll. Rchb. Fl. germ. 2, 65.  
 † *cheiranthoides* L. Gaertn. Carp. 143.  
 — — Fl. dan. 5, 731, 6, 923.  
 — — Jacq. Fl. austr. 1, 23.  
 — — Schk. Handb. 183.  
 — — Rchb. Fl. germ. 2, 63.  
 — — Engl. Bot. 14, 942.  
 — — Baxter Brit. Bot. 1, 62.  
 — — Spach Suites 54.  
 † *Cheiranthus Fers.* Rchb. Pl. crit. 2, 147, 148.  
 — — Rchb. Fl. germ. 2, 67.  
 — *crepidifolium* Rchb. Rchb. Pl. crit. 1, 6.  
 — — Rchb. Fl. germ. 2, 62.  
 — *diffusum* Ehrh. Bot. Reg. 5, 388.  
 — — Rchb. Fl. germ. 2, 69.  
 — *durum* Presl. Rchb. Fl. germ. 2, 63.  
 — *helveticum* DC. Rchb. Fl. germ. 2, 70.  
 — *hieraciifolium* L. Fl. dan. 2, 229.  
 — — Jacq. Fl. austr. 1, 73.  
 — — Rchb. Pl. crit. 1, 12.  
 — — Rchb. Fl. germ. 2, 64.  
 — *lanceolatum* R. Br. Rchb. Fl. germ. 2, 68.  
 — — Bot. Mag. 50, 2423.  
 — *longisiliquum* Schleich. Rchb. Fl. germ. 2, 64.  
 — *ochroleucum* Gay. Rchb. Fl. germ. 2, 67.  
 — — DC. Regel Gartenf. 2, 54.  
 — *odoratum* Ehrh. Rchb. Pl. crit. 1, 80.  
 — — Rchb. Fl. germ. 2, 65.  
 — *officinale* L. Fl. dan. 4, 560.  
 — — Sv. Bot. 158.  
 — — Engl. Bot. 11, 735.  
 — — Woodv. Med. 3, 147.  
 — — Dreves 1, 29.  
 — — Hayne 2, 13.  
 — — Sturm Flora 2, 5.  
 — — Dietr. Fl. bor. 6, 425.  
 — — Engelmann Anthol. 4.  
 — *orientale* R. Br. Sturm Flora 20, 94.  
 — *pectinatum* Bory et Chaub. Bory Morée 24.  
 — *Perowskianum* F. et M. Knowles et Westc. 96.  
 — — Bot. Mag. 66, 3757.  
 — — Paxt. Mag. 6, 245.  
 — *praecox* Sm. Engl. Bot. 16, 1129.  
 — — Roemer Fl. cur. 14, 4.  
 — — Fl. dan. 10, 1759.  
 — *pumilum* Gaud. Rchb. Fl. germ. 2, 66.  
 — — Lodd. Cab. 899.  
 — *pusillum* Bory et Chaub. Bory Morée 23.  
 — *pyrenaicum* Vill. Vill. Dauph. 38.  
 — *repandum* L. Jacq. Fl. austr. 1, 22.  
 — — Rchb. Pl. crit. 1, 79.  
 — — Rchb. Fl. germ. 2, 62.  
 — *rhaeticum* DC. Rchb. Fl. germ. 2, 70.  
 — *rigidum* DC. Delessert Ic. 2, 67.  
 — *rupestre* DC. Sibth. Fl. gr. 633.  
 — *siliculosum* DC. Delessert Ic. 2, 65.

- Erysimum sisymbrioides* Led. Ledeb. Ic. 266.  
 — *suffruticosum* Spr. Rchb. Fl. germ. 2, 66.  
 — *virgatum* Roth. DC. Ic. Gall. 36.  
 — — Rchb. Ic. crit. 2, 149.  
*Erythracanthus obtusus* N. v. E. Wight Ic. pl. Ind. or. 4, 1491.  
 † *Erythraea* Rich. Kerner Genera 85.  
 — *aggregata* Thoun. Sweet Fl. G. 137.  
 — *Centaurium* Pers. var. Schmidt Erythraea 2.  
 — — var. *Linnaea* 7, 12.  
 — — Wagner 26.  
 — — Schrank Flora monac. 1, 5.  
 — — Sturm Flora 3, 12.  
 — — Dietr. Fl. bor. 3, 160.  
 — — Guimp. et Schl. 3.  
 — — Baxter Brit. Bot. 5, 367.  
 † — — Nees Gen. X, x.  
 — *diffusa* Woods. Jard. Ann. 1, 16.  
 — — Ann. sc. nat. III. 7, 14.  
 — *emarginata* W. et K. W. et Kit. 275.  
 — *latifolia* Sm. Engl. Bot. 2719.  
 — *linarifolia* Pers. Rchb. Pl. crit. 1, 88.  
 — — Dietr. Fl. bor. 3, 162.  
 — *litoralis* Fries. Sv. Bot. 579.  
 — — Fl. dan. 11, 1814.  
 — *major* Lk. Hoffm. Lk. Fl. port. 65.  
 — — Rchb. Ic. crit. 4, 388.  
 — *Meyeri* Led. Ledeb. Ic. 159.  
 — *portensis* Lk. Hoffm. Lk. Fl. port. 66.  
 — *pulchella* Sw. Sv. Bot. 579.  
 — — Fl. dan. 10, 1637.  
 — — Dietr. Fl. bor. 3, 161.  
 — *ramosissima* Pers. Sv. Bot. 579.  
 — *Roxburghii* G. Don. Wight Ic. pl. Ind. or. 4, 1325.  
 — *spicata* Pers. Hoffm. Lk. Fl. port. 68.  
 — *tenuiflora* Lk. Hoffm. Lk. Fl. port. 67.  
 — *triphylla* Schmidt. Schmidt Erythraea 1.  
 — — *Linnaea* 7, 13.  
*Erythrina* —? Icones plant. Chinae 23.  
 — *abyssinica* Lam. Richard Abyssin. 41.  
 — *arborescens* Roxb. Roxb. Corom. 219.  
 — — Kerner Hort. 529.  
 — *Bidwillii* Hort. Paxt. Mag. 15, 51.  
 — — Bot. Reg. 33, 9.  
 — *bracteata* Presl. Presl Symbolae 47.  
 — *caffra* Thunb. Bot. Reg. 9, 736<sup>a</sup>, 736<sup>b</sup>.  
 — — Bot. Mag. 50, 2431.  
 — — Rchb. Exot. 312.  
 — *carnea* Ait. Bot. Reg. 5, 389. 16, 1327.  
 — — Kerner Hort. 150.  
 — *Corallodendron* L. Rumpf Amb. 2, 76.  
 † — — Lam. Encycl. 608.  
 — — N. Comm. Gott. 8, 1.  
 — — Desc. Ant. 4, 298.  
 — — Herb. amat. 3, 170.  
 — — Kerner Hort. 45.  
 — — Rchb. Exot. 313.  
 — *Crista galli* L. Smith Exot. Bot. 95.  
 — — Bot. Reg. 4, 313.  
 — — Tratt. Archiv 259.  
 — — Kerner Hort. 327.  
 — — Rchb. Exot. 174.  
 — — Bot. Mag. 47, 2161.  
 — — Lodd. Cab. 296.  
 — — Paxt. Mag. 3, 175.  
 — — Sweet Fl. G. 214.  
 — *fissa* Presl. Presl Symbolae 46.  
 — *fulgens* Hort. Herb. amat. 4, 262.  
 — *fusca* Lour. Rumpf Amb. 2, 78.  
 † — *herbacea* L. Lam. Encycl. 608.  
 — — Bot. Mag. 22, 877.  
 — — Lodd. Cab. 851.

- Erythrina herbacea* L. Barton Fl. 1, 3.  
 — *indica* Lam. Rheede Hort. mal. 6, 7.  
 — — Kerner Hort. 658.  
 — — Wight Ic. pl. Ind. or. 1, 58.  
 — *laurifolia* Jacq. Jacq. Observ. 51.  
 — — Sweet Fl. G. 142.  
 — *mitis* Jacq. Jacq. Schoenbr. 2, 216.  
 — *ovalifolia* Roxb. Wight Ic. pl. Ind. or. 1, 247.  
 — *picta* L. Rumpf Amb. 2, 77.  
 — *poianthes* Brot. Linn. Transact. 14, 10. 11.  
 — — Bot. Reg. 15, 1246.  
 — — var. *subinermis*, Bot. Reg. 19, 1617.  
 — — Bot. Mag. 60, 3234.  
 — — Kerner Hort. 733.  
 — *polysperma* Gaudich. Freycinet Voyage 114.  
 — *respinata* Roxb. Roxb. Corom. 220.  
 — — Kerner Hort. 498.  
 — *reticulata* Presl. Presl Symbolae 68.  
 — *rubicunda* Jacq. Jacq. Fragm. 119.  
 — — Kerner Hort. 511.  
 — *secundiflora* Brot. Linn. Transact. 14, 12.  
 — — Kerner Hort. 728.  
 — *speciosa* Andr. Andr. Rep. 7, 443.  
 — — Bot. Reg. 9, 750<sup>a</sup>, 750<sup>b</sup>.  
 — *velutina* Jacq. Jacq. Schoenbr. 4, 466.  
 — — Willd. Bot. Mag. 60, 3227.  
*Erythrochiton brasiliensis* N. et M. Acta Leop. 11. 1, 18. 22.  
 — — Bot. Reg. 29, 47.  
 — — Bot. Mag. 79, 4742.  
*Erythrodrys* Aub. Aubert Orchid. 2.  
*Erythrolaena conspicua* Sweet. Sweet Fl. G. 134.  
 — — Bot. Mag. 56, 2909.  
 — — Rchb. Exot. 178.  
*Erythronium americanum* Ker. Bot. Mag. 28, 1113.  
 — — Bigelow Med. 58.  
 — — Barton Fl. 1, 33.  
 — *Dens canis* L. Jacq. Fl. austr. 1, 9.  
 — — Bot. Mag. 1, 5.  
 — — Schk. Handb. 92.  
 — — Red. Lil. 4, 194.  
 — — Sturm Flora 9, 34.  
 — — Rchb. Fl. germ. 10, 441.  
 — — Sweet Fl. G. II. 71.  
 † — — Kerner Genera 211.  
 † — — Plée Types 56.  
 † — — Nees Gen. 1, 35.  
 — — Fl. d. serres 8, 850.  
 — *flavescens* Hort. Herb. amat. 1, 51.  
 — *flavum* Rafin. Rafin. Med. 35.  
 — *grandiflorum* Pursh. Bot. Reg. 21, 1786.  
 — *longifolium* Mill. Lam. Encycl. 244.  
 — — Sweet Fl. G. II. 76.  
 — *ovatifolium* Poir. Lam. Encycl. 244.  
*Erythrorrhiza rotundifolia* Michx. Michaux Fl. 36.  
 † — — Gaertn. Carp. 210.  
 † *Erythrospermum* Lam. Kerner Genera 118.  
 — *amplifolium* Aub. Th. Aubert Iles d'Afr. 21.  
 — *paniciformum* Aub. Th. Aubert Iles d'Afr. 21.  
 — *pyrifolium* Poir. Lam. Encycl. 274.  
 — *verticillatum* Lam. Lam. Encycl. 274.  
*Erythrostemon Gilliesii* Ek. et Kl. Link Ic. III. 39.  
 † *Erythroxyloae* Kth. Schnizl. Iconogr. 229.  
*Erythroxyllum affine* A. Rich. Ramon Cuba 27.  
 — *anguifugum* Mart. Münchn. Abh. 3, 5.  
 — *areolatum* L. Lam. Encycl. 383.  
 — — Desc. Ant. 6, 442.  
 — *buxifolium* Lam. Cav. Diss. 231.  
 — *campestre* Si. Hil. Münchn. Abh. 3, 2. 7.  
 — *carthagenense* Jacq. Jacq. Hist. stirp. am. 129.  
 — *concinatum* Mart. Münchn. Abh. 3, 2.  
 — *Coca* Lam. Cav. Diss. 229.

- Erythroxyllum Coca Lam.* Hook. Comp. 21.  
 — — Münchn. Abh. 3, 6.  
 † — *coelophlebium Mart.* Münchn. Abh. 3, 1.  
 † — *cuspidifolium Mart.* Münchn. Abh. 3, 2.  
 — *deciduum St. Hil.* St. Hil. Pl. usuelles 69.  
 † — *distortum Mart.* Münchn. Abh. 3, 1.  
 † — *ectinocalyx Mart.* Münchn. Abh. 3, 1. 2.  
 — *ferrugineum Cav.* Cav. Diss. 231.  
 — *havanense Jacq.* Jacq. Hist. stirp. am. 130.  
 — *hypericifolium Lam.* Cav. Diss. 230.  
 — — Lam. Encycl. 383.  
 † — *Kunthianum St. Hil.* Münchn. Abh. 3, 1.  
 — *laurifolium Lam.* Cav. Diss. 226.  
 — — Dict. sc. nat. 167.  
 — *ligustrinum DC.* Delessert Ic. 3, 28.  
 — *longifolium Lam.* Cav. Diss. 225.  
 — — Lam. Encycl. 383.  
 — *macrocalyx Mart.* Münchn. Abh. 3, 8.  
 † — *macrocnemium Mart.* Münchn. Abh. 3, 1.  
 — *macrophyllum Cav.* Cav. Diss. 227.  
 † — — Münchn. Abh. 3, 1.  
 † — *magnoliaefolium St. Hil.* Münchn. Abh. 3, 1.  
 — *microphyllum St. Hil.* St. Hil. Fl. Bras. 103.  
 — — var. Münchn. Abh. 3, 3.  
 — *monogynum Roxb.* Roxb. Corom. 88.  
 — *Myrsinites Mart.* Münchn. Abh. 3, 4.  
 — *nitidum Spr.* Münchn. Abh. 3, 10.  
 — *orinocense H. B. K.* H. B. K. Nov. Gen. 5, 453.  
 — *ovatum Cav.* Cav. Diss. 233.  
 — *Pelleterianum St. Hil.* St. Hil. Fl. Bras. 102.  
 — *rufum Cav.* Cav. Diss. 232.  
 — *sideroxyloides Lam.* Cav. Diss. 228.  
 — *squamatum Vahl.* Vahl Symbolae 63.  
 — *suberosum St. Hil.* St. Hil. Pl. usuelles 69.  
 — *vacciniifolium Mart.* Münchn. Abh. 3, 9.  
*Escallonia alpina P. et E.* Poepp. et Endl. 13.  
 — *arguta Presl.* Presl Reliq. 58.  
 — *bifida Lk.* Link Ic. II. 23.  
 — *canescens St. Hil.* St. Hil. Fl. Bras. 181.  
 — *discolor Vent.* Vent. Choix 54.  
 — *floribunda H. B. K.* Lodd. Cab. 1772.  
 — — Rchb. Hort. 202.  
 — *florida P. et E.* Poepp. et Endl. 14.  
 — *glandulosa Lodd.* Lodd. Cab. 1291.  
 — — Sweet Fl. G. II. 81.  
 — *illinita Presl.* Presl Reliq. 59.  
 — — Bot. Reg. 22, 1900.  
 — *macrantha Hook.* Bot. Mag. 75, 4473.  
 — — Lem. Jard. fl. 55.  
 — — Fl. d. serres 6, 632.  
 — — Belgique hort. 3, 1.  
 — *montevidensis DC.* Paxt. Mag. 2, 51.  
 — — Bot. Reg. 17, 1467.  
 — *multiflora Presl.* Presl Reliq. 57.  
 † — *myrtilloides L.* Gaertn. Carp. 182.  
 — — Smith Ic. Linn. 30.  
 — *organensis Gardn.* Bot. Mag. 72, 4274.  
 — — Hook. Ic. pl. 6, 514.  
 — *polifolia Hook.* Hook. Ic. pl. 2, 114.  
 — *pulverulenta Pers.* Sweet Fl. G. II. 310.  
 — *rubra P. et E.* Poepp. et Endl. 15.  
 — — Pers. Lodd. Cab. 1659.  
 — — Bot. Mag. 56, 2890.  
 — *serrata Sm.* Smith Ic. Linn. 31.  
 — — Dict. sc. nat. 74.  
 — — Richard Astrolabe 14.  
 — — Hook. Ic. pl. 6, 540.  
 — *thyrsoides Colla.* Mem. Tur. 37, 18.  
 † *Eschscholtzia Cham.* Abh. Ac. Berl. 1832, 2.  
 † — — (Stigmata.) Hook. Journ. 1849, 10.  
 — *californica Cham.* Horac. berolin. 15.  
 — — Bot. Mag. 56, 2887.

- Eschscholtzia californica Cham.* Bot. Reg. 14, 1168.  
 — — — Lodd. Cab. 1635.  
 — — — Sweet Fl. G. 265.  
 — — — Spach Suites 140.  
 — *crocea Benth.* Bot. Mag. 63, 3495.  
 — — — Bot. Reg. 20, 1677.  
 — — — Paxt. Mag. 3, 49.  
 — — — Sweet Fl. G. II. 299.  
 † *Escobedia Rz et P.* Ruiz et Pav. Prodr. 18.  
 — *scabrifolia Rz et P.* H. B. K. Nov. Gen. 2, 174.  
*Esenbeckia febrifuga Mart.* Mart. Bras. 233.  
 — — — Nees Düsseld. Suppl. 68.  
 — *latifolia Mart.* Mart. Bras. 234.  
 — *máurioides Mart.* Mart. Bras. 232.  
 — *pilocarpoides H. B. K.* H. B. K. Nov. Gen. 7, 655.  
 — — — Schott Rutaceae 5.  
 — *pumila Pohl.* Pohl Bras. 128.  
*Esmarchia cerastoides Rehb.* Rehb. Fl. germ. 5, 227.  
*Espadaca amoena A. Rich.* Ramon Cuba 55.  
*Espejoa mexicana DC.* Delessert Ic. 4, 41.  
*Espeletia argentea H. B.* Humb. Pl. aeq. 71.  
 † — — — Lam. Encycl. 987.  
 — — — Bot. Mag. 75, 4480.  
 — *corymbosa H. B.* Humb. Pl. aeq. 72.  
 — *grandiflora H. B.* Humb. Pl. aeq. 70.  
 — — — Lam. Encycl. 987.  
 — *rigida H. B.* Humb. Pl. aeq. 72.  
*Esterhazyia splendida Mik.* Mikan Del. Bras. 8.  
 — — — Lem. Jard. fl. 71.  
*Etaballia guianensis Benth.* Hook. Ic. pl. 5, 453. 454.  
*Ethulia conyzoides L.* Linné Hort. ups. 1, 1.  
 — — — Bot. Reg. 9, 695.  
 — *divaricata L.* Burm. Fl. ind. 58.  
 † — — — Gaertn. Carp. 164.  
 † — — — Lam. Encycl. 699.  
 — *gracilis Del.* Caillaud Voyage 64.  
 — *paniculata Schk.* Schk. Handb. 235.  
*Eucalyptus amygdalina Lab.* Bill. Nov. Holl. 154.  
 — — — Bot. Mag. 60, 3260.  
 — *capitellata Sm.* Wendl. Coll. 36.  
 — *cneorifolia DC.* Mem. Genev. 9, 9.  
 — *coccifera Hook.* Bot. Mag. 78, 4937.  
 — — — Journ. Hort. Soc. 6, 222.  
 — — — Fl. d. serres 7, 736.  
 — — — Lem. Jard. fl. 242.  
 — *cordata Lab.* Bill. Nov. Holl. 152.  
 — — — Lodd. Cab. 328.  
 † — — — Ann. sc. nat. III. 20, 9.  
 — *corymbosa Sm.* Cav. Ic. 340.  
 — *diversifolia Bonpl.* Bonpland Malm. 13.  
 — *gomphocephala DC.* Mem. Genev. 9, 11.  
 — *incrassata Lab.* Bill. Nov. Holl. 150.  
 — *Lindleyana DC.* Bot. Reg. 11, 947.  
 — *longifolia Lk.* Link Ic. I. 45.  
 — — — Bot. Reg. 11, 947.  
 — *macrocarpa Hook.* Bot. Mag. 73, 4333.  
 — — — Hook. Ic. pl. 5, 405. 406. 407.  
 — — — Paxt. Mag. 15, 29.  
 — *maculata Hook.* Hook. Ic. pl. 7, 619.  
 — *micantha DC.* Mem. Genev. 9, 5.  
 — *obliqua L'her.* L'her. Sertum 20.  
 — — — Salisb. Parad. 15.  
 — — — Lam. Encycl. 422.  
 — *obtusiflora DC.* Mem. Genev. 9, 10.  
 — *ovata Lab.* Bill. Nov. Holl. 153.  
 — *persicifolia Lodd.* Lodd. Cab. 501.  
 — *piperita Sm.* Rehb. Mag. 42.  
 — *platypodos Cav.* Cav. Ic. 341.  
 — *platypus Hook.* Hook. Ic. pl. 9, 849.  
 — *populifolia Hook.* Hook. Ic. pl. 9, 879.  
 — *Preissiana Schauer.* Bot. Mag. 72, 4266.  
 — *pulverulenta Sims.* Bot. Mag. 46, 2087.

- Eucalyptus pulverulenta* Colla. Mem. Tur. 35, 1.  
 — punctata DC. Mem. Genev. 9, 4.  
 — radiata Sieb. Mem. Genev. 9, 7.  
 — resinifera Sm. Smith Exot. Bot. 84.  
 — — — Andr. Rep. 6, 400.  
 — — — Hayne 10, 5.  
 — — — Nees Düsseld. Suppl. 11.  
 — robusta Sm. Smith New Holl. 13.  
 — rostrata Cav. Cav. Ic. 342.  
 — splachnicarpon Hook. Bot. Mag. 69, 4036.  
 — stellulata DC. Mem. Genev. 9, 6.  
 — stricta Sieb. Mem. Genev. 9, 8.  
 — viminalis Lab. Bill. Nov. Holl. 151.  
 † *Eucapnos spectabilis* Sieb. Zucc. Münchn. Abh. 3, 1.  
*Euceraea nitida* Mart. Mart. Brass. 238.  
 † *Euchaetis Bartl.* Bartling Diosmeae 1.  
*Eucharidium concinnum* F. et M. Bot. Mag. 64, 3589.  
 — — — Bot. Reg. 23, 1962.  
*Eucharis candida* Planch. Fl. d. serres 8, 788.  
*Euchilus obovatus* R. Br. Bot. Reg. 5, 403.  
 — — — Lodd. Cab. 60.  
*Euchresta Horsfieldii* Bennett. Bennett Java 31.  
*Euclea Kellau* DC. Richard Abyssin. 66.  
 — racemosa L. Jacq. Fragm. 1. 63.  
*Euclidium syriacum* R. Br. Rchb. Fl. germ. 2, 1.  
 † *Euclisia Nutt.* Gray Genera 61.  
*Eucenide bartonioides* Zucc. Münchn. Abh. 4, 1.  
*Eucomis bifolia* Jacq. Jacq. Ic. 449.  
 — — — Bot. Mag. 22, 840.  
 — — — Tratt. Thes. 56.  
 — nana L'her. Jacq. Schoenbr. 1, 92.  
 — — — Bot. Mag. 36, 1495.  
 — punctata Ait. L'her. Sertum 18.  
 — — — Red. Lil. 4, 208.  
 — — — Bot. Mag. 23, 913. 37, 1539.  
 — — — Tratt. Thes. 54.  
 — — — Rchb. Exot. 54.  
 — purpureocaulis Andr. Andr. Rep. 6, 369.  
 — — — Tratt. Thes. 55.  
 — regia Ait. Red. Lil. 3, 175.  
 — undulata Ait. Bot. Mag. 27, 1083.  
 — — — Tratt. Thes. 53.  
 † *Eucosia carnea* Bl. Blume Tabellen 18.  
*Eucrosia bicolor* Herb. Hook. Exot. Fl. 209.  
 — — — Bot. Reg. 3, 207.  
 — — — Bot. Mag. 51, 2490.  
 — — — Rchb. Exot. 44.  
 — — — Kerner Hort. 823.  
*Eucryphia cordifolia* Cav. Cav. Ic. 372.  
 — pinnatifolia Gay. Gay Chile 8.  
*Eucrypta foliosa* Nutt. Journ. Ac. Philad. II. 1, 24.  
*Eudema nubigena* H. B. Humb. Pl. aeq. 124.  
 † — — — Lam. Encycl. 974.  
 — rupestris H. B. Humb. Pl. aeq. 123.  
 † — — — Lam. Encycl. 974.  
*Eudesmia tetragona* R. Br. Flinders Voyage 3.  
 — — — Sweet Austr. 21.  
*Eudianthe coeli rosa* Rchb. Rchb. Fl. germ. 6, 303.  
 — corsica Rchb. Willk. Ic. Hisp. 1, 15.  
 — laeta Rchb. Willk. Ic. Hisp. 1, 15.  
*Eugeissona tristis* Griff. Mart. Palm. 179, 180. Z<sup>13</sup>.  
 — — — Calcutta Journal 1845, 3. 4.  
 — — — Griffith Palms 220. 220<sup>abc</sup>.  
*Eugenia acuminata* Roxb. Wight Ic. pl. Ind. or. 2, 607.  
 — acutangula L. Rumpf Amb. 3, 115.  
 † — — — Lam. Encycl. 591.  
 — alba Roxb. Wight Ic. pl. Ind. or. 2, 548.  
 — albida H. B. Humb. Pl. aeq. 113.  
 — alternifolia Wight. Wight Ic. pl. Ind. or. 2, 537.  
 — amplexicaulis Roxb. Bot. Reg. 12, 1033.  
 — — — Wight Ic. pl. Ind. or. 2, 608.  
 — angustifolia Lam. Desc. Ant. 6, 425.

- Eugenia angustifolia* Roxb. Wight Ic. pl. Ind. or. 2, 610.  
 — aequa Roxb. Wight Ic. pl. Ind. or. 2, 550.  
 — Arnottiana Wight. Wight Ic. pl. Ind. or. 3, 999.  
 — — — Wight Spicil. 72.  
 — australis Colla. Mem. Tur. 31, 8.  
 — balsamica Jacq. Jacq. Fragm. 45.  
 — baruensis Jacq. Jacq. Ic. 486.  
 — bifaria Colebr. Wall. Pl. asiat. 161.  
 — brachiata Roxb. Wight Ic. pl. Ind. or. 2, 626.  
 — bracteolata Wight. Wight Ic. pl. Ind. or. 2, 531.  
 — brasiliensis Lam. St. Hil. Fl. Bras. 152.  
 — — — Bot. Mag. 76, 4526.  
 — — — Lem. Jard. f. 141.  
 — calophyllifolia Wight. Wight Spicil. 73.  
 — — — Wight Ic. pl. Ind. or. 3, 1000.  
 — caryophyllaea Wight. Wight Ic. pl. Ind. or. 2, 540.  
 — caryophyllata Thunb. Wagner 225.  
 — caryophyllifolia Roxb. Wight Ic. pl. Ind. or. 2, 553.  
 — cerasoides Roxb. Wight Ic. pl. Ind. or. 2, 615.  
 — chrysophylloides DC. Miquel Surin. 10.  
 — Chrysophyllum Poir. Mem. Genev. 9, 22.  
 — cisplatensis St. Hil. var.  $\alpha$ . St. Hil. Fl. Bras. 151.  
 — claviflora Roxb. Wight Ic. pl. Ind. or. 2, 606.  
 — Comete Aubl. Aublet Guiana 196.  
 — cordifolia Wight. Wight Ic. pl. Ind. or. 2, 544.  
 — corymbosa Roxb. Wight Ic. pl. Ind. or. 2, 627.  
 — cotinifolia Lam. Jacq. Obs. 53.  
 — cylindrica Wight. Wight Ic. pl. Ind. or. 2, 527.  
 — cymosa Lam. Wight Ic. pl. Ind. or. 2, 555.  
 — — — Roxb. Wight Ic. pl. Ind. or. 2, 614. 625.  
 — elliptica Willd. Bot. Mag. 44, 1872.  
 — ferruginea Wight. Wight Ic. pl. Ind. or. 2, 554.  
 — formosa Wall. Wall. Pl. asiat. 108.  
 — fragrans Willd. Bot. Mag. 31, 1242.  
 — fruticosa Roxb. Wight Ic. pl. Ind. or. 2, 624.  
 — glandulifera Roxb. Wight Ic. pl. Ind. or. 2, 629.  
 — glaucescens St. Hil. St. Hil. Fl. Bras. 151.  
 — grandis Wight. Wight Ic. pl. Ind. or. 2, 614.  
 — guianensis Aubl. Aublet Guiana 201.  
 — hemisphaerica Wight. Wight Ic. pl. Ind. or. 2, 525.  
 — — — Wight Illustr. 97<sup>bis</sup>.  
 — heteroclyta Tuss. Tussac Ant. 1, 12.  
 — Jambolana Lam. Wight Ic. pl. Ind. or. 2, 535.  
 — Jambos L. Rumpf Amb. 1, 39.  
 — — — Jacq. Schoenbr. 4, 402.  
 † — — — Lam. Encycl. 418.  
 — — — Bot. Mag. 41, 1696.  
 — — — Desc. Ant. 5, 315.  
 — — — Herb. amat. 2, 77.  
 — inophylla Roxb. Wight Ic. pl. Ind. or. 2, 623.  
 — lanceaefolia Roxb. Wight Ic. pl. Ind. or. 2, 621.  
 — lanceolaria Roxb. Wight Ic. pl. Ind. or. 2, 613.  
 — lanceolata Lam. Wight Ic. pl. Ind. or. 2, 530.  
 — latifolia Aubl. Aublet Guiana 199.  
 — laurifolia Roxb. Wight Ic. pl. Ind. or. 2, 609.  
 — leptantha Wight. Wight Ic. pl. Ind. or. 2, 528.  
 — macrocarpa Roxb. Wight Ic. pl. Ind. or. 2, 612.  
 — malaccensis L. Rumpf Amb. 1, 37.  
 — — — Smith Exot. Bot. 61.  
 — — — Tussac Ant. 3, 25.  
 — — — Andr. Rep. 7, 458.  
 — — — Lodd. Cab. 555.  
 — — — Ann. Mus. 9, 25.  
 † — — — Michelii Lam. Lam. Encycl. 418.  
 — Mini Aubl. Aublet Guiana 197.  
 — montana Aubl. Aublet Guiana 195.  
 — — — St. Hil. Fl. Bras. 153.  
 — — — Wight. Wight Ic. pl. Ind. or. 3, 1060.  
 — Mooniana Wight. Wight Ic. pl. Ind. or. 2, 551.  
 — Moritziana Karst. Karsten Auswahl 6.  
 — Munronii Wight. Wight Ic. pl. Ind. or. 2, 546.

- Eugenia myrtifolia* Sims. Bot. Mag. 48, 2230.  
 — — Bot. Reg. 8, 627.  
 — — Lodd. Cab. 625.  
 — — Roxb. Wight Ic. pl. Ind. or. 2, 618.  
 — — Neesiana Arn. Wight Ic. pl. Ind. or. 2, 533.  
 — — nodiflora Aubl. Rumpf Amb. 1, 38, fig. 1.  
 — — oblata Roxb. Wight Ic. pl. Ind. or. 2, 622.  
 — — obscura DC. Bot. Reg. 13, 1044.  
 — — obtusifolia Roxb. Wight Ic. pl. Ind. or. 2, 620.  
 — — operculata Roxb. Wight Ic. pl. Ind. or. 2, 552.  
 — — owariensis Pal. B. Palisot Fl. d'Oware 70.  
 — — Paniata Roxb. Wight Ic. pl. Ind. or. 2, 616.  
 — — paniculata Jacq. Jacq. Collect. 2, 5.  
 — — Patrisii Vahl. Mem. Genev. 9, 20.  
 — — pauciflora Wight. Wight Ic. pl. Ind. or. 2, 526.  
 — — — Wight Illustr. 97 bis.  
 — — periplocaefolia Jacq. Jacq. Collect. 2, 4.  
 — — polyantha Wight. Wight Ic. pl. Ind. or. 2, 543.  
 — — polypetala Wall. Wight Ic. pl. Ind. or. 2, 610.  
 — — praecox Roxb. Wight Ic. pl. Ind. or. 2, 619.  
 — — pseudo-caryophyllus DC. St. Hil. Fl. Bras. 149.  
 — — pseudopsidium Jacq. Jacq. Hist. stirp. am. 140.  
 — — psidioides DC. Mem. Genev. 9, 21.  
 — — pulchella Roxb. Wight Ic. pl. Ind. or. 2, 628.  
 — — purpurea Roxb. Wight Ic. pl. Ind. or. 2, 549.  
 — — racemosa L. Rumpf Amb. 1, 38, fig. 2, 3, 116.  
 — — reticulata Wight. Wight Ic. pl. Ind. or. 2, 541.  
 — — revoluta Wight. Wight Ic. pl. Ind. or. 2, 534.  
 — — Rottleriana W. et A. Wight Ic. pl. Ind. or. 1, 100.  
 — — Roxburghii DC. Hook. Journ. 1834, 124.  
 — — rubens Roxb. Wight Ic. pl. Ind. or. 2, 630.  
 — — rubicunda Wight. Wight Ic. pl. Ind. or. 2, 538.  
 — — salicifolia Wight. Wight Ic. pl. Ind. or. 2, 539.  
 — — silvestris Moon. Wight Ic. pl. Ind. or. 2, 532.  
 — — sinemariensis Aubl. Aublet Guiana 198.  
 — — ternatifolia Camb. St. Hil. Fl. Bras. 150.  
 — — ternifolia Roxb. Wight Ic. pl. Ind. or. 2, 611.  
 — — Thumra Roxb. Wight Ic. pl. Ind. or. 2, 617.  
 — — toddalioides Wight. Wight Ic. pl. Ind. or. 2, 542.  
 — — tomentosa Aubl. Aublet Guiana 200.  
 — — trinervia Vahl. Vahl Ic. 19.  
 — — — DC. Bot. Mag. 60, 3223.  
 — — tuberculata DC. Delessert Ic. 3, 76.  
 — — Ugni Hook. et Arn. Bot. Mag. 78, 4626.  
 — — — Lem. Jard. fl. 238.  
 — — — El. d. serres 7, 724.  
 — — undulata Aubl. Aublet Guiana 202.  
 — — venusta Roxb. Wight Ic. pl. Ind. or. 2, 625.  
 — — Wallichii Wight. Wight Ic. pl. Ind. or. 2, 536.  
 — — Wightiana Wight. Wight Ic. pl. Ind. or. 2, 529.  
 — — Willdenowii DC. Wight Ic. pl. Ind. or. 2, 545.  
 — — zeylanica Willd. Andr. Rep. 10, 619.  
 — — — Lodd. Cab. 690.
- Eulalia aurea* Kth. Humb. Gram. 93.  
 — — glabrata Brongn. Brongniart Coquille 19.  
 — — nepalensis Trin. Trin. Sp. Gr. 3, 332.
- Eulophia carinata* Ldl. Rheede Hort. mal. 12, 26.  
 — — cnsata Ldl. Bot. Reg. 14, 1147.  
 — — gracilis Ldl. Bot. Reg. 9, 742.  
 — — — Lodd. Cab. 1178.  
 — — guineensis Eodd. Lodd. Cab. 818.  
 — — — Bot. Mag. 51, 2467.  
 — — — Bot. Reg. 8, 686.  
 — — lurida Ldl. Bot. Reg. 21, 1821.  
 — — Mackayana Ldl. Bot. Reg. 17, 1433.  
 — — macrostachya Ldl. Bot. Reg. 23, 1972.  
 — — — Wight Ic. pl. Ind. or. 5, 1667—1668.  
 — — ramentacea Ldl. Wight Ic. pl. Ind. or. 5, 1666.  
 — — streptopetala Ldl. Bot. Reg. 12, 1002.  
 — — — Bot. Mag. 56, 2931.  
 — — — Rchb. Exot. 203.  
 — — virens R. Br. Rheede Hort. mal. 12, 25.

- Eulophia virens* R. Br. Wight Ic. pl. Ind. or. 3, 913.  
 † *Eulophus americanus* Nutt. DC. Umbellif. 2.  
*Eunomia Montbretii* Jaub. Jaubert Illustr. 51.  
 † *Euparea amoena* Gaertn. Gaertn. Carp. 50.  
 † — — — Lam. Encycl. 133.  
 † *Eupatorium ageratoides* L. Gaertn. Carp. 166.  
 † — — — Lam. Encycl. 672.  
 — — album Thunb. Kaempfer Japon. 26.  
 — — alternifolium Ard. Arduino Anim. 2, 20.  
 — — altissimum L. Jacq. Vind. 164.  
 — — Armani Balb. Mem. Tur. 10, 9.  
 — — aromatisans DC. Ramon Cuba 50.  
 — — auriculatum Vahl. Vahl Symb. 72.  
 — — Aya-pana Vent. Vent. Malm. 3.  
 — — — Aub. Th. Melanges 14.  
 — — — Berl. Jahrb. 1811, 1.  
 — — — Tratt. Thes. 16.  
 — — — Desc. Ant. 3, 203.  
 — — Berterianum Colla. Mem. Tur. 33, 8.  
 — — calaminthacifolium H. B. K. H. B. K. Nov. Gen. 4, 348.  
 — — canescens Vahl. Vahl Symbolae 73.  
 — — cannabium L. Fl. dan. 5, 745.  
 — — — Schk. Handb. 237.  
 — — — Hayne 8, 44.  
 — — — Schrank Fl. monac. 3, 227.  
 — — — Engl. Bot. 6, 428.  
 — — — Baxter Brit. Bot. 3, 178.  
 † — — — Nees Gen. X, x.  
 — — cassinifolium Bert. Novi Comm. Bon. 8, 13.  
 — — cordatum Burm. Burm. Fl. ind. 58.  
 — — cotinifolium Willd. Willd. Phytogr. 7.  
 — — Dalea L. Jacq. Schoenbr. 2, 146.  
 — — deltoideum Jacq. Jacq. Schoenbr. 3, 369.  
 — — — Bonpland Malm. 14.  
 — — fastigiatum H. B. K. H. B. K. Nov. Gen. 4, 347.  
 — — ferrugineum Lab. Bill. Nov. Holl. 180.  
 — — floribundum H. B. K. H. B. K. Nov. Gen. 4, 344.  
 — — Fraseri Lam. Lam. Encycl. 672.  
 — — glandulosum H. B. K. H. B. K. Nov. Gen. 4, 346.  
 — — — Bot. Reg. 20, 1723.  
 — — glastifolium Bert. Novi Comm. Bon. 8, 11.  
 — — grandifolium Regel. Regel Gartenfl. 1852, 12.  
 — — iresinoides H. B. K. H. B. K. Nov. Gen. 4, 340.  
 — — leucolepis T. et Gr. Torrey New York 48.  
 — — macrophyllum L. Jacq. Eel. pl. 162.  
 — — maculatum L. Tratt. Thes. 14.  
 — — — Barton Fl. 3, 102.  
 — — microphyllum L. fil. Smith Ic. Linn. 70.  
 — — Mikania Desc. Desc. Ant. 3, 197.  
 — — myosotifolium Jacq. Jacq. Ic. 582.  
 — — niveum H. B. K. H. B. K. Nov. Gen. 4, 342.  
 — — numularia H. et A. Fielding Sertum 5.  
 — — omphaliacifolium Kth. Regel Gartenfl. 2, 39.  
 — — parviflorum Aubl. Aublet Guiana 315.  
 — — perfoliatum L. Barton Méd. 37.  
 — — — Bigelow Med. 2.  
 — — prunifolium H. B. K. H. B. K. Nov. Gen. 4, 349.  
 — — psidiacifolium DC. var. Miquel Surin. 54.  
 — — pulchellum H. B. K. H. B. K. Nov. Gen. 4, 345.  
 † — — purpureum L. Gaertn. Carp. 166.  
 † — — — Lam. Encycl. 672.  
 † — — — Schk. Handb. 237.  
 — — — Tratt. Thes. 13.  
 — — racemosum Bert. Novi Comm. Bonon. 8, 30.  
 — — rosmarinifolium Lab. Bill. Nov. Holl. 181.  
 — — salviaefolium Sims. Bot. Mag. 45, 2010.  
 — — scabrum L. fil. Smith Ic. Linn. 67.  
 — — scandens L. Jacq. Ic. 169.  
 — — — Desc. Ant. 7, 484.  
 — — sinuatum Lam. Lam. Encycl. 672.  
 — — speciosum Vent. Vent. Cels 79.

- Eupatorium squarrosum* Cav. Cav. Ic. 98.  
 — *stigmatosum* Bert. Novi Comm. Bonon. 8, 12.  
 — *stoechadifolium* L. fil. Smith Ic. Linn. 69.  
 — — H. B. K. Nov. Gen. 4, 343.  
 — *syriacum* Jacq. Jacq. Ic. 170.  
 — *teucrifolium* Willd. Willd. Hortus 32.  
 — *triflorum* Aubl. Aublet Guiana 314.  
 — *urticaefolium* L. fil. Smith Ic. Linn. 68.  
 — — Schk. Handb. 237.  
 — — Tratt. Thes. 15.  
 — *veronicaefolium* H. B. K. H. B. K. Nov. Gen. 4, 341.  
*Eupetalum Lindleyanum* Gaudich. Gaudich. Bonite 50.  
 — *petalodes* Ldl. Bot. Reg. 21, 1757.  
 † *Euphorbia* L. Mutel Fl. fr. 60, 61, 62.  
 — *adenoptera* Bert. Novi Comm. Bonon. 6, 23.  
 — *agraria* M. v. B. Rchb. Ic. crit. 3, 251.  
 — *alata* Hook. Hook. Ic. pl. 7, 700.  
 — *aleppica* L. Sibth. Fl. gr. 462.  
 — — Rchb. Fl. germ. 5, 142.  
 — *alexandrina* Delile. Delile Egypte 30.  
 — *alpina* Led. Ledeb. Ic. 188.  
 — *altaica* Led. Ledeb. Ic. 191.  
 — *ambigua* W. et K. W. et Kit. 135.  
 — *amygdaloides* L. Engl. Bot. 4, 256.  
 — — Spr. Fl. hal. 4.  
 — — Rchb. Fl. germ. 5, 150.  
 — *anacamperoides* Lam. Desc. Ant. 2, 117.  
 — *anacantha* Ait. Bot. Mag. 51, 2520.  
 — — Lodd. Cab. 220.  
 — *androsaemoides* Dennst. Rheede Hort. mal. 10, 51.  
 — *angulata* Jacq. Jacq. Ic. 481.  
 — — Rchb. Ic. crit. 2, 144.  
 — — Rchb. Fl. germ. 5, 135.  
 — *antiquorum* L. Rheede Hort. mal. 2, 42.  
 — — var. *polygona*, Wight Ic. pl. Ind. or. 3, 897.  
 — *aphylla* Brouss. Webb Canar. 208.  
 — — Willd. Hook. Ic. pl. 2, 182.  
 — *arguta* Sol. Sibth. Fl. gr. 468.  
 — *articulata* Dennst. Rheede Hort. mal. 10, 58.  
 — *atropurpurea* Brouss. Bot. Mag. 61, 3321.  
 — — Webb Canar. 207.  
 — *balsamifera* Ait. Webb Canar. 209.  
 — *Baselicis* Ten. Tenore Fl. nap. 143.  
 — — Rchb. Fl. germ. 5, 144.  
 — *Berberiana* Balb. Novi Comm. Bonon. 6, 23.  
 — *bicephala* Bert. Novi Comm. Bonon. 6, 23.  
 — *biglandulosa* Desf. Ann. Mus. 12, 14.  
 — — Desf. Choix 67.  
 — *biumbellata* Poir. Poiret Reise 4.  
 — *blepharophylla* Led. Ledeb. Ic. 387.  
 — *Bojeri* Hook. Bot. Mag. 63, 3527.  
 — *bracteata* Jacq. Jacq. Schoenbr. 3, 276.  
 — *buchtarmensis* Led. Ledeb. Ic. 189.  
 — *bupleurifolia* Jacq. Jacq. Schoenbr. 1, 106.  
 — — Jacq. Fragm. 101.  
 — — Bot. Mag. 63, 3476.  
 — *bupleuroides* Desf. Desf. Fl. atl. 103.  
 — *buxifolia* Lam. Desc. Ant. 6, 418.  
 — *caespitosa* Guss. Tenore Fl. nap. 143.  
 — *calendulaefolia* Del. Delile Egypte 30.  
 — *californica* Benth. Bentham Sulphur 23.  
 — *canaliculata* Lodd. Lodd. Cab. 727.  
 — *canariensis* L. DC. Plant. grasses 140, 140 bis.  
 — — Guimp. et Schl. 291.  
 — — Nees Düsseld. 134, 135.  
 — *canescens* L. Cav. Ic. 63.  
 — — Jacq. Collect. 5, 2.  
 — — Rchb. Fl. germ. 5, 131.  
 — *capitata* Lam. Desc. Ant. 3, 227.  
 — *capitulata* Rchb. Rchb. Fl. germ. 5, 136.

- Euphorbia Caput Medusae* L. DC. Plant. grasses 150.  
 — — — Lodd. Cab. 1315.  
 — *carinata* Donn. Bot. Mag. 51, 2514.  
 — *carniolica* Jacq. Jacq. Fl. austr. 5, 14.  
 — — Rchb. Fl. germ. 5, 134.  
 — *cashmeriana* Royle. Royle Illustr. 82.  
 — *Cattimandoo* Ell. Wight Ic. pl. Ind. or. 6, 1993.  
 — *ceratocarpa* Ten. Tenore Fl. nap. 43.  
 — *Chamaesyce* L. Sibth. Fl. gr. 461.  
 — — Rchb. Fl. germ. 5, 131.  
 — *Characias* L. Martyn Hist. 15.  
 — — — Jacq. Ic. 89.  
 — — — Lam. Encycl. 411.  
 — — — Engl. Bot. 7, 442.  
 — — — Rchb. Fl. germ. 5, 150.  
 — *clandestina* Jacq. Jacq. Schoenbr. 4, 484.  
 — *Clava* Jacq. Jacq. Ic. 85.  
 — *Clementei* Boiss. Boissier Esp. 159.  
 — *consanguinea* Klotzsch. Prinz Waldem. Him. 19.  
 — *coralloides* L. Engl. Bot. 2837.  
 — — Rchb. Fl. germ. 5, 137.  
 — *corollata* L. Bot. Mag. 57, 2992.  
 — — — Bigelow Med. 53.  
 — — — Torrey New York 99.  
 — — — Lodd. Cab. 390.  
 — *cotinifolia* L. Hook. Exot. Fl. 59.  
 — *cuneifolia* Guss. Gussone Pl. rar. 38.  
 — *cuspidata* Bert. Novi Comm. Bonon. 6, 22.  
 — *cyathophora* Murr. Comm. Gott. 7, 1.  
 — — — Roth Abhandl. 7.  
 — — — Jacq. Ic. 480.  
 — — — Bot. Reg. 9, 765.  
 — *Cyparissias* L. Jacq. Fl. austr. 5, 435.  
 — — — Fl. dan. 12, 2052.  
 — — — Engl. Bot. 12, 840.  
 — — — Lodd. Cab. 118.  
 — — — Hayne 2, 22.  
 — — — Brandt und Ratzeb. 45.  
 — — — Schrank Fl. monac. 2, 134.  
 — — — Dietr. Fl. bor. 12, 822.  
 — — — Rchb. Fl. germ. 5, 147.  
 — *deflexa* Sibth. Sibth. Fl. gr. 466.  
 — *dendroides* L. Sibth. Fl. gr. 470.  
 — — Rchb. Fl. germ. 5, 140.  
 — *dentata* Michx. Rchb. Hort. 173.  
 — *denticulata* Lam. Ann. Mus. 12, 15.  
 — — — Desf. Choix 68.  
 — *diffusa* Jacq. Jacq. Ic. 88.  
 — *divaricata* Jacq. Jacq. Ic. 87.  
 — *divergens* Klotzsch. Prinz Waldem. Him. 18.  
 — *dulcis* L. Sibth. Fl. gr. 464.  
 — — — Dietr. Fl. bor. 12, 820.  
 — — — Rchb. Ic. crit. 2, 143.  
 — — — Rchb. Fl. germ. 5, 135.  
 — — — Auct. Rchb. Fl. germ. 5, 134.  
 — *epithymoides* L. Jacq. Fl. austr. 4, 344.  
 — — — Bot. Mag. 48, 2258.  
 — — — Andr. Rep. 10, 616.  
 — — — Rchb. Fl. germ. 5, 136.  
 — *eriocarpa* Bert. Novi Comm. Bonon. 3, 13.  
 — *erythrophylla* Bert. Novi Comm. Bon. 4, 41.  
 — *Esula* L. Fl. dan. 8, 1270.  
 — — — Engl. Bot. 20, 1399.  
 — — — Sprengel Fl. hal. 3.  
 — — — Hayne 2, 21.  
 — — — Dietr. Fl. bor. 12, 821.  
 — — — Rchb. Fl. germ. 5, 146.  
 — *esuloides* Ten. Tenore Fl. nap. 232.  
 — *exigua* L. Fl. dan. 4, 592.  
 — — — Curt. Lond. 1, 47.  
 — — — Engl. Bot. 19, 1336.  
 — — — Sturm Flora 20, 94.

- Euphorbia exigua* L. Rchb. Fl. germ. 5, 141.  
 — — Sv. Bot. 635.  
 — *falcata* L. Jacq. Fl. austr. 2, 121.  
 — — Rchb. Fl. germ. 5, 141.  
 — *filicina* Portsch. Portenschlag Dalm. 8.  
 — *foliata* Ham. Rheede Hort. mal. 10, 33.  
 † *fragifera* Jan. Rchb. Ic. crit. 7, 647.  
 — — Rchb. Fl. germ. 5, 136.  
 — *fulgens* Karw. Knowles et Westcott 55.  
 — — Paxt. Mag. 4, 31.  
 — *Gerardiana* Jacq. Jacq. Fl. austr. 5, 436.  
 — — Sprengel Fl. hal. 3.  
 — — Rchb. Fl. germ. 5, 147.  
 — — Dietr. Fl. bor. 12, 859.  
 † — — Nees Gen. 4, 36.  
 — *globosa* Sims. Bot. Mag. 53, 2624.  
 — — Mem. Genev. 7, 5.  
 — *graminea* L. Jacq. Hist. stirp. am. 139.  
 — — Jacq. Obs. 31.  
 — *heliocopia* L. Fl. dan. 5, 725.  
 — — Sv. Bot. 70.  
 — — Curt. Lond. 3, 143.  
 — — Engl. Bot. 13, 883.  
 — — Schk. Handb. 129.  
 — — Hayne 2, 20.  
 — — Schrank Fl. monac. 2, 183.  
 — — Dietr. Fl. bor. 12, 844.  
 — — Rchb. Fl. germ. 5, 132.  
 — — Baxter Brit. Bot. 5, 368.  
 — *heteradena* Jaub. Jaubert Illustr. 131.  
 — *heterophylla* Jacq. Jacq. Ic. 480.  
 — — Desf. Desf. Fl. atl. 102.  
 — *hiberna* L. Engl. Bot. 19, 1337.  
 — — Rchb. Fl. germ. 5, 137.  
 — *himalayensis* Klotzsch. Prinz Waldem. Him. 20.  
 — *Hindsiana* Benth. Bentham Sulphur 24.  
 — *hirta* L. Jacq. Collect. 5, 11.  
 — *humilis* Led. Ledeb. Ic. 187.  
 — — Royle. Royle Illustr. 82.  
 — *hypericifolia* L. Hook. Exot. Fl. 36.  
 — *Hystrix* Jacq. Jacq. Schoenbr. 2, 207.  
 — *jacquiniaeflora* Hook. Bot. Mag. 65, 3673.  
 — — Maund Bot. 2, 100.  
 — *Ipecacuanha* L. Bot. Mag. 36, 1494.  
 — — Lodd. Cab. 1145.  
 — — Bigelow Med. 52.  
 — — Barton Med. 18.  
 — *juncea* Ait. Jacq. Schoenbr. 1, 107.  
 — — Rchb. Fl. germ. 5, 142.  
 — *Klotzschiana* Mig. Miquel Surin. 28.  
 — *lateriflora* Jaub. Jaubert Illustr. 130.  
 † *Lathyris* L. Lam. Encycl. 411.  
 — — Engl. Bot. 32, 2255.  
 — — Rchb. Fl. germ. 5, 143.  
 — — Nees Düsseld. 137.  
 † — — Mem. Instit. 1830, 2.  
 † — — Ann. sc. nat. 17, 13.  
 † — — Ann. sc. nat. III, 18, 17.  
 † — — Nees Gen. 4, 36.  
 — *latifolia* Led. Ledeb. Ic. 185.  
 — *leiosperma* Sibth. Sibth. Fl. gr. 465.  
 — *leucotricha* Boiss. Boissier Esp. 160.  
 — *ligularia* Roxb. Rumpf Amb. 4, 40.  
 — *ligulata* Chaub. Annales d'obs. 4, 6.  
 — *linifolia* Jacq. Jacq. Ic. 86.  
 — *literata* Jacq. Jacq. Ic. 482.  
 — *lophogona* Willd. DC. Plantes grasses 124.  
 — — Lodd. Cab. 1477.  
 — *lucida* W. et K. W. et Kit. 54.  
 — — Rchb. Fl. germ. 5, 149.  
 — *lutescens* Led. Ledeb. Ic. 12.  
 — *macrorrhiza* Led. Ledeb. Ic. 192.

- Euphorbia maculata* L. Jacq. Vind. 186.  
 — — Rchb. Fl. germ. 5, 131.  
 — *medicaginea* Boiss. Boissier Esp. 162.  
 — *mellifera* Ait. Vent. Malm. 30.  
 — — Bot. Mag. 32, 1305.  
 — *meloformis* Ait. Andr. Rep. 10, 617.  
 — — DC. Plantes grasses 139.  
 — — König Annals 1, 2.  
 — — Wendland Coll. 12.  
 — — Lodd. Cab. 436.  
 — — Ann. Mus. 1, 16.  
 — *micrantha* Steph. Rchb. Fl. germ. 5, 133.  
 — *Myrsinites* L. Sibth. Fl. gr. 471.  
 — — Rchb. Fl. germ. 5, 148.  
 — *nana* Royle. Royle Illustr. 82.  
 — *neapolitana* Ten. Tenore Fl. nap. 42.  
 — *neriifolia* L. DC. Plantes grasses 46.  
 — *niccaensis* All. All. Fl. ped. 3, 69.  
 — — Jacq. Ic. 485.  
 — — Rchb. Fl. germ. 5, 148.  
 — *Nivulia* Ham. Rheede Hort. mal. 2, 43.  
 — — Wight Ic. pl. Ind. or. 5, 1862.  
 — *nudiflora* Jacq. Jacq. Ic. 479.  
 — *obscura* Lois. Desvaux Journ. 2, 12.  
 — — Loiseleur Notice 5.  
 — — Rchb. Fl. germ. 5, 132.  
 — *officinarium* L. Curt. Lond. 2, 101.  
 — — DC. Plantes grasses 77.  
 — — Dict. sc. nat. 275.  
 — — Desc. Ant. 6, 420.  
 — — Guimp. et Schl. 256.  
 — — Nees Düsseld. 136.  
 — — Wagner 64.  
 — — Woodv. Med. 5, 22.  
 — *ornithopus* Jacq. Jacq. Fragm. 120.  
 — *pallens* Dilw. Rheede Hort. mal. 10, 58.  
 — *palustris* L. Fl. dan. 5, 866.  
 — — Sv. Bot. 329.  
 — — Hayne 2, 23.  
 — — Brandt und Ratzeb. 44.  
 — — Rchb. Fl. germ. 5, 139.  
 † — — Jussieu Euphorb. 18.  
 † — — Spach Suites 76.  
 — *pannonica* Host. Rchb. Fl. germ. 5, 148.  
 — *papillosa* St. Hil. St. Hil. Pl. usuelles 18.  
 — *Paralias* L. Jacq. Vind. 188.  
 — — Engl. Bot. 3, 195.  
 — — Rchb. Fl. germ. 5, 145.  
 — *parvula* Delile. Delile Egypte 30.  
 — *pentagona* Royle. Royle Illustr. 82.  
 — *Peplis* L. Engl. Bot. 28, 2002.  
 — — Rchb. Fl. germ. 5, 131.  
 — *peploides* Gouan. Rchb. Fl. germ. 5, 140.  
 — *Peplus* L. Curt. Lond. 3, 142.  
 — — Engl. Bot. 14, 959.  
 — — Fl. dan. 7, 1100.  
 — — Rchb. Fl. germ. 5, 140.  
 — — Dietr. Fl. bor. 12, 843.  
 † — — Ann. sc. nat. III, 18, 17.  
 — *petiolaris* Sims. Bot. Mag. 23, 883.  
 — *picta* Jacq. Jacq. Ic. 477.  
 — *pilosa* L. Engl. Bot. 2787.  
 — — Rochel Banat. 6.  
 — — Rchb. Ic. crit. 2, 145.  
 — — Rchb. Fl. germ. 5, 138, 139.  
 — *pilulifera* L. Rumpf Amb. 6, 23.  
 — — Jacq. Ic. 478.  
 — *pinca* L. Bivona Stirp. rar. Sic. 4, 5.  
 — *piscatoria* Ait. Jacq. Schoenbr. 4, 485.  
 — *Pithyusa* L. Rchb. Fl. germ. 5, 145.  
 — *platycarpus* Jacq. Jacq. Fl. austr. 4, 376.  
 — *platylepis* Decne. Jacquemont Ind. 157.

- Euphorbia platyphylla* L. Engl. Bot. 5, 333.  
 — — — var. *Rochel* Banat. 7.  
 — — — *Rehb.* Fl. germ. 5, 133.  
 — *polygona* Haw. Lodd. Cab. 1334.  
 — *polygonifolia* L. Jacq. Collect. 5, 13.  
 — *portlandica* L. Jacq. Schoenbr. 4, 487.  
 — — — Engl. Bot. 7, 441.  
 — — — *Rehb.* Fl. germ. 5, 145.  
 — *procera* M. v. B. *Rehb.* Ic. crit. 2, 146.  
 — *provincialis* Willd. *Rehb.* Fl. germ. 5, 146.  
 — *prunifolia* Jacq. Jacq. Schoenbr. 3, 277.  
 — — — *Rehb.* Hort. 174.  
 — *ptericocca* Brot. Brotero Phytogr. 76.  
 — — — *Rehb.* Ic. crit. 5, 464.  
 — *pubescens* Desf. Jacq. Ecl. pl. 66.  
 — — *Vahl.* *Rehb.* Fl. germ. 5, 138.  
 — *pumila* Sibth. Sibth. Fl. gr. 460.  
 — *punctata* Delile. Delile Egypte 30.  
 — *punicea* Sw. Jacq. Ic. 484.  
 — — — Smith Ic. pict. 3.  
 — — — Bot. Reg. 3, 190.  
 — — — Bot. Mag. 45, 1961.  
 — — — Lodd. Cab. 1901.  
 — — — Maund Bot. 2, 69.  
 — — — Kerner Hort. 7.  
 — — — *Rehb.* Exot. 163.  
 — — — Desc. Ant. 3, 194. 228. 5, 332.  
 — *purpurata* Thuill. *Rehb.* Ic. crit. 2, 143.  
 — *pyrenaica* Jord. Jordan Obs. 3, 11.  
 — *ragusana* *Rehb.* *Rehb.* Fl. germ. 5, 143.  
 — *retusa* Cav. Cav. Ic. 34.  
 — — — Misc. taur. 2, 3.  
 — — — *Rehb.* Fl. germ. 5, 141.  
 — *rigida* M. v. B. Bot. Reg. 4, 274. 24, 43.  
 — *rothiana* Spr. Wight Ic. pl. Ind. or. 5, 1864.  
 — *rotundifolia* Lois. Desvaux Journ. 2, 12.  
 — — — Loiseleur Notice 5.  
 — *rubra* Cav. Cav. Ic. 34.  
 — *rupestris* Ledeb. Ic. 190.  
 — *rupicola* Boiss. Boissier Esp. 161.  
 — *salicifolia* Host. W. et Kit. 55.  
 — — — Rochel Banat. 7.  
 — — — Lodd. Cab. 973.  
 — — — *Rehb.* Fl. germ. 5, 149.  
 — *saxatilis* Jacq. Jacq. Fl. austr. 4, 345.  
 — — — *Rehb.* Fl. germ. 5, 144.  
 — *scordifolia* Jacq. Jacq. Ic. 476.  
 — *segetalis* L. Sibth. Fl. gr. 467.  
 — — — Jacq. Fl. austr. 5, 450.  
 — — — *Rehb.* Fl. germ. 5, 142.  
 — *serrata* L. Jacq. Ic. 483.  
 — — — *Rehb.* Fl. germ. 5, 144.  
 — *silvatica* L. Jacq. Fl. austr. 4, 375.  
 — *solissequa* Riv. *Rehb.* Fl. germ. 5, 134.  
 — *spartioides* Jacq. Jacq. Schoenbr. 4, 486.  
 — *sphaerorrhiza* Benth. Hook. Ic. pl. 4, 346.  
 — *spinosa* L. Sibth. Fl. gr. 463.  
 — — — var.  $\alpha$ . Desf. Fl. atl. 101.  
 — — — Watson Dendr. 1, 45.  
 — — — *Rehb.* Fl. germ. 5, 137.  
 — *splendens* Boj. Bot. Mag. 56, 2902.  
 — — — Lodd. Cab. 1713.  
 — — — Maund Bot. 1, 23.  
 — — — *Rehb.* Exot. 241.  
 — *stricta* L. Sibth. Fl. gr. 469.  
 — — — *Rehb.* Fl. germ. 5, 133.  
 — — — Dietr. Fl. bor. 12, 858.  
 — *subcordata* Ledeb. Ledeb. Ic. 186.  
 — *taurinenis* All. All. Fl. ped. 3, 83.  
 — *terraccina* L. *Rehb.* Fl. germ. 5, 141.  
 † — — — Ann. sc. nat. III. 18, 17.  
 — *Tirucalli* L. Rheede Hort. mal. 2, 44.

- Euphorbia Tirucalli* L. Rumpf Amb. Auct. 29.  
 — *tithymaloïdes* L. Jacq. Hist. stirp. am. 138.  
 — *tortilis* Rottl. Desc. Ant. 2, 118.  
 — — — Wight Ic. pl. Ind. or. 3, 898.  
 — *trapezoidalis* Viv. Viviani Lib. 4.  
 — *trichogona* Bert. Novi Comm. Bonon. 6, 23.  
 — *tridentata* Lam. DC. Plant. grasses 144.  
 — *trigona* Roxb. Wight Ic. pl. Ind. or. 5, 1863.  
 — *trinervia* Boiss. Boissier Esp. 163.  
 — *tuberculata* Jacq. Jacq. Schoenbr. 2, 208.  
 — *uncinata* DC. DC. Plant. grasses 151.  
 — *valentina* Willd. Jacq. Schoenbr. 4, 488.  
 — *valerianaefolia* Lam. Ann. Mus. 12, 16.  
 — — — Desf. Choix 69.  
 — *variabilis* Cesati. Cesati Stirp. ital. 0.  
 — *variegata* Sims. Bot. Mag. 42, 1747.  
 — — — Colla. Mem. Tur. 31, 7.  
 — *veneta* Willd. Bot. Reg. 24, 6.  
 — — — *Rehb.* Fl. germ. 5, 150.  
 — *verrucosa* Lam. *Rehb.* Fl. germ. 5, 135.  
 — *villosa* W. et K. W. et Kit. 93.  
 — *virgata* W. et K. W. et Kit. 162.  
 — — — *Rehb.* Fl. germ. 5, 147.  
 — *viridiflora* W. et K. W. et Kit. 280.  
 — — — *Rehb.* Fl. germ. 5, 135.  
 † *Euphorbiaceae* Juss. Jussieu Euphorb. 1 — 18.  
 † — — Roeser Euphorb. 1 — 3.  
 † *Euphoria* Litchi Desf. Spach Suites 19.  
 — — — Longan Lam. Dict. sc. nat. 172.  
 — — — Bot. Reg. 20, 1729.  
 — — — Spach Suites 19.  
 † — *punicea* Lam. Lam. Encycl. 306.  
 — — — Dict. sc. nat. 173.  
 — *ramboutan* Lab. Mem. sav. etr. 1805, 8.  
 — *ramboutan-ake* Lab. Mem. sav. etr. 1805, 9.  
 — *verticillata* R. Br. Bot. Reg. 13, 1059.  
*Euphrasia aspera* Brot. Brotero Phytogr. 123.  
 — *corsica* Lois. Loiseleur Fl. gall. 10.  
 — *cyrenaica* Pacho. Pacho Voyage 98.  
 — *grandiflora* Hochst. Seubert Fl. azor. 8.  
 — *Jaubertiana* Boreau. Cosson Atlas 18.  
 — *longiflora* Palau. Cav. Ic. 62.  
 — *lutea* L. Jacq. Fl. austr. 4, 398.  
 † — — — Cosson Atlas 18.  
 — *Odontites* L. Fl. dan. 4, 625.  
 † — — — Schk. Handb. 169.  
 — — — Schrank Fl. monac. 4, 356.  
 † — — — Cosson Atlas 18.  
 † — *officinalis* L. Gaertn. Carp. 54.  
 † — — — Lam. Encycl. 518.  
 — — — Schk. Handb. 169.  
 — — — Fl. dan. 6, 1037.  
 — — — Engl. Bot. 20, 1416.  
 — — — Sv. Bot. 267.  
 — — —  $\alpha$ . pratensis, Sturm Flora 1, 3.  
 — — — Schrank Fl. monac. 3, 287.  
 — — — Dietr. Fl. bor. 2, 91.  
 — — — Hayne 9, 8.  
 — — — Woodv. Med. 2, 134.  
 — — — Baxter Brit. Bot. 1, 72.  
 † — — — Nees Gen. 5, 42.  
 † — — — Cosson Atlas 18.  
 — *Rostkoviana* Hayne. Hayne 9, 7.  
 — *salisburgensis* Braune. Braune Fl. salisb. 2, 1.  
 — *santolinaefolia* H. B. K. H. B. K. Nov. Gen. 2, 166.  
 — *tatarica* Fisch. Ledeb. Ic. 435.  
 — *tenuifolia* Pers. Brotero Phytogr. 124.  
 — *viscosa* L. Lam. Encycl. 518.  
*Euphroboscis pygmaea* Griffith. Wight Ic. pl. Ind. or. 5, 1732.  
 — — — Calcutta Journal 1845, 26.



- Euphronia hirtelloides* Mart. Mart. Bras. 73.  
*Euphrosyne parthenifolia* DC. Delessert Ic. 4, 28.  
*Euploca convolvulacea* Nutt. Hook. Ic. pl. 7, 651.  
 † *Eupodium Kaulfussii* Sm. Hook. Gen. Fil. 118.  
*Eupomatia laurina* R. Br. Flinders Voyage 2.  
*Euptelea polyandra* S. et Z. Sieb. Fl. Japon. 72.  
*Eurya acuminata* DC. Royle Illustr. 24.  
 — *chinensis* R. Br. Abel Narrative 3.  
 — — — Lodd. Cab. 1213.  
 — *japonica* Thunb. Thunb. Fl. jap. 25.  
 — — — Lam. Encycl. 401.  
 — *nitida* Korth. Korthals Bot. 17.  
 † — *reticulata* Korth. Korthals Bot. 17.  
 — *Wightiana* Wall. Wight Illustr. 38.  
*Euryale ferox* Salisb. Roxb. Corom. 244.  
 † — — — Kerner Genera 86. 87.  
 — — — Bot. Mag. 35, 1447.  
 — — — Rchb. Exot. 11.  
 — — — Fl. d. serres 8, 778. 779.  
 † — — — (Germinatio.) Münchn. Abh. 5, 13.  
 † *Euryandra* Forst. Forster Charact. 41.  
 † — — — Lam. Encycl. 483.  
*Eurybia corymbosa* N. v. E. Bot. Reg. 18, 1532.  
 — *Cunninghamii* Hook. fil. Hook. New Zeal. 30.  
*Eurychanes verbasciformis* N. v. E. Endl. Bras. 7, 3.  
 † *Eurycles amboinensis* Herb. Herbert Amar. 33.  
 — *australasica* Herb. Bot. Reg. 9, 715.  
 — — — Herbert Amar. 34.  
 — *Cunninghamii* Ldl. Bot. Reg. 18, 1506.  
 — — — Bot. Mag. 62, 3399.  
*Euryops arabicus* Steud. Jaubert Illustr. 355. 356.  
 — *pinifolius* Rich. Richard Abyssin. 60.  
*Euryspermum grandiflorum* Salisb. Salisbury Parad. 105.  
 — *salicifolium* Salisb. Salisbury Parad. 75.  
*Eurythalia germanica* Schrank. Schrank Fl. monac. 3, 278.  
*Euscaphis staphyleoides* S. et Z. Sieb. Fl. Japon. 67.  
*Eustachys distichophylla* Kth. Humb. Gram. 54.  
*Eustegia hastata* R. Br. Sprengel N. Entd. 1, 1.  
*Eustephia coccinea* Cav. Cav. Ic. 238.  
*Eustoma exaltatum* Griseb. Bot. Reg. 31, 13.  
 — — — Paxt. Mag. 13, 99.  
 — — — Fl. d. serres 1, 40.  
 — *silenifolium* Salisb. Salisbury Parad. 34.  
*Eustrephus latifolius* R. Br. Bot. Mag. 31, 1245.  
 — — — Endl. Iconogr. 4.  
*Eustylis geniculata* Hook. Hook. New Zeal. 19.  
*Eutaxia Baxteri* Kn. et W. Knowles et Westcott 43.  
 — *pungens* Sweet. Sweet Austr. 28.  
 — — — Paxt. Mag. 3, 245.  
*Euterpe andicola* Mart. D'Orbigny Voyage 2. 17.  
 — *Catinga* Wallace. Wallace Palms 8.  
 — *edulis* Mart. Mart. Palm. 32. Z<sup>10</sup>.  
 — *ensiformis* Mart. Mart. Palm. 31.  
 † — *globosa* Gaertn. Gaertn. Carp. 9.  
 † — — — Lam. Encycl. 895.  
 — *Haenkeana* Mart. D'Orbigny Voyage 2. 17.  
 — *longevaginata* Mart. D'Orbigny Voyage 15. 17.  
 — *Menziesii* R. Br. Bot. Mag. 66, 3762.  
 — *montana* Grah. Bot. Mag. 67, 3871.  
 — *oleracea* Mart. Mart. Palm. 28. 29. 30.  
 — — — Wallace Palms 7.  
 † — *pisifera* Gaertn. Gaertn. Carp. 9. 139.  
 — *preclatoria* Mart. D'Orbigny Voyage 8. 18.  
*Euthales macrophylla* Ldl. Bot. Reg. 27, 3.  
 — — — Maund Bot. 5, 209.  
 — *trinervis* R. Br. Lodd. Cab. 1106.  
*Euthemis leucocarpa* Jack. Hook. Ic. pl. 8, 711.  
*Eutoca arctioides* H. et A. Hook. Ic. pl. 4, 355.  
 — *Cumingii* Benth. Gay Chile 53.  
 — *divaricata* Benth. Bot. Mag. 65, 3706.  
 — — — Bot. Reg. 21, 1784.

- Eutoca Franklinii* R. Br. Bot. Mag. 57, 2985.  
 — ? *lutea* H. et A. Hook. Ic. pl. 4, 354.  
 — *Menziesii* Benth. Sweet Fl. G. II. 334.  
 — *multiflora* Dougl. Bot. Reg. 14, 1180.  
 — *sericea* Grah. Bot. Mag. 57, 3003.  
 — *viscida* Benth. Bot. Mag. 64, 3572.  
 — — — Bot. Reg. 21, 1808.  
 — — — Sweet Fl. G. II. 368.  
 — *Wrangeliana* F. et M. Sweet Fl. G. II. 362.  
 — — — Paxt. Mag. 5, 199.  
*Eutrema arenicola* Rich. Hook. Bor. Am. 24.  
 † — *Edwardsii* R. Br. Parry Voyage tab. A.  
 — — — Ledeb. Ic. 258.  
 — — — Fl. dan. 13, 2242.  
*Eutriana multisetia* N. v. E. Humb. Gram. 138.  
 — — — Trin. Sp. Gr. 3, 295.  
*Euxenia grata* Cham. Horae berol. 16.  
*Euxolus caudatus* Moq. Wight Ic. pl. Ind. or. 5, 1773.  
*Euzomodendron Bourgeauanum* Coss. Webb Otia 43.  
*Evax asteriseiflora* Pers. Lam. Encycl. 694.  
 † — *pygmaea* Pers. Nees Gen. X, x.  
 — *rotundata* Moris. Moris Fl. sard. 81.  
 † — *umbellata* Gaertn. Gaertn. Carp. 165.  
 † — — — Lam. Encycl. 694.  
*Evea guianensis* Aubl. Aublet Guiana 39.  
 † — — — Lam. Encycl. 59.  
*Evelyna capitata* P. et E. Poepp. et Endl. 56.  
 — *graminifolia* P. et E. Poepp. et Endl. 58.  
 — *oligantha* P. et E. Poepp. et Endl. 57.  
*Eversmannia hedsaroides* Bunge. Goebel Reise 5. 6.  
 — — — var.  $\beta$ . Acad. Pet. 6, 9.  
 † *Evia acida* Bl. Blume Mus. 1, 41.  
 † *Evodia* Forst. Forster Charact. 7.  
 — *drupacea* Lab. Bill. Sertum 74.  
 — *febrifuga* St. Hil. St. Hil. Pl. usuelles 4.  
 † — *hortensis* Forst. Mem. Mus. 12, 22.  
 — *littoralis* Endl. Schott Rutaceae 1.  
 † *Evodia Ravensara* Gaertn. Gaertn. Carp. 103.  
 — — — Lam. Encycl. 404.  
*Evolvulus alsinoides* L. Rheede Hort. mal. 11, 64.  
 † — — — Wight Illustr. 168<sup>b</sup>.  
 — *cordatus* Moric. Moricand Pl. Am. 82.  
 — *daphnoides* Moric. Moricand Pl. Am. 40.  
 — *echioides* Moric. Moricand Pl. Am. 37.  
 — *elegans* Moric. Moricand Pl. Am. 36.  
 — *emarginatus* Burn. Burn. Fl. ind. 30.  
 — *frankenioides* Moric. Moricand Pl. Am. 33.  
 — *gnaphaloides* Moric. Moricand Pl. Am. 41.  
 — *gypsophiloides* Moric. Moricand Pl. Am. 35.  
 — *hederaceus* Burn. Burn. Fl. ind. 30.  
 — *helichrysoides* Moric. Moricand Pl. Am. 80.  
 — *heterophyllus* Lab. Bill. Sertum 29.  
 — *hirsutus* Lam. Lam. Encycl. 216.  
 — *jacobinus* Moric. Moricand Pl. Am. 81.  
 — *latifolius* Ker. Bot. Reg. 5, 401.  
 — *linifolius* L. Lam. Encycl. 216.  
 — *linioides* Moric. Moricand Pl. Am. 83.  
 — *phyllanthoides* Moric. Moricand Pl. Am. 54.  
 — *pteroaulon* Moric. Moricand Pl. Am. 84.  
 — *purpureo-coeruleus* Hook. Bot. Mag. 71, 4202.  
 — — — Paxt. Mag. 15, 171.  
 — — — Fl. d. serres 2, 42.  
 — *sericeus* Rz et P. Ruiz et Pav. Fl. 252.  
 — *speciosus* Moric. Moricand Pl. Am. 34.  
 — *tridentatus* L. Burn. Fl. ind. 16.  
 — *veronicaefolius* H. B. K. H. B. K. Nov. Gen. 3, 215.  
 — *villosus* Rz et P. Ruiz et Pav. Fl. 253.  
 † *Evonymus* L. Gray Genera 171.  
 — *americanus* L. Lodd. Cab. 1322.  
 — — — Torrey New York 19.  
 — — — var. *obovatus*, Gray Genera 171.

- Evonymus angulatus* *Wight*. *Wight Ic. pl. Ind. or. 3*, 1053.
- *atropurpureus* *Jacq.* *Jacq. Vind.* 120.
- — — *Dict. sc. nat.* 272.
- *bullatus* *Wall.* *Lodd. Cab.* 1749.
- *crenulatus* *Wall.* *Wight Spicil.* 45.
- — — *Wight Ic. pl. Ind. or. 1*, 214. 3, 973.
- *echinatus* *Wall.* *Royle Illustr.* 31.
- — — *Bot. Mag.* 54, 2767.
- † *europaeus* *L.* *Gaertn. Carp.* 113.
- † — — — *Lam. Encycl.* 131.
- — — *Schk. Handb.* 48.
- — — *Fl. dan.* 7, 1089.
- — — *Sv. Bot.* 247.
- — — *Engl. Bot.* 6, 362.
- — — *Baxter Brit. Bot.* 2, 123.
- — — *Guimp. Holzgew.* 16.
- — — *Sturm Flora* 8, 27.
- — — *Rchb. Fl. germ.* 6, 309.
- *garcinifolius* *Roxb.* *Wight Ic. pl. Ind. or. 3*, 761.
- *Goughii* *Wight*. *Wight Ic. pl. Ind. or. 1*, 215.
- *grandiflorus* *Wall.* *Wallich Tentamen* 30.
- — — *Wall. Pl. asiat.* 254.
- *japonicus* *Thumb.* *Kaempfer Japon.* 8.
- — — *Hellenius Monogr.* 1.
- — — *Usteri Delect.* 1, 4.
- — — *Bot. Reg.* 30, 6.
- — — *Hook. Beechey* 54.
- *javanicus* *Blume.* *Bennett Java* 28.
- *latifolius* *Scop.* *Jacq. Fl. austr.* 3, 289.
- — — *Guimp. Holzgew.* 18.
- — — *Bot. Mag.* 50, 2484.
- — — *Sturm Flora* 8, 27.
- — — *Rchb. Fl. germ.* 6, 310.
- *verrucosus* *Scop.* *Jacq. Fl. austr.* 1, 49.
- — — *Guimp. Holzgew.* 17.
- — — *Rchb. Fl. germ.* 6, 310.
- *vulgaris* *Moench.* *Schrank Fl. monac.* 1, 18.
- Evosma albiflora* *Andr.* *Andr. Rep.* 8, 520.
- Evosmia caripensis* *H. B.* *Humb. Pl. aeq.* 134.
- Ewyckia cyanea* *Bl.* *Blume Rumphia* 8.
- † — — — *Blume Mus.* 1, 1.
- † — — — *Ann. sc. nat.* III. 12, 10.
- *galeata* *Korth.* *Korthals Bot.* 67.
- Exacum aureum* *L. fil.* *Lam. Encycl.* 80.
- *bicolor* *Roxb.* *Wight Ic. pl. Ind. or. 4*, 1321.
- *courtallense* *Arn.* *Wight Ic. pl. Ind. or. 4*, 1323.
- *filiforme* *Willd.* *Curt. Lond.* 4, 86.
- — — *Engl. Bot.* 4, 235.
- — — *Baxter Brit. Bot.* 5, 400.
- — — *Dietr. Fl. bor.* 4, 233.
- † *grandiflorum* *Gaertn.* *Gaertn. Carp.* 114:
- *guianense* *Aubl.* *Aublet Guiana* 26.
- *ovatum* *Lab.* *Bill. Nov. Holl.* 52.
- *pedunculatum* *L.* *Wight Ic. pl. Ind. or. 2*, 336.
- *Perrottetii* *Griseb.* *Wight Ic. pl. Ind. or. 4*, 1322.
- *petiolare* *Griseb.* *Wight Ic. pl. Ind. or. 4*, 1324.
- *pumilum* *Griseb.* *Wight Ic. pl. Ind. or. 4*, 1324.
- *purpureum* *Lam.* *Lam. Encycl.* 80.
- — — *Desc. Ant.* 1, 20.
- *pusillum* *DC.* *DC. Ic. Gall. rar.* 16.
- † — — — *Nees Gen.* X, x.
- *sessile* *L.* *Wight Ic. pl. Ind. or. 4*, 1324.
- *tenuifolium* *Aubl.* *Aublet Guiana* 26.
- *tetragonum* *Roxb.* *Wall. Pl. asiat.* 276.
- — — *var.* *Bot. Mag.* 73, 4340.
- *vaginale* *Lab.* *Bill. Nov. Holl.* 51.
- *viscosum* *Sm.* *Smith Ic. pict.* 18;
- — — *Herb. amat.* 5, 355.
- † *Walkerii* *Arn.* *Wight Illustr.* 157<sup>b</sup>.
- *Wightianum* *Arn.* *Wight Ic. pl. Ind. or. 2*, 840.
- *zeylanicum* *Roxb.* *Bot. Mag.* 75, 4423.
- Exacum zeylanicum* *Roxb.* *Lem. Jard. fl.* 43.
- — — *Fl. d. serres* 5, 435.
- Excoecaria Agallocha* *L.* *Rumpf Amb.* 2, 79.
- — — *Berl. Jahrb.* 1796, 1.
- † — — — *Gaertn. Carp.* 108.
- — — *Lam. Encycl.* 805.
- — — *Hook. Comp.* 30.
- † — — — *Wight Ic. pl. Ind. or. 5*, 1865.
- *Camettia* *Willd.* *Rheede Hort. mal.* 5, 45.
- *canjoerensis* *Dennst.* *Rheede Hort. mal.* 5, 23.
- *crenulata* *Wight*. *Wight Ic. pl. Ind. or. 5*, 1865.
- † — *lucida* *Sw.* *Jussieu Euph.* 16.
- Exoacantha heterophylla* *Lab.* *Bill. Syr.* 1, 2.
- — — *Lam. Encycl.* 190.
- Exocarpus Bidwillii* *Hook. fil.* *Hook. New Zeal.* 52.
- † — *ovata* *Bl.* *Blume Mus.* 1, 37.
- Exogonium arenarium* *Choisy.* *Mem. Genev.* 8, 1.
- *Purga* *Benth.* *Bot. Reg.* 33, 49.
- — — *Bot. Mag.* 73, 4280.
- Exostemma angustifolium* *R. et Sch.* *Hayne* 7, 46.
- *australe* *St. Hil.* *St. Hil. Pl. usuelles* 3.
- *brachycarpum* *R. et Sch.* *Hayne* 7, 47.
- *caribacum* *R. et Sch.* *Hayne* 7, 44.
- *cuspidatum* *St. Hil.* *St. Hil. Pl. usuelles* 3.
- *floribundum* *R. et Sch.* *Hayne* 7, 45.
- — — *Nees Düsseldd. Suppl.* 2.
- *longiflorum* *R. et Sch.* *Bot. Mag.* 71, 4186.
- *maynense* *P. et E.* *Poepp. et Endl.* 237.
- *peruvianum* *H. B.* *Humb. Pl. aeq.* 38.
- *Valenzuelae* *A. Rich.* *Ramon Cuba* 48.
- Exostyles venusta* *Schott.* *Endl. Atacta* 25.
- Exothea oblongifolia* *Macf.* *Hook. Lond. Journ.* 1844, 7.
- Expangis Aub.* *Aubert Orchid.* 57.
- † *Eydouxia Delessertii* *Gaudich.* *Gaudichaud Bonite* 18.
- † — *macrocarpa* *Gaudich.* *Gaudichaud Bonite* 18.
- Eyselia bellidiflora* *Rchb.* *Rchb. Hort.* 242.
- Eysenhardtia amorphoides* *H. B. K.* *H. B. K. Nov. Gen.* 6, 592.
- Fabago major* *G. Don.* *Sweet Fl. G. II.* 226.
- Fabiana denudata* *Miers.* *Miers Illustr.* 17.
- † — *imbricata* *Rz et P.* *Ruiz et Pav. Prodr.* 34.
- — — *Ruiz et Pav. Fl.* 122.
- — — *Bot. Reg.* 25, 59.
- — — *Hook. Ic. pl.* 4, 340.
- *thymifolia* *St. Hil.* *Mem. Mus.* 12, 9.
- — — *St. Hil. Pl. rem.* 20.
- Fabricia laevigata* *Sm.* *Bot. Mag.* 32, 1304.
- † — *myrtifolia* *Gaertn.* *Gaertn. Carp.* 35.
- † — — — *Lam. Encycl.* 423.
- *stricta* *Lodd.* *Lodd. Cab.* 1219.
- Facchinia lanceolata* *Rchb.* *Rchb. Fl. germ.* 5, 209.
- † *Fadyena prolifera* *Hook.* *Hook. Gen. Fil.* 53.
- Fagara guianensis* *Lam.* *Desc. Ant.* 6, 414.
- † — *Lunu-Ankenda* *Gaertn.* *Gaertn. Carp.* 68.
- *pentandra* *Aubl.* *Aublet Guiana* 30.
- † — *Piperita* *L.* *Gaertn. Carp.* 68.
- *Pterota* *L.* *Lam. Encycl.* 84.
- — — *Dict. sc. nat.* 127.
- — — *Desc. Ant.* 7, 455.
- *spinifex* *Jacq.* *Jacq. Fragm.* 6.
- *tragodes* *L.* *Jacq. Hist. stirp. am.* 19.
- *triphylia* *Lam.* *Rumpf Amb.* 2, 62.
- † *Fagonia cretica* *L.* *Gaertn. Carp.* 113.
- — — *Lam. Encycl.* 346.
- — — *Bot. Mag.* 7, 241.
- † — — — *Mem. Mus.* 12, 14.
- *glutinosa* *Delile.* *Delile Egypte* 28.
- *indica* *L.* *Burm. Fl. ind.* 34.
- *latifolia* *Delile.* *Delile Egypte* 28.
- *mollis* *Delile.* *Delile Egypte* 27.
- *mysorensis* *Roth.* *Wight Illustr.* 64.
- Fagopyrum cymosum* *Meisn.* *Bot. Reg.* 32, 26.

- †Fagopyrum esculentum Moench. Plée Types 31.
- ramoso-spicatum Klotzsch. Prinz Wald. Him. 87.
- sativum Spach. Spach Suites 72.
- † — tataricum Gaertn. Gaertn. Carp. 119.
- † — vulgare N. v. E. Nees Gen. 4, 53.
- Fagraea auriculata Jack. Wall. Pl. asiat. 229.
- — Blume Rumphia 72.
- ceylanica Thunb. Svensk Acad. 1782, 4.
- — Lam. Encycl. 167.
- coromandelina Wight. Wight Ic. pl. 4, 1316.
- † — — Wight Illustr. 156 b.
- crassifolia Bl. Blume Rumphia 78.
- fastigiata Bl. Blume Rumphia 76.
- lanceolata Bl. Blume Rumphia 77.
- litoralis Bl. Blume Rumphia 74.
- malabarica Wight. Wight Ic. pl. Ind. or. 4, 1317.
- minor Bl. Blume Rumphia 73.
- morindaefolia Bl. Blume Rumphia 73. 79.
- obovata Wall. Bot. Mag. 72, 4205.
- — Bl. Blume Rumphia 75.
- peregrina Bl. Blume Rumphia 80.
- — Fielding Sertum 6.
- rostrata Bl. Blume Rumphia 76.
- speciosa Bl. Blume Rumphia 81.
- zeylanica Bl. Blume Rumphia 78.
- Fagus alpina P. et E. Poepp. et Endl. 196. 198.
- antarctica Forst. Hook. Fl. ant. 123.
- — Hook. Journ. 1840, 6.
- betuloides Mirb. Mem. Mus. 14, 25.
- — Hook. Fl. ant. 124.
- † — Castanea L. Lam. Encycl. 782.
- — Engl. Bot. 13, 886.
- cliffortioides Hook. fil. Hook. Ic. pl. 7, 673. 9, 816.
- — Cunninghams Hook. Hook. Journ. 1840, 7.
- Dombeyi Mirb. Mem. Mus. 14, 24.
- dubia Mirb. Mem. Mus. 14, 26.
- ferruginea Ait. Michaux Arb. 2, 9.
- — Torrey New York 110.
- † — Forsteri Hook. Hook. Fl. ant. 107.
- — Hook. Journ. 1840, 8.
- fusca Hook. fil. Hook. Ic. pl. 7, 630—631.
- glutinosa P. et E. Poepp. et Endl. 194.
- Gunnii Hook. fil. Hook. Ic. pl. 9, 881.
- Menziesii Hook. fil. Hook. Ic. pl. 7, 652.
- obliqua Mirb. Mem. Mus. 14, 23.
- † — — Poepp. et Endl. 198.
- proccera P. et E. Poepp. et Endl. 197.
- Pumilio P. et E. Poepp. et Endl. 195.
- † — sylvatica L. Gaertn. Carp. 37.
- † — — Lam. Encycl. 782.
- — Schk. Handb. 303.
- — Schmidt Samml. 1.
- — Fl. dan. 8, 1283.
- — Engl. Bot. 26, 1846.
- — Baxter Brit. Bot. 5, 331.
- ! — — Linn. Transact. 5, 11.
- — Sv. Bot. 361.
- — Tratt. Archiv 162.
- — Schrank Fl. monac. 4, 392.
- — Hartig 20.
- — Dietr. Fl. bor. 12, 819.
- — Rehb. Fl. germ. 12, 639.
- — Michaux Arb. 2, 8.
- — var. americana, Torrey New York 110.
- † — — Nees Gen. 4, 24.
- † — — Bot. Zeitung 1850, 8.
- † — — Schacht Baum 4. 5. 6.
- — Solandri Hook. fil. Hook. Ic. pl. 7, 639. 9, 816.
- †Falcaria latifolia Koch. Nees Gen. X, x.
- † — Rivini Host. Nees Gen. X, x.
- Falcatula falsotrifolium Brot. Brotero Phytogr. 65.

- Falconeria insignis Royle. Royle Illustr. 84<sup>a</sup> or 98.
- malabarica Wight. Wight Ic. pl. Ind. or. 5, 1866.
- Wallichii Royle. Royle Illustr. 84<sup>a</sup> or 98.
- Falkia repens L. fil. Bot. Mag. 48, 2228.
- — — Andr. Rep. 4, 257.
- — — Tratt. Archiv 363.
- †Faramea corymbosa Aubl. Lam. Encycl. 63.
- glandulosa P. et E. Poepp. et Endl. 234.
- quinqueflora P. et E. Poepp. et Endl. 234.
- salicifolia Presl. Presl Symbolae 70.
- sessiliflora Aubl. Aublet Guiana 40.
- Farnesia odora Gasp. Gasparini Monogr. 1.
- Farobaea nemorensis Colla. Mem. Tur. 35, 9.
- Farsetia aegyptiaca Turra. Turra Farsetia 1.
- clypeata R. Br. Rehb. Fl. germ. 2, 23.
- dalmatica Vis. Visiani Dalm. 32.
- eriocarpa DC. Delessert Ic. 2, 34.
- incana R. Br. Sturm Flora 12, 48.
- linearis Decne. Hook. Ic. pl. 9, 808.
- lunarioides R. Br. Bot. Mag. 58, 3087.
- triquetra DC. Portenschlag Dalm. 10.
- — — Rehb. Fl. germ. 2, 23.
- Fatoua lanceolata Decne. Gaudichaud Bonite 84.
- pilosa Gaudich. Gaudichaud Bonite 84.
- subcordata Gaudich. Gaudichaud Bonite 84.
- Faurea saligna Harv. Hook. Lond. Journ. 1847, 15.
- †Favonium spinosum Gaertn. Gaertn. Carp. 174.
- † — — Lam. Encycl. 713.
- Faya fragifera Webb. Webb Canar. 216.
- †Fedia Moench. (28 Species.) Linn. Transact. 17, 21.
- Auricula M. et K. Gaudin Fl. helv. 1, 1.
- — — Engl. Bot. 2809.
- — — Rehb. Pl. crit. 1, 63.
- brachystephana Ten. Tenore Fl. nap. 203.
- carinata Lois. Rehb. Pl. crit. 1, 61.
- — — Stev. Engl. Bot. 2810.
- — — Baxter Brit. Bot. 6, 432.
- † — Cornucopiae Vahl. Gaertn. Carp. 86.
- — — Rehb. Fl. germ. 12, 717.
- † — coronata Vahl. Gaertn. Carp. 86.
- — — Rehb. Pl. crit. 1, 66.
- dentata Vahl. Rehb. Pl. crit. 1, 62.
- discoidea Vahl. Rehb. Pl. crit. 1, 67. 2, 116.
- echinata Vahl. Rehb. Pl. crit. 1, 68.
- eriocarpa Lois. Rehb. Pl. crit. 1, 65.
- Fagopyrum T. et Gr. Torrey New York 46.
- Locusta Rehb. Rehb. Pl. crit. 1, 60.
- microcarpa Lois. Rehb. Pl. crit. 2, 114.
- † — olitoria Vahl. Gaertn. Carp. 86.
- — — Fl. dan. 10, 1681.
- pumila Vahl. Rehb. Pl. crit. 2, 113.
- † — sibirica Gaertn. Gaertn. Carp. 86.
- sphaerocarpa Guss. Gussone Pl. rar. 4.
- † — tridentata Stev. Mem. Mosc. 2, 11.
- — — Rehb. Pl. crit. 1, 64.
- — — truncata Rehb. Rehb. Pl. crit. 2, 115.
- — — uncinata M. v. B. Rehb. Pl. crit. 1, 69.
- — — vesicaria Vahl. Rehb. Pl. crit. 1, 70.
- Felicia Schimperii Hochst. Jaubert Illustr. 354.
- Felicianca rubriflora Camb. var. a. St. Hil. Fl. Bras. 157.
- Fendlera rupicola Gray. Smiths. Contr. 3, 5.
- Fenzlia dianthiflora Benth. Hook. Ic. pl. 2, 199.
- obtusa Endl. Endl. Atacta 17.
- retusa Endl. Endl. Atacta 18.
- Ferdinandusa elliptica Pohl. Pohl Bras. 106.
- — — Rehb. Exot. 283.
- ovalis Pohl. Pohl Bras. 107.
- — — Rehb. Exot. 282.
- — — speciosa Pohl. Pohl Bras. 108.
- †Fereiria Vandelli. Roemer Scriptores 6.
- †Feretia Delile. Ann. sc. nat. II. 20, 1.
- †Fernandezia R. et P. Ruiz et Pav. Prodr. 27.

- Fernandezia acuta* Ldl. Bot. Reg. 21, 1806.  
 — *elegans* Lodd. Lodd. Cab. 1214.  
*Fernelia axillaris* Lam. Lam. Encycl. 67.  
 † — *buxifolia* Gaertn. Gaertn. Carp. 197.  
 † — *obovata* Gaertn. Gaertn. Carp. 191.  
 — — Lam. Lam. Encycl. 67.  
 † — *pedunculata* Gaertn. Gaertn. Carp. 191.  
*Ferolia guianensis* Aubl. Anblet Guiana 372.  
 — *variegata* Lam. Desc. Ant. 7, 456.  
*Feronia elephantum* Correa. Roxb. Corom. 141.  
*Ferraria antherosa* Gawl. Bot. Mag. 20, 751.  
 — *atrata* Lodd. Lodd. Cab. 1356.  
 — *divaricata* Sweet. Sweet Fl. G. 192.  
*Ferrariola Thunb.* Red. Lil. 8, 484.  
 — *obtusifolia* Sweet. Sweet Fl. G. 148.  
*Pavonia* L. Cav. Diss. 189.  
 † — — Lam. Encycl. 569.  
 — — Andr. Rep. 3, 178.  
 — — Kerner Hort. 97.  
 — *pusilla* Link. Link Ic. I. 59.  
*Tigridia Sims.* Bot. Mag. 15, 532.  
*uncinata* Sweet. Sweet Fl. G. 161.  
*undulata* L. Cav. Diss. 190.  
 — — Jacq. Vind. 63.  
 — — Bot. Mag. 4, 144.  
 — — Red. Lil. 1, 28.  
 — — Dict. sc. nat. 62.  
 — — Rchb. Exot. 74.  
 — *viridiflora* Andr. Andr. Rep. 4, 285.  
*Ferreola buxifolia* Roxb. Roxb. Corom. 45.  
 † — — Ann. Mus. 8, 65.  
 — — Wight Ic. pl. Ind. or. 3, 763.  
*Ferretia apodanthera* Del. Ferret Abyssin. 12.  
*Ferula Asa foetida* L. Woodv. Med. 1, 43.  
 — — — Schk. Handb. 66.  
 — — — Nees Düsseld. 291.  
 — — — Guimp. et Schl. 216.  
 — *Barrelieri* Ten. Tenore Fl. nap. 133.  
 — *brevifolia* Link. Hoffm. Lk. Fl. port. 108<sup>a</sup>.  
 — *capillaris* Link. Hoffm. Lk. Fl. port. 108<sup>b</sup>.  
 — *caspica* M. v. B. Sprengel Umbellif. 7.  
 † — *communis* L. Lam. Encycl. 205.  
 — *Ferulago* L. var. Rochel Banat. 24.  
*geniculata* Guss. Bory Morée 9.  
 — *Linkii* Webb. Webb Canar. 75. (errore 78.)  
 — *neapolitana* Ten. Tenore Fl. nap. 132.  
 — *nodiflora* L. Jacq. Fl. austr. 5, 5.  
 — — Sibth. Fl. gr. 279.  
 — *nuda* Spr. Sprengel Umbellif. 7.  
 — *persica* Willd. Andr. Rep. 9, 558.  
 — — Bot. Mag. 46, 2096.  
 — — Wagner 168.  
 — *sulcata* Desf. Desf. Fl. atl. 67.  
 — *thyrsiflora* Sibth. Sibth. Fl. gr. 280.  
 † — *tingitana* L. Gaertn. Carp. 85.  
 † — — Lam. Encycl. 205.  
 — *tolucensis* H. B. K. H. B. K. Nov. Gen. 5, 418.  
 —? *tortuosa* Webb. Webb Canar. 77.  
*Ferulago granatensis* Boiss. Boissier Esp. 73.  
 — *silvatica* Bess. Rchb. Ic. crit. 4, 371.  
 † *Festuca* L. Dumortier Gram. 3.  
 † — — Annales d'observ. 1, 10.  
 — — *alpina* Suter. Host Gram. 363.  
 — — — Sturm Flora 19, 86.  
 — — — Rchb. Fl. germ. 1, 61.  
 — — *altaica* Led. Ledeb. Ic. 228.  
 — — *amethystina* Host. Host Gram. 189.  
 — — — Rchb. Fl. germ. 1, 61.  
 — — *argentea* Savi. Usteri Ann. 24, 1.  
 — — *arundinacea* Liljebl. Sv. Bot. 370.  
 — — — Schreb. Fl. dan. 14, 2463.  
 — — — Rchb. Fl. germ. 1, 70.  
*Festuca aurata* Gaud. Rchb. Fl. germ. 1, 61.  
 — *barbata* Brot. Brotero Phytogr. 101.  
 — *borealis* Mert. Hook. Bor. Am. 231.  
 — *bromoides* L. Lam. Encycl. 46.  
 — — — Fl. dan. 9, 1445.  
 — — — Engl. Bot. 20, 1411.  
 — — — Knapp Gram. 69.  
 — *caesia* Sm. Engl. Bot. 27, 1917.  
 — *caespitosa* Desf. Desf. Fl. atl. 24.  
 — *calamaria* Sm. Engl. Bot. 14, 1005.  
 — — — Host Gram. 360.  
 — — — Knapp Gram. 72.  
 — *calycina* L. Cav. Ic. 44.  
 — — — Lam. Encycl. 46.  
 — *canescens* Host. Rchb. Fl. germ. 1, 62.  
 — *ciliata* Pers. Host Gram. 365.  
 — *Cookii* Hook. Hook. Fl. ant. 139.  
 — *curvula* Gaud. Rchb. Fl. germ. 1, 62.  
 — *cynosuroides* Desf. Desf. Fl. atl. 21.  
 — *dactyloides* Sibth. Sibth. Fl. gr. 81.  
 — *decidua* Sm. Engl. Bot. 32, 2266.  
 — *decolorans* M. et K. Rchb. Fl. germ. 1, 66.  
 — *decumbens* L. Fl. dan. 1, 162.  
 — *diandra* Michx. Michaux Fl. 10.  
 — *dichotoma* Forsk. Mutel Fl. fr. 89.  
 — *dimorpha* Guss. Gussone Pl. rar. 6.  
 — *divaricata* Desf. Desf. Fl. atl. 22.  
 — — — Mutel Fl. fr. 89.  
 — *dumetorum* L. Fl. dan. 4, 700.  
 — — — Mutel Fl. fr. 86.  
 — *dura* Host. Host Gram. 187.  
*duriuscula* L. Fl. dan. 5, 848.  
 — — — Host Gram. 183.  
 — — — Roemer Fl. eur. 6, 1.  
 — — — Engl. Bot. 7, 470.  
 — — — Knapp Gram. 68.  
 — — — Rchb. Fl. germ. 1, 62.  
 † — — — Nees Gen. 1, 72.  
 — *elatior* L. Schreber Gräser 2.  
 — — — Host Gram. 179.  
 — — — Curt. Lond. 3, 66.  
 — — — Engl. Bot. 23, 1593.  
 — — — Mutel Fl. fr. 88.  
 — *erecta* d'Urv. Brongniart Coquille 7.  
 — *eskia* Ram. Mutel Fl. fr. 87.  
 — — — Rchb. Fl. germ. 1, 66.  
 † — *fiabellata* Lam. Annales d'observ. 2, 2. 3. 4.  
 — *flavescens* Bell. Host Gram. 219.  
 — — — Rchb. Fl. germ. 1, 65.  
 — *fuitans* L. Fl. dan. 2, 237.  
 — — — Schreber Gräser 3.  
 — — — Host Gram. 177.  
 — — — Schk. Handb. 15.  
 — *foliosa* Schrad. Hook. Fl. ant. 55.  
 — *fucigiana* Hook. Hook. Fl. ant. 141.  
 — *fusca* L. Delile Egypte 11.  
 — — — Vill. Mutel Fl. fr. 87.  
 — *gigantea* Vill. Curt. Lond. 3, 52.  
 — — — Engl. Bot. 26, 1820.  
 — — — Sv. Bot. 120.  
 — *glauca* Lam. Lam. Encycl. 46.  
 — — — Fl. dan. 10, 1628.  
 — — — Rchb. Fl. germ. 1, 63.  
 † — — — Schreb. Nees Gen. 1, 72.  
 — *granatensis* Boiss. Boissier Esp. 179.  
 — *guestfalica* Bönningh. Rchb. Fl. germ. 1, 64.  
 — *Halleri* Vill. Rchb. Fl. germ. 1, 61.  
 — *heterophylla* Haenke. Host Gram. 218.  
 — *hirsuta* Host. Host Gram. 185.  
 — — — Fl. dan. 10, 1627.  
 — — — Rchb. Fl. germ. 1, 62.  
 — *hispidula* Savi. Savi Fl. pis. 1.

- Festuca incressata* *Salzm.* Mutel Fl. fr. 86.  
 — *inermis* *DC.* Rehb. Fl. germ. 1, 70.  
 — *laevigata* *Clairv.* Rehb. Fl. germ. 1, 63.  
 — *latifolia* *Host.* Rehb. Fl. germ. 1, 69.  
 — *laxa* *Host.* Host Gram. 180.  
 — — Rehb. Fl. germ. 1, 64.  
 — *litoralis* *Lab.* Bill. Nov. Holl. 27.  
 — — *Sibth.* Sibth. Fl. gr. 80.  
 — *loliacea* *Huds.* Curt. Lond. 3, 70.  
 — — — Engl. Bot. 26, 1821.  
 — — — Fl. dan. 11, 1925.  
 — — — Knapp Gram. 74.  
 — — — Mutel Fl. fr. 88.  
 — *maritima* *L.* Mutel Fl. fr. 90.  
 — *Michelii* *Kth.* Mutel Fl. fr. 85.  
 — *monostachya* *Lam.* Desf. Fl. atl. 24.  
 — *montana* *Sternb.* Rehb. Fl. germ. 1, 69.  
 — *muralis* *H. B. K.* H. B. K. Nov. Gen. 7, 691.  
 — *Myurus* *L.* Host Gram. 193.  
 — — — Engl. Bot. 20, 1412.  
 — — — Knapp Gram. 70.  
 — *nemorum* *Leyss.* Rehb. Fl. germ. 1, 67.  
 — *nervosa* *Hook.* Hook. Bor. Am. 232.  
 — *nigrescens* *Lam.* Rehb. Fl. germ. 1, 67.  
 — *nutans* *Host.* Host Gram. 361.  
 — — *Willd.* Torrey New York 158.  
 — *oryztorum* *Poll.* Pollini Fl. ver. 1, 1.  
 † *ovina* *L.* Lam. Encycl. 46.  
 — — — Host Gram. 184.  
 — — — Sv. Bot. 78.  
 — — — Engl. Bot. 9, 585.  
 — — — Knapp Gram. 66.  
 — — — Rehb. Fl. germ. 1, 61.  
 — — — var. *glauca*, Sturm Flora 7, 26.  
 — — — Fl. dan. 14, 2462.  
 — *pallens* *Host.* Host Gram. 188.  
 † — — — Münchn. Denkschr. 4, 11.  
 — — — Rehb. Fl. germ. 1, 63.  
 — — — Sturm Flora 7, 26.  
 — *pannonica* *Wulf.* Host Gram. 362.  
 — — — Rehb. Fl. germ. 1, 63.  
 — *pectinata* *Lab.* Bill. Nov. Holl. 25.  
 — *Pectinella* *Del.* Explor. Alger. 41.  
 — *phleoides* *Desf.* Desf. Fl. atl. 23.  
 — — *Host.* Host Gram. 221.  
 — *phoenicoides* *L.* Gerard Fl. gallopr. 2.  
 — *pilosa* *Hall.* Sturm Flora 19, 86.  
 — *pinnata* *Huds.* Knapp Gram. 75.  
 — *poaeformis* *Host.* Host Gram. 181.  
 — — — Rehb. Fl. germ. 1, 66.  
 — *polystachya* *Michx.* Elliott Carolina 10.  
 — *pratensis* *Huds.* Curt. Lond. 3, 69.  
 — — — Engl. Bot. 23, 1592.  
 — — — Knapp Gram. 73.  
 — — — Baxter Brit. Bot. 5, 324.  
 — — — Sv. Bot. 54.  
 — — — Fl. dan. 8, 1323.  
 — — — Mutel Fl. fr. 88.  
 — — — Rehb. Fl. germ. 1, 70.  
 † — *pulchella* *Schrad.* Schrader Fl. germ. 5.  
 — — — Münchn. Denkschr. 7, 3.  
 — *pumila* *Vill.* Host Gram. 191.  
 — — — Rehb. Fl. germ. 1, 65.  
 — — — Sturm Flora 8, 29.  
 — *pungens* *Vahl.* Vahl Symbolae 2.  
 — *purpurascens* *Banks et Sol.* Hook. Fl. ant. 140.  
 — *quadritentata* *H. B. K.* H. B. K. Nov. Gen. 7, 690.  
 — *repens* *Knapp.* Knapp Gram. 119.  
 — *rigida* *Kth.* Sturm Flora 19, 86.  
 — — — *Roth.* Gussone Pl. rar. 7.  
 — *robusta* *Mut.* Mutel Fl. fr. 89.  
 — *rubra* *L.* Host Gram. 182.

- Festuca rubra* *L.* Engl. Bot. 29, 2056.  
 — — — Hook. Bor. Am. 230.  
 — — — Rehb. Fl. germ. 1, 67.  
 † — — — Nees Gen. 1, 72.  
 — *scabra* *Lab.* Bill. Nov. Holl. 26.  
 — *scabrella* *Torr.* Hook. Bor. Am. 233.  
 — *Scheuchzeri* *Gaud.* Sturm Flora 19, 86.  
 — — — Rehb. Fl. germ. 1, 68.  
 — *segetum* *Savi.* Savi Fl. pis. 1.  
 — *scrotina* *Host.* Host Gram. 192.  
 — *silvatica* *Vill.* Host Gram. 178.  
 — — — Rehb. Fl. germ. 1, 68.  
 — — — *Huds.* Knapp Gram. 76.  
 — *spadicea* *Rubb.* Linn. Transact. 1, 10.  
 — — — Host Gram. 220.  
 — — — Sturm Flora 19, 86.  
 — — — Rehb. Fl. germ. 1, 68.  
 — *speciosa* *Schreb.* Fl. dan. 11, 1805.  
 — *spectabilis* *Jan.* Rehb. Fl. germ. 7, 78.  
 — *stipoides* *Mut.* Mutel Fl. fr. 85.  
 — — — *Desf.* Mutel Fl. fr. 86.  
 — *stricta* *Host.* Host Gram. 186.  
 — *tenella* *Willd.* Torrey New York 154.  
 — *tenuifolia* *Sibth.* Rehb. Fl. germ. 1, 61.  
 — *Thomasi* *Gay.* Mutel Fl. fr. 84.  
 — *triflora* *Desf.* Desf. Fl. atl. 20.  
 — — — *Sm.* Engl. Bot. 27, 1918.  
 — *uniglumis* *Ait.* Host Gram. 364.  
 — — — Engl. Bot. 20, 1430.  
 — — — Knapp Gram. 71.  
 — *unioloides* *Willd.* Willd. Hort. 3.  
 — *vaginata* *W. et K.* Rehb. Fl. germ. 1, 64.  
 — *valesiaca* *Gaud.* Rehb. Fl. germ. 1, 63.  
 — *varia* *Haenke.* Host Gram. 190.  
 — — — Rehb. Fl. germ. 1, 65.  
 — *violacea* *Gaud.* Rehb. Fl. germ. 1, 62.  
 — *vivipara* *Sm.* Engl. Bot. 19, 1355.  
 — — — Knapp Gram. 67.  
 — — — Fl. dan. 12, 2043.  
 † *Fevillea cordifolia* *L.* Lam. Encycl. 815.  
 — — — Desc. Ant. 3, 198.  
 † — — — Spach Suites 49.  
 — *hederacea* *Poir.* Dict. sc. nat. 210. 211.  
 † — — — Schnizl. Ic. 201.  
 — *pedata* *Sm.* Bot. Mag. 53, 2681.  
 — *tamniifolia* *H. B. K.* H. B. K. Nov. Gen. 7, 640.  
 † *Figibia clypeata* *Med.* Medicus Gatt. 2.  
 — *lunarioides* *Sm.* Sibth. Fl. gr. 625.  
*Ficaria calthaeifolia* *Rehb.* Rehb. Fl. germ. 3, 1.  
 — *ranunculoides* *Roth.* Schrank Fl. monac. 3, 238.  
 — — — Rehb. Fl. germ. 3, 1.  
 — — — Dietr. Fl. bor. 2, 100.  
*Ficinia aphylla* *N. v. E.* Endl. Atacta 12.  
 † — *truncata* *Schrad.* Comm. Gott. rec. 7, 2.  
*Ficus* *L.* (Arbor vetustissima.) Blume Rumphia 71.  
 † — — (Fructus monstr.) Novi Comm. Bonon. 3, 8.  
 † — — Rendic. Ac. Neap. 1844, 1—13. 1847, 1—3.  
 — *acuminata* *Ham.* Bot. Mag. 60, 3282.  
 — *acutiloba* *Miq.* Hook. Lond. Journ. 1848, 5.  
 — *Allamceraloo* *Roxb.* Wight Ic. pl. Ind. or. 2, 650.  
 — *Ampelos* *Burm.* Rumpf Amb. 4, 63.  
 — — — Wight Ic. pl. Ind. or. 2, 652.  
 — *amplissima* *Sm.* Rheed. Hort. mal. 3, 63.  
 — *angustifolia* *Roxb.* Wight Ic. pl. Ind. or. 2, 660.  
 — *antithetophylla* *Steud.* Hook. Lond. Journ. 1848, 5.  
 — *asperifolia* *Miq.* Hook. Lond. Journ. 1848, 15.  
 — *asperrima* *Roxb.* Rheed. Hort. mal. 3, 60.  
 — — — Wight Ic. pl. Ind. or. 2, 633.  
 — *benghalensis* *L.* Rheed. Hort. mal. 1, 28.  
 — — — Rumpf Amb. 3, 93.  
 — — — Gil et Xarez 20.  
 — — — Kerner Hort. 194.

- Ficus benjamina* L. Rheede Hort. mal. 1, 26.  
 — — — Rumpf Amb. 3, 90.  
 — — — *Willd.* Mem. Ac. Berl. 1798, 4.  
 — — — *Caprificus* *Risso.* Risso Fl. de Nice 19.  
 † — — — *Carica* L. Gaertn. Carp. 91,  
 † — — — Lam. Encycl. 861.  
 — — — Schk. Handb. 358.  
 — — — Hayne 9, 13.  
 — — — Guimp. Fr. Holzgew. 108.  
 — — — Guimp. et Schl. 69.  
 — — — Nees Düsseld. 97.  
 — — — var. *Gallesio Pomona* 2, 0.  
 — — — Woodv. Med. 4, 244.  
 — — — Diet. sc. nat. 285.  
 — — — Rchb. Fl. germ. 12, 659.  
 † — — — (Embryo.) Ann. sc. nat. III. 11, 10.  
 † — — — var. *silvestris*, Nees Gen. 4, 33.  
 † — — — Schnizl. Ic. 2, 92.  
 ! — — — *Novi Comm.* Bonon. 3, 8.  
 ! — — — Münch. Abh. 4, 1.  
 — — — *caricoides* *Roxb.* Wight Ic. pl. Ind. or. 2, 634.  
 — — — *chiaese* *Gasp.* Rend. Ac. Neap. 1844, 4.  
 — — — *citrifolia* *Lam.* Rumpf Amb. 3, 86.  
 — — — Kerner Hort. 579.  
 — — — *Colombo* *Gasp.* Rend. Ac. Neap. 1844, 2.  
 — — — *comosa* *Roxb.* Roxb. Corom. 125.  
 — — — Kerner Hort. 216.  
 — — — Bot. Mag. 61, 3305.  
 — — — Wight Ic. pl. Ind. or. 2, 638.  
 — — — *congesta* *Roxb.* Wight Ic. pl. Ind. or. 2, 644.  
 — — — *conglomerata* *Roxb.* Wight Ic. pl. Ind. or. 2, 669.  
 — — — *cordata* *Thunb.* Thunberg Ficus 1.  
 — — — *Usteri* Del. 1, 5.  
 — — — *cordifolia* *Roxb.* Wight Ic. pl. Ind. or. 2, 640.  
 — — — *coriacea* *Ait.* Hook. Exot. Fl. 223.  
 — — — *coronata* *Spin.* Colla Hort. Rip. 8.  
 — — — *cotoneaeifolia* *Vahl.* Rheede Hort. mal. 3, 57.  
 — — — *cunia* *Roxb.* Wight Ic. pl. Ind. or. 2, 648.  
 — — — *Daemona* *Roxb.* Wight Ic. pl. Ind. or. 2, 641.  
 — — — *Dahero* *Del.* Ferret Abyssin. 15.  
 — — — *elastica* *Roxb.* Wight Ic. pl. Ind. or. 2, 663.  
 — — — *erecta* *Thunb.* Kaempfer Japon. 4.  
 — — — *exasperata* *Roxb.* Wight Ic. pl. Ind. or. 2, 664.  
 — — — *Vahl.* Hook. Lond. Journ. 1848, 14.  
 — — — *excelsa* *Vahl.* Rheede Hort. mal. 3, 58.  
 — — — Wight Ic. pl. Ind. or. 2, 650.  
 — — — *fruticosa* *Roxb.* Wight Ic. pl. Ind. or. 2, 654.  
 — — — *fulva* *Reinw.* Vriese Descriptions 3, 4.  
 — — — *glomerata* *Roxb.* Rheede Hort. mal. 1, 25.  
 — — — Rumpf Amb. 3, 94.  
 — — — Roxb. Corom. 123.  
 — — — Kerner Hort. 140.  
 — — — Wight Ic. pl. Ind. or. 2, 667.  
 — — — *hederacea* *Roxb.* Wight Ic. pl. Ind. or. 2, 653.  
 — — — *heterophylla* *Roxb.* Rheede Hort. mal. 3, 62.  
 — — — Wight Ic. pl. Ind. or. 2, 659.  
 — — — *hirsuta* *Roxb.* Wight Ic. pl. Ind. or. 2, 670.  
 — — — *hirta* *Roxb.* Wight Ic. pl. Ind. or. 2, 672.  
 — — — *hispidula* *Bl.* Rheede Hort. mal. 3, 61.  
 — — — Rumpf Amb. 3, 95.  
 — — — *humilis* *Roxb.* Wight Ic. pl. Ind. or. 2, 635.  
 — — — *indica* L. Rumpf Amb. 3, 84<sup>b</sup>.  
 — — — Desc. Ant. 4, 295.  
 — — — Guimp. et Schl. 277.  
 — — — Hook. Journ. 1841, 13, 14.  
 — — — *infectoria* *Willd.* Rheede Hort. mal. 3, 64.  
 — — — Wight Ic. pl. Ind. or. 2, 665.  
 — — — *Isiala* *Roxb.* Wight Ic. pl. Ind. or. 2, 668.  
 — — — *laccifera* *Roxb.* Wight Ic. pl. Ind. or. 2, 666.  
 — — — *lanceolata* *Roxb.* Wight Ic. pl. Ind. or. 2, 645.  
 — — — *ludens* *Miq.* Hook. Lond. Journ. 1848, 15.  
 — — — *macrophylla* *Roxb.* Wight Ic. pl. Ind. or. 2, 673.  
 — — — *Migliarolo* *Gasp.* Rend. Ac. Neap. 1844, 9.  
 — — — *mollis* *Vahl.* Mem. Ac. Berl. 1798, 5.  
 — — — *Willd.* König Ann. 2, 12.  
 — — — *nitida* *Thunb.* Rheede Hort. mal. 3, 55.  
 — — — Hook. Exot. Fl. 111.  
 — — — *Roxb.* Wight Ic. pl. Ind. or. 2, 642.  
 — — — *obtusifolia* *Roxb.* Wight Ic. pl. Ind. or. 2, 662.  
 — — — *oppositifolia* *Roxb.* Roxb. Corom. 124.  
 — — — Wight Ic. pl. Ind. or. 2, 638.  
 — — — *pachycarpa* *Gasp.* Rend. Ac. Neap. 1844, 5.  
 — — — *palmata* *Forsk.* Vahl Symbolae 24.  
 — — — *panificus* *Del.* Ferret Abyssin. 16.  
 — — — *parasitica* *Willd.* Mem. Ac. Berl. 1798, 3.  
 — — — König Ann. 2, 11.  
 — — — *pedunculosa* *Miq.* Hook. Lond. Journ. 1848, 7.  
 — — — *Perim teregam* *Burm.* Rheede Hort. mal. 3, 61.  
 † — — — *pertusa* L. *fil.* Nees Gen. 4, 33.  
 — — — Bory lles d'Afrique 17.  
 — — — *Petitiana* *Rich.* Richard Abyssin. 80.  
 — — — *polycarpa* *Roxb.* Wight Ic. pl. Ind. or. 2, 632.  
 — — — *populifolia* *Vahl.* Vahl Symbolae 22.  
 — — — *pumila* L. Rumpf Amb. 3, 85.  
 — — — *pyrifomis* *H. et Arn.* Hook. Lond. Journ. 1848, 6.  
 — — — *quercifolia* *Roxb.* Lodd. Cab. 1540.  
 — — — Wight Ic. pl. Ind. or. 2, 646.  
 — — — *racemifera* *Roxb.* Wight Ic. pl. Ind. or. 2, 639.  
 — — — *racemosa* L. Rumpf Amb. 3, 87, 88.  
 — — — *radicans* *Roxb.* Wight Ic. pl. Ind. or. 2, 671.  
 — — — *ramentacea* *Roxb.* Wight Ic. pl. Ind. or. 2, 657.  
 — — — *rapiformis* *Roxb.* Wight Ic. pl. Ind. or. 2, 637.  
 — — — *Reinwardtii* *Link.* Link Ic. II. 31.  
 — — — *religiosa* L. Rheede Hort. mal. 1, 27.  
 — — — Rumpf Amb. 3, 91, 92.  
 † — — — Gaertn. Carp. 179.  
 — — — Hayne 13, 38.  
 — — — Nees Düsseld. Suppl. 104.  
 — — — Guimp. et Schl. 276.  
 — — — *repens* *Roxb.* Wight Ic. pl. Ind. or. 2, 636.  
 — — — *rubiginosa* *Desf.* Vent. Malm. 114.  
 — — — Kerner Hort. 266.  
 — — — Bot. Mag. 56, 2939.  
 — — — *salicifolia* *Vahl.* Vahl Symbolae 23.  
 — — — *sarnese nero* *Gasp.* Rend. Ac. Neap. 1844, 7.  
 — — — *Saussureana* *DC.* Mem. Genev. 9, 0.  
 — — — *scabra* *Jacq.* Jacq. Schoenbr. 3, 315.  
 — — — *Willd.* Mem. Ac. Berl. 1798, 2.  
 — — — *scabrella* *Roxb.* Wight Ic. pl. Ind. or. 2, 661.  
 — — — *scandens* *Roxb.* Wight Ic. pl. Ind. or. 2, 643.  
 — — — *Schimperia* *Hochst.* Ferret Abyssin. 2.  
 — — — *septica* *Burm.* Rheede Hort. mal. 3, 59.  
 — — — *Spr.* Rumpf Amb. 3, 96.  
 — — — *setacea* *Lodd.* Lodd. Cab. 1138.  
 — — — *setosa* *Hook.* Hook. Beechey 49.  
 — — — *stipulata* *Thunb.* Wendl. Coll. 72.  
 — — — Kerner Hort. 381.  
 — — — *tinctoria* *Forst.* Tussac Ant. 2, 14.  
 — — — Kerner Hort. 653.  
 — — — Hook. Lond. Journ. 1848, 6.  
 — — — *tomentosa* *Roxb.* Wight Ic. pl. Ind. or. 2, 647.  
 — — — *trifera* *Gasp.* Rend. Ac. Neap. 1844, 12, 13.  
 — — — *Tsjela* *Ham.* Rumpf Amb. 3, 89.  
 — — — *tuberculata* *Roxb.* Wight Ic. pl. Ind. or. 2, 651.  
 — — — *undulata?* *Ham.* Rheede Hort. mal. 3, 56.  
 — — — *urophylla* *Wall.* Lodd. Cab. 1697.  
 — — — *vagans* *Roxb.* Wight Ic. pl. Ind. or. 2, 655.  
 — — — *vallis Choudae* *Del.* Ferret Abyssin. 1.  
 — — — *venosa* *Willd.* Willdenow Hort. 36.  
 — — — *virgata* *Roxb.* Wight Ic. pl. Ind. or. 2, 649.  
 — — — *Wassa* *Roxb.* Wight Ic. pl. Ind. or. 2, 666.  
 — — — *yoponicensis* *Desv.* Ann. sc. nat. II. 18, 8.  
 Fiedleria *illyrica* *Rchb.* Rchb. Fl. germ. 6, 246.  
 Fieldia *australis* *Cunn.* Hook. Exot. Fl. 231.

- Fieldia lissochiloides* *Gaudich.* Freycinet Voyage 36.  
 — — — Blume Rumphia 194.  
*Figaraca aegyptiaca* *Viv.* Viviani Ag. 1.  
*Filago arvensis* *L.* Fl. dan. 8, 1275.  
 — — — Sv. Bot. 660.  
 — — — Sturm Flora 10, 38.  
 † — — — Cosson Atlas 26.  
 — — — *canescens* *Jord.* Jordan Obs. 3, 7.  
 — — — *eriocephala* *Guss.* Gussone Pl. rar. 59.  
 — — — Jordan Obs. 3, 7.  
 — — — *exigua* *Sibth.* Sibth. Fl. gr. 922.  
 † — — — *germanica* *L.* Gaertn. Carp. 166.  
 — — — Schk. Handb. 266.  
 — — — Fl. dan. 6, 997.  
 — — — Sv. Bot. 661.  
 — — — Sturm Flora 3, 12.  
 — — — Cosson Atlas 26.  
 † — — — Ann. sc. nat. II, 20, 13.  
 — — — *Jussieui* *Coss. et G.* Cosson Atlas 26.  
 † — — — Ann. sc. nat. II, 20, 13.  
 — — — *lutescens* *Jord.* Jordan Obs. 3, 7.  
 — — — *marcoitica* *Delile.* Delile Egypte 47.  
 — — — *minima* *Fries.* Sturm Flora 10, 38.  
 — — — *montana* *L.* Fl. dan. 8, 1276.  
 — — — Sv. Bot. 659.  
 — — — Dietr. Fl. bor II, 769.  
 † — — — Cosson Atlas 26.  
 — — — *pygmaea* *Cav.* Cav. Ic. 36.  
 — — — *L.* Sibth. Fl. gr. 921.  
 — — — *spathulata* *Presl.* Jordan Obs. 3, 7.  
*Filangis* *Aub.* Aubert Orchid. 52.  
 † *Filices* *Willd.* Maratti De vera florum exist. 1.  
 † — — — (Hoffmann.) Roemer Magazin 3, 5.  
 † — — — (Smith.) Mem. Turin. 5, 9\*.  
 † — — — (Smith.) Smith Tracts 1.  
 † — — — (Smith.) Usteri Annalen 23, 2.  
 † — — — (Huperz.) Huperz Filicum propag. 1.  
 † — — — (Fischer.) Fischer Specimen 1.  
 † — — — (Bernhardi.) Schrader N. Journal 1, 2, 3.  
 † — — — (Swartz.) Konig Annals 2, 9, 10.  
 † — — — (Macvicar.) Transact. Edinb. 10, 11.  
 † — — — (Kaulfuss.) Kaulfuss Wesen d. F. 1.  
 † — — — (Link.) Abh. Ac. Berlin 1834, 1. 2. 1835, 1. 1840, 1.  
 † — — — (Gasparrini.) Gasparrini Osserv. 1. 2.  
 † — — — (Henderson.) Jardine Magazine 1, 11, 12.  
 † — — — (Brongniart.) Archives Mus. 1, 33.  
 † — — — (Griffith.) Jardine Annals 10, 5.  
 † — — — (J. Smith.) Hook. Journ. 1842, 19, 20.  
 † — — — (Fée.) Fée Fil. 1, 1, 2.  
 † — — — (Presl.) Prager Abh. 5, 1 — 7.  
 † — — — (Suminski.) Suminski Entwickl. d. F. 1.  
 † — — — (Thuret.) Ann. sc. nat. III, 11, 2 — 8.  
 † — — — (Wigand.) Bot. Zeitung 1849, 1.  
 † — — — (Hooker.) Hook. et Arn. Brit. Fl. 9 — 12.  
 † — — — (Hofmeister.) Hofmeister Untersuch. 16, 17.  
 † — — — (Henfrey.) Linn. Transact. 21, 14 — 16.  
*Fillaea suaveolens* *Guill.* Guillemin Seneg. 55.  
*Fimbricaria elegans* *Juss.* St. Hil. Fl. Bras. 173.  
*Fimbristylis annua* *R. et Sch.* Sturm Flora 19, 85.  
 — — — *Rehb.* Fl. germ. 8, 315.  
 — — — *cioniana* *Savi.* Mem. Valdarnesi 3, 1.  
 — — — *dichotoma* *Vahl.* Sturm Flora 19, 85.  
 — — — *Rehb.* Fl. germ. 8, 315.  
 † — — — *Nees* Gen. 2, 9.  
 — — — *ferruginea* *Vahl.* Delile Egypte 6.  
 — — — *marginata* *Lab.* Bill. Sertum 16.  
 † — — — *pubigera* *Link.* Nees Gen. 2, 9.  
 — — — *squarrosa* *Vahl.* *Rehb.* Fl. germ. 8, 315.  
 — — — *striata* *Lab.* Bill. Sertum 16.  
*Finlaysonia obovata* *Wall.* Wall. Pl. asiat. 162.  
 † — — — *Wight* Illustr. 182.

- † *Firmiana platanifolia* *Schott et Endl.* Spach Suites 69.  
 † *Fischera buxifolia* *Sw.* Mem. Mosc. 5, 1.  
 † — — — *compressa* *Spr.* Sprengel Umb. Prodr. 1.  
 — — — *macrocarpa* *P. et E.* Poepp. et Endl. 276.  
 — — — *scandens* *DC.* Delessert Ic. 5, 77.  
*Fisquetia macrocarpa* *Gaudich.* Gaudichaud Bonite 4.  
 — — — *militaris* *Gaudich.* Gaudichaud Bonite 5.  
 — — — *ornata* *Gaudich.* Gaudichaud Bonite 5.  
 — — — *ovata* *Gaudich.* Gaudichaud Bonite 4.  
 † *Fissilia psittacorum* *Juss.* Lam. Encycl. 28.  
*Fitchia nutans* *Hook.* Hook. Lond. Journ. 1845, 23, 24.  
*Fitzroya patagonica* *Hook.* Bot. Mag. 77, 4616.  
 — — — Fl. d. serres 7, p. 130.  
*Flabellaria paniculata* *Cav.* Cav. Diss. 264.  
*Flabelligraphis* *Aub.* Aubert Orchid. 39.  
*Flabellorchis* *Aub.* Aubert Orchid. 40.  
*Flacourtia cataphracta* *Roxb.* Rheede Hort. mal. 5, 38.  
 — — — *inermis* *Roxb.* Roxb. Corom. 222.  
 — — — *prunifolia* *H. B. K.* H. B. K. Nov. Gen. 7, 654.  
 — — — *Ramontchi* *L'her.* L'her. Stirp. 30, 30<sup>b</sup>.  
 † — — — Lam. Encycl. 826.  
 — — — *Wight* Ic. pl. Ind. or. 1, 85.  
 — — — *sapida* *Roxb.* Roxb. Corom. 69.  
 — — — *sepiaaria* *Roxb.* Rheede Hort. mal. 5, 39.  
 — — — *Roxb.* Corom. 68.  
 — — — Dict. sc. nat. 150.  
*Flagellaria indica* *L.* Rheede Hort. mal. 7, 53.  
 — — — *Rumpf* Amb. 5, 59.  
 † — — — Gaertn. Carp. 16.  
 † — — — Lam. Encycl. 266.  
 — — — *Red.* Lil. 5, 257.  
 — — — *Schnizl.* Ic. 1, 51<sup>b</sup>.  
 † *Flagellariaceae* *Endl.* *Schnizl.* Ic. 1, 51<sup>b</sup>.  
*Flaveria Contrayerba* *Pers.* Bot. Mag. 50, 2400.  
*Flavileptis* *Aub.* Aubert Orchid. 25.  
*Flemingia bracteata* *Wight.* Wight Ic. pl. Ind. or. 1, 268.  
 — — — *congesta* *Roxb.* Wight Ic. pl. Ind. or. 2, 390.  
 — — — *lineata* *Roxb.* Wight Ic. pl. Ind. or. 2, 327.  
 — — — *nana* *Roxb.* Wight Ic. pl. Ind. or. 2, 389.  
 — — — *procumbens* *Roxb.* Wight Ic. pl. Ind. or. 2, 408.  
 — — — *Wight.* Wight Ic. pl. Ind. or. 3, 987.  
 — — — *Wight* Spicil. 60.  
 — — — *semialata* *Roxb.* Roxb. Corom. 249.  
 — — — *Wight* Ic. pl. Ind. or. 2, 326.  
 — — — *stricta* *Roxb.* Roxb. Corom. 248.  
 — — — *Wight* Ic. pl. Ind. or. 2, 329.  
 — — — *strobilifera* *R. Br.* Bot. Reg. 8, 617.  
 — — — *Wight* Ic. pl. Ind. or. 1, 267.  
*Fleurya cordata* *Gaudich.* Gaudichaud Bonite 83.  
 — — — *interrupta* *Wight.* Wight Ic. pl. Ind. or. 6, 1975.  
*Flexuosatis* *Aub.* Aubert Orchid. 7, 12.  
*Flindersia amboinensis* *DC.* Rumpf Amb. 3, 129.  
 — — — *australis* *R. Br.* Flinders Voyage 1.  
 — — — Lam. Encycl. 954.  
 † *Floerkea* *Willd.* Gray Genera 154.  
 † — — — *proserpinacoides* *Willd.* Hook. Journ. 1834, 113.  
 — — — *Torrey* New York 17.  
 — — — Gray Genera 154.  
*Florestina pedata* *Cass.* Cassini Opusc. 1, 7.  
 — — — Dict. sc. nat. 86.  
*Flotovia diacanthoides* *Less.* Poepp. et Endl. 32.  
 \* *Flourensia caespitosa* *Jacq.* Jacquemont Ind. 29.  
 — — — *laurifolia* *DC.* Delessert Ic. 4, 35.  
 † *Flüggea japonica* *Rich.* Schrader N. Journal 2, 1.  
 † — — — *leucopyrus* *Willd.* Jussieu Euphorb. 2.  
 — — — *Wight* Ic. pl. Ind. or. 5, 1875.  
 † — — — *xerocarpa* *Juss.* Jussieu Euphorb. 2.  
*Fockea capensis* *Endl.* Endl. Iconogr. 91.  
 † *Foeniculum officinale* *All.* Nees Gen. X, x.  
 — — — *Panmorium* *DC.* Wight Ic. pl. Ind. or. 2, 570.  
 † — — — *vulgare* *Gaertn.* Gaertn. Carp. 23.  
 — — — *Guimp.* et Schl. 232.

- Foeniculum vulgare* Gaertn. Baxter Brit. Bot. 3, 176.  
 — — — Wight Ic. pl. Ind. or. 2, 515.  
 † — — — Wight Illustr. 117.  
 † *Foetidia mauritiana* Lam. Lam. Encycl. 419.  
 † — — — Jacq. Fragn. 11.  
*Fontanesia phillyraeoides* Lab. Bill. Syr. 1, 1.  
 † — — — Gaertn. Carp. 215.  
 — — — Lam. Encycl. 22, 902.  
 † — — — Kerner Genera 111.  
 — — — Guimp. Fr. Holzgew. 91.  
 — — — Dict. sc. nat. 37.  
 — — — Lodd. Cab. 1308.  
 — — — Watson Dendr. 1, 2.  
*Fontenellea brasiliensis* St. Hil. Ann. sc. nat. II. 17, 7.  
*Forskähllea angustifolia* Retz. Comm. Gott. 6, 2.  
 — — — Lam. Encycl. 388.  
 — — — *Cossoniana* Webb. Webb Otia 45.  
 — — — *tenacissima* L. Linné Fasc. pl. ups. 1.  
 — — — Jacq. Vind. 48.  
 † — — — Gaertn. Carp. 68.  
 † — — — Lam. Encycl. 388.  
 — — — Schk. Handb. 125.  
 † — — — Schnizl. Ic. 2, 94.  
 — — — *urticoides* Wight. Wight Ic. pl. Ind. or. 6, 1982.  
*Forstera aretiastriifolia* Rich. Richard Astrolabe 16.  
 — — — *bellidifolia* Hook. Hook. Ic. pl. 9, 851.  
 — — — *clavigera* Hook. Hook. Fl. ant. 28.  
 † — — — *glabra* Gaertn. Gaertn. Carp. 28.  
 — — — *sedifolia* L. fil. Konig Ann. 1, 6.  
 — — — Schrader Journ. 1799. 2, 2.  
 — — — *uliginosa* Rich. Richard Astrolabe 16.  
*Forsythia suspensa* Vahl. Sieb. Fl. Japon. 3.  
 — — — *viridissima* Ldl. Bot. Reg. 33, 39.  
 — — — Bot. Mag. 77, 4587.  
 — — — Lem. Jard. fl. 147.  
 — — — Annales de Gand 1847, 159.  
 — — — Fl. d. serres 3, 261.  
*Fortunea chinensis* Ldl. Journ. Hort. Soc. 1, 151.  
 † — — — Fl. d. serres 4, 331.  
*Fothergilla alnifolia* L. fil. Lam. Encycl. 480.  
 — — — Bot. Mag. 33, 1341.  
 — — — Guimp. Fr. Holzgew. 16.  
 — — — Dict. sc. nat. 199.  
 — — — Lodd. Cab. 1576.  
 — — — Gardeni L. Jacq. Ic. 100.  
 — — — Schk. Handb. 143.  
 — — — Lodd. Cab. 1507.  
 — — — major Lodd. Lodd. Cab. 1520.  
 — — — *mirabilis* Aubl. Aublet Guiana 175.  
*Fouillioya maritima* Gaudich. Gaudichaud Bonite 26.  
 — — — *racemosa* Gaudich. Gaudichaud Bonite 26.  
*Fouquieria formosa* H. B. K. H. B. K. Nov. Gen. 6, 527.  
*Fourcroya gigantea* Vent. Rodati Obs. Agav. 2—5.  
 — — — Red. Lil. 8, 476.  
 — — — DC. Plantes grasses 126. 126 bis.  
 — — — Tussac Ant. 2, 25. 26.  
 — — — Bot. Mag. 48, 2250.  
 — — — Rchb. Exot. 202.  
 — — — Wight Ic. pl. Ind. or. 6, 2025.  
 — — — Regel Gartenfl. 1852, 3.  
 — — — *longaeva* Karw. et Z. Acta Leop. 16. 2, 48.  
 † — — — Herbert Amar. 33.  
 — — — *rigida* Haw. Spin Jard. Sebast. 1.  
 — — — *tuberosa* Ait. Rodati Obs. Agav. 1.  
 † *Foveolaria Rz et P.* Ruiz et Pav. Prodr. 9.  
 — — — *ferruginea Rz et P.* Delessert Ic. 5, 43.  
*Fragaria chilensis* Ehrh. var. Fox, Revue hort. 1853, 2.  
 — — — var. Mammouth, Fl. d. serres 5, 504—6.  
 — — — *collina* Ehrh. Fl. dan. 8, 1389.  
 — — — Hayne 4, 30.  
 — — — Sv. Bot. 548.  
 — — — Dietr. Fl. bor. 5, 319.

- Fragaria clatior* Ehrh. Hayne 4, 27.  
 — — — Engl. Bot. 31, 2197.  
 — — — Wight Ic. pl. Ind. or. 3, 988.  
 — — — Wight Spicil. 61.  
 — — — *grandiflora* Ehrh. Hayne 4, 29.  
 — — — *Hagenbachiana* Koch. Hagenb. Fl. basil. 3.  
 — — — *indica* Andr. Andr. Rep. 7, 479.  
 — — — Bot. Reg. 1, 61.  
 — — — Dict. sc. nat. 239.  
 — — — Wight Spicil. 62.  
 — — — Wight Ic. pl. Ind. or. 3, 989.  
 — — — *monophylla* L. Bot. Mag. 2, 63.  
 — — — Usteri Ann. 14, 1.  
 — — — Journ. d'hist. nat. Par. 2, 41.  
 — — — *nilagirica* Zenk. Zenker Pl. ind. 9.  
 — — — *pubescens* Desc. Desc. Ant. 4, 262.  
 — — — *semperflorens* Hayne. Hayne 4, 25.  
 — — — *sterilis* L. Hoffm. D. Fl. 1791, 6.  
 — — — Tratt. Archiv 271.  
 — — — Fl. dan. 9, 1579.  
 — — — Engl. Bot. 25, 1785.  
 † — — — *vesca* L. Gaertn. Carp. 73.  
 — — — Schk. Handb. 135.  
 † — — — Lam. Encycl. 442.  
 — — — Hayne 4, 26.  
 — — — Sturm Flora 2, 2.  
 — — — Schrank Fl. monac. 1, 39.  
 — — — Dietr. Fl. bor. 5, 318.  
 — — — Sv. Bot. 16.  
 — — — Engl. Bot. 22, 1524.  
 — — — Baxter Brit. Bot. 4, 242.  
 — — — Fl. dan. 13, 2235.  
 — — — *β. atrovirens* Ldl. Engl. Bot. 2742.  
 — — — *virginiana* Ehrh. Hayne 4, 28.  
 † *Fragosa Rz et P.* Ruiz et Pav. Prodr. 34.  
 — — — *aretioides* H. B. K. H. B. K. Nov. Gen. 5, 424.  
 — — — *cladorrhiza Rz et P.* Ruiz et Pav. Fl. 250.  
 — — — *corymbosa Rz et P.* Ruiz et Pav. Fl. 250.  
 — — — *crenata Rz et P.* Ruiz et Pav. Fl. 249.  
 — — — *multifida Rz et P.* Ruiz et Pav. Fl. 249.  
 † — — — Ann. gen. 4, 51.  
 — — — *reniformis Rz et P.* Ruiz et Pav. Fl. 249.  
*Fragrangis Aub.* Aubert Orchid. 54.  
*Franciscea acuminata* Pohl. Pohl Bras. 3.  
 — — — Bot. Mag. 71, 4189.  
 — — — Paxt. Mag. 13, 27.  
 — — — Fl. d. serres 2, 76.  
 — — — *calycina* Hook. Bot. Mag. 77, 4583.  
 — — — *confertiflora* Pohl. Pohl Bras. 5.  
 — — — *divaricata* Pohl. Pohl Bras. 6.  
 — — — *eximia* Scheidw. Lem. Jard. fl. 248.  
 — — — *Hopeana* Hook. Bot. Mag. 55, 2829.  
 — — — Paxt. Mag. 1, 80.  
 — — — *hydrangeaeformis* Pohl. Pohl Bras. 7.  
 — — — Bot. Mag. 72, 4209.  
 — — — Paxt. Mag. 13, 121.  
 — — — Rchb. Exot. 288.  
 — — — *latifolia* Pohl. Pohl Bras. 2.  
 — — — Bot. Mag. 68, 3907.  
 — — — Rchb. Exot. 287.  
 — — — Paxt. Mag. 9, 73.  
 — — — *macrantha* Lem. Lem. Jard. fl. 249.  
 — — — *ramosissima* Pohl. Pohl Bras. 4.  
 — — — *uniflora* Pohl. Pohl Bras. 1.  
 — — — Tratt. Kaiserkranz 0.  
 — — — Lodd. Cab. 1332.  
*Francoa appendiculata* Cav. Cav. Ic. 596.  
 — — — Bot. Reg. 19, 1645.  
 — — — Bot. Mag. 59, 3178.  
 — — — Sweet Fl. G. II. 151.  
 — — — *ramosa* Don. Bot. Mag. 67, 3824.  
 — — — Sweet Fl. G. II. 223.



- Francoa sonchifolia* *A. Juss.* Bot. Mag. 61, 3309.  
 — — — Lodd. Cab. 1864.  
 — — — Ann. sc. nat. 3, 12.  
 — — — Sweet Fl. G. II. 169.  
 † *Frangula Adanson.* Gray Genera 167.  
 — *caroliniana Gray.* Gray Genera 167.  
 — *vulgaris Mill.* Hartig 66.  
*Frankenia Aucheri* *Jaub.* Jaubert Illustr. 187.  
 — *capitata Webb.* Webb Canar. 16.  
 — *corymbosa Desf.* Desf. Fl. atl. 93.  
 — *cymbifolia Hook.* Hook. Ic. pl. 3, 265.  
 — *ericifolia Chr. Smith.* Webb Canar. 15.  
 — — — *β. microphylla, Webb Canar.* 17.  
 — *hirsuta L.* Sibth. Fl. gr. 343.  
 — — — Lam. Encycl. 262.  
 † — *laevis L.* Gaertn. Carp. 184.  
 — — — Lam. Encycl. 262.  
 — — — Schk. Handb. 100.  
 — — — Engl. Bot. 3, 205.  
 — — — Baxter Brit. Bot. 2, 132.  
 — *microphylla Cav.* Cav. Ic. 597.  
 — *nodiflora Lam.* Lam. Encycl. 262.  
 — *pauciflora DC.* Bot. Mag. 56, 2896.  
 — — — Lodd. Cab. 1790.  
 — *persica Jaub.* Jaubert Illustr. 188.  
 — *pulverulenta L.* Sibth. Fl. gr. 344.  
 — — — Lam. Encycl. 262.  
 — — — Engl. Bot. 31, 2222.  
 — — — Dict. sc. nat. 189.  
 — *tetrapetala Lab.* Bill. Nov. Holl. 114.  
*Frankia Schimperii Steud.* Med. Correspond. 1836, 1, 2.  
*Franklandia fucifolia R. Br.* Flinders Voyage 6.  
 — — — Endl. Iconogr. 52.  
 † *Franklinia Marsh.* Gray Genera 142.  
*Franseria ambrosioides Cav.* Cav. Ic. 200.  
 — *artemisioides Willd.* Willdenow Hort. 2.  
*Fraseria albicaulis Dougl.* Hook. Bor. Am. 154.  
 — *speciosa Dougl.* Hook. Bor. Am. 153.  
 — *verticillata Rafin.* Rafin. Med. 39.  
 † — *Walteri Michx.* Gaertn. Carp. 224.  
 — — — Barton Med. 35.  
*Fraunhoferia multiflora Mart.* Mart. Bras. 235.  
 † *Fraxinella alba Gaertn.* Gaertn. Carp. 69.  
 † *Fraxinus L. (Folia.) Willd.* Baumzucht 2.  
 — *acuminata Lam.* Torrey New York 90.  
 — *americana L.* Michaux Arb. 3, 8.  
 — — — Torrey New York 89.  
 † — *canadensis Gaertn.* Gaertn. Carp. 49.  
 — *concolor Michx.* Torrey New York 89.  
 † — *excelsior L.* Gaertn. Carp. 49.  
 † — — — Lam. Encycl. 858.  
 — — — Schk. Handb. 357.  
 — — — Fl. dan. 6, 969.  
 — — — Sv. Bot. 175.  
 — — — Hartig 61.  
 — — — Sturm Flora 11, 44.  
 — — — Hayne 13, 10.  
 — — — Nees Düsseld. 371.  
 — — — Wagner 114.  
 — — — Schrank Fl. monac. 2, 163.  
 — — — Engl. Bot. 24, 1692.  
 — — — Baxter Brit. Bot. 5, 382.  
 — *floribunda Wall.* Wall. Pl. asiat. 277.  
 — *heterophylla Vahl.* Engl. Bot. 35, 2476.  
 — *Ornus L.* Sibth. Fl. gr. 4.  
 † — — — Lam. Encycl. 858.  
 — — — var. *Rochel Banat.* 7.  
 — — — *Watson Dendr.* 2, 107.  
 — — — *Woodv. Med.* 3, 209.  
 — — — *Guimp. et Schl.* 292, 293.  
 — — — *Nees Düsseld.* 372.  
 — — — *Wagner* 113.

- Fraxinus platycarpa Michx.* Michaux Arb. 3, 13.  
 — *pubescens? Walt.* Torrey New York 90.  
 — *quadrangulata Michx.* Michaux Arb. 3, 11.  
 — *rostrata Guss.* Gussone Pl. rar. 63.  
 — *sambucifolia Lam.* Michaux Arb. 3, 12.  
 — — — Schk. Handb. 357.  
 — *tomentosa Michx.* Michaux Arb. 3, 9.  
 — *viridis Bosc.* Michaux Arb. 3, 10.  
*Fremontia californica Torr.* Smiths. Contr. 5, 2.  
*Fresenia leptophylla DC.* Endl. Iconogr. 35.  
*Freycinetia angustifolia Bl.* Blume Rumphia 43.  
 — *arborea Gaudich.* Freycinet Voyage 41.  
 — *Arnottii Gaudich.* Gaudichaud Bonite 35, 36.  
 — *Banksii Cunn.* Hook. New Zeal. 54, 55.  
 — *Cumingiana Gaudich.* Gaudichaud Bonite 37, 60.  
 — *Debregeasiana Gaudich.* Gaudichaud Bonite 37.  
 — *Gaudichaudii Bennett.* Bennett Java 9.  
 — *javanica Bl.* Blume Rumphia 41.  
 — *imbricata Bl.* Blume Rumphia 40.  
 — *insignis Bl.* Blume Rumphia 42.  
 — *radicans Gaudich.* Freycinet Voyage 43.  
 — *scandens Gaudich.* Freycinet Voyage 42.  
 — *sphaerocephala Gaudich.* Gaudichaud Bonite 52.  
 — *strobilacea Bl.* Rumpf Amb. 4, 82.  
 — — — Blume Rumphia 39.  
 — *Urvilleana Hombr.* Richard Astrolabe 2.  
 — *Webbiana Gaudich.* Gaudichaud Bonite 27.  
 † *Freziera Sw.* Swartz Fl. Ind. occ. 19.  
 — *canescens H. B.* Humb. Pl. aeq. 6.  
 † — — — H. B. K. Nov. Gen. 5, 463.  
 — *chrysophylla H. B.* Humb. Pl. aeq. 7.  
 — *nervosa H. B.* Humb. Pl. aeq. 9.  
 — *reticulata H. B.* Humb. Pl. aeq. 5.  
 — — — Lam. Encycl. 963.  
 — *sericea H. B.* Humb. Pl. aeq. 8.  
 — *theoides Sw.* Bot. Mag. 76, 4546.  
 — — — Lem. Jard. fl. 65.  
*Fridericia Gulielma N. et M.* Acta Leop. 13, 2, B.  
 — *speciosa N. et M.* Acta Leop. 13, 2, A.  
*Friesia peduncularis DC.* Bot. Mag. 72, 4246.  
 — *racemosa Cunn.* Hook. Ic. pl. 7, 601.  
 † *Fritillaria L.* Kerner Genera 16.  
 — *barbata H. B. K.* H. B. K. Nov. Gen. 7, 677.  
 † — *corona imperialis Gaertn.* Gaertn. Carp. 17.  
 — *dagana Turcz.* Trautvetter Imagines 1.  
 — *imperialis L.* Bot. Mag. 6, 194, 30, 1215.  
 † — — — Lam. Encycl. 245.  
 — — — Savi Fl. ital. 3, 82.  
 — — — Dict. sc. nat. 57.  
 — — — Brandt und Ratzeb. 2.  
 — *involutrata All.* Rehb. Fl. germ. 10, 445.  
 † — *kamtchatcensis Fisch.* Hook. Bor. Am. 193.  
 — *lanceolata Pursh.* Hook. Bor. Am. 193.  
 — *latifolia Willd.* Red. Lil. 1, 51.  
 — *leucantha Grah.* Bot. Mag. 58, 3083.  
 — *longifolia Hill.* Hill Hort. Kew. 15.  
 — *lusitanica Wikstr.* Svensk Acad. 1821, 5.  
 — *lutea M. v. B.* Marschall Cent. 41.  
 — — — Rehb. Fl. germ. 10, 442.  
 — — — Belgique hortic. 1, 49.  
 — *Meleagris L.* Jacq. Fl. austr. 5, 32.  
 — — — Curt. Lond. 1, 72.  
 — — — Fl. dan. 6, 972.  
 — — — Sv. Bot. 376.  
 — — — Engl. Bot. 9, 622.  
 — — — Red. Lil. 4, 222.  
 † — — — Lam. Encycl. 245.  
 — — — Herb. amat. 1, 63.  
 † — — — Plée Types 39.  
 — — — Sturm Flora 5, 18.  
 — — — Rehb. Fl. germ. 10, 442.  
 — — — Baxter Brit. Bot. 1, 1.

- Fritillaria messanensis Rafin.* *Rchb. Fl. germ.* 10, 445.  
 — — — *Belgique hort.* 1, 49.  
 — *minor Led.* *Ledeb. Ic.* 130.  
 — — — *Bot. Mag.* 60, 3280.  
 — *montana Hoppe.* *Rchb. Fl. germ.* 10, 444.  
 — *obliqua Gawl.* *Bot. Mag.* 22, 857.  
 — *oxypetala Royle.* *Bot. Mag.* 79, 4731.  
 — *persica L.* *Bot. Mag.* 24, 962. 37, 1537.  
 — — — *Tratt. Thes.* 79.  
 — *pyrenaica L.* *Sibth. Fl. gr.* 328.  
 — — — *Bot. Mag.* 18, 664.  
 — — — *Rchb. Fl. germ.* 10, 443.  
 † — — — *Nees Gen.* 2, 39.  
 — *racemosa Gawl.* *Bot. Mag.* 24, 952. 30, 1216.  
 — *Roylei Hook.* *Hook. Ic. pl.* 9, 860.  
 — *ruthenica Wikstr.* *Svensk Acad.* 1821, 5.  
 — — — *Sweet Fl. G. II.* 343.  
 — *tenella M. v. B.* *Rchb. Fl. germ.* 10, 443.  
 — — — *Belgique hort.* 1, 49.  
 — *Thomsoniana Royle.* *Royle Illustr.* 92.  
 — *tulipifolia M. v. B.* *Marschall Cent.* 21.  
 — *verticillata Willd.* *Röyle Illustr.* 92.  
 — — — *Ledeb. Ic.* 2.  
*Frocbelia fasciculiflora Regel.* *Regel Gartenfl.* 1852, 18.  
*Fuchsia alpestris Gardn.* *Bot. Mag.* 69, 3999.  
 — *apetala Rz et P.* *Ruiz et Pav. Fl.* 322.  
 — — — *Kerner Hort.* 257.  
 — *arborescens Moc. et S.* *Bot. Reg.* 11, 943.  
 — — — *Sims.* *Bot. Mag.* 53, 2620.  
 — — — *Rchb. Exot.* 232.  
 — — — *var.* *Fl. d. serres* 4, 416. 417.  
 — *bacillaris Ldl.* *Bot. Reg.* 18, 1480.  
 — — — *Bot. Mag.* 76, 4506.  
 — *caracasensis Field.* *Fielding Sertum* 29.  
 — *coccinea Ait.* *Bot. Mag.* 3, 97.  
 † — — — *Usteri Annalen* 3, 6.  
 — — — *Lodd. Cab.* 933.  
 — — — *Kerner Hort.* 16.  
 — — — *Herb. amat.* 2, 89.  
 — *confertifolia Field.* *Fielding Sertum* 28.  
 — *conica Ldl.* *Bot. Reg.* 13, 1062.  
 — *cordifolia Benth.* *Bot. Reg.* 27, 70.  
 — — — *Paxt. Mag.* 9, 99.  
 — — — *var.* *Hook. Ic. pl.* 5, 450.  
 — *corymbiflora Rz et P.* *Ruiz et Pav. Fl.* 325.  
 — — — *Bot. Mag.* 69, 4000.  
 — — — *Bot. Reg.* 26, 70.  
 — — — *var. alba,* *Fl. d. serres* 6, 547.  
 — *corymbosa Paxt.* *Paxt. Mag.* 8, 7.  
 — *cylindracea Ldl.* *Bot. Reg.* 24, 66.  
 — — — *Knowles et Westcott* 80.  
 — — — *Maund Bot.* 4, 189.  
 — *decussata Rz et P.* *Ruiz et Pav. Fl.* 323.  
 — — — *Bot. Mag.* 51, 2507.  
 — *denticulata Rz et P.* *Ruiz et Pav. Fl.* 325.  
 — — — *Kerner Hort.* 413.  
 — *dependens Hook.* *Hook. Ic. pl.* 1, 65.  
 — *discolor Ldl.* *Bot. Reg.* 21, 1805.  
 — — — *Bot. Mag.* 63, 3498.  
 — *excorticata L. fil.* *Link Ic. I.* 46.  
 — — — *Lodd. Cab.* 1347.  
 — — — *Bot. Reg.* 10, 857.  
 — *exoniensis Paxt.* *Paxt. Mag.* 10, 151.  
 — *fulgens DC.* *Bot. Reg.* 24, 1.  
 — — — *Bot. Mag.* 67, 3801.  
 — — — *Maund Bot.* 2, 63.  
 — — — *Paxt. Mag.* 5, 221.  
 — *globosa Ldl.* *Bot. Mag.* 61, 3364.  
 — — — *Lodd. Cab.* 1981.  
 — — — *Paxt. Mag.* 1, 0. 2, 75. 4, 75.  
 — — — *Bot. Reg.* 18, 1556.  
 — *gracilis Ldl.* *Bot. Reg.* 10, 847.  
*Fuchsia gracilis Ldl.* *β. multiflora,* *Bot. Reg.* 13, 1052.  
 — — — *Lodd. Cab.* 934.  
 — *integrifolia Camb.* *Bot. Mag.* 68, 3948.  
 — *loxensis H. B. K.* *H. B. K. Nov. Gen.* 6, 536.  
 — — — *Kerner Hort.* 666.  
 — *lycioides Andr.* *Andr. Rep.* 2, 120.  
 — — — *Bot. Mag.* 26, 1021.  
 — *macrantha Hook.* *Bot. Mag.* 72, 4233.  
 — — — *Paxt. Mag.* 13, 97.  
 — — — *Annales de Gand* 1846, 76.  
 — — — *Fl. d. serres* 2, 151. 152.  
 — *macrostema Rz et P.* *Ruiz et Pav. Fl.* 324.  
 — — — *Bot. Reg.* 10, 847.  
 — — — *Bot. Mag.* 63, 3521.  
 — — — *γ. Sweet Fl. G. II.* 216.  
 — — — *Lodd. Cab.* 1062.  
 — — — *Kerner Hort.* 512.  
 — — — *Annales de Gand* 1845, 36. 1847, 130.  
 — *magellanica Lam.* *Lam. Encycl.* 282.  
 — — — *Nouveau Duhamel* 1, 13.  
 — *microphylla H. B. K.* *H. B. K. Nov. Gen.* 6, 534.  
 — — — *Lodd. Cab.* 1545.  
 — — — *Bot. Reg.* 15, 1269.  
 — — — *Sweet Fl. G. II.* 16.  
 — *miniata Linden.* *Fl. d. serres* 8, 754.  
 — *montana Camb.* *St. Hil. Fl. Bras.* 135.  
 — *multiflora Lodd.* *Lodd. Cab.* 1415.  
 — *nigricans Linden.* *Fl. d. serres* 5, 481.  
 — *ovalis Rz et P.* *Ruiz et Pav. Fl.* 324.  
 — *parviflora Ldl.* *Bot. Reg.* 13, 1048.  
 — *pilosa Field.* *Fielding Sertum* 27.  
 — *procumbens Cunn.* *Hook. Ic. pl.* 5, 421.  
 — *pubescens Camb.* *St. Hil. Fl. Bras.* 134.  
 — *pyrifolia Presl.* *Presl Symbolae* 65.  
 — *Queen Victoria Paxt.* *Paxt. Mag.* 11, 73.  
 † *racemosa Lam.* *Lam. Encycl.* 282.  
 — — — *Desc. Ant.* 2, 109.  
 — *radicans Miers.* *Bot. Reg.* 27, 66.  
 — — — *Paxt. Mag.* 9, 27.  
 — *serratifolia Rz et P.* *Ruiz et Pav. Fl.* 323.  
 — — — *Kerner Hort.* 366.  
 — — — *Bot. Reg.* 31, 41.  
 — — — *Bot. Mag.* 71, 4174.  
 — — — *Paxt. Mag.* 12, 169.  
 — — — *Fl. d. serres* 5, 447.  
 — *simplicicaulis Rz et P.* *Ruiz et Pav. Fl.* 322.  
 — — — *Kerner Hort.* 204.  
 — *spectabilis Hook.* *Bot. Mag.* 74, 4375.  
 — — — *Paxt. Mag.* 16, 225.  
 — — — *Fl. d. serres* 4, 359. 360.  
 — *spinosa Presl.* *Presl Reliq.* 51.  
 — *splendens Zucc.* *Bot. Reg.* 28, 67.  
 — — — *Bot. Mag.* 70, 4082.  
 — — — *Pl. d. serres* 5, 458.  
 — *Standishii Hort.* *Bot. Reg.* 26, 2.  
 — — — *Paxt. Mag.* 11, 31.  
 — *thymifolia H. B. K.* *H. B. K. Nov. Gen.* 6, 535.  
 — — — *Bot. Reg.* 15, 1284.  
 — — — *Sweet Fl. G. II.* 25.  
 † *triphylla L.* *Usteri Annalen* 3, 6.  
 — *venusta H. B. K.* *Fl. d. serres* 5, 538.  
*Fugosia hakeaefolia Hook.* *Bot. Mag.* 72, 4261.  
 — *heterophylla Spach.* *Bot. Mag.* 72, 4218.  
 — *phlomidifolia Juss.* *St. Hil. Fl. Bras.* 50.  
 — *sulphurea Juss.* *St. Hil. Fl. Bras.* 49.  
 † *Fuirena L. fil.* *Linné Gramin.* 1.  
 † *paniculata L. fil.* *Lam. Encycl.* 39.  
 — *scirpoides Vahl.* *Michaux Fl.* 7.  
 — *squarrosa Michx.* *Elliott Carolina* 1.  
 — *umbellata Rotb.* *Rotb. Descr.* 19.  
 — — — *Acta Leop.* 17, 1, 4.  
*Fulcaldea laurifolia Poir.* *Lam. Encycl.* 982.

- Fumana grandiflora* *Jaub.* Jaubert Illustr. 258.  
 † *Fumaria* *L.* Mutel Fl. fr. 1.  
 † — — *Cosson* Atlas 3.  
 — — *acaulis* *Wulf.* Jacq. Ic. 554.  
 — — — *Sturm* Flora 6, 24.  
 — — *africanā* *Lam.* Lam. Encycl. 597.  
 — — *aurea* *Pursh.* Bot. Reg. 1, 66.  
 — — *bulbosa* *L.* Fl. dan. 4, 605.  
 — — *capreolata* *L.* Curt. Lond. 3, 127.  
 † — — — *Gaertn.* Carp. 115.  
 † — — — *Lam.* Encycl. 597.  
 — — — *DC.* Ic. Gall. 34.  
 — — — *Engl.* Bot. 14, 943.  
 — — — *Rchb.* Fl. germ. 3, 4.  
 — — — *Sturm* Flora 14, 62.  
 † — — *cava* *Mill.* Schk. Handb. 194.  
 — — — *Bot. Mag.* 7, 232. 49, 2340.  
 — — — *var.* *Lodd.* Cab. 1589.  
 — — — *Schrank* Fl. monac. 1, 43.  
 — — *claviculata* *L.* Fl. dan. 2, 340.  
 — — — *Engl.* Bot. 2, 103.  
 — — *corymbosa* *Desf.* Act. soc. hist. nat. Par. 6.  
 — — *crassifolia* *Desf.* Desf. Fl. atl. 173.  
 — — *Cucullaria* *L.* Bot. Mag. 28, 1127.  
 — — *enneaphylla* *L.* Lam. Encycl. 597.  
 — — *eximia* *Ker.* Bot. Reg. 1, 50.  
 — — *fabacea* *Retz.* Sv. Bot. 15.  
 — — *formosa* *Andr.* Andr. Rep. 6, 393.  
 — — — *Bot. Mag.* 33, 1335.  
 — — *glauca* *Curt.* Bot. Mag. 5, 179.  
 — — *Halleri* *Willd.* Fl. dan. 7, 1224.  
 — — *intermedia* *Ehrh.* Schk. Handb. 194.  
 — — *lutea* *L.* Engl. Bot. 9, 588.  
 † — — — *Lam.* Encycl. 597.  
 — — *macrosepala* *Boiss.* Boissier Esp. 4.  
 — — *major* *Bad.* Rchb. Ic. crit. 10, 902.  
 — — — *Rchb.* Fl. germ. 3, 4.  
 — — *media* *Lois.* Rchb. Fl. germ. 3, 2.  
 — — *micrantha* *Lagasca.* Engl. Bot. 2876.  
 — — — *Hook.* Ic. pl. 4, 363.  
 — — — *Fl. dan.* 14, 2472.  
 † — — — *Cosson* Atlas 3.  
 — — *muralis* *Sonder.* Fl. dan. 14, 2473.  
 — — *nobilis* *L.* Jacq. Vind. 116.  
 — — — *Andr.* Rep. 10, 614.  
 — — — *Bot. Mag.* 45, 1953.  
 — — — *Lodd.* Cab. 1630.  
 — — — *Bot. Reg.* 5, 395.  
 — — *officinalis* *L.* Fl. dan. 6, 940.  
 — — — *Curt.* Lond. 2, 75.  
 — — — *Engl.* Bot. 9, 589.  
 — — — *Sv.* Bot. 42.  
 † — — — *Lam.* Encycl. 597.  
 — — — *Dreves* 1, 16.  
 — — — *Hayne* 5, 4.  
 — — — *Guimp.* et Schl. 94.  
 — — — *Nees* Düsseld. 408.  
 — — — *Wagner* 59.  
 — — — *Woodv.* Med. 3, 164.  
 — — — *Sturm* Flora 14, 62.  
 — — — *Rchb.* Fl. germ. 3, 3.  
 — — — *Dietr.* Fl. bor. 5, 348.  
 — — — *Baxter* Brit. Bot. 4, 278.  
 — — — *var.* *Moris* Fl. sard. 6.  
 † — — — *Ann. sc. nat.* III. 18, 16.  
 — — *parviflora* *Lam.* Sibth. Fl. gr. 668.  
 — — — *Engl.* Bot. 9, 590.  
 — — — *Rchb.* Pl. crit. 1, 50.  
 — — — *Rchb.* Fl. germ. 3, 1.  
 — — — *Sturm* Flora 14, 62.  
 — — — *Liljeb.* Sv. Bot. 574.  
 — — — *Wight.* Wight Illustr. 11<sup>a</sup>.

- Fumaria peregrina* *Rud.* Petersb. 1, 19.  
 — — *Petteri* *Rchb.* Rchb. Fl. germ. 3, 2.  
 † — — *sempervirens* *L.* Lam. Encycl. 597.  
 † — — *solida* *Sm.* Schk. Handb. 194.  
 — — — *Bot. Mag.* 7, 231.  
 — — — *Engl.* Bot. 21, 1471.  
 — — *spicata* *L.* Rchb. Fl. germ. 3, 1.  
 — — *Vaillantii* *Lois.* Engl. Bot. 2877.  
 — — — *Rchb.* Pl. crit. 1, 50.  
 — — — *Rchb.* Fl. germ. 3, 1.  
 — — — *Sturm* Flora 14, 62.  
 † *Fumariaceae* *DC.* Parlatores Monographia Fum. 1.  
*Funkia albo-marginata* *Hook.* Bot. Mag. 65, 3657.  
 — — *grandiflora* *Sieb.* Fl. d. serres 2, 158. 159.  
 — — *lanceifolia* *Spr.* Sweet Fl. G. II. 273.  
 — — *Sieboldi* *Ldl.* Bot. Reg. 25, 50.  
 — — *Sieboldiana* *Lodd.* Bot. Mag. 65, 3663.  
 † *Furcaria* *DC.* Mem. soc. Linn. Par. 6, 11.  
*Fusanus compressus* *L.* Lam. Encycl. 73. 842.  
*Fusidendris* *Aub.* Aubert Orchid. 85.  
*Gaertnera bifida* *Boj.* Schw. Denkschr. 10, 1.  
 † — — *calycina* *Boj.* Schw. Denkschr. 10, 2.  
 † — — *capitata* *Boj.* Schw. Denkschr. 10, 2.  
 † — — *crassiflora* *Boj.* Schw. Denkschr. 10, 2.  
 † — — *cuneifolia* *Boj.* Schw. Denkschr. 10, 2.  
 † — — *edentata* *Boj.* Schw. Denkschr. 10, 2.  
 — — *Konigii* *Wight.* Wight Ic. pl. Ind. or. 4, 1318.  
 † — — *longiflora* *Gaertn.* Gaertn. Carp. 191.  
 † — — *longifolia* *Boj.* Schw. Denkschr. 10, 2.  
 † — — *pendula* *Boj.* Schw. Denkschr. 10, 2.  
 — — *racemosa* *Roxb.* Roxb. Corom. 18.  
 — — — *Andr.* Rep. 9, 600.  
 † — — *rotundiflora* *Boj.* Schw. Denkschr. 10, 2.  
 † — — *vaginata* *Lam.* Lam. Encycl. 167.  
 † — — *Walkeri* *Arn.* Wight Illustr. 156<sup>b</sup>.  
 † *Gagea arvensis* *Schult.* Nees Gen. 2, 37.  
 — — — *Dietr.* Fl. bor. 10, 680.  
 — — — *Rchb.* Fl. germ. 10, 479.  
 — — — *Sturm* Flora 3, 12.  
 — — — *bohemia* *Schult.* Rchb. Fl. germ. 10, 480.  
 — — — *Sturm* Flora 6, 23.  
 — — *bracteolaris* *Salisb.* Sweet Fl. G. 158.  
 — — *bulbifera* *Schult.* Rchb. Fl. germ. 10, 481.  
 — — *chlorantha* *Schult.* Rchb. Fl. germ. 10, 478.  
 — — *chrysantha* *Schult.* Explor. Alger. 45<sup>b</sup>.  
 — — *elegans* *Wall.* Royle Illustr. 95.  
 — — *fibrosa* *R. et Sch.* Explor. Alger. 45<sup>b</sup>.  
 — — *filiformis* *Led.* Rchb. Fl. germ. 10, 478.  
 — — *glauca* *Sweet.* Sweet Fl. G. 177.  
 — — *gracilis* *Wehw.* Rchb. Fl. germ. 10, 478.  
 — — *intermedia* *Schl.* Rchb. Fl. germ. 10, 476.  
 — — *Liopardi* *Schult.* Rchb. Fl. germ. 10, 476.  
 — — *lutea* *Ker.* Bot. Mag. 30, 1200.  
 — — — *Baxter* Brit. Bot. 1, 41.  
 — — — *Sturm* Flora 7, 27.  
 — — — *Dietr.* Fl. bor. 10, 681.  
 — — — *Rchb.* Fl. germ. 10, 477.  
 — — *mauritanica* *Durieu.* Explor. Alger. 45<sup>b</sup>.  
 — — *minima* *Schult.* Sturm Flora 6, 23.  
 — — — *Rchb.* Fl. germ. 10, 475.  
 — — — *Sweet* Fl. G. II. 29.  
 — — *pratensis* *Schult.* Rchb. Fl. germ. 10, 474.  
 — — *pusilla* *Schult.* Rchb. Fl. germ. 10, 477.  
 — — *pusillo-arvensis* *Wehw.* Rchb. Fl. germ. 10, 479.  
 — — *reflexa* *Led.* Rchb. Fl. germ. 10, 477.  
 — — *reticulata* *Schult.* Rchb. Fl. germ. 10, 481.  
 — — — *Explor.* Alger. 45<sup>b</sup>.  
 — — *saxatilis* *Koch.* Dietr. Fl. bor. 10, 682.  
 — — — *Rchb.* Fl. germ. 10, 480.  
 † — — *Soleirolii* *Mut.* Mutel Fl. fr. 73.  
 — — *spathacea* *Schult.* Sturm Flora 7, 27.  
 — — — *Ker.* Rchb. Fl. germ. 10, 475.

- Gagea spathacea* Ker. Dietr. Fl. bor. 10, 663.  
 — *stenopetala* Rehb. Sturm Flora 3, 12.  
 † — — — Nees Gen. 2, 37.  
 — — — Rehb. Fl. germ. 10, 474.  
 — — — Dietr. Fl. bor. 10, 679.  
 — — *Szovitsii* Bess. Rehb. Fl. germ. 10, 481.  
*Gagnebina axillaris* DC. DC. Legum. 64.  
 † *Gahnia procera* Forst. Forster Char. 26.  
 † — — — Linné Gramin. 1.  
 † — — — Gaertn. Carp. 181.  
 † — — — Lam. Encycl. 263.  
 — *psittacorum* Lab. Bill. Nov. Holl. 115.  
 — *trifida* Lab. Bill. Nov. Holl. 116.  
*Gaillardia amblyodon* Gay. Gray Chloris 4.  
 — *aristata* Pursh. Bot. Mag. 56, 2940:  
 — — — Bot. Reg. 14, 1186.  
 † — *bicolor* Lam. Lam. Encycl. 708.  
 — — — Bot. Mag. 39, 1602.  
 — — — var. *Drummondii*, Bot. Mag. 61, 3368.  
 — — — var. *Dr. integerrima*, Bot. Mag. 64, 3551.  
 — — — Tratt. Archiv 238.  
 — *Drummondii* DC. Knowles et Westc. 27.  
 — *perennis* Hort. Herb. amat. 5, 328.  
 — *pieta* Don. Sweet Fl. G. II. 267.  
 — — — var. *Fl. d. serres* 6, 643.  
*Gaillonia Brugerii* A. Rich. Jaubert Illustr. 77.  
 — *calycoptera* Jaub. Jaubert Illustr. 80.  
 — *crucianelloides* Jaub. Jaubert Illustr. 81.  
 — *eriantha* Jaub. Jaubert Illustr. 78.  
 — *hymenostephana* Jaub. Jaubert Illustr. 79.  
 — *incana* Jaub. Jaubert Illustr. 76.  
 — *Oliverii* A. Rich. Jaubert Illustr. 74.  
 — *Richardiana* Jaub. Jaubert Illustr. 75.  
*Gaimardia australis* Gaudich. Freycinet Voyage 30.  
*Galactia angustifolia* Kth. Humb. Mim. 56.  
 — *Jussienana* Kth. Humb. Mim. 55.  
 — *longifolia* Wight. Wight Ic. pl. Ind. or. 2, 482.  
 — *pendula* Pers. Bot. Reg. 4, 269.  
*Galactites Durieui* Spach. Explor. Alger. 53.  
 — *mutabilis* Durieu. Explor. Alger. 52.  
 — *tomentosa* Moench. Ann. Mus. 16, 9.  
 — — — Rehb. Fl. germ. 15, 819.  
*Galactodendron utile* H. B. K. Bot. Mag. 66, 3723.  
 — — — 3724.  
 — — — Murray Account of Palo di Vaca 1.  
 † *Galanthus* L. Kerner Genera 208.  
 † — — — Herbert Amar. 34, 44.  
 — — *nivalis* L. Curt. Lond. 4, 14.  
 — — — Engl. Bot. 1, 19.  
 — — — Baxter Brit. Bot. 1, 33.  
 † — — — Lam. Encycl. 230.  
 — — — Red. Lil. 4, 200.  
 — — — Herb. amat. 1, 54.  
 † — — — Plée Types 34.  
 — — — Fl. dan. 10, 1641.  
 — — — Jacq. Fl. austr. 4, 313.  
 — — — Schk. Handb. 89.  
 — — — Dreves 2, 67.  
 — — — Roemer Fl. europ. 5, 3.  
 — — — Tratt. Archiv 246.  
 — — — Sturm Flora 1, 2.  
 — — — Schrank Fl. monac. 1, 25.  
 — — — Dietr. Fl. bor. 1, 32.  
 — — — Rehb. Fl. germ. 9, 363.  
 † — — — Nees Gen. 3, x.  
 — *plicatus* M. v. B. Bot. Mag. 47, 2162.  
 — — — Bot. Reg. 7, 545.  
 — — — Journ. Hort. Soc. 5, 138.  
 — — — Lodd. Cab. 1823.  
 † *Galatella cana* N. v. E. Nees Gen. X, x.  
 — *juncea* Ldl. Royle Illustr. 58.  
 — *punctata* N. v. E. Bot. Reg. 21, 1818.

- Galax aphylla* L. Bot. Mag. 20, 754.  
*Galaxia graminea* Thunb. Thunb. Diss. 1, 2.  
 — — — Jacq. Collect. 2, 18.  
 — — — Cav. Diss. 189.  
 — — — Lam. Encycl. 568.  
 — — — Bot. Mag. 32, 1292.  
 — *grandiflora* Andr. Andr. Rep. 3, 164.  
 — *ixiacea* DC. Red. Lil. 1, 41.  
 — *obscura* Cav. Cav. Diss. 189.  
 — — — Lam. Encycl. 568.  
 — *ovata* Thunb. Thunb. Diss. 1, 2.  
 — — — Jacq. Ic. 291.  
 — — — Cav. Diss. 189.  
 — — — Andr. Rep. 2, 94.  
 — — — Red. Lil. 5, 246.  
 — — — Lam. Encycl. 568.  
 — — — Bot. Mag. 30, 1208. 37, 1516.  
 — *plicata* Jacq. Jacq. Ic. 292.  
 — *ramosa* Ram. Red. Lil. 1, 41.  
 † *Galeandra* Baueri Ldl. Bauer Orchid. (Gen.) 8.  
 — — — Bateman Orchid. 19.  
 — — — Bot. Reg. 26, 49.  
 — — — Paxt. Mag. 14, 49.  
 — — — Bot. Mag. 79, 4701.  
 — *Devoniana* Ldl. Lindley Scrtum 37.  
 — — — Paxt. Mag. 8, 145.  
 — — — Maund Bot. 5, 231.  
 — — — Bot. Mag. 77, 4610.  
 — — — Lem. Jard. fl. 195.  
 — *gracilis* Ldl. Bot. Reg. 9, 742.  
*Galedupa elliptica* Roxb. Wight Ic. pl. Ind. or. 2, 420.  
*Galega apollinea* Delile. Delile Egypte 53.  
 — *biloba* Sweet. Sweet Fl. G. 159.  
 — *capensis* Thunb. Jacq. Ic. 574.  
 — *caribaea* Jacq. Jacq. Hist. stirp. am. 193.  
 — *cinerea* L. Jacq. Ic. 575.  
 — *dubia* Jacq. Jacq. Ic. 576.  
 — *filiformis* Jacq. Jacq. Ic. 573.  
 — *grandiflora* Ait. Bot. Reg. 9, 769.  
 — *Heyneana* Roxb. Wight Ic. pl. Ind. or. 2, 388.  
 — *incana* Roxb. Wight Ic. pl. Ind. or. 1, 371.  
 — *litoralis* L. Jacq. Hist. stirp. am. 192.  
 — *longifolia* Jacq. Jacq. Ic. 572.  
 — *ochroleuca* Jacq. Jacq. Ic. 150.  
 † — *officinalis* L. Lam. Encycl. 625.  
 — — — Hayne 6, 34.  
 — — — Schk. Handb. 208<sup>a</sup>.  
 — — — Sibth. Fl. gr. 726.  
 — — — Sturm Flora 2, 6.  
 — *orientalis* Lam. Bot. Mag. 48, 4192.  
 — — — Bot. Reg. 4, 326.  
 — — — Marschall Cent. 67.  
 — *pentaphylla* Roxb. Wight Ic. pl. Ind. or. 2, 370.  
 — *persica* Pers. Sweet Fl. G. 244.  
 — *sericea* Lam. Desc. Ant. 3, 179.  
 — *spinosa* Roxb. Wight Ic. pl. Ind. or. 2, 372.  
 — *tricolor* Hook. Hook. Exot. Fl. 185.  
 † *Galenia africana* L. Lam. Encycl. 314.  
 — *asiatica* Burm. Burm. Fl. ind. 31.  
*Galeobdolon luteum* Huds. Curt. Lond. 2, 44.  
 — — — Engl. Bot. 11, 787.  
 — — — Baxter Brit. Bot. 3, 194.  
 — — — Schrank Fl. monac. 3, 234.  
 — — — Sturm Flora 20, 90.  
 — — — Dietr. Fl. bor. 2, 115.  
 † — — — Nees Gen. 6, 29.  
 † *Galeopsis* L. Mutel Fl. franç. 50.  
 † — *angustifolia* Ehrh. Nees Gen. 6, 32.  
 — *bifida* Boenn. Sturm Flora 14, 62.  
 — *cannabina* Roth. Sv. Bot. 446.  
 — *Galeobdolon* L. Fl. dan. 8, 1272.  
 † — — — Schk. Handb. 157.

- † *Galeopsis grandiflora* Roth. Schk. Handb. 160.  
 — *intermedia* Vill. Vill. Dauph. 9.  
 — — — Rechb. Pl. crit. 1, 47.  
 † — *Ladanum* L. Lam. Encycl. 506.  
 — — — Schk. Handb. 160.  
 — — — Engl. Bot. 13, 884.  
 — — — Schrank Fl. monac. 2, 167.  
 — — — Sturm Flora 14, 62.  
 — — — Dietr. Fl. bor. 2, 74.  
 — — — Fl. dan. 10, 1757.  
 † — *ochroleuca* Lam. Nees Gen. 6, 32.  
 — — — Fl. dan. 10, 1650.  
 — — — Rechb. Pl. crit. 1, 46.  
 — — — Sturm Flora 14, 62.  
 — — — Dietr. Fl. bor. 3, 153.  
 — *pubescens* Bess. Rechb. Pl. crit. 1, 48. 49.  
 — — — Sturm Flora 14, 62.  
 — — — Dietr. Fl. bor. 3, 212.  
 — *Tetrahit* L. Curt. Lond. 5, 191.  
 — — — Engl. Bot. 3, 207.  
 — — — Fl. dan. 6, 929. 8, 1271.  
 — — — Rechb. Ic. crit. 9, 877.  
 — — — Sturm Flora 14, 62.  
 — — — Dietr. Fl. bor. 3, 154.  
 — *versicolor* Curt. Curt. Lond. 2, 29.  
 — — — Engl. Bot. 10, 667.  
 — — — Baxter Brit. Bot. 1, 75.  
 — — — Rechb. Pl. crit. 1, 57.  
 — — — Sturm Flora 14, 62.  
 — — — Dietr. Fl. bor. 2, 75.  
 — *villosa* Sm. Engl. Bot. 33, 2353.  
 — — — Nees Dusseld. 172.  
 † *Galera nutans* Bl. Blume Tabellen 3.  
 † *Galiniera Delile*. Ann. sc. nat. III, 20, 1.  
 — *coffeoides* Delile. Ferret Abyssin. 6.  
 † *Galinsoga Rz et P.* Ruiz et Pav. Prodr. 24.  
 — *balbisioides* H. B. K. H. B. K. Nov. Gen. 4, 386.  
 † — *brachystephana* Ann. sc. nat. III, 18, 17.  
 — *parviflora* Cav. Cav. Ic. 281.  
 — *trilobata* Cav. Bot. Mag. 44, 1895.  
 — — — Cav. Ic. 282.  
 — — — Sweet Fl. G. 56.  
 † *Galipea Candolleana* St. Hil. St. Hil. Pl. rem. 14.  
 † — — — Mem. Mus. 10, 20.  
 — *Cusparia* St. Hil. Guimp. et Schl. 55.  
 † — *Fontanesiana* St. Hil. St. Hil. Pl. rem. 14.  
 † — — — Mem. Mus. 10, 20. 12, 23.  
 — *heterophylla* St. Hil. St. Hil. Pl. rem. 12.  
 — *odoratissima* Ldl. Bot. Reg. 17, 1420.  
 — *officialis* Hancock. Tr. med. bot. soc. 1829, 2.  
 — *ossana* DC. Mem. Mus. 9, 10.  
 † — *pentagyna* St. Hil. St. Hil. Pl. rem. 14.  
 — *pentandra* St. Hil. St. Hil. Pl. rem. 13.  
 — — — Mem. Mus. 10, 19. 20.  
 — *trifoliata* Aubl. Aublet Gujana 269.  
 — — — Lam. Encycl. 10.  
*Galium anglicum* Huds. Engl. Bot. 6, 384.  
 — — — Cosson Atlas 23.  
 — *anisophyllum* Vill. Vill. Dauph. 7.  
 — — — Jordan Obs. 3, 6.  
 † — *Aparine* L. Gaertn. Carp. 24.  
 — — — Fl. dan. 3, 495.  
 — — — Curt. Lond. 2, 54.  
 — — — Engl. Bot. 12, 816.  
 — — — Sv. Bot. 419.  
 — — — Dreves 2, 55.  
 — — — Woodv. Med. 1, 68.  
 — — — var. Cosson Atlas 23.  
 — *apiculatum* Sibth. Sibth. Fl. gr. 129.  
 — *apricum* Sibth. Sibth. Fl. gr. 126.  
 — *argenteum* Vill. Vill. Dauph. 7.  
 — *aristatum* L. Engl. Bot. 2784.

- † *Galium asperifolium* Wall. Wight Illustr. 128<sup>bis</sup>.  
 — *asperum* Thunb. Petersb. 1, 10.  
 — *austriacum* Jacq. Jacq. Fl. austr. 1, 80.  
 — *baldense* Spr. Poll. Fl. ver. 1, 2.  
 — *boreale* L. Fl. dan. 6, 1024.  
 — — — Sv. Bot. 122.  
 — — — Engl. Bot. 2, 105.  
 — *brevifolium* Sibth. Sibth. Fl. gr. 135.  
 — *campanulatum* Vill. Vill. Dauph. 7.  
 — *capense* Thunb. Petersb. 1, 7.  
 — *capillare* Cav. Cav. Ic. 191.  
 — *capitatum* Bory et Chaub. Bory et Chaub. Morée 6.  
 — *cinereum* All. All. Fl. ped. 3, 77.  
 — — — Engl. Bot. 2783.  
 — *coriaceum* Led. Ledeb. Ic. 216.  
 — *coronatum* Sibth. Sibth. Fl. gr. 125.  
 — *cristatum* Jaub. Jaubert Illustr. 194.  
 — *cruciatum* Scop. Engl. Bot. 2, 143.  
 — — — Dietr. Fl. bor. 6, 401.  
 — — — Sturm Flora 2, 7.  
 — — — Cosson Atlas 22.  
 — *densiflorum* Led. Ledeb. Ic. 194.  
 — *divaricatum* Lam. DC. Ic. Gall. 24.  
 — *erectum* Huds. Engl. Bot. 29, 2067.  
 — *expansum* Thunb. Petersb. 1, 9.  
 — *floribundum* Sibth. Sibth. Fl. gr. 134.  
 — *frutescens* Cav. Cav. Ic. 206.  
 — *glaucum* L. Fl. dan. 4, 609.  
 — — — Jacq. Fl. austr. 1, 81.  
 — *glomeratum* Desf. Desf. Fl. atl. 40.  
 — *graecum* L. Sibth. Fl. gr. 136.  
 — — — Lodd. Cab. 1373.  
 — *hercynicum* Weigel. DC. Ic. Gall. 25.  
 — — — Cosson Atlas 23.  
 — *himalayense* Klotzsch. Prinz Wald. Him. 73.  
 — *hirsutum* N. v. E. Horae berol. 22.  
 † — *hispidum* Gaertn. Gaertn. Carp. 24.  
 — *incanum* Sibth. Sibth. Fl. gr. 130.  
 — *incurvum* Sibth. Sibth. Fl. gr. 132.  
 — *infestum* W. et K. W. et Kit. 202.  
 — *intricatum* M. et R. Mem. Genev. 8, 6.  
 — *junceum* Sibth. Sibth. Fl. gr. 127.  
 — *Jussieui* Vill. Vill. Dauph. 7.  
 — *litigiosum* DC. DC. Ic. Gall. 26.  
 — *lucidum* All. All. Fl. ped. 3, 77.  
 — *magellense* Ten. Tenore Fl. nap. 209.  
 — *megalospermum* All. All. Fl. ped. 3, 79.  
 — *minutulum* Jord. Jordan Obs. 3, 6.  
 — *Mollugo* L. Fl. dan. 3, 455.  
 — — — Sv. Bot. 357.  
 — — — Engl. Bot. 24, 1673.  
 — — — Cosson Atlas 22.  
 † — — — Nees Gen. X, x.  
 — *montanum* Vill. Vill. Dauph. 7.  
 — *mucronatum* Thunb. Petersb. 1, 8.  
 — *murale* All. All. Fl. ped. 3, 77.  
 — — — Jordan Obs. 3, 6.  
 — *obliquum* Vill. Vill. Dauph. 8.  
 — *obovatum* H. B. K. H. B. K. Nov. Gen. 3, 277.  
 — *ochroleucum* Kit. Rochel Banat. 8.  
 — *olympicum* Boiss. Boissier Illustr. 195.  
 — *palustre* L. Fl. dan. 3, 423.  
 — — — Curt. Lond. 4, 20.  
 — — — Engl. Bot. 26, 1857.  
 — — — Cosson Atlas 23.  
 — *parisiense* L. Rochel Banat. 8.  
 — *pruinatum* Boiss. Boissier Esp. 85.  
 — *pulvinatum* Boiss. Boissier Esp. 85.  
 — *pumilum* Lam. Lam. Encycl. 60.  
 — — — Jordan Obs. 3, 6.  
 — *purpureum* L. Noeca et Balb. Fl. tic. 3.  
 — *pusillum* L. Fl. dan. 11, 1866.

- Galium pusillum* L. Vill. Dauph. 8.  
 — — Sm. Engl. Bot. 2, 74.  
 — — pyrenaicum Gouan. Gouan Illustr. 1.  
 — — — Sibth. Fl. gr. 131.  
 — — Requienianum W. et A. Wight Spicil. 102.  
 — — — Wight Ic. pl. Ind. or. 3, 1042.  
 — — rotundifolium L. Jacq. Fl. austr. 1, 94.  
 — — rubioides L. Rochel Banat. 8.  
 — — rubrum L. Nocca et Balb. Fl. tic. 4.  
 — — saxatile L. Fl. dan. 10, 1633.  
 — — — Engl. Bot. 12, 815.  
 — — scabrum Jacq. Jacq. Fl. austr. 5, 422.  
 — — silvestre Poll. var. Cosson Atlas 22.  
 — — spurium Huds. Engl. Bot. 26, 1871.  
 — — suaveolens Wahlbg. Fl. dan. 12, 2045.  
 — — — Sv. Bot. 669.  
 — — suberosum Sibth. Sibth. Fl. gr. 128.  
 — — tenue Vill. Vill. Dauph. 7.  
 — — — Jordan Obs. 3, 6.  
 — — Timeroyi Jord. Jordan Obs. 3, 6.  
 — — tricornis With. Engl. Bot. 23, 1641.  
 — — — Cosson Atlas 23.  
 — — trifidum L. Fl. dan. 1, 48.  
 — — triflorum Michx. Willdenow Hort. 66.  
 — — uliginosum L. Fl. dan. 9, 1509.  
 — — — Curt. Lond. 4, 21.  
 — — — Engl. Bot. 28, 1972.  
 — — — Cosson Atlas 23.  
 — — Vaillantii DC. Engl. Bot. 2943.  
 — — vernum Scop. Scop. Fl. carn. 1, 2.  
 — — verrucosum Sm. Engl. Bot. 31, 2173.  
 — — — Sibth. Fl. gr. 133.  
 — — verticillatum Danth. Loiseleur Notice 2.  
 — — — Desvaux Journ. 2, 9.  
 — — verum L. Curt. Lond. 1, 37.  
 — — — Engl. Bot. 10, 660.  
 — — — Fl. dan. 7, 1146.  
 — — — Sv. Bot. 165.  
 — — — Schk. Handb. 23.  
 — — — Schrank Fl. monac. 3, 282.  
 — — — Dietr. Fl. bor. 6, 409.  
 — — — Baxter Brit. Bot. 4, 294.  
 — — — Cosson Atlas 22.  
 — — Witheringii Sm. Engl. Bot. 31, 2206.  
 — — zaynthium M. et R. Mem. Genev. 8, 6.  
 † Galoglychia Gasp. Rend. Ac. Neap. 1844, 8.  
 Galophthalmum brasiliense N. et M. Acta Leop. 12. 1, 2.  
 † Galphimia Cav. Gray Genera 173.  
 — — angustifolia Benth. Bentham Sulphur 5.  
 — — brasiliensis Juss. St. Hil. Fl. Bras. 178.  
 † — — Arch. Mus. 3, 7.  
 — — glandulosa Cav. Cav. Ic. 563.  
 — — — H. B. K. Nov. Gen. 5, 452.  
 — — glauca Cav. Cav. Ic. 489.  
 † — — Lam. Encycl. 957.  
 — — — Maund Bot. 1, 18.  
 — — linifolia Gray. Gray Genera 173.  
 Galvania Vand. Roemer Scriptoros 6.  
 † Galvezia Rz et P. Ruiz et Pav. Prodr. 35.  
 † — punctata R. et P. Mem. Mus. 12, 25.  
 Gamazygis flexuosa Turcz. Bull. Mosc. 1851. 2, 1.  
 Gambelia speciosa Nutt. Journ. A. C. Philad. II. 1, 22.  
 Gamoplexis orobanchoides Falc. Linn. Transact. 20, 13.  
 † Ganitrus sphaerica Gaertn. Gaertn. Carp. 139.  
 — — — Wight Ic. pl. Ind. or. 1, 66.  
 † Ganymedes Salisb. Herbert Amer. 39.  
 — — concolor Haw. Sweet Fl. G. II. 113.  
 — — pulchellus Salisb. Sweet Fl. G. II. 99.  
 † Garcia nutans Vahl. Jussieu Euphorb. 13.  
 Garcilassa rivularis P. et E. Poepp. et Endl. 251.  
 † Garcinia L. Kerner Genera 97.  
 † — Cambogia Desr. Rheed. Hort. mal. 1, 24.

- Garcinia Cambogia* Desr. Spach Suites 40.  
 — — Roxb. Roxb. Corom. 299.  
 — — — Hayne 9, 4.  
 — — — Guimp. et Schl. 142.  
 — — — Nees Düsseld. 419.  
 — — — Wagner 174.  
 — — celebica L. Rumpf Amb. 1, 44.  
 — — — Desc. Ant. 7, 489.  
 — — cochinchinensis DC. Rumpf Amb. 3, 32.  
 — — coniocarpa Wight. Wight Ic. pl. Ind. or. 1, 121.  
 — — cornea L. Rumpf Amb. 3, 30.  
 — — — Wight Ic. pl. Ind. or. 1, 105.  
 — — elliptica? Wall. Wight Ic. pl. Ind. or. 1, 120.  
 — — Kydiana Roxb. Wight Ic. pl. Ind. or. 1, 113.  
 — — lanceaefolia Roxb. Wight Ic. pl. Ind. or. 1, 103.  
 — — Mangostana L. Rumpf Amb. 1, 43.  
 — — — Ellis Monogr. 1.  
 — — — Marsden Sumatra 3.  
 † — — Lam. Encycl. 405.  
 — — — Desc. Ant. 1, 24. 23  
 — — — Lodd. Cab. 845.  
 † — Massoniana Klotsch. Berg Charact. 79.  
 — — merguensis Wight. Wight Ic. pl. Ind. or. 1, 116.  
 † — Morella Desr. Lam. Encycl. 405.  
 — — paniculata Roxb. Wight Ic. pl. Ind. or. 1, 112.  
 — — papilla Wight. Wight Ic. pl. Ind. or. 3, 960.  
 — — — Wight Spicil. 28, 29.  
 — — pedunculata Roxb. Wight Ic. pl. Ind. 1, 114, 115.  
 — — pictoria Roxb. Wight Ic. pl. Ind. or. 1, 102.  
 — — Roxburghii Wight. Wight Ic. pl. Ind. or. 1, 104.  
 — — speciosa Wall. Wall. Pl. asiat. 258.  
*Gardenia amoena* Sims. Bot. Mag. 44, 1904.  
 — — — Bot. Reg. 9, 735.  
 — — — Lodd. Cab. 935.  
 — — angustifolia Lodd. Lodd. Cab. 512.  
 — — arborea Roxb. Wight Ic. pl. Ind. or. 2, 576.  
 † — campanulata Roxb. Hoffmannsegg Verz. 1826, 1.  
 — — — Wight Ic. pl. Ind. or. 2, 578.  
 † — clusiaefolia Jacq. Jacq. Collect. 5, 4.  
 — — corymbosa Rehb. Rehb. Hort. 106.  
 — — crassicaulis Salisb. Salisb. Parad. 46.  
 — — Devoniana Ldl. Bot. Reg. 32, 63.  
 — — — Paxt. Mag. 13, 269.  
 — — — Fl. d. serres 3, 191.  
 — — dumetorum Retz. Roxb. Corom. 136.  
 — — — Kerner Hort. 455.  
 — — — Wight Ic. pl. Ind. or. 2, 580.  
 — — enneandra Koenig. Wight Ic. pl. Ind. or. 2, 574.  
 — — florida L. Rheed. Hort. mal. 6, 49.  
 — — — Rumpf Amb. Auct. 14.  
 † — — Lam. Encycl. 158.  
 — — — Bot. Mag. 53, 2627. 61, 3349.  
 — — — Bot. Reg. 6, 449.  
 — — — var. Fortuniana, Bot. Reg. 32, 43.  
 — — — var. Fortuniana, Fl. d. serres 2, 177.  
 — — fragrans Roxb. Roxb. Corom. 137.  
 — — — Kerner Hort. 527.  
 † — Genipa Sw. Lam. Encycl. 158.  
 — — gummifera L. fil. Thunb. Diss. 2, 2.  
 — — — Wight Ic. pl. Ind. or. 2, 576.  
 — — latifolia Roxb. Rheed. Hort. mal. 4, 58.  
 — — — Roxb. Corom. 134.  
 — — — Wight Ic. pl. Ind. or. 2, 574.  
 † — — Ait. Gaertn. Carp. 193.  
 — — — Wight Ic. pl. Ind. or. 2, 759.  
 — — longiflora Rz et P. Ruiz et Pav. Fl. 219.  
 — — — Kerner Hort. 520.  
 — — longispina Roxb. Wight Ic. pl. Ind. or. 2, 582.  
 — — longistyla DC. Bot. Mag. 73, 4322.  
 — — lucida Roxb. Wight Ic. pl. Ind. or. 5, 575.  
 — — malleifera Hook. Bot. Mag. 73, 4307.  
 — — — Fl. d. serres 3, 249.

- Gardenia micrantha* Thunb. Thunb. Diss. 2, 1.  
 — *montana* Roxb. Wight Ic. pl. Ind. or. 2, 577.  
 — *mitida* Hook. Bot. Mag. 73, 4343.  
 — *panacea* Ldl. Bot. Reg. 23, 1952.  
 — *parviflora* H. B. K. H. B. K. Nov. Gen. 3, 293.  
 — *propinqua* Ldl. Bot. Reg. 12, 975.  
 — *radicans* Thunb. Thunb. Fl. jap. 20.  
 — — — Thunb. Diss. 2, 1.  
 — — — Andr. Rep. 7, 491.  
 — — — Bot. Reg. 1, 73.  
 — — — Bot. Mag. 43, 1842.  
 — *Randia Willd.* Bot. Mag. 43, 1841.  
 † — *Rothmannia L. fil.* Gaertn. Carp. 177.  
 — — — Bot. Mag. 18, 690.  
 — — — Tratt. Archiv 368.  
 — — — Lodd. Cab. 1053.  
 — — — Kerner Hort. 715, 847.  
 — *scandens* Thunb. Thunb. Diss. 2, 2.  
 — *Sherbourniae* Hook. Bot. Mag. 69, 4044.  
 — — — Paxt. Mag. 16, 195.  
 — — — Fl. d. serres 2, 49.  
 — *spinosa* Thunb. Thunb. Diss. 2, 2.  
 — *Stanleyana* Hook. Bot. Mag. 71, 4185.  
 — — — Bot. Reg. 31, 47.  
 — — — Paxt. Mag. 13, 169.  
 — — — Fl. d. serres 2, 1.  
 † — *sulcata* Gaertn. Gaertn. Carp. 194.  
 † — *Thunbergia L. fil.* Gaertn. Carp. 177.  
 — — — Bot. Mag. 25, 1004.  
 — — — Kerner Hort. 440.  
 — *tubiflora* Andr. Andr. Rep. 3, 183.  
 — *turgida* Roxb. Wight Ic. pl. Ind. or. 2, 579.  
 — *uliginosa* Retz. Roxb. Corom. 135.  
 — — — Kerner Hort. 664.  
 † — *verticillata* Lam. Lam. Encycl. 158.  
 — *Vogelii* Hook. fil. Hook. Niger Fl. 38, 39.  
 — — — Hook. Ic. pl. 8, 782, 783.  
*Gardinia Leschenaultiana* Decne. Wight Ic. pl. Ind. or. 6, 1976.  
*Gardnera ovata* Wall. Wall. Pl. asiat. 231.  
 — *Wallichii* Wight. Wall. Pl. asiat. 281.  
 — — — Wight Ic. pl. Ind. or. 4, 1313.  
 — — — Wight Illustr. 156<sup>b</sup>.  
 † *Gardoquia Rz et P.* Ruiz et Pav. Prodr. 17.  
 — *betonicoides* Ldl. Bot. Mag. 67, 3860.  
 — *Gilliesii* Grah. Bot. Reg. 21, 1812.  
 — *Hookeri* Benth. Paxt. Mag. 3, 243.  
 — — — Bot. Reg. 21, 1747.  
 — — — Sweet Fl. G. II. 271.  
 — *multiflora* Rz et P. Bot. Mag. 66, 3772.  
 — — — Maund Bot. 1, 6.  
 — — — Paxt. Mag. 6, 223.  
 — *salviaefolia* Colla. Mem. Tur. 39, 48.  
*Garhadiolus angulosus* Jaub. Jaubert Illustr. 285.  
 — *Hedynois* Jaub. Jaubert Illustr. 284.  
 † *Garidella Nigellastrum* L. Gaertn. Carp. 118.  
 † — — — Lam. Encycl. 379.  
 — — — Sibth. Fl. gr. 443.  
 — — — Bot. Mag. 31, 1266.  
 — *unguicularis* Lam. Lam. Encycl. 379.  
*Garnotia stricta* Brongn. Brongniart Coquille 21.  
*Garrelia encholirioides* Gaudich. Gaudich. Bonite 115.  
*Garrya elliptica* Dougl. Bot. Reg. 20, 1686.  
 — — — Ann. soc. d'hortic. 30, x.  
 † — — — Schnizl. Iconogr. 2, 96\*\*\*\*.  
 — *Fadyenii* Hook. Hook. Ic. pl. 4, 333.  
*Garuga madagascariensis* DC. Delessert Ic. 3, 57.  
 — *pinnata* Roxb. Rhede Hort. mal. 4, 33.  
 — — — Roxb. Corom. 208.  
 — — — Wight Ic. pl. Ind. or. 4, 1594, 1595.  
*Gastonia palmata* Roxb. Bot. Reg. 11, 894.  
*Gastorchis* Aub. Aubert Orchid. 31.

- † *Gastridium australe* Pal. B. Nees Gen. 1, 31.  
 — *lendigerum* Gaud. Rchb. Fl. germ. 1, 32.  
 — — — Sturm Flora 7, 26.  
 — — — Baxter Brit. Bot. 6, 444.  
 — — — Explor. Alger. 40.  
 — *scabrum* Presl. Explor. Alger. 40.  
 — *triaristatum* Durieu. Explor. Alger. 40.  
*Gastrocarpha runcinata* Don. Sweet Fl. G. 229.  
*Gastrochilus longiflora* Wall. Wall. Pl. asiat. 25.  
 — — — Bot. Mag. 69, 4010.  
 — *pulcherrima* Wall. Wall. Pl. asiat. 24.  
 — — — Paxt. Mag. 7, 75.  
 — — — Bot. Mag. 68, 3930.  
*Gastrodia sesamoides* R. Br. Endl. Iconogr. 5.  
*Gastrolobium acutum* Benth. Bot. Mag. 69, 4040.  
 — *bilobum* R. Br. Bot. Mag. 48, 2212.  
 — — — Bot. Reg. 5, 411.  
 — — — Lodd. Cab. 70.  
 — — — Dict. sc. nat. 256.  
 — *cordatum* Ldl. Lindley Swan River 5.  
 — *cuneatum* Henfr. Lem. Jard. fl. 258.  
 — *Huegelii* Henfr. Belgique hortic. 3, 6.  
 — *ovalifolium* Henfr. Lem. Jard. fl. 247.  
 — *retusum* Ldl. Bot. Reg. 19, 1647.  
 — — — Bot. Mag. 61, 3328.  
 — *spinosum* Paxt. Paxt. Mag. 11, 171.  
 — *villosum* Benth. Bot. Reg. 33, 45.  
 — — — Lem. Jard. fl. 4, 341.  
*Gastronema clavatum* Herb. Bot. Mag. 49, 2291.  
 — — — Fl. d. serres 8, 813.  
 — *pallidum* Lodd. Lodd. Cab. 1808.  
 — *sanguineum* Ldl. Journ. Hort. Soc. 3, 315.  
*Gatesia alabamensis* Bert. Novi Comm. Bonon. 9, 10.  
 † *Gaudichaudia congestiflora* Juss. Arch. Mus. 3, 21.  
 — *cynanchoides* H. B. K. H. B. K. Nov. Gen. 5, 445.  
 † — *filipendula* Juss. Arch. Mus. 3, 21.  
 — *guaranitica* St. Hil. St. Hil. Fl. Bras. 174.  
 † — — — St. Hil. Pl. rem. 19.  
 — — — Mem. Mus. 10, 24.  
 — *linearifolia* St. Hil. St. Hil. Fl. Bras. 174.  
 † — *sericea* St. Hil. St. Hil. Pl. rem. 19.  
 † — — — Mem. Mus. 10, 24.  
*Gaudinia fragilis* Pal. B. Rchb. Fl. germ. 1, 13.  
 † — — — Nees Gen. 1, 84.  
 † *Gaultheria L.* Kerner Genera 176.  
 † — — — Wight Illustr. 141.  
 — *antarctica* Hook. Hook. Fl. ant. 116.  
 — *bracteata* Don. Bot. Mag. 75, 4461.  
 — — — Annales de Gand 1845, 43.  
 — *caespitosa* P. et E. Poepp. et Endl. 40.  
 — *erecta* Vent. Vent. Cels 5.  
 — *ferruginea* Ch. et Schl. Bot. Mag. 79, 4697.  
 — *fragrantissima* Wall. Asiat. Res. 13, 12.  
 — *ignescens* Lem. Lem. Jard. fl. 265.  
 — *lanigera* Hook. Hook. Ic. pl. 1, 66.  
 — *longiflora* Morr. Annales de Gand 1845, 43.  
 — *microphylla* Hook. Hook. Fl. ant. 116.  
 — *myrsinites* Hook. Hook. Bor. Am. 129.  
 — *myrtilloides* P. et E. Poepp. et Endl. 41.  
 — *nummularioides* Don. Royle Illustr. 63.  
 † — *procumbens* L. Gaertn. Carp. 63.  
 † — — — Lam. Encycl. 367.  
 — — — Andr. Rep. 2, 116.  
 — — — Nouveau Duhamel 1, 12.  
 — — — Bot. Mag. 45, 1966.  
 — — — Lodd. Cab. 82.  
 — — — Barton Med. 15.  
 — — — Bigelow Med. 22.  
 — — — Rchb. Exot. 224.  
 — *repens* Bl. Rafin. Med. 40.  
 — *serpyllifolia* Pursh. Pursh Fl. 13.

- Gaultheria Shallon Pursh.* Pursh Fl. 12.  
 — — — Bot. Mag. 55, 2843.  
 — — — Bot. Reg. 17, 1411.  
 — — — Lodd. Cab. 1372.  
 — tomentosa *H. B. K.* Hook. Ic. pl. 4, 393.  
 — trichophylla *Royle.* Royle Illustr. 63.  
*Gaura biennis L.* Svensk Acad. 1756, 8.  
 † — — — Gaertn. Carp. 127.  
 — — — Lam. Encycl. 281.  
 — — — Schk. Handb. 105.  
 — — — Bot. Mag. 11, 389.  
 — fruticosa *Jacq.* Jacq. Ic. 457.  
 — — — Lam. Encycl. 281.  
 — mollis *H. B. K.* H. B. K. Nov. Gen. 6, 529.  
 — mutabilis *Cav.* Cav. Ic. 258.  
 — parviflora *Dougl.* Bot. Mag. 63, 3506.  
 — tripetala *Cav.* Cav. Ic. 396.  
*Gautiera P. et E.* = *Gaultheria L.*  
*Gaya aurea St. Hil.* St. Hil. Fl. Bras. 38.  
 — hermannioides *H. B. K.* H. B. K. Nov. G. 5, 475.  
 — subtriloba *H. B. K.* H. B. K. Nov. Gen. 5, 476.  
*Gaylussacia buxifolia H. B. K.* H. B. K. Nov. Gen. 3, 257.  
 — dumosa *T. et Gr.* Torrey New York 67.  
 — hirtella *T. et Gr.* Torrey New York 67.  
 — imbricata *Pohl.* Pohl Bras. 126.  
 — Pseudovaccinium *Cham.* Bot. Reg. 30, 62.  
 — — — Paxt. Mag. 12, 101.  
 — pulchra *Pohl.* Pohl Bras. 127.  
 — serrata *Ldl.* Royle Illustr. 63<sup>a</sup> or 79.  
 — ursina *Torr. et Gr.* Gray Chloris 10.  
 † *Gayoides Gray.* Gray Genera 126.  
*Gayophytum humile Juss.* Gay Chile 22.  
 — — — Ann. sc. nat. 25, 4.  
*Gazania Pavonia R. Br.* Bot. Reg. 1, 35.  
 — — — Rehb. Mag. 15.  
 — — — Rehb. Exot. 221.  
 † — ringens *Gaertn.* Gaertn. Carp. 173.  
 † — — — Lam. Encycl. 702.  
 — uniflora *Sims.* Bot. Mag. 48, 2270.  
 — — — Lodd. Cab. 795.  
*Geijera salicifolia Schott.* Schott Rutaceae 4.  
*Geiseleria chamaedryfolia Kl.* Miquel Surin. 30.  
*Geissois racemosa Lab.* Bill. Sertum 50.  
*Geissomeria longiflora Ldl.* Bot. Reg. 13, 1045.  
 — — — Rehb. Exot. 211.  
*Geissorrhiza obtusata Gawl.* Bot. Mag. 18, 672.  
 — secunda *Gawl.* Bot. Mag. 28, 1105.  
 — setacea *Gawl.* Bot. Mag. 31, 1255.  
 — vaginata *Sweet.* Sweet Fl. G. 138.  
*Geissospermum vellosii Allem.* Allemão Diss. 1845, 0.  
*Geitonoplesium cymosum R. Br.* Bot. Mag. 59, 3131.  
*Gela lanceolata Lour.* Lodd. Cab. 938.  
*Gelasine azurea Herb.* Bot. Mag. 66, 3779.  
*Geleznovia verrucosa Turcz.* Bull. Mosc. 1849, 2, 1.  
 † *Gelonium bifarium Roxb.* Jussieu Euphorb. 10.  
 † — cupanioides *Gaertn.* Gaertn. Carp. 139.  
 — fasciculatum *Roxb.* Bot. Mag. 60, 3231.  
 — lanceolatum *Willd.* Wight Ic. pl. Ind. or. 5, 1867.  
 † — multiflorum *Juss.* Jussieu Euphorb. 10.  
 † *Gelpkea pendula Bl.* Blume Mus. 1, 55.  
*Gelsemium lucidum Poir.* Herb. amat. 3, 169.  
*Gendarussa tranquebarensis N. v. E.* Wight Ic. pl. 2, 462.  
 † — — — Wight Illustr. 164<sup>b</sup>.  
 — vulgaris *N. v. E.* Wight Ic. pl. Ind. or. 2, 468.  
 † *Genethyllis DC.* Acta Leop. 19, Suppl. II. 2.  
 — diosmoides *DC.* Mem. Genev. 9, 2.  
*Geniosporum strobiliferum Wall.* Hook. Ic. pl. 5, 462.  
 † *Geniostoma lasiostemon Bl.* Blume Mus. 1, 35.  
 — ligustrifolium *Cunn.* Hook. Ic. pl. 5, 430.  
 † *Geniostoma rupestris Forst.* Forster Char. 12.  
 † — — — Lam. Encycl. 133.

- † *Genipa americana L.* Gaertn. Carp. 190.  
 — — — Desc. Ant. 2, 87.  
 — barbata *Presl.* Presl Symbolae 60.  
 — oblongifolia *Rz et P.* Ruiz et Pav. Fl. 220.  
*Genista aetnensis DC.* Moris Fl. sard. 28.  
 — amxantica *Ten.* Tenore Fl. nap. 66.  
 — — — Sweet Fl. G. II. 266.  
 — anglica *L.* Fl. dan. 4, 619.  
 — — — Engl. Bot. 2, 132.  
 — — — Guimp. Holzgew. 121.  
 — aspalathoides *Lam.* Moris Fl. sard. 29, 30.  
 — atlantica *Spach.* Explor. Alger. 87.  
 — bracteolata *Link.* Bot. Reg. 26, 23.  
 — — — Maund Bot. 5, 235.  
 — canariensis *L.* Lodd. Cab. 1201.  
 — — — Bot. Reg. 3, 217.  
 — — — Webb Canar. 41.  
 † — candicans *L.* Gaertn. Carp. 151.  
 — — — Watson Dendr. 1, 80.  
 — cephalantha *Spach.* Explor. Alger. 85.  
 — cinerea *DC.* Watson Dendr. 1, 76.  
 — commixta *Spach.* Jaubert Illustr. 150.  
 — corsica *DC.* Moris Fl. sard. 31.  
 — dalmatica *Baril.* Rehb. Ic. crit. 4, 383.  
 — decumbens *Dur.* Lodd. Cab. 718.  
 — depressa *M. v. B.* Tenore Fl. nap. 171.  
 — diffracta *Willd.* Sturm Flora 12, 49.  
 — dracunculoides *Spach.* Jaubert Illustr. 151.  
 — Durieui *Spach.* Explor. Alger. 85.  
 — elegans *Hook.* Hook. Bot. Misc. 103.  
 — ephedroides *DC.* DC. Legum. 36.  
 — erioclada *Spach.* Explor. Alger. 87.  
 — falcata *Brot.* Brotero Phytogr. 55.  
 — germanica *L.* Sv. Bot. 547.  
 — — — Fl. dan. 11, 1826.  
 † — — — Schk. Handb. 195.  
 — — — Guimp. Holzgew. 122.  
 — — — Schrank Fl. monac. 3, 243.  
 — — — Sturm Flora 3, 12.  
 — — — Dietr. Fl. bor. 12, 839.  
 — gracilis *Spach.* Jaubert Illustr. 143.  
 — Haenseleri *Boiss.* Boissier Esp. 39.  
 — Halleri *Reyn.* Gandin Fl. helv. 4, 5.  
 — hispanica *L.* Cav. Ic. 211.  
 — — — Jacq. Ic. 557.  
 — — — Lodd. Cab. 1738.  
 — humifusa *L.* Vill. Dauph. 44.  
 — — — Jord. Obs. 6, 2.  
 — Jaubertii *Spach.* Jaubert Illustr. 141.  
 — involucrata *Spach.* Jaubert Illustr. 146.  
 † — juncea *Scop.* Lam. Encycl. 619.  
 — — — Nouveau Duhamel 2, 22.  
 — leptophylla *Spach.* Jaubert Illustr. 148.  
 — linifolia *L.* Bot. Mag. 13, 442.  
 — lucida *Camb.* Mem. Mus. 14, 14.  
 — lusitanica *L.* Andr. Rep. 6, 419.  
 — mantica *Poll.* Poll. Fl. ver. 2, 4.  
 — microphylla *Chr. Smith.* Webb Canar. 42.  
 — monosperma *Lam.* Bot. Reg. 22, 1918.  
 — Morisii *Colla.* Moris Fl. sard. 32.  
 — multiflora *Poir.* Nouveau Duhamel 2, 23.  
 — numidica *Spach.* Explor. Alger. 84.  
 — Oliverii *Spach.* Jaubert Illustr. 144.  
 — orientalis *Spach.* Jaubert Illustr. 145.  
 — ovata *W. et K.* W. et Kit. 84.  
 — — — Guimp. Fr. Holzgew. 59.  
 — — — Lodd. Cab. 482.  
 — — — Watson Dendr. 1, 77.  
 — pilosa *L.* Fl. dan. 7, 1225.  
 — — — Sv. Bot. 678.  
 — — — Engl. Bot. 3, 208.  
 — — — Jacq. Fl. austr. 3, 208.



- † *Genista pilosa* L. Schk. Handb. 195.  
 — — — Guimp. Holzgew. 120.  
 — — — Diétr. Fl. bor. 12, 840.  
 — *pontica* Spach. Jaubert Illustr. 147.  
 — *procumbens* W. et K. W. et Kit. 180.  
 — — — Guimp. Holzgew. 119.  
 — — — Bot. Reg. 14, 1150.  
 — *pulchella* Vis. Visiani Dalm. 40.  
 — *rhodorrhizoides* Webb. Webb Canar. 48.  
 — *sagittalis* L. Jacq. Fl. austr. 3, 209.  
 — — — Guimp. Holzgew. 117.  
 — *Salzmanni* DC. Delessert Ic. 3, 65.  
 — *scariosa* Viv. Viviani Fl. ital. 8.  
 — — — Lodd. Cab. 1135.  
 † *scoparia* Lam. Lam. Encycl. 619.  
 — *Scorpius* DC. Watson Dendr. 1, 78.  
 — — — Sweet Fl. G. II, 63.  
 — *sericea* Wulf. Jacq. Ic. 536.  
 — — — Sturm Flora 12, 49.  
 — *sibirica* L. Jacq. Vind. 190.  
 — *silvestris* Scop. Sturm Flora 12, 49.  
 — *Spachiana* Webb. Bot. Mag. 71, 4195.  
 — *spartioides* Brig. Ac. Neap. 4, 2.  
 — — — Spach. Explor. Alger. 84.  
 — *spathulata* Spach. Jaubert Illustr. 149.  
 — *sphacelata* Decne. Jaubert Illustr. 142.  
 — *splendens* Webb. Webb Canar. 43.  
 — *stenopetala* Webb. Webb Canar. 45.  
 — *striata* Hill. Hill Hort. Key. 9.  
 — *tetragona* Bess. Rchb. Ic. crit. 4, 391.  
 — *tinctoria* L. Fl. dan. 3, 526.  
 — — — Sv. Bot. 451.  
 — — — Engl. Bot. 1, 44.  
 — — — Hayne 9, 11.  
 — — — Guimp. Holzgew. 118.  
 — — — Nees Düsseld. 322.  
 — — — Baxter Brit. Bot. 2, 84.  
 — *triacantha* Brot. Brotero Phytogr. 54.  
 — *triangularis* Willd. var. Rochel Banat. 15.  
 — *tricuspidata* Desf. Fl. atl. 183.  
 — *tridentata* L. Ac. Neap. 4, 1.  
 — *triquetra* L'her. Bot. Mag. 9, 314.  
 — — — Watson Dendr. 1, 79.  
 — — — W. et K. W. et Kit. 153.  
 — *ulicina* Spach. Explor. Alger. 86.  
 — *versicolor* Wall. Royle Illustr. 34.  
 — *Villarsiana* Jord. Jordan Obs. 6, 2.  
 — *virgata* Willd. Guimp. Fr. Holzgew. 58.  
 — — — DC. Bot. Reg. 30, 11.  
*Genlisia aurea* St. Hil. Ann. sc. nat. II, 11, 5.  
 — *corymbosa* Rchb. Rchb. Exot. 24.  
 — *ornata* Mart. Endl. Bras. 9, 21, 22.  
*Genosiris fragilis* Lab. Bill. Nov. Holl. 9.  
 † *Gentiana* L. Lam. Encycl. 109.  
 † — — — Kerner Genera 212.  
 † — — — Mutel Fl. fr. 36.  
 † — *abscondita* Zenk. Zenker Pl. ind. 13.  
 † — *acaulis* L. Gaertn. Carp. 114.  
 — — — Jacq. Fl. austr. 2, 135.  
 — — — Sturm Flora 1, 4.  
 — — — Bot. Mag. 2, 52.  
 — — — Engl. Bot. 23, 1594.  
 — — — Herb. amat. 3, 150.  
 — *adscendens* Pall. Pallas Fl. ross. 94.  
 — — — Bot. Mag. 19, 705, 723.  
 — *aestiva* R. et Sch. Sturm Flora 13, 54.  
 — *algida* Pall. Pallas Fl. ross. 95.  
 — *alpina* Vill. Vill. Dauph. 10.  
 — — — Lodd. Cab. 476.  
 — *altaica* Pall. Pallas Fl. ross. 97.  
 — *Amarella* L. Fl. dan. 2, 328.  
 — — — Curt. Lond. 4, 33.

- Gentiana Amarella* L. Engl. Bot. 4, 236.  
 — — — var. Rochel Banat. 6.  
 — — — Sturm Flora 6, 23.  
 — — — Diétr. Fl. bor. 8, 506.  
 — *Andrewsii* Griseb. Torrey New York 81.  
 — *angulosa* M. v. B. Marschall Cent. 47.  
 — — — Rochel Banat. 22.  
 — — — Rchb. Ic. crit. 2, 129, 9, 827.  
 — *angustifolia* Vill. Sturm Flora 13, 54.  
 — *aphylla* Jacq. Jacq. Hist. stirp. am. 89.  
 — *aprica* Decne. Jacquemont Ind. 118.  
 — *aquatica* L. Pallas Fl. ross. 97.  
 — — — Mem. Mosc. 7, 9.  
 † — — — Gaertn. Carp. 114.  
 — *arctophila* Griseb. Hook. Bor. Am. 149.  
 — *asclepiadea* L. Jacq. Fl. austr. 4, 328.  
 — — — Lam. Encycl. 109.  
 — — — Bot. Mag. 27, 1078.  
 — — — Sturm Flora 13, 54.  
 — — — Diétr. Fl. bor. 5, 347.  
 — *aurea* L. Fl. dan. 2, 344.  
 — *auriculata* Pall. Pallas Fl. ross. 92.  
 — *axillaris* Schm. Rchb. Ic. crit. 2, 130.  
 — *azurea* Bunge. Mem. Mosc. 7, 10.  
 — *barbata* Froel. Mem. Mosc. 7, 9.  
 — *Baconi* Edgew. Hook. Lond. Journ. 1845, 20.  
 — *bavarica* L. Vill. Dauph. 10.  
 — — — Jacq. Obs. 71.  
 — — — ? Fl. dan. 2, 317.  
 — — — Sturm Flora 11, 41.  
 — — — Lodd. Cab. 1256.  
 — — — Fl. d. serres 7, 651.  
 — *bellidifolia* Hook. fil. Hook. Ic. pl. 7, 635.  
 — *Biebersteinii* Bunge. Mem. Mosc. 7, 10.  
 — *biloba* DC. DC. Ic. Gall. 15.  
 — *borealis* Bunge. Mem. Mosc. 7, 10.  
 — *Boryi* Boiss. Boissier Esp. 121.  
 — *brachypetala* Bunge. Mem. Mosc. 7, 11.  
 — *brachyphylla* Vill. Sturm Flora 13, 54.  
 — *cachemirica* Decne. Jacquemont Ind. 117.  
 — *calycosa* Griseb. Hook. Bor. Am. 146.  
 — *campanulata* Jacq. Jacq. Fl. austr. 5, 29.  
 — *Campbelli* Griseb. Richard Astrolabe 31.  
 — *campestris* L. Fl. dan. 3, 367.  
 — — — Engl. Bot. 4, 237.  
 — — — Sv. Bot. 278.  
 — — — Engelmann Anthol. 1.  
 — *Catesbaei* Walt. Andr. Rep. 6, 418.  
 — — — Bigelow Med. 34.  
 — *caucasea* Sims. Bot. Mag. 26, 1038.  
 — *Centaurium* L. Fl. dan. 4, 617.  
 — — — Sv. Bot. 219.  
 — — — Schk. Handb. 59.  
 — — — Nees Düsseld. 202.  
 — *cephaloides* Edgew. Hook. Lond. Journ. 1845, 20.  
 — *cerastioides* H. B. K. H. B. K. Nov. Gen. 3, 222.  
 — *cerina* Hook. Hook. Fl. ant. 36.  
 — *Chirata* Wall. Wall. Pl. asiat. 252.  
 — *chloeoides* Brot. Brotero Phytogr. 21.  
 — *ciliata* L. Pallas Fl. ross. 92.  
 — — — Jacq. Fl. austr. 2, 113.  
 — — — Bot. Mag. 17, 639.  
 — — — Sturm Flora 6, 23.  
 — — — Diétr. Fl. bor. 10, 649.  
 — *Columnae* Ten. Tenore Fl. nap. 220.  
 — *concinna* Hook. Hook. Fl. ant. 35.  
 — *contorta* Royle. Royle Illustr. 68.  
 — *coronata* Royle. Royle Illustr. 68.  
 — *corymbosa* H. B. K. H. B. K. Nov. Gen. 3, 224.  
 — *crinita* Froel. Barton Fl. 3, 80.  
 — — — Bot. Mag. 46, 2031.  
 — — — Sweet Fl. G. 139.

- Gentiana crispata* Vis. Visiani Dalm. 24.  
 — cruciata L. Jacq. Fl. austr. 4, 372.  
 — — Spach Suites 145.  
 — detonsa Fries. Fl. dan. 2, 317.  
 — — Torrey New York 82.  
 — — var.  $\gamma$ . Hook. Ic. pl. 9, 857.  
 — dianthoides H. B. K. H. B. K. Nov. Gen. 3, 223.  
 — discolor Hoffgg. Rchb. Ic. crit. 9, 828.  
 — Douglasiana Bong. Acad. Pet. 2, 6.  
 — — Hook. Bor. Am. 148.  
 — elongata Haenke. Jacq. Collect. 2, 17.  
 — exaltata L. Desc. Ant. 1, 15.  
 — filiformis L. Fl. dan. 2, 324.  
 — fimbriata Andr. Andr. Rep. 8, 509.  
 — — Kerner Hort. 675.  
 — frigida Haenke. Froelich Gentiana 1.  
 — — Roemer Archiv III. 3, 1.  
 — — Sturm Flora 13, 54.  
 — Froelichii Hadn. Sturm Flora 13, 54.  
 — Gebleri Led. Mem. Mosc. 7, 8.  
 — — Rchb. Ic. crit. 3, 271.  
 — gelida M. v. B. Paxt. Mag. 7, 5.  
 — germanica Willd. Sturm Flora 6, 23.  
 — — Dietr. Fl. bor. 4, 234.  
 — glacialis Vill. Sv. Bot. 726.  
 — — Abr. Thom. Sturm Flora 13, 54.  
 — glauca Pall. Pallas Fl. ross. 93.  
 — — Hook. Bor. Am. 147.  
 — gracilis H. B. K. H. B. K. Nov. Gen. 3, 221.  
 — Grisebachii Hook. fil. Hook. Ic. pl. 7, 636.  
 — humilis Stev. var. Rochel Banat. 22.  
 † — hybrida DC. Mem. hist. nat. Par. 1, 5.  
 — Jamesoni Hook. Hook. Ic. pl. 1, 61.  
 — imbricata Froel. Sturm Flora 11, 41.  
 — incarnata Sims. Bot. Mag. 43, 1856.  
 — intermedia Sims. Bot. Mag. 49, 2303.  
 — — Lodd. Cab. 218.  
 — Kurroo Royle. Royle Illustr. 68.  
 — limoselloides H. B. K. H. B. K. Nov. Gen. 3, 220.  
 — linearis Froel. Münchn. Denkschr. 7, 5.  
 † — lutea L. Mem. hist. nat. Par. 1, 5.  
 — — Dict. sc. nat. 55.  
 — — Woodv. Med. 2, 95.  
 — — Hayne 13, 28.  
 — — Guimp. et Schl. 242.  
 — — Nees Düsseld. 198.  
 — — Wagner 136.  
 — macrophylla Pall. Pallas Fl. ross. 96.  
 — — Bot. Mag. 34, 1414.  
 — magellanica Gaudich. Richard Astrolabe 31.  
 — — Hook. Fl. ant. 115.  
 — maritima L. Cav. Ic. 296.  
 — nana Wulf. Jacq. Misc. 1, 18.  
 — — Sturm Flora 6, 22.  
 — nivalis L. Fl. dan. 1, 17.  
 — — Engl. Bot. 13, 896.  
 — — Sv. Bot. 725.  
 — — Sturm Flora 6, 22.  
 — nutans Bunge. Mem. Mosc. 7, 11.  
 — obtusifolia Willd. Rchb. Ic. crit. 2, 129.  
 — — Sturm Flora 13, 54.  
 — — Dietr. Fl. bor. 10, 650.  
 — ochroleuca Willd. Bot. Mag. 38, 1551.  
 — Olivieri Griseb. Jaubert Illustr. 234.  
 — pannonica Scop. Jacq. Fl. austr. 2, 136.  
 — — Sturm Flora 13, 54.  
 — — Wagner 8.  
 — — Nees Düsseld. 200.  
 — — Hayne 13, 30.  
 — patagonica Griseb. Hook. Fl. ant. 115.  
 — pedicellata Wall. Wight Ic. pl. Ind. or. 4, 1328.  
 — pinifolia G. Don. Fielding Sertum 58.

- Gentiana plebeja* Cham. Mem. Mosc. 7, 9.  
 — Pneumonanthe L. Fl. dan. 2, 269.  
 — — Engl. Bot. 1, 20.  
 — — Sv. Bot. 651.  
 — — Drevs 3, 79.  
 — — Sturm Flora 8, 30.  
 — — var. Bot. Mag. 27, 1101.  
 — — var. depressa, Boissier Esp. 121.  
 † — — Plée Types 40.  
 — — Baxter Brit. Bot. 3, 185.  
 — — Dietr. Fl. bor. 2, 73.  
 — propinqua Rich. Hook. Bor. Am. 150.  
 — prostrata Haenke. Jacq. Collect. 2, 17.  
 — pumila L. Jacq. Obs. 49.  
 — — Jacq. Fl. austr. 4, 302.  
 — punctata L. Jacq. Obs. 39.  
 — — Jacq. Fl. austr. 5, 28.  
 — — Sturm Flora 13, 54.  
 — — Hayne 13, 29.  
 — — Guimp. et Schl. 285.  
 — — Nees Düsseld. 199.  
 — purpurea L. Fl. dan. 1, 50.  
 † — — Mem. hist. nat. Par. 1, 5.  
 — — Woodv. Med. 2, 94.  
 — — Andr. Rep. 2, 117.  
 — — Lodd. Cab. 583.  
 — — Hayne 13, 31.  
 — — Nees Düsseld. 201.  
 — pyramidalis N. v. E. Sturm Flora 13, 54.  
 — pyrenaica L. Gouan III. 2.  
 — — W. et Kit. 207.  
 — quinqueflora Pers. Bot. Mag. 63, 3496.  
 — quinquefolia L. Fl. dan. 2, 344.  
 — Romanzowii Led. Mem. Mosc. 7, 11.  
 — rupicola H. B. K. H. B. K. Nov. Gen. 3, 220.  
 — Saponaria L. Bot. Mag. 26, 1039.  
 — — Barton Fl. 3, 79.  
 — — Lodd. Cab. 815.  
 — — Kerner Hort. 232.  
 — — Rchb. Exot. 306.  
 — — Torrey New York 81.  
 — saxosa Forst. Svensk Acad. 1777, 5.  
 — Sceptum Griseb. Hook. Bor. Am. 145.  
 — sedifolia H. B. K. H. B. K. Nov. Gen. 3, 225.  
 — septemfida Pall. Pallas Fl. ross. 92.  
 — — Bot. Mag. 30, 1229, 34, 1410.  
 — — Lodd. Cab. 89.  
 — — Paxt. Mag. 8, 51.  
 — — Fl. d. serres 8, 765.  
 — setiflora Bunge. Mem. Mosc. 7, 9.  
 — spathulata Bartl. Rchb. Pl. crit. 1, 92.  
 — squarrosa Led. Ledeb. Ic. 14.  
 — — Mem. Mosc. 7, 9.  
 — stricta Klotzsch. Prinz Waldem. Him. 69.  
 — tenella Fries. Fl. dan. 2, 318.  
 — tenuis Griseb. Hook. Bor. Am. 151.  
 — terglouensis Hacq. Hacq. Pl. alp. 2.  
 — triflora Pall. Pallas Fl. ross. 93.  
 — uliginosa Willd. Rchb. Pl. crit. 1, 58.  
 — unalaskensis Cham. Mem. Mosc. 7, 9.  
 — utriculosa L. W. et Kit. 206.  
 — — Sturm Flora 8, 30.  
 — verna L. Bot. Mag. 14, 491.  
 — — Engl. Bot. 7, 493.  
 — — Roemer Fl. eur. 6, 6.  
 — — Sturm Flora 10, 40.  
 — — Lodd. Cab. 62.  
 — — Herb. amat. 1, 2.  
 — — Rchb. Ic. crit. 9, 826.  
 — — brachyphylla, Rchb. Ic. crit. 2, 129.  
 — — Dietr. Fl. bor. 8, 505.  
 — verticillata L. Desc. Ant. 1, 16.

- Gentiana verticillata* Roxb. Wight Ic. pl. Ind. or. 2, 600.  
 — *villosa* L. Hook. Bor. Am. 152.  
 — *viscosa* Ait. Bot. Mag. 47, 2135.  
 † *Gentianeae* Juss. Wight Illustr. 157<sup>b</sup>.  
*Gentianella ciliata* Borkh. Schrank Fl. monac. 2, 189.  
 † *Geodorum appendiculatum* Ldl. Calc. Journ. 1845, 24.  
 † — *attenuatum* Griff. Calcutta Journ. 1845, 24.  
 — *citrinum* R. Br. Andr. Rep. 10, 626.  
 — — — Bot. Mag. 48, 2195.  
 — *dilatatum* R. Br. Rheede Hort. mal. 11, 35.  
 — — — Bot. Reg. 8, 675.  
 — — — Lodd. Cab. 1797.  
 — — — Wight Ic. pl. Ind. or. 3, 912.  
 — *fucatum* Ldl. Bot. Reg. 20, 1687.  
 † — *laxiflorum* Griff. Calcutta Journ. 1845, 24.  
 — *pictum* Link. Link Ic. I. 14.  
*Geoffraea inermis* Sw. Woodv. Med. 3, 151.  
 — — — Nees Düsseld. 336.  
 — *racemosa* Poir. Lam. Encycl. 604.  
 — *retusa* Lam. Lam. Encycl. 604.  
 † — *spinosa* Jacq. Lam. Encycl. 604.  
 — *superba* H. B. Humb. Pl. aeq. 100.  
 — *surinamensis* Bondt. Cortex Geoffr. 1.  
 — — — Nees Düsseld. 337.  
 — — — Guimp. et Schl. 282.  
 — — — Rchb. Exot. 157.  
 † *Geoffraeae* DC. (Germinatio.) DC. Legum. 20, 21<sup>a</sup><sup>b</sup>.  
*Geonoma acaulis* Mart. Mart. Palm. 4, 19.  
 — *acutiflora* Mart. Mart. Palm. 9.  
 — *arundinacea* Mart. Mart. Palm. 18.  
 — *Brongniartii* Mart. D'Orbigny Voyage 12, 23.  
 — *Demarastei* Mart. D'Orbigny Voyage 11, 22.  
 — *elegans* Mart. Mart. Palm. 18<sup>a</sup>.  
 — *interrupta* Mart. Mart. Palm. 7.  
 — *Jussieuana* Mart. D'Orbigny Voyage 12, 23.  
 — *laxiflora* Mart. Mart. Palm. 11.  
 — *macrostachys* Mart. Mart. Palm. 20.  
 — — — D'Orbigny Voyage 11, 23.  
 — *multiflora* Mart. Mart. Palm. 4, 5, 6.  
 † — — — Kerner Genera 165—167.  
 — — — Wallace Palms 23.  
 — *Orbigniana* Mart. D'Orbigny Voyage 11, 22.  
 — *paniculigera* Mart. Mart. Palm. 10.  
 — — — Wallace Palms 24.  
 — *pauciflora* Mart. Mart. Palm. 12.  
 — *pinnatifrons* Willd. Mart. Palm. 8.  
 — *Pohlana* Mart. Mart. Palm. 6<sup>a</sup>.  
 — *pycnostachys* Mart. Mart. Palm. 17.  
 — *rectifolia* Wallace. Wallace Palms 25.  
 — *Schottiana* Mart. Mart. Palm. 11<sup>a</sup>.  
 — *simplicifrons* Willd. Mart. Palm. 8, 14.  
 — *Spixiana* Mart. Mart. Palm. 15, 16.  
 — *synanthera* Mart. Mart. Palm. 13.  
*Geophila diversifolia* DC. Rheede Hort. mal. 10, 21.  
 — *reniformis* Don. Wight Ic. pl. Ind. or. I, 54.  
 † *Georgina* Willd. Kerner Genera 155—157.  
 — *Cervantesii* Sweet. Sweet Fl. G. II. 22.  
 — *coccinea* Willd. Willdenow Hort. 96.  
 — — — Kerner Hort. 299, 316, 317.  
 — *crocata* Sweet. Sweet Fl. G. 282.  
 — *variabilis* Willd. Willdenow Hort. 93—95.  
 — — — Kerner Hort. 289, 314, 315, 712, 713, 714, 719, 753.  
 — — — Preuss. Gart. Verein I, 5.  
 — — — Savi Fl. ital. 2, 51.  
 — — — Jaime St. Hilaire Les Dahlia 1—40.  
 — — — Dahlia Register for 1836, 1—53.  
*Geranium* L. Dietrich Die Linnéschen Geranien 1—24.  
 — — — Andrews Geraniums 1—124.  
 † — — Mutel Flore franç. 15.  
 † — — Cosson Atlas 6.  
 † — — Gray Genera 150.

- Geranium abrotanifolium* L. fl. Cav. Diss. 117.  
 — *acerifolium* Cav. Cav. Diss. 112.  
 — *acetosum* L. Cav. Diss. 104.  
 — *aconitifolium* L'her. L'her. Ger. 40.  
 — — — Rchb. Fl. germ. 5, 194.  
 — *affine* Led. Ledeb. Ic. 371.  
 — — — W. et A. Wight Illustr. 59.  
 — *africanum* Cav. Cav. Diss. 104.  
 — *albiflorum* Hook. Hook. Bor. Am. 40.  
 — — — Bot. Mag. 59, 3124.  
 — — — Led. Ledeb. Ic. 18.  
 — *alchemilloides* L. Cav. Diss. 98.  
 — *alpinum* Burm. Cav. Diss. 96.  
 — *althacoides* L. Cav. Diss. 123.  
 — *anemonefolium* L'her. L'her. Ger. 36.  
 — — — Bot. Mag. 6, 206.  
 — — — Sweet Ger. 244.  
 — *angulatum* Curt. Bot. Mag. 6, 203.  
 — *appendiculatum* L. fl. Cav. Diss. 121.  
 — *arachnoideum* St. Hil. St. Hil. Fl. Bras. 20.  
 — *argenteum* L. Vill. Dauph. 40.  
 — — — Cav. Diss. 77.  
 — — — Jacq. Ic. 546.  
 — — — Bot. Mag. 14, 594.  
 — — — Lodd. Cab. 948.  
 — — — Sweet Ger. 59.  
 — — — Roemer Fl. eur. 12, 5.  
 — — — Rchb. Fl. germ. 5, 198.  
 — *articulatum* Cav. Cav. Diss. 122.  
 — *asphodeloides* Sibth. Sibth. Fl. gr. 661.  
 — — — Burm. Schrad. Journ. 1799, 2, 1.  
 — *asplenioides* Desf. Desf. Fl. atl. 168.  
 — *astragalifolium* Cav. Cav. Diss. 104.  
 — — — Andr. Andr. Rep. 3, 190.  
 — *barbatum* Andr. Andr. Rep. 5, 303, 323, 6, 366.  
 — *batrachioides* Cav. Cav. Diss. 85.  
 — *betonicum* Cav. Cav. Diss. 118.  
 — *bicolor* Jacq. Jacq. Vind. 3, 39.  
 — — — Cav. Diss. 111.  
 — *bifolium* Burm. Cav. Diss. 115.  
 — *bipinnatum* Cav. Cav. Diss. 126.  
 — *bohemium* L. Cav. Diss. 81.  
 — — — Rchb. Fl. germ. 5, 188.  
 — *botrys* Cav. Cav. Diss. 90.  
 — *bubonifolium* Andr. Andr. Rep. 5, 328.  
 — *canescens* L'her. L'her. Ger. 38.  
 — *capillare* Cav. Cav. Diss. 97.  
 — *capitatum* L. Cav. Diss. 105.  
 — *carnosum* L. Cav. Diss. 99.  
 — *carolinianum* L. Cav. Diss. 84, 124.  
 — *chaerophyllum* Cav. Cav. Diss. 95.  
 — — — Schk. Handb. 190<sup>d</sup>.  
 — *chamaeroides* Cav. Cav. Diss. 76.  
 — *chium* L. Martyn Hist. 3.  
 — — — Cav. Diss. 92.  
 — *cicionium* L. Cav. Diss. 95.  
 — — — Jacq. Vind. 18.  
 — *cicutarium* L. Fl. dan. 6, 986.  
 — — — Cav. Diss. 93.  
 — — — Schk. Handb. 190<sup>b</sup>.  
 — — — Schrank Fl. monac. 4, 354.  
 — *ciliatum* Cav. Cav. Diss. 118.  
 — — — Andr. Andr. Rep. 4, 247.  
 — *cineraceum* Picot. Picot Pyren. 2.  
 — *cinerum* Cav. Cav. Diss. 89.  
 — — — Lam. Encycl. 573.  
 — *citriodorum* Cav. Cav. Ic. 8.  
 — *columbinum* L. Fl. dan. 7, 1222.  
 — — — Cav. Diss. 82.  
 — — — Engl. Bot. 4, 259.  
 — — — Rchb. Fl. germ. 5, 189.  
 — *cordifolium* Cav. Cav. Diss. 117.

- Geranium coriandrifolium* L. Cav. Diss. 116.  
 — *coronillaefolium* Andr. Andr. Rep. 5, 305.  
 — *coronopifolium* Andr. Andr. Rep. 5, 338.  
 — *cortusaefolium* Andr. Andr. Rep. 2, 121.  
 — *crassifolium* Bocc. Cav. Diss. 90.  
 — — Andr. Rep. 2, 136.  
 — *crataegifolium* Roth. Roth. Abh. 9, 12.  
 — *crispum* L. Cav. Diss. 109.  
 — *cristatum* Stev. Bot. Mag. 66, 3732.  
 — *cucullatum* L. Martyn Hist. 26.  
 — — Cav. Diss. 106.  
 — *cuneatum* Hook. Hook. Ic. pl. 2, 198.  
 — *daucifolium* Murr. Comm. Gott. 3, 4.  
 — — Cav. Diss. 120.  
 — *delicatulum* Ten. Tenore Fl. nap. 240.  
 — *dissectum* L. Fl. dan. 6, 936.  
 — — Cav. Diss. 78.  
 — — Curt. Lond. 1, 41.  
 — — Engl. Bot. 11, 753.  
 — — Rchb. Fl. germ. 5, 189.  
 — — Dietr. Fl. bor. 12, 807.  
 — *divaricatum* Kit. Winterl. Ind. 10.  
 — — W. et Kit. 123.  
 — — Ehrh. Rchb. Fl. germ. 5, 188.  
 — *echinatum* Andr. Andr. Rep. 3, 158.  
 — *elegans* Andr. Andr. Rep. 1, 28.  
 — *elongatum* Cav. Cav. Diss. 101.  
 — *erianthum* DC. Bot. Reg. 28, 52.  
 — *eriosomon* Fisch. Sweet Ger. 197.  
 — — Rchb. Hort. 9.  
 — *exstipulatum* Cav. Cav. Diss. 123.  
 — *ferulaceum* Burm. Cav. Diss. 110.  
 — *fissifolium* Andr. Andr. Rep. 6, 378.  
 — *floribundum* Andr. Andr. Rep. 6, 420.  
 — *fragile* Andr. Andr. Rep. 1, 37.  
 — *fruticosum* Cav. Cav. Diss. 122.  
 — *fulgidum* L. Cav. Diss. 116.  
 — *gibbosum* L. Cav. Diss. 103.  
 — *glandulosum* Cav. Cav. Diss. 125.  
 — *glaucophyllum* L. Cav. Diss. 92.  
 — *glaucum* Burm. Burmann Geran. 1.  
 — — Cav. Diss. 103.  
 — *grandiflorum* Burm. Cav. Diss. 75.  
 — — Andr. Rep. 1, 12.  
 — *Grevilleanum* Wall. Wall. Pl. asiat. 209.  
 — *grossularioides* L. Cav. Diss. 119.  
 — *gruinum* L. Cav. Diss. 88.  
 — *guttatum* Desf. Desf. Fl. atl. 169.  
 — *heliotropioides* Cav. Cav. Diss. 113.  
 — *himalayense* Klotzsch. Prinz Waldem. Him. 16.  
 — *hirsutum* Burm. Burmann Geran. 2.  
 — — Cav. Diss. 101.  
 — *hirtum* Burm. Burmann Geran. 1.  
 — — Cav. Diss. 117.  
 — — Forsk. Ann. Mus. 2, 45.  
 — *hispidum* L. Cav. Diss. 110.  
 — *humile* Cav. Cav. Diss. 83.  
 — *hybridum* L. Cav. Diss. 105.  
 — *hymenodes* Andr. Andr. Rep. 6, 413.  
 — *ibericum* Cav. Cav. Diss. 124.  
 — — Bot. Mag. 34, 1386.  
 — — Sweet Ger. 84.  
 — *incanum* L. Burmann Geran. 1.  
 — — Cav. Diss. 82.  
 — *incarnatum* L. Cav. Diss. 91.  
 — *incisum* Andr. Andr. Rep. 1, 67.  
 — *incrassatum* Andr. Andr. Rep. 4, 246.  
 — *inquans* L. Martyn Hist. 2.  
 — — Cav. Diss. 106.  
 — *laciniatum* Cav. Cav. Diss. 113.  
 — — Martyn Hist. 14.  
 — — Andr. Rep. 2, 131, 3, 204, 4, 269.

- Geranium laetum* Led. Ledeb. Ic. 148.  
 — *laevigatum* L. Cav. Diss. 121.  
 — *Lamberti* Sweet. Sweet Ger. 338.  
 — *lanceolatum* Cav. Cav. Diss. 102.  
 — — Bot. Mag. 2, 56.  
 — *lanuginosum* Jacq. Jacq. Schoenbr. 2, 140.  
 — *Lindleyanum* Royle. Royle Illustr. 27.  
 — *lineare* Andr. Andr. Rep. 3, 193.  
 — *lividum* L'her. L'her. Ger. 39.  
 — — Sweet Ger. 268.  
 — — Rchb. Fl. germ. 5, 197.  
 — *lobatum* L. Cav. Diss. 114.  
 — *Londesii* Fisch. Rchb. Hort. 68.  
 — *longifolium* Burm. Burmann Geran. 2.  
 — — Cav. Diss. 102.  
 — *lucidum* L. Cav. Diss. 80.  
 — — Curt. Lond. 4, 32.  
 — — Engl. Bot. 2, 75.  
 — — Fl. dan. 2, 218.  
 — — Sv. Bot. 556.  
 — — Rchb. Fl. germ. 5, 187.  
 — — Dietr. Fl. bor. 12, 805.  
 — *luteum* Andr. Andr. Rep. 6, 423.  
 — *macrorrhizum* L. Jacq. Ic. 134.  
 — — Cav. Diss. 85.  
 — — Sweet Ger. 271.  
 — — Bot. Mag. 50, 2420.  
 — — Rchb. Fl. germ. 5, 195.  
 — *maculatum* L. Cav. Diss. 86.  
 — — Barton Med. 13.  
 — — Bigelow Med. 8.  
 — — Gray Genera 150.  
 — — Rchb. Ic. crit. 3, 287.  
 — — Sweet Ger. 332.  
 — *malacoides* L. Cav. Diss. 91.  
 — *maritimum* L. Cav. Diss. 88.  
 — *melananthum* Andr. Andr. Rep. 3, 209.  
 — *menthaeodorum* Nocca. Nocca Pl. select. 6.  
 — *microphyllum* Hook. Hook. Fl. ant. 5.  
 — *minimum* Cav. Cav. Diss. 121.  
 — *molle* L. Cav. Diss. 83.  
 — — Fl. dan. 4, 679.  
 — — Curt. Lond. 1, 120.  
 — — Engl. Bot. 11, 778.  
 — — Sv. Bot. 639.  
 — — Schrank Fl. monac. 3, 231.  
 — — Rchb. Fl. germ. 5, 191.  
 — — Ann. sc. nat. III, 18, 16.  
 — *moschatum* L. Gaertn. Carp. 79.  
 — — Jacq. Vind. 55.  
 — — Cav. Diss. 94.  
 — — Sturm Flora 2, 5.  
 — *multifidum* Sweet. Sweet Ger. 245.  
 — *murcicum* Cav. Cav. Diss. 126.  
 — *memorosum* Ten. Tenore Fl. nap. 167.  
 — *nepalense* Sweet. Sweet Ger. 12.  
 — — Rchb. Hort. 116.  
 — *nodosum* L. Cav. Diss. 80.  
 — — Engl. Bot. 16, 1097.  
 — — Rchb. Fl. germ. 5, 195.  
 — *ocellatum* Camb. Jacquemont Ind. 38.  
 — *odoratissimum* L. Cav. Diss. 103.  
 — *ovatum* Cav. Cav. Diss. 103.  
 — *oxalidifolium* Andr. Andr. Rep. 5, 300.  
 — *exaloides* Burm. Burmann Geran. 2.  
 — — Cav. Diss. 97.  
 — *palmatum* Cav. Cav. Diss. 84.  
 — *palustre* L. Cav. Diss. 87.  
 — — Fl. dan. 4, 596.  
 — — Sv. Bot. 677.  
 — — Libosch. Petersb. 30.  
 — — Schrank Fl. monac. 2, 191.

- Geranium palustre* L. Sweet Ger. 3.  
 — — — Rchb. Fl. germ. 5, 198.  
 — — — Diétr. Fl. bor. 9, 614.  
 — papilionaceum L. Martyn Hist. 13.  
 — — — Cav. Diss. 112.  
 — peltatum L. Cav. Diss. 100.  
 — — — Bot. Mag. 1, 20.  
 — petraeum Gouan. Gouan Illustr. 21.  
 — — — Cav. Diss. 96.  
 — phaenum L. Cav. Diss. 89.  
 — — — Fl. dan. 6, 987.  
 — — — Engl. Bot. 5, 322.  
 — — — Schk. Handb. 190<sup>a</sup>.  
 — — — Rchb. Fl. germ. 5, 197.  
 — pictum Andr. Andr. Rep. 3, 168.  
 — pilosum Cav. Cav. Diss. 199.  
 — — — Andr. Andr. Rep. 4, 259.  
 — — — Sweet Ger. 119.  
 — pinnatifidum Burm. Burmann Geran. 2.  
 — — — Cav. Diss. 120.  
 — pinnatum Burm. Cav. Diss. 115.  
 — — — Andr. Andr. Rep. 5, 311.  
 — potentilloides Klotsch. Prinz Waldem. Him. 17.  
 — praecox Cav. Cav. Diss. 126.  
 — praemorsum Andr. Andr. Rep. 3, 150.  
 † — pratense L. Gaertn. Carp. 79.  
 — — — Cav. Diss. 87.  
 — — — Curt. Lond. 1, 93.  
 — — — Engl. Bot. 6, 404.  
 — — — Baxter Brit. Bot. 1, 30.  
 — — — Diet. sc. nat. 131.  
 — — — Herb. amat. 2, 118.  
 † — — — Schk. Handb. 190<sup>b</sup>.  
 — — — Schrank Fl. mon. 1, 42.  
 — — — Diétr. Fl. bor. 12, 804.  
 — — — Rchb. Fl. germ. 5, 193.  
 — procumbens Andr. Andr. Rep. 4, 252.  
 — proliferum Burm. Burmann Geran. 2.  
 — — — Cav. Diss. 120.  
 — prostratum Cav. Cav. Diss. 76.  
 — pulverulentum Cav. Cav. Diss. 125.  
 — punctatum Andr. Andr. Rep. 1, 60.  
 — purpureum Vill. Vill. Dauph. 40.  
 — — — Engl. Bot. 2648.  
 — — — Rchb. Fl. germ. 5, 187.  
 — pusillum L. Cav. Diss. 83.  
 — — — Curt. Lond. 1, 76.  
 — — — Engl. Bot. 6, 385.  
 — — — Fl. dan. 12, 1994.  
 † — — — Schk. Handb. 190<sup>b</sup>.  
 — — — Rchb. Fl. germ. 5, 190.  
 — pyrenaicum L. Gerard Fl. gallopr. 16.  
 — — — Cav. Diss. 79.  
 — — — Curt. Lond. 1, 121.  
 — — — Engl. Bot. 6, 405.  
 † — — — Schk. Handb. 190<sup>b</sup>.  
 — — — Sturm Flora 2, 5.  
 — — — Rchb. Fl. germ. 5, 192.  
 — — — Diétr. Fl. bor. 12, 806.  
 — — — Fl. dan. 13, 2240.  
 — quercifolium L. Cav. Diss. 119.  
 — quinquevulnerum Andr. Andr. Rep. 2, 114.  
 — radiatum Andr. Andr. Rep. 4, 222.  
 — radiculatum Picot. Picot Pyren. 1.  
 — Radula Roth. Roth Abh. 10. 12.  
 — — — Cav. Cav. Diss. 101.  
 — — — Bot. Mag. 3, 95.  
 — reflexum L. Cav. Diss. 81.  
 — — — Andr. Rep. 4, 224.  
 — — — Rchb. Fl. germ. 5, 196.  
 — Reichardi Murr. Comm. Gott. 3, 3.  
 — — — Bot. Mag. 1, 18.

- Geranium reniforme* Andr. Andr. Rep. 2, 108.  
 — reticulatum Nocca. Nocca Fl. select. 5.  
 — revolutum Andr. Andr. Rep. 5, 354.  
 — rivale L. Vill. Dauph. 40.  
 — Robertsonianum L. Cav. Diss. 86.  
 — — — Fl. dan. 4, 694.  
 — — — Curt. Lond. 1, 109.  
 — — — Engl. Bot. 21, 1486.  
 — — — Libosch. Petersb. 18.  
 — — — Dreves 2, 41.  
 — — — Hayne 4, 48.  
 — — — Schrank Fl. monac. 2, 139.  
 — — — Rchb. Fl. germ. 5, 187.  
 — romanum L. Cav. Diss. 94.  
 — roseum Andr. Andr. Rep. 3, 173.  
 — rotundifolium L. Cav. Diss. 93.  
 — — — Curt. Lond. 5, 216.  
 — — — Engl. Bot. 3, 157.  
 — — — Rchb. Fl. germ. 5, 190.  
 — rubifolium Ldl. Bot. Reg. 26, 67.  
 — rupestre Pourr. Cav. Diss. 90.  
 — sanguineum L. Cav. Diss. 76.  
 — — — Fl. dan. 7, 1107.  
 — — — Curt. Lond. 5, 155.  
 — — — Engl. Bot. 4, 272.  
 — — — Rchb. Fl. germ. 5, 198.  
 — — — Diétr. Fl. bor. 9, 613.  
 † — — — Plée Types 23.  
 — scabrum L. Burmann Geran. 1.  
 — — — Cav. Diss. 108.  
 — selinum Andr. Andr. Rep. 4, 239.  
 — sessiliflorum Cav. Cav. Diss. 77.  
 — sibiricum L. Jacq. Vind. 19.  
 — — — Cav. Diss. 77.  
 — silvaticum L. Fl. dan. 1, 124.  
 — — — Engl. Bot. 2, 121.  
 — — — Rchb. Fl. germ. 5, 193.  
 — spathulatum Andr. Andr. Rep. 3, 152. 4, 282.  
 — spinosum Burm. Cav. Diss. 75.  
 — stipulaceum L. fil. Cav. Diss. 122.  
 — striatum L. Cav. Diss. 79.  
 — — — Bot. Mag. 2, 55.  
 — — — Sibth. Fl. gr. 660.  
 — — — Tratt. Thes. 4.  
 — — — Herb. amat. 1, 9.  
 — — — Rchb. Fl. germ. 5, 196.  
 — tabulare L. Burmann Geran. 1.  
 — — — Cav. Diss. 100.  
 — terebinthinaceum Murr. Comm. Gott. 7, 4.  
 — — — Cav. Diss. 114.  
 — ternatum L. Cav. Diss. 107.  
 — tetragonum Roth. Roth Abh. 11. 12.  
 — — — Cav. Diss. 99.  
 — tomentosum Andr. Andr. Rep. 2, 115.  
 — tricolor Andr. Kerner Hort. 11.  
 — trifidum Burm. Cav. Diss. 115.  
 — trifolium Cav. Cav. Diss. 97.  
 — triste L. Cav. Diss. 107.  
 — Tuberaria Camb. Jacquemont Ind. 37.  
 — tuberosum L. Cav. Diss. 78.  
 — — — Sweet Ger. 155.  
 — — — Sibth. Fl. gr. 659.  
 — — — Rchb. Ic. crit. 4, 392.  
 — — — Rchb. Fl. germ. 5, 194.  
 — — — var. ramosum, Bot. Reg. 25, 10.  
 — umbrosum W. et K. W. et Kit. 124.  
 — — — Rchb. Fl. germ. 5, 192.  
 — undulatum Andr. Andr. Rep. 5, 292. 317.  
 — uniflorum Pacho. Pacho Voyage 96.  
 — variegatum L. Cav. Diss. 118.  
 — varium L'her. L'her. Ger. 37.  
 — villosum Ten. Tenore Fl. nap. 166.

- Geranium villosum* Ten. *Rchb. Fl. germ.* 5, 191.  
 — *viscosum* Cav. *Cav. Diss.* 108.  
 — *vitifolium* L. *Cav. Diss.* 111.  
 — *Vlassovianum* Fisch. *Rchb. Hort.* 27.  
 — — Sweet *Ger.* 228.  
 — *Wallichianum* Sweet. *Sweet Ger.* 90.  
 — — *Wight Ic. pl. Ind. or.* 2, 324.  
 — — *Bot. Mag.* 50, 2377.  
 — *zonale* L. *Cav. Diss.* 98.  
*Gerardia angustifolia* Mart. *Mart. Bras.* 206.  
 † — *delphinifolia* L. *Wendl. Beob.* 3.  
 — — *Roxb. Corom.* 90.  
 — — *Hook. Comp.* 11.  
 † — *flava* L. *Gaertn. Carp.* 214.  
 — — *Torrey New York* 74.  
 — *fruticosa* Pursh. *Pursh Fl.* 18.  
 — *glutinosa* L. *Lam. Encycl.* 529.  
 — *hispidula* Mart. *Mart. Bras.* 207.  
 — *japonica* Thunb. *Thunb. Ic. jap.* 50.  
 — *Pedicularia* L. *Lam. Encycl.* 529.  
 — *purpurea* L. *Barton Fl.* 3, 97.  
 — — *Bot. Mag.* 46, 2048.  
 — *quercifolia* Pursh. *Pursh Fl.* 19.  
 — *tenuifolia* Vahl. *Barton Fl.* 3, 82.  
 — *tuberosa* L. *Lam. Encycl.* 529.  
 — — *Desc. Ant.* 4, 282.  
*Gerardianella scopiformis* Klotzsch. *Peters Mossamb.* 36.  
*Gerberia crenata* Thunb. *Bot. Reg.* 10, 855.  
 † *Germanea urticifolia* Lam. *Lam. Encycl.* 514.  
 — — *Herb. amat.* 5, 295.  
*Gerontogea Deppeana* Cham. *Link Ic. II.* 36.  
*Geropogon glaber* L. *Jacq. Vind.* 33.  
 † — — *Gaertn. Carp.* 160.  
 † — — *Lam. Encycl.* 646.  
 — — *Schk. Handb.* 213.  
 — — *Bot. Mag.* 14, 479.  
 — *hirsutus* L. *Sibth. Fl. gr.* 778.  
*Gesnera acaulis* L. *Lam. Encycl.* 536.  
 — *aggregata* Ker. *Bot. Reg.* 4, 329.  
 — — *Bot. Mag.* 54, 2725.  
 — — *Rchb. Exot.* 207.  
 — *allagophylla* Mart. *Martius Auswahl* 14.  
 — — *Bot. Reg.* 21, 1767.  
 — *bulbosa* Ker. *Bot. Reg.* 4, 343.  
 — — *Bot. Mag.* 58, 3041. 68, 3886. 72, 4240.  
 — — *Lodd. Cab.* 1724.  
 — — *Link Ic. I.* 25.  
 — — var. *Preuss. Gart. Verein* 16, 1.  
 — *cochlearis* Hook. *Bot. Mag.* 66, 3787.  
 — *Cooperi* Paxt. *Paxt. Mag.* 1, 224.  
 — *coruscans* Paxt. *Paxt. Mag.* 16, 194.  
 — *discolor* Ldl. *Bot. Reg.* 27, 63.  
 — — *Paxt. Mag.* 9, 55.  
 — *Douglasii* Ldl. *Bot. Reg.* 13, 1110.  
 — — var. *Bot. Mag.* 64, 3612.  
 — — *Lodd. Cab.* 1939.  
 — — *Maund Bot.* 5, 247.  
 — — var. *Paxt. Mag.* 6, 29.  
 — *elliptica* Hook. var. *lutea*, *Bot. Mag.* 72, 4242.  
 — — var. *lutea*, *Fl. d. serres* 2, 168.  
 — *elongata* H. B. K. H. B. K. *Nov. Gen.* 2, 192.  
 — — *Maund Bot.* 1, 27.  
 — — var. *Bot. Mag.* 66, 3725.  
 — *faucialis* Ldl. *Bot. Reg.* 21, 1785.  
 — — *Bot. Mag.* 65, 3659.  
 — *Gardneri* Hook. *Bot. Mag.* 70, 4121.  
 — — *Paxt. Mag.* 16, 322.  
 — — *Fl. d. serres* 2, 145.  
 — *Geroltiana* Kth. *Fl. d. serres* 2, 33.  
 — *grandis* Sw. *Dict. sc. nat.* 77.  
 — *Herberti* Ch. Lem. *Fl. d. serres* 2, 33.  
 — — *Paxt. Mag.* 13, 55.

- Gesnera hirsuta* H. B. K. H. B. K. *Nov. Gen.* 2, 189.  
 — — *Kerner Hort.* 537.  
 † — *humilis* L. *Lam. Encycl.* 536.  
 — *hondensis* H. B. K. H. B. K. *Nov. Gen.* 2, 190.  
 — — *Bot. Mag.* 72, 4217.  
 — *lateritia* Ldl. *Bot. Reg.* 23, 1950.  
 — — *Paxt. Mag.* 9, 245.  
 — — *Maund Bot.* 1, 36.  
 — *latifolia* Mart. *Preuss. Gart. Verein* 5, 1.  
 — — *Bot. Reg.* 14, 1202.  
 — *Leopoldi* Scheidw. *Fl. d. serres* 7, 704. 705.  
 — *libanensis* Linden. *Annales de Gand* 1846, 94.  
 — — *Bot. Mag.* 74, 4380.  
 — *Lindleyi* Hook. *Bot. Mag.* 64, 3602.  
 — — *Bot. Reg.* 15, 1279.  
 — *longifolia* Ldl. *Bot. Reg.* 28, 40.  
 — *macrostachya* Ldl. *Bot. Reg.* 14, 1202.  
 — *maculata* Mart. *Mart. Bras.* 215.  
 — *Marchii* Wailes. *Bot. Mag.* 66, 3744.  
 — *mollis* H. B. K. H. B. K. *Nov. Gen.* 2, 191.  
 — — *Bot. Mag.* 67, 3815.  
 — — *Paxt. Mag.* 8, 243.  
 — *oblongata* Paxt. *Paxt. Mag.* 6, 103.  
 — *pardina* Hook. *Bot. Mag.* 74, 4348.  
 — *pendulina* Ldl. *Bot. Reg.* 12, 1032.  
 — *picta* Hook. *Bot. Mag.* 75, 4431.  
 — — *Fl. d. serres* 6, 586.  
 — *polyantha* DC. *Bot. Mag.* 69, 3995.  
 — *prasinata* Ker. *Bot. Reg.* 5, 428.  
 — *purpurea* Paxt. *Paxt. Fl. G.* 76.  
 — *reflexa* Kn. et W. *Knowles et Westcott* 61.  
 — *rupestris* Paxt. *Paxt. Mag.* 5, 53.  
 — — *Maund Bot.* 2, 91.  
 — *rupicola* Mart. *Mart. Bras.* 213.  
 — *rutila* Ldl. *Bot. Reg.* 14, 1158.  
 — — var. *atrosanguinea*, *Bot. Reg.* 15, 1279.  
 — — *Lodd. Cab.* 1801.  
 — *Sceptrum* Mart. *Mart. Bras.* 214.  
 — — *γ. ignea*, *Bot. Mag.* 64, 3576.  
 — *Schiedeana* Hook. *Bot. Mag.* 71, 4152.  
 — *Seemannii* Hook. *Bot. Mag.* 76, 4504.  
 — — *Lem. Jard. fl.* 9.  
 — *Selloi* Paxt. *Paxt. Mag.* 4, 27.  
 — *spicata* H. B. K. H. B. K. *Nov. Gen.* 2, 188.  
 — *stricta* Hook. et A. *Bot. Mag.* 66, 3738.  
 — *Suttoni* Booth. *Bot. Reg.* 19, 1637.  
 † — *tomentosa* L. *Gaertn. Carp.* 177.  
 † — — *Lam. Encycl.* 536.  
 — — *Bot. Mag.* 26, 1023.  
 — *triflora* Hook. *Bot. Mag.* 73, 4342.  
 — *tuberosa* Mart. *Mart. Bras.* 212.  
 — — *Bot. Mag.* 65, 3664.  
 — *tubiflora* Cav. *Cav. Ic.* 584.  
 — — *Hart. Parad.* 1, 10.  
 — *verticillata* Cav. *Cav. Ic.* 585.  
 — — *Bot. Mag.* 54, 2776.  
 — *zebrina* Paxt. *Paxt. Mag.* 8, 271.  
 — — *Bot. Reg.* 28, 16.  
 — — *Bot. Mag.* 68, 3940.  
 — — *Mem. Tur.* 8, (1846.) 0.  
*Gethyllis afro* L. *Bot. Reg.* 12, 1016.  
 — *ciliaris* L. *Jacq. Schoenbr.* 1, 79.  
 — *plicata* Jacq. *Jacq. Schoenbr.* 1, 80.  
 — *spiralis* L. *fil.* *Bot. Mag.* 27, 1088.  
 — — *Rchb. Exot.* 76.  
 † — *undulata* Herb. *Herbert Amar.* 25. fig. 5.  
 † — *verticillata* R. Br. *Herbert Amar.* 25. fig. 6.  
 † — *villosa* L. *fil.* *Herbert Amar.* 25. fig. 7.  
 † *Getonia floribunda* Roxb. *Gaertn. Carp.* 217.  
 — — *Roxb. Corom.* 87.  
 † *Geum* L. *Mem. Mosc.* 2, 11.  
 — *aleppicum* Jacq. *Jacq. Ic.* 93.

- † *Geum anemonoides* Willd. Mem. Mosc. 2, 11.  
 — *biflorum* Brot. Brotero Phytogr. 80.  
 — *brachypetalum* Ser. DC. Hort. gen. 19.  
 † — *canadense* Murr. Novi Comm. Gott. 5, 4.  
 — — Jacq. Jacq. Vind. 175.  
 — *chiloense* Balb. var. *grandiflorum*, Bot. Reg. 16, 1348.  
 — — — Spach Suites 6.  
 — *coccineum* Sibth. Sibth. Fl. gr. 485.  
 — — Ser. Bot. Reg. 13, 1088.  
 — — — Lodd. Cab. 1527.  
 † — *glaciale* Adams. Mem. Mosc. 2, 11.  
 — *heterocarpum* Boiss. Boissier Esp. 58.  
 — *hispidum* Fries. Rechb. Pl. crit. 1, 3.  
 — *hybridum* Wulf. Jacq. Ic. 94.  
 — *intermedium* Ehrh. Willdenow Hort. 69.  
 — — — Fl. dan. 11, 1874.  
 † — *laciniatum* Murr. Novi Comm. Gott. 5, 2.  
 † — *Laxmanni* Gaertn. Gaertn. Carp. 74.  
 — *montanum* L. Jacq. Fl. austr. 4, 373.  
 — — — Lam. Encycl. 443.  
 — — — Sturm Flora 4, 14.  
 † — *potentilloides* Ait. Mem. Mosc. 2, 11.  
 † — *pyrenaicum* Ramond. Hill prolif. Bl. 4.  
 — — — Bull. philom. 1800. no. 42.  
 — — — Roemer Fl. eur. 14, 2.  
 — *Quellyon* Sweet. Sweet Fl. G. 292.  
 — *ranunculoides* Ser. DC. Hort. genev. 20.  
 — *reptans* L. Jacq. Fl. austr. 5, 22.  
 — — — Sturm Flora 4, 14.  
 — *rivale* L. Fl. dan. 5, 722.  
 — — — Sv. Bot. 231.  
 — — — Engl. Bot. 2, 106.  
 — — — Baxter Brit. Bot. 1, 3.  
 — — — Dreves 3, 101.  
 — — — Hayne 4, 34.  
 — — — Sturm Flora 2, 3.  
 — — — Schrank Fl. monac. 1, 71.  
 — — — Dietr. Fl. bor. 5, 308.  
 † — *rotundifolium* Langsd. Mem. Mosc. 2, 11.  
 † — *strictum* Ait. Mem. Mosc. 2, 11.  
 — *sudeticum* Tausch. Tausch Hort. Canal. 9.  
 — *triflorum* Pursh. Lodd. Cab. 1609.  
 — *urbanum* L. Fl. dan. 4, 672.  
 — — — Sv. Bot. 94.  
 — — — Curt. Lond. 3, 21.  
 — — — Engl. Bot. 20, 1400.  
 — — — Woody. Med. 3, 181.  
 † — — — Gaertn. Carp. 74.  
 † — — — Lam. Encycl. 443.  
 — — — Schk. Handb. 137.  
 — — — Dreves 3, 100.  
 — — — Hayne 4, 33.  
 † — — — Novi Comm. Gott. 5, 4.  
 — — — Schrank Fl. monac. 4, 393.  
 — — — Sturm Flora 2, 5.  
 — — — Guimp. et Schl. 90.  
 — — — Nees Düsseld. 309.  
 — — — Wagner 11.  
 — — — Dietr. Fl. bor. 5, 307.  
 † — *virginianum* L. Novi Comm. Gott. 5, 3.  
 — — — Rafin. Med. 43.  
 — — — Willdenowii Dietr. Dietr. Fl. bor. 10, 667.  
 † *Ghinia verbenacea* Sw. Swartz Fl. Ind. occ. 21.  
 † *Giek* Gaertn. Gaertn. Carp. 180.  
 † *Gilia* Rz et P. Ruiz et Pav. Prodr. 4.  
 — *achilleaefolia* Benth. Paxt. Mag. 1, 150.  
 — — — Bot. Reg. 20, 1682.  
 — — — Bot. Mag. 62, 3440.  
 — — — Sweet Fl. G. II. 280.  
 — *aggregata* Don. Sweet Fl. G. II. 218.  
 — *aurea* Nutt. Journ. ac. Philad. II. 1, 22.

- Gilia* Berterii DC. Mem. Genev. 6, 5.  
 — *capitata* Sims. Bot. Mag. 53, 2698.  
 — — — Bot. Reg. 14, 1170.  
 — — — Sweet Fl. G. 287.  
 — — — Rechb. Hort. 246.  
 — *congesta* Hook. Hook. Ic. pl. 3, 235.  
 — *coronopifolia* Pers. Knowles et Westcott 92.  
 — — — Maund Bot. 1, 33.  
 — — — Bot. Reg. 20, 1691.  
 — — — Sweet Fl. G. II. 289.  
 — *dianthoides* Endl. Endl. Atacta 29.  
 † *glomeriflora* Spr. Engelmann Anthol. 2.  
 — *gracilis* Hook. Bot. Mag. 56, 2924.  
 — *inconspicua* Dougl. Bot. Mag. 56, 2883.  
 — *laciniata* Rz et P. Ruiz et Pav. Fl. 123.  
 — *lutea* Steud. Bot. Mag. 79, 4735.  
 — *pharnaceoides* Benth. Hook. Bor. Am. 161.  
 — *pungens* Dougl. Bot. Mag. 57, 2977.  
 — *tenuiflora* Benth. Bot. Reg. 22, 1888.  
 — *tricolor* Benth. Paxt. Mag. 1, 150.  
 — — — Bot. Mag. 63, 3463.  
 — — — Bot. Reg. 20, 1704.  
 — — — Hort. Transact. 8, 18.  
 — — — Sweet Fl. G. II. 264.  
 † *Gilibertia* Rz et P. Ruiz et Pav. Prodr. 8.  
 — *Nalagu* DC. Rheede Hort. mal. 2, 26.  
 — *saururoides*? DC. Bot. Zeitung 1848, 1.  
 — *umbellata* Rz et P. Ruiz et Pav. Fl. 312.  
*Gillenia stipulacea* Pursh. Barton Med. 6. Nutt  
 — *trifoliata* Moench. Bigelow Med. 41.  
 — — — Barton Med. 5.  
*Gilliesia graminea* Ldl. Bot. Reg. 12, 992.  
 — — — Bot. Mag. 54, 2716.  
 — — — Lodd. Cab. 1755.  
 — — — Poepp. et Endl. 137.  
 — — — Schnizl. Ic. 1, 55\*\*.  
 — *montana* P. et E. Poepp. et Endl. 138.  
 † *Gilliesiaceae* Ldl. Schnizl. Ic. 1, 55\*\*.  
 † *Gimbernata* Rz et P. Ruiz et Pav. Prodr. 36.  
 † *Gingidium* Forst. Forster Charact. 21.  
*Ginginsia brevicaulis* DC. Mem. hist. nat. Par. 4, 17.  
 — *elongata* DC. Mem. hist. nat. Par. 4, 18.  
*Ginkgo biloba* L. Kaempfer Amoen. p. 812.  
 — — — Gouan Description 1.  
 — — — Jacquin Ginkgo 1.  
 — — — Belgique hort. 3, 44.  
*Ginoria americana* L. Jacq. Hist. stirp. am. 137.  
 — — — Lam. Encycl. 407.  
 — — — Kerner Hort. 14.  
*Girardinia heterophylla* Decne. Jacquemont Ind. 153.  
 — *Leschenaultiana* Decne. Wight Ic. pl. Ind. or. 6, 1976. 1976<sup>b</sup>.  
*Gironniera celtidifolia* Gaudich. Gaudich. Bonite 85.  
*Giskia molluginoides* Wight. Wight Ic. pl. Ind. or. 4, 1168.  
 † — *pharnaceoides* L. Lam. Encycl. 221.  
 — — — Roxb. Corom. 183.  
 — — — Wight Ic. pl. Ind. or. 4, 1167.  
 † *Githago segetum* Desf. Lam. Encycl. 958.  
 — — — Rechb. Fl. germ. 6, 308.  
*Givotia rottleriformis* Griff. Wight Ic. pl. Ind. or. 5, 1889.  
*Glabraria tersa* L. Rumpf Amb. 3, 44.  
 — — — Lam. Encycl. 640.  
*Gladiangis Aub.* Aubert Orchid. 53.  
*Gladiolus abbreviatus* Andr. Andr. Rep. 3, 166.  
 — *aethiopicus* Lam. Lam. Encycl. 32.  
 — *alatus* L. Schneevogt Ic. 12.  
 — — — Jacq. Ic. 259.  
 — — — Andr. Rep. 1, 8.  
 — — — Bot. Mag. 16, 586. 53, 2608.  
 — — — Kerner Hort. 230.  
 — — — Sweet Fl. G. 187.

- Gladiolus albidus* Jacq. Jacq. Ic. 256.  
 — *alopecuroides* Pers. Lam. Encycl. 32.  
 — *anceps* L. fil. Jacq. Ic. 269.  
 — — Thunberg *Gladiolus* 2.  
 — *angustus* L. Linné Hort. Cliff. 6.  
 — — Jacq. Ic. 252.  
 — — Bot. Mag. 17, 602.  
 — — Red. Lil. 6, 344.  
 — — var. minor, Andr. Rep. 9, 589.  
 — *bicolor* Thunb. Thunberg *Gladiolus* 2.  
 — — Jacq. Ic. 240.  
 — *blandus* Gawl. var.  $\alpha$ .  $\beta$ .  $\gamma$ .  $\delta$ . Bot. Mag. 17, 625.  
 — — — 18, 645. 648. 40, 1665.  
 — — — Andr. Rep. 2, 99.  
 — *Boucheanus* Schlecht. Mem. Strassb. 3, 0.  
 — *brevifolius* Jacq. Jacq. Ic. 249.  
 — — Jacq. Fragm. 2.  
 — *byzantinus* Mill. Bot. Mag. 22, 874.  
 — — Rehb. Ic. crit. 7, 643.  
 — *campanulatus* Andr. Andr. Rep. 3, 188.  
 — *cardinalis* Curt. Schneevogt Ic. 27.  
 — — Bot. Mag. 4, 135.  
 — — Red. Lil. 2, 112.  
 — — Kerner Hort. 19.  
 — — Herb. amat. 1, 22.  
 † — — Nees Gen. 3, x.  
 — *carneus* Jacq. Jacq. Ic. 255.  
 — — Red. Lil. 2, 65.  
 — — var. Red. Lil. 7, 377.  
 — — Bot. Mag. 16, 591.  
 — — Andr. Rep. 4, 240.  
 — — Dela Roche Descr. 4.  
 — — Kerner Hort. 146.  
 — *cochleatus* Sweet. Sweet Fl. G. II. 140.  
 — *Colvillii* Sweet. Sweet Fl. G. 155.  
 — *communis* L. Sibth. Fl. gr. 37. 36.  
 — — Red. Lil. 5, 267.  
 — — Bot. Mag. 3, 86. 38, 1575.  
 — — Schk. Handb. 6.  
 — — Sprengel Gesch. d. Bot. 5.  
 — — Sturm Flora 13, 56. 19, 83.  
 — — Rehb. Ic. crit. 6, 598.  
 — — Rehb. Fl. germ. 9, 349.  
 — — Dietr. Fl. bor. 8, 507.  
 † — — Mutel Fl. fr. 70.  
 † — — Nees Gen. 3, x.  
 — *concolor* Salisb. Salisb. Parad. 8.  
 — *crispus* L. fil. Thunberg *Gladiolus* 1.  
 — — Jacq. Ic. 267.  
 — — Andr. Rep. 2, 142.  
 — *cristatus* Vogel. Trew Pl. rar. 24.  
 † — *Cunonia* Gaertn. Gaertn. Carp. 11.  
 — *cuspidatus* Jacq. Jacq. Ic. 257.  
 — — Red. Lil. 1, 36.  
 — — var. *longiflorus*, Red. Lil. 3, 136.  
 — — Bot. Mag. 16, 582.  
 — — Andr. Rep. 3, 147. 4, 219.  
 — *debilis* Sims. Bot. Mag. 52, 2585.  
 — *edulis* Burch. Bot. Reg. 2, 169.  
 — *excisus* Jacq. Jacq. Schoenbr. 4, 491.  
 — *falcatus* L. fil. Thunberg *Gladiolus* 1.  
 — *fissifolius* Jacq. Jacq. Ic. 263.  
 — *fistulosus* Jacq. Jacq. Schoenbr. 1, 16.  
 — *flexuosus* Thunb. Thunberg *Gladiolus* 1.  
 — *floribundus* Jacq. Jacq. Ic. 254.  
 — — Bot. Mag. 17, 610.  
 — — Kerner Hort. 420.  
 — — Triomphe de Louvain, Annales de Gand  
 — — — 1845, 32.  
 — — — var. Annales de Gand 1847, 112.  
 — — — var. Leopold, Annales de Gand 1848,  
 — — — 194.

- Gladiolus floribundus* Jacq. var. *Sosthenie*, Revue hortic.  
 — — — 1853, 3.  
 — *fragrans* Jacq. Jacq. Schoenbr. 1, 14.  
 — *galeatus* Jacq. Jacq. Ic. 258.  
 — — Andr. Rep. 2, 122.  
 — — Kerner Hort. 243.  
 — *gandavensis* Hort. Fl. d. serres 2, 20. 21.  
 — — citrinus V. H. Fl. d. serres 5, 539.  
 — — Paxt. Mag. 11, 27.  
 — *gracilis* Jacq. Jacq. Ic. 246.  
 — — Red. Lil. 8, 425.  
 — — Bot. Mag. 16, 562.  
 — *gramineus* Jacq. Jacq. Ic. 236.  
 — — Andr. Rep. 1, 62.  
 — *grandiflorus* Andr. Andr. Rep. 2, 118.  
 — *hastatus* Thunb. Bot. Mag. 38, 1564.  
 — — Rehb. Exot. 35.  
 — *hirsutus* Jacq. Jacq. Ic. 250.  
 — — Red. Lil. 5, 273.  
 — — var.  $\alpha$ .  $\beta$ .  $\gamma$ . Bot. Mag. 16, 574. 19, 727.  
 — — — 25, 992. 21, 823.  
 — — Rehb. Exot. 33.  
 — — Herb. amat. 2, 127.  
 — *hyalinus* Jacq. Jacq. Ic. 242.  
 — *hybridus* Delbarianus Morr. Annales de Gand  
 — — — 1847, 158.  
 — *illyricus* Koch. Sturm Flora 19, 83.  
 — — Rehb. Fl. germ. 9, 352.  
 — *imbricatus* L. Marschall Cent. 60.  
 — — Tausch Hort. Canal. 1.  
 — — Rehb. Ic. crit. 6, 599.  
 — — Rehb. Fl. germ. 9, 350.  
 — — Sturm Flora 13, 56. 19, 83.  
 — — Dietr. Fl. bor. 1, 44.  
 † — — Mutel Fl. fr. 70.  
 — *inclinatus* Red. Red. Lil. 1, 44.  
 — *insignis* Paxt. Paxt. Mag. 7, 223.  
 — *involutus* Dela R. Dela Roche Descr. 3.  
 — *iridifolius* Jacq. Jacq. Ic. 234. 235.  
 — — Kerner Hort. 335.  
 — *juncus* Thunb. Red. Lil. 3, 141.  
 — *laccatus* Jacq. Jacq. Ic. 232.  
 — — Red. Lil. 6, 343.  
 — *lineatus* Salisb. Red. Lil. 1, 55. 7, 400.  
 — — Bot. Mag. 14, 487.  
 — *longiflorus* Jacq. Jacq. Ic. 262. 263.  
 — — Jacq. Collect. 5, 7.  
 — — Andr. Andr. Rep. 1, 5.  
 — *Ludovicæ* Jan. Kerner Hort. 638.  
 — *Merianus* Thunb. Jacq. Ic. 230. 231.  
 † — — Wendl. Beob. 1.  
 — — Red. Lil. 1, 11.  
 — *Milleri* Gawl. Bot. Mag. 17, 632.  
 — *montanus* L. fil. Thunberg *Gladiolus* 1.  
 — *Mortoni* Herb. Bot. Mag. 65, 3680.  
 — *mucronatus* Jacq. Jacq. Ic. 253.  
 — — Red. Lil. 3, 142.  
 — — Kerner Hort. 228.  
 — *namaquensis* Gawl. Bot. Mag. 16, 592.  
 — — Rehb. Exot. 36.  
 — *nanus* Andr., Andr. Rep. 2, 137.  
 — *natalensis* Reinw. Lodd. Cab. 1756.  
 — — Sweet Fl. G. II. 281.  
 — *orchidiflorus* Andr. Andr. Rep. 4, 241.  
 — *Orobanche* DC. Red. Lil. 3, 125.  
 — *palustris* Gaud. Rehb. Fl. germ. 9, 351.  
 — — Sturm Flora 19, 83.  
 — *parviflorus* Jacq. Jacq. Obs. 78.  
 — *permeabilis* Dela R. Dela Roche Descr. 2.  
 — *plicatus* Jacq. Jacq. Ic. 237. 238.  
 † — — Wendl. Beob. 1.  
 — — Red. Lil. 2, 90.



- Gladiolus plicatus* Jacq. Andr. Rep. 4, 268.  
 — *polystachyus* Andr. Andr. Rep. 4, 266.  
 — *praecox* Andr. Andr. Rep. 1, 38.  
 — *pratensis* Dietr. Dietrich Programm 1.  
 — — Dietr. Fl. bor. 1, 43.  
 — *psittacinus* Hook. Bot. Mag. 57, 3032.  
 — — Bot. Reg. 17, 1442.  
 — — Rchb. Exot. 116.  
 — *pubibundus* Sweet. Paxt. Mag. 2, 197.  
 — — Sweet Fl. G. II. 176.  
 — *punctatus* Jacq. Jacq. Ic. 247.  
 — *pyramidatus* Andr. Andr. Rep. 5, 335.  
 — *quadrangularis* Gawl. Bot. Mag. 16, 567.  
 — *ramosus* Murr. Paxt. Mag. 6, 99.  
 — *recurvus* L. Bot. Mag. 16, 578.  
 — — Rchb. Exot. 32.  
 — *refractus* Jacq. Jacq. Ic. 241.  
 — — Red. Lil. 7, 419.  
 — *ringens* Andr. Andr. Rep. 1, 27, 4, 227, 275.  
 — — Red. Lil. 3, 123.  
 — — Kerner Hort. 78.  
 — — Fl. d. serres 4, 422.  
 — *ringenti-tristis* Herb. Hortic. Transact. 4, 2.  
 — *roseoalbus* Jacq. Jacq. Schoenbr. 1, 13.  
 — *roseus* Jacq. Jacq. Ic. 261.  
 — — Andr. Andr. Rep. 1, 11.  
 — *sambucinus* Jacq. Jacq. Schoenbr. 1, 15.  
 — *securiger* Ait. Jacq. Fragm. 48.  
 — — Bot. Mag. 11, 383.  
 — *segetum* Gawl. Bot. Mag. 19, 719.  
 — — Sturm Flora 19, 83.  
 — — Rchb. Ic. crit. 6, 600.  
 — — Rchb. Fl. germ. 9, 353.  
 † — — Mutel Fl. fr. 70.  
 — *silenooides* Jacq. Jacq. Ic. 270.  
 — *Sparmanni* Thunb. Svensk Acad. 1814, 99.  
 — *striatus* Jacq. Jacq. Ic. 260.  
 — — Andr. Andr. Rep. 2, 111.  
 — *strictiflorus* Red. Red. Lil. 7, 399.  
 — *strictus* Ait. Red. Lil. 2, 90.  
 — *sulphureus* Jacq. Jacq. Ic. 239.  
 — *tenellus* Jacq. var. Schneevogt Ic. 40.  
 — — Jacq. Ic. 248.  
 — — Jacq. Collect. 4, 3.  
 — *trichonemifolius* Gawl. Bot. Mag. 36, 1483.  
 — *trimaculatus* Lam. Lam. Encycl. 32.  
 — *tristi-blandus* Herb. Hortic. Transact. 4, 2.  
 — *tristi-hirsutus* Herb. Hortic. Transact. 4, 2.  
 — *tristis* L. Jacq. Ic. 243—245.  
 — — Bot. Mag. 8, 272, 27, 1098.  
 † — — Wendl. Beob. 1.  
 — — Red. Lil. 1, 35.  
 — *Truffautii* Hort. Fl. d. serres 7, 697.  
 — *tubatus* Jacq. Jacq. Ic. 264, 265.  
 — — Red. Lil. 5, 264.  
 — *tubiflorus* L. fil. Thunberg *Gladiolus* 2.  
 — — Jacq. Ic. 266.  
 — — Red. Lil. 7, 364.  
 — *tubulosus* Jacq. Jacq. Ic. 229.  
 — *undulatus* L. Schneevogt Ic. 19.  
 — — Jacq. Ic. 251.  
 — — Red. Lil. 3, 122.  
 — — Bot. Mag. 15, 538, 18, 647.  
 — *versicolor* Andr. Andr. Rep. 1, 19.  
 — — Bot. Mag. 16, 556, 26, 1042.  
 — — Rchb. Exot. 34.  
 — *viperatus* Gawl. Bot. Mag. 18, 688.  
 — — Sweet Fl. G. 156.  
 — *Watsonius* Jacq. Jacq. Ic. 233.  
 — — Bot. Mag. 13, 450, 16, 569.  
 — — Red. Lil. 7, 369.  
 — — Lodd. Cab. 1949.

- Gladiolus Willmoreanus* Hort. Fl. d. serres 6, 639.  
 — *xanthospilus* DC. Red. Lil. 3, 124.  
*Glandulifolia umbellata* Wendl. Wendl. Coll. 10.  
 — *uniflora ovata* Wendl. Wendl. Coll. 33.  
*Glaucidium palmatum* S. et Z. Münchn. Abh. 4, 1.  
 † *Glaucium* Gaertn. Kerner Genera 150.  
 — *corniculatum* Curt. Curt. Lond. 1, 138.  
 — — Rchb. Fl. germ. 3, 12.  
 — *flavum* Crantz. Nees Düsseld. 407.  
 † — — Spach Suites 55.  
 — *fulvum* Sm. Smith Exot. Bot. 7.  
 — — Rchb. Fl. germ. 3, 12.  
 — — Sweet Fl. G. 35.  
 — *luteum* Scop. Curt. Lond. 4, 56.  
 — — Engl. Bot. 1, 8.  
 — — Baxter Brit. Bot. 2, 131.  
 — — Rchb. Fl. germ. 3, 11.  
 † — — Nees Gen. X, x.  
 † — *phoeniceum* Gaertn. Gaertn. Carp. 115.  
 — — Sibth. Fl. gr. 489.  
 — — Engl. Bot. 20, 1433.  
 — *rubrum* Sm. Sibth. Fl. gr. 488.  
 — — Rchb. Fl. germ. 3, 11, 12.  
 — *tricolor* Bernh. Rchb. Ic. crit. 3, 227.  
 — *violaceum* Juss. Sibth. Fl. gr. 490.  
 — — Engl. Bot. 3, 201.  
*Glaux maritima* L. Fl. dan. 4, 548.  
 † — — Lam. Encycl. 141.  
 — — Curt. Lond. 5, 188.  
 — — Engl. Bot. 1, 13.  
 — — Baxter Brit. Bot. 4, 246.  
 — — Sv. Bot. 443.  
 † — — Gaertn. Carp. 184.  
 — — Schk. Handb. 50.  
 — — Dreves 5, 143.  
 — — Dietr. Fl. bor. 8, 512.  
 † — — Nees Gen. 5, 12.  
*Glechoma hederacea* L. Curt. Lond. 2, 128.  
 — — Woodv. Med. 2, 111.  
 — — Engl. Bot. 12, 853.  
 — — Baxter Brit. Bot. 2, 136.  
 — — Fl. dan. 5, 789.  
 — — Sv. Bot. 183.  
 † — — Lam. Encycl. 505.  
 † — — Plée Types 53.  
 — — Schk. Handb. 159.  
 — — Dreves 1, 21.  
 — — Hayne 2, 8.  
 — — Nees Düsseld. 171.  
 — — Guimp. et Schl. 65.  
 — — Wagner 15.  
 — — Sturm Flora 2, 8.  
 — — Schrank Fl. monac. 3, 297.  
 — — Dietr. Fl. bor. 2, 117.  
 † — — Nees Gen. 6, 24.  
 — *hirsuta* W. et K. W. et Kit. 119.  
 † *Gleditschia* L. Kerner Genera 31.  
 † — *caroliniensis* Lam. Lam. Encycl. 857.  
 — *horrida* Willd. Watson Dendr. 1, 75.  
 — *monosperma* Walt. Michaux Arb. 3, 11.  
 † — *triacanthos* L. Gaertn. Carp. 146.  
 † — — Lam. Encycl. 857.  
 — — Michaux Arb. 3, 10.  
 — — Schk. Handb. 356.  
 — — Guimp. Fr. Holzgew. 132.  
 — — Watson Dendr. 2, 138.  
 — — DC. Legum. 1.  
 † *Gleichenia* R. Br. Schrader Journ. 1801, 2.  
 — *acutifolia* Hook. Hook. Sp. Fil. 8.  
 — *alpina* R. Br. Hook. Ic. Fil. 1, 58.  
 — *Bancroftii* Hook. Hook. Sp. Fil. 4.  
 — *Boryi* Kze. Kunze Fil. 70.

- Gleichenia cryptocarpa* Hook. Hook. Sp. Fil. 6.  
 — *Cunninghami* Hew. Hook. Sp. Fil. 6.  
 — *dicarpa* R. Br. Kunze Fil. 70.  
 — — Hook. Sp. Fil. 1.  
 — *excelsa* Sm. Hook. Sp. Fil. 4.  
 — *flabellata* R. Br. Bill. Sertum 12.  
 — *gigantea* Wall. Hook. Sp. Fil. 3.  
 — *glauca* Sw. Hook. Sp. Fil. 3.  
 — *hegistophylla* Cunn. Hook. Sp. Fil. 2.  
 — *Hermanni* R. Br. Rumpf Amb. 6, 38.  
 — — Hook. Ic. Fil. 1, 14.  
 — *immersa* H. et Gr. Hook. Ic. Fil. 1, 15.  
 — *Klotzschii* Hook. Hook. Sp. Fil. 5.  
 — *Mathewsii* Hook. Hook. Sp. Fil. 7.  
 † *microphylla* R. Br. Hook. Gen. Fil. 41.  
 — *nervosa* Kaulf. Hook. Sp. Fil. 5.  
 — *pedalis* Kaulf. Hook. Sp. Fil. 8.  
 — *polypodioides* Sw. Schk. Fil. 149.  
 † — — Hook. Gen. Fil. 41.  
 — *revoluta* H. B. K. Hook. Sp. Fil. 7.  
 — *rupestris* R. Br. Hook. Sp. Fil. 1.  
 — *semivestita* Lab. Bill. Sertum 11.  
 — — Hook. Sp. Fil. 2.  
 — *simplex* Hook. Hook. Ic. pl. 1, 92.  
 — *speluncae* R. Br. Guillemain Austr. 12.  
 — — Hook. Sp. Fil. 1.  
 † *Gleicheniaceae* R. Br. Schnizl. Iconogr. 1, 28.  
 † *Glinus dictamnoides* Lam. Lam. Encycl. 413.  
 — *lotoides* Burm. Burm. Fl. ind. 36.  
 † — — L. Gaertn. Carp. 130.  
 † — — Lam. Encycl. 413.  
 — — Sibth. Fl. gr. 472.  
 — *mucronatus* Klotzsch. Peters Mossamb. 25.  
 — *ononioides* Burm. Burm. Fl. ind. 36.  
 — *trianthemoides* Heyne. Wight Illustr. 113.  
*Globba Careyana* Roxb. Roscoe Scit. 110.  
 — — Lodd. Cab. 691.  
 — *erecta* Red. Red. Lil. 3, 174.  
 — *marantina* L. Rumpf Amb. 5, 64. fig. 2.  
 — — Smith Exot. Bot. 103.  
 — — Roscoe Scit. 111.  
 — — Lodd. Cab. 100.  
 — — Wight. Wight Ic. pl. Ind. or. 6, 2001.  
 — *nutans* L. Rumpf Amb. 6, 63.  
 — — Red. Lil. 1, 60.  
 † — — Ann. sc. nat. 20, 4.  
 — *ophioglossa* Wight. Wight Ic. pl. Ind. or. 6, 2002.  
 — *orixensis* Roxb. Roxb. Corom. 229.  
 — — Kerner Hort. 486.  
 † — — Ann. sc. nat. II, 15, 19.  
 — *pendula* Roxb. Roxb. Corom. 228.  
 — *purpurea* Andr. Andr. Rep. 10, 615.  
 — *racemosa* Sm. Smith Exot. Bot. 117.  
 — — Kerner Hort. 556.  
 — *radicalis* Roxb. Roxb. Corom. 230.  
 — *saltatoria* Roxb. Roscoe Scit. 112.  
 — — Hart. Parad. 2, 3.  
 — *sessiliflora* Sims. Bot. Mag. 35, 1428.  
 — *uviformis* L. Rumpf Amb. 6, 59. fig. 2.  
*Globularia Alypum* L. Roemer Mag. 3, 1.  
 — — Tratt. Archiv 136.  
 † — — Willkomm Glob. 4.  
 — *arabica* Jaub. Jaubert Illustr. 260.  
 † — — Willkomm Glob. 4.  
 — *bellidifolia* Ten. Tenore Fl. nap. 109.  
 — *cordifolia* L. Lam. Encycl. 56.  
 — — Tratt. Archiv 137.  
 — — Sweet Fl. G. 34.  
 † — — Willkomm Glob. 4.  
 — *ilicifolia* Willk. Willkomm Glob. 3.  
 — *incanescens* Viv. Viviani Fl. ital. 3.  
 — — Cesati Stirpes ital. x.

- Globularia incanescens* Viv. Rehb. Ic. crit. 9, 812.  
 — *longifolia* Ait. Bot. Reg. 8, 685.  
 — — Nouveau Duhamel 5, 40.  
 — — Dict. sc. nat. 28.  
 — *nana* Lam. DC. Ic. Gall. rar. 3.  
 — — Tratt. Archiv 138.  
 † — — Willkomm Glob. 4.  
 — *nudicaulis* L. Tratt. Archiv 139.  
 † — — Willkomm Glob. 4.  
 — *orientalis* L. Ann. sc. nat. 9, 41.  
 — — Jaubert Illustr. 259.  
 — — Willkomm Glob. 4.  
 † — *salicina* Lam. Willkomm Glob. 4.  
 † — *spinosa* Lam. var.  $\beta$ . Camb. Ann. sc. nat. 9, 40.  
 — — Willkomm Glob. 1.  
 — *trichosantha* Fisch. et M. Jaubert Illustr. 259.  
 † — — Willkomm Glob. 1.  
 — *valentina* Willk. Willkomm Glob. 2.  
 † — *vulgaris* L. Gaertn. Carp. 44.  
 † — — Lam. Encycl. 56.  
 — — Schk. Handb. 21.  
 — — Tratt. Archiv 140.  
 — — Sturm Flora 7, 27.  
 — — Lodd. Cab. 1888.  
 — — Bot. Mag. 48, 2256.  
 — — Sweet Fl. G. 20.  
 — — Sv. Bot. 364.  
 † — — Ann. sc. nat. 9, 41.  
 † — — Nees Gen. X, x.  
 † — — Willkomm Glob. 1.  
 † *Glochidion* Forst. Forster Charact. 57.  
 — *arborescens* Wight. Wight Ic. pl. Ind. or. 5, 1907.  
 — *ellipticum* Wight. Wight Ic. pl. Ind. or. 5, 1906.  
 † — *ramiflorum* Forst. Juss. Euphorb. 3.  
 — *velutinum* Wight. Wight Ic. pl. Ind. or. 5, 1907.  
 † — *zeylanicum* Juss. Jussieu Euphorb. 3.  
*Glochisandra acuminata* Wight. Wight Ic. pl. Ind. or. 5, 1905.  
 † *Glomera erythrosma* Bl. Blume Tabellen 68.  
*Gloriosa superba* L. Rheede Hort. mal. 7, 57.  
 — — Schneevogt Ic. 35.  
 † — — Gaertn. Carp. 18.  
 — — Lam. Encycl. 247.  
 — — Andr. Rep. 2, 129.  
 — — Bot. Reg. 1, 77.  
 — — Kerner Hort. 29.  
 † — — Kerner Genera 13.  
 — — Savi Fl. ital. 3, 86.  
 — — Rehb. Exot. 51.  
 — — Wight Ic. pl. Ind. or. 6, 2047.  
 — *virescens* Ldl. Bot. Mag. 52, 2539.  
*Glossarhen floribundus* N. et M. Mart. Bras. 15.  
 — *pauciflorus* Mart. Acta Leop. 12, 1, 8.  
*Glossocardia Boswallia* DC. Wight Ic. pl. Ind. 3, 1110.  
*Glossocombia ovata* DC. Bot. Reg. 28, 3.  
*Glossodia major* R. Br. Endl. Iconogr. 41.  
*Glossonema Boveanum* Decne. Delessert Ic. 5, 71.  
 † — — Ann. sc. nat. II, 9, 12.  
 † *Glossopetalon spinescens* Gray. Smithson. Contr. 5, 14.  
*Glossospermum velutinum* Wall. Wight Ic. pl. Ind. or. 2, 509.  
*Glossostemon Bruguieri* Desf. Mem. Mus. 3, 11.  
 † *Glossostigma spathulatum* Arn. Wight Illustr. 165<sup>b</sup>.  
*Glossula tentaculata* Ldl. Bot. Reg. 10, 862.  
 † *Gloxinia L'her.* Kerner Genera 171.  
 — *caulescens* Ldl. Bot. Reg. 13, 1127.  
 — — Lodd. Cab. 1566.  
 — *digitaliflora* Paxt. Paxt. Mag. 10, 193.  
 — *fimbriata* Hort. Bot. Mag. 75, 4430.  
 — *Fyfiana* Hort. Fl. d. serres 4, 311.  
 — *gesnerioides* Ch. Lem. Fl. d. serres 2, 12.  
 — *gracilis* Mart. Mart. Bras. 226.

- Gloxinia hirsuta* Ldl. Bot. Reg. 12, 1004.  
 — — — Bot. Mag. 53, 2690.  
 — — — Lodd. Cab. 1296.  
 — *ichthyostoma* Gardn. Hook. Ic. pl. 5, 472.  
 — *maculata* L'her. Bot. Mag. 29, 1191.  
 — — — Rchb. Mag. 3.  
 — — — Savi Fl. ital. 3, 98.  
 — *maxima* Paxt. Paxt. Mag. 5, 219.  
 — *pallidiflora* Hook. Bot. Mag. 72, 4213.  
 — — — Fl. d. serres 2, 66.  
 — *Passinghamii* Paxt. Paxt. Mag. 12, 267.  
 — *rubra* Paxt. Paxt. Mag. 7, 271.  
 — *Sarmentiana* Gardn. Hook. Ic. pl. 4, 378.  
 — *Schottii* Mik. Mikan Del. Bras. 21.  
 — *speciosa* Lodd. Lodd. Cab. 28.  
 — — — Bot. Reg. 3, 213, 30, 48.  
 — — — Maund Bot. 3, 105, 149.  
 — — — Kerner Hort. 578.  
 — — — Rchb. Mag. 4.  
 — — — Bot. Mag. 44, 1937. 60, 3206. 68, 3934.  
 — — — 3943.  
 — — — Paxt. Mag. 11, 199. 15, 169.  
 — — — Fl. d. serres 3, 268. 6, 574. 575. 610.  
 — — — Annales de Gand 1846, 92.  
 — — — discolor, Hart. Parad. 1, 2.  
 — — — Regel Gartenflora 1852, 4. 1853, 44.  
 — — — Prinzessin von Preussen, *ibid.* 1854, 76.  
 ! — — — Morren Fuchsia 11.  
 — *Teuchleri* Hort. Fl. d. serres 3, 220.  
 — *tubiflora* Hook. Bot. Mag. 69, 3971.  
 — — — Bot. Reg. 31, 3.  
 † *Gluta* Benghas L. Blume Mus. 1, 39.  
 † *Glyceria* R. Br. Dumortier Gramin. 4.  
 — *arctica* Hook. Hook. Bor. Am. 229.  
 — *airoides* Rchb. Rchb. Fl. germ. 1, 78.  
 — *aquatica* Wahlbg. Rchb. Fl. germ. 1, 80.  
 † — — — R. Br. Nees Gen. 1, 57.  
 — *Borreri* Bab. Engl. Bot. 2797.  
 — *distans* Wahlbg. Fl. dan. 13, 2222.  
 — — — Rchb. Fl. germ. 1, 79.  
 — *festucaeformis* Host. Rchb. Fl. germ. 1, 80.  
 — *fruitans* R. Br. Curt. Lond. 3, 77.  
 — — — Rchb. Fl. germ. 1, 80.  
 † — — — Nees Gen. 1, 57.  
 — *maritima* Wahlbg. Rchb. Fl. germ. 1, 79.  
 — *Michauxii* Kth. Humb. Gram. 85.  
 — *plicata* Fries. Fl. dan. 14, 2465.  
 — — — Rchb. Fl. germ. 7, 79.  
*Glycine* *ambigua* Jacq. Jacq. Fragm. 135.  
 — *angustifolia* Jacq. Jacq. Schoenbr. 2, 231.  
 — *Apios* L. Schk. Handb. 198.  
 — — — Bot. Mag. 30, 1198.  
 — *biloba* Ldl. Bot. Reg. 17, 1418.  
 — *bimaculata* Curt. Bot. Mag. 8, 263.  
 — — — Savi Fl. ital. 2, 76.  
 — — — Herb. amat. 1, 59.  
 † — *bituminosa* L. Gaertn. Carp. 154.  
 † — — — Lam. Encycl. 609.  
 — — — Bot. Reg. 3, 261.  
 — *caribaea* Jacq. Jacq. Ic. 146.  
 — — — Bot. Reg. 4, 275.  
 — *coccinea* Curt. Bot. Mag. 8, 270.  
 — — — Kerner Hort. 4.  
 — *Comptoniana* Andr. Andr. Rep. 9, 602.  
 — — — Bot. Reg. 4, 298.  
 — *crinita* H. B. K. H. B. K. Nov. Gen. 6, 573.  
 — *debilis* Ait. Jacq. Ecl. pl. 166.  
 — *diffusa* H. B. K. H. B. K. Nov. Gen. 6, 572.  
 — *frutescens* L. Nouveau Duhamel 3, 55.  
 — — — Bot. Mag. 46, 2103.  
 — *galactioides* H. B. K. H. B. K. Nov. Gen. 6, 575.  
 † — *heterocarpa* Hegetsch. Hegetschw. Comm. 5 — 7.

- Glycine involucrata* Wall. Wall. Pl. asiat. 241.  
 — *labialis* L. Jacq. Ecl. pl. 166.  
 — — — Wight Ic. pl. Ind. or. 1, 168.  
 — *mollis* Hook. Hook. Exot. Fl. 201.  
 — *monoica* L. Usteri Annalen 12, 2.  
 — — — Roemer Archiv I, 3, 2.  
 — *monophylla* L. Jacq. Schoenbr. 2, 232.  
 — *phaseloides* Sw. Bot. Mag. 49, 2284.  
 — *rubicunda* Curt. Schneevogt Ic. 28.  
 — — — Bot. Mag. 8, 268.  
 — *rufa* H. B. K. H. B. K. Nov. Gen. 6, 574.  
 — *sinensis* Sims. Bot. Mag. 46, 2083.  
 — — — Bot. Reg. 8, 650.  
 — — — Lodd. Cab. 773.  
 — — — Rchb. Mag. 29.  
 — *striata* L. fil. Jacq. Vind. 76.  
 — *subterranea* L. Linné Hort. ups. 2, 19.  
 — — — Gil et Xarez 4.  
 † — *tetraphylla* Lam. Lam. Encycl. 609.  
 — *vincentina* Ker. Bot. Reg. 10, 799.  
 — *violacea* Schneev. Schneevogt Ic. 29.  
*Glycosmis* *madagascariensis* Correa. Risso Orang. 109.  
 — *triphylla* Wight. Wight Illustr. in Hook. 39.  
 — — — Wight Ic. pl. Ind. or. 1, 167.  
*Glycyrcarpus* *edulis* Dalz. Journ. Bomb. As. Soc. 3, 5.6.  
 — *racemosa* Dalz. Hook. Ic. pl. 9, 842.  
*Glycyrrhiza* *echinata* L. Jacq. Vind. 95.  
 † — — — Gaertn. Carp. 148.  
 † — — — Lam. Encycl. 625.  
 — — — Schk. Handb. 205.  
 — — — Sibth. Fl. gr. 708.  
 — — — Bot. Mag. 47, 2154.  
 — — — Hayne 6, 41.  
 — — — Nees Düsseld. 327.  
 — — — Guimp. et Schl. 157.  
 — — — Wagner 208.  
 — *foetida* Desf. Desf. Fl. atl. 199.  
 — — — Jacq. Ecl. pl. 56.  
 — *glabra* L. Woodv. Med. 3, 152.  
 — — — Sibth. Fl. gr. 709.  
 — — — Lam. Encycl. 625.  
 — — — Hayne 6, 42.  
 — — — Guimp. et Schl. 156.  
 — — — Wagner 207.  
 — *glandulifera* W. et K. W. et Kit. 21.  
 — *lepidota* Pursch. Bot. Mag. 47, 2150.  
*Glyphaea* *grewioides* Hook. fil. Hook. Ic. pl. 8, 760.  
 — — — Hook. Niger Fl. 22.  
*Gmelina* *arborea* Roxb. Rheede Hort. mal. 1, 41.  
 — — — Roxb. Corom. 246.  
 — — — Wight Ic. pl. Ind. or. 4, 1470.  
 — *asiatica* L. Rumpf Amb. 1, 40.  
 † — — — Lam. Encycl. 542.  
 — — — Wight Illustr. 174.  
 — *indica* Burn. Burm. Fl. ind. 39.  
 † — *lobata* Gaertn. Gaertn. Carp. 56.  
 — *parvifolia* Roxb. Roxb. Corom. 162.  
 — *parviflora* Ham. Rumpf Amb. 2, 40.  
 — *Rheedii* Hook. Bot. Mag. 74, 4395.  
 — *villosa* Roxb. Rumpf Amb. 2, 39.  
*Gnaphalium* *alpinum* Lightf. Lightf. Fl. scot. 1, 20.  
 — — — L. Fl. dan. 2, 332.  
 — — — Sturm Flora 10, 38.  
 — — — Rchb. Ic. crit. 8, 750.  
 — *apiculatum* Lab. Bill. Nov. Holl. 188.  
 — — — Bot. Reg. 3, 240.  
 — — — Bot. Mag. 45, 1985.  
 — *arenarium* L. Fl. dan. 4, 641.  
 — — — Sv. Bot. 638.  
 — — — Sibth. Fl. gr. 859.  
 — — — Bot. Mag. 47, 2159.  
 — — — Hayne 5, 5.

- Gnaphalium bellidiflorum* Viv. Viviani Fl. ital. 19.  
 — carpaticum Wahlenb. Wahlenberg Carp. 3.  
 — — Sturm Flora 10, 38.  
 — cauliflorum Desf. Bill. Syr. 4, 2.  
 — celosioides H. B. K. H. B. K. Nov. Gen. 4, 329.  
 — collinum Lab. Bill. Nov. Holl. 189.  
 — congestum Lam. Bot. Reg. 3, 243.  
 — — Bot. Mag. 49, 2328.  
 — conglobatum Viv. Viviani Lib. 3.  
 — consanguineum Gaudich. Richard Astrolabe 11.  
 — crispatum Del. Delile Egypte 44.  
 — decurrens Ives. Silliman Journ. 1, 0.  
 — dejectum Jacq. Jacq. Fragm. 137.  
 — dioicum L. Lightf. Fl. scot. 1, 20.  
 — — Engl. Bot. 4, 267.  
 — — Baxter Brit. Bot. 4, 243.  
 — — Fl. dan. 7, 1228.  
 — — Sv. Bot. 148.  
 — — Hayne 5, 6.  
 — — Schrank Fl. monac. 3, 223.  
 — — Sturm Flora 10, 38.  
 — diosmaefolium Vent. Vent. Malm. 74.  
 — ericoides L. Bot. Mag. 13, 435.  
 — eximium L. Andr. Rep. 10, 654.  
 — — Bot. Mag. 9, 300.  
 — — Kerner Hort. 491.  
 — ferrugineum Schrad. et W. Wendl. Sert. hann. 23.  
 — foetidum Thunb. Bot. Mag. 45, 1987.  
 — fruticans L. Bot. Mag. 43, 1802.  
 — fuscum Scop. Scop. Fl. carn. 2, 57.  
 — gallicum Willd. Engl. Bot. 33, 2369.  
 — germanicum Huds. Curt. Lond. 4, 43.  
 — — Engl. Bot. 14, 946.  
 — glutinosum Ten. Tenore Fl. nap. 192.  
 — grandiflorum L. Andr. Rep. 7, 489.  
 — graveolens M. v. B. Rehb. Ic. crit. 4, 393.  
 — hypoleucum DC. Wight Ic. pl. Ind. or. 3, 1114.  
 — involucreatum Forst. Bot. Mag. 52, 2582.  
 † — legitimum Gaertn. Gaertn. Carp. 165.  
 — leontopodioides Willd. Rehb. Ic. crit. 10, 961.  
 — Leontopodium Jacq. Jacq. Fl. austr. 1, 86.  
 — — Jacq. Fragm. 81.  
 — — Schk. Handb. 267.  
 — — Sturm Flora 10, 38.  
 — — Bot. Mag. 45, 1958.  
 — luteo-album L. Engl. Bot. 14, 1002.  
 — — Fl. dan. 10, 1763.  
 — — Sturm Flora 10, 38.  
 — — Dietr. Fl. bor. 11, 768.  
 — marcescens Wight. Wight Ic. pl. Ind. or. 3, 1115.  
 — margaritaceum L. Engl. Bot. 29, 2018.  
 — — Sturm Flora 10, 38.  
 — minimum Sm. Engl. Bot. 17, 1157.  
 — modestum Sieb. Bot. Mag. 54, 2710.  
 — muscoides Desf. Desf. Fl. atl. 231.  
 — neglectum Soyer. Soyer Will. Monogr. 1.  
 — neilherryanum DC. Wight Ic. pl. Ind. or. 2, 478.  
 — norvegicum Gunn. Sturm Flora 10, 38.  
 — nudum Hoffm. Rehb. Ic. crit. 8, 753.  
 — orientale L. Sibth. Fl. gr. 958.  
 — paniculatum Colla. Mem. Tur. 38, 26.  
 — pedunculare Ten. Tenore Fl. nap. 191.  
 — pilulare Wahlenb. Wahlenberg Fl. lapp. 13.  
 — pompejanum Ten. Tenore Fl. nap. 194.  
 — pulvinatum Del. Delile Egypte 44.  
 — pusillum Haenke. Schk. Handb. 267.  
 — rectum Sm. Engl. Bot. 2, 124.  
 — semipapposum Lab. Bill. Nov. Holl. 187.  
 — silvaticum L. Scop. Fl. carn. 2, 56.  
 — —  $\beta$ . fuscatum, Fl. dan. 2, 254.  
 — — Fl. dan. 7, 1229.  
 — — Engl. Bot. 13, 913.

- Gnaphalium silvaticum* L. Schk. Handb. 243.  
 — — Dietr. Fl. bor. 11, 770.  
 — spathulatum Del. Delile Egypte 44.  
 — spicatum Lam. Hook. Fl. ant. 113.  
 — squarrosulum L. Jacq. Fragm. 3.  
 — Stoechas L. Sibth. Fl. gr. 857.  
 — supinum L. Engl. Bot. 17, 1193.  
 — — Sv. Bot. 716.  
 — — Hoppe. Sturm Flora 10, 38.  
 — supracanum Sibth. Sibth. Fl. gr. 861.  
 — uliginosum L. Fl. dan. 5, 859.  
 — — Engl. Bot. 17, 1194.  
 — — Dietr. Fl. bor. 11, 771.  
 — — var. Fl. dan. 14, 2474.  
 — virgineum DC. Sibth. Fl. gr. 860.  
 † *Gnetaceae* Bl. Schnizl. Iconogr. 2, 79.  
*Gnetum funiculare* Buch. Wight Ic. pl. Ind. or. 6, 1955.  
 — *Gnemon* L. Rumpf Amb. 1, 71, 72.  
 † — — Blume Rumphia 176, 178<sup>b</sup>.  
 — — Brongniart Coquille 1.  
 † — — Spach Suites 132.  
 † — — Schnizl. Iconogr. 2, 79.  
 — latifolium Bl. Blume Rumphia 174.  
 — microcarpum Bl. Blume Rumphia 175.  
 — neglectum Bl. Blume Rumphia 175, 178<sup>b</sup>, 184.  
 — ovalifolium Poir. Rumpf Amb. 1, 73.  
 — scandens Roxb. Rheede Hort. mal. 7, 22.  
*Gnidia denudata* Ldl. Bot. Reg. 9, 757.  
 — eriocephala Meisn. Wight Ic. pl. Ind. or. 5, 1859.  
 — imberbis Dryand. Lodd. Cab. 1958.  
 — — Bot. Mag. 36, 1463.  
 — imbricata L. fil. Lodd. Cab. 890.  
 † — laevigata Thunb. Wendl. Beob. 2.  
 — — Andr. Rep. 2, 89.  
 — ochroleuca Lodd. Lodd. Cab. 1184.  
 — oppositifolia L. Andr. Rep. 4, 225.  
 — — Lam. Encycl. 291.  
 — — Lodd. Cab. 16.  
 — — Bot. Reg. 1, 2.  
 — — Bot. Mag. 44, 1902.  
 † — pinifolia L. Wendl. Beob. 2.  
 — — Lam. Encycl. 291.  
 — — Andr. Rep. 1, 52.  
 — — Lodd. Cab. 7.  
 — — Bot. Mag. 45, 2016.  
 — — Bot. Reg. 1, 19.  
 — — var. ochroleuca Ker. Bot. Reg. 8, 624.  
 † — radiata L. Wendl. Beob. 2.  
 — — Lodd. Cab. 29.  
 † — sericea L. Wendl. Beob. 2.  
 — — Lam. Encycl. 291.  
 — simplex L. Andr. Rep. 1, 70.  
 — — Bot. Mag. 21, 812.  
 — — Herb. amat. 2, 128.  
 † — — Schnizl. Iconogr. 2, 109.  
 — sisparensis Gardn. Wight Ic. pl. Ind. or. 5, 1860.  
 — tomentosa L. Bot. Mag. 54, 2761.  
*Gochnatia vernonioides* H. B. K. H. B. K. Nov. Gen. 4, 309.  
*Godetia albescens* Ldl. Bot. Reg. 28, 9.  
 † — decumbens Spach. N. Ann. Mus. 4, 30.  
 † — — Spach Suites 86.  
 — Gayana Spach. Gay Chile 23.  
 — grandiflora Spach. Bot. Reg. 28, 61.  
 — — Lem. Jard. fl. 3, 318.  
 — lepida Ldl. Bot. Reg. 22, 1849.  
 — Romanzovii Spach. Bot. Reg. 7, 562.  
 — rubicunda Ldl. Bot. Reg. 22, 1856.  
 — vinosa Ldl. Bot. Reg. 22, 1880.  
 † *Godoya Rz et P.* Ruiz et Pav. Prodr. 11.  
 — gemmiflora Mart. Mart. Bras. 74.  
*Goethea cauliflora* N. v. E. Acta Leop. 11, 1, 8.

- Goethea semperflorens* *N. v. E.* Acta Leop. 11, 1, 7.  
 — *strictiflora* *Hook.* Bot. Mag. 78, 4677.  
 — — — Fl. d. serres 8, 814.  
*Goetzea elegans* *Wydler.* Linnaea 5, 8.  
*Goldbachia laevigata* *DC.* Delessert Ic. 2, 81.  
*Goldfussia anisophylla* *N. v. E.* Bot. Reg. 11, 955.  
 — — — Bot. Mag. 62, 3404.  
 † — — — Acad. Brux. 12, 1, 2.  
 — *Dalhousiana* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1509.  
 — *decurrens* *Wight.* Wight Ic. pl. Ind. or. 4, 1522.  
 — *glomerata* *N. v. E.* Maund Bot. 4, 155.  
 — — — Paxt. Mag. 8, 121.  
 — — — Bot. Mag. 68, 3881.  
 — — — var. *speciosa*, Bot. Mag. 80, 4767.  
 — *isophylla* *N. v. E.* Maund Bot. 5, 244.  
 — — — Bot. Mag. 74, 4363.  
 — — — Annales de Gand 1848, 201.  
 — *pentstemonoides* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1510.  
 — *tristis* *Wight.* Wight Ic. pl. Ind. or. 4, 1508.  
 † *Gomara* *Rz et P.* Ruiz et Pav. Prodr. 19.  
*Gomesa recurva* *R. Br.* Bot. Mag. 42, 1748.  
 — — — Lodd. Cab. 660.  
 — *tenuiflora* *Lodd.* Lodd. Cab. 806.  
 † *Gomortega nitida* *Rz et P.* Ruiz et Pav. Prodr. 10.  
 — — — Ruiz et Pav. Ined. x.  
 † *Gomosia granadensis* *Mutis.* Lam. Encycl. 87.  
*Gomphandra polymorpha* ♂ et ♀ *Wight.* Wight Spicil. 21—22.  
 — — — Wight Ic. pl. Ind. or. 3, 953, 954.  
*Gomphia acuminata* *DC.* Ann. Mus. 17, 25.  
 — *aemula* *Pohl.* Pohl Bras. 182.  
 — *angulata* *DC.* Ann. Mus. 17, 18.  
 — *angustifolia* *Vahl.* Rheede Hort. mal. 5, 48, 52.  
 — *cardiosperma* *DC.* Ann. Mus. 17, 30.  
 — *cassinefolia* *DC.* Ann. Mus. 17, 29.  
 — *castaneaefolia* *Correa.* Ann. Mus. 17, 22.  
 — *confertiflora* *Pohl.* Pohl Bras. 179.  
 — *crassifolia* *Pohl.* Pohl Bras. 185.  
 — *dependens* *DC.* Ann. Mus. 17, 17.  
 — *Fieldingiana* *Gardn.* Fielding Sertum 35.  
 — *glaberrima* *Pal. B.* Pal. B. Fl. d'Oware 71.  
 — *glaucescens* *St. Hil.* St. Hil. Fl. Bras. 13.  
 — *glomerata* *Pohl.* Pohl Bras. 184.  
 — *grandiflora* *Correa.* Ann. Mus. 17, 28.  
 — *guianensis* *Rich.* Ann. Mus. 17, 20.  
 — *hexasperma* *St. Hil.* St. Hil. Pl. usuelles 38.  
 — *lanceolata* *Pohl.* Pohl Bras. 178.  
 — *laurifolia* *Sw.* Ann. Mus. 17, 26.  
 — *longifolia* *Lam.* Ann. Mus. 17, 21.  
 — *mexicana* *H. B.* Humb. Pl. aeq. 74.  
 — *multiflora* *Pohl.* Pohl Bras. 183.  
 — *nana* *St. Hil.* St. Hil. Fl. Bras. 12.  
 — *nitida* *Sw.* Dict. sc. nat. 121.  
 — — — Ann. Mus. 17, 24.  
 — — — Spach Suites 14.  
 — *obtusifolia* *Lam.* Ann. Mus. 17, 19.  
 — *oleaeifolia* *St. Hil.* Mem. Mus. 10, 17.  
 — — — St. Hil. Pl. rem. 9.  
 — *ovalis* *Pohl.* Pohl Bras. 180.  
 — *parviflora* *DC.* Ann. Mus. 17, 27.  
 — *reticulata* *Pal. B.* Pal. B. Fl. d'Oware 72.  
 — *rotundifolia* *Field.* Fielding Sertum 34.  
 — *serrata* *Pohl.* Pohl Bras. 181.  
 — *squamosa* *DC.* Ann. Mus. 17, 23.  
 — *sumatrana* *Jack.* Hook. Ic. pl. 8, 712.  
*Gomphocarpus arborescens* *R. Br.* Rechb. Mag. 28.  
 — *fruticosus* *Dryand.* Bot. Mag. 39, 1628.  
 — *purpurascens* *Rich.* Richard Abyssin. 69.  
 — *robustus* *Rich.* Richard Abyssin. 70.  
*Gompholobium aciculare* *Rehb.* Rechb. Hort. 243.

- Gompholobium barbigerum* *DC.* Paxt. Mag. 14, 221.  
 — — — Bot. Mag. 71, 4171.  
 — *capitatum* *Cunn.* Bot. Reg. 18, 1563.  
 — *ellipticum* *Lab.* Bill. Nov. Holl. 135.  
 † — — — Lam. Encycl. 949.  
 — *fimbriatum* *Sm.* Smith Exot. Bot. 58.  
 — *furcellatum* *Bonpl.* Bonpland Malm. 11.  
 — *grandiflorum* *Sm.* Smith Exot. Bot. 5.  
 — — — Bot. Reg. 6, 484.  
 — — — Andr. Rep. 10, 642.  
 — *Hendersonii* *Paxt.* Paxt. Mag. 11, 103.  
 — *hirsutum* *Paxt.* Paxt. Mag. 16, 35.  
 — *Knightsianum* *Ldl.* Bot. Reg. 17, 1468.  
 — *latifolium* *Sm.* Bill. Nov. Holl. 133.  
 † — — — Lam. Encycl. 949.  
 — *maculatum* *Andr.* Andr. Rep. 6, 427.  
 — *marginatum* *R. Br.* Bot. Reg. 18, 1490.  
 — *pedunculare* *DC.* Lodd. Cab. 1639.  
 — *polymorphum* *R. Br.* Bot. Mag. 37, 1533.  
 — — — Paxt. Mag. 6, 151.  
 — *psoraleaeifolium* *Salisb.* Salisb. Parad. 6.  
 — *spinosum* *Lab.* Bill. Nov. Holl. 136.  
 † — — — Lam. Encycl. 949.  
 — *tenuis* *Ldl.* Bot. Reg. 19, 1615.  
 — *tomentosum* *Lab.* Bill. Nov. Holl. 134.  
 † — — — Lam. Encycl. 949.  
 — — — Bot. Reg. 17, 1474.  
 — *venulosum* *Ldl.* Bot. Reg. 19, 1574.  
 — *venustum* *R. Br.* Rechb. Hort. 76.  
 — — — Bot. Mag. 72, 4258.  
 — — — Paxt. Mag. 16, 34.  
 — *versicolor* *Ldl.* Bot. Reg. 25, 43.  
 — — — Paxt. Mag. 12, 219.  
 — — — var. *Bot. Mag.* 71, 4179.  
 — *virgatum* *Sieb.* Rechb. Hort. 97.  
 — — — Annales de Gand 1846, 73.  
*Gomphosia chlorantha* *Wedd.* Weddell Hist. 26.  
 † *Gomphostemma Heyneanum* *Wall.* Wight Illustr. 176<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1456.  
 — *oblongum* *Wall.* Wight Ic. pl. Ind. or. 4, 1457.  
*Gomphrena agrestis* *Mart.* Mart. Bras. 114, 115.  
 — *angustiflora* *Mart.* Mart. Bras. 121.  
 — *brasiliensis* *Jacq.* Jacq. Ic. 346.  
 † — — — Lam. Encycl. 180.  
 — *debilis* *Mart.* Mart. Bras. 107.  
 — *decumbens* *Jacq.* Jacq. Schoenbr. 4, 482.  
 — *demissa* *Mart.* Mart. Bras. 104.  
 — *desertorum* *Mart.* Mart. Bras. 103.  
 — *elegans* *Mart.* Mart. Bras. 119.  
 — *riophylla* *Mart.* Mart. Bras. 109.  
 — *globosa* *L.* Rheede Hort. mal. 10, 37.  
 — — — Rumpf Amb. 5, 100, fig. 2.  
 † — — — Gaertn. Carp. 128.  
 — — — Bot. Mag. 55, 2815.  
 — — — Desc. Ant. 5, 320.  
 † — — — Schnizl. Ic. 2, 102.  
 — — — Wight Ic. pl. Ind. or. 5, 1784.  
 — *hispida* *L.* Rheede Hort. mal. 9, 72.  
 — *incana* *Mart.* Mart. Bras. 112.  
 — *interrupta* *L.* L'her. Stirp. 3.  
 † — — — Lam. Encycl. 180.  
 — *leucocephala* *Mart.* Mart. Bras. 110.  
 — *macrocephala* *St. Hil.* St. Hil. Pl. usuelles 32.  
 — *macrorrhiza* *Mart.* Mart. Bras. 106.  
 — *mollis* *Mart.* Mart. Bras. 111.  
 — *nigricans* *Mart.* Mart. Bras. 113, 115.  
 — *officinalis* *Mart.* Mart. Bras. 101, 102.  
 — — — St. Hil. Pl. usuelles 31.  
 — — — Spach Suites 122.  
 — *perennis* *L.* Bot. Mag. 53, 2614.  
 — *prostrata* *Mart.* Mart. Bras. 105.  
 — *pulchella* *Mart.* Bot. Mag. 70, 4064.

- Gomphrena pulchella* Mart. Fl. d. serres 5, 451.  
 — *scapigera* Mart. Mart. Bras. 116.  
 — *Sellowiana* Mart. Mart. Bras. 117.  
 — *sericantha* Mart. Mart. Bras. 108.  
 — *vaga* Mart. Mart. Bras. 120.  
 — *virgata* Mart. Mart. Bras. 118.  
 † *Gomutus Rumphii* Correa. Ann. Mus. 9, 24.  
*Gonatanthus sarmentosus* Link et Kl. Link Ic. III. 14.  
 † *Gongora Rz et P.* Ruiz et Pav. Prodr. 25.  
 — *atropurpurea* Hook. Hook. Exot. Fl. 178.  
 — — Maund Bot. 3, 108.  
 — — Bot. Mag. 60, 3220.  
 — *bufonia* Ldl. Bot. Reg. 27, 2.  
 — — var. *leucochila*, Bot. Reg. 33, 17.  
 — *fulva* Ldl. Bot. Reg. 25, 51.  
 — *leucochila* Ch. Lem. Fl. d. serres 1, 37.  
 † — *macrantha* Hook. Hook. Bot. Misc. 80.  
 — *maculata* Ldl. Bot. Reg. 19, 1616.  
 — — var. *tricolor*, Bot. Reg. 33, 69.  
 — — Bot. Mag. 65, 3687.  
 — *odoratissima* Ch. Lem. Fl. d. serres 3, 229.  
 — *speciosa* Hook. Bot. Mag. 54, 2755.  
 — — Rchb. Exot. 61.  
 — *truncata* Ldl. Bot. Reg. 31, 56.  
 — — Annales de Gand 1848, 206.  
 — *viridi-purpurea* Hook. Bot. Mag. 57, 2978.  
*Goniantes Lindeniana* A. Rich. Ramon Cuba 49<sup>b</sup>.  
*Goniocarpus micranthus* Thunb. Thunb. Fl. jap. 15.  
 † — — Gaertn. Carp. 225.  
 — — Lam. Encycl. 73.  
 † — — Konig Ann. 1, 12.  
 † — *scaber* Konig. Konig Ann. 1, 12.  
 — *serpyllifolius* J. Hook. Hook. Ic. pl. 3, 290.  
 — *tetragynus* Lab. Bill. Nov. Holl. 53.  
 — *vernicosus* J. Hook. Hook. Ic. pl. 4, 311.  
 † *Goniophlebium ensiforme* Presl. Fée Fil. 5, 21.  
 † — *neriefolium* Hook. Hook. Gen. Fil. 70.  
 † — — Fée Fil. 5, 24.  
*Goniopogon multicaulis* Turcz. Bull. Mosc. 1851, 2.  
 † *Goniopteris crenata* Presl. Hook. Gen. Fil. 38.  
*Gonocytisus pterocladus* Spach. Jaubert Illustr. 152.  
*Gonolobus barbatus* H. B. K. H. B. K. Nov. Gen. 3, 239.  
 — *diadematus* Ker. Bot. Reg. 3, 252.  
 — *floccosus* Bert. Bertoloni Excerpta 1.  
 — — Opusc. sc. Bon. 4, 6.  
 — *grandiflorus* R. Br. Bot. Reg. 13, 1053.  
 — — Lodd. Cab. 1538.  
 — *hirsutus* Lodd. Lodd. Cab. 365.  
 — — Pursh. Sweet Fl. G. 1.  
 — *hispidus* Hook. Bot. Mag. 66, 3786.  
 — — Maund Bot. 5, 234.  
 ✓ *maritimus* R. Br. Bot. Reg. 11, 931.  
 ✓ *Martianus* Hook. Bot. Mag. 75, 4472.  
 — — Lem. Jard. fl. 33.  
 — *niger* R. Br. Bot. Mag. 55, 2799.  
 — *obliquifolius* Colla. Mem. Tur. 38, 37.  
 — *obliquus* R. Br. Barton Fl. 3, 99.  
 ✓ *uniflorus* H. B. K. H. B. K. Nov. Gen. 3, 238.  
 ✓ *viridiflorus* R. et Sch. Bot. Reg. 13, 1126.  
 — *viridis* Targ. Mem. Mod. 20, 17.  
 — *Voquicillo* Colla. Mem. Tur. 38, 38.  
 † *Gonopyrum americanum* C. A. M. Acad. Petersb. 6, 0.  
*Gonospermum elegans* Cass. Webb Canar. 97.  
 — *fruticosum* DC. Webb Canar. 98.  
 — *multiflorum* DC. Webb Canar. 99.  
*Gonotheca Blumei* DC. Endl. Atacta 22.  
 † *Gonyanthes nepalensis* Miers. Linn. Transact. 18, 38.  
 † — *pusilla* Miers. Linn. Transact. 18, 38.  
 † — *Wallichii* Miers. Linn. Transact. 18, 38.  
 † *Gonzalagunia Rz et P.* Ruiz et Pav. Prodr. 3.  
 — *dependens* Rz et P. Ruiz et Pav. Fl. 86.  
*Gonzalea tomentosa* H. B. Humb. Pl. aeq. 64.

- Gonzalea tomentosa* H. B. Lam. Encycl. 915.  
*Goodenia appendiculata* Jacq. Jacq. Fragm. 92.  
 — *calendulacea* Andr. Andr. Rep. 1, 22.  
 — *elongata* Lab. Bill. Nov. Holl. 75.  
 — *gracilis* R. Br. Lodd. Cab. 1032.  
 — *grandiflora* Bonpl. Bonpland Malm. 6.  
 — — Sims. Bot. Mag. 23, 890.  
 — — Bot. Reg. 31, 29.  
 — *heterophylla* Sm. Cav. Ic. 508.  
 — *laevigata* Curt. Bot. Mag. 8, 287.  
 — *ovata* Sm. Cav. Ic. 506.  
 — — Vent. Cels 3.  
 — — Andr. Rep. 1, 68.  
 † — — Gaertn. Carp. 211.  
 † — — Ann. Mus. 18, 1.  
 — — Dict. sc. nat. 81.  
 † — — Schnizl. Ic. 123.  
 — *paniculata* Sm. Cav. Ic. 507.  
 — *ramosissima* Sm. Smith New Holl. 5.  
 — *repens* Lab. Bill. Nov. Holl. 76.  
 — *tenella* Andr. Andr. Rep. 7, 466.  
 — — Bot. Mag. 28, 1137.  
 † *Goodeniaceae* Endl. Schnizl. Iconogr. 123.  
*Goodia lotifolia* Salisb. Salisb. Parad. 41.  
 — — Bot. Mag. 24, 958.  
 — — Lodd. Cab. 696.  
 — — Herb. amat. 5, 347.  
 — *pubescens* Sims. Bot. Mag. 32, 1310.  
*Goodyera discolor* Ker. Lodd. Cab. 143.  
 — — Bot. Reg. 4, 271.  
 — — Bot. Mag. 46, 2055.  
 — *flabellata* A. Rich. Ann. sc. nat. II. 15, 12.  
 — *macrophylla* Loue. Tr. Cambr. Soc. 4, 1.  
 — *nuda* Aub. Th. Aubert Orchid. 29.  
 † — — Mem. hist. nat. Par. 4, 6.  
 — *occulta* Aub. Th. Aubert Orchid. 28.  
 — *ovalifolia* Wight. Wight Ic. pl. Ind. or. 5, 1730.  
 — *procera* Hook. Hook. Exot. Fl. 39.  
 — — Bot. Reg. 8, 639.  
 — — Wight Ic. pl. Ind. or. 5, 1729.  
 — *pubescens* R. Br. Lindley Collect. 25.  
 — — Lodd. Cab. 1.  
 — — Bot. Mag. 52, 2540.  
 — — Sweet Fl. G. II. 47.  
 — *repens* R. Br. Curt. Lond. 4, 144.  
 — — Lodd. Cab. 1987.  
 — — Baxter Brit. Bot. 4, 309.  
 — — Dietr. Fl. bor. 1, 17.  
 † — — Nees Gen. 3, x.  
 — — Rchb. Fl. germ. 13, 462.  
 — *tessellata* Lodd. Lodd. Cab. 952.  
 † *Gordonia Ellis*. Gray Genera 140 — 142.  
 — *excelsa* Bl. Korthals Bot. 27.  
 — *javanica* Hook. Bot. Mag. 76, 4539.  
 — — Lem. Jard. fl. 46.  
 — *Lasianthus* L. Ellis Letters 2.  
 — — Cav. Diss. 161.  
 — — Bot. Mag. 18, 668.  
 — — Nouveau Duhamel 2, 68.  
 — — Michaux Arb. 3, 1.  
 — — Lam. Encycl. 594.  
 † — — Mem. Mus. 16, 16.  
 — — Rchb. Exot. 151.  
 — — Gray Genera 140. 141.  
 — *obtusa* Wall. Wight Spicil. 20.  
 — — Wight Illustr. 39.  
 — *ovalis* Korth. Korthals Bot. 28.  
 — *pubescens* Lam. Cav. Diss. 162.  
 — — Vent. Malm. 1.  
 — — Michaux Arb. 3, 2.  
 — — Herb. amat. 4, 236.  
 — — Gray Genera 142.

- Gorskia conjugata* Bolle. Peters Mossamb. 3.  
*Gorteria asteroides* Jacq. Jacq. Ic. 591.  
 † — *cernua* L. *fil.* Wendl. Beob. 4.  
 † — *ciliaris* L. Roemer Archiv I. 7.  
 — *heterophylla* Willd. Willdenow Hort. 98.  
 — — Kerner Hort. 450.  
 † — *ilicifolia* Lam. Lam. Encycl. 702.  
 — *pavonia* Andr. Andr. Rep. 8, 528.  
 † — *personata* L. Gaertn. Carp. 171.  
 — — Jacq. Collect. 4, 21.  
 — *rigens* L. Bot. Mag. 3, 90.  
 — — Kerner Hort. 27.  
 — *spinosa* Jacq. Jacq. Schoenbr. 3, 371.  
 † — *squarrosa* L. Wendl. Beob. 4.  
*Gossypianthus rigidiflorus* Hook. Hook. Ic. pl. 3, 251.  
*Gossypium* L. Dela Steyrie Cotonnier 1—3.  
 — Bourbon Cotton, Royle Cotton 3.  
 — Brazil Cotton, Royle Cotton 3.  
 — Dacca Cotton, Royle Cotton 3.  
 — Sea Island Cotton, Royle Cotton 3.  
 — Upland Georgian Cotton, Royle Cotton 3.  
 — Annalen d. Pharm. 1849, A. 6.  
 † — Rcissek Fasergewebe 12—14.  
 — *acuminatum* Roxb. Wight Illustr. 27.  
 — *arborescens* L. Rheede Hort. mal. 1, 31.  
 — — Rumpf Amb. 4, 13.  
 — — Cav. Diss. 165.  
 — — Tratt. Archiv 145.  
 — — Royle Illustr. 23.  
 — — Wight Ic. pl. Ind. or. 1, 10.  
 — *barbadense* L. Bot. Reg. 1, 84.  
 — — Rehb. Exot. 150.  
 — —  $\alpha, \beta, \gamma$ . Wight Illustr. 28<sup>a</sup>. 28<sup>b</sup>. 28<sup>c</sup>.  
 — *herbaceum* L. Rumpf Amb. 4, 12.  
 — — Cav. Diss. 164.  
 — — Herb. amat. 1, 37.  
 — — Blumenhain Baumwolle 1. 2.  
 — — Roxb. Corom. 269.  
 — — Royle Illustr. 23.  
 — — Wight Ic. pl. Ind. or. 1, 9. 11.  
 — — Rehb. Fl. germ. 5, 180.  
 — — Tenore Memoria 1.  
 — *hirsutum* L. Cav. Diss. 167.  
 — — Tratt. Archiv 147.  
 — — Kerner Hort. 762.  
 — *indicum* Lam. Cav. Diss. 169.  
 — — Desc. Ant. 4, 278.  
 — — Royle Cotton in India 2.  
 — *latifolium* Murr. N. Comm. Gott. 7, 1.  
 — — Tratt. Archiv 146.  
 — *micranthum* Cav. Cav. Diss. 193.  
 — Nanking Meyen. Preuss. Gart. Verein 11, 3.  
 — *peruvianum* Cav. Cav. Diss. 168.  
 † — — Lam. Encycl. 586.  
 — — Royle Cotton in India p. 149.  
 — *punicum* Jacq. Jacq. Ecl. pl. 134.  
 — *religiosum* L. Cav. Diss. 164.  
 † — — Gaertn. Carp. 134.  
 — — Kerner Hort. 665.  
 — *siamense* Ten. Tenore Memoria 2.  
 — *suffruticosum* Bert. Novi Comm. Bon. 2, 9.  
 † — *tricuspidatum* Lam. Lam. Encycl. 586.  
 — — Tuss. Ant. 2, 17.  
 — — Dict. sc. nat. 136.  
 † — — Spach Suites 23.  
 — *vitifolium* Lam. Cav. Diss. 166.  
*Gothofreda cordifolia* Vent. Vent. Choix 60.  
*Gouania leptostachya* DC. Wight. Spicil. 50.  
 — — Wight Ic. pl. Ind. or. 3, 974.  
 — *pubescens* Lam. Lam. Encycl. 845.  
 — *tilliaefolia* Lam. Roxb. Corom. 98.  
 † — — Ann. sc. nat. 10, 16.

- † *Gouania tomentosa* Jacq. Gaertn. Carp. 183.  
*Gouardia* Vent. Bull. philom. 1797. no. 6.  
 — *ovata* Vent. Mem. Institut. an VII. 10.  
 † *Goudotia tolimensis* Decne. Ann. sc. nat. III. 4, 4.  
*Gouffea arenarioides* Rob. Cast. Rehb. Ic. crit. 4, 399.  
 — *crassiuscula* Camb. Jacquemont Ind. 30.  
*Goughia neilgherrensis* Wight. Wight Ic. pl. Ind. or. 5, 1878. 1879.  
*Goupia glabra* Aubl. Aublet Guiana 116.  
 † — — Lam. Encycl. 217.  
*Gourliea decorticans* Gill. Hook. Bot. Misc. 106.  
*Govenia fasciata* Ldl. Bot. Reg. 31, 67.  
 — *Gardneri* Hook. Bot. Mag. 65, 3660.  
 — *liliacea* Ldl. Bot. Reg. 24, 13.  
 — — Knowles et Westcott 68.  
 — *superba* Ldl. Bot. Reg. 21, 1795.  
 — — Knowles et Westcott 41.  
 — — Lodd. Cab. 1709.  
 — *tingens* P. et E. Poepp. et Endl. 107.  
 — *utriculata* Ldl. Bot. Mag. 71, 4151.  
*Govindooia nervosa* Wight. Wight Ic. pl. Ind. or. 6, 2090.  
*Grabowskia boerhaaviaefolia* Schlechtld. Bot. Reg. 23, 1985.  
 — *duplicata* Arn. Bot. Mag. 67, 3841.  
 — *obtusa* Arn. Miers Illustr. 13.  
*Gracilangis* Aub. Aubert Orchid. 76.  
*Gracilophyllis* Aub. Aubert Orchid. 100.  
*Graemia aromatica* Hook. Hook. Exot. Fl. 189.  
*Graffenrieda jucunda* Mart. Mart. Bras. 276.  
 † — *ovalifolia* Naud. Ann. sc. nat. III. 18, 5.  
 † *Gramineae* Juss. Leers Fl. herbom. 1—12.  
 † — — Hoffmann D. Fl. 1800, 1—12.  
 † — — Hoffmann D. Fl. 1804, 1—12.  
 † — — Hornemann Planteläre I, 1. 2.  
 † — — Palisot Essai agrostogr. 1—25.  
 † — — Trinius Gram. unifl. 1—5.  
 † — — Raspail Embryo der Gr. 1—2.  
 † — — (Raspail.) Ann. sc. nat. 4, 13. 14. 20. 5, 8. 9. 10. 6, 16. 8, 24.  
 † — — (Raspail.) Flora 1826, 1.  
 † — — (Dela Harpe.) Ann. sc. nat. 6, 3.  
 † — — (Nees von Esenbeck.) Linnæa 8, 2. 3.  
 † — — Petermann De flore gram. 1.  
 † — — Bravais Analyse d'un brin 1.  
 † — — (Mohl.) Bot. Zeitung 1845, 1.  
 † — — (Mohl.) Jardine Ann. 15, 13.  
 † — — Reichenbach Fl. germ. 7, 72.  
 † — — Cosson Atlas 36.  
 † — — Schnizl. Iconogr. 1, 42—42<sup>c</sup>.  
 † — — Hook. et Arn. Br. Fl. 6—9.  
*Graminisatis* Aub. Aubert Orchid. 6. 12.  
 † *Grammanthes* DC. DC. Crassul. 1.  
 — *chloraeflora* Haw. Bot. Mag. 77, 4607.  
 — — Lem. Jard. fl. 205.  
 — — Belgique hort. 1, 66.  
 — *gentianoides* DC. Fl. d. serres 5, 518.  
 — — Belgique hort. 1, 66.  
*Grammatocarpus volubilis* Presl. Presl Symb. 38.  
*Grammatophyllum multiflorum* Ldl. Bot. Reg. 25, 65.  
 — — var. *tigrinum*, Bot. Reg. 28, 69.  
 — — Paxt. Mag. 6, 217.  
 — *speciosum* Bl. Rumpf Amb. 6, 42.  
 † — — Blume Tabellen 20.  
 — — Blume Rumphia 191.  
 — — Paxt. Fl. G. 69.  
 — — Lem. Jard. fl. 235.  
*Grammatotheca Dreggana* Presl. Delessert Ic. 5, 6.  
*Grammitis adspersa* Bl. Blume Java 6, 48.  
 — *australis* Br. Richard Astrolabe 2.  
 — *Billardieri* Willd. Kunze Analecta 9.  
 — *blechnoides* Grev. Jard. Ann. II. 1, 17.

- Grammitis caespitosa* Bl. Blume Java 6, 46.  
 — *Ceterach* Sw. Schk. Fil. 7<sup>b</sup>.  
 — — — Lodd. Cab. 15.  
 — *cheilanthoides* Sw. Aub. Th. Mel. 4.  
 — *congener* Bl. Blume Java 6, 46.  
 — *cucullata* Bl. Blume Java 6, 49.  
 — *cuspidata* Zenk. Zenker Pl. ind. 2.  
 — *decurrens* Wall. Hook. Ic. Fil. 1, 6.  
 — *denticulata* Bl. Blume Java 6, 50.  
 — *fasciata* Bl. Blume Java 6, 49.  
 — *fasciculata* Bl. Blume Java 6, 47.  
 † *furcata* H. et Gr. Hook. Gen. Fil. 72.  
 — — — Hook. Ic. Fil. 1, 62.  
 — *graminoides* Sw. Swartz Syn. Fil. 1.  
 — *heterophylla* Lab. Bill. Nov. Holl. 239.  
 — *hirta* Bl. Blume Java 6, 47.  
 — *humilis* Hombr. Richard Astrolabe 2.  
 — *involuta* Don. Hook. Ic. Fil. 1, 53.  
 — *lanceolata* Sw. Swartz Syn. Fil. 1.  
 — — — Schk. Fil. 7.  
 — — — Hook. Ic. Fil. 1, 43.  
 — *leptophylla* Sw. Swartz Syn. Fil. 1.  
 † — — — Gasparrini Osserv. 1. 2.  
 — *limbata* Fée. Mem. Strassb. 4, 5.  
 — *linearis* Sw. Schk. Fil. 7.  
 — *longa* Fée. Mem. Strassb. 4, 4.  
 — *magellanica* Desv. Desvaux Journ. 3, 10.  
 † — — — Fée Fil. 5, 20.  
 — *marginella* Sw. Schk. Fil. 7.  
 — *myosuroides* Sw. Schk. Fil. 7.  
 — — — Raddi Fil. 22<sup>b</sup>.  
 — *nana* Fée. Mem. Strassb. 4, 6.  
 — *obscura* Bl. Blume Java 6, 50.  
 — *organensis* Gardn. Hook. Ic. pl. 6, 509.  
 — *pilosiuscula* Bl. Blume Java 6, 46.  
 — *pubinervis* Bl. Blume Java 6, 48.  
 — *punctata* Raddi. Raddi Fil. 22<sup>b</sup>.  
 — *pusilla* Bl. Blume Java 6, 46.  
 — *Reinwardtii* Bl. Blume Java 6, 48.  
 — *rigida* Hombr. Richard Astrolabe 2.  
 — *scelopendrina* Bory. Bory Coquille 30.  
 — *serrolata* Sw. Schk. Fil. 7.  
 — — — Hook. Exot. Fl. 78.  
 — — — Raddi Fil. 22<sup>b</sup>.  
 — *setosa* Bl. Blume Java 6, 48.  
 — *subpinnatifida* Bl. Blume Java 6, 49.  
 — *tenella* Kaulf. Kunze Analecta 9.  
 † *totta* Presl. Hook. Gen. Fil. 72.  
 † *Grammosciadium* DC. DC. Umbelliferae 2.  
 † *Granadilla foetida* Gaertn. Gaertn. Carp. 60.  
 † — *normalis* Gaertn. Gaertn. Carp. 177.  
 † — *suberosa* Gaertn. Gaertn. Carp. 177.  
*Grangea latifolia* Lam. Lam. Encycl. 699.  
 — *maderaspatana* Poir. Rheede Hort. mal. 10, 49.  
 — — — Lam. Encycl. 699.  
 — — — Wight Ic. pl. Ind. or. 3, 1097.  
 — *minima* Poir. Lam. Encycl. 699.  
 † *Grangeria borbonica* Lam. Lam. Encycl. 427.  
*Graphorchis* Aub. Aubert Orchid. 39.  
*Graptophyllum hortense* N. v. E. Rumpf Amb. 4, 30.  
 — — — Bot. Reg. 15, 1227.  
*Gratiola aurea* Mühlb. Barton Fl. 1, 20.  
 — — — Lodd. Cab. 1399.  
 † — *dominigensis* Gaertn. Gaertn. Carp. 214.  
 — *grandiflora* Retz. Roxb. Corom. 179.  
 — *hyssopioides* L. Roxb. Corom. 128.  
 — *juncea* Roxb. Roxb. Corom. 129.  
 — *linifolia* Vahl. Brotero Phytogr. 86.  
 — — — Hoffm. Lk. Fl. port. 31.  
 — *lucida* Vahl. Roxb. Corom. 202.  
 — *minima* Roth. Wight Ic. pl. Ind. or. 3, 858.  
 — *Monnieria* L. Jacq. Obs. 1.

- Gratiola Monnieria* L. Roxb. Corom. 178.  
 — *officinalis* L. Kostrzewski Gratiola 1.  
 — — — Hartmann Gratiola 1.  
 — — — Fl. dan. 3, 363.  
 † — — — Lam. Encycl. 16.  
 — — — Woodv. Med. 2, 131.  
 — — — Hayne 3, 13.  
 — — — Schk. Handb. 2<sup>a</sup>.  
 — — — Nees Düsseld. 155.  
 — — — Brandt und Ratzeb. 13.  
 — — — Guimp. et Schl. 10.  
 — — — Wagner 193.  
 — — — Dietr. Fl. bor. 4, 260.  
 † — — — Nees Gen. 5, 35.  
 — *oppositifolia* Retz. Roxb. Corom. 155.  
 — *parviflora* Roxb. Roxb. Corom. 203.  
 — *repens* Sw. Swartz Ic. Ind. occ. 3.  
 — *rotundifolia* L. Roxb. Corom. 204.  
 — *tetragona* R. Br. Bot. Mag. 59, 3134.  
 — *verbenaefolia* Colsm. Rheede Hort. mal. 9, 31.  
 — *veronicifolia* Colsm. Roxb. Corom. 154.  
 † — *virginiana* L. Gaertn. Carp. 53.  
 † *Gravesia bertolonoides* Naud. Ann. sc. nat. III. 12, 10.  
*Grayia polygaloides* Hook. et A. Hook. Ic. pl. 3, 211.  
*Greenia Wightiana* W. et A. Wight Ic. pl. Ind. or. 3, 1161.  
*Greenovia aurea* Webb. Webb Canar. 36.  
 — — — Bot. Mag. 70, 4087.  
 † *Greggia aromatica* Gaertn. Gaertn. Carp. 33.  
 — *camporum* Gray. Smiths. Contr. 3, 1.  
*Grevillea conspicua* Sweet. Sweet Ger. 262.  
*Grevillea acanthifolia* Cunn. Bot. Mag. 55, 2807.  
 — — — Lodd. Cab. 1153.  
 — *acuminata* R. Br. Sweet Austr. 55.  
 — *arenaria* R. Br. Bot. Mag. 60, 3285.  
 — *Banksii* R. Br. Bauer Illustr. 9.  
 † — *Baueri* R. Br. Schnizl. Iconogr. 2, 113.  
 — *buxifolia* R. Br. Bot. Reg. 6, 443.  
 — — — Lodd. Cab. 1562.  
 — *Caleyi* R. Br. Bot. Mag. 59, 3133.  
 — *canescens* R. Br. Bot. Mag. 59, 3185.  
 — *cinerea* R. Br. Lodd. Cab. 857.  
 — *concinna* R. Br. Sweet Austr. 7.  
 — — — Bot. Reg. 16, 1383.  
 — *dubia* R. Br. Bot. Mag. 67, 3798.  
 — *ferruginea* Sieb. Maund Bot. 4, 153.  
 — *Gaudichaudii* R. Br. Freycinet Voyage 46.  
 — *Goodii* R. Br. Guillemain Austr. 16.  
 — *juniperina* R. Br. Guillemain Austr. 8.  
 — — — Lodd. Cab. 1003.  
 — — — Bot. Reg. 13, 1089.  
 — *lavandulacea* Schlecht. Belgique hort. 2, 11.  
 — *linearis* R. Br. Lodd. Cab. 50, 858.  
 — — — Bot. Mag. 53, 2661.  
 — — — Rehb. Mag. 76.  
 — *mucronulata* R. Br. Sweet Austr. 38.  
 — *oleoides* Sieb. Rehb. Hort. 104.  
 — *planifolia* R. Br. Lodd. Cab. 1737.  
 — *pubescens* Hook. Hook. Exot. Fl. 216.  
 — — — Lodd. Cab. 1229.  
 † — — — Schnizl. Iconogr. 2, 113.  
 — *punicea* R. Br. Bot. Reg. 16, 1319.  
 — — — Lodd. Cab. 1357.  
 — — — Rehb. Hort. 105.  
 — *riparia* R. Br. Endl. Iconogr. 33.  
 — *robusta* Cunn. Bot. Mag. 59, 3184.  
 — *rosea* Ldl. Paxt. Fl. G. 56.  
 — — — Lem. Jard. fl. 3, 288.  
 — *rosmarinifolia* Cunn. Sweet Austr. 30.  
 — — — Lodd. Cab. 1479.  
 — *sericea* R. Br. Maund Bot. 5, 240.  
 — — — Lodd. Cab. 880.



- Grevillea sericea* R. Br. Rehb. Mag. 76.  
 — *sulphurea* Cunn. Lodd. Cab. 1723.  
 — *venusta* R. Br. Guillemain Austr. 11.  
*Grevia acuminata* Juss. Ann. Mus. 4, 48.  
 — *apetala* Juss. Ann. Mus. 4, 49.  
 — *asiatica* L. Wendl. Coll. 83.  
 — *betulaefolia* Juss. Ann. Mus. 4, 50.  
 — *bicolor* Juss. Ann. Mus. 4, 50.  
 — *carpinifolia* Juss. Ann. Mus. 4, 51.  
 — — Pal. B. Fl. d'Oware 30.  
 — *columnaris* Sm. Wight Ic. pl. Ind. or. 1, 44.  
 — *corylifolia* Rich. Guillemain Seneg. 20.  
 — *cuneifolia* Juss. Ann. Mus. 4, 49.  
 † *Damine* Gaertn. Gaertn. Carp. 106.  
 — *clastica* Royle. Royle Illustr. 22.  
 — *criocarpa* Juss. Ann. Mus. 4, 51.  
 — *glandulosa* Juss. Ann. Mus. 4, 48.  
 — *guazumaeifolia* Juss. Ann. Mus. 4, 48.  
 — *hirsuta* Vahl. Wight Ic. pl. Ind. or. 1, 76.  
 — *mallocoëca* L. Cav. Ic. 369.  
 † — — Gaertn. Carp. 106.  
 † — — Lam. Encycl. 467.  
 — *megalocarpa* Pal. B. Pal. B. Fl. d'Oware 102.  
 — *Microcos* L. Rheede Hort. mal. 1, 56.  
 — — Wight Illustr. 33.  
 — *micropetala* Bert. Novi Comm. Bonon. 4, 6.  
 — *multiflora* Juss. Ann. Mus. 4, 47.  
 — *nitida* Juss. Ann. Mus. 4, 47.  
 — *occidentalis* L. Bot. Mag. 12, 422.  
 — — Lam. Encycl. 467.  
 — — Lodd. Cab. 1526.  
 — — Herb. amat. 2, 95.  
 — *oppositifolia* Buchan. Wight Ic. pl. Ind. or. 1, 82.  
 — *orientalis* L. β. Rumpf Amb. 4, 60.  
 † — — Gaertn. Carp. 106.  
 † — — Lam. Encycl. 467.  
 — *pilosa* Lam. Rheede Hort. mal. 5, 46.  
 — *pubescens* Pal. B. Pal. B. Fl. d'Oware 108.  
 — *rotundifolia* Juss. Ann. Mus. 4, 50.  
 — — Wight Ic. pl. Ind. or. 1, 45.  
 — *sclerophylla* Roxb. Wight Ic. pl. Ind. or. 1, 89.  
 — *tiliaefolia* Juss. Ann. Mus. 4, 51.  
 — *tomentosa* Juss. Ann. Mus. 4, 49.  
 — *ulmifolia* Roxb. Wight Ic. pl. Ind. or. 1, 84.  
 — *umbellata* Roxb. Wight Ic. pl. Ind. or. 1, 83.  
 — *villosa* Willd. Hook. Comp. 10.  
 † *Griecium laciniatum* Gaertn. Gaertn. Carp. 36.  
 † — — Lam. Encycl. 388.  
 — — Sweet Ger. 306.  
 — *tenuifolium* L. Lam. Encycl. 388.  
 — — Sweet Ger. 171.  
*Griffinia hyacinthina* Ker. Bury Hexandr. pl. 14.  
 — — Mikan Del. Bras. 15.  
 — — Rehb. Exot. 82.  
 — — Paxt. Mag. 12, 171.  
 — *intermedia* Ldl. Bot. Reg. 12, 990.  
 — *Liboniana* Hort. Lem. Jard. fl. 3, 290.  
 — — Annales de Gand 1845, 13.  
 — *parviflora* Ker. Bot. Reg. 6, 511. 520<sup>b</sup>.  
*Griffithia fragrans* W. et A. Rheede Hort. mal. 5, 35.  
 — — Wight Ic. pl. Ind. or. 1, 310.  
*Grimaldia assurgens* Schrk. Münchn. Denkschr. 1, 4.  
 — *decumbens* Schrk. Münchn. Denkschr. 1, 5.  
 — *opifera* Schrk. Münchn. Denkschr. 1, 3.  
*Grindelia angustifolia* Dun. Mem. Mus. 5, 7.  
 — — Kth. Bot. Reg. 10, 781.  
 — *grandiflora* Hook. Bot. Mag. 78, 4628.  
 — — Lem. Jard. fl. 216.  
 — — Fl. d. serres 7, 720.  
 — — Belgique hort. 2, 58.  
 — *inuloides* Willd. Mem. Mus. 5, 5.  
 — — Bot. Reg. 3, 248.

- Grindelia inuloides* Willd. Bot. Mag. 66, 3737.  
 — *pulchella* Dun. Mem. Mus. 5, 6.  
*Grischovia hirta* Karst. Karsten Auswahl 5.  
*Griselinia litoralis* Decne. Raoul Nouv. Zel. 19.  
*Grislea tomentosa* Roxb. Roxb. Corom. 31.  
 — — Bot. Reg. 1, 30.  
 — — Bot. Mag. 44, 1906.  
 — — Rehb. Exot. 336.  
 — *uniflora* Dill. et Rich. Richard Abyssin. 52.  
*Grobya Amherstiae* Ldl. Bot. Reg. 20, 1740.  
 † *Gronovia scandens* L. Houstoun Rel. 7.  
 — — Martyn Hist. 38.  
 — — Jacq. Ic. 338.  
 — — Lam. Encycl. 144.  
 — — Hook. Beechey 97.  
 † *Grossularia Uva crispa* Mill. Gaertn. Carp. 28.  
*Groutia celtidifolia* Guill. Guillemain Seneg. 22.  
*Grubbia rosmarinifolia* Berg. Bergius Cap. 2.  
 — — Svensk Acad. 1767, 2.  
 † — — Münchn. Denkschr. 6, B.  
*Grumilea congesta* W. et A. Wight Spicil. 98.  
 — — Wight Ic. pl. Ind. or. 3, 1037.  
 — *clongata* Wight. Wight Ic. pl. Ind. or. 3, 1036.  
 † — *nigra* Gaertn. Gaertn. Carp. 28.  
*Gravelia pusilla* DC. Gay Chile 52<sup>b</sup>.  
*Guadua amplexifolia* Rupr. Acad. Pet. 5, 14.  
 — *distorta* Rupr. Acad. Pet. 5, 16.  
 † — *latifolia* Rupr. Acad. Pet. 5, 16.  
 † — *Tagaora* Rupr. Acad. Pet. 5, 16.  
 † *Guajacana Tournef.* Lam. Encycl. 858.  
 † *Guajacidium Gray.* Gray Genera 149.  
 † *Guajacum L.* Gray Genera 148. 149.  
 — *angustifolium* Engelm. Gray Genera 149.  
 † — *officinale* L. Gaertn. Carp. 113.  
 — — Lam. Encycl. 342.  
 — — Tuss. Ant. 4, 35.  
 — — Desc. Ant. 7, 463.  
 † — — Mem. Mus. 12, 16.  
 — — Woodv. Med. 3, 200. ed 3  
 — — Nees Dusseld. 378.  
 — — Hayne 12, 28.  
 — — Guimp. et Schl. 99.  
 — — Wagner 105.  
 — — Bot. Reg. 25, 9.  
 — *sanctum* L. Gray Genera 148.  
 † *Guaiava pyriformis* Gaertn. Gaertn. Carp. 38.  
*Gualtheria cordifolia* H. B. K. H. B. K. Nov. Gen. 3, 261.  
 — *fragrantissima* Wall. Wight Ic. pl. Ind. or. 4, 1196.  
 — *Griffithiana* Wight. Wight Ic. pl. Ind. or. 4, 1197.  
 — *Leschenaultii* DC. Wight Spicil. 130.  
 — — Wight Ic. pl. Ind. or. 4, 1195.  
 — *oppositifolia* Hook. fil. Hook. New Zeal. 43.  
 — *rupestris* R. Br. Hook. New Zeal. 42.  
 — *tomentosa* H. B. K. H. B. K. Nov. Gen. 3, 262.  
 (Icones reliquae inter Gualtherias quaerendae!)  
*Guardiola mexicana* H. B. Humb. Pl. aeq. 41.  
 — — Lam. Encycl. 988.  
*Guarea alliaria* Ham. Rumpf Amb. 2, 20.  
 — ? *microphylla* Hook. Hook. Ic. pl. 2, 129.  
 — *paniculata* Roxb. Wight Ic. pl. Ind. or. 1, 146.  
 — *ramiflora* Vent. Vent. Choix 41.  
 † — *trichilioides* L. Lam. Encycl. 301.  
 — — Cav. Diss. 210.  
 — — Desc. Ant. 3, 159.  
 † — — Mem. Mus. 19, 19.  
 † — — Flora 1853, 6.  
 — *tuberculata* Juss. St. Hil. Fl. Bras. 100.  
 † *Guatteria Rz et P.* Ruiz et Pav. Prodr. 17.  
 — *acutiflora* Dunal. Rheede Hort. mal. 5, 18.  
 — *biglandulosa* Bl. Blume Java 1, 51.  
 — *cordata* Dunal. Dunal Anon. 30.

- Guatteria eriopoda* DC. Delessert Ic. 1, 90.  
 — *ferruginea* St. Hil. Endl. Bras. 2, 12.  
 — *imbricata* Bl. Blume Java 1, 46, 52.  
 — *incerta* Bl. Blume Java 1, 49.  
 — *Korinti* Dunal. Rheede Hort. mal. 5, 14.  
 — — Wight Ic. pl. Ind. or. 2, 398.  
 — *lateriflora* Bl. Blume Java-1, 50, 52.  
 — *laurifolia* Dunal. Dunal Anon. 32.  
 — *litoralis* Bl. Blume Java 1, 49.  
 — *longifolia* Wall. Wight Ic. pl. Ind. or. 1, 1.  
 — *macrophylla* Bl. Blume Java 1, 47.  
 — *macropus* Mart. Endl. Bras. 2, 8.  
 — *Martiana* Schlecht. Endl. Bras. 2, 7.  
 — *maypurensis* H. B. K. Hook. Ic. pl. 3, 227.  
 — *odontopetala* Mart. Endl. Bras. 2, 11.  
 — *pallida* Bl. Blume Java 1, 48.  
 — *Pohlana* Schlecht. Endl. Bras. 2, 9.  
 — *psilopus* Mart. Endl. Bras. 2, 7.  
 — *rufa* Dunal. Dunal Anon. 29.  
 — — Bot. Reg. 10, 836.  
 — — Lodd. Cab. 612.  
 — *sempervirens* Dunal. Rheede Hort. mal. 5, 16.  
 — *sesquipedalis* Wall. Wall. Pl. asiat. 266.  
 — *subsessilis* Mart. Endl. Bras. 2, 9.  
 — *Toralac* Bl. Blume Java 1, 53.  
 — *umbilicata* Dunal. Dunal Anon. 33.  
 — *villosissima* St. Hil. Endl. Bras. 2, 10.  
 — *virgata* Dunal. Dunal Anon. 31.  
*Guazuma* *Bubroma* Tuss. Tussac Ant. 4, 24.  
 — *polybotrya* Cav. Cav. Ic. 299.  
 — *rosea* P. et E. Poepp. et Endl. 283.  
 — *tomentosa* H. B. K. Wight Illustr. 31.  
 — *ulmifolia* Desf. St. Hil. Pl. us. 47, 48.  
 — — Lam. Encycl. 637.  
 — — Desc. Ant. 2, 85.  
*Gubleria baccata* Gaudich. Gaudichaud Bonite 104.  
*Gueldenstaedtia monophylla* Fisch. Mem. Mosc. 6, 19.  
 — — Delessert Ic. 3, 73.  
 † *Guettarda argentea* Lam. Lam. Encycl. 154.  
 — *aromatica* P. et E. Poepp. et Endl. 232.  
 — *calyptrata* A. Rich. Ramon Cuba 46.  
 — *coccinea* Aubl. Aublet Guiana 123.  
 — *crispiflora* Vahl. Vahl Eclogae 6.  
 † *odorata* Lam. Lam. Encycl. 154.  
 † *scabra* Lam. Lam. Encycl. 154.  
 — — Vent. Choix 1.  
 — *speciosa* L. Rheede Hort. mal. 4, 47, 48.  
 † — — Gaertn. Carp. 36.  
 † — — Lam. Encycl. 154.  
 — — Bot. Reg. 17, 1393.  
 — — Wight Ic. pl. Ind. or. 1, 40.  
 — *xylostoides* H. B. K. H. B. K. Nov. Gen. 3, 292.  
*Guichenotia ledifolia* Gay. Mem. Mus. 7, 20.  
 — *macrantha* Turcz. Bot. Mag. 78, 4651.  
 — — Lem. Jard. fl. 3, 279.  
*Guiera senegalensis* Lam. Lam. Encycl. 360.  
 — — Guillemin Seneg. 66.  
*Guilandina Bonduc* L. Rheede Hort. mal. 2, 22.  
 — — Rumpf Amb. 5, 48.  
 — — Desc. Ant. 2, 90.  
 — *Bonduccella* L. Rumpf Amb. 5, 49.  
 † — — Gaertn. Carp. 148.  
 † — — Lam. Encycl. 336.  
 — *Moringa* L. Rumpf Amb. 1, 74, 75.  
 — — Jacq. Ic. 461.  
 — — Desc. Ant. 1, 27.  
 — *Nuga* L. Rumpf Amb. 5, 50.  
 — *psidioides* Hook. Hook. Bot. Misc. 30.  
*Guilhelma insignis* Mart. D'Orbigny Voyage 10, 29.  
 — *speciosa* Mart. Mart. Palm. 66, 67.  
 — — Wallace Palms 3, 36.

- Guilleminia illecebroides* H. B. K. H. B. K. Nov. Gen. 6, 518.  
*Guioa lentiscifolia* Cav. Cav. Ic. 373.  
*Guizotia oleifera* DC. Mem. Genev. 7, 2, 3.  
 — — Wight Illustr. 132.  
 † *Guillema Rz et P.* Ruiz et Pav. Prodr. 7.  
 — *auriculata* Rz et P. Ruiz et Pav. Fl. 245.  
 † *Gundelia Tournefortii* L. Gaertn. Carp. 163.  
 † — — Lam. Encycl. 720.  
*Gunnera chilensis* Lam. Lam. Encycl. 801.  
 — *falklandica* Hook. Hook. Ic. pl. 5, 489, 490.  
 — *macrophylla* Blume. Bennett Java 15.  
 — — Schnizl. Iconogr. 2, 94\*\*.  
 — *magellanica* Lam. Lam. Encycl. 801.  
 — — Richard Astrolabe 31.  
 — *monoica* Decne. Raoul Nouv. Zel. 8.  
 — *perpensa* L. Bot. Mag. 50, 2376.  
 — *scabra* Rz et P. Ruiz et Pav. Fl. 44.  
 — — Van Houtte Hort. 4.  
 † *Gunneraceae* Endl. Schnizl. Iconogr. 2, 94\*\*.  
 † *Gussonea aphylla* A. Rich. Mem. hist. nat. Par. 4, 11.  
 — *cyperoides* Presl. Presl Reliq. 33.  
 — *discolor* Spr. Sprengel Neue Entd. 2, 2.  
 — *pauciflora* Brongn. Brongniart Coquille 34.  
*Gustavia augusta* L. Linné Pl. surinam. 1.  
 † *meizocarpa* Gaertn. Gaertn. Carp. 138.  
 — *pterocarpa* Poit. Mem. Mus. 13, 6.  
 — *urceolata* Poit. Mem. Mus. 13, 5, 7.  
*Gutenbergia Rüppellii* Schultz Bip. Gedenkbuch der vierten Jubelf. d. Buchdr. Mainz 1840, 4.  
*Guyonia tenella* Naud. Ann. sc. nat. III, 14, 6.  
*Guzmania tricolor* Rz et P. Ruiz et Pav. Fl. 261.  
 — — Hook. Exot. Fl. 163\*.  
 — — Lindley Collect. 8.  
 — — Lodd. Cab. 462.  
 — — Annales de Gand 1847, 151.  
*Gybianthus penduliflorus* Mart. Mart. Bras. 236.  
 † *Gymnadenia albida* Rich. Nees Gen. 3, x.  
 — — Rehb. Fl. germ. 13, 419.  
 — *Boryana* Rich. Mem. hist. nat. Par. 4, 5.  
 — *comigera* Rehb. Rehb. Fl. germ. 13, 423.  
 — *Commerstonii* Rich. Mem. hist. nat. Par. 4, 4.  
 — *conopsea* R. Br. Curt. Lond. 5, 186.  
 — — Baxter Brit. Bot. 6, 409.  
 — — Rehb. Ic. crit. 6, 596.  
 — — Sturm Flora 20, 94.  
 — — Dietr. Fl. bor. 1, 8.  
 † — — Nees Gen. 3, x.  
 — — Rehb. Fl. germ. 13, 422, 425, 518.  
 — *cucullata* Rich. Rehb. Ic. crit. 6, 597.  
 — — Rehb. Fl. germ. 13, 418.  
 — *densiflora* Dietr. Rehb. Fl. germ. 13, 424.  
 — *Friwaldii* Hampe. Rehb. Fl. germ. 13, 420.  
 — *odoratissima* Rich. Rehb. Ic. crit. 6, 595.  
 — — Dietr. Fl. bor. 1, 65.  
 — — Rehb. Fl. germ. 13, 421, 518.  
 † — *purpurascens* Rich. Mem. hist. nat. Par. 4, 6.  
 — *sibirica* Turcz. Rehb. Fl. germ. 13, 425.  
 † — *squamata* Rich. Mem. hist. nat. Par. 4, 6.  
 — *viridis* Rich. Rehb. Ic. crit. 6, 594.  
 — — Dietr. Fl. bor. 1, 68.  
 — *Wahlenbergii* Afz. Rehb. Fl. germ. 13, 423.  
*Gymnandra altaica* Willd. Mag. naturf. Fr. 5, 9.  
 — *cashmeriana* Royle. Royle Illustr. 73.  
 — *dentata* Willd. Mag. naturf. Fr. 5, 9.  
 — *elongata* Willd. Mag. naturf. Fr. 5, 10.  
 — *gracilis* Willd. Mag. naturf. Fr. 5, 9.  
 — *integrifolia* Willd. Mag. naturf. Fr. 5, 9.  
 — *minor* Willd. Mag. naturf. Fr. 5, 9.  
 — *ovata* Willd. Mag. naturf. Fr. 5, 10.  
 — *reniformis* Willd. Mag. naturf. Fr. 5, 10.  
 — *rubra* Hook. Hook. Bor. Am. 172.

- Gymnandra stolonifera* *C. Koch.* Jaubert Illustr. 257.  
*Gymnarrhena micrantha* *Desf.* Mem. Mus. 4, 1.  
*Gymnema Decaisneanum* *Wight.* Wight Ic. pl. Ind. or. 4, 1271.  
 — *elegans* *W. et A.* Wight Ic. pl. Ind. or. 3, 830.  
 — *hirsutum* *W. et A.* Wight Ic. pl. Ind. or. 4, 1272.  
 — *nepalense* *Wall.* Wallich Tentamen 38.  
 † *nitens* *Bl.* Blume Mus. 1, 29.  
 † — *rufescens* *Decne.* Ann. sc. nat. II, 9, 11.  
 — *silvestre* *R. Br.* Wight Ic. pl. Ind. or. 2, 349.  
 — *tingens* *Spr.* Wight Ic. pl. Ind. or. 2, 592, 593.  
*Gymnerpis* *Aub.* Aubert Orchid. 29, 30.  
*Gymnocalycium reductum* *Pfeiff.* Pfeiffer Cact. 2, 12.  
*Gymnocarpus decandrum* *Forsk.* Viviani Lib. 10.  
*Gymnocladus canadensis* *Lam.* Michaux Fl. 51.  
 — — — *Michaux* Arb. 2, 23.  
 † — — — *Lam.* Encycl. 823.  
 † — — — *Kerner* Genera 71, 72.  
 — — — *Rehb.* Mag. 40.  
*Gymnogramme appendiculata* *Bl.* Blume Java 6, 39.  
 — *asplenioides* *Sw.* Svensk Acad. 1817, 3.  
 — *aureonitens* *Hook.* Hook. Ic. pl. 9, 820.  
 — *bidentata* *Presl.* Presl Reliq. 2.  
 † — *calomelanos* *Kaulf.* Hook. Gen. Fil. 37.  
 — *canescens* *Bl.* Blume Java 6, 40.  
 — *chaerophylla* *Desf.* Hook. Ic. Fil. 1, 45.  
 — *cheilanthoides* *Kaulf.* Hook. Ic. Fil. 1, 24.  
 † — *chrysophylla* *Desv.* Linn. Transact. 21, 14—16.  
 — *conspersa* *Kze.* Kunze Fil. 92.  
 — *cordata* *Schk.* Hook. Ic. Fil. 2, 156.  
 — *dealbata* *Presl.* Presl Reliq. 3.  
 — *elongata* *Hook.* Hook. Journ. 1834, 119.  
 — *flabellata* *Hook.* Hook. Journ. 1834, 120.  
 — *japonica* *Desv.* Kunze Fil. 116.  
 — *javanica* *Bl.* Blume Java 6, 41.  
 — *incisa* *Mart. et Gal.* Kunze Fil. 132.  
 — *leptophylla* *Desv.* Hook. Ic. Fil. 1, 25.  
 — *Lovei* *H. et Gr.* Hook. Ic. Fil. 1, 89.  
 — *microphylla* *Hook.* Hook. Ic. pl. 10, 916.  
 — *obtusata* *Bl.* Blume Java 6, 43.  
 — *papaverifolia* *Kze.* Kunze Analecta 8.  
 — *peruviana* *Kze.* Kunze Fil. 32.  
 — *pilosa* *M. et G.* Acad. Brux. 15, 4.  
 — *pumila* *Spr.* Kunze Analecta 8.  
 — *reniformis* *Mart.* Mart. Crypt. bras. 26.  
 † — *rufescens* *Fée.* Fée Fil. 5, 19.  
 — *rutaefolia* *H. et Gr.* Hook. Ic. Fil. 1, 90.  
 — — — *var. hispanica*, Hook. Ic. pl. 10, 935.  
 — *serrulata* *Bl.* Blume Java 6, 42.  
 — *stegnogramme* *Bl.* Blume Java 6, 44.  
 — *subglandulosa* *H. et Gr.* Hook. Ic. Fil. 1, 91.  
 — *tomentosa* *Desv.* Svensk Acad. 1817, 4.  
 — *Totta* *Schlechtld.* Schlechtendal Fil. 6.  
 — — — *Blume* Java 6, 38.  
 — *triangularis* *Kaulf.* Hook. Ic. Fil. 2, 153.  
 — *vestita* *Hook.* Hook. Ic. pl. 2, 115.  
*Gymnoloma maculatum* *Ker.* Bot. Reg. 8, 662.  
 — *rudbeckioides* *H. B. K.* H. B. K. Nov. Gen. 4, 374.  
 — *tenella* *H. B. K.* H. B. K. Nov. Gen. 4, 373.  
*Gymnonychium pubescens* *Bartl.* Linnæa 17, 11.  
*Gymnophytum polycephalum* *Clos.* Gay Chile 32.  
*Gymnopogon laevis* *N. v. E.* Humb. Gram. 139.  
*Gymnopsis uniseriatis* *Hook.* Hook. Ic. pl. 2, 145.  
 — — — *Revue hort.* 1853, 14.  
 † *Gymnopteris aliena* *Presl.* Hook. Gen. Fil. 85.  
 — *Heudelotii* *Fée.* Fée Fil. 45.  
 — *nicotianaefolia* *Presl.* Fée Fil. 46.  
 — *quercifolia* *Bernh.* Hook. Ic. pl. 10, 905.  
 — *sempinatifida* *Fée.* Fée Fil. 44.  
 — *subsimplax* *Fée.* Fée Fil. 40.  
 — *trilobata* *Sm.* Hook. Ic. pl. 10, 907.

- † *Gymnosphaera squamulata* *Bl.* Hook. Gen. Fil. 100.  
*Gymnostachys anceps* *R. Br.* Endl. Iconogr. 9.  
*Gymnostachyum alatum* *Wight.* Wight Ic. pl. Ind. or. 4, 1525.  
 — *ceylanicum* *Arn.* Bot. Mag. 79, 4706.  
 — *polyanthum* *Wight.* Wight Ic. pl. Ind. or. 4, 1494.  
 † *Gymnostichum* *Schreb.* Dumortier Gramin. 1.  
 — *gracile* *Hook. fil.* Hook. New Zæl. 70.  
 — *Hystrix* *Schreb.* Schreber Gräser 47.  
*Gymnostyles anthemifolia* *Juss.* Ann. Mus. 4, 61.  
 — — — *Tratt.* Archiv 57.  
 — *nasturtifolia* *Juss.* Ann. Mus. 4, 61.  
 — *pterisperma* *Juss.* Ann. Mus. 4, 61.  
*Gymnotheca chinensis* *Decne.* Ann. sc. nat. III, 3, 5.  
 — *Mertensiana* *Presl.* Prager Abhandl. 6, 1.  
*Gymnothrix caudata* *Schrad.* Humb. Gram. 38.  
 — *compressa* *Brongn.* Brongniart Coquille 10.  
 — *macrostachys* *Brongn.* Brongniart Coquille 11.  
 — *tristachya* *H. B. K.* H. B. K. Nov. Gen. 7, 678.  
 † *Gynandropsis* *DC.* Gray Genera 78.  
 — *ophitocarpa* *DC.* Mem. Genev. 5, 2.  
 — *palmipes* *DC.* Delessert Ic. 3, 1.  
 — *pentaphylla* *DC.* Rheede Hort. mal. 9, 24.  
 — — — *Gray* Genera 78.  
*Gynerium saccharoides* *H. B.* Humb. Pl. aeq. 115.  
*Gynestum acaule* *Poit.* Mem. Mus. 9, 20.  
 — *baculiferum* *Poit.* Mem. Mus. 9, 17.  
 — *deversum* *Poit.* Mem. Mus. 9, 18.  
 — *maximum* *Poit.* Mem. Mus. 9, 16.  
 — — — *Dict. sc. nat.* 27.  
 — *strictum* *Poit.* Mem. Mus. 9, 19.  
 † *Gyneteria incana* *Spr.* Sprengel Neue Entd. 2, 1.  
*Gynocardia odorata* *Roxb.* Roxb. Corom. 299.  
 † *Gynocephalum* *Bl.* Ann. sc. nat. III, 8, 2.  
*Gynoon hirsutum* *Wight.* Wight Ic. pl. Ind. or. 5, 1909.  
 — *Jussieuanum* *Wight.* Wight Ic. pl. Ind. or. 5, 1908.  
 † — *rigidum* *Juss.* Jussieu Euphorb. 3.  
*Gynopleura linearifolia* *Cav.* Cav. Ic. 376.  
 — *tubulosa* *Cav.* Cav. Ic. 375.  
 † *Gynopogon* *Forst.* Forster Charact. 18.  
 † — — — *Lam.* Encycl. 118.  
 — *stellatum* *Forst.* Bill. Sertum 34.  
*Gynosperma glutinosa* *Less.* Bot. Reg. 6, 462.  
 † *Gynotroches axillaris* *Bl.* Blume Mus. 1, 31.  
*Gynoxys fragrans* *Hook.* Bot. Mag. 76, 4511.  
 — — — *Lem. Jard. fl.* 18.  
*Gynura Finlaysonianana* *DC.* Delessert Ic. 4, 55.  
 — *nitida* *DC.* Wight Ic. pl. Ind. or. 3, 1121.  
 — *purpurascens* *DC.* Delessert Ic. 4, 56.  
 — *Walkeri* *Wight.* Wight Ic. pl. Ind. or. 3, 1122.  
*Gypsophila acutifolia* *Fisch.* Rehb. Fl. germ. 6, 242.  
 — *adscendens* *Jacq.* Jacq. Vind. 138.  
 — *altissima* *L.* Rehb. Fl. germ. 6, 241.  
 — *arenaria* *W. et K.* W. et Kit. 41.  
 — *Arrostii* *Guss.* Gussone Pl. rar. 30.  
 — *cerastoides* *Don.* var. Jacquemont Ind. 28.  
 — *compressa* *Desf.* Desf. Fl. atl. 97.  
 — *cretica* *Sibth.* Sibth. Fl. gr. 384.  
 — *dianthoides* *Sibth.* Sibth. Fl. gr. 383.  
 — *fasciculata* *M. et R.* Mem. Genev. 8, 1.  
 — *fastigiata* *L.* Ruppil Fl. jen. 2.  
 — — — *Rehb.* Fl. germ. 6, 241.  
 — — — *Diect.* Fl. bor. 10, 584.  
 — *glomerata* *Pall.* Lodd. Cab. 1384.  
 — *Gmelini* *Led.* Ledeb. Ic. 402.  
 — *hispanica* *Willk.* Willkomm Ic. Hisp. 1, 16.  
 — *illyrica* *Sibth.* Sibth. Fl. gr. 386.  
 — *muralis* *L.* Lam. Encycl. 375.  
 — — — *Fl. dan.* 8, 1268.  
 — — — *Sibth.* Fl. gr. 381.  
 — — — *Schk.* Handb. 120.

- Gypsophila muralis* *L.* Drevcs 5, 151.  
 — — — *Sturm* Flora 1, 1.  
 — — — *Rehb.* Fl. germ. 6, 239.  
 — — *ocellata* *Sibth.* Sibth. Fl. gr. 387.  
 — — *ochroleuca* *Sibth.* Sibth. Fl. gr. 385.  
 — — *paniculata* *L.* Jacq. Fl. austr. 5, 1.  
 — — — *Rehb.* Fl. germ. 6, 242.  
 — — *perfoliata* *L.* var. *Ledeb.* Ic. 176.  
 — — — var. *Willkomm* Ic. *Hisp.* 1, 18.  
 — — *prostrata* *L.* *Lam. Encycl.* 375.  
 — — — *Bot. Mag.* 31, 1281.  
 — — — *Rehb.* Fl. germ. 6, 240.  
 — — *repens* *L.* *Gerard* Fl. gallopr. 15.  
 — — — *Jacq.* Fl. austr. 5, 407.  
 — — — *Bot. Mag.* 35, 1448.  
 — — — *Schrank* Fl. monac. 3, 284.  
 — — — *Rehb.* Fl. germ. 6, 240.  
 — — *rigida* *L.* *Sibth.* Fl. gr. 382.  
 — — *Rokejeka* *Delile.* *Delile* Egypte 29.  
 — — *Saxifraga* *L.* *Smith* Exot. Bot. 90.  
 — — — *Tratt.* Archiv 272.  
 — — *serotina* *Hayne.* Drevcs 5, 152.  
 — — — *Dietr.* Fl. bor. 3, 215.  
 — — — *Rehb.* Fl. germ. 6, 239.  
 — — *stricta* *Led.* *Ledeb.* Ic. 5.  
 — — *Struthium* *L.* *Willkomm* Ic. *Hisp.* 1, 16, 17.  
 — — *thymifolia* *Sibth.* *Sibth.* Fl. gr. 388.  
 — — *Vaccaria* *L.* *Sibth.* Fl. gr. 380.  
 — — *viscosa* *Murr.* *Comm.* Gott. 6, 3.  
*Gyandra speciosa* *Benth.* *Bentham* Sulphur 45.  
† *Gyrinops* *Walla* *Gaertn.* *Gaertn.* Carp. 140.  
 — — — *Hook.* Ic. pl. 1, 5.  
 — — — *Wight* Ic. pl. Ind. or. 5, 1850.  
† *Gyrinopsis* *Decne.* *Ann. sc. nat.* II, 19, 1.  
† *Gyrocarpeae* *Dumort.* *Schnizl.* *Iconogr.* 2, 107.  
*Gyrocarpus americanus* *Jacq.* *Jacq.* Hist. stirp. am. 258.  
† — — — *Jacq.* *Fragm.* 93.  
 — — — *Lam. Encycl.* 850.  
† — — *asiaticus* *Willd.* *Jacq.* *Fragm.* 93.  
† — — *Jacquini* *Gaertn.* *Gaertn.* Carp. 97.  
† — — — *Lam. Encycl.* 850.  
 — — — *Roxb.* *Corom.* 1.  
 — — *sphenopterus* *R. Br.* *Endl.* *Iconogr.* 43.  
*Gyrostemon attenuatum* *Hook.* *Hook.* Bot. Misc. 53.  
 — — *cotiniifolium* *Desf.* *Mem. Mus.* 8, 10.  
 — — *ramulosum* *Desf.* *Mem. Mus.* 6, 6, 8, 10.  
 — — — *Dict. sc. nat.* 280.  
*Haasia Wightii* *N. v. E.* *Wight* Ic. pl. Ind. or. 5, 1831.  
*Habenaria affinis* *Wight.* *Wight* Ic. pl. Ind. or. 5, 1707.  
 — — *alata* *Hook.* *Hook.* Exot. Fl. 169.  
 — — *albida* *R. Br.* *Sv. Bot.* 507.  
 — — — *Curt.* *Lond.* 4, 107.  
 — — — *Lodd.* *Cab.* 1121.  
 — — — *Dietr.* *Fl. bor.* 1, 67.  
† — — *antennifera* *A. Rich.* *Ann. sc. nat.* II, 14, 17.  
 — — *arachnoides* *Aub.* *Aubert* *Orchid.* 18.  
 — — *autumnalis* *P. et E.* *Poepp.* et *Endl.* 75.  
 — — *bifolia* *R. Br.* *Curt.* *Lond.* 1, 71.  
 — — — *Lodd.* *Cab.* 1653.  
 — — — *Bab.* *Engl.* *Bot.* 2806.  
 — — — *Rehb.* *Ic. crit.* 9, 852.  
 — — *blephariglottis* *Hook.* *Hook.* Exot. Fl. 87.  
 — — — *Lodd.* *Cab.* 925.  
 — — *bracteata* *R. Br.* *Hook.* Exot. Fl. 175.  
 — — — *Sweet* *Fl. G.* 62.  
 — — *ceratopetala* *A. Rich.* *Richard* *Abyssin.* 88.  
† — — — *Ann. sc. nat.* II, 14, 16.  
 — — *cephalotes* *Ldl.* *Wight* Ic. pl. Ind. or. 5, 1711.  
 — — *ciliaris* *R. Br.* *Lodd.* *Cab.* 1326.  
 — — — *Bot. Mag.* 40, 1668.  
 — — *citrina* *Aub. Th.* *Aubert* *Orchid.* 16.  
 — — — *Mem. hist. nat. Par.* 4, 3.

- Habenaria cordata* *R. Br.* *Bot. Mag.* 59, 3164.  
 — — — *Hook.* *Bot. Misc.* 56.  
† — — *crassifolia* *A. Rich.* *Ann. sc. nat.* II, 15, 3.  
 — — *crinifera* *Ldl.* *Wight* *Ic. pl. Ind. or.* 3, 926.  
 — — *cristata* *R. Br.* *Lodd.* *Cab.* 1661.  
 — — *dilatata* *Hook.* *Hook.* Exot. Fl. 95.  
 — — *elliptica* *Wight.* *Wight* *Ic. pl. Ind. or.* 5, 1706.  
 — — *fimbriata* *Wight.* *Wight* *Ic. pl. Ind. or.* 5, 1712.  
 — — — *R. Br.* *Lodd.* *Cab.* 552.  
 — — — *Hook.* *Exot. Fl.* 224.  
 — — — *Bot. Reg.* 5, 405.  
† — — *foliosa* *A. Rich.* *Ann. sc. nat.* II, 15, 3.  
 — — — *Wight* *Ic. pl. Ind. or.* 5, 1700.  
 — — *fornicata* *Bab.* *Rehb.* *Ic. crit.* 9, 851.  
 — — *gigantea* *Hook.* *Bot. Mag.* 62, 3374.  
† — — *glabra* *A. Rich.* *Ann. sc. nat.* II, 15, 5.  
 — — *goodyerioides* *Don.* *Bot. Mag.* 62, 3397.  
 — — *gracilis* *Colebr.* *Hook.* *Exot. Fl.* 135.  
 — — *hamigera* *Griff.* *Calcutta Journal* 1844, 20.  
 — — *Heyneana* *Ldl.* *Wight* *Ic. pl. Ind. or.* 3, 923.  
 — — — 5, 1703, 1704.  
 — — *Jerdoniana* *Wight.* *Wight* *Ic. pl. Ind. or.* 5, 1715.  
 — — *lacera* *R. Br.* *Lodd.* *Cab.* 229.  
 — — — *Sweet* *Fl. G.* II, 73.  
 — — *lancifolia* *A. Rich.* *Mem. hist. nat. Par.* 4, 1.  
 — — *leptoceras* *Hook.* *Bot. Mag.* 54, 2726.  
 — — *Lindleyana* *Wight.* *Wight* *Ic. pl. Ind. or.* 3, 922.  
 — — *longebracteata* *Hochst.* *Seubert* *Fl. azor.* 5.  
† — — *longicalcarata* *A. Rich.* *Ann. sc. nat.* II, 15, 3.  
 — — — *Wight* *Ic. pl. Ind. or.* 3, 925.  
 — — *longicauda* *Hook.* *Bot. Mag.* 57, 2957.  
 — — *macrantha* *Hochst.* *Richard* *Abyssin.* 87.  
 — — *macroceras* *Spr.* *Bot. Mag.* 56, 2947.  
 — — *marginata* *Colebr.* *Hook.* *Exot. Fl.* 136.  
 — — *micrantha* *Hochst.* *Seubert* *Fl. azor.* 5.  
† — — *montana* *A. Rich.* *Ann. sc. nat.* II, 15, 4.  
 — — — *Wight* *Ic. pl. Ind. or.* 3, 927, 5, 1714.  
 — — *orbiculata* *Hook.* *Hook.* Exot. Fl. 145.  
 — — — *Lodd.* *Cab.* 1623.  
 — — *ovalifolia* *Wight.* *Wight* *Ic. pl. Ind. or.* 5, 1708.  
 — — *peristyloides* *Wight.* *Wight* *Ic. pl. Ind. or.* 5, 1702.  
 — — — *A. Rich.* *Ann. sc. nat.* II, 14, 17.  
† — — *Perrottejana* *A. Rich.* *Ann. sc. nat.* II, 15, 4.  
 — — *plantaginea* *Ldl.* *Wight* *Ic. pl. Ind. or.* 5, 1710.  
 — — *platyphylla* *Spr.* *Wight* *Ic. pl. Ind. or.* 5, 1709.  
 — — *procera* *Ldl.* *Bot. Reg.* 22, 1858.  
 — — *pumila* *P. et E.* *Poepp.* et *Endl.* 77.  
 — — *purpurea* *Aub.* *Aubert* *Orchid.* 17.  
 — — *Quartiniana* *A. Rich.* *Richard* *Abyssin.* 86.  
† — — — *Ann. sc. nat.* II, 14, 17.  
 — — *rariflora* *A. Rich.* *Wight* *Ic. pl. Ind. or.* 3, 924.  
† — — — *Ann. sc. nat.* II, 15, 2.  
 — — *Richardiana* *Wight.* *Wight* *Ic. pl. Ind. or.* 5, 1713.  
 — — *rupestris* *P. et E.* *Poepp.* et *Endl.* 78.  
† — — *salaccensis* *Bl.* *Blume* *Tabellen.* 13.  
 — — *Sigillum* *Aub.* *Aubert* *Orchid.* 20.  
 — — *speciosa* *P. et E.* *Poepp.* et *Endl.* 76.  
† — — *subpubens* *A. Rich.* *Ann. sc. nat.* II, 15, 4.  
 — — *tenuis* *Griff.* *Calcutta Journal* 1841, 20.  
† — — *trichosantha* *Ldl.* *Ann. sc. nat.* II, 15, 3.  
 — — *tridactylites* *Ldl.* *Webb* *Canar.* 221.  
 — — *tridentata* *Hook.* *Hook.* Exot. Fl. 81.  
 — — — *Lodd.* *Cab.* 1637.  
 — — *trinervia* *Wight.* *Wight* *Ic. pl. Ind. or.* 5, 1701.  
† — — *vaginata* *A. Rich.* *Ann. sc. nat.* II, 14, 17.  
 — — *vesiculosa* *A. Rich.* *Mem. hist. nat. Par.* 4, 2.  
 — — *viridiflora* *R. Br.* *Wight* *Ic. pl. Ind. or.* 5, 1705.  
 — — *viridis* *R. Br.* *Sv. Bot.* 507.  
 — — — *Curt.* *Lond.* 4, 130.  
 — — — *Nees* *Gen.* 3, x.  
*Habenorchis* *Aub.* *Aubert* *Orchid.* 16.  
*Haberlea rhodopensis* *Friv.* *Frivaldsky* *Balkan.* 1.

- Haberlea rhodopensis* *Friv.* Endl. Iconogr. 69.  
*Hablitzlia tamnoides* *M. v. B.* Marschall Cent. 54.  
 — — — Eichwald Cauc. 23.  
 — — — Rehb. Ic. crit. 8, 754.  
 † *Habranthus Herb.* Herbert Amar. 34, 36.  
 † — *Andersoni Herb.* Herbert Amar. 24, 34.  
 — — — Bot. Reg. 16, 1345.  
 — — — Bot. Mag. 64, 3596.  
 — — — Lodd. Cab. 1677.  
 — — — Sweet Fl. G. II. 70.  
 — *angustus Herb.* Bot. Mag. 53, 2639.  
 — *Bagnoldi Herb.* Herbert Amar. 23.  
 — — — Bot. Reg. 17, 1396.  
 — *bifidus Herb.* Bot. Mag. 52, 2597.  
 — *concolor Ldl.* Bot. Reg. 31, 54.  
 — *gracilifolius Herb.* Bot. Mag. 51, 2464.  
 — — —  $\beta$ . Boothianus, Bot. Reg. 23, 1967.  
 † — *miniatus Don.* Herbert Amar. 26.  
 — — — Sweet Fl. G. II. 213.  
 — *pallidus Lodd.* Lodd. Cab. 1760.  
 — *parvulus Herb.* Herbert Amar. 26.  
 — *pedunculatus Herb.* Herbert Amar. 26.  
 — *phycelloides Herb.* Bot. Reg. 17, 1417.  
 — *pratensis Herb.* Paxt. Mag. 9, 121.  
 — — — Bot. Reg. 28, 35.  
 — — — var. Bot. Mag. 68, 3961.  
 † — *pulcher Herb.* Herbert Amar. 26.  
 — *pumilus Lodd.* Lodd. Cab. 1771.  
 — *punctatus Herb.* Herbert Amar. 47.  
 — *robustus Herb.* Lodd. Cab. 1761.  
 — — — Sweet Fl. G. II. 14.  
 — *rosens Sweet.* Sweet Fl. G. II. 107.  
 — *speciosus Herb.* Herbert Amar. 23.  
 — *versicolor Herb.* Bot. Mag. 51, 2485.  
*Habrothamnus corymbosus* *Endl.* Bot. Mag. 71, 4201.  
 — — — Fl. d. serres 2, 19.  
 — *elegans Brongn.* Fl. d. serres 2, 18.  
 — *fasciculatus* *Endl.* Fielding Sertum 72.  
 — — — Hart. Parad. 1, 14.  
 — — — Bot. Mag. 71, 4183.  
 — — — Fl. d. serres 1, 50.  
 — — — Hort. Transact. 10, 2.  
 — — — Paxt. Mag. 14, 193.  
 — *purpureus Ldl.* Bot. Reg. 30, 43.  
 † *Hacquetia Epipactis DC.* Nees Gen. X, x.  
 — — — Sturm Flora 6, 24.  
*Haemadietyon trifidum* *P. et E.* Poepp. et Endl. 275.  
*Haemanthus albilifolius* *Jacq.* Jacq. Schoenbr. 1, 59.  
 — — — Red. Lil. 7, 398.  
 — — — Bot. Mag. 31, 1239.  
 — — — Lodd. Cab. 602.  
 — *amarylloides Jacq.* Jacq. Schoenbr. 4, 408.  
 † — *brevifolius Herb.* Herbert Amar. 30.  
 — *carneus Ker.* Bot. Mag. 61, 3373.  
 — — — Bot. Reg. 6, 509.  
 — *ciliaris L.* Jacq. Fragm. 40, 41.  
 — — — Kerner Hort. 841.  
 — *coarctatus Jacq.* Jacq. Schoenbr. 1, 57.  
 — — — Bot. Reg. 3, 181.  
 † — — — Herbert Amar. 31.  
 — *coccineus L.* Red. Lil. 1, 39.  
 † — — — Lam. Encycl. 228.  
 — — — Bot. Mag. 27, 1079.  
 — — — Herb. amat. 1, 19.  
 — — — Lodd. Cab. 240.  
 — — — Kerner Hort. 56, 843.  
 — — — Rehb. Exot. 189.  
 † — *concolor Herb.* Herbert Amar. 31.  
 — *crassipes Jacq.* Jacq. Schoenbr. 4, 412.  
 † — — — Herbert Amar. 31.  
 † — *Hookerianus Herb.* Herbert Amar. 46.  
 — *humilis Jacq.* Jacq. Schoenbr. 4, 411.

- Haemanthus hyalocarpus Jacq.* Jacq. Schoenbr. 4, 409.  
 † — — — Herbert Amar. 31.  
 — *insignis Hook.* Bot. Mag. 79, 4745.  
 † — *incarnatus Herb.* Herbert Amar. 31.  
 — *lancaefolius Jacq.* Jacq. Schoenbr. 1, 60.  
 — *moschatus Jacq.* Jacq. Schoenbr. 4, 410.  
 — — — Kerner Hort. 226.  
 † — — — Herbert Amar. 31.  
 — *multiflorus Martyn.* Andr. Rep. 5, 318.  
 — — — Red. Lil. 4, 204.  
 — — — Bot. Mag. 24, 961, 45, 1993.  
 — — — Lodd. Cab. 912.  
 — — — Rehb. Exot. 59.  
 — — — Fl. d. serres 1, 52.  
 — *pubescens L.* Lodd. Cab. 702.  
 — — — Bot. Reg. 5, 382.  
 — — —  $\beta$ . albiflos, Bot. Reg. 12, 984.  
 — *Pumilio Jacq.* Jacq. Schoenbr. 1, 61.  
 † — *punicicus L.* Gaertn. Carp. 11.  
 — — — Bot. Mag. 32, 1315.  
 — — — Red. Lil. 6, 320.  
 — — — Lodd. Cab. 1948.  
 † — — — Hoeven Tijdschr. 7, 3.  
 — *quadrivalvis Jacq.* Jacq. Schoenbr. 1, 58.  
 — — — Bot. Mag. 37, 1523.  
 — — — Kerner Hort. 269, 844.  
 † — — — Herbert Amar. 31.  
 — *rotundifolius Gawl.* Bot. Mag. 39, 1618.  
 — — — Rehb. Exot. 58.  
 † — — — Herbert Amar. 31.  
 — *sanguineus Jacq.* Jacq. Schoenbr. 4, 407.  
 † — — — Herbert Amar. 31.  
 † — *strigosus Herb.* Herbert Amar. 30.  
 — *tenuiflorus Herb.* Bot. Mag. 67, 3870.  
 — *tigrinus Jacq.* Jacq. Schoenbr. 1, 56.  
 — — — Kerner Hort. 164.  
 — — — Bot. Mag. 41, 1705.  
 † — — — Herbert Amar. 31.  
 — *toxicarius Ait.* Jacq. Fragm. 39, 41.  
 — — — Bot. Mag. 30, 1217.  
 — — — Fl. d. serres 5, 434.  
 † — *undulatus Herb.* Herbert Amar. 30.  
 — *virescens Herb.* Bot. Reg. 12, 984.  
*Haematorchis altissima Bl.* Blume Rumphia 200<sup>b</sup>.  
 † *Haematoxylon campechianum L.* Lam. Encycl. 340.  
 — — — Tuss. Ant. 1.  
 — — — Desc. Ant. 2, 73.  
 † — — — Jacq. Fragm. 93.  
 — — — Woodv. Med. 3, 163.  
 — — — Guimp. et Schl. 165.  
 — — — Hayne 10, 44.  
 — — — Nees Düsseld. 340.  
*Hacmocharis semiserrata Mart.* Mart. Bras. 66.  
 — *tomentosa Mart.* Mart. Bras. 67.  
 † *Haemodoraceae R. Br.* Schnitzl. Iconogr. 1, 62.  
*Haemodorum distichophyllum Hook.* Hook. Ic. pl. 9, 866.  
 — *planifolium R. Br.* Bot. Mag. 39, 1610.  
 — *spicatum R. Br.* Endl. Iconogr. 98.  
 † *Haenkea Rz et P.* Ruiz et Pav. Prodr. 6.  
 — *flexuosa Rz et P.* Ruiz et Pav. Fl. 231.  
*Haensclera granatensis Boiss.* Boissier Esp. 114.  
*Hagenbachia brasiliensis N. v. E.* Acta Leop. 11, 1, 2.  
*Hagenia abyssinica Lam.* Lam. Encycl. 311.  
*Hakea acicularis R. Br.* Endl. Iconogr. 24.  
 — — — Rehb. Mag. 24.  
 — *Baxteri R. Br.* Hook. Ic. pl. 5, 439, 440.  
 — *ceratophylla R. Br.* Rehb. Mag. 24.  
 — *clavata Lab.* Bill. Nov. Holl. 41.  
 — *conchifolia Hook.* Hook. Ic. pl. 5, 432.  
 — *cristata R. Br.* Hook. Ic. pl. 5, 443.  
 — *cucullata R. Br.* Hook. Ic. pl. 5, 441.

- Hakea cucullata* *R. Br.* Bot. Mag. 76, 4528.  
 — — — Lem. Jard. fl. 45.  
 — *dactyloides* *Cav.* Cav. Ic. 535.  
 — — — Bot. Mag. 66, 3760.  
 — *epiglottis* *Lab.* Bill. Nov. Holl. 40.  
 — *ferruginea* *Sweet.* Sweet Austr. 45.  
 — — — Lodd. Cab. 1501.  
 — — — Bot. Mag. 62, 3424.  
 — *florida* *R. Br.* Bot. Mag. 52, 2579.  
 † — — — Schnizl. Ic. 2, 113.  
 — *gibbosa* *Cav.* Cav. Ic. 534.  
 — *glabra* *Schrader* Sert. hannov. 17.  
 — *heterophylla* *Hook.* Hook. Ic. pl. 5, 437.  
 — *incrassata* *R. Br.* Hook. Ic. pl. 5, 442.  
 — *intermedia* *Hook.* Hook. Ic. pl. 5, 445.  
 — *lanigera* *Ten.* Tenore Fl. nap. 6.  
 — *linearis* *R. Br.* Sweet Austr. 43.  
 — — — Bot. Reg. 18, 1489.  
 — *microcarpa* *R. Br.* Lodd. Cab. 219.  
 — — — Bot. Reg. 6, 475.  
 — *myrtoides* *Meisn.* Bot. Mag. 78, 4643.  
 — — — Lem. Jard. fl. 3, 272.  
 — *nitida* *R. Br.* Bot. Mag. 48, 2246.  
 — — — Kerner Hort. 568.  
 — *obliqua* *R. Br.* Lodd. Cab. 1682.  
 — *pandanicarpa* *R. Br.* Hook. Ic. pl. 5, 434.  
 — *pectinata* *Colla.* Mem. Tur. 31, 11.  
 — *piriformis* *Cav.* Cav. Ic. 536.  
 — *platysperma* *Hook.* Hook. Ic. pl. 5, 433.  
 — *pugioniformis* *Cav.* Cav. Ic. 533.  
 — — — Rchb. Mag. 23.  
 — — — Herb. amat. 4, 217.  
 — — — Lodd. Cab. 353.  
 — *repanda* *Cunn.* Lodd. Cab. 1750.  
 — *rubricaulis* *Colla.* Mem. Tur. 31, 3.  
 — *ruscifolia* *Lab.* Bill. Nov. Holl. 39.  
 — *saligna* *R. Br.* Sweet Austr. 27.  
 — — — Savi Fl. ital. 3, 113.  
 — *scoparia* *Meisn.* Bot. Mag. 78, 4644.  
 — *stenocarpa* *R. Br.* Hook. Ic. pl. 5, 444.  
 — *tricostata* *R. Br.* Hook. Ic. pl. 5, 435, 436.  
 — *undulata* *R. Br.* Hook. Ic. pl. 5, 447.  
*Halenia Brentoniana* *Griseb.* Hook. Bor. Am. 156.  
 — *deflexa* *Michx.* Hook. Bor. Am. 155.  
 — *heterantha* *Griseb.* Hook. Bor. Am. 156.  
 — *Perrottetii* *Griseb.* Wight Illustr. 157.  
 — — — Wight Ic. pl. Ind. or. 4, 1334.  
 † *Halesia* *L.* Kerner Genera 80.  
 — *diptera* *L.* Cav. Diss. 187.  
 — — — Lodd. Cab. 1172.  
 — *parviflora* *Michx.* Bot. Reg. 11, 952.  
 † — *tetraptera* *L.* Gaertn. Carp. 32.  
 † — — — Lam. Encycl. 404.  
 — — — Cav. Diss. 186.  
 — — — Schk. Handb. 127.  
 — — — Bot. Mag. 33, 910.  
 — — — Guimp. Fr. Holzgew. 35.  
 — — — Lodd. Cab. 1173.  
*Halgania litoralis* *Gaudich.* Freycinet Voyage 59.  
 — — — Hart. Parad. 2, 5.  
*Halimocnemis Kowalenskyi* *Sisch.* Bull. Mosc. 1853, 5.  
*Halimus pedunculatus* *Wallr.* Sturm Flora 18, 80.  
 † — — — Nees Gen. 4, 64.  
 — *portulacoides* *Wallr.* Sturm Flora 18, 80.  
 † — — — Nees Gen. 4, 64.  
 † *Halleria lucida* *L.* Gaertn. Carp. 185.  
 — — — Nouveau Duhamel 2, 69.  
 † — — — Lam. Encycl. 546.  
 — — — Bot. Mag. 42, 1744.  
*Hallia imbricata* *Thunb.* Bot. Mag. 52, 2596.  
 — — — Rchb. Mag. 10.  
 — — — Bot. Mag. 43, 1850.

- Hallia imbricata* *Thunb.* Lodd. Cab. 381.  
*Halogeton glomeratus* *Led.* Ledeb. Ic. 40.  
 — *Oliverii* *Moq. Tand.* Jaubert Illustr. 134.  
*Halophila ovata* *Gaudich.* Freycinet Voyage 40.  
 † *Halaragis* *Forst.* Forster Charact. 31.  
 — *acanthocarpa* *Brongn.* Brongniart Coquille 70.  
 — *alata* *Forst.* Jacq. Ic. 69.  
 — *ceratophylla* *Endl.* Endl. Atacta 15.  
 — *cordigera* *Hüg.* Hook. Ic. pl. 6, 598.  
 — *digyna* *Lab.* Bill. Nov. Holl. 129.  
 — *heterophylla* *Brongn.* Brongniart Coquille 68.  
 — *oligantha* *W. et A.* Wight Ic. pl. Ind. or. 3, 1061.  
 — *racemosa* *Lab.* Bill. Nov. Holl. 128.  
 — *Serra* *Brongn.* Brongniart Coquille 69.  
 — *tenella* *Brongn.* Brongniart Coquille 68.  
*Haloschoenus capillaris* *Ldl.* Endl. Bras. 3, 9.  
*Halothamnus* *Bottac* *Jaub.* Jaubert Illustr. 136.  
*Hamadryas andicola* *Hook.* Hook. Ic. pl. 2, 137.  
 — *argentea* *Hook.* Hook. Fl. ant. 85.  
 — *magellanica* *Lam.* Delessert Ic. 1, 22.  
 — *tomentosa* *DC.* Hook. Fl. ant. 85.  
*Hamamelis chinensis* *R. Br.* Abel Narrative 1.  
 † — *virginiana* *Lam.* Lam. Encycl. 88.  
 — — — Schk. Handb. 27.  
 — — — Guimp. Fr. Holzgew. 75.  
 — — — Lodd. Cab. 598.  
 — — — Barton Fl. 3, 78.  
 — — — Rafin. Med. 45.  
 † *Hamelia appendiculata* *Gaertn.* Gaertn. Carp. 191.  
 — *chrysantha* *Sw.* Jacq. Ic. 335.  
 † — — — Lam. Encycl. 155.  
 — — — Lodd. Cab. 1098.  
 — *grandiflora* *L'her.* L'her. Sertum 7.  
 — — — Salisb. Parad. 55.  
 — *patens* *L.* Jacq. Hist. stirp. am. 72.  
 — — — Ruiz et Pav. Fl. 221.  
 — — — Smith Exot. Bot. 24.  
 † — — — Gaertn. Carp. 196.  
 — — — Lam. Encycl. 153.  
 — — — Desc. Ant. 2, 107.  
 — — — Savi Fl. ital. 3, 111.  
 — — — Bot. Mag. 52, 2533.  
 — *sphaerocarpa* *Rz et P.* Ruiz et Pav. Fl. 221.  
 — *ventricosa* *Sw.* Bot. Mag. 44, 1894.  
 — — — Bot. Reg. 14, 1195.  
*Hamiltonia elegans* *Rchb. fil.* Rchb. Fl. germ. 11, 547.  
 † — *oleifera* *Mühlenb.* Pursh Fl. 13.  
 — *propinqua* *Decne.* Jacquemont Ind. 91.  
 — *suaveolens* *Roxb.* Bot. Reg. 4, 348.  
 — *umbellata* *Spr.* Rchb. Fl. germ. 11, 547.  
*Hammotolobium lotoides* *Fenzl.* Russegger Reise 1.  
*Hancornia floribunda* *P. et E.* Poepp. et Endl. 279.  
 — *pubescens* *DC.* Fielding Sertum 56.  
*Hapalochlamys Kerrii* *DC.* Bot. Reg. 8, 678.  
*Haplachne pilosissima* *Presl.* Presl Reliq. 38.  
*Haplanthus neilgherrensis* *Wight.* Wight Ic. pl. Ind. or. 4, 1556.  
 † *Haplodesmium Lindenianum* *Naud.* Ann. sc. nat. III. 14, 5.  
*Haplophyllum* cf. *Aplophyllum* *Juss.*  
 — *canaliculatum* *Boiss.* Jaubert Illustr. 268.  
 — *Candollecanum* *Spach.* Jaubert Illustr. 270.  
 — *cappadocicum* *Spach.* Jaubert Illustr. 263.  
 — *congostum* *Spach.* Jaubert Illustr. 261.  
 — *davarium* *Don.* Trautv. Imagines 29.  
 — *filifolium* *Spach.* Jaubert Illustr. 265.  
 — *halepense* *Spach.* Jaubert Illustr. 266.  
 — *Kowalenskyi* *Sisch.* Bull. Mosc. 1851, 2, 3.  
 — *lasianthum* *Bge.* Bunge Reliq. Lehm. 11.  
 — *linifolium* *Ad. Juss.* Rchb. Fl. germ. 5, 158.  
 — *patavinum* *Ad. Juss.* Rchb. Fl. germ. 5, 158.  
 — *ptilostylum* *Spach.* Jaubert Illustr. 262.

- Haplophyllum robustum* Bge. Bunge Reliq. Lehm. 11.  
 — *Sieversii* Fisch. Trautv. Imagines 27.  
 — *suavcolens* Led. Trautv. Imagines 26.  
 — *tuberculatum* Forsk. Jaubert Illustr. 269.  
 — *versicolor* Fisch. Bunge Reliq. Lehm. 11.  
 — *villosum* Don. Trautv. Imagines 28.  
 — — *Juss.* Jaubert Illustr. 264.  
 — *virgatum* Spach. Jaubert Illustr. 267.  
 † *Haplopteris scolopendrina* Presl. Hook. Gen. Fil. 120.  
*Haplotaxis* DC. cf. *Aplotaxis Autorum*.  
 — *Jacea Klotzsch.* Prinz Waldem. Himal. 80.  
*Hardenbergia Comptoniana* Benth. Paxt. Mag. 8, 27.  
 — *cordata* Benth. Bot. Reg. 11, 944.  
 — *digitata* Ldl. Bot. Reg. 26, 60.  
 — *macrophylla* Benth. Paxt. Mag. 8, 267.  
 — — Bot. Reg. 22, 1862.  
 — *monophylla* Benth. Maund Bot. 2, 84.  
 — — Bot. Reg. 16, 1336.  
*Hardwickia binata* Roxb. Roxb. Corom. 209.  
*Harina caryotoides* Roxb. Mart. Palm. 136.  
 — — Griffith Palms 237.  
 — *nana* Griff. Griffith Palms 238<sup>a b</sup>.  
 † — — Mart. Palm. Z<sup>11</sup>.  
 — *oblongifolia* Griff. Griffith Palms 237<sup>a b c</sup>.  
*Harpachaena amplexifolia* Bge. Jaubert Illustr. 288.  
*Harpagophytum procumbens* DC. Delessert Ic. 5, 94.  
*Harpalyce brasiliiana* Benth. Hook. Journ. 1841, 6.  
 — *formosa* Moç. Hook. Journ. 1841, 5.  
*Harpanema acuminatum* Decne. Delessert Ic. 5, 57.  
*Harpelema Dillwynia* Jacq. Jacq. Ecl. pl. 129.  
*Harpochilus Neesianus* Mart. Endl. Bras. 7, 24.  
 † *Harrachia* Jacq. Kerner Genera 146.  
 — *speciosa* Jacq. Jacq. Ecl. pl. 21.  
 — — Savi Fl. ital. 3, 87.  
 — — Colla Hort. Rip. 12.  
*Harrisonia Browniana* Juss. Freycinet Voyage 103.  
 † — — Mem. Mus. 12, 28.  
 — *loniceroides* Sims. Bot. Mag. 53, 2699.  
 † *Hartighsea Fraserana* Juss. Mem. Mus. 19, 15.  
 — *spectabilis* Juss. Hook. Ic. pl. 7, 615 — 616.  
*Hartigia spectabilis* Miq. Linnæa 18, 7.  
*Hartmannia?* pungens H. et A. Hook. Ic. pl. 4, 334.  
*Hartogia capensis* Thunb. Thunberg Diss. 1, 5.  
 — — Lam. Encycl. 76.  
*Harungana madagascariensis* Lam. Lam. Encycl. 645.  
*Harveya capensis* Hook. Hook. Ic. pl. 2, 118.  
 † — — Wight Illustr. 158<sup>b</sup>.  
 — *purpurea* Harv. Hook. Ic. pl. 4, 351.  
 † *Hasselquistia aegyptiaca* L. Gaertn. Carp. 21.  
 — — Jacq. Vind. 87.  
 — *cordata* L. fil. Jacq. Vind. 193.  
*Hasseltia floribunda* H. B. K. H. B. K. Nov. Gen. 7, 651.  
*Hastingia coccinea* Sm. Smith Exot. Bot. 80.  
*Hanya elegans* Moç. et Sessé. DC. Onagr. 1.  
*Havetia laurifolia* H. B. K. H. B. K. Nov. Gen. 5, 462.  
 — *octandra* P. et E. Poepp. et Endl. 209.  
*Haylockia pusilla* Herb. Bot. Reg. 16, 1371.  
*Hebanthe paniculata* Mart. Mart. Bras. 140.  
 — *pulverulenta* Mart. Mart. Bras. 144, 145.  
 — *spicata* Mart. Mart. Bras. 141, 142.  
 — *virgata* Mart. Mart. Bras. 143, 145.  
*Hebecladus biflorus* Miers. Bot. Mag. 71, 4192.  
 — — Fl. d. serres 2, 24.  
*Hebeclinium ianthinum* Hook. Bot. Mag. 77, 4574.  
 — — Lem. Jard. fl. 129.  
 — *macrophyllum* DC. Jacq. Ecl. pl. 162.  
*Hebelia allemannica* Gm. Gmelin Fl. bad. 2, 1.  
 — *collina* Gm. Gmelin Fl. bad. 2, 1.  
*Hebenstreitia alba* Jacq. Jacq. Ecl. pl. 151.  
 — *augusta* E. M. Endl. Iconogr. 76.  
 — *aurea* Andr. Andr. Rep. 4, 252.

- † *Hebenstreitia dentata* L. Gaertn. Carp. 51.  
 — — Bot. Mag. 14, 483.  
 † — — Mem. Genév. 2, 1, 2.  
 † — — Lam. Encycl. 521.  
 — — Herb. amat. 5, 340.  
 — *fruticosa* Thunb. Bot. Mag. 45, 1970.  
 — *tenuifolia* Schrad. Rehb. Hort. 133.  
*Heberdenia excelsa* Banks. Webb Canar. 188.  
*Hebradendron cambogioides* Grah. Hook. Comp. 27.  
 — — Wight Illustr. 44.  
*Hecastophyllum Benthianium* Miq. Miquel Surin. 5.  
*Hecatea* Aub. Th. Aubert Iles d'Afrique 3.  
*Hechtia glomerata* Zucc. Münch. Abh. 3, 6.  
 † *Hecistopteris pumila* J. Sm. Fée Fil. 5, 16.  
*Hecubaea scorzoniferolia* DC. Delessert Ic. 4, 43.  
*Hedaroma latifolium* Ldl. Lindley Swan River 2.  
*Hedeoma nepalensis* Benth. Jacquemont Ind. 138.  
 — *pulegioides* Pers. Barton Med. 41.  
*Hederorchis* Aub. Aubert Orchid. 90.  
*Hedera acuminata* Wight. Wight Ic. pl. Ind. or. 3, 1062.  
 — *canariensis* Willd. Mag. naturf. Fr. 2, 5.  
 — *capitata* Sm. Smith Ic. pictæ 4.  
 — — Lodd. Cab. 946.  
 † — *Helix* L. Gaertn. Carp. 26.  
 † — — Lam. Encycl. 145.  
 — — Curt. Lond. 3, 76.  
 — — Engl. Bot. 18, 1267.  
 — — Fl. dan. 6, 1027.  
 — — Dreves 2, 66.  
 — — Schk. Handb. 49.  
 — — Hayne 4, 14.  
 — — Sv. Bot. 397.  
 — — Guimp. Holzgew. 25.  
 — — Schrank Fl. monac. 4, 397.  
 — — Dietr. Fl. bor. 4, 218.  
 — — Baxter Brit. Bot. 1, 32.  
 — *obovata* Wight. Wight Spicil. 83 — 84.  
 — — Wight Ic. pl. Ind. or. 3, 1011 — 12.  
 — *pendula* Sw. Swartz Ic. Ind. occ. 9.  
 — *polyacantha* Wall. Wall. Pl. asiat. 190.  
 — *racemosa* Wight. Wight Ic. pl. Ind. or. 3, 1015.  
 — — Wight Spicil. 85.  
 — *rostrata* Wight. Wight Ic. pl. Ind. or. 3, 1013 — 1014.  
 — *trifoliata* W. et A. Wight Ic. pl. Ind. or. 1, 307.  
 — *umbellifera* DC. Rumpf Amb. 2, 12.  
*Hedona sinensis* Lour. Tratt. Thes. 65.  
 † *Hedwigia* Sw. Swartz Fl. Ind. occ. 13.  
 — *balsamifera* Sw. Desc. Ant. 3, 209.  
 † *Hedycarya dentata* Forst. Forster Char. 64.  
 † — — Lam. Encycl. 827.  
 — — Raoul Nouv. Zel. 30.  
*Hedychium acuminatum* Rosc. Roscoe Scit. 47.  
 — — Lodd. Cab. 1795.  
 — — Bot. Mag. 57, 2969.  
 — *angustifolium* Roxb. Roxb. Corom. 251.  
 — — Roscoe Scit. 60.  
 — — Kerner Hort. 807.  
 — — Bot. Reg. 2, 157.  
 — — Bot. Mag. 46, 2078.  
 — — Herb. amat. 4, 249.  
 † — — Ann. sc. nat. II, 15, 20.  
 — *aurantiacum* Rosc. Roscoe Scit. 61.  
 — — Savi Fl. ital. 3, 112.  
 — *carneum* Carey. Roscoe Scit. 57.  
 — — Bot. Mag. 53, 2637.  
 — — Lodd. Cab. 693.  
 — *cernuum* Wight. Wight Ic. pl. Ind. or. 6, 2011.  
 — *chrysolecum* Hook. Bot. Mag. 76, 4516.  
 — — Lem. Jard. fl. 31.  
 — *coccineum* Hamilt. Roscoe Scit. 58.  
 — — Lodd. Cab. 705.

- Hedychium coccineum* *Hamilt.* Bot. Reg. 14, 1209.  
 — — *Rehb.* Exot. 184.  
 — coronarium *Koen.* Rumpf Amb. 5, 69.  
 — — *Jacq.* Fragm. 130, 136.  
 — — *Smith* Exot. Bot. 107.  
 — — *Bot. Mag.* 19, 708.  
 — — *Roscoe* Scit. 51.  
 — — *Red. Lil.* 8, 436.  
 — — *Lodd.* Cab. 507.  
 † — — *Ann. sc. nat.* 17, 7. II. 15, 20.  
 † — — *Mémoires de Lille* 1829, 5.  
 — — *Wight* Ic. pl. Ind. or. 6, 2010.  
 — elatum *R. Br.* *Roscoe* Scit. 63.  
 — — *Lodd.* Cab. 856.  
 — — *Bot. Reg.* 7, 526.  
 — — *Rehb.* Exot. 270.  
 — ellipticum *Sm.* *Roscoe* Scit. 55.  
 — — *Lodd.* Cab. 1881.  
 — flavescens *Rosc.* *Roscoe* Scit. 50.  
 — — *Lodd.* Cab. 723.  
 — — *Wight* Ic. pl. Ind. or. 6, 2008, 2009.  
 — flavum *Wall.* *Roscoe* Scit. 49.  
 — — *Lodd.* Cab. 604.  
 — — *Bot. Mag.* 50, 2378.  
 — — *Rorb.* *Bot. Mag.* 58, 3039.  
 — Gardnerianum *Wall.* *Roscoe* Scit. 62.  
 — — *Bot. Reg.* 9, 774.  
 — — *Rehb.* Exot. 183.  
 — glaucum *Rosc.* *Roscoe* Scit. 53.  
 — heteromallum *Ker.* *Bot. Reg.* 9, 767.  
 — longifolium *Rosc.* *Roscoe* Scit. 59.  
 — maximum *Rosc.* *Roscoe* Scit. 52.  
 — — *Bot. Reg.* 12, 1022.  
 — speciosum *Wall.* *Wall.* Pl. asiat. 285.  
 — spicatum *Sm.* *Roscoe* Scit. 48.  
 — — *Hook.* Exot. Fl. 46.  
 — — *Lodd.* Cab. 653.  
 — — *Bot. Mag.* 49, 2300.  
 — stenopetalum *Wall.* *Lodd.* Cab. 1902.  
 — thyrsoforme *Sm.* *Roscoe* Scit. 56.  
 — urophyllum *Wall.* *Lodd.* Cab. 1785.  
 — venustum *Wight.* *Wight* Ic. pl. Ind. or. 6, 2012.  
 — villosum *Wall.* *Roscoe* Scit. 54.  
 † *Hedysosmum* *Sw.* *Swartz* Fl. Ind. occ. 18.  
 — Bonplandianum *H. B. K.* *H. B. K.* Nov. Gen. 7,  
 634, 635.  
 — — *Dict. sc. nat.* 287.  
*Hedyotis affinis* *W. et A.* *Wight* Ic. pl. Ind. or. 3, 1030.  
 — americana *Jacq.* *Jacq.* Hist. stirp. am. 18.  
 — articularis *R. Br.* *Wight* Ic. pl. Ind. or. 3, 1028.  
 — asperuloides *Benth.* *Bentham* Sulphur 13.  
 — auricularia *L.* *Rheede* Hort. mal. 10, 32.  
 — campanuliflora *Hook.* *Bot. Mag.* 55, 2840.  
 — ciliolata *Torr.* *Torrey* New York 44.  
 — conferta *Rz et P.* *Ruiz et Pav.* Fl. 87.  
 — conostyla *Gaudich.* *Freycinet* Voyage 94.  
 — corymbosa *Lam.* *Lam.* Encycl. 61, fig. 4.  
 — dichotoma *Cav.* *Cav.* Ic. 573.  
 — filiformis *Rz et P.* *Ruiz et Pav.* Fl. 87.  
 — fruticosa *L.* *Lam.* Encycl. 62.  
 — gentianoides *Endl.* *Endl.* Iconogr. 89.  
 — herbacea *L.* *Rheede* Hort. mal. 10, 35.  
 † — — *Gaertn.* Carp. 30.  
 † — — *Lam.* Encycl. 62.  
 — Heynei *W. et A.* *Rheede* Hort. mal. 10, 23.  
 — hyssopifolia *Cav.* *Cav.* Ic. 575.  
 — juniperifolia *Rz et P.* *Ruiz et Pav.* 87.  
 — laricifolia *Cav.* *Cav.* Ic. 575.  
 — Lawsoniae *W. et A.* *Rheede* Hort. mal. 4, 57.  
 — — *Wight* Spicil. 92.  
 — — *Wight* Ic. pl. Ind. or. 3, 1026.  
 — Leschenaultiana *W. et A.* *Wight* Illustr. 125.  
*Hedyotis longifolia* *Hook.* *Torrey* New York 44.  
 — media *Cav.* *Cav.* Ic. 574.  
 — monosperma *W. et A.* *Wight* Ic. pl. Ind. or. 3,  
 1031.  
 — multiflora *Cav.* *Cav.* Ic. 574.  
 — ovatifolia *Cav.* *Cav.* Ic. 573.  
 — pilosa *P. et E.* *Poepp.* et *Endl.* 235.  
 — racemosa *Lam.* *Rheede* Hort. mal. 10, 25.  
 — — *Lam.* Encycl. 62.  
 — — *Wight* Ic. pl. Ind. or. 1, 312.  
 — ramosa *Blume.* *Wight* Ic. pl. Ind. or. 3, 822.  
 — serpens *H. B. K.* *H. B. K.* Nov. Gen. 3, 289.  
 — setosa *Rz et P.* *Ruiz et Pav.* Fl. 88.  
 — stylosa *R. Br.* *Wight* Ic. pl. Ind. or. 3, 1027.  
 — — *Wight* Spicil. 93.  
 — subcordata *Dennst.* *Rheede* Hort. mal. 10, 30.  
 — thymifolia *Rz et P.* *Ruiz et Pav.* Fl. 88.  
 — tuberosa *Sw.* *Swartz* Obs. 1.  
 — verticillaris *Wall.* *Wight* Spicil. 94.  
 — — *Wight* Ic. pl. Ind. or. 3, 1029.  
*Hedypnois autumnalis* *Sm.* *Engl.* Bot. 12, 830.  
 — coronopifolia *Ten.* *Tenore* Fl. nap. 182.  
 — cretica *Willd.* *Sibth.* Fl. gr. 813.  
 — hirta *Sm.* *Engl.* Bot. 8, 555.  
 — hispida *Sm.* *Engl.* Bot. 8, 554.  
 — laciniiflora *Viv.* *Viviani* Lib. 17.  
 — lucida *Lam.* *Lam.* Encycl. 654.  
 — paludosa *Scop.* *Scop.* Fl. carn. 2, 48.  
 † — radiata *Gaertn.* *Gaertn.* Carp. 160.  
 † — — *Lam.* Encycl. 654.  
 — rhagadioloides *Willd.* *Sibth.* Fl. gr. 812.  
 — Taraxaci *Vill.* *Vill.* Dauph. 26.  
 — — *Engl.* Bot. 16, 1109.  
 — tubaeformis *Ten.* *Tenore* Fl. nap. 73.  
 † *Hedysareae* *DC.* (*Germination.*) *DC.* Legum. 12—14.  
 † *Hedysarum* *L.* *Schk.* Handb. 207, 208<sup>b</sup>.  
 — adscendens *Sw.* *H. B. K.* Nov. Gen. 6, 597.  
 — — *var. coeruleum*, *Bot. Reg.* 10, 815.  
 — aequidentatum *Sibth.* *Sibth.* Fl. gr. 725.  
 — album *W. et K.* *W. et Kit.* 111.  
 — Alhagi *L.* *Gmelin* Reiso 2, 29.  
 — — *Sibth.* Fl. gr. 720.  
 † — alpinum *L.* *Gaertn.* Carp. 155.  
 † — — *Lam.* Encycl. 628.  
 — — *Bot. Mag.* 48, 2213.  
 — — *Bot. Reg.* 10, 808.  
 — bupleurifolium *L.* *Bot. Mag.* 41, 1722.  
 — — *Roxb.* *Corom.* 194.  
 — cajanifolium *H. B. K.* *H. B. K.* Nov. Gen. 6,  
 598.  
 — capitatum *Burm.* *Burm.* Fl. ind. 54.  
 — — *Desf.* *Moris* Fl. sard. 68.  
 — — *Bot. Mag.* 31, 1251.  
 — — *Rehb.* Ic. crit. 5, 411.  
 — caput galli *L.* *Sibth.* Fl. gr. 723.  
 — carneum *Lodd.* *Lodd.* Cab. 312.  
 — carnosum *Desf.* *Desf.* Fl. atl. 200.  
 — cephalotes *Roxb.* *Wight* Ic. pl. Ind. or. 2, 373.  
 — cinereum *H. B. K.* *H. B. K.* Nov. Gen. 6, 599.  
 — cordatum *Jacq.* *Jacq.* Schoenbr. 3, 296.  
 † — coronarium *L.* *Gaertn.* Carp. 155.  
 — crinitum *L.* *Burm.* Fl. ind. 56.  
 — — *Roxb.* *Wight* Ic. pl. Ind. or. 2, 411.  
 — crista galli *L.* *Russell* Aleppo 12.  
 — — *Sibth.* Fl. gr. 724.  
 — diffusum *Roxb.* *Wight* Ic. pl. Ind. or. 2, 409.  
 — echinatum *Guss.* *Gussone* Pl. rar. 50.  
 — elongatum *Lodd.* *Lodd.* Cab. 1401.  
 — flexuosum *L.* *Schk.* Handb. 207.  
 — Fontanesii *Boiss.* *Boissier* Esp. 56.  
 — frutescens *L.* *Jacq.* Vind. 3, 89.  
 — gangeticum *L.* *Rumpf* Amb. 6, 66.



- Hedysarum gramineum* Koenig. Wendl. Hort. herrenh. 5.  
 — *grandiflorum* Pall. Marschall Cent. 63.  
 — *gyrans* L. Kerner Beob. 1.  
 — — — Jacq. Ic. 565.  
 — — — Jacq. Fragm. 93.  
 — — — Roxb. Wight Ic. pl. Ind. or. 1, 294.  
 —? *horridum* Ham. Rheede Hort. mal. 8, 40.  
 — *junceum* L. Linné Hort. ups. 1, 4.  
 — *lagopodioides* L. — Burm. Fl. ind. 53.  
 — *lasiocarpum* Pal. B. Pal. B. Fl. d'Oware 18.  
 — *latifolium* Roxb. Bot. Reg. 5, 355.  
 — *Lindleyi* Mart. Martius Auswahl 16.  
 — *lineatum* L. — Burm. Fl. ind. 53.  
 — *moniliforme* Burm. — Burm. Fl. ind. 52.  
 — — — Jacq. Fragm. 122.  
 — *muricatum* Jacq. — Jacq. Ic. 568.  
 — *neglectum* Led. — Ledeb. Ic. 482.  
 — *Nelitali* Roxb. — Wight Ic. pl. Ind. or. 2, 405.  
 — *obscurum* L. — Jacq. Fl. austr. 2, 168.  
 — — — Sturm Flora 5, 19.  
 — — — Bot. Mag. 8, 282.  
 — — — Lodd. Cab. 1434.  
 — *Onobrychis* L. — Russell Aleppo 11.  
 — — — Jacq. Fl. austr. 4, 352.  
 — — — Engl. Bot. 2, 96.  
 — — — Sturm Flora 5, 19.  
 — — — Fl. dan. 13, 2243.  
 † — *paniculatum* L. — Wendl. Beob. 3.  
 — *patens* Roxb. — Wight Ic. pl. Ind. or. 2, 407.  
 — *pictum* Jacq. — Jacq. Ic. 567.  
 — *polycarpum* Poir. — Lam. Encycl. 628.  
 — *polymorphum* Led. var. — Ledeb. Ic. 51.  
 — *procumbens* Roxb. — Wight Ic. pl. Ind. or. 2, 408.  
 — *prostratum* Burm. — Burm. Fl. ind. 55.  
 — *ptolomaicum* Delile. — Delile Egypte 39.  
 — *purpureum* Roxb. — Wight Ic. pl. Ind. or. 2, 406.  
 — *radiatum* Desf. — Ann. Mus. 12, 13.  
 — — — Desf. Choix 66.  
 — *recurvatum* Roxb. — Wight Ic. pl. Ind. or. 2, 374.  
 — *reniforme* L. — Burm. Fl. ind. 52.  
 — *roseum* Sims. — Bot. Mag. 25, 996.  
 — *sericeum* Vahl. — Vahl Symb. 41.  
 — *sibiricum* Poir. — Lam. Encycl. 628.  
 — — — Bot. Reg. 10, 808.  
 — — — Belgique hort. 3, 6.  
 — *siliquosum* Burm. — Burm. Fl. ind. 55.  
 — *songaricum* Bông. — Acad. Pet. 6, 8.  
 — *sororium* L. — Burm. Fl. ind. 50.  
 — *spartium* L. — Burm. Fl. ind. 51.  
 — *spinossimum* L. — Sibth. Fl. gr. 721.  
 — *splendens* DC. — Ledeb. Ic. 52.  
 — *stipulaceum* Burm. — Burm. Fl. ind. 54.  
 — *strobiliferum* L. — Linné Fl. zeylan. 3.  
 — *trifolium* L. — Swartz Obs. 6.  
 — *triquetrum* L. — Burm. Fl. ind. 52.  
 — *tuberculosum* Lab. — Bill. Sertum 72.  
 — *tuberosum* Roxb. — Wight Ic. pl. Ind. or. 2, 412.  
 — *umbellatum* L. — Rumpf Amb. 4, 52.  
 — — — Jacq. Schoenbr. 3, 297.  
 — *uncinatum* Jacq. — Jacq. Schoenbr. 3, 298.  
 — *varians* Lab. — Bill. Sertum 71.  
 — *variegatum* Portsch. — Portenschlag Dalm. 10.  
 — *venosum* Desf. — Desf. Fl. atl. 201.  
 — — — Sibth. Fl. gr. 722.  
 — *vespertilionis* L. — Jacq. Ic. 566.  
*Heeria* *cupheoides* Benth. — Bentham Sulphur 33.  
 — *procumbens* Naud. — Ann. sc. nat. III. 14, 5.  
*Héimia* *grandiflora* Hook. — Hook. Ic. pl. 6, 554.  
 — *salicifolia* Lk et O. — Link Ic. I. 28.  
 — — — Bot. Reg. 27, 60.  
 — — — Sweet Fl. G. 281.  
 — — — Hook. Ic. pl. 6, 554.

- Heinsia jasminiflora* DC. — Bot. Mag. 72, 4207.  
*Heintzia tigrina* Karst. — Karsten Auswahl 11.  
 — — — Fl. d. serres 7, 718, 719.  
*Heinzelia lythroides* N. v. E. — Endl. Bras. 7, 27.  
*Heisteria coccinea* L. — Jacq. Hist. stirp. am. 122.  
 † — — — Lam. Encycl. 354.  
 — — — Kerner Hort. 341.  
 — *cyanocarpa* P. et E. — Poepp. et Endl. 241.  
 — *tubicina* P. et E. — Poepp. et Endl. 241.  
 † *Heladena bunchosoides* Juss. — Arch. Mus. 3, 10.  
*Heldreichia Kotschyi* Fenzl. — Russegger Reise 15.  
*Helena gracilis* Sweet. — Sweet Fl. G. II. 136.  
 † *Helenia autumnalis* Gaertn. — Gaertn. Carp. 169.  
 † *Helenium autumnale* L. — Lam. Encycl. 688.  
 — — — Bot. Mag. 57, 2994.  
 — — — Schk. Handb. 250.  
 — — — Rafin. Med. 47.  
 — — — Barton Fl. 1, 26.  
 — *canaliculatum* Lam. — Journ. d'hist. nat. Par. 2, 35.  
 — *quadridentatum* Lab. — Act. soc. hist. nat. Par. 4.  
 — — — Lam. Encycl. 688.  
 — — — Reich Magazin 15.  
 — — — Bot. Reg. 7, 598.  
*Helecocharis* R. Br. — Rchb. Fl. germ. 8, 294—297.  
 — *acicularis* R. Br. — Sturm Flora 3, 10.  
 — *dulcis* Trin. — Rumpf Amb. 6, 3, fig. 1.  
 — *multicaulis* Sm. — Sturm Flora 18, 78.  
 — *ovata* R. Br. — Sturm Flora 3, 10.  
 † — — — Nees Gen. 2, 18.  
 — *palustris* R. Br. — Sturm Flora 3, 9.  
 † — — — Nees Gen. 2, 18.  
 — — — Baxter Brit. Bot. 6, 436.  
 — *uniglumis* Link. — Sturm Flora 18, 78.  
*Heleochloa alopecuroides* Host. — Host Gram. 29.  
 † — — — Münchn. Denkschr. 4, 8.  
 — *schoenoides* Host. — Host Gram. 30.  
*Héleogiton fluitans* Lk. — Rchb. Fl. germ. 8, 298.  
 † — — — Nees Gen. 2, 12.  
*Helia oblongifolia* Mart. — Mart. Bras. 191.  
*Heliamphora nutans* Benth. — Linn. Transact. 18, 29.  
 † *Helianthemum Tournef.* — Mutel Fl. fr. 6.  
 † — — — Ann. sc. nat. 24, 10—12.  
 † — — — Gray Genera 87.  
 — *algarvense* Dunal. — Sweet Cist. 40.  
 — *alpestre* Dunal. — Rchb. Pl. crit. 1, 1.  
 — — — Rchb. Fl. germ. 3, 28.  
 — — — Sweet Cist. 2.  
 — *alyssoides* Vent. — Vent. Choix 20.  
 — *Andersoni* Sweet. — Sweet Cist. 89.  
 — *apenninum* DC. — Sweet Cist. 62.  
 † — — — Jordan Obs. 3, 2.  
 — — — Rchb. Fl. germ. 3, 33.  
 — *arabicum* Pers. — Sweet Cist. 97.  
 — *barbatum* Pers. — Sweet Cist. 73.  
 — *Barrelieri* Ten. — Tenore Fl. nap. 145.  
 — — — Bot. Mag. 50, 2371.  
 — *brasilense* Pers. — Sweet Cist. 43.  
 — *Breweri* Planch. — Hook. Lond. Journ. 1844, 21.  
 — *Broussonetii* Dunal. — Webb Canar. 13<sup>B</sup>.  
 — *canadense* Michx. — Sweet Cist. 21.  
 — — — Gray Genera 87.  
 — *canariense* Pers. — Webb Canar. 12<sup>B</sup>.  
 — *candidum* Sweet. — Sweet Cist. 25.  
 — *canescens* Sweet. — Sweet Cist. 51.  
 — *canum* Dunal. — Sweet Cist. 56.  
 — — — Rchb. Fl. germ. 3, 27.  
 — *Caput felis* Boiss. — Boissier Esp. 16.  
 — *carolinianum* Michx. — Sweet Cist. 99.  
 — *cheiranthoides* Pers. — Sweet Cist. 107.  
 — *confertum* Dunal. — Webb Canar. 13.  
 — *confusum* Sweet. — Sweet Cist. 91.  
 — — — Rchb. Fl. germ. 3, 35.

- Helianthemum croceum* Pers. Sweet Cist. 53.  
 — — — Rchb. Fl. germ. 3, 32.  
 — — — *cupreum* Sweet. Sweet Cist. 66.  
 — — — *diversifolium* Sweet. Sweet Cist. 95.  
 — — — *multiplex*, Sweet Cist. 98.  
 — — — *ellipticum* Pers. Sweet Cist. 108.  
 — — — *ericoides* Dunal. Rchb. Fl. germ. 3, 26.  
 — — — *criocaulon* Dunal. Sweet Cist. 30.  
 — — — *eriosepalum* Sweet. Sweet Cist. 76.  
 — — — *Fumana* Mill. Guimpel Holzgew. 109.  
 — — — Rchb. Fl. germ. 3, 26.  
 — — — Sweet Cist. 16.  
 — — — *formosum* Dunal. Sweet Cist. 50.  
 — — — Maund Bot. 3, 131.  
 — — — *glaucum* Pers. Sweet Cist. 111.  
 — — — *glomeratum* Lag. Sweet Cist. 110.  
 — — — *glutinosum* Pers. Sweet Cist. 83.  
 — — — Rchb. Fl. germ. 3, 30.  
 — — — *grandiflorum* DC. Sweet Cist. 69.  
 — — — Rchb. Fl. germ. 3, 31.  
 — — — *guttatum* Mill. Rchb. Fl. germ. 3, 25.  
 — — — *halimifolium* Pers. Sweet Cist. 4.  
 — — — *hirtum* Pers. Sweet Cist. 109.  
 — — — Rchb. Fl. germ. 3, 33.  
 — — — *hyssopifolium* Ten. Tenore Fl. nap. 238.  
 — — —  $\beta$ . *cupreum*, Sweet Cist. 58.  
 — — —  $\gamma$ . *multiplex*, Sweet Cist. 72.  
 — — —  $\alpha$ . *crocatum*, Sweet Cist. 92.  
 — — — *italicum* Pers. Rchb. Fl. germ. 3, 27.  
 — — — *kahiricum* Delile. Delile Egypte 31.  
 — — — *laeve* Pers. Rchb. Fl. germ. 3, 29.  
 — — — *lacvipes* Willd. Sweet Cist. 24.  
 — — — Rchb. Fl. germ. 3, 29.  
 — — — *lanceolatum* Sweet. Sweet Cist. 100.  
 — — — *ledifolium* Willd. Sweet Cist. 41.  
 — — — Rchb. Fl. germ. 3, 28.  
 — — — *leptophyllum* Dunal. Sweet Cist. 20.  
 — — — *lignosum* Sweet. Sweet Cist. 46.  
 — — — *lineare* Pers. Sweet Cist. 48.  
 — — — *lunulatum* DC. Rchb. Fl. germ. 3, 26.  
 — — — *macranthum* Sweet. Sweet Cist. 103.  
 — — — *multiplex*, Sweet Cist. 104.  
 — — — *marifolium* DC. Rchb. Ic. crit. 4, 394.  
 — — — Rchb. Fl. germ. 3, 28.  
 — — — *microphyllum* Sweet. Sweet Cist. 96.  
 — — — *Milleri* Sweet. Sweet Cist. 101.  
 — — — *mutabile* Pers. Guimpel Fr. Holzgew. 46.  
 — — —  $\beta$ . *roseum*, Sweet Cist. 106.  
 — — — Rchb. Fl. germ. 3, 35.  
 — — — *nummularium* Mill. Sweet Cist. 80.  
 — — — *ocymoides* Pers. Sweet Cist. 13.  
 — — — *oelandicum* DC. Sv. Bot. 499.  
 — — — Rchb. Pl. crit. 1, 1.  
 — — — Sweet Cist. 85.  
 — — — *obscurum* Pers. Rchb. Fl. germ. 3, 31.  
 — — — *pannosum* Boiss. Boissier Esp. 14<sup>b</sup>.  
 — — — *papillare* Boiss. Boissier Esp. 14<sup>b</sup>.  
 — — — *piferum* Boiss. Boissier Esp. 17.  
 — — — *pilosum* Pers. Sweet Cist. 49.  
 — — — Rchb. Fl. germ. 3, 33.  
 † — — — Jordan Obs. 3, 2.  
 — — — *polifolium* Pers. Sweet Cist. 88.  
 — — — Rchb. Fl. germ. 3, 35.  
 — — — *procumbens* Dunal. Sweet Cist. 68.  
 — — — *polygalaeifolium* Sweet. Sweet Cist. 11.  
 — — — *pulehellum* Sweet. Sweet Cist. 74.  
 — — — *pulverulentum* DC. Sweet Cist. 29.  
 — — — Rchb. Fl. germ. 3, 34.  
 † — — — Jordan Obs. 3, 2.  
 — — — *punctatum* Willd. Sweet Cist. 61.  
 — — — *racemosum* Dunal. Sweet Cist. 82.  
 — — — *retrofractum* Pers. Rchb. Fl. germ. 3, 28.

- Helianthemum rhodanthum* Dunal. Sweet Cist. 7.  
 — — — *roseum* DC. Sweet Cist. 55.  
 — — —  $\beta$ . *multiplex*, Sweet Cist. 86.  
 — — — Rchb. Fl. germ. 3, 34.  
 — — — *rosmarinifolium* Presl. Presl Symb. 21.  
 — — — *rugosum* Dunal. Sweet Cist. 65.  
 — — — *salicifolium* Pers. Rchb. Fl. germ. 3, 28.  
 — — — Sweet Cist. 71.  
 — — — *scabrosum* Pers. Sweet Cist. 81.  
 — — — *semiglabrum* Badarro. Moris Fl. sard. 13.  
 — — — Rchb. Fl. germ. 3, 35.  
 — — — *serpyllifolium* Mill. Sweet Brit. Bot. 1, 1.  
 — — — Sweet Cist. 60.  
 — — — Rchb. Fl. germ. 3, 32.  
 — — — *Serrae* Camb. Mem. Mus. 14, 11.  
 — — — *stramineum* Sweet. Sweet Cist. 93. 94.  
 — — — *sulphureum* Willd. Sweet Cist. 37.  
 — — — *surrejanum* Mill. Sweet Cist. 28.  
 — — — *tauricum* Fisch. Sweet Cist. 105.  
 — — — *thymifolium* Pers. Sweet Cist. 102.  
 — — — Rchb. Fl. germ. 3, 29.  
 — — — *Tubcraria* Mill. Sweet Cist. 18.  
 — — — Rchb. Fl. germ. 3, 25.  
 — — — *umbellatum* Mill. Sweet Cist. 5.  
 — — — *variegatum* Sweet. Sweet Cist. 38.  
 — — — *velutinum* Jord. Jordan Obs. 3, 2.  
 — — — *venustum* Sweet. Sweet Cist. 10.  
 — — — *versicolor* Sweet. Sweet Cist. 26.  
 — — — *vineale* Pers. Guimpel Holzgew. 110.  
 — — — Sprengel Fl. hal. 5.  
 — — — Sweet Cist. 77.  
 — — — Rchb. Fl. germ. 3, 27.  
 — — — *virgatum* Pers. Sweet Cist. 79.  
 — — — *viride* Ten. Tenore Fl. nap. 47.  
 — — — Rchb. Fl. germ. 3, 29.  
 — — — *viscidulum* Boiss. Boissier Esp. 15.  
 — — — *Vivianii* Poll. Rchb. Fl. germ. 3, 25.  
 † — — — *vulgare* Gaertn. Gaertn. Carp. 76.  
 — — — Schrank Fl. monac. 3, 269.  
 — — — Guimpel Holzgew. 111.  
 — — — Dietr. Fl. bor. 4, 220.  
 — — — Rchb. Fl. germ. 3, 30.  
 † — — — Plée Types 51.  
 — — — Sv. Bot. 391.  
 — — — Sweet Cist. 34.  
 — — — Baxter Brit. Bot. 5, 393.  
 — — —  $\beta$ . *multiplex*, Sweet Cist. 64.  
 † *Helianthus* L. Ann. sc. nat. II, 16, 13.  
 — — — *altissimus* L. Jacq. Vind. 160.  
 — — — *angustifolius* Willd. Bot. Mag. 46, 2051.  
 — — — Barton Fl. 3, 105.  
 † — — — *annuus* L. Lam. Encycl. 706.  
 — — — *argenteus* H. B. K. H. B. K. Nov. Gen. 4, 376.  
 — — — *atrorubens* L. Bot. Mag. 53, 2668.  
 — — — Bot. Reg. 6, 508.  
 — — — *decapetalus* L. Bot. Mag. 63, 3510.  
 — — — *dentatus* Cav. Cav. Ic. 220.  
 — — — *diffusus* Sims. Bot. Mag. 45, 2020.  
 — — — *giganteus* L. Cav. Ic. 219.  
 — — — *gracilis* Bert. Novi Comm. Bon. 9, 15.  
 — — — *lenticularis* Dougl. Bot. Reg. 15, 1265.  
 — — — *linearis* Cav. Cav. Ic. 218.  
 — — — Bot. Reg. 7, 523.  
 — — — *macrophyllus* Willd. Willdenow Hort. 70.  
 — — — Kerner Hort. 681.  
 — — — *microphyllus* H. B. K. H. B. K. Nov. Gen. 4, 375.  
 — — — *mollis* Willd. Bot. Mag. 65, 3689.  
 † — — — *multiflorus* L. Gaertn. Carp. 172.  
 † — — — Lam. Encycl. 706.  
 — — — Bot. Mag. 7, 227.  
 — — — *parviflorus* H. B. K. H. B. K. Nov. Gen. 4, 378.  
 — — — *pectiolaris* Sweet. Sweet Fl. G. II, 75.

- Helianthus pubescens* Vahl. Bot. Mag. 54, 2778.  
 — — — Bot. Reg. 7, 524.  
 — — — *quinqueradiatus* Cav. Cav. Ic. 272.  
 — — — *speciosus* Hook. Bot. Mag. 61, 3295.  
 — — — *squarrosus* H. B. K. H. B. K. Nov. Gen. 4, 377.  
 — — — *tubaeformis* Jacq. Jacq. Schoenbr. 3, 375.  
 — — — Bot. Reg. 18, 1519.  
 — — — *tuberosus* L. Jacq. Vind. 161.  
 † — — — Mem. Mus. 19, 4.  
 — — — Schk. Handb. 258.  
*Helichrysum arenarium* DC. Sturm Flora 10, 38.  
 — — — Dietr. Fl. bor. 11, 767.  
 — — — *bellidioides* Forst. Hook. Fl. ant. 21.  
 — — — *bicolor* Lindl. Bot. Reg. 21, 1814.  
 — — — *bracteatum* Willd. Savi Fl. ital. 1, 6.  
 — — — *buddleioides* DC. Wight Spicil. 111.  
 — — — Wight Ic. pl. Ind. or. 3, 1113.  
 — — — *Cassianium* Gaudich. Freycinet Voyage 87.  
 — — — *chrysanthum* Pers. Herb. amat. 5, 335.  
 — — — *citrispinum* Delile. Ferret Abyssin. 13.  
 — — — *dealbatum* Lab. Bill. Nov. Holl. 190.  
 — — — *fasciculatum* Schrank. Lodd. Cab. 331.  
 — — — *filicaule* Hook. fil. Hook. New Zeal. 36.  
 — — — *filiforme* Less. Lodd. Cab. 1954.  
 — — — *Fontanesii* Camb. Mem. Mus. 14, 17.  
 — — — *fruticans* Less. Bot. Reg. 9, 726.  
 — — — *gnaphalioides* H. B. K. H. B. K. Nov. Gen. 7, 330.  
 — — — *gossypinum* Webb. Webb Canar. 109.  
 — — — *Gunnianum* Hook. Hook. Ic. pl. 4, 320.  
 — — — *Humboldtianum* Gaudich. Freycinet Voyage 88.  
 — — — *incanum* Hook. Bot. Mag. 56, 2881.  
 — — — *Lamarckii* Camb. Mem. Mus. 14, 16.  
 — — — *Leontopodium* Hook. fil. Hook. New Zeal. 37.  
 — — — *macranthum* Benth. Maund Bot. 2, 92.  
 — — — Bot. Reg. 24, 58.  
 — — — Paxt. Mag. 5, 247.  
 — — — *niveum* Less. Paxt. Mag. 8, 99.  
 — — — Bot. Mag. 67, 3857.  
 † — — — *orientale* Tournef. Gaertn. Carp. 166.  
 † — — — Lam. Encycl. 693.  
 — — — *papillosum* Lab. Bill. Nov. Holl. 192.  
 — — — *prostratum* Hook. Hook. Fl. ant. 21.  
 — — — *proliferum* Willd. Wendl. Coll. 23.  
 — — — Lodd. Cab. 8.  
 — — — Bot. Reg. 1, 21.  
 — — — Bot. Mag. 50, 2365.  
 — — — Kerner Hort. 295.  
 — — — *saxatile* Moris. Moris Fl. sard. 82.  
 — — — *scorpioides* Lab. Bill. Nov. Holl. 191.  
 — — — *sesamoides* Willd. Lodd. Cab. 1149.  
 — — — *spectabile* Lodd. Lodd. Cab. 59.  
 — — — *spirale* Andr. Tratt. Archiv 397.  
 — — — *splendens* Sims. Bot. Mag. 43, 1773.  
 — — — *Stachelina* Thunb. Andr. Rep. 6, 428.  
 — — — *yuccaeifolium* Lam. Lam. Encycl. 693.  
*Helicia javanica* Bl. Bennett Java 18.  
*Heliconia acuminata* Rich. Acta Leop. 15. Suppl. 11. 12.  
 † — — — *alba* L. Gaertn. Carp. 139.  
 — — — *angustifolia* Hook. Bot. Mag. 75, 1475.  
 — — — Fl. d. serres 5, 529.  
 — — — *bicolor* Hort. Maund Bot. 3, 101.  
 † — — — *Bihai* Sw. Swartz Obs. 5.  
 † — — — Lam. Encycl. 148.  
 — — — Andr. Rep. 10, 640.  
 — — — Bot. Reg. 5, 374.  
 — — — Lodd. Cab. 252.  
 — — — Kerner Hort. 577.  
 — — — Acta Leop. 15. Suppl. 8. 10.  
 — — — Rehb. Exot. 101.  
 — — — *brasiliensis* Hook. Hook. Exot. Fl. 190.  
 — — — Paxt. Mag. 3, 193.

- Heliconia brasiliensis* Hook. Kerner Hort. 803.  
 — — — *cannoidea* Rich. Acta Leop. 15. Suppl. 9. 10.  
 — — — *caribaea* Lam. Desc. Ant. 4, 260.  
 — — — *humilis* Jacq. Jacq. Schoenbr. 1, 48. 49.  
 — — — Red. Lil. 7, 382. 383.  
 — — — *lingulata* Rz et P. Ruiz et Pav. Fl. 304.  
 — — — Kerner Hort. 650. 651.  
 — — — *psittacorum* L. fil. Andr. Rep. 2, 124.  
 — — — Red. Lil. 3, 151.  
 — — — Tratt. Thes. 26.  
 — — — Rehb. Exot. 102.  
 — — — Sw. Bot. Mag. 11, 502.  
 — — — Herb. amat. 5, 336.  
 — — — *pulverulenta* Ldl. Bot. Reg. 19, 1648.  
 — — — Bot. Mag. 78, 1685.  
 — — — *rostrata* Rz et P. Ruiz et Pav. Fl. 305.  
 — — — Kerner Hort. 433.  
 — — — *Strelitzia* Gm. Kerner Hort. 2.  
 — — — *subulata* Rz et P. Ruiz et Pav. Fl. 303.  
 — — — Kerner Hort. 421.  
 — — — *Swartziana* Schult. Kerner Hort. 582.  
 † *Helicostylis Trécul.* Ann. sc. nat. III. 8, 5.  
 † — — — *affinis* Miq. Endl. Bras. 12, 35.  
 † — — — *Poeppigiana* Trécul. Endl. Bras. 12, 35.  
 † *Helicteres althacaefolia* Lam. Lam. Encycl. 735.  
 — — — *baruensis* L. Jacq. Hist. stirp. am. 227.  
 † — — — Gaertn. Carp. 64.  
 — — — Lam. Encycl. 735.  
 — — — *brasiliensis* Mik. Mikan Del. Bras. 19.  
 — — — *brevispira* Juss. St. Hil. Fl. Bras. 54.  
 — — — *carthagenensis* L. Jacq. Hist. stirp. am. 228.  
 — — — *corylifolia* Ham. Rheede Hort. mal. 6, 30.  
 — — — *furfuracea* A. Rich. Ramon Cuba 18.  
 — — — *jamaicensis* Jacq. Jacq. Hist. stirp. am. 226.  
 — — — Jacq. Vind. 143.  
 † — — — Lam. Encycl. 735.  
 — — — Rehb. Mag. 48.  
 — — — *involutrata* Moric. Moricand Pl. Am. 63.  
 — — — *Isora* L. Rumpf Amb. Auct. 17. fig. 1.  
 — — — Lodd. Cab. 119.  
 — — — Bot. Mag. 46, 2061.  
 — — — Desc. Ant. 6, 407.  
 — — — Rehb. Mag. 48.  
 — — — Wight Ic. pl. Ind. or. 1, 180.  
 — — — *Sacaroella* Juss. St. Hil. Pl. us. 64.  
 — — — *trapezifolia* A. Rich. Ramon Cuba 19.  
 — — — *verbascifolia* Link. Lodd. Cab. 504.  
 — — — Bot. Reg. 11, 903.  
*Heligme Rheedii* Wight. Wight Ic. pl. Ind. or. 4, 1303.  
*Helinus scandens* Dill. et Rich. Richard Abyssin. 31.  
*Heliocarpus americana* L. Linné Hort. Cliff. 16.  
 † — — — Gaertn. Carp. 49.  
 — — — Jacq. Fragm. 45.  
 — — — Jacq. Schoenbr. 4, 453.  
 † — — — Lam. Encycl. 409.  
*Heliophila abrotanifolia* DC. Sonder Hel. 23.  
 — — — *amplexicaulis* L. fil. Jacq. Fragm. 64.  
 — — — *arabioides* Curt. Bot. Mag. 14, 496.  
 — — — *cornuta* Sond. Sonder Hel. 28.  
 — — — *crithmifolia* Willd. Delessert Ic. 2, 97.  
 — — — *diffusa* DC. Sonder Hel. 21.  
 — — — *digitata* L. fil. Bot. Reg. 10, 838.  
 — — — *dissecta* Thunb. Sonder Hel. 18.  
 — — — *Dregeana* Sond. Sonder Hel. 21.  
 — — — *Eckloniana* Sond. Sonder Hel. 20.  
 — — — *cleomoides* DC. Delessert Ic. 2, 99.  
 — — — *filiformis* L. fil. Lam. Encycl. 563.  
 — — — *fiacca* Sond. Sonder Hel. 22.  
 — — — *incana* Burm. Burm. Fl. ind. 46.  
 — — — *integrifolia* L. Jacq. Ic. 506.  
 — — — Rehb. Hort. 55.  
 — — — *longifolia* DC. Sonder Hel. 19.

- Heliophila peltaria* DC. Sonder Hel. 22.  
 — *pilosa* Lam. Lam. Encycl. 563.  
 — *pinnata* L. *fil.* Lam. Encycl. 563.  
 — — Vent. Malm. 113.  
 — *rigidiuscula* Sond. Sonder Hel. 27.  
 — *scoparia* Burch. Delessert Ic. 2, 98.  
 — *stricta* Sims. Bot. Mag. 52, 2526.  
 — *stylosa* Burch. Sonder Hel. 24.  
 — *suavissima* Burch. Sonder Hel. 25.  
 — *subulata* Burch. Sonder Hel. 26.  
 — *tenuisiliqua* DC. Delessert Ic. 2, 96.  
 — *trifida* Thunb. Bot. Reg. 32, 64.  
 — — Paxt. Mag. 14, 219.  
*Heliopsis canescens* H. B. K. Bot. Reg. 7, 592.  
 — *laevis* Pers. Bot. Mag. 61, 3372.  
 — *scabra* Dun. Mem. Mus. 5, 8.  
 † *Heliotropium* L. Linnæa 4, 5.  
 † — — Mutel Fl. fr. 37.  
 — *anisophyllum* Pal. B. Pal. B. Fl. d'Oware 96.  
 — *Brocchianum* Vis. Visiani Aeg. 2.  
 † — *chenopodioides* Willd. Schrader Asperif. 1.  
 — *cinereum* H. B. K. H. B. K. Nov. Gen. 3, 206.  
 — *coromandelianum* Retz. Wight Ic. pl. Ind. or. 4, 1388.  
 — *corymbosum* Rz et P. Ruiz et Pav. Fl. 107.  
 — — — Bonpland Malm. 32.  
 — — — Bot. Mag. 39, 1609.  
 — — — Rehb. Exot. 162.  
 — *crispum* Desf. Desf. Fl. atl. 41.  
 — *curassavicum* L. Burm. Fl. ind. 16.  
 † — — Gaertn. Carp. 68.  
 — — — Lam. Encycl. 91.  
 — — — Bot. Mag. 53, 2669.  
 † — — Schrader Asperif. 1.  
 — *dasy carpum* Led. Eichwald Cauc. 5.  
 — *ellipticum* Led. Eichwald Cauc. 4.  
 — *erosum* Lehm. Lehmann Asp. 7.  
 — *europaeum* L. Burm. Fl. ind. 16.  
 — — — Jacq. Fl. austr. 3, 207.  
 — — — Lam. Encycl. 91.  
 — — — Schk. Handb. 29.  
 † — — — Schrader Asperif. 1.  
 † — — — Nees Gen. 6, 52.  
 — *filiforme* H. B. K. H. B. K. Nov. Gen. 3, 240.  
 — *fruticosum* L. Burm. Fl. ind. 19.  
 — *grandiflorum* Schrank. Herb. amat. 2, 131.  
 — *helophilum* Mart. Miquel Surin. 40.  
 — *humifusum* H. B. K. H. B. K. Nov. Gen. 3, 205.  
 — *incanum* Rz et P. Ruiz et Pav. Fl. 108.  
 — *indicum* L. Bot. Mag. 43, 1837.  
 † — — Schrader Asperif. 1.  
 — — — Desc. Ant. 7, 483.  
 — *Kowalenskyi* Stsch. Bull. Mosc. 1853, 5.  
 — *Kunzei* Lehm. Lehmann Asp. 29.  
 — *lanceolatum* Rz et P. Ruiz et Pav. Fl. 111.  
 — *lineatum* Vahl. Delile Egypte 16.  
 — *linifolium* Lehm. Wight Ic. pl. Ind. or. 4, 1391.  
 — *longiflorum* Hochst. Jaubert Illustr. 360, 361.  
 — *marifolium* Retz. Wight Ic. pl. Ind. or. 4, 1390.  
 — *microcalyx* Rz et P. Ruiz et Pav. Fl. 109.  
 — *microstachyum* Rz et P. Ruiz et Pav. Fl. 110.  
 — *oppositifolium* Rz et P. Ruiz et Pav. Fl. 108.  
 — *pallens* Delile. Cailliand Voyage 64.  
 — *peruvianum* L. Bot. Mag. 4, 141.  
 — *pilosum* Rz et P. Ruiz et Pav. Fl. 110.  
 — *polyphyllum* Lehm. Lehmann Asp. 8.  
 — *Rottleri* Lehm. Wight Ic. pl. Ind. or. 4, 1392.  
 — *rotundifolium* Sieb. Lehmann Asp. 30.  
 — *scabrum* Retz. Wight Ic. pl. Ind. or. 4, 1389.  
 — *strictissimum* Moric. Moricand Pl. Am. 87.  
 — *suaveolens* M. v. B. Rehb. Ic. crit. 4, 379.  
 — *submolle* Klotzsch. Regel Gartenfl. 2, 63.

- Heliotropium supinum* L. Gouan Fl. monsp. 1.  
 — — — Sibth. Fl. gr. 157.  
 — — — Wight Ic. pl. Ind. or. 4, 1387.  
 — *synzostachyum* Rz et P. Ruiz et Pav. Fl. 109.  
 — *thymoides* J. et Sp. Jaubert Illustr. 362.  
 — *undulatum* Vahl.  $\beta$ . Lehmann Asp. 40.  
 — *villosum* Willd. Desf. Choix 16.  
 — — — Ann. Mus. 10, 33.  
 — *Voltaireanum* Hort. Paxt. Mag. 16, 99.  
 — *zeylanicum* Lam. Wight Ic. pl. Ind. or. 3, 892.  
*Helipterum eximium* DC. Bot. Reg. 7, 532.  
 — *incanum* DC. Hook. Ic. pl. 4, 318.  
*Helleborine cordigera* Pers. Sebat. Fl. rom. 10.  
 — *latifolia* Schrk. Schrank Fl. monac. 3, 215.  
 — *longipetala* Ten. Sebat. Fl. rom. 10.  
 — *palustris* Schrk. Schrank Fl. monac. 2, 190.  
 — *rubra* Schrk. Schrank Fl. monac. 2, 119.  
 † *Helleborus* L. Kerner Genera 187.  
 — *atrorubens* W. et K. W. et Kit. 271.  
 — — — Rehb. Fl. germ. 4, 109.  
 — — — Paxt. Fl. G. 82.  
 — — — Lem. Jard. fl. 140.  
 — — — Bot. Mag. 77, 4581.  
 — *angustifolius* Host. Rehb. Fl. germ. 4, 103.  
 — *Bocconi* Ten. Tenore Fl. nap. 150.  
 — — — Rehb. Fl. germ. 4, 103.  
 — *dumetorum* W. et K. Rehb. Fl. germ. 4, 106.  
 — — — Sweet Fl. G. 109.  
 † — *foetidus* L. Lam. Encycl. 499.  
 — — — Engl. Bot. 9, 613.  
 — — — Baxter Brit. Bot. 2, 103.  
 — — — Dreves 4, 132.  
 — — — Hayne 1, 10.  
 — — — Brandt und Ratzeb. 35.  
 — — — Nees Düsseld. Suppl. 47, 48.  
 — — — Woodv. Med. 3, 170.  
 — — — Rehb. Fl. germ. 4, 103.  
 † — — — Dumas Thèse 1—6.  
 — *graveolens* Host. Rehb. Fl. germ. 4, 104.  
 — *hiemalis* L. Bot. Mag. 1, 3.  
 — — — Jacq. Fl. austr. 3, 202.  
 — — — Dreves 4, 128.  
 — — — Fl. dan. 8, 1391.  
 — — — Herb. amat. 1, 42.  
 — — — Tratt. Archiv 206.  
 — *intermedius* Guss. Gussone Pl. rar. 41.  
 — — — Annales de Gand 1845, 44.  
 — *laxus* Host. Rehb. Fl. germ. 4, 107.  
 — *lividus* Ait. Bot. Mag. 2, 72.  
 — — — Bot. Reg. 24, 54.  
 — — — Sweet Fl. G. II. 190.  
 — — — Tratt. Archiv 205, 205<sup>a</sup>.  
 — — — Moris Fl. sard. 3.  
 — *multifidus* Vis. Visiani Dalm. 31.  
 — — — Rehb. Fl. germ. 4, 103.  
 — *niger* L. Schmidel Icones 6.  
 — — — Bot. Mag. 1, 8.  
 — — — Jacq. Fl. austr. 3, 201.  
 — — — Sturm Flora 2, 3.  
 — — — Dreves 4, 129, 130.  
 — — —  $\alpha$ .  $\beta$ . Hayne 1, 7, 8.  
 — — — Woodv. Med. 3, 169.  
 — — — Brandt und Ratzeb. 34.  
 — — — Nees Düsseld. 391.  
 — — — Guimp. et Schl. 66.  
 — — — Wagner 12.  
 † — — — (Radix.) Nees Düsseld. Suppl. 48.  
 — — — Rehb. Fl. germ. 4, 111, 112.  
 † — — — Spach Suites 58.  
 — — —  $\beta$ . vernalis, Sweet Fl. G. II. 186.  
 — — — Berg Darstellung 2<sup>e</sup>.  
 — *odorus* Kit. Rochel Banat. 10.

- Helleborus odoratus* Kit. Rechb. Fl. germ. 4, 108.  
 — — — Bot. Reg. 19, 1643.  
 — — — *officinalis* Salisb. Sibth. Fl. gr. 523.  
 — — — *olympicus* Ldl. Bot. Reg. 28, 58.  
 — — — *orientalis* Lam. Desf. Choix 45.  
 — — — Ann. Mus. 11, 32.  
 — — — Hayne 1, 2.  
 — — — Tratt. Archiv 199.  
 — — — Bot. Reg. 28, 34.  
 — — — Spach Suites 58.  
 — — — *purpurascens* W. et K. W. et Kit. 101.  
 — — — Rechb. Fl. germ. 4, 110.  
 — — — Bot. Mag. 59, 3170.  
 — — — Sweet Fl. G. II. 142.  
 — — — *ranunculinus* Sm. Smith Ic. Linn. 37.  
 — — — Tratt. Archiv 207.  
 — — — *trifolius* L. Pallas Fl. ross. 3, 1.  
 — — — Linné Amoenit. 2, 4.  
 — — — Tratt. Archiv 19.  
 † — — — *viridis* L. Gaertn. Carp. 65.  
 † — — — Lam. Encycl. 499.  
 — — — Jacq. Fl. austr. 2, 106.  
 — — — Curt. Lond. 2, 53.  
 — — — Engl. Bot. 3, 200.  
 — — — Schk. Handb. 154.  
 — — — Dreves 4, 131.  
 — — — Hayne 1, 9.  
 — — — Brandt und Ratzeb. 36.  
 — — — Nees Düsseld. Suppl. 46, 48.  
 — — — Rechb. Fl. germ. 4, 105.  
 — — — Dietr. Fl. bor. 8, 538.  
 † — — — Berg Darstellung 27.  
*Hellenia Allugus* Willd. Andr. Rep. 8, 501.  
 — — — *coerulea* R. Br. Roscoe Scit. 76.  
 — — — Bot. Reg. 12, 1037.  
 — — — *rufa* Presl. Presl Reliq. 21.  
*Helleria obovata* N. et M. Acta Leop. 12, 1, 7.  
*Helminthia comosa* Boiss. Boissier Esp. 116.  
 † — — — *echioides* Gaertn. Gaertn. Carp. 159.  
 † — — — Lam. Encycl. 648.  
 — — — Baxter Brit. Bot. 4, 270.  
 — — — *spinosa* DC. DC. Ic. Gall. 21.  
 — — — Hoffm. Lk. Fl. port. 93.  
*Helminthocarpon abyssinicum* Rich. Richard Abyss. 36.  
 † *Helminthostachys* Kaulf. Kaulfuss Enum. 1.  
 † — — — *zeylanica* Hook. Hook. Gen. Fil. 47.  
*Helogyne fasciculata* Benth. Bentham Sulphur 14.  
*Helonias asphodeloides* L. Bot. Mag. 20, 748.  
 — — — Lodd. Cab. 394.  
 — — — *bracteata* Sims. Bot. Mag. 41, 1703.  
 — — — Lodd. Cab. 1330.  
 — — — *bullata* L. Linné Amoenit. 3, 1.  
 — — — Lam. Encycl. 268.  
 — — — Red. Lil. 1, 13.  
 — — — Andr. Rep. 5, 352.  
 — — — Bot. Mag. 20, 747.  
 — — — Lodd. Cab. 961.  
 — — — *glaberrima* Gawl. Bot. Mag. 40, 1680.  
 — — — *graminea* Gawl. Bot. Mag. 39, 1599.  
 — — — *laeta* Gawl. Bot. Mag. 21, 803, 37, 1540.  
 — — — Lodd. Cab. 998.  
 — — — *lutca* Gawl. Bot. Mag. 27, 1062.  
 — — — *pumila* Jacq. Jacq. Ic. 453.  
 — — — *tenax* Pursh. Pursh Fl. 9.  
 — — — *virginica* Gawl. Bot. Mag. 25, 985.  
 — — — *viridis* Sims. Bot. Mag. 27, 1096.  
*Helopus brachystachys* Tr. Trin. Sp. Gr. 3, 277.  
 — — — *grandiflorus* Tr. Trin. Sp. Gr. 3, 278.  
 † — — — *pilosus* Tr. Trinius Fund. 4.  
*Helosciadium crassipes* Koch. Rechb. Ic. crit. 3, 218.  
 — — — *gracile* Clos. Gay Chile 31.  
 † — — — *intermedium* DC. Nees Gen. X, x.

- Helosciadium inundatum* Koch. Sv. Bot. 740.  
 † — — — Nees Gen. X, x.  
 † — — — *nodiflorum* Koch. Nees Gen. X, x.  
 — — — Baxter Brit. Bot. 6, 415.  
 — — — *repens* Koch. Dietr. Fl. bor. 11, 747.  
 † — — — Nees Gen. X, x.  
 † *Helosis guianensis* Rich. Mem. Mus. 8, 20.  
 † — — — Ann. sc. nat. III. 14, 11.  
 — — — Dict. sc. nat. 82.  
 — — — Mart. Bras. 298, 300.  
 † *Helospora flavescens* Jack. Linn. Transact. 14, 4.  
 † — — — Calcutta Journal 1844, 16.  
*Helwingia rusciflora* Hagen. Hagen Pr. Pf. 2, 1.  
 † — — — Ann. sc. nat. II. 6, 7.  
 — — — Sieb. Fl. Jap. 86.  
*Hemarthria uncinata* R. Br. Brongniart Coquille 15.  
 † *Hemerocallis* L. Kerner Genera 70.  
 — — — *alba* Andr. Andr. Rep. 3, 194.  
 — — — Kerner Hort. 435.  
 — — — *coerulea* Andr. Andr. Rep. 1, 6.  
 — — — Bury Hexandr. pl. 50.  
 — — — Red. Lil. 2, 106.  
 — — — Vent. Malm. 18.  
 — — — Bot. Mag. 23, 894.  
 — — — Kerner Hort. 126.  
 — — — Herb. amat. 3, 206.  
 — — — Dict. sc. nat. 52.  
 † — — — *cordata* Thunb. Gaertn. Carp. 179.  
 — — — *disticha* Donn. Sweet Fl. G. 28.  
 — — — *flava* L. Jacq. Vind. 139.  
 — — — Bot. Mag. 1, 19.  
 — — — Red. Lil. 1, 15.  
 — — — Schk. Handb. 98<sup>a</sup>.  
 — — — Sturm Flora 2, 7.  
 — — — Tratt. Thes. 49.  
 — — — Tratt. Archiv 203.  
 † — — — Nees Gen. 2, 56.  
 — — — Rechb. Fl. germ. 10, 510.  
 — — — *fulva* L. Bot. Mag. 2, 64.  
 — — — Schk. Handb. 98<sup>a</sup>.  
 — — — Red. Lil. 1, 16.  
 — — — Tratt. Archiv 204.  
 — — — Rechb. Fl. germ. 10, 510.  
 — — — *graminea* Andr. Andr. Rep. 4, 244.  
 — — — Bot. Mag. 22, 873.  
 — — — Tratt. Thes. 50.  
 — — — Kerner Hort. 732.  
 — — — *japonica* Thunb. Kaempfer Jap. 11.  
 — — — Red. Lil. 1, 3.  
 — — — Bury Hexandr. pl. 50.  
 — — — Bot. Mag. 35, 1433.  
 — — — *lanceifolia* Thunb. Lodd. Cab. 1658.  
 † — — — *lutea* Gaertn. Gaertn. Carp. 83.  
 † — — — Lam. Encycl. 234.  
 — — — *Sieboldiana* Lodd. Lodd. Cab. 1869.  
 — — — Paxt. Mag. 5, 25.  
*Hemiadelphis polysperma* N. v. E. Wight Ic. pl. Ind. or. 4, 1492.  
 † — — — Wight Illustr. 164<sup>b</sup>.  
*Hemiandra pungens* R. Br. Lem. Jard. fl. 126.  
 — — — Belgique hort. 2, 37.  
 — — — *rupestris* Hügel Hügel Archiv 4.  
 † *Hemicardion crenatum* Fée. Fée Fil. 5, 22.  
 † — — — *Cumingianum* Fée. Fée Fil. 5, 22.  
 — — — *Hemicarpha subquarrosa* N. v. E. Endl. Bras. 3, 4.  
 — — — *Hemichlaena capillifolia* Schrad. Comm. Gott. rec. 7, 3.  
 — — — *Hemichoriste montana* N. v. E. Wight Ic. pl. Ind. or. 4, 1538.  
 — — — 1872.  
 — — — *Hemielidia Baxteri* R. Br. Bot. Reg. 17, 1455.  
 — — — *Hemicrambe fruticulosa* Webb. Ann. sc. nat. III. 16, 19.  
 — — — *Hemicyclia sepiaria* W. et Arn. Wight Ic. pl. Ind. or. 5, 1872.

- Hemidesmus indicus* *R. Br.* Rheede Hort. mal. 10, 34.  
 — — — Delessert Ic. 5, 55.  
 — — — Wight Ic. pl. Ind. or. 2, 594.  
 — — — pubescens *W. et A.* Wight Ic. pl. Ind. or. 4, 1320.  
*Hemigraphis latebrosa* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1504.  
*Hemimeris alsinoides* *Lam.* Lam. Encycl. 532.  
 — — — coccinea *Willd.* Kerner Hort. 25.  
 — — — linearis *Pers.* Herb. amat. 4, 283.  
 † — — — montana *L. fil.* Gaertn. Carp. 183.  
 — — — peduncularis *Lam.* Lam. Encycl. 532.  
 — — — sabulosa *L. fil.* Lam. Encycl. 532.  
 † *Hemionitis cordata* *Rorb.* Hook. Gen. Fil. 74.  
 — — — Hook. Ic. Fil. 1, 64.  
 — — — dealbata *Willd.* Willdenow Hort. 40.  
 — — — lanceolata *L.* Schk. Fil. 6, 18.  
 — — — — — Lam. Encycl. 868.  
 — — — palmata *L.* Lam. Encycl. 868.  
 — — — — — Dict. sc. nat. 83.  
 — — — — — Hook. Exot. Fl. 33.  
 † — — — Schott Gen. Fil. 9.  
 — — — pedata *Sw.* Swartz Syn. Fil. 1.  
 — — — reticulata *Sw.* Schk. Fil. 6.  
 — — — rufa *Sw.* Schk. Fil. 6, 17, 21.  
 † — — — sagittata *Fée.* Fée Fil. 5, 14.  
 — — — tomentosa *Raddi.* Raddi Fil. 19.  
 — — — trinervis *Ham.* Rheede Hort. mal. 12, 10.  
*Hemiphragma heterophyllum* *Wall.* Wallich Tentamen 8.  
 † *Hemiphlebum pusillum* *Presl.* Prager Abh. 3, 9.  
*Hemipogon acerosus* *Dec.* Delessert Ic. 5, 60.  
*Hemispadon pilosus* *Endl.* Flora 1832, 2.  
 — — — Endl. Atacta 3.  
 † *Hemistegia grandifolia* *Presl.* Fée Fil. 5, 27<sup>c</sup>.  
 † — — — horrida *Fée.* Fée Fil. 5, 27<sup>c</sup>.  
*Hemistemma angustifolium* *R. Br.* Delessert Ic. 1, 77.  
 — — — Aubertii *DC.* Delessert Ic. 1, 75.  
 † — — — — — Lam. Encycl. 964.  
 — — — Commersonii *DC.* Delessert Ic. 1, 74.  
 † — — — — — Lam. Encycl. 964.  
 — — — dealbatum *R. Br.* Delessert Ic. 1, 76.  
*Hemistoma ovatum* *Ehrenb.* Ehrenb. Symbolae 9.  
*Hemitelia altermans* *Hook.* Hook. Ic. pl. 7, 622.  
 † — — — capensis *R. Br.* Hook. Gen. Fil. 42.  
 — — — grandifolia *Spr.* Hook. Sp. Fil. 14.  
 — — — guianensis *Hook.* Hook. Ic. pl. 7, 648.  
 — — — horrida *R. Br.* Hook. Sp. Fil. 15.  
 — — — Hostmanni *Hook.* Hook. Ic. pl. 7, 646.  
 — — — Imrayana *Hook.* Hook. Ic. pl. 7, 669.  
 — — — integrifolia *Kl.* Hook. Sp. Fil. 1, 13<sup>b</sup>.  
 — — — Lindeni *Hook.* Hook. Ic. pl. 8, 706.  
 — — — obtusa *Kaulf.* Hook. Sp. Fil. 14.  
 — — — Parkeri *Hook.* Hook. Ic. pl. 7, 643.  
 — — — petiolata *Hook.* Hook. Sp. Fil. 16.  
 — — — speciosa *Hook.* Hook. Ic. pl. 8, 706.  
*Hendecandra procumbens* *Eschsch.* Hook. Beechey 91.  
*Henfreyia scandens* *Ldl.* Bot. Reg. 33, 31.  
 — — — — — Fl. d. serres 3, 231.  
 — — — — — Paxt. Mag. 16, 131.  
 † *Henriettea* *DC.* Ann. sc. nat. III, 4, 3.  
 † — — — multiflora *Naud.* Ann. sc. nat. III, 18, 4.  
 — — — Patrisiana *DC.* Miquel Surin. 12.  
*Henrya insularis* *N. v. E.* Bentham Sulphur 49.  
*Henschelia luzonensis* *Presl.* Presl. Reliq. 63.  
*Henslowia glabra* *Wall.* Schnizl. Iconogr. 2, 99.  
 — — — pubescens *Wall.* Wall. Pl. asiat. 221.  
 † — — — — — Hook. Lond. Journ. 1845, 16.  
 — — — — — Schnizl. Iconogr. 2, 99.  
 † — — — varians *Bl.* Blume Mus. 1, 43.  
 † *Hepatica* *Dill.* Gray Genera 5.  
 — — — acutiloba *DC.* Gray Genera 5.  
 — — — americana *Ker.* Bot. Reg. 5, 387.  
 — — — nobilis *Volkam.* Schrank Fl. monac. 1, 62.

- Hepatica nobilis* *Volkam.* Rchb. Fl. germ. 4, 47.  
 — — — triloba *Chaix.* Rafin. Med. 48.  
 — — — — — var. obtusa, Barton Fl. 3, 87.  
 — — — — — Dietr. Fl. bor. 4, 246.  
*Heppiella atrosanguinea* *Reg.* Regel Gartenfl. 1853, 70.  
 † *Heptapleurum acutangulum* *Gaertn.* Gaertn. Carp. 178.  
*Heptaptera colladonioides* *M. et R.* Mem. Genév. 8, 5.  
*Heraclium absinthifolium* *Vent.* Sibth. Fl. gr. 281.  
 — — — — — Vent. Choix 7.  
 † — — — angustifolium *L.* Jacq. En. vind. 2.  
 — — — — — Jacq. Fl. austr. 2, 173.  
 — — — asperum *M. v. B.* Rochel Banat. 26.  
 — — — aureum *Sibth.* Sibth. Fl. gr. 282.  
 — — — austriacum *Jacq.* Jacq. Fl. austr. 1, 61.  
 — — — barbatum *Led.* Ledeb. Ic. 303.  
 † — — — — — Ann. sc. nat. III, 20, 14.  
 — — — Carmeli *Lab.* Bill. Syr. 5, 1.  
 — — — dissectum *Led.* Ledeb. Ic. 304.  
 — — — dubium *Ten.* Tenore Fl. nap. 221.  
 — — — elegans *Jacq.* Jacq. Fl. austr. 2, 175.  
 — — — gummiferum *Willd.* Willdenow Hort. 53, 54.  
 — — — — — Woodv. Med. 5, 36.  
 — — — Hookerianum *W. et A.* Wight Ic. pl. Ind. or. 3, 1010.  
 — — — longifolium *Jacq.* Jacq. Fl. austr. 2, 174.  
 — — — Orsini *Guss.* Gussone Pl. rar. 27.  
 † — — — Panaaces *L.* Lam. Encycl. 200.  
 — — — pedatum *Wight.* Wight Ic. pl. Ind. or. 2, 342.  
 — — — persicum *Desf.* Belgique hortic. 1, 13.  
 — — — pumilum *Vill.* Vill. Dauph. 14.  
 — — — rigens *Wall.* Wight Spicil. 82.  
 † — — — — — Wight Illustr. 117.  
 — — — — — Wight Ic. pl. Ind. or. 3, 1009.  
 — — — Sphondylium *L.* Schk. Handb. 67.  
 † — — — — — Lam. Encycl. 200.  
 — — — — — Sv. Bot. 363.  
 — — — — — Engl. Bot. 14, 939.  
 — — — — — Baxter Brit. Bot. 2, 130.  
 — — — — — Hayne 7, 10.  
 — — — — — Dietr. Fl. bor. 10, 607.  
 — — — Sprengelianum *W. et A.* Wight Ic. pl. Ind. or. 3, 1008.  
*Herbertia coerulea* *Herb.* Bot. Mag. 67, 3862.  
 — — — pulchella *Sweet.* Sweet Fl. G. 222.  
 — — — — — Lodd. Cab. 1547.  
 — — — — — Bot. Mag. 67, 3862.  
*Heritiera Allughas* *Retz.* Retzius Obs. 6, 1.  
 — — — Fomes *Symes.* Symes Ava 28.  
 — — — Gmelini *Michx.* Michaux Fl. 4.  
 — — — litoralis *Ait.* Rheede Hort. mal. 6, 21.  
 — — — — — Rumpf Amb. 3, 63.  
 — — — tinctorum *Walt.* Bull. philom. 1797. no. 19.  
 — — — — — Red. Lil. 5, 247.  
*Hermannia* *L.* Thunberg Hermannia 1. (Non vidi.)  
 † — — — Gray Genera 135.  
 — — — abrotanoides *Schrad.* Schrad. Hort. gott. 11.  
 † — — — alnifolia *L.* Gaertn. Carp. 112.  
 — — — — — Bot. Mag. 9, 299.  
 — — — — — Cav. Diss. 15.  
 — — — — — Jacq. Schoenbr. 3, 291.  
 † — — — — — Lam. Encycl. 200.  
 — — — — — Rchb. Mag. 61.  
 — — — althaeifolia *L.* Bot. Mag. 9, 307.  
 — — — — — Cav. Diss. 179.  
 — — — — — Rchb. Mag. 50, 51.  
 — — — — — Jacq. Jacq. Schoenbr. 2, 213.  
 — — — angularis *Jacq.* Jacq. Schoenbr. 1, 126.  
 — — — — — Rchb. Mag. 68.  
 — — — aurea *Jacq.* Jacq. Schoenbr. 2, 214.  
 — — — borraginiflora *Hook.* Hook. Ic. pl. 6, 597.  
 — — — candicans *Ait.* Jacq. Schoenbr. 1, 117.  
 — — — — — Rchb. Mag. 55.

- Hermannia cuneifolia* Jacq. Jacq. Schoenbr. 1, 124.  
 — — — Rehb. Mag. 60.  
 — — — *decumbens* Willd. Rehb. Mag. 52.  
 — — — *denudata* L. fil. Jacq. Schoenbr. 1, 122.  
 — — — Cav. Diss. 181.  
 — — — Rehb. Mag. 58.  
 — — — *disermafolia* Jacq. Jacq. Schoenbr. 1, 121.  
 — — — Rehb. Mag. 68.  
 — — — *disticha* Schrad. Schrad. Sert. hannov. 16.  
 — — — Rehb. Mag. 60.  
 — — — *filifolia* L. fil. Cav. Diss. 180.  
 — — — Jacq. Schoenbr. 1, 123.  
 — — — *flammea* Jacq. Jacq. Schoenbr. 1, 129.  
 — — — Andr. Rep. 8, 550.  
 — — — Bot. Mag. 33, 1349.  
 — — — Rehb. Mag. 57.  
 — — — *hirsuta* Schrad. Schrad. Sert. hannov. 4.  
 — — — Rehb. Mag. 59.  
 — — — *hispidula* Rehb. Rehb. Mag. 69.  
 — — — *holosericea* Jacq. Jacq. Schoenbr. 3, 292.  
 — — — Rehb. Mag. 61.  
 — — — *hyssopifolia* L. Cav. Diss. 181.  
 — — — Lam. Encycl. 570.  
 — — — Rehb. Mag. 49.  
 — — — *incana* Cav. Rehb. Mag. 53.  
 — — — *inflata* Link. Link Ic. II. 28.  
 — — — Dict. sc. nat. 144.  
 — — — *involutrata* Cav. Cav. Diss. 177.  
 — — — *latifolia* Jacq. Jacq. Schoenbr. 1, 119.  
 — — — *lavandulaefolia* L. Cav. Diss. 180.  
 — — — Bot. Mag. 9, 304.  
 — — — Jacq. Schoenbr. 2, 215.  
 — — — Rehb. Mag. 56.  
 — — — *micans* Schrad. Schrad. Sert. hannov. 5.  
 — — — Rehb. Mag. 49.  
 — — — *mollis* Willd. Rehb. Mag. 54.  
 — — — *multiflora* Jacq. Jacq. Schoenbr. 1, 128.  
 — — — Rehb. Mag. 69.  
 — — — *odorata* Ait. Rehb. Mag. 56.  
 — — — *plicata* Willd. Rehb. Mag. 54.  
 — — — *procumbens* Cav. Cav. Diss. 177.  
 — — — *pulverata* Andr. Andr. Rep. 3, 161.  
 — — — Rehb. Mag. 52.  
 — — — *rotundifolia* Jacq. Jacq. Schoenbr. 1, 118.  
 — — — *salvifolia* L. Cav. Diss. 180.  
 — — — *scabra* Cav. Cav. Diss. 182.  
 — — — Jacq. Schoenbr. 1, 127.  
 — — — Rehb. Mag. 59.  
 — — — *scordifolia* Jacq. Jacq. Schoenbr. 1, 120.  
 — — — Rehb. Mag. 58.  
 — — — *tenuifolia* Sims. Bot. Mag. 33, 1348.  
 — — — *texana* Gray. Gray Genera 135.  
 — — — *tigreensis* Hochst. Richard Abyssin. 17.  
 — — — *trifoliata* L. Cav. Diss. 182.  
 — — — *trifurcata* L. Cav. Diss. 178.  
 — — — Jacq. Schoenbr. 1, 125.  
 — — — Rehb. Mag. 57.  
 — — — *triphylla* L. Cav. Ciss. 178.  
 — — — *vesicaria* Cav. Cav. Diss. 181.  
 † *Hermas capitata* L. fil. Lam. Encycl. 851.  
 † — — — *depauperta* L. Gaertn. Carp. 85.  
 † — — — Lam. Encycl. 851.  
*Hermesia castaneifolia* H. B. Humb. Pl. acq. 46.  
 — — — Lam. Encycl. 998.  
*Hermiera elaphroxylon* Guill. Guillemain Seneg. 51.  
*Hermidium alpinum* Ldl. Rehb. Fl. germ. 13, 416.  
 — — — *cordatum* Ldl. Bot. Reg. 18, 1499.  
 — — — *gramineum* Ldl. Royle Illustr. 87.  
 — — — *Monorchis* R. Br. Curt. Lond. 4, 138.  
 — — — Baxter Brit. Bot. 4, 295.  
 — — — Sv. Bot. 700.  
 — — — Dietr. Fl. bor. 1, 9.

- † *Hermidium Monorchis* R. Br. Nees Genera 3, x.  
 — — — Rehb. Fl. germ. 13, 415.  
 — — — *unalaschcense* Rehb. fil. Rehb. Fl. germ. 13, 417.  
*Hermione aequilimba* Herb. Herbert Amar. 48.  
 — — — *aperticorona* Haw. Sweet Fl. G. II. 191.  
 † — — — *bifrons* Haw. Herbert Amar. 38.  
 † — — — *brevistyla* Herb. Herbert Amar. 41.  
 † — — — *coreyrensis* Herb. Herbert Amar. 37.  
 † — — — *dubia* Herb. Herbert Amar. 43.  
 † — — — *elegans* Herb. Herbert Amar. 41.  
 † — — — *italica* Haw. Herbert Amar. 41.  
 † — — — *obsoleta?* Haw. Bot. Reg. 33, 22.  
 † — — — *papyraea* Haw. Herbert Amar. 48.  
 † — — — *serotina* Herb. Herbert Amar. 41.  
 † — — — *Tangieri* Herb. Herbert Amar. 41.  
 † — — — *Tazetta* Haw. Herbert Amar. 41.  
 — — — *tereticaulis* Haw. Sweet Fl. G. II. 179.  
 — — — *Trewiana* Haw. Sweet Fl. G. II. 118.  
*Hermodyctylus longifolius* Sweet. Sweet Fl. G. II. 146.  
*Hernandia guianensis* Aubl. Aublet Guiana 329.  
 † — — — Lam. Encycl. 755.  
 † — — — *ovigera* L. Rumpf Amb. 3, 123.  
 † — — — Gaertn. Carp. 40.  
 † — — — Lam. Encycl. 755.  
 — — — *sonora* L. Rumpf Amb. 2, 85.  
 — — — Linné Hort. Cliff. 33.  
 — — — Desc. Ant. 2, 143.  
 — — — Wight Ic. pl. Ind. or. 5, 1855.  
*Herniaria ciliata* Bab. Engl. Bot. 2857.  
 — — — *cinerea* DC. DC. Paronych. 3.  
 † — — — *glabra* L. Gaertn. Carp. 213.  
 † — — — Lam. Encycl. 180.  
 — — — Fl. dan. 3, 529.  
 — — — Engl. Bot. 3, 206.  
 — — — Schk. Handb. 56.  
 — — — Hayne 4, 37.  
 — — — Dietr. Fl. bor. 5, 305.  
 † — — — Nees Gen. 4, 74.  
 — — — *hirsuta* L. Engl. Bot. 20, 1379.  
 — — — Baxter Brit. Bot. 4, 304.  
 — — — Dietr. Fl. bor. 5, 306.  
 — — — *macrocarpa* Sibth. Sibth. Fl. gr. 252.  
 — — — *polygonoides* Cav. Cav. Ic. 131.  
 — — — *scabrida* Boiss. Boissier Esp. 62.  
*Herpestis crenata* Pal. B. Pal. B. Fl. d'Oware 112.  
 — — — *Monnieria* H. B. K. Rheede Hort. mal. 10, 14.  
 — — — Bot. Mag. 52, 2557.  
 † — — — *rotundifolia* Pursh. Gaertn. Carp. 214.  
 † — — — *stricta* Schrad. Rehb. Hort. 52.  
*Herpetacanthus longiflorus* Moric. Moric. Pl. Am. 93.  
 — — — *Schultzii* N. v. E. Endl. Bras. 7, 12.  
*Herrania albiflora* Goudot. Ann. sc. nat. III. 2, 5.  
 † *Herreria Rz et P.* Ruiz et Pav. Prodr. 35.  
 — — — *parviflora* Ldl. Bot. Reg. 12, 1042.  
 — — — *Salsaparilla* Mart. Endl. Bras. 5, 4. 5.  
 — — — *stellata* Rz et P. Ruiz et Pav. Fl. 303.  
*Hersilea ramosa* Klotzsch. Prinz Waldem. Him. 83.  
 — — — *simplex* Klotzsch. Prinz Waldem. Him. 83.  
 † *Hesiodia bicolor* Moench. Nees Gen. 6, 37.  
*Hesperantha cinnamomea* Gawl. Bot. Mag. 26, 1054.  
 — — — *pilosa* Gawl. Bot. Mag. 31, 1254. 36, 1475.  
 — — — *radiata* Gawl. var. Bot. Mag. 21, 790.  
*Hesperis acris* Forsk. Delile Egypte 35.  
 — — — *africana* L. W. et Kit. 277.  
 — — — *alyssifolia* DC. Delessert Ic. 2, 61.  
 — — — *aprica* Poir. Delessert Ic. 2, 62.  
 — — — *arcuata* Nocca. Nocca Pl. select. 2.  
 — — — *arenaria* Desf. Desf. Fl. atl. 162.  
 — — — *fragrans* Fisch. Sweet Fl. G. 61.  
 — — — *grandiflora* Sims. Bot. Mag. 53, 2683.  
 — — — *heterophylla* Ten. Tenore Fl. nap. 163.  
 — — — *inodora* L. Ruppil Fl. jen. 1.

- Hesperis inodora* L. Fl. dan. 6, 921, 924.  
 — — — Jacq. Fl. austr. 4, 347.  
 — — — Engl. Bot. 11, 731.  
 — — — Rchb. Fl. germ. 2, 59.  
 — laciniata All. All. Fl. ped. 3, 82.  
 — — — Rchb. Fl. germ. 2, 58.  
 † — matronalis L. Lam. Encycl. 564.  
 — — — Baxter Brit. Bot. 6, 425.  
 — — — Rousseau Bot. 9.  
 — — — Rchb. Fl. germ. 2, 59.  
 † — — — Linnaea 10, 5.  
 — Menziesii Hook. Hook. Beechey 75.  
 — nitens Viv. Viviani Lib. 5.  
 — parviflora DC. DC. Ic. Gall. 35.  
 — — — Lois. Fl. gall. 11.  
 — pendula Murr. N. Comm. Gott. 6, 6.  
 — pinnatifida Desf. Ann. Mus. 11, 31.  
 — — — Desf. Choix 47.  
 — pygmaea Hook. Hook. Bor. Am. 19.  
 — ramosissima Desf. Desf. Fl. atl. 161.  
 — runcinata W. et K. W. et Kit. 200.  
 — — — Rchb. Fl. germ. 2, 58.  
 — sibirica Led. Ledeb. Ic. 394.  
 — speciosa Sweet. Sweet Fl. G. II. 135.  
 † — tricuspidata Lam. Lam. Encycl. 564.  
 — tristis L. Jacq. Fl. austr. 2, 102.  
 — — — Bot. Mag. 19, 730.  
 — — — Schk. Handb. 184.  
 — — — Lodd. Cab. 1951.  
 — — — Rchb. Fl. germ. 2, 57.  
*Hesperomeles heterophylla* Hook. Hook. Ic. pl. 9, 846.  
*Hesperoscordum hyacinthinum* Ldl. Bot. Reg. 15, 1293.  
 — lacteum Ldl. Bot. Reg. 19, 1639.  
 — Lewisii Hook. Hook. Bor. Am. 198.  
 † *Hessea breviflora* Herb. Herbert Amar. 29, 43.  
 † — stellaris Herb. Herbert Amar. 29.  
*Heteracia Szowitzii* Fisch. et M. Jaubert Illustr. 287.  
*Heteractis falcata* DC. Delessert Ic. 4, 65.  
*Heteranthelium piliferum* Hochst. Jaubert Illustr. 318.  
 † *Heteranthera* Rz et P. Ruiz et Pav. Prodr. 2.  
 — graminea Vahl. Torrey New York 133.  
 — reniformis Rz et P. Ruiz et Pav. Fl. 71.  
 — — — Torrey New York 132.  
 — spicata Presl. Presl. Symb. 10.  
 — zosterifolia Mart. Mart. Bras. 3.  
*Heteranthia decipiens* N. v. E. Acta Leop. 11, 1, 3.  
*Heterocarpus glaber* Wight. Wight Ic. pl. Ind. or. 6, 2067.  
 — hirsutus Wight. Wight Ic. pl. Ind. or. 6, 2067.  
 † *Heterocentron undulatum* Naud. Ann. sc. nat. III. 14, 7.  
*Heterochroa minuartioides* Jaub. Jaubert Illustr. 12.  
 — petraea Led. Ledeb. Ic. 155.  
 — spergulaefolia Jaub. Jaubert Illustr. 13.  
*Heterocoma alba* DC. Ann. Mus. 16, 7.  
 — bifrons DC. Ann. Mus. 16, 8.  
*Heterodendrum oleaeifolium* Desf. Mem. Mus. 4, 3.  
 † — — — Lam. Encycl. 959.  
 † *Heteromorpha* Cham. et Schl. Linnaea 1, 5.  
*Heteroneuron argutum* Fée. Fée Fil. 25.  
 † — diversifolium Fée. Fée Fil. 5, 4.  
 † — paradoxum Fée. Mem. Strassb. 4, 1.  
 — Preslianum Fée. Fée Fil. 39.  
 — proliferum Fée. Fée Fil. 55.  
 — punctulatum Fée. Fée Fil. 54.  
 — repandum Fée. Fée Fil. 57.  
 — sculpturatum Fée. Fée Fil. 56.  
 † — serratifolium Fée. Fée Fil. 55.  
 † — sinuosum Fée. Fée Fil. 55.  
 † *Heteronoma cubense* Naud. Ann. sc. nat. III. 14, 7.  
 — diversifolium DC. Link Ic. II. 37.  
 — pachyloma Mart. Mart. Bras. 273.  
 † *Heterophlebium* Fée. Fée Fil. 5, 11.  
 † *Heteropogon Allionii* R. et Sch. Nees Gen. 1, 94.  
 — — — Rchb. Fl. germ. 1, 53.  
 † *Heteropteris africana* Juss. Arch. Mus. 3, 14.  
 — argentea H. B. K. H. B. K. Nov. Gen. 5, 450.  
 — chrysophylla H. B. K. Bot. Mag. 60, 3237.  
 † — coreulea H. B. K. Arch. Mus. 3, 14.  
 † — coleoptera Juss. Arch. Mus. 3, 14.  
 — cordifolia Moric. Moricand Pl. Am. 66.  
 † — macrostachya Juss. Arch. Mus. 3, 14.  
 — nitida H. B. K. var. aurea, Bot. Reg. 11, 950.  
 — — — var. aurea, Rchb. Hort. 241.  
 † — platyptera DC. Arch. Mus. 3, 14.  
 — pteropetala Juss. St. Hil. Fl. Bras. 167.  
 † — rufula Juss. Arch. Mus. 3, 14.  
 † — spectabilis Juss. Arch. Mus. 3, 14.  
 — umbellata Juss. St. Hil. Fl. Bras. 166.  
 † — — — Arch. Mus. 3, 14.  
 † — venosa Griseb. Arch. Mus. 3, 14.  
*Heterosperma pinnata* Cav. Cav. Ic. 267.  
*Heterospermum diversifolium* H. B. K. H. B. K. Nov. Gen. 4, 384.  
 — maritimum H. B. K. H. B. K. Nov. Gen. 4, 383.  
*Heterostegia juncifolia* Desv. H. B. K. Nov. Gen. 1, 54.  
 † *Heterostemma acuminatum* Decne. Ann. sc. nat. II. 9, 10.  
 — — — Delessert Ic. 5, 89.  
 — jangorense W. et A. Wight Ic. pl. Ind. or. 2, 348.  
*Heterostemon mimosoides* Desf. Mem. Mus. 4, 12.  
 — — — Lam. Encycl. 977.  
 † *Heterostigma Heudelotianum* Gaudich. Gaudichaud Bonite 25.  
*Heterostylus gramineus* Hook. Hook. Bor. Am. 185.  
*Heterotaenia thalictrifolia* Boiss. Boissier Esp. 80<sup>a</sup>.  
*Heterotaxis crassifolia* Ldl. Bot. Reg. 12, 1028.  
 — — — Lodd. Cab. 1657.  
*Heterotoima lobeloides* Zucc. Endl. Iconogr. 53.  
*Heterotrichum macrodon* Planch. Bot. Mag. 75, 4421.  
*Heterotropa asaroides* Morr. et Decne. Ann. sc. nat. II. 2, 10.  
 — — — Bot. Mag. 66, 3746.  
 † *Heuchera* L. Kerner Genera 110.  
 — acerifolia Raf. Rafin. Med. 49.  
 † — americana L. Gaertn. Carp. 36.  
 † — — — Lam. Encycl. 184.  
 — — — Schk. Handb. 58.  
 — — — Novi Comm. Gott. 3, 1.  
 — — — Barton Med. 40.  
 — cylindracea Hook. Bot. Reg. 24, 1924.  
 — glabra Willd. Hook. Bor. Am. 79.  
 — Menziesii Hook. Hook. Bor. Am. 80.  
 — micrantha Ldl. Bot. Reg. 15, 1302.  
*Heudelotia africana* Rich. Guillemain Seneg. 39.  
*Hevea guianensis* Aubl. Desc. Ant. 6, 452.  
 — peruviana Aubl. Aublet Guiana 335.  
 † *Hewardia adiantoides* Sm. Hook. Gen. Fil. 89.  
 — — — Hook. Journ. 1841, 16, 17.  
 — tasmanica Hook. Hook. Ic. pl. 9, 858.  
 † *Hewetia bicolor* W. et A. Wight Illustr. 168<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 3, 835.  
*Hexacentris mysorensis* Wight. Wight Ic. pl. Ind. or. 3, 871.  
 — — — Paxt. Fl. G. 88.  
 — — — Lem. Jard. fl. 3, 285.  
 — — — Fl. d. serres 8, 752.  
*Hexalobus brasiliensis* St. Hil. Ann. sc. nat. II. 17, 6.  
 † — madagascariensis DC. Mem. Genev. 5, 5.  
*Hexameria disticha* Bennett. Bennett Java 7.  
*Hexaptera cuneata* Gill. et Hook. Gay Chile 5.  
 — cuneifolia Hook. Hook. Bot. Misc. 74.  
 — Jussieui Barn. Gay Chile 5.  
 — linearis Barn. Gay Chile 5.



- Hexaptera pinnatifida *Hook.* Hook. Bot. Misc. 72.  
 — spatulata *Hook.* Hook. Bot. Misc. 73.  
*Hexarrhena cenchroides Presl.* Presl Reliq. 45.  
*Heylandia hebecarpa DC.* DC. Legum. 34.  
*Heymassoli spinosa Aubl.* Aublet Guiana 125.  
*Heynea trijuga Roxb.* Roxb. Corom. 269.  
 — — — Bot. Mag. 42, 1738.  
 † — — — Mem. Mus. 19, 18.  
*Hibbertia crenata Andr.* Andr. Rep. 7, 472.  
 — corifolia *Sims.* Bot. Mag. 53, 2672.  
 — Cunninghamii *Ait.* Bot. Mag. 59, 3183.  
 — dentata *R. Br.* Bot. Mag. 49, 2338.  
 — — — Bot. Reg. 4, 282.  
 — — — Lodd. Cab. 347.  
 — — — Herb. amat. 5, 306.  
 † — — — Späch Suites 59.  
 — grossulariaefolia *Salisb.* Salisb. Parad. 73.  
 — — — Bot. Mag. 30, 1218.  
 — — — Lodd. Cab. 879.  
 — — — Rchb. Mag. 74.  
 — pedunculata *R. Br.* Lodd. Cab. 1139.  
 — — — Bot. Reg. 12, 1001.  
 — perfoliata *Hügel.* Bot. Reg. 29, 64.  
 — virgata *Hook.* Hook. Ic. pl. 3, 267.  
 — volubilis *Andr.* Andr. Rep. 2, 126.  
 — — — Dict. sc. nat. 116.  
 — — — Späch Suites 59.  
 † *Hibiscus L.* Schk. Handb. 193.  
 † — — Kerner Genera 6.  
 † — — Gray Genera 133.  
 † — — (Decaisne.) Acad. Brux. 13, 1.  
 † — — ? Icones pl. Chinac 24.  
 — *Abelmoschus L.* Rheede Hort. mal. 2, 38.  
 — — — Rumpf Amb. 4, 15.  
 — — — Cav. Diss. 62.  
 — — — Desc. Ant. 5, 361.  
 — acerifolius *Salisb.* Salisb. Parad. 33.  
 — aculeatus *Roxb.* Rheede Hort. mal. 6, 44.  
 — acuminatus *Cav.* Cav. Diss. 50.  
 — aethiopicus *L.* Cav. Diss. 61.  
 — amoenus *Link.* Link Ic. I. 56.  
 — aquaticus *DC.* Tussac Ant. 3, 31.  
 — — — Savi Fl. ital. 1, 2.  
 — — — Kerner Hort. 812.  
 — arenarius *Rottb.* Comm. Gott. 7, 3.  
 — attenuatus *Bosse.* Preuss. Gart. Vercin 4, 1.  
 — Berlandierianus *Moric.* Moricand Pl. Am. 15.  
 — — — Mem. Genev. 7, 15.  
 — bifurcatus *Cav.* Cav. Diss. 51.  
 — Boivini *Bel.* Belanger Ind. or. x.  
 — calycosus *Rich.* Richard Abyssin. 14.  
 — calyphyllus *Cav.* Cav. Diss. 140.  
 — Cameroni *Kn. et W.* Knowles et Westcott 82.  
 — — — Maund Bot. 5, 245.  
 — — — Paxt. Mag. 8, 3.  
 — — — Bot. Mag. 68, 3936.  
 — — — Link Ic. III. 32.  
 — Cameroni-fulgens *Hort.* Bot. Reg. 30, 28.  
 — cannabinus *L.* Cav. Diss. 52.  
 — — — Roxb. Corom. 190.  
 — — — Rchb. Hort. 164.  
 — clandestinus *Cav.* Cav. Ic. 2.  
 — clypeatus *L.* Cav. Diss. 58.  
 — — — Desc. Ant. 7, 517.  
 — columnaris *Cav.* Cav. Diss. 59.  
 — costatus *A. Rich.* Ramon Cuba 15.  
 — cruentus *Bert.* Novi Comm. Bonon. 4, 45.  
 — denudatus *Benth.* Bentham Sulphur 3.  
 — digitatus *Cav.* Cav. Diss. 70.  
 — — — Bot. Reg. 8, 608.  
 — diversifolius *Jacq.* Jacq. Ic. 551.  
 — — — Bot. Reg. 5, 381.

- Hibiscus diversifolius Jacq.* Kerner Hort. 609.  
 — domingensis *Jacq.* Jacq. Ic. 550.  
 — — — Kerner Hort. 816.  
 — esculentus *L.* Cav. Diss. 61.  
 — — — Gil et Xuares 3.  
 — — — Tussac Ant. 1, 10.  
 — — — Desc. Ant. 4, 269.  
 — ferox *Hook.* Bot. Mag. 74, 4401.  
 — — — Fl. d. serres 4, 400.  
 — ferrugineus *Cav.* Cav. Diss. 60.  
 — ficulneoides *Ldl.* Bot. Reg. 11, 938.  
 — ficulneus *L.* Cav. Diss. 51.  
 — — — Rchb. Hort. 161.  
 — flavescens *Cav.* Cav. Diss. 70.  
 — fugax *Mart.* Preuss. Gart. Vercin 3, 8.  
 — Genèvei *Bojer.* Bot. Mag. 59, 3144.  
 — grandiflorus *Salisb.* Salisb. Parad. 22.  
 — grossulariaefolius *Miq.* Bot. Mag. 73, 4329.  
 — — — Annales de Gand 1848, 172.  
 — hakeaeifolius *Giord.* Giordano Memoria 1.  
 — Hamabo *S. et Zucc.* Sieb. Fl. Japon. 93.  
 — hastatus *Cav.* Cav. Diss. 50.  
 — heterophyllus *Vent.* Vent. Malm. 103.  
 — — — Kerner Hort. 611.  
 — — — Dict. sc. nat. 137.  
 — — — Bot. Reg. 1, 29.  
 — hirtus *L.* Rheede Hort. mal. 10, 1.  
 — — — Cav. Diss. 67.  
 — — — Wight Ic. pl. Ind. or. 1, 41.  
 — hispidus *Mill.* Bot. Reg. 10, 806.  
 — Jacquini *Colla.* Mem. Tur. 35, 12.  
 — Jerroldianus *Paxt.* Paxt. Mag. 13, 1.  
 — incanus *Wendl.* Wendl. Hort. herrenh. 24.  
 — — — Kerner Hort. 105.  
 — intermedius *Bel.* Belanger Ind. or. x.  
 — kitaibeliaeifolius *St. Hil.* St. Hil. Fl. Bras. 48.  
 — Lambertianus *H. B. K.* H. B. K. Nov. Gen. 5, 478.  
 — Lampas *Cav.* Cav. Diss. 56.  
 — — — Wight Ic. pl. Ind. or. 1, 5.  
 — lasiocarpus *Cav.* Cav. Diss. 70.  
 — lavaterioides *Moric.* Moricand Pl. Am. 16.  
 — — — Mem. Genev. 7, 16.  
 — lilacinus *Ldl.* Bot. Reg. 23, 2009.  
 — liliiflorus *Cav.* Cav. Diss. 57.  
 — — — Lodd. Cab. 1995.  
 — — — Rchb. Exot. 245.  
 — — — hybr. Bot. Mag. 56, 2891.  
 — Lindleyi *Wall.* Wall. Pl. asiat. 4.  
 — — — Lodd. Cab. 1849.  
 — — — Bot. Reg. 17, 1395.  
 — — — Paxt. Mag. 1, 77.  
 — lunarifolius *Willd.* Wight Ic. pl. Ind. or. 1, 6.  
 — macrophyllus *Roxb.* Wall. Pl. asiat. 51.  
 — maculatus *Desr.* Desc. Ant. 7, 528.  
 — Manihot *L.* Cav. Diss. 63.  
 — — — Bot. Mag. 41, 1702. 59, 3152.  
 — membranaceus *Cav.* Cav. Diss. 57.  
 — micans *Cav.* Cav. Diss. 60.  
 — micranthus *L. fil.* Cav. Diss. 66.  
 — militaris *Cav.* Cav. Diss. 198.  
 — — — Bot. Mag. 50, 2385.  
 — Moscheutos *L.* Cav. Diss. 65.  
 — — — Sweet Fl. G. 286.  
 — — — Bot. Reg. 33, 7.  
 — — — Gray Genera 133.  
 — multifidus *Paxt.* Paxt. Mag. 7, 103.  
 — mutabilis *L.* Rheede Hort. mal. 6, 38—42.  
 — — — Rumpf Amb. 4, 9.  
 — — — Cav. Diss. 62.  
 — — — Andr. Rep. 4, 228.  
 — — — Bot. Reg. 7, 589.

- Hibiscus mutabilis* L. Desc. Ant. 4, 270.  
 — — — Savi Fl. ital. 2, 71.  
 — obtusifolius Willd. Rehb. Hort. 162.  
 — ovatus Cav. Cav. Diss. 50.  
 — owariensis Pal. B. Pal. B. Fl. d'Oware 117.  
 — palmatus Cav. Cav. Diss. 63.  
 — palustris L. Cav. Diss. 65.  
 — — — Bot. Mag. 23, 882.  
 — — — Kerner Hort. 387.  
 — — — Rehb. Exot. 141.  
 — — — Bot. Reg. 17, 1463.  
 — panduraeformis Burm. Burm. Fl. ind. 47.  
 — Patersonii Ait. Andr. Rep. 4, 286.  
 — pedunculatus L. fil. Cav. Diss. 66.  
 — — — Lodd. Cab. 836.  
 — — — Bot. Reg. 3, 231.  
 — pentacarpos L. Jacq. Ic. 143.  
 — — — Cav. Diss. 66.  
 — pernambuccensis Bert. Novi Comm. Bonon. 7, 13.  
 — phoeniceus L. Jacq. Vind. 3, 14.  
 — — — Cav. Diss. 67.  
 — — — Bot. Reg. 3, 230.  
 — Pinonianus Gaudich. Freycinet Voyage 100.  
 — populneus L. Rumpf Amb. 2, 74.  
 — — — Cav. Diss. 56.  
 — praemorsus L. fil. Jacq. Ic. 141.  
 — — — Bot. Mag. 13, 436.  
 — pruriens Roxb. Andr. Rep. 8, 498.  
 — — — Kerner Hort. 596.  
 — racemosus Ldl. Bot. Reg. 11, 917.  
 — radiatus Cav. Cav. Diss. 54.  
 — — — Jacq. Schoenbr. 4, 463.  
 — — — Bot. Mag. 44, 1911.  
 — — — Kerner Hort. 569.  
 — rhombifolius Cav. Cav. Diss. 69.  
 — Richardsoni Sweet. Bot. Reg. 11, 875.  
 — Rosa malabarica Koen. Lodd. Cab. 769.  
 — — — Bot. Reg. 4, 337.  
 — Rosa sinensis L. Rheede Hort. mal. 2, 17. 6, 43.  
 — — — Rumpf Amb. 4, 8.  
 — — — Cav. Diss. 69.  
 — — — Bot. Mag. 5, 158.  
 — — — Smith Spic. 8.  
 — — — Kerner Hort. 35.  
 — — — Lodd. Cab. 513. 932. 963. 995.  
 — — — Herb. amat. 4, 273.  
 — — — Tratt. Archiv 398.  
 — — — Savi Fl. ital. 2, 65.  
 — — — Bot. Reg. 21, 1826.  
 — roseus Thore. Maund Bot. 1, 19.  
 — — — Sweet Fl. G. 277.  
 — — — Savi Fl. ital. 1, 1.  
 — — — Rehb. Fl. germ. 5, 182.  
 — Rossii Kn. et W. Knowles et Westcott 82.  
 — Sabdariffa L. Cav. Diss. 198.  
 — — — Bonpland Malm. 29.  
 — — — Desc. Ant. 1, 31.  
 — — — Herb. amat. 5, 296.  
 — scindicus Stocks. Hook. Ic. pl. 9, 802.  
 — senegalensis Cav. Cav. Diss. 68.  
 — sinuatus Cav. Cav. Diss. 52.  
 — Solandra L'her. L'her. Stirp. 49.  
 — speciosus Ait. Bot. Mag. 10, 360.  
 — — — Wendl. Hort. herrenh. 11.  
 — — — Kerner Hort. 47.  
 — — — Tratt. Archiv 235. 235<sup>a</sup>.  
 — — — Barton Fl. 1, 9.  
 — spicatus Cav. Cav. Diss. 59.  
 — spinifex L. Jacq. Hist. stirp. am. 185.  
 — — — Jacq. Vind. 103.  
 — spiralis Cav. Cav. Ic. 162. 500<sup>b</sup>.  
 — splendens Frazer. Bot. Mag. 57, 3025.

- Hibiscus splendens* Grah. Knowles et Westcott 22.  
 — — — Bot. Reg. 19, 1629.  
 — — — Lodd. Cab. 1835.  
 — — — Maund Bot. 5, 225.  
 — — — Paxt. Mag. 3, 147.  
 — striatus Cav. Cav. Diss. 54.  
 — strigosus Ldl. Bot. Reg. 10, 860.  
 — surattensis L. Rumpf Amb. 4, 16.  
 — — — Cav. Diss. 53.  
 — — — Bot. Mag. 33, 1356.  
 — — — Rehb. Hort. 141.  
 — — — Wight Ic. pl. Ind. or. 1, 197.  
 — syriacus L. Cav. Diss. 69.  
 — — — Bot. Mag. 3, 83.  
 — — — var. Paxt. Mag. 2, 3.  
 — — — var. Paxt. Fl. G. 106.  
 — — — Rehb. Fl. germ. 5, 181.  
 — tampicensis Moric. Moricand Pl. Amer. 14.  
 — — — Mem. Genev. 7, 14.  
 — Telfairiae Hort. Maund Bot. 5, 212.  
 — ternatus Cav. Cav. Diss. 64.  
 — tiliaceus L. Rumpf Amb. 2, 73.  
 — — — Cav. Diss. 55.  
 † — — — Gaertn. Carp. 135.  
 — — — Tussac Ant. 2, 5.  
 — — — Bot. Reg. 3, 232.  
 — — — Desc. Ant. 2, 148.  
 — tiliæifolius Salisb. Salisb. Parad. 94.  
 — tricuspis Banks. Cav. Diss. 55.  
 — trilobus Burm. Cav. Diss. 53.  
 — — — Desc. Ant. 6, 381.  
 † — Trionum L. Gaertn. Carp. 134.  
 — — — Cav. Diss. 64.  
 — — — Bot. Mag. 6, 209.  
 — — — Sibth. Fl. gr. 666.  
 — — — Rehb. Fl. germ. 5, 181.  
 — truncatus A. Rich. Ramon Cuba 16.  
 — tubulosus Cav. Cav. Diss. 68.  
 — — — Rehb. Hort. 163.  
 — tulipaeflorus Hook. Hook. Ic. pl. 8, 707. 708.  
 — unidens Ldl. Bot. Reg. 11, 878.  
 — unilateralis Cav. Cav. Diss. 67.  
 — — — Desc. Ant. 6, 382.  
 — urens L. fil. Cav. Diss. 67.  
 — vesicarius Cav. Cav. Diss. 64.  
 — virginicus L. Jacq. Ic. 142.  
 — vitifolius L. Rheede Hort. mal. 6, 46.  
 † — — — Gaertn. Carp. 135.  
 — — — Cav. Diss. 58.  
 — Wrayae Ldl. Bot. Reg. 26, 69.  
 — zeylanicus L. Rumpf Amb. 4, 14.  
 — — — Burm. Fl. ind. 48.  
 † Hieracium L. Monnier Essai 1. 5.  
 — acutifolium Vill. Villars Précis 3.  
 — albidum Vill. Vill. Dauph. 31.  
 — alpestre Jacq. Jacq. Fl. austr. 2, 191.  
 — alpinum L. All. Fl. ped. 3, 14.  
 — — — Fl. dan. 1, 27.  
 — — — Sv. Bot. 644.  
 — — — Lightf. Fl. scot. 1, 18.  
 — — — Engl. Bot. 16, 1110.  
 — — —  $\beta$ . pumilum, Sturm Flora 10, 37.  
 — — —  $\gamma$ . Halleri, Sturm Flora 10, 39.  
 — — — Dietr. Fl. bor. 8, 566.  
 — amplexicaule L. All. Fl. ped. 3, 15. 30.  
 — — — Engl. Bot. 2690.  
 — — —  $\beta$ . petraeum, Sturm Flora 10, 39.  
 — andryaloides Vill. Vill. Dauph. 29.  
 — angustifolium Willd. Villars Précis 3.  
 — — — Hoppe. Schw. Denkschr. 3, 5.  
 — aurantiacum L. Fl. dan. 7, 1112.  
 — — — All. Fl. ped. 3, 14.

- Hieracium aurantiacum* L. Jacq. Fl. austr. 5, 410.  
 — — — Engl. Bot. 21, 1469.  
 — — — Sturm Flora 10, 39.  
 — aureum Scop. Vill. Dauph. 33.  
 — Auricula L. Fl. dan. 7, 1111.  
 — — — Engl. Bot. 33, 2368.  
 — — — Sturm Flora 10, 37.  
 — — — Dietr. Fl. bor. 10, 674.  
 — balsameum Asso. Asso Aragon. 7.  
 — bifurcum M. v. B. Dietr. Fl. bor. 11, 734.  
 — bulbosum Willd. Sibth. Fl. gr. 798.  
 — bupleuroides Gm. Gmelin Fl. bad. 3, 2.  
 — capillaceum All. All. Fl. ped. 3, 31.  
 — cerinthoides Gouan. Gouan Illustr. 22.  
 — — Vill. Vill. Dauph. 32.  
 — — Sm. Engl. Bot. 34, 2378.  
 — chondrilloides Jacq. Jacq. En. vind. 7.  
 — — — Jacq. Fl. austr. 5, 429.  
 — chrysanthum Led. Ledeb. Ic. 456.  
 — collinum Gochn. Gochnat Cichor. 2.  
 — — — Dietr. Fl. bor. 11, 735.  
 — croaticum W. et K. W. et Kit. 218.  
 — cymosum Vill. Villars Précis 4.  
 — — — Dietr. Fl. bor. 11, 737.  
 — — Spr. Sprengel Fl. hal. 10.  
 — — L. Fl. dan. 5, 810.  
 — — — Sturm Flora 10, 39.  
 — — — Rchb. Pl. crit. 1, 17, 56.  
 — dentatum Hoppe. Sturm Flora 10, 39.  
 — denticulatum Sm. Engl. Bot. 30, 2122.  
 — dubium L. Fl. dan. 6, 1044.  
 — — — Schrank Fl. monac. 4, 355.  
 — — Sm. Engl. Bot. 33, 2332.  
 — echioides Lunn. W. et Kit. 85.  
 — — — Dietr. Fl. bor. 11, 736.  
 — eriophorum St. Am. Bull. philom. 1811. no. 52.  
 — erianthum H. B. K. H. B. K. Nov. Gen. 4, 302.  
 — fallax Willd. Rchb. Pl. crit. 1, 39.  
 — flagellare Willd. Dietr. Fl. bor. 11, 790.  
 — flexuosum W. et K. W. et Kit. 209.  
 — florentinum All. Sprengel Fl. hal. 10.  
 — — — Schrank Fl. monac. 4, 374.  
 — — — Sturm Flora 10, 39.  
 — foetidum Willd. Sibth. Fl. gr. 799.  
 — foliosum W. et K. W. et Kit. 145.  
 — furcatum Hoppe. Sturm Flora 10, 37.  
 — fuscum Vill. Villars Précis 1.  
 — glabratum Hoppe. Sturm Flora 10, 37.  
 — glanduliferum Hoppe. Sturm Flora 10, 39.  
 — glaucum All. All. Fl. ped. 3, 28, 81.  
 — grandiflorum All. All. Fl. ped. 3, 29.  
 — — — W. et Kit. 99.  
 — Halleri Vill. Vill. Dauph. 34.  
 — — Spr. Curt. Lond. 5, 215.  
 — humile Host. Jacq. Fl. austr. 2, 189.  
 — hybridum Vill. Vill. Dauph. 26.  
 — — Chaix. Villars Précis 2.  
 — hyoseridifolium Vill. Soc. d. amat. 1, 2.  
 — — — Zollik. Alpenfl. 10.  
 — Jacquini Vill. Vill. Dauph. 28.  
 — javanicum Burm. Burm. Fl. ind. 57.  
 — incanum L. Jacq. Fl. austr. 3, 287.  
 — incarnatum Scop. Jacq. Ic. 578.  
 — incisum Hoppe. Sturm Flora 10, 39.  
 — intybaceum Jacq. Jacq. Fl. austr. 5, 43.  
 — — Hoppe. Sturm Flora 10, 39.  
 — laevigatum Willd. Willdenow Hort. 16.  
 — — — Dietr. Fl. bor. 11, 792.  
 — lampsanoides Gouan. Gouan Illustr. 21.  
 — lanatum W. et K. W. et Kit. 127.  
 — lanceolatum Vill. Vill. Dauph. 30.  
 — laniferum Cav. Cav. Ic. 234.

- Hieracium Lapeyrousii* Froel. Engl. Bot. 2915.  
 — — — Lawsonii Vill. Vill. Dauph. 29.  
 — — — Mutel Fl. fr. 34.  
 — — — Engl. Bot. 29, 2083.  
 — — — Liotardi Vill. Vill. Dauph. 29.  
 — lyrato-acutum Vill. Vill. Dauph. 28.  
 — lyratum L. Vill. Dauph. 28.  
 — macranthum Ten. Tenore Fl. nap. 184.  
 — maculatum Sm. Engl. Bot. 30, 2121.  
 — molle Jacq. Jacq. Fl. austr. 2, 119.  
 — — — Engl. Bot. 31, 2210.  
 — montanum Scop. Scop. Fl. carn. 2, 50.  
 — — Jacq. Jacq. Fl. austr. 2, 190.  
 — murorum L. All. Fl. ped. 3, 28.  
 — — — Sturm Flora 10, 39.  
 — — —  $\beta$ . Fl. dan. 7, 1113.  
 — — — Engl. Bot. 29, 2082.  
 — — — var. Rochel Banat. 29.  
 — — —  $\alpha, \beta, \gamma$ . Johnston Eastern Bord. 2.  
 — Nestleri Vill. Villars Précis 4.  
 — nigrescens Willd. Willdenow Hort. 10.  
 — obscurum Rchb. Rchb. Pl. crit. 1, 55.  
 — pallescens W. et K. W. et Kit. 217.  
 — paludosum All. All. Fl. ped. 3, 28, 31.  
 — — L. Fl. dan. 6, 928.  
 — — — Schk. Handb. 221.  
 — — — Lam. Encycl. 652.  
 — — — Engl. Bot. 16, 1094.  
 — pappoleucum Vill. Vill. Dauph. 31.  
 — Pelleterianum DC. Dietr. Fl. bor. 12, 852.  
 — picroides Vill. Villars Précis 1.  
 † Pilosella L. Gaertn. Carp. 158.  
 — — — Curt. Lond. 2, 90.  
 — — — Engl. Bot. 16, 1093.  
 — — — Dreves 1, 17.  
 — — — Hayne 3, 42.  
 — — — Fl. dan. 7, 1110.  
 — — — Sv. Bot. 458.  
 — — — Sturm Flora 7, 27.  
 — — — Schrank Fl. monac. 2, 196.  
 — — — Dietr. Fl. bor. 10, 673.  
 — pilosellaeforme Hoppe. Sturm Flora 10, 37.  
 — piloselloides Vill. Vill. Dauph. 27.  
 — — — Rchb. Pl. crit. 1, 38.  
 — — — Sturm Flora 10, 39.  
 — polytrichum Led. Ledeb. Ic. 461.  
 — porrifolium L. Jacq. En. vind. 6.  
 — — — Jacq. Fl. austr. 3, 286.  
 — — — Sturm Flora 10, 39.  
 — praealtum Vill. Villars Précis 2.  
 — — — Rchb. Pl. crit. 1, 55.  
 — — — Dietr. Fl. bor. 11, 738.  
 — praemorsum L. Fl. dan. 6, 942.  
 — pratense Tausch. Sturm Flora 10, 39.  
 — — — Dietr. Fl. bor. 11, 791.  
 — prenanthoides Vill. Villars Précis 3.  
 — — — Engl. Bot. 32, 2235.  
 — — — Johnston Eastern Bord. 3.  
 — prunellaefolium Gouan. Gouan Illustr. 22.  
 — — — All. Fl. ped. 3, 15.  
 — pseudo-pilosella Ten. Tenore Fl. nap. 184.  
 — pulmonarioides Vill. Vill. Dauph. 34.  
 — pulmonarium Sm. Engl. Bot. 33, 2307.  
 — pyrenaicum L. Rochel Banat. 29.  
 — racemosum W. et K. W. et Kit. 193.  
 — ramosum W. et K. W. et Kit. 216.  
 — repandum Schrk. Münchn. Denkschr. 4, 16.  
 — rupestre All. Allione Auct. 1.  
 — sabaudum L. Pallas Fl. ross. 3, 3.  
 — — — Fl. dan. 5, 872.  
 — — — All. Fl. ped. 3, 27.  
 — — — Engl. Bot. 5, 349.

- Hieracium sabaudum* L. Schrank Fl. monac. 3, 349.  
 — — — Dietr. Fl. bor. 11, 740.  
 — — — Johnston Eastern Bord. 3.  
 — sabinum Seb. Sebastiani Fl. rom. 6.  
 — — — Sebastiani Pl. rom. 1, 1.  
 — saxatile Jacq. Jacq. Obs. 50.  
 — — — Jacq. Ic. 163.  
 — — — Sturm Flora 10, 39.  
 — — — Vill. Vill. Dauph. 29.  
 — Schmidtii Tausch. Dietr. Fl. bor. 12, 851.  
 — Schraderi Schleich. Sturm Flora 10, 37.  
 — silvaticum Sm. Engl. Bot. 29, 2031.  
 — — — Johnston Eastern Bord. 2.  
 — — — Schrank Fl. monac. 1, 12.  
 — silvestre Tausch. Dietr. Fl. bor. 11, 739.  
 — simplex Viv. Viviani Lib. 13.  
 — spicatum All. All. Fl. ped. 3, 27.  
 — staticefolium All. All. Fl. ped. 3, 81.  
 — — — Vill. Dauph. 27.  
 — — — Lam. Encycl. 652.  
 — — — Sturm Flora 7, 28.  
 — — — Schrank Fl. monac. 3, 285.  
 — stipitatum Jacq. Jacq. Fl. austr. 3, 293.  
 — stoloniferum Viv. Viviani Fl. ital. 20.  
 — stoloniferum W. et K. W. et Kit. 273.  
 — strictum Bab. Johnston Eastern Bord. 3.  
 — sudeticum Sternb. Regensb. Denkschr. 2, 5.  
 — Taraxaci L. Retzius Obs. 4, 2.  
 — umbellatum L. Curt. Lond. 1, 87.  
 — — — Engl. Bot. 25, 1771.  
 — — — Baxter Brit. Bot. 3, 165.  
 — — — Fl. dan. 4, 680.  
 — — — Sv. Bot. 425.  
 — — — Dietr. Fl. bor. 12, 834.  
 — — — Johnston Eastern Bord. 3.  
 — valdepilosum Vill. Vill. Dauph. 30.  
 — variegatum Lam. Lam. Encycl. 652.  
 — verbascifolium Pers. Villars Précis 3.  
 — villosum L. Jacq. Fl. austr. 1, 87.  
 — — — Sturm Flora 10, 37.  
 — — — Engl. Bot. 34, 2379.  
 — — — var. Rochel Banat. 29.  
 — Virga aurea Coss. Ann. sc. nat. III. 7, 12.  
 † *Hierochloa Gmelin.* Ann. d'obs. 2, 2. 3. 4.  
 † — — — Dumortier Gram. 9.  
 — antarctica R. Br. Humb. Gram. 203.  
 — — — var. redolens, Brongniart Coquille 23.  
 — — — (errore 30.)  
 — australis R. et Rch. Sturm Flora 1, 4.  
 — — — Rchb. Fl. germ. 1, 107.  
 † — — — Nees Gen. 1, 15.  
 — borealis R. et Sch. Engl. Bot. 2641.  
 — — — Baxter Brit. Bot. 2, 148.  
 — — — Rchb. Fl. germ. 1, 107.  
 † — — — Nees Gen. 1, 15.  
 — Brynonis Hook. Hook. Fl. ant. 52.  
 — odorata Wahlenb. Sturm Flora 1, 40.  
 — utriculata Kth. Humb. Gram. 8.  
*Hieronima alchornioides Allem.* Allemão Diss. 1848, x.  
*Higginsia mexicana Link et Kl.* Link Ic. III. 23.  
*Hilaria cenchroides H. B. K.* H. B. K. Nov. Gen. 1, 37.  
 — — — Dict. sc. nat. 19.  
 — — — Lam. Encycl. 911.  
*Hillia longiflora Sw.* Swartz Obs. 5.  
 † — — — Gaertn. Carp. 197.  
 — — — Andr. Rep. 3, 145.  
 — — — Bot. Mag. 19, 721.  
 — parasitica L. Jacq. Hist. stirp. am. 97.  
 † — — — Lam. Encycl. 257.  
 — prasiantha Ch. Lem. Fl. d. serres 3, 188.  
 — tetrandra Sw. Swartz Ic. Ind. occ. 11.  
 † — — — Gaertn. Carp. 197.

- Himeranthus cerosus Miers.* Miers Illustr. 5.  
 — runcinatus Miers. Miers Illustr. 4.  
 — tridentatus Miers. Miers Illustr. 4.  
*Hindsia violacea Benth.* Paxt. Mag. 11, 197.  
 — — — Bot. Rec. 30, 40.  
 — — — Bot. Mag. 71, 4135.  
 — — — Fl. d. serres 1, 7.  
 † *Hippeastrum Herb.* Herbert Amar. 34.  
 — ambiguum Herb. Bot. Mag. 64, 3542.  
 — aulicum Herb. Knowles et Westcott 52.  
 † — barbatum Herb. Herbert Amar. 21.  
 † — breviflorum Herb. Herbert Amar. 21.  
 — — — Bot. Mag. 64, 3549.  
 — decoratum Lem. Lem. Jard. fl. 4, 338.  
 † — miniatum Herb. Herbert Amar. 47.  
 — pulverulentum Herb. Bot. Mag. 49, 2273.  
 — solandriflorum Herb. Bot. Mag. 52, 2573.  
 — — — Ldl. Bot. Mag. 66, 3771.  
 — spathaceum Herb. Bot. Mag. 49, 2315.  
 — splendens Herb. Herbert Appendix 4.  
 — stylosum Herb. Bot. Mag. 49, 2278.  
 — subbarbatum Herb. Bot. Mag. 51, 2475.  
 † — Tweedicanum Herb. Herbert Amar. 21.  
 † *Hippia frutescens L.* Gaertn. Carp. 164.  
 † — — — Lam. Encycl. 717.  
 — — — Bot. Mag. 43, 1855.  
 — stolonifera Brot. Brotero Phytogr. 73.  
*Hippion aestivum Schmidt.* Roemer Archiv 1, 4.  
 — axillare Schmidt. Roemer Archiv 1, 5.  
 — bavaricum Schmidt. Roemer Archiv 1, 5.  
 — cruciatum Schmidt. Schrank Fl. monac. 2, 153.  
 — Gentianella Schmidt. Roemer Archiv 1, 3.  
 — longepedunculatum Schmidt. Roemer Arch. 1, 2.  
 — nanum Schmidt. Roemer Archiv 1, 4.  
 — obtusifolium Schmidt. Roemer Archiv 1, 2.  
 — pusillum Schmidt. Roemer Archiv 1, 3.  
 — sexfidum Schmidt. Roemer Archiv 1, 4.  
 — vernum Schmidt. Roemer Archiv 1, 4.  
 — — — Schrank Fl. monac. 1, 56.  
 † *Hippocastanum vulgare Gaertn.* Gaertn. Carp. 111.  
 † — — — Lam. Encycl. 273.  
 — — — Nouveau Duhamel 2, 13. 14.  
*Hippocratea arborea Roxb.* Roxb. Corom. 205.  
 — Arnottiana Wight. Wight Illustr. 46 — 47.  
 — emarginata Rudge. Rudge Pl. Guianae 9.  
 — Glaga Korth. Korthals Bot. 40.  
 — Grahams Wight. Wight Ic. pl. Ind. or. 2, 380.  
 — indica Willd. Roxb. Corom. 130.  
 — macrantha Korth. Korthals Bot. 39.  
 — malpighiaefolia Rudge. Rudge Pl. Guianae 8.  
 — oboordata Lam. Lam. Encycl. 28.  
 — obtusifolia Roxb. Wight Ic. pl. Ind. or. 3, 963.  
 — ovata Lam. Lam. Encycl. 28.  
 — paniculata Vahl. Guillemin Seneg. 25.  
 — Richardiana Guill. Guillemin Seneg. 26.  
 — scandens Jacq. Jacq. Hist. stirp. am. 12.  
 — — — Dict. sc. nat. 162.  
 — — — Desc. Ant. 4, 290.  
 — Schimperiana Hochst. Richard Abyssin. 22.  
 — viridis R. et P. Ruiz et Pav. Fl. 74.  
*Hippocrepis balcarica Jacq.* Jacq. Ic. 149.  
 — — — Bot. Mag. 12, 427.  
 † — — — Lam. Encycl. 630.  
 — — — Roemer Fl. cur. 7, 7.  
 — ciliata Willd. Mag. naturf. Fr. 2, 5.  
 — — — Moris Fl. sard. 67.  
 — comosa L. Engl. Bot. 1, 31.  
 — — — Baxter Brit. Bot. 5, 369.  
 — — — Schrank Fl. monac. 3, 262.  
 — glauca Ten. Tenore Fl. nap. 69.  
 — multisiliquosa L. Schk. Handb. 206.  
 — — — Sibth. Fl. gr. 717.

- Hippocrepis multisiliquosa* L. Moris Fl. sard. 66.  
 — *unisiliquosa* L. Sibth. Fl. gr. 716.  
 † — — Lam. Encycl. 630.  
 — *valentina* Boiss. Boissier Esp. 55.  
*Hippoplossum umbellatum* Breda. Breda Orch. Jav. 14.  
*Hippomane biglandulosa* L. Desc. Ant. 3, 154.  
 — *Mancinella* L. Jacq. Hist. stirp. am. 238.  
 † — — Svensk Acad. 1790, 10.  
 — — Lam. Encycl. 793.  
 — — Dict. sc. nat. 278.  
 — — Tussac Ant. 3, 5.  
 † — — Jussieu Euphorb. 16.  
 — — Ricord Recherches 3.  
 — — Desc. Ant. 3, 153.  
 — *spinosa* L. Desc. Ant. 3, 155.  
*Hippophae rhamnoides* L. Pallas Fl. ross. 68.  
 — — Fl. dan. 2, 265.  
 — — Engl. Bot. 6, 425.  
 — — Baxter Brit. Bot. 6, 426.  
 — — Sv. Bot. 385.  
 † — — Mem. hist. nat. Par. 1, 24.  
 † — — Lam. Encycl. 808.  
 † — — Gaertn. Carp. 42.  
 — — Schk. Handb. 321.  
 — — Tratt. Archiv 165.  
 — — Hartig 60.  
 — — Schrank Fl. monac. 1, 76.  
 — — Rchb. Fl. germ. 11, 549.  
 — — Nees Gen. 4, 44.  
 † — — Schmilz. Iconogr. 2, 111.  
*Hippotis triflora* Rz et P. Ruiz et Pav. Fl. 201.  
 † *Hippuris* L. Ann. Mus. 3, 30.  
 — *lanccolata* Retz. Retzius Obs. 31.  
 — *maritima* Hell. Hellenius Monogr. 1.  
 — — Usteri Delectus 1, 1.  
 — — Fl. dan. 8, 1261.  
 — — Rchb. Pl. crit. 1, 86.  
 — *montana* Led. Rchb. Pl. crit. 1, 86.  
 † *tetraphylla* L. fl. Lam. Encycl. 5.  
 † *vulgaris* L. Gaertn. Carp. 84.  
 — — Lam. Encycl. 5.  
 — — Fl. dan. 1, 87.  
 — — Curt. Lond. 2, 1.  
 † — — Konig Ann. 1, 12.  
 — — Engl. Bot. 11, 763.  
 — — Baxter Brit. Bot. 1, 49.  
 — — Sv. Bot. 335.  
 — — Dict. sc. nat. 220.  
 — — Schk. Handb. 1.  
 — — Dreves 3, 93.  
 — — Tratt. Archiv 270.  
 — — Sturm Flora 11, 44.  
 — — Schrank Fl. monac. 3, 275.  
 — — Dietr. Fl. bor. 5, 304.  
 — — Nees Gen. 4, 2.  
*Hiptage Madablotia* Gaertn. Rheede Hort. mal. 6, 59.  
 † — — Gaertn. Carp. 116.  
 † — — Arch. Mus. 3, 16.  
 — — Wight Illustr. 50.  
*Hiraca argentea* Juss. St. Hil. Fl. Bras. 163.  
 † — — Arch. Mus. 3, 19.  
 — *Blanchetiana* Moric. Moricand Pl. Am. 65.  
 — *cordifolia* Juss. St. Hil. Fl. Bras. 164.  
 — *cycloptera* M. et S. Hook. Beechey 58.  
 † *fagifolia* Juss. Arch. Mus. 3, 19.  
 — *fulgens* Juss. Miquel Surin. 22.  
 — *hirsuta* Wall. Wall. Pl. asiat. 13.  
 — *indica* Roxb. Wight Ic. pl. Ind. or. 2, 381.  
 † *reclinata* Jacq. Spach Suites 20.  
 † *Salzmanniana* Juss. Arch. Mus. 3, 19.  
 — *sepium* Juss. St. Hil. Fl. Bras. 165.  
 † — — Arch. Mus. 3, 19.

- Hirtella americana* L. Aublet Guiana 98.  
 † — — Gaertn. Carp. 185.  
 — — Jacq. Hist. stirp. am. 11.  
 — *filiformis* Presl. Presl Symb. 69.  
 — *hexandra* Willd. Miquel Surin. 7.  
 — *hispidula* Mig. Miquel Surin. 7.  
 — *mollicoma* H. B. K. H. B. K. Nov. Gen. 7, 658.  
 — *paniculata* Sw. Vahl Symb. 31.  
 — *polyandra* H. B. K. H. B. K. Nov. Gen. 6, 565.  
 — *racemosa* Rz et P. Ruiz et Pav. Fl. 227.  
 — — Lam. Encycl. 138.  
 — *triandra* Sw. Kerner Hort. 138.  
*Hisingera nitida* Hellen. Svensk Acad. 1792, 2.  
 — *racemosa* S. et Zucc. Sieb. Fl. Japon. 88, 100.  
*Hispidella hispanica* Lam. Hoffm. Lk. Fl. port. 94.  
*Hladnickia pastinacifolia* Rchb. Rchb. Ic. crit. 9, 825.  
*Hoarea atra* Sweet. Sweet Geran. 72.  
 — *atrosanguinea* Sweet. Sweet Geran. 151.  
 — *carinata* Sweet. Sweet Geran. 135.  
 — *coccinea* Sweet. Sweet Geran. 398.  
 — *coluteaeifolia* Sweet. Sweet Geran. 311.  
 — *Colvillii* Sweet. Sweet Geran. 260.  
 — *congesta* Sweet. Sweet Geran. 302.  
 — *corydaliflora* Sweet. Sweet Geran. 18.  
 — *elegans* Sweet. Sweet Geran. 132.  
 — *hedysarifolia* Sweet. Sweet Geran. 355.  
 — *labyrinthica* Sweet. Sweet Geran. 276.  
 — *Lecana* Sweet. Sweet Geran. 323.  
 — *melanantha* Sweet. Sweet Geran. 73.  
 — *nivea* Sweet. Sweet Geran. 182.  
 — *orobifolia* Sweet. Sweet Geran. 304.  
 — *ovalifolia* Sweet. Sweet Geran. 106.  
 — *radicata* Sweet. Sweet Geran. 174.  
 — *reticulata* Sweet. Sweet Geran. 91.  
 — *retusa* Sweet. Sweet Geran. 307.  
 — *rosea* Sweet. Sweet Geran. 262.  
 — *selinifolia* Sweet. Sweet Geran. 159.  
 — *setosa* Sweet. Sweet Geran. 88.  
 — *sisymbriifolia* Sweet. Sweet Geran. 292.  
 — *undulaeflora* Sweet. Sweet Geran. 263.  
 — *varia* Sweet. Sweet Geran. 166.  
 — *venosa* Sweet. Sweet Geran. 209.  
 — *violaeiflora* Sweet. Sweet Geran. 123.  
*Hochstetteria Schimperii* DC. DC. Compos. 6.  
*Hockinia montana* Gardn. Fielding Sertum 47.  
 † *Hoffmannia* Sw. Swartz Fl. Ind. occ. 5.  
*Hoffmanseggia falcata* Cav. Cav. Ic. 392.  
 † — — Lam. Encycl. 952.  
 — *trifoliata* Cav. Cav. Ic. 393.  
 † *Hohenackera bupleurifolia* Fisch. et M. Linnaea 11, 7.  
 — — Sert. petrop. 4.  
 — — Jard. Petersb. 9.  
*Hoheria angustifolia* Deene. Raoul Nouv. Zel. 26.  
 — *Lyallii* Hook. Hook. New Zeal. 11.  
 — *populnea* Cunn. Hook. Ic. pl. 6, 565, 566.  
*Hoitzia coccinea* Cav. Cav. Ic. 365.  
 — — Knowles et Westcott 99.  
 — *cocurlea* Cav. Cav. Ic. 366.  
 — *glandulosa* Cav. Cav. Ic. 367.  
*Holarrhena Codaga* G. Don. Rheede Hort. mal. 1, 47.  
 — — Wight Ic. pl. Ind. or. 4, 1297.  
 — *malaccensis* Wight. Wight Ic. pl. Ind. or. 4, 1298.  
*Hollboellia acuminata* Ldl. Lem. Jard. fl. 144.  
 — — Paxt. Fl. G. 45.  
 — *angustifolia* Wall. Wallich Tentamen 17.  
 — *latifolia* Wall. Wallich Tentamen 16.  
 † — — Arch. Mus. 1, 12.  
 — — Bot. Reg. 32, 49.  
 — *ornithocephala* Hook. Hook. Bot. Misc. 76.  
 † *Holcus* L. Miq. Observ. bot. 1.  
 † — — Usteri Delectus 2, 5.  
 † — — Linné Amocnit. 7, 3.

- † *Holcus L.* Dumortier Gramin. 9.  
 † — *acicularis Rasp.* Annales d'obs. 4, 10.  
 — *alpinus Sw.* Schrader N. Journ. 2, 3.  
 — — — Fl. dan. 9, 1508.  
 — — — Wahlenberg Fl. lapp. 2.  
 — — — Sv. Bot. 438.  
 † *atropurpureus Wahlbg.* Sv. Bot. 687.  
 — *avenaceus Wigg.* Curt. Lond. 3, 82.  
 — — — Engl. Bot. 12, 813.  
 — — — Knapp Gram. 39.  
 — — — Scop. Schrank Fl. monac. 4, 323.  
 — *caespitosus Boiss.* Boissier Esp. 173.  
 — — — Webb Otia 1.  
 — *Cafraeae Ard.* Arduino Monogr. 1.  
 — *coerulescens Gaudich.* Freycinet Voyage 27.  
 — *Gayanus Boiss.* Boissier Esp. 173.  
 — *halpensis L.* Schreber Gräser 18.  
 — — — Host Gram. 1.  
 — *lanatus L.* Curt. Lond. 3, 57.  
 — — — Engl. Bot. 17, 1169.  
 — — — Knapp Gram. 37.  
 — — — Baxter Brit. Bot. 1, 64.  
 — — — Fl. dan. 7, 1181.  
 — — — Sv. Bot. 84.  
 — — — Schreber Gräser 20.  
 — — — Host Gram. 2.  
 — — — Schrank Fl. monac. 4, 351.  
 — — — Reichenb. Fl. germ. 1, 105.  
 † — — — Nees Gen. 1, 14.  
 — *mollis L.* Curt. Lond. 3, 59.  
 — — — Engl. Bot. 17, 1170.  
 — — — Knapp Gram. 38.  
 — — — Fl. dan. 6, 1059.  
 — — — Sv. Bot. 198.  
 — — — Schreber Gräser 20.  
 — — — Host Gram. 3.  
 — — — Rchb. Fl. germ. 1, 105.  
 — *odoratus L.* Fl. dan. 6, 963.  
 — — — Sv. Bot. 168.  
 — — — Host Gram. 4.  
 — — — Schk. Handb. 344.  
 — *repens Host.* Host Gram. 203.  
 — *rigidus Hochst.* Seubert Fl. azor. 1.  
 † — *saccharatus L.* Gaertn. Carp. 80.  
 † — — — Lam. Encycl. 838.  
 † — *Sorghum L.* Rumpf Amb. 5, 75<sup>b</sup>.  
 † — — — Gaertn. Carp. 80.  
 † — — — Lam. Encycl. 838.  
 — — — Desc. Ant. 8, 541.  
 — *spicatus L.* Rheede Hort. mal. 12, 79.  
 — — — Lam. Encycl. 838.  
 — — — Desc. Ant. 8, 543.  
*Holigarna longifolia Roxb.* Rheede Hort. mal. 4, 9.  
 — — — Roxb. Corom. 282.  
*Holmskioldia sanguinea Retz.* Hoffmann Phyt. Bl. 3.  
 — — — Smith Exot. Bot. 80.  
 — — — Bot. Reg. 9, 692.  
 — — — Rchb. Exot. 149.  
 — — — Jacquemont Ind. 140.  
*Hologymne californica Barth.* Bot. Reg. 21, 1823.  
 — *glabrata Barth.* Bot. Mag. 66, 3730.  
 — — — Bot. Reg. 21, 1780.  
*Hololachne soongorica Led.* Ledeb. Ic. 443.  
*Hololepis pedunculata DC.* Ann. Mus. 16, 6.  
*Holopetala integrifolia Planch.* Wight Ic. pl. Ind. or. 6, 1968.  
*Holoschoenus australis Rchb.* Rchb. Fl. germ. 8, 317.  
 — *filiformis Rchb.* Rchb. Fl. germ. 8, 316.  
 — *Linnaei Rchb.* Rchb. Fl. germ. 8, 318.  
 † — *vulgaris Lk.* Nees Gen. 2, 11.  
*Holostemma Adakodien R. Br.* Rheede Hort. mal. 9, 7.  
 — *Brunonianum Royle.* Royle Illustr. 66.

- Holostemma Rheedii Spr.* Wight Ic. pl. Ind. or. 6, 597.  
*Holostemum cordatum L.* Lam. Encycl. 51.  
 — *diandrum Sw.* Swartz Ic. Ind. occ. 7.  
 — *umbellatum L.* Lam. Encycl. 51.  
 — — — Fl. dan. 7, 1204.  
 — — — Engl. Bot. 1, 27.  
 — — — Baxter Brit. Bot. 4, 299.  
 † — — — Gaertn. Carp. 130.  
 — — — Schk. Handb. 20.  
 — — — Dreyes 4, 118.  
 — — — Roemer Fl. eur. 2, 4.  
 — — — Sturm Flora 20, 94.  
 — — — Rchb. Fl. germ. 5, 221.  
 — — — Dietr. Fl. bor. 5, 321.  
*Holothrix Harveyana Ldl.* Hook. Ic. pl. 2, 103.  
 † — *parvifolia Ldl.* Hook. Ic. pl. 2, 103.  
 † *Homalium Jacq.* Swartz Fl. Ind. occ. 17.  
 — *racemosum Jacq.* Lam. Encycl. 483.  
 — — — Desc. Ant. 2, 88.  
 — — — Lodd. Cab. 261.  
 — — — Bot. Reg. 6, 519.  
 — — — Dict. sc. nat. 244.  
 — *spicatum Lam.* Lam. Encycl. 483.  
*Homalonema aromatica Schott.* Wight Ic. pl. Ind. or. 3, 805.  
*Homanthus echinulatus Cass.* Richard Astrolabe 10.  
*Hombroonia calathiphora Gaudich.* Richard Astrolabe 3.  
 † — *edulis Gaudich.* Gaudichaud Bonite 22.  
*Homeria collina Don.* Sweet Fl. G. II. 178.  
 — *lineata Sweet.* Sweet Fl. G. 178.  
 — *miniata Sweet.* Sweet Fl. G. 152.  
 † *Homocentria vagans Naud.* Ann. sc. nat. III. 15, 15.  
 † *Homogyne alpina Cass.* Nees Gen. X, x.  
 — — — Sturm Flora 6, 21.  
 — *discolor Cass.* Sturm Flora 6, 21.  
 — *silvestris Cass.* Sturm Flora 6, 21.  
 † *Homoianthus DC.* Ann. Mus. 19, 3.  
 — *echinulatus Cass.* Hook. Ic. pl. 5, 491.  
 † *Homoranthus virgatus Cunn.* Acta Leop. 19. Suppl. II. 3.  
*Homotropium erythrorhizum N. v. E.* Endl. Bras. 7, 2.  
 † *Honckenya Ehrh.* Gray Genera 110.  
 — *ficifolia Willd.* Usteri Del. 2, 4.  
 — *peploides Ehrh.* Rchb. Fl. germ. 5, 213.  
 — — — Gray Genera 110.  
 † *Hondala Gaertn.* Gaertn. Carp. 180.  
*Hookera coronaria Salisb.* Salisbury Parad. 98.  
 — *pulchella Salisb.* Salisbury Parad. 117.  
*Hoorebekia chilensis Corn.* Mussche Hort. gand. 1.  
*Hopea Balangeran Korth.* Korthals Bot. 7.  
 — *lucida Thunb.* Thunb. Ic. jap. 14.  
 — *odorata Roxb.* Roxb. Corom. 210.  
 † — — — Korthals Bot. 7.  
 — *speciosa Rchb.* Rchb. Hort. 10.  
 † — *tinctoria L.* Gaertn. Carp. 209.  
 — — — Michaux Arb. 3, 9.  
 — *Wightiana Wall.* Wight Illustr. 37.  
*Hopkirkia Eupatoria Spr.* Jacq. Ecl. pl. 139.  
*Hoppia irrigua N. v. E.* Endl. Bras. 3, 30.  
*Hoplophyllum spinosum DC.* Endl. Iconogr. 34.  
 † *Hordeum L.* Linné Amoelit. 7, 2.  
 † — — — Lam. Encycl. 49.  
 † — — — Ann. Mus. 17, 7.  
 † — — — Dumortier Gramin. 1.  
 † — — — Novi Comm. Gott. 6, 2, 3.  
 — *Aegiceras Royle.* Royle Illustr. 97.  
 — *bulbosum L.* Host Gram. 313.  
 — — — Sibth. Fl. gr. 98.  
 — — — Rchb. Fl. germ. 1, 12.  
 † — — — Verhandl. Rheinl. 7, 6.  
 — *distichum L.* Viborg Afh. 3.  
 † — — — Gaertn. Carp. 81.  
 — — — Host Gram. 236.

- Hordeum distichum* L. Guimp. et Schl. 235.  
 — — — Metzger Cereal. 11.  
 — — — Woodv. Med. 5, 29.  
 — — geniculatum All. All. Fl. ped. 3, 91.  
 † — hexastichum L. Gaertn. Carp. 81.  
 — — — Viborg Afh. 2.  
 — — — Host Gram. 235.  
 — — — Nees Düsseld. 30.  
 — — — Guimp. et Schl. 234.  
 — — — Metzger Cereal. 10.  
 † — himalayense trifurcatum Sch. Linnæa 13, 4.  
 — — hirsutum Bert. Novi Comm. Bonon. 5, 40.  
 — — maritimum Roth. Fl. dan. 4, 630. 10, 1632.  
 — — — Curt. Lond. 4, 43.  
 — — — Engl. Bot. 17, 1205.  
 — — — Knapp Gram. 106.  
 — — — Host Gram. 34.  
 — — — Rchb. Fl. germ. 1, 11.  
 — — murinum L. Fl. dan. 4, 629.  
 — — — Curt. Lond. 1, 112.  
 — — — Engl. Bot. 28, 1971.  
 — — — Knapp Gram. 104.  
 — — — Baxter Brit. Bot. 5, 344.  
 — — — Schk. Handb. 19.  
 — — — Host Gram. 32.  
 — — — Rchb. Fl. germ. 1, 11.  
 † — — — Nees Gen. 1, 83.  
 — — pratense Huds. Engl. Bot. 6, 409.  
 — — — Knapp Gram. 105.  
 — — — Rchb. Fl. germ. 1, 11.  
 — — secalinum Schreb. Host Gram. 33.  
 — — — Trin. Sp. Gr. 1, 3, 4.  
 — — — Gussone Pl. rar. 11.  
 — — silvaticum Huds. Knapp Gram. 107.  
 — — strictum Desf. Desf. Fl. atl. 37.  
 — — vulgare L. Host Gram. 234.  
 — — — Metzger Cereal. 9.  
 — — — Wagner 147.  
 — — — Nees Düsseld. 29.  
 — — — Guimp. et Schl. 233.  
 † — — — Spach Suites 128.  
 † — — — Nees Gen. 1, 83.  
 — — — coeleste, Viborg Afh. 1.  
 — — Zeocriton L. Viborg Afh. 4.  
 — — — Schreber Gräser 17.  
 — — — Host Gram. 237.  
 — — — Guimp. et Schl. 236.  
 — — — Metzger Cereal. 11.  
*Horkelia congesta* Dougl. Bot. Mag. 56, 2880.  
 — — fusca Ldl. Bot. Reg. 23, 1997.  
 — — Gordoni Hook. Hook. Journ. 1853, 12.  
*Horminum arborescens tomentosum*, Desc. Ant. 6, 437.  
 † — — pyrenaicum L. Lam. Encycl. 515.  
 — — — Sweet Fl. G. 352.  
 † — — — Nees Gen. 6, 10.  
*Hormogyne cotinifolia* DC. Delessert Ic. 5, 37.  
 † *Hornemannia bicolor* Willd. Mem. Genev. 6, 3.  
 — — — Rchb. Hort. 37.  
 — — ovata Link. Link Ic. I. 3.  
 — — prostrata Jacq. Jacq. Ecl. pl. 150.  
*Horsfieldia aculeata* Bl. Bennett Java 26.  
*Hortensia mutabilis* Schneev. Schneevogt Ic. 36.  
 — — opuloides Lam. Lam. Encycl. 380.  
 — — — Kerner Hort. 101.  
 † — — — Jacq. Fragm. 3.  
 — — — Nouveau Duhamel 3, 24.  
 — — speciosa Pers. Kerner Hort. 502.  
 † *Hortia brasiliiana* Vand. Mem. Mus. 12, 22.  
 — — — St. Hil. pl. us. 17.  
*Hortonia acuminata* Wight. Wight Ic. pl. Ind. or. 6, 1998.  
 — — floribunda Wight. Wight Ic. pl. Ind. or. 6, 1997.

- Hortonia ovalifolia* Wight. Wight Ic. pl. Ind. or. 6, 1998.  
*Hosackia bicolor* Benth. Bot. Reg. 15, 1257.  
 — — stolonifera Ldl. Bot. Reg. 23, 1977.  
*Hosea malabarica* Demst. Rheede Hort. mal. 5, 6.  
*Hoslundia oppositifolia* Vahl. Pal. B. Fl. d'Ōware 33.  
*Hosta coerulea* Jacq. Jacq. Schoenbr. 1, 114.  
 — — — Tratt. Thes. 51.  
 — — — Tratt. Archiv 128, 128<sup>a</sup>.  
 — — — Rchb. Exot. 284.  
 — — — Savi Fl. ital. 3, 88.  
 — — — Bot. Reg. 14, 1204.  
 — — japonica Tratt. Tratt. Thes. 52.  
 — — — Tratt. Archiv 16, 16<sup>a</sup>.  
 — — odorata P. et E. Poepp. et Endl. 269.  
*Hostmannia elvasioides* Planch. Hook. Ic. pl. 8, 709.  
*Hoteia barbata* Hook. Bot. Mag. 67, 3821.  
 — — japonica Morr. et Decne. Ann. sc. nat. II. 2, 11.  
 — — — Bot. Reg. 23, 2011.  
*Hottonia palustris* L. Fl. dan. 3, 487.  
 — — — Curt. Lond. 1, 16.  
 — — — Engl. Bot. 6, 364.  
 — — — Baxter Brit. Bot. 6, 421.  
 — — — Sv. Bot. 603.  
 † — — — Gaertn. Carp. 198.  
 † — — — Lam. Encycl. 100.  
 — — — Schk. Handb. 35.  
 — — — Dietr. Fl. bor. 6, 414.  
 † — — — Nees Gen. 5, 22.  
 — — — fl. rubro, Fl. dan. 11, 1867.  
*Houletia Brocklehurstiana* Ldl. Lindley Sertum 43.  
 — — — Bot. Mag. 70, 4072.  
 — — — Paxt. Mag. 9, 49.  
 — — vittata Ldl. Bot. Reg. 27, 69.  
*Houmiri balsamifera* Aubl. Aublet Guiana 225.  
 — — — Lam. Encycl. 462.  
 — — — Desc. Ant. 3, 210.  
*Houstonia coccinea* Andr. Andr. Rep. 2, 106.  
 — — — Herb. amat. 2, 116.  
 — — coerulea L. Lam. Encycl. 79.  
 — — — Bot. Mag. 11, 370.  
 — — — Lodd. Cab. 950.  
 — — — Barton Fl. 1, 34.  
 † — — longifolia Gaertn. Gaertn. Carp. 49.  
 † — — — Lam. Encycl. 79.  
 — — — Bot. Mag. 58, 3099.  
 — — purpurea L. Lodd. Cab. 1621.  
 — — rubra Cav. Cav. Ic. 474.  
 — — serpyllifolia Michx. Bot. Mag. 55, 2822.  
*Houttuynia cordata* Thunb. Svensk Acad. 1783, 5.  
 — — — Thunb. Fl. jap. 26.  
 — — — Lam. Encycl. 739.  
 † — — — Meyer Houttuynia 1.  
 — — — Bot. Mag. 54, 2731.  
 † — — — Schnizl. Iconogr. 2, 82.  
*Hovea Celsi* Bonpl. Bonpland Malm. 51.  
 — — — Lodd. Cab. 1488.  
 — — — Bot. Mag. 45, 2005.  
 — — — Maund Bot. 1, 40.  
 — — — Paxt. Mag. 3, 241.  
 — — — Rchb. Exot. 148.  
 — — — Bot. Reg. 4, 280.  
 — — chorozeamaefolia DC. Maund Bot. 3, 150.  
 — — — Bot. Reg. 18, 1524.  
 — — elliptica DC. Lodd. Cab. 1450.  
 — — ilicifolia Cunn. Bot. Reg. 30, 58.  
 — — lanceolata Sims. Bot. Mag. 39, 1624.  
 — — — var. linearis, Bot. Reg. 17, 1427.  
 — — latifolia Lodd. Lodd. Cab. 30.  
 — — linearis R. Br. Bot. Reg. 6, 463.  
 — — — Lodd. Cab. 1222.  
 — — — Paxt. Mag. 12, 75.  
 — — longifolia R. Br. Bot. Reg. 8, 614.

- Hovea longifolia* *R. Br.* Lodd. Cab. 994.  
 — *Manglesii* *Ldl.* Bot. Reg. 24, 62.  
 — *pannosa* *Cunn.* Bot. Mag. 58, 3053.  
 — *pungens* *Benth.* Hügel Archiv 7.  
 — — Maund Bot. 4, 164.  
 — — Paxt. Mag. 6, 101, 10, 51.  
 — *purpurea* *Sweet.* Sweet Austr. 13.  
 — — Maund Bot. 2, 72.  
 — — Lodd. Cab. 1457.  
 — — Bot. Reg. 17, 1423.  
 — *racemulosa* *Benth.* Bot. Reg. 29, 4.  
 — *splendens* *Paxt.* Paxt. Mag. 10, 103.  
 — *villosa* *Ldl.* Bot. Reg. 18, 1512.  
*Hovenia acerba* *Ldl.* Bot. Reg. 6, 501.  
 — *dulcis* *Thunb.* Kaempfer Amoenit. p. 808.  
 — — Lam. Encycl. 131.  
 † — — Ann. sc. nat. 10, 15.  
 † — — Spach Suites 15.  
 — — Bot. Mag. 50, 2360.  
 — — Sieb. Fl. Japon. 73, 74.  
*Hoya bella* *Hook.* Bot. Mag. 74, 4402.  
 — — Paxt. Mag. 15, 243.  
 — — Fl. d. serres 4, 399.  
 — *campanulata* *Bl.* Bot. Mag. 76, 4545.  
 — — Bot. Reg. 33, 54.  
 — — Lem. Jard. fl. 70.  
 — *carnea* *R. Br.* Jacq. Ecl. pl. 2, 101.  
 — — Rchb. Mag. 32.  
 — — Herb. amat. 3, 200.  
 — *cinnamomifolia* *Hook.* Bot. Mag. 74, 4347.  
 — — Fl. d. serres 4, 310.  
 — *coriacea* *Bl.* Blume Rumphia 187.  
 — — Bot. Reg. 25, 18.  
 — — Bot. Mag. 76, 4518.  
 — — Fl. d. serres 6, 578.  
 — — Lem. Jard. fl. 37.  
 — *Corona Ariadnes* *Bl.* Blume Rumphia 183.  
 — *coronaria* *Bl.* Rumpf Amb. 5, 172.  
 — — Blume Rumphia 182, 184.  
 — *fraterna* *Bl.* Bot. Mag. 78, 4684.  
 — — Fl. d. serres 8, 815.  
 — *fusca* *Wall.* Wall. Pl. asiat. 75.  
 — *imbricata* *Decne.* Delessert Ic. 5, 90.  
 — *imperialis* *Ldl.* Bot. Mag. 74, 4397.  
 — — Annales de Gand 1848, 228.  
 — — Fl. d. serres 4, 393, 394.  
 — *lacuna* *Wight.* Jacquemont Ind. 114.  
 † — *lacunosa* *Bl.* Blume Rumphia 184.  
 — *macrophylla* *Bl.* Blume Rumphia 185.  
 — *ovalifolia* *W. et Arn.* Wight Ic. pl. Ind. or. 3, 847.  
 — — Lem. Jard. fl. 64.  
 — — Paxt. Fl. G. 23.  
 — *pallida* *Ldl.* Bot. Reg. 11, 951.  
 — — Lodd. Cab. 1309.  
 — — Lem. Jard. fl. 64.  
 — *parasitica* *Wall.* Wight Ic. pl. Ind. or. 2, 587.  
 — *pauciflora* *Wight.* Wight Ic. pl. Ind. or. 4, 1269.  
 — *pendula* *W. et A.* Rheede Hort. mal. 9, 13.  
 — — Wight Ic. pl. Ind. or. 2, 474.  
 — *picta* *Sieb.* Annales de Gand 1848, 220.  
 † — *polystachya* *Bl.* Blume Mus. 1, 9.  
 — *Pottsii* *Troill.* Hort. Transact. 7, 1.  
 — — Bot. Mag. 62, 3425.  
 — — Lodd. Cab. 1969.  
 — *purpurea* *Bl.* Blume Rumphia 182.  
 — *purpureo-fusca* *Hook.* Bot. Mag. 76, 4520.  
 — — Lem. Jard. fl. 30.  
 — — Fl. d. serres 6, 579.  
 — *Rumphii* *Bl.* Rumpf Amb. 5, 175.  
 — *variegata* *de Vriese.* Annales de Gand 1846, 90.  
 — — Fl. d. serres 8, 838.  
 — — Belgique hort. 3, 46.

- Hoya viridiflora* *R. Br.* Rheede Hort. mal. 9, 15.  
 — — — Wight Illustr. in Hook. 1.  
 — — — Rchb. Hort. 238.  
 — — — Wight Ic. pl. Ind. or. 2, 586.  
*Huanaca acaulis* *Cav.* Cav. Ic. 528.  
*Huberia laurina* *DC.* DC. Melastom. 10.  
 † — *ovalifolia* *DC.* Ann. sc. nat. III, 16, 25.  
 — — *resinosa* *Presl.* Presl Symbolae 37.  
*Hubertia Ambavilla* *Bory.* Bory Iles d'Afrique 14.  
 — *tomentosa* *Bory.* Bory Iles d'Afrique 14 bis.  
 † *Hudsonia* *L.* Gray Genera 90.  
 — *ericoides* *L.* Svensk Acad. 1778, 1.  
 † — — Gaertn. Carp. 210.  
 — — Willdenow Hort. 15.  
 — — Lam. Encycl. 401.  
 — — Lodd. Cab. 192.  
 — — Sweet Cist. 36.  
 — *tomentosa* *Nutt.* Sweet Cist. 57.  
 — — Torrey New York 9.  
 — — Gray Genera 90.  
*Huegelia coerulea* *Rchb.* Rchb. Hort. 201.  
 — — Spach Suites 83.  
 — *virgata* *Benth.* Hook. Ic. pl. 2, 200.  
 † *Huertea glandulosa* *Rz et P.* Ruiz et Pav. Prodr. 6.  
 — — Ruiz et Pav. Fl. 227.  
*Hufelandia Thomaea* *N. v. E.* N. v. E. Programm 1. 2.  
*Hugonia Mystax* *L.* Rheede Hort. mal. 2, 19.  
 † — — Gaertn. Carp. 58.  
 — — Lam. Encycl. 572.  
 — — Cav. Diss. 73.  
 — — Wight Illustr. 32.  
 — *Planchoni* *Hook.* fl. Hooker Niger Fl. 27.  
 — — Hook. Ic. pl. 8, 777.  
 — *tomentosa* *Cav.* Cav. Diss. 73.  
*Huguéninia tenacetifolia* *Rchb.* Rchb. Ic. crit. 10, 999.  
 — — Rchb. Fl. germ. 2, 81.  
*Huidobria chilensis* *Gay.* Gay Chile 26.  
 † *Humata heterophylla* *Sm.* Hook. Gen. Fil. 114.  
 † — *ophioglossa* *Cav.* Fée Fil. 5, 26.  
 — *pinnata* *Desv.* Mem. soc. Linn. Par. 6, 8.  
 † *Humbertia madagascariensis* *Lam.* Lam. Encycl. 103.  
 † *Humboldtia* *Rz et P.* Ruiz et Pav. Prodr. 27.  
 — *Brunonis* *Wall.* Wall. Pl. asiat. 233.  
 — — Wight Ic. pl. Ind. or. 4, 1606.  
 — *laurifolia* *Vahl.* Vahl Symbolae 56.  
 — — Wight Ic. pl. Ind. or. 4, 1605.  
 — *Vahlia* *Wight.* Wight Ic. pl. Ind. or. 4, 1607  
 — — 1608.  
*Humea elegans* *Sm.* Smith Exot. Bot. 1.  
*Humirium crassifolium* *Mart.* Mart. Bras. 198, 200.  
 — *floribundum* *Mart.* Mart. Bras. 199, 200.  
 — *multiflorum* *Mart.* Spach Suites 17.  
 — *surinamense* *Miq.* Miquel Surin. 24.  
*Humulus Lupulus* *L.* Fl. dan. 7, 1239.  
 — — Sv. Bot. 332.  
 — — Engl. Bot. 6, 427.  
 — — Woodv. Med. 5, 26.  
 — — Baxter Brit. Bot. 5, 342.  
 † — — Lam. Encycl. 815.  
 — — Bigelow Med. 60.  
 — — Schk. Handb. 326.  
 — — Hayne 8, 36.  
 — — Guimp. et Schl. 167.  
 — — Nees Düsseld. 101.  
 — — Wagner 110.  
 † — — Nees Gen. 4, 31.  
 — — Rchb. Fl. germ. 12, 656.  
*Hunnemannia fumariaefolia* *Sweet.* Sweet Fl. G. 276.  
 — — Lodd. Cab. 1779.  
 — — Bot. Mag. 58, 3061.  
*Hunteria corymbosa* *Roxb.* Wight Ic. pl. Ind. or. 2, 428.  
 — *Roxburghiana* *Wight.* Wight Ic. pl. Ind. or. 4, 1294.



- † *Hunteria Roxburghiana* Wight. Wight Illustr. 154<sup>b</sup>.  
*Huntleya Meleagris* Ldl. Bot. Reg. 25, 14.  
 — — — Maund Bot. 3, 146.  
 — violacea Ldl. Lindley Sertum 26.  
 — — — Paxt. Mag. 8, 1.  
 — — — Hart. Parad. 1, 13.  
 — — — Fl. d. serres 7, 678.  
*Hura crepitans* L. Linné Hort. Cliff. 34.  
 — — — Tussac Ant. 4, 5.  
 — — — Desc. Ant. 2, 124.  
 † — — — Lam. Encycl. 793.  
 — — — Dict. sc. nat. 279.  
 † — — — Spach Suites 76.  
*Hutchinia indica* W. et A. Wight Ic. pl. Ind. or. 2, 355.  
*Hutchinsia alpina* R. Br. Lodd. Cab. 766.  
 — — — Sturm Flora 5, 20.  
 — brevicaulis Hoppe. Sturm Flora 15, 65.  
 — calycina Desv. Hook. Bor. Am. 17.  
 — chrysantha Jaub. Jaubert Illustr. 52.  
 — petraea R. Br. Curt. Lond. 4, 31.  
 — — — Baxter Brit. Bot. 2, 138.  
 — — — Sturm Flora 15, 65.  
 — stylosa DC. Bot. Mag. 54, 2772.  
 —? tasmanica Hook. Hook. Ic. pl. 9, 848.  
 — tibetica Thomson. Hook. Ic. pl. 9, 900.  
 — trinervia DC. Delessert Ic. 2, 53.  
 † *Hyacinthorchis* Bl. Blume Mus. 1, 16.  
 † *Hyacinthus* L. Kerner Genera 127.  
 — amethystinus L. Red. Lil. 1, 14.  
 — — — Lodd. Cab. 1952.  
 — — — Bot. Mag. 50, 2425.  
 — — — Bot. Reg. 5, 398.  
 — — — Sweet Fl. G. 135.  
 — — — Rehb. Ic. crit. 8, 702.  
 — — — Rehb. Fl. germ. 10, 460.  
 — botryoides L. Bot. Mag. 5, 157.  
 — cernuus L. Brotero Phytogr. 49.  
 — ciliatus Cir. Cirillo Pl. rar. 2, 10.  
 — — — Tenore Fl. nap. 135.  
 — comosus L. Bot. Mag. 4, 133.  
 — — — Jacq. Fl. austr. 2, 126.  
 — convallarioides L. fil. Jacq. Schoenbr. 1, 81.  
 — corymbosus L. Jacq. Collect. 3, 19.  
 — — — Andr. Rep. 5, 345.  
 — Muscari L. Schk. Handb. 96.  
 † — non scriptus L. Lam. Encycl. 238.  
 — — — Curt. Lond. 2, 62.  
 — — — Baxter Brit. Bot. 1, 74.  
 — — — Rehb. Fl. germ. 10, 461.  
 — orchiioides L. Jacq. Vind. 178.  
 — orientalis L. Schneevogt Ic. 8.  
 † — — — Saint-Simon 1 — 10.  
 — — — Red. Lil. 8, 465.  
 — — — Bot. Mag. 24, 937.  
 — — — Bot. Reg. 12, 995.  
 — — — Savi Fl. ital. 1, 17.  
 — — — Rehb. Fl. germ. 10, 460.  
 † — — — Nees Gen. 2, 43.  
 — pallens M. v. B. Rehb. Ic. crit. 4, 331.  
 — racemosus L. Jacq. Fl. austr. 2, 187.  
 — — — Bot. Mag. 4, 122.  
 — — — Engl. Bot. 27, 1931.  
 — romanus L. Red. Lil. 6, 334.  
 — — — Sibth. Fl. gr. 340.  
 — — — Sebast. Rom. pl. 2, 1.  
 † — serotinus L. Gaertn. Carp. 12.  
 † — — — Lam. Encycl. 238.  
 — — — Brotero Phytogr. 89.  
 — — — Cav. Ic. 30.  
 — — — Red. Lil. 4, 202.  
 — sessiliflorus Viv. Viviani Lib. 7.  
 — spicatus Sm. Bot. Reg. 22, 1869.

- Hyacinthus trifolius* Ten. Tenore Fl. nap. 136.  
 — viridis L. Trew Pl. rar. 23.  
 — — — Jacq. Ic. 66.  
 — — — Comm. Gott. 4, 5.  
 — — — Red. Lil. 4, 203.  
*Hyacnanche globosa* Lamb. Lambert Cinchona 10.  
 — — — Roemer Archiv 3, x.  
*Hyalea leuzeoides* Jaub. Jaubert Illustr. 216.  
 — mucronifera Jaub. Jaubert Illustr. 214.  
 — Olivieri Jaub. Jaubert Illustr. 292.  
 — pergamacea Jaub. Jaubert Illustr. 215.  
 — stenophylla Jaub. Jaubert Illustr. 217.  
 † *Hyalisma ianthina* Champion. Calc. Journ. 1847, 5.  
 — — — Transact. Linn. Soc. 21, 7.  
*Hybanthera biglandulosa* Endl. Endl. Iconogr. 63.  
 — cordifolia Lk et Kl. Link Ic. III. 44.  
*Hybanthus havanensis* Jacq. H. B. K. Nov. G. 5, 494.  
*Hydnocarpus alpinus* Wight. Wight Spicil. 10.  
 — — — Wight Ic. pl. Ind. or. 3, 942.  
 — heterophyllus Bl. Blume Rumphia 178<sup>b</sup>.  
 — inebrians Vahl. Rheede Hort. mal. 1, 36.  
 — — — Wight Illustr. 16.  
 † — veneatus Gaertn. Gaertn. Carp. 60.  
*Hydnophytum formicarum* Jack. Rumpf Amb. 6, 55.  
 — — — fig. 1.  
*Hydnora africana* Thunb. Acta Leop. 16, 2, 58.  
 † — — — Linn. Transact. 19, 27 — 30.  
 † — — — Ann. sc. nat. III. 14, 8.  
 — — — triceps E. M. Acta Leop. 16, 2, 59.  
*Hydrangea acuminata* S. et Zucc. Sieb. Fl. Jap. 56, 57.  
 — altissima Wall. Wallich Tentamen 50.  
 † — arborescens L. Gaertn. Carp. 30.  
 † — — — Lam. Encycl. 370.  
 — — — Bot. Mag. 13, 437.  
 — — — Schk. Handb. 119.  
 — Azisai Sieb. et Z. Sieb. Fl. Japon. 51.  
 — Belzonii Sieb. et Z. Sieb. Fl. Japon. 55.  
 — bracteata Sieb. et Z. Sieb. Fl. Japon. 92.  
 — Buergeri Sieb. et Z. Sieb. Fl. Japon. 57.  
 — cordata Michx. Watson Dendr. 1, 42.  
 — cordifolia Sieb. et Z. Sieb. Fl. Japon. 59.  
 — hirta Sieb. et Z. Sieb. Fl. Japon. 62.  
 — hortensis Sm. Smith Ic. pict. 12.  
 — — — Bot. Mag. 13, 438.  
 — — — Savi Fl. ital. 3, 110.  
 — japonica Sieb. et Z. Sieb. Fl. Japon. 53.  
 — — — Bot. Reg. 30, 61.  
 — — — Paxt. Mag. 12, 199.  
 — — — var. coerulea, Bot. Mag. 72, 4253.  
 — — — Fl. d. serres 7, 696.  
 — involucreta Sieb. et Z. Sieb. Fl. Japon. 63. 64.  
 — — — Annales de Gand 1846, 102.  
 — — — Fl. d. serres 3, 187.  
 — nivca Michx. Watson Dendr. 1, 43.  
 — Otaksa Sieb. et Z. Sieb. Fl. Jap. 52.  
 — paniculata Sieb. et Z. Sieb. Fl. Japon. 61.  
 — petiolaris Sieb. et Z. Sieb. Fl. Japon. 54.  
 — pubescens Curt. Fl. d. serres 4, 378. 379.  
 — quercifolia Bartr. Bartram Travels 7.  
 — — — Bot. Mag. 25, 975.  
 — — — Kerner Hort. 457.  
 — scandens Poepp. Delessert Ic. 3, 79.  
 — stellata Sieb. et Zucc. Sieb. Fl. Japon. 59.  
 — Thunbergii Sieb. et Z. Sieb. Fl. Japon. 58.  
 — vestita Wall. Wallich Tentamen 49.  
 — virens Sieb. et Z. Sieb. Fl. Japon. 60.  
*Hydrantheium callitrichoides* H. B. K. H. B. K. Nov. Gen. 7, 646.  
 — egense P. et E. Poepp. et Endl. 287.  
 † *Hydrastis* L. Gray Genera 18.  
 — canadensis L. Barton Med. 26.  
 — — — Bot. Mag. 57, 3019. 60, 3232.

- Hydrastis canadensis* L. Gray Genera 18.  
*Hydrilla ovalifolia* Rich. Mem. Instit. 1811, 2.  
*Hydrobryum griseum* Tul. Wight Ic. pl. Ind. or. 5, 1918.  
 — *olivaceum* Tul. Arch. Mus. 6, 9.  
 — — Wight Ic. pl. Ind. or. 5, 1918.  
 † *Hydrocharideae* DC. Schnizl. Iconogr. 1, 59.  
*Hydrocharis morsus ranae* L. Curt. Lond. 3, 131:  
 — — Engl. Bot. 12, 808.  
 — — Baxter Brit. Bot. 6, 441.  
 — — Fl. dan. 5, 878.  
 — — Sv. Bot. 598.  
 † — — Mem. Instit. 1811, 9.  
 † — — Lam. Encycl. 820.  
 — — Dict. sc. nat. 77.  
 — — Schk. Handb. 333.  
 — — Tratt. Archiv 48, 48<sup>a</sup>.  
 — — Sturm Flora 11, 44.  
 — — Dietr. Fl. bor. 1, 60.  
 — — Rechb. Fl. germ. 7, 62.  
 † — — Nees Gen. 3, x.  
 † — — Schnizl. Iconogr. 1, 59.  
 — *spongia* Bosc. Ann. Mus. 9, 30.  
*Hydrocleis Commersonii* Rich. Mem. Mus. 1, 18.  
 † — — Lam. Encycl. 967.  
 — — Endl. Iconogr. 37.  
 — *Martii* Seub. Endl. Bras. 8, 16.  
 — *parviflora* Seub. Endl. Bras. 8, 13.  
*Hydrocotyle abbreviata* A. Rich. Ann. gen. 4, 58.  
 — *aconitifolia* A. Rich. Ann. gen. 4, 53.  
 — *acutifolia* Rz et P. Ruiz et Pav. Fl. 248.  
 — *alata* A. Rich. Ann. gen. 4, 61.  
 — *alchemilloides* A. Rich. Ann. gen. 4, 63.  
 — *americana* L. Sprengel Umb. 2.  
 — — Ann. gen. 4, 55.  
 — *asiatica* L. Rheede Hort. mal. 10, 46.  
 — — Rumpf Amb. 5, 169.  
 † — — Gaertn. Carp. 22.  
 — — Lam. Encycl. 188.  
 — — Ann. gen. 4, 55.  
 — — Wight Ic. pl. Ind. or. 2, 565.  
 — *bonariensis* Lam. Cav. Ic. 488.  
 — *Bonplandii* A. Rich. Ann. gen. 4, 54.  
 — *bupleurifolia* A. Rich. Ann. gen. 4, 67.  
 — *capitata* Aub. Aub. Th. Mel. 12.  
 — — Ann. gen. 4, 62.  
 — *composita* Pursh. Sprengel Umb. 5.  
 — *conferta* Wight. Wight Ic. pl. Ind. or. 3, 1002.  
 — *cordifolia* Hook. fil. Hook. Ic. pl. 4, 303.  
 — *dentata* A. Rich. Ann. gen. 4, 60.  
 — *elegans* A. Rich. Ann. gen. 4, 63.  
 — *eriantha* A. Rich. Ann. gen. 4, 56.  
 — *ficarioides* Lam. Ann. gen. 4, 55.  
 — *geranioides* A. Rich. Ann. gen. 4, 59.  
 — *globifera* Rz et P. Ruiz et Pav. Fl. 247.  
 — *glocomoides* A. Rich. Ann. gen. 4, 58.  
 — *gracilis* Rz et P. Ruiz et Pav. Fl. 247.  
 — *grossularioides* A. Rich. Ann. gen. 4, 62.  
 — *Humboldtii* A. Rich. Ann. gen. 4, 63.  
 — *javanica* Thunb. Thunb. Diss. 2, 2.  
 — *inundata* Sm. Engl. Bot. 4, 227.  
 — *leptostachys* A. Rich. Ann. gen. 4, 57.  
 — *leucocephala* Cham. et Schl. Link Ic. II. 21.  
 — *lineata* Michx. Ann. gen. 4, 66.  
 — *macrocarpa* A. Rich. Ann. gen. 4, 67.  
 — *moschata* Forst. Ann. gen. 4, 60.  
 — *multifida* A. Rich. Ann. gen. 4, 64.  
 — *multiflora* Rz et P. Ruiz et Pav. Fl. 246.  
 — *muscosa* A. Rich. Ann. gen. 4, 61.  
 — *natans* Cir. Cirillo Pl. rar. 1, 6.  
 — — Tenore Fl. nap. 124.  
 — — Ann. gen. 4, 59.  
 — *nepalensis* Hook. Hook. Exot. Fl. 30.

- Hydrocotyle nitidula* A. Rich. Ann. gen. 4, 63.  
 — — Hook. Exot. Fl. 29.  
 — *nummularioides* A. Rich. Ann. gen. 4, 54.  
 — *peduncularis* A. Rich. Ann. gen. 4, 61.  
 — *plebeja* A. Rich. Ann. gen. 4, 60.  
 — *polycephala* W. et A. Wight Spicil. 78.  
 — — Wight Ic. pl. Ind. or. 3, 1003.  
 † — — Wight Illustr. 117.  
 — *pusilla* A. Rich. Ann. gen. 4, 52.  
 — *quinquecloba* Rz et P. Ruiz et Pav. Fl. 248.  
 — *ranunculoides* Lam. Sprengel Umb. 1.  
 — — Ann. gen. 4, 58.  
 — *repandã* Pers. Sprengel Umb. 2.  
 — — Ann. gen. 4, 57.  
 — *rotundifolia* Roxb. Wight Ic. pl. Ind. or. 2, 564.  
 — *saniculaefolia* Lam. Lam. Encycl. 188.  
 — — Cav. Ic. 488.  
 — *sibthorpioides* Lam. Ann. gen. 4, 54.  
 † *Solandra* L. fil. Gaertn. Carp. 22.  
 † — — Lam. Encycl. 188.  
 — *Spananthe* Willd. Dict. sc. nat. 111.  
 — *spicata* Lam. Ann. gen. 4, 57.  
 — *tribotrys* Rz et P. Ruiz et Pav. Fl. 246.  
 — *tridentata* Thunb. Thunb. Diss. 2, 3.  
 — — Ann. gen. 4, 66.  
 — *triflora* Rz et P. Ruiz et Pav. Fl. 245.  
 — *triloba* Thunb. Thunb. Diss. 2, 3.  
 — — Ann. gen. 4, 65.  
 — *tripartita* A. Rich. Ann. gen. 4, 61.  
 — — Hook. Ic. pl. 4, 312.  
 — *umbellata* L. Sprengel Umb. 1.  
 — — Ann. gen. 4, 52.  
 — *umbellulata* Michx. Ann. gen. 4, 53.  
 — *verticillata* Thunb. Thunb. Diss. 2, 3.  
 — *villosa* L. fil. Ann. gen. 4, 64.  
 — *virgata* Lam. Lam. Encycl. 188.  
 — *vulgaris* L. Fl. dan. 1, 90.  
 — — Curt. Lond. 3, 58.  
 — — Engl. Bot. 11, 751.  
 — — Baxter Brit. Bot. 3, 168.  
 — — Sv. Bot. 617.  
 — — Lam. Encycl. 188.  
 † — — Ann. gen. 4, 50, 52.  
 — — Schk. Handb. 59.  
 — — Dietr. Fl. bor. 10, 694.  
 † — — Nees Gen. X, x.  
*Hydroglossum circinatum* Willd. Dict. sc. nat. 94.  
 — *flexuosum* Willd. Willdenow Farnk. 1.  
 — *japonicum* Willd. Willdenow Hort. 84.  
 — *longifolium* Willd. Willdenow Farnk. 2.  
 — *palmatum* Willd. Willdenow Farnk. 1.  
 — *volubile* Raddi. Raddi Fil. 81.  
*Hydrolea crispa* Rz et P. Ruiz et Pav. Fl. 244.  
 — *dichotoma* Rz et P. Ruiz et Pav. Fl. 244.  
 — *extraaxillaris* Morren. Annales de Gand 1846, 79.  
 — *ovata* Nutt. Mem. Genev. 6, 1.  
 † — — Ann. sc. nat. 30, 16.  
 — *spinosa* L. Aublet Guiana 110.  
 † — — Gaertn. Carp. 55.  
 † — — Lam. Encycl. 184.  
 — — Dict. sc. nat. 50.  
 — — Bot. Reg. 7, 566.  
 — — Paxt. Mag. 13, 247.  
 — *trigyna* Sw. Cav. Ic. 529.  
 — *urens* Rz et P. Ruiz et Pav. Fl. 243.  
 — *zeylanica* Vahl. Rheede Hort. mal. 10, 28.  
 — — Lam. Encycl. 184.  
 — — Hook. Comp. 26.  
 — — Wight Ic. pl. Ind. or. 2, 601.  
 — — Wight Illustr. 167.  
*Hydromestus maculatus* Scheidw. Bot. Mag. 77, 4566.  
*Hydropeltis purpurca* Michx. Michaux Fl. 29.

- † *Hydropeltis purpurea* Michx. Lam. Encycl. 967.  
 — — — Bot. Mag. 28, 1147.  
 — — — Dict. sc. nat. 81.  
 † — — — Ann. nat. hist. 1853, 3.  
 † *Hydrophyllax maritima* L. fil. Lam. Encycl. 76.  
 — — — Roxb. Corom. 233.  
 — — — Wight Ic. pl. Ind. or. 3, 760.  
*Hydrophyllum canadense* L. Lam. Encycl. 97.  
 — — — Bot. Reg. 3, 242.  
 — — — magellanicum Lam. Journ. d'hist. nat. Par. 1, 19.  
 † — — — virginicum L. Gaertn. Carp. 110.  
 † — — — Lam. Encycl. 97.  
 — — — Schk. Handb. 33.  
 — — — Dict. sc. nat. 46.  
 — — — Bot. Reg. 4, 331.  
 † — — — Denkschr. d. Wiener Ak. 1, 1.  
 † *Hydropityum zeylanicum* Gaertn. Gaertn. Carp. 183.  
*Hydrostachys distichophylla* Juss. Delessert Ic. 3, 94.  
 † — — — Arch. Mus. 6, 1.  
 — — — imbricata Juss. Delessert Ic. 3, 92.  
 — — — multifida Juss. Delessert Ic. 3, 93.  
 † — — — plumosa Tul. Arch. Mus. 6, 1.  
 — — — verruculosa Juss. Delessert Ic. 3, 91.  
 † — — — Arch. Mus. 6, 1.  
*Hydrotaenia Meleagris* Ldl. Bot. Reg. 28, 39.  
*Hypophila costata* N. v. E. Nees Amoer. bonn. 3.  
 — — — Rchb. Hort. 218.  
 — — — obovata N. v. E. Rheede Hort. mal. 2, 46.  
 — — — Wight Ic. pl. Ind. or. 4, 1489.  
 — — — salicifolia N. v. E. Wight Ic. pl. Ind. or. 4, 1490.  
*Hylacium owariense* DC. Pal. B. Fl. d'Oware 113.  
*Hymenaea Candoliana* H. B. K. H. B. K. Nov. Gen. 6, 566.  
 — — — Hayne 11, 12.  
 — — — confertiflora Mart. Hayne 11, 8.  
 — — — confertifolia Hayne. Hayne 11, 9.  
 † — — — Courbaril L. Gaertn. Carp. 145.  
 — — — Lam. Encycl. 330.  
 — — — Desc. Ant. 5, 359.  
 — — — Nees Düsseld. Suppl. 113.  
 — — — Hayne 11, 10.  
 — — — floribunda H. B. K. H. B. K. Nov. Gen. 6, 567.  
 — — — latifolia Hayne. Hayne 11, 7.  
 — — — Martiana Hayne. Hayne 11, 15.  
 — — — Olfersiana Hayne. Hayne 11, 14.  
 — — — Sellowiana Hayne. Hayne 11, 16.  
 — — — stigonocarpa Mart. Hayne 11, 13.  
 — — — stilbocarpa Hayne. Hayne 11, 11.  
 — — — venosa Vahl. Hayne 11, 6.  
 † — — — verrucosa Gaertn. Gaertn. Carp. 139.  
 — — — Lam. Encycl. 330.  
 † *Hymenandra Wallichii* DC. Ann. sc. nat. II. 16, 5.  
*Hymenanthera crassifolia* Hook. Hook. New Zeal. 7.  
 — — — dentata R. Br. Bot. Mag. 59, 3163.  
 — — — latifolia Endl. Endl. Iconogr. 108.  
*Hymenidium suaveolens* Klotzsch. Prinz Wald. Him. 48.  
 † *Hymenocallis Salisb.* Herbert Amar. 33. 34. 35.  
 — — — adnata Herb. var. Bot. Reg. 11, 940.  
 — — — litoralis Herb. Bot. Mag. 53, 2621.  
*Hymenocalyx variabilis* Zenk. Zenker Pl. ind. 10.  
*Hymenocephalus rigidus* Jaub. Jaubert Illustr. 209.  
*Hymenoclea Salsola* Torr. et Gr. Smiths. Contr. 5, 8.  
 † *Hymenocystis caucasica* C. A. M. Hook. Gen. Fil. 3.  
*Hymenodictyon excelsum* Wall. Wight Ic. pl. Ind. or. 1, 79.  
 — — — flaccidum Wall. Wallich Tentamen 22.  
 — — — Wall. Pl. asiat. 188.  
 — — — obovatum Wall. Wight Ic. pl. Ind. 1, 80. 3, 1159.  
 — — — utile Wight. Wight Ic. pl. Ind. or. 1, 80.  
*Hymenodium crassifolium* Fée. Fée Fil. 53.  
 † — — — crinitum Fée. Fée Fil. 5, 4.  
 — — — Kunzeanum DC. Fée Fil. 58.

- † *Hymenodium Kunzeanum* Fée. Fée Fil. 5, 4.  
*Hymenolaena Govaniana* DC. Royle Illustr. 52.  
 — — — Lindleyana Klotzsch. Prinz Waldem. Him. 49.  
 † *Hymenolepis Kauff.* Kaulfuss Enumer. 1.  
 † — — — mucronata Fée. Fée Fil. 5, 6.  
 — — — ophioglossioides Kauff. Kunze Fil. 47.  
 † — — — Fée Fil. 5, 6.  
 — — — revoluta Blume. Kunze Fil. 47.  
*Hymenolobus divaricatus* Nutt. Hook. Ic. pl. 3, 277.  
*Hymenolytrum Martii* N. v. E. Endl. Bras. 3, 22.  
*Hymenopappus scabiosaeus* L'her. L'her. Monogr. 1.  
 † *Hymenophylleae* Mart. Schnizl. Iconogr. 1, 27.  
*Hymenophyllum abietinum* H. et Gr. Hook. Ic. Fil. 2, 127.  
 — — — abruptum Hook. Hook. Sp. Fil. 31.  
 — — — aeruginosum Carm. Hook. Sp. Fil. 34.  
 — — — alatum Schk. Schk. Fil. 135<sup>b</sup>.  
 — — — Sm. Engl. Bot. 20, 1417.  
 † — — — antarcticum Presl. Prager Abh. 3, 12.  
 — — — asplenioides Sw. Lam. Encycl. 870.  
 — — — attenuatum Hook. Hook. Sp. Fil. 36.  
 — — — axillare Sw. Hook. Ic. Fil. 2, 124.  
 — — — badium H. et Gr. Hook. Ic. Fil. 1, 76.  
 — — — Berteroi Hook. Hook. Sp. Fil. 33.  
 — — — bivalve Sw. Schk. Fil. 135<sup>b</sup>.  
 — — — Hook. Sp. Fil. 33.  
 — — — Boryanum Willd. Raddi Fil. 79.  
 — — — Hook. Sp. Fil. 31.  
 — — — brevifrons Kze. Kunze Fil. 96.  
 — — — Bridgesii Hook. Hook. Sp. Fil. 35.  
 — — — caespitosum Gaudich. Freycinet Voyage 5.  
 — — — canariense Poir. Lam. Encycl. 870.  
 — — — capillaceum Roxb. Hook. Sp. Fil. 38.  
 — — — caudiculatum Mart. Mart. Crypt. bras. 67.  
 — — — Kunze Fil. 87.  
 — — — chiloense Hook. Hook. Sp. Fil. 32.  
 — — — ciliatum Sw. Hook. Ic. Fil. 1, 35.  
 — — — crispatum H. et Gr. Hook. Ic. Fil. 1, 77.  
 — — — crispum N. et Bl. Acta Leop. 11. 1, 14.  
 — — — cristatum H. et Gr. Hook. Ic. Fil. 2, 148.  
 — — — cruentum Cav. Hook. Sp. Fil. 31.  
 † — — — Cumingii Presl. Prager Abh. 3, 11.  
 — — — cuneatum Kze. Kunze Fil. 78.  
 — — — cupressiforme Lab. Bill. Nov. Holl. 250.  
 — — — demissum Sw. Schk. Fil. 135<sup>c</sup>.  
 — — — dichotomum Cav. Acta Leop. 11. 1, 13.  
 — — — Hook. Sp. Fil. 36.  
 — — — dilatatum Sw. Schk. Fil. 135.  
 — — — Hook. Ic. Fil. 1, 60.  
 — — — elasticum Willd. Hook. Ic. Fil. 2, 135.  
 — — — emarginatum Sw. Acta Leop. 11. 1, 13.  
 — — — exsertum Wall. Hook. Sp. Fil. 38.  
 — — — fimbriatum Sm. Hook. Sp. Fil. 36.  
 — — — flabellatum Lab. Bill. Nov. Holl. 250.  
 † — — — fraternum Presl. Prager Abh. 3, 12.  
 — — — fuciforme Sw. Mem. Tur. 39, 63.  
 — — — Hook. Sp. Fil. 36.  
 — — — gracile Bory. Hook. Ic. Fil. 2, 198.  
 — — — hirsutum Sw. Raddi Fil. 79.  
 — — — Hook. Ic. Fil. 1, 84.  
 — — — hirtellum Sw. Hook. Sp. Fil. 31.  
 — — — humile N. et Bl. Acta Leop. 11. 1, 13.  
 — — — Jamesoni Hook. Hook. Sp. Fil. 35.  
 — — — infortunatum Bory. Bory Coquille 38.  
 — — — interruptum Kze. Kunze Analecta 30.  
 — — — Hook. Sp. Fil. 33.  
 — — — lanceolatum Hook. et Arn. Hook. Sp. Fil. 34.  
 — — — Lindenii Hook. Hook. Sp. Fil. 34.  
 — — — marginatum H. et Gr. Hook. Ic. Fil. 1, 34.  
 — — — megachilum Presl. Prager Abh. 6, 8.  
 — — — multifidum Sw. Schk. Fil. 135<sup>b</sup>.  
 — — — Hook. Ic. Fil. 2, 167.

- Hymenophyllum myriocarpum* Hook. Hook. Sp. Fil. 37.  
 — *nigricans Colla.* Mem. Tur. 39, 62.  
 — *nitens R. Br.* Hook. Ic. Fil. 2, 197.  
 — *obtusum Hook. et Arn.* Hook. Sp. Fil. 33.  
 — *organense Hook.* Hook. Sp. Fil. 32.  
 † — *pectinatum Cav.* Prager Abh. 3, 11.  
 — — Hook. Sp. Fil. 34.  
 — — *N. et Bl.* Acta Leop. 11, 1, 12.  
 — *pendulum Bory.* Bélanger Ind. or. 8.  
 — *peruvianum H. et Gr.* Hook. Ic. Fil. 2, 208.  
 — *Plumieri H. et Gr.* Hook. Ic. Fil. 2, 123.  
 — *polyanthos Sw.* Hook. Ic. Fil. 2, 128.  
 — *protrusum Hook.* Hook. Sp. Fil. 37.  
 — *pulchellum Hook.* Hook. Sp. Fil. 33.  
 — *pulcherrimum Col.* Hook. Sp. Fil. 37.  
 — *rarum R. Br.* Kunze Fil. 96.  
 — *recurvum Gaudich.* Hook. Sp. Fil. 37.  
 — *reniforme Hook.* Hook. Sp. Fil. 38.  
 — *rupestre Raddi.* Raddi Fil. 80.  
 — *sanguinolentum Sw.* Schk. Fil. 135<sup>c</sup>.  
 — *secundum H. et Gr.* Hook. Ic. Fil. 2, 133.  
 — *semibivalve H. et Gr.* Hook. Ic. Fil. 1, 83.  
 — *semiteres Colla.* Mem. Tur. 39, 61.  
 † — *Serra Presl.* Prager Abh. 3, 11.  
 — *Smithii Hook.* Hook. Sp. Fil. 35.  
 — *tomentosum Kze.* Kunze Fil. 69.  
 — *tortuosum H. et Gr.* Hook. Ic. Fil. 2, 129.  
 — *trifidum H. et Gr.* Hook. Ic. Fil. 2, 196.  
 — *tunbridgensis Sm.* Curt. Lond. 4, 71.  
 — — Engl. Bot. 3, 162.  
 — — Schk. Fil. 135<sup>d</sup>.  
 † — — Hook. Gen. Fil. 32.  
 — — Newman p. 321.  
 — *valvatum H. et Gr.* Hook. Ic. Fil. 2, 219.  
 — *Wilsoni Hook.* Engl. Bot. 2686.  
 — — Newman p. 325.  
*Hymenophysa pubescens C. A. M.* Ledeb. Ic. 165.  
*Hymenopogon parasiticus Wall.* Wall. Pl. asiat. 227.  
*Hymenoxys californica Hook.* Bot. Mag. 67, 3828.  
 — *linearifolia Hook.* Hook. Ic. pl. 2, 146.  
 — *odorata DC.* Delessert Ic. 4, 42.  
*Hyobanche coccinea Harv.* Hook. Journal 1844, 3.  
 — *sanguinea L. et Thunb.* Endl. Iconogr. 82.  
 † — — Wight Illustr. 158<sup>b</sup>.  
*Hyophorbe Commersoniana Mart.* Mart. Palm. 143, 154.  
 † — *indica Gaertn.* Gaertn. Carp. 120.  
*Hyoseyamus* —? Icones pl. Chinae 8.  
 — *agrestis R. et Sch.* Sweet Fl. G. 27.  
 † — *albus L.* Gaertn. Carp. 76.  
 † — — Lam. Encycl. 117.  
 — — Sibth. Fl. gr. 230.  
 — — Nees Düsseld. Suppl. 6.  
 — — Brandt und Ratzeb. 14.  
 — *aureus L.* Bot. Mag. 3, 87.  
 — — Sibth. Fl. gr. 231.  
 — *auriculatus Ten.* Tenore Fl. nap. 219.  
 — *canariensis Ker.* Bot. Reg. 3, 180.  
 — *muticus L.* Schmidel Ic. 71.  
 † — *niger L.* Lam. Encycl. 117.  
 — — Woodv. Med. 2, 76.  
 — — Engl. Bot. 9, 591.  
 — — Baxter Brit. Bot. 5, 321.  
 — — Bot. Mag. 50, 2394.  
 — — Fl. dan. 9, 1452.  
 — — Sv. Bot. 21.  
 — — Bigelow Med. 17.  
 — — Schk. Handb. 44.  
 — — Sturm Flora 1, 3.  
 — — Dreves 2, 47.  
 — — Schrank Fl. monac. 1, 88.  
 — — Hayne 1, 28.  
 — — Brandt und Ratzeb. 14.

- Hyoseyamus niger L.* Guimp. et Schl. 155.  
 — — — Nees Düsseld. 191.  
 — — — Wagner 97, 98.  
 — — — Dietr. Fl. bor. 3, 204.  
 † — — — Nees Gen. 5, 54.  
 — — *orientalis M. v. B.* Bot. Mag. 50, 2414.  
 — — — Lodd. Cab. 1345.  
 — — — Sweet Fl. G. 12.  
 — *physaloides L.* Pallas Fl. ross. 3, 8.  
 — — — Linné Amoenit. 7, 6.  
 — — — Bot. Mag. 22, 852.  
 — — — Sweet Fl. G. 13.  
 — *Scopolia L.* Bot. Mag. 28, 1126.  
 — *varians Vis.* Visiani Dalm. 24.  
*Hyoseris cretica L.* Cav. Ic. 43.  
 † — — — Schk. Handb. 224.  
 † — — — Gaertn. Carp. 160.  
 † — — — Lam. Encycl. 654.  
 — *foetida L.* W. et Kit. 49.  
 † — *Hedynnois L.* Schk. Handb. 224.  
 — *integrifolia Poir.* Lam. Encycl. 654.  
 — *lucida L.* Schmidel Ic. 39, 41.  
 — — — Jacq. Vind. 150.  
 — *minima L.* Fl. dan. 2, 201.  
 — — — Engl. Bot. 2, 95.  
 — — — Schk. Handb. 224.  
 — *rhagadioloides Asso.* Asso Aragon. 11.  
 — *taraxacoides Vill.* Vill. Dauph. 25.  
 — *virginica L.* Journ. d'hist. nat. Par. 1, 12.  
*Hyospathe elegans Mart.* Mart. Palm. 1, 2, Z<sup>8</sup>.  
 — *montana Mart.* D'Orbigny Voyage 6.  
*Hypericum aequilobum Viv.* Viviani Lib. 3.  
 — *glaucescens Guss.* Gussone Pl. rar. 15.  
 — *imberbe Sibth.* Sibth. Fl. gr. 156.  
 — *littorale Wulf.* Jacq. Ic. 309.  
 — — — Rehb. Fl. germ. 3, 9.  
 — *patens Willd.* Willdenow Hort. 5.  
 † — *procumbens L.* Gaertn. Carp. 115.  
 † — — — Lam. Encycl. 88.  
 — — — Schk. Handb. 27.  
 — — — Sibth. Fl. gr. 155.  
 — — — Gussone Pl. rar. 14.  
 — — — Rehb. Fl. germ. 3, 9.  
 — — — Sweet Fl. G. 217.  
 † *Hypelate Sw.* Swartz Fl. Ind. occ. 14.  
 — *trifoliata Sw.* Delessert Ic. 3, 39.  
 † *Hypericoides crux Andreae Poir.* Lam. Encycl. 644.  
 — *perforata Poir.* Lam. Encycl. 644.  
 † *Hypericum L.* Gray Genera 92, 93.  
 — *acerosum H. B. K.* H. B. K. Nov. Gen. 5, 457.  
 — *adenotrichum Spach.* Jaubert Illustr. 20.  
 — *aegypticum L.* Linné Amoenit. 8, 8.  
 — — — Bot. Reg. 3, 196.  
 — *alpinum W. et K.* W. et Kit. 265.  
 — *alternifolium Vahl.* Vahl Symbolae 42.  
 — — *Lab.* Bill. Syr. 2, 10.  
 — *anagalloides Jaub.* Jaubert Illustr. 24.  
 — *androsaeoides Vill.* Vill. Dauph. 44.  
 — *Androsaeum L.* Curt. Lond. 2, 127.  
 — — — Engl. Bot. 18, 1225.  
 — *annulatum Moris.* Moris Fl. sard. 22.  
 — *arborescens Vahl.* Vahl Symbolae 43.  
 — *armenum Jaub.* Jaubert Illustr. 33.  
 — *asperum Led.* Ledeb. Ic. 17.  
 — *attenuatum Fisch.* Choisy Hyper. 6.  
 — *Aucherii Jaub.* Jaubert Illustr. 31.  
 — *australe Ten.* Tenore Fl. nap. 179.  
 — *aviculariaefolium Jaub.* Jaubert Illustr. 30.  
 — *baeticum Boiss.* Boissier Esp. 34.  
 — *balcaricum L.* Bot. Mag. 4, 137.  
 — *barbatum L.* Jacq. Fl. austr. 3, 259.  
 — — — Engl. Bot. 28, 1986.

- Hypericum barbatum* L. Rehb. Fl. germ. 6, 349.  
 — Bonapartea Bart. Barton Fl. 3, 106.  
 — bracteatum Don. Wall. Pl. asiat. 220.  
 — Brathys Sm. Smith Ic. Linn. 41.  
 — brevistylum Choisy. Choisy Hyper. 7.  
 — calycinum L. Jacq. Fragm. 6.  
 — — Bot. Mag. 5, 146.  
 — — Engl. Bot. 29, 2017.  
 — — Sibth. Fl. gr. 771.  
 — canariense L. Lodd. Cab. 953.  
 — capitatum Choisy. Choisy Hyper. 9.  
 — Caprifolium Boiss. Boissier Esp. 35.  
 — cernuum Roxb. Jacquemont Ind. 33.  
 — chinense Mill. Trew Pl. rar. 21.  
 — ciliatum Willd. Brotero Phytogr. 77.  
 — — Desf. Choix 53.  
 — — Ann. Mus. 11, 41.  
 — cistifolium Lam. Rehb. Hort. 175.  
 — coadunatum Choisy. Webb Canar. 4.  
 — commutatum Nolte. Rehb. Fl. germ. 6, 345.  
 — confertum Choisy. Choisy Hyper. 8.  
 — connatum Lam. St. Hil. Pl. usuelles 61.  
 — Coris L. Bot. Mag. 5, 178.  
 — — Sibth. Fl. gr. 777.  
 — — Roemer Mag. 3, 4.  
 — — Rehb. Fl. germ. 6, 351.  
 — crispum L. Sibth. Fl. gr. 776.  
 — — Rehb. Fl. germ. 6, 345.  
 — cryptopetalum Vogel. Trew Pl. rar. 21.  
 — cuneatum Poir. Jaubert Illustr. 25.  
 — delphinense Vill. Vill. Dauph. 44.  
 — dentatum Lois. Loiseleur Fl. gall. 17.  
 — denticulatum H. B. K. H. B. K. Nov. Gen. 5, 458.  
 — dolabriforme Vent. Vent. Cels 45.  
 — dubium Leers. Roemer Fl. europ. 7, 8.  
 — — Engl. Bot. 5, 296.  
 — elatum Ait. Watson Dendr. 2, 85.  
 — — Lam. Ann. Mus. 3, 17.  
 — elegans Steph. Rehb. Ic. crit. 3, 280.  
 — — Rehb. Fl. germ. 6, 350.  
 — Elodes L. Engl. Bot. 2, 109.  
 — — Schk. Handb. 213.  
 — — Roemer Fl. europ. 1, 6.  
 — — Rehb. Fl. germ. 6, 342.  
 — — Dietr. Fl. bor. 4, 248.  
 — elongatum Led. Ledeb. Ic. 486.  
 — — Rehb. Ic. crit. 3, 282.  
 — empetrifolium Willd. Watson Dendr. 2, 141.  
 — — Sibth. Fl. gr. 774.  
 — ericoides L. Cav. Ic. 122.  
 — — Tratt. Archiv 230.  
 — euphorbioides St. Hil. St. Hil. Fl. Bras. 69.  
 — floribundum Ait. Rehb. Hort. 95.  
 — foliosum Jacq. Jacq. Schoenbr. 3, 299.  
 — formosum H. B. K. H. B. K. Nov. Gen. 5, 460.  
 — Gebleri Led. Ledeb. Ic. 487.  
 — glandulosum Ait. Webb Canar. 3.  
 — gnidioides Seem. Seemann Herald 17.  
 — gramineum Forst. Bill. Sertum 53.  
 — grandifolium Choisy. Choisy Hyper. 3.  
 — — Rehb. Fl. germ. 6, 352.  
 — graveolens Buckley. Gray Genera 92.  
 — guianense Aubl. Aublet Guiana 311.  
 — guineense L. Linné Amoenit. 8, 8.  
 — heterophyllum Vent. Vent. Cels 68.  
 — hircinum L. Schk. Handb. 213.  
 — — Watson Dendr. 2, 86. 87.  
 — — Sibth. Fl. gr. 773.  
 — — Spach Suites 41.  
 — hirsutum L. Curt. Lond. 2, 49.  
 — — Engl. Bot. 17, 1156.  
 — — Fl. dan. 5, 802.

- Hypericum hirsutum* L. Rehb. Fl. germ. 6, 349.  
 — — Dietr. Fl. bor. 4, 288.  
 — Hookerianum W. et A. Wight Spicil. 27.  
 — — Wight Ic. pl. Ind. or. 3, 959.  
 — humifusum L. Fl. dan. 1, 141.  
 — — Curt. Lond. 1, 36.  
 — — Engl. Bot. 18, 1226.  
 — — Rehb. Fl. germ. 6, 342.  
 — — Dietr. Fl. bor. 5, 325.  
 — hyssopifolium Vill. Vill. Dauph. 44.  
 — — Rehb. Fl. germ. 6, 351.  
 — — Bot. Mag. 60, 3277.  
 — — Knowles et Westcott 91.  
 — japonicum Thunb. Thunberg Fl. jap. 31.  
 — — Royle Illustr. 24.  
 — Jaubertii Spach. Jaubert Illustr. 18.  
 — Kalmianum L. Torrey New York 13.  
 — Kohlianum Spr. Sprengel Fl. hal. 9.  
 — laricifolium Juss. Ann. Mus. 3, 16.  
 — latifolium Aubl. Aublet Guiana 312.  
 — laxiusculum St. Hil. St. Hil. Pl. usuelles 62.  
 — Leschenaultii Pers. Delessert Ic. 3, 27.  
 — linarifolium Vahl. Engl. Bot. 3851.  
 — — Rehb. Fl. germ. 6, 350.  
 — maculatum All. All. Fl. ped. 3, 83.  
 — — Rehb. Fl. germ. 6, 345.  
 — mexicanum L. Linné Amoenit. 8, 8.  
 — micranthum Choisy. Choisy Hyper. 5.  
 — monogynum L. Bot. Mag. 10, 334.  
 — montanum L. Fl. dan. 1, 173.  
 — — Sv. Bot. 641.  
 — — Engl. Bot. 6, 371.  
 — — Schrank Fl. monac. 4, 369.  
 — — Rehb. Fl. germ. 6, 347.  
 — — Dietr. Fl. bor. 11, 729.  
 — Montbretii Spach. Jaubert Illustr. 32.  
 — nanum Poir. Jaubert Illustr. 23.  
 — nudiflorum Michx. Rehb. Hort. 87.  
 — nummularium L. Lam. Encycl. 643.  
 — — Rehb. Fl. germ. 6, 346.  
 — oblongifolium Choisy. Choisy Hyper. 4.  
 — — Wall. Pl. asiat. 244.  
 — olympicum L. Smith Exot. Bot. 96.  
 — — Sibth. Fl. gr. 772.  
 — — Bot. Mag. 44, 1867.  
 — orientale L. Eichwald Cauc. 36.  
 — organifolium Willd. Jaubert Illustr. 16.  
 — paniculatum Lam. H. B. K. Nov. Gen. 5, 459.  
 — patulum Thunb. Thunb. Ic. jap. 17.  
 — Pelleterianum St. Hil. St. Hil. Fl. Bras. 70.  
 — perforato-tetrapterum Rehb. Rehb. Fl. germ. 6, 344.  
 — perforatum L. Fl. dan. 6, 1043.  
 — — Curt. Lond. 1, 92.  
 — — Engl. Bot. 5, 295.  
 — — Sv. Bot. 75.  
 — — Gaertn. Carp. 62.  
 — — Lam. Encycl. 643.  
 — — Schrank Fl. monac. 2, 113.  
 — — Sturm Flora 5, 18.  
 — — Hayne 8, 42.  
 — — Nees Düsseld. 418.  
 — — Guimp. et Schl. 83.  
 — — Woodv. Med. 3, 208.  
 — — Dict. sc. nat. 158.  
 — — Rehb. Fl. germ. 6, 343.  
 — — Dietr. Fl. bor. 4, 271.  
 — — Baxter Brit. Bot. 1, 80.  
 — prolificum L. Comm. Gott. 3, 7.  
 — — Lam. Encycl. 643.  
 — — Watson Dendr. 2, 88.  
 — pseudoperforatum Bert. Novi Comm. Bon. 6, 22.

- Hypericum ptarmicaefolium* Spach. Jaubert Illustr. 19.  
 — pubescens Boiss. Boissier Esp. 36.  
 — pulchrum L. Fl. dan. 1, 75.  
 — — — Curt. Lond. 1, 91.  
 — — — Engl. Bot. 18, 1227.  
 — — — Sv. Bot. 536.  
 — — — Lam. Encycl. 643.  
 — — — Rehb. Ic. crit. 3, 284.  
 — — — Rehb. Fl. germ. 6, 347.  
 — — — Dietr. Fl. bor. 4, 247.  
 — punctatum Lam. Rehb. Hort. 88.  
 — pyramidatum Ait. Vent. Malm. 118.  
 — — — Torrey New York 12.  
 — quadrangulo-tetrapterum Lasch. Rehb. Fl. germ. 6, 344.  
 — quadrangulum L. Fl. dan. 4, 640.  
 — — — Curt. Lond. 2, 48.  
 — — — Engl. Bot. 6, 370.  
 — — — Sv. Bot. 359.  
 — — — Hayne 8, 43.  
 — — — Rehb. Fl. germ. 6, 343.  
 — Quartinianum Rich. Richard Abyssin. 21.  
 — quinquenervium Walt. Rehb. Hort. 96.  
 — reflexum L. fil. Rehb. Hort. 86.  
 — repens L. Sibth. Fl. gr. 775.  
 — — — Jaubert Illustr. 26.  
 — retusum Auch. Jaubert Illustr. 27.  
 — Richieri Vill. Vill. Dauph. 44.  
 — — — Rochel Banat. 12.  
 — — — Rehb. Fl. germ. 6, 348.  
 — rupestre Jaub. Jaubert Illustr. 21.  
 — — — var. ovalifolia, Jaubert Illustr. 22.  
 — Salicaria Rehb. Rehb. Ic. crit. 5, 490.  
 — Sarothra Michx. Gray Genera 93.  
 — saturrejaefolium Jaub. Jaubert Illustr. 28.  
 — sessilifolium Aubl. Aublet Guiana 312.  
 — silenoides Juss. Ann. Mus. 3, 16.  
 — songaricum Led. Rehb. Ic. crit. 3, 283.  
 — spectabile Jaub. Jaubert Illustr. 29.  
 — struthiolaefolium Juss. Ann. Mus. 3, 16.  
 — tetrapterum Fr. Rehb. Fl. germ. 6, 344.  
 — — — Dietr. Fl. bor. 4, 272.  
 — thuyoides H. B. K. H. B. K. Nov. Gen. 5, 456.  
 — thymifolium H. B. K. H. B. K. Nov. Gen. 5, 455.  
 — tomentosum L. Moris Fl. sard. 21.  
 — — — Rehb. Fl. germ. 6, 346.  
 — Tournefortii Spach. Jaubert Illustr. 17.  
 — triplinerve Vent. Vent. Cels 58.  
 — undulatum Schousb. Rehb. Hort. 39.  
 — uralum Don. Bot. Mag. 50, 2375.  
 — virginicum L. Andr. Rep. 8, 552.  
 — Wightianum Wall. Wight Illustr. 43.  
 † Hyphaene coriacea Gaertn. Gaertn. Carp. 10.  
 † — — — crinita Gaertn. Gaertn. Carp. 82.  
 † — — — cucifera Pers. Jacq. Fragm. 133.  
 † — — — Kerner Genera 61—64.  
 — — — thebaica Mart. Mart. Palm. 131. 132. 133. S.  
*Hypocalymna robustum* Endl. Bot. Reg. 29, 8.  
*Hypocalyptus obcordatus* Thunb. Delessert Ic. 3, 63.  
 — — — Bot. Mag. 68, 3894.  
 — — — Maund Bot. 4, 198.  
*Hypochaeris adscendens* Brot. Brotero Phytogr. 25.  
 — Berterii Colla. Mem. Tur. 38, 33.  
 — glabra L. Fl. dan. 3, 424.  
 † — — — Gaertn. Carp. 160.  
 † — — — Lam. Encycl. 656.  
 — — — Schk. Handb. 225.  
 — — — Curt. Lond. 3, 65.  
 — — — Engl. Bot. 8, 575.  
 — — — Sv. Bot. 75r.  
 — grandiflora Led. Ledeb. Ic. 440.  
 — helvetica L. Jacq. Ic. 165.

- Hypochaeris hispida* Willd. Willdenow Hort. 46.  
 — maculata L. Fl. dan. 1, 149.  
 — — — Engl. Bot. 4, 225.  
 — — — Hayne 6, 43.  
 — — — Schrank Fl. monac. 3, 246.  
 — minima Desf. Cirillo Pl. rar. 1, 10.  
 — — — Sibth. Fl. gr. 816.  
 — pinnatifida Cirillo Tenore Fl. nap. 181.  
 — radicata L. Fl. dan. 1, 150.  
 — — — Curt. Lond. 2, 107.  
 — — — Engl. Bot. 12, 831.  
 — — — Sv. Bot. 752.  
 — — — Baxter Brit. Bot. 6, 406.  
 — — — Dietr. Fl. bor. 9, 640.  
 — sonchoides H. B. K. H. B. K. Nov. Gen. 4, 301.  
 — uniflora Vill. All. Fl. ped. 3, 14. 32.  
 — — — Lam. Encycl. 656.  
 — — — Mutel Fl. fr. 34.  
 † *Hypochlamys pectinata* Fée. Fée Fil. 5, 17.  
*Hypocyrtia aggregata* Mart. Bras. 221.  
 — gibbosa P. et E. Poepp. et Endl. 202.  
 — glabra Hort. Bot. Mag. 74, 4346.  
 — gracilis Mart. Mart. Bras. 219.  
 — — — Bot. Mag. 76, 4531.  
 — — — Lem. Jard. fl. 157.  
 — hirsuta Mart. Mart. Bras. 222.  
 — leucostoma Hook. Bot. Mag. 73, 4310.  
 — — — Fl. d. serres 3, 257.  
 — scabrida Ch. Lem. Fl. d. serres 3, 238.  
 — strigillosa Mart. Bot. Mag. 69, 4047.  
*Hypodematium abyssinicum* Rich. Richard Abyssin. 83.  
 — onustum Kze. Kunze Analecta 28.  
 — Rüppelianum Kze. Kunze Fil. 21.  
 † *Hypoderris Brownii* J. Sm. Hook. Gen. Fil. 1.  
 — — — Hook. Ic. pl. 675—676.  
*Hypoestes floribunda* R. Br. Endl. Iconogr. 105.  
 — malaccensis Wight. Wight Ic. pl. Ind. or. 4, 1555.  
 — — — purpurea R. Br. Rumpf Amb. 6, 22. fig. 2.  
 — — — rosea Decne. Pal. B. Fl. d'Oware 100.  
*Hypolepis anthesisifolia* Presl. Hook. Sp. Fil. 95.  
 — californica Hook. Hook. Sp. Fil. 88.  
 — capensis Hook. Hook. Sp. Fil. 77.  
 — distans Colenso. Hook. Sp. Fil. 95.  
 — millefolium Hook. Hook. Sp. Fil. 95.  
 — monticola Gardn. Hook. Sp. Fil. 92.  
 — nigrescens Hook. Hook. Sp. Fil. 90.  
 — parallelogramma Presl. Hook. Sp. Fil. 78.  
 — paupercula Hook. Hook. Sp. Fil. 88.  
 — pedata Hook. Hook. Sp. Fil. 92.  
 — Purdieana Hook. Hook. Sp. Fil. 91.  
 — radiata Hook. Hook. Sp. Fil. 91.  
 † — — — repens Presl. Hook. Gen. Fil. 67.  
 † — — — Fée Fil. 5, 12.  
 — — — Hook. Sp. Fil. 90.  
 — spectabilis Presl. Hook. Sp. Fil. 88.  
 — tenuifolia Bernh. Hook. Sp. Fil. 89. 90.  
*Hypolytrum giganteum* Wall. Rheede Hort. mal. 12, 58.  
 — laxum Schrad. Endl. Bras. 3, 6.  
 — nemorum Pal. B. Pal. B. Fl. d'Oware 67.  
 — Schraderianum N. v. E. Endl. Bras. 3, 5.  
*Hypopithys lanuginosa* Michx. Torrey New York 72.  
*Hypoporon tenellum* N. v. E. Endl. Bras. 3, 9.  
 † *Hypoxideae* R. Br. Schnitzl. Iconogr. 1, 63.  
 † *Hypoxis* L. Herbert Amar. 1.  
 — alba L. Jacq. Collect. 4, 2.  
 — — — Jacq. Fragm. 7.  
 — — — Lodd. Cab. 1074.  
 — brachystachya Wight. Wight Ic. pl. Ind. 6, 2046.  
 — decumbens L. Lam. Encycl. 229.  
 — — — Endl. Bras. 8, 7.  
 — erecta L. Bot. Mag. 19, 710.  
 † — — — Lam. Encycl. 229.

- Hypoxis erecta* L. Red. Lil. 6, 355.  
 — — — Lodd. Cab. 710.  
 — — — Barton Fl. 1, 35.  
 † — — *Fabricia Gaertn.* Gaertn. Carp. 11.  
 — — — *fascicularis* L. Russell Aleppo 9.  
 — — — *hygrometrica* Lab. Bill. Nov. Holl. 108.  
 — — — *juncea* Sm. Smith Spicil. 16.  
 — — — *latifolia* Wight. Wight Ic. pl. Ind. or. 6, 2044.  
 — — — *leptostachya* Wight. Wight Ic. pl. Ind. or. 6, 2045.  
 — — — *linearis* Andr. Andr. Rep. 3, 171.  
 — — — *luzulaefolia* DC. Red. Lil. 5, 260.  
 — — — *minor* Don. Royle Illustr. 91.  
 — — — *obliqua* Jacq. Jacq. Ic. 371.  
 — — — — — Andr. Rep. 3, 195.  
 — — — *obtusa* Burch. Bot. Reg. 2, 159.  
 — — — *ovata* L. fil. Bot. Mag. 25, 1010.  
 — — — *pauciflora* Wight. Wight Ic. pl. Ind. or. 6, 2045.  
 — — — *plicata* Jacq. Jacq. Ic. 367.  
 — — — *ramosa* Lodd. Lodd. Cab. 1936.  
 — — — *Roeperii* Moore. Lem. Jard. fl. 3, 303.  
 — — — *scabra* Lodd. Lodd. Cab. 970.  
 — — — *scorzoneræfolia* Lam. Desc. Ant. 8, 593.  
 — — — *serrata* L. fil. Jacq. Ic. 369.  
 — — — — — Bot. Mag. 19, 709, 23, 917.  
 — — — *sobolifera* Jacq. Jacq. Ic. 372.  
 — — — — — Bot. Mag. 19, 711.  
 — — — — — Red. Lil. 3, 170.  
 — — — *stellata* L. fil. Jacq. Ic. 368.  
 — — — — — Red. Lil. 3, 169.  
 — — — — — Andr. Rep. 2, 101, 4, 236.  
 — — — — — Bot. Mag. 18, 662, 30, 1223.  
 — — — — — Lodd. Cab. 802.  
 — — — — — Dict. sc. nat. 56.  
 — — — — — Herb. amat. 2, 121.  
 — — — — — Rchb. Exot. 77.  
 — — — *stellipilis* Ker. Bot. Reg. 8, 663.  
 — — — — — Bot. Mag. 65, 3696.  
 — — — *trichocarpa* Wight. Wight Ic. pl. Ind. or. 6, 2045.  
 — — — *villosa* L. fil. Jacq. Ic. 370.  
 † — — — — — Lam. Encycl. 229.  
 † — — — — — Spach Suites 150.  
 † — — — — — Schnizl. Iconogr. 1, 63.  
*Hyptis atrorubens* Poit. Ann. Mus. 7, 27.  
 — — — *capitata* Jacq. Jacq. Ic. 114.  
 † — — — — — Lam. Encycl. 507.  
 † — — — — — Ann. Mus. 7, 27.  
 — — — — — Desc. Ant. 8, 576.  
 — — — *chamaedrys* Vahl. Ann. Mus. 7, 27.  
 — — — *hirsuta* H. B. K. H. B. K. Nov. Gen. 2, 161.  
 — — — *laniflora* Benth. Bentham Sulphur 20.  
 — — — *lantanaefolia* Poit. Ann. Mus. 7, 29.  
 — — — *pectinata* Poit. Ann. Mus. 7, 30.  
 — — — *pseudochamaedrys* Poit. Ann. Mus. 7, 31.  
 † — — — *radiata* Willd. Ann. Mus. 7, 27.  
 — — — *recurvata* Poit. Ann. Mus. 7, 28.  
 — — — *Salzmanni* Benth. Hook. Ic. pl. 5, 463.  
 — — — *scoparia* Poit. Ann. Mus. 7, 31.  
 — — — *spicata* Poit. Ann. Mus. 7, 28.  
 — — — *spicifera* Lam. Desc. Ant. 8, 581.  
 — — — *suaecolens* Poit. Ann. Mus. 7, 29.  
 — — — *verticillata* Jacq. Jacq. Ic. 113.  
 — — — — — Desc. Ant. 8, 575.  
 — — — — — Hook. Ic. pl. 5, 458.  
*Hyssopus Lophanthus* L. Jacq. Vind. 182.  
 — — — — — Schk. Handb. 156.  
 — — — *nepetoides* L. Jacq. Vind. 69.  
 — — — *ocymifolius* Lam. Lam. Encycl. 502.  
 — — — — — Schk. Handb. 167.  
 — — — *officinalis* L. Jacq. Fl. austr. 3, 254.  
 — — — — — Schk. Handb. 156.  
 — — — — — Sturm Flora 1, 3.  
 † — — — — — Lam. Encycl. 502.

- Hyssopus officinalis* L. Woody. Med. 2, 113.  
 — — — — — Hayne 6, 18.  
 — — — — — Nees Düsseld. 170.  
 — — — — — Guimp. et Schl. 123.  
 — — — — — Wagner 106.  
 † — — — — — Nees Gen. 6, 19.  
 — — — *orientalis* Schult. Jacq. Fragm. 129.  
 — — — — — var. Bot. Mag. 49, 2299.  
*Jaborosa caulescens* Gill. Hook. Bot. Misc. 71.  
 — — — *integrifolia* Lam. Lam. Encycl. 114.  
 — — — — — Bot. Mag. 63, 3489.  
 — — — — — Miers Illustr. 5.  
 — — — *runcinata* Lam. Link. Ic. I. 48.  
 — — — — — Rchb. Hort. 237.  
*Jacaranda acutifolia* H. B. Humb. Pl. aeq. 17.  
 — — — *mimosæfolia* Don. Bot. Reg. 8, 631.  
 — — — — — Rchb. Exot. 143.  
 — — — — — Paxt. Mag. 11, 151.  
 — — — — — Fl. d. serres 3, 185.  
 — — — *obtusifolia* H. B. Humb. Pl. aeq. 18.  
 — — — *ovalifolia* R. Br. Bot. Mag. 49, 2327.  
 — — — *tomentosa* Ldl. Bot. Reg. 13, 1103.  
 — — — — — Rchb. Exot. 214.  
 — — — — — Paxt. Mag. 12, 217.  
*Jackia ornata* Wall. Wall. Pl. asiat. 293.  
*Jacksonia scoparia* R. Br. Lodd. Cab. 427.  
 — — — *Sternbergiana* Benth. Hügel Archiv 3.  
*Jacobaea carniolica* Schrank. Münchn. Denkschr. 4, 15.  
 † — — — *vulgaris* Gaertn. Gaertn. Carp. 170.  
 — — — — — Schrank Fl. monac. 2, 101.  
*Jacobinia lepida* Moric. Moricand Pl. Amer. 92.  
 † *Jacquemontia Choisy*. Mem. Genev. 6, 1.  
 — — — *Blanchetii* Moric. Moricand Pl. Amer. 27.  
 — — — *ericæfolia* Bel. Belanger Ind. or. x.  
 — — — *glaucescens* Choisy. Mem. Genev. 8, 3.  
 — — — *pentantha* Maund. Maund Bot. 4.  
 — — — *subsessilis* Moric. Moricand Pl. Amer. 28.  
*Jacquinia arborea* Vahl. Jacq. Fragm. 94.  
 — — — *aristata* Kern. Kerner Hort. 483.  
 — — — *armillaris* L. Jacq. Hist. stirp. am. 56.  
 † — — — — — Gaertn. Carp. 201.  
 — — — — — Lam. Encycl. 121.  
 — — — *aurantiaca* Dryand. Bot. Mag. 40, 1639.  
 — — — — — Herb. amat. 3, 192.  
 — — — *linearis* L. Jacq. Hist. stirp. am. 58.  
 — — — — — Lam. Encycl. 121.  
 — — — *macrocarpa* Cav. Cav. Ic. 483.  
 — — — — — Maund Bot. 3, 127.  
 — — — *pubescens* H. B. K. H. B. K. Nov. Gen. 3, 246.  
 † — — — *revoluta* Jacq. Jacq. Fragm. 95.  
 — — — *ruscifolia* L. Jacq. Hist. stirp. am. 57.  
 — — — — — Jacq. Fragm. 95.  
*Jacquinotia prostrata* Rich. Richard Astrolabe 22.  
*Jaegeria mnioides* H. B. K. H. B. K. Nov. Gen. 4, 400.  
 † *Jalapa Adans.* Kerner Genera 11.  
*Jambolifera pedunculata* L. Rumpf Amb. 1, 42.  
 † — — — — — Gaertn. Carp. 36.  
 — — — — — Vahl Symbolac. 61.  
*Jambosa aquca* DC. Wight Ic. pl. Ind. or. 1, 216.  
 — — — *malaccensis* DC. Rheede Hort. mal. 1, 18.  
 — — — — — Wight Illustr. 98.  
 — — — — — Bot. Mag. 74, 4408.  
 — — — — — Fl. d. serres 5, 429.  
 — — — *vulgaris* DC. Rheede Hort. mal. 1, 17.  
 — — — — — Bot. Mag. 61, 3356.  
 — — — — — Wight Ic. pl. Ind. or. 2, 435.  
*Jamesonia adnata* Kze. Kunze Fil. 133.  
 — — — *canescens* Kze. Kunze Fil. 133.  
 — — — *cinnamomca* Kze. Kunze Fil. 71.  
 — — — — — Hook. Ic. pl. 8, 713.  
 — — — *formosa* Kippist. Linn. Transact. 20, 16.  
 — — — *hispidula* Kze. Kunze Fil. 82.

- † *Jamesonia imbricata* Hook. Hook. Gen. Fil. 13.  
 — *scalaris* Kze. Kunze Fil. 71.  
 † — — *Fée* Fil. 5, 12.  
 — *verticalis* Kze. Kunze Fil. 82.  
*Jamma Mómo* Kaempf. Kaempfer Jap. 37.  
*Janipha aesculifolia* H. B. K. H. B. K. Nov. Gen. 2, 109.  
 † — *Manihot* H. B. K. Jussieu Euphorb. 10.  
 — — — Bot. Mag. 58, 3071.  
*Jantha pallidiflora* Hook. Hook. Exot. Fl. 113.  
*Janusia californica* Benth. Bentham Sulphur 4.  
 † — *guaranitica* Juss. Arch. Mus. 3, 21.  
 † *Jarava Ichu* R. et P. Ruiz et Pav. Prodr. 1.  
 — — — Ruiz et Pav. Fl. 6.  
*Jasione amethystina* Lag. Boissier Esp. 119.  
 — *foliosa* Cav. Cav. Ic. 148.  
 — *montana* L. Fl. dan. 2, 319.  
 — — — Curt. Lond. 3, 39.  
 — — — Engl. Bot. 13, 882.  
 — — — Baxter Brit. Bot. 5, 373.  
 — — — Sv. Bot. 404.  
 † — — — Lam. Encycl. 724.  
 † — — — Gaertn. Carp. 30.  
 — — — Schk. Handb. 266.  
 — — — Sturm Flora 3, 9.  
 — — — Dietr. Fl. bor. 3, 211.  
 — *penicillata* Boiss. Boissier Esp. 119.  
 — *perennis* Lam. Lam. Encycl. 724.  
 — — — Lodd. Cab. 923.  
 — — — Bot. Reg. 6, 505.  
 — — — Bot. Mag. 48, 2198.  
 † *Jasminanthus suaveolens* Bl. Blume Mus. 1, 28.  
 † *Jasmineae* Juss. Wight Illustr. 151<sup>b</sup>.  
*Jasminum* —? Icones pl. Chinae 30.  
 — *acuminatum* R. Br. Bot. Reg. 15, 1296.  
 — *affine* Royle. Bot. Reg. 31, 26.  
 — — — Wight Ic. pl. Ind. or. 4, 1255.  
 — *angustifolium* Willd. Rheede Hort. mal. 6, 53.  
 — — — var. *laurifolium*, Bot. Reg. 7, 521.  
 — — — Wight Ic. pl. Ind. or. 2, 698.  
 — *arborescens* Roxb. Wight Ic. pl. Ind. or. 2, 699.  
 — *auriculatum* Vahl. Bot. Reg. 4, 264.  
 — — — Savi Fl. ital. 2, 64.  
 — — — Wight Ic. pl. Ind. or. 2, 700.  
 — *azoricum* L. Mem. Acad. Berl. 1790, 1.  
 — — — Bot. Reg. 1, 89.  
 — — — Bot. Mag. 44, 1889.  
 — *bracteatum* Roxb. Wight Ic. pl. Ind. or. 4, 1248.  
 — *brevilobum* DC. Wight Ic. pl. Ind. or. 4, 1254.  
 — *caudatum* Wall. Bot. Reg. 28, 26.  
 — *courtallense* Wight. Wight Ic. pl. Ind. or. 4, 1252.  
 — *dipersum* Wall. Wall. Pl. asiat. 274.  
 — *divaricatum* R. Br. Bill. Sertum 27.  
 — *clongatum* Willd. Wight Ic. pl. Ind. or. 2, 701.  
 — *crectiflorum* A. DC. Wight Spicil. 151.  
 — — — Wight Ic. pl. Ind. or. 4, 1251.  
 — *flexile* Jacq. Jacq. Schoenbr. 4, 490.  
 — — — Vahl. Wight Ic. pl. Ind. or. 4, 1253.  
 † — *fruticans* L. Gaertn. Carp. 42.  
 † — — — Lam. Encycl. 7.  
 — — — Bot. Mag. 13, 461.  
 — — — Nouveau Duhamel 1, 28.  
 † — — — Nees Gen. X, x.  
 — *fruticosum* Willd. Mem. Acad. Berl. 1790, 2.  
 — *Gardnerianum* Wight. Wight Illustr. 153.  
 — *geniculatum* Vent. Vent. Choix 8.  
 — — — Herb. amat. 4, 221.  
 — *glaucum* Ait. Vent. Cels 55.  
 — — — Bot. Reg. 23, 2013.  
 — *gracile* R. Br. Andr. Rep. 2, 127.  
 — — — Bot. Reg. 8, 606.  
 — *grandiflorum* L. Rheede Hort. mal. 6, 52.  
 — — — Mem. Acad. Berl. 1790, 1.

- Jasminum grandiflorum* L. Bot. Reg. 2, 91.  
 — — — Wight Ic. pl. Ind. or. 4, 1257.  
 — *heterophyllum* Wall. Wall. Pl. asiat. 275.  
 — — — Savi Fl. ital. 1, 8.  
 — *hirsutum* Willd. Smith Exot. Bot. 118.  
 — — — Bot. Reg. 1, 15.  
 — — — Bot. Mag. 45, 1991.  
 — — — Wight Ic. pl. Ind. or. 2, 702.  
 — *humile* L. Mem. Acad. Berl. 1790, 2.  
 — — — Bot. Reg. 5, 350.  
 — *Jacquemontii* Decne. Jacquemont Ind. 143.  
 — *lanceolatum* R. et P. Ruiz et Pav. Fl. 7.  
 — *latifolium* Roxb. Wight Ic. pl. Ind. or. 2, 703.  
 — *lineare* R. Br. Hook. Ic. pl. 9, 831.  
 — *malabaricum* Wight. Wight Ic. pl. Ind. or. 4, 1250.  
 — *multiflorum* Andr. Andr. Rep. 8, 496.  
 — *myrtyphyllum* Zenk. Zenker Pl. ind. 7.  
 — *nudiflorum* Ldl. Bot. Reg. 32, 48.  
 — — — Paxt. Mag. 15, 173.  
 — — — Annales de Gand 1848, 225.  
 — — — Bot. Mag. 78, 4649.  
 — — — Lem. Jard. fl. 3, 320.  
 — — — Fl. d. serres 8, 762.  
 — — — Annales d'hortic. 1852, x.  
 — *oblongum* Burm. Burm. Fl. ind. 3.  
 — *odoratissimum* L. Mem. Acad. Berl. 1790, 2.  
 — — — Bot. Mag. 8, 285.  
 — *officinale* L. Bot. Mag. 1, 31.  
 — — — Mem. Acad. Berl. 1790, 1.  
 — — — Schk. Handb. 2<sup>b</sup>.  
 † — — — Lam. Encycl. 7.  
 — — — Nouveau Duhamel 1, 27.  
 † — — — Plée Types 2.  
 † — — — Nees Gen. X, x.  
 — *ovalifolium* Wight. Wight Ic. pl. Ind. or. 4, 1256.  
 — *paniculatum* Roxb. Lodd. Cab. 469.  
 — — — Bot. Reg. 9, 690.  
 — *pubescens* Roxb. Rheede Hort. mal. 6, 54.  
 — — — Willd. Wight Ic. pl. Ind. or. 2, 702.  
 — *revolutum* Sims. Bot. Mag. 42, 1731.  
 — — — Bot. Reg. 3, 178.  
 — — — Lodd. Cab. 966.  
 — — — Rchb. Mag. 75.  
 — — — Wight Spicil. 151.  
 — — — Wight Ic. pl. Ind. or. 4, 1258.  
 — *rigidum* Zenk. Zenker Pl. ind. 6.  
 — — — Wight Ic. pl. Ind. or. 4, 1247.  
 — — — Wight Illustr. 151<sup>b</sup>.  
 — *Rottlerianum* Wall. Wight Ic. pl. Ind. or. 4, 1249.  
 — *Sambac* Ait. Rheede Hort. mal. 6, 50. 51.  
 — — — Andr. Rep. 8, 497.  
 — — — Lodd. Cab. 1922.  
 — — — Bot. Reg. 1, 1.  
 — — — Bot. Mag. 43, 1785.  
 — — — Wight Ic. pl. Ind. or. 2, 704.  
 — *simplicifolium* Forst. Bot. Mag. 25, 980.  
 — — — Wight Ic. pl. Ind. or. 2, 705.  
 — *trinerve* Vahl. Bot. Reg. 11, 918.  
 — *undulatum* Willd. Rheede Hort. mal. 6, 55.  
 — — — Icones pl. Chinae 4.  
 — — — Bot. Reg. 6, 436.  
 — — — Savi Fl. ital. 3, 85.  
 — *volubile* Jacq. Jacq. Schoenbr. 3, 321.  
 † — — — Jacq. Fragm. 44.  
 — *Wallichianum* Ldl. Bot. Reg. 17, 1409.  
*Jasonia sicula* DC. Mem. Mod. 22, x.  
*Jatropha acuminata* Lam. Vent. Malm. 52.  
 — *carthagenensis* Jacq. Jacq. Vind. 3, 77.  
 † — *Curcas* L. Gaertn. Carp. 108.  
 — — — Jacq. Vind. 3, 63.  
 — — — Desc. Ant. 2, 141.  
 † — — — Jussieu Euphorb. 11.



- † *Jatropha globosa* Gaertn. Gaertn. Carp. 109.  
 — *gossypifolia* Jacq. Jacq. Ic. 623.  
 — — *L.* Lodd. Cab. 117.  
 — — — Bot. Reg. 9, 746.  
 † — *herbacea* L. Houstoun Reliq. 15.  
 † — — Lam. Encycl. 791.  
 — *Janipha* L. Jacq. Hist. stirp. am. 244.  
 — *integerrima* Jacq. Bot. Mag. 36, 1464.  
 — *Manihot* L. Tussac Ant. 3, 1.  
 — — — Desc. Ant. 3, 176.  
 — — — Journ. agr. Soc. India 1850, x.  
 — *moluccana* L. Rumpf Amb. 3, 141.  
 — *multifida* L. Salisbury Parad. 91.  
 — — — Kerner Hort. 18.  
 — — — Desc. Ant. 2, 142.  
 † — *napaeifolia* Desr. Jussieu Euphorb. 11.  
 — *panduraefolia* Sims. Bot. Mag. 17, 604.  
 — — — Andr. Rep. 4, 267.  
 — — — Lodd. Cab. 1604.  
 — — — Maund Bot. 3, 107.  
 — — — Kerner Hort. 221.  
 — — — Herb. amat. 2, 113.  
 — — — Savi Fl. ital. 1, 30.  
 — *peltata* Wight. Wight Ic. pl. Ind. or. 4, 1169.  
 — *podagrica* Hook. Bot. Mag. 74, 4376.  
 — *urens* L. Jacq. Vind. 21.  
 — — — Lodd. Cab. 478.  
 — — — Desc. Ant. 7, 502.  
 — *variegata* Vahl. Vahl Symbolae 21.  
*Jaubertia* Aucheri Guill. Jaubert Illustr. 8.  
 — *koelpinioides* Spach. Jaubert Illustr. 289.  
*Ibbetsonia* genistoides Sims. Bot. Mag. 31, 1259.  
 † *Iberis* L. Nees Gen. X, x.  
 † — — Jordan Obs. 6, 1.  
 — *acutiloba* Bert. Novi Comm. Bonon. 6, 9.  
 † — *amara* L. Medikus Gattungen 2.  
 — — — Rchb. Fl. germ. 2, 7.  
 — — — Dietr. Fl. bor. 12, 855.  
 — — — Engl. Bot. 1, 52.  
 — — — Baxter Brit. Bot. 5, 351.  
 † — — Jordan Obs. 6, 1.  
 † — *amoena* Jord. Jordan Obs. 6, 1.  
 † — *attica* Jord. Jordan Obs. 6, 1.  
 † — *aurosica* Chaix. Jordan Obs. 6, 1.  
 — *bicolor* Rchb. Rchb. Fl. germ. 2, 7.  
 † — *boppardensis* Jord. Jordan Obs. 6, 1.  
 † — *Candolleana* Jord. Jordan Obs. 6, 1.  
 — *carnosa* Willd. W. et Kit. 194.  
 — — — Sweet Fl. G. II. 6.  
 — *cepeaeifolia* Wulf. Jacq. Misc. 2, 1.  
 — *ciliata* Willd. Bot. Mag. 26, 1030.  
 — — — All. Rchb. Fl. germ. 2, 7.  
 — — — Jordan Obs. 6, 1.  
 † — *collina* Jord. Jordan Obs. 6, 1.  
 — *conferta* Lag. Delessert Ic. 2, 54.  
 — *coronaria* Don. Sweet Fl. G. II. 359.  
 — *divaricata* Tausch. Rchb. Fl. germ. 2, 7.  
 † — *Durandii* Lor. et Dur. Jordan Obs. 6, 1.  
 — *garrexiana* All. All. Fl. ped. 3, 40. 54.  
 — — — Rchb. Fl. germ. 2, 7.  
 † — — Jordan Obs. 6, 1.  
 — *gibraltarica* L. Bot. Mag. 4, 124.  
 † — *hortensis* Jord. Jordan Obs. 6, 1.  
 — *integerrima* Moris. Moris Fl. sard. 8.  
 — *intermedia* Guers. Bull. philom. 1811, no. 82.  
 — — — Dietr. Fl. bor. 12, 856.  
 † — — Jordan Obs. 6, 1.  
 † — *linifolia* L. Schk. Handb. 179.  
 — — — Rchb. Fl. germ. 2, 7.  
 † — — Jordan Obs. 6, 1.  
 — *nana* All. Allioni Anct. 2.  
 — — — Rchb. Fl. germ. 2, 7.

- Iberis* nana All. Bot. Mag. 54, 2788.  
 † — — — Jordan Obs. 6, 1.  
 — *nudicaulis* L. Fl. dan. 2, 323.  
 — — — Engl. Bot. 5, 327.  
 — — — Sv. Bot. 732.  
 — — — Schk. Handb. 179.  
 — *odorata* L. Sweet Fl. G. 50.  
 † — *panduraeformis* Pourr. Jordan Obs. 6, 1.  
 — *petraea* Jord. Jordan Obs. 6, 1.  
 — *pinnata* L. Rchb. Fl. germ. 2, 7.  
 † — — Jordan Obs. 6, 1.  
 † — *polita* Jord. Jordan Obs. 6, 1.  
 † — *Prostii* Soyer-Will. Jordan Obs. 6, 1.  
 — *rotundifolia* L. Scop. Fl. carn. 2, 37.  
 — *saxatilis* L. Gouan Fl. monsp. 3.  
 — — — Lam. Encycl. 557.  
 — — — Bot. Mag. 40, 1642.  
 — — — Rchb. Fl. germ. 2, 8.  
 † — — — Jordan Obs. 6, 1.  
 — *semperflorens* L. Rchb. Fl. germ. 2, 8.  
 — *sempervirens* L. Rousseau Bot. 11.  
 — — — Sibth. Fl. gr. 620.  
 — — — Rchb. Fl. germ. 2, 8.  
 † — *spathulata* Berg. Jordan Obs. 6, 1.  
 † — *Spruneri* Jord. Jordan Obs. 6, 1.  
 — *stylosa* Ten. Tenore Fl. nap. 160.  
 — *Tenoreana* DC. Tenore Fl. nap. 160.  
 — — — Lodd. Cab. 1721.  
 — — — Bot. Mag. 54, 2783.  
 — — — Sweet Fl. G. 88.  
 † — *Timeroyi* Jord. Jordan Obs. 6, 1.  
 † — *umbellata* L. Medikus Gattungen 2.  
 † — — — Schk. Handb. 179.  
 † — — — Gaertn. Carp. 141.  
 † — — — Lam. Encycl. 557.  
 — — — Bot. Mag. 3, 106.  
 — — — Rchb. Fl. germ. 2, 7.  
 † — — — Jordan Obs. 6, 1.  
 † — *Violeti* Jord. Jordan Obs. 6, 1.  
*Icacina* senegalensis Juss. Mem. hist. nat. Par. 1, 9.  
*Icacorea* guianensis Aubl. Aublet Guiana 368.  
 — — — Lam. Encycl. 136.  
*Ichnanthus* fastigiatus Brongn. Brongniart Coquille 18.  
 — *leiocarpus* Kth. Humb. Gram. 168.  
 — *panicoides* Pal. B. Humb. Gram. 34.  
*Ichnocarpus* frutescens R. Br. Wight Ic. pl. Ind. or. 2, 430.  
*Ichthyosma* Wehdemanni Schlechtend. Linnaea 2, 8.  
*Ichthyothere* curvifolia Moric. Moricand Pl. Am. 89.  
 — *rufa* Gardn. Fielding Sertum 9.  
 — *suffruticosa* Gardn. Fielding Sertum 8.  
*Icica* altissima Aubl. Aublet Guiana 132.  
 — *Aracouchini* Aubl. Aublet Guiana 133.  
 — *Copal A. Rich.* Ramon Cuba 37.  
 — — — Schlecht. Schlechtendal Hortus hal. 12.  
 — *enncandra* Aubl. Aublet Guiana 134.  
 — *guianensis* Aubl. Aublet Guiana 131.  
 — *heptaphylla* Aubl. Aublet Guiana 130.  
 † — — — Lam. Encycl. 303.  
 — *pentandra* Aubl. Aublet Guiana 135.  
*Ictodes* foetidus Big. Bigelow Med. 24.  
 † *Jeanneretia* litoralis Gaudich. Gaudichaud Bonite 25.  
 † *Jeffersonia* Barton. Gray Genera 34.  
 — *Bartoni* Michx. Rafin. Med. 55.  
 — *diphylla* Pers. Bot. Mag. 37, 1513.  
 — — — Lodd. Cab. 1036.  
 — — — Gray Genera 34.  
*Jenkinsia* Griffith. Wight Ic. pl. Ind. or. 5, 1854.  
 — *assamica* Griff. Calcutta Journal 1844, 12.  
 † — *undulata* Hook. Hook. Gen. Fil. 75.  
*Jenkinsonia* coriandrifolia Sweet. Sweet Geran. 34.  
 — *pendula* Sweet. Sweet Geran. 188.

- Jenkinsonia quinata Sweet. Sweet Geran. 79.  
 — Synnoti Sweet. Sweet Geran. 342.  
 — tetragona Sweet. Sweet Geran. 99.  
 † Jerdonia indica Wight. Wight Illustr. 159<sup>bis</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1352.  
 Jeronia elephantum Correa. Wight Ic. pl. Ind. or. 1, 15.  
 † Ignatia amara L. Gaertn. Carp. 179.  
 Iguanura geonomaciformis Mart. Mart. Palm. 178.  
 — leucocarpa Bl. Blume Rumphia 117.  
 Jirasekia alpina Schmidt. Schmidt Neue Beob. 1.  
 † — tenella Schmidt. Nees Genera 5, 21.  
 Ilex affinis Gardn. Hook. Ic. pl. 5, 465.  
 — angustifolia Willd. Watson Dendr. 1, 4.  
 — anomala Hook. et Arn. Hook. Beechey 25.  
 — Aquifolium L. Schk. Handb. 28.  
 — — — Sturm Flora 2, 7.  
 — — — Guimpel Holzgew. 5.  
 — — — Hayne 8, 25.  
 — — — Nees Düsseld. 361.  
 — — — Fl. dan. 3, 508.  
 — — — Engl. Bot. 7, 496.  
 — — — Baxter Brit. Bot. 4, 262.  
 † — — — Lam. Encycl. 89.  
 — — — Nouveau Duhamel 1, 1.  
 — — — Dict. sc. nat. 271.  
 † — — — Spach Suites 16.  
 † — — — Mem. Inst. 1850, 5.  
 — canadensis Michx. Michaux Fl. 49.  
 — canariensis Poir. Webb Canar. 69.  
 — Cassine Willd. Willdenow Hort. 31.  
 — — L. angustifolia, Nouveau Duhamel 1, 3.  
 — chinensis Sims. Bot. Mag. 46, 2043.  
 — cordata Desc. Desc. Ant. 6, 451.  
 — crassifolia Meerb. Meerburg Pl. sel. 4.  
 — — Hook. Hook. Ic. pl. 2, 149.  
 — cuneifolia L. Hook. Ic. pl. 3, 294.  
 — Dahoon Walt. var. Watson Dendr. 2, 114.  
 — denticulata Wall. Wight Illustr. 49.  
 — dipyrena Wall. Wall. Pl. asiat. 292.  
 — Gardneriana Wight. Wight Spicil. 140.  
 — — Wight Ic. pl. Ind. or. 4, 1217.  
 — Gongonha Don. Lambert Pinus 2, append. 6.  
 — japonica Thumb. Thumb. Ic. japon. 32.  
 — ligustrina Jacq. Jacq. Ic. 310.  
 — maderiensis Lam. Nouveau Duhamel 1, 2.  
 — Martiniana Don. Lambert Pinus 2, append. 5.  
 — microphylla Hook. Hook. Ic. pl. 2, 139.  
 — myrtifolia Lam. Nouveau Duhamel 1, 4.  
 — opaca Ait. Michaux Arb. 2, 11.  
 — — Rafin. Med. 53.  
 — — Watson Dendr. 1, 3.  
 — paraguayensis St. Hil. Lambert Pinus 2, app. 4.  
 — — Spach Suites 16.  
 — — Bot. Mag. 69, 3992.  
 — — Hook. Journal 1842, 1—3.  
 — — Journ. agr. Soc. India 1843, x.  
 — Perado Ait. Lodd. Cab. 549.  
 — — Kerner Hort. 422.  
 — platyphylla Webb. Webb Canar. 68.  
 — — Bot. Mag. 70, 4079.  
 — prinoides Ait. Watson Dendr. 2, 115.  
 — pubescens Hook. et Arn. Hook. Beechey 35.  
 — quercifolia Meerb. Meerburg Pl. sel. 5.  
 — salicifolia Jacq. Jacq. Collect. 5, 2.  
 — serrata Desc. Desc. Ant. 6, 451.  
 — Wightiana Wall. Wight Spicil. 139.  
 — — Wight Ic. pl. Ind. or. 4, 1216.  
 Illecebrum capitatum L. Sibth. Fl. gr. 247.  
 — cymosum L. fil. Brotero Phytogr. 22.  
 — — Schrader Journal 1801, 4.  
 † — echinatum Desf. Schrader Journal 1801, 4.  
 — — Sibth. Fl. gr. 245.  
 Illecebrum echinatum Desf. Brotero Phytogr. 22.  
 — ficoideum Jacq. Jacq. Hist. stirp. am. 90.  
 — frutescens L'her. L'her. Stirp. 37.  
 † — italicum Vill. Schrader Journal 1801, 4.  
 — Kapela Hacq. Hacquet Pl. alp. 2.  
 — lugdunense Vill. Schrader Journal 1801, 4.  
 † — maritimum Vill. Schrader Journal 1801, 4.  
 † — narbonnense Vill. Schrader Journal 1801, 4.  
 — Paronychia L. Sibth. Fl. gr. 246.  
 — — — Dict. sc. nat. 192.  
 — polygonifolium Vill. Vill. Dauph. 15.  
 † — — Schrader Journal 1801, 4.  
 — serpyllifolium Vill. Schrader Journal 1801, 4.  
 — sessile L. Rumpf Amb. 6, 15.  
 — verticillatum L. Fl. dan. 2, 335.  
 — — — Engl. Bot. 13, 895.  
 — — — Baxter Brit. Bot. 6, 471.  
 † — — — Gaertn. Carp. 184.  
 † — — — Schrader Journal 1801, 4.  
 — — — Schk. Handb. 50.  
 — — — Dietr. Fl. bor. 12, 860.  
 † — — — Nees Genera 4, 72.  
 † Illicium L. Gray Genera 21.  
 † — anisatum L. Gaertn. Carp. 69.  
 † — — Lam. Encycl. 493.  
 — — — Hayne 12, 29.  
 — — — Nees Düsseld. 369.  
 — — — Guimp. et Schl. 274.  
 — — — Wagner 175.  
 — — — Hoeven Tijdschr. 1, 2.  
 — floridanum Ellis. Ellis Letter to Linnaeus 1.  
 — — — Schneevoigt Ic. 9.  
 † — — — Gaertn. Carp. 69.  
 — — — Lam. Encycl. 493.  
 — — — Herb. amat. 3, 171<sup>b</sup>.  
 — — — Bot. Mag. 13, 439.  
 — — — Lodd. Cab. 209.  
 — — — Paxt. Mag. 5, 147.  
 — — — Bigelow Med. 48.  
 — — — Gray Genera 21.  
 — parviflorum Michx. Vent. Cels 22.  
 — — — Kerner Hort. 365.  
 — — — Herb. amat. 5, 330.  
 † — — — Hoeven Tijdschr. 1, 2.  
 — religiosum S. et Zucc. Sieb. Fl. Japon. 1.  
 — — — Hayne 14, 19.  
 — — — Bot. Mag. 69, 3965.  
 Imatophyllum Aitoni Hook. Bot. Mag. 55, 2856.  
 — — — Bot. Rég. 14, 1182.  
 † Imbricaria borbonica Gaertn. Gaertn. Carp. 206.  
 † — macrocarpa Gaertn. Gaertn. Carp. 206.  
 † — maxima Lam. Lam. Encycl. 300.  
 Imhofia Burchelliana Herb. Herbert Amar. 29.  
 † — filifolia Herb. Herbert Amar. 29.  
 † Impatiens L. Gray Genera 152, 153.  
 — albida Wight. Wight Ic. pl. Ind. or. 3, 743.  
 — Balsamina L. Rumpf Amb. 5, 90.  
 † — — — Lam. Encycl. 725.  
 — bicolor Royle. Royle Illustr. 28.  
 — biflora Pursh. Sweet Fl. G. 43.  
 — campanulata Wight. Wight Ic. pl. Ind. or. 3, 744.  
 — candida Ldl. Bot. Reg. 27, 20.  
 — coccinea Sims. Bot. Mag. 31, 1256.  
 — cornigera Hook. Bot. Mag. 78, 4623.  
 — — — Lem. Jard. fl. 236.  
 — cuspidata W. et A. Wight Ic. pl. Ind. or. 3, 741.  
 — dasysperma Wight. Wight Ic. pl. Ind. or. 3, 742.  
 — fasciculata Lam. Wight Ic. pl. Ind. or. 3, 748.  
 — — — Bot. Mag. 78, 4631.  
 — — — Lem. Jard. fl. 228.  
 — fimbriata Hook. Hook. Exot. Fl. 146.  
 — fruticosa Lesch. Wight Spicil. 37.

- Impatiens fruticosa* Lesch. Wight Ic. pl. Ind. or. 3, 966.  
 — *fulva* Nutt. Engl. Bot. 2794.  
 — — — Rehb. Hort. 101.  
 — — — Gray Genera 152, 153.  
 — *Gardneriana* Wight. Wight Spicil. 42 bis.  
 — — — Wight Ic. pl. Ind. or. 3, 1050.  
 — *glandulifera* Royle. Royle Illustr. 28.  
 — — — Bot. Reg. 26, 22.  
 — — — Bot. Mag. 69, 4020.  
 — *Goughii* Wight. Wight Ic. pl. Ind. or. 4, 1603.  
 — *Hoffmeisteri* Klotzsch. Prinz Waldem. Him. 15.  
 — *Hookeriana* Arn. Bot. Mag. 79, 4704.  
 — — — Fl. d. serres 8, 831.  
 — *Jerdoniae* Wight. Wight Ic. pl. Ind. or. 4, 1602.  
 — — — Bot. Mag. 79, 4739.  
 — *inconspicua* Benth. Wight Spicil. 41.  
 — — — Wight Ic. pl. Ind. or. 3, 970.  
 — *insignis* DC. Wall. Pl. asiat. 194.  
 — *Kleinii* W. et A. Wight Ic. pl. Ind. or. 3, 884.  
 — *Leschenaultii* Wall. Wight Spicil. 42.  
 — — — Wight Ic. pl. Ind. or. 3, 970 bis.  
 — *macrochila* Ldl. Bot. Reg. 26, 8.  
 — *macrophylla* Gardn. Bot. Mag. 78, 4662.  
 — *modesta* Wight. Wight Spicil. 39.  
 — — — Wight Ic. pl. Ind. or. 3, 968.  
 — *Munronii* Wight. Wight Ic. pl. Ind. or. 3, 1049.  
 — *Nolitangere* L. β. Trew Plantae rar. 20.  
 — — — Schk. Handb. 270.  
 — — — Sturm Flora 2, 5.  
 — — — Schrank Fl. monac. 1, 53.  
 — — — Rehb. Fl. germ. 5, 198<sup>b</sup>.  
 — — — Dietr. Fl. bor. 12, 841.  
 — — — Liboschitz Petersb. 28.  
 — — — Fl. dan. 4, 582.  
 — — — Sv. Bot. 371.  
 — — — Engl. Bot. 14, 937.  
 — — — Baxter Brit. Bot. 2, 125.  
 — — — Dict. sc. nat. 134.  
 † — — — Plée Types 7.  
 † — — — Hopkirk Fl. anomala 1.  
 — *oppositifolia* L. Wight Ic. pl. Ind. or. 3, 883.  
 — *parviflora* DC. Mem. Genev. 5, 1.  
 — — — Ledeb. Ic. 89.  
 — *picta* Kn. et W. Knowles et Westcott 128.  
 — *platypetala* Ldl. Bot. Reg. 32, 68.  
 — — — Fl. d. serres 3, 215.  
 — *puberula* Wall. Wall. Pl. asiat. 193.  
 — *puleherrima* Dalz. Bot. Mag. 77, 4615.  
 — — — Lem. Jard. fl. 202.  
 — *repens* Moon. Wight Illustr. 61.  
 — — — Bot. Mag. 74, 4404.  
 — — — Fl. d. serres 4, 403.  
 — *reticulata* Wall. Wall. Pl. asiat. 19.  
 — *rivalis* Wight. Wight Ic. pl. Ind. or. 3, 751.  
 — *rosea* Ldl. Bot. Reg. 27, 27.  
 — *rosmarinifolia* Retz. Wight Ic. pl. Ind. or. 3, 750.  
 — *Roylei* Walp. Belgique hortic. 1, 1.  
 — — — Klotzsch. Prinz Waldem. Him. 15.  
 — *rufescens* Benth. Wight Spicil. 40.  
 — — — Wight Ic. pl. Ind. or. 3, 969.  
 — *soabrida?* DC. Wight Ic. pl. Ind. or. 2, 323.  
 — *scapiflora* Heyne. Bot. Mag. 64, 3587.  
 — — — Paxt. Mag. 5, 101.  
 — — — Wight Spicil. 38.  
 — — — Wight Ic. pl. Ind. or. 3, 967.  
 — *tomentosa* Heyne. Wight Ic. pl. Ind. or. 3, 749.  
 — *tricornis* Ldl. Bot. Reg. 26, 9.  
 — — — Bot. Mag. 70, 4051.  
 — *trilobata* Colebr. Hook. Exot. Fl. 141.  
 — *umbellata* Heyne. Wight Ic. pl. Ind. or. 3, 745.  
 — *uncinata* Wight. Wight Ic. pl. Ind. or. 3, 747.  
 — *viscida* Wight. Wight Ic. pl. Ind. or. 3, 746.

- Impatiens Walkeri* H. et A. Hook. Companion 18.  
*Imperata arundinacea* Cir. Cirillo Pl. rar. 2, 11.  
 — — — Host Gram. 340.  
 — — — *cylindrica* Host. Rehb. Fl. germ. 1, 55.  
*Imperatoria angustifolia* Bell. Mem. Tur. 7, 3.  
 — — — *hispanica* Boiss. Boissier Esp. 74.  
 † — *Ostruthium* L. Gaertn. Carp. 21.  
 † — — — Lam. Encycl. 199.  
 — — — Schk. Handb. 74.  
 — — — Sv. Bot. 368.  
 — — — Engl. Bot. 20, 1380.  
 — — — Baxter Brit. Bot. 5, 370.  
 — — — Woodv. Med. 1, 44.  
 — — — Hayne 7, 15.  
 — — — Guimp. et Schl. 190.  
 — — — Nees Dusseld. 288.  
 — — — Wagner 237.  
 † — *silvestris* Lam. Lam. Encycl. 199.  
 † *Incarvillea* Juss. Kerner Genera 144.  
 — — — *parasitica* Roxb. Roxb. Corom. 291.  
 † — *sinensis* Lam. Ann. Mus. 8, 63.  
 † — — — Lam. Encycl. 527.  
*Indigofera amoena* Jacq. Jacq. Schoenbr. 2, 234.  
 — — — Bot. Reg. 4, 300.  
 — — — *angulata* Ldl. Bot. Reg. 12, 991.  
 — — — *angustifolia* L. Bot. Mag. 13, 465.  
 † — *Anil* L. Lam. Encycl. 626.  
 — — — Tussac Ant. 2, 9.  
 — — — Dict. sc. nat. 252.  
 — — — Tratt. Archiv 12.  
 — — — *arborea* Roxb. Wight Ic. pl. Ind. or. 2, 368.  
 — — — *argentea* L. L'her. Stirp. 79.  
 — — — Desc. Ant. 8, 548.  
 — — — Spach Suites 3.  
 — *aspalathoides* Vahl. Rheede Hort. mal. 9, 37.  
 — — — Hook. Ic. pl. 2, 188.  
 — — — Wight Ic. pl. Ind. or. 2, 332.  
 — *atropurpurea* Ham. Bot. Mag. 58, 3065.  
 — — — Bot. Reg. 21, 1744.  
 — — — Herb. amat. 5, 346.  
 — — — Wight Ic. pl. Ind. or. 2, 369.  
 — — — Belgique hortic. 1, 66.  
 — *australis* Willd. Vent. Malm. 45.  
 — — — Lodd. Cab. 149.  
 — — — Bot. Reg. 5, 386.  
 — *Brunoniana* Grah. Wall. Pl. asiat. 279.  
 — *candicans* Ait. Bot. Mag. 6, 198.  
 — *coerulea* Roxb. Wight Ic. pl. Ind. or. 2, 366.  
 — *cytisoides* Thunb. Jacq. Schoenbr. 2, 235.  
 — — — Bot. Mag. 20, 742.  
 — *decora* Ldl. Bot. Reg. 32, 22.  
 — — — Paxt. Mag. 16, 291.  
 — — — Annales d'hortic. 1852, x.  
 — *decumbens* Hill. Hill. Hort. Kew. 10.  
 — *dendroides* Jacq. Jacq. Ic. 571.  
 — *denudata* Thunb. Jacq. Schoenbr. 2, 233.  
 — — — Lodd. Cab. 500.  
 — *diphylla* Vent. Vent. Choix 30.  
 — *disperma* L. Tratt. Archiv 73.  
 — *divaricata* Jacq. Jacq. Schoenbr. 3, 365.  
 — *Dosua* Ham. Bot. Reg. 28, 57.  
 — *echinata* Willd. Wight Ic. pl. Ind. or. 1, 316.  
 — *endecaphylla* Jacq. Jacq. Ic. 570.  
 — — — Pal. B. Fl. d'Oware 84.  
 — — — Bot. Reg. 10, 789.  
 — *enneaphylla* L. Roemer Archiv 1, x.  
 — — — Wight Ic. pl. Ind. or. 2, 403.  
 — *flaccida* Koenig. Wight Ic. pl. Ind. or. 2, 387.  
 — *fragrans* Retz. Wight Ic. pl. Ind. or. 2, 383.  
 — *glandulosa* Roxb. Wight Ic. pl. Ind. or. 2, 330.  
 — *gravecolens* Schrad. Schrader Sertum hannov. 12.  
 — *hirsuta* L. Rheede Hort. mal. 9, 30.

- Indigofera hirsuta* L. Jacq. Ic. 569.  
 — — — Pal. B. Fl. d'Oware 119.  
 † — — — Lam. Encycl. 626.  
 — — — Hook. Companion 24.  
 — — — *incana* Thunb. Bot. Reg. 12, 957.  
 — — — *juncea* Lois. Herb. amat. 4, 227.  
 — — — *lateritia* Bert. Novi Comm. Bonon. 2, 8.  
 — — — *linifolia* Retz. Retz. Obs. 6, 2.  
 — — — Roxb. Corom. 195.  
 — — — Wight Ic. pl. Ind. or. 1, 313.  
 — — — *macrocalyx* Guill. Guillemin Seneg. 46.  
 — — — *macrostachya* Vent. Vent. Malm. 44.  
 — — — *parvula* Delile. Caillaud Voyage 64.  
 — — — *paucifolia* Delile. Delile Egypte 37.  
 — — — Wight Ic. pl. Ind. or. 2, 331.  
 — — — *pedicellata* W. et A. Wight Spicil. 56.  
 — — — Wight Ic. pl. Ind. or. 3, 983.  
 — — — *pentaphylla* L. Wight Ic. pl. Ind. or. 2, 385.  
 — — — *psoraloides* L. Bot. Mag. 14, 476.  
 — — — *pulchella* W. et A. Wight Spicil. 55.  
 — — — Wight Ic. pl. Ind. or. 2, 367.  
 — — — *setulosa* Bert. Novi Comm. Bonon. 2, 8.  
 — — — *silvatica* Sieb. Bot. Mag. 57, 3000.  
 — — — *stachyoides* Ldl. Bot. Reg. 29, 14.  
 — — — *stenophylla* Guill. Guillemin Seneg. 48.  
 — — — *stipularis* Link. Maund Bot. 4, 191.  
 — — — *stricta* L. fil. Jacq. Schoenbr. 2, 236.  
 † — — — *sumatrana* Gaertn. Gaertn. Carp. 148.  
 † — — — Lam. Encycl. 626.  
 — — — *tephrosioides* H. B. K. H. B. K. Nov. Gen. 6, 580.  
 — — — *tinctoria* L. Rheede Hort. mal. 1, 54.  
 — — — Rumpf Amb. 5, 80.  
 — — — Rousseau Bot. 19.  
 — — — Tratt. Archiv 71.  
 — — — Desc. Ant. 1, 17.  
 † — — — Spach Suites 3.  
 — — — Wight Ic. pl. Ind. or. 2, 365.  
 — — — *trichopoda* Guill. Guillemin Seneg. 47.  
 — — — *trifoliata* L. Wight Ic. pl. Ind. or. 1, 314.  
 — — — *trita* L. fil. Hook. Companion 16.  
 — — — Wight Ic. pl. Ind. or. 1, 315. 2, 386.  
 — — — *uniflora* Ham. Wight Ic. pl. Ind. or. 2, 333.  
 — — — *violacea* Roxb. Bot. Mag. 61, 3348.  
 — — — *viscosa* Lam. Wight Ic. pl. Ind. or. 2, 404.  
*Infantea chilensis* J. Remy. Gay Chile 48.  
*Inga adiantifolia* H. B. Humb. Mim. 21.  
 — — — *anomala* H. B. Humb. Mim. 22.  
 — — — *bauhiniaefolia* P. et E. Poepp. et Endl. 290.  
 — — — *bigemina* Willd. Rheede Hort. mal. 6, 12.  
 — — — *biglobosa* Willd. Pal. B. Fl. d'Oware 90.  
 — — — *ciliata* Presl. Presl Symbolae 58.  
 — — — *darienensis* Seem. Seemann Herald 23.  
 — — — *dulcis* Willd. Wight Ic. pl. Ind. or. 1, 198.  
 — — — *emarginata* H. B. Humb. Mim. 17.  
 — — — Kerner Hort. 592.  
 — — — *excelsa* H. B. Humb. Mim. 18.  
 — — — *ferruginea* Hort. Fl. d. serres 8, 773.  
 — — — *filipes* Vent. Vent. Choix 38.  
 — — — *forfex* H. B. Humb. Mim. 16.  
 — — — *fulgens* H. B. Humb. Mim. 11.  
 — — — *Harrisii* Ldl. Bot. Reg. 25, 41.  
 — — — *Houstoni* DC. Rehb. Exot. 107.  
 — — — *insignis* H. B. Humb. Mim. 13.  
 — — — *lanceolata* H. B. Humb. Mim. 15.  
 — — — *martinicensis* Presl. Presl Symbolae 42.  
 — — — *mertensioides* N. et M. Acta Leop. 12, 1, 5.  
 — — — *mollissima* H. B. Humb. Mim. 19.  
 — — — *myriantha* P. et E. Poepp. et Endl. 289.  
 — — — *ornata* H. B. Humb. Mim. 14.  
 — — — *pulcherrima* Cerv. Paxt. Mag. 11, 147.  
 — — — Fl. d. serres 1, 10.  
 — — — *purpurea* Willd. Bot. Reg. 2, 129.

- Inga purpurea* Willd. Kerner Hort. 439.  
 — — — Rehb. Exot. 108.  
 — — — *Saponaria* Willd. Rumpf Amb. 4, 66.  
 — — — *spuria* H. B. Humb. Mim. 12.  
 — — — *superbiens* Lem. Lem. Jard. fl. 3, 299. 300.  
 — — — *taxifolia* H. B. Humb. Mim. 20.  
 — — — *umbrosa* Wall. Wall. Pl. asiat. 124.  
 — — — *zygia* DC. DC. Legum. 65.  
*Inocarpus edulis* Forst. Rumpf Amb. 1, 65.  
 † — — — Forster Charact. 33.  
 † — — — Gaertn. Carp. 199. 200.  
 † — — — Lam. Encycl. 362.  
 — — — Roxb. Corom. 263.  
*Intsia amboinensis* DC. Rumpf Amb. 3, 10.  
 † *Intybellia pracmorsa* Monn. Monnier Essai 4.  
 † — — — *pulchra* Monn. Monnier Essai 4.  
*Inula arbuscula* Delile. Ferret Abyssin. 14.  
 — — — *bifrons* L. Rehb. Ic. crit. 4, 346.  
 — — — *britannica* L. Fl. dan. 3, 413.  
 — — — Schk. Handb. 247.  
 — — — Dietr. Fl. bor. 7, 495.  
 — — — *Bubonium* Jacq. Jacq. Fl. austr. 5, 19.  
 — — — *chrysocomoides* Poir. Lam. Encycl. 680.  
 — — — *Conyza* DC. Dietr. Fl. bor. 11, 772.  
 — — — *conyzoides* Desf. Ann. Mus. 11, 23.  
 — — — Desf. Choix 38.  
 — — — *crispa* Pers. Delile Egypte 45.  
 — — — *crithmoides* L. Engl. Bot. 1, 68.  
 — — — *dentata* Sibth. Sibth. Fl. gr. 874.  
 — — — *dysenterica* L. Fl. dan. 3, 410.  
 — — — Curt. Lond. 1, 124.  
 — — — Engl. Bot. 16, 1115.  
 — — — Schk. Handb. 247.  
 — — — Dreves 1, 31.  
 — — — Hayne 6, 46.  
 — — — *ensifolia* L. Jacq. Fl. austr. 2, 162.  
 — — — Sturm Flora 9, 34.  
 — — — *germanica* L. Jacq. Fl. austr. 2, 134.  
 † — — — Nees Gen. X, x.  
 — — — *glandulosa* Willd. Bot. Reg. 4, 334.  
 — — — Bot. Mag. 44, 1907.  
 — — — *gnaphalioides* Vent. Vent. Cels 75.  
 † — — — *Helenium* L. Gaertn. Carp. 170.  
 † — — — Lam. Encycl. 680.  
 — — — Fl. dan. 5, 728.  
 — — — Sv. Bot. 57.  
 — — — Woodv. Med. 1, 26.  
 — — — Engl. Bot. 22, 1546.  
 — — — Baxter Brit. Bot. 4, 265.  
 — — — Sibth. Fl. gr. 873.  
 — — — Hayne 6, 45.  
 — — — Guimp. et Schl. 191.  
 — — — Nees Düsseld. 239.  
 — — — Wagner 123. 124.  
 — — — *hirta* L. Jacq. Fl. austr. 4, 358.  
 † — — — Nees Gen. X, x.  
 — — — *japonica* Thunb. Kaempfer Japon. 30.  
 — — — *Oculus Christi* L. Jacq. Fl. austr. 3, 223.  
 — — — *Oetteliana* Rehb. Dietr. Fl. bor. 8, 560.  
 — — — *primulaefolia* Lam. Desc. Ant. 4, 289.  
 — — — *Pulicaria* L. Fl. dan. 4, 613.  
 — — — Curt. Lond. 1, 123.  
 — — — Engl. Bot. 17, 1196.  
 — — — Sv. Bot. 738.  
 † — — — Lam. Encycl. 680.  
 — — — *salicina* L. Fl. dan. 5, 786.  
 — — — Dietr. Fl. bor. 12, 808.  
 — — — *saturejaeoides* Mill. Houstoun Reliq. 19.  
 — — — *semiamplexicaulis* Reuter. Mem. Genev. 7, x.  
 — — — *squarrosa* L. Krock. Fl. sil. 2, 40.  
 — — — Sibth. Fl. gr. 875.  
 — — — *suaveolens* Jacq. Jacq. Vind. 3, 51.

- Inula thapsioides* *Spr.* *Rchb. Ic. crit.* 4, 347.  
 — *undulata* *L.* *Delile Egypte* 46.  
 — *viscosa* *Ait.* *Brotero Phytogr.* 164.  
*Involucraria Wallichiana* *Ser.* *Mem. Genev.* 3, 5.  
*Joachima phalaroides* *Ten.* *Tenore Fl. nap.* 5.  
*Jochroma macrocalyx* *Benth.* *Hook. Journ.* 1845, 13, 14.  
 — *tubulosum* *Benth.* *Bot. Reg.* 31, 20.  
 — — — *Fl. d. serres* 1, 22.  
 † *Jodanthus Torr. et Gr.* *Gray Genera* 54.  
 — *hesperioides Torr. et Gr.* *Gray Genera* 54.  
*Jodes ovalis* *Blume.* *Bennett Java* 48.  
*Johannia microphylla* *Tratt.* *Tratt. Archiv* 8.  
*Johnia coromandeliana* *Roxb.* *Wight Ic. pl. Ind. or.*  
 2, 321.  
 — *Petitiana* *Rich.* *Richard Abyssin.* 40.  
*Johnsonia hirta* *Ldl.* *Lindley Swan River* 7.  
 — *lupulina* *R. Br.* *Bauer Illustr.* 1.  
 † *Johrenia DC.* *DC. Umbellifères* 1.  
 — *alpina Fenzl.* *Russegger Reise* 17.  
*Joinvillea ascendens* *Gaudich.* *Gaudich. Bonite* 39, 40.  
 — *elegans* *Gaudich.* *Gaudichaud Bonite* 39, 40.  
*Joliffia africana* *Bojer.* *Mem. hist. nat. Par.* 3, 6.  
 † *Jondraba Barrelier.* *Medikus Gattungen* 1.  
*Jonesia Asoca* *Roxb.* *Rheede Hort. mal.* 5, 59.  
 — — — *Asiatic Researches* 4, x.  
 — — — *Bot. Mag.* 57, 3018.  
 — — — *Paxt. Fl. G.* 32.  
 — — — *Wight Ic. pl. Ind. or.* 1, 206.  
 — *pinnata Willd.* *Kerner Hort.* 685.  
 † *Jonidium Vent.* *Gray Genera* 82.  
 — *anomalum H. B. K.* *H. B. K. Nov. Gen.* 5, 500.  
 — *bigibbosum St. Hil.* *Mem. Mus.* 11, 23.  
 — — — *St. Hil. Pl. remarq.* 27.  
 — *brevicaule Mart.* *Münehn. Denkschr.* 9, 3.  
 — — — *Nees Düsseld. Suppl.* 118.  
 — *circaeoides H. B. K.* *H. B. K. Nov. Gen.* 5, 498.  
 — *enneaspermum Vent.* *Rheede Hort. mal.* 9, 60.  
 — *ericaeoides H. K.* *Nees Düsseld. Suppl.* 118.  
 — *fruticulosum Benth.* *Bentham Sulphur* 2.  
 — *Ipecacuanha Vent.* *St. Hil. Pl. usuelles* 11.  
 — — — *Bot. Mag.* 51, 2453.  
 — — — *Nees Düsseld. Suppl.* 117.  
 — *Itubu H. B. K.* *H. B. K. Nov. Gen.* 5, 496.  
 † — *lanatum St. Hil.* *Mem. Mus.* 11, 23.  
 † — — — *St. Hil. Pl. remarq.* 27.  
 — *lineare Torr.* *Gray Genera* 82.  
 — *microphyllum H. B. K.* *H. B. K. Nov. Gen.* 5, 495.  
 † — *nanum St. Hil.* *Mem. Mus.* 11, 23.  
 † — — — *St. Hil. Pl. remarq.* 27.  
 — *parviflorum Vent.* *St. Hil. Pl. usuelles* 20.  
 — *Poaya St. Hil.* *St. Hil. Pl. usuelles* 9.  
 — — — *Nees Düsseld. Suppl.* 117.  
 — *polygalaeifolium Vent.* *Vent. Malm.* 27.  
 — — — *H. B. K. Nov. Gen.* 5, 496.  
 † — *setigerum St. Hil.* *Mem. Mus.* 11, 23.  
 † — — — *St. Hil. Pl. remarq.* 27.  
 — *suffruticosum Gingins.* *Wight Illustr.* 19.  
 — — — *Wight Ic. pl. Ind. or.* 1, 308.  
 — *urticaefolium Mart.* *Münchn. Denkschr.* 9, 4.  
 — — — *Nees Düsseld. Suppl.* 118.  
 — *verbenaceum H. B. K.* *H. B. K. Nov. Gen.* 5,  
 497.  
 — *viscidulum H. B. K.* *Miquel Sertum* 5.  
*Jonopsidium acaule DC.* *Rchb. Ic. crit.* 7, 649.  
 — — — *Jacq. Eclogae* pl. 132.  
 — — — *Bot. Reg.* 32, 51.  
 — — — *Fl. d. serres* 4, 389.  
 — — — *Belgique hortic.* 3, 21.  
 † — *albiflorum Durieu.* *Explor. Alger.* 72.  
*Jonopsis pulchella H. B. K.* *H. B. K. Nov. Gen.* 1, 83.  
 — *tenera Ldl.* *Bot. Reg.* 22, 1904.  
 — *utricularioides Ldl.* *Lindley Collect.* 39.

- Josephia lanceolata* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1742.  
 — *latifolia* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1743.  
*Josephinia grandiflora R. Br.* *Endl. Iconogr.* 106.  
 — *Imperatricis Vent.* *Vent. Malm.* 67.  
 — — — *Dict. sc. nat.* 54.  
 † *Jossinia indica* *Wight.* *Wight Illustr.* 97 bis.  
 — — — *Wight Ic. pl. Ind. or.* 2, 523.  
 — *Lamarckii Bl.* *Flore d. serres* 6, 621.  
*Jovellana punctata Rz et P.* *Ruiz et Pav. Fl.* 18.  
 — *scapiflora Rz et P.* *Ruiz et Pav. Fl.* 18.  
 — *triandra Cav.* *Cav. Ic.* 453.  
*Joxocarpus laurifolius* *Wight.* *Wight Ic. pl. Ind. or.* 2,  
 598.  
 — *Roxburghii W. et A.* *Wight Ic. pl. Ind. or.* 2, 475.  
 † *Ipomaea L.* *Mem. Genev.* 6, 1.  
 — *acuminata Rz et P.* *Ruiz et Pav. Fl.* 120.  
 — *acutangula Rz et P.* *Ruiz et Pav. Fl.* 119.  
 — — — *Kerner Hort.* 259.  
 — *Aitoni Ldl.* *Bot. Reg.* 21, 1794.  
 — *albiflora Moric.* *Moricand Pl. Am.* 70.  
 — *angulata Rz et P.* *Ruiz et Pav. Fl.* 119.  
 — *angustifolia Jacq.* *Jacq. Ic.* 317.  
 — *aquatica Poir.* *Rheede Hort. mal.* 11, 52.  
 — *atrosanguinea Sims.* *Bot. Mag.* 47, 2170.  
 — *Bacli Choisy.* *Mem. Genev.* 8, 2.  
 — *barbigera Sweet.* *Sweet Fl. G.* 86.  
 — *Batatas Poir.* *Rheede Hort. mal.* 7, 50.  
 — — — *Tussac Ant.* 4, 1.  
 — — — *Desc. Ant.* 8, 545.  
 — *bataoides Benth.* *Bot. Reg.* 27, 36.  
 — *Beladamboe R. et Sch.* *Rheede Hort. mal.* 11, 58.  
 — *bignonioides Sims.* *Bot. Mag.* 53, 2645.  
 † — *bona nox L.* *Gaertn. Carp.* 134.  
 — — — *Jacq. Schoenbr.* 1, 36.  
 — — — *Cav. Ic.* 300.  
 — — — *Bot. Mag.* 20, 752.  
 — — — *var. purpurascens*, *Bot. Reg.* 4, 290.  
 — *bonariensis Hook.* *Bot. Mag.* 65, 3665.  
 — *bracteata Cav.* *Cav. Ic.* 477.  
 — — — *Wight.* *Wight Ic. pl. Ind. or.* 4, 1374.  
 — *campanulata L.* *Rheede Hort. mal.* 11, 56.  
 — — — *Wight Ic. pl. Ind. or.* 4, 1375.  
 — *carnea L.* *Jacq. Hist. stirp.* am. 25.  
 — *chryseides Ker.* *Bot. Reg.* 4, 270.  
 — — — *Wight.* *Wight Ic. pl. Ind. or.* 1, 157.  
 — *coccinea L.* *Schk. Handb.* 37.  
 — — — *Bot. Mag.* 7, 221.  
 — — — *Andr. Rep.* 8, 499.  
 — *coerulea Roxb.* *Bot. Reg.* 4, 276.  
 — *crassipes Hook.* *Bot. Mag.* 70, 4068.  
 — *cuspidata Rz et P.* *Ruiz et Pav. Fl.* 119.  
 — *cymosa Choisy.* *Rumpf Amb.* 5, 158.  
 — — — *Bot. Reg.* 29, 24.  
 — *dasyperma Jacq.* *Jacq. Ecl. pl.* 89.  
 — *denticulata R. Br.* *Bot. Reg.* 4, 317.  
 — — — *Jacq. Ecl. pl.* 145.  
 — *digitata L.* *Revue hortic.* 1853, 20.  
 — *discolor Jacq.* *Jacq. Schoenbr.* 3, 261.  
 — *dissecta Pursh.* *Willdenow Phytogr.* 2.  
 — *elegans Paxt.* *Paxt. Mag.* 1, 27.  
 — *enrealoba Pal. B.* *Pal. B. Fl. d'Oware* 101.  
 — *eriocephala Moric.* *Moricand Pl. Am.* 29.  
 — *eriosperma Pal. B.* *Pal. B. Fl. d'Oware* 105.  
 — *eustachiana Jacq.* *Jacq. Obs.* 36.  
 — *evoluloides Moric.* *Moricand Pl. Am.* 32.  
 — *ficifolia Ldl.* *Bot. Reg.* 27, 13.  
 — — — *Paxt. Mag.* 9, 25.  
 — *filiformis Jacq.* *Jacq. Hist. stirp.* am. 26.  
 — *floribunda Moric.* *Moricand Pl. Am.* 31.  
 — *fulva Bert.* *Novi Comm. Bonon.* 3, 23.  
 — *glandulifera Rz et P.* *Ruiz et Pav. Fl.* 121.  
 — — — *Kerner Hort.* 375.

- Ipomaea goyazensis* *Gardn.* Hook. Ic. pl. 5, 479.  
 — *grandiflora* *Roxb.* Rheedé Hort. mal. 11, 50.  
 — — *Andr.* Andr. Rep. 6, 403.  
 — — — Tratt. Thes. 59.  
 — — — Kerner Hort. 374.  
 — *Hardingii* *Paxt.* Paxt. Mag. 11, 217.  
 — *hastata* *L.* Burm. Fl. ind. 18.  
 — *hederacea* *L.* Jacq. Ic. 36.  
 — — — Kerner Hort. 6.  
 — — — Bot. Reg. 1, 85.  
 — *hederaefolia* *L.* Tratt. Thes. 60.  
 — *hepaticaeifolia* *L.* Burm. Fl. ind. 20.  
 — *heterophylla* *Willd.* Jacq. Fragm. 42.  
 — *hirsutula* *Jacq.* Jacq. Ecl. pl. 44.  
 — *Horsfalliae* *Hook.* Bot. Mag. 61, 3315.  
 — — — Knowles et Westcott 29.  
 — — — Maund Bot. 1, 31.  
 — — — Paxt. Mag. 3, 50.  
 — *Jalapa* *Pursh.* Bot. Reg. 4, 342. 8, 621.  
 — — — Berl. Jahrb. 1820, 2.  
 — — — Hayne 13, 37.  
 — — — Nees Düsseld. 196. 197.  
 — *insignis* *Andr.* Andr. Rep. 10, 636.  
 — — — Bot. Mag. 43, 1790.  
 — — — Bot. Reg. 1, 75.  
 — *involutrata* *Pal. B.* Pal. B. Fl. d'Oware 89.  
 — — — Rehb. Exot. 285.  
 — *Krusensternii* *Led.* Petersb. 4, 8.  
 — *latiflora* *R. et Sch.* Bot. Reg. 11, 889.  
 — *Learii* *Paxt.* Paxt. Mag. 6, 267.  
 — — — Marnock Mag. 1840, 10.  
 — *leucantha* *Jacq.* Jacq. Ic. 318.  
 — *longifolia* *Benth.* Bot. Reg. 26, 21.  
 — *luteola* *Jacq.* Jacq. Ic. 35.  
 — *luxurians* *Moric.* Moricand Pl. Am. 39.  
 — *malabarica* *R. et Sch.* Rheedé Hort. mal. 11, 51.  
 — *maritima* *R. Br.* Rheedé Hort. mal. 11, 57.  
 — — — Bot. Reg. 4, 319.  
 — *mauritiana* *Jacq.* Jacq. Schoenbr. 2, 200.  
 — — — Kerner Hort. 65.  
 — *mollicoma* *Miq.* Miquel Surin. 37.  
 — *montana* *Moric.* Moricand Pl. Am. 30.  
 — *muricata* *Jacq.* Jacq. Schoenbr. 3, 323.  
 — — — *Cav.* Cav. Ic. 478.  
 — — — Bot. Mag. 73, 4301.  
 — *mutabilis* *Ker.* Bot. Reg. 1, 39.  
 — *neriifolia* *Gardn.* Hook. Ic. pl. 5, 471.  
 — *oblongata* *E. M.* Lem. Jard. fl. 209.  
 — *obscura* *Ker.* Bot. Reg. 3, 239.  
 — *owariensis* *Pal. B.* Pal. B. Fl. d'Oware 82.  
 — *palmata* *Forsk.* Lem. Jard. fl. 256.  
 — — — Belgique hortic. 2, 63.  
 — *pandurata* *Ker.* Bot. Reg. 7, 588.  
 — *paniculata* *Burm.* Burm. Fl. ind. 21.  
 — — — *R. Br.* Rheedé Hort. mal. 11, 49.  
 — — — Bot. Reg. 1, 62.  
 — *Papiru* *Rz et P.* Ruiz et Pav. Fl. 120.  
 — *peduncularis* *Bert.* Novi Comm. Bonon. 4, 37.  
 — *pendula* *R. Br.* Andr. Rep. 10, 613.  
 — — — Kerner Hort. 586. 706.  
 — — — Bot. Reg. 8, 632.  
 — *pentaphylla* *Cav.* Cav. Ic. 256.  
 — — — Jacq. Ic. 319.  
 — *pes tigris* *L.* Rheedé Hort. mal. 11, 59.  
 — — — Wight Ic. pl. Ind. or. 3, 836.  
 — *Petersiana* *Klotzsch.* Peters Mossamb. 38.  
 — *pileata* *Roxb.* Wight Ic. pl. Ind. or. 4, 1363.  
 — *pilosa* *Cav.* Cav. Ic. 323.  
 — — — *Choisy.* Wight Ic. pl. Ind. or. 3, 837.  
 — *platensis* *Herb.* Bot. Reg. 4, 333.  
 — — — Bot. Mag. 65, 3685.  
 — — — Hart. Parad. 2, 2.

- Ipomaea platensis* *Herb.* Maund Bot. 5, 205.  
 — *pulchella* *Roth.* Bot. Mag. 73, 4305.  
 — — — *Wight.* Wight Ic. pl. Ind. or. 1, 156.  
 — *Purga* *Wendr.* Hayne 12, 33. 34.  
 — — — Guimpel et Kl. 21. 22.  
 — — — Nees Düsseld. Suppl. 61.  
 — *purpurea* *Lam.* Dict. sc. nat. 48.  
 — *Quamoclit* *L.* Rheedé Hort. mal. 11, 60.  
 — — — Rumpf Amb. 5, 155.  
 — — — Bot. Mag. 7, 244.  
 † — — — Lam. Encycl. 104.  
 — — — Barton Fl. 3, 96.  
 — *racemosa* *Roth.* Wight Illustr. 168.  
 — *repanda* *Jacq.* Jacq. Hist. stirp. am. 27.  
 — — — Salisb. Parad. 81.  
 — *rubro-coerulea* *Hook.* Bot. Mag. 61, 3297.  
 — — — Maund Bot. 2, 52.  
 — — — Paxt. Mag. 3, 99.  
 — — — Hart. Parad. 1, 2.  
 — *rugosa* *Choisy.* Wight Ic. pl. Ind. or. 3, 887.  
 — *sagittaeifolia* *Burm.* Rheedé Hort. mal. 11, 55.  
 — — — Burmann Fl. ind. 18.  
 — — — *Pursh.* Bot. Reg. 6, 437.  
 — *sagittata* *Poir.* Poir. Reise 3.  
 — — — Lam. Encycl. 104.  
 — — — Cav. Ic. 107.  
 — — — Kerner Hort. 623.  
 — *sanguinea* *Vahl.* Bot. Mag. 42, 1769.  
 — — — Bot. Reg. 1, 9.  
 — *Schiedeana* *Zucc.* Münchn. Abh. 1, 12.  
 — *sepiaria* *Roxb. Koen.* Rheedé Hort. mal. 11, 53.  
 — — — Wight Ic. pl. Ind. or. 3, 838.  
 — *sessiliflora* *Choisy.* Wight Ic. pl. Ind. or. 1, 169.  
 — *setosa* *Ker.* Bot. Reg. 4, 335.  
 — *simplex* *Thunb.* Bot. Mag. 72, 4206.  
 — *speciosa* *R. et Sch.* Rheedé Hort. mal. 11, 61.  
 — — — *Pers.* Bot. Mag. 51, 2446.  
 — *splendens* *Sims.* Bot. Mag. 53, 2628.  
 — *stans* *Cav.* Cav. Ic. 250.  
 — *stipulacea* *Jacq.* Jacq. Schoenbr. 2, 199.  
 — — — Kerner Hort. 263.  
 — *ternata* *Jacq.* Jacq. Schoenbr. 1, 37.  
 — *ternifolia* *Cav.* Cav. Ic. 478.  
 — *tricolor* *Cav.* Cav. Ic. 208.  
 — *tridentata* *Roth.* Rheedé Hort. mal. 11, 65.  
 — *triloba* *L.* Desc. Ant. 2, 137.  
 — *tuberculata* *Ker.* Bot. Reg. 1, 86.  
 — *tuberosa* *Jacq.* Hortic. Transact. 1, 10.  
 — — — Bot. Reg. 9, 768.  
 — *Turpethum* *R. Br.* Bot. Reg. 4, 279.  
 — — — Berl. Jahrb. 1820, 1.  
 — *tyrianthina* *Ldl.* Paxt. Mag. 8, 73.  
 — — — Fl. d. serres 2, 37.  
 — *Tweediei* *Hook.* Bot. Mag. 69, 3978.  
 — *vesiculosa* *Pal. B.* Pal. B. Fl. d'Oware 106.  
 — *villosa* *Rz et P.* Ruiz et Pav. Fl. 121.  
 — *Wightii* *Choisy.* Wight Ic. pl. Ind. or. 4, 1364.  
 † *zeylanica* *Gaertn.* Gaertn. Carp. 178.  
*Ipomopsis elegans* *Michx.* Smith Exot. Bot. 13.  
 — — — *Sm.* Bot. Reg. 15, 1281.  
 — *inconspicua* *Sm.* Smith Exot. Bot. 14.  
 — *picta* *Paxt.* Paxt. Mag. 1, 245.  
*Ipsea speciosa* *Ldl.* Wight Ic. pl. Ind. or. 5, 1663.  
*Iresine erianthos* *Poir.* Lam. Encycl. 813.  
 — *grandiflora* *Hook.* Hook. Ic. pl. 2, 102.  
 — *javanica* *Burm.* Burm. Fl. ind. 65.  
 — *persica* *Burm.* Burm. Fl. ind. 65.  
 — *polymorpha* *Mart.* Mart. Bras. 153. 154.  
 — *racemosa* *Poir.* Lam. Encycl. 813.  
 † *Iriarteia Rz et P.* Mart. Palm. U. V.  
 † — *deltoidea* *Rz et P.* Ruiz et Pav. Prodr. 32.  
 — *exorrhiza* *Mart.* Mart. Palm. 33. 34.

- Iriartea exorrhiza Mart.* Wallace Palms 3. 12. 13.  
 — *Lamarckiana Mart.* D'Orbigny Voyage 12. 20.  
 — *Orbignyana Mart.* D'Orbigny Voyage 5. 20.  
 — *phaeocarpa Mart.* D'Orbigny Voyage 5. 19.  
 — *setigera Mart.* Mart. Palm. 37.  
 — — Wallace Palms 15.  
 — *ventricosa Mart.* Mart. Palm. 35. 36.  
 — — Wallace Palms 14.  
 † *Irideae R. Br.* Schnizl. Iconogr. 1, 61.  
 — — Lady South Afric. 2. 3.  
*Iridorchis Aub.* Aubert Orchid. 91.  
 † *Iris L.* Lam. Encycl. 33.  
 † — — Mutel Fl. franç. 68. 69.  
 — *acuta Willd.* Rechb. Ic. crit. 10, 913.  
 — — Rechb. Fl. germ. 9, 343.  
 — *alata Poir.* Bot. Reg. 22, 1876.  
 — *amoena Red.* Red. Lil. 6, 336.  
 — — Rechb. Ic. crit. 10, 919.  
 — — Sweet Fl. G. II. 165.  
 — *aphylla Thunb.* var. Bot. Mag. 22, 870.  
 — *arenaria W. et K.* Winterl Index 22.  
 — — W. et Kit. 57.  
 — — Red. Lil. 5, 296.  
 — — Bot. Reg. 7, 549.  
 — — Rechb. Fl. germ. 9, 330.  
 — *aurea Ldl.* Bot. Reg. 33, 59.  
 — *bicolor Ldl.* Bot. Reg. 17, 1404.  
 — — Lodd. Cab. 1886.  
 — — Paxt. Mag. 9, 29.  
 — *biflora L.* Rechb. Fl. germ. 9, 332.  
 — — Sweet Fl. G. II. 152.  
 — *biglumis Vahl.* Sweet Fl. G. II. 187.  
 — *bituminosa L.* Thunberg Iris 2.  
 — *Bloudowii Led.* Ledeb. Ic. 101.  
 — *bohemica Schmidt.* Sturm Flora 13, 56.  
 — — Rechb. Fl. germ. 9, 331.  
 — *brachycuspis Fisch.* Bot. Mag. 49, 2326.  
 — *caucasica Stev.* Sweet Fl. G. 255.  
 — *chinensis Curt.* Bot. Mag. 11, 373.  
 — *Clusiana Tausch.* Rechb. Fl. germ. 9, 328.  
 — *crassifolia Lodd.* Lodd. Cab. 1961.  
 — *crispa Thunb.* Thunberg Iris 1.  
 — *cristata Ait.* Smith Spicil. 13.  
 — — Bot. Mag. 12, 412.  
 — — Red. Lil. 7, 376.  
 — — Lodd. Cab. 1366.  
 — *decora Wall.* Wall. Pl. asiat. 86.  
 — *deflexa Kn. et W.* Knowles et Westcott 51.  
 — *desertorum Balb.* Mem. Tur. 7, 2.  
 — *dichotoma Pall.* Rechb. Mag. 31.  
 — — Bot. Reg. 3, 246.  
 — — Sweet Fl. G. 96.  
 — *falcata Tausch.* Tausch Canal. 2.  
 — *Fieberi Seidel.* Sturm Flora 13, 56.  
 — — Rechb. Fl. germ. 9, 333.  
 — *filifolia Boiss.* Boissier Esp. 170.  
 — *fimbriata Vent.* Vent. Cels 9.  
 — — Red. Lil. 3, 152.  
 — — Savi Fl. ital. 2, 79.  
 — *flavescens Red.* Red. Lil. 7, 375.  
 — — Rechb. Ic. crit. 10, 921.  
 — — Sweet Fl. G. II. 56.  
 — *flavissima Pall.* Jacq. Ic. 220.  
 — *flexuosa Murr.* Novi Comm. Gott. 7, 4.  
 — *florentina L.* Bot. Mag. 18, 671.  
 — — Woodv. Med. 4, 262.  
 — — Sibth. Fl. gr. 39.  
 — — Red. Lil. 1, 23.  
 — — Sturm Flora 19, 87.  
 — — Rechb. Fl. germ. 9, 339.  
 — — Hayne 12, 1.  
 — — Nees Düsseld. 56.

- Iris florentina L.* Guimp. et Schl. 135.  
 — — — Wagner 218.  
 — *foetidissima L.* Red. Lil. 6, 351.  
 — — — Engl. Bot. 9, 596.  
 — — — Hayne 12, 5.  
 — — — Rechb. Ic. crit. 10, 916.  
 — — — Rechb. Fl. germ. 9, 347.  
 — *fragrans Ldl.* Bot. Reg. 26, 1.  
 — *fugax Ten.* Tenore Fl. nap. 4.  
 — *fulva Gawl.* Bot. Mag. 36, 1496.  
 — — — Rechb. Exot. 38.  
 — *furcata M. v. B.* Marshall Cent. 51.  
 — — — Bot. Mag. 50, 2361.  
 — — — Bot. Reg. 10, 801.  
 — *germanica L.* Sibth. Fl. gr. 40.  
 — — — Bot. Mag. 18, 670.  
 — — — Sv. Bot. 360.  
 — — — Red. Lil. 6, 309.  
 — — — Dict. sc. nat. 61.  
 — — — Hayne 12, 2.  
 — — — Nees Düsseld. 57.  
 — — — Sturm Flora 19, 87.  
 — — — Dietr. Fl. bor. 1, 47.  
 — — — Rechb. Ic. crit. 10, 924.  
 — — — Rechb. Fl. germ. 9, 338.  
 † — — — Nees Genera 3, x.  
 — *glaucescens Bunge.* Ledeb. Ic. 102.  
 — *graminea L.* Jacq. Fl. austr. 1, 2.  
 — — — Bot. Mag. 18, 681.  
 — — — Red. Lil. 5, 299.  
 — — — Sturm Flora 10, 40.  
 — — — Rechb. Fl. germ. 9, 346.  
 † — — — Nees Genera 3, x.  
 — *Gueldenstaedtii Lep.* Rechb. Ic. crit. 10, 909.  
 — *haematophylla Fisch.* Sweet Fl. G. 118.  
 — *halophila Pall.* Bot. Mag. 22, 875.  
 — *humilis M. v. B.* Marshall Cent. 31.  
 — *hungarica W. et K.* W. et Kit. 226.  
 — — — Sturm Flora 13, 56.  
 — — — Rechb. Fl. germ. 9, 332.  
 — — — Lodd. Cab. 1970.  
 — — — Sweet Fl. G. 74.  
 — *imbricata Ldl.* Bot. Reg. 31, 35.  
 — *juncea Poir.* Poir. Reise 1.  
 — — — Desf. Desf. Fl. atl. 4.  
 — *livida Tratt.* Tratt. Archiv 129. 129<sup>a</sup>.  
 — *longifolia Schneev.* Schneevogt Ic. 20.  
 — — — Andr. Andr. Rep. I, 45.  
 — — — Sweet Fl. G. 146.  
 — — — Royle Illustr. 91.  
 — *longispatha Fisch.* Bot. Mag. 52, 2528.  
 — *lurida Solander.* Bot. Mag. 18, 669. 25, 986.  
 — — — Red. Lil. 6, 318.  
 — — — Rechb. Ic. crit. 10, 920.  
 — — — Rechb. Fl. germ. 9, 337.  
 — *lusitanica Gawl.* Bot. Mag. 18, 679.  
 — *lutescens Lam.* Red. Lil. 5, 263.  
 — — — Bot. Mag. 55, 2861.  
 — — — Rechb. Ic. crit. 10, 917.  
 — — — Rechb. Fl. germ. 9, 329.  
 — *maritima Mill.* Rechb. Ic. crit. 10, 912.  
 — — — Rechb. Fl. germ. 9, 342.  
 — *martinicensis L.* Jacq. Hist. stirp. am. 10.  
 — — — Bot. Mag. 12, 416.  
 — — — Red. Lil. 3, 172.  
 — — — Desc. Ant. 4, 252.  
 — *Monnierii DC.* Red. Lil. 4, 236.  
 — *moraeoides Ker.* Lodd. Cab. 1428.  
 — *neglecta Hornem.* Bot. Mag. 50, 2435.  
 — *nepalensis Don.* Royle Illustr. 90.  
 — — — Sweet Fl. G. II. 11.  
 — — — Wall. Bot. Reg. 10, 818.

- Iris nertschinskia* Lodd. Lodd. Cab. 1843.  
 — *notha* M. v. B. Marshall Cent. 77.  
 — — — — — Rehb. Ic. crit. 10, 915.  
 — — — — — Belgique hort. 3, 56.  
 — *nudicaulis* Lam. Rehb. Fl. germ. 9, 331.  
 — *ochroleuca* L. Bot. Mag. 2, 61.  
 — — — — — Red. Lil. 6, 350.  
 — — — — — Rehb. Ic. crit. 10, 598.  
 — *odoratissima* Jacq. Jacq. Schoenbr. 1, 9.  
 — *Pallasii* Fisch. Bot. Mag. 49, 2331.  
 — — — — — Rehb. Ic. crit. 5, 479.  
 — *pallida* Lam. Bot. Mag. 18, 685.  
 — — — — — Red. Lil. 7, 366.  
 — — — — — Hayne 12, 3.  
 — — — — — Nees Düsseld. Suppl. 92.  
 — — — — — Wagner 219.  
 — — — — — Sturm Flora 19, 87.  
 — — — — — Rehb. Ic. crit. 10, 922.  
 — — — — — Rehb. Fl. germ. 9, 340.  
 † — — — — — Schnizl. Iconogr. 1, 61.  
 — *papilionacea* Thunb. Thunberg Iris 2.  
 — — — — — Jacq. Collect. 5, 3.  
 — *pavonia* L. fil. Thunberg Iris 1.  
 — — — — — Bot. Mag. 5, 168.  
 — — — — — Andr. Rep. 6, 364.  
 — — — — — Jacq. Schoenbr. 1, 10.  
 — — — — — Kerner Hort. 21.  
 — *persica* L. Bot. Mag. 1, 1.  
 † — — — — — Gaertn. Carp. 13.  
 — — — — — Red. Lil. 4, 189.  
 — — — — — Herb. amat. 1, 48.  
 — — — — — Paxt. Mag. 10, 77.  
 — *plicata* Lam. Red. Lil. 6, 356.  
 — *pratensis* Lam. Red. Lil. 4, 237.  
 † — — — — — Nees Gen. 3, x.  
 — *prismatica* Pursh. Barton Fl. 3, 85.  
 — — — — — Bot. Mag. 37, 1504.  
 — *Pseudacorus* L. Fl. dan. 3, 494.  
 — — — — — Sv. Bot. 110.  
 — — — — — Curt. Lond. 1, 70.  
 — — — — — Engl. Bot. 9, 578.  
 — — — — — Woodv. Med. 4, 263.  
 — — — — — Baxter Brit. Bot. 2, 82.  
 — — — — — var. Bot. Mag. 48, 2239.  
 — — — — — Red. Lil. 4, 235.  
 † — — — — — Plée Types 48, 49.  
 — — — — — Schk. Handb. 5<sup>a</sup>. 5<sup>b</sup>.  
 — — — — — Dreves 2, 43.  
 — — — — — Hayne 12, 4.  
 — — — — — Dietr. Fl. bor. 1, 46.  
 — — — — — Rehb. Fl. germ. 9, 344.  
 — *pumila* L. Jacq. Fl. austr. 1, 1.  
 — — — — — Bot. Mag. 1, 9, 30, 1209, 31, 1261.  
 — — — — — Lodd. Cab. 1574.  
 — — — — — Red. Lil. 5, 261, 262.  
 — — — — — Sturm Flora 10, 40.  
 — — — — — Rehb. Fl. germ. 9, 327.  
 — — — — — Spach Suites 95.  
 — *reticulata* M. v. B. Marshall Cent. 11.  
 — — — — — Lodd. Cab. 1829.  
 — — — — — Journ. Hort. Soc. 3, 166.  
 — — — — — Sweet Fl. G. II. 189.  
 — *ruthenica* Gawl. Bot. Mag. 28, 1123, 34, 1393.  
 — — — — — Lodd. Cab. 1650.  
 — — — — — Rehb. Exot. 39.  
 — *sambucina* L. Bot. Mag. 6, 187.  
 — — — — — Red. Lil. 6, 338.  
 — — — — — Jacq. Vind. 2.  
 — — — — — Rehb. Fl. germ. 9, 335.  
 — — — — — Sturm Flora 19, 87.  
 — — — — — Dietr. Fl. bor. 1, 48.  
 — *scorpioides* Desf. Desf. Fl. atl. 6.

- Iris scorpioides* Desf. Red. Lil. 4, 211.  
 — — — — — Gussone Fl. sic. 14.  
 — *setacea* Thunb. Thunberg Iris 1.  
 — *setosa* Pall. Bot. Reg. 33, 10.  
 — *sibirica* L. Bot. Mag. 2, 50, 29, 1163, 39, 1604.  
 — — — — — Red. Lil. 7, 420, 8, 438.  
 † — — — — — Gaertn. Carp. 13.  
 — — — — — Jacq. Fl. austr. 1, 3.  
 — — — — — Sturm Flora 10, 40.  
 — — — — — Rehb. Ic. crit. 10, 911.  
 — — — — — Rehb. Fl. germ. 9, 341.  
 — — — — — Dietr. Fl. bor. 1, 45.  
 † — — — — — Schnizl. Iconogr. 1, 61.  
 — *Sisyrinchium* L. Cav. Ic. 193.  
 — — — — — Red. Lil. 1, 29, 8, 458.  
 — — — — — Sibth. Fl. gr. 42.  
 — *spuria* L. Fl. dan. 5, 734.  
 — — — — — Bot. Mag. 2, 58, 28, 1131, 37, 1514, 15.  
 — — — — — Sweet Fl. G. II. 321.  
 — — — — — Red. Lil. 6, 349.  
 — — — — — Jacq. Fl. austr. 1, 4.  
 — — — — — Sturm Flora 10, 40.  
 — — — — — Rehb. Ic. crit. 10, 914.  
 — — — — — Rehb. Fl. germ. 9, 345.  
 — *squalens* L. Bot. Mag. 21, 787.  
 — — — — — Red. Lil. 7, 365.  
 — — — — — Sturm Flora 19, 87.  
 — — — — — Rehb. Ic. crit. 10, 923.  
 — — — — — Rehb. Fl. germ. 9, 336.  
 — *stenogyna* DC. Red. Lil. 6, 310.  
 — — — — — Rehb. Ic. crit. 10, 910.  
 — *stylosa* Desf. Desf. Fl. atl. 5.  
 — *subbiflora* Brot. Brotero Phytogr. 96.  
 — — — — — Bot. Mag. 28, 1130.  
 — *susiana* L. Bot. Mag. 3, 91.  
 — — — — — Red. Lil. 1, 18.  
 — — — — — Tratt. Archiv 130, 130<sup>a</sup>.  
 — — — — — Savi Fl. ital. 2, 74.  
 — *Swertii* Lam. Red. Lil. 6, 306.  
 — — — — — Rehb. Ic. crit. 10, 918.  
 — — — — — Sweet Fl. G. II. 254.  
 — *syratica* Viv. Viviani Lib. 1.  
 — *taurica* Lodd. Lodd. Cab. 1506.  
 — *tenax* Dougl. Bot. Reg. 15, 1218.  
 — — — — — Bot. Mag. 61, 3343.  
 — *Tigridia* Bunge. Ledeb. Ic. 342.  
 — *trialata* Brot. Brotero Phytogr. 95.  
 — *tricuspis* Thunb. Jacq. Ic. 222.  
 — *tridentata* Pursh. Sweet Fl. G. 274.  
 — *triflora* Balb. Mem. Tur. 7, 1.  
 — — — — — Red. Lil. 8, 481.  
 — *tripetala* L. fil. Jacq. Ic. 221.  
 — — — — — Hook. Bot. Mag. 56, 2886.  
 — *tristis* Thunb. Bot. Mag. 16, 577.  
 — — — — — Rehb. Exot. 19.  
 — *tuberosa* L. Bot. Mag. 15, 531.  
 — — — — — Engl. Bot. 28, 18.  
 — — — — — Red. Lil. 1, 48.  
 — — — — — Herb. amat. 1, 53.  
 — — — — — Sibth. Fl. gr. 41.  
 — — — — — Rehb. Fl. germ. 9, 348.  
 — *variegata* L. Bot. Mag. 1, 16.  
 — — — — — Red. Lil. 5, 292.  
 — — — — — Jacq. Fl. austr. 1, 5.  
 — — — — — Sturm Flora 10, 40.  
 — — — — — Rehb. Fl. germ. 9, 334.  
 — *verna* Michx. Sweet Fl. G. 68.  
 — — — — — Lodd. Cab. 1855.  
 — *versicolor* L. Bot. Mag. 1, 21.  
 — — — — — Red. Lil. 6, 339.  
 — — — — — Bigelow Med. 16.  
 — *villosa* Gawl. Bot. Mag. 16, 571.



- Iris villosa* *Gawl.* *Rehb. Exot.* 19.  
 — *virescens* *Red.* *Red. Lil.* 5, 295.  
 — *virginica* *L.* *Jacq. Ic.* 223.  
 — — *Bot. Mag.* 19, 703.  
 — *viscaria* *Thunb.* *Bot. Mag.* 16, 587.  
 — *xiphoides* *Ehrh.* *Bot. Mag.* 18, 687.  
 — — *Red. Lil.* 4, 212.  
 — — *Kerner Hort.* 313.  
 — — *Herb. amat.* 3, 166.  
 — *Xiphium* *L.* *Bot. Mag.* 18, 686.  
 — — *Red. Lil.* 6, 337.  
 — — *Herb. amat.* 2, 110.  
*Iribachia elegans* *Mart.* *Mart. Bras.* 179.  
*Iroucana guianensis* *Aubl.* *Aublet Guiana* 127.  
*Isachne albens* *Tr.* *Trin. Sp. Gram.* 1, 85.  
 — *dispar* *Tr.* *Trin. Sp. Gram.* 1, 86.  
 — *mauritiana* *Kth.* *Humb. Gram.* 33.  
 — *minutula* *Kth.* *Humb. Gram.* 117.  
 † *Isanthera permollis* *N. v. E.* *Wight Illustr.* 159<sup>b</sup>.  
 — — *Wight Ic. pl. Ind. or.* 4, 1355.  
*Isanthus coeruleus* *Michx.* *Michaux Fl.* 30.  
 † *Isatis* *L.* *Medikus Gattungen* 1.  
 — *alpina* *All.* *Allione Fl. ped.* 3, 86.  
 — — *Rehb. Fl. germ.* 2, 4.  
 — *bannatica* *Link.* *Rehb. Fl. germ.* 2, 4.  
 — *brachycarpa* *C. A. M.* *Eichwald Caucasus* 19.  
 — *costata* *Led.* *Ledeb. Ic.* 339.  
 — *Garcini* *DC.* *Delessert Ic.* 2, 77.  
 — *hebecarpa* *DC.* *Delessert Ic.* 2, 79.  
 — *littoralis* *Stev.* *Delessert Ic.* 2, 78.  
 — *lusitanica* *L.* *Lam. Encycl.* 554.  
 — — *Tratt. Archiv* 208.  
 — — *Sibth. Fl. gr.* 615.  
 — *minima* *Bunge.* *Bunge Reliq. Lehm.* 6.  
 — *platycarpa* *Jaub.* *Jaubert Illustr.* 224.  
 — *praecox* *Kit.* *Tratt. Archiv* 50, 50<sup>a</sup>.  
 — — *Rehb. Fl. germ.* 2, 4.  
 — *tinctoria* *L.* *Engl. Bot.* 2, 97.  
 — — *Baxter Brit. Bot.* 3, 210.  
 — — *Sv. Bot.* 35.  
 † — — *Gaertn. Carp.* 142.  
 † — — *Lam. Encycl.* 554.  
 — — *Schk. Handb.* 188.  
 — — *Sturm Flora* 2, 3.  
 — — *Tratt. Archiv* 49, 49<sup>a</sup>.  
 — — *Rehb. Fl. germ.* 2, 4.  
 † — — *Nees Gen.* X, x.  
 — *violascens* *Bunge.* *Bunge Reliq. Lehm.* 6.  
 † *Ischaemum* *L.* *Linné Amoenit.* 7, 2.  
 — *aristatum* *L.* *Burm. Fl. ind.* 21<sup>b</sup>.  
 — *digitatum* *Brongn.* *Brongniart Coquille* 13.  
 — *hispidum* *H. et K.* *Humb. Gram.* 100.  
 — *latifolium* *Kth.* *Humb. Gram.* 99.  
 — *muticum* *L.* *Rheede Hort. mal.* 12, 49.  
 † — — *Gaertn. Carp.* 181.  
 † — — *Lam. Encycl.* 839.  
 † — — *Ann. d'obs.* 4, 10.  
 — *paleaceum* *Tr.* *Trin. Sp. Gram.* 3, 333.  
 — *rugosum* *Salisb.* *Salisb. Ic. rar.* 1.  
 † — — *Gaertn. Carp.* 181.  
 — *timorensis* *Kth.* *Humb. Gram.* 98.  
 — *Urvilleanum* *Kth.* *Brongniart Coquille* 12.  
 † *Isertia coccinea* *Vahl.* *Gaertn. Carp.* 191.  
 — — *Lam. Encycl.* 259.  
 — — *Miquel Surin.* 48.  
 — *commutata* *Miq.* *Miquel Surin.* 48.  
 — *parviflora* *Vahl.* *Vahl Eclogae* 15.  
*Isias triloba* *De Not.* *Mem. Tur.* 6, (1844.) x.  
*Isidrogalvia falcata* *Rz et P.* *Ruiz et Pav. Fl.* 302.  
*Ismelia maderensis* *Don.* *Sweet Fl. G. II.* 342.  
*Ismene Amancaes* *Herb.* *Paxt. Mag.* 3, 267.  
 — — *var. sulphurea*, *Bot. Reg.* 20, 1665.

- Ismene Amancaes* *Herb.* *Fl. d. serres* 5, 449.  
 — *calathina* *Herb.* *Bot. Mag.* 53, 2685.  
 — — *Fl. d. serres* 5, 440.  
 — *Knightii* *Kn. et W.* *Knowles et Westcott* 59.  
 — *Maclleana* *Herb.* *Bot. Mag.* 65, 3675.  
 — *pedunculata* *Herb.* *Herbert Amar.* 35.  
 — *virescens* *Ldl.* *Bot. Reg.* 27, 12.  
*Isnardia palustris* *L.* *Scarella Lettera apol.* 1.  
 — — *Lam. Encycl.* 77.  
 — — *Schk. Handb.* 25.  
 — — *Sturm Flora* 6, 22.  
 — — *Fl. dan.* 10, 1745.  
 — — *Engl. Bot.* 2593.  
 — — *Baxter Brit. Bot.* 6, 442.  
 — *subhastata* *Rz et P.* *Ruiz et Pav. Fl.* 86.  
*Isocarpha divaricata* *Benth.* *Bentham Sulphur* 41.  
*Isochilus graminifolius* *H. B. K.* *H. B. K. Nov. Gen.* 1, 78.  
 — *graminoides* *Hook.* *Hook. Exot. Fl.* 196.  
 — *linearis* *R. Br.* *Bot. Reg.* 9, 745.  
 — — *Lodd. Cab.* 1341.  
 — *prolifer* *R. Br.* *Bot. Reg.* 10, 825.  
*Isoeynis* *Aub.* *Aubert Orchid.* 13.  
 † *Isoeteae* *Rich.* *Schnizl. Iconogr.* 1, 35.  
*Isoetes capsularis* *Roxb.* *Calcutta Journal* 1846, 26.  
 — *Durieuxi* *Bory.* *Explor. Alger.* 36.  
 — *Hystrix* *Durieu.* *Explor. Alger.* 36.  
 — *lacustris* *L.* *Linné Schwed. Reise* 2.  
 — — *Fl. dan.* 2, 191.  
 — — *Sv. Bot.* 600.  
 † — — *Wahlenberg Fl. lapp.* 26.  
 — — *Curt. Lond.* 4, 131.  
 — — *Engl. Bot.* 16, 1084.  
 † — — *Jard. Ann.* II, 2, 2, 3.  
 — — *Newman p.* 381, 386.  
 — — *Lam. Encycl.* 862.  
 — — *Schk. Fil.* 173.  
 — — *Sturm Flora* II, 5, 1.  
 — — *Rehb. Fl. germ.* 7, 1.  
 † — — (Mohl.) *Linnæa* 14, 3.  
 † — — *Schnizl. Iconogr.* 1, 35.  
 — *setacea* *Bosc.* *Mem. Mus.* 14, 6, 7.  
 — *velata* *Al. Br.* *Explor. Alger.* 37.  
*Isoetopsis graminifolia* *Turcz.* *Bull. Mosc.* 1851, 3.  
*Isolepis articulata* *N. v. E.* *Rheede Hort. mal.* 12, 71.  
 — *aucklandiana* *Hook.* *Hook. Fl. ant.* 50.  
 — *Eckloniana* *Schrad.* *Comm. Gott. rec.* 7, 1.  
 — *lanata* *H. B. K.* *H. B. K. Nov. Gen.* 1, 68.  
 † — *leptalea* *Schrad.* *Comm. Gott. rec.* 7, 1.  
 — *minima* *Schrad.* *Comm. Gott. rec.* 7, 1.  
 — *obtusifolia* *R. et Sch.* *Pal. B. Fl. d'Oware* 81.  
 — *palustris* *Schrad.* *Comm. Gott. rec.* 7, 1.  
 — *plebeja* *Schrad.* *Comm. Gott. rec.* 7, 1.  
 — *rivularis* *Schrad.* *Comm. Gott. rec.* 7, 1.  
 † — *Saviana* *Link.* *Nees Gen.* 2, 10.  
 — — *Rehb. Fl. germ.* 8, 301.  
 † — *setacea* *Link.* *Nees Gen.* 2, 10.  
 — — *Rehb. Fl. germ.* 8, 301.  
 — *squarrosa* *R. Br.* *Rheede Hort. mal.* 12, 38.  
 † — *supina* *R. Br.* *Nees Gen.* 2, 10.  
 — — *Rehb. Fl. germ.* 8, 302.  
 — *uninodis* *Delile.* *Delile Egypte* 6.  
*Isolobus iasionoides* *A. DC.* *Delessert Ic.* 5, 8.  
 † *Isoloma lanuginosum* *Sm.* *Hook. Gen. Fil.* 102.  
 — *pictum* *Planch.* *Fl. d. serres* 6, 586.  
 — *rubricaula* *Regel.* *Regel Gartenfl.* 1852, 7.  
*Isomeris arborea* *Nutt.* *Bot. Mag.* 67, 3842.  
 † *Isonandra* *Wight.* *Wight Illustr.* 145<sup>b</sup>.  
 — *Candolleana* *Wight.* *Wight Ic. pl. Ind. or.* 4, 1220.  
 — *Gutta* *Hook.* *Hook. Journal* 1847, 16.  
 — — *Archer Pop. Botany* x.  
 — *lanceolata* *Wight.* *Wight Ic. pl. Ind. or.* 2, 359.  
 — *Perrottetiana* *A. DC.* *Wight Spicil.* 142.

- Isonandra Perrottetiana* A. DC. Wight Ic. pl. Ind. or. 4, 1219.  
 — polyandra Wight. Wight Ic. pl. Ind. or. 4, 1589.  
 — villosa Wight. Wight Ic. pl. Ind. or. 2, 360.  
*Isopetalum Cotyledonis* Sweet. Sweet Geran. 126.  
*Isopogon anemonifolius* R. Br. Lodd. Cab. 1337.  
 — attenuatus R. Br. Bot. Mag. 74, 4372.  
 — axillaris R. Br. Guillemain Austr. 19.  
 — — Hook. Ic. pl. 5, 438.  
 — Baxteri R. Br. Bot. Mag. 63, 3539.  
 — formosus R. Br. Bot. Reg. 15, 1288.  
 — longifolius R. Br. Bot. Reg. 11, 900.  
 — Loudoni Baxt. Bot. Mag. 62, 3421.  
 — scaber Ldl. Bot. Mag. 69, 4037.  
 — spathulatus R. Br. Bot. Mag. 62, 3450.  
 — sphaerocephalus N. v. E. Bot. Mag. 73, 4332.  
 † *Isopyrum* L. Gray Genera 12.  
 — biternatum Torr. et Gr. Gray Genera 12.  
 — fumarioides L. Pallas Fl. ross. 3, 1.  
 — — Schk. Handb. 153.  
 † — — Gaertn. Carp. 65.  
 — grandiflorum Fisch. Royle Illustr. 11.  
 — microphyllum Royle. Royle Illustr. 11.  
 — thalictroides L. Jacq. Fl. austr. 2, 105.  
 — — Rchb. Fl. germ. 4, 113.  
*Isotoma axillaris* Ldl. Bot. Reg. 12, 964.  
 — — Lodd. Cab. 1528.  
 — — Ercycinet Voyage 70.  
 † — — Spach Suites 109.  
 — longiflora Presl. Bot. Reg. 14, 1200.  
*Isotypus onoserioides* H. B. K. H. B. K. Nov. Gen. 4, 307.  
 † *Itca* L. Kerner Genera 93.  
 — caroliniana Lam. Lam. Encycl. 147.  
 — chinensis Hook. et Arn. Hook. Beechey 39.  
 — Cyrilla Sw. Swartz Observ. 4.  
 — — L'her. Stirp. 66.  
 — spinosa Spr. Andr. Rep. 5, 314.  
 — virginica L. Lam. Encycl. 147.  
 † — — Gaertn. Carp. 209.  
 — — Bot. Mag. 50, 2409.  
 — — Watson Dendr. 1, 12.  
*Ittnera minor* Gm. Gmelin Fl. bad. 3, 4.  
 — Najas Gm. Gmelin Fl. bad. 3, 3.  
 † *Juanulloa parasitica* Ruiz et Pav. Ruiz et Pav. Prodr. 4.  
 — — Ruiz et Pav. Fl. 185.  
 † — — Kerner Genera 68.  
 — — Bot. Mag. 70, 4118.  
 — — Hart. Parad. 1, 6.  
 † *Jubaea spectabilis* H. B. K. H. B. K. Nov. Gen. 1, 9.  
 — — Mart. Palm. 161.  
 — — Gaudichaud Bonite 51.  
*Jubelina riparia* Juss. Delessert Ic. 3, 32.  
 † — — Arch. Mus. 3, 20.  
 † *Jucunda tomentosa* Benth. Miquel Surin. 14.  
 † *Juglans* L. Lam. Encycl. 781.  
 † — alba L. Gaertn. Carp. 89.  
 — — Watson Dendr. 2, 148.  
 — amara Michx. Michaux Arb. 1, 4.  
 — aquatica Michx. Michaux Arb. 1, 5.  
 — Camirium Lour. Marsden Sumatra 7.  
 — cathartica Michx. Michaux Arb. 1, 2.  
 — cinerea L. Jacq. Ic. 192.  
 — — Bigelow Med. 32.  
 † — compressa Gaertn. Gaertn. Carp. 89.  
 — fraxinifolia Lam. Desc. Ant. 7, 453.  
 — laciniosa Michx. Michaux Arb. 1, 8.  
 — myristicaeformis Michx. Michaux Arb. 1, 10.  
 — nigra L. Jacq. Ic. 191.  
 — — Michaux Arb. 1, 1.  
 — — Nouveau Duhamel 4, 48.  
 — — Kerner Hort. 767.  
 — — Watson Dendr. 2, 158.  
*Juglans olivaeformis* Michx. Michaux Arb. 1, 3.  
 — Pitteursii Morr. Annales de Gand 1848, 197.  
 — porcina Michx. Michaux Arb. 1, 9.  
 — — var. Watson Dendr. 2, 167.  
 — regia L. Woodv. Med. 1, 90.  
 — — Schk. Handb. 302.  
 — — Nouveau Duhamel 4, 47.  
 — — Dict. sc. nat. 268, 269.  
 † — — Ann. sc. nat. 17, 16.  
 † — — Mem. Instit. 1830, 5. 8. 1850, 12.  
 — — Nees Düsseld. 96.  
 — — Guimp. et Schl. 98.  
 — — Wagner 5. 6.  
 — — Hayne 13, 17.  
 † — — Nees Gen. 4, 27.  
 † — rubra Gaertn. Gaertn. Carp. 89.  
 — squamosa Michx. Michaux Arb. 1, 7.  
 — tomentosa Michx. Michaux Arb. 1, 6.  
 — — Kerner Hort. 518.  
 † *Juncaceae* Bartl. Schnizl. Iconogr. 1, 51.  
*Juncus acutiflorus* Ehrh. Engl. Bot. 4, 238.  
 — — Fl. dan. 12, 2112.  
 — — Rchb. Fl. germ. 9, 406.  
 † — — Nees Gen. 2, 29.  
 — acutus L. Host Gram. 397.  
 — — Sturm Flora 16, 71.  
 — — Rchb. Fl. germ. 9, 401.  
 — — Engl. Bot. 23, 1614.  
 — adscendens Host. Host Gram. 287.  
 — albidus Willd. Hoffmann D. Fl. 1791, 4.  
 — — Host Gram. 295.  
 — alpinus Vill. Sturm Flora 16, 71.  
 — — Rchb. Fl. germ. 9, 403.  
 — — Fl. dan. 13, 2171.  
 † — anceps La Harpe. Mutel Fl. fr. 75.  
 — andicola Hook. Hook. Ic. pl. 8, 714.  
 — Angelisii Ten. Tenore Fl. nap. 227.  
 — — Rchb. Fl. germ. 9, 412.  
 — antarcticus Hook. Hook. Fl. ant. 46.  
 — arcticus Willd. Curt. Lond. 5, 152.  
 — — Sv. Bot. 479.  
 — — Sturm Flora 16, 71.  
 — — Rchb. Fl. germ. 9, 410.  
 † — — Nees Gen. 2, 29.  
 — arcuatus Wahlb. Wahlberg Fl. lapp. 4.  
 — articulatus L. Fl. dan. 7, 1097.  
 † — — Schk. Handb. 98<sup>a</sup>.  
 — — Dict. sc. nat. 36.  
 — atratus Krock. Rchb. Fl. germ. 9, 407.  
 — balticus Willd. Engl. Bot. 2621.  
 — — Sturm Flora 16, 71.  
 — — Rchb. Fl. germ. 9, 411.  
 — biglumis L. Fl. dan. 1, 120.  
 — — Sv. Bot. 497.  
 — — Engl. Bot. 13, 898.  
 — — Jacq. Jacq. Enum. vind. 4.  
 — bottnicus Wahlb. Wahlberg Fl. lapp. 5.  
 — — Sturm Flora 16, 71.  
 — — Rchb. Fl. germ. 9, 398.  
 † — bufonius L. Leers Fl. herb. 13.  
 † — — Gaertn. Carp. 15.  
 † — — Schk. Handb. 98<sup>a</sup>.  
 — — Host Gram. 290.  
 — — Sturm Flora 9, 36.  
 — — Rchb. Fl. germ. 9, 395.  
 † — — Nees Gen. 2, 29.  
 — — Fl. dan. 7, 1098.  
 — — Engl. Bot. 12, 802.  
 — — Lam. Encycl. 250.  
 † — — Explor. Alger. 43.  
 — bulbosus L. Fl. dan. 3, 431. 5, 817.  
 † — — Leers Fl. herb. 13.

- Juncus bulbosus* L. Host Gram. 289.  
 — — — Sturm Flora 9, 36.  
 — — — Rchb. Fl. germ. 9, 399.  
 — — — Lam. Encycl. 250.  
 — — — Engl. Bot. 13, 934.  
 — — — *campestris* L. Linné Fl. lapp. 10.  
 — — — Fl. dan. 8, 1333. 1386.  
 — — — Engl. Bot. 10, 672.  
 † — — — Nees Gen. 2, 28.  
 — — — *capitatus* Weigel. Schk. Handb. 98<sup>b</sup>.  
 — — — Sturm Flora 4, 13.  
 — — — Rchb. Fl. germ. 9, 391.  
 — — — Fl. dan. 10, 1690.  
 — — — Engl. Bot. 2644.  
 — — — *caricinus* Durieu. Explor. Alger. 43.  
 — — — *castaneus* Sm. Engl. Bot. 13, 900.  
 — — — Fl. dan. 8, 1332.  
 — — — Roemer Fl. europ. 13, 7.  
 — — — Sturm Flora 16, 71.  
 — — — Rchb. Fl. germ. 9, 393.  
 — — — *coenosus* Bichen. Engl. Bot. 2680.  
 — — — *compressus* Jacq. Sturm Flora 9, 36.  
 — — — Rchb. Fl. germ. 9, 399.  
 — — — *conglomeratus* L. Fl. dan. 7, 1094.  
 — — — Sv. Bot. 479.  
 — — — Engl. Bot. 12, 835.  
 — — — Lam. Encycl. 250.  
 — — — Host Gram. 282.  
 — — — Sturm Flora 16, 71.  
 — — — Rchb. Fl. germ. 9, 408.  
 — — — *diffusus* Hoppe. Sturm Flora 18, 77.  
 — — — Rchb. Fl. germ. 9, 414.  
 — — — *effusus* L. Fl. dan. 7, 1095. 1096.  
 — — — Sv. Bot. 479.  
 — — — Engl. Bot. 12, 836.  
 — — — Host Gram. 283.  
 — — — Sturm Flora 16, 71.  
 — — — Rchb. Fl. germ. 9, 413.  
 — — — *fasciculatus* Bertol. Rchb. Fl. germ. 9, 396.  
 — — — *filiformis* L. Fl. dan. 7, 1207.  
 — — — Sv. Bot. 479.  
 — — — Smith Spicell. 3.  
 — — — Engl. Bot. 17, 1175.  
 — — — Host Gram. 284.  
 — — — Roemer Fl. europ. 2, 3.  
 — — — Sturm Flora 9, 36.  
 — — — Rchb. Fl. germ. 9, 412.  
 — — — *fistulosus* Guss. Rchb. Fl. germ. 9, 409.  
 — — — *flavescens* Host. Host Gram. 294.  
 — — — *foliosus* Desf. Desf. Fl. atl. 92.  
 † — — — Explor. Alger. 43.  
 — — — *Forsteri* Sm. Engl. Bot. 18, 1293.  
 — — — *fusco-ater* Schreb. Sturm Flora 16, 71.  
 — — — *Gerardi* Lois. Sturm Flora 16, 71.  
 — — — Rchb. Fl. germ. 9, 398.  
 — — — *glaucus* Ehrh. Engl. Bot. 10, 665.  
 — — — Fl. dan. 7, 1159.  
 — — — Sv. Bot. 479.  
 — — — Host Gram. 281.  
 — — — Sturm Flora 16, 71.  
 — — — Rchb. Fl. germ. 9, 415.  
 — — — *gracilis* Sm. Engl. Bot. 31, 2174.  
 — — — *grandiflorus* L. Comm. Gott. 9, 5.  
 — — — Lam. Encycl. 250.  
 — — — *helodes* Link. Rchb. Fl. germ. 9, 411.  
 — — — *himalayensis* Klotzsch. Prinz Waldem. Him. 97.  
 — — — *Hoffmeisteri* Klotzsch. Prinz Waldem. Him. 98.  
 — — — *Hostii* Tausch. Sturm Flora 16, 71.  
 — — — Rchb. Fl. germ. 9, 394.  
 — — — *Jacquini* L. Jacq. Fl. austr. 3, 221.  
 — — — Host Gram. 293.  
 — — — Sturm Flora 16, 71.

- Juncus Jacquini* L. Rchb. Fl. germ. 9, 392.  
 — — — *inflexus* Retz. Rchb. Fl. germ. 9, 411.  
 — — — *insulanus* Viv. Rchb. Fl. germ. 9, 396.  
 — — — *intermedius* Host. Host Gram. 299.  
 — — — *inundatus* Drejer. Fl. dan. 13, 2287.  
 — — — Rchb. Fl. germ. 9, 410.  
 — — — *lamprocarpus* Ehrh. Engl. Bot. 30, 2143.  
 — — — Baxter Brit. Bot. 5, 399.  
 — — — Sturm Flora 16, 71.  
 — — — Rchb. Fl. germ. 9, 405.  
 — — — *lucidus* Hochst. Seubert Fl. azor. 4.  
 — — — *luteus* Lam. Vill. Dauph. 6<sup>b</sup>.  
 — — — Rostkovius Juncus 2.  
 — — — *marginatus* Rostk. Rostkovius Juncus 2.  
 — — — *maritimus* Lam. Engl. Bot. 24, 1725.  
 — — — Fl. dan. 10, 1689.  
 — — — Host Gram. 280.  
 — — — Sturm Flora 16, 71.  
 — — — Rchb. Fl. germ. 9, 402.  
 — — — *maximus* Retz. Host Gram. 298.  
 — — — *melananthos* Rchb. Rchb. Fl. germ. 9, 407.  
 — — — *monanthos* Jacq. Jacq. Enum. vind. 4.  
 — — — Sturm Flora 16, 71.  
 — — — Rchb. Fl. germ. 9, 394.  
 — — — Fl. dan. 10, 1691.  
 — — — *multiflorus* Desf. Desf. Fl. atl. 91.  
 — — — *mutabilis* Lam. Cav. Ic. 296.  
 — — — *nemorosus* Host. Host Gram. 297.  
 — — — *nigricans* Drejer. Rchb. Fl. germ. 9, 407.  
 — — — *nigritellus* Don. Engl. Bot. 2643.  
 — — — Sturm Flora 18, 78.  
 † — — — *niveus* Leers. Leers Fl. herb. 13.  
 — — — L. Schk. Handb. 98<sup>a</sup>.  
 — — — Host Gram. 398.  
 — — — *nodosus* Rostk. Rostkovius Juncus 2.  
 — — — *nodulosus* Wahlenb. Rchb. Fl. germ. 9, 403.  
 — — — Bory et Ch. Bory et Chaubard Morée 11.  
 — — — *obtusiflorus* Ehrh. Sv. Bot. 615.  
 — — — Fl. dan. 11, 1872.  
 — — — Engl. Bot. 30, 2144.  
 — — — Sturm Flora 18, 77.  
 — — — Rchb. Fl. germ. 9, 404.  
 — — — *paniculatus* Hoppe. Sturm Flora 18, 77.  
 — — — Rchb. Fl. germ. 9, 412.  
 — — — *parviflorus* Retz. Rostkovius Juncus 1.  
 — — — *pediformis* Vill. Vill. Dauph. 6<sup>b</sup>.  
 — — — *pilosus* L. Fl. dan. 3, 441.  
 — — — Engl. Bot. 11, 736.  
 † — — — Leers Fl. herb. 13.  
 — — — Host Gram. 300.  
 — — — *pygmaeus* Thuill. Fl. dan. 11, 1871.  
 — — — Rchb. Fl. germ. 9, 391.  
 — — — *salinus* Durieu. Explor. Alger. 43.  
 — — — *setaceus* Rostk. Rostkovius Juncus 1.  
 — — — *silvaticus* Sm. Engl. Bot. 11, 737.  
 — — — Reichard. Host Gram. 286.  
 — — — Sturm Flora 18, 78.  
 — — — var. Rochel Banat. 1.  
 — — — *spadicicus* All. Vill. Dauph. 6<sup>b</sup>.  
 — — — Host Gram. 296.  
 — — — *sphaecelatus* Decne. Jacquemont Ind. 172.  
 — — — *sphaerocarpus* N. v. E. Rchb. Fl. germ. 9, 416.  
 — — — *spicatus* L. Linné Fl. lapp. 10.  
 — — — Fl. dan. 2, 270.  
 — — — Engl. Bot. 17, 1176.  
 — — — Host Gram. 400.  
 — — — *Sprengelii* Schlecht. Willd. Fl. berol. 4.  
 — — — *squarrosus* L. Fl. dan. 3, 430.  
 — — — Engl. Bot. 13, 933.  
 — — — Sturm Flora 9, 36.  
 — — — Rchb. Fl. germ. 9, 400.  
 — — — *stolonifer* Wohll. Wohlleben Suppl. hal. 1.

- Juncus stygius* L. Smith Ic. Linn. 55.  
 — — — Sv. Bot. 497.  
 — — — Sturm Flora 16, 71.  
 — — — Rehb. Fl. germ. 9, 393.  
 — subverticillatus Weig. Host Gram. 288.  
 — sudeticus Willd. Host Gram. 399.  
 — supinus Moench. Moench Enum. Hass. 7.  
 — — — Fl. dan. 7, 1099.  
 — — — Rehb. Fl. germ. 9, 397.  
 — — —  $\beta$ . repens, Sturm Flora 4, 13.  
 — Tenageia Ehrh. Fl. dan. 7, 1160.  
 — — — Host Gram. 291.  
 — — — Dreves 3, 97.  
 — — — Sturm Flora 3, 10.  
 — — — Rehb. Fl. germ. 9, 416.  
 — tennis Willd. Rostkovius Juncus 1.  
 — — — Rehb. Fl. germ. 9, 398.  
 — — — Sturm Flora 16, 71.  
 — — — Fl. dan. 14, 2468.  
 — triandrus Vill. Cat. Strasb. 2.  
 — — — Gouan. Rehb. Fl. germ. 9, 391.  
 — triceps Rostk. Rostkovius Juncus 1.  
 — trifidus L. Lightf. Fl. scot. 1, 9.  
 — — — Fl. dan. 1, 107.  
 — — — Sv. Bot. 727.  
 — — — Engl. Bot. 21, 1482.  
 — — — Host Gram. 285.  
 — — — Sturm Flora 16, 71.  
 — — — Rehb. Fl. germ. 9, 394.  
 — triglumis L. Linné Fl. lappon. 10.  
 — — — Fl. dan. 1, 132.  
 — — — Lightf. Fl. scot. 1, 9.  
 — — — Engl. Bot. 13, 899.  
 — — — Sv. Bot. 497.  
 — — — Hoppe Anleitung 2.  
 — — — Host Gram. 292.  
 — — — Sturm Flora 7, 28.  
 — — — Rehb. Fl. germ. 9, 392.  
 — uliginosus Roth. Engl. Bot. 12, 801.  
 — — — Schk. Handb. 98<sup>b</sup>.  
 — — — Sturm Flora 4, 13.  
 — — — Rehb. Fl. germ. 9, 397.  
 — ustulatus Hoppe. Hoppe Anleitung 1.  
 — verticillatus Pers. Rehb. Fl. germ. 9, 397.  
 † *Jungia imbricata* Gaertn. Gaertn. Carp. 35.  
 † — — — Lam. Encycl. 143.  
 † *Juniperus* L. Hofmeister Untersuchungen 33.  
 — bermudiana L. Hook. Journal 1843, 1.  
 — Cedrus Webb. Webb Canar. 217.  
 — chinensis L. Pinetum Woburnense 65.  
 — — — Sieb. Fl. Japon. 126, 127.  
 — communis L. Pallas Fl. ross. 54.  
 — — — Fl. dan. 7, 1119.  
 — — — Sv. Bot. 289.  
 — — — Engl. Bot. 16, 1100.  
 — — — Woodv. Med. 1, 6.  
 — — — Baxter Brit. Bot. 6, 431.  
 † — — — Richard Conif. 5.  
 † — — — Lam. Encycl. 829.  
 — — — Dict. sc. nat. 307.  
 — — — Bigelow Med. 44.  
 † — — — Bull. Mosc. 1853, 7.  
 † — — — Gaertn. Carp. 91.  
 — — — Schk. Handb. 338.  
 — — — Hartig 10.  
 — — — Nees Düsseld. 86.  
 — — — Guimp. et Schl. 170.  
 — — — Wagner 92.  
 — — — Rehb. Fl. germ. 11, 535.  
 † — — — Nees Genera 4, 12.  
 — davurica Pall. Pallas Fl. ross. 55.  
 — — — Andr. Rep. 8, 534.

- Juniperus drupacea* Lab. Bill. Syr. 2, 8.  
 — excelsa M. v. B. Pinetum Woburnense 64.  
 — — — Trautvetter Imagines 15.  
 — lycia L. Pallas Fl. ross. 56.  
 — — — Woodv. Med. 1, 7.  
 — macrocarpa Sm. Tenore Fl. nap. 247.  
 — — — Rehb. Fl. germ. 11, 537.  
 — nana Willd. Guimpel Holzgew. 207.  
 — — — Engl. Bot. 2743.  
 † — Oxycedrus L. Richard Conif. 6.  
 — — — Rehb. Fl. germ. 11, 537.  
 — phoenicea L. Pallas Fl. ross. 57.  
 — — — Rehb. Fl. germ. 11, 536.  
 — — —  $\beta$ . Lobelii, Gussone Pl. rar. 62.  
 — rigida S. et Zucc. Sieb. Fl. Japon. 125.  
 — Sabina L. Pallas Fl. ross. 56.  
 — — — Woodv. Med. 1, 5.  
 — — — Schk. Handb. 338.  
 — — — Guimpel Holzgew. 205.  
 — — — Guimpel et Schl. 169.  
 — — — Brandt und Ratzeb. 47.  
 — — — Nees Düsseld. 87.  
 — — — Wagner 197.  
 — — — Rehb. Fl. germ. 11, 536.  
 — virginiana L. Michaux Arb. 3, 5.  
 — — — Schk. Handb. 338.  
 — — — Bigelow Med. 45.  
 † — — — Richard Conif. 6.  
*Jurinea cyanoides* DC. Dietr. Fl. bor. 11, 774.  
 — — — Rehb. Fl. germ. 15, 808.  
 — mollis DC. Rehb. Fl. germ. 15, 808, 809.  
 — Neumayerana Vis. Visiani Dalm. 10.  
 — pinnata DC. Boissier Esp. 113<sup>a</sup>.  
*Jurinella absinthifolia* Jaub. Jaubert Illustr. 185.  
 — Aucheri Jaub. Jaubert Illustr. 183.  
 — chamaecynara Jaub. Jaubert Illustr. 184.  
*Jussinea affinis* DC. Miquel Surin. 15.  
 — angustifolia Lam. Rumpf Amb. 6, 21. fig. 1.  
 — — — Lam. Encycl. 280.  
 — elegans Camb. St. Hil. Fl. Bras. 131.  
 † — erecta L. Gaertn. Carp. 31.  
 — — — Lam. Encycl. 280.  
 — exaltata Andr. Andr. Rep. 10, 621.  
 — grandiflora Michx. Bot. Mag. 47, 2122.  
 — — — Dict. sc. nat. 218.  
 — hirsuta Mill. Desc. Ant. 6, 388.  
 — longifolia DC. DC. Hort. genev. 4.  
 — — — Rehb. Hort. 67.  
 — macrocarpa H. B. K. H. B. K. Nov. Gen. 6, 533.  
 — maypurensis H. B. K. H. B. K. Nov. Gen. 6, 531.  
 — myrtifolia Camb. St. Hil. Fl. Bras. 132.  
 — natans H. B. Humb. Pl. aeq. 3.  
 — octonervia Lam. Lam. Encycl. 280.  
 — ovalifolia Sims. Bot. Mag. 52, 2530.  
 — palmitensis Camb. St. Hil. Fl. Bras. 133.  
 — pilosa H. B. K. H. B. K. Nov. Gen. 6, 532<sup>ab</sup>.  
 — ramosa Jacq. fil. Rehb. Hort. 75.  
 — repens L. Rheede Hort. mal. 2, 51.  
 — — — Wight Illustr. in Hook. 40.  
 — salicifolia H. B. K. H. B. K. Nov. Gen. 6, 530.  
 — sedoides H. B. Humb. Pl. aeq. 3.  
 — suffruticosa L. Rheede Hort. mal. 2, 50.  
 † — — — Gaertn. Gaertn. Carp. 31.  
 — tenella L. fil. Burmann Fl. ind. 34.  
 † *Justicia* L. Ann. Mus. 9, 21.  
 — acaulis L. Roxb. Corom. 127.  
 † — Adhatoda L. Lam. Encycl. 12.  
 — — — Bot. Mag. 22, 861.  
 — asperula Wall. Lodd. Cab. 1681.  
 — assurgens L. Jacq. Ecl. pl. 101.  
 — Beticana L. Rheede Hort. mal. 2, 21.  
 — bicalyculata Vahl. Rheede Hort. mal. 6, 23.

- Justicia bicolor* Sims. Bot. Mag. 35, 1423.  
 — — — Lodd. Cab. 165.  
 — — — Andr. Rep. 10, 643.  
 — — — Rehb. Mag. 22.  
 — — — Herb. amat. 5, 319.  
 — bracteolata Jacq. Jacq. Ic. 205.  
 — calcarata Wall. Wall. Pl. asiat. 113.  
 — callitricha Lodd. Lodd. Cab. 1921.  
 — calycotricha Link. Link Ic. 1, 53.  
 — — — Hook. Exot. Fl. 212.  
 — — — Bot. Mag. 55, 2816.  
 — caracasana Jacq. Jacq. Ic. 206.  
 — carnea Ldl. Bot. Reg. 17, 1397.  
 — — — Bot. Mag. 62, 3383.  
 — carthagenensis Jacq. Jacq. Hist. stirp. am. 7.  
 — — — Bot. Reg. 10, 797.  
 — chinensis Burm. Burmann Fl. ind. 4.  
 — ciliata Jacq. Jacq. Vind. 104.  
 — coccinea Aubl. Aublet Guiana 3.  
 — — — Schneevogt Ic. 33.  
 — — — Smith Ic. pictae s.  
 — — — Bot. Mag. 12, 432.  
 — — — Kerner Hort. 61.  
 — — — Lodd. Cab. 903.  
 — — — Paxt. Mag. 1, 102.  
 — — — Cav. Cav. Ic. 199.  
 — cristata Jacq. Jacq. Schoenbr. 3, 320.  
 — — — Herb. amat. 2, 138.  
 — curviflora Wall. Wall. Pl. asiat. 112.  
 — Ecbolium L. Rheede Hort. mal. 2, 20.  
 — — — Bot. Mag. 43, 1847.  
 — — — Wight Ic. pl. Ind. or. 2, 463.  
 — echioides L. Rheede Hort. mal. 9, 46.  
 — elegans Pal. B. Pal. B. Fl. d'Oware 50.  
 — — — Kerner Hort. 477.  
 — eustachiana Jacq. Jacq. Hist. stirp. am. 5.  
 — — — Bot. Reg. 4, 309.  
 — — — Bot. Mag. 46, 2076.  
 — fastuosa Vahl. Vahl Symbolae 1.  
 — flavicomma Ldl. Bot. Reg. 12, 1027.  
 — formosa Donn. Jacq. Ecl. pl. 102.  
 — furcata Jacq. Jacq. Schoenbr. 1, 3.  
 — gangetica L. Burmann Fl. ind. 4.  
 — Gendarussa L. Rheede Hort. mal. 9, 42.  
 — — — Rumpf Amb. 4, 28.  
 — — — Jacq. Ecl. pl. 11.  
 — — — Bot. Reg. 8, 635.  
 — — — Lodd. Cab. 1595.  
 — geniculata Sims. Bot. Mag. 51, 2487.  
 — guttata Wall. Wall. Pl. asiat. 28.  
 — — — Bot. Reg. 16, 1334.  
 — imbricata Vahl. Vahl Ic. 1.  
 — ligulata Lam. Lam. Encycl. 12.  
 — — — Cav. Ic. 71.  
 — latifolia Vahl? Rheede Hort. mal. 9, 44.  
 — lineolata Rz et P. Ruiz et Pav. Fl. 13.  
 — lithospermifolia Jacq. Jacq. Schoenbr. 1, 4.  
 — livida Hamilt. Wight Ic. pl. Ind. or. 4, 1546.  
 — longistaminea Rz et P. Ruiz et Pav. Fl. 10.  
 — lucida Andr. Andr. Rep. 5, 313.  
 — — — Bot. Mag. 26, 1014.  
 — maculata Lodd. Lodd. Cab. 626.  
 — madurensis Burm. Burmann Fl. ind. 4.  
 — martinicensis Murr. Jacq. Hist. stirp. am. 6.  
 — — — Jacq. Vind. 3, 22.  
 — montana Roxb. Roxb. Corom. 176.  
 — Moretiana Burm. Rumpf Amb. 6, 23.  
 — mucronata Rz et P. Ruiz et Pav. Fl. 10.  
 — nasuta L. Rheede Hort. mal. 9, 69.  
 — — — Bot. Reg. 10, 325.  
 — nervosa Vahl. Bot. Mag. 33, 1358.  
 — — — Lodd. Cab. 146.

- Justicia nitida* Jacq. Andr. Rep. 9, 570.  
 — nodosa Hook. Bot. Mag. 56, 2914.  
 — — — Rehb. Exot. 147.  
 — nutans Burm. Burmann Fl. ind. 5.  
 — oblongata Link. Link Ic. I. 54.  
 — orchoides L. fil. Vent. Malm. 51.  
 — — — Lodd. Cab. 827.  
 — palatifera Wall. Wall. Pl. asiat. 92.  
 — paniculata Burm. Rheede Hort. mal. 9, 56.  
 — — — Vahl. Jacq. Ecl. pl. 34.  
 — pectinata L. Lam. Encycl. 12.  
 — — — Roxb. Corom. 153.  
 — pectoralis Jacq. Jacq. Hist. stirp. am. 4.  
 — — — Tussac Ant. 3, 2.  
 — — — Desc. Ant. 4, 281.  
 — — — Bot. Reg. 10, 796.  
 — pedunculosa Michx. Bot. Mag. 50, 2367.  
 — periplocaefolia Jacq. Jacq. Collect. 5, 7.  
 — peruviana Cav. Cav. Ic. 28.  
 — — — Bot. Mag. 12, 430.  
 — picta L. Rheede Hort. mal. 6, 60.  
 — — — Rumpf Amb. 4, 30.  
 — — — Bot. Mag. 44, 1870.  
 — — — Bot. Reg. 15, 1227.  
 — plumbaginifolia Jacq. Jacq. Ecl. pl. 12.  
 — — — Kerner Hort. 451.  
 — polystachya Lam. Vahl Symbolae 26.  
 — procumbens L. Rheede Hort. mal. 10, 94.  
 — pulchella Roxb. Roxb. Corom. 177.  
 — pulcherrima L. fil. Jacq. Ic. 204.  
 † — purpurea L. Gaertn. Carp. 54.  
 — quadrangularis Hook. Bot. Mag. 55, 2845.  
 — — — Bot. Reg. 16, 1340.  
 — quadrifida Vahl. Herb. amat. 4, 227.  
 — — — Kerner Hort. 821.  
 — racemosa Rz et P. Ruiz et Pav. Fl. 11.  
 — repens L. Roxb. Corom. 152.  
 — retusa Vahl. Lodd. Cab. 724.  
 † — scorpioides L. Houstoun Reliq. 1.  
 — secunda Vahl. Bot. Mag. 46, 2060.  
 — sericea Rz et P. Ruiz et Pav. Fl. 9.  
 — sessilis L. Jacq. Hist. stirp. am. 3.  
 — sexangularis Cav. Cav. Ic. 203.  
 — speciosa Roxb. Bot. Mag. 54, 2722.  
 — — — Lodd. Cab. 1915.  
 — — — Maund Bot. 2, 74.  
 — spicata Rz et P. Ruiz et Pav. Fl. 9.  
 — spinosa L. Jacq. Hist. stirp. am. 2.  
 — tenuiflora Rz et P. Ruiz et Pav. Fl. 12.  
 — variegata Aubl. Aublet Guiana 4.  
 — ventricosa Wall. Wall. Pl. asiat. 93.  
 — — — Bot. Mag. 54, 2766.  
 — venusta Wall. Wall. Pl. asiat. 66.  
 — — — Bot. Reg. 16, 1380.  
 — — — Lodd. Cab. 1791.  
 — virgularis Salisb. Salisb. Parad. 50.  
*Iva annua* L. Schmidel Ic. 16.  
 — — — Lam. Encycl. 766.  
 — axillaris Pursh. Hook. Bor. Am. 106.  
 † — frutescens L. Gaertn. Carp. 164.  
 † — — — Lam. Encycl. 766.  
*Ivira pruriens* Aubl. Aublet Guiana 279.  
*Ixerra brexioides* Cunn. Hook. Ic. pl. 6, 577. 578.  
*Ixia* —? Jacq. Fragm. 88.  
 — acuta Barton. Barton Flora 2, 66.  
 — anemonaeflora Jacq. Jacq. Ic. 273.  
 — — — Red. Lil. 2, 85.  
 — angusta Jacq. Jacq. Ic. 279.  
 — aristata Schneew. Schneevogt Ic. 32.  
 — — — Thunb. Bot. Mag. 16, 589.  
 — — — Andr. Rep. 2, 87.  
 — — — Kerner Hort. 270.

- Ixia bicolor* *Gawl.* Bot. Mag. 15, 548.  
 — *bulbifera* *L.* Andr. Rep. 1, 48.  
 — — Bot. Mag. 15, 545.  
 — — Red. Lil. 3, 128.  
 — *Bulbocodium* *L.* Jacq. Ic. 271.  
 — — Sibth. Fl. gr. 36.  
 — — Andr. Rep. 3, 170.  
 — — Bot. Mag. 8, 265.  
 — — Engl. Bot. 36, 2549.  
 — — Red. Lil. 2, 88.  
 † — — Mutel Fl. franç. 70.  
 — — *Lam.* Lam. Encycl. 31.  
 — *candida* *Red.* Red. Lil. 8, 426.  
 — *capillaris* *Thunb.* Thunberg *Ixia* 2.  
 — — Bot. Mag. 16, 570. 17, 617. 25, 1013.  
 — *capitata* *Andr.* Andr. Rep. 1, 50. 68. 3, 159. 4, 232.  
 — — Kerner Hort. 225.  
 † — *carmosina* *Hort.* (Bulbi.) Hoeven Tijdschr. 8, 2.  
 — *cepacea* *Red.* Red. Lil. 2, 96.  
 † — *chinensis* *L.* Gaertn. Carp. 13.  
 — — Bot. Mag. 5, 171.  
 — *chloroleuca* *Jacq.* Jacq. Ic. 272.  
 — *cinnamomea* *Thunb.* Thunberg *Ixia* 2.  
 — — *Lam.* Encycl. 31.  
 — — Andr. Rep. 1, 44.  
 — *coelestina* *Bartr.* Bartram Travels 3.  
 — *columnellaris* *Gawl.* Bot. Mag. 17, 630.  
 — *columnaris* *Salisb.* Andr. Rep. 3, 203. 211. 213.  
 — — 4, 250. 6, 392.  
 — *conica* *Salisb.* Bot. Mag. 15, 539.  
 — — Red. Lil. 3, 138.  
 — *corymbosa* *L.* Jacq. Ic. 288.  
 — *crateroides* *Gawl.* Bot. Mag. 16, 594.  
 — *crispa* *L. fil.* Thunberg *Ixia* 2.  
 — — Bot. Mag. 17, 599.  
 — — Red. Lil. 8, 433.  
 — *crispifolia* *Andr.* Andr. Rep. 1, 35.  
 — *crocata* *L.* Linné Fasc. pl. ups. 7.  
 † — — Wendland Beob. 1.  
 — — Bot. Mag. 6, 184.  
 — — Andr. Rep. 2, 134.  
 — — Red. Lil. 6, 335.  
 — *crucinata* *Jacq.* Jacq. Ic. 290.  
 — *curta* *Andr.* Andr. Rep. 9, 564.  
 — — Lodd. Cab. 1964.  
 — *dubia* *Vent.* Vent. Choix 10.  
 — — Red. Lil. 2, 64.  
 — *erecta* *Berg.* Jacq. Schoenbr. 1, 18.  
 † — — Wendland Beob. 1.  
 — — Bot. Mag. 17, 623. 22, 846. 29, 1173.  
 — *excisa* *Thunb.* Thunberg *Ixia* 1.  
 — — Bot. Mag. 16, 584.  
 — *falcata* *Thunb.* Thunberg *Ixia* 1.  
 — — Jacq. Ic. 276.  
 — — Bot. Mag. 16, 566.  
 — *fenestrata* *Jacq.* Jacq. Ic. 289.  
 † — — var. Jacq. Fragn. 32.  
 — *filifolia* *DC.* Red. Lil. 5, 251.  
 — *filiformis* *Vent.* Vent. Cels 48.  
 — — Red. Lil. 1, 30.  
 — — Kerner Hort. 187.  
 — *fistulosa* *Sims.* Bot. Mag. 15, 523.  
 — — Andr. Rep. 1, 59.  
 — *flexuosa* *L.* Bot. Mag. 4, 127. 17, 624.  
 — *fragrans* *Jacq.* Jacq. Ic. 274.  
 — *fruticosa* *L.* Thunberg *Ixia* 1.  
 — — *Lam.* Encycl. 31.  
 — *fucata* *Gawl.* Bot. Mag. 34, 1379.  
 — *fusco-citrina* *Red.* Red. Lil. 2, 86.  
 — — Kerner Hort. 179.  
 — *grandiflora* *Dela Roche.* Red. Lil. 3, 179. 7, 362.  
 — — Bot. Mag. 15, 541.

- Ixia grandiflora* *Dela Roche.* Lodd. Cab. 314.  
 — *holosericea* *Jacq.* Jacq. Schoenbr. 1, 17.  
 — *hyalina* *Red.* Red. Lil. 2, 87.  
 — *incarnata* *Jacq.* Jacq. Ic. 282.  
 — *lancea* *Thunb.* Jacq. Ic. 281.  
 — *leucantha* *Jacq.* Jacq. Ic. 278.  
 — *Liliago* *Red.* Red. Lil. 2, 109.  
 — *longiflora* *Ait.* Bot. Mag. 8, 256.  
 — — Red. Lil. 1, 34.  
 † — — Wendland Beob. 1.  
 — *longifolia* *Jacq.* Jacq. Vind. 3, 90.  
 — *maculata* *L.* Schneevogt Ic. 6. 25.  
 — — Jacq. Schoenbr. 1, 19—23.  
 — — Red. Lil. 3, 137.  
 — — Andr. Rep. 3, 196. 4, 256.  
 — — Bot. Mag. 16, 549. 21, 789. 32, 1185.  
 — — var. *caesia*, Bot. Reg. 7, 530.  
 — — *Rchb.* Exot. 256.  
 — *miniata* *Jacq.* Jacq. Schoenbr. 1, 24.  
 † — — Jacq. Fragn. 32.  
 — — Kerner Hort. 159.  
 — — *Red.* var. Red. Lil. 2, 89.  
 — *minuta* *L.* Thunberg *Ixia* 1.  
 — *monadclpha* *Dela Roche.* Bot. Mag. 17, 607.  
 — — — 34, 1378.  
 — — Kerner Hort. 749.  
 — *paniculata* *Dela Roche.* Dela Roche Descr. 1.  
 — *patens* *Ait.* Bot. Mag. 15, 522.  
 — — Lodd. Cab. 1142.  
 — — Red. Lil. 3, 140.  
 — — Kerner Hort. 203.  
 — — *Rchb.* Exot. 256.  
 — *phlogiflora* *Red.* Red. Lil. 8, 432.  
 — *plantaginea* *Ait.* Red. Lil. 4, 198.  
 — *polystachya* *Jacq.* Jacq. Ic. 275.  
 — — Andr. Rep. 2, 128. 3, 155.  
 — — Bot. Mag. 17, 629.  
 — — Red. Lil. 3, 126.  
 — *pumila* *Forst.* Comm. Gott. 9, 2.  
 — *punctata* *Andr.* Andr. Rep. 3, 177.  
 — *punicea* *Jacq.* Jacq. Ic. 287.  
 — *purpurascens* *Ten.* Tenore Fl. nap. 3.  
 — *purpurea* *Jacq.* Jacq. Ic. 286. 286\*.  
 — *pusilla* *Andr.* Andr. Rep. 4, 245.  
 — *radiata* *Jacq.* Jacq. Ic. 280.  
 — — Bot. Mag. 16, 573.  
 — — Red. Lil. 8, 441.  
 — *ramiflora* *Ten.* Ac. Neap. 3, 7.  
 — — Tenore Fl. nap. 203.  
 — *rapunculoides* *Red.* Red. Lil. 8, 431.  
 — *recurva* *DC.* Red. Lil. 5, 251.  
 — *reflexa* *Andr.* Andr. Rep. 1, 14.  
 — *rochensis* *Gawl.* Bot. Mag. 17, 598.  
 — *rubrocyanea* *Jacq.* Jacq. Ic. 285.  
 — — Bot. Mag. 12, 410.  
 — *scillarlis* *L.* var. Bot. Mag. 15, 542.  
 — — Red. Lil. 3, 127.  
 — *secunda* *Thunb.* Jacq. Ic. 277.  
 — — Bot. Mag. 17, 597.  
 — — *Dela Roche.* Red. Lil. 7, 406.  
 — *speciosa* *Andr.* Andr. Rep. 3, 186.  
 — — Kerner Hort. 324.  
 — *spicata* *Andr.* Andr. Rep. 1, 29.  
 — *tricolor* *Curt.* Schneevogt Ic. 39.  
 — — Bot. Mag. 11, 381.  
 — — Red. Lil. 3, 129.  
 — — Kerner Hort. 20.  
 — *uniflora* *L.* Jacq. Ic. 283.  
 — *verrucosa* *Vogel.* Trew Pl. rar. 24.  
 — *villosa* *Schneev.* Schneevogt Ic. 16.  
 — — *Jacq.* Jacq. Ic. 284.  
 — — Jacq. Fragn. 14.

- Ixia viridiflora* Lam. Red. Lil. 8, 466.  
 — — — Lodd. Cab. 1548.  
*Ixiolirion montanum* Herb. Herbert Amar. 20.  
 — — — Bot. Reg. 30, 66.  
 — — — Paxt. Mag. 13, 151.  
 — tataricum Herb. Herbert Amar. 19, 20.  
*Ixionanthes chinensis* R. Br. Linn. Transact. 21, 13.  
*Ixodia achilleoides* R. Br. Bot. Mag. 37, 1534.  
*Ixora acuminata* Roxb. Wight Ic. pl. Ind. or. 2, 706.  
 — alba L. Rheede Hort. mal. 2, 14.  
 † — — Gaertn. Carp. 95.  
 — — — Roxb. Wight Ic. pl. Ind. or. 2, 707.  
 — alternifolia Jacq. Jacq. Hist. stirp. am. 16.  
 — americana Jacq. Jacq. Schoenbr. 3, 257.  
 — arborea Lodd. Lodd. Cab. 609.  
 — Bandhuca Roxb. Bot. Reg. 6, 513.  
 — — — Paxt. Mag. 2, 265.  
 — — — Wight Ic. pl. Ind. or. 1, 149.  
 — barbata Roxb. Bot. Mag. 51, 2505. 76, 4513.  
 — — — Wight Ic. pl. Ind. or. 1, 185.  
 — — — Lem. Jard. fl. 26.  
 — blanda Ker. Bot. Reg. 2, 100.  
 — brachiata Roxb. Wight Ic. pl. Ind. or. 2, 710.  
 — coccinea L. Rheede Hort. mal. 2, 13.  
 — — — Schneevogt Ic. 1.  
 — — — Bot. Mag. 5, 169.  
 † — — — Gaertn. Carp. 25.  
 † — — — Lam. Encycl. 66.  
 — — — Dict. sc. nat. 100.  
 — — — Herb. amat. 3, 210.  
 — — — Lodd. Cab. 386.  
 — — — Wight Ic. pl. Ind. or. 1, 153.  
 — — — Hart. Parad. 1, 15.  
 — crocata Ker. Bot. Reg. 10, 782.  
 — — — Lodd. Cab. 965.  
 — cuneifolia Roxb. Bot. Reg. 8, 648.  
 — — — Lodd. Cab. 1215.  
 — — — Wight Ic. pl. Ind. or. 2, 709.  
 — fulgens Roxb. Wight Ic. pl. Ind. or. 1, 151.  
 — grandiflora Ker. Bot. Reg. 2, 154.  
 — — — Wight Illustr. in Hook. 35.  
 — — — Paxt. Mag. 3, 75.  
 — Griffithii Hook. Bot. Mag. 73, 4325.  
 — — — Fl. d. serres 3, 273. 274.  
 — — — Lem. Jard. fl. 50.  
 — javanica DC. Paxt. Mag. 14, 265.  
 — — — Lem. Jard. fl. 156.  
 — — — Bot. Mag. 77, 4586.  
 — — — Annales de Gand 1848, 190.  
 — incarnata DC. Lodd. Cab. 1048.  
 — lanceolaria Colebr. Wight Ic. pl. Ind. or. 3, 827.  
 — — — Bot. Mag. 74, 4399.  
 — laxiflora Sm. Bot. Mag. 75, 4482.  
 — — — Lem. Jard. fl. 21.  
 — longiflora Sm. Rumpf Amb. 4, 46.  
 — nigricans R. Br. Wight Ic. pl. Ind. or. 1, 318.  
 — odorata Hook. Bot. Mag. 71, 4191.  
 — — — Annales de Gand 1846, 52.  
 — — — Fl. d. serres 2, 50. 51.  
 — parviflora Lam. Lam. Encycl. 66.  
 — — — Vahl. Vahl Symbolae 52.  
 — — — Wight Illustr. in Hook. 34.  
 — — — Wight Ic. pl. Ind. or. 2, 711.  
 — Pavetta Andr. Andr. Rep. 2, 76.  
 — polyantha Wight. Wight Ic. pl. Ind. or. 3, 1066.  
 — rosea Lodd. Lodd. Cab. 729.  
 — — — Bot. Mag. 50, 2428.  
 — — — Wall. Bot. Reg. 7, 540.  
 — salicifolia DC. Bot. Mag. 76, 4523.  
 — — — Fl. d. serres 3, 217.  
 — — — Lem. Jard. fl. 38.  
 — speciosa Willd. Bonpland Malm. 49.

- Ixora speciosa* Willd. Rehb. Exot. 127.  
 — stricta Roxb. Wight Ic. pl. Ind. or. 1, 184. 2, 707.  
 — ternifolia Cav. Cav. Ic. 305.  
 — tomentosa Roxb. Wight Ic. pl. Ind. or. 1, 186.  
 — undulata Roxb. Wight Ic. pl. Ind. or. 2, 708.  
 — villosa Roxb. Wight Ic. pl. Ind. or. 1, 150.  
 † *Izquierdia aggregata* Rz et P. Ruiz et Pav. Prodr. 30.  
*Kadsura cauliflora* Bl. Blume Java 12.  
 — grandiflora Wall. Wallich Tentamen 14.  
 — japonica L. Kaempfer Amoenit. p. 476.  
 — — — Kaempfer Japon. 41.  
 — — — Sieb. Fl. Japon. 17.  
 — propinqua Wall. Wallich Tentamen 15.  
 — scandens Bl. Blume Java 12, 1.  
*Kaempferia angustifolia* Rosc. Roscoe Scitam. 94.  
 — — — Red. Lil. 7, 389.  
 — candida Wall. Wall. Pl. asiat. 56.  
 — elegans Wall. Wall. Pl. asiat. 27.  
 — Galanga L. Rheede Hort. mal. 11, 41.  
 — — — Rumpf Amb. 5, 69. fig. 2.  
 — — — Kaempfer Amoenit. p. 902.  
 — — — Linné Hort. Cliff. 3.  
 — — — Lam. Encycl. 1.  
 — — — Red. Lil. 3, 144.  
 — — — Bot. Mag. 22, 850.  
 — — — Lodd. Cab. 980.  
 — — — Roscoe Scitam. 92.  
 — — — Wight Ic. pl. Ind. or. 3, 899.  
 — longa Jacq. Jacq. Schoenbr. 3, 317.  
 — — — Red. Lil. 1, 49.  
 † — — — Ann. sc. nat. II. 15, 20.  
 — marginata Carey. Roscoe Scitam. 93.  
 — ovalifolia Rosc. Roscoe Scitam. 95.  
 — — — Roxb. Corom. 278.  
 — pandurata Roxb. Rheede Hort. mal. 11, 10.  
 — — — Rumpf Amb. 5, 69. fig. 1.  
 — — — Roscoe Scitam. 96.  
 — — — Lodd. Cab. 587.  
 — — — Bot. Reg. 2, 173.  
 — Roscoeana Wall. Bot. Reg. 14, 1212.  
 — rotunda L. Rheede Hort. mal. 11, 9.  
 — — — Lam. Encycl. 1.  
 — — — Desc. Ant. 3, 205.  
 — — — Bot. Mag. 23, 920.  
 — — — Roscoe Scitam. 97.  
 — — — Woodv. Med. 4, 253.  
 — — — Paxt. Mag. 1, 125.  
 † — — — Hegetschweiler Comment. 2. 3.  
 — — — Rchb. Exot. 66.  
 — — — Nees Düsseld. Suppl. 100.  
 — — — Wight Ic. pl. Ind. or. 6, 2029.  
*Kageneckia* Rz et P. Ruiz et Pav. Prodr. 37.  
 — crataegifolia Ldl. Bot. Reg. 22, 1836.  
 — ovata Colla. Mem. Tur. 37, 13.  
*Kakile aegyptiaca* Willd. Fl. dan. 9, 1583.  
*Kalanchoe aegyptiaca* DC. DC. Plantes grasses 64.  
 — crenata Haw. DC. Plantes grasses 176.  
 — grandiflora Wall. Wight Spicil. 77.  
 — — — Wight Illustr. 111.  
 — laciniata DC. DC. Plantes grasses 100.  
 — — — Icones pl. Chinae 8.  
 — — — Wight Ic. pl. Ind. or. 3, 1158.  
 — Quartiniana Rich. Richard Abyssin. 54.  
 — spatulata DC. DC. Plantes grasses 65.  
 — teretifolia Wall. Wall. Pl. asiat. 166.  
 — varians Wall. Wall. Pl. asiat. 167.  
 (Vox *Kalanchoe* Ad. supra p. 184. delenda est.)  
*Kalbfussia* Mülleri Schultz. Moris Fl. sard. 91.  
 — orientalis Jaub. Jaubert Illustr. 283.  
 † *Kallstroemia* Scop. Gray Genera 146.  
 — maxima Torr. et Gr. Gray Genera 146.  
*Kalmia angustifolia* L. Gil et Suarez 13.

- Kalmia angustifolia* L. Bot. Mag. 10, 331.  
 — — — Lodd. Cab. 502.  
 † — — — Schk. Handb. 116.  
 — — — Guimpel Fr. Holzgew. 138.  
 — — — glauca Ait. Aiton Hort. Kew. 2, 8.  
 — — — Meerburg Pl. sel. 21.  
 — — — Bot. Mag. 5, 177.  
 — — — Lodd. Cab. 1508.  
 — — — Lam. Encycl. 363.  
 — — — Guimpel Fr. Holzgew. 139.  
 — — — Nouveau Duhamel I, 45.  
 — — — hirsuta Curt. Bot. Mag. 4, 138.  
 — — — Lodd. Cab. 1058.  
 — — — latifolia L. Bot. Mag. 5, 175.  
 † — — — Gaertn. Carp. 63.  
 — — — Schk. Handb. 116.  
 — — — Guimpel Fr. Holzgew. 137.  
 — — — Michaux Arb. 3, 5.  
 — — — Bigelow Med. 13.  
 — — — Lam. Encycl. 363.  
 — — — Nouveau Duhamel I, 44.  
 — — — Herb. amat. 3, 151.  
 — — — Spach Suites 139.  
 — — — polifolia Wangenh. Schriften naturf. Fr. 8, 5.  
*Kamptzia albena* N. v. E. Acta Leop. 18. Suppl. 1. 2.  
 † *Kanahia laniflora* R. Br. Ann. sc. nat. II. 9, 11.  
*Kandelia Rheedii* W. et A. Rheedie Hort. mal. 6, 35.  
 — — — Wight Illustr. 89.  
 — — — Hook. Ic. pl. 4, 362.  
 † *Kanilia parviflora* Bl. Blume Mus. 1, 30.  
*Karivia amplexicaulis* Arn. Wight Ic. pl. Ind. or. 2, 502.  
*Karwinskia glandulosa* Zucc. Münchn. Abh. 1, 16.  
*Kaulfussia aesculifolia* Bl. Hook. Ic. Fil. 2, 229.  
 † — — — Hook. Gen. Fil. 59.  
 — — — amelloides N. v. E. Horae berol. 11.  
 — — — Bot. Mag. 47, 2177.  
 — — — Bot. Reg. 6, 490.  
 — — — Paxt. Mag. 8, 195.  
 — — — assamica Griff. Asiatic Researches 19, 18.  
 † — — — Hook. Gen. Fil. 59.  
 — — — Hook. Journal 1840, 11, 12.  
 — — — Korthalsii Vr. Vriese Maratt. 5.  
*Kayea floribunda* Wall. Wall. Pl. asiat. 210.  
*Keerlia skirrobasis* DC. Delessert Ic. 4, 18.  
 — — — Hook. Ic. pl. 3, 240.  
 † *Kennedya* Vent. Kerner Genera 19.  
 — — — arenaria Benth. Regel Gartenfl. 2, 56.  
 — — — bracteata Gaudich. Freycinet Voyage 113.  
 — — — coccinea Vent. Vent. Malm. 105.  
 — — — Sweet Austr. 23.  
 — — — Bot. Mag. 53, 2664.  
 — — — Lodd. Cab. 1126.  
 — — — var. Faxt. Mag. 2, 99.  
 — — — cordata Ldl. Bot. Reg. 11, 944.  
 — — — dilatata Cunn. Bot. Reg. 18, 1526.  
 — — — eximia Ldl. Paxt. Mag. 16, 35.  
 — — — glabrata Ldl. Bot. Reg. 22, 1838.  
 — — — inophylla Ldl. Bot. Reg. 17, 1421.  
 — — — longiracemosa Lodd. Lodd. Cab. 1940.  
 — — — macrophylla Ldl. Bot. Reg. 22, 1862.  
 — — — Marryattiana Ldl. Maund Bot. 2, 83.  
 — — — Bot. Reg. 21, 1790.  
 — — — monophylla Vent. Vent. Malm. 106.  
 — — — Lodd. Cab. 758.  
 — — — var. longiracemosa, Bot. Reg. 16, 1336.  
 — — — nigricans Ldl. Bot. Reg. 20, 1715.  
 — — — Bot. Mag. 65, 3652.  
 — — — ovata Sims. Bot. Mag. 47, 2169.  
 — — — Lodd. Cab. 1007.  
 — — — prostrata R. Br. Lodd. Cab. 1046.  
 — — — rubicunda Vent. Vent. Malm. 104.  
 — — — Kerner Hort. 286.

- Kennedya rubicunda* Vent. Lodd. Cab. 954.  
 — — — Bot. Reg. 13, 1101.  
 — — — splendens Paxt. Paxt. Mag. 3, 26.  
 — — — Stirlingii Ldl. Bot. Reg. 22, 1845.  
 — — — tabacina Lab. Bill. Sertum 70.  
*Kentia procerata* Bl. Blume Rumphia 106. 160.  
*Kentrophyllum arborescens* Hook. Bot. Mag. 61, 3302.  
*Keramocarpus Tordylium* Fenzl. Russegger Reise 20.  
*Keraudrenia hermanniaefolia* Gay. Mem. Mus. 7, 23.  
*Kerneria auriculata* Rehb. Rehb. Ic. crit. 7, 648.  
 — — — glastifolia Rehb. Rehb. Fl. germ. 2, 17.  
 — — — saxatilis Rehb. Rehb. Fl. germ. 2, 17.  
*Kerria japonica* DC. Bot. Reg. 22, 1873.  
 — — — Sweet Fl. G. II. 337.  
 — — — Sieb. Fl. Japon. 98.  
*Khaya senegalensis* Juss. Guillemin Seneg. 32.  
 † — — — Mem. Mus. 19, 21.  
*Kibessia cordata* Korth. Korthals Bot. 66.  
 — — — cupularis DC. Delessert Ic. 5, 5.  
*Kickxia arborea* Bl. Blume Rumphia 179.  
*Kielmeyera angustifolia* Pohl. Pohl Bras. 129.  
 — — — coriacea Mart. Mart. Bras. 70.  
 — — — corymbosa Mart. Mart. Bras. 72.  
 — — — humifusa Camb. St. Hil. Fl. Bras. 63.  
 — — — microphylla Pohl. Pohl Bras. 132.  
 — — — — Rehb. Exot. 351.  
 — — — oblonga Pohl. Pohl Bras. 130.  
 — — — petiolaris Mart. Mart. Bras. 69.  
 — — — pumila Pohl. Pohl Bras. 131.  
 — — — rosea Mart. Mart. Bras. 68.  
 — — — rubriflora St. Hil. St. Hil. Fl. Bras. 60.  
 — — — speciosa St. Hil. St. Hil. Pl. usuelles 58.  
 — — — tomentosa Camb. St. Hil. Fl. Bras. 61.  
 — — — variabilis Mart. Mart. Bras. 71.  
*Kigelia abyssinica* Rich. Richard Abyssin. (75).  
 — — — aethiopica DC. Delessert Ic. 5, 93<sup>a</sup>. 93<sup>b</sup>.  
*Kiggelaria africana* L. Linné Hort. Cliff. 29.  
 † — — — Gaertn. Carp. 44.  
 † — — — Lam. Encycl. 821.  
 — — — integrifolia Jacq. Jacq. Ic. 628.  
*Kingia australis* R. Br. King's Narrative 1.  
 † — — — Gaudichaud Bonite 123.  
 † — — — Schnitzl. Iconogr. 1, 51<sup>c</sup>.  
 † *Kirganelia phyllanthoides* Desf. Jussieu Euphorb. 4.  
*Kitabelia vitifolia* Willd. W. et Kit. 31.  
 † — — — Neue Schr. naturf. Fr. 2, 4.  
 — — — Bot. Mag. 21, 821.  
 — — — Tratt. Archiv 15, 15<sup>a</sup>.  
 — — — Rehb. Fl. germ. 5, 165.  
*Klaprothia mentzeloides* H. B. K. H. B. K. Nov. Gen. 6, 537.  
*Kleinhovia hospita* L. Rumpf Amb. 3, 113.  
 — — — Cav. Diss. 146.  
 † — — — Gaertn. Carp. 137.  
 — — — Lam. Encycl. 734.  
*Kleinia colorata* H. B. K. Martius Auswahl 15.  
 — — — jorullensis H. B. K. H. B. K. Nov. Gen. 4, 356.  
 — — — linearifolia Juss. Ann. Mus. 2, 61.  
 — — — ruderalis Willd. Jacq. Hist. stirp. am. 195.  
 — — — suffruticosa Lodd. Lodd. Cab. 1561.  
*Klotzschia brasiliensis* Chamisso. Endl. Atacta 19.  
 † *Klugia Notoniana* DC. Wight Illustr. 159 bis.  
 — — — Wight Ic. pl. Ind. or. 4, 1353.  
 — — — Bot. Mag. 77, 4620.  
 — — — Lem. Jard. fl. 212.  
 — — — Fl. d. serres 7, 749.  
 — — — Belgique hortic. 2, 53.  
*Knappia agrostoides* Sm. Engl. Bot. 16, 1127.  
 — — — Curt. Lond. 4, 61.  
 — — — Knapp Gram. 110.  
 — — — Baxter Brit. Bot. 3, 184.  
 — — — verna Trin. Trin. Sp. Gram. 1, 17.



- † *Knautia L.* Mem. Genev. 2, 1.  
 — *arvensis Coul.* Baxter Brit. Bot. 3, 179.  
 — — — — — Diétr. Fl. bor. 9, 615.  
 † — — — — — Nees Gen. X, x.  
 — *orientalis L.* Schk. Handb. 22.  
 † — — — — — Gaertn. Carp. 86.  
 — *propontica L.* Tilli Hort. Pis. 48.  
 — — — — — Lam. Encycl. 58.  
*Knightia excelsa R. Br.* Linn. Transact. 10, 2.  
*Knowltonia gracilis DC.* Delessert Ic. 1, 19.  
 — *rigida Salisb.* Lodd. Cab. 850.  
 — *vesicatoria Sims.* Bot. Mag. 20, 775.  
 — — — — — Bot. Reg. 11, 936.  
*Knoxia corymbosa Willd.* Wight Illustr. 128.  
 — *plantaginea Wall.* Wall. Pl. asiat. 32.  
 † — *stricta Gaertn.* Gaertn. Carp. 25.  
 † — — — — — Lam. Encycl. 59.  
 — *zeylanica L.* Burmann Fl. ind. 13.  
 — — — — — Lam. Encycl. 59.  
*Kobresia caricina Willd.* Sv. Bot. 527.  
 — — — — — Schk. Handb. 286 Rr.  
 — — — — — Sturm Flora 18, 78.  
 — — — — — Rchb. Fl. germ. 8, 193.  
 † — — — — — Nees Gen. 2, 3.  
 — *filiformis Torr.* Silliman Journ. 29, 4.  
 — *globularis Dewey.* Silliman Journ. 29, 4.  
 — *scirpina Willd.* Sv. Bot. 527.  
*Kobus Kaempf.* Kaempfer Japon. 42.  
 † *Kochia arenaria Roth.* Schrader Journal 1800. 1, 2.  
 — — — — — Sturm Flora 7, 28.  
 † — — — — — Nees Genera 4, 59.  
 — *dentata Willd.* Willdenow Hortus 28.  
 — *ericifolia Viv.* Viviani Aegypt. 2.  
 — *eriophora Schrad.* Comm. Gott. rec. 1, 3.  
 — — — — — Schrader N. Journ. 3, 3.  
 — — — — — Tratt. Archiv 81.  
 † — *hyssopifolia Roth.* Nees Genera 4, 59.  
 — *indica Wight.* Wight Ic. pl. Ind. or. 5, 1791.  
 † — *muricata Schrad.* Viviani Aegypt. 2.  
 — *scoparia Schrad.* Comm. Gott. rec. 1, 1.  
 — *sericea Schrad.* Comm. Gott. rec. 1, 2.  
 † *Koeleria Pers.* Dumortier Gram. 6.  
 — *Barrelieri Ten.* Tenore Fl. nap. 201.  
 — *caudata Mut.* Mutel Fl. fr. 84.  
 — *cristata Pers.* Fl. dan. 13, 2223.  
 — — — — — Sturm Flora 19, 85.  
 — — — — — Rchb. Fl. germ. 1, 93.  
 † — — — — — Nees Genera 1, 64.  
 — *glauca DC.* Rchb. Fl. germ. 1, 93.  
 — *glomerata Kth.* Humb. Gram. 219.  
 — *hirsuta Gaud.* Sturm Flora 19, 85.  
 — — — — — Rchb. Fl. germ. 1, 93.  
 — *phleoides Pers.* var. Mutel Fl. fr. 83.  
 — *truncata Torr.* Torrey New York 150.  
 — *valesiaca Gaud.* Rchb. Fl. germ. 1, 93.  
 — *villosa Pers.* Rchb. Fl. germ. 1, 93.  
*Koelpinia deflexa Stsch.* Bull. Mosc. 1851. 2, 13.  
 — *linearis Pall.* Jaubert Illustr. 286.  
*Koelreutera molluginoides Murr.* Novi Comm. Gott. 3, 2.  
*Koelreutera paniculata Laxm.* L'her. Sertum 19.  
 — — — — — Lam. Encycl. 308.  
 — — — — — Nouveau Duhamel 1, 36.  
 † — — — — — Mem. Mus. 18, 1.  
 — — — — — Bot. Reg. 4, 330.  
*Koenigia islandica L.* Fl. dan. 3, 418.  
 — — — — — Sv. Bot. 513.  
 † — — — — — Gaertn. Carp. 128.  
 — — — — — Lam. Encycl. 51.  
 — — — — — Tratt. Archiv 89.  
 — *monandra Decne.* Jacquemont Ind. 147.  
*Kohautia coccinea Royle.* Royle Illustr. 53.  
 — *senegalensis Cham. et Schl.* Endl. Atacta 23.

- Kohleria ignorata Regel.* Regel Gartenfl. 1852, 1.  
*Kohlrauschia diminuta Kth.* Rchb. Fl. germ. 6, 247.  
 — *obcordata Rchb.* Rchb. Fl. germ. 6, 247.  
 — *prolifera Kth.* Rchb. Fl. germ. 6, 247.  
 — *velutina Guss.* Rchb. Fl. germ. 6, 247.  
*Kokoona zeylanica Thw.* Hook. Journal 1853, 6.  
*Kokoschkinia paniculata Turcz.* Bull. Mosc. 1849. 2, 2.  
*Kolbia elegans Pal. B.* Pal. B. Fl. d'Oware 120.  
 — — — — — Rchb. Exot. 140.  
*Kolleria herniariaefolia Presl.* Presl Symbolae 14.  
*Kolowratia elegans Presl.* Presl Reliq. 20.  
*Koniga halimifolia Rchb.* Rchb. Fl. germ. 2, 18.  
 — *maritima R. Br.* Sibth. Fl. gr. 621.  
 — — — — — Rchb. Fl. germ. 2, 18.  
 — — — — — Baxter Brit. Bot. 5, 355.  
*Konokko Juri Kaempf.* Kaempfer Jap. 47.  
*Koockia stellaris Moq.* Belanger Ind. or. x.  
 † *Koon Gaertn.* Gaertn. Carp. 180.  
*Kopsia arborea Bl.* Blume Rumphia 181.  
 — *fruticosa DC.* Bot. Mag. 72, 4220.  
*Korei Utsúgi Kaempf.* Kaempfer Jap. 45.  
*Korthalsia debilis Bl.* Blume Rumphia 157 bis.  
 — *polystachya Mart.* Mart. Palm. 172. Z<sup>13</sup>.  
 — *rigida Bl.* Blume Rumphia 157.  
 — *robusta Bl.* Blume Rumphia 157 bis.  
 † — *scaphigera Mart.* Mart. Palm. Z<sup>8</sup>.  
 † *Kosteletzkya Presl.* Gray Genera 132.  
 — *sagittata Presl.* Presl Reliq. 70.  
 — *virginica Presl.* Gray Genera 132.  
*Kotschya africana Endl.* Endl. Iconogr. 125.  
 † *Krameria L.* Ruiz et Pav. Prodr. 3.  
 † — — — — — Gray Genera 185. 186.  
 — *cistoidea Hook.* Hook. Beechey 5.  
 — *cytisoides Cav.* Cav. Ic. 390.  
 — *grandiflora St. Hil.* St. Hil. Fl. Bras. 97.  
 † — — — — — Mem. Mus. 17, 31.  
 — *Ixina L.* Tussac Ant. 1, 15.  
 — — — — — Hayne 8, 13.  
 — *lanceolata Torr.* Gray Genera 185. 186.  
 — *latifolia Moric.* Moricand Pl. Am. 43.  
 — *parvifolia Benth.* Benth. Sulphur 1.  
 — *pentapetala Rz et P.* Ruiz et Pav. Fl. 94.  
 — *triandra Rz et P.* Ruiz et Pav. Fl. 93.  
 — — — — — Ruiz Disertacion 1.  
 — — — — — Berl. Jahrb. 1805, 1.  
 — — — — — Klein Abhandl. 1.  
 — — — — — Hayne 8, 14.  
 — — — — — Guimp. et Schl. 174.  
 — — — — — Nees Düssel. 411.  
 — — — — — Woodv. Med. 5, 35.  
*Kremeria paludosa Durieu.* Explor. Alger. 59.  
*Kreysigia multiflora Rchb.* Rchb. Hort. 229.  
 — — — — — Bot. Mag. 68, 3905.  
*Krigia amplexicaulis Nutt.* Rchb. Hort. 126.  
 — *nervosa Hook.* Hook. Ic. pl. 3, 237.  
 — *tenella Rchb.* Rchb. Pl. crit. 1, 87.  
*Kruberia leptophylla Hoffm.* Hoffm. Gen. Umbellif. 3.  
*Kuhlia glauca H. B. K.* H. B. K. Nov. Gen. 7, 652.  
 — *mollis P. et E.* Poepp. et Endl. 285.  
 — *ulmifolia H. B. K.* H. B. K. Nov. Gen. 7, 653.  
*Kuhnia arguta H. B. K.* H. B. K. Nov. Gen. 4, 339.  
 — *cupatoroides L.* Linné Hort. ups. 2, 11.  
 — — — — — Lam. Encycl. 126.  
 — *linearifolia Spr.* Klein Cacia 1.  
 — *rosmarinifolia Vent.* Vent. Cels 91.  
*Kumara disticha Medik.* Medikus Theodora 4.  
*Kunda gurvaliga Tel.* Wight Ic. pl. Ind. or. 3, 809.  
*Kunthia montana H. B.* Humb. Pl. acq. 122.  
 † — — — — — Lam. Encycl. 999.  
 — — — — — Mart. Palm. 142.  
*Kuroggi Kaempf.* Kaempfer Jap. 36.  
*Kydia calycina Roxb.* Roxb. Corom. 215.

- Kydia calycina* *Wight*. *Wight Ic. pl. Ind. or.* 3, 879, 880.  
 — *fraterna* *Roxb.* *Roxb. Corom.* 216.  
 — — *Wight Ic. pl. Ind. or.* 3, 880.  
 — *Roxburghiana* *Wight*. *Wight Ic. pl. Ind. or.* 3, 861.  
 † *Kydingia L. fil.* *Linné Gram.* 1.  
 — *brevifolia* *Rottb.* *Rottboell Descr.* 4.  
 — *bulbosa* *Pal. B.* *Pal. B. Fl. d'Oware* 8.  
 — *capitata* *Pal. B.* *Pal. B. Fl. d'Oware* 31.  
 — *incompleta* *Jacq.* *Jacq. Ic.* 300.  
 — *monocephala L. fil.* *Rheede Hort. mal.* 12, 53.  
 — — *Rumpf Amb.* 6, 3, fig. 2.  
 — — *Rottboell Descr.* 4.  
 — — *Lam. Encycl.* 38.  
 — *panicea L. fil.* *Rottboell Descr.* 4.  
 — *pumila Michx.* *Elliott Carolina* 1.  
 — *triceps L. fil.* *Rheede Hort. mal.* 12, 52.  
 — — *Rottboell Descr.* 4.  
 — — *Lam. Encycl.* 38.  
 — *umbellata L. fil.* *Rottboell Descr.* 4.  
 — — *Pal. B. Fl. d'Oware* 55.  
 † *Labatia Sw.* *Swartz Fl. Ind. occ.* 6.  
 — *macrocarpa Mart.* *Mart. Bras.* 161, 162.  
 † *Labiatae Juss.* *Ann. Mus.* 15, 13—21.  
 † — — *Wight Illustr.* 176<sup>bis</sup>.  
*Labichea cassioides Gaudich.* *Freycinet Voyage* 112.  
 — *diversifolia Meisn.* *Paxt. Fl. G.* 52.  
 — — *Lem. Jard. fl.* 162.  
 — *punctata Paxt.* *Paxt. Mag.* 10, 149.  
*Labisia pthoina Ldl.* *Bot. Reg.* 31, 48.  
*Lablab microcarpum DC.* *Rumpf Amb.* 5, 141, fig. 1.  
 — *perennis DC.* *Rumpf Amb.* 5, 137.  
 — *vulgaris Savi. β. purpureus DC.* *Bot. Reg.* 10, 830.  
 — — — *Wight Illustr. in Hook.* 15.  
 — — — *Wight Ic. pl. Ind. or.* 1, 57, 203.  
*Lablavia vulgaris Don.* *Sweet Fl. G. II.* 236.  
*Labordia fagraeoides Gaudich.* *Freycinet Voyage* 60.  
*Labourdonnaisia sarcophleia Baj.* *Mem. Genev.* 9, x.  
*Lacaena bicolor Ldl.* *Bot. Reg.* 30, 50.  
*Lacathea florida Salisb.* *Salisb. Parad.* 56.  
*Lacaussadea appendiculata Gaudich.* *Gaudich. Bon.* 119.  
 — *montana Gaudich.* *Gaudichaud Bonite* 118.  
 — *rhizophylla Gaudich.* *Gaudichaud Bonite* 120.  
*Lacellia libyca Viv.* *Viviani Lib.* 25.  
*Lacepedia insignis H. B. K. H. B. K. Nov. Gen.* 5, 444.  
 † — — — *Kerner Genera* 137.  
 — — — *Bot. Mag.* 75, 4459.  
*Lachenalia anguinea Sweet.* *Sweet Fl. G.* 179.  
 — *angustifolia Jacq.* *Jacq. Ic.* 381.  
 — — *Bot. Mag.* 19, 735.  
 — — *Red. Lil.* 3, 162.  
 — — *Tratt. Archiv* 119, 120.  
 — *bicolor Lodd.* *Lodd. Cab.* 1129.  
 — *bifolia Gawl.* *Bot. Mag.* 39, 1611.  
 — — *Lodd. Cab.* 920.  
 — *botryoides Tratt.* *Tratt. Archiv* 98.  
 — *contaminata Ait.* *Bot. Mag.* 34, 1401.  
 — *flava Andr.* *Andr. Rep.* 7, 456.  
 — — *Kerner Hort.* 819.  
 — *fragrans Jacq.* *Jacq. Schoenbr.* 1, 82.  
 — — *Tratt. Archiv* 99.  
 — — *Andr.* *Andr. Rep.* 5, 302.  
 — — *Lodd. Cab.* 1140.  
 — *glaucina Jacq.* *Jacq. Ic.* 391.  
 — — *Tratt. Archiv* 113.  
 — — *Bot. Mag.* 64, 3552.  
 — *hyacinthoides Jacq.* *Jacq. Ic.* 382.  
 — — *Tratt. Archiv* 121.  
 — *isopetala Jacq.* *Jacq. Ic.* 401.  
 — — *Tratt. Archiv* 123.  
 — *lanceaefolia Jacq.* *Jacq. Ic.* 402.  
 — — *Bot. Mag.* 17, 643.

- Lachenalia lanceaefolia Jacq.* *Red. Lil.* 1, 59.  
 — — *Tratt. Archiv* 125, 126.  
 — *latifolia Tratt.* *Tratt. Archiv* 100.  
 — *liliflora Jacq.* *Jacq. Ic.* 387.  
 — — *Tratt. Archiv* 95.  
 — *lucida Gawl.* *Bot. Mag.* 33, 1372.  
 — *luteola Jacq.* *Jacq. Ic.* 395.  
 — — *Red. Lil.* 5, 297.  
 — — *Herb. amat.* 1, 56.  
 — — *Lodd. Cab.* 734.  
 — — *Tratt. Archiv* 107, 108.  
 — *mediana Jacq.* *Jacq. Ic.* 392.  
 — — *Tratt. Archiv* 117.  
 — *mutabilis Lodd.* *Lodd. Cab.* 1076.  
 — — *Sweet Fl. G. II.* 129.  
 — *nervosa Gawl.* *Bot. Mag.* 36, 1497.  
 — *orchioides Ait.* *Jacq. Ic.* 390.  
 — — *Tratt. Archiv* 112.  
 — — *Bot. Mag.* 22, 854, 31, 1269.  
 — *orthopetala Jacq.* *Jacq. Ic.* 383.  
 — — *Tratt. Archiv* 122.  
 — *pallida Ait.* *Red. Lil.* 1, 22.  
 — — *Tratt. Archiv* 118.  
 — — *Bot. Reg.* 4, 287, 314, 16, 1350, 23, 1945.  
 — *patula Jacq.* *Jacq. Ic.* 384.  
 — — *Tratt. Archiv* 114.  
 — *pendula Ait.* *Jacq. Ic.* 400.  
 — — *Bot. Mag.* 16, 590.  
 — — *Red. Lil.* 1, 52.  
 — — *Andr. Rep.* 1, 41.  
 — — *Kerner Hort.* 214, 358.  
 — — *Tratt. Archiv* 109, 110.  
 — — *Herb. amat.* 1, 39.  
 — — *Lodd. Cab.* 267.  
 — — *Rehb. Exot.* 119.  
 — *punctata Jacq.* *Jacq. Ic.* 397.  
 — — *Lam. Encycl.* 237.  
 — — *Tratt. Archiv* 105.  
 — — *Herb. amat.* 3, 205.  
 — *purpurea Jacq.* *Jacq. Ic.* 393.  
 — — *Tratt. Archiv* 101.  
 — *purpureo-coccrulea Jacq.* *Jacq. Ic.* 388.  
 — — *Bot. Mag.* 20, 745.  
 — — *Andr. Rep.* 4, 257.  
 — — *Tratt. Archiv* 97.  
 — *pusilla Jacq.* *Jacq. Ic.* 385.  
 — — *Tratt. Archiv* 102.  
 — *pustulata Jacq.* *Jacq. Ic.* 386.  
 — — *Andr. Rep.* 5, 350.  
 — — *Bot. Mag.* 21, 817.  
 — — *Tratt. Archiv* 93, 94.  
 — *quadricolor Jacq.* *Jacq. Ic.* 396.  
 — — *Bot. Mag.* 16, 588, 27, 1097, 41, 1704.  
 — — *Andr. Rep.* 3, 148.  
 — — *Lodd. Cab.* 746.  
 — — *Tratt. Archiv* 111.  
 — — *Rehb. Exot.* 119.  
 — *racemosa Gawl.* *Bot. Mag.* 37, 1517.  
 † *ramosa Lam.* *Lam. Encycl.* 237.  
 — *reflexa Andr.* *Andr. Rep.* 5, 299.  
 — — *Tratt. Archiv* 127.  
 — *rosea Andr.* *Andr. Rep.* 5, 296.  
 — — *Tratt. Archiv* 115.  
 — *rubida Jacq.* *Jacq. Ic.* 398.  
 — — *Bot. Mag.* 25, 993.  
 — — *Tratt. Archiv* 103.  
 — *sessiliflora Andr.* *Andr. Rep.* 7, 460.  
 — *tigrina Jacq.* *Jacq. Ic.* 399.  
 — — *Tratt. Archiv* 104.  
 — *tricolor Jacq.* *Jacq. Ic.* 61.  
 — — *Bot. Mag.* 3, 82, 26, 1020.  
 — — *Red. Lil.* 1, 2.

- Lachenalia tricolor* Jacq. Kerner Hort. 176.  
 — — — Lodd. Cab. 767.  
 — — — Tratt. Archiv 106.  
 — — — Herb. amat. 1, 72.  
 — — — Savi Fl. ital. 2, 68.  
 \* — — unicolor Jacq. Jacq. Ic. 389.  
 — — — Bot. Mag. 33, 1373.  
 — — — Tratt. Archiv 96.  
 — — — unifolia Jacq. Jacq. Schoenbr. 1, 83.  
 — — — Bot. Mag. 20, 766.  
 — — — Tratt. Archiv 116.  
 — — — Rehb. Exot. 198.  
 — — — violacea Jacq. Jacq. Ic. 394.  
 — — — Tratt. Archiv 124.  
*Lachnaea buxifolia* Lam. Lam. Encycl. 292:  
 — — — Andr. Rep. 8, 524.  
 — — — Bot. Mag. 40, 1657, 1658.  
 † — — — eriocephala L. Gaertn. Carp. 215.  
 — — — Lam. Encycl. 292.  
 — — — Bot. Mag. 32, 1295.  
 — — — Andr. Rep. 2, 104.  
 — — — Herb. amat. 4, 234.  
 — — — glauca Salisb. Salisb. Parad. 109.  
 — — — phycoides Lam. Lam. Encycl. 292.  
 — — — purpurea Andr. Andr. Rep. 5, 293.  
 — — — Bot. Mag. 39, 1594.  
 — — — Lodd. Cab. 273.  
*Lachnagrostis Chamissonis* Tr. Trin. Sp. Gr. 3, 242.  
 † — — filiformis Tr. Trinius Fund. 10.  
 — — — Gussonis Tr. Trin. Sp. Gr. 3, 243.  
*Lachnoloma Lehmanni* Bge. Bunge Reliq. Lehm. 8.  
*Lachnostachys albicans* Hook. Hook. Ic. pl. 5, 414.  
 — — — ferruginea Hook. Hook. Ic. pl. 5, 415.  
*Lachnostoma Balbisii* Decne. Delessert Ic. 5, 78.  
 — — — triginum H. B. K. H. B. K. Nov. Gen. 3, 232.  
*Lacis aspera* Bong. Acad. Pet. 3, 2.  
 — — — ceratophylla Bong. Hook. Companion 20.  
 — — — Torrey New York 98.  
 — — — Chrysanthemum Schnizl. Schnizl. Iconogr. 2, 85.  
 — — — disticha Cham. Linnaea 9, 5.  
 — — — Schnizl. Iconogr. 2, 85.  
 — — — fucoides Mart. Mart. Bras. 2.  
 — — — membranacea Bong. Acad. Pet. 3, 4.  
 — — — monadelphina Bong. Acad. Pet. 3, 1.  
 — — — Schnizl. Iconogr. 2, 85.  
 — — — pygmaea Bong. Acad. Pet. 3, 5.  
 — — — Riedelii Bong. Acad. Pet. 3, 3.  
 — — — Schiedeana Cham. Linnaea 9, 6.  
 — — — Schnizl. Iconogr. 2, 85.  
 † *Lacistema* Sw. Swartz Fl. Ind. occ. 21.  
 — — — myricoides Sw. Swartz Ic. Ind. occ. 1.  
 — — — pubescens Mart. Mart. Bras. 94.  
 — — — serrulatum Mart. Mart. Bras. 95.  
 † — — — Schnizl. Iconogr. 2, 100.  
 † *Lacistemaeae* Mart. Schnizl. Iconogr. 2, 100.  
 † *Lactuca* Linn. Lam. Encycl. 649.  
 — — — arabica Jaub. Jaubert Illustr. 282.  
 — — — augustana All. All. Fl. ped. 3, 52.  
 — — — canadensis L. Desc. Ant. 5, 306.  
 — — — Chaixii Vill. Vill. Dauph. 32.  
 — — — cretica Desf. Desf. Choix 34.  
 — — — Ann. Mus. 11, 19.  
 † — — — floridana Gaertn. Gaertn. Carp. 158.  
 — — — glabra DC. Wight Spicil. 118.  
 — — — Wight Ic. pl. Ind. or. 3, 1145.  
 — — — Heyneana DC. Wight Ic. pl. Ind. or. 3, 1146.  
 — — — Hoffmeisteri Klotzsch. Prinz Waldem. Him. 79.  
 — — — intybacea Jacq. Jacq. Ic. 162.  
 — — — leucophaea Sibth. Sibth. Fl. gr. 794.  
 — — — longidentata Moris. Moris Fl. sard. 93.  
 † — — — muralis DC. Gaertn. Carp. 158.  
 — — — Dietr. Fl. bor. 10, 665.

- Lactuca perennis* L. Bot. Mag. 47, 2130.  
 — — — prenanthoides Scop. Scop. Fl. carn. 2, 49.  
 † — — — quercina L. Schk. Handb. 217.  
 — — — Dietr. Fl. bor. 11, 741.  
 — — — sagittata W. et K. W. et Kit. 1.  
 — — — saligna L. Ruppis Fl. jen. 4.  
 — — — Jacq. Fl. austr. 3, 250.  
 † — — — Gaertn. Carp. 158.  
 — — — Engl. Bot. 10, 707.  
 — — — sarmentosa Wight. Wight Illustr. 133.  
 † — — — sativa L. Gaertn. Carp. 158.  
 — — — Hayne 7, 30.  
 — — — Scariola L. Fl. dan. 7, 1227.  
 — — — Engl. Bot. 4, 268.  
 — — — Sv. Bot. 715.  
 † — — — Gaertn. Carp. 158.  
 — — — Hayne 1, 46.  
 — — — Guimp. et Kl. 20.  
 — — — Nees Düsseld. 250.  
 — — — Wagner 127.  
 — — — Dietr. Fl. bor. 10, 663.  
 — — — Schimperii Jaub. Jaubert Illustr. 281.  
 — — — segusiana Balb. Mem. Tur. 7, 8.  
 — — — stricta W. et K. W. et Kit. 48.  
 — — — tuberosa Jacq. Jacq. Vind. 47.  
 — — — undulata Led. Ledeb. Ic. 129.  
 — — — vialca Bell. Mem. Tur. 7, 4.  
 — — — villosa Jacq. Jacq. Schoenbr. 3, 367.  
 — — — virosa L. Woodv. Med. 1, 31.  
 — — — Engl. Bot. 28, 1957.  
 — — — Baxter Brit. Bot. 4, 315.  
 † — — — Gaertn. Carp. 158.  
 — — — Schk. Handb. 217.  
 — — — Hayne 1, 47.  
 — — — Nees Düsseld. 249.  
 — — — Guimp. et Schl. 201.  
 — — — Brandt und Ratzeb. 23.  
 — — — Dietr. Fl. bor. 10, 664.  
 † — — — Archiv d. Pharm. 1847, 1.  
*Ladenbergia dichotoma* Klotzsch. Weddell Hist. 26.  
*Laelia acuminata* Ldl. Bot. Reg. 27, 24.  
 — — — Paxt. Mag. 10, 49.  
 — — — Fl. d. serres 1, 9.  
 — — — albida Batem. Bot. Reg. 25, 54.  
 — — — Bot. Mag. 68, 3957.  
 — — — anceps Ldl. Bot. Reg. 21, 1751.  
 — — — var. Barkeriana, Bot. Reg. 23, 1947.  
 — — — Paxt. Mag. 4, 73.  
 — — — Bot. Mag. 67, 3804.  
 — — — autumnalis Ldl. Bateman Orchid. 9.  
 — — — Bot. Reg. 25, 27.  
 — — — Bot. Mag. 67, 3817.  
 — — — Paxt. Mag. 6, 121.  
 — — — Barkeri Ldl. Knowles et Westcott 30.  
 — — — cinnabarina Batem. Lindley Sertum 28.  
 — — — Paxt. Mag. 7, 193.  
 — — — Bot. Mag. 73, 4302.  
 — — — flava Ldl. Bot. Reg. 28, 62.  
 — — — furfuracea Ldl. Bot. Reg. 25, 26.  
 — — — Bot. Mag. 67, 3810.  
 — — — Lindenii Ldl. Ramon Cuba 82.  
 — — — majalis Ldl. Bateman Orchid. 23.  
 — — — Bot. Reg. 30, 30.  
 — — — Paxt. Mag. 12, 1.  
 — — — orientalis Desf. Rehb. Fl. germ. 2, 1.  
 — — — peduncularis Ldl. Bot. Reg. 31, 69.  
 — — — Bot. Mag. 70, 4099.  
 — — — Perrinii Batem. Paxt. Mag. 13, 5.  
 — — — purpurata Ldl. Paxt. Fl. G. 96.  
 — — — rubescens Ldl. Bot. Reg. 26, 41.  
 — — — Fl. d. serres 7, 742.  
 — — — superbiens Ldl. Bateman Orchid. 38.

- Laelia superbiens* *Ldl.* Paxt. Mag. 11, 97.  
 — — — Bot. Mag. 70, 4090.  
*Laeliopsis domingensis* *Ldl.* Paxt. Fl. G. 105.  
*Laennecia alpina* *P. et E.* Poepp. et Endl. 262.  
*Laetia apetala* *Jacq.* Jacq. Hist. stirp. am. 159.  
 — — — Mart. Bras. 165.  
 — crenata *A. Rich.* Ramon Cuba 11.  
 — longifolia *A. Rich.* Ramon Cuba 10.  
 — serrulata *Rz et P.* Ruiz et Pav. Ic. ined. x.  
 † *Lafoensia* *Vand.* Roemer Scriptores 7.  
 — densiflora *Pohl.* Pohl Bras. 197.  
 — microphylla *Pohl.* Pohl Bras. 199.  
 — nummularifolia *St. Hil.* St. Hil. Fl. Bras. 190.  
 — Pacari *St. Hil.* St. Hil. Fl. Bras. 191.  
 — replicata *Pohl.* Pohl Bras. 198.  
*Lagarosiphon muscoides* *Harv.* Hook. Journ. 1842, 22.  
*Lagasca mollis* *Cav.* Anales de hist. nat. 6, 44.  
 — — — Desv. Journ. 1, 2.  
 — — — Bot. Mag. 43, 1804.  
 — rubra *H. B. K.* H. B. K. Nov. Gen. 4, 311.  
*Lagenaria toxicaria* *Dalz.* Hook. Journ. 1853, 4.  
 — vulgaris *DC.* Rheed. Hort. mal. 8, 1. 4. 5.  
 † — — — Wight Illustr. 105 bis.  
 — — —  $\beta$ . Icones pl. Chin. 17.  
 † — — —  $\delta$ . Mem. Genev. 3, 2.  
*Lagenocarpus adamantinus* *N. v. E.* Endl. Bras. 3, 20.  
 — Martii *N. v. E.* Endl. Bras. 3, 21.  
*Lagenophora Commersonii* *Cass.* Hook. Fl. ant. 108.  
 — hirsuta *Less.* Poepp. et Endl. 26.  
*Lagerstroemia chinensis* *Lam.* Lam. Encycl. 473.  
 — elegans *Paxt.* Paxt. Mag. 14, 269.  
 — hirsuta *Willd.* Rheed. Hort. mal. 4, 22.  
 — indica *L.* Rumpf Amb. Auct. 28.  
 — — — Act. palat. 4, 9.  
 — — — Bot. Mag. 12, 405.  
 — — — Lodd. Cab. 1765.  
 — — — Savi Fl. ital. 1, 24.  
 — — — Herb. amat. 2, 122.  
 — — — Wight Illustr. 88.  
 — microcarpa *Wight.* Wight Ic. pl. Ind. or. 1, 109.  
 — parviflora *Roxb.* Roxb. Corom. 66.  
 — — — Wight Ic. pl. Ind. or. 1, 69.  
 — Münchhausia *Willd.* Lam. Encycl. 473.  
 — Reginae *Roxb.* Rheed. Hort. mal. 4, 20. 21.  
 — — — Roxb. Corom. 65.  
 — — — Kerner Hort. 73.  
 — — — Spach Suites 36.  
 — — — Wight Ic. pl. Ind. or. 2, 413.  
*Lagetta funifera* *Mart.* Mart. Bras. 39.  
 — lintearia *Lam.* Lam. Encycl. 289.  
 † — — — Gaertn. Carp. 215.  
 — — — Bot. Mag. 76, 4502.  
 — — — Hook. Journal 1850, 4.  
 — — — Lem. Jard. fl. 19.  
*Lagochilium maximilianum* *N. v. E.* Endl. Bras. 7, 10.  
 † *Lagoecia cuminoides* *L.* Gaertn. Carp. 23.  
 † — — — Lam. Encycl. 142.  
 — — — Schk. Handb. 48.  
 — — — Sibth. Fl. gr. 243.  
*Lagonychium Stephanianum* *M. v. B.* Delessert Ic. 3, 75.  
*Lagosotis bursifolia* *Link.* Rchb. Pl. crit. 1, 30.  
 — calycina *Link.* Hoffm. Lk. Fl. port. 90<sup>b</sup>.  
 — crepioides *M. v. B.* Marshall Cent. 30.  
 — leontodontoides *Link.* Rchb. Pl. crit. 1, 18.  
 — taraxacoides *Link.* Rchb. Pl. crit. 1, 29.  
 — tenuifolia *Rchb.* Rchb. Pl. crit. 1, 10.  
*Lagunaea aculeata* *Cav.* Cav. Diss. 71.  
 — — — Lam. Encycl. 577.  
 — Patersonia *Sims.* Bot. Mag. 20, 769.  
 — — — Rchb. Exot. 146.  
 — squamea *Vent.* Vent. Malm. 42.  
 — — — Tratt. Archiv 236. 236<sup>a</sup>.  
*Lagunaea squamea* *Vent.* Herb. amat. 3, 196.  
 — — — Dict. sc. nat. 138.  
*Laguncularia coccinea* *Gaudich.* Freycinet Voyage 104.  
 — lutea *Gaudich.* Freycinet Voyage 105.  
 † — racemosa *Gaertn.* Gaertn. Carp. 217.  
 — — — rosea *Gaudich.* Freycinet Voyage 105.  
 † *Lagurus* *L.* Linné Amoenit. 7, 2.  
 † — ovatus *L.* Gaertn. Carp. 1.  
 † — — — Lam. Encycl. 41.  
 — — — Schreber Gräser 19.  
 — — — Schk. Handb. 17.  
 — — — Host Gram. 146.  
 — — — Sibth. Fl. gr. 90.  
 — — — Engl. Bot. 19, 1334.  
 — — — Baxter Brit. Bot. 4, 256.  
 — — — Rchb. Fl. germ. 1, 31.  
 † — — — Dumortier Gram. 12.  
 † — — — Nees Gen. 1, 45.  
*Lalage hoveaeifolia* *Paxt.* Paxt. Mag. 9, 171.  
 — ornata *Ldl.* Bot. Reg. 20, 1722.  
 — — — Maund Bot. 3, 141.  
 † *Lamarckia aurea* *Moench.* Nees Gen. 1, 77.  
 — hakeaeifolia *Gaudich.* Freycinet Voyage 110.  
 † *Lambertia* *Sm.* Kerner Genera 66.  
 — Drummondii *Ldl.* Fielding Sertum 22.  
 — formosa *Sm.* Linn. Transact. 4, 20.  
 — — — Cav. Ic. 547.  
 — — — Andr. Rep. 1, 69.  
 — — — Lodd. Cab. 80.  
 — — — Bot. Reg. 7, 528.  
 — — — Rchb. Exot. 145.  
 — ilicifolia *Hook.* Hook. Ic. pl. 6, 553.  
 — multiflora *Ldl.* Fielding Sertum 23.  
 † — teretifolia *Gaertn.* Gaertn. Carp. 217.  
 † *Lamium* *L.* Mutel Fl. fr. 48. 49.  
 — album *L.* Fl. dan. 4, 594.  
 — — — Curt. Lond. 2, 114.  
 — — — Engl. Bot. 11, 768.  
 — — — Baxter Brit. Bot. 1, 31.  
 — — — Sv. Bot. 55.  
 † — — — Lam. Encycl. 506.  
 — — — Rousseau Bot. 21.  
 † — — — Schk. Handb. 159.  
 — — — Dreves 4, 111.  
 — — — Hayne 5, 41.  
 — — — Sturm Flora 2, 8.  
 — — — Dietr. Fl. bor. 2, 102.  
 † — — — Ann. sc. nat. II. 1, 4.  
 — amplexicaule *L.* Fl. dan. 5, 752.  
 — — — Curt. Lond. 2, 32.  
 — — — Engl. Bot. 11, 770.  
 — — — Schk. Handb. 159.  
 — — — Dietr. Fl. bor. 2, 104.  
 — — — clandestinum, Rchb. Ic. crit. 8, 708.  
 — bifidum *Cir.* Cirillo Pl. rar. 1, 7.  
 — — — Tenore Fl. nap. 153.  
 — cryptanthum *Guss.* Rchb. Ic. crit. 8, 707.  
 — flexuosum *Ten.* Tenore Fl. nap. 52.  
 — — — Rchb. Ic. crit. 8, 706.  
 — garganicum *L.* Smith Exot. Bot. 48.  
 † — — — Schk. Handb. 159.  
 — Grenieri *Mutel.* Mutel Fl. fr. 49.  
 — incisum *Sm.* Engl. Bot. 27, 1933.  
 — — — Rchb. Ic. crit. 3, 223.  
 — intermedium *Fries.* Fl. dan. 10, 1701.  
 — — — Engl. Bot. 2914.  
 — — — Rchb. Ic. crit. 3, 224. 8, 722.  
 — laevigatum *L.* Rchb. Ic. crit. 3, 216.  
 — longiflorum *Ten.* Tenore Fl. nap. 152.  
 — maculatum *L.* Engl. Bot. 36, 2550.  
 — — — Sibth. Fl. gr. 556.  
 — — — Fl. dan. 10, 1649.

- † *Lamium maculatum* *L.* Schk. Handb. 159.  
 — — — Dreves 4, 110.  
 — — — Rehb. Ic. crit. 3, 215.  
 — — — Dietr. Fl. bor. 2, 116.  
 † — — — Nees Gen. 6, 28.  
 — — — Orvala *L.* Rivinus Opus ined. 45.  
 — — — W. et Kit. 131.  
 — — — Bot. Mag. 5, 172.  
 † — — — Nees Gen. 6, 28.  
 — — — pannonicum *Scop.* Scop. Fl. carn. 1, 27.  
 — — — purpureum *L.* Fl. dan. 3, 523.  
 — — — Curt. Lond. 2, 109.  
 — — — Engl. Bot. 11, 769.  
 — — — Dreves 1, 9.  
 † — — — Schk. Handb. 159.  
 — — — Schrank Fl. monac. 2, 197.  
 — — — Dietr. Fl. bor. 2, 103.  
 † — — — Nees Gen. 6, 28.  
 — — — rhomboideum *Benth.* Jacquemont Ind. 135.  
 — — — rugosum *Ait.* Sibth. Fl. gr. 555.  
 — — — Tenore Fl. nap. 153.  
 — — — Rehb. Ic. crit. 3, 217.  
 — — — striatum *Sibth.* Sibth. Fl. gr. 557.  
*Lamourouxia rhinanthifolia* *H. B. K.* H. B. K. Nov. Gen. 2, 169.  
 — — — Kerner Hort. 536.  
 † — — — Lam. Encycl. 971.  
 — — — scabra *Benth.* Seemann Herald 33.  
 — — — serratifolia *H. B. K.* H. B. K. Nov. Gen. 2, 168.  
 † — — — Lam. Encycl. 971.  
 — — — virgata *H. B. K.* H. B. K. Nov. Gen. 2, 167.  
*Lampocarya affinis* *Brongn.* Brongniart Coquille 29.  
*Lampsana communis* *L.* Fl. dan. 3, 500.  
 — — — Curt. Lond. 3, 17.  
 — — — Engl. Bot. 12, 844.  
 — — — Baxter Brit. Bot. 2, 150.  
 † — — — Gaertn. Carp. 157.  
 † — — — Schk. Handb. 225.  
 † — — — Lam. Encycl. 655.  
 — — — Dietr. Fl. bor. 9, 622.  
 — — — foetida *Scop.* Schrank Fl. monac. 1, 86.  
 — — — — Sturm Flora 10, 37.  
 — — — japonica *Burm.* Burm. Fl. ind. 57.  
 — — — Koelpinia *L.* Sibth. Fl. gr. 819.  
 — — — minima *All.* Lam. Encycl. 655.  
 — — — pusilla *Willd.* Curt. Lond. 4, 65.  
 — — — Rhagadiolus *Scop.* Schk. Handb. 225.  
 — — — — Sibth. Fl. gr. 818.  
 † — — — stellata *L.* Schk. Handb. 225.  
 — — — — Sibth. Fl. gr. 817.  
 — — — virgata *Desf.* Desf. Fl. atl. 215.  
 † — — — Zacintha *L.* Schk. Handb. 225.  
 † *Lanaria plumosa* *Ait.* Schnizl. Iconogr. 1, 62.  
*Lancisia lobata* *Lam.* Lam. Encycl. 701.  
 — — — pectinata *Thunb.* Lam. Encycl. 701.  
 — — — turbinata *Lam.* Lam. Encycl. 701.  
*Lancretia suffruticosa* *Delile.* Delile Egypte 25.  
*Landolphia owariensis* *Pal. B.* Pal. B. Fl. d'Oware 34.  
 — — — Lam. Encycl. 930.  
*Langsdorffia Sacramento.* Münchn. Denkschr. 7, 12.  
 — — — hypogaea *Mart.* Mart. Bras. 298, 299.  
 — — — jancirensis *Rich.* Mem. Mus. 8, 19.  
 — — — indica *W. et A.* Hook. Ic. pl. 3, 205, 206.  
 — — — pseudococos *Raddi.* Mem. Mod. 18, 1.  
 † — — — rubiginosa *Wedd.* Ann. sc. nat. III. 14, 11.  
*Lankesteria parviflora* *Ldl.* Bot. Reg. 32, 12.  
*Lannea velutina* *Rich.* Guillemin Seneg. 42.  
 † *Lanneoma* *Delile.* Ann. sc. nat. II. 20, 1.  
*Lansium* — (Rambeh fruit.) Marsden Sumatra 6, 9.  
 — — — domesticum *Correa.* Jack. Marsden Sumatra 5.  
 † — — — Ann. Mus. 10, 7.  
 † — — — Linn. Transact. 14, 4.

- † *Lansium domesticum* *Correa.* Jack. Calcutta Journal 1844, 16.  
 † *Lantana aculeata* *L.* Gaertn. Carp. 56.  
 — — — Bot. Mag. 3, 96.  
 — — — Lam. Encycl. 540.  
 — — — Desc. Ant. 5, 370.  
 — — — annua *L.* Bot. Mag. 26, 1022.  
 — — — brasiliensis *Link.* Endl. Bras. 10, 43.  
 † — — — Camara *L.* Lam. Encycl. 540.  
 — — — Desc. Ant. 4, 304.  
 — — — collina *Decne.* Jacquemont Ind. 141.  
 — — — crocea *Jacq.* Jacq. Schoenbr. 4, 473.  
 — — — Paxt. Mag. 10, 53.  
 — — — dubia *Wall.* Royle Illustr. 73.  
 — — — fucata *Ldl.* Bot. Reg. 10, 798.  
 — — — indica *Roxb.* Wight Ic. pl. Ind. or. 4, 1464.  
 — — — Wight Illustr. 173 bis.  
 — — — involucrata *Med.* Acta palat. 3, 16.  
 — — — — Lodd. Cab. 1997.  
 — — — lavandulacea *Willd.* Jacq. Schoenbr. 3, 361.  
 — — — lavendulaefolia *Lodd.* Lodd. Cab. 1573.  
 — — — lilacina *Desf.* Endl. Bras. 10, 44.  
 — — — mixta *L.* Lodd. Cab. 68.  
 — — — — Endl. Bras. 10, 42.  
 — — — nivea *Vent.* Vent. Malm. 8.  
 — — — — Bot. Mag. 45, 1946, 58, 3110.  
 — — — — Tratt. Archiv 266.  
 — — — — Savi Fl. ital. 1, 36.  
 — — — pseudo-thea *St. Hil.* St. Hil. Pl. usuelles 70.  
 — — — recta *Ait.* Jacq. Schoenbr. 3, 360.  
 — — — salviaefolia *Jacq.* Jacq. Schoenbr. 3, 285.  
 — — — scabrida *Ait.* Lodd. Cab. 1171.  
 — — — Selloviana *Link.* Link Ic. I. 50.  
 — — — — Bot. Mag. 57, 2981, 68, 3941.  
 — — — — Maund Bot. 3, 115.  
 † — — — tiliaefolia *Chamisso.* Linnæa 7, 7.  
 — — — trifolia *L.* Bot. Mag. 35, 1449.  
 † — — — Linnæa 7, 7.  
 — — — undulata *Schrank.* Endl. Bras. 10, 44.  
 † *Lapageria Rz et P.* Kerner Genera 147.  
 — — — alba *Rz et P.* Belgique hort. 3, 41.  
 — — — rosea *Rz et P.* Ruiz et Pav. Fl. 297.  
 — — — — Bot. Mag. 75, 4447.  
 — — — — Fl. d. serres 5, 491.  
 — — — — Belgique hort. 3, 41.  
*Lapeyrousia anceps* *Ker.* Bot. Reg. 22, 1903.  
 — — — Sweet Fl. G. 143.  
 — — — corymbosa *Gawl.* Bot. Mag. 16, 595.  
 — — — fissifolia *Gawl.* Bot. Mag. 31, 1246.  
 — — — juncea *Gawl.* Bot. Mag. 17, 606.  
 — — — — Herb. amat. 3, 186.  
*Laphamia halimifolia* *Gray.* Smiths. Contr. 3, 9.  
 — — — rupestris *Gray.* Smiths. Contr. 3, 9.  
*Lapiedra Martinezii* *Lag.* Boissier Esp. 171.  
 † *Laplacea H. B. K.* Kerner Genera 104.  
 — — — barbinervis *Moric.* Mem. Genev. 7, 11.  
 — — — — Moricand Pl. Am. 11.  
 — — — Curtyana *A. Rich.* Ramon Cuba 26.  
 † — — — semiserrata *St. Hil.* Mem. Mus. 16, 16.  
 — — — — Bot. Mag. 70, 4129.  
 — — — speciosa *H. B. K.* H. B. K. Nov. Gen. 5, 461.  
 — — — vulcanica *Korth.* Korthals Bot. 26.  
*Laportea latifolia* *Gaudich.* Gaudichaud Bonite 81.  
 — — — terminalis *Wight.* Wight Ic. pl. Ind. or. 6, 1972.  
 † *Lappa glabra* *Lam.* Lam. Encycl. 665.  
 — — — intermedia *Rehb. fl.* Rehb. Fl. germ. 15, 812.  
 † — — — major *Gaertn.* Gaertn. Carp. 162.  
 — — — — Dietr. Fl. bor. 10, 718.  
 — — — minor *DC.* Dietr. Fl. bor. 10, 719.  
 — — — — Rehb. Fl. germ. 15, 811.  
 — — — officinalis *All.* Rehb. Fl. germ. 15, 812.  
 — — — tomentosa *Lam.* Dietr. Fl. bor. 10, 717.

- Lappa tomentosa Lam.* Rchb. Fl. germ. 15, 811.  
*Lappago racemosa Willd.* Host Gram. 36.  
 — — — Sibth. Fl. gr. 101.  
 — — — var. Humb. Gram. 120.  
 — — — Sturm Flora 9, 34.  
 — — — Rchb. Fl. germ. 1, 30.  
*Larbrea bracteata Rchb.* Rchb. Fl. germ. 5, 226.  
 — *crassifolia Rchb.* Rchb. Fl. germ. 5, 226.  
 — *uliginosa Rchb.* Rchb. Fl. germ. 5, 226.  
 † *Lardizabala Rz et P.* Ruiz et Pav. Prodr. 37.  
 † — *bitemata Rz et P.* Arch. Mus. 1, 11.  
 † — — — Schnizl. Iconogr. 172<sup>a</sup>.  
 — — — Bot. Mag. 76, 4501.  
 — — — Lem. Jard. fl. 5.  
 — — — Belgique hort. 3, 51.  
 — *discolor P. et E.* Poepp. et Endl. 189.  
 — *trifoliata DC.* Delessert Ic. 1, 92.  
 — *triternata Rz et P.* Delessert Ic. 1, 91.  
 † *Lardizabaleae Decaisne.* Schnizl. Iconogr. 172<sup>a</sup>.  
*Laretia acaulis Gill. et Hook.* Hook. Bot. Misc. 65.  
*Larix americana Michx.* Michaux Arb. 3, 4.  
 — *dahurica Turcz.* Trautv. Imagines 32.  
 — *europaea DC.* Hartig 3.  
 — — — Schrank Fl. monac. 2, 155.  
 — — — Rchb. Fl. germ. 11, 531.  
 — — — Nees Gen. 4, 9.  
 † — — — Schacht Baum 3.  
 — *microcarpa Poir.* Pinetum Woburnense 47.  
 — *pendula Salisb.* Pinetum Woburnense 46.  
*Larochea falcata Jacq.* Jacq. Fragm. 82.  
 † *Larradia Vand.* Roemer Scriptores 6.  
 † *Larrea Cav.* Gray Genera 147.  
 — *cuneifolia Cav.* Cav. Ic. 560.  
 — *divaricata Cav.* Cav. Ic. 560.  
 — *mexicana Moric.* Moricand Pl. Am. 48.  
 — — — Gray Genera 147.  
 — *nitida Cav.* Cav. Ic. 559.  
 † — — — Mem. Mus. 12, 15.  
 † — — — Lam. Encycl. 955.  
*Laseguea Guilleminiana DC.* Delessert Ic. 5, 53.  
 † *Laserpitium L.* DC. Umbelliferae 3.  
 † — *Aciphylla Forst.* Gaertn. Carp. 85.  
 — *alpinum W. et K.* W. et Kit. 253.  
 — *aquilegifolium Jacq.* Jacq. Fl. austr. 2, 147.  
 — *Archangelica Jacq.* Jacq. Ic. 58.  
 — *canescens Boiss.* Boissier Esp. 75.  
 — *daucoides Desf.* Desf. Fl. atl. 70.  
 — *dauricum Jacq.* Jacq. Vind. 3, 38.  
 † — *gallicum L.* Gaertn. Carp. 85.  
 † — — — Lam. Encycl. 199.  
 — *glaucum Cav.* Cav. Ic. 190.  
 — *gummiferum Desf.* Desf. Fl. atl. 72.  
 — *latifolium L.* Jacq. Fl. austr. 2, 146.  
 — — — Schk. Handb. 67.  
 — — — Fl. dan. 9, 1513.  
 — *marginatum W. et K.* W. et Kit. 192.  
 — *meoides Desf.* Desf. Fl. atl. 69.  
 — *peucedanoides L.* Jacq. Ic. 349.  
 † — — — Mag. naturf. Fr. 6, 5.  
 — — — Desf. Desf. Fl. atl. 71.  
 — *prutenicum L.* Jacq. Fl. austr. 2, 153.  
 — — — var. Rochel Banat. 27.  
 — — — Fl. dan. 10, 1751.  
 — *scabrum Cav.* Cav. Ic. 190.  
 — *silaifolium Jacq.* Jacq. Fl. austr. 5, 44.  
 — *Siler L.* Jacq. Fl. austr. 2, 145.  
 † — — — Mag. naturf. Fr. 6, 5.  
 — — — Hayne 7, 7.  
 — *simplex L.* Jacq. Misc. 2, 2.  
 — — — Roemer Fl. europ. 8, 2.  
 — *thapsiaeforme Brot.* Brotero Phytogr. 34.  
 — *thapsioides Desf.* Desf. Fl. atl. 68.

- Laserpitium trilobum Crantz.* Rochel Banat. 27.  
 — *triquetrum Vent.* Vent. Cels 97.  
 — *verticillatum W. et K.* W. et Kit. 171.  
*Lasia heterophylla Endl.* Wight Ic. pl. Ind. or. 3, 777.  
 † *Lasiagrostis Calamagrostis Link.* Nees Gen. 1, 25.  
 — — — Rchb. Fl. germ. 1, 46.  
*Lasiandra argentea DC.* Rchb. Hort. 249.  
 † — *barbigera Naud.* Ann. sc. nat. III. 12, 15.  
 — *Candolleana DC.* DC. Melast. 7.  
 — *coerulea Rchb.* Rchb. Hort. 250.  
 — *Endlicheri Beer et Fenzl.* Hart. Parad. 1, 13.  
 — *fissinervia DC.* Mart. Bras. 243.  
 — *Fontanesiana DC.* Bot. Reg. 8, 671.  
 — *Lhotskyana Presl.* Presl Symbolae 52.  
 † — *macrophylla Naud.* Ann. sc. nat. III. 12, 14.  
 — *Martiana DC.* Mart. Bras. 242.  
 — *Maximiliana DC.* Mart. Bras. 240, 241.  
 † — *Moricandiana DC.* Ann. sc. nat. III. 12, 15.  
 — *muricata Presl.* Presl Symbolae 45.  
 — *oleaeifolia Mart.* Mart. Bras. 244.  
 — *petiolata Grah.* Bot. Mag. 66, 3766.  
 — *Urvilleana DC.* Brongniart Coquille 71.  
*Lasianthera africana Pal. B.* Pal. B. Fl. d'Oware 51.  
 — — — Lam. Encycl. 931.  
*Lasianthus venulosa Wight.* Wight Spicil. 96.  
 — — — Wight Ic. pl. Ind. or. 3, 1032.  
*Lasiochloa ciliaris Kth.* Humb. Gram. 192.  
 — *hirta Kth.* Humb. Gram. 194.  
 — *longifolia Kth.* Humb. Gram. 193.  
 — *pectinata Trin.* Trin. Sp. Gr. 1, 73.  
*Lasiocorys arabica Jaub. et Sp.* Jaub. Illustr. 383, 384.  
*Lasirolepis paucijuga R. Br.* Bennett Java 42.  
*Lasionema cinchonoides Wedd.* Weddell Hist. 27.  
 — *roseum D. Don.* Ruiz et Pav. Fl. 199.  
 † *Lasionotus tenuifolia Wall.* Wight Illustr. 159<sup>b</sup>.  
*Lasiopera aspera Link.* Hoffm. Lk. Fl. port. 59.  
 — *rhinanthina Link.* Hoffm. Lk. Fl. port. 58.  
 — *tenuifolia Link.* Hoffm. Lk. Fl. port. 60.  
*Lasiopetalum dumosum Lodd.* Lodd. Cab. 1564.  
 — *ferrugineum Sm.* Vent. Malm. 59.  
 — — — Andr. Rep. 3, 208, 7, 459.  
 — — — Bot. Mag. 42, 1766.  
 — — — Rchb. Mag. 37.  
 — — — Mem. Mus. 7, 18.  
 — *macrophyllum Grah.* Bot. Mag. 68, 3908.  
 — *parviflorum Rudge.* Linn. Transact. 10, 19.  
 — — — Lodd. Cab. 413.  
 — — — Mem. Mus. 7, 19.  
 — *purpurascens Hort.* Herb. amat. 5, 294.  
 — *purpureum Dryand.* Bot. Mag. 42, 1755.  
 — — — Lodd. Cab. 361.  
 — — — Rchb. Mag. 37.  
 — *quercifolium Dryand.* Bot. Mag. 36, 1485.  
 — — — Lodd. Cab. 619.  
 — — — Rchb. Exot. 243.  
 — *solanaceum Sims.* Bot. Mag. 36, 1486.  
 — — — Lodd. Cab. 279.  
 — — — Rchb. Exot. 243.  
 — *triphyllym Lab.* Bill. Nov. Holl. 88.  
 — — — Sm. Rchb. Mag. 37.  
*Lasiopus sunchoides Don.* Sweet Fl. G. II. 346.  
*Lasiorrhiza purpurea Less.* Richard Astrolabe 4.  
*Lasiosiphon speciosus Decne.* Jacquemont Ind. 150.  
 † *Lasiostemum N. et M.* Acta Leop. 11. 1, 19.  
 — *silvestre N. et M.* Acta Leop. 11. 1, 26.  
*Lastarriaea chilensis J. Remy.* Gay Chile 58.  
*Lasthenia californica DC.* Bot. Reg. 21, 1823.  
 — *glabrata Ldl.* Bot. Reg. 21, 1780.  
 † *Lastrea crispa Presl.* Hook. Gen. Fil. 45.  
 — *cristata Presl.* Newman p. 203, 206.  
 — *dilatata Bab.* var. linearis; Newman p. 209.  
 — *Filix mas Presl.* Newman p. 197.

- Lastrea multiflora* *Newm.* Newman p. 215. 218.  
 — — — var. *nana*, Newman p. 222.  
 — — — var. *collina*, Newman p. 223.  
 † — *Oreopteris Presl.* Newman p. 187. 190.  
 † — *patens Presl.* Hook. Gen. Fil. 45.  
 — — *recurva Newm.* Newman p. 225.  
 — — *rigida Presl.* Newman p. 191. 196.  
 — — *spinosa Newm.* Newman p. 209.  
 † — *Thelypteris Presl.* Hook. Gen. Fil. 45.  
 — — — Newman p. 183. 186.  
 † *Latania chinensis Jacq.* Jacq. Fragm. 11.  
 — *Commersonii Spr.* Mart. Palm. 154. 161. W.  
 — *rubra Jacq.* Jacq. Fragm. 8.  
 † *Lathraea clandestina L.* Lam. Encycl. 551.  
 — *squamaria L.* Fl. dan. 1, 136.  
 † — — — Gaertn. Carp. 52.  
 † — — — Lam. Encycl. 551.  
 — — — Schk. Handb. 170.  
 — — — Stephan Ic. pl. mosq. 3.  
 — — — Sv. Bot. 316.  
 — — — Engl. Bot. 1, 50.  
 — — — Baxter Brit. Bot. 5, 365.  
 — — — Schrank Fl. monac. 1. 33.  
 — — — Sturm Flora 20, 94.  
 — — — Dietr. Fl. bor. 2, 113.  
 † — — — Linn. Transact. 16, 22. 23.  
 † — — — Wight Illustr. 158<sup>o</sup>.  
 † — — — Nees Gen. 5, 51.  
 † — — — (Duchartre.) Mem. sav. étr. 1848, 1—8.  
*Lathyrus alatus Sibth.* Sibth. Fl. gr. 697.  
 — — *Ten.* Tenore Fl. nap. 175.  
 — *altaicus Led.* Ledeb. Ic. 53.  
 — *amoenus Fzl.* Russegger Reise 2.  
 — *amphicarpos L.* Brotero Phytogr. 66.  
 — — — Sibth. Fl. gr. 693.  
 — — — Sweet Fl. G. 236.  
 — *angulatus L.* Sibth. Fl. gr. 696.  
 — *Aphaca L.* Curt. Lond. 1, 141.  
 — — — Engl. Bot. 17, 1167.  
 — — — Fl. dan. 13, 2245.  
 — *aphyllus Link.* Webb Canar. 65<sup>D</sup>.  
 — *aristatus Vis.* Visiani Dalm. 47.  
 — *Armitageanus Kn. et W.* Knowles et Westc. 110.  
 — *articulatus L.* Bot. Mag. 8, 253.  
 † — — — Gaertn. Carp. 152.  
 — — — Lam. Encycl. 632.  
 — *Berberianus Colla.* Mem. Tur. 37, 11.  
 — *californicus Dougl.* Bot. Reg. 14, 1144.  
 — *Cicera L.* Jacq. Ecl. pl. 115.  
 — — — Sibth. Fl. gr. 694.  
 — *ciliatus Guss.* Gussone Pl. rar. 49.  
 — *decaphyllus Pursh.* Bot. Mag. 59, 3123.  
 — *dubius Ten.* Tenore Fl. nap. 175.  
 — *fruticosus Cav.* Cav. Ic. 84.  
 — *gladiatus Hook.* Hook. Ic. pl. 1, 72.  
 — *grandiflorus Sims.* Bot. Mag. 44, 1938.  
 — — — Sibth. Sibth. Fl. gr. 698.  
 — *heterophyllus L.* Dietr. Fl. bor. 12, 794.  
 — *himalayensis Camb.* Jacquemont Ind. 53.  
 — *hirsutus L.* Engl. Bot. 18, 1255.  
 — — — Rochel Banat. 16.  
 — — *Schur.* Siebenb. Verh. 2, 6.  
 — *inconspicuus L.* Jacq. Vind. 86.  
 — — — Jacq. Ecl. pl. 117.  
 — *incurvus Roth.* Roth Abh. 4.  
 — *inermis Rochel.* Frivaldsky Balkan 2.  
 — *latifolius L.* Sv. Bot. 254.  
 — — — Engl. Bot. 16, 1108.  
 — — — Baxter Brit. Bot. 2, 117.  
 — *magellanicus Lam.* Sweet Fl. G. II. 344.  
 — *mutabilis Sweet.* Sweet Fl. G. 194.  
 — *nervosus Lam.* Bot. Mag. 69, 3987.

- Lathyrus Nissolia L.* Curt. Lond. 1, 61.  
 — — — Engl. Bot. 2, 112.  
 — — — Roemer Fl. eur. 2, 8.  
 — *ochroleucus Hook.* Torrey New York 22.  
 — *odoratus L.* var. Gil et Xuares 28.  
 — — — Bot. Mag. 2, 60.  
 — *palustris L.* Fl. dan. 3, 399.  
 — — — Engl. Bot. 3, 169.  
 — — — Dietr. Fl. bor. 9, 604.  
 — *pisiformis L.* Linné Hort. ups. 2, 20.  
 — *pratensis L.* Fl. dan. 3, 527.  
 — — — Curt. Lond. 2, 23.  
 — — — Engl. Bot. 10, 670.  
 — — — Sv. Bot. 49.  
 — — — var. Rochel Banat. 16.  
 — — — Schrank Fl. monac. 2, 115.  
 — — — Dietr. Fl. bor. 8, 569.  
 — *pubescens Hook. et A.* Bot. Mag. 69, 3996.  
 — *purpureo-coeruleus Kn. et W.* Kn. et Westc. 88.  
 — *purpureus Desf.* Ann. Mus. 12, 7.  
 — — — Desf. Choix 62.  
 — *quadrifolius Bory.* Bory et Ch. Morée 25.  
 — *rotundifolius Willd.* Marschall Cent. 22.  
 — — —  $\beta$ . Sweet Fl. G. II. 333.  
 † — *sativus L.* Gaertn. Carp. 152.  
 † — — — Lam. Encycl. 632.  
 — — — Bot. Mag. 4, 115.  
 — — — Sibth. Fl. gr. 695.  
 — — — Jacq. Ecl. pl. 116.  
 — *silvestris L.* Fl. dan. 2, 325. 5, 785.  
 — — — Curt. Lond. 1, 68.  
 — — — Engl. Bot. 12, 805.  
 — — — Dietr. Fl. bor. 8, 568.  
 — *sphaericus Retz.* DC. Ic. Gall. 32.  
 — — — var. neapolitanus, Tenore Fl. nap. 179.  
 — *tingitanus L.* Jacq. Vind. 46.  
 — — — Bot. Mag. 3, 100.  
 — — — Schk. Handb. 201.  
 — — — Bot. Reg. 16, 1388.  
 — *tomentosus Lam.* Maund Bot. 5, 206.  
 — *tuberosus L.* Bot. Mag. 4, 111.  
 — — — Fl. dan. 9, 1463.  
 — — — Sv. Bot. 382.  
 — — — Tratt. Archiv 267.  
 — — — Dietr. Fl. bor. 8, 567.  
 — *venosus Willd.* Sweet Fl. G. II. 37.  
*Latipes senegalensis Kth.* Humb. Gram. 42.  
*Latisatis Aub.* Aubert Orchid. 10. 12.  
*Latourea spectabilis Bl.* Blume Rumphia 195. 199.  
*Latreillea peruviana P. et E.* Poepp. et Endl. 252.  
*Laugeria dependens Rz et P.* Ruiz et Pav. Fl. 145.  
 — *hirsuta Rz et P.* Ruiz et Pav. Fl. 145.  
 — *lucida Sw.* Vahl Symbolae 57.  
 † — *resinosa Vahl.* Vahl Eclogae 10.  
 † — — — Gaertn. Carp. 191.  
*Laurea tiliaefolia Gaudich.* Gaudichaud Bonite 88.  
*Laurelia Novae Zelandiae Cunn.* Hook. New Zeal. 51.  
*Laurembergia repens Berg.* Bergius Cap. 5.  
*Laurentia arabidea DC.* Delessert Ic. 5, 14.  
*Laureola hypericoides Desc.* Desc. Ant. 7, 512.  
 † *Laurineae Vent.* Schnizl. Iconogr. 2, 106.  
*Laurophyllus capensis Thunb.* Herb. amat. 4, 271.  
*Laurus acutifolia Rz et P.* Ruiz et Pav. Ined. x.  
 — *aggregata Sims.* Bot. Mag. 51, 2497.  
 — *aurantiodora Rz et P.* Ruiz et Pav. Ined. x.  
 — *balanocarpa Rz et P.* Ruiz et Pav. Ined. x.  
 † — *Benzoin L.* Schk. Handb. 110.  
 — — — Barton Med. 33.  
 — *Borbonia L.* Nouveau Duhamel 2, 33.  
 — — — Desc. Ant. 2, 78.  
 — *Bowici Hook.* Hook. Journal 1842, 23.  
 — *Burmanni Bl.* Nees Disput. 4. 6.

- Laurus Camphora* L. Kaempfer Amoenit. p. 771.  
 — — — Graffenauer Traité 1.  
 — — — Nouveau Duhamel 2, 35.  
 — — — Desc. Ant. 5, 353.  
 — — — Woodv. Med. 4, 236.  
 — — — Bot. Mag. 53, 2658.  
 — — — Nees Düsseld. 130.  
 — — — Guimp. et Schl. 263.  
 — — — Wagner 86.  
 — canariensis Willd. Webb Canar. 206.  
 — carolinensis Michx. Michaux Arb. 3, 2.  
 — — — Kerner Hort. 583.  
 † — — — Schnizl. Iconogr. 2, 106.  
 † — Cassia L. N. v. E. Gaertn. Carp. 92.  
 † — — — Lam. Encycl. 321.  
 — — — Nees Disput. 3.  
 — — — Nees Düsseld. 129<sup>a</sup> b.  
 — — — Guimp. et Schl. 264.  
 — — — Wagner 142.  
 — — — Woodv. Med. 5, 25.  
 — — — Bot. Mag. 40, 1636.  
 — — — Rchb. Exot. 205.  
 — — — Wight Ic. pl. Ind. or. 1, 128. 132.  
 — Cinnamomum L. Jacq. Hist. stirp. am. 117.  
 † — — — Gaertn. Carp. 92.  
 — — — Nogueira Memoria x.  
 — — — Andr. Rep. 9, 596.  
 — — — Lodd. Cab. 91.  
 — — — Bot. Mag. 46, 2028.  
 — — — Woodv. Med. 4, 233.  
 — — — Desc. Ant. 8, 565.  
 — — — Herb. amat. 5, 334.  
 — — — Dict. sc. nat. 12.  
 — — — Nees Disput. 1. 2. 6.  
 — — — Nees Düsseld. 128.  
 — — — Guimp. et Schl. 265.  
 — — — Wagner 141.  
 — — — Wight Ic. pl. Ind. or. 1, 129.  
 — coerulea Rz et P. Ruiz et Pav. Ined. x.  
 — Culilaban L. Rumpf Amb. 2, 14.  
 — cuneifolia Rz et P. Ruiz et Pav. Ined. x.  
 — cupularis Lam. Lam. Encycl. 321.  
 — cylindrica Desc. Desc. Ant. 6, 409.  
 — Diospyrus Pers. Bot. Mag. 36, 1470.  
 — dysodantha Rz et P. Ruiz et Pav. Ined. x.  
 — ferruginea Rz et P. Ruiz et Pav. Ined. x.  
 — foetens Ait. Buch Canar. Inseln 1.  
 — furcata Rz et P. Ruiz et Pav. Ined. x.  
 — geniculata Michx. Bot. Mag. 36, 1471.  
 — heteranthera Rz et P. Ruiz et Pav. Ined. x.  
 — Hihua Rz et P. Ruiz et Pav. Ined. x.  
 — jasminifolia Desc. Desc. Ant. 6, 436.  
 † — indica L. Wendland Beob. 3.  
 — involucrata Roxb. Roxb. Corom. 187.  
 — leptobatra Rz et P. Ruiz et Pav. Ined. x.  
 — limbosa Rz et P. Ruiz et Pav. Ined. x.  
 — lineatifolia Rz et P. Ruiz et Pav. Ined. x.  
 — Lingue Rz et P. Ruiz et Pav. Ined. x.  
 — longifolia Rz et P. Ruiz et Pav. Ined. x.  
 — Malabathrum Lam. Acta Leop. 17. 2, 45.  
 † — martinicensis Jacq. Jacq. Collect. 2, 5.  
 † — Meyeniana N. v. E. Linnaea 8, 1.  
 — Muca Rz et P. Ruiz et Pav. Ined. x.  
 — multiflora Roxb. Wight Ic. pl. Ind. or. 1, 131.  
 — multiglandulosa Rz et P. Ruiz et Pav. Ined. x.  
 — nitida Rz et P. Ruiz et Pav. Ined. x.  
 † — nobilis L. Gaertn. Carp. 92.  
 — — — Schk. Handb. 110.  
 — — — Lam. Encycl. 321.  
 — — — Nouveau Duhamel 2, 32.  
 — — — Dict. sc. nat. 11.  
 — — — Sibth. Fl. gr. 365.

- Laurus nobilis* L. Woodv. Med. 4, 235.  
 — — — Nees Düsseld. 132.  
 — — — Guimpel et Schl. 266.  
 — — — Wagner 203.  
 — — — Hayne 12, 18.  
 — — — Rchb. Fl. germ. 11, 673.  
 † — — — Nees Gen. 4, 45.  
 — obovata Rz et P. Ruiz et Pav. Ined. x.  
 — ovalifolia Rz et P. Ruiz et Pav. Ined. x.  
 — Persea L. Ruiz et Pav. Ined. x.  
 — — — Tussac Ant. 3, 3.  
 — — — Desc. Ant. 8, 579.  
 — Peumo Dombey. Ruiz et Pav. Ined. x.  
 — Pichurim Willd. Desc. Ant. 3, 213.  
 — Pucheri Rz et P. Ruiz et Pav. Ined. x.  
 — punctata Rz et P. Ruiz et Pav. Ined. x.  
 — purpurea Rz et P. Ruiz et Pav. Ined. x.  
 — recurvata Roxb. Wight Ic. pl. Ind. or. 1, 133.  
 — reticulata Poir. Ruiz et Pav. Ined. x.  
 † — Sassafras L. Schk. Handb. 110.  
 — — — Michaux Arb. 3, 1.  
 — — — Nouveau Duhamel 2, 34.  
 — — — Kerner Hort. 480.  
 — — — Woodv. Med. 4, 234.  
 — — — Bigelow Med. 35.  
 — — — Desc. Ant. 7, 464.  
 — — — Nees Düsseld. 131.  
 — — — Guimpel et Schl. 267.  
 — subcordata Rz et P. Ruiz et Pav. Ined. x.  
 — sulcata Rz et P. Ruiz et Pav. Ined. x.  
 — triplinervis Rz et P. Ruiz et Pav. Ined. x.  
 † Lavandula L. Gingins Monogr. 1. 2.  
 — abrotanoides L. Gingins Monogr. 10.  
 — angustifolia Ehrh. Hayne 8, 37.  
 † — Burmanni Benth. Wight Illustr. 176<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1438.  
 — carnosula L. fil. Linné Lavandula 2.  
 — coronopifolia Poir. Gingins Monogr. 9.  
 — dentata L. Bot. Mag. 12, 400.  
 — — — Gingins Monogr. 5.  
 — lanata Boiss. Boissier Esp. 135.  
 — latifolia Vill. Hayne 8, 38.  
 — — — Sm. Nees Düsseld. 178.  
 — Lawii Wight. Wight Ic. pl. Ind. or. 4, 1439.  
 — multifida Burm. Burmann Fl. ind. 38.  
 † — — — L. Gaertn. Carp. 66.  
 † — — — Lam. Encycl. 504.  
 — — — Gingins Monogr. 11.  
 — pedunculata Cav. Gingins Monogr. 4.  
 — pinnata L. fil. Linné Lavandula 1.  
 — — — Jacq. Ic. 106.  
 — — — Bot. Mag. 12, 401.  
 — — — Gingins Monogr. 8.  
 — pubescens Decne. Jaubert Illustr. 375.  
 — pyrenaica DC. Gingins Monogr. 6.  
 — santolinaefolia Jaub. et Sp. Jaub. Illustr. 373. 374.  
 — Spica DC. Schk. Handb. 157.  
 — — — Woodv. Med. 2, 114.  
 † — — — Lam. Encycl. 504.  
 — — — Gingins Monogr. 7.  
 — — — Nees Düsseld. 177.  
 — — — Guimpel et Schl. 40.  
 — — — Wagner 36.  
 — Stoechas L. Sibth. Fl. gr. 549.  
 — — — Gingins Monogr. 3.  
 — stricta Delile. Delile Egypte 32.  
 — vera DC. Gingins Monogr. 6.  
 — — — Guimpel et Schl. 41.  
 † — — — Nees Gen. 6, 2.  
 — viridis L'her. L'her. Sertum 21.  
 — — — Hoffm. Lk. Fl. port. 4.  
 — — — Brotero Phytogr. 114.



- Lavandula viridis* L'her. Gingins Monogr. 4.  
*Lavatera acerifolia* Cav. Herb. amat. 5, 322.  
 — *africana* Cav. Cav. Diss. 139.  
 — *arborea* L. Cav. Diss. 139.  
 † — — Gaertn. Carp. 136.  
 † — — Lam. Encycl. 582.  
 — — Sibth. Fl. gr. 665.  
 — — Engl. Bot. 26, 1841.  
 — — Baxter Brit. Bot. 2, 106.  
 — — Rchb. Fl. germ. 5, 178.  
 — *cachemiriana* Camb. Jacquemont Ind. 32.  
 — *cretica* L. Cav. Diss. 32.  
 — — Jacq. Vind. 41.  
 — *flava* Desf. Desf. Fl. atl. 172.  
 — *hispidula* Desf. Desf. Fl. atl. 171.  
 — — Bot. Mag. 52, 2541.  
 — *maritima* Gouan. Gouan Illustr. 21.  
 — — Cav. Diss. 32.  
 — — Rchb. Fl. germ. 5, 178.  
 — *mauritanica* Durieu. Explor. Alger. 69.  
 — *neapolitana* Ten. Tenore Fl. nap. 65.  
 — *oblongifolia* Boiss. Boissier Esp. 33.  
 — *olbia* L. Jacq. Vind. 73.  
 — — Cav. Diss. 32.  
 † — — Lam. Encycl. 582.  
 — — Rchb. Fl. germ. 5, 177.  
 — *phoenicea* Vent. Vent. Malm. 120.  
 — — Kerner Hort. 208.  
 — *plebeja* Sims. Bot. Mag. 48, 2269.  
 — — Mem. Tur. 31, 14.  
 — *punctata* All. Rchb. Fl. germ. 5, 176.  
 — *silvestris* Brot. Brotero Phytogr. 179.  
 — — Nees Amoën. bonn. 6.  
 — — Cirillo. Tenore Fl. nap. 168.  
 — *thuringiaca* L. Jacq. Fl. austr. 4, 311.  
 — — Cav. Diss. 31.  
 † — — Gaertn. Carp. 136.  
 — — Bot. Mag. 16, 517.  
 — — Rchb. Fl. germ. 5, 177.  
 — *triloba* L. Jacq. Vind. 74.  
 — — Cav. Diss. 31.  
 — — Bot. Reg. 12, 1039.  
 — — Bot. Mag. 48, 2226.  
 — *trimestris* L. Jacq. Vind. 72.  
 — — Cav. Diss. 31.  
 — — Bot. Mag. 4, 109.  
 † — — Gaertn. Carp. 136.  
 † — — Lam. Encycl. 582.  
 — — Schk. Handb. 193.  
 — — Rchb. Fl. germ. 5, 176.  
 — *Weinmanniana* Bess. Rchb. Hort. 60.  
 † *Lavauxia Nuttallii* Spach. Nouv. Ann. Mus. 4, 31.  
 † — — Spach Suites 85.  
 † *Lavoisiera Naud.* Ann. sc. nat. III. 3, 6.  
 — *alba* DC. Mart. Bras. 268.  
 — *cataphracta* DC. Mart. Bras. 266.  
 — *cerifera* Gardn. Fielding Sertum 63.  
 — *crassifolia* DC. Mart. Bras. 267.  
 — *gentianoides* DC. Mart. Bras. 267.  
 — *imbricata* DC. Mart. Bras. 265.  
 — *insignis* DC. DC. Melastom. 2.  
 — *itambana* DC. Mart. Bras. 271.  
 — *lycopodioides* Gardn. Hook. Ic. pl. 6, 502.  
 — *mucroifera* DC. Mart. Bras. 269.  
 — *pulcherrima* DC. Mart. Bras. 272.  
 — *punctata* DC. Mart. Bras. 270.  
 — *reticulata* Moric. Moricand Pl. Am. 99.  
*Lavradia alpestris* Mart. Mart. Bras. 22.  
 — *capillaris* Desf. Mem. Mus. II, 10.  
 — — St. Hil. Pl. rem. 8.  
 — *elegantissima* Desf. Mem. Mus. II, 8.  
 — — St. Hil. Pl. rem. 5.

- Lavradia ericoides* Desf. Mem. Mus. II, 7.  
 — — — St. Hil. Pl. rem. 4.  
 — *glandulosa* Desf. Mem. Mus. II, 9.  
 — — — St. Hil. Pl. rem. 7.  
 — *montana* Mart. Mart. Bras. 23.  
 — — — Spach Suites 42.  
 — *Vellozii* St. Hil. St. Hil. Pl. rem. 6.  
 † — — Spach Suites 42.  
*Lawia acuminata* Wight. Wight Ic. pl. Ind. or. 3, 1070.  
*Lawrenzia glomerata* Hook. Hook. Ic. pl. 5, 417.  
 — *spicata* Hook. Hook. Ic. pl. 3, 261. 262.  
*Lawsonia Acronychia* Lab. Bill. Sertum 65.  
 † — — Lam. Encycl. 296.  
 † — *alba* Lam. Lam. Encycl. 296.  
 — — — Wight Illustr. 87.  
 — *falcata* Lour. Rumpf Amb. 6, 25. fig. 1.  
 — *inermis* L. Desc. Ant. 8, 596.  
 — *spinosa* L. Rheede Hort. mal. 1, 40.  
 — — — Rumpf Amb. 4, 17.  
 † *Laxmannia arborea* Forst. Forster Char. 47.  
*Laxmannia gracilis* R. Br. Endl. Iconogr. 97.  
 † — — Schnizl. Iconogr. I, 55<sup>d</sup>.  
 — *grandiflora* Ldl. Lindley Swan River 7.  
 — *sessiliflora* Deene. Nouv. Ann. Mus. 3, 16.  
*Layia emarginata* Hook. et Arn. Hook. Beechey 38.  
 † *Leandra Raddi*. Mem. Mod. 18, 5.  
 † — *capillaris* Raddi. Mem. Mod. 20, 12.  
 — *corcovadensis* Raddi. Mem. Mod. 20, 10.  
 † — *estrellensis* Raddi. Mem. Mod. 20, 12.  
 † — *fimbriata* Raddi. Mem. Mod. 20, 12.  
 † — *hirsutissima* Raddi. Mem. Mod. 20, 12.  
 — *hirta* Raddi. Mem. Mod. 20, 10.  
 — *involutrata* Raddi. Mem. Mod. 20, 10.  
 — — — Mart. Bras. 283.  
 — *punicea* Raddi. Mem. Mod. 20, 9.  
 — *rubella* Raddi. Mem. Mod. 20, 11.  
 — *salicifolia* Raddi. Mem. Mod. 20, 10.  
 † — *staminea* Raddi. Mem. Mod. 20, 12.  
 † — *variabilis* Raddi. Mem. Mod. 20, 12.  
 † *Leavenworthia Torrey*. Gray Genera 57.  
 — *aurea* Torr. Gray Genera 57.  
*Lebeckia contaminata* Thunb. Bot. Reg. 2, 104.  
 — *nuda* Sims. Bot. Mag. 48, 2214.  
*Lebretonia acuminata* Dill. et Rich. Richard Abyss. 13.  
 — *procumbens* Wight. Wight Ic. pl. Ind. or. 1, 4.  
 † *Lecanium membranaceum* Presl. Prager Abh. 3, 1.  
*Lecanocarpus nepalensis* N. v. E. Nees Amoën. bonn. 2.  
*Lecanopteris carnosula* Bl. Blume Java 6, 94.  
 † — — Hook. Gen. Fil. 110.  
 — *pumila* Bl. Blume Java 6, 94.  
 † *Lechea* L. Gray Genera 88. 89.  
 — *Drummondii* Torr. et Gr. Gray Genera 89.  
 — *major* L. Linné Amoenit. 3, 1.  
 — — — Lam. Encycl. 52.  
 † — *minor* L. Gaertn. Carp. 129.  
 — — — Lam. Encycl. 52.  
 — *racemulosa* Michx. Lam. Encycl. 281. fig. 3.  
 — *thymifolia* Pursh. Gray Genera 88.  
*Lechenauntia arcuata* De Vriese. Bot. Mag. 72, 4265.  
 — — — Paxt. Mag. 14, 245.  
 — — — Fl. d. serres 3, 219.  
 — *biloba* Ldl. Bot. Reg. 28, 2.  
 — — — Paxt. Mag. 8, 151.  
 — — — Marnock Mag. 1841, 9.  
 — — — Hart. Parad. 1, 10.  
 — *formosa* R. Br. Sweet Austr. 26.  
 — — — Bot. Mag. 52, 2600.  
 — — — Bot. Reg. 11, 916.  
 — — — Lodd. Cab. 1066.  
 — — — Rchb. Hort. 247.  
 † — — — Schnizl. Iconogr. 123.  
 — *multiflora* Lodd. Lodd. Cab. 1579.

- Lechenaultia oblata* Sweet. Sweet Austr. 46.  
 — *splendens* Hook. Bot. Mag. 72, 4256.  
 — — — Paxt. Mag. 14, 245.  
 — — — Fl. d. serres 2, 176.  
 † *Leciscium drupaceum* Gaertn. Gaertn. Carp. 220.  
 † *Lecokia cretica* DC. DC. Ombellif. 2.  
 † *Lecythis L.* (Germinatio.) Aubert Essais x.  
 — *amara* Aubl. Aublet Guiana 285. 286.  
 — *bracteata* Willd. Dict. sc. nat. 227—229.  
 — *corrugata* Poit. Mem. Mus. 13, 3.  
 — *grandiflora* Aubl. Aublet Guiana 283. 284. 285.  
 † — — — Lam. Encycl. 476.  
 — — — Desc. Ant. 6, 396.  
 — *Idatimon* Aubl. Aublet Guiana 289.  
 — *longipes* Poit. Mem. Mus. 13, 2. 7.  
 — *minor* Jacq. Jacq. Hist. stirp. am. 160.  
 — *ovata* Camb. St. Hil. Fl. Bras. 158.  
 — *parviflora* Aubl. Aublet Guiana 287.  
 — *Zabucajo* Aubl. Aublet Guiana 288.  
*Ledebouria hyacinthina* Roth. Jacquemont Ind. 171.  
 — — — Bot. Mag. 60, 3226.  
 — — — Wight Ic. pl. Ind. or. 6, 2040.  
*Ledocarpum argenteum* Presl. Presl Symbolae 44.  
 — *chiloense* Desf. Mem. Mus. 4, 13.  
 † — — — Lam. Encycl. 958.  
 — *pedunculare* Ldl. Bot. Reg. 17, 1392.  
 — *Reynoldsii* Hook. Hook. Ic. pl. 1, 14.  
*Ledum buxifolium* Ait. Lodd. Cab. 52.  
 — *canadense* Lodd. Lodd. Cab. 1049.  
 — *groenlandicum* Oeder. Fl. dan. 4, 567.  
 — *latifolium* Lam. Meerburg Pl. sel. 20.  
 — — — Lam. Encycl. 363.  
 — — — Jacq. Ic. 464.  
 — — — Nouveau Duhamel 4, 27.  
 — — — Herb. amat. 4, 241.  
 — — — Lodd. Cab. 534.  
 — — — Guimpel Fr. Holzgew. 50.  
 — *palustre* L. Fl. dan. 6, 1031.  
 — — — Curt. Lond. 5, 212.  
 — — — Lodd. Cab. 560.  
 — — — Baxter Brit. Bot. 6, 508.  
 — — — Sv. Bot. 18.  
 — — — Liboschitz Petersb. 5.  
 † — — — Gaertn. Carp. 112.  
 — — — Hayne 3, 21.  
 — — — Schk. Handb. 117.  
 — — — Guimpel Holzgew. 51.  
 — — — Nees Düssel. 218.  
 — — — Guimpel et Schl. 53.  
 — — — Brandt und Ratzeb. 22.  
 — — — Wagner 121.  
 — — — Dietr. Fl. bor. 4, 255.  
 — *thymifolium* Pers. Lam. Encycl. 363.  
*Leea macrophylla* Roxb. Wight Ic. pl. Ind. or. 3, 1154.  
 — *pinnata* Andr. Andr. Rep. 5, 355.  
 — *sambucina* R. et Sch. Rumpf Amb. 4, 45.  
 — *Staphylea* Roxb. Wight Illustr. 58.  
 — — — Wight Ic. pl. Ind. or. 1, 78.  
 † *Leersia Sw.* Swartz Fl. Ind. occ. 4.  
 — *aristata* Roxb. Rheede Hort. mal. 10, 12.  
 — *lenticularis* Michx. Humb. Gram. 2.  
 — — — Elliott Carolina 5.  
 — *mexicana* H. B. K. Humb. Gram. 1.  
 — *oryzoides* Sw. Host Gram. 35.  
 — — — Engl. Bot. 2903.  
 — — — Fl. dan. 10, 1744.  
 — — — Rchb. Fl. germ. 1, 52.  
 † — — — Nees Gen. 1, 1.  
 — *virginiana* Willd. Humb. Gram. 201.  
*Lefeburea abyssinica* Dill. et Rich. Richard Abyss. 55.  
 † — — — Ann. sc. nat. II. 14, 15.  
*Legendrea mollissima* Webb. Webb Canar. 137.

- † *Legnotis Sw.* Swartz Fl. Ind. occ. 17.  
 † *Leguminosae* Juss. Desvaux Journal 3, 4—6.  
 † — — — DC. Legum. 1—28.  
 † — — — Acta Leop. 19. 1, 9—11. et 2, 40—45.  
 † — — — Bot. Zeitung 1851, 10.  
*Lehmannia ocymoides* Jacq. Jacq. Ecl. pl. 108.  
*Leianthus longifolius* Griseb. Bot. Reg. 11, 880.  
 — — — Paxt. Mag. 13, 29.  
 — — — Bot. Mag. 71, 4169.  
 — — — Fl. d. serres 2, 8.  
 — *nigrescens* Griseb. Bot. Mag. 69, 4043.  
 — — — Paxt. Mag. 14, 149.  
 — *umbellatus* Griseb. Hook. Ic. pl. 7, 687—688.  
 — — — Bot. Mag. 72, 4243.  
 — — — Fl. d. serres 2, 171.  
*Leicesteria formosa* Wall. Wall. Pl. asiat. 120.  
 — — — Bot. Reg. 25, 2.  
 — — — Bot. Mag. 65, 3699.  
 † — — — Wight Illustr. 121.  
*Leighia grandiflora* Gardn. Fielding Sertum 54. 55.  
 — *linearis* DC. Bot. Reg. 7, 523.  
*Leimanthium virginicum* Willd. Torrey New York 134.  
*Leiospermum ferrugineum* Wall. Wight Ic. pl. Ind. or. 2, 721.  
*Leiothamnus Elisabethae* Schomb. Preuss. Garten-Verein 18, 1.  
*Leloutrea aplocaryoides* Gaudich. Gaudich. Bonite 110.  
 † *Lemia Vand.* Roemer Scriptoris 7.  
*Lemmatium rotundifolium* DC. Delessert Ic. 4, 44.  
 † *Lemna L.* Wolf Diss. de Lemna 1.  
 † — — — Ann. sc. nat. II. 14, 10. 11. 12.  
 † — *arrhiza* L. Lam. Encycl. 747.  
 — — — Sturm Flora 11, 44.  
 — — — Rchb. Fl. germ. 7, 14.  
 † — *Auct.* Hoeven Tijdschr. 4, 3.  
 — *gibba* L. Curt. Lond. 5, 211.  
 — — — Engl. Bot. 18, 1233.  
 — — — Sv. Bot. 324.  
 — — — Fl. dan. 9, 1588.  
 † — — — Lam. Encycl. 747.  
 † — — — Guillemin Arch. 1, 6. 2, 12.  
 † — — — Hook. Bot. Misc. 42.  
 — — — Schk. Handb. 281.  
 — — — Sturm Flora 11, 44.  
 — — — Flora 1824, 1.  
 — — — Rchb. Fl. germ. 7, 14.  
 † — — — Nees Gen. 3, x.  
 — *minor* L. Curt. Lond. 4, 120.  
 — — — Engl. Bot. 16, 1095.  
 — — — Baxter Brit. Bot. 6, 424.  
 — — — Fl. dan. 9, 1587.  
 — — — Sv. Bot. 324.  
 † — — — Lam. Encycl. 747.  
 † — — — Guillemin Arch. 2, 12.  
 — — — Schk. Handb. 281.  
 — — — Sturm Flora 11, 44.  
 — — — Rchb. Fl. germ. 7, 14.  
 † — — — Nees Gen. 3, x.  
 — *orbicularis* Kit. Rchb. Fl. germ. 7, 15.  
 — *polyrrhiza* L. Engl. Bot. 35, 2458.  
 — — — Fl. dan. 9, 1589.  
 — — — Sv. Bot. 324.  
 † — — — Lam. Encycl. 747.  
 — — — Schk. Handb. 281.  
 — — — Sturm Flora 11, 44.  
 — — — Rchb. Fl. germ. 7, 15.  
 — *trisulca* L. Curt. Lond. 4, 119.  
 — — — Engl. Bot. 13, 926.  
 — — — Fl. dan. 9, 1586.  
 — — — Sv. Bot. 324.  
 † — — — Lam. Encycl. 747.  
 — — — Sturm Flora 11, 44.

- Lemma trisulca* L. Rehb. Fl. germ. 7, 15.  
 † — — — Nees Gen. 3, x.  
 † Lemnaceae DC. Schnizl. Iconogr. 1, 72.  
*Lemonia spectabilis* Ldl. Bot. Reg. 26, 59.  
 — — — Paxt. Mag. 14, 73.  
*Lennea robinoides* Link et Kl. Link Ic. III. 26.  
 † Lentibulariaceae Rehb. Wight Illustr. 142.  
*Leorbordea genistoides* Fenzl. Russegger Reise 4.  
 — — — Jaubert Illustr. 256.  
 — *lupinifolia* Boiss. Boissier Esp. 52.  
*Leonia glycyarpa* Rz et P. Ruiz et Pav. Fl. 222.  
*Leonotis intermedia* Ldl. Bot. Reg. 10, 850.  
 — *nepetaefolia* R. Br. Rivinus Opus ined. 11.  
 — — — Bot. Reg. 4, 281.  
 — — — Bot. Mag. 65, 3700.  
 † — — — Wight Illustr. 176<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 3, 867.  
 † *Leontice* L. Gray Genera 32.  
 — *altaica* Pall. Lam. Encycl. 254.  
 † — — — Ann. sc. nat. II. 2, 12.  
 — — — Bot. Mag. 60, 3245.  
 — *armeniaca* Bel. Bélanger Ind. or. x.  
 — *Chrysozonum* L. Maund Bot. 1, 50.  
 — — — Knowles et Westcott 98.  
 † — *Leontopetalum* L. Lam. Encycl. 254.  
 † — *thalictroides* L. Linn. Transact. 12, 7.  
 — — — Lodd. Cab. 1473.  
 — — — Gray Genera 32.  
 — *vesicaria* Pall. Goebel Reise 1.  
*Leontodon alpinus* Vill. Vill. Dauph. 24.  
 — — — Jacq. Jacq. Fl. austr. 1, 93.  
 — *apenninus* Ten. Tenore Fl. nap. 182.  
 — *autumnalis* L. Fl. dan. 3, 501.  
 — *Berinii* Bartl. Rehb. Ic. crit. 9, 829.  
 — *Boryi* Boiss. Boissier Esp. 115.  
 — *ceratophorus* Led. Ledeb. Ic. 34.  
 — *ciliatus* Scop. Fl. carn. 2, 51.  
 — *coronopifolius* Desf. Desf. Fl. atl. 214.  
 — *crispus* Vill. Vill. Dauph. 25.  
 — *glaucanthos* Led. Ledeb. Ic. 33.  
 — *hastilis* L. Jacq. Fl. austr. 2, 164.  
 † — — — Lam. Encycl. 653.  
 — — — Dietr. Fl. bor. 9, 611.  
 — — — *β. glabratus*, Sturm Flora 10, 37.  
 — *hirtus* Mill. Fl. dan. 6, 901.  
 — — — Vill. Vill. Dauph. 25.  
 — *hispidus* L. Cav. Ic. 149.  
 — — — Fl. dan. 5, 862.  
 — — — Lam. Encycl. 653.  
 — *incanus* Schrank. Sturm Flora 7, 27.  
 — *leucanthus* Led. Ledeb. Ic. 132.  
 — *livens* All. All. Fl. ped. 3, 32.  
 — *lividus* W. et K. W. et Kit. 115.  
 — *lyratus* Led. Ledeb. Ic. 497.  
 — *muricatus* L'her. L'her. Stürp. 62.  
 — *obliquus* Fries. Fl. dan. 11, 1935.  
 — *obovatus* Willd. Willdenow Hort. 47.  
 — *palustris* Sm. Engl. Bot. 8, 553.  
 — — — Fl. dan. 10, 1708.  
 — *proteiformis* Vill. Vill. Dauph. 24.  
 — *pyrenaicus* Gouan. Gouan Illustr. 22.  
 — — — Sturm Flora 10, 37.  
 — *serotinus* W. et K. W. et Kit. 114.  
 — — — Sibth. Sibth. Fl. gr. 796.  
 — *squamosus* Lam. Lam. Encycl. 253.  
 — *Taraxaci* Lois. Sturm Flora 10, 37.  
 — *Taraxacum* L. Fl. dan. 4, 574.  
 — — — Curt. Lond. 1, 28.  
 — — — Woodv. Med. 1, 16.  
 — — — Engl. Bot. 8, 510.  
 — — — Baxter Brit. Bot. 3, 163.  
 — — — Sv. Bot. 4.

- Leontodon Taraxacum* L. Rousseau Bot. 35.  
 † — — — Gaertn. Carp. 158.  
 — — — Schk. Handb. 219.  
 — — — Dreves 1, 4.  
 — — — Schrank Fl. monac. 4, 400.  
 — — — Hayne 2, 4.  
 — — — Guimpel et Schl. 2.  
 — — — Nees Düsseld. 248.  
 — — — Wagner 51.  
 † — — — Bull. Mosc. 1850, 16.  
 — *terglouensis* Hacq. Hacquet Pl. alp. 2.  
*Leontophthalmum peruvianum* H. B. K. H. B. K. Nov. Gen. 4, 409.  
*Leonurus Cardiaca* L. Fl. dan. 5, 727. 10, 1756.  
 — — — Sv. Bot. 195.  
 — — — Engl. Bot. 4, 286.  
 — — — Baxter Brit. Bot. 2, 126.  
 † — — — Lam. Encycl. 509.  
 † — — — Schk. Handb. 162.  
 — — — Sturm Flora 3, 9.  
 — — — Hayne 3, 41.  
 — — — Dietr. Fl. bor. 3, 201.  
 † — — — Nees Gen. 6, 30.  
 — *crispus* Murr. Novi Comm. Gott. 8, 4.  
 — *Galeobdolon* Willd. Dreves 1, 20.  
 — *glaucescens* Led. Ledeb. Ic. 179.  
 — *heterophyllus* Sweet. Sweet Fl. G. 197.  
 — *lanatus* Pers. Rehb. Ic. crit. 8, 736.  
 — — — Nees Düsseld. Suppl. 42.  
 — — — Berg Darstellung 2<sup>d</sup>.  
 — *Marrubiastrum* L. Jacq. Fl. austr. 5, 405.  
 — — — Schk. Handb. 162.  
 — — — Dietr. Fl. bor. 5, 354.  
 — *sibiricus* L. Smith Exot. Bot. 94.  
 † — — — Schk. Handb. 162.  
 — — — Rehb. Ic. crit. 4, 337.  
 — — — Sweet Fl. G. 204.  
 — *tataricus* L. Rehb. Ic. crit. 4, 338.  
 † *Leopardanthus scandens* Bl. Blume Mus. 1, 15.  
*Leopoldinia major* Wallace. Wallace Palms 5.  
 — *Piassaba* Wallace. Wallace Palms 6.  
 — *pulchra* Mart. Mart. Palm. 52, 53.  
 — — — Wallace Palms 2, 4.  
 † *Lepanthes* Sw. Schrader Journal 1799, 2, 2.  
 — *cochlearifolia* Sw. Swartz Annot. 2.  
 — *concinna* Sw. Swartz Annot. 2.  
 † — *monoptera* Ldl. Hook. Journal 1834, 114.  
 — *pulchella* Sw. Swartz Annot. 2.  
 — *sanguinea* Hook. Bot. Mag. 70, 4112.  
 — *tridentata* Sw. Swartz Annot. 2.  
 — — — Bot. Reg. 21, 1762.  
*Lepechinia spicata* Willd. Willdenow Hort. 21.  
 — — — Bot. Reg. 15, 1292.  
 † *Lepeocercis serrata* Trin. Trinius Fund. 18.  
*Lepeostegeres gemmiflorus* Bl. Blume Java 8, 21, 23.  
*Lepidadenia glabrata* Wight. Wight Ic. pl. Ind. or. 5, 1838.  
 — *Griffithii* Wight. Wight Ic. pl. Ind. or. 5, 1846.  
 — *Neesiana* Wight. Wight Ic. pl. Ind. or. 5, 1840.  
 — *ovalifolia* Wight. Wight Ic. pl. Ind. or. 5, 1839.  
 — *Wightiana* N. v. E. Wight Ic. pl. Ind. or. 5, 1837.  
*Lepidagathis cristata* Willd. Roxb. Corom. 267.  
 † — — — Wight Illustr. 164<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 2, 455.  
 — *humifusa* Decne. Delessert Ic. 3, 84.  
 — *longifolia* Wight. Wight Ic. pl. Ind. or. 4, 1564.  
 — *nervosa* Wight. Wight Ic. pl. Ind. or. 4, 1620.  
 — *pungens* N. v. E. Wight Ic. pl. Ind. or. 2, 456.  
 — *scariosa* N. v. E. Wight Ic. pl. Ind. or. 2, 457.  
 — *Walkeriana* N. v. E. Wight Ic. pl. Ind. or. 4, 1530.  
 † *Lepidanche Compositarum* Engelm. Silliman J. 43, 6.  
 † — — — Hook. Journal 1843, 3.  
 † *Lepidium* L. Gray Genera 73.

- Lepidium africanum* DC. Delessert Ic. 2, 73.  
 — *alpinum* L. Fl. dan. 4, 569.  
 — — — Jacq. Fl. austr. 2, 137.  
 — — — Lam. Encycl. 566.  
 — — — Schrank Fl. monac. 3, 216.  
 — *campestre* R. Br. Curt. Lond. 2, 115.  
 — — — Rchb. Fl. germ. 2, 9.  
 — *Cardamines* L. Svensk Acad. 1755, 8. 9.  
 — *cordatum* DC. Ledeb. Ic. 154.  
 — *crassifolium* W. et K. W. et Kit. 4.  
 — — — Rchb. Fl. germ. 2, 10.  
 — *Draba* L. Engl. Bot. 2683.  
 — — — Sturm Flora 16, 68.  
 — *glastifolium* Desf. Desf. Fl. atl. 147.  
 — *graminifolium* Cav. Cav. Ic. 151.  
 — — — Sibth. Fl. gr. 618.  
 — — — Sturm Flora 16, 68.  
 — — — Rchb. Fl. germ. 2, 10.  
 — — — Dietr. Fl. bor. 7, 454.  
 — *hirtum* Sm. Rchb. Fl. germ. 2, 9.  
 † — *Iberis* L. Schk. Handb. 180.  
 † — — — Lam. Encycl. 566.  
 — — — Desc. Ant. 1, 41.  
 — *lacerum* Led. Ledeb. Ic. 162.  
 — *latifolium* L. Fl. dan. 4, 557.  
 — — — Sv. Bot. 638.  
 — — — Engl. Bot. 3, 182.  
 — — — Baxter Brit. Bot. 3, 236.  
 — — — Sturm Flora 16, 68.  
 — — — Rchb. Fl. germ. 2, 10.  
 — *latipes* Hook. Hook. Ic. pl. 1, 41.  
 — *micranthum* Led. Ledeb. Ic. 92.  
 — *micropterum* Mig. Miquel Surin. 32.  
 — *oppositifolium* Forst. Bill. Syr. 5, 9.  
 — *perfoliatum* L. Trew Pl. rar. 13.  
 — — — Jacq. Fl. austr. 4, 346.  
 — — — Tratt. Archiv 218.  
 — — — Sturm Flora 16, 68.  
 — — — Rchb. Fl. germ. 2, 10.  
 — *petraeum* L. Jacq. Fl. austr. 2, 131.  
 — — — Engl. Bot. 2, 111.  
 † — *procumbens* L. Lam. Encycl. 566.  
 — *prostratum* Santi. Santi Viaggi 2, 1.  
 — *Ramburei* Boiss. Boissier Esp. 14.  
 — *rotundifolium* All. All. Fl. ped. 3, 55.  
 — *rotundum* DC. Hook. Ic. pl. 7, 609.  
 — *runderale* L. Fl. dan. 2, 184.  
 — — — Sv. Bot. 321.  
 — — — Engl. Bot. 23, 1595.  
 — — — Tratt. Archiv 217.  
 — — — Sturm Flora 16, 68.  
 — — — Dietr. Fl. bor. 9, 624.  
 — — — Rchb. Fl. germ. 2, 10.  
 † — — — Nees Gen. X, x.  
 † — *sativum* L. Gaertn. Carp. 141.  
 — — — Hayne 6, 11.  
 — — — Fl. dan. 10, 1761.  
 — — — Sibth. Fl. gr. 616.  
 — — — Rchb. Fl. germ. 2, 9.  
 — — — Wight Illustr. 12.  
 † — — — Nees Gen. X, x.  
 — — — *β. crispum*, Sturm Flora 3, 9.  
 — *spinescens* DC. Delessert Ic. 2, 72.  
 — *spinosum* L. Arduino Anim. 2, 16.  
 — — — Sibth. Fl. gr. 617.  
 — *stylatum* Lag. Boissier Esp. 5.  
 — — — Webb Otia 42.  
 — *subulatum* L. Asso Arag. 6.  
 — *virginicum* L. Rchb. Fl. germ. 2, 10.  
 — — — Gray Genera 73.  
*Lepidocaryum gracile* Mart. Mart. Palm. 45. 46.  
 — *tenue* Mart. Mart. Palm. 47.

- Lepidocarium tenue* Mart. Wallace Palms 2. 22.  
*Lepidoceras punctulatum* Clos. Gay Chile 32.  
 — *squamifer* Clos. Gay Chile 32.  
 † *Lepidoneuron punctulatum* Fée. Fée Fil. 5, 23.  
*Lepidopelma podocarpifolia* Klotzsch. Prinz Waldem. Him. 22.  
*Lepidopironia cenchrififormis* Rich. Richard Abyssin. 101.  
*Lepidosperma elatius* Lab. Bill. Nov. Holl. 11.  
 — *filiforme* Lab. Bill. Nov. Holl. 15.  
 — *gladiatum* Lab. Bill. Nov. Holl. 12.  
 — *globosum* Lab. Bill. Nov. Holl. 14.  
 — *longitudinale* Lab. Bill. Nov. Holl. 13.  
 † — *Rottboellii* Schrad. Comm. Gott. rec. 7, 4.  
 — *squamatum* Lab. Bill. Nov. Holl. 16.  
 — — — Lam. Encycl. 905.  
 — *tetragonum* R. Br. Bill. Nov. Holl. 17.  
 — — — Lam. Encycl. 905.  
 † — *thermale* R. et Sch. Comm. Gott. rec. 7, 5.  
*Lepinia taitensis* Decne. Ann. sc. nat. III. 12, 9.  
 — — — Fl. d. serres 7, p. 226.  
*Lepisia ustulata* Presl. Presl Symbolae 5.  
*Lepismium commune* Pfeiff. Bot. Mag. 66, 3763.  
 — *Myosurus* Pfeiff. Bot. Mag. 66, 3755.  
 † *Lepistemon* Bl. Mem. Genev. 6, 2.  
 — *flavescens* Bl. Wight Ic. pl. Ind. or. 4, 1362.  
 † *Lepiurus Dumortieri* Dumortier Gram. 15.  
*Leptacanthus Walkeri* N. v. E. Wight Ic. pl. Ind. 4, 1507.  
 † *Leptadenia Forskalii* Decne. Ann. sc. nat. II. 9, 10.  
 — *Jacquemontiana* Decne. Hook. Ic. pl. 9, 838.  
 — *reticulata* W. et A. Wight Ic. pl. Ind. or. 2, 350.  
*Leptaleum filifolium* DC. Delessert Ic. 2, 68.  
 — *pygmaeum* DC. Delessert Ic. 2, 68.  
*Leptandra purpurea* Rafin. Rafin. Med. 59.  
*Leptanthe macrostachya* Klotzsch. Prinz Wald. Him. 63.  
*Leptanthus gramineus* Michx. Michaux Fl. 5.  
 — — — Hook. Exot. Fl. 94.  
 — *ovalis* Michx. Michaux Fl. 5.  
*Leptarrhena pyrrolaeifolia* R. Br. Hook. Bor. Am. 89.  
*Leptaspis urceolata* R. Br. Bennett Java 6.  
*Leptinella lanata* Hook. Hook. Fl. ant. 19.  
 — *plumosa* Hook. Hook. Fl. ant. 20.  
*Leptocarpus simplex* R. Br. Hook. New Zeal. 61.  
*Leptocaulis divaricatus* DC. DC. Umbellif. 10.  
 — *inermis* Nutt. DC. Umbellif. 10.  
 † *Leptochilus Kaulf.* Kaulfuss Enumer. 1.,  
 † — *axillaris* Kaulf. Fée Fil. 5, 3.  
 — *decurrens* Fée. Fée Fil. 48.  
 — *hilocarpus* Fée. Fée Fil. 48.  
 — *lancoolata* Fée. Fée Fil. 47.  
 — *Linnaeanus* Fée. Fée Fil. 47.  
 — *minor* Fée. Fée Fil. 25.  
 — *subquinquefidus* Fée. Fée Fil. 49.  
 — *taccaefolius* Fée. Fée Fil. 50.  
*Leptochloa Lindleyana* Kth. Humb. Gram. 215.  
 — *mollis* Kth. Humb. Gram. 135.  
*Leptocionium sororium* Presl. Prager Abh. 6, 11.  
*Leptodactylon californicum* Hook. Hook. Beechey 89.  
*Leptodermis lanceolata* Wall. Jacquemont Ind. 90.  
*Leptolaena multiflora* Aub. Th. Aub. Th. Iles d'Afr. 11.  
*Leptomeria acida* R. Br. Endl. Iconogr. 74.  
*Leptonema Lindenii* Hook. Hook. Ic. pl. 7, 692.  
 † — *venosum* Juss. Jussieu Euphorb. 4.  
*Leptopetalum mexicanum* Hook. Hook. Beechey 61.  
 † *Leptopleuria abrupta* Hook. Hook. Gen. Fil. 60.  
 † *Leptopteris sumatrana* Bl. Blume Mus. 1, 34.  
 — *superba* Hook. Hook. Ic. pl. 10, 910.  
*Leptopus cordifolius* Decne. Jacquemont Ind. 156.  
*Leptopyrum fumarioides* Rchb. Rchb. Fl. germ. 4, 113.  
*Leptorchis* Aub. Aubert Orchid. 25.  
*Leptosiphon androsaceus* Benth. Hort. Transact. 8, 18.  
 — — — Bot. Mag. 63, 3491.  
 — — — Bot. Reg. 20, 1710.

- Leptosiphon androsaceus *Benth.* Paxt. Mag. 3, 219.  
 — densiflorus *Benth.* Hort. Transact. 8, 18.  
 — — — Bot. Mag. 64, 3578.  
 — — — Bot. Reg. 20, 1725.  
 — — — Paxt. Mag. 3, 220.  
 Leptosolena Haenkei *Presl.* Presl Reliq. 18.  
 †Leptospermum *Forst.* Forster Charact. 36.  
 — ambiguum *Sm.* Smith Exot. Bot. 59.  
 — — — Jacq. Schoenbr. 4, 404.  
 — — — Lodd. Cab. 1998.  
 † — arachnoides *Sm.* Gaertn. Carp. 35.  
 † — — — Lam. Encycl. 423.  
 — brevifolium *Rudge.* Linn. Transact. 8, 14.  
 — emarginatum *Wendl.* Rehb. Hort. 103.  
 — — — Savi Fl. ital. 2, 50.  
 — flavescens *Sm.* Bot. Mag. 53, 2695.  
 — flexuosum *Link.* Mem. Tur. 31, 2.  
 — — — Rehb. Hort. 115.  
 — grandiflorum *Lodd.* Lodd. Cab. 514.  
 — grandifolium *Sm.* Bot. Mag. 43, 1810.  
 — — — Lodd. Cab. 701.  
 — juniperifolium *Cav.* Cav. Ic. 331.  
 — juniperinum *Sm.* Vent. Malm. 89.  
 — lanigerum *Ait.* Lodd. Cab. 1192.  
 — linearifolium *DC.* Mem. Genev. 9, 12.  
 — marginatum *Lab.* Bill. Nov. Holl. 148.  
 — multiflorum *Cav.* Cav. Ic. 331.  
 — obovatum *Sweet.* Sweet Austr. 36.  
 — parvulum *Lab.* Bill. Sertum 61.  
 — persiciflorum *Rehb.* Rehb. Hort. 220.  
 — pinifolium *Lab.* Bill. Sertum 62.  
 — porophyllum *Cav.* Cav. Ic. 330.  
 — recurvum *Hook. fil.* Hook. Ic. pl. 9, 893.  
 — rupestre *Hook. fil.* Hook. Ic. pl. 4, 308.  
 — scoparium *Forst.* Andr. Rep. 10, 622.  
 — — — var. Bot. Mag. 62, 3419.  
 — sericeum *Lab.* Bill. Nov. Holl. 147.  
 † — squarrosus *Gaertn.* Gaertn. Carp. 35.  
 † — — — Lam. Encycl. 423.  
 — — — Herb. amat. 5, 308.  
 — stellatum *Cav.* Cav. Ic. 330.  
 — triloculare *Vent.* Vent. Malm. 88.  
 — — — Lodd. Cab. 791.  
 † — umbellatum *Gaertn.* Gaertn. Carp. 35.  
 † — — — Lam. Encycl. 423.  
 — virgatum *Forst.* Lam. Encycl. 423.  
 Leptostachya pectoralis *N. v. E.* Bot. Reg. 10, 796.  
 — Wallichii *N. v. E.* Wight Ic. pl. Ind. or. 4, 1543.  
 Leptostelma maximum *Don.* Sweet Fl. G. II. 38.  
 Leptotes bicolor *Ldl.* Bot. Reg. 19, 1625.  
 — — — var. Bot. Mag. 66, 3734.  
 — serrulata *Ldl.* Lindley Sertum 11.  
 Lepturus filiformis *Trin.* Rehb. Fl. germ. 1, 2.  
 † — incurvatus *Trin.* Trinius Fund. 8.  
 — — — Rehb. Fl. germ. 1, 2.  
 — repens *R. Br.* Brongniart Coquille 16.  
 Lepyrodia hermaphrodita *Desv.* Ann. sc. nat. 13, 3.  
 Lerchea longicauda *L.* Bennett Java 23.  
 Lespedeza elegans *Camb.* Jacquemont Ind. 52.  
 — kanaoriensis *Camb.* Jacquemont Ind. 51.  
 — polystachya *Michx.* Michaux Fl. 40.  
 — procumbens *Michx.* Michaux Fl. 39.  
 — variegata *Camb.* Jacquemont Ind. 50.  
 Lessertia annua *DC.* Hook. Exot. Fl. 84.  
 — brachystachya *DC.* Delessert Ic. 3, 70.  
 — — — Mem. Genev. 11, 2.  
 — falciformis *DC.* DC. Legum. 46.  
 — fruticosa *Ldl.* Bot. Reg. 12, 970.  
 — macrostachya *DC.* Delessert Ic. 3, 69.  
 — pulchra *Sims.* Bot. Mag. 46, 2064.  
 †Lessingia Chamisso. Linnaea 4, 2.  
 Lestibudesia spicata *Aub. Th.* Aub. Th. Iles d'Afr. 16.

- †Lettsomia *Rz et P.* Ruiz et Pav. Prodr. 14.  
 †Lettsomia aggregata *Roxb.* Wight Illustr. 168<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1359.  
 — setosa *Roxb.* Wight Ic. pl. Ind. or. 4, 1360.  
 Leucadendrum argenteum *R. Br.* Bot. Reg. 12, 979.  
 — corymbosum *R. Br.* Bot. Reg. 5, 402.  
 — grandiflorum *Salisb.* Salisb. Parad. 116.  
 — — — *R. Br.* Bot. Mag. 40, 1650.  
 — tortum *R. Br.* Bot. Reg. 10, 826.  
 Leucanthemum vulgare *Lam.* Dietr. Fl. bor. 8, 545.  
 Leucas biflora *R. Br.* Wight Ic. pl. Ind. or. 3, 866.  
 — capitata *Desf.* Mem. Mus. 11, 4.  
 — cephalotes *Spr.* Wight Ic. pl. Ind. or. 2, 337.  
 — glaberrima *Jaub. et Sp.* Jaubert Illustr. 387.  
 — glabrata *R. Br.* Jaubert Illustr. 385.  
 — helianthemifolia *Desf.* Mem. Mus. 11, 1.  
 — lamiifolia *Desf.* Mem. Mus. 11, 2.  
 — lanceafolia *Desf.* Mem. Mus. 11, 2.  
 — — — Wight Ic. pl. Ind. or. 4, 1452.  
 — marrubioides *Desf.* Mem. Mus. 11, 3.  
 — obliqua *Ham.* Rheede Hort. mal. 10, 91.  
 — procumbens *Desf.* Mem. Mus. 11, 3.  
 — rosmarinifolia *Benth.* Wight Ic. pl. Ind. or. 4, 1455.  
 — suffruticosa *Benth.* Wight Ic. pl. Ind. or. 4, 1454.  
 — ternifolia *Desf.* Mem. Mus. 11, 1.  
 — — — Wight Ic. pl. Ind. or. 4, 1453.  
 — trachyphylla *Jaub. et Sp.* Jaubert Illustr. 386.  
 † — urticaefolia *R. Br.* Wight Illustr. 176<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1451.  
 — vestita *Benth.* Wight Ic. pl. Ind. or. 2, 338.  
 — zeylanica *R. Br.* Wight Illustr. 176.  
 Leuceria acanthoides *Don.* Delessert Ic. 4, 85.  
 — andryaloides *Don.* Delessert Ic. 4, 86.  
 — floribunda *DC.* Delessert Ic. 4, 88.  
 — tenuis *Less.* Delessert Ic. 4, 87.  
 Leuchtenbergia Principis *Hort.* Bot. Mag. 74, 4393.  
 Leucocarpus alatus *Don.* Sweet Fl. G. II. 124.  
 Leucocoryne alliacea *Ldl.* Paxt. Mag. 11, 101.  
 — odorata *Ldl.* Bot. Reg. 15, 1293.  
 — — — Lodd. Cab. 1768.  
 — purpurea *Gay.* Gay Chile 69.  
 †Leucojum *L.* Herbert Amar. 34.  
 — aestivum *L.* Jacq. Fl. austr. 3, 263.  
 — — — Curt. Lond. 1, 38.  
 — — — Engl. Bot. 9, 621.  
 — — — Bot. Mag. 30, 1210.  
 — — — Baxter Brit. Bot. 1, 55.  
 — — — Lam. Encycl. 230.  
 — — — Red. Lil. 3, 135.  
 — — — Fl. dan. 8, 1265.  
 — — — Tratt. Archiv. 241. 241<sup>a</sup>.  
 — — — Sturm Flora 19, 88.  
 — — — Rehb. Fl. germ. 9, 362.  
 † — — — Nees Gen. 3, x.  
 — autumnale *L.* Bot. Mag. 24, 960.  
 — — — Salisb. Parad. 21.  
 — — — Lodd. Cab. 812.  
 — — — Red. Lil. 3, 150.  
 — — — Tratt. Archiv. 244.  
 — — — Rehb. Fl. germ. 9, 362.  
 — gsandiflorum *Red.* Red. Lil. 4, 217.  
 — — — Tratt. Archiv. 243.  
 — pulchellum *Salisb.* Salisb. Parad. 74.  
 — — — Lodd. Cab. 1478.  
 — roseum *Lois.* Loiseleur Fl. gall. 8.  
 — — — Rehb. Ic. crit. 8, 704.  
 — strumosum *Ait.* Aiton Hort. Kew. 1, 5.  
 — trichophyllum *Brot.* Red. Lil. 3, 150.  
 — — — Bot. Reg. 7, 544.  
 — — — Schousb. Tratt. Archiv. 245.  
 — — — Rehb. Ic. crit. 8, 703.

- Leucocjum vernum* L. Jacq. Fl. austr. 4, 312.  
 — — — Bot. Mag. 2, 46, 45, 1993.  
 † — — — Lam. Encycl. 230.  
 — — — Schk. Handb. 89.  
 — — — Sturm Flora 3, 11.  
 † — — — Kerner Genera 7.  
 — — — Tratt. Archiv 242.  
 — — — Schrank Fl. monac. 1, 32.  
 — — — Dietr. Fl. bor. 9, 587.  
 — — — Rchb. Fl. germ. 9, 362.  
*Leucolaena peltigera* Hook. Hook. Ic. pl. 1, 45.  
*Leucomeris spectabilis* Don. Wall. Pl. asiat. 111.  
 — — — Delessert Ic. 4, 78.  
*Leucophalos capparideus* Gaertn. Hook. Niger Fl. 31.  
 — — — Hook. Ic. pl. 8, 784.  
 † *Leuconotis anceps* Jack. Linn. Transact. 14, 4.  
 † — — — Calcutta Journal 1844, 16.  
*Leucophaea argosphacelus* Webb. Webb Canar. 169.  
 — *candicans* Webb. Webb Canar. 168.  
 — *dasygnaphala* Webb. Webb Canar. 170.  
 — *macrostachya* Webb. Webb Canar. 172.  
 — *Massoniana* Webb. Webb Canar. 171.  
*Leucophyllum ambiguum* H. B. Humb. Pl. aeq. 109.  
 † — — — Lam. Encycl. 970.  
*Leucopogon acuminatus* R. Br. Brongniart Coquille 53.  
 — *appressus* R. Br. Guillemain Austr. 10.  
 — *Bellignianus* Decne. Raoul Nouv. Zel. 12.  
 — *Cunninghami* R. Br. Annal. de Gand 1846, 68.  
 — *Cymbulae* Lab. Bill. Sertum 39.  
 — *interruptus* R. Br. Lodd. Cab. 1451.  
 — *juniperinus* R. Br. Lodd. Cab. 447.  
 — *lanceolatus* R. Br. Sweet Austr. 47.  
 — — — Bot. Mag. 59, 3162.  
 — *lancifolius* Hook. fil. Hook. Ic. pl. 9, 898.  
 — *parviflorus* Ldl. Bot. Reg. 18, 1560.  
 — *polystachyus* Lodd. Lodd. Cab. 1436.  
 — *Richei* R. Br. Bot. Reg. 18, 1560.  
 — — — Bot. Mag. 60, 3251.  
*Leucosceptrum canum* Sm. Smith Exot. Bot. 116.  
*Leucosmia Burnettiana* Benth. Bentham Sulphur 57.  
*Leucospermum medium* R. Br. Tratt. Thes. 10.  
 † *Leucostegia immersa* Presl. Hook. Gen. Fil. 52.  
*Leucostemma angustifolium* Royle. Royle Illustr. 21.  
 — *latifolium* Benth. Royle Illustr. 21.  
*Leucothoe floribunda* Don. Puxt. Mag. 4, 101.  
 — *latifolia* A. Rich. Ramon Cuba 52.  
 — *neriifolia* DC. Bot. Mag. 77, 4593.  
 — — — Lem. Jard. fl. 155.  
 — *pulchra* DC. Bot. Mag. 73, 4314.  
*Leuwenhookia pusilla* R. Br. Bauer Illustr. 15.  
*Leuzea australis* Gaudich. Freycinet Voyage 92.  
 — *conifera* DC. Ann. Mus. 16, 14.  
 — — — Rchb. Fl. germ. 15, 815.  
 — *longifolia* Link. Hoffm. Lk. Fl. port. 96.  
*Levisticum officinale* Koch. Dietr. Fl. bor. 11, 755.  
*Lewisia rediviva* Pursh. Hook. Beechey 86.  
 — — —  $\beta$ . Hook. Bot. Misc. 70.  
 † *Leyssera callicornia* Thunb. Lam. Encycl. 688.  
 — *gnaphaloides* Leyss. Leysser Fl. hal. 1.  
 — — — L. Jacq. Ic. 588.  
 — — — Lam. Encycl. 688.  
 † — *paleacea* Gaertn. Gaertn. Carp. 173.  
*Lhotskya acutifolia* Hook. Hook. Journal 1840, 15.  
 † — *ericoides* Schauer. Acta Leop. 19, Suppl. II, 7.  
*Liabum eriocalon* P. et E. Poepp. et Endl. 249.  
*Liatris borealis* Pacht. Puxt. Mag. 5, 27.  
 — *dubia* Bart. Barton Med. 49.  
 — *elegans* Willd. Bot. Reg. 4, 267.  
 — *gracilis* Pursh. Lodd. Cab. 1909.  
 — *intermedia* Ldl. Bot. Reg. 11, 948.  
 — *lanceolata* Bert. Novi Comm. Bonon. 8, 10.  
 — *odoratissima* Willd. Andr. Rep. 10, 633.

- Liatris odoratissima* Willd. Sweet Fl. G. II. 184.  
 — *pilosa* Willd. Bot. Reg. 7, 595.  
 — — — Lodd. Cab. 356.  
 — *propinqua* Hook. Bot. Mag. 67, 3829.  
 — *pumila* Lodd. Lodd. Cab. 147.  
 — *punctata* Hook. Hook. Bor. Am. 105.  
 — *radians* Bert. Novi Comm. Bon. 8, 8.  
 — *scariosa* Willd. Bot. Mag. 41, 1709.  
 — — — Bot. Reg. 7, 590, 20, 1654.  
 — — — Lodd. Cab. 944.  
 — *sessiliflora* Bert. Novi Comm. Bon. 8, 9.  
 — *sphaeroides* Michx. Lodd. Cab. 1417.  
 — — — Sweet Fl. G. 87.  
 † — *spicata* Willd. Gaertn. Carp. 167.  
 — — — Bot. Mag. 34, 1411.  
 — — — Rchb. Mag. 45.  
 — — — Torrey New York 47.  
 — — — Sweet Fl. G. 49.  
 — *squarrosa* Willd. Sweet Fl. G. 44.  
 — *umbellata* Bert. Novi Comm. Bon. 8, 11.  
 † *Libanotis Crantz*. DC. Ombellif. 3.  
 — *arctica* Rupr. Ruprecht Fl. Samoje. 2.  
 † — *cretensis* Gaertn. Gaertn. Carp. 21.  
 — *major* Hall. Gouan Illustr. 26.  
 — *montana* All. All. Fl. ped. 3, 62.  
 — — — Sv. Bot. 760.  
 — *nitida* Vis. Visiani Dalm. 28.  
 — *rupestris* Scop. Scop. Fl. carn. 1, 9.  
*Libertia arduennensis* Lej. Acta Leop. 12, 2, 65.  
*Libertia formosa* Grah. Bot. Reg. 19, 1630.  
 — — — Bot. Mag. 61, 3294.  
 — *ixioides* Spr. Rchb. Hort. 157.  
*Libocedrus decurrens* Torr. Smiths. Contrib. 5, 3.  
*Licania arborea* Seem. Seemann Herald 25.  
 — *hypoleuca* Benth. Bentham Sulphur 32.  
 — *incana* Aubl. Aublet Guiana 45.  
 † — — — Lam. Encycl. 122.  
*Licaria guianensis* Aubl. Aublet Guiana 121.  
*Lichenora Jerdoniana* Wight. Wight Ic. pl. Ind. or. 5, 1738.  
 † *Lichtensteinia Chamisso*. Linnaea 1, 5.  
*Lichtensteinia oleaeifolia* Wendl. Wendl. Coll. 39.  
*Lichtensteinia undulata* Willd. Mag. naturf. Fr. 2, 1.  
*Licuala acutifida* Mart. Mart. Palm. 135. V.  
 — — — Griffith Palms 222<sup>ab</sup>.  
 — *elegans* Bl. Blume Rumphia 90.  
 — *glabra* Griff. Griffith Palms 223.  
 — *gracilis* Bl. Blume Rumphia 87. 92.  
 — *horrida* Bl. Blume Rumphia 89.  
 — *longipes* Griff. Griffith Palms 224<sup>ab</sup>.  
 — *nana* Bl. Blume Rumphia 93.  
 — *paludosa* Griff. Griffith Palms 221<sup>abc</sup>.  
 — *peltata* Roxb. Mart. Palm. 134. 162.  
 — — — Griffith Palms 222.  
 — *pumila* Bl. Blume Rumphia 91.  
 — *rotundifolia* Bl. Mart. Palm. 135.  
 — *Rumphii* Bl. Blume Rumphia 89.  
 — *spinosa* Thunb. Rumpf Amb. 1, 9.  
 † — — — Gaertn. Carp. 139.  
 — — — Mart. Palm. 135.  
 — — — Blume Rumphia 82. 88.  
 — *triphylia* Griff. Griffith Palms 225.  
*Lidbeckia pectinata* Berg. Bergius Cap. 5.  
*Liebigia speciosa* DC. Bot. Mag. 73, 4315.  
 — — — Fl. d. serres 3, 271. 272.  
*Ligea flexuosa* Tul. Arch. Mus. 6, 5.  
 — *longifolia* Tul. Arch. Mus. 6, 4.  
 — *Richardiana* Tul. Arch. Mus. 6, 6.  
 — *secundiflora* Tul. Arch. Mus. 6, 7.  
 † *Lightfootia Vahl*. Swartz Fl. Ind. occ. 17.  
 — *oxyccoides* L'her. L'her. Sertum 4.  
 — — — Smith Exot. Bot. 69.

- Lightfootia oxycoccoides *L'her.* Tratt. Archiv 84.  
 — subulata *L'her.* L'her. Sertum 5.  
 † — tenella *A. DC.* DC. Camp. 3.  
 — — — Lodd. Cab. 1038.  
 † *Ligia Fasano.* Atti Nap. 1788, 18, 19.  
*Ligularia arnicoides DC.* Royle Illustr. 60.  
 — *Kaempferi S. et Z.* Sieb. Fl. Japon. 35.  
 — *gigantea S. et Z.* Sieb. Fl. Japon. 36.  
 — *nana Decne.* Jacquemont Ind. 99.  
 — *sibirica DC.* Bot. Reg. 10, 812.  
*Ligusticum Ajowan Roxb.* Wight Ic. pl. Ind. or. 2, 566.  
 — *antipodum Rich.* Richard Astrolabe 3.  
 — *austriacum L.* All. Fl. ped. 3, 43.  
 — — — Jacq. Fl. austr. 2, 151.  
 — *cicutae-folium Vill.* Vill. Dauph. 15.  
 — *cornubiense L.* Smith Ic. pict. 11.  
 — — — Engl. Bot. 10, 683.  
 † — — — Mem. Mosc. 5, 1.  
 † — *cuneifolium Guss.* Gussone Pl. rar. 26.  
 — *diffusum Roxb.* Wight Ic. pl. Ind. or. 2, 569.  
 — *discolor Led.* Ledeb. Ic. 310.  
 — *ferulaceum All.* All. Fl. ped. 3, 60.  
 — *garganicum Ten.* Tenore Fl. nap. 24.  
 — *Gmelini Vill.* Vill. Dauph. 13<sup>b</sup>.  
 † — *Levisticum L.* Gaertn. Carp. 85.  
 — — — Schk. Handb. 68.  
 — — — Woodv. Med. 1, 55.  
 — — — Hayne 7, 6.  
 — — — Guimp. et Schl. 178.  
 — — — Nees Düsseld. 277.  
 — — — Wagner 88, 89.  
 — *Mutellina All.* All. Fl. ped. 3, 60.  
 — *nodiflorum Vill.* Vill. Dauph. 13.  
 † — *peloponnense Lam.* Gaertn. Carp. 85.  
 † — — — Lam. Encycl. 198.  
 — *peloponnesiacum L.* Jacq. Fl. austr. 5, 13.  
 — *peregrinum L.* Jacq. Vind. 3, 18.  
 — *pyrenaicum Gouan.* Gouan Illustr. 7.  
 — *scoticum L.* Fl. dan. 2, 207.  
 — — — Sv. Bot. 622.  
 — — — Engl. Bot. 17, 1207.  
 — — — Baxter Brit. Bot. 6, 472.  
 — — — Roemer Fl. eur. 13, 5.  
 — *simplex All.* All. Fl. ped. 3, 71.  
 — — — Vill. Dauph. 14.  
 — *tolucense H. B. K.* H. B. K. Nov. Gen. 5, 422.  
*Ligustrum coeruleum Desc.* Desc. Ant. 7, 488.  
 — *japonicum Thunb.* Thunb. Fl. jap. 1.  
 — — — Herb. amat. 4, 264.  
 — *lucidum Ait.* Bot. Mag. 52, 2565.  
 — — — Watson Dendr. 2, 137.  
 — *neilgherrense Wight.* Wight Spicil. 148.  
 — — — Wight Ic. pl. Ind. or. 4, 1243.  
 — *nepalense Wall.* Wall. Pl. asiat. 270.  
 — — — Bot. Mag. 56, 2921.  
 — *Perrottetii DC.* Wight Ic. pl. Ind. or. 4, 1244.  
 † — *vulgare L.* Gaertn. Carp. 92.  
 † — — — Lam. Encycl. 7.  
 — — — Fl. dan. 7, 1141.  
 — — — Sv. Bot. 415.  
 — — — Curt. Lond. 3, 49.  
 — — — Engl. Bot. 11, 764.  
 — — — Baxter Brit. Bot. 2, 119.  
 — — — Nouveau Duhamel 3, 49.  
 † — — — Plée Types 4.  
 — — — Schk. Handb. 2<sup>a</sup>.  
 — — — Tratt. Archiv. 161.  
 — — — Hayne 5, 25.  
 — — — Guimpel Holzgew. 1.  
 — — — Sturm Flora 4, 14.  
 — — — Schrank Fl. monac. 1, 49.  
 — — — Dietr. Fl. bor. 11, 761.

- † *Ligustrum vulgare L.* Nees Genera X, x.  
*Lilac persica Lam.* Nouveau Duhamel 2, 62.  
 — *rothomagensis Mirb.* Nouveau Duhamel 2, 63.  
 † — *vulgaris Lam.* Lam. Encycl. 7.  
 — — — Nouveau Duhamel 2, 61.  
*Lilaea subulata H. B.* Humb. Pl. aeq. 63.  
 — — — Lam. Encycl. 993.  
 — — — Dict. sc. nat. 40.  
 — — — Schnizl. Iconogr. 1, 49.  
 † *Liliaceae Juss.* Schnizl. Iconogr. 1, 55 — 55<sup>c</sup>.  
*Lilium aurantiacum Sieb.* Paxt. Mag. 6, 127.  
 † — *aureum Don.* Schnizl. Iconogr. 1, 55<sup>d</sup>.  
 — *autumnale Lodd.* Lodd. Cab. 335.  
 — *Brownii Ch. Lem.* Annales de Gand 1845, 41.  
 — — — Fl. d. serres 1, 47.  
 † — *bulbiferum L.* Gaertn. Carp. 83.  
 † — — — Lam. Encycl. 246.  
 — — — Bot. Mag. 1, 36, 26, 1018.  
 — — — Jacq. Fl. austr. 3, 226.  
 — — — Rousseau Bot. 1.  
 — — — Red. Lil. 4, 210.  
 — — — Sv. Bot. 398.  
 — — — Rchb. Fl. germ. 10, 454.  
 — *Buschianum Lodd.* Lodd. Cab. 1628.  
 — *callosum S. et Zucc.* Sieb. Fl. Japon. 41.  
 — — — Hart. Parad. 1, 11.  
 — — — Fl. d. serres 3, 230.  
 — *camtschatkense L.* Linn. Transact. 10, 11.  
 — *canadense L.* Bury Hex. pl. 12.  
 — — — Bot. Mag. 21, 800, 22, 858.  
 — *candidum L.* Bot. Mag. 8, 278.  
 — — — Bury Hex. pl. 38.  
 — — — Woodv. Med. 4, 254.  
 — — — Red. Lil. 4, 199.  
 † — — — Rousseau Bot. 2.  
 † — — — Lam. Encycl. 246.  
 — — — Hayne 8, 26.  
 — — — Nees Düsseld. 54.  
 — — — Rchb. Fl. germ. 10, 455.  
 — — — flore striato, Fl. d. serres 7, 735.  
 — *carniolicum Bernh.* Rchb. Fl. germ. 10, 452.  
 — *carolinianum Michx.* Bot. Reg. 7, 580.  
 — — — Bot. Mag. 49, 2280.  
 — — — Rchb. Exot. 52.  
 — *Catesbaei Walt.* Bot. Mag. 8, 259.  
 — — — Lodd. Cab. 807.  
 — — — Kerner Hort. 87.  
 — — — Sweet Fl. G. II. 185.  
 — *chalconicum L.* Bot. Mag. 1, 30.  
 — — — Bury Hex. pl. 36.  
 — — — Jacq. Fl. austr. 5, 20.  
 — — — Red. Lil. 5, 276.  
 — — — Schk. Handb. 91.  
 — — — Rchb. Fl. germ. 10, 453.  
 — *colchicum Fisch.* Fl. d. serres 5, 507 — 509.  
 — *concolor Salisb.* Salisb. Parad. 47.  
 — — — Andr. Rep. 10, 662.  
 — — — Bot. Mag. 29, 1165.  
 — — — Kerner Hort. 382.  
 — *cordifolium Thunb.* Sieb. Fl. Japon. 14.  
 — — — Fl. d. serres 3, 216.  
 — *croceum Chaix.* Lodd. Cab. 784.  
 — — — Savi Fl. ital. 2, 46.  
 — — — Rchb. Fl. germ. 10, 454.  
 — *elegans Thunb.* Petersb. 3, 3.  
 — *excelsum Hort.* Hart. Parad. 2, 4.  
 — *eximium Courtois.* Fl. d. serres 3, 283 — 84.  
 — *giganteum Wall.* Wallich Tentamen 12, 13.  
 — — — Bot. Mag. 78, 4673.  
 — — — Fl. d. serres 8, 771 — 772.  
 — — — Belgique hort. 3, 21.  
 — *japonicum Thunb.* Bury Hexandrian pl. 2.

- Lilium japonicum* Thunb. Bot. Mag. 38, 1591.  
 — — — Lodd. Cab. 438.  
 — — — Rchb. Exot. 88.  
 — — — Petersb. 3, 5.  
 — — — lancifolium Thunb. Petersb. 3, 3.  
 — — — var. roseum, Paxt. Mag. 5, 267.  
 — — — Loddigesianum R. et Sch. Annales de Gand  
 1846, 85.  
 — — — Lem. Jard. fl. 204.  
 — — — Paxt. Fl. G. 58.  
 — — — Fl. d. serres 5, 507—509.  
 — — — longiflorum Thunb. Lodd. Cab. 985.  
 — — — Bury Hexandrian pl. 8.  
 — — — Bot. Reg. 7, 560.  
 — — — Petersb. 3, 4.  
 — — — Fl. d. serres 3, 270.  
 — — — Wall. Wallich Tentamen 29.  
 — — — maculatum Thunb. Petersb. 3, 5.  
 — — — Martagon L. Bury Hexandrian pl. 36.  
 — — — Bot. Mag. 23, 893. 39, 1634.  
 — — — Engl. Bot. 2799.  
 — — — Baxter Brit. Bot. 6, 501.  
 — — — Sv. Bot. 381.  
 — — — Red. Lil. 3, 146.  
 — — — Lam. Encycl. 246.  
 † — — — Gaertn. Carp. 83.  
 — — — Jacq. Fl. austr. 4, 351.  
 — — — Schrank Fl. monac. 1, 13.  
 — — — Hayne 8, 28.  
 — — — Sturm Flora 20, 93.  
 † — — — Nees Genera 2, 40.  
 — — — Rchb. Fl. germ. 10, 451.  
 — — — monadelphum M. v. B. Marschall Cent. 4.  
 — — — Bot. Mag. 34, 1405.  
 — — — Rchb. Exot. 89.  
 — — — neilgherrense Wight. Wight Ic. pl. Ind. or. 6,  
 2031. 2032.  
 — — — nepalense Don. Wall. Pl. asiat. 291.  
 — — — penduliflorum Red. Red. Lil. 2, 105. 6, 301.  
 — — — pennsylvanicum Gawl. Bot. Mag. 22, 872.  
 — — — peregrinum Mill. Hayne 8, 27.  
 — — — Sweet Fl. G. II. 367.  
 — — — philadelphicum L. Bot. Mag. 15, 519.  
 — — — Lodd. Cab. 976.  
 — — — Red. Lil. 2, 104.  
 — — — Herb. amat. 2, 92.  
 — — — Kerner Hort. 755.  
 — — — β. andinum, Bot. Reg. 7, 594.  
 — — — pomponium L. Red. Lil. 1, 7.  
 — — — Bot. Mag. 21, 798. 25, 971.  
 — — — Rchb. Fl. germ. 10, 452.  
 — — — pudicum Pursh. Pursh Fl. 8.  
 — — — pumilum Red. Red. Lil. 7, 378.  
 — — — Lodd. Cab. 358.  
 — — — Bot. Reg. 2, 132.  
 — — — pyrenaicum Gouan. Red. Lil. 3, 145.  
 — — — Bury Hexandrian pl. 49.  
 — — — Rchb. Fl. germ. 10, 453.  
 — — — roseum Wall. Bot. Mag. 79, 4725.  
 — — — Belgique hortic. 1853, 21.  
 — — — sanguineum Hort. Bot. Reg. 32, 50.  
 — — — speciosum Andr. Andr. Rep. 9, 586.  
 — — — Thunb. Maund Bot. 1, 45.  
 — — — Bot. Reg. 23, 2000.  
 — — — Paxt. Mag. 5, 1.  
 — — — var. album, Paxt. Mag. 8, 127.  
 — — — var. album, Bot. Mag. 66, 3785.  
 — — — var. rubrum, Fl. d. serres 3, 276. 277.  
 — — — Sieb. Fl. Japon. 12.  
 — — — var. cordifolium, Sieb. Fl. Japon. 13.  
 — — — var. punctatum, Hart. Parad. 1, 1.  
 — — — spectabile Salisb. Salisb. Ic. rar. 5.

- Lilium spectabile* Lk. Sweet Fl. G. 75.  
 — — — Rchb. Hort. 30.  
 — — — Fisch. Trautv. Imagines 19.  
 — — — superbum L. Red. Lil. 2, 103.  
 — — — Bury Hexandrian pl. 36.  
 — — — Bot. Mag. 24, 936.  
 — — — Savi Fl. ital. 2, 52.  
 — — — Szovitsianum Fisch. et Lall. Fl. d. serres 5, 507—9.  
 — — — tenuifolium Fisch. Bot. Mag. 59, 3140.  
 — — — Sweet Fl. G. II. 275.  
 — — — Hornem. Rchb. Mag. 79.  
 — — — testaceum Ldl. Bot. Reg. 29, 11.  
 — — — Paxt. Mag. 10, 221.  
 — — — Fl. d. serres 1, 39.  
 — — — Thomsonianum Ldl. Bot. Reg. 31, 1.  
 — — — Thunbergianum R. et Sch. Bot. Reg. 25, 38.  
 — — — Maund Bot. 4, 158.  
 — — — tigrinum Gawl. Bot. Mag. 31, 1237.  
 — — — Red. Lil. 7, 395. 8, 475.  
 — — — Herb. amat. 2, 91.  
 — — — Kerner Hort. 396.  
 — — — Savi Fl. ital. 1, 10.  
 † — — — Nees Genera 2, 40.  
 — — — tubiflorum Wight. Wight Ic. pl. Ind. or. 6, 2033.  
 2034.  
 — — — venustum Kth. Fl. d. serres 7, 657.  
 — — — Wallichianum R. et Sch. Wight Ic. pl. Ind. or.  
 6, 2035.  
 — — — Bot. Mag. 77, 4561.  
 — — — Lem. Jard. fl. 105. 106.  
 — — — Fl. d. serres 6, 612.  
 † *Limatodis pauciflora* Bl. Blume Tabellen 62.  
 — — — rosea Ldl. Paxt. Fl. G. 81.  
*Limbaria tricuspidata* Cass. Baxter Brit. Bot. 6, 494.  
 † *Limeum africanum* L. Gaertn. Carp. 76.  
 † — — — Lam. Encycl. 275.  
 † *Limia* Vand. Roemer Scriptores 7.  
 † *Limnanthemum cristatum* Griseb. Wight Illustr. 157<sup>b</sup>.  
 † — — — lacunosum Griseb. Jard. Ann. 1, 1.  
 † — — — nymphoides Gm. Nees Genera X, x.  
*Limnantes Douglasii* R. Br. Endl. Atacta 27.  
 — — — Bot. Reg. 20, 1673.  
 — — — Bot. Mag. 64, 3554.  
 — — — Sweet Fl. G. II. 378.  
 — — — rosea Benth. Journ. Hort. Soc. 4, 78.  
 † *Limnas Stelleri* Trin. Trinius Fund. 6.  
 — — — Trin. Sp. Gr. 1, 18.  
*Limnetis cynosuroides* Pers. Petersb. 2, 6.  
 — — — pungens Pers. Host Gram. 366.  
*Limnobiium Bosci* Rich. Mem. Institut. 1811, 8.  
 † *Limnocharis* H. B. Kerner Genera 100.  
 — — — emarginata H. B. Humb. Pl. aeq. 34.  
 — — — Humboldtii Rich. Mem. Mus. 1, 19.  
 — — — Bot. Reg. 19, 1640.  
 — — — Bot. Mag. 60, 3248.  
 — — — Plumieri Rich. Mem. Mus. 1, 19. 20.  
 — — — Bot. Mag. 52, 2525.  
 — — — Endl. Iconogr. 26.  
*Limnophila chamaedrifolia* Don. Rheede Hort. mal. 9, 85.  
 — — — gratioides R. Br. Rheede Hort. mal. 12, 36.  
 — — — Freycinet Voyage 57.  
 — — — gratissima Bl. Rheede Hort. mal. 10, 6.  
 — — — hypericifolia Benth. Wight Ic. pl. Ind. or. 4, 1409.  
 — — — polystachya Benth. Wight Ic. pl. Ind. or. 3, 860.  
 — — — racemosa Benth. Wight Ic. pl. Ind. or. 3, 861.  
 — — — serrata Gaudich. Freycinet Voyage 57.  
 † *Limodorum* L. Schrader Journal 1799. 2, 1.  
 — — — abortivum Sw. Risso Fl. de Nice 16.  
 — — — Sturm Flora 10, 40.  
 — — — Dietr. Fl. bor. 1, 72.  
 — — — Rchb. Fl. germ. 13, 481. 491.  
 † — — — Nees Genera 3, x.



- Limodorum altum* Jacq. Jacq. Ic. 602.  
 — — — Bot. Mag. 24, 930.  
 — — — Kerner Hort. 41.  
 — — — aphyllum Roxb. Roxb. Corom. 41.  
 — — — borcale Sw. Liboschitz Petersb. 36.  
 † — — callosum Bl. Blume Tabellen 61.  
 — — — concolor Aub. Aubert Orchid. 45.  
 — — — diurnum Jacq. Jacq. Ic. 603.  
 — — — ensatum Thunb. Kaempfer Japon. 3.  
 — — — Epigogium Sw. Fl. dan. 8, 1399.  
 — — — falcatum Sw. Thunberg Ic. jap. 6.  
 — — — — Bot. Reg. 4, 283.  
 — — — — Bot. Mag. 46, 2097.  
 — — — filiforme Sw. Swartz Annot. 1.  
 — — — flabellatum Aub. Aubert Orchid. 39.  
 — — — grandiflorum Aub. Aublet Guiana 321.  
 — — — Incarvillei Pers. Tratt. Archiv 252. 252<sup>a</sup>.  
 — — — maculatum Lodd. Lodd. Cab. 496.  
 — — — nutans Roxb. Roxb. Corom. 40.  
 — — — pendulum Aubl. Aublet Guiana 322.  
 — — — plantagineum Aub. Aubert Orchid. 41.  
 — — — pulchrum Aub. Aubert Orchid. 43. 44.  
 — — — purpureum Red. Red. Lil. 2, 83.  
 — — — recurvum Roxb. Roxb. Corom. 39.  
 — — — scriptum Aub. Aubert Orchid. 46.  
 — — — striatum Thunb. Kaempfer Japon. 2.  
 — — — Tankervilleae Ait. Aiton Hort. Kew. 3, 12.  
 — — — — Schneevogt Ic. 5.  
 — — — — Kerner Hort. 49.  
 — — — — Andr. Rep. 6, 426.  
 — — — — Red. Lil. 1, 43.  
 — — — — Herb. amat. 3, 157.  
 † — — tetragonum A. Rich. Mem. hist. nat. Par. 4, 7.  
 — — — tuberosum Aub. Aubert Orchid. 31.  
 — — — tuberosum L. Martyn Hist. 48.  
 — — — — Bot. Mag. 4, 116.  
 — — — — Paxt. Mag. 2, 146.  
 — — — unguiculatum Lab. Bill. Sertum 25.  
 — — — utriculatum Sw. Jacq. Fragm. 32.  
 † — — verecundum Sw. Linn. Transact. 7, 1.  
 — — — villosum Aub. Aubert Orchid. 32.  
 — — — virens Roxb. Roxb. Corom. 38.  
*Limonia acidissima* L. Rheede Hort. mal. 4, 14.  
 — — — Rumpf Amb. 2, 43.  
 † — — — Lam. Encycl. 353.  
 — — — alata Wall. Wight Illustr. 41.  
 — — — arborea Roxb. Roxb. Corom. 85.  
 — — — — Bot. Mag. 46, 2074.  
 — — — crenulata Roxb. Roxb. Corom. 86.  
 — — — Laureola Wall. Wall. Pl. asiat. 245.  
 — — — Missionis Wight. Wight Illustr. in Hook. 33.  
 — — — — Wight Ic. pl. Ind. or. 1, 175.  
 — — — monophylla L. Roxb. Corom. 83.  
 — — — parviflora Sims. Bot. Mag. 50, 2416.  
 — — — pentaphylla Retz. Roxb. Corom. 84.  
 † — — pusilla Gaertn. Gaertn. Carp. 58.  
 — — — trifoliata L. Burm. Fl. ind. 35.  
 — — — — Jacq. Ic. 463.  
 — — — — Andr. Rep. 2, 143.  
 — — — — Lodd. Cab. 18.  
 — — — — Lam. Encycl. 353.  
*Limosella aquatica* L. Rupprius Fl. jen. 6.  
 † — — — Gaertn. Carp. 50.  
 † — — — Lam. Encycl. 535.  
 — — — — Schk. Handb. 176.  
 — — — — Krock. Fl. sil. 2, 27.  
 — — — — Tratt. Archiv 88.  
 — — — — Sturm Flora 8, 30.  
 — — — — Dietr. Fl. bor. 10, 654.  
 † — — — Nees Genera 5, 37.  
 — — — — Fl. dan. 1, 69.  
 — — — — Curt. Lond. 4, 62.

- Limosella aquatica* L. Engl. Bot. 5, 357.  
 — — — Baxter Brit. Bot. 3, 212.  
 — — — diandra Krock. Krock. Fl. sil. 2, 27.  
 † *Linaria* Mill. (Peloriac.) Linné Peloria 1.  
 † — — — Linné Amoenit. 1, 3.  
 † — — — Curt. Lond. 1, 118.  
 † — — — Engl. Bot. 4, 260.  
 † — — — Hopkirk Fl. anomala 7.  
 † — — — Sv. Bot. 196.  
 † — — — Gmelin Fl. bad. 2, 4.  
 † — — — Schmidt Sammlungen 2.  
 † — — — Tratt. Thes. 62. 63.  
 † — — — Dict. sc. nat. 31.  
 † — — — Chavañnes Antirrh. 8. 9.  
 † — — — Ratzberg Peloria 1.  
 † — — — Linnæa 17, 2.  
 † — — — Van Houtte Hortus 5.  
 † — — — Verhandl. Rheinl. 7, 1.  
 † — — — Chavañnes Antirrh. 5.  
 — — — acutiloba Fisch. Rehb. Ic. crit. 5, 424.  
 — — — aegyptiaca Desf. Delile Egypte 32.  
 — — — aequitriloba Vv. Bot. Mag. 56, 2941.  
 — — — alpina Moench. Schrank Fl. monac. 3, 283.  
 — — — — Sturm Flora 13, 51.  
 — — — — Lodd. Cab. 415.  
 — — — amethystea Desf. Hoffm. Lk. Fl. port. 47.  
 — — — arenaria DC. DC. Ic. Gall. 14.  
 — — — arvensis Desf. Sturm Flora 16, 70.  
 — — — Besseriana Rehb. Rehb. Ic. crit. 5, 433.  
 — — — Biebersteinii Bess. Rehb. Pl. crit. 5, 434.  
 — — — bipartita Willd. Sweet Fl. G. 30.  
 — — — canadensis Spr. Bot. Mag. 63, 3473.  
 — — — capraria Moris. Mem. Tur. 2, (1840.) 3.  
 — — — chloraefolia Rehb. Rehb. Pl. crit. 5, 436.  
 — — — circinata Don. Sweet Fl. G. II. 235.  
 — — — Clementei Haens. Boissier Esp. 129.  
 — — — commutata Bernh. Rehb. Ic. crit. 9, 815.  
 — — — corifolia Desf. Ann. Mus. 11, 3.  
 — — — — Desf. Choix 22.  
 — — — Cymbalaria Mill. Curt. Lond. 1, 39.  
 — — — — Baxter Brit. Bot. 1, 23.  
 — — — — Rousseau Bot. 26.  
 — — — — Sturm Flora 16, 70.  
 — — — — Dietr. Fl. bor. 2, 112.  
 † — — — Nees Genera 5, 31.  
 — — — dalmatica Mill. Rehb. Pl. crit. 5, 438.  
 — — — — Bot. Reg. 20, 1683.  
 — — — dealbata Link. Hoffm. Lk. Fl. port. 35.  
 — — — delphinoides Gay. Knowles et Westcott 115.  
 — — — diffusa Link. Hoffm. Lk. Fl. port. 49.  
 — — — Elatine Desf. Rivinus Opus ined. 71.  
 — — — — Curt. Lond. 2, 105.  
 — — — — Sturm Flora 16, 70.  
 — — — elatinoides Desf. Desf. Fl. atl. 132.  
 — — — fastigiata Chav. Chavañnes Antirrh. 7.  
 — — — flava Desf. Desf. Fl. atl. 136.  
 — — — flexuosa Desf. Desf. Fl. atl. 139.  
 — — — fruticosa Desf. Desf. Fl. atl. 133.  
 — — — genistifolia Mill. Lodd. Cab. 380.  
 — — — — Bot. Mag. 47, 2183.  
 — — — — Rehb. Pl. crit. 5, 435.  
 † — — — Nees Genera 5, 31.  
 — — — glacialis Boiss. Boissier Esp. 131.  
 — — — glaucophylla Link. Hoffm. Lk. Fl. port. 46.  
 — — — glutinosa Link. Hoffm. Lk. Fl. port. 39.  
 — — — grandiflora Desf. Ann. Mus. 11, 2.  
 — — — — Desf. Choix 21.  
 — — — hepatica Led. Ledeb. Ic. 91.  
 — — — heterophylla Desf. Desf. Fl. atl. 140.  
 — — — — Schousb. Webb Canar. 181.  
 — — — italica Trev. Rehb. Ic. crit. 5, 421.  
 — — — juncea DC. Rehb. Ic. crit. 5, 425.

- Linaria juncea* Desf. Rchb. Ic. crit. 9, 813.  
 — *lanigera* Desf. Desf. Fl. atl. 130.  
 — — Hoffm. Lk. Fl. port. 34.  
 — *latifolia* Desf. Desf. Fl. atl. 134.  
 — *laxiflora* Desf. Desf. Fl. atl. 138.  
 — *linifolia* Willd. Rochel Banat. 22.  
 — — Rchb. Ic. crit. 5, 422.  
 — *linogrisea* Link. Hoffm. Lk. Fl. port. 41.  
 — *litoralis* Bernh. Sturm Flora 16, 70.  
 — *lusitanica* Link. Hoffm. Lk. Fl. port. 43.  
 — *macroua* M. v. B. Marschall Cent. 27.  
 — — Rchb. Ic. crit. 5, 432.  
 — *maritima* DC. DC. Ic. Gall. 12.  
 — — Loes. Rchb. Ic. crit. 6? fig. 612. 613.  
 — *meoanthes* Link. Hoffm. Lk. Fl. port. 38.  
 — *Michauxii* Chav. Chavannes Antirrh. 7.  
 — *minor* Desf. Curt. Lond. 1, 51.  
 — — — Sturm Flora 16, 70.  
 — — — Dietr. Fl. bor. 2, 81.  
 — *multipunctata* Brot. Hoffm. Lk. Fl. port. 48.  
 — *organifolia* DC. Chavannes Antirrh. 6.  
 — *pallida* Ten. Tenore Fl. nap. 159.  
 — *parviflora* Desf. Desf. Fl. atl. 137.  
 — *pauciflora* Bonpl. Bonpland Malm. 18.  
 — *pedunculata* Spr. Boissier Esp. 132.  
 — *Pelisseriana* DC. Engl. Bot. 2832.  
 — *platycalyx* Boiss. Boissier Esp. 130.  
 — *polygalaeifolia* Link. Hoffm. Lk. Fl. port. 44.  
 — *praecox* Link. Hoffm. Lk. Fl. port. 37.  
 — — Led. Ledeb. Ic. 431.  
 — *pyrenaica* DC. DC. Ic. Gall. 11.  
 — — — Hoffm. Lk. Fl. port. 45.  
 — *ramosissima* Wall. Wall. Pl. asiat. 153.  
 — — — Wight Illustr. 165.  
 — *Raveyi* Boiss. Boissier Esp. 132.  
 † *repens* Steud. Ann. sc. nat. 8, 27.  
 — *reticulata* Desf. Rchb. Ic. crit. 5, 431.  
 — — — Lem. Jard. fl. 260.  
 — — — Belgique hort. 2, 48.  
 — *Salzmanni* Boiss. Boissier Esp. 128.  
 — *sapphirina* Link. Hoffm. Lk. Fl. port. 42.  
 — *satureioides* Boiss. Boissier Esp. 133.  
 — *saxatilis* DC. DC. Ic. Gall. 13.  
 — — — Hoffm. Lk. Fl. port. 40.  
 — *scariosa* Desf. Desf. Fl. atl. 131.  
 — *scoparia* Brouss. Webb Canar. 182.  
 — *silenifolia* Rchb. Rchb. Pl. crit. 5, 437.  
 — *simplex* DC. Sturm Flora 16, 70.  
 — *spartea* Link. Hoffm. Lk. Fl. port. 36.  
 — — — Rchb. Ic. crit. 9, 814.  
 — *speciosa* Jacq. Jacq. Ecl. pl. 95.  
 — — — Tenore Fl. nap. 159.  
 — *spuria* Mill. Curt. Lond. 2, 28.  
 — — — Sturm Flora 16, 70.  
 — — — Dietr. Fl. bor. 7, 447.  
 — *stricta* Hornem. Rchb. Ic. crit. 5, 423.  
 — *triornithophora* Willd. Lodd. Cab. 1010.  
 — — — Knowles et Westcott 24.  
 — *verticillata* Boiss. Boissier Esp. 132<sup>a</sup>.  
 — *virgata* Desf. Desf. Fl. atl. 135.  
 — *vulgaris* Mill. Curt. Lond. 1, 117.  
 — — — Hayne 6, 33.  
 — — — Guimpel et Schl. 52.  
 — — — Sturm Flora 16, 70.  
 — — — Dietr. Fl. bor. 2, 80.  
 † — — — (Heufler.) Linnaea 17, 2.  
*Linconia alopecuroidea* L. Mag. naturf. Fr. 4, 4.  
 † — — — Ann. sc. nat. 8, 37.  
 — *cuspidata* Sw. Mag. naturf. Fr. 5, 7.  
 — *thymifolia* Sw. Mag. naturf. Fr. 4, 4.  
*Lindackeria laurina* Presl. Presl Reliq. 65.  
 — *maynensis* P. et E. Poepp. et Endl. 270.

- Lindenbergia urticaefolia* Lehm. Link Ic. II. 48.  
 — — — Hook. Ic. pl. 9, 875.  
*Lindenia acutiflora* Hook. Hook. Ic. pl. 5, 475.  
 — *rivalis* Benth. Hook. Ic. pl. 5, 476.  
*Lindera umbellata* Thunb. Thunb. Diss. 1, 3.  
 — — — Thunb. Fl. jap. 21.  
 — — — Lam. Encycl. 263.  
*Lindernia capensis* Thunb. Hook. Ic. pl. 2, 151.  
 — *dilatata* Elliott. Barton Fl. 1, 31.  
 — *pyxidaria* L. Misc. Taur. 3, 5.  
 † — — — Gaertn. Carp. 184.  
 — — — Schk. Handb. 175.  
 — — — Lam. Encycl. 522.  
 — — — Sturm Flora 8, 30.  
 † — — — Nees Genera 5, 36.  
*Lindleya glabra* H. B. K. H. B. K. Nov. Gen. 5, 479.  
 — *mespiloides* H. B. K. H. B. K. Nov. Gen. 6, 562<sup>b</sup>.  
 — — — Bot. Reg. 30, 27.  
 — — — Annales de Gand 1848, 210.  
 — — — Fl. d. serres 4, 357.  
 — *mollis* H. B. K. H. B. K. Nov. Gen. 5, 480.  
*Lindsaya adiantoides* J. Sm. Hook. Sp. Fil. 61.  
 — *apiculata* Kze. Kunze Fil. 85.  
 — *arcuata* Kze. Kunze Fil. 119.  
 — *Catharinae* Hook. Hook. Sp. Fil. 65.  
 — *concinna* J. Sm. Hook. Sp. Fil. 61.  
 — *cordata* Gaudich. Hook. Sp. Fil. 66.  
 — *crenulata* Fée. Fée Fil. 5, 28.  
 — *cultrata* Sw. Schk. Fil. 114.  
 — — — Hook. Ic. Fil. 2, 144.  
 — *davallioides* Blume. Kunze Fil. 7.  
 — — — Hook. Sp. Fil. 68.  
 — *divergens* H. et Gr. Hook. Ic. Fil. 2, 226.  
 — *dubia* Spr. Kunze Analecta 26.  
 — — — Hook. Sp. Fil. 64.  
 — *elegans* Hook. Hook. Ic. pl. 1, 98.  
 — *elongata* Lab. Bill. Sertum 9.  
 — *ensifolia* Sw. Hook. Ic. Fil. 1, 111.  
 — *falcata* Dryand. Linn. Transact. 3, 7.  
 — *falciformis* Hook. Hook. Sp. Fil. 64.  
 — *filiformis* Hook. Hook. Sp. Fil. 63.  
 — *flabellata* Dryand. Linn. Transact. 3, 8.  
 — — — var.  $\gamma$ . Hook. Sp. Fil. 63.  
 — *Fraseri* Hook. Hook. Sp. Fil. 70.  
 — *Gardneri* Hook. Hook. Sp. Fil. 65.  
 — *Griffithiana* Hook. Hook. Sp. Fil. 68.  
 — *guianensis* Dryand. Hook. Sp. Fil. 62.  
 — *heterophylla* Dryand. Linn. Transact. 3, 8.  
 — *horizontalis* Hook. Hook. Sp. Fil. 62.  
 — *javitensis* H. B. K. Raddi Fil. 75.  
 — *intermedia* Hook. Hook. Sp. Fil. 67.  
 — *lanceolata* Lab. Bill. Nov. Holl. 248.  
 — *lanuginosa* Wall. Hook. Sp. Fil. 69.  
 — *Leprieurii* Hook. Hook. Sp. Fil. 62.  
 — *Lessonii* Bory. Bory Coquille 37.  
 — *linearis* Sw. Swartz Syn. Fil. 3.  
 — — — Kunze Fil. 16.  
 — *Lobbiana* Hook. Hook. Sp. Fil. 62.  
 — *macrophylla* Kaulf. Kunze Analecta 25.  
 — — — Hook. Ic. pl. 2, 193.  
 — *microphylla* Presl. Presl Reliq. 10.  
 — — — Sw. Hook. Ic. Fil. 2, 194.  
 — *multifrondulosa* Fée. Fée Fil. 5, 28.  
 — *oblongifolia* Reimw. Hook. Sp. Fil. 61.  
 — *odorata* Roxb. Calcutta Journal 1844, 34.  
 — *ovata* J. Sm. Hook. Sp. Fil. 64.  
 — *pendula* Klotzsch. Hook. Sp. Fil. 65.  
 — *pentaphylla* Hook. Hook. Sp. Fil. 67.  
 — *polymorpha* Wall. Hook. Ic. Fil. 1, 75.  
 † — — — Hook. Fée Fil. 5, 11.  
 — *propinqua* Hook. Hook. Sp. Fil. 66.  
 — *quadrangularis* Raddi. Raddi Fil. 74.

- Lindsaya recurvata* Wall. Hook. Sp. Fil. 70.  
 — *reniformis* Dryand. Linn. Transact. 3, 7.  
 — — — Kunze Fil. 16.  
 — *rigida* J. Sm. Hook. Sp. Fil. 63.  
 — *sagittata* Dryand. Hook. Ic. Fil. 1, 87.  
 — *scandens* Hook. Hook. Sp. Fil. 63.  
 — *Schomburgkii* Klotzsch. Kunze Fil. 128.  
 — *securifolia* Presl. Kunze Fil. 85.  
 — *stricta* Dryand. Schk. Fil. 114.  
 — *tenera* Dryand. Linn. Transact. 3, 10.  
 — *trapeziformis* Dryand. Linn. Transact. 3, 9.  
 † — — — Langsdorf et Fischer 24.  
 † — — — Hook. Gen. Fil. 63.  
 — *trichomanoides* Dryand. Linn. Transact. 3, 11.  
 — — — Schk. Fil. 114.  
 — *variabilis* H. et Arn. Hook. Beechey 52.  
 — *virescens* Sw. Svensk Acad. 1817, 4.  
 — *Walkeræ* Hook. Hook. Sp. Fil. 69.  
 † *Lindsaynum rigidum* Fée. Fée Fil. 5, 27<sup>6</sup>.  
*Linkia laevis* Cav. Cav. Ic. 389.  
 — *splendens* Poir. Lam. Encycl. 928.  
*Linnæa borealis* L. Linné Fl. lapp. 12.  
 — — — Linné Fl. succica 1.  
 — — — Fl. dan. 1, 3.  
 — — — Sv. Bot. 1.  
 † — — — Wahlenberg Fl. lapp. 9.  
 — — — Curt. Lond. 5, 199.  
 — — — Engl. Bot. 7, 433.  
 — — — Baxter Brit. Bot. 5, 340.  
 — — — Lodd. Cab. 183.  
 — — — Lam. Encycl. 536.  
 — — — Dict. sc. nat. 107.  
 — — — Liboschitz Petersb. 31.  
 — — — Usteri Annalen 12, 1.  
 — — — Schk. Handb. 176.  
 — — — Braune Flora 2, 1.  
 — — — Dreves 4, 123.  
 — — — Hayne 4, 13.  
 — — — Sturm Flora 5, 17.  
 — — — Tratt. Archiv 151.  
 — — — Fée Vie de Linné 4.  
 — — — Dietr. Fl. bor. 4, 217.  
 † *Linociera* Sw. Swartz Fl. Ind. occ. 2.  
 — *glomerata* Pohl. Pohl Bras. 164.  
 † — *intermedia* Wight. Wight Illustr. 151<sup>6</sup>.  
 — — — Wight Spicil. 149.  
 — — — Wight Ic. pl. Ind. or. 4, 1245.  
 † — *latifolia* Vahl. Gaertn. Carp. 215.  
 — *malabarica* Walk. Wight Ic. pl. Ind. or. 4, 1246.  
 † — *phyllireoides* Gaertn. Gaertn. Carp. 215.  
*Linostoma decandrum* Meisn. Regensb. Denkschr. 3, 7.  
*Linosyris mexicana* Schlechtld. Schlechtendal Hort. 4.  
 — *nudata* Bert. Novi Comm. Bonon. 8, 31.  
 — *vulgaris* Cass. Dietr. Fl. bor. 8, 528.  
 † — — — Nees Gen. X, x.  
 † *Linum* L. Gray Genera 143.  
 — *africanum* L. Jacq. Ic. 353.  
 — — — Bot. Mag. 12, 403.  
 — — — Rehb. Hort. 46.  
 — *alpinum* L. Jacq. Fl. austr. 4, 321.  
 — — — Sweet Fl. G. 17.  
 — *angustifolium* Huds. et Sm. Engl. Bot. 6, 381.  
 — — — Lodd. Cab. 1543.  
 — — — Rehb. Fl. germ. 6, 329.  
 — *arboresum* L. Bot. Mag. 7, 234.  
 — — — Sibth. Fl. gr. 305.  
 — *aseyriifolium* Sims. Bot. Mag. 27, 1087.  
 — *aureum* W. et K. W. et Kit. 177.  
 — *austriacum* L. Jacq. Fl. austr. 5, 418.  
 — — — Bot. Mag. 27, 1086.  
 — *Beauharnaisianum* Spad. Spadoni Lino di Siberia 1.

- Linum Berendieri* Hook. Bot. Mag. 63, 3480.  
 — *caespitosum* Sibth. Sibth. Fl. gr. 306.  
 — *campanulatum* L. Lodd. Cab. 1254.  
 — *catharticum* L. Fl. dan. 5, 851.  
 — — — Curt. Lond. 1, 54.  
 — — — Engl. Bot. 6, 382.  
 — — — Woodv. Med. 5, 18.  
 — — — Sv. Bot. 250.  
 — — — Schk. Handb. 87.  
 — — — Hayne 8, 18.  
 — — — Dietr. Fl. bor. 2, 92.  
 — *corymbiferum* Desf. Desf. Fl. atl. 80.  
 — *cribrosum* Rehb. Rehb. Fl. germ. 6, 330.  
 — *Cumingii* Lodd. Lodd. Cab. 1996.  
 — *decumbens* Desf. Desf. Fl. atl. 79.  
 — — — Rehb. Fl. germ. 6, 332.  
 — *diffusum* Schult. Rehb. Hort. 128.  
 — *flavum* L. Bot. Mag. 9, 312.  
 — — — Jacq. Fl. austr. 3, 214.  
 — — — Sturm Flora 7, 26.  
 — — — Sweet Fl. G. II. 303.  
 — *gallicum* L. Gerard Fl. gallopr. 16.  
 — — — Sibth. Fl. gr. 303.  
 — *grandiflorum* Desf. Desf. Fl. atl. 78.  
 — *hirsutum* L. Scop. Fl. carn. 1, 11.  
 — — — Jacq. Fl. austr. 1, 31.  
 — — — Sibth. Fl. gr. 302.  
 — — — Rehb. Fl. germ. 6, 333.  
 — *hologynum* Rehb. Rehb. Fl. germ. 6, 331.  
 — *hypericifolium* Salisb. Salisb. Parad. 79.  
 — — — Bot. Mag. 26, 1048.  
 — *junceum* St. Hil. St. Hil. Fl. Bras. 26.  
 — *laeve* Scop. Scop. Fl. carn. 1, 11.  
 — *Lewisii* Mühlenb. Barton Fl. 1, 8.  
 — *maritimum* L. Jacq. Vind. 154.  
 — — — Rehb. Fl. germ. 6, 334.  
 — *mexicanum* H. B. K. Bot. Reg. 16, 1326.  
 — *monogynum* Forst. Bot. Mag. 64, 3574.  
 — — — Sweet Fl. G. II. 270.  
 — *montanum* Lodd. Lodd. Cab. 674.  
 — *Mülleri* Moris. Moris Fl. sard. 23.  
 — *mysorensense* Heyne. Wight Illustr. 60.  
 — *narbornense* L. Lodd. Cab. 190.  
 — — — Rehb. Fl. germ. 6, 331.  
 — *nervosum* W. et K. W. et Kit. 105.  
 — — — Rehb. Fl. germ. 6, 332.  
 — *nodiflorum* L. Sibth. Fl. gr. 307.  
 — *pallescens* Led. Ledeb. Ic. 142.  
 † — *perenne* L. Gaertn. Carp. 112.  
 † — — — Lam. Encycl. 219.  
 — — — Engl. Bot. 1, 40.  
 — *quadrifolium* L. Bot. Mag. 12, 431.  
 — — — Kerner Hort. 273.  
 — *Radiola* L. Fl. dan. 1, 178.  
 — — — Sv. Bot. 652.  
 — *setaceum* Brot. Brotero Phytogr. 41.  
 — *sibiricum* DC. var. Lewisii. Bot. Reg. 14, 1163.  
 — *Sibthorpiatum* M. et R. Mem. Genev. 8, 3.  
 — *silvestre* Scop. Scop. Fl. carn. 1, 11.  
 — *strictum* L. Sibth. Fl. gr. 304.  
 — *suffruticosum* L. Cav. Ic. 108.  
 — *tenuë* Desf. Desf. Fl. atl. 81.  
 — *tenuifolium* L. Jacq. Fl. austr. 3, 215.  
 — *trigynum* Sm. Smith Exot. Bot. 17.  
 — — — Bonpland Malm. 17.  
 — — — Bot. Mag. 27, 1100.  
 — — — Andr. Rep. 7, 449.  
 — — — Lodd. Cab. 1193.  
 — — — Paxt. Mag. 11, 51.  
 — — — Dict. sc. nat. 135.  
 — — — Herb. amat. 5, 290.  
 — — — Kerner Hort. 472.

- Linum trigynum* Sm. Savi Fl. ital. 2, 60.  
 — usitatissimum L. Curt. Lond. 3, 40.  
 — — — Woodv. Med. 3, 202.  
 — — — Engl. Bot. 19, 1357.  
 — — — Baxter Brit. Bot. 5, 353.  
 † — — — Lam. Encycl. 219.  
 † — — — Plée Types 18.  
 — — — Drevès 3, 96.  
 — — — Sturm Flora 7, 26.  
 — — — Hayne 8, 17.  
 — — — Guimpel et Schl. 78.  
 — — — Nees Düsseld. 387.  
 — — — Wagner 69.  
 — — — Rchb. Fl. germ. 6, 329.  
 — — — var. regale, Fl. d. serres 7, 710.  
 † — — — Reissck Fasergewebe 1—9.  
 † — — — Annalen d. Pharm. 1849, B. 4.  
 — — — venustum Andr. Andr. Rep. 7, 477.  
 — — — Kerner Hort. 826.  
 — — — virginianum L. Meerburg Pl. sel. 15.  
 — — — Rchb. Hort. 198.  
 — — — Gray Genera 143.  
 — — — viscosum L. Rchb. Fl. germ. 6, 333.
- Liparia hirsuta* Thunb. Lodd. Cab. 33.  
 — — — Bot. Reg. 1, 8.  
 — — — Rchb. Mag. 21.  
 — — — parva Vogel. Bot. Mag. 69, 4034.  
 — — — sericea L. Lady South Afr. 4.  
 — — — sphaerica L. Bonpland Malm. 54.  
 — — — Andr. Rep. 9, 568.  
 — — — Bot. Mag. 31, 1241.  
 — — — Lodd. Cab. 642.  
 — — — Maund Bot. 2, 97.  
 — — — vestita Thunb. Bot. Mag. 48, 2223.  
 — — — Rchb. Exot. 144.  
 — — — villosa Andr. Andr. Rep. 6, 382.
- Liparis atropurpurea* Ldl. Wight Ic. pl. Ind. or. 3, 904.  
 — — — biloba Wight. Wight Ic. pl. Ind. or. 5, 1633.  
 † — — — densiflora A. Rich. Ann. sc. nat. II. 15, 1.  
 — — — elata Ldl. Bot. Reg. 14, 1175.  
 — — — Lodd. Cab. 1558.  
 — — — elliptica Wight. Wight Ic. pl. Ind. or. 5, 1735.  
 — — — foliosa Ldl. Bot. Reg. 11, 882.  
 — — — Bot. Mag. 54, 2709.  
 — — — Lodd. Cab. 1097.  
 — — — guineensis Ldl. Bot. Reg. 20, 1671.  
 † — — — Loeselii Rich. Bauer Orchid. (Genera.) 2.  
 — — — Baxter Brit. Bot. 6, 414.  
 — — — Dietr. Fl. bor. 1, 15.  
 † — — — Nees Genera 3, x.  
 — — — longipes Ldl. Wall. Pl. asiat. 35.  
 — — — Wight Ic. pl. Ind. or. 3, 906.  
 — — — odorata Ldl. Rheede Hort. mal. 12, 28.  
 — — — olivacea Ldl. Wight Ic. pl. Ind. or. 3, 903.  
 — — — priochilus Lodd. Lodd. Cab. 1751.  
 — — — ramosa P. et E. Poepp. et Endl. 112.  
 — — — revoluta Hook. Hook. Beechey 16.  
 — — — Walkeriae Grah. Bot. Mag. 66, 3770.  
 — — — Wight Ic. pl. Ind. or. 3, 905.
- Lipochaeta amazonica* P. et E. Poepp. et Endl. 256.  
 — — — umbellata DC. Delessert Ic. 4, 36.
- Lippaya telephioides* Endl. Endl. Atacta 13.
- Lippia americana* L. Gil et Xuares 15.  
 † — — — Houston Reliq. 12.  
 † — — — Gaertn. Carp. 56.  
 † — — — Lam. Encycl. 539.  
 — — — asperifolia Rich. Rchb. Hort. 169.  
 — — — betulacifolia H. B. K. Endl. Bras. 10, 38.  
 — — — Chamissonis Dietr. Endl. Bras. 10, 37.  
 — — — hederacifolia Mart. Endl. Bras. 10, 41.  
 — — — hemisphaerica L. Jacq. Hist. stirp. am. 168.  
 † — — — Lam. Encycl. 539.

- Lippia hirta* Schauer. Endl. Bras. 10, 37.  
 — — — lasiocalycina Cham. Endl. Bras. 10, 39.  
 — — — lycioides Steud. Endl. Bras. 10, 36.  
 — — — microcephala Cham. Endl. Bras. 10, 38.  
 — — — nodiflora Rich. Rivinus Opus ined. 39.  
 — — — Wight Ic. pl. Ind. or. 4, 1463.  
 † — — — Wight Illustr. 173<sup>b</sup>.  
 — — — Belgique hort. 1, 17.  
 — — — purpurea Armanno. Jacq. Ecl. pl. 85.  
 — — — rhodocnemis Mart. Endl. Bras. 10, 40.  
 — — — rotundifolia Cham. Endl. Bras. 10, 39.  
 — — — stachyoides Cham. Endl. Bras. 10, 37.  
 — — — umbellata Cav. Cav. Ic. 194.
- Liquidambar Altingiana* Bl. Blume Java 2, 1. 2.  
 — — — Nees Düsseld. Suppl. 36.
- † — — — styraciflua L. Gaertn. Carp. 90.  
 — — — Schk. Handb. 307.  
 — — — Nees Düsseld. 95.  
 — — — Hayne 11, 25.  
 — — — Guimpel et Schl. 148.  
 — — — Michaux Arb. 3, 4.  
 — — — Nouveau Duhamel 2, 10.  
 † — — — Lam. Encycl. 783.
- Liquiritia officinalis* Moench. Nees Düsseld. 326.  
 † *Liriiodendrum* L. Kerner Genera 1.  
 † — — — Gray Genera 24.  
 — — — hiliifera L. Rumpf Amb. 2, 69.  
 — — — Tulipifera L. Gil et Xuares 2.  
 — — — Mem. Ac. Berl. 1796, 3.  
 † — — — Gaertn. Carp. 178.  
 — — — Schk. Handb. 147.  
 — — — Guimpel Fr. Holzgew. 29.  
 — — — Bot. Mag. 8, 275.  
 — — — Michaux Arb. 3, 5.  
 — — — Nouveau Duhamel 3, 18.  
 † — — — Lam. Encycl. 491.  
 — — — Barton Med. 8.  
 — — — Bigelow Med. 31.  
 — — — Gray Genera 24.
- Liriosma candida* P. et E. Poepp. et Endl. 239.  
 — — — pauciflora DC. Delessert Ic. 5, 41.
- Lisianthus acutangulus* Rz et P. Ruiz et Pav. Fl. 122.  
 — — — Bot. Mag. 73, 4324.  
 — — — alatus Aubl. Aublet Guiana 80.  
 — — — alpestris Mart. Mart. Bras. 171.  
 — — — amplissimus Mart. Mart. Bras. 175.  
 — — — angustifolius Mart. Mart. Bras. 178.  
 — — — calygonus Rz et P. Ruiz et Pav. Fl. 126.  
 — — — Kerner Hort. 343.  
 † — — — carinatus Lam. Lam. Encycl. 107.  
 † — — — chelonoides L. Gaertn. Carp. 183.  
 — — — coerulescens Aubl. Aublet Guiana 82.  
 — — — Mart. Bras. 178.  
 — — — corymbosus Rz et P. Ruiz et Pav. Fl. 124.  
 — — — cuspidatus Bert. Novi Comm. Bonon. 4, 38.  
 — — — daturoides Griseb. Hook. Ic. pl. 2, 196.  
 — — — elegans Mart. Mart. Bras. 177.  
 — — — frigidus Sw. Hook. Ic. pl. 2, 195.  
 — — — glaber L. fil. Smith Ic. Linn. 29.  
 — — — glandulosus A. Rich. Ramon Cuba 58.  
 — — — glaucifolius Jacq. Jacq. Ic. 33.  
 — — — grandiflorus Aubl. Aublet Guiana 81.  
 — — — inflatus Mart. Mart. Bras. 174.  
 † — — — longifolius L. Lam. Encycl. 107.  
 — — — Bot. Reg. 11, 880.  
 — — — pendulus Mart. Mart. Bras. 172.  
 — — — princeps Ldl. Fl. d. serres 6, 557.  
 — — — pulcher Hook. Bot. Mag. 75, 4424.  
 — — — Fl. d. serres 5, 441.  
 — — — pulcherrimus Mart. Mart. Bras. 176.  
 — — — purpurascens Aubl. Aublet Guiana 79.  
 † — — — Lam. Encycl. 107.

- Lisianthus revolutus* *Rz et P.* Ruiz et Pav. Fl. 127.  
 — *Russellianus* *Hook.* Bot. Mag. 65, 3626.  
 — — — *Maund* Bot. 3, 148.  
 — — — *Paxt.* Mag. 6, 31.  
 — — — *Hart.* Parad. 2, 1.  
 — *splendens* *Hook.* Hook. Journal 1847, 8.  
 † — — — *Fl. d. scres* 4, 353.  
 — *viridiflorus* *Mart.* Mart. Bras. 173.  
 — *viscosus* *Rz et P.* Ruiz et Pav. Fl. 125.  
*Lissanthe daphnoides* *R. Br.* Lodd. Cab. 466.  
 — *sapida* *R. Br.* Bot. Reg. 15, 1275.  
 — — — *Bot. Mag.* 59, 3147.  
*Lissochilus parviflorus* *Ldl.* Maund Bot. 4, 172.  
 — *roseus* *Ldl.* Bot. Reg. 30, 12.  
 — *speciosus* *R. Br.* Lindley Collect. 31.  
 — — — *Bot. Reg.* 7, 573.  
 — — — *Paxt.* Mag. 4, 25.  
*Listera convallarioides* *Nutt.* Barton Fl. 2, 39.  
 — — — *Hook.* Bor. Am. 205.  
 — *cordata* *R. Br.* Curt. Lond. 4, 143.  
 — — — *Lodd.* Cab. 532.  
 — — — *Rchb.* Fl. germ. 13, 480.  
 — *Eschscholtziana* *Cham.* Rchb. Fl. germ. 13, 478.  
 — *nidus avis* *Hook.* Curt. Lond. 4, 58.  
 — — — *Baxter* Brit. Bot. 5, 357.  
 — *ovata* *R. Br.* Rivinus Orchid. 7.  
 — — — *Curt.* Lond. 3, 20.  
 — — — *Sturm* Flora 8, 29.  
 † — — — *Nees* Gen. 3, x.  
 — — — *Rchb.* Ic. crit. 6, 593.  
 — — — *Rchb.* Fl. germ. 13, 479.  
*Litanthus pusillus* *Harv.* Hook. Journal 1844, 9.  
 † *Lithagrostis Lacryma Jobi* *Gaertn.* Gaertn. Carp. 1.  
*Lithocarpus javensis* *Bl.* Blume Java 4, 20.  
 † *Lithophila muscoides* *Sw.* Swartz Fl. Ind. occ. 1.  
*Lithospermum apulum* *Vahl.* Sibth. Fl. gr. 158.  
 — *arvense* *L.* Fl. dan. 3, 456.  
 † — — — *Gaertn.* Carp. 67.  
 — — — *Engl.* Bot. 2, 123.  
 — — — *Sv.* Bot. 386.  
 — — — *Dreves* 5, 149.  
 — — — *Schrank* Fl. monac. 4, 307.  
 — *calabrum* *Ten.* Tenore Fl. nap. 212.  
 — *callosum* *Vahl.* Delessert Egypte 16.  
 — *calycinum* *Moris.* Mem. Tur. 37, 22.  
 — *canescens* *Lehm.* Bot. Mag. 74, 4389.  
 — *chilense* *Colla.* Mem. Tur. 38, 40.  
 † — *ciliatum* *Forsk.* Viviani Aeg. 2.  
 — *cornutum* *Led.* Ledeb. Ic. 25.  
 — *davuricum* *Lehm.* Sweet Fl. G. 121.  
 — *decumbens* *Vent.* Vent. Cels 37.  
 — *dichotomum* *Rz et P.* Ruiz et Pav. Fl. 111.  
 — *dispermum* *L.* Linné Hort. ups. 1, 7.  
 — *distichum* *Ortega.* Jacq. Fragm. 48.  
 — *elongatum* *Decne.* Jacquemont Ind. 126.  
 — *fruticosum* *L.* Brotero Phytogr. 155.  
 — — — *Hoffm.* Lk. Fl. port. 21.  
 — — — *Sibth.* Fl. gr. 161.  
 — *graminifolium* *Viv.* Viviani Fl. ital. 5.  
 — *hispidissimum* *Lehm.* Lehmann Asperif. 39.  
 — *hispidulum* *Sibth.* Sibth. Fl. gr. 162.  
 — — — *Lehmann* Asperif. 45.  
 — *incisum* *Lehm.* Hook. Bor. Am. 165.  
 — *incrassatum* *Guss.* Visiani Dalm. 23.  
 — *latifolium* *Michx.* Jacq. Ecl. pl. 136.  
 — *mandanense* *Spr.* Hook. Bor. Am. 166.  
 — *maritimum* *Lehm.* Curt. Lond. 3, 64.  
 — *micranthum* *Viv.* Viviani Lib. 1.  
 — *obtusum* *Vis.* Visiani Aeg. 2.  
 — *officinale* *L.* Fl. dan. 7, 1084.  
 — — — *Woodv.* Med. 2, 105.  
 — — — *Engl.* Bot. 2, 134.

- Lithospermum officinale* *L.* Sv. Bot. 177.  
 † — — — *Gaertn.* Carp. 67.  
 † — — — *Lam.* Encycl. 91.  
 — — — *Dreves* 5, 148.  
 — — — *Schk.* Handb. 29.  
 — — — *Sturm* Flora 2, 5.  
 — — — *Hayne* 6, 29.  
 — — — *Nees* Düsseld. 185.  
 † — — — *Schrader* Asperif. x.  
 † — — — *Nees* Gen. 6, 61.  
 — *orientale* *L.* Bot. Mag. 15, 515.  
 — — — *Sibth.* Fl. gr. 160.  
 — *ovalifolium* *Decne.* Jacquemont Ind. 124.  
 — *Pallasii* *Led.* Ledeb. Ic. 23.  
 — *prostratum* *Lois.* Loiseleur Fl. gall. 4.  
 — *purpureo-coeruleum* *L.* Gmelin Reise 4, 18.  
 — — — *Jacq.* Fl. anstr. 1, 14.  
 — — — *Curt.* Lond. 4, 12.  
 — — — *Engl.* Bot. 2, 117.  
 — — — *Lodd.* Cab. 1766.  
 — — — *Baxter* Brit. Bot. 4, 301.  
 — — — *Roemer* Fl. eur. 8, 1.  
 — *rosmarinifolium* *Ten.* Tenore Fl. nap. 114.  
 — — — *Bot. Reg.* 20, 1736.  
 — *secundiflorum* *Decne.* Jacquemont Ind. 125.  
 — *sibiricum* *Led.* Ledeb. Ic. 207.  
 — *tenuiflorum* *L. fil.* Jacq. Ic. 313.  
 — — — *Sibth.* Fl. gr. 159.  
 — *tinctorium* *Rz et P.* Ruiz et Pav. Fl. 114.  
 — — — *Vahl.* Vahl Symbolae 28.  
 — — — *L.* Andr. Rep. 9, 576.  
 — *villosulum* *Lehm.* Lehmann Asperif. 46.  
 † *Litobrochia Presl.* Fée Fil. 5, 11.  
 † — *Endlicheriana* *Hook.* Hook. Gen. Fil. 65.  
 † — *hastata* *Presl.* Hook. Gen. Fil. 65.  
*Litsaea apetala* *Pers.* Kerner Hort. 443.  
 — *Baueri* *Endl.* Endl. Iconogr. 44.  
 — *ceylanica* *N. v. E.* Nees Disp. Cinn. 5, 6.  
 — — — *Wight* Ic. pl. Ind. or. 1, 132, 5, 1844.  
 — *oblonga* *N. v. E.* Wight Ic. pl. Ind. or. 5, 1845.  
*Littaea geminiflora* *Brign.* Tagliabue Storia x.  
 — — — *Journ.* sc. and arts 2, 1.  
*Littonia modesta* *Hook.* Bot. Mag. 79, 4723.  
*Littorella lacustris* *L.* Curt. Lond. 5, 168.  
 — — — *Engl.* Bot. 7, 468.  
 — — — *Baxter* Brit. Bot. 4, 284.  
 — — — *Sv.* Bot. 532.  
 — — — *Lam.* Encycl. 758.  
 — — — *Schk.* Handb. 287.  
 — — — *Sturm* Flora 11, 41.  
 — — — *Dietr.* Fl. bor. 3, 206.  
 † — — — *Nees* Gen. 5, 1.  
*Livistona chinensis* *Mart.* Mart. Palm. 146.  
 — — — *Griffith* Palms 226<sup>d</sup>.  
 — *humilis* *R. Br.* Mart. Palm. 109—111.  
 — *Jenkinsiana* *Griff.* Griffith Palms 226<sup>a</sup><sup>b</sup>.  
 — *inermis* *R. Br.* Mart. Palm. 145, 146.  
 — ? *Martii* *Gaudich.* Gaudichaud Bonite 58, 59.  
 † — — — *Griffith* Palms 226<sup>c</sup>.  
 † *Llaguoa Rz et P.* Ruiz et Pav. Prodr. 28.  
 — *glandulosa* *Walp.* Gay Chile 11.  
*Lloydia alpina* *Salisb.* Rchb. Fl. germ. 10, 440.  
 — *himalayensis* *Royle.* Royle Illustr. 93.  
 — *kunawurensis* *Royle.* Royle Illustr. 93.  
 — *longiscapa* *Hook.* Hook. Ic. pl. 9, 834.  
 — *scrotina* *Salisb.* Sturm Flora 7, 28.  
 — — — *Rchb.* Fl. germ. 10, 440.  
 † — — — *Nees* Gen. 2, 38.  
*Loasa acanthifolia* *Lam.* Ann. Mus. 5, 3.  
 — — — *Bot. Reg.* 10, 785.  
 — *acerifolia* *Domb.* Ann. Mus. 5, 1.

- Loasa alba* Don. Sweet Fl. G. II. 192.  
 — *ambrosiaefolia* Juss. Ann. Mus. 5, 4.  
 — — Bot. Reg. 16, 1390.  
 — *argemonoides* H. B. Humb. Pl. aeq. 15.  
 — *atriplicifolia* Presl. Presl Symbolae 39.  
 — *contorta* Lam. Lam. Encycl. 426.  
 — — Ann. Mus. 5, 3.  
 — *grandiflora* Domb. Ann. Mus. 5, 4.  
 — — Dict. sc. nat. 213.  
 — *Herbertii* Paxt. Paxt. Mag. 9, 269.  
 — *hispida* L. Bot. Mag. 58, 3057.  
 — *incana* Grah. Bot. Mag. 58, 3048.  
 — *lateritia* Hook. Bot. Mag. 65, 3632.  
 — — Bot. Reg. 24, 22.  
 — — Paxt. Mag. 5, 77.  
 — *multifida* Gay. Gay Chile 27.  
 — *nitida* Lam. Ann. Mus. 5, 2.  
 — — Bot. Mag. 50, 2372.  
 — — Hook. Exot. Fl. 83.  
 — — Sweet Fl. G. II. 195.  
 — *palmata* Spr. Acta Leop. 13. I, 12.  
 — *pentlandica* Paxt. Paxt. Mag. 9, 7.  
 — *Pentlandii* Paxt. Bot. Mag. 70, 4695.  
 — *picta* Hook. Bot. Mag. 75, 4428.  
 — — Fl. d. serres 5, 439.  
 — *Placei* Ldl. Bot. Reg. 19, 1599.  
 — — Bot. Mag. 60, 3218.  
 — *ranunculifolia* H. B. Humb. Pl. aeq. 14.  
 — *rupestris* Gardn. Hook. Ic. pl. 7, 663.  
 — *sclearaeifolia* Juss. Ann. Mus. 5, 1.  
 — *tricolor* Ker. Bot. Reg. 8, 667.  
 — *triloba* Domb. Ann. Mus. 5, 1.  
 — *triphylla* Juss. Ann. Mus. 5, 5.  
 — *urens* Jacq. Jacq. Obs. 38.  
 — — Lam. Encycl. 426.  
 — — Tratt. Archiv 55.  
 — *volubilis* Domb. Ann. Mus. 5, 5.  
 — *xanthiifolia* Juss. Ann. Mus. 5, 2.  
 † *Lobadium* Gray. Gray Genera 160.  
*Lobelia dependens* Planch. Hook. Journal 1847, 3.  
*Lobelia acuminata* Sw. Tussac Ant. 3, 36.  
 — — Kerner Hort. 834.  
 — *alata* Lab. Bill. Nov. Holl. 72.  
 † *amoena* Michx. Ann. Mus. 18, 1.  
 — *Andropogon* Cav. Cav. Ic. 515.  
 — *antisiphilitica* L. Hayne 13, 9.  
 — *arabidoides* Hook. Hook. Beechey 66.  
 — *arguta* Ldl. Bot. Reg. 12, 973.  
 — *aromatica* Moon. Wight Ic. pl. Ind. or. 4, 1172.  
 — *assurgens* L. Andr. Rep. 9, 553.  
 — *barbata* Cav. Cav. Ic. 519.  
 — *beslerioides* H. B. K. H. B. K. Nov. Gen. 3, 269.  
 — *bicolor* Sims. Jacq. Fragm. 95.  
 — — Bot. Mag. 15, 514.  
 — *biserrata* Cav. Cav. Ic. 514.  
 — *Bridgesii* H. et Arn. Bot. Mag. 65, 3671.  
 — *campanulata* Cav. Cav. Ic. 517.  
 — *campanuloides* Thunb. Bot. Reg. 9, 733.  
 — *camporum* Pohl. Pohl Bras. 165.  
 — *Caoutschuc* Humb. Berl. Jahrb. 1824, 1.  
 — *cardinalis* L. Bot. Mag. 9, 320.  
 — — Schk. Handb. 269.  
 † — — Lam. Encycl. 724.  
 — — Desc. Ant. 7, 466.  
 — — Barton Med. 43.  
 — — Torrey New York 64.  
 — — γ. *Milleri*, Sweet Fl. G. II. 372.  
 — *Cavanillesii* R. et Sch. Martius Auswahl 9.  
 — — Bot. Mag. 64, 3600.  
 — — Maund Bot. 5, 236.  
 — *Cliffortiana* L. Linné Hort. Cliff. 26.  
 — *coelestis* Don. Paxt. Mag. 15, 103.

- Lobelia coerulea* Sims. Bot. Mag. 53, 2701.  
 — — Lodd. Cab. 1206.  
 — *colorata* Sweet. Sweet Fl. G. II. 180.  
 — *Columneae* L. Smith Ic. Linn. 22.  
 — *comosa* Cav. Cav. Ic. 512.  
 — — L. Schk. Handb. 269<sup>b</sup>.  
 — *cordigera* Cav. Cav. Ic. 523.  
 — *coronopifolia* L. Bot. Mag. 17, 644.  
 — — Andr. Rep. 5, 339.  
 † — — Schk. Handb. 269.  
 — — Rchb. Hort. 89.  
 — *corymbosa* Sims. Bot. Mag. 53, 2693.  
 — — Lodd. Cab. 1298.  
 — *cuncifolia* Link. Link Ic. I. 39.  
 — *cuneiformis* Lab. Bill. Nov. Holl. 73.  
 — *debilis* Thunb. Rchb. Hort. 158.  
 — *decumbens* Sims. Bot. Mag. 49, 2277.  
 — *decurrens* Cav. Cav. Ic. 521.  
 — — Bot. Reg. 22, 1842.  
 — — Sweet Fl. G. II. 86.  
 — *densiflora* Paxt. Paxt. Mag. 16, 66.  
 — *dentata* Cav. Cav. Ic. 522.  
 — *discolor* Link et Kl. Link Ic. III. 2.  
 — *divaricata* Hook. Hook. Beechey 67.  
 — *Dortmanna* L. Fl. dan. 1, 39.  
 — — Lightf. Fl. scot. 1, 21.  
 — — Engl. Bot. 2, 140.  
 — — Curt. Lond. 5, 157.  
 — — Sv. Bot. 452.  
 — *erinoides* L. Bot. Mag. 64, 3609.  
 † *Erinus* L. Schk. Handb. 269.  
 — — Bot. Mag. 23, 901.  
 — — var. Paxt. Mag. 10, 75.  
 — *exaltata* Pohl. Pohl Bras. 166.  
 — *excelsa* Bonpl. Bonpland Malm. 46.  
 — — Lesch. Wight Spicil. 121—122.  
 — — Wight Ic. pl. Ind. or. 4, 1173. 1174.  
 — *fenestralis* Cav. Cav. Ic. 512.  
 — — Bot. Reg. 24, 47.  
 — *filiformis* Lam. Cav. Ic. 511.  
 — *fulgens* Willd. Willdenow Hort. 85.  
 — — Bonpland Malm. 7.  
 — — Andr. Rep. 10, 659.  
 — — Bot. Reg. 2, 165.  
 — — Lodd. Cab. 1435.  
 — — Paxt. Mag. 2, 52. 15, 7.  
 — — Savi Fl. ital. 3, 90.  
 — *Gaudichaudii* DC. Gaudichaud Bonite 45.  
 — *gibbosa* Lab. Bill. Nov. Holl. 71.  
 — *gigantea* Cav. Cav. Ic. 513.  
 — — Sims. Bot. Mag. 32, 1325.  
 — — Bot. Reg. 12, 973.  
 — *glabrata* H. B. K. H. B. K. Nov. Gen. 3, 270.  
 — *glandulosa* Walt. Bot. Reg. 32, 6.  
 — *goodenioides* Willd. Willdenow Hort. 30.  
 — *gracilis* Andr. Andr. Rep. 5, 340.  
 — — Bot. Mag. 20, 741.  
 — *gruina* Cav. Cav. Ic. 511.  
 — *heterophylla* Lab. Bill. Nov. Holl. 74.  
 — — Bot. Mag. 66, 3784.  
 — — Bot. Reg. 23, 2014.  
 — — Paxt. Mag. 6, 197. 9, 101.  
 — — Fl. d. serres 1, 34.  
 — *hirsuta* L. Andr. Rep. 7, 444.  
 — *hirta* Cav. Cav. Ic. 520.  
 — — L.? Schk. Handb. 269<sup>b</sup>.  
 — *hypocrateriformis* R. Br. Bot. Mag. 58, 3075.  
 — *ignea* Paxt. Paxt. Mag. 6, 247.  
 — *ilicifolia* Sims. Bot. Mag. 44, 1896.  
 † *inflata* L. Schk. Handb. 269.  
 — — Nees Düsseld. 205.  
 — — Barton Med. 16.

- Lobelia inflata* L. Bigelow Med. 19.  
 — — — Torrey New York 63.  
 — — — Sweet Fl. G. 99.  
 — — — Berg Darstellung 1<sup>a</sup>.  
 — Kalmii L. var. gracilis, Barton Fl. 1, 34.  
 — — — Bot. Mag. 48, 2238.  
 — Kraussii Grah. Bot. Mag. 57, 3012.  
 — laevigata L. fil. Herb. amat. 3, 149.  
 — longiflora L. Jacq. Vind. 27.  
 — — — Bot. Mag. 52, 2563.  
 — — — Bot. Reg. 14, 1200.  
 — — — Tussac Ant. 4, 25.  
 — — — Desc. Ant. 3, 156.  
 — longifolia Jacq. Jacq. Hist. stirp. am. 200.  
 — lutea L. Bot. Mag. 32, 1319.  
 — macrostachys Hook. Gaudichaud Bonite 46.  
 — micrantha Hook. Hook. Exot. Fl. 44.  
 — minima Sims. Bot. Mag. 46, 2077.  
 — minuta L. Bot. Mag. 52, 2590.  
 — mucronata Cav. Cav. Ic. 516.  
 — — — Bot. Mag. 60, 3207.  
 — nana H. B. K. H. B. K. Nov. Gen. 3, 272.  
 — nicotianaefolia Heyne. Wight Illustr. 135.  
 — pedunculata Sims. Bot. Mag. 48, 2251.  
 — persicifolia Cav. Cav. Ic. 518.  
 — physaloides Cunn. Hook. Ic. pl. 6, 555. 556.  
 — pinifolia L. Andr. Rep. 4, 273.  
 — — — Lam. Encycl. 724.  
 — polyphylla Hook. et Arn. Bot. Mag. 64, 3550.  
 — — — Sweet Fl. G. II. 242.  
 — propinqua Paxt. Paxt. Mag. 2, 52.  
 — puberula Michx. var. Bot. Mag. 61, 3292.  
 — pubescens Ait. Jacq. Schoenbr. 2, 178.  
 — — — Schk. Handb. 269<sup>b</sup>.  
 — pulverulenta Pers. Hook. Journal 1834, 131.  
 — pumila Burm. Burmann Fl. ind. 60.  
 — purpurea Ldl. Bot. Reg. 16, 1325.  
 — — — Low. Bot. Reg. 17, 1445.  
 — pyramidalis Wall. Bot. Mag. 50, 2387.  
 — racemosa Sims. Bot. Mag. 47, 2137.  
 — ramosa Benth. Maund Bot. 2, 93.  
 — rhizophyta Link. Bot. Mag. 51, 2519.  
 — robusta Grah. Bot. Mag. 59, 3138.  
 — rosea Wall. Wall. Pl. asiat. 152.  
 — Salzmanniana Presl. Presl Symbolae 20.  
 — senecioides Cunn. Bot. Mag. 53, 2702.  
 — senegalensis DC. Delessert Ic. 5, 10.  
 — sessilifolia Lamb. Linn. Transact. 10, 6.  
 — setacea Sibth. Sibth. Fl. gr. 221.  
 — speciosa Sweet. Sweet Fl. G. II. 174.  
 — Speculum Andr. Andr. Rep. 10, 644.  
 — — — Bot. Mag. 36, 1499.  
 — splendens Willd. Willdenow Hort. 86.  
 — — — Kerner Hort. 332.  
 — — — Bot. Reg. 1, 60.  
 — — — var. Bot. Mag. 69, 4002.  
 + — — — Spach Suites 109.  
 — surinamensis L. Bot. Mag. 7, 225.  
 — — — Andr. Rep. 8, 502.  
 — — — Lodd. Cab. 749.  
 — — — Bonpland Malm. 39.  
 — — — Rchb. Exot. 280.  
 — syphilitica L. Rivinus Opus incd. 95.  
 — — — Jacq. Ic. 597.  
 + — — — Schk. Handb. 269.  
 — — — Woodv. Med. 2, 88.  
 — — — Lam. Encycl. 724.  
 — — — Dict. sc. nat. 80.  
 — — — Desc. Ant. 7, 465.  
 — — — Barton Med. 47.  
 — — — Lodd. Cab. 955.  
 — — — Bot. Reg. 7, 537.

- Lobelia syphilitica* L. var. hybrida, Bot. Mag. 64, 3604.  
 — — — Petersb. 4, 10.  
 — — — Torrey New York 62.  
 — — — Nees Düssel. 206.  
 † — — — Schnizl. Iconogr. 124.  
 † — Taccada Gaertn. Gaertn. Carp. 25.  
 — tenella Biv. Bivona Pl. sic. 1, 2.  
 — texensis Rafin. Link Ic. III. 33.  
 — thapsoidea Schott. Pohl Bras. 167.  
 — — — Bot. Mag. 71, 4150.  
 — trichandra Wight. Wight Ic. pl. Ind. or. 4, 1171.  
 — trigona Roxb. Hook. Ic. pl. 4, 358.  
 — — — Wight Spicil. 120.  
 — — — Wight Ic. pl. Ind. or. 4, 1170.  
 — triphylla Presl. Presl Symbolae 40.  
 — Tupa L. Bot. Mag. 52, 2550.  
 — — — Bot. Reg. 19, 1612.  
 — — — Sweet Fl. G. 284.  
 — umbellata H. B. K. H. B. K. Nov. Gen. 3, 268.  
 — unidentata Dryand. Bot. Mag. 36, 1484.  
 — — — Marnock Mag. 1841, 1.  
 — urens L. Curt. Lond. 3, 10.  
 — — — Engl. Bot. 14, 953.  
 — — — Baxter Brit. Bot. 1, 79.  
 — variifolia Sims. Bot. Mag. 41, 1692.  
 — volubilis H. B. K. H. B. K. Nov. Gen. 3, 271.  
 — Westiniana Thunb. Thunberg Pl. bras. 1.  
 — — — Rchb. Hort. 80.  
 † Lobeliaceae Juss. Schnizl. Iconogr. 124.  
 Loboptera subsessilis Colla. Mem. Tur. 10, (1849.) x.  
 † Lobostemon echioides Lehm. Linnæa 5, 5.  
 Lobularia maritima Desv. Sturm Flora 12, 48.  
 † — — — Nees Genera X, x.  
 Lockhartia elegans Hook. Bot. Mag. 54, 2715.  
 Loddigesia oxalidifolia Sims. Bot. Mag. 24, 965.  
 Lodhra crataegoides Decne. Jacquemont Ind. 110.  
 Lodoicea Sechellarum Lab. Sonnerat Voyage 3—7.  
 — — — Ann. Mus. 9, 13.  
 † — — — Kerner Genera 21—26.  
 — — — Mart. Palm. 109. 122. X.  
 — — — Bot. Mag. 54, 2734—2738.  
 — — — Fl. d. serres 5, 523—526.  
 † Loefflingia L. Gray Genera 106.  
 — — — caspica Gm. Gmelin Reise 3, 35. fig. 1.  
 — — — hispanica L. Svensk Acad. 1758, 1.  
 — — — Loeffling Iter 1.  
 — — — Cav. Ic. 94.  
 † — — — Gaertn. Carp. 129.  
 — — — Lam. Encycl. 29.  
 — — — pentandra Cav. Cav. Ic. 148.  
 — — — squarrosa Nutt. Gray Genera 106.  
 — — — texana Hook. Hook. Ic. pl. 3, 285.  
 † Loeselia ciliata L. Gaertn. Carp. 62.  
 † — — — Lam. Encycl. 527.  
 — — — Hagen Preussens Pf. 1, 1.  
 Logania campanulata R. Br. Hook. Ic. pl. 9, 832.  
 — — — floribunda R. Br. Lodd. Cab. 1118.  
 — — — Endl. Iconogr. 57.  
 † — — — Schnizl. Iconogr. 131.  
 — — — latifolia R. Br. Sprengel Neue Entd. 1, 2.  
 — — — pusilla R. Br. Endl. Iconogr. 58.  
 † Loganiaceae R. Br. Wight Illustr. 156<sup>b</sup>.  
 † — — — Schnizl. Iconogr. 131.  
 † Logfia gallica Coss. et G. Ann. sc. nat. II. 20, 13.  
 † — — — Cosson Atlas 26.  
 Loiseleuria procumbens Desv. Dict. sc. nat. 71.  
 † Lolium L. Linné Amoenit. 7, 2.  
 † — — — Dumortier Gram. 2.  
 † — — — Mutel Fl. fr. 91.  
 ! — — — (Metamorphose en Festuca.) Annales d'obs.  
 — — — 4, 10.  
 — — — arvense With. Engl. Bot. 16, 1125.

- Lolium arvense* *With.* Knapp Gram. 102.  
 — — — *Sv. Bot.* 593.  
 — — — *Fl. dan.* 11, 1864.  
 — — — *Host Gram.* 225.  
 — — — *Rchb. Fl. germ.* 1, 4.  
 — *Boucheanum Kth.* Humb. Gram. 220.  
 — — — *Rchb. Fl. germ.* 7, 77.  
 — *complanatum Schrad.* *Rchb. Fl. germ.* 1, 4.  
 — *festucaceum Lk.* *Rchb. Fl. germ.* 1, 6.  
 — *italicum A. Br.* *Rchb. Fl. germ.* 7, 77.  
 — *linicola Sonder.* *Engl. Bot.* 2955.  
 — *multiflorum Lam.* *Rchb. Fl. germ.* 1, 5.  
 — *perenne L.* *Schreber Gräser* 37.  
 — — — *Fl. dan.* 5, 747.  
 — — — *Sv. Bot.* 71.  
 — — — *Curt. Lond.* 4, 18.  
 — — — *Engl. Bot.* 5, 315.  
 — — — *Baxter Brit. Bot.* 2, 116.  
 † — — — *Lam. Encycl.* 48.  
 — — — *Dict. sc. nat.* 17.  
 — — — *Host Gram.* 25.  
 — — — *Knapp Gram.* 100.  
 — — — *Rchb. Fl. germ.* 1, 6.  
 † — — — *Nees Gen.* 1, 78.  
 — *robustum Rchb.* *Rchb. Fl. germ.* 1, 4.  
 — *subulatum Vis.* *Visiani Dalm.* 3.  
 — *temulentum L.* *Schreber Gräser* 36.  
 — — — *Fl. dan.* 1, 160.  
 — — — *Schk. Handb.* 18.  
 — — — *Host Gram.* 26.  
 † — — — *Lam. Encycl.* 48.  
 — — — *Engl. Bot.* 16, 1124.  
 — — — *Knapp Gram.* 101.  
 — — — *Sv. Bot.* 192.  
 — — — *Brandt und Ratzeb.* 1.  
 — — — *Rchb. Fl. germ.* 1, 5.  
 † — — — *Nees Gen.* 1, 78.  
 † *Lomagramma pteroides Sm.* *Hook. Gen. Fil.* 98.  
*Lomandra longifolia Lab.* *Bill. Nov. Holl.* 119.  
 — *rigida Lab.* *Bill. Nov. Holl.* 120.  
 — — — *Lam. Encycl.* 936.  
 † *Lomaria Willd.* *Fée Fil.* 5, 5.  
 — *alpina R. Br.* *Hook. Fl. ant.* 150.  
 — *brasiliensis Raddi.* *Raddi Fil.* 72, 72<sup>b</sup>.  
 † *chilensis Kaulf.* *Hook. Gen. Fil.* 64.  
 — *Colensoi Hook. fil.* *Hook. Ic. pl.* 7, 627—628.  
 — *cycadifolia Colla.* *Mem. Tur.* 39, 71.  
 — *euphlebica Kze.* *Kunze Fil.* 125.  
 — *Fraseri Cunn.* *Hook. Ic. pl.* 2, 185.  
 — *fraxinifolia Raddi.* *Raddi Fil.* 73.  
 — *gibba Lab.* *Bill. Sertum* 4, 5.  
 — *Gilliesii H. et Gr.* *Hook. Ic. Fil.* 2, 207.  
 — *glauca Bl.* *Kunze Fil.* 138.  
 — *hastata Kze.* *Kunze Fil.* 55.  
 — *inflexa Kze.* *Kunze Fil.* 65.  
 — *lanceolata Spr.* *Hook. Ic. pl.* 5, 429.  
 — *L'Herminieri Bory.* *Kunze Fil.* 73.  
 — *obtusata Lab.* *Bill. Sertum* 6.  
 — *Patersonii Spr.* *Kunze Fil.* 34.  
 — *procera Spr.* *Richard Astrolabe* 2.  
 — — — *var.* *Hook. Ic. pl.* 5, 427, 428.  
 — *pteropus Kze.* *Kunze Fil.* 46.  
 — *pubescens Kze.* *Kunze Fil.* 55.  
 — *pumila Decne.* *Raoul Nouv. Zel.* 2.  
 — *punctata Bl.* *Kunze Fil.* 137.  
 — *rotundifolia Decne.* *Raoul Nouv. Zel.* 2.  
 — *Ryani Kaulf. var.* *Kunze Analecta* 12.  
 — *scandens Willd.* *Rheede Hort. mal.* 12, 35.  
 — — — *Rumpf Amb.* 6, 31.  
 — *Schottii Colla.* *Mem. Tur.* 39, 72.  
 — *Spicant Desv.* *Newman p.* 89, 90.  
 † *Lomariobotrys Meyeriana Fée.* *Fée Fil.* 5, 5.

- Lomariopsis cochinchinensis Fée.* *Fée Fil.* 26.  
 — *cuspidata Fée.* *Fée Fil.* 27.  
 † — *erythrodes Fée.* *Fée Fil.* 5, 1.  
 — *leptocarpa Fée.* *Fée Fil.* 29.  
 — *ludens Fée.* *Fée Fil.* 30.  
 — *Pricuriana Fée.* *Fée Fil.* 25.  
 — *recurvata Fée.* *Fée Fil.* 28.  
 — *Smithii Fée.* *Fée Fil.* 33, 53.  
 — *spinescens Fée.* *Fée Fil.* 33.  
 — *variabilis Fée.* *Fée Fil.* 31, 32.  
 † *Lomatia angustifolia Schnizl.* *Schnizl. Ic.* 2, 113.  
 — *ilicifolia R. Br.* *Bot. Mag.* 69, 4023.  
 — *longifolia R. Br.* *Bot. Reg.* 6, 442.  
 — *silafolia R. Br.* *Bot. Mag.* 31, 1272.  
 — — — *Herb. amat.* 3, 144.  
 — *tinctoria R. Br.* *Bot. Mag.* 70, 4110.  
*Lomatogonium carinthiacum A. Br.* *Sturm Flora* 6, 22.  
 † — *inodora Gaertn.* *Gaertn. Carp.* 165.  
 † *Lonchitis L.* *Fée Fil.* 5, 11.  
 — *aurita L.* *Lam. Encycl.* 868.  
 — *glabra Sw.* *Schlechtendal Fil.* 27.  
 — — — *Bory.* *Kunze Fil.* 66.  
 — *hirsuta L.* *Schk. Fil.* 2, 86.  
 — *Lindeniana Hook.* *Hook. Sp. Fil.* 89.  
 — *madagascariensis Hook.* *Hook. Sp. Fil.* 87.  
 — *natalensis Hook.* *Hook. Sp. Fil.* 89.  
 † — *pubescens Kaulf.* *Schott Gen. Fil.* 6.  
 † — — — *Hook. Gen. Fil.* 68.  
*Lonchophora Capiomontiana Durieu.* *Explor. Alger.* 72.  
 — *Guyoniana Durieu.* *Explor. Alger.* 72.  
*Lonchostoma acutiflorum Wikstr.* *Svensk Acad.* 1818, 9.  
 † — *obtusiflorum Wikstr.* *Svensk Acad.* 1818, 9.  
*Longiphylis Aub.* *Aubert Orchid.* 97.  
 † *Lonicera L.* *Wight Illustr.* 121.  
 — *alpigena L.* *Jacq. Fl. austr.* 3, 274.  
 — — — *Nouveau Duhamel* 1, 16.  
 — — — *Guimpel Holzgew.* 10.  
 † — — — *Nees Gen.* X, x.  
 — *altaica Pall.* *Pallas Fl. ross.* 37.  
 — *angustifolia Wall.* *Journ. Hort. Soc.* 3, 239.  
 — *arborea Boiss.* *Boissier Esp.* 82.  
 — *Aucherii Jaub.* *Jaubert Illustr.* 73.  
 — *bicolor Klotzsch.* *Prinz Waldem. Him.* 71.  
 — *biflora Desf.* *Desf. Fl. atl.* 52.  
 — *bracteata Royle.* *Royle Illustr.* 53.  
 — *Caprifolium L.* *Jacq. Fl. austr.* 4, 352.  
 † — — — *Lam. Encycl.* 150.  
 — — — *Engl. Bot.* 12, 799.  
 — — — *Dict. sc. nat.* 105.  
 — — — *Hayne* 2, 37.  
 — — — *Guimpel Holzgew.* 6.  
 — *caucasica Pall.* *Jaubert Illustr.* 72.  
 — *chinensis Wats.* *Watson Dendr.* 2, 117.  
 — — — *Bot. Mag.* 61, 3316.  
 — *ciliata Mühlenb.* *Torrey New York* 42.  
 — *coerulea L.* *Jacq. Fl. austr.* 5, 17.  
 — — — *Nouveau Duhamel* 1, 17.  
 — — — *Bot. Mag.* 45, 1965.  
 — — — *Sv. Bot.* 355.  
 — — — *Guimpel Holzgew.* 11.  
 † — — — *Hoeven Tijdschr.* 6, 5.  
 — *connata Meerb.* *Meerb. Pl. sel.* 11.  
 — *cyrenaica Viv.* *Viviani Lib.* 8.  
 — *daurica Pall.* *Pallas Fl. ross.* 38.  
 — *Diervilla L.* *Linné Hort. Cliff.* 7.  
 — — — *Nouveau Duhamel* 1, 18.  
 — — — *Nees Düsseldorf.* 263.  
 — *dioica L.* *Bot. Reg.* 2, 138.  
 — *discolor Ldl.* *Bot. Reg.* 33, 44.  
 — *diversifolia Wall.* *Hook. Ic. pl.* 9, 807.  
 — — — *Bot. Reg.* 30, 33.  
 — *etrusca Santi.* *Santi Viaggi* 1, 1.



- Lonicera etrusca* *Santi*. Regel Gartenfl. 2, 38.  
 — *flava* *Sims*. Bot. Mag. 32, 1318.  
 — — — Lodd. Cab. 338.  
 — — — Herb. amat. 3, 162.  
 — *flexuosa* *Thunb.* Bot. Reg. 9, 712.  
 — — — Savi Fl. ital. 3, 103.  
 — — — Lodd. Cab. 1037.  
 — *glauca* *Hill*. Hill Hortus Kew. 18.  
 — — — Meerbürg Pl. sel. 12.  
 — *heterophylla* *Decne.* Jacquemont Ind. 88.  
 — *hirsuta* *Eaton*. Bot. Mag. 58, 3103.  
 — *hispidula* *Ledeb.* Ic. 212.  
 — *hypoleuca* *Decne.* Jacquemont Ind. 89.  
 — *japonica* *Thunb.* Andr. Rep. 9, 583.  
 — — — Kerner Hort. 717.  
 — — — Herb. amat. 2, 132.  
 — — — Bot. Reg. 1, 70.  
 — *iberica* *M. v. B.* Marshall Cent. 13.  
 — *implexa* *Ait.* Bot. Mag. 17, 640.  
 — *involuta* *Banks.* Bot. Reg. 14, 1179.  
 — *Ledebourii* *Eschsch.* Regel Gartenfl. 1853, 64.  
 — *Leschenaultii* *Wall.* Wight Illustr. 120.  
 — *ligustrina* *Wall.* Wight Spicil. 91.  
 — — — Wight Ic. pl. Ind. or. 3, 1025.  
 — *longiflora* *DC.* Bot. Reg. 15, 1232.  
 — *Loureiiri* *Bl.* Hook. Ic. pl. 9, 806.  
 — *macrogyne* *Klotzsch.* Prinz Waldem. Him. 72.  
 — *media* *Murr.* N. Comm. Gott. 7, 3.  
 — *microphylla* *Ledeb.* Ic. 213.  
 — *nigra* *L.* Jacq. Fl. austr. 4, 314.  
 — — — Guimpel Holzgew. 8.  
 — *numulariaefolia* *Jaub.* Jaubert Illustr. 70.  
 — *oblongifolia* *Hook.* Hook. Bor. Am. 100.  
 — *orientalis* *Lam.* Jaubert Illustr. 71.  
 — *Pallasii* *Ledeb.* Ic. 131.  
 — *Periclymenum* *L.* Fl. dan. 6, 908.  
 — — — Curt. Lond. 1, 25.  
 — — — Engl. Bot. 12, 800.  
 — — — Baxter Brit. Bot. 4, 287.  
 — — — Sv. Bot. 140.  
 — — — Schk. Handb. 40.  
 — — — Hayne 2, 38.  
 — — — Guimpel Holzgew. 7.  
 † — — — Nees Gen. X, x.  
 — *persica* *Jaub.* Jaubert Illustr. 69.  
 — *punicea* *Sims.* Bot. Mag. 51, 2469.  
 — *pyrenaica* *L.* Nouveau Duhamel 1, 15.  
 — *sempervirens* *L.* Bot. Mag. 20, 781. 42, 1753.  
 — — —  $\beta$ . minor, Bot. Reg. 7, 556.  
 — — — Savi Fl. ital. 3, 120.  
 — — — var. Regel Gartenfl. 2, 38.  
 — *splendida* *Boiss.* Boissier Esp. 81.  
 — *tatarica* *L.* Pallas Fl. ross. 36.  
 — — — Jacq. Ic. 37.  
 — — — Guimpel Fr. Holzgew. 87.  
 — — — Bot. Reg. 1, 31.  
 — *Xylosteum* *L.* Fl. dan. 5, 808.  
 — — — Sibth. Fl. gr. 223.  
 — — — Engl. Bot. 13, 916.  
 — — — Sv. Bot. 319.  
 — — — Schrank Fl. monac. 2, 117.  
 — — — Guimpel Holzgew. 9.  
 — — — Sturm Flora 20, 93.  
 † — — — Nees Gen. X, x.  
 † — *zeylanica* *Gaertn.* Gaertn. Carp. 27.  
 † *Lontarus domestica* *Gaertn.* Gaertn. Carp. 8.  
 † *Lopezia* *Cav.* Ann. Mus. 3, 30.  
 † — — — Kerner Genera 2.  
 — *coronata* *Andr.* Andr. Rep. 8, 551.  
 — — — Jacq. Ecl. pl. 110.  
 — — — Sweet Fl. G. 108.  
 — *hirsuta* *Jacq.* Jacq. Collect. 5, 15.

- Lopezia lineata* *Zucc.* Bot. Reg. 26, 40.  
 — *macrantha* *Benth.* Schw. Zeitschr. f. G. 8, p. 25.  
 — *macrophylla* *Benth.* Bot. Mag. 79, 4724.  
 — — — Fl. d. serres 7, 709.  
 — *mexicana* *Jacq.* Jacq. Ic. 203.  
 — *miniata* *DC.* Jacq. Ecl. pl. 109.  
 — *racemosa* *Cav.* Cav. Ic. 18.  
 — — — Bot. Mag. 8, 254.  
 † — — — König Ann. 1, 12.  
 — — — Bonpland Malm. 25.  
 — — — Herb. amat. 4, 275.  
 † *Lophanthera Kunthiana* *Juss.* Arch. Mus. 3, 6.  
 † *Lophanthus* *Forst.* Forster Charact. 14.  
 † — — — Lam. Encycl. 143.  
 — *anisatus* *Benth.* Bot. Reg. 15, 1282.  
 — *nepetoides* *Benth.* Rivinus Opus ined. 38.  
*Lophatherum gracile* *Brongn.* Brongniart Coquille 8.  
*Lophidium latifolium* *Rich.* Dict. sc. nat. 95.  
*Lophiola aurea* *Gawl.* Bot. Mag. 39, 1596.  
 — — — Lodd. Cab. 1314.  
 † *Lophira. alata* *Gaertn.* Gaertn. Carp. 188.  
 — — — Guillemain Seneg. 24.  
*Lophochloa phleoides* *Rehb.* Rehb. Fl. germ. 1, 73.  
 † — — — Nees Gen. 1, 63.  
*Lophogyne arcuifera* *Tul.* Arch. Mus. 6, 8.  
 — *helicandra* *Tul.* Arch. Mus. 6, 8.  
*Lopholaena californica* *Hook.* Hook. Beechey 95.  
 — *Dregeana* *DC.* Delessert Ic. 4, 59.  
*Lophopetalum Wightianum* *Arn.* Wight Ic. pl. Ind. or. 1, 162.  
 † *Lophophytum bolivianum* *Wedd.* Ann. sc. nat. III. 14, 10.  
 — *mirabile* *Sch. et E.* Schott et Endl. Melet. 1.  
 † — — — Ann. sc. nat. III. 14, 10.  
*Lophopterys splendens* *Juss.* Delessert Ic. 3, 29.  
 † — — — Arch. Mus. 3, 11.  
 † *Lophosciadium* *DC.* DC. Umbellifères 2.  
*Lophospermum atrosanguineum* *Zucc.* Münchn. Abh. 1, 13.  
 — *erubescens* *Don.* Bot. Reg. 16, 1381.  
 — — — Maund Bot. 5, 242.  
 — — — var. Paxt. Mag. 8, 75.  
 — *Rhodochiton* *Don.* Sweet Fl. G. II. 250.  
 — *scandens* *Don.* Bot. Mag. 57, 3037. 3038. 65, 3650.  
 — — — Maund Bot. 1, 17.  
 — — — Chavannes Antirrh. 1.  
 — — — Sweet Fl. G. II. 68. 401.  
*Lophostachys floribunda* *Pohl.* Pohl Bras. 162.  
 — *sessilifolia* *Pohl.* Pohl Bras. 163.  
 — *villosa* *Pohl.* Pohl Bras. 161.  
*Lophostylis angustifolia* *Hochst.* Richard Abyssin. 10.  
 — *pallida* *Klotzsch.* Peters Mossamb. 22.  
*Lopimia malacophylla* *Mart.* Bot. Mag. 74, 4365.  
 — — — Fl. d. serres 4, 350.  
 † *Loranthaceae* *Ldl.* Schnizl. Iconogr. 166.  
 † *Loranthus* *L.* (Ovulum.) Linn. Transact. 18, 4—9. 19, 19. 20. 21.  
 † — — — Ann. sc. nat. II. 11, 3.  
 † — — — Wight Illustr. 122.  
 — *Acaciae* *Zucc.* Münchn. Abh. 3, 2.  
 — *acutifolius* *Rz et P.* Ruiz et Pav. Fl. 274.  
 — *albiflorus* *Hook.* Hook. Ic. pl. 7, 683.  
 — *americanus* *Jacq.* Jacq. Hist. stirp. am. 98.  
 — — — Lam. Lam. Encycl. 258.  
 — — — Desc. Ant. 6, 390.  
 — *amplexifolius* *DC.* Wight Ic. pl. Ind. or. 1, 301.  
 — *atropurpureus* *Bl.* Blume Java 8, 1.  
 — *bicolor* *Roxb.* Roxb. Corom. 139.  
 — — — Kerner Hort. 441.  
 — *budleoides* *Desr.* Lam. Encycl. 258.  
 — *calculatus* *DC.* DC. Loranthacées 10.  
 — *Candolleanus* *Wight et Arn.* Wight Ic. pl. Ind. or. 1, 305.

- Loranthus capitellatus* *Wight et Arn.* *Wight Ic. pl. Ind. or. 1, 304.*
- *carinatus* *Wall.* DC. *Loranthacées 3.*
  - *chinensis* *DC.* DC. *Loranthacées 7.*
  - *chrysanthus* *Bl.* *Blume Java 8, 5.*
  - *cinnamomeus* *Wall.* DC. *Loranthacées 6.*
  - *coccineus* *Jack.* *Hook. Bot. Misc. 58.*
  - *Colensoi* *Hook. fil.* *Hook. Ic. pl. 7, 633.*
  - *congener* *Sieb.* DC. *Loranthacées 2.*
  - *cucullaris* *Lam.* *Journ. d'hist. nat. Par. 1, 23.*
  - *cuneatus* *Heyne.* *Hook. Companion 13.*
  - *cuneifolius* *Rz et P.* *Ruiz et Pav. Fl. 276.*
  - *curvatus* *Bl.* *Blume Java 8, 13.*
  - *dichotomus* *Rz et P.* *Ruiz et Pav. Fl. 274.*
  - — *Kerner Hort. 261.*
  - *doneaeifolius* *DC.* DC. *Loranthacées 9.*
  - *elasticus* *Desr.* *Rheede Hort. mal. 10, 3.*
  - — *Wight Ic. pl. Ind. or. 2, 343.*
  - *ellipticus* *Rz et P.* *Ruiz et Pav. Fl. 276.*
  - *Euphorbiae* *Wight.* *Wight Ic. pl. Ind. or. 3, 1063.*
  - *europaeus* *L.* *Jacq. En. vind. 3.*
  - — *Jacq. Fl. austr. 1, 30.*
  - — *Schk. Handb. 99.*
  - — *Sturm Flora 9, 34.*
  - — *Wagner 96.*
  - *evenius* *Bl.* *Blume Java 8, 16.*
  - *farinosus* *Desr.* DC. *Loranthacées 4.*
  - *fasciculatus* *Bl.* *Blume Java 8, 6.*
  - *ferrugineus* *Roxb.* *Hook. Bot. Misc. 59.*
  - *flavidus* *Hook.* *Hook. New Zeal. 27.*
  - *floribundus* *Lab.* *Bill. Nov. Holl. 113.*
  - *formosus* *Bl.* *Blume Java 8, 15.*
  - *fuscus* *Bl.* *Blume Java 8, 7.*
  - *glaucus* *Thunb.* *Ruiz et Pav. Fl. 275.*
  - *grandiflorus* *Rz et P.* *Ruiz et Pav. Fl. 273.*
  - — *Kerner Hort. 466.*
  - *heterophyllus* *Rz et P.* *Ruiz et Pav. Fl. 273.*
  - *indicus* *Desr.* *Lam. Encycl. 258.*
  - *Kanneli* *W. et A.* *Rheede Hort. mal. 10, 5.*
  - *lageniferus* *Wight.* *Wight Ic. pl. Ind. or. 1, 306.*
  - — *Hook. Ic. pl. 3, 229, 230.*
  - *lanceolatus* *Rz et P.* *Ruiz et Pav. Fl. 278.*
  - *Pal. B.* *Pal. B. Fl. d'Oware 64.*
  - *lepidotus* *Bl.* *Blume Java 8, 8.*
  - *leptanthus* *Wall.* DC. *Loranthacées 5.*
  - *longiflorus* *Desr.* *Rheede Hort. mal. 10, 4.*
  - — *Wight Ic. pl. Ind. or. 1, 302.*
  - *longifolius* *Hook.* *Hook. Ic. pl. 9, 880.*
  - *loniceroides* *L.* *Rheede Hort. mal. 7, 29.*
  - — *Wight Ic. pl. Ind. or. 1, 303.*
  - *macranthus* *Hook.* *Hook. Ic. pl. 8, 743, 744.*
  - *macrophyllus* *Zenk.* *Zenker Pl. ind. 16.*
  - *maculatus* *Bl.* *Blume Java 8, 13.*
  - *marginatus* *H. B. K.* *H. B. K. Nov. Gen. 3, 299.*
  - *memecylifolius* *Wight et Arn.* *Wight Ic. pl. Ind. or. 1, 142.*
  - *microphyllus* *H. B. K.* *H. B. K. Nov. Gen. 3, 300.*
  - *mutabilis* *P. et E.* *Poepp. et Endl. 183.*
  - *neilgherrensis* *W. et A.* *Zenker Pl. ind. 17.*
  - — *Wight Spicil. 88.*
  - — *Wight Ic. pl. Ind. or. 3, 1020.*
  - *obovatus* *Bl.* *Blume Java 8, 9.*
  - *obtusatus* *Wall.* *Wight Illustr. 119.*
  - *ovalifolius* *Rz et P.* *Ruiz et Pav. Fl. 277.*
  - *parviflorus* *Lam.* *Dict. sc. nat. 108.*
  - *pendulus* *Sieb.* DC. *Loranthacées 1.*
  - *Pentagonia* *DC.* DC. *Loranthacées 8.*
  - *pentandrus* *L.* *Blume Java 8, 10, 11.*
  - *pentapetalus* *Roxb.* *Wall. Pl. asiat. 225.*
  - — *Blume Java 8, 14, 23.*
  - *Poeppigii* *DC.* *Poepp. et Endl. 184.*
  - *praelongus* *Bl.* *Blume Java 8, 12.*

- Loranthus punctatus* *Rz et P.* *Ruiz et Pav. Fl. 277.*
- *repandus* *Bl.* *Blume Java 8, 3.*
  - *retroflexus* *Rz et P.* *Ruiz et Pav. Fl. 279.*
  - *ruficaulis* *P. et E.* *Poepp. et Endl. 185.*
  - *sarmentosus* *Rz et P.* *Ruiz et Pav. Fl. 278.*
  - *Schiedeanus* *Schlecht.* *Hook. Ic. pl. 4, 374.*
  - *Schultesii* *Bl.* *Blume Java 8, 2.*
  - *Scurrula* *L.* *Roxb. Corom. 140.*
  - *sessilifolius* *Pal. B.* *Pal. B. Fl. d'Oware 63.*
  - — *Rehb. Exot. 278.*
  - *sphaerocarpus* *Bl.* *Blume Java 8, 17, 23.*
  - *sphenoideus* *Bl.* *Blume Java 8, 4.*
  - *spicatus* *L.* *Jacq. Hist. stirp. am. 99.*
  - *subumbellatus* *Bl.* *Blume Java 8, 18.*
  - *tetragonus* *Bl.* *Blume Java 8, 19.*
  - *tetrandrus* *Rz et P.* *Ruiz et Pav. Fl. 275.*
  - *tomentosus* *Heyne.* *Wight Ic. pl. Ind. or. 2, 378.*
  - *uniflorus* *L.* *Jacq. Hist. stirp. am. 100.*
  - *vestitus* *Wall.* *Wall. Pl. asiat. 230.*
  - *Wallichianus* *Schult.* *Wight Ic. pl. Ind. or. 1, 143.*
- † *Lorinseria arceolata* *Presl.* *Fée Fil. 5, 17.*
- † *Loroglossum hircinum* *Rich.* *Nees Gen. 3, x.*
- † *Loteae* *DC.* (*Germinatio.*) DC. *Legum. 5—11.*
- Lotus albidus* *Lodd.* *Lodd. Cab. 1063.*
- — *Maund Bot. 5, 211.*
  - *ampylocladus* *Webb.* *Webb Canar. 62.*
  - *anthylloides* *Vent.* *Vent. Malm. 92.*
  - *arabicus* *L.* *Russell Aleppo 14.*
  - — *Jacq. Vind. 155.*
  - *arenarius* *Brot.* *Bot. Reg. 18, 1488.*
  - *aurantiacus* *Boiss.* *Boissier Esp. 53.*
  - *australis* *Andr.* *Andr. Rep. 10, 624.*
  - — *Bot. Mag. 33, 1365.*
  - *biflorus* *Desf.* *Desf. Fl. at. 210.*
  - *Broussonetii* *Choisy.* *Webb Canar. 57.*
  - *Brunneri* *Webb.* *Hook. Niger Fl. 3.*
  - — *Hook. Ic. pl. 8, 754.*
  - *conimbricensis* *Brot.* *Brotero Phytogr. 53.*
  - *corniculatus* *L.* *Fl. dan. 6, 991, 12, 1995.*
  - — *Sv. Bot. 334.*
  - — *Curt. Lond. 2, 136.*
  - — *Engl. Bot. 30, 2090.*
  - — *Baxter Brit. Bot. 4, 249.*
  - — *Schrank Fl. monac. 3, 279.*
  - — *Dietr. Fl. bor. 7, 486.*
  - † — — *Cosson Atlas 11.*
  - ! — — *Morren Fuchsia 9.*
  - *creticus* *L.* *Cav. Ic. 156.*
  - — *Sibth. Fl. gr. 758.*
  - — *Rehb. Hort. 50.*
  - *cytisoides* *L.* *All. Fl. ped. 3, 20.*
  - *diffusus* *Sm.* *Sibth. Fl. gr. 757.*
  - — *Engl. Bot. 13, 925.*
  - *Dioscoridis* *All.* *All. Fl. ped. 3, 59.*
  - *Doryenium* *L.* *Sibth. Fl. gr. 760.*
  - *edulis* *L.* *Cav. Ic. 157.*
  - — *Sibth. Fl. gr. 756.*
  - *criophthalmus* *Webb.* *Webb Canar. 59.*
  - *Gebelia* *Vent.* *Vent. Cels 57.*
  - *glaucus* *Ait.* *Webb Canar. 61.*
  - *gracilis* *W. et K.* *W. et Kit. 229.*
  - *hirsutus* *L.* *Bot. Mag. 10, 336.*
  - — *Sibth. Fl. gr. 759.*
  - *hispidus* *Desf.* *Loiseleur Fl. gall. 16.*
  - — *Lois.* *Engl. Bot. 2823.*
  - *holosericeus* *Webb.* *Webb Canar. 63.*
  - *jacobaeus* *L.* *Bot. Mag. 3, 79.*
  - *major* *Scop.* *Engl. Bot. 30, 2091.*
  - † — — *Cosson Atlas 11.*
  - *maritimus* *L.* *Fl. dan. 5, 800.*
  - — *Sv. Bot. 448.*
  - *microphyllus* *Hook.* *Bot. Mag. 55, 2808.*

- Lotus odoratus* *Donn.* Bot. Mag. 30, 1233.  
 — *ornithopodioides* *L.* Cav. Ic. 163.  
 — — *Schk.* Handb. 211.  
 — *parviflorus* *Desf.* Desf. Fl. atl. 211.  
 — — *DC.* Ic. Gall. 30.  
 — *pedunculatus* *Cav.* Cav. Ic. 164.  
 — *persicus* *Burm.* Burmann Fl. ind. 49.  
 — *pinnatus* *Hook.* Bot. Mag. 56, 2913.  
 † — *platycarpus* *Viv.* Viviani Aeg. 2.  
 — *purpureus* *Webb.* Hook. Ic. pl. 8, 757.  
 — — *Hook.* Niger Fl. 6.  
 — *pusillus* *Viv.* Viviani Lib. 17.  
 — *secundiflorus* *Viv.* Viviani Lib. 21.  
 — *sessilifolius* *DC.* Webb Canar. 60.  
 — *siliquosus* *L.* Jacq. Fl. austr. 4, 361.  
 † — — *Gaertn.* Carp. 153.  
 † — — *Lam.* Encycl. 611.  
 — *spartioides* *Webb.* Webb Canar. 64.  
 — *subpinnatus* *Lag.* Hook. Beechey 8.  
 — *tenuis* *W. et K.* Engl. Bot. 2615.  
 — *tetragonolobus* *L.* Bot. Mag. 5, 151.  
 — — *Sibth.* Fl. gr. 753.  
 — *tetraphyllus* *L.* Mem. Mus. 14, 15.  
 — *trigonelloides* *Webb.* Webb Canar. 65.  
 — *uliginosus* *Hoffm.* Fl. dan. 9, 1521.  
 — — *Dietr.* Fl. bor. 7, 487.  
 — *unibracteatus* *Viv.* Viviani Lib. 18.  
*Louichea Pteranthus* *L'her.* L'her. Stimp. 65.  
*Lourea Vespertilionis* *Desv.* Wight Ic. pl. Ind. or. 1, 285.  
*Loureira* *Cav.* Bull. philom. 1800. no. 25.  
 — *cuneifolia* *Cav.* Cav. Ic. 429.  
 — *glandulosa* *Cav.* Cav. Ic. 430.  
*Lowea berberifolia* *Ldl.* Bot. Reg. 15, 1261.  
 — — *Rehb.* Exot. 341.  
*Loxanthera speciosa* *Bl.* Blume Java 8, 20, 23.  
*Loxodon chilensis* *DC.* Gay Chile 36.  
 † *Loxogramme lanceolata* *Presl.* Hook. Gen. Fil. 73.  
*Loxonia acuminata* *R. Br.* Bennett Java 25.  
 † — — *Wight* Illustr. 159<sup>b</sup>.  
*Loxostylis alata* *Spr.* *Rehb.* Hort. 205.  
*Loxotis obliqua* *R. Br.* Bennett Java 24.  
*Loxsona Cunninghamii* *R. Br.* Hook. Companion 31, 32.  
 † — — *Hook.* Gen. Fil. 15.  
*Lubinia atropurpurea* *Link.* Link Ic. I. 27.  
 — — *Sweet* Fl. G. II. 34.  
 — *spathulata* *Vent.* Vent. Cels 96.  
*Lucaea gracilis* *Kth.* Humb. Gram. 159.  
*Lucilia chilensis* *H. et A.* Poepp. et Endl. 258.  
*Luciola sudetica* *Sm.* Johnston Fl. of Berwick 1, 2.  
*Luculia gratissima* *Sweet.* Sweet Fl. G. 145.  
 — — *Maund* Bot. 1, 41.  
 — — *Lodd.* Cab. 1919.  
 — — *Bot. Mag.* 68, 3946.  
 — — *Hart.* Parad. 1, 9.  
 — *Pinciana* *Hook.* Bot. Mag. 71, 4132.  
 — — *Fl. d. serres* 1, 11.  
 † *Lucuma domingense* *Gaertn. fil.* Gaertn. Carp. 204.  
 † — *mamosum* *Gaertn. fil.* Gaertn. Carp. 203, 204.  
 — — *Desc.* Ant. 2, 104.  
 † — *pallidum* *Gaertn. fil.* Gaertn. Carp. 204.  
 † — *Rivicoa* *Gaertn. fil.* Gaertn. Carp. 204.  
*Ludia heterophylla* *Lam.* Lam. Encycl. 466.  
 — — *Bory* Iles d'Afrique 24.  
 — *myrtifolia* *Lam.* Lam. Encycl. 466.  
 — *tuberculata* *Jacq.* Jacq. Schoenbr. 1, 112.  
*Ludovia funifera* *Poit.* Mem. Mus. 9, 1.  
 — *latifolia* *Pers.* Bot. Mag. 56, 2950, 2951.  
*Ludwigia alternifolia* *L.* Trow Pl. rar. 2.  
 † — — *Gaertn.* Carp. 31.  
 † — — *Lam.* Encycl. 77.  
 — *diffusa* *Ham.* *Rheede* Hort. mal. 2, 49.  
 — *jussieuoides* *Lam.* DC. Onagrariées 3.

- Ludwigia macrocarpa* *Michx.* Barton Fl. I, 14.  
 — *parviflora* *Roxb.* Wight Illustr. 101.  
 — *prostrata* *Roxb.* Wight Ic. pl. Ind. or. 3, 762.  
 — *repens* *Sw.* Swartz Ic. Ind. occ. 8.  
 — *sphaerocarpa* *Ell.* Torrey New York 29.  
*Luehea divaricata* *Mart.* Mart. Bras. 63.  
 — — *St. Hil.* Fl. Bras. 58.  
 — — *Rehb.* Exot. 353.  
 — *grandiflora* *Mart.* Mart. Bras. 61.  
 — *macrophylla* *Pohl.* Pohl Bras. 186.  
 — *microphylla* *Pohl.* Pohl Bras. 187.  
 — *paniculata* *Mart.* Mart. Bras. 62.  
 — — *St. Hil.* Pl. usuelles 66.  
 — *platypetala* *A. Rich.* Ramon Cuba 23.  
 — *rufescens* *St. Hil.* St. Hil. Fl. Bras. 58.  
 — *speciosa* *Willd.* Neue Schr. naturf. Fr. 3, 5.  
 — *uniflora* *St. Hil.* St. Hil. Fl. Bras. 57.  
*Luetkea siboldioides* *Bong.* Acad. Pet. 2, 2.  
*Luffa acutangula* *Roxb.* *Rheede* Hort. mal. 8, 7.  
 — *Cattu-picinna* *DC.* *Rheede* Hort. mal. 8, 8.  
 — *foetida* *Cav.* Cav. Ic. 9, 10.  
 — — *Bot. Mag.* 40, 1638.  
 — *pentandra* *Roxb.* Wight Ic. pl. Ind. or. 2, 499.  
 † — — *Wight* Illustr. 105<sup>bis</sup>.  
*Lugoa revoluta* *DC.* Webb Canar. 88.  
*Luisia teretifolia* *Gaudich.* Freycinet Voyage 37.  
 — — *Blume* Rumphia 194, 197.  
*Lumnitzera racemosa* *Willd.* *Rheede* Hort. mal. 6, 37.  
*Lunania racemosa* *Hook.* *Hook.* Journal 1844, 11, 12.  
 † *Lunaria L.* Medicus Gatt. 2.  
 — *annua* *L.* Schk. Handb. 182.  
 — — *Sv.* Bot. 478.  
 † — — *Lam.* Encycl. 561.  
 † — — *Mem. Institut.* 1830, 9.  
 — — *Dict. sc. nat.* 183.  
 — *argentea* *All.* All. Fl. ped. 3, 54.  
 — *biennis* *Moench.* Fl. dan. 11, 1880.  
 — — *Sturm* Flora 12, 48.  
 — — *Rehb.* Fl. germ. 2, 23.  
 † — — *Nees* Gen. X, x.  
 — *halimifolia* *All.* All. Fl. ped. 3, 54, 86.  
 — *libyca* *Viv.* Viviani Lib. 16.  
 — *parviflora* *Delile.* Delile Egypte 35.  
 † — *rediviva* *L.* Gaertn. Carp. 142.  
 — — *Rousseau* Bot. 12.  
 † — — *Lam.* Encycl. 561.  
 — — *Sturm* Flora 12, 48.  
 — — *Rehb.* Fl. germ. 2, 23.  
 — — *Fl. dan.* 13, 2231.  
 † — *Ricotia* *Gaertn.* Gaertn. Carp. 142.  
 — *suffruticosa* *Vent.* Vent. Cels 19.  
*Lundia asuminata* *Decne.* Revue hort. 1853, 12.  
*Lupinaster Ecklonianus* *Presl.* Presl Symbolae 32.  
 — *macrocephalus* *Pursh.* Pursh Fl. 23.  
*Lupinus albifrons* *Benth.* Bot. Reg. 19, 1642.  
 † — *albus* *L.* Schk. Handb. 198.  
 † — — *Lam.* Encycl. 616.  
 — — *Memorie Valdarnesi* 3, 1.  
 — *angustifolius* *L.* Sibth. Fl. gr. 685.  
 — *arboreus* *Sims.* Bot. Mag. 18, 682.  
 — — *Bot. Reg.* 24, 32.  
 — *arbustus* *Dougl.* Bot. Reg. 15, 1230.  
 — *arenarius* *Gardn.* Hook. Ic. pl. 6, 511.  
 — *aridus* *Dougl.* Bot. Reg. 15, 1242.  
 — *arvensis* *Benth.* Bot. Reg. 30, 1.  
 — *Barkeri* *Ldl.* Bot. Reg. 25, 56.  
 — — *Knowles* et Westcott 122.  
 — *bicolor* *Ldl.* Bot. Reg. 13, 1109.  
 — *bimaculatus* *Hook.* Sweet Fl. G. II. 314.  
 — *canaliculatus* *Sweet.* Sweet Fl. G. 283.  
 — *concinus* *Ag.* Agardh Lupinus 1.  
 — *Cruckshanksii* *Hook.* Bot. Mag. 58, 3056.

- Lupinus densiflorus* Benth. Bot. Reg. 20, 1689.  
 — *digitatus* Forsk. Visiani Aeg. 5.  
 — Ehrenbergii Schlecht. Bot. Reg. 33, 11.  
 — elegans H. B. K. Bot. Reg. 19, 1581.  
 — gracilis H. B. Humb. Mim. 52.  
 — Agardh. Agardh Lupinus 1.  
 — Hartwegii Ldl. Bot. Reg. 25, 31.  
 — — Lem. Jard. fl. 100.  
 — hirsutus L. Moris Fl. sard. 72.  
 — Hornemanni Agardh. Agardh Lupinus 2.  
 — incanus Grah. Bot. Mag. 60, 3283.  
 — latifolius Agardh. Bot. Reg. 22, 1891.  
 — laxiflorus Dougl. Bot. Reg. 14, 1140.  
 — lepidus Dougl. Bot. Reg. 14, 1149.  
 — — Lodd. Cab. 1980.  
 — leptocarpus Benth. Bot. Reg. 26, 38.  
 — leptophyllus Benth. Bot. Reg. 20, 1670.  
 — leucophyllus Dougl. Bot. Reg. 13, 1124.  
 — linifolius Roth. Roth Abhandl. 5.  
 — litoralis Dougl. Bot. Mag. 56, 2952.  
 — — Bot. Reg. 14, 1198.  
 — luteus L. Schk. Handb. 198.  
 — — Bot. Mag. 4, 140.  
 — — Sibth. Fl. gr. 686.  
 — macrophyllus Benth. Sweet Fl. G. II. 356.  
 — Marshallianus Sweet. Sweet Fl. G. II. 139.  
 — mexicanus Lag. Bot. Reg. 6, 457.  
 — micranthus Dougl. Bot. Reg. 15, 1251.  
 — microcarpus Sims. Bot. Mag. 50, 2413.  
 — mutabilis Sweet. Sweet Fl. G. 130.  
 — — var.  $\beta$ . Sweet Fl. G. II. 203.  
 — — Bot. Mag. 53, 2682.  
 — — Bot. Reg. 18, 1539.  
 — nanus Dougl. Hort. Transact. 8, 14.  
 — Benth. Bot. Reg. 20, 1705.  
 — — Sweet Fl. G. II. 257.  
 — nootkatensis Donn. Bot. Mag. 32, 1311. 47, 2136.  
 — — Lodd. Cab. 897.  
 — nubigenus H. B. Humb. Mim. 50.  
 — ornatus Dougl. Bot. Reg. 14, 1216.  
 — — Sweet Fl. G. II. 212.  
 — parvifolius Gardn. Hook. Ic. pl. 6, 521.  
 — perennis L. Bot. Mag. 6, 202.  
 — — Herb. amat. 2, 139.  
 — — Barton Fl. 2, 38.  
 — pilosus L. Sibth. Fl. gr. 684.  
 — plumosus Dougl. Bot. Reg. 15, 1217.  
 — polyphyllus Ldl. Bot. Reg. 13, 1096.  
 — — var. albiflorus. Bot. Reg. 16, 1377.  
 — — Rchb. Exot. 176.  
 — pubescens Benth. Lem. Jard. fl. 100.  
 — pulchellus Sweet. Sweet Fl. G. II. 67.  
 — ramosissimus Benth. Bot. Reg. 31, 25.  
 — rivularis Dougl. Bot. Reg. 19, 1595.  
 — Sabinianus Dougl. Bot. Reg. 17, 1435.  
 — Smithianus H. B. Humb. Mim. 51.  
 — subcarnosus Hook. Bot. Mag. 63, 3467.  
 — texensis Hook. Bot. Mag. 63, 3492.  
 † — Thermis Gasp. Acad. Neap. 6, (1851.) x.  
 — tomentosus DC. Sweet Fl. G. 261.  
 — trifoliatus Cav. Cav. Ic. 59.  
 — variegatus Poir. Rchb. Mag. 20.  
 † — varius L. Gaertn. Carp. 150.  
 † — — Lam. Encycl. 616.  
 † — — Mem. Instit. 1830, 10.  
 † — — Ann. sc. nat. III. 18, 16.  
 — versicolor Ldl. Bot. Reg. 23, 1979.  
 — — Sweet Fl. G. II. 12.  
 — villosus Willd. Pursh Fl. 21.  
 † Lupulus communis Gaertn. Gaertn. Carp. 75.  
 Luteola complicata Webb. Webb Otia 14.  
 Luvunga scandens Hamilt. Bot. Mag. 76, 4522.

- Luvunga scandens* Hamilt. Lem. Jard. fl. 75.  
*Luxemburgia ciliosa* Gardn. Bot. Mag. 70, 4048.  
 — — Paxt. Mag. 11, 3.  
 — — Hook. Ic. pl. 6, 516.  
 — corymbosa St. Hil. Mem. Mus. 12, 4.  
 — — St. Hil. Pl. rem. 30.  
 — speciosa St. Hil. Mem. Mus. 12, 3.  
 — — St. Hil. Pl. rem. 29.  
*Luziola brasiliiana* Moric. Moricaud Pl. Am. 60.  
 — peruviana Juss. Meyer Essequibo 2.  
 † *Luzula Desvaux*. Linn. Transact. 12, 9.  
 † — — Desvaux Journal 1, 5—6.  
 — — albidia Desv. Sturm Flora 9, 36.  
 — — Rchb. Fl. germ. 9, 385. 386.  
 — — Fl. dan. 14, 2467.  
 — alpina Hoppe. Sturm Flora 18, 77.  
 — arcuata Wahlb. Curt. Lond. 5, 151.  
 — — Hook. Engl. Bot. 2688.  
 — — Sm. Rchb. Fl. germ. 9, 378.  
 — campestris Desv. Curt. Lond. 2, 7.  
 — — Baxter Brit. Bot. 5, 379.  
 — — Sturm Flora 18, 77.  
 — — Rchb. Fl. germ. 9, 375. 376.  
 † — — Nees Gen. 2, 28.  
 — — Spach Suites 113.  
 — canariensis Poir. Webb Canar. 237.  
 — congesta Hornem. Fl. dan. 10, 1692.  
 — — Lejeune. Engl. Bot. 2718.  
 — — Rchb. Fl. germ. 9, 376.  
 — crinita Hook. Hook. Fl. ant. 48.  
 — decolor Webb. Webb Canar. 235.  
 — flavescens Gaud. Sturm Flora 18, 77.  
 — — Rchb. Fl. germ. 9, 383.  
 — Forsteri Sm. DC. Ic. Gall. 2.  
 — — Curt. Lond. 4, 68.  
 — — Sturm Flora 18, 77.  
 — — Rchb. Fl. germ. 9, 382.  
 — gigantea Desv. H. B. K. Nov. Gen. 7, 697.  
 — glabrata Hoppe. Sturm Flora 7, 28.  
 — — Desv. Rchb. Fl. germ. 9, 388.  
 — hyperborea R. Br. Rchb. Fl. germ. 9, 378.  
 — lactea Link. Rchb. Fl. germ. 9, 386.  
 — lutea Desv. Sturm Flora 18, 77.  
 — — Rchb. Fl. germ. 9, 385.  
 — maxima DC. Curt. Lond. 1, 147.  
 — — Sturm Flora 9, 36.  
 — — Willd. Rchb. Fl. germ. 9, 390.  
 — multiflora Lej. Rchb. Fl. germ. 9, 377.  
 — — Sturm Flora 18, 77.  
 — nemorosa Host. Rchb. Fl. germ. 9, 376.  
 — nigricans Desv. Rchb. Fl. germ. 9, 376.  
 — — Sturm Flora 18, 77.  
 — nivea Desv. Sturm Flora 9, 36.  
 — — Rchb. Fl. germ. 9, 384.  
 — pallescens Hoppe. Sturm Flora 18, 77.  
 — — Rchb. Fl. germ. 9, 377.  
 — parviflora Desv. Fl. dan. 11, 1929.  
 — — Rchb. Fl. germ. 9, 388.  
 — pediformis DC. Rchb. Fl. germ. 9, 380.  
 — pilosa Willd. Curt. Lond. 1, 146.  
 — — Sturm Flora 18, 77.  
 — — Rchb. Fl. germ. 9, 381.  
 † — — Nees Genera 2, 28.  
 — purpurea Link. Webb Canar. 236.  
 — purpureosplendens Seub. Seubert Fl. azor. 4.  
 — Sieberi Tausch. Rchb. Fl. germ. 9, 389.  
 — silvatica Bicheno. Rchb. Fl. germ. 9, 390.  
 — spadicea DC. Sturm Flora 7, 28.  
 — — Rchb. Fl. germ. 9, 387.  
 — spicata Desv. Sturm Flora 7, 28.  
 — — Rchb. Fl. germ. 9, 379.  
 — vernalis DC. Sv. Bot. 444.

- Luzuriaga radicans *Rz et P.* Ruiz et Pav. Fl. 298.  
 † — — — Kerner Genera 148.  
*Lyallia kerguelensis* *Hook.* Hook. Fl. ant. 122.  
*Lycaste fulvescens* *Hook.* Bot. Mag. 71, 4193.  
 — gigantea *Ldl.* Bot. Reg. 31, 34.  
 — macrophylla *Ldl.* Annales de Gand 1848, 222.  
 — plana *Ldl.* Bot. Reg. 29, 35.  
 — Skinneri *Ldl.* Paxt. Mag. 11, 1.  
 — — — Bot. Mag. 75, 4445.  
 — — — Fl. d. serres 4, 303. 304.  
 † *Lychnis L.* Lam. Encycl. 391.  
 † — — Mutel Fl. franç. 13.  
 — alpina *L.* Fl. dan. 1, 65.  
 — — — Sv. Bot. 693.  
 — — — Bot. Mag. 11, 394.  
 — — — Engl. Bot. 32, 2254.  
 — — — Tratt. Thes. 66.  
 — — — Sturm Flora 13, 51.  
 — — — Rchb. Fl. germ. 6, 307.  
 — apetala *L.* Linné Fl. lapp. 12.  
 — — — Wahlenberg Fl. lapp. 7.  
 — — — Fl. dan. 5, 806.  
 — arvensis *Roth.* Schrank Fl. monac. 1, 84.  
 — Bungeana *Fisch. et M.* Bot. Mag. 64, 3594.  
 — — — Bot. Reg. 22, 1864.  
 — chaledonica *L.* Bot. Mag. 8, 257.  
 † — — — Gaertn. Carp. 130.  
 — — — Rchb. Fl. germ. 6, 305.  
 — coronata *Thunb.* Bot. Mag. 7, 223.  
 — — — Kerner Hort. 3.  
 — — — Lodd. Cab. 1433.  
 — — — Herb. amat. 1, 25.  
 — Cyrilli *Richter.* Rchb. Fl. germ. 6, 306.  
 — dioica *L.* Fl. dan. 5, 792.  
 — — — Curt. Lond. 3, 126.  
 — — — Engl. Bot. 22, 1579.  
 — — — Schk. Handb. 124.  
 — — — Dreves 2, 57.  
 — — — Hayne 2, 3.  
 — — — Dietr. Fl. bor. 3, 159.  
 — — — Rchb. Fl. germ. 6, 304.  
 — diurna *Sibth.* Sturm Flora 6, 23.  
 — — — Rchb. Fl. germ. 6, 304.  
 — — — Dietr. Fl. bor. 12, 799.  
 — divaricata *Rchb.* Rchb. Ic. crit. 4, 303.  
 — fimbriata *Wall.* Royle Illustr. 20.  
 — flos cuculi *L.* Fl. dan. 4, 590.  
 — — — Curt. Lond. 3, 119.  
 — — — Engl. Bot. 8, 573.  
 — — — Baxter Brit. Bot. 1, 71.  
 — — — Dreves 1, 13.  
 — — — Schrank Fl. monac. 2, 172.  
 — — — Dietr. Fl. bor. 3, 195.  
 — — — Rchb. Fl. germ. 6, 306.  
 † — flos Jovis *Desr.* Mem. Instit. 1830, 5.  
 † — — — Ann. sc. nat. 17, 16.  
 — — — Rchb. Fl. germ. 6, 305.  
 — fulgens *Fisch.* Bot. Mag. 46, 2104.  
 — — — Bot. Reg. 6, 478.  
 — — — Rchb. Mag. 5.  
 — — — Kerner Hort. 660.  
 — Githago *Lam.* Sturm Flora 2, 5.  
 — — — Schrank Fl. monac. 1, 31.  
 — — — Dietr. Fl. bor. 3, 194.  
 — grandiflora *Jacq.* Jacq. Ic. 84.  
 — — — Spach Suites 38.  
 — — — Dict. sc. nat. 191.  
 — — — Paxt. Mag. 2, 1.  
 — — — Sieb. Fl. Japon. 48.  
 — laeta *Ait.* Brotero Phytogr. 74.  
 — macrocarpa *Boiss.* Explor. Alger. 80.  
 — nemoralis *Heuff.* Rchb. Fl. germ. 6, 303.

- Lychnis pyrenaica* *Berg.* Bot. Mag. 60, 3269.  
 — Senno *S. et Z.* Sieb. Fl. Japon. 49.  
 — silvestris *Schrank.* Schrank Fl. monac. 1, 79.  
 — — *Rafn.* Fl. dan. 13, 2172.  
 — suecica *Lodd.* Lodd. Cab. 881.  
 — triflora *R. Br.* Fl. dan. 13, 2173.  
 — tristis *Led.* Ledeb. Ic. 3.  
 — variegata *Desf.* Ann. Mus. 11, 44.  
 — — — Desf. Choix 56.  
 — vespertina *Sibth.* Sturm Flora 6, 23.  
 — — — Explor. Alger. 80.  
 — — — Viscaria *L.* Fl. dan. 6, 1032.  
 — — — Sv. Bot. 672.  
 — — — Engl. Bot. 11, 788.  
 — — — Rchb. Fl. germ. 6, 307.  
 — — — Dietr. Fl. bor. 6, 411.  
*Lycium afrum* *L.* Rivinus Opus ined. 97.  
 — — — Lam. Encycl. 112.  
 — — — Nouveau Duhamel 1, 29.  
 — — — Bot. Reg. 5, 354.  
 — — — Sweet Fl. G. II. 324.  
 — aggregatum *Rz et P.* Ruiz et Pav. Fl. 182.  
 — barbarum *L.* Schk. Handb. 46.  
 † — — — Gaertn. Carp. 132.  
 — — — Watson Dendr. 1, 9.  
 — — — Dict. sc. nat. 33.  
 † — — — Nees Gen. 5, 61.  
 — chilense *Colla.* Mem. Tur. 38, 44.  
 — chinense *Mill.* Lam. Encycl. 112.  
 — — — Nouveau Duhamel 1, 30.  
 — — — *Du Hamel.* Watson Dendr. 1, 8.  
 — cinereum *Willd.* Linn. Transact. 9, 16.  
 — europaeum *L.* Rivinus Opus ined. 97.  
 — — — Sibth. Fl. gr. 236.  
 — — — Janbert Illustr. 403.  
 — fuchsoides *H. B.* Humb. Pl. aeq. 42.  
 — — — Bot. Mag. 71, 4149.  
 — — — Fl. d. serres 1, 27.  
 — heterophyllum *Murr.* Comm. Gott. 6, 2.  
 — horridum *Willd.* Linn. Transact. 9, 17.  
 — japonicum *Thunb.* Thunberg Fl. jap. 17.  
 — — — Bot. Mag. 11, 361.  
 † — indicum *Wight.* Wight Illustr. 166<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1403.  
 — lanceolatum *Poir.* Nouveau Duhamel 1, 32.  
 — obovatum *Rz et P.* Ruiz et Pav. Fl. 183.  
 — quitense *Hook.* Hook. Ic. pl. 8, 723.  
 — rigidum *Willd.* Linn. Transact. 9, 14.  
 — ruthenicum *Murr.* Comm. Gott. 2, 2.  
 — salsum *Rz et P.* Ruiz et Pav. Fl. 183.  
 — spatulatum *Rz et P.* Ruiz et Pav. Fl. 183.  
 — tataricum *Pall.* Pallas Fl. ross. 49.  
 — tetrandrum *Thunb.* Linn. Transact. 9, 15.  
 — turbinatum *Mill.* Nouveau Duhamel 1, 31.  
 — umbellatum *Rz et P.* Ruiz et Pav. Fl. 182.  
 † *Lycopodium cerasiforme* *Dun.* Ann. sc. nat. III. 19, 14.  
 † — — — esculentum *Mill.* Wight Illustr. 166<sup>b</sup>.  
 † — — — Nees Gen. 5, 59.  
 — — — var. flavum, Annales de Gand 1846, 99.  
 † — — — Ann. sc. nat. III. 18, 16.  
 — peruvianum *Mill.* var. commutatum, Link Ic. III. 35.  
 † — pyriforme *Dun.* Ann. sc. nat. III. 19, 14.  
 † *Lycopodiaceae* *Sw.* Bischoff Crypt. Gew. 10. 11. 12.  
 † — — — Jard. Ann. 19, 2 — 6.  
 † — — — Arch. Mus. 1, 32.  
 † — — — Schnizl. Iconogr. 1, 36.  
 † *Lycopodium L.* Hofmeister Untersuchungen 23.  
 — acrostachyum *Wall.* Hook. Ic. Fil. 2, 181.  
 — aloifolium *Wall.* Hook. Ic. Fil. 2, 223.  
 — — — Zenker Fl. ind. 12.  
 — alopecuroides *L.* Schk. Fil. 160.

- Lycopodium alpinum* L. Linné Fl. lapp. 11.  
 — — — Fl. dan. 1, 79.  
 — — — Schk. Fil. 161.  
 — — — Sturm Flora II. 2, 12.  
 — — — Engl. Bot. 4, 234.  
 — — — Newman p. 365.  
 — annotinum L. Fl. dan. 1, 127.  
 — — — Sv. Bot. 570.  
 — — — Engl. Bot. 24, 1727.  
 — — — Schk. Fil. 162.  
 — — — Sturm Flora II. 2, 10.  
 — — — Newman p. 361.  
 — Arbuscula Kaulf. Hook. Ic. Fil. 2, 200.  
 — articulatum Kze. Kunze Fil. 99.  
 — atrovirens Presl. Presl Reliq. 12.  
 — atroviride Wall. Hook. Ic. Fil. 1, 39.  
 † — — Hook. Gen. Fil. 117.  
 — Belangeri Bory. Bélanger Ind. or. 1.  
 — biforme Hook. Hook. Ic. pl. 3, 228.  
 — brasiliense Raddi. Raddi Fil. 1.  
 — catharticum Hook. Jard. Ann. 1, 14.  
 — cernuum L. Rheede Hort. mal. 12, 39.  
 — — — Rumpf Amb. 6, 40. fig. 1.  
 — — — Desc. Ant. 4, 249.  
 — clavatum L. Fl. dan. 1, 126.  
 — — — Engl. Bot. 4, 224.  
 — — — Sv. Bot. 59.  
 — — — Lam. Encycl. 872.  
 — — — Schk. Fil. 162.  
 — — — Sturm Flora II. 2, 9.  
 — — — Schrank Fl. monac. 4, 371.  
 — — — Hayne 8, 47.  
 — — — Nees Düsseld. 13.  
 — — — Guimpel et Schl. 18.  
 — — — Wagner 182.  
 — — — Newman p. 353.  
 ! — — (caulis fascic.) Kunze Analecta 1.  
 — compactum Hook. Hook. Ic. pl. 3, 244.  
 — complanatum L. Fl. dan. 1, 78.  
 — — — Sv. Bot. 95.  
 — — — Schk. Fil. 163.  
 — — — Sturm Flora II. 2, 11.  
 † — — Hook. Gen. Fil. 117.  
 — contextum Mart. Mart. Crypt. bras. 20.  
 — crassum Humb. Hook. Ic. Fil. 2, 224.  
 — curvifolium Kze. Kunze Analecta 1.  
 — diaphanum Sw. Hook. Ic. Fil. 2, 227.  
 — debile Bory. Bélanger Ind. or. 1.  
 — dendroideum Michx. Schk. Fil. 164.  
 — — — Hook. Exot. Fl. 7.  
 — densum Lab. Bill. Nov. Holl. 251.  
 † — denticulatum L. (Germinatio.) Linn. Transact.  
 12, 19.  
 — — — Jacq. Vind. 3, 45.  
 — Douglasii H. et Gr. Hook. Ic. pl. 2, 177.  
 — erythropus Mart. Mart. Crypt. bras. 20.  
 — filiforme Sw. Swartz Synopsis Fil. 4.  
 — — — Raddi Fil. 4<sup>b</sup>.  
 — Flagellaria Bory. Brongniart Coquille 26.  
 — fontinaloides Spring. Endl. Bras. 1, 5.  
 — funiforme Bory. Kunze Fil. 79.  
 — gnidioides L. fil. Schlechtendal Fil. 2.  
 — — — Hook. Ic. Fil. 1, 50.  
 — gracillimum Kze. Kunze Fil. 100.  
 — haematodes Kze. Kunze Fil. 30.  
 — helveticum L. Jacq. Fl. austr. 2, 196.  
 — — — Schk. Fil. 165.  
 — — — Sturm Flora II. 2, 16.  
 — heterophyllum H. et Gr. Hook. Ic. Fil. 1, 113.  
 — Hookeri Wall. Hook. Ic. Fil. 2, 185.  
 — inflexum Sw. Dict. sc. nat. 78.

- Lycopodium inundatum* L. Fl. dan. 2, 336.  
 — — — Engl. Bot. 4, 239.  
 — — — Newman p. 369.  
 — — — Sv. Bot. 612.  
 † — — — Wahlenberg Fl. lapp. 26.  
 — — — Schk. Fil. 160.  
 — — — Sturm Flora II. 2, 13.  
 — jungermannoides Gaudich. Dict. sc. nat. 77.  
 — Jussieui Desv. Hook. Ic. pl. 2, 186.  
 — laterale Lab. Bill. Sertum 15.  
 — lepidophyllum H. et Gr. Hook. Ic. pl. 2, 162: 163.  
 — — — Linnaea 12, 3.  
 — macrophyllum Mart. Münchn. Denkschr. 6, J.  
 — mandiocanum Raddi. Raddi Fil. 4.  
 — marginatum Raddi. Raddi Fil. 1.  
 — Mathewsii Hook. Hook. Ic. pl. 1, 26.  
 — Menziesii H. et Gr. Hook. Ic. Fil. 2, 200.  
 — myrtifolium N. et Bl. Acta Leop. 11. 1, 12.  
 — nitens Schlecht. Kunze Fil. 80.  
 — nummularifolium Bl. Hook. Ic. Fil. 2, 212.  
 — ovalifolium H. et Gr. Hook. Ic. Fil. 2, 177.  
 — pachystachyum Spring. Gaudichaud Bonite 34.  
 — paradoxum Mart. Mart. Crypt. bras. 20.  
 — pendulinum Hook. Hook. Ic. pl. 1, 90.  
 — peruvianum Mill. Bot. Mag. 55, 2814.  
 — Phlegmaria L. Rheede Hort. mal. 12, 14.  
 — — — Rumpf Amb. 6, 41.  
 — — — Dict. sc. nat. 79.  
 — phlegmarioides Gaudich. Freycinet Voyage 23.  
 — pichinchense Hook. Hook. Ic. pl. 1, 85.  
 — piliferum Raddi. Raddi Fil. 3.  
 — plumosum L. Schk. Fil. 165.  
 — pulcherrimum Wall. Hook. Ic. Fil. 1, 38.  
 — pumilum Schlecht. Schlechtendal Fil. 3.  
 — — —  $\alpha$ . pygmaeum, Schlechtendal Fil. 3.  
 — — —  $\beta$ . bryoides, Schlechtendal Fil. 3.  
 — pygmaeum Kaulf. Kunze Fil. 100.  
 — quadrangulare Spring. Endl. Bras. 1, 5.  
 — reflexum Willd. Schk. Fil. 159.  
 — — — Kunze Fil. 90.  
 — repens Sw. Schlechtendal Fil. 4.  
 — rubrum Cham. Kunze Fil. 40.  
 — rufescens Hook. Hook. Ic. pl. 1, 36.  
 — rupestre L. Schk. Fil. 165.  
 — — — Raddi Fil. 4<sup>b</sup>.  
 — sabinaefolium Willd. Hook. Bor. Am. 238.  
 — sanguinolentum L. Linné Amoenit. 2, 4.  
 — Saururus Lam. Bory Des d'Afrique 16.  
 — scandens Pal. B. Kunze Fil. 10.  
 — scariosum Hook. Hook. Ic. pl. 1, 89.  
 — selaginoides L. Fl. dan. 1, 70.  
 — — — Sv. Bot. 612.  
 † — — — Wahlenberg Fl. lapp. 26.  
 — — — Engl. Bot. 16, 1148.  
 — — — Newman p. 371.  
 — — — Schk. Fil. 165.  
 — — — Sturm Flora II. 2, 15.  
 † — Selago L. Fl. dan. 1, 104.  
 — — — Hedwig Theoria 9.  
 — — — Schk. Fil. 159.  
 — — — Sv. Bot. 119.  
 — — — Sturm Flora II. 2, 14.  
 — — — Engl. Bot. 4, 233.  
 — — — Newman p. 375.  
 — serratum Thunb. Thunberg Fl. jap. 38.  
 — — — Hook. Ic. Fil. 1, 37.  
 — — — Dict. sc. nat. 76.  
 — Springii Gaudich. Gaudichaud Bonite 12.  
 — stoloniferum Raddi. Raddi Fil. 2.  
 — subulifolium H. et Gr. Hook. Ic. Fil. 1, 49.  
 † — taxifolium Sw. Hook. Gen. Fil. 88.  
 — — — Hook. Ic. Fil. 2, 131.

- Lycopodium tenue* H. B. K. H. B. K. Nov. Gen. 7, 671.  
 — *tetragonum* H. et Gr. Hook. Ic. Fil. 1, 109.  
 — *uliginosum* Lab. Bill. Nov. Holl. 251.  
 — *D'Urvillaei* Bory. Brongniart Coquille 25.  
 — *varium* R. Br. Hook. Ic. Fil. 1, 112.  
 — *venustum* Gaudich. Freycinet Voyage 22.  
 — *volubile* Forst. Hook. Ic. Fil. 2, 170.  
 — *Willdenowii* Desv. Hook. Ic. Fil. 1, 57.  
 — *yemensis* Sw. Swartz Synopsis Fil. 4.  
*Lycoposis arvensis* L. Fl. dan. 3, 435.  
 — — — Curt. Lond. 3, 38.  
 — — — Engl. Bot. 14, 938.  
 — — — Baxter Brit. Bot. 1, 21.  
 † — — — Lam. Encycl. 92.  
 — — — Schk. Handb. 31.  
 — — — Schrank Fl. monac. 2, 148.  
 — — — Dietr. Fl. bor. 3, 200.  
 † — — — Nees Gen. 6, 72.  
 — *bullata* Cir. Cirillo Pl. rar. 1, 11.  
 — — — Tenore Fl. nap. 115.  
 — *mollis* Vis. Mem. Ist. ven. 1, 6.  
 — *nigricans* Lam. Hoffm. Lk. Fl. port. 23.  
 — *pulla* L. Jacq. Fl. austr. 2, 185.  
 † — — — Gaertn. Carp. 67.  
 — *rosea* Lehmann. Rchb. Ic. crit. 4, 330.  
 — *variegata* L. Sibth. Fl. gr. 178.  
 † *Lycopus europaeus* L. Lam. Encycl. 18.  
 — — — Fl. dan. 7, 1081.  
 — — — Curt. Lond. 3, 33.  
 — — — Engl. Bot. 16, 1105.  
 — — — Baxter Brit. Bot. 3, 167.  
 — — — Sv. Bot. 262.  
 — — — Schk. Handb. 4.  
 — — — Dietr. Fl. bor. 2, 78.  
 † — — — Nees Gen. 6, 7.  
 — *exaltatus* L. Rivinus Opus ined. 16.  
 — — — Sibth. Fl. gr. 12.  
 — *pinnatifidus* Pall. Pallas Fl. ross. 3, 2.  
 — *virginicus* L. Rafin. Med. 61.  
*Lycoris aurea* Herb. Fl. d. serres 4, 410.  
*Lycurus phleoides* H. B. K. H. B. K. Nov. Gen. 1, 45.  
*Lygeum Spartum* L. Loeffling Iter 2.  
 † — — — Linné Amoenit. 7, 2.  
 — — — Schreber Gräser 52, 53.  
 † — — — Gaertn. Carp. 181.  
 — — — Mem. soc. hist. nat. Par. 1799, 3.  
 — — — König Annals 2, 15.  
 † — *spathaceum* Lam. Lam. Encycl. 39.  
*Lygodesmia juncea* Don. Hook. Bor. Am. 103.  
 — *minor* Hook. Hook. Bor. Am. 103.  
 † *Lygodictyon Forsteri* Sm. Hook. Gen. Fil. 111.  
 † *Lygodisodea Rz et P.* Ruiz et Pav. Prodr. 5.  
 — *brasiliensis* Gardn. Hook. Journal 1840, 2.  
 — *fœtida* Rz et P. Ruiz et Pav. Fl. 188.  
 † *Lygodium Sw.* Schrader Journal 1801, 2.  
 † — — — Kaulfuss Enumeratio 1.  
 — *circinatum* R. Br. Rumpf Amb. 6, 33.  
 — *dichotomum* Sw. Hook. Ic. Fil. 1, 55.  
 — *flexuosum* Sw. Rheede Hort. mal. 12, 32.  
 — *hastatum* Mart. Mart. Crypt. bras. 57.  
 — *heterodoxum* Kze. Kunze Fil. 113.  
 — *microphyllum* R. Br. Rumpf Amb. 6, 32, fig. 2, 3.  
 — *palmatum* Sw. Schk. Fil. 140.  
 — — — Barton Fl. 3, 88.  
 — — — Torrey New York 161.  
 — *pinnatifidum* Sw. Rheede Hort. mal. 12, 33.  
 — *reticulatum* Sw. Schk. Fil. 139.  
 — *scandens* Sw. Rheede Hort. mal. 12, 34.  
 — — — Schk. Fil. 138.  
 — — — Lodd. Cab. 742.  
 — *venustum* Sw. Schk. Fil. 139.  
 † — *volubile* Hook. Hook. Gen. Fil. 28.

- Lyonia capreaefolia* Wats. Watson Dendr. 2, 127.  
 — *jamaicensis* Don. Bot. Mag. 72, 4273.  
 — *multiflora* Wats. Watson Dendr. 2, 128.  
 — *paniculata* Nutt. Watson Dendr. 1, 37.  
 — *salicifolia* Wats. Watson Dendr. 1, 38.  
*Lyperanthus nigricans* R. Br. Endl. Iconogr. 7.  
*Lyperia canariensis* Webb. Webb Canar. 184.  
*Lyrocarpa Coulteri* Hook. et Harv. Hook. Journ. 1845, 4.  
*Lysiloma Schiedeana* Benth. Bentham Sulphur 31.  
*Lysimachia anagaloides* Sibth. Sibth. Fl. gr. 190.  
 — *atropurpurea* L. Sibth. Fl. gr. 187.  
 — — — Comm. Gott. 5, 1.  
 — — — Hook. Exot. Fl. 180.  
 — *azorica* Hornem. Bot. Mag. 60, 3273.  
 — *bulbifera* Curt. Bot. Mag. 3, 104.  
 — *ciliata* L. Engl. Bot. 2922.  
 — *daurica* Led. Ledeb. Ic. 214.  
 — *deltoidea* Wight. Wight Illustr. 144.  
 — *dubia* Ait. Sibth. Fl. gr. 188.  
 — *Ephemerum* L. Comm. Gott. 5, 2.  
 — — — Bot. Mag. 49, 2346.  
 — *glaucophylla* Hook. Hook. Beechey 68.  
 — *japonica* Thunb. Thunb. Ic. jap. 16.  
 — *Leschenaultii* Duby. Mem. Genev. 10, 4.  
 — — — Wight Spicil. 132.  
 — — — Wight Ic. pl. Ind. or. 4, 1204.  
 — *lineariloba* Hook. Hook. Beechey 56.  
 † — *Linum stellatum* L. Gaertn. Carp. 50.  
 — — — Sibth. Fl. gr. 189.  
 — *lobelioides* Ldl. Bot. Reg. 28, 6.  
 — *longifolia* Pursh. Lodd. Cab. 1422.  
 — *memorum* L. Fl. dan. 1, 174.  
 — — — Curt. Lond. 1, 45.  
 — — — Engl. Bot. 8, 527.  
 — — — Baxter Brit. Bot. 4, 310.  
 — — — Dreyes 4, 103.  
 — — — Sturm Flora 1, 1.  
 — — — Schrank Fl. monac. 4, 383.  
 — — — Dietr. Fl. bor. 10, 652.  
 † — — — Nees Gen. 5, 16.  
 — *Numularia* L. Fl. dan. 3, 493.  
 — — — Curt. Lond. 2, 34.  
 — — — Engl. Bot. 8, 528.  
 — — — Schk. Handb. 36.  
 — — — Hayne 8, 16.  
 — — — Schrank Fl. monac. 3, 276.  
 — — — Dietr. Fl. bor. 2, 89.  
 † — — — Nees Gen. 5, 15.  
 — *Otani* Asso. Asso Aragon. 2.  
 — *punctata* L. Jacq. Fl. austr. 4, 366.  
 — *quadriflora* Sims. Bot. Mag. 18, 660.  
 † — *quadrifolia* L. Gaertn. Carp. 50.  
 † — — — Lam. Encycl. 101.  
 — *Quartiniana* Rich. Richard Abyssin. 65.  
 — *racemosa* Michx. Barton Fl. 1, 1.  
 — *repens* D'Urv. Hook. Ic. pl. 6, 536.  
 — *thyrsoiflora* L. Fl. dan. 3, 517.  
 — — — Engl. Bot. 3, 176.  
 — — — Bot. Mag. 45, 2012.  
 — — — Dietr. Fl. bor. 5, 326.  
 — *verticillata* M. v. B. Marschall Cent. 32.  
 — — — Bot. Mag. 49, 2295.  
 — — — Sweet Fl. G. 21.  
 — — — Herb. amat. 3, 209.  
 † — — — Nees Gen. 5, 15.  
 † — *vulgaris* L. Fl. dan. 4, 689.  
 — — — Lam. Encycl. 101.  
 — — — Curt. Lond. 3, 28.  
 — — — Engl. Bot. 11, 761.  
 — — — Sv. Bot. 345.  
 — — — Dreyes 2, 59.  
 — — — Hayne 8, 15.

- Lysimachia vulgaris* L. Schrank Fl. monac. 2, 105.  
 — — — — — Dietr. Fl. bor. 2, 90.  
*Lysionotus ternifolia* Wall. Wall. Pl. asiat. 118.  
*Lysipomia acaulis* H. B. K. H. B. K. Nov. Gen. 3, 267.  
 — — — — — aretioides H. B. K. H. B. K. Nov. Gen. 3, 267.  
 — — — — — montioides H. B. K. H. B. K. Nov. Gen. 3, 266.  
 — — — — — muscoides Hook. Hook. Journal 1847, 9.  
 — — — — — reniformis H. B. K. H. B. K. Nov. Gen. 3, 266.  
*Lythrum alatum* Pursch. Bot. Mag. 43, 1812.  
 — — — — — anomalum St. Hil. St. Hil. Fl. Bras. 186.  
 — — — — — cashmerianum Royle. Royle Illustr. 44.  
 — — — — — diffusum Sweet. Sweet Fl. G. 149.  
 — — — — — divaricatum Colla. Mem. Tur. 37, 14.  
 — — — — — fruticosum L. Andr. Rep. 7, 467.  
 — — — — — — — — Roxb. Corom. 31.  
 — — — — — geminiflorum Jord. Jordan Obs. 5, 2.  
 — — — — — Graefferi Ten. Tenore Fl. nap. 142.  
 — — — — — — — — Lodd. Cab. 1338.  
 — — — — — Hyssopifolia L. Ruppis Fl. jen. 6.  
 — — — — — — — — Jacq. Fl. austr. 2, 133.  
 — — — — — — — — Schk. Handb. 128.  
 — — — — — — — — Dietr. Fl. bor. 12, 815.  
 — — — — — — — — Engl. Bot. 5, 292.  
 † — — — — — — — — Plée Types 54.  
 — — — — — Pemphis L. Lam. Encycl. 408.  
 — — — — — Salicaria L. Scherbius Lythrum 1.  
 — — — — — — — — Freyer Lythrum 1.  
 — — — — — — — — Fl. dan. 4, 671.  
 — — — — — — — — Curt. Lond. 1, 108.  
 — — — — — — — — Engl. Bot. 15, 1061.  
 — — — — — — — — Baxter Brit. Bot. 3, 229.  
 — — — — — — — — Woody. Med. 5, 19.  
 — — — — — — — — Lam. Encycl. 408.  
 — — — — — — — — Sv. Bot. 256.  
 † — — — — — — — — Usteri Annalen 5, 1.  
 † — — — — — — — — Schk. Handb. 128.  
 — — — — — — — — Schrank Fl. monac. 1, 52.  
 — — — — — — — — Hayne 3, 39.  
 — — — — — — — — Nees Düsseld. 295.  
 — — — — — — — — Wagner 90.  
 — — — — — — — — Dietr. Fl. bor. 2, 121.  
 — — — — — — — — var. Verhandl. Rheinl. 5, 1.  
 — — — — — — — — Salzmanni Jord. Jordan Obs. 5, 2.  
 — — — — — — — — verticillatum β. Bert. Novi Comm. Bonon. 6, 21.  
 — — — — — — — — virgatum L. Jacq. Fl. austr. 1, 7.  
 † — — — — — — — — Gaertn. Carp. 62.  
 — — — — — — — — Bot. Mag. 25, 1003.  
 — — — — — — — — Dict. sc. nat. 233.  
 † — — — — — — — — Spach Suites 36.  
 † Maba Forst. Forster Charact. 61.  
 — — — — — — — — buxifolia Juss. Wight Ic. pl. Ind. or. 3, 763.  
 — — — — — — — — Ebenus Spr. Wight Ic. pl. Ind. or. 4, 1228. 29.  
 — — — — — — — — elliptica Forst. Bill. Sertum 35.  
 † — — — — — — — — Lam. Encycl. 803.  
 † — — — — — — — — neilgherrensis Wight. Wight Illustr. 148 bis.  
 — — — — — — — — rufa Lab. Bill. Sertum 36.  
*Mabea Piriri* Aubl. Aublet Guiana 334.  
 — — — — — — — — Lam. Encycl. 773.  
 † — — — — — — — — Ebenus Spr. Jussieu Euphorb. 13.  
 — — — — — — — — Taquari Aubl. Aublet Guiana 334.  
 † — — — — — — — — Lam. Encycl. 773.  
*Macahanea guianensis* Aubl. Aublet Guiana 371.  
*Macairea Adenostemon* DC. DC. Melastom. 6.  
 † *Macaranga flexuosa* Wight. Wight Ic. pl. Ind. 6, 1949.  
 — — — — — — — — indica Wight. Wight Ic. pl. Ind. or. 5, 1883.  
 — — — — — — — — — — — — — — 6, 1949.  
 † — — — — — — — — Roxburghii Wight. Wight Ic. pl. Ind. or. 6, 1949.  
 † — — — — — — — — tomentosa Wight. Wight Ic. pl. Ind. or. 6, 1949.  
*Macarisia pyramidata* Aub. Th. Aubert Iles d'Afr. 14.  
*Macarthuria australis* Huegel. Hook. Ic. pl. 5, 408.  
*Maclellandia Griffithiana* Wight. Wight Ic. pl. Ind. or. 6, 1996.
- Macdonaldia antennifera* Ldl. Lindley Swan River 9.  
 — — — — — — — — Smithiana Ldl. Lindley Swan River 9.  
*Machaeranthera tanacetifolia* N. v. E. Bot. Mag. 78, 4624.  
*Machaonia acuminata* H. B. Humb. Fl. aeq. 29.  
 — — — — — — — — Lam. Encycl. 922.  
*Machilus glaucescens* Wight. Wight Ic. pl. Ind. or. 5, 1825.  
 — — — — — — — — macranthus N. v. E. Wight Ic. pl. Ind. or. 5, 1824.  
 — — — — — — — — odoratissimus N. v. E. Rumpf Amb. 3, 42.  
 — — — — — — — — peduncularis N. v. E. Rumpf Amb. 3, 41.  
*Machlis hemisphaerica* DC. Delessert Ic. 4, 50.  
*Macleania angulata* Hook. Bot. Mag. 69, 3979.  
 — — — — — — — — cordata Ch. Lem. Fl. d. serres 4, 312.  
 — — — — — — — — floribunda Hook. Hook. Ic. pl. 2, 109.  
 — — — — — — — — longiflora Ldl. Bot. Reg. 30, 25.  
 — — — — — — — — punctata Hook. Bot. Mag. 75, 4426.  
*Maclura affinis* Mig. Endl. Bras. 12, 52.  
 — — — — — — — — aurantiaca Nutt. Lamb. Pinus 2, app. 3.  
 † — — — — — — — — Ann. sc. nat. III. 8, 14. 15.  
 — — — — — — — — brasiliensis Endl. Endl. Bras. 12, 54.  
 — — — — — — — — tinctoria Endl. Endl. Bras. 12, 51.  
 — — — — — — — — xanthoxylon Endl. Endl. Bras. 12, 53.  
*Macoubea guianensis* Aubl. Aublet Guiana 378.  
*Macoucoua guianensis* Aubl. Aublet Guiana 34.  
 † — — — — — — — — Lam. Encycl. 75.  
*Macradenia lutescens* R. Br. Bot. Reg. 8, 612.  
 — — — — — — — — Lodd. Cab. 1536.  
 — — — — — — — — Rehb. Exot. 117.  
 — — — — — — — — triandra Ldl. Bot. Reg. 21, 1815.  
*Macraea Gardneriana* Wight. Wight Ic. pl. Ind. or. 5, 1902.  
 — — — — — — — — myrtifolia Wight. Wight Ic. pl. Ind. or. 5, 1902.  
 — — — — — — — — oblongifolia Wight. Wight Ic. pl. Ind. or. 5, 1902.  
 — — — — — — — — ovalifolia Wight. Wight Ic. pl. Ind. or. 5, 1902.  
 — — — — — — — — Rheedii Wight. Wight Ic. pl. Ind. or. 5, 1901.  
 — — — — — — — — rosea Ldl. Hook. Bot. Misc. 50.  
 † *Macroceratides* Raddi. Mem. Mod. 18, 5.  
*Macrochilus Fryanus* Kn. et W. Knowles et Westc. 45.  
*Macrocladus silvicola* Griff. Griffith Palms 239 ab.  
*Macronemum candidissimum* Vahl. Vahl Symbolae 30:  
 — — — — — — — — coccineum Vahl. Vahl Symbolae 29.  
 — — — — — — — — corymbosum Rz et P. Ruiz et Pav. Fl. 189.  
 — — — — — — — — jamaicense L. Swartz Obs. 3.  
 — — — — — — — — microcarpon Rz et P. Ruiz et Pav. Fl. 188.  
 — — — — — — — — speciosum Jacq. Jacq. Schoenbr. 1, 43.  
 — — — — — — — — tetrandrum Cav. Annales de hist. nat. 7, 45.  
 — — — — — — — — venosum Rz et P. Ruiz et Pav. Fl. 190.  
*Macrogyne convallariaefolia* Link. Link Ic. I. 31.  
*Macrolobium bijugum* Colebr. Linn. Transact. 12, 17.  
*Macrolochia bracteata* Schrad. Endl. Bras. 3, 24.  
*Macromeria exserta* DC. Bot. Reg. 33, 26.  
 † *Macrophthalma* Gasp. Rendic. Acad. Neap. 1844, 8.  
 † *Macropiper* Miq. Miquel Comment. 4.  
 — — — — — — — — latifolium Miq. Miquel Illustr. Pip. 27.  
 † *Macroplacis cordata* Bl. Blume Mus. 1, 3.  
*Macropodium laciniatum* Hook. Hook. Bot. Misc. 68.  
 † — — — — — — — — nivale R. Br. Hook. Bot. Misc. 67.  
 — — — — — — — — — — — — — — Bot. Mag. 67, 3805.  
*Macrorrhynchus coronopifolius* Hook. Hook. Fl. ant. 112.  
 — — — — — — — — pumilus DC. Hook. Fl. ant. 112.  
*Macroscelis obovata* H. B. K. H. B. K. Nov. Gen. 3, 233.  
*Macrostepis* Aub. Aubert Orchid. 82.  
*Macrostigma australe* Hook. Hook. Ic. pl. 5, 412.  
 † *Macrostomium aloefolium* Bl. Blume Tabellen 37.  
 † *Macrostylis Bartl.* Bartling Diosmeae 2.  
 — — — — — — — — disticha Breda. Breda Orchid. Javae 2.  
 † — — — — — — — — lanceolata Bartl. Mem. Mus. 12, 20.  
*Macroxyphonia caespitosa* Duby. Mem. Genev. 10, 2.  
 † *Macrozamia Preissii* Lehm. Linnaea 19, 2. 3.  
 † — — — — — — — — Acta Leop. 21, 1, 10—13.  
 — — — — — — — — spiralis Miq. Miquel Monogr. Cyc. 4. 5.  
 † *Madacarpus belgaumensis* Wight. Calcutta J. 1847, 3.



- Madacarpus belgaumensis* *Wight*. *Wight Ic. pl. Ind. or.* 3, 1152.
- Madaraglossa heterotricha* *DC.* *Hook. Ic. pl.* 4, 326.
- Madaria corymbosa* *DC.* *Endl. Iconogr.* 36.
- Madia elegans* *Don.* *Bot. Reg.* 17, 1458.
- — — *Bot. Mag.* 64, 3548.
- *mellosa* *Jacq.* *Jacq. Schoenbr.* 3, 302.
- *sativa* *Molina.* *Pasquier Monogr.* 1—3.
- *viscosa* *Cav.* *Cav. Ic.* 298.
- — — *Bot. Mag.* 52, 2574.
- Madiola reptans* *St. Hil.* *St. Hil. Fl. Bras.* 43.
- Maccharanthera tanacetifolia* *N. v. E.* *Lem. Jard. fl.* 222.
- Maelenia paradoxa* *Dum.* *Acad. Brux.* 9, x.
- Maerua angolensis* *DC.* *Delessert Ic.* 3, 13.
- *angustifolia* *Rich.* *Guillemin Seneg.* 8.
- *oblongifolia* *Dill. et Rich.* *Richard Abyssin.* 6.
- *ovalifolia* *Decne.* *Jacquemont Ind.* 24.
- *scabra* *Decne.* *Jacquemont Ind.* 23.
- *senegalensis* *Rich.* *Guillemin Seneg.* 7.
- *triphylla* *Dill. et Rich.* *Richard Abyssin.* 7.
- † *Maesa argentea* *Wall.* *Ann. sc. nat. II.* 16, 5.
- *indica* *A. DC.* *Wight Spicil.* 134.
- — — *Wight Ic. pl. Ind. or.* 4, 1206.
- † *lanceolata* *Forsk.* *Ann. sc. nat. II.* 16, 5.
- *ovata* *Wall.* *Linn. Transact.* 17, 4.
- Magallana porrifolia* *Cav.* *Cav. Ic.* 374.
- — — *Lam. Encycl.* 942.
- † *Magnolia L.* *Kerner Genera* 73—74.
- † — — *Gray Genera* 22, 23.
- *acuminata* *L.* *Michaux Arb.* 3, 3.
- — — *Bot. Mag.* 50, 2427.
- — — *Lodd. Cab.* 418.
- — — *Guimpel Fr. Holzgew.* 17.
- — — *Kerner Hort.* 590.
- — — *Rchb. Exot.* 251.
- *annonaefolia* *Salisb.* *Salisb. Parad.* 5.
- — — *Lodd. Cab.* 1072.
- *auricularis* *Salisb.* *Salisb. Parad.* 43.
- — — *Kerner Hort.* 360.
- *auriculata?* *Fraser.* *Walter Carol. x.*
- — — *Lam. Michaux Arb.* 3, 6.
- — — *Bot. Mag.* 30, 1206.
- — — *Andr. Rep.* 9, 573.
- *conspicua* *Salisb.* *Salisb. Parad.* 38.
- — — *Bot. Reg.* 11, 1164.
- — — *Bot. Mag.* 39, 1621.
- — — *Kerner Hort.* 362.
- — — *Guimpel Fr. Holzgew.* 72.
- *cordata* *Michx.* *Michaux Arb.* 3, 4.
- — — *Lodd. Cab.* 474.
- — — *Bot. Reg.* 4, 325.
- — — *Rchb. Exot.* 250.
- *dealbata* *Zucc.* *Münchn: Abh.* 2, 3, 4.
- *discolor* *Vent.* *Vent. Malm.* 24.
- — — *Nouveau Duhamel* 2, 66 bis.
- *excelsa* *Wall.* *Wallich Tentamen* 2.
- *fuscata* *Andr.* *Andr. Rep.* 4, 229.
- — — *Bot. Mag.* 25, 1008.
- — — *Lodd. Cab.* 1073.
- — — *Kerner Hort.* 525.
- — — *Colla Hort. Rip.* 4.
- *glauca* *L.* *Michaux Arb.* 3, 2.
- — — *Bonpland Malm.* 42.
- — — *Nouveau Duhamel* 2, 66.
- — — *Schk. Handb.* 148.
- — — *Lodd. Cab.* 215.
- — — *Bot. Mag.* 47, 2164.
- — — *var. major*; *Rchb. Exot.* 342.
- — — *Bigelow Med.* 27.
- — — *Barton Med.* 7.
- — — *Torrey New York* 5.
- — — *Gray Genera* 22.

- Magnolia gracilis* *Salisb.* *Salisb. Parad.* 87.
- † — *grandiflora* *L.* *Gaertn. Carp.* 70.
- — — *Michaux Arb.* 3, 1.
- — — *Andr. Rep.* 8, 518.
- — — *Lodd. Cab.* 814.
- — — *Bot. Mag.* 45, 1952.
- — — *Kerner Hort.* 124.
- — — *Nouveau Duhamel* 2, 65.
- — — *Lam. Encycl.* 490.
- — — *Savi Fl. ital.* 2, 43.
- † — — — (*Folium.*) *Mem. Institut.* 1849, 3, 1850, 4.
- *insignis* *Wall.* *Wallich Tentamen* 1.
- — — *Wall. Pl. asiat.* 182.
- *linguifolia* *Desc.* *Desc. Ant.* 2, 103.
- *macrophylla* *Michx.* *Michaux Arb.* 3, 7.
- — — *Bonpland Malm.* 33.
- — — *Bot. Mag.* 48, 2189.
- — — *Kerner Hort.* 655.
- — — *Rchb. Exot.* 139.
- *obovata* *Thunb.* *Kerner Hort.* 67.
- — — *Guimp. Fr. Holzgew.* 52.
- *pteroarpa* *Roxb.* *Roxb. Corom.* 266.
- — — *Kerner Hort.* 667.
- *pumila* *Andr.* *Andr. Rep.* 4, 226.
- — — *Bot. Mag.* 25, 977.
- — — *Lodd. Cab.* 1555.
- — — *Vent. Malm.* 37.
- — — *Dict. sc. nat.* 117.
- *purpurea* *Curt.* *Bot. Mag.* 11, 390.
- — — *Andr. Rep.* 5, 324.
- *pyramidata* *Pursh.* *Bot. Reg.* 5, 407.
- — — *Lodd. Cab.* 1092.
- *Soulangeana* *Hort.* *Sweet Fl. G.* 260.
- *speciosa* *Geel.* *Rchb. Exot.* 343.
- *tomentosa* *Thunb.* *Thunberg Ic. jap.* 48.
- *tripetala* *L.* *Michaux Arb.* 3, 5.
- — — *Guimp. Fr. Holzgew.* 18.
- *umbrella* *Lam.* *Herb. amat.* 3, 198.
- — — *Gray Genera* 23.
- *Yulan* *Desf.* *Bonpland Malm.* 20.
- — — *Herb. amat.* 5, 297.
- — — *Lodd. Cab.* 1187.
- — — *var. Soulangeana*, *Bot. Reg.* 14, 1164.
- Magonia pubescens* *St. Hil.* *Mem. Mus.* 12, 12, 13.
- — — *St. Hil. Pl. remarq.* 23, 24.
- Mahernia biserrata* *Cav.* *Cav. Diss.* 200.
- *diffusa* *Jacq.* *Jacq. Schoenbr.* 2, 201.
- — — *Lodd. Cab.* 187.
- — — *Rchb. Mag.* 64.
- *fragrans* *Rchb.* *Bot. Mag.* 65.
- *glabrata* *Cav.* *Cav. Diss.* 200.
- — — *Jacq. Schoenbr.* 1, 53.
- — — *Rchb. Mag.* 66.
- *grandiflora* *Burch.* *Lodd. Cab.* 293.
- — — *Bot. Reg.* 3, 224.
- *heterophylla* *Cav.* *Cav. Diss.* 178.
- *incisa* *Jacq.* *Jacq. Schoenbr.* 1, 54.
- — — *Bot. Mag.* 10, 353.
- — — *Lodd. Cab.* 907.
- — — *Rchb. Mag.* 63.
- *odorata* *Andr.* *Andr. Rep.* 2, 85.
- — — *Rchb. Mag.* 67.
- *pinnata* *L.* *Cav. Diss.* 176.
- — — *Bot. Mag.* 8, 277.
- — — *Lam. Encycl.* 218.
- — — *Rchb. Mag.* 62.
- *pulchella* *Cav.* *Cav. Diss.* 177.
- *rutila* *Jacq.* *Jacq. Schoenbr.* 3, 263.
- *verticillata* *L.* *Cav. Diss.* 176.
- — — *Lam. Encycl.* 218.
- Mahonia Aquifolium Nutt.* *Paxt. Mag.* 9, 5.
- *diversifolia* *Sweet.* *Sweet Fl. G. II.* 94.

- Mahonia fascicularis* DC. Delessert Ic. 2, 3.  
 — *glumacea* DC. Paxt. Mag. 7, 55.  
 — *nepalensis* DC. Delessert Ic. 2, 4.  
 † — *repens* G. Don. Ann. sc. nat. III. 18, 14.  
*Mahurea palustris* Aubl. Aublet Guiana 222.  
 — — — Lam. Encycl. 464.  
 † — — — Mem. Mus. 16, 16.  
 † *Majanthemum* Wigg. Kerner Genera 207.  
 — *bifolium* DC. Red. Lil. 4, 216.  
 — — — Rchb. Fl. germ. 10, 436.  
 — — — Sturm Flora 4, 13.  
 — — — Dietr. Fl. bor. 1, 37.  
 † — — — Nees Gen. 2, 62.  
 — *canadense* Desf. Red. Lil. 4, 216.  
 — *Convallaria* Roth. Stephan Ic. pl. mosq. 7.  
 — *cordifolium* Moench. Schrank Fl. monac. 4, 303.  
*Maieta annulata* Vent. Vent. Choix 32.  
 — *guianensis* Aubl. Aublet Guiana 176.  
 — *hypophysca* DC. Mart. Bras. 280.  
 — *sculpta* Vent. Vent. Choix 33.  
 † *Majorana hortensis* Moench. Nees Gen. 6, 15.  
 † — *paniculata* Spenner. Nees Gen. 6, 15.  
 — *smyrnaea* N. v. E. Nees Düsseld. Suppl. 22.  
*Maireana tomentosa* Moq. Ann. sc. nat. II. 15, 13.  
*Mairia crenata* N. v. E. Bot. Reg. 10, 855.  
*Malachadenia clavata* Ldl. Bot. Mag. 73, 4334.  
*Malachium aquaticum* Fries. Sturm Flora 15, 63.  
 — — — Rchb. Fl. germ. 6, 237.  
 — *coeruleum* Jaub. Jaubert Illustr. 232.  
 — *manticum* Rchb. Sturm Flora 15, 63.  
 † *Malachodendron* Cav. Gray Genera 139.  
 — *ovatum* Cav. Cav. Diss. 158.  
 † — — — Lam. Encycl. 593.  
 — — — Bot. Reg. 13, 1104.  
 † *Malachra* L. Gray Genera 129.  
 — *alceaefolia* Jacq. Jacq. Ic. 549.  
 — *bracteata* Cav. Cav. Diss. 34.  
 — *capitata* L. Cav. Diss. 33.  
 † — — — Lam. Encycl. 580.  
 — *fasciata* Jacq. Jacq. Ic. 548.  
 — — — Bot. Reg. 6, 467.  
 — *mexicana* Schrad. Gray Genera 129.  
 — *palmata* Moench. Mem. Genev. 5, 5.  
 — *radiata* L. Cav. Diss. 33.  
 † — — — Lam. Encycl. 580.  
 † *Malacochaete litoralis* N. v. E. Nees Gen. 2, 14.  
 — *riparia* N. v. E. Gay Chile 71.  
 † *Malacoxylon pinnatum* Jacq. Jacq. Fragm. 35.  
*Malanea sarmentosa* Aubl. Aublet Guiana 41.  
 — — — Lam. Encycl. 66.  
 — *verticillata* Lam. Lam. Encycl. 66.  
*Malaspinaea laurifolia* Presl. Presl Reliq. 61.  
 † *Malaxis* Sw. Swartz Fl. Ind. occ. 28.  
 † — — — Svensk Acad. 1800, 3.  
 † — — — Schrader Neues Journal 1, 1.  
 † — *affinis* Bl. Blume Tabellen 54.  
 — *caespitosa* Aub. Aubert Orchid. 89.  
 † — *compressa* Bl. Blume Tabellen 54.  
 † — *decurrens* Bl. Blume Tabellen 54.  
 — *disticha* Aub. Aubert Orchid. 88.  
 — *flavescens* Aub. Aubert Orchid. 25.  
 — *lilifolia* Sw. Bot. Mag. 45, 2004.  
 — — — Lodd. Cab. 198.  
 — *longifolia* Bart. Barton Fl. 3, 75.  
 — *monophylla* Sw. Fl. dan. 9, 1525.  
 — — — Sv. Bot. 663.  
 — — — Dietr. Fl. bor. 1, 14.  
 — *ophioglossoides* Mühlb. Barton Fl. 3, 92.  
 — — — Lodd. Cab. 1146.  
 — *paludosa* Sw. Svensk Acad. 1789, 6.  
 — — — Sv. Bot. 662.  
 — — — Curt. Lond. 5, 197.  
*Malaxis paludosa* Sw. Engl. Bot. 1, 72.  
 — — — Baxter Brit. Bot. 5, 394.  
 † — — — Ann. sc. nat. 19, 4.  
 — — — Roemer Fl. europ. 3, 4.  
 † — — — Bauer Orchid. (Genera.) 1.  
 — — — Flora 1838, 1.  
 — — — Dietr. Fl. bor. 1, 13.  
 † — — — Nees Gen. 3, x.  
 — — — Rchb. Fl. germ. 13, 494.  
 — *Parthoni* Morr. Bull. de Brux. 5, x.  
 — *purpurascens* Aub. Aubert Orchid. 26, 27.  
 † — *Rheedii* Bl. Blume Tabellen 54.  
 — *subulata* Lab. Bill. Nov. Holl. 212.  
*Malcolmia aegyptiaca* Spr. Visiani Aeg. 4.  
 — *africana* R. Br. Winterl Index 1.  
 — — — Rchb. Fl. germ. 2, 57.  
 — *bicolor* Boiss. Regel Gartenfl. 1852, 23.  
 — *Broussonetii* DC. Delessert Ic. 2, 60.  
 — *chia* Link. Sweet Fl. G. 40.  
 — *flexuosa* Sm. Sibth. Fl. gr. 634.  
 — *incrassata* DC. Delessert Ic. 2, 59.  
 — *litorea* R. Br. Sweet Fl. G. 54.  
 — — — Rchb. Fl. germ. 2, 56.  
 — — — Bot. Mag. 78, 3672.  
 — *lyrata* DC. Sibth. Fl. gr. 635.  
 — *maritima* R. Br. Rchb. Fl. germ. 2, 56.  
 — *Orsiniana* Ten. Tenore Fl. nap. 243.  
 — *stricta* Deene. Jacquemont Ind. 16.  
*Malesherbia coronata* Don. Sweet Fl. G. II. 167.  
 — *fasciculata* Endl. Endl. Atacta 9.  
 — *linearifolia* Poir. Bot. Mag. 61, 3362.  
 — *thyrsoiflora* Rz et P. Ruiz et Pav. Fl. 254.  
 † *Malesherbiaceae* Don. Schnizl. Iconogr. 198.  
 † *Mallea Rothii* Juss. Mem. Mus. 19, 13.  
 † *Mallocoeca* Forst. Forster Charact. 39.  
*Malope malacoides* L. Cav. Diss. 27.  
 † — — — Lam. Encycl. 583.  
 — — — Rchb. Fl. germ. 5, 165.  
 — *parviflora* L'her. L'her. Stirp. 50.  
 — *trifida* Cav. Cav. Diss. 27.  
 † — — — Lam. Encycl. 583.  
 — — — Sweet Fl. G. 153.  
 — — — var. Paxt. Mag. 1, 177.  
*Malouetia albiflora* Mig. Miquel Surin. 45.  
 — *obtusiloba* A. DC. Miquel Surin. 46.  
 — *Tamaquarina* DC. Delessert Ic. 5, 47.  
*Malpighia altissima* Aubl. Aublet Guiana 181.  
 — *angustifolia* L. Cav. Diss. 236.  
 — — — Lodd. Cab. 321.  
 — *aquifolia* L. Cav. Diss. 236.  
 — — — Lodd. Cab. 1079.  
 — *argentea* Jacq. Jacq. Fragm. 83.  
 — *armeniaca* Cav. Cav. Diss. 238.  
 † — *biflora* Poir. Arch. Mus. 3, 4.  
 — *coccifera* L. Cav. Diss. 235.  
 — — — Lam. Encycl. 381.  
 — — — Lodd. Cab. 1317.  
 — — — Bot. Reg. 7, 568.  
 — — — Herb. amat. 4, 215.  
 — *coccigera* L. Jacq. Ic. 470.  
 — *crassifolia* L. Aublet Guiana 182.  
 — — — Andr. Rep. 1, 49.  
 — — — Kerner Hort. 331.  
 — — — Desc. Ant. 2, 110.  
 — *dubia* Cav. Cav. Diss. 242.  
 — *fucata* Ker. Bot. Reg. 3, 189.  
 — — — Lodd. Cab. 1937.  
 — *glabra* L. Cav. Diss. 234.  
 — — — Bot. Mag. 21, 813.  
 — — — Lodd. Cab. 533.  
 — — — Rchb. Mag. 38.  
 — — — Paxton Fl. G. 41.

- Malpighia glandulifera* Jacq. Jacq. Ic. 469.  
 — — — Jacq. Collect. 5, 5.  
 — — — Kerner Hort. 597.  
 — glandulosa Cav. Cav. Diss. 239.  
 —? heteranthera Wight. Wight Illustr. 49.  
 — lucida Sw. Bot. Mag. 51, 2462.  
 — macrophylla Pers. Colla Hort. Rip. 11.  
 — — — Dict. sc. nat. 164.  
 — Moureila Aubl. Aublet Guiana 183.  
 — — — Cav. Diss. 241.  
 — nitida Jacq. Cav. Diss. 239.  
 — peruviana Moric. Moricand Pl. Am. 67.  
 — polystachya Andr. Andr. Rep. 9, 604.  
 — puniceifolia L. Cav. Diss. 234.  
 — — — Desc. Ant. 1, 30.  
 † — — — Arch. Mus. 3, 4.  
 † — Semeruco Juss. Arch. Mus. 3, 4.  
 — spicata Cav. Cav. Diss. 237.  
 — — — Desc. Ant. 2, 91.  
 — tomentosa Pav. Moricand Pl. Am. 68.  
 — tuberculata Jacq. Jacq. Schoenbr. 1, 104.  
 — uniflora Tuss. Tussac Ant. 3, 27.  
 — — — Kerner Hort. 830.  
 — urens L. Cav. Diss. 235.  
 † — — — Lam. Encycl. 381.  
 — — — Bot. Reg. 2, 96.  
 — — — Desc. Ant. 2, 3, 8, 569.  
 — — — Rchb. Mag. 38.  
 — — — Spach Suites 20.  
 — verbascifolia L. Aublet Guiana 184.  
 — — — Cav. Diss. 240.  
 — volubilis Sims. Bot. Mag. 21, 809.  
 † Malpighiaceae Juss. Arch. Mus. 3, 1 — 3.  
 † — — — Schnizl. Iconogr. 228.  
*Maltebrunia leersoides* Kth. Humb. Gram. 3.  
*Malus apiosa* Hort. Dict. sc. nat. 242.  
 † — cerasifera Spach. Spach Suites 10.  
 — coronaria Desf. Michaux Arb. 3, 10.  
 † — — — Spach Suites 8.  
 † — Fontanesii Spach. Spach Suites 8.  
 † — heterophylla Spach. Spach Suites 8.  
 — japonica Desf. Andr. Rep. 7, 462.  
 † — prunifolia Willd. Spach Suites 9.  
 — sempervirens Desf. Herb. amat. 3, 154.  
 † — — — Spach Suites 8.  
 — spectabilis Desf. Kerner Hort. 321.  
 — — — Herb. amat. 2, 82.  
 † Malva L. Schkuhr Handb. 192<sup>a</sup>.  
 † — — — Mutel Fl. fr. 14.  
 † — — — Gray Genera 116.  
 — abulensis Cav. Cav. Diss. 34.  
 — abutiloides L. Cav. Diss. 16.  
 — — — Jacq. Schoenbr. 3, 293.  
 — — — Bot. Mag. 52, 2544.  
 — acaulis Domb. Cav. Diss. 35.  
 — aegyptia L. Cav. Diss. 17.  
 — — — Jacq. Vind. 65.  
 — Alcea L. Cav. Diss. 17.  
 † — — — Gaertn. Carp. 136.  
 † — — — Lam. Encycl. 582.  
 — — — Sv. Bot. 601.  
 — — — Fl. dan. 11, 1882.  
 — — — Bot. Mag. 49, 2297.  
 — — — Hayne 2, 30.  
 — — — Dietr. Fl. bor. 3, 192.  
 — — — Rchb. Fl. germ. 5, 169.  
 — alceoides Ten. Tenore Fl. nap. 64.  
 — althacoides Cav. Cav. Ic. 135.  
 — — — Sibth. Fl. gr. 664.  
 — americana Cav. Cav. Diss. 22.  
 — amoena Soland. Bot. Mag. 45, 1998.  
 — angustifolia Cav. Cav. Diss. 20.

- Malva angustifolia* Cav. Cav. Ic. 69.  
 — — — Bot. Mag. 55, 2839.  
 — anomala Link. Link Ic. I. 22.  
 — asperima Jacq. Jacq. Schoenbr. 2, 139.  
 — balsamica Jacq. Jacq. Ic. 140.  
 — Belloa Gay. Gay Chile 7.  
 — Bismalva Bernh. Rchb. Fl. germ. 5, 172.  
 — bonariensis Cav. Cav. Diss. 22.  
 — borealis Wallm. Rchb. Pl. crit. 1, 20.  
 — bryonifolia L. Schk. Handb. 192<sup>b</sup>.  
 — calycina Cav. Cav. Diss. 22.  
 — — — Bot. Reg. 4, 297.  
 — campanulata Paxt. Paxt. Mag. 9, 173.  
 — campanuloides Lodd. Lodd. Cab. 1670.  
 — capensis L. Cav. Diss. 24.  
 † — — — Gaertn. Carp. 136.  
 — — — Bot. Reg. 4, 295, 296.  
 — capitata Cav. Cav. Diss. 137.  
 — caroliniana L. Martyn Hist. 32.  
 — — — Cav. Diss. 15.  
 — concinna Kn. et W. Knowles et Westcott 38.  
 — Crecana Hort. Bot. Mag. 65, 3698.  
 — — — Paxt. Mag. 6, 55.  
 — crecano-miniata Regel. Regel Gartenfl. 1852, 16.  
 — cretica Cav. Cav. Diss. 138.  
 — crispa L. Cav. Diss. 23.  
 — — — Rchb. Fl. germ. 5, 166.  
 — cuneifolia Cav. Cav. Diss. 20.  
 — decumbens Host. Rchb. Fl. germ. 5, 172.  
 — divaricata Andr. Andr. Rep. 3, 182.  
 — elegans Cav. Cav. Diss. 16.  
 — — — Jacq. Collect. 4, 6.  
 — excisa Rchb. Rchb. Fl. germ. 5, 170.  
 — fastigiata Cav. Cav. Diss. 23.  
 — — — Rchb. Fl. germ. 5, 171.  
 — fragrans Jacq. Jacq. Vind. 3, 33.  
 — — — Cav. Diss. 23.  
 — — — Bot. Reg. 4, 296.  
 — grandiflora Morr. Annales de Gand 1847, 167.  
 — grossulariaefolia Cav. Cav. Diss. 24.  
 — — — Bot. Reg. 7, 561.  
 — hispanica L. Cav. Diss. 19.  
 — — — Desf. Fl. atl. 170.  
 — — — Asso. Asso Aragon. 5.  
 — involucrata Torr. et Gr. Bot. Mag. 78, 4681.  
 — italica Poll. Rchb. Fl. germ. 5, 170.  
 — lateritia Hook. Bot. Mag. 67, 3846.  
 — leprosa Ortega. Jacq. Fragm. 122.  
 — limensis L. Cav. Diss. 19.  
 — — — Jacq. Vind. 141.  
 — — — Schk. Handb. 192<sup>b</sup>.  
 — littoralis Deth. Rchb. Fl. germ. 5, 167.  
 — lobata Cav. Cav. Diss. 18.  
 — mauritiana L. Cav. Diss. 25.  
 — — — Brotero Phytogr. 179.  
 — — — Hayne 2, 29.  
 — — — Rchb. Fl. germ. 5, 168.  
 — — — Sweet Fl. G. 81.  
 — microcarpa Desf. Rchb. Fl. germ. 5, 166.  
 — miniata Cav. Cav. Ic. 278.  
 — — — Jacq. Fragm. 132.  
 — — — Sweet Fl. G. II. 120.  
 — Morenii Poll. Pollini Fl. ver. 2, 3.  
 — — — Bot. Mag. 53, 2793.  
 — — — Rchb. Fl. germ. 5, 171.  
 — moschata L. Cav. Diss. 18.  
 † — — — Gaertn. Carp. 136.  
 — — — Fl. dan. 6, 905.  
 — — — Curt. Lond. 2, 46.  
 — — — Engl. Bot. 11, 754.  
 — — — var. Bot. Mag. 49, 2298.  
 — — — Baxter Brit. Bot. 1, 25.

- Malva moschata* L. Rchb. Fl. germ. 5, 169.  
 — *Munroana* Dougl. Bot. Reg. 16, 1306.  
 — — Bot. Mag. 63, 3537.  
 — — Paxt. Mag. 4, 269.  
*neilgherrensis* Wight. Wight Spicil. 16.  
 — — Wight Ic. pl. Ind. or. 3, 950.  
*nicacensis* All. Cav. Diss. 25.  
 — — Rchb. Fl. germ. 5, 168.  
*obtusiloba* Hook. Bot. Mag. 54, 2787.  
*odorata* Maund. Maund Bot. 5, 218.  
*operculata* Cav. Cav. Diss. 35.  
*ovata* Cav. Cav. Diss. 20.  
*Papaver* Cav. Cav. Diss. 15.  
*parviflora* L. Cav. Diss. 26.  
 — — Jacq. Vind. 39.  
*pedunculata* Rafin. Rafinesque Caratteri 19.  
*peruviana* L. Cav. Diss. 19.  
 — — Jacq. Vind. 156.  
*polystachya* Cav. Cav. Diss. 138.  
*prostrata* Cav. Cav. Diss. 16.  
 — — Bot. Mag. 51, 2515.  
*purpurata* Ldl. Bot. Reg. 16, 1362.  
 — — Bot. Mag. 67, 3814.  
*pusilla* Sm. Engl. Bot. 4, 241.  
 — — Fl. dan. 11, 1825.  
 — — Dietr. Fl. bor. 3, 189.  
*reflexa* Wendl. Wendl. Hort. herrenh. 4.  
 — — Andr. Andr. Rep. 2, 135.  
*retusa* Cav. Cav. Diss. 21.  
*rotundifolia* L. Cav. Diss. 26.  
 — — Fl. dan. 5, 721.  
 — — Sv. Bot. 142.  
 — — Curt. Lond. 2, 41.  
 — — Engl. Bot. 16, 1092.  
 † — — Plée Types 27.  
 — — Schrank Fl. monac. 4, 373.  
 — — Hayne 2, 27.  
 — — Guimpel et Schl. 79.  
 — — Nees Düsseld. 412.  
 — — Wagner 42.  
 — — Rchb. Fl. crit. 1, 20.  
 — — Rchb. Fl. germ. 5, 167.  
 — — Dietr. Fl. bor. 3, 190.  
 — — Gray Genera 116.  
*scabra* Cav. Cav. Diss. 138.  
 † *scabrosa* L. Gaertn. Carp. 136.  
*scoparia* Domb. Cav. Diss. 21.  
 — — L'her. L'her. Stirp. 27.  
 — — Jacq. Jacq. Ic. 139.  
*Sherardiana* L. Cav. Diss. 26.  
 — — Jacq. Vind. 142.  
*silvestris* L. Cav. Diss. 26.  
 † — — Gaertn. Carp. 136.  
 † — — Lam. Encycl. 582.  
 — — Fl. dan. 7, 1223.  
 — — Curt. Lond. 2, 108.  
 — — Engl. Bot. 10, 671.  
 — — Woodv. Med. 3, 199.  
 — — Sv. Bot. 602.  
 — — Schrank Fl. monac. 3, 257.  
 — — Hayne 2, 28.  
 — — Guimpel et Schl. 80.  
 — — Nees Düsseld. 413.  
 — — Wagner 43.  
 — — Rchb. Fl. germ. 5, 168.  
 — — Dietr. Fl. bor. 3, 191.  
*sinensis* Cav. Cav. Diss. 25.  
*spicata* L. Cav. Diss. 20.  
*spithamea* Cav. Cav. Diss. 18.  
*stipulacea* Cav. Cav. Diss. 15.  
*stricta* Jacq. Jacq. Schoenbr. 3, 294.  
*subhastata* Cav. Cav. Diss. 21.  
*Malva tenella* Cav. Cav. Ic. 422.  
 — *Tournefortiana* L. Cav. Diss. 17.  
*tridactylites* Cav. Cav. Diss. 21.  
*trifida* Cav. Cav. Diss. 137.  
*umbellata* Cav. Cav. Ic. 95, 500<sup>b</sup>.  
 — — Kerner Hort. 459.  
 — — Lodd. Cab. 222.  
 — — Bot. Reg. 19, 1608.  
*verticillata* L. Cav. Diss. 25.  
 — — Jacq. Vind. 40.  
 † — — Gaertn. Carp. 136.  
 — — Engl. Bot. 2953.  
 — — Hook. Journal 1847, 7.  
*virgata* Murr. Cav. Diss. 18, 22, 24.  
 — — Comm. Gott. 2, 6.  
*vitifolia* Cav. Cav. Ic. 20.  
 — *vulgaris* Fries. Rchb. Fl. germ. 5, 167.  
 † Malvaceae. (Duchartre.) Ann. sc. nat. III. 4, 6, 7, 8.  
 † *Malvastrum* DC. Gray Genera 121, 122.  
 — *coccineum* Gray. Gray Genera 121.  
 — *Wrightii* Gray. Gray Genera 122.  
 † *Malvaviscus* Dill. Kerner Genera 10.  
 † — — Gray Genera 131.  
 — *arboreus* Dill. Cav. Diss. 48.  
 — — Desc. Ant. 6, 383.  
 — *Drummondii* Torr. et Gr. Gray Genera 131.  
 † — *populneus* Gaertn. Gaertn. Carp. 135.  
 — *Sagraeanus* A. Rich. Ramon Cuba 14.  
*Mammea americana* L. Jacq. Hist. stirp. am. 248.  
 — — Lam. Encycl. 458.  
 — — Dict. sc. nat. 157.  
 — — Tussac Ant. 3, 7.  
 — — Desc. Ant. 1, 2.  
 † — *humilis* Vahl. Vahl Eclogae 20.  
 † *Mammillaria* Haw. Münchn. Abhandl. 2, 4.  
 — *affinis* DC. DC. Cactées 6.  
 — *atrata* Hort. Bot. Mag. 65, 3642.  
 — *bicolor* Lehm. Pfeiffer Cact. 1, 3.  
 — *cirrhifera* Mart. Pfeiffer Cact. 1, 7.  
 — *Clava* Pfeiff. Bot. Mag. 74, 4358.  
 — *conoidea* DC. DC. Cactées 2.  
 — — Pfeiffer Cact. 2, 26.  
 — *criniformis* DC. DC. Cactées 4.  
 — *crinita* DC. DC. Cactées 3.  
 — *crucigera* Mart. Acta Leop. 16, 1, 25.  
 — *densa* Link. Link Ic. II. 35.  
 — *discolor* DC. Mem. Mus. 17, 2.  
 — — Lodd. Cab. 1671.  
 — *elephantidens* Lem. Pfeiffer Cact. 2, 20.  
 — *ericantha* Link et O. Pfeiffer Cact. 1, 25.  
 — *floribunda* Hook. Bot. Mag. 65, 3647.  
 — *geminispina* DC. Mem. Mus. 17, 3.  
 — *glochidiata* Mart. Acta Leop. 16, 1, 23.  
 — *Helicteres* DC. Mem. Mus. 17, 5.  
 — *Karwinskiana* Mart. Acta Leop. 16, 1, 22.  
 — *lanifera* DC. Mem. Mus. 17, 4.  
 — *Lehmanni* Pfeiff. Bot. Mag. 65, 3634.  
 — *longimamma* DC. DC. Cactées 5.  
 — *macracantha* DC. DC. Cactées 9.  
 — *Mystax* Mart. Acta Leop. 16, 1, 21.  
 — *nigricans* Fehmel. Pfeiffer Cact. 2, 23.  
 — *polyedra* Mart. Acta Leop. 16, 1, 19.  
 — *polythele* Mart. Acta Leop. 16, 1, 19.  
 — *pulchra* Haw. Bot. Reg. 16, 1329.  
 — *pusilla* DC. Mem. Mus. 17, 2.  
 — *pycnacantha* Mart. Acta Leop. 16, 1, 17.  
 — — Pfeiffer Cact. 1, 26.  
 — — Bot. Mag. 69, 3972.  
 — *recurispina* Vriese. Hoeven Tijdschr. 6, 1, fig. 1.  
 — *rhodantha* Link. Link Ic. II. 26.  
 — *Scheerii* Mühlentp. Otto Garten-Z. 1847, 2.  
 — *Seitziana* Mart. Pfeiffer Cact. 1, 8.

- Mammillaria Semperviri DC. DC. Cactées 8.  
 — simplex Haw. DC. Cactées 7.  
 — sphacelata Mart. Acta Leop. 16. 1, 25.  
 — tenuis DC. DC. Cactées 1.  
 — — — Bot. Reg. 18, 1523.  
 — — — Bot. Mag. 65, 3646.  
 — tetracantha Sabm. Bot. Mag. 70, 4060.  
 — turbinata Hort. Bot. Mag. 69, 3984.  
 — uberiformis Zucc. Pfeiffer Cact. 1, 13.  
 — uncinata Zucc. Münchn. Abh. 2, 4.  
 — — — Pfeiffer Cact. 1, 19.  
 — Vetula Mart. Acta Leop. 16. 1, 24.  
 — zephyranthoides Scheidw. Pfeiffer Cact. 2, 8.  
 — Zuccariniana Mart. Acta Leop. 16. 1, 20.  
 Manabea arborescens Aubl. Aublet Guiana 24.  
 — laevis Aubl. Aublet Guiana 25.  
 — villosa Aubl. Aublet Guiana 23.  
 Managa guianensis Aubl. Aublet Guiana 369.  
 Mancinella venenata Tuss. Tussac Ant. 3, 5.  
 † — — — Kerner Genera 194.  
 — — — Dict. sc. nat. 278.  
 Mandevilla suaveolens Ldl. Bot. Reg. 26, 7.  
 — — — Bot. Mag. 67, 3797.  
 — — — Paxt. Mag. 16, 290.  
 † Mandragora acaulis Gaertn. Gaertn. Carp. 131.  
 — autumnalis Bertol. Sweet Fl. G. II. 325.  
 — — — Fl. d. serres 5, 457.  
 — microcarpa Bertol. Novi Comm. Bonon. 2, 25.  
 — officinarum L. Novi Comm. Bonon. 2, 24.  
 — praecox Sweet. Sweet Fl. G. 198.  
 — vernalis Bertol. Novi Comm. Bonon. 2, 23.  
 — — — Brandt und Ratzeb. 18.  
 Manettia acutifolia Rz et P. Ruiz et Pav. Fl. 89.  
 — bicolor Paxt. Paxt. Mag. 10, 27.  
 — — — Fl. d. serres 2, 5.  
 — coccinea Willd. Bot. Reg. 9, 693.  
 — cordifolia Mart. Münchn. Denkschr. 9, 7.  
 — — — Bot. Mag. 59, 3202.  
 — — — Bot. Reg. 22, 1866.  
 — — — Paxt. Mag. 2, 267.  
 — — — Maund Bot. 2, 87.  
 — glabra Cham. Sweet Fl. G. II. 233.  
 — hispida P. et E. Poepp. et Endl. 228.  
 — miniata Ch. Lem. Fl. d. serres 4, 317.  
 — racemosa Rz et P. Ruiz et Pav. Fl. 89.  
 — umbellata Rz et P. Ruiz et Pav. Fl. 90.  
 † Mangifera domestica Gaertn. Gaertn. Carp. 100.  
 — indica L. Rheede Hort. mal. 4, 1, 2.  
 — — — Rumpf Amb. 1, 25, 26.  
 — — — Jacq. Ic. 337.  
 † — — — Lam. Encycl. 138.  
 — — — Andr. Rep. 6, 425.  
 — — — Tussac Ant. 2, 15.  
 — — — Desc. Ant. 1, 25.  
 † — — — (Germinatio.) Acta Leop. 12. 1, 37.  
 † — — — Kerner Genera 161 — 162.  
 — — — Dict. sc. nat. 262.  
 — — — Spach Suites 11.  
 — — — Bot. Mag. 76, 4510.  
 — pinnata L. Rumpf Amb. 1, 60.  
 — Utana Ham. Rumpf Amb. 1, 27.  
 † Manglesia cuneata Endl. Bot. Zeitung 1853, 10.  
 — purpurea Ldl. Lindley Swan River 3.  
 Manglietia glauca Bl. Blume Java 9, 6.  
 † Mangostana Cambogia Gaertn. Gaertn. Carp. 105.  
 † — Garcinia Gaertn. Gaertn. Carp. 105.  
 † — Morella Desr. Gaertn. Carp. 105.  
 † Manicaria saccifera Gaertn. Gaertn. Carp. 176.  
 † — — — Lam. Encycl. 774.  
 † — — — Kerner Genera 139 — 142.  
 — — — Mart. Palm. 98, 99.  
 — — — Wallace Palms 2, 26.

- Manihot Aipi Pohl. Pohl Bras. 23.  
 — anomala Pohl. Pohl Bras. 21.  
 — arcuata Pohl. Pohl Bras. 34.  
 — cajaniformis Pohl. Pohl Bras. 38.  
 — caricaefolia Pohl. Pohl Bras. 32.  
 — cecropiaefolia Pohl. Pohl Bras. 42.  
 — cleomaefolia Pohl. Pohl Bras. 44.  
 — crotolariaeformis Pohl. Pohl Bras. 18.  
 — dalechampiaeformis Pohl. Pohl Bras. 36.  
 — digitiformis Pohl. Pohl Bras. 27.  
 — divergens Pohl. Pohl Bras. 33.  
 — flabellifolia Pohl. Pohl Bras. 25.  
 — gracilis Pohl. Pohl Bras. 16.  
 — Grahami Hook. Hook. Ic. pl. 6, 530.  
 — heterophylla Pohl. Pohl Bras. 31.  
 — — — Rehb. Exot. 344.  
 — laciniosa Pohl. Pohl Bras. 48.  
 — longipetiolata Pohl. Pohl Bras. 19.  
 — orbicularis Pohl. Pohl Bras. 12.  
 — paviaeifolia Pohl. Pohl Bras. 45.  
 — peltata Pohl. Pohl Bras. 13.  
 — pentaphylla Pohl. Pohl Bras. 46.  
 — porrecta Pohl. Pohl Bras. 39.  
 — pronifolia Pohl. Pohl Bras. 17.  
 — pruinosa Pohl. Pohl Bras. 22.  
 — pubescens Pohl. Pohl Bras. 40.  
 — purpureo-costata Pohl. Pohl Bras. 11.  
 — pusilla Pohl. Pohl Bras. 26.  
 — quinqueloba Pohl. Pohl Bras. 14.  
 — sagittato-partita Pohl. Pohl Bras. 15.  
 — salicifolia Pohl. Pohl Bras. 10.  
 — sinuata Pohl. Pohl Bras. 41.  
 — sparsifolia Pohl. Pohl Bras. 20.  
 — tenerima Pohl. Pohl Bras. 30.  
 — tenuifolia Pohl. Pohl Bras. 29.  
 — tomentella Pohl. Pohl Bras. 37.  
 — tomentosa Pohl. Pohl Bras. 43.  
 — triphylla Pohl. Pohl Bras. 28.  
 — utilissima Pohl. Pohl Bras. 24.  
 — varians Pohl. Pohl Bras. 47.  
 — violacea Pohl. Pohl Bras. 35.  
 † Manisuris L. fil. Linné Gramina x.  
 † — granularis L. fil. Gaertn. Carp. 175.  
 † — — — Lam. Encycl. 839.  
 — — — Roxb. Corom. 118.  
 — Myurus L. fil. Schreber Gräser 43.  
 — — — Roxb. Corom. 117.  
 — polystachya Pal. B. Pal. B. Fl. d'Oware 14.  
 Mantisia saltatoria Sims. Bot. Mag. 32, 1320.  
 — — — Lodd. Cab. 137.  
 — — — Rehb. Exot. 67.  
 † — — — Ann. sc. nat. II. 15, 19.  
 Manulea angustifolia Link. Link Ic. I. 20.  
 † — hirta Gaertn. Gaertn. Carp. 55.  
 † — — — Lam. Encycl. 520.  
 — oppositiflora Vent. Vent. Malm. 15.  
 — tomentosa L. Jacq. Ic. 498.  
 — — — Bot. Mag. 9, 322.  
 † — — — Lam. Encycl. 520.  
 — — — Link Ic. I. 19.  
 Mapania silvatica Aubl. Aublet Guiana 17.  
 — — — Lam. Encycl. 37.  
 Mapouria guianensis Aubl. Aublet Guiana 67.  
 — — — Desc. Ant. 6, 389.  
 † Mappa glabra Juss. Jussieu Euphorb. 14.  
 — moluccana Spr. Wight Ic. pl. Ind. or. 3, 816.  
 — peltata Wight. Wight Ic. pl. Ind. or. 3, 817.  
 Mappia racemosa Jacq. Jacq. Schoenbr. 1, 47.  
 Maprounea brasiliensis St. Hil. St. Hil. Pl. usuelles 65.  
 — guianensis Aubl. Aublet Guiana 342.  
 † — — — Jussieu Euphorb. 17.  
 Maquira guianensis Aubl. Aublet Guiana 389.

- † *Maranta L.* *Linnaea* 6, 3, 4, 5.  
 — *Allouya Aubl.* *Jacq. Fragm.* 71.  
 — — — *Desc. Ant.* 1, 24.  
 — *angustifolia Sims.* *Bot. Mag.* 50, 2398.  
 — *Arouma Aubl.* *Jacq. Fragm.* 72, 73.  
 — *arundinacea L.* *Martyn Hist.* 37.  
 † — — — *Lam. Encycl.* 1.  
 — — — *Red. Lil.* 1, 57.  
 — — — *Roscoe Scitam.* 25.  
 — — — *Bot. Mag.* 49, 2307.  
 † — — — *Hegetschweiler Comm.* 4.  
 — — — *Hayne* 9, 25.  
 — — — *Guimpel et Schl.* 106.  
 — — — *Nees Düssel.* 69, 70.  
 — *bicolor Ker.* *Roscoe Scitam.* 32.  
 — — — *Bot. Reg.* 10, 786.  
 — — — *Lodd. Cab.* 921.  
 — — — *var. minor, Lodd. Cab.* 1924.  
 — *Cachibou Jacq.* *Jacq. Fragm.* 69, 70.  
 — *capitata Rz et P.* *Ruiz et Pav. Fl.* 5.  
 † — *Casupito Jacq.* *Jacq. Fragm.* 64.  
 † — *Casupo Jacq.* *Jacq. Fragm.* 63.  
 — *cuspidata Roscoe.* *Roscoe Scitam.* 31.  
 — *dichotoma A. Dietr.* *Rumpf Amb.* 4, 7.  
 — *divaricata Roscoe.* *Roscoe Scitam.* 27, 28.  
 — *Galanga L.* *Rumpf Amb.* 5, 63.  
 † — *geniculata Lam.* *Lam. Encycl.* 1.  
 — *gibba Sm.* *Roscoe Scitam.* 29.  
 — *gracilis Rudge.* *Rudge Pl. Guianae* 3.  
 — *indica Roscoe.* *Roscoe Scitam.* 26.  
 — — — *Tussac Ant.* 1, 26.  
 — — — *Desc. Ant.* 8, 549.  
 — — — *Hayne* 9, 26.  
 — — — *Guimpel et Schl.* 107.  
 — *lutea Lam.* *Jacq. Ic.* 201.  
 — *malaccensis Burm.* *Rumpf Amb.* 5, 71.  
 — *obliqua Rudge.* *Rudge Pl. Guianae* 2.  
 — *ornata Hort.* *Fl. d. serres* 4, 413, 414.  
 — *petiolata Rudge.* *Rudge Pl. Guianae* 37.  
 — *ramosissima Wall.* *Wall. Pl. asiat.* 286.  
 — *sanguinea Hort.* *Fl. d. serres* 8, 785.  
 — *Tonchat Aubl.* *Roscoe Scitam.* 30.  
 — *virgata Wall.* *Wight Ic. pl. Ind. or.* 6, 2015.  
 — *zebrina Sims.* *Bot. Mag.* 44, 1926.  
 — — — *Lodd. Cab.* 494.  
 — — — *Bot. Reg.* 5, 385.  
 — — — *Kerner Hort.* 793, 794.  
 — — — *Rchb. Exot.* 271.  
 † *Marantaceae Ldl.* *Schnizl. Iconogr.* 1, 69.  
*Maranthes multiflora Korth.* *Korthals Bot.* 70.  
*Marathrum foeniculaceum H. B.* *Humb. Pl. aeq.* 11.  
 — — — *Lam. Encycl.* 941.  
 — — — *Diet. sc. nat.* 42.  
 † — — — *Schnizl. Iconogr.* 2, 85.  
 — *pauciflorum Tul.* *Arch. Mus.* 6, 1.  
 — *utile Tul.* *Arch. Mus.* 6, 2.  
 † *Marattia Sw.* *Swartz Fl. Ind. occ.* 29.  
 † — — *Schrader Journal* 1801, 2.  
 † — — *Kaulfuss Enumeratio* 1.  
 — *alata Sw.* *Smith Ic. Linn.* 46.  
 — — — *Schk. Fil.* 152.  
 — — — *Raddi Fil.* 83, 84.  
 † — — — *Hook. Gen. Fil.* 26.  
 — *attenuata Lab.* *Bill. Sertum* 13, 14.  
 † — *Calliodous Vr.* *Vriese Maratt.* 3, fig. 20.  
 — *cicutacifolia Mart.* *Mart. Crypt. bras.* 69—72.  
 † — *cuneiformis Vr.* *Vriese Maratt.* 3, fig. 21, 4, fig. 21.  
 — *fraxinea Sm.* *Smith Ic. Linn.* 48.  
 — — — *Schk. Fil.* 152.  
 — — — *Diet. sc. nat.* 93.  
 — — — *Raddi Fil.* 82.  
 — — — *Schnizl. Iconogr.* 1, 31.

- Marattia indica Bl.* *Rumpf Amb.* 6, 28.  
 — *laevis Sw.* *Smith Ic. Linn.* 47.  
 — — — *Schk. Fil.* 152.  
 — *laxa Kze.* *Kunze Fil.* 95.  
 † — *macrophylla Vr.* *Vriese Maratt.* 3, fig. 17.  
 † — *purpurascens Vr.* *Vriese Maratt.* 3, fig. 19.  
 — — — *4, fig. 19.*  
 † — *Raddiana Schott.* *Schott Gen. Fil.* 20.  
 — *salicifolia Schrad.* *Kunze Fil.* 38.  
 † — *salicina Sm.* *Vriese Maratt.* 3, fig. 18<sup>a</sup>.  
 — — — *4, fig. 18<sup>a</sup>, 18<sup>b</sup>.*  
 † — *silvatica Bl.* *Vriese Maratt.* 3, fig. 23.  
 † — *ternatea Vr.* *Vriese Maratt.* 3, fig. 16.  
 † *Marattiaceae Kaulf.* *Schnizl. Iconogr.* 1, 31.  
 † — — *Vriese Marattiaceae* 1—9.  
*Marcellia villosa Choisy.* *Mem. Genev.* 10, x.  
*Marcetia decussata DC.* *Maund Bot.* 5, 223.  
 — *excoriata DC.* *Mart. Bras.* 248.  
 — — — *Bot. Reg.* 29, 31.  
 † — *latifolia Naud.* *Ann. sc. nat.* III, 14, 7.  
 — *sertularia DC.* *DC. Melastom.* 5.  
*Maregravia spiciflora Juss.* *Ann. Mus.* 14, 25.  
 — *umbellata L.* *Jacq. Hist. stirp. am.* 143.  
 — — — *Tratt. Archiv* 214.  
 — — — *Hook. Exot. Fl.* 160.  
 — — — *Tussac Ant.* 4, 13.  
 — — — *Desc. Ant.* 4, 239.  
 † — — — *Lam. Encycl.* 447.  
 — — — *Diet. sc. nat.* 154.  
 † — — — *Spach Suites* 45.  
*Margaranthus solanaceus Schlechtd.* *Schlechtd. Hort.* 1.  
*Marginaria minima Bory.* *Brongniart Coquille* 31.  
 † — *piloselloides Presl.* *Hook. Gen. Fil.* 51.  
 † — *verrucosa Hook.* *Hook. Gen. Fil.* 14.  
 † *Margyricarpus Rz et P.* *Ruiz et Pav. Prodr.* 33.  
 — *setosus Rz et P.* *Ruiz et Pav. Fl.* 8.  
*Margotia laserpitioides Boiss.* *Boissier Esp.* 79.  
*Maria-Antonia orientalis Parl.* *Parlatore Monogr.* 1.  
 † *Marialva Vand.* *Roemer Scriptoros* 7.  
 — *amazonica P. et E.* *Poepp. et Endl.* 212.  
 — *brasilensis Mart.* *Mart. Bras.* 167.  
*Marianthus coeruleo-punctatus Link.* *Link Ic.* III, 12.  
 — — — *Paxt. Mag.* 8, 247.  
 — — — *Bot. Mag.* 68, 3893.  
*Marica californica Gawl.* *Bot. Mag.* 25, 983.  
 — *coerulea Ker.* *Lodd. Cab.* 407.  
 — — — *Bot. Reg.* 9, 713.  
 — — — *Hook. Exot. Fl.* 222.  
 — — — *Knowles et Westcott* 40.  
 — — — *Paxt. Mag.* 1, 128.  
 — — — *Rchb. Exot.* 21.  
 — *gladiata Ker.* *Bot. Reg.* 3, 229.  
 — *gracilis Herb.* *Bot. Mag.* 66, 3713.  
 — *humilis Herb.* *Lodd. Cab.* 1081.  
 — — — *var. lutea, Bot. Mag.* 67, 3809.  
 — *iridifolia Ker.* *Bot. Reg.* 8, 646.  
 — *longifolia Link.* *Link Ic.* I, 58.  
 — *martinicensis Ker.* *Lodd. Cab.* 1362.  
 — *Northiana Gawl.* *Bot. Mag.* 18, 654.  
 — — — *Lodd. Cab.* 873.  
 — *paludosa Willd.* *Bot. Mag.* 18, 646.  
 — *plicata Gawl.* *Bot. Mag.* 18, 655.  
 — *Sabini Ldl.* *Hortic. Transact.* 6, 1.  
 — — — *Lodd. Cab.* 1164.  
 — — — *Paxt. Mag.* 1, 81.  
 — *semiaperta Ldl.* *Lodd. Cab.* 685.  
 — *striata Gawl.* *Bot. Mag.* 19, 701.  
*Marignia acutifolia DC.* *Rumpf Amb.* 2, 52.  
 — *obtusifolia DC.* *Delessert Ic.* 3, 55.  
 † *Marila racemosa Sw.* *Mem. Mus.* 16, 17.  
 — *tomentosa P. et E.* *Poepp. et Endl.* 213.  
*Maripa scandens Aubl.* *Aublet Guiana* 91.

- † *Maripa scandens* *Aubl.* Lam. Encycl. 110.  
*Mariscus appendiculatus* *Brongn.* Brongn. Coquille 34.  
 — *aureus* *Bert.* Novi Comm. Bonon. 9, 34.  
 † — *biglumis* *Gaertn.* Gaertn. Carp. 2.  
 — *echinatus* *Ell.* Elliott Carolina 3.  
 — *macrophyllus* *Brongn.* Brongniart Coquille 33.  
 — *Mutisii* *H. B. K.* H. B. K. Nov. Gen. 1, 66.  
 — *pycnostachyus* *H. B. K.* H. B. K. Nov. Gen. 1, 65.  
 † — *retrofractus* *Gaertn.* Gaertn. Carp. 2.  
 — *rufus* *H. B. K.* H. B. K. Nov. Gen. 1, 67.  
 — *umbellatus* *Vahl.* Rheede Hort. mal. 12, 63.  
*Marlea affinis* *Decne.* Jacquemont Ind. 83.  
 — — — *Schnizl.* Iconogr. 262.  
 — *begonifolia* *Roxb.* Roxb. Corom. 283.  
 — — — Bot. Reg. 24, 61.  
 † — — — *Hook.* Journal 1850, 5.  
*Marlicrea suaveolens* *Camb.* St. Hil. Fl. Bras. 156.  
*Marrubium apulum* *Ten.* Tenore Fl. nap. 154.  
 — *astracanicum* *Jacq.* Jacq. Ic. 109.  
 — — — *Rehb.* Ic. crit. 3, 270.  
 † — *candidissimum* *L.* Nees Genera 6, 38.  
 — *catariaefolium* *Lam.* Jacq. Ecl. pl. 64.  
 — — — *Rehb.* Ic. crit. 4, 313.  
 — *cinereum* *Lam.* Brotero Phytogr. 110.  
 — — — *Hoffm.* Lk. Fl. port. 8.  
 — *creticum* *Mill.* Sprengel Fl. hal. 6.  
 — — — *Rehb.* Ic. crit. 3, 288.  
 — *hispanicum* *L.* Schk. Handb. 162.  
 — *leonuroides* *Desrouss.* *Rehb.* Ic. crit. 3, 299.  
 — *paniculatum* *Desrouss.* *Rehb.* Ic. crit. 3, 300.  
 — *peregrinum* *L.* Jacq. Fl. austr. 2, 160.  
 — — — *Sprengel* Fl. hal. 6.  
 — — — *Rehb.* Ic. crit. 4, 312.  
 † — — — *Koch.* Nees Genera 6, 38.  
 — *pseudodictamnus* *L.* Sibth. Fl. gr. 562.  
 † — — — *Lam.* Encycl. 508.  
 — *rupestre* *Biv.* Bivona Stirp. rar. Sic. 2, 1.  
 — *sericeum* *Boiss.* Boissier Esp. 148.  
 — *Vaillantii* *Coss. et G.* Ann. sc. nat. II. 20, 14.  
 — — — *Cosson* Atlas 21.  
 — *velutinum* *Sibth.* Sibth. Fl. gr. 561.  
 — *vulgare* *L.* Fl. dan. 6, 1036.  
 — — — *Woodv.* Med. 2, 118.  
 — — — *Engl.* Bot. 6, 410.  
 — — — *Baxter* Brit. Bot. 3, 171.  
 — — — *Rousseau* Bot. 23.  
 † — — — *Lam.* Encycl. 508.  
 † — — — *Schk.* Handb. 162.  
 — — — *Hayne* II, 40.  
 — — — *Nees* Düsseldorf. 173.  
 — — — *Guimpel et Schl.* 77.  
 — — — *Wagner* 45.  
 — — — *Dietr.* Fl. bor. 3, 202.  
 † — — — *Nees* Gen. 6, 38.  
 † — — — *Cosson* Atlas 21.  
*Marsdenia Brunoniana* *W. et A.* Wight Ic. pl. 2, 356.  
 — *flavescens* *Cunn.* Bot. Mag. 60, 3289.  
 — *maculata* *Hook.* Bot. Mag. 73, 4299.  
 — *suaveolens* *R. Br.* Linn. Transact. 10, 21.  
 — — — *Guillemin* Austr. 9.  
 — — — *Lam.* Encycl. 933.  
 — — — *Bot. Reg.* 6, 489.  
 — — — *Lodd.* Cab. 968.  
 † — *syringaeifolia* *Decne.* Ann. sc. nat. II. 9, 10.  
 — *tenacissima* *W. et A.* Wight Ic. pl. Ind. or. 2, 590.  
 — *tinctoria* *R. Br.* Rheede Hort. mal. 9, 8.  
 — — — *Marsden* Sumatra 8.  
 — — — *Wight* Ic. pl. Ind. or. 2, 589.  
*Marshallia caespitosa* *Nutt.* Bot. Mag. 65, 3704.  
 — *Schreberi* *Gmel.* Tratt. Archiv 80.  
*Marsilea aegyptiaca* *Delile.* Delile Egypte 50.  
 — *brasiliensis* *Mart.* Mart. Crypt. bras. 73.

- Marsilea cormandelica* *Burm.* Burm. Fl. ind. 62.  
 — *crenata* *Presl.* Presl Reliq. 12.  
 — *Fabri* *Dunal.* Dunal Mémoire 1 — 3.  
 † — — — *Ann. sc. nat.* II. 7, 12. 13. 9, 13.  
 † — — — *Mettenius* Rhizoc. 3.  
 — *macropus* *Hook.* Hook. Ic. pl. 10, 909.  
 — *minuta* *L.* Burm. Fl. ind. 62.  
 † — — — *Hedwig* Theoria 8.  
 † — *natans* *L.* Hedwig Theoria 8.  
 — *polycarpa* *Hook.* Hook. Ic. Fil. 2, 160.  
 — *pubescens* *Ten.* Tenore Fl. nap. 250.  
 † — — — *Explor.* Alger. 38.  
 † — — — *Hofmeister* Untersuchungen 22.  
 — *quadrifolia* *L.* Schk. Fil. 173.  
 — — — *Sturm* Flora II. 1, 1.  
 † — — — *Lam.* Encycl. 863.  
 — — — *Dict. sc. nat.* 103.  
 † — — — *Schnizl.* Iconogr. 1, 34.  
 † — — — *Mettenius* Rhizoc. 2, 3.  
 — *salvinoides* *Neck.* Acta palat. 3, 21.  
 — *vestita* *Hook.* Hook. Ic. Fil. 2, 159.  
 † *Marsiliaceae* *Bartl.* Schnizl. Iconogr. 1, 34.  
 † *Marsippospermum* *Desv.* Desvaux Journal 1, 12.  
 — *grandiflorum* *Hook.* Hook. Ic. pl. 6, 533.  
*Marsypianthes hypitoides* *Mart.* Hook. Ic. pl. 5, 457.  
*Martia Sacram.* Münchn. Denkschr. 7, 12.  
 — *mexicana* *Zucc.* Münchner Abh. I, 14. 15.  
 † *Martinezia* *Rz et P.* Ruiz et Pav. Prodr. 32.  
 — *caryotaefolia* *H. B. K.* H. B. K. Nov. Gen. 7, 699.  
 — — — *Mart.* Palm. 161.  
 — *truncata* *Mart.* D'Orbigny Voyage 2, 28.  
*Martiniera potentilloides* *Guill.* Delessert Ic. 3, 40.  
*Martusia parvifolia* *Benth.* Fielding Sertum 11. 12.  
 † *Martynia* *L.* Gloxin Observat. 1.  
 † — *alternifolia* *Lam.* Lam. Encycl. 537.  
 † — *angulosa* *Lam.* Lam. Encycl. 537.  
 — — — *Dict. sc. nat.* 53.  
 — — — *Desc.* Ant. 4, 272.  
 — *annua* *L.* Martyn Hist. 40.  
 — — — *Kretzschmar* Beschreibung 1. 2.  
 † — — — *Houstoun* Rel. 10.  
 † — — — *Gaertn.* Carp. 110.  
 — *diandra* *Gloxin.* Jacq. Schoenbr. 3, 289.  
 — — — *Andr.* Rep. 9, 575.  
 — — — *Bot. Reg.* 23, 2001.  
 — — — *Herb. amat.* 2, 123.  
 — *fragrans* *Ldl.* Bot. Reg. 27, 6.  
 — — — *Bot. Mag.* 73, 4292.  
 — — — *Marnock* Mag. 1842, 2.  
 — *lutca* *Ldl.* Bot. Reg. II, 934.  
 — — — *Paxt.* Mag. II, 149.  
 — *perennis* *L.* Linné Hort. Cliff. 18.  
 — *Proboscidea* *Willd.* Bot. Mag. 26, 1056.  
 — *speciosa* *Hort.* Herb. amat. 4, 225.  
*Marumia affinis* *Korth.* Korthals Bot. 60.  
 — *muscosa* *Bl.* Blume Rumphia 4.  
 † — — — *Ann. sc. nat.* III. 15, 12.  
 — *pachygyna* *Korth.* Korthals Bot. 59.  
 — *zeylanica* *Bl.* Blume Rumphia 5.  
*Maruta Cotula* *Cass.* Guimpel et Kl. 17.  
 † — — — *Nees* Gen. X, x.  
*Mascarenhasia lisianthifolia* *DC.* Delessert Ic. 5, 54.  
 † *Masdevallia* *Rz et P.* Ruiz et Pav. Prodr. 27.  
 — *bicolor* *P. et E.* Poepp. et Endl. 108.  
 — *constricta* *P. et E.* Poepp. et Endl. 108.  
 — *elephanticeps* *Rehb.* *Rehb.* Xenia 1, 3.  
 — *fenestrata* *Ldl.* Bot. Mag. 71, 4164.  
 — *pumila* *P. et E.* Poepp. et Endl. 108.  
 — *uniflora* *Rz et P.* H. B. K. Nov. Gen. 1, 89.  
 † *Massonia* *L.* Kerner Genera 88.  
 — *angustifolia* *L. fl.* Aiton Hort. Kew. I, 4.  
 — — — *Bot. Mag.* 19, 736.

- Massonia angustifolia* L. *fil.* Red. Lil. 7, 392.  
 — — — Lam. Encycl. 233.  
 — cordata Jacq. Jacq. Schoenbr. 4, 459.  
 — coronata Jacq. Jacq. Schoenbr. 4, 460.  
 — corymbosa Gawl. Bot. Mag. 25, 991.  
 — ensifolia Gawl. Bot. Mag. 16, 554.  
 — grandiflora Ldl. Bot. Reg. 12, 958.  
 — hirsuta Link. Link. Ic. II. 1.  
 — lanceaefolia Jacq. Jacq. Schoenbr. 4, 456.  
 — latifolia L. Ait. Hort. Kew. 1, 3.  
 — — — Bot. Mag. 22, 848.  
 — — — Jacq. Schoenbr. 4, 455.  
 † — — — Gaertn. Carp. 182.  
 — — — Lam. Encycl. 233.  
 — longifolia Jacq. Jacq. Schoenbr. 4, 457.  
 — — —  $\beta$ . candida, Bot. Reg. 9, 694.  
 — muricata Gawl. Bot. Mag. 16, 559.  
 — — — Kerner Hort. 162.  
 — — — Rchb. Exot. 50.  
 † — nodicarpa Gaertn. Gaertn. Carp. 182.  
 — obovata Jacq. Jacq. Schoenbr. 4, 458.  
 — pustulata Jacq. Jacq. Schoenbr. 4, 454.  
 — — — Bot. Mag. 17, 642.  
 — — — Red. Lil. 4, 183.  
 — — — Rchb. Hort. 224.  
 — sanguinea Jacq. Jacq. Schoenbr. 4, 461.  
 — scabra Banks. Andr. Rep. 4, 220.  
 — violacea Andr. Andr. Rep. 1, 46.  
 — — — Red. Lil. 7, 386.  
*Mastacanthus sinensis* Endl. Bot. Reg. 32, 2.  
*Mastigophorus Gaudichaudii* Cass. Richard Astrol. 16.  
 † *Mastixia trichotoma* Bl. Blume Mus. 1, 58.  
*Mastostigma varians* Stocks. Hook. Ic. pl. 9, 863.  
*Mataiba guianensis* Aubl. Aublet Guiana 128.  
 — — — Lam. Encycl. 298.  
*Matelea latifolia* Aubl. Aublet Guiana 109.  
 — — — Delessert Ic. 5, 76.  
 † — linearis Decne. Ann. sc. nat. II. 9, 11.  
 — palustris Aubl. Aublet Guiana 109.  
 — — — Lam. Encycl. 179.  
*Mathewsia foliosa* Hook. Hook. Bot. Misc. 96.  
*Matisia cordata* H. B. Humb. Pl. aeq. 2, 2<sup>b</sup>.  
 — oblongifolia P. et E. Poepp. et Endl. 150.  
*Matonia pectinata* R. Br. Wall. Pl. asiat. 16.  
 † — — — Hook. Gen. Fil. 43.  
*Matourea guianensis* Aubl. Aublet Guiana 259.  
 † — pratensis Aubl. Lam. Encycl. 533.  
*Matricaria absinthifolia* Desc. Desc. Ant. 8, 592.  
 — carnosa Lam. Lam. Encycl. 678.  
 † — Chamomilla L. Hill prolif. Bl. 7.  
 — — — Curt. Lond. 1, 142.  
 — — — Engl. Bot. 18, 1232.  
 — — — Baxter Brit. Bot. 5, 335.  
 — — — Fl. dan. 10, 1764.  
 — — — Sv. Bot. 50.  
 — — — Schk. Handb. 253<sup>b</sup>.  
 — — — Dreyes 4, 124.  
 — — — Hayne 1, 3.  
 — — — Guimpel et Schl. 122.  
 — — — Nees Dusseld. 240.  
 — — — Wagner 73.  
 — — — Rchb. Fl. germ. 15, 997.  
 † — coronaria Desr. Lam. Encycl. 678.  
 — Courrantiana DC. Webb Canar. 89.  
 — discoidea DC. Rchb. Fl. germ. 15, 997.  
 — glastifolia Hil. Hill Hort. Kew. 3.  
 — graminifolia Desr. Lam. Encycl. 678.  
 — laxa M. v. B. Tratt. Archiv 200.  
 — Parthenium L. Woody. Med. 1, 30.  
 — — — Fl. dan. 4, 674.  
 † — suaveolens L. Gaertn. Carp. 168.  
 † — — — Lam. Encycl. 678.

- Matthiola acaulis* DC. Visiani Aeg. 3.  
 — coronopifolia DC. Sibth. Fl. gr. 637.  
 — glandulosa Vis. Visiani Dalm. 22.  
 — incana R. Br. Rchb. Fl. germ. 2, 45.  
 — — — Baxter Brit. Bot. 6, 445.  
 † — — — Hook. Journal 1849, 5.  
 — livida DC. Delessert Ic. 2, 12.  
 — maderensis Lowe. Regel Gartenfl. 1, 34.  
 — nodosa Lam. Risso Fl. de Nice 3.  
 — odoratissima R. Br. Bot. Mag. 41, 1711.  
 — — — Bot. Reg. 25, 25.  
 — oxyceras DC. Delessert Ic. 2, 11.  
 — parviflora R. Br. Webb Canar. 7.  
 — Pumilio DC. Sibth. Fl. gr. 638.  
 — sinuata R. Br. Sibth. Fl. gr. 640.  
 — — — Rchb. Fl. germ. 2, 45.  
 — tomentosa Decne. Bélanger Ind. or. x.  
 — tricuspidata R. Br. Sibth. Fl. gr. 639.  
 — — — Sweet Fl. G. 46.  
 — tristis R. Br. Rchb. Fl. germ. 2, 46.  
 — varia DC. Gaudin Fl. helv. 4, 3.  
 — — — Sibth. Fl. gr. 636.  
 — — — Sturm Flora 6, 22.  
 — — — Rchb. Fl. germ. 2, 46.  
 † *Matthisonia Raddi*. Mem. Mod. 18, 5.  
*Mattia Aucheri* A. DC. Jaubert Illustr. 365.  
 — himalayensis Klötzsch. Prinz Waldem. Him. 64.  
 — leptophylla A. DC. Jaubert Illustr. 364.  
 † — umbellata Schul. Nees Gen. 6, 58.  
*Mauhlia ensifolia* Thunb. Thunberg Prodr. Cap. 3.  
*Maurandia antirrhiniflora* Willd. Willdenow Hort. 83.  
 † — — — Chavannes Antirrh. 2.  
 — — — Bot. Mag. 40, 1643.  
 — — — Rchb. Exot. 291.  
 — Barclayana Ldl. Bot. Reg. 13, 1108.  
 — — — Lodd. Cab. 1381.  
 — — — Chavannes Antirrh. 2.  
 — semperflorens Ort. Bot. Mag. 13, 460.  
 — — — Jacq. Schoenbr. 3, 288.  
 — — — Rchb. Exot. 291.  
*Mauria heterophylla* H. B. K. H. B. K. Nov. Gen. 7, 606.  
 — simplicifolia H. B. K. H. B. K. Nov. Gen. 7, 605.  
*Mauritia aculeata* H. B. Mart. Palm. 39. 44. Z<sup>9</sup>.  
 — — — Wallace Palms 19.  
 — armata Mart. Mart. Palm. 41. 42. 43.  
 — — — D'Orbigny Voyage 14. 21.  
 — carana Wallace. Wallace Palms 18.  
 — flexuosa L. *fil.* Mart. Palm. 40.  
 — — — Wallace Palms 2. 17.  
 — gracilis Wallace. Wallace Palms 20.  
 — pumila Wallace. Wallace Palms 21.  
 — vinifera Mart. Mart. Palm. 38. 39.  
 — — — D'Orbigny Voyage 13. 21.  
 † *Maxillaria Rz et P.* Ruiz et Pav. Prodr. 25.  
 — acicularis Herb. Bot. Mag. 74, 4374.  
 — acutipetala Hook. Bot. Mag. 69, 3966.  
 — angustifolia Hook. Hook. Ic. pl. 4, 348.  
 — aromatica Grah. Hook. Exot. Fl. 219.  
 — — — Bot. Reg. 22, 1871.  
 — atropurpurea Lodd. Lodd. Cab. 1877.  
 — aureo-fulva Hook. Bot. Mag. 65, 3629.  
 — — — Knowles et Westcott 83.  
 — Barringtoniae Lodd. Lodd. Cab. 1824.  
 — — — Bot. Reg. 14, 1206.  
 — Batemani P. et E. Poepp. et Endl. 65.  
 — breviscapa P. et E. Poepp. et Endl. 62.  
 — ciliata Rz et P. Bot. Reg. 14, 1206.  
 — — — Bot. Mag. 70, 4081.  
 — cristata Ldl. Bot. Reg. 21, 1811.  
 — — — Maund Bot. 2, 75.  
 — crocea Ldl. Bot. Reg. 21, 1799.  
 — cruenta Ldl. Bot. Reg. 28, 13.



- Maxillaria cucullata *Ldl.* Bot. Reg. 26, 12.  
 — — Bot. Mag. 68, 3945.  
 — — curtipes *Hook.* Hook. Ic. pl. 4, 384.  
 — — decolor *Ldl.* Bot. Reg. 18, 1549.  
 — — — Bot. Mag. 69, 3981.  
 — — densa *Ldl.* Bot. Reg. 21, 1804.  
 — — Deppei *Lodd.* Lodd. Cab. 1612.  
 — — — Bot. Mag. 62, 3395.  
 — — — Paxt. Mag. 2, 268.  
 — — — Mem. Genev. 9, 2.  
 ! — — — triandra, Schweizer Denkschr. 5, 7.  
 — — eburnea *Ldl.* Lindley Serturn 40.  
 — — galeata *Ldl.* Lodd. Cab. 1645.  
 — — gracilis *Lodd.* Lodd. Cab. 1837.  
 — — Harrisoniae *Ldl.* Bot. Reg. 11, 897.  
 — — — Bot. Mag. 56, 2927.  
 — — — Paxt. Mag. 2, 196.  
 — — — var. Regel Gartenfl. 2, 52.  
 — — Henchmanni *Hook.* Bot. Mag. 64, 3614.  
 — — heteroclita *P. et E.* Poepp. et Endl. 63.  
 — — Heynderyxii *Morr.* Annales de Gand 1845, 9.  
 — — leptosepala *Hook.* Bot. Mag. 75, 4434.  
 — — macrobulbon *Hook.* Bot. Mag. 72, 4228.  
 — — macrophylla *P. et E.* Poepp. et Endl. 64.  
 — — nana *Hook.* Hook. Ic. pl. 4, 315.  
 — — ochroleuca *Lodd.* Lodd. Cab. 1904.  
 — — pallidiflora *Hook.* Bot. Mag. 55, 2806.  
 — — Parkeri *Hook.* Bot. Mag. 54, 2729.  
 — — parvula *Hook.* Hook. Exot. Fl. 217.  
 — — picta *Hook.* Bot. Mag. 59, 3154.  
 — — — Bot. Reg. 21, 1802.  
 — — placanthera *Hook.* Bot. Mag. 59, 3173.  
 — — — Bot. Reg. 18, 1510.  
 — — pumila *Hook.* Bot. Mag. 64, 3613.  
 — — punctata *Lodd.* Lodd. Cab. 1914.  
 — — racemosa *Hook.* Bot. Mag. 54, 2789.  
 — — — Bot. Reg. 19, 1566.  
 — — — Lodd. Cab. 1318.  
 — — Rollissonii *Ldl.* Bot. Reg. 24, 40.  
 — — rufescens *Hook.* Bot. Reg. 22, 1848.  
 — — Skinneri *Batem.* Bateman Orchid. 35.  
 — — splendens *P. et E.* Poepp. et Endl. 66.  
 — — squalens *Hook.* Bot. Mag. 56, 2955.  
 — — stapelioides *Link.* Bot. Mag. 67, 3877.  
 — — — Bot. Reg. 25, 17.  
 — — Steelii *Hook.* Bot. Mag. 64, 3573.  
 — — — Bot. Reg. 23, 1986.  
 — — supina *P. et E.* Poepp. et Endl. 67.  
 — — tenuifolia *Ldl.* Bot. Reg. 25, 8.  
 — — — Maund Bot. 3, 140.  
 — — tetragona *Ldl.* Bot. Reg. 17, 1428.  
 — — — Bot. Mag. 59, 3146.  
 — — viridis *Ldl.* Bot. Reg. 18, 1510.  
 — — vitellina *Ldl.* Bot. Reg. 25, 12.  
 — — Warreana *Lodd.* Lodd. Cab. 1884.  
 — — — Bot. Mag. 72, 4235.  
 Maximiliana insignis *Mart.* Mart. Palm. 94.  
 — — princeps *Mart.* D'Orbigny Voyage 4.  
 — — regia *Mart.* Mart. Palm. 91. 92. 93.  
 — — — D'Orbigny Voyage 15. 31.  
 — — — Wallace Palms 3. 47.  
 Mayaca fluviatilis *Aubl.* Aublet Guiana 15.  
 — — — Lam. Encycl. 36.  
 — — Vandelli *Sch. et E.* Schott et Endl. Melet. 3.  
 Mayepea guianensis *Aubl.* Aublet Guiana 31.  
 — — — Lam. Encycl. 72.  
 †Mayna brasiliensis *Rodd.* Mem. Mod. 18, 5.  
 — — — Münchn. Abh. 2, 5. 6.  
 — — longifolia *P. et E.* Poepp. et Endl. 271.  
 — — odorata *Aubl.* Aublet Guiana 352.  
 — — — Lam. Encycl. 491.  
 †Mays Zea *Gaertn.* Gaertn. Carp. 1.

- †Mays Zea *Gaertn.* Dumortier Gramin. 15.  
 Maytenus chilensis *DC.* Bot. Reg. 20, 1702.  
 Mazeutoxeron reflexum *Lab.* Labill. Relation 19.  
 — — rufum *Lab.* Labill. Relation 17.  
 Mazus Pumilio *R. Br.* Endl. Iconogr. 102.  
 — — — Hook. Ic. pl. 6, 567.  
 — — rugosus *Lour.* Sweet Fl. G. 36.  
 — — surculosus *Don.* Wight Ic. pl. Ind. or. 4, 1407.  
 Meborea guianensis *Aubl.* Aublet Guiana 323.  
 — — — Lam. Encycl. 731.  
 Mecardonia pusilla *Mart.* Mart. Brac. 208.  
 Meconella oregana *Nutt.* Hook. Ic. pl. 4, 360.  
 Meconopsis aculeata *Royle.* Royle Illustr. 15.  
 † — — cambrica *Vig.* Mem. Genev. 1, 2.  
 — — — Baxter Brit. Bot. 1, 54.  
 — — Guilemi Waldemarii *Klotzsch.* Prinz Waldem. Him. 36.  
 — — heterophylla *Benth.* Hook. Ic. pl. 8, 732.  
 — — Wallichii *Hook.* Bot. Mag. 78, 4668.  
 — — — Lem. Jard. f. 3, 315.  
 — — — Fl. d. serres 8, 753.  
 Mecopus nidulans *R. Br.* Bennett Java 32.  
 †Mecosa angustata *Bl.* Blume Tabellen 1.  
 Medeola angustifolia *L. Ait.* Red. Lil. 7, 393.  
 — — asparagoides *L.* Lam. Encycl. 266.  
 — — — Red. Lil. 8, 442.  
 — — virginica *L.* Lam. Encycl. 266.  
 — — — Bot. Mag. 32, 1316.  
 — — — Barton Med. 38.  
 †Medicago *L.* Gaertn. Carp. 155.  
 † — — Schk. Handb. 212<sup>a</sup>. 212<sup>b</sup>.  
 † — — Lam. Encycl. 612.  
 — — agrestis *Ten.* Tenore Fl. nap. 183.  
 — — arborea *L.* Nouveau Duhamel 4, 44.  
 — — — Lodd. Cab. 1379.  
 — — — Sibth. Fl. gr. 767.  
 — — — Moris Fl. sard. 35.  
 — — arenaria *Ten.* Tenore Fl. nap. 183.  
 — — canariensis *Benth.* Webb Canar. 56.  
 — — carstiensis *Jacq.* Jacq. Ic. 156.  
 — — — Bot. Mag. 23, 909.  
 ! — — — Denkschr. d. W. Akad. 1, 3.  
 — — ciliaris *Willd.* Moris Fl. sard. 51.  
 — — circinata *L.* Sibth. Fl. gr. 768.  
 — — — Moris Fl. sard. 34.  
 — — connivens *Trautv.* Trautvetter Im. 20.  
 — — corrugata *Durieu.* Explor. Alger. 88.  
 — — — Munby Fl. d'Algérie 6.  
 — — corymbifera *Schm.* Linnæa 4, 1.  
 — — crassipina *Vis.* Visiani Dalm. 43.  
 — — cretacea *M. v. B.* Marschall Cent. 76.  
 — — denticulata *Willd.* Engl. Bot. 2634.  
 — — — Moris Fl. sard. 47. 48.  
 — — Echinus *DC.* Moris Fl. sard. 52. 53.  
 — — elegans *Jacq.* Moris Fl. sard. 38.  
 — — falcata *L.* Fl. dan. 2, 233.  
 — — — Sv. Bot. 248.  
 — — — Engl. Bot. 15, 1016.  
 — — — Schrank Fl. monac. 2, 179.  
 — — flexuosa *Ten.* Tenore Fl. nap. 178.  
 — — Gerardi *W. et Kit.* Moris Fl. sard. 43.  
 — — glomerata *Balb.* DC. Ic. Gall. 27.  
 — — Helix *Willd.* *β.* spinosa, Webb Canar. 56.  
 — — — Moris Fl. sard. 39.  
 — — heterocarpa *Spach.* Explor. Alger. 89.  
 — — histrix *Ten.* Tenore Fl. nap. 178.  
 † — — intertexta *Willd.* Gaertn. Carp. 155.  
 — — litoralis *Rhode.* Moris Fl. sard. 40.  
 — — — Explor. Alger. 89.  
 — — lupulina *L.* Fl. dan. 6, 992.  
 — — — Curt. Lond. 3, 115.  
 — — — Engl. Bot. 14, 971.

- Medicago lupulina L. Dietr. Fl. bor. 6, 372.  
 — maculata Willd. Curt. Lond. 3, 121.  
 — — — Moris Fl. sard. 50.  
 — marina L. Cav. Ic. 130.  
 — — — Sibth. Fl. gr. 770.  
 — minima Desr. Engl. Bot. 2635.  
 — — — var. Rochel Banat. 15.  
 — — — Dietr. Fl. bor. 12, 803.  
 — Noccae Balb. Brugn. Giorn. 1815, 2.  
 — — — Nocca et Balbis Fl. tic. 11.  
 — obscura Retz. Retzius Obs. 1, 1.  
 — — — Gussone Pl. rar. 52.  
 — orbicularis All. Moris Fl. sard. 37.  
 — plagiospira Durieu. Explor. Alger. 89.  
 — polymorpha L. Engl. Bot. 23, 1616.  
 — — — var. minor, Fl. dan. 2, 211.  
 — — — var. pinnatifida, Jacq. Collect. 5, 15.  
 — praecox DC. Moris Fl. sard. 49.  
 — prostrata Jacq. Winterl. Index 4,  
 — — — Jacq. Vind. 89.  
 † — pusilla Viv. - Viviani Aeg. 2.  
 — sativa L. Engl. Bot. 25, 1749.  
 — — — Baxter Brit. Bot. 5, 329.  
 — — — Rousseau Bot. 17.  
 — — — Lam. Encycl. 612.  
 — — — Fl. dan. 13, 2244.  
 — — — Schrank Fl. monac. 3, 245.  
 — scutellata Willd. Sibth. Fl. gr. 769.  
 — — — All. Moris Fl. sard. 36.  
 — secundiflora Durieu. Explor. Alger. 88.  
 — sphaerocarpa Bert. Sebastiani Fl. rom. 3.  
 — — — Sebastiani Rom. pl. 2, 3.  
 — — — Moris Fl. sard. 46.  
 — suffruticosa DC. DC. Ic. Gall. 28.  
 — Tenoreana DC. Tenore Fl. nap. 178.  
 — tribuloides Desr. Moris Fl. sard. 41, 42.  
 — tuberculata Willd. Moris Fl. sard. 44.  
 — turbinata Willd. Moris Fl. sard. 45.  
 Medinilla erythrophylla Ldl. Paxt. Mag. 10, 79.  
 — javanensis Bl. Bot. Mag. 77, 4569.  
 † — — — Ann. sc. nat. III, 15, 12.  
 — — — Lem. Jard. fl. 96.  
 † — loranthoides Naud. Ann. sc. nat. III, 15, 13.  
 — macrocarpa Bl. Blume Rumphia 2.  
 — magnifica Ldl. Bot. Mag. 76, 4533.  
 — — — Paxt. Fl. G. 12.  
 — — — Lem. Jard. fl. 56 — 57.  
 — — — Fl. d. serres 6, 572.  
 — polyantha Korth. Korthals Bot. 61.  
 — pterocaula Bl. Blume Rumphia 1.  
 — radicans Bl. Blume Rumphia 3.  
 — rosea Gaudich. Freycinet Voyage 106.  
 † — — — Ann. sc. nat. III, 15, 12.  
 † — rubicunda Bl. Ann. sc. nat. III, 15, 13.  
 — Sieboldiana Planch. Bot. Mag. 78, 4650.  
 — — — Fl. d. serres 5, 482.  
 — — — Lem. Jard. fl. 3, 298.  
 — — — speciosa Bl. Bot. Mag. 73, 4321.  
 † Meesia serrata Gaertn. Gaertn. Carp. 50.  
 † — — — Lam. Encycl. 143.  
 Megacarpaea laciniata Led. Ledeb. Ic. 372, 380.  
 Megaclinium falcatum Ldl. Bot. Reg. 12, 989.  
 † — — — Acad. Brux. 15, 0.  
 — — — maximum Ldl. Bot. Reg. 23, 1959.  
 — — — Bot. Mag. 69, 4028.  
 Meionectes Brownii J. Hook. Hook. Ic. pl. 4, 306.  
 Meisneria arenaria Mart. Mart. Bras. 258.  
 — — — microliciooides Naud. Ann. sc. nat. III, 12, 11.  
 — — — paludosa Mart. Mart. Bras. 258.  
 † Meisteria cernua S. et Z. Münchn. Abhandl. 4, 3.  
 † Melaleuca L. Lam. Encycl. 641.  
 † — — — Kerner Genera 109.

- † Melaleuca angustifolia Gaertn. Gaertn. Carp. 35.  
 — — — armillaris Wendl. Wendland Coll. 29.  
 — — — Herb. amat. 2, 117.  
 — Cajuputi Roxb. Guimpel et Schl. 67.  
 — — — Woodv. Med. 5, 16.  
 — canescens Link. Link Ic. I. 37.  
 — chlorantha Bonpl. Bonpland Malm. 8.  
 — coronata Andr. Andr. Rep. 4, 278.  
 — cuticularis Lab. Bill. Nov. Holl. 171.  
 — decussata R. Br. Bot. Mag. 48, 2268.  
 — — — Lodd. Cab. 1208.  
 — — — Colla Hort. Rip. 15.  
 — densa R. Br. Herb. amat. 5, 325.  
 — — — Colla. Mem. Tur. 31, 4.  
 — diosmaefolia Andr. Andr. Rep. 7, 476.  
 — discolor Rehb. Rehb. Hort. 113.  
 — elliptica Lab. Bill. Nov. Holl. 173.  
 — empetrifolia Rehb. Rehb. Hort. 102.  
 — ericaefolia Sm. Smith Exot. Bot. 34.  
 — — — Vent. Malm. 76.  
 — — — Nouveau Duhamel 4, 46.  
 — — — Andr. Andr. Rep. 3, 175.  
 — erubescens Otto. Rehb. Hort. 82.  
 — fascicularis Lab. Bill. Nov. Holl. 170.  
 — Fraseri Hook. Bot. Mag. 60, 3210.  
 — fulgens R. Br. Bot. Reg. 2, 103.  
 — — — Lodd. Cab. 378.  
 — genistaefolia Sm. Smith Exot. Bot. 55.  
 — gibbosa Lab. Bill. Nov. Holl. 172.  
 — gnidiaefolia Vent. Vent. Malm. 4.  
 — hamata Gardn. Fielding Sertum 74.  
 — hypericifolia Sm. Andr. Rep. 3, 200.  
 — — — Lodd. Cab. 199.  
 — — — Wendland Coll. 18.  
 — — — Vent. Cels 10.  
 — — — Nouveau Duhamel 4, 45.  
 — — — Kerner Hort. 364.  
 — — — Savi Fl. ital. 3, 100.  
 — incana R. Br. Bot. Reg. 5, 410.  
 — juniperina Sieb. Rehb. Hort. 112.  
 — Leucadendron L. Rumpf Amb. 2, 16, 17.  
 — — — Woodv. Med. 3, 195.  
 — — — Hayne 10, 9.  
 — — — Nees Düsseld. 299.  
 — — — Roxb. Nees Düsseld. Suppl. 66.  
 — — — Lam. Lam. Encycl. 641.  
 — linearifolia Sm. Smith Exot. Bot. 56.  
 — linearis Schrad. Schrader Sert. hannov. 11.  
 — myrtifolia Vent. Vent. Malm. 47.  
 — neriifolia Sims. Bot. Mag. 26, 1058.  
 — nodosa Sm. Smith Exot. Bot. 35.  
 — — — Wendland Coll. 60.  
 — — — Vent. Malm. 112.  
 — parviflora Otto. Rehb. Hort. 31.  
 — pentagona Lab. Bill. Nov. Holl. 166.  
 — pulchella R. Br. Lodd. Cab. 200.  
 — — — Herb. amat. 5, 325.  
 — — — Rehb. Mag. 8.  
 — salicifolia Andr. Andr. Rep. 7, 485.  
 — scabra R. Br. Sweet Austr. 10.  
 — scoparia L. Schrader Sert. hannov. 15.  
 — splendens Lee. Kerner Hort. 639.  
 — sprengelioides DC. Mem. Genev. 9, 3.  
 — squamea Lab. Bill. Nov. Holl. 168.  
 — — — Bot. Reg. 6, 477.  
 — squarrosa Lab. Bill. Nov. Holl. 169.  
 — — — Bot. Mag. 44, 1935.  
 — — — Lodd. Cab. 1130.  
 — — — Tratt. Thes. 72.  
 — striata Lab. Bill. Nov. Holl. 165.  
 — styphelioides Colla. Mem. Tur. 35, 6.  
 † — suaveolens Gaertn. Gaertn. Carp. 35.

- Melaleuca Thea* Schrad. Schrader Sert. hannov. 14.  
 — *thymifolia* Sm. Smith Exot. Bot. 36.  
 — — — Bot. Mag. 44, 1868.  
 — — — Lodd. Cab. 439.  
 — — — Rehb. Mag. 8.  
 — *thymoides* Lab. Bill. Nov. Holl. 167.  
 — *tomentosa* Colla. Colla Hort. Rip. 37.  
 — *virgata* Forst. Rumpf Amb. 2, 18.  
 † — *viridiflora* Sol. Gaertn. Carp. 35.  
 — — — Link Ic. III. 47.  
*Melampodium americanum* L. Houston Reliq. 21.  
 † — — — Gaertn. Carp. 169.  
 † — — — Lam. Encycl. 713.  
 — *hispidum* H. B. K. H. B. K. Nov. Gen. 4, 399.  
 — *humile* Moris. Mem. Tur. 36, 9.  
 — *ovatifolium* Rehb. Rehb. Hort. 42.  
 — *sericeum* H. B. K. H. B. K. Nov. Gen. 4, 398.  
 † *Melampyrum* L. Mutel Fl. fr. 43.  
 — *arvense* L. Fl. dan. 6, 911.  
 — — — Curt. Lond. 4, 63.  
 — — — Engl. Bot. 1, 53.  
 — — — Baxter Brit. Bot. 6, 457.  
 † — — — Lam. Encycl. 518.  
 — — — Schrank Fl. monac. 1, 53.  
 — — — Dietr. Fl. bor. 4, 270.  
 — *barbatum* W. et K. W. et Kit. 86.  
 — *cristatum* L. Fl. dan. 7, 1104.  
 — — — Engl. Bot. 1, 41.  
 — — — Dietr. Fl. bor. 4, 268.  
 † — — — Nees Gen. 5, 47.  
 — *nemosum* L. Fl. dan. 2, 305.  
 — — — Sv. Bot. 423.  
 † — — — Schk. Handb. 170.  
 — — — Sturm Flora 8, 29.  
 — — — Schrank Fl. monac. 2, 138.  
 — — — Dietr. Fl. bor. 2, 136.  
 — *pratense* L. Engl. Bot. 2, 113.  
 — — — Sv. Bot. 287.  
 — — — Fl. dan. 13, 2238.  
 † — — — Gaertn. Carp. 53.  
 † — — — Lam. Encycl. 518.  
 — — — Schk. Handb. 170.  
 — — — Sturm Flora 3, 9.  
 — — — Schrank Fl. monac. 4, 398.  
 — — — Dietr. Fl. bor. 2, 135.  
 † — — — Nees Gen. 5, 47.  
 — *silvaticum* L. Fl. dan. 1, 145.  
 — — — Curt. Lond. 5, 176.  
 — — — Engl. Bot. 12, 804.  
 — — — Sturm Flora 3, 9.  
 † *Melanocranis scariosa* Vahl. Comm. Gott. rec. 7, 2.  
*Melanocenchris Jacquemontii* Jaub. Jaub. Illustr. 325.  
 — *Perrottetii* Jaub. Jaubert Illustr. 326.  
*Melanopsidium nigrum* Colla. Colla Hort. Rip. 35.  
*Melanorrhoea glabra* Wall. Wall. Pl. asiat. 283.  
 — *usitata* Wall. Wall. Pl. asiat. 11—12.  
*Melanoseris lyrata* Decne. Jacquemont Ind. 109.  
*Melanosticta Burchellii* DC. DC. Legum. 69.  
*Melanthesa obliqua* Wight. Wight Ic. pl. Ind. or. 5, 1898.  
 — *rhamnoides* Bl. Wight Ic. pl. Ind. or. 5, 1898.  
 — *turbinata* Wight. Wight Ic. pl. Ind. or. 5, 1897.  
 † *Melanthiaceae* R. Br. Schnizl. Iconogr. 1, 53.  
*Melanthium capense* L. Lam. Encycl. 269.  
 — *ciliatum* L. Jacq. Fragm. 3.  
 — *densum* Desr. Lam. Encycl. 269.  
 — *dicline* Willk. Willkomm Ic. Hisp. 1, 14.  
 — *eucomoides* Jacq. Jacq. Ic. 452.  
 — — — Bot. Mag. 17, 641.  
 — *gramineum* Cav. Anales de hist. nat. 3, 27.  
 — — — Cav. Ic. 587.  
 — — — Red. Lil. 5, 249.  
 — *junceum* Jacq. Jacq. Ic. 451.

- Melanthium junceum* Jacq. Bot. Mag. 16, 558.  
 — — — Lodd. Cab. 978.  
 — — — Herb. amat. 1, 50.  
 — *massoniæfolium* Andr. Andr. Rep. 6, 368.  
 — *monopetalum* L. Bot. Mag. 32, 1291.  
 —? *pumilum* Forst. Comm. Gott. 9, 6.  
 — *punctatum* Cav. Anales de hist. nat. 3, 26.  
 — — — Cav. Ic. 588.  
 — *secundum* Desr. Lam. Encycl. 269.  
 — *sibiricum* L. Linné Amoenit. 2, 4.  
 — *spicatum* Houtt. Bot. Mag. 19, 694.  
 — *uniflorum* Jacq. Jacq. Ic. 450.  
 — — — Bot. Mag. 20, 767.  
 — *virginicum* L. Lam. Encycl. 269.  
 — — — Torrey New York 134.  
 — *viride* L. Andr. Rep. 4, 233.  
 — — — Bot. Mag. 25, 994.  
*Melanthus glaucus* Pohl. Pohl Bras. 65.  
 — *integrifolius* Pohl. Pohl Bras. 64.  
 — *longespicatus* Pohl. Pohl Bras. 61.  
 — *rhomboidalis* Pohl. Pohl Bras. 62.  
 — *triphylus* Pohl. Pohl Bras. 63.  
 — *villosus* Pohl. Pohl Bras. 60.  
 — — — Rehb. Exot. 281.  
*Melasma scabrum* Berg. Bergius Cap. 3.  
 † — — — Gaertn. Carp. 55.  
 —? *Zeyheri* Hook. Hook. Ic. pl. 3, 255.  
*Melaspheerula graminea* Gawl. Bot. Mag. 17, 615.  
 — *parviflora* Lodd. Lodd. Cab. 1444.  
*Melastoma* — Icones pl. Chinae 2.  
 — *acuminatum* Vahl. Vahl Eclogae 7.  
 — *acutipetalum* Rich. Humb. Melast. 38.  
 — *agreste* Aubl. Aublet Guiana 166.  
 — *alatum* Aubl. Aublet Guiana 158.  
 — *albicans* Raddi. Mem. Mod. 20, 11.  
 † *alpestre* Jack. Linn. Transact. 14, 1.  
 † — — — Calcutta Journal 1844, 11.  
 — *ambiguum* Bonpl. Humb. Melast. 25.  
 — *amygdalinum* Desr. Humb. Melast. 36.  
 — *angustifolium* Sw. Vahl Ic. 26.  
 — — — Humb. Melast. 10.  
 — *aplostachyum* Bonpl. Humb. Melast. 1.  
 — *aquaticum* Aubl. Aublet Guiana 169.  
 — *arborescens* Aubl. Aublet Guiana 163.  
 — *aspergillare* Bonpl. Humb. Melast. 19.  
 † *asperum* L. Gaertn. Carp. 126.  
 — *biglomeratum* Bonpl. Humb. Melast. 15.  
 — *bivalve* Aubl. Aublet Guiana 155.  
 — *Boryanum* Korth. Korthals Bot. 50.  
 — *bracteolatum* Bonpl. Humb. Melast. 20.  
 — *brunneum* Vahl. Vahl Ic. 23.  
 — *Cacatin* Aubl. Aublet Guiana 173.  
 — *caelatum* Bonpl. Humb. Melast. 6.  
 — *calycopteris* Rich. Humb. Melast. 42.  
 — *calypratrum* Desr. Humb. Melast. 46.  
 — *capitellatum* Bonpl. Humb. Melast. 3.  
 — *caudatum* Bonpl. Humb. Melast. 7.  
 — *ciliatum* Desr. Humb. Melast. 28.  
 — *coccineum* Vahl. Vahl Ic. 16.  
 — — — Humb. Melast. 14.  
 — — — Kerner Hort. 280.  
 — *compressum* Vahl. Vahl Ic. 17.  
 — *cornifolium* Desr. Humb. Melast. 41.  
 — *coronatum* Bonpl. Humb. Melast. 56.  
 — *corymbosum* Sims. Bot. Mag. 23, 904.  
 — — — Lodd. Cab. 984.  
 — *crenatum* Vahl. Vahl Ic. 24.  
 — *crispatum* L. Rumpf Amb. 5, 35.  
 — *cymbifolium* Rich. Humb. Melast. 26.  
 — *cymosum* Schrad. Schrader Sertum hann. 10.  
 — — — Vent. Malm. 14.  
 — — — Rehb. Mag. 43.

- Melastoma cymosum* Schrad. Herb. amat. 2, 135.  
 — *decumbens* Pal. B. Pal. B. Fl. d'Oware 41.  
 — — — Kerner Hort. 584.  
 — *denticulatum* Lab. Bill. Sertum 64.  
 — *discolor* L. Jacq. Hist. stirp. am. 125.  
 — — — Humb. Melast. 34.  
 — *diversifolium* Bonpl. Humb. Melast. 59.  
 — *elaegnoides* Sw. Vahl Ic. 28.  
 — — — Humb. Melast. 13.  
 — *elegans* Aubl. Aublet Guiana 167.  
 † *exiguum* Jack. Linn. Transact. 14, 1.  
 † — — — Calcutta Journal 1844, 11.  
 — *extinctorium* Bonpl. Humb. Melast. 57.  
 — *flaves cens* Aubl. Aublet Guiana 164.  
 — *floribundum* Bonpl. Humb. Melast. 53.  
 — *Fothergillii* Rich. Humb. Melast. 32.  
 — *fulvum* Rich. Humb. Melast. 11.  
 — — — Kerner Hort. 318.  
 — *furfuraceum* Vahl. Vahl Ic. 22.  
 † *Gaudichaudianum* Naud. Ann. sc. nat. III. 15, 5.  
 — *grandiflorum* Aubl. Aublet Guiana 160.  
 — — — Desc. Ant. 7, 521.  
 — *granulosum* Bonpl. Humb. Melast. 12.  
 — — — Desr. Bot. Reg. 8, 671.  
 — — — Bot. Mag. 51, 2441.  
 — *guayaquilense* Bonpl. Humb. Melast. 49.  
 — *heteromallum* Don. Bot. Mag. 49, 2337.  
 — — — Bot. Reg. 8, 644.  
 — *hirtum* L. Bot. Mag. 45, 1971.  
 — — — Desc. Ant. 5, 345.  
 — *holosericeum* L. Humb. Melast. 23.  
 — — — var. *acuminata*, Humb. Melast. 24.  
 — *hymenonervium* Raddi. Mem. Mod. 20, 11.  
 — *ibaguense* Bonpl. Humb. Melast. 45.  
 — *impetiolare* Sw. Vahl Ic. 25.  
 — — — Humb. Melast. 29.  
 — *lacerum* Bonpl. Humb. Melast. 5.  
 — *laevigatum* Aubl. Aublet Guiana 159.  
 — — — L. Bot. Reg. 5, 363.  
 — *longifolium* Aubl. Aublet Guiana 170.  
 — *loxense* Bonpl. Humb. Melast. 43.  
 — *lutescens* Bonpl. Humb. Melast. 17.  
 — *macrocarpum* Don. Hart. Parad. 2, 2.  
 — *malabathricum* L. Rheede Hort. mal. 4, 42.  
 — — — Rumpf Amb. 4, 72.  
 † — — — Gaertn. Carp. 126.  
 — — — Lam. Encycl. 361.  
 — — — Bot. Mag. 15, 529.  
 — — — Bot. Reg. 8, 672.  
 — — — Lodd. Cab. 1932.  
 † — — — Linn. Transact. 14, 1.  
 † — — — Calcutta Journal 1844, 11.  
 † — — — Miquel Comment. 10.  
 — — — Wight Illustr. 95.  
 — *mandioccanum* Raddi. Mem. Mod. 20, 13.  
 — *mexicanum* Bonpl. Humb. Melast. 55.  
 — *minutiflorum* Bonpl. Humb. Melast. 22.  
 — *mucronatum* Desr. Humb. Melast. 18.  
 — *multiflorum* Desr. Humb. Melast. 37.  
 — *Mutisii* Bonpl. Humb. Melast. 58.  
 — *nepalense* Lodd. Lodd. Cab. 707.  
 — *nigricans* Vahl. Vahl Ic. 27.  
 — *niveum* Desr. Humb. Melast. 44.  
 — *obscurum* Bonpl. Humb. Melast. 52.  
 — *octonum* Bonpl. Humb. Melast. 4.  
 — *osbeckioides* Sims. Bot. Mag. 48, 2235.  
 — *parviflorum* Aubl. Aublet Guiana 171.  
 — *pendulifolium* Bonpl. Humb. Melast. 35.  
 † *polyanthum* Bl. Blume Mus. 1, 6.  
 — *procerum* Sw. Humb. Melast. 51.  
 — *pulcherrimum* Korth. Korthals Bot. 49.  
 — *punctatum* Desr. Humb. Melast. 40.  
  
*Melastoma purpurascens* Aubl. Aublet Guiana 154.  
 — *pyramidale* Bonpl. Humb. Melast. 21.  
 — *racemosum* Aubl. Aublet Guiana 156.  
 — — — Humb. Melast. 27.  
 — *rariflorum* Bonpl. Humb. Melast. 50.  
 — *reclinatum* Bonpl. Humb. Melast. 48.  
 — *repens* Desr. Lam. Encycl. 361.  
 † — — — Ann. sc. nat. III. 13, 5.  
 — *rigidum* Sw. Kerner Hort. 178.  
 — *rubiginosum* Bonpl. Humb. Melast. 47.  
 — *rubrolimbatum* Link. Link Ic. I. 41.  
 — *rubrum* Aubl. Aublet Guiana 161.  
 — — — Rich. Humb. Melast. 39.  
 — *rufescens* Aubl. Aublet Guiana 157.  
 — *sanguineum* Don. Bot. Mag. 48, 2241.  
 — — — Paxt. Mag. 12, 265.  
 — *scandens* Aubl. Aublet Guiana 172.  
 — *semicrenatum* Rich. Humb. Melast. 31.  
 — *sessiliflorum* Vahl. Vahl Ic. 18.  
 — *setinodis* Bonpl. Humb. Melast. 2.  
 — *spicatum* Aubl. Aublet Guiana 165.  
 — *stenobotrys* Rich. Humb. Melast. 30.  
 — *strangulatum* Raddi. Mem. Mod. 20, 9.  
 — *strigillosum* Sw. Kerner Hort. 199.  
 — *suaveolens* Raddi. Mem. Mod. 20, 11.  
 — *subtriplinervium* Link. Link Ic. II. 24.  
 — *succosum* Aubl. Aublet Guiana 162.  
 — *Swartzianum* Rich. Humb. Melast. 33.  
 † *taitense* DC. Ann. sc. nat. III. 13, 5.  
 — *tetrandrum* Sw. Swartz Ic. Ind. occ. 13.  
 — *theazans* Bonpl. Humb. Melast. 9.  
 — — — Dict. sc. nat. 230.  
 — *tomentosum* Rich. Humb. Melast. 16.  
 — *trivalve* Aubl. Aublet Guiana 155.  
 — *tunicatum* Bonpl. Humb. Melast. 60.  
 — *umbrosum* Sw. Vahl Ic. 29.  
 — *vaccinioides* Bonpl. Humb. Melast. 8.  
 — *villosum* Aubl. Aublet Guiana 168.  
 — — — Lodd. Lodd. Cab. 853.  
 — — — Bot. Mag. 53, 2630.  
 — *xalapense* Bonpl. Humb. Melast. 54.  
 † *Melastomaceae* Juss. (DC.) Mem. Genev. 4, 2. 3. 4.  
 † — — — (Naudin.) Ann. sc. nat. III. 6. 7. 4, 2. 3. 13, 5 — 8.  
 ! — — — Schweizer Denkschr. 5, 2.  
 † *Melastomastrum erectum* Naud. Ann. sc. nat. III. 13, 5.  
*Melhania abutiloides* Arn. Wight Ic. pl. Ind. or. 1, 23.  
 — *abyssinica* Hochst. Richard Abyssin. 18.  
 — *Hamiltoniana* Wall. Wall. Pl. asiat. 77.  
 — *Leprieurii* Webb. Hook. Niger Fl. 4. 5.  
 — — — Hook. Ic. pl. 8, 753. 755.  
*Melia Azadirachta* L. Cav. Diss. 208.  
 — *Azedarach* L. Cav. Diss. 207.  
 — — — Bot. Mag. 27, 1066.  
 — — — Lam. Encycl. 352.  
 † — — — Mem. Mus. 19, 13.  
 — — — Desc. Ant. I, 46.  
 — — — Wight Ic. pl. Ind. or. 1, 160.  
 — *sempervirens* Sw. Bot. Reg. 8, 643.  
 † *Melianthea* Planch. Linn. Transact. 20, 20.  
*Melianthus major* L. Rivinus Irreg. hexap. 22.  
 † — — — Gaertn. Carp. 211.  
 † — — — Lam. Encycl. 552.  
 † — — — Mem. Mus. 12, 28.  
 — — — Bot. Reg. I, 45.  
 — *minor* L. Rivinus Irreg. hexap. 23.  
 — — — Bot. Mag. 9, 301.  
 † *Melica* L. Linné Moenit. 7, 3.  
 † — — — Dumortier Gram. 4.  
 — *altissima* L. Host Gram. 109.  
 — — — Rehb. Fl. germ. 1, 72.  
 — *aurantiaca* Lam. Cav. Ic. 472.

- Melica* *Bauhini* *All.* Host Gram. 323.  
 — — — *Rehb.* Fl. germ. 1, 72.  
 — *ciliata* *L.* Sv. Bot. 363.  
 — — — *Sibth.* Fl. gr. 70.  
 — — — Host Gram. 112.  
 — — — *Rehb.* Fl. germ. 1, 72.  
 † — — — *Nees* Gen. 1, 60.  
 † *coerulea* *L.* Curt. Lond. 3, 98.  
 — — — *Engl.* Bot. 11, 750.  
 — — — *Knapp* Gram. 40.  
 — — — *Sv.* Bot. 401.  
 — — — *Schk.* Handb. 13.  
 — — — Host Gram. 108.  
 — *cyrenaica* *Viv.* Viviani Lib. 25.  
 — *glabra* *Michx.* Elliott Carolina 9.  
 — *humilis* *Boiss.* Boissier Esp. 177.  
 — *Jacquemontii* *Decne.* Jacquemont Ind. 175.  
 — *imperfecta* *Trin.* Trin. Sp. Gr. 3, 353.  
 — *laxiflora* *Cav.* Cav. Ic. 473.  
 — *Lobelii* *Vill.* Vill. Dauph. 3.  
 — *nutans* *L.* Schreber Gräser 6.  
 — — — *Vill.* Dauph. 3.  
 — — — Fl. dan. 6, 962.  
 — — — *Cav.* Ic. 175.  
 † — — — *Gaertn.* Carp. 80.  
 † — — — *Lam.* Encycl. 44.  
 — — — *Sv.* Bot. 354.  
 — — — *Curt.* Lond. 2, 80.  
 — — — *Engl.* Bot. 15, 1059.  
 — — — *Knapp* Gram. 42.  
 — — — *Baxter* Brit. Bot. 2, 144.  
 — — — Host Gram. 110.  
 — — — *Schrank* Fl. monac. 4, 315.  
 — — — *Rehb.* Fl. germ. 1, 72.  
 † — — — *Nees* Gen. 1, 60.  
 † *pallida* *H. & B. K.* H. B. K. Nov. Gen. 7, 693.  
 — *persica* *Kth.* Humb. Gram. 89.  
 — *rariflora* *Schreb.* Schreber Gräser 54.  
 — *rigida* *Cav.* Cav. Ic. 473.  
 — *saxatilis* *Sibth.* Sibth. Fl. gr. 71.  
 — *uniflora* *Retz.* Fl. dan. 7, 1144.  
 — — — *Curt.* Lond. 2, 82.  
 — — — *Engl.* Bot. 15, 1058.  
 — — — *Knapp* Gram. 41.  
 — — — Host Gram. 111.  
 — — — *Rehb.* Fl. germ. 1, 72.  
 — *violacea* *Cav.* Cav. Ic. 472.  
 † *Melicocca* *bijuga* *L.* Gaertn. Carp. 42.  
 † — — — *Lam.* Encycl. 306.  
 — *carpoodea* *Juss.* Mem. Mus. 3, 4.  
 — *dentata* *Juss.* Mem. Mus. 3, 6.  
 — *diversifolia* *Juss.* Mem. Mus. 3, 6. 7.  
 — *paniculata* *Juss.* Mem. Mus. 3, 5.  
 — *trijuga* *Juss.* Mem. Mus. 3, 8.  
*Melicoccus* *bijugatus* *Jacq.* Jacq. Hist. stirp. am. 109.  
*Melicope* *indica* *Wight.* Wight Ic. pl. Ind. or. 3, 1051.  
 — *simplex* *Cunn.* Hook. Ic. pl. 6, 585.  
 † — *ternata* *Forst.* Forster Charact. 28.  
 † — — — *Lam.* Encycl. 294.  
 — — — *Hook.* Ic. pl. 7, 603.  
*Melicytus* *lanceolatus* *Hook.* Hook. New Zeal. 8.  
 † — *ramiflorus* *Forst.* Forster Charact. 62.  
 † — — — *Lam.* Encycl. 812.  
 † — *umbellatus* *Gaertn.* Gaertn. Carp. 44.  
 † — — — *Lam.* Encycl. 812.  
*Melilotus* *alba* *Desr.* Dietr. Fl. bor. 10, 696.  
 — *arvensis* *Waltr.* Nees Düsseld. Suppl. 12.  
 — — — *Engl.* Bot. 2960.  
 † — — — *Cosson* Atlas 11.  
 † — *coerulea* *Lam.* Gaertn. Carp. 153.  
 † — — — *Lam.* Encycl. 613.  
 — — — *Sturm* Flora 4, 15.

- Melilotus* *coerulea* *Lam.* var. *Rochel* Banat. 14.  
 † — *cretica* *Desf.* Gaertn. Carp. 153.  
 † — — — *Lam.* Encycl. 613.  
 — *dentata* *Willd.* Sturm Flora 4, 15.  
 — — — Fl. dan. 11, 1883.  
 — *elegans* *Salzm.* Moris Fl. sard. 57.  
 — *indica* *Desv.* Rheed. Hort. mal. 9, 40.  
 † — — — *Gaertn.* Carp. 153.  
 † — — — *Lam.* Encycl. 613.  
 — — — *All.* Moris Fl. sard. 56.  
 † — *italica* *Lam.* Gaertn. Carp. 153.  
 † — — — *Lam.* Encycl. 613.  
 † — — — *Acad.* Neap. 6, (1851.) x.  
 — *leucantha* *Koch.* Engl. Bot. 2689.  
 † — — — *Cosson* Atlas 11.  
 — *longifolia* *Ten.* Tenore Fl. nap. 176.  
 — *macrorrhiza* *Pers.* Winterl Index 14.  
 — — — *Dietr.* Fl. bor. 10, 697.  
 — *messanensis* *All.* Moris Fl. sard. 58.  
 — *neapolitana* *Ten.* Tenore Fl. nap. 176.  
 — *officinalis* *Willd.* Fl. dan. 6, 934.  
 † — — — *Lam.* Encycl. 613.  
 — — — *Dreves* 2, 44.  
 — — — *Schrank* Fl. monac. 4, 322.  
 — — — *Guimpel* et *Schl.* 194.  
 — — — *Wagner* 65.  
 — — — *Baxter* Brit. Bot. 5, 363.  
 † — — — *Cosson* Atlas 11.  
 † — *Petitpierreana* *Hayne.* Sturm Flora 4, 15.  
 † — *polonica* *Gaertn.* Gaertn. Carp. 153.  
 † — — — *Lam.* Encycl. 613.  
 — *rotundifolia* *Ten.* Tenore Fl. nap. 176.  
 — *speciosa* *Durieu.* Explor. Alger. 90.  
 — *sulcata* *Desf.* Moris Fl. sard. 59.  
 — *vulgaris* *Willd.* Fl. dan. 10, 1705.  
*Meliosma* *lanceolata* *Bl.* Blume Rumphia 168.  
 — *nitida* *Bl.* Blume Rumphia 169.  
*Meliphlea* *vitifolia* *Zucc.* Münchn. Abh. 2, 9.  
*Melissa* *alba* *W. et K.* W. et Kit. 205.  
 — *altissima* *Sm.* Rivinus Opus ined. 31.  
 — — — *Sibth.* Fl. gr. 579.  
 — *arundana* *Boiss.* Boissier Esp. 145.  
 — *Calamintha* *L.* Lam. Encycl. 512.  
 — *grandiflora* *L.* Bot. Mag. 6, 208.  
 — — — *Schk.* Handb. 165.  
 — *hirsuta* *Hort. Par.* Nees Düsseld. Suppl. 41.  
 — *maxima* *Ar.* Arduino Anim. 2, 13.  
 — *officinalis* *L.* Woodv. Med. 2, 119.  
 — — — *Lam.* Encycl. 512.  
 — — — *Sturm* Flora 3, 11.  
 — — — *Hayne* 6, 32.  
 — — — *Nees* Düsseld. 179.  
 — — — *Guimpel* et *Schl.* 143.  
 — — — *Wagner* 53.  
 † — — — *Nees* Gen. 6, 11.  
 — *Pulegium* *Roch.* Rochel Banat. 22.  
 — *pyrenaica* *Scop.* Jacq. Vind. 183.  
 — — — *Lodd.* Cab. 1853.  
 — *subnuda* *W. et K.* W. et Kit. 262.  
 — *umbrosa* *M. v. B.* Wight Ic. pl. Ind. or. 4, 1447.  
 † *Melistaureum* *Forst.* Forster Charact. 72.  
 † *Melittis* *L.* Mutel Fl. fr. 48.  
 — *grandiflora* *Sm.* Curt. Lond. 2, 117.  
 — — — *Engl.* Bot. 9, 636.  
 — — — *Rehb.* Ic. crit. 3, 242.  
 — *japonica* *Thunb.* Thunberg Ic. jap. 28.  
 — *Melissophyllum* *L.* Engl. Bot. 9, 577.  
 — — — *Baxter* Brit. Bot. 4, 285.  
 † — — — *Lam.* Encycl. 613.  
 — — — *Jacq.* Fl. austr. 1, 26.  
 — — — *Schk.* Handb. 166.  
 — — — *Schrank* Fl. monac. 3, 203.

- Melittis Melissophyllum L.* Sturm Flora 20, 90.  
 — — — Rehb. Ic. crit. 3, 241.  
 — — — Dietr. Fl. bor. 12, 826.  
 † — — — Nees Gen. 6, 27, 27<sup>a</sup>.  
 † *Mella Vand.* Roemer Scriptoros 7.  
 † *Melocactus Salm.* Acta Leop. 18, Suppl. 1—4.  
 — *acutus Link.* Preuss. Garten-Verein 3, 23.  
 — *Besleri Link.* Preuss. Garten-Verein 3, 21.  
 — *communis DC.* Mem. Mus. 17, 6.  
 — — — Preuss. Garten-Verein 3, 11.  
 — — — Bot. Mag. 58, 3090.  
 — *depressus Hook.* Bot. Mag. 65, 3691.  
 — *dichroanthus Mig.* Acta Leop. 18, Suppl. 6.  
 — *gladius Link.* Preuss. Garten-Verein 3, 17.  
 — *intricatus Link.* Preuss. Garten-Verein 3, 24.  
 — *Lehmanni Mig.* Acta Leop. 18, Suppl. 8.  
 — *macracanthoides Mig.* Acta Leop. 18, Suppl. 11.  
 — *macracanthus Link.* Preuss. Gart. Verein 3, 12.  
 — *meonacanthus Link.* Preuss. Garten-Verein 3, 15.  
 — *microcephalus Mig.* Acta Leop. 18, Suppl. 9.  
 — *Miquelii Lehm.* Acta Leop. 18, Suppl. 7.  
 — *Monvillianus Mig.* Acta Leop. 18, Suppl. 5.  
 — *orthacanthus Link.* Preuss. Garten-Verein 3, 18.  
 — *platyacanthus Link.* Preuss. Garten-Verein 3, 14.  
 — *polyacanthus Link.* Preuss. Garten-Verein 3, 16.  
 — *pyramidalis Link.* Preuss. Garten-Verein 3, 25.  
 — *recurvus Link.* Preuss. Garten-Verein 3, 20.  
 — *rufispinus Bert.* Novi Comm. Bonon. 3, 26.  
 — *Salmianus Otto.* Preuss. Garten-Verein 3, 13.  
 — *Selloi DC.* Preuss. Garten-Verein 3, 22.  
 — *subuliferus Link.* Preuss. Garten-Verein 3, 27.  
 — *tenuispinus Link.* Preuss. Garten-Verein 3, 19.  
 — *tephroacanthus Link.* Preuss. Garten-Verein 3, 16.  
 — *tuberculatus Link.* Preuss. Garten-Verein 3, 26.  
 — *Zuccarinii Mig.* Acta Leop. 18, Suppl. 10.  
 † *Melochia L.* Gray Genera 134.  
 — *borbonica Cav.* Cav. Diss. 174.  
 — *caracasana Jacq.* Jacq. Ic. 507.  
 — *concatenata L.* Cav. Diss. 175.  
 — *corchorifolia L.* Cav. Diss. 174.  
 — *crenata Vahl.* Vahl Symbolae 68.  
 — *depressa L.* Cav. Diss. 173.  
 — *frutescens Jacq.* Jacq. Obs. 44.  
 — *graminifolia St. Hil.* St. Hil. Fl. Bras. 31.  
 — *hermannioides St. Hil.* St. Hil. Fl. Bras. 32.  
 — *hirsuta Cav.* Cav. Diss. 175.  
 — *odorata Forst.* Cav. Diss. 173.  
 — *pyramidata L.* Jacq. Vind. 30.  
 — — — Cav. Diss. 172.  
 † — — — Gaertn. Carp. 113.  
 † — — — Lam. Encycl. 571.  
 — — — Gray Genera 134.  
 — *tomentosa L.* Cav. Diss. 172.  
 † — — — Lam. Encycl. 571.  
 — *Turpiniana H. B. K.* H. B. K. Nov. Gen. 5, 482.  
*Melodinus Baueri Endl.* Endl. Iconogr. 59.  
 — *monogynus Carey.* Bot. Reg. 10, 834.  
 — — — Bot. Mag. 52, 2527.  
 — — — Wight Ic. pl. Ind. or. 2, 394.  
 † — *orientalis Bl.* Blume Mus. 1, 52.  
 — *phillyraeoides Lab.* Bill. Sertum 33.  
 † — *scandens Forst.* Forster Charact. 19.  
 † — — — Lam. Encycl. 179.  
*Melothria indica DC.* Rumpf Amb. 5, 171.  
 — *pendula L.* Lam. Encycl. 28.  
 — *prunifera P. et E.* Poepp. et Endl. 174.  
*Memecylon amplexicaule Roxb.* Wight Ic. pl. Ind. or. 1, 279.  
 — *angustifolium Wight.* Wight Ic. pl. Ind. or. 1, 276.  
 — *capitellatum L.* Lam. Encycl. 284.  
 — *cordatum Lam.* Lam. Encycl. 284.  
 — *edule Roxb.* Roxb. Corom. 82.  
*Memecylon grande Retz.* Rheede Hort. mal. 2, 15.  
 — *Heyneanum Benth.* Wight Ic. pl. Ind. or. 1, 278.  
 — *jambosoides Wight.* Wight Ic. pl. Ind. or. 1, 277.  
 — *laxiflorum DC.* Rheede Hort. mal. 5, 19.  
 — *tinctorium Koenig.* Wight Illustr. 93.  
 † — — — Blume Mus. 1, 38.  
 † — *umbellatum Gaertn.* Gaertn. Carp. 127, 179.  
 † — — *Nic. Burm.* Blume Mus. 1, 38.  
 † *Menarda cryptophila Comm.* Jussieu Euphorb. 6.  
*Menziesia bicolor DC.* Delessert Ic. 4, 29.  
 † *Mendozia Vandelli.* Roemer Scriptoros 7.  
 † — — — Ruiz et Pav. Prodr. 17.  
 — *multiflora P. et E.* Poepp. et Endl. 208.  
 — *pilosa Mart.* Mart. Bras. 209.  
 — *puberula Mart.* Mart. Bras. 211.  
 — *Vellosiana Mart.* Mart. Bras. 210.  
*Meniocus filifolius Jaub.* Jaubert Illustr. 53.  
 — *grandiflorus Jaub.* Jaubert Illustr. 53.  
 — *limifolius DC.* Delessert Ic. 2, 42.  
*Meniscium cuspidatum Bl.* Blume Java 6, 45.  
 — *macrophyllum Kze.* Kunze Fil. 44.  
 — *palustre Raddi.* Raddi Fil. 20.  
 † — — — Hook. Gen. Fil. 40.  
 — *reticulatum Sw.* Schk. Fil. 5.  
 — *simplex Hook.* Hook. Journal 1842, 11.  
 — *sorbifolium Willd.* Langsd. et Fischer 4.  
 † — — — Schott Gen. Fil. 10.  
 — *triphylum Sw.* Hook. Ic. Fil. 1, 120.  
 — — — Kunze Fil. 52.  
 † *Menispermeae DC.* Schnizl. Iconogr. 172.  
 † *Menispermum L.* Gray Genera 29.  
 — *Abuta Lam.* Desc. Ant. 4, 256.  
 — *canadense L.* Schk. Handb. 337.  
 — — — Bot. Mag. 44, 1910.  
 — — — Lam. Encycl. 824.  
 — — — Dict. sc. nat. 120.  
 † — — — Spach Suites 62.  
 † — — — Schnizl. Iconogr. 172.  
 † — — — Ann. sc. nat. III. 18, 15.  
 — — — Gray Genera 29.  
 † — *Cocculus Gaertn.* Gaertn. Carp. 70.  
 — — *Wall.* Asiat. Res. 13, 15, 16.  
 — — — Nees Düsseld. 363, 364.  
 — — — Ann. sc. nat. III. 18, 15.  
 — *crispum Burm.* Rumpf Amb. 5, 44, fig. 2.  
 — *dauricum DC.* Delessert Ic. 1, 100.  
 † — *fenestratum Gaertn.* Gaertn. Carp. 46.  
 † — *lacunosum Lam.* Berliner Jahrb. 1822, 1.  
 — *Leaeba Delile.* Delile Egypte 51.  
 — *palmatum Lam.* Hayne 9, 48.  
 — — — Nees Düsseld. 362.  
 — — — Nees Düsseld. Suppl. 72.  
 — — — Wagner 230.  
*Menodora africana Hook.* Hook. Ic. pl. 6, 586.  
 — *helianthemoides H. B.* Humb. Pl. aeq. 110.  
 — — — Lam. Encycl. 903.  
*Menonvillea filifolia F. et M.* Sweet Fl. G. II. 371.  
 — *linearis DC.* Delessert Ic. 2, 56.  
 † *Mentha L. (Rochel.)* Linnaea 12, 6.  
 † — — — Mutel Fl. fr. 47, 48.  
 — *acutifolia Sm.* Engl. Bot. 34, 2415.  
 — — — Rehb. Ic. crit. 10, 973.  
 — *agrestis Sole.* Sole Menthae 14.  
 — — — Engl. Bot. 30, 2120.  
 — — — Rehb. Ic. crit. 10, 971.  
 — *aquatica L.* Fl. dan. 4, 673.  
 — — — Sole Menthae 10, 11.  
 — — — Lam. Encycl. 503.  
 — — — Schrank Fl. monac. 3, 211.  
 — — — Dietr. Fl. bor. 5, 313.  
 — — — Wagner 220.  
 † — — — Cosson Atlas 20.

- Mentha arvensis* L. Fl. dan. 3, 512.  
 — — — Sole Menthae 12.  
 — — — Engl. Bot. 30, 2119.  
 — — — Sv. Bot. 279.  
 — — — Rchb. Ic. crit. 10, 968—972.  
 — — — Dietr. Fl. bor. 5, 314.  
 † — — — Nees Genera 6, 6<sup>a</sup>.  
 † — — — Cosson Atlas 20.  
 — austriaca Jacq. All. Fl. ped. 3, 75.  
 — — — Jacq. Fl. austr. 5, 430.  
 — blanda Wall. DC. Hortus genev. 8.  
 — citrata Ehrh. Rchb. Ic. crit. 10, 977.  
 — crispata L. Hayne 11, 38.  
 — — — Nees Düsseldd. 162.  
 — — — Guimpel et Schl. 108.  
 — — — Wagner 111.  
 — — — Engl. Bot. 2785.  
 — crispata Schrad. Guimpel et Schl. 109.  
 — — — Nees Düsseldd. 163.  
 — — — Hayne 11, 35.  
 — diffusa Lej. Rchb. Ic. crit. 10, 972.  
 — emarginata Rchb. Rchb. Ic. crit. 10, 979.  
 — exigua L. Smith Ic. Linn. 38.  
 — gentilis L. Fl. dan. 5, 736.  
 — — — Sole Menthae 15.  
 — — — Engl. Bot. 30, 2118.  
 — — — Schk. Handb. 158.  
 — — — Rchb. Ic. crit. 10, 974.  
 — gracilis Sm. Sole Menthae 16.  
 — — — Engl. Bot. 7, 749.  
 — hirsuta Sm. Engl. Bot. 7, 747.  
 — — — Curt. Lond. 5, 166.  
 — — — Baxter Brit. Bot. 5, 398.  
 — Langii Geiger. Nees Düsseldd. Suppl. 25.  
 — lapponica Wahlenb. Wahlenberg Fl. lapp. 10.  
 — latifolia Nolte. Fl. dan. 12, 2057.  
 — macrostachya Ten. Tenore Fl. nap. 56.  
 — Michellii Ten. Rchb. Ic. crit. 10, 981.  
 — neapolitana Ten. Tenore Fl. nap. 242.  
 — neglecta Ten. Tenore Fl. nap. 157.  
 — niliaca Juss. Jacq. Vind. 3, 87.  
 — odorata Sole. Sole Menthae 9.  
 — — — Engl. Bot. 15, 1025.  
 — ovata Cav. Cav. Ic. 360.  
 — paludosa Sole. Sole Menthae 22.  
 — palustris Mill. Sole Menthae 6.  
 — — — Moench. var. Rchb. Ic. crit. 10, 976.  
 — piperita L. Knigge Mentha 0.  
 — — — officinalis, Sole Menthae 7.  
 — — — silvestris, Sole Menthae 24.  
 — — — vulgaris, Sole Menthae 8.  
 — — — Woodv. Med. 2, 120.  
 — — — Engl. Bot. 10, 687.  
 — — — Hayne 11, 37.  
 — — — Nees Düsseldd. 164.  
 — — — Guimpel et Schl. 110.  
 — — — Wagner 112.  
 — praecox Sole. Sole Menthae 13.  
 — pratensis Sole. Sole Menthae 17.  
 — pubescens Willd. Rchb. Ic. crit. 10, 978.  
 — Pulegium L. Sole Menthae 23.  
 — — — Woodv. Med. 2, 122.  
 — — — Engl. Bot. 15, 1026.  
 — — — Lam. Encycl. 503.  
 — — — Fl. dan. 10, 1755.  
 — — — Nees Düsseldd. 166.  
 — — — Wagner 32.  
 † — — — Cosson Atlas 20.  
 † — pyramidalis Ten. Tenore Fl. nap. 55.  
 † — — — Cosson Atlas 20.  
 — rivalis Sole. Sole Menthae 20.  
 — Rosani Ten. Tenore Fl. nap. 158.

- Mentha rotundifolia* Sole. Sole Menthae 4.  
 — — — Engl. Bot. 7, 446.  
 — — — Dietr. Fl. bor. 5, 311.  
 † — — — Cosson Atlas 20.  
 — rubra Sm. Sole Menthae 18.  
 — — — Engl. Bot. 20, 1413.  
 — — — var. Rchb. Ic. crit. 10, 975.  
 — sativa L. var. Rivinus Opus ined. 34.  
 — — — Fl. dan. 5, 794.  
 — — — Sole Menthae 21.  
 — — — Engl. Bot. 7, 448.  
 — — — Nees Düsseldd. Suppl. 26.  
 † — — — Nees Genera 6, 6<sup>a</sup>.  
 † — — — Cosson Atlas 20.  
 — serotina Ten. Tenore Fl. nap. 156.  
 — silvestris Sole. Sole Menthae 3.  
 — — — L. Fl. dan. 3, 484. 11, 1932.  
 — — — Engl. Bot. 10, 686.  
 — — — Schrank Fl. monac. 2, 150.  
 — — — Hayne 11, 34.  
 — — — Rchb. Ic. crit. 10, 982—984.  
 — — — Dietr. Fl. bor. 5, 310.  
 — — — Nees Genera 6, 6.  
 † — — — Koch. Cosson Atlas 20.  
 † — — — suavis Guss. Gussone Pl. rar. 66.  
 — undulata Willd. Nees Düsseldd. Suppl. 27.  
 — — — Rchb. Ic. crit. 10, 980.  
 — urticaefolia Ten. Tenore Fl. nap. 157.  
 — variegata Sole. Sole Menthae 19.  
 — verticillata Roxb. Bot. Mag. 56, 2907.  
 — villosa Huds. Sole Menthae 1. 2.  
 — viridis L. Sole Menthae 5.  
 — — — Woodv. Med. 2, 121.  
 — — — Engl. Bot. 34, 2424.  
 — — — Fl. dan. 11, 1876.  
 — — — Hayne 11, 36.  
 — — — Nees Düsseldd. 165.  
 — — — Dietr. Fl. bor. 5, 309.  
*Mentzelia aspera* L. Cav. Ic. 70.  
 — — — Cav. Tratt. Archiv 274.  
 — — — hispida Willd. Lam. Encycl. 425.  
 — — — Bot. Mag. 59, 3205.  
 — — — oligosperma Nutt. Bot. Mag. 42, 1760.  
 — — — stipitata Moç. et S. Maund Bot. 1, 34.  
 † *Menyanthes* L. Kerner Genera 129.  
 — — — crista galli Hook. Hook. Bot. Misc. 24.  
 — — — cristata Roxb. Roxb. Corom. 105.  
 — — — exaltata Sol. Bot. Mag. 26, 1029.  
 — — — indica L. Rumpf Amb. 6, 72. fig. 3.  
 — — — Bot. Mag. 18, 658.  
 — — — Desc. Ant. 1, 24.  
 — — — nymphaeoides L. Fl. dan. 2, 339.  
 — — — Engl. Bot. 4, 217.  
 † — — — Gaertn. Carp. 114.  
 † — — — Lam. Encycl. 100.  
 — — — Sturm Flora 4, 13.  
 — — — ovata L. Bot. Mag. 44, 1909.  
 — — — sarmantosa Sims. Bot. Mag. 32, 1328.  
 — — — trifoliata L. Fl. dan. 4, 541.  
 — — — Woodv. Med. 2, 97.  
 — — — Curt. Lond. 1, 14.  
 — — — Engl. Bot. 7, 495.  
 — — — Baxter Brit. Bot. 4, 245.  
 — — — Sv. Bot. 22.  
 — — — Bigelow Med. 46.  
 † — — — Gaertn. Carp. 198.  
 † — — — Lam. Encycl. 100.  
 — — — Schk. Handb. 35.  
 — — — Sturm Flora 2, 8.  
 — — — Tratt. Archiv 76.  
 — — — Schrank Fl. monac. 4, 309.  
 — — — Hayne 3, 14.

- Menyanthes trifoliata* L. Nees Düssel. 203.  
 — — — Guimpel et Schl. 93.  
 — — — Wagner 188.  
 — — — Diétr. Fl. bor. 6, 404.  
 † — — — Nees Genera X, x.  
 — — — verna Rafin. Rafinesque Med. 63.  
*Menziesia aleutica* Spr. Acad. Pet. 2, 3.  
 — — — bryantha Sw. Linn. Transact. 10, 30.  
 — — — coerulea Sw. Engl. Bot. 35, 2469.  
 — — — Lodd. Cab. 164.  
 — — — Linn. Transact. 10, 30.  
 — — — Sv. Bot. 535.  
 — — — Daboeci DC. Engl. Bot. 1, 35.  
 — — — empetrifolia Sm. Bot. Mag. 59, 3176.  
 — — — ferruginea Sm. Smith Ic. Linn. 56.  
 — — — Bot. Mag. 38, 1571.  
 † — — — Gaertn. Carp. 209.  
 † — — — Lam. Encycl. 285.  
 — — — Tratt. Archiv 226.  
 — — — globularis Salisb. Salisbury Parad. 44.  
 — — — Hook. Bor. Am. 132.  
 — — — Tratt. Archiv 227.  
 — — — pilosa Willd. Guimpel Fr. Holzgew. 27.  
 — — — polifolia Juss. var. nana, Lodd. Cab. 1907.  
 — — — Baxter Brit. Bot. 6, 449.  
 † *Meratia fragrans* N. v. E. (Fructus.) Acta Leop. 11, 1, 10.  
 — — — Herb. amat. 3, 173.  
*Merciera brevifolia* DC. Delessert Ic. 5, 17.  
 — — — tenuifolia DC. DC. Campanul. 5.  
*Mercurialis ambigua* L. fil. Rchb. Fl. germ. 5, 151.  
 — — — Engl. Bot. 2816.  
 — — — androgyna L. Linné Hort. ups. 1, 8.  
 † — — — annua L. Usteri Annalen 5, 6.  
 † — — — Gaertn. Carp. 107.  
 † — — — Lam. Encycl. 820.  
 † — — — Jussieu Euphorb. 14.  
 † — — — Nees Genera 4, 40.  
 † — — — Bot. Zeitung 1851, 3.  
 — — — Curt. Lond. 2, 119.  
 — — — Engl. Bot. 8, 559.  
 — — — Fl. dan. 11, 1890.  
 — — — Schk. Handb. 332.  
 — — — Sturm Flora 8, 29.  
 — — — Dreves 4, 116.  
 — — — Hayne 5, 11.  
 — — — Rchb. Fl. germ. 5, 151.  
 — — — Diétr. Fl. bor. 10, 699.  
 — — — elliptica Lam. Vent. Cels 12.  
 — — — ovata Hoppe et Sternb. Regensb. Denkschr. 1, 4.  
 — — — Rchb. Fl. germ. 5, 151.  
 — — — perennis L. Fl. dan. 3, 400.  
 — — — Sv. Bot. 455.  
 — — — Curt. Lond. 2, 116.  
 — — — Engl. Bot. 26, 1872.  
 — — — Baxter Brit. Bot. 2, 143.  
 — — — Hayne 5, 10.  
 — — — Rchb. Fl. germ. 5, 152.  
 — — — Diétr. Fl. bor. 10, 698.  
 † *Merendera Ramond.* Kerner Genera 12.  
 — — — Bulbocodium Ram. Bull. philom. 1800, no. 47.  
 — — — Red. Lil. 1, 25.  
 — — — caucasica M. v. B. Marshall Cent. 50.  
 — — — Bot. Mag. 65, 3690.  
 — — — Schnizl. Iconogr. 1, 53.  
*Meriandra benghalensis* Benth. Jacquemont Ind. 139.  
 † *Meriania* Sw. Swartz Fl. Ind. occ. 15.  
 † — — — Kerner Genera 36.  
 — — — ciliaris Vent. Vent. Choix 34.  
 — — — Karstenii Ldl. Fl. d. serres 8, 767.  
 — — — purpurea Sw. Tussac Ant. 1, 7.  
 — — — Kerner Hort. 345.  
 † — — — quintuplinervis Naud. Ann. sc. nat. III. 18, 5.

- Meriania rosea* Tuss. Tussac Ant. 1, 6.  
 — — — Desc. Ant. 4, 303.  
 † *Merimea Camb.* Gray Genera 96.  
 — — — arenarioides Camb. St. Hil. Fl. Bras. 107.  
 — — — texana Hook. Hook. Ic. pl. 3, 278.  
 † *Meringium Meyenianum* Presl. Prager Abh. 3, 8.  
*Merostachys? capitata* Hook. Hook. Ic. pl. 3, 273. 274.  
 † — — — Kunthii Rupr. Acad. Pet. 5, 10.  
 † — — — Neesii Rupr. Acad. Pet. 5, 10.  
 † — — — sparsiflora Rupr. Acad. Pet. 5, 10.  
 — — — speciosa Spr. Humb. Gram. 79.  
 † — — — Acad. Pet. 5, 10.  
 † — — — ternata N. v. E. Acad. Pet. 5, 10.  
*Merremia convolvulacea* Demnst. Rheede Hort. mal. 8, 27.  
*Mertensia bifida* Sw. Svensk Acad. 1804, 5.  
 — — — crassifolia Presl. Prager Abh. 6, 13.  
 — — — decurrens Raddi. Raddi Fil. 7.  
 — — — dichotoma Willd. Schk. Fil. 148.  
 — — — Langsd. et Fischer 29.  
 — — — emarginata Raddi. Raddi Fil. 6.  
 — — — farinosa Kaulf. Kunze Analecta 3.  
 — — — flexuosa Mart. Mart. Crypt. bras. 60.  
 † — — — gigantea Presl. Hook. Gen. Fil. 39.  
 † — — — gracilis Mart. Mart. Crypt. bras. 59.  
 — — — laevigata H. B. K. H. B. K. Nov. Gen. 2, 103.  
 — — — pectinata Willd. Svensk Acad. 1804, 4.  
 — — — Langsd. et Fischer 30.  
 — — — pennigera Mart. Mart. Crypt. bras. 59.  
 — — — plumaeformis Presl. Prager Abh. 6, 15.  
 — — — pteridifolia Presl. Prager Abh. 6, 14.  
 — — — simplex Desv. Dict. sc. nat. 91.  
 — — — truncata Willd. Svensk Acad. 1804, 5.  
 † *Meryta* Forst. Forster Charact. 60.  
 † — — — agglomerata Poir. Lam. Encycl. 803.  
*Mesembrianthemum abbreviatum* Haw. Salm Monogr. §. 19, 5.  
 — — — acinaciforme L. Gil et X Suarez 27.  
 — — — Salisb. Parad. 90.  
 — — — DC. Plantes grasses 99.  
 — — — Andr. Rep. 9, 580.  
 — — — Kerner Hort. 555.  
 — — — Savi Fl. ital. 2, 72.  
 — — — Salm Monogr. §. 19, 6.  
 — — — acutangulum Haw. Salm Monogr. §. 36, 5.  
 — — — acutum Haw. Salm Monogr. §. 13, 1.  
 — — — adscendens Haw. Salm Monogr. §. 8, 4.  
 — — — aduncum Jacq. Jacq. Fragm. 51.  
 — — — Haw. Salm Monogr. §. 47, 3.  
 — — — aequilaterale Haw. Salm Monogr. §. 19, 1.  
 — — — var. chiloenae, Salm Monogr. §. 19, 1. γ.  
 — — — agninum Haw. Salm Monogr. §. 5, 8.  
 — — — Aitonis Jacq. Jacq. Vind. 3, 7.  
 — — — albidum L. DC. Plantes grasses 169.  
 — — — Bot. Mag. 43, 1824.  
 — — — Dict. sc. nat. 196.  
 † — — — Spach Suites 37.  
 — — — Salm Monogr. §. 5, 10.  
 — — — β. hybridum, Salm Monogr. §. 5, 10. β.  
 — — — aloides Haw. Salm Monogr. §. 4, 3.  
 — — — amoenum Salm. Salm Monogr. §. 27, 2.  
 — — — anatomicum Haw. Salm Monogr. §. 62, 1.  
 — — — anceps Haw. Salm Monogr. §. 22, 2.  
 — — — angustum Haw. Salm Monogr. §. 7, 6.  
 — — — β. heterophyllum, Salm Monogr. §. 7, 6. β.  
 — — — asperulum Salm. Salm Monogr. §. 50, 2.  
 — — — asperum Haw. Salm Monogr. §. 22, 3.  
 — — — attenuatum Haw. Salm Monogr. §. 51, 2.  
 — — — aurantiacum Haw. Salm Monogr. §. 25, 2.  
 — — — aureum L. Bot. Mag. 8, 262.  
 — — — DC. Plantes grasses 11.  
 — — — Salm Monogr. §. 25, 3.  
 — — — australe Ait. Salm Monogr. §. 18 2.



*Mesembrianthemum barbatum* L. Bot. Mag. 2, 70.  
 — — — DC. Plantes grasses 28.  
 — — — Lam. Encycl. 438.  
 — — — Salm Monogr. §. 52, 1.  
 — bellidiflorum L. DC. Plantes grasses 41.  
 — — — Salm Monogr. §. 12, 1.  
 — — —  $\beta$ . viride, Salm Monogr. §. 12, 1.  $\beta$ .  
 — — —  $\gamma$ . subulatum, Salm Monogr. §. 12, 1.  $\gamma$ .  
 — bicolorum L. Bot. Mag. 2, 59.  
 — — — Salm Monogr. §. 46, 3.  
 — bidentatum Haw. Salm Monogr. §. 7, 1.  
 — blandum Haw. Lodd. Cab. 599.  
 — — — Bot. Reg. 7, 582.  
 — — — Salm Monogr. §. 26, 1.  
 — brachiatum Ait. DC. Plantes grasses 129.  
 — bracteatum Ait. Lodd. Cab. 251.  
 — brevicaule Haw. Salm Monogr. §. 16, 2.  
 — brevifolium Ait. Salm Monogr. §. 50, 4.  
 — bulbosum Haw. Salm Monogr. §. 52, 3.  
 — calamiforme L. DC. Plantes grasses 5.  
 — — — Salm Monogr. §. 10, 1.  
 — calycinum Haw. Salm Monogr. §. 51, 3.  
 — canaliculatum Haw. Salm Monogr. §. 56, 1.  
 — candens Haw. Salm Monogr. §. 51, 4.  
 — caninum Haw. DC. Plantes grasses 95.  
 — — — Salm Monogr. §. 5, 9.  
 — capitatum Haw. Bot. Reg. 6, 494.  
 — — — Salm Monogr. §. 16, 3.  
 — carinatum Vent. Vent. Malm. 109.  
 — — — Kerner Hort. 220.  
 — caulescens Mill. Salm Monogr. §. 30, 1.  
 — clavatum Jacq. Jacq. Schoenbr. 1, 108.  
 — clavellatum Haw. Salm Monogr. §. 18, 1.  
 — coccineum Haw. DC. Plantes grasses 83.  
 — — — Lodd. Cab. 1033.  
 — — — Salm Monogr. §. 46, 1.  
 — compressum Haw. Salm Monogr. §. 22, 4.  
 — concavum Haw. Salm Monogr. §. 62, 5.  
 — conspicuum Haw. Salm Monogr. §. 27, 1.  
 — copticum L. Jacq. Vind. 3, 6.  
 — coralliflorum Salm. Salm Monogr. §. 40, 2.  
 — cordifolium L. fil. Jacq. Ic. 487.  
 — — — Smith Spicil. 6.  
 — — — DC. Plantes grasses 102.  
 † — — — Ann. sc. nat. III. 18, 10.  
 — — — Salm Monogr. §. 61, 1.  
 — corniculatum L. DC. Plantes grasses 108.  
 — — — Salm Monogr. §. 15, 6.  
 — crassicaule Haw. Salm Monogr. §. 62, 6.  
 — crassifolium L. DC. Plantes grasses 175.  
 — — — Salm Monogr. §. 18, 3.  
 — crassulinum DC. Salm Monogr. §. 56, 3.  
 — croceum Jacq. Jacq. Fragm. 11.  
 — — — Salm Monogr. §. 38, 3.  
 — cruciatum Haw. Salm Monogr. §. 7, 7.  
 † — crystallinum L. Gaertn. Carp. 126.  
 † — — — Lam. Encycl. 438.  
 — — — DC. Plantes grasses 128.  
 — — — Sibth. Fl. gr. 481.  
 — crystallophanes Eckl. Salm Monogr. §. 60, 2.  
 — cultratum Salm. Salm Monogr. §. 8, 5.  
 — cuneifolium Jacq. Jacq. Ic. 488.  
 — — — Lam. Encycl. 438.  
 — — — DC. Plantes grasses 134.  
 — curtum Haw. Salm Monogr. §. 36, 6.  
 — curviflorum Haw. Salm Monogr. §. 26, 2.  
 — curvifolium Haw. Salm Monogr. §. 47, 2.  
 — defoliatum Haw. Salm Monogr. §. 43, 1.  
 — deltoides L. DC. Plantes grasses 53.  
 — — — Salm Monogr. §. 30, 2.  
 — densum Haw. Bot. Mag. 30, 1220.  
 — dentatum Kern. Kerner Hort. 26.

*Mesembrianthemum denticulatum* Haw. Herb. amat. 4, 282.  
 — — — depressum Haw. Bot. Mag. 44, 1866.  
 — — — Salm Monogr. §. 8, 7.  
 — — — difforme Haw. Salm Monogr. §. 7, 3.  
 — — — diversifolium Haw. Salm Monogr. §. 15, 2.  
 — — —  $\beta$ . congestum, Salm Monogr. §. 15, 2.  $\beta$ .  
 — dolabriforme L. Bot. Mag. 1, 32.  
 — — — DC. Plantes grasses 6.  
 — — — Herb. amat. 2, 74.  
 — — — Salm Monogr. §. 6, 3.  
 — dubium Haw. Salm Monogr. §. 15, 4.  
 — echinatum Ait. Jacq. Schoenbr. 4, 437.  
 — — — DC. Plantes grasses 24.  
 — — — Herb. amat. 2, 97.  
 — — — Salm Monogr. §. 53, 2.  
 † — edule L. Ann. sc. nat. III. 18, 10.  
 — — — elegans Jacq. Jacq. Schoenbr. 4, 436.  
 — — — elongatum Haw. var.  $\beta$ . Bot. Reg. 6, 493.  
 — — — Salm Monogr. §. 16, 1.  
 — erigeriflorum Jacq. Jacq. Schoenbr. 4, 477.  
 — ermininum Haw. Salm Monogr. §. 5, 6.  
 — expansum L. DC. Plantes grasses 47.  
 — — — Salm Monogr. §. 62, 2.  
 — falcatum L. Salm Monogr. §. 29, 2.  
 — falciforme Haw. Salm Monogr. §. 29, 1.  
 — felinum Lam. DC. Plantes grasses 152.  
 — — — Salm Monogr. §. 5, 2.  
 — filamentosum L. DC. Plantes grasses 60.  
 — — — Salm Monogr. §. 20, 1.  
 — filicaule Haw. Salm Monogr. §. 47, 4.  
 — flaccidum Jacq. Jacq. Schoenbr. 4, 475.  
 — flavum Haw. Salm Monogr. §. 50, 7.  
 — flexuosum Haw. Salm Monogr. §. 44, 7.  
 — floribundum Haw. Salm Monogr. §. 51, 7.  
 — forficatum L. Jacq. Vind. 26.  
 — — — Salm Monogr. §. 31, 1.  
 — formosum Haw. Lodd. Cab. 1293.  
 — — — Salm Monogr. §. 27, 4.  
 — fragrans Salm. Link Ic. I. 43.  
 — — — Salm Monogr. §. 8, 2.  
 — geminatum Jacq. Jacq. Fragm. 50.  
 — geminiflorum Haw. Salm Monogr. §. 17, 4.  
 — gemmiflorum Lodd. Lodd. Cab. 1160.  
 — geniculiflorum L. DC. Plantes grasses 17.  
 — — — Salm Monogr. §. 57, 1.  
 — glabrum Haw. Andr. Rep. 1, 57.  
 — gladiatum Jacq. Jacq. Schoenbr. 4, 438.  
 — glaucum L. Jacq. Schoenbr. 4, 439.  
 — — — DC. Plantes grasses 146.  
 — — — Salm Monogr. §. 25, 1.  
 — glomeratum L. Lodd. Cab. 1043.  
 — gracile Haw. Salm Monogr. §. 22, 1.  
 — grandiflorum Haw. Salm Monogr. §. 8, 3.  
 — granulicaule Haw. Salm Monogr. §. 45, 2.  
 — grossum Ait. Salm Monogr. §. 54, 3.  
 — Haworthii Donn. Salm Monogr. §. 40, 1.  
 — helianthoides Ait. DC. Plantes grasses 135.  
 — heteropetalum Haw. Salm Monogr. §. 21, 2.  
 — heterophyllum Andr. Andr. Rep. 8, 540.  
 — hispidum L. DC. Plantes grasses 66.  
 — — — Herb. amat. 2, 133.  
 — — — Salm Monogr. §. 51, 6.  
 — inaequale Haw. Salm Monogr. §. 46, 4.  
 — incloudens Haw. Andr. Rep. 6, 388.  
 — — — Bot. Mag. 40, 1663.  
 — — — Kerner Hort. 407.  
 — — — Salm Monogr. §. 21, 4.  
 — incomptum Haw. Lodd. Cab. 1311.  
 — — — Salm Monogr. §. 56, 4.  
 — incurvum Haw. Lodd. Cab. 1265.  
 — intonsum Haw. Salm Monogr. §. 52, 2.

- Mesembrianthemum junceum* Haw. Salm Monogr. §. 45, 1.  
 — *lacerum* Haw. DC. Plantes grasses 174.  
 — — — Lodd. Cab. 1279.  
 — — — Salm Monogr. §. 21, 1.  
 — *lateriflorum* DC. DC. Plantes grasses 164.  
 — *Lehmanni* Eckl. Salm Monogr. §. 42, 1.  
 — *lineolatum* Haw. Salm Monogr. §. 33, 7.  
 — *linguiforme* L. DC. Plantes grasses 71.  
 — — — Lodd. Cab. 1307.  
 — — — Herb. amat. 1, 66.  
 — *longispinulum* Haw. Salm Monogr. §. 54, 4.  
 — *longistylum* DC. DC. Plantes grasses 147.  
 — *longum* Haw. β. declive, Salm Monogr. §. 8, 9, β.  
 — *lunatum* Willd. Salm Monogr. §. 29, 3.  
 — *luteum* Haw. Salm Monogr. §. 38, 2.  
 — *macrorrhizum* Haw. Salm Monogr. §. 49, 3.  
 — *maximum* Haw. Bot. Reg. 5, 358.  
 — *micans* L. Bot. Mag. 13, 448.  
 — — — DC. Plantes grasses 158.  
 — — — Herb. amat. 3, 158.  
 — — — Salm Monogr. §. 50, 8.  
 — *micranthum* Haw. Salm Monogr. §. 45, 3.  
 — *minutum* Haw. Bot. Mag. 34, 1376.  
 — *multiflorum* Haw. Salm Monogr. §. 37, 1.  
 — *multipunctatum* Salm. Salm Monogr. §. 3, 6.  
 — *multiradiatum* Jacq. Jacq. Fragm. 53.  
 — *muricatum* Haw. Salm Monogr. §. 30, 3.  
 — *murinum* Haw. Salm Monogr. §. 5, 4.  
 — *musculinum* Haw. Salm Monogr. §. 5, 7.  
 — *mustelinum* Salm. Salm Monogr. §. 5, 5.  
 — *mutabile* Haw. Salm Monogr. §. 21, 3.  
 — *nitidum* Haw. Salm Monogr. §. 54, 1.  
 — *nobile* Haw. Salm Monogr. §. 4, 1.  
 — *noctiflorum* L. DC. Plantes grasses 10.  
 — — — Lodd. Cab. 495.  
 — — — Salm Monogr. §. 43, 2.  
 — *nodiflorum* L. DC. Plantes grasses 88.  
 — — — Sibth. Fl. gr. 480.  
 — *obconellum* Haw. Salm Monogr. §. 1, 3.  
 — *obcordellum* Haw. Bot. Mag. 40, 1647.  
 — *obliquum* Haw. Bot. Reg. 10, 863.  
 — — — Salm Monogr. §. 50, 5.  
 — *pallens* Ait. Jacq. Schoenbr. 3, 279.  
 — — — Salm Monogr. §. 63, 2.  
 — *parviflorum* Jacq. Jacq. Schoenbr. 3, 278.  
 — *parvifolium* Haw. Salm Monogr. §. 50, 3.  
 — *patulum* Haw. Salm Monogr. §. 22, 5.  
 — *perfoliatum* Haw. Salm Monogr. §. 33, 1.  
 — *pinnatifidum* Ait. Bot. Mag. 2, 67.  
 — — — DC. Plantes grasses 142.  
 — *polyanthum* Haw. Lodd. Cab. 1281.  
 — *pomeridianum* L. Linné Hort. ups. 2, 13.  
 — — — Jacq. Ic. 489.  
 — — — Bot. Mag. 15, 540.  
 — — — Kerner Hort. 448.  
 — — — Salm Monogr. §. 65, 1.  
 — *praepingue* Haw. Salm Monogr. §. 7, 5.  
 — *productum* Haw. Salm Monogr. §. 40, 4.  
 — *pugioniforme* L. DC. Plantes grasses 72.  
 — — — Kerner Hort. 160.  
 — — — Salm Monogr. §. 16, 4.  
 — *pulchellum* Haw. Salm Monogr. §. 34, 1.  
 — *puniceum* Jacq. Jacq. Schoenbr. 4, 442.  
 — — — Kerner Hort. 239.  
 — *purpureo-album* Haw. Salm Monogr. §. 15, 3.  
 — *pustulatum* Haw. Salm Monogr. §. 8, 10.  
 — — — β. lividum, Salm Monogr. §. 8, 10, β.  
 — *radicans* DC. DC. Plantes grasses 171.  
 — *rapaceum* Jacq. Jacq. Fragm. 52.  
 — *relaxatum* Willd. Salm Monogr. §. 63, 1.  
 — *rhomboideum* Salm. Salm Monogr. §. 6, 5.  
 — *rigidicaule* Haw. Salm Monogr. §. 17, 2.

- Mesembrianthemum ringens* L. β. *felinum*, Mart. Hist. 28.  
 — *roseum* Willd. Salm Monogr. §. 29, 4.  
 — *Rossi* Haw. Salm Monogr. §. 19, 2.  
 — *rostellum* Haw. Salm Monogr. §. 35, 1.  
 — *rostratum* L. Salm Monogr. §. 3, 7.  
 — — — β. *brevibractentum*, Salm Mon. §. 3, 7, β.  
 — *rubricaule* Haw. Salm Monogr. §. 20, 3.  
 — *rubrocinctum* Haw. Bot. Reg. 20, 1732.  
 — *Salmii* Haw. Link Ic. I. 44.  
 — — — Salm Monogr. §. 7, 8.  
 — *salmoneum* Haw. Salm Monogr. §. 56, 2.  
 — *sarmentosum* Haw. Salm Monogr. §. 17, 3.  
 — *scabrum* L. DC. Plantes grasses 165.  
 — *scalpratum* Haw. Salm Monogr. §. 8, 1.  
 — *scapiger* Haw. Salm Monogr. §. 6, 1.  
 — *Schollii* Salm. Salm Monogr. §. 17, 1.  
 — *semicylindricum* Haw. Salm Monogr. §. 7, 2.  
 — *semidentatum* Salm. Salm Monogr. §. 33, 5.  
 — *serrulatum* Haw. Salm Monogr. §. 20, 2.  
 — *spectabile* Haw. Bot. Mag. 11, 396.  
 — — — Jacq. Schoenbr. 4, 441.  
 — — — DC. Plantes grasses 153.  
 — — — Kerner Hort. 81.  
 — — — Herb. amat. 5, 356.  
 — — — Salm Monogr. §. 27, 3.  
 — *spiniforme* Haw. Salm Monogr. §. 47, 1.  
 — *spinosum* L. Salm Monogr. §. 41, 1.  
 — *spinuliferum* Haw. Salm Monogr. §. 54, 2.  
 — *splendens* L. DC. Plantes grasses 35.  
 — *stellatum* DC. DC. Plantes grasses 29.  
 — *stelligerum* Haw. Salm Monogr. §. 52, 4.  
 — *stenum* Haw. Salm Monogr. §. 46, 5.  
 — *stipulaceum* L. Salm Monogr. §. 40, 3.  
 — *striatum* Haw. DC. Plantes grasses 130.  
 — — — Salm Monogr. §. 51, 1.  
 — *strumosum* Haw. Salm Monogr. §. 53, 1.  
 — *suaveolens* Jacq. Jacq. Fragm. 99.  
 — *subcompressum* Haw. Salm Monogr. §. 51, 5.  
 — *subincanum* Haw. Salm Monogr. §. 49, 4.  
 — *sulcatum* Haw. Salm Monogr. §. 44, 1.  
 — *tenellum* Haw. Salm Monogr. §. 36, 1.  
 — *tenuiflorum* Jacq. Jacq. Fragm. 52.  
 — *tenuifolium* L. DC. Plantes grasses 82.  
 — — — Salm Monogr. §. 46, 6.  
 — *testiculare* Haw. Bot. Mag. 38, 1573.  
 — *testiculatum* Jacq. Jacq. Fragm. 12.  
 — *tigrinum* Haw. Bot. Reg. 3, 260.  
 — — — Salm Monogr. §. 5, 1.  
 — *tortuosum* L. DC. Plantes grasses 94.  
 — — — Salm Monogr. §. 62, 4.  
 — *tricolor* Willd. Willdenow Hort. 22.  
 — — — Jacq. Schoenbr. 4, 440.  
 — — — Bot. Mag. 47, 2144.  
 — — — Paxt. Mag. 9, 219.  
 — *tricolorum* Haw. Salm Monogr. §. 15, 7.  
 — *Tripolium* L. Salm Monogr. §. 64, 1.  
 — *tuberculatum* DC. DC. Plantes grasses 170.  
 — *tuberosum* L. DC. Plantes grasses 78.  
 — *tumidulum* Haw. Salm Monogr. §. 37, 3.  
 — *turbinatum* Jacq. Jacq. Schoenbr. 4, 476.  
 — — — Kerner Hort. 212.  
 — *umbelliformum* Jacq. Jacq. Schoenbr. 4, 478.  
 — — — Salm Monogr. §. 44, 6.  
 — *uncatum* Salm. Salm Monogr. §. 8, 6.  
 — *uncinatum* L. DC. Plantes grasses 54.  
 — *uncinellum* Haw. Salm Monogr. §. 33, 4.  
 — *validum* Haw. Salm Monogr. §. 15, 8.  
 — *variabile* Haw. Salm Monogr. §. 46, 2.  
 — *verruculatum* L. DC. Plantes grasses 36.  
 — — — Salm Monogr. §. 39, 1.  
 — *violaceum* DC. DC. Plantes grasses 84.  
 — — — Herb. amat. 3, 176.

- † *Mesembrianthemum violaceum* DC. Ann. sc. nat. III. 18, 10.  
 — *virens* Haw. Salm Monogr. §. 24, 1.  
 — *virescens* Haw. Salm Monogr. §. 19, 3.  
 — *virgatum* Haw. Salm Monogr. §. 23, 1.  
 — *viride* Haw. Salm Monogr. §. 33, 2.  
 — *viridiflorum* Ait. Bot. Mag. 10, 326.  
 — — Jacq. Fragm. 52.  
 — — DC. Plantes grasses 159.  
 — — Salm Monogr. §. 54, 5.  
 — *Zeyheri* Salm. Salm Monogr. §. 40, 5.  
*Mesogramma apiifolium* DC. Delessert Ic. 4, 58.  
 † *Mespilus* L. Spach Suites 10.  
 — *acuminata* Wall. Lodd. Cab. 919.  
 — *Amelanchier* L. Jacq. Fl. austr. 3, 300.  
 — *arborea* Michx. Michaux Arb. 3, 11.  
 — *Aronia* Willd. Watson Dendr. 2, 165.  
 — *Azarcus* Poir. Nouveau Duhamel 4, 42.  
 — *Chamaemespilus* L. Guimpel Holzgew. 70.  
 — *coccinea* W. et K. W. et Kit. 256.  
 — — Watson Dendr. 1, 62.  
 — *communis* Pall. Pallas Fl. ross. 13.  
 — *cordata* Mill. Watson Dendr. 1, 63.  
 — — Guimpel Fr. Holzgew. 142.  
 — *Cotoneaster* L. Pallas Fl. ross. 14.  
 — — Fl. dan. 1, 112.  
 — — Sv. Bot. 295.  
 — — Guimpel Holzgew. 71.  
 — *crus galli* Wats. Watson Dendr. 1, 56.  
 — *elliptica* Hayne. Guimpel Fr. Holzgew. 144.  
 — *eriocarpa* DC. Watson Dendr. 1, 55.  
 — *flava* Willd. Watson Dendr. 1, 59.  
 — *flexispina* Moench. Moench Weissenst. 4.  
 † — *germanica* L. Gaertn. Carp. 87.  
 † — — Lam. Encycl. 436.  
 — — Nouveau Duhamel 4, 38.  
 — — Dict. sc. nat. 243.  
 † — — Spach Suites 7.  
 — — Engl. Bot. 22, 1523.  
 — — Baxter Brit. Bot. 6, 493.  
 — — Hartig 82.  
 — *glabra* Colla. Colla Hort. Rip. 36.  
 — *glandulosa* Willd. Watson Dendr. 1, 58.  
 — *grandiflora* Sm. Smith Exot. Bot. 18.  
 — *japonica* Thunb. Kaempfer Japon. 18.  
 — — Hort. Transact. 3, 11.  
 † — — Jacq. Fragm. 136.  
 — — Vent. Malm. 19.  
 — — Nouveau Duhamel 4, 39.  
 — — Herb. amat. 4, 229.  
 — — Ann. gen. 2, 32.  
 — — Bot. Reg. 5, 365.  
 — — var. *monosperma*, Kerner Hort. 494.  
 — *lobata* Poir. Bot. Mag. 62, 3442.  
 — *monogyna* Jacq. Hartig 85.  
 — *nigra* Willd. Watson Dendr. 1, 64.  
 — — Guimpel Fr. Holzgew. 106.  
 — *odoratissima* Andr. Andr. Rep. 9, 590.  
 — — Bot. Mag. 49, 2314.  
 † — *oxyacantha* Gaertn. Gaertn. Carp. 87.  
 † — — Lam. Encycl. 436.  
 — — Nouveau Duhamel 4, 41.  
 — — Guimpel Fr. Holzgew. 72.  
 — — Engl. Bot. 35, 2504.  
 — *parvifolia* Mill. Watson Dendr. 1, 65.  
 — *prunifolia* Poir. Nouveau Duhamel 4, 40.  
 — *pubescens* H. B. K. H. B. K. Nov. Gen. 6, 555.  
 — *punctata* Willd. Watson Dendr. 1, 57.  
 — *purpurea* Bosc. Watson Dendr. 1, 60.  
 — *pyracantha* L. Pallas Fl. ross. 13.  
 — — Schk. Handb. 133.  
 — *pyrifolia* Willd. Watson Dendr. 1, 61.  
*Mespilus pyrifolia* Willd. Guimpel Fr. Holzgew. 143.  
 — *sorbifolia* Poir. Herb. amat. 5, 354.  
 — *tanacetifolia* Sm. Smith Exot. Bot. 85.  
 — — Andr. Rep. 9, 591.  
 — *tomentosa* Ait. Guimpel Fr. Holzgew. 105.  
 — *xanthocarpus* Ehrh. Moench Weissenst. 3.  
*Messerschmidia Arguzia* L. Gmelin Reise 2, 27.  
 † — — Gaertn. Carp. 109.  
 — — Lam. Encycl. 95.  
 — *cancellata* Willd. Asso Arag. 1.  
 — *fruticosa* L. Bot. Reg. 6, 464.  
 — — var. *angustifolia*, Webb Canar. 143.  
*Mesua coromandelina* Wight. Wight Ic. pl. Ind. or. 1, 117.  
 — *ferrea* L. Rheede Hort. mal. 3, 53.  
 — — Rumpf Amb. Auct. 2.  
 † — — Mem. Mus. 16, 17.  
 — — Wight Ic. pl. Ind. or. 1, 118.  
 — *pedunculata* Wight. Wight Ic. pl. Ind. or. 1, 119.  
 — *speciosa* Choisy. Wight Spicil. 30 — 31.  
 — — Wight Ic. pl. Ind. or. 3, 961.  
*Metastelma californicum* Benth. Bentham Sulphur 18.  
 — *linearifolium* A. Rich. Ramon Cuba 57.  
 † *Metaxya rostrata* Presl. Hook. Gen. Fil. 42.  
*Methonica Leopoldi* Ch. Lem. Fl. d. serres 2, 163. 164.  
 — *superba* Lam. Red. Lil. 1, 26.  
 — — Herb. amat. 4, 219.  
*Methorium canum* Sch. et E. Schott et Endl. Melet. 5.  
*Metrasachme indica* Wight. Wight Ic. pl. Ind. or. 4, 1601.  
 † — — Wight Illustr. 156 bis.  
 — *malaccensis* Wight. Wight Ic. pl. Ind. or. 4, 1601.  
*Metrodorea atropurpurea* Fisch. Fl. d. serres 4, 337.  
 — *nigra* St. Hil. St. Hil. Fl. Bras. 16.  
 — — Lem. Jard. fl. 130 — 131.  
 † *Metrosideros albiflora* Gaertn. Gaertn. Carp. 34.  
 — *anomala* Vent. Vent. Malm. 5.  
 — — Herb. amat. 5, 326.  
 — *armillaris* Cav. Cav. Ic. 335.  
 † — — Gaertn. Gaertn. Carp. 34.  
 † — — Lam. Encycl. 421.  
 — *buxifolia* Cunn. Bot. Mag. 76, 4515.  
 — — Fl. d. serres 6, 570.  
 — — Lem. Jard. fl. 24.  
 — *calycina* Cav. Cav. Ic. 336.  
 — *ciliata* Sm. Bill. Sertum 59.  
 — *citrina* Curt. Bot. Mag. 8, 260.  
 — *corifolia* Vent. Vent. Malm. 46.  
 † — *costata* Gaertn. Gaertn. Carp. 34.  
 † — — Lam. Encycl. 421.  
 — *diffusa* Sm. Hook. Ic. pl. 6, 569.  
 † — *excelsa* Gaertn. Gaertn. Carp. 34.  
 † — — Lam. Encycl. 421.  
 — *floribunda* Sm. Vent. Malm. 75.  
 — *florida* Sm. Bot. Mag. 75, 4471.  
 — — Fl. d. serres 6, 577.  
 — — Hook. New Zeal. 15.  
 † — *fulgens* Gaertn. Gaertn. Carp. 34.  
 — *glauca* Bonpland. Bonpland Malm. 34.  
 — — Dict. sc. nat. 226.  
 † — *gummifera* Gaertn. Gaertn. Carp. 34.  
 † — — Lam. Encycl. 421.  
 — *hirsuta* Andr. Andr. Rep. 4, 281.  
 — *hispida* Sm. Smith Exot. Bot. 42.  
 — — Lodd. Cab. 106.  
 — — Bot. Mag. 45, 1960.  
 — *hypericifolia* A. Cunn. Hook. New Zeal. 16.  
 — *hyssopifolia* Cav. Cav. Ic. 336.  
 — *lancoolata* Sm. Jacq. Schoenbr. 4, 406.  
 — — Kerner Hort. 117.  
 — — Savi Fl. ital. 1, 32.  
 — *linearis* Sm. Jacq. Schoenbr. 4, 405.  
 — — Herb. amat. 4, 257.  
 — *lophantha* Vent. Vent. Cels 69.

- Metrosideros lophanta* Vent. Nouveau Duhamel 3, 56.  
 — *macrophylla* Lam. Lam. Encycl. 421.  
 — *marginata* Cav. Cav. Ic. 332.  
 † — *myrtifolia* Gaertn. Gaertn. Carp. 34.  
 † — *nodosa* Gaertn. Gaertn. Carp. 34.  
 — — — Cav. Ic. 334.  
 — *obovata* Hook. Hook. Beechey 12.  
 — *operculata* Lab. Bill. Sertum 60.  
 — *pallida* Bonpl. Bonpland Malm. 41.  
 — *pinifolia* Wendl. Wendland Coll. 16.  
 — *polymorpha* Gaudich. Freycinet Voyage 108. 109.  
 — *quinquenervia* Cav. Cav. Ic. 333.  
 — *robusta* Cunn. Journ. Hort. Soc. 3, 311.  
 — — — Hook. New Zeal. 17.  
 † — *salicifolia* Gaertn. Gaertn. Carp. 34.  
 † — — — Lam. Encycl. 421.  
 — *saligna* Sm. Vent. Cels 70.  
 — — — Bonpland Malm. 4.  
 — — — Bot. Mag. 43, 1821.  
 † — *scandens* Gaertn. Gaertn. Carp. 34.  
 — *semperflorens* Lodd. Lodd. Cab. 523.  
 — *speciosa* Sims. Bot. Mag. 42, 1761.  
 — — — Lodd. Cab. 285.  
 † — *spectabilis* Gaertn. Gaertn. Carp. 34.  
 — *tomentosa* A. Rich. Bot. Mag. 76, 4488.  
 — — — Lem. Jard. fl. 146.  
 — *umbellata* Cav. Cav. Ic. 337.  
 — *vera* Ldl. Rumpf Amb. 3, 7.  
 — — — Lindley Collect. 18.  
 † — *viminalis* Gaertn. Gaertn. Carp. 34.  
 † — — — Lam. Encycl. 421.  
 — *viridiflora* Sims. Bot. Mag. 52, 2602.  
 — — — Rehb. Exot. 138.  
*Metroxylon Rumphii* Mart. Mart. Palm. 159.  
 — *Sago Konig*. Konig Annals 1, 4.  
 — — — Mart. Palm. 102.  
*Metternichia Principis Mik.* Mikan Del. Bras. 13.  
 — — — Lem. Jard. fl. 72.  
 — — — Miers Illustr. 14.  
 — — — Bot. Mag. 79, 4747.  
 † *Meum athamanticum* Jacq. Gaertn. Carp. 23.  
 — — — Curt. Lond. 5, 182.  
 — — — Engl. Bot. 32, 2249.  
 — — — Baxter Brit. Bot. 4, 314.  
 † — *Mutellina* Gaertn. Gaertn. Carp. 23.  
*Meyenia Hawtayneana* N. v. E. Maund Bot. 4, 188.  
 — — — Wight Ic. pl. Ind. or. 4, 1487.  
 — — — Wight Illustr. 164<sup>bis</sup>.  
*Meyeria myrtifolia* DC. Delessert Ic. 4, 46.  
*Mezierea salaziensis* Gaudich. Gaudichaud Bonite 32.  
*Mezoneuron glabrum* Desf. Mem. Mus. 4, 10.  
 — — — Lam. Encycl. 951.  
 — *pubescens* Desf. Mem. Mus. 4, 11.  
 † *Mibora verna* Pal. B. Dumortier Gramin. 13.  
 — — — Rehb. Fl. germ. 1, 26.  
*Michauxia campanuloides* L'her. L'her. Monogr. 1. 2.  
 — — — Bot. Mag. 7, 219.  
 — — — Lam. Encycl. 295.  
 † — — — DC. Campan. 4.  
 — *laevigata* Vent. Vent. Cels 81.  
 † — — — Gaertn. Carp. 211.  
 — — — Bot. Mag. 59, 3128.  
 — — — Bot. Reg. 17, 1451.  
*Michelia bromoidea* Dumort. Dumortier Gramin. 16.  
 † *Michelia* L. Houstoun Reliq. 8.  
 — *aurantiaca* Wall. Wall. Pl. asiat. 147.  
 — *Champaca* L. Rheede Hort. mal. 1, 19.  
 — — — Rumpf Amb. 2, 67.  
 — — — Hill Decade 10.  
 — — — Lam. Encycl. 493.  
 — — — Bl. Blume Java 9, 1.  
 — *Doltsopa* DC. Wallich Tentamen 3.

- Michelia evonymoides* Burn. Rumpf Amb. 2, 68.  
 — *Kisopa* DC. Wallich Tentamen 4.  
 — *lanuginosa* Wall. Wallich Tentamen 5.  
 — *longifolia* Bl. Blume Java 9, 2. 3.  
 — *montana* Bl. Blume Java 9, 5.  
 — *nilagirica* Zenk. Zenker Pl. ind. 20.  
 — — — Wight Spicil. 6.  
 — — — Wight Ic. pl. Ind. or. 3, 938.  
 — *parviflora* Rumpf. Delessert Ic. 1, 85.  
 — *pubinervia* Bl. Blume Java 9, 4.  
 — *pulnensis* Wight. Wight Illustr. 5.  
 — *Tsiampaca* L. Rumpf Amb. 2, 68.  
 † — — — Gaertn. Carp. 137.  
*Miconia argyrophylla* DC. Mart. Bras. 284.  
 † — *criophora* Miq. Miquel Comment. 10.  
 — *Fockeana* Miq. Miquel Comment. 11.  
 † — — — Miquel Surin. 14.  
 — *laevigata* DC. Bot. Reg. 5, 363.  
 † *Miconiastrum Lambertianum* Naud. Ann. sc. nat. III. 16, 25.  
*Micranthemum orbiculatum* Michx. Michaux Fl. 2.  
 † — — — Gaertn. Carp. 214.  
*Micranthera clusoides* Choisy. Mem. hist. n. Par. 1, 11. 12.  
*Micranthemum ericoides* Desf. Mem. Mus. 4, 14.  
 † — — — Lam. Encycl. 994.  
 † *Micrargeria Wightii* Benth. Wight Illustr. 165<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1417.  
*Microcarpaea cochlearifolia* Sm. Wight Ill. in Hook. 29.  
 — *spatulata* Wight. Wight Illustr. in Hook. 4.  
*Microchilus major* Presl. Presl Symbolae 15.  
 \ — *minor* Presl. Presl Symbolae 16.  
 — *pictus* Morr. Annales de Gand 1845, 18.  
*Microchlaena quinquelocularis* W. et A. Wight Ic. pl. Ind. or. 3, 882.  
*Microchloa setacea* R. Br. H. B. K. Nov. Gen. 1, 22.  
*Microcodon depressum* A. DC. Delessert Ic. 5, 16.  
 — *glomeratum* A. DC. DC. Campan. 19.  
 † *Microcos paniculata* L. Gaertn. Carp. 57.  
 — *tomentosa* Sm. Hook. Bot. Misc. 60.  
*Microderis filii* Hochst. Seubert Fl. azor. 13.  
 — *umbellata* Hochst. Seubert Fl. azor. 12.  
*Microdesmis puberula* Hook. fl. Hook. Niger Fl. 26.  
 — — — Hook. Ic. pl. 8, 758.  
 † *Microdon ovatum* Choisy. Mem. Genev. 2, 1.  
*Microelus Roeperianus* W. et Arn. Wight Ic. pl. Ind. or. 5, 1880.  
 † *Microgonium Berterranum* Presl. Prager Abh. 3, 6.  
 † — *cuspidatum* Presl. Prager Abh. 3, 6.  
 † *Microgramma persicariaefolia* Presl. Hook. Gen. Fil. 73.  
 † *Microlepis inaequalis* Presl. Hook. Gen. Fil. 58.  
 † — *polypodioides* Presl. Hook. Gen. Fil. 58.  
 † *Microlicia* Naud. Ann. sc. nat. III. 3, 7.  
 — *crenulata* Cham. Mart. Bras. 251.  
 — *euphorbioides* Mart. Mart. Bras. 252.  
 — *graveolens* DC. Mart. Bras. 253.  
 — *setosa* DC. Mart. Bras. 253.  
 — *variabilis* Mart. Mart. Bras. 254.  
*Microlonchus Delestrei* Spach. Explor. Alger. 55.  
 — *salmaticus* DC. Rehb. Fl. germ. 15, 750.  
*Micromelum?* monophyllum Wight. Wight Illustr. 42.  
*Micromeria Benthami* Webb. Webb Canar. 159.  
 — *biflora* Benth. Jacquemont Ind. 134.  
 — — — Wight Ic. pl. Ind. or. 4, 1446.  
 † — — — Wight Illustr. 176<sup>bis</sup>.  
 — *Buchii* Webb. Webb Canar. 161.  
 — *densiflora* Benth. Webb Canar. 163.  
 — *helianthemifolia* Webb. Webb Canar. 162.  
 — *herpyllomorpha* Webb. Webb Canar. 155.  
 — *hyssopifolia* Webb. Webb Canar. 154.  
 — *julianoides* Webb. Webb Canar. 160.  
 — *lachnophylla* Webb. Webb Canar. 156.  
 — *lanata* Benth. Webb Canar. 160.

- Micromeria lasiophylla* *Webb*. *Webb Canar.* 156.  
 — *lepida* *Webb*. *Webb Canar.* 157.  
 — *polioides* *Webb*. *Webb Canar.* 158.  
 — *Preauxii* *Webb*. *Webb Canar.* 157.  
 † *tenuifolia* *Benth.* *Nees Gen.* 6, 20.  
 — *tenuis* *Benth.* *Webb Canar.* 158.  
 — *terebinthinacea* *Webb*. *Webb Canar.* 164.  
 — *thymoides* *Webb*. *Webb Canar.* 153.  
 — *Tragothymus* *Webb*. *Webb Canar.* 155.  
 † *Microphysa quadrialata* *Naud.* *Ann. sc. nat.* III. 18, 3.  
 † *Micropiper* *Miq.* *Miquel Comment.* 4.  
 — *bilineatum* *Miq.* *Miquel Comment.* 8.  
 — *Blumei* *Miq.* *Miquel Comment.* 8.  
 — *candidum* *Miq.* *Miquel Comment.* 8.  
 — *convexum* *Miq.* *Miquel Comment.* 8.  
 — *exiguum* *Miq.* *Miquel Comment.* 9.  
 — *laevifolium* *Miq.* *Miquel Comment.* 9.  
 — *Langsdorffii* *Miq.* *Miquel Comment.* 8.  
 — *melanostigma* *Miq.* *Miquel Comment.* 9.  
 — *nervoso-venosum* *Miq.* *Miquel Comment.* 6.  
 — *pusillum* *Miq.* *Miquel Comment.* 5.  
 — *recurvum* *Miq.* *Miquel Comment.* 9.  
 — *subrotundum* *Miq.* *Miquel Comment.* 8.  
 — *tomentosum* *Miq.* *Miquel Comment.* 9.  
 † *Micropteris* *Desv.* *Mem. soc. Linn. Par.* 6, 11.  
*Micropus erectus* *L.* *Loefling Iter* 1.  
 — — — *Lam. Encycl.* 694.  
 — — — *Gaudin Fl. helv.* 5, 1.  
 — — — *Ann. sc. nat.* II. 20, 13.  
 † — — — *Nees Genera* X, x.  
 † — — — *supinus* *L.* *Cav. Ic.* 35.  
 — — — *Schk. Handb.* 267.  
 — — — *Tratt. Archiv* 166.  
 † — — — *Gaertn. Carp.* 164.  
 † — — — *Lam. Encycl.* 694.  
 † — — — *Nees Genera* X, x.  
*Micropyxis rubricaulis* *Duby.* *Mem. Genev.* 10, 4.  
 — *tenella* *Wight.* *Wight Ic. pl. Ind. or.* 4, 1585.  
*Microrrhynchus arabicus* *Jaub.* *Jaubert Illustr.* 277.  
 — *fallax* *Jaub.* *Jaubert Illustr.* 276.  
 — *glaber* *Wight.* *Wight Spicil.* 118.  
 — — — *Wight Ic. pl. Ind. or.* 3, 1145.  
 — *glomeratus* *Jaub.* *Jaubert Illustr.* 275.  
 — *sarmentosus* *DC.* *Wight Illustr.* 133.  
*Microsemma salicifolia* *Lab.* *Bill. Sertum* 57.  
 † *Microsorium iridioides* *Fée.* *Fée Fil.* 5, 20.  
 † — *irregulare* *Link.* *Fée Fil.* 5, 20.  
 † — *longissimum* *Fée.* *Fée Fil.* 5, 20.  
*Microsperma bartonioides* *Walp.* *Bot. Mag.* 76, 4491.  
 — — — *Fl. d. serres* 5, 532.  
 — — — *Lem. Jard. fl.* 15.  
 — *lobata* *Hook.* *Hook. Ic. pl.* 3, 234.  
 † *Microstachys bicornis* *Juss.* *Jussieu Euphorb.* 15.  
*Microstemma tuberosum* *R. Br.* *Endl. Iconogr.* 60.  
*Microstigma Bungei* *Trautv.* *Trautvetter Imag.* 25.  
*Microstylis diphyllus* *Ldl.* *Rchb. Fl. germ.* 13, 493.  
 — *discolor* *Ldl.* *Wight Ic. pl. Ind. or.* 5, 1631.  
 — *hisionantha* *Link.* *Link Ic. III.* 5.  
 — — — *Bot. Mag.* 70, 4103.  
 — *luteola* *Wight.* *Wight Ic. pl. Ind. or.* 5, 1632.  
 — *monophylla* *Ldl.* *Rchb. Fl. germ.* 13, 493.  
 — *ophioglossioides* *Nutt. β. mexicana*, *Bot. Reg.* 15, 1290.  
 — — — *Rheedii* *Ldl.* *Rheede Hort. mal.* 12, 27.  
 — — — *Wight Ic. pl. Ind. or.* 3, 902.  
 — *rupestris* *P. et E.* *Poepp. et Endl.* 111.  
 — *versicolor* *Ldl.* *Wight Ic. pl. Ind. or.* 3, 901.  
 † *Microtea debilis* *Sw.* *Swartz Fl. Ind. occ.* 12.  
 — — — *Lam. Encycl.* 182.  
*Microtis media* *R. Br.* *Bot. Mag.* 62, 3378.  
 — *parviflora* *R. Br.* *Bot. Mag.* 62, 3377.  
 — — — *Endl. Iconogr.* 15.

- Microtropis densiflora* *Wight.* *Wight Ic. pl. Ind. or.* 3, 1052.  
 — *garcinifolia* *Wall.* *Wight Ic. pl. Ind. or.* 3, 761.  
 — *microcarpa* *Wight.* *Wight Spicil.* 46.  
 — — — *Wight Ic. pl. Ind. or.* 3, 975.  
 — *ovalifolia* *Wight.* *Wight Spicil.* 47.  
 — — — *Wight Ic. pl. Ind. or.* 3, 976.  
 — *ramiflora* *Wight.* *Wight Spicil.* 48.  
 — — — *Wight Ic. pl. Ind. or.* 3, 977.  
*Miersia chilensis* *Ldl.* *Gay Chile* 68.  
*Mikania angularis* *H. B.* *Humb. Pl. aeq.* 106.  
 — *argyrostigma* *Miq.* *Miquel Surin.* 55.  
 — *armigera* *P. et E.* *Poepp. et Endl.* 260.  
 — *Guaco* *H. B.* *Humb. Pl. aeq.* 105.  
 † — — — *Lam. Encycl.* 983.  
 — *laurifolia* *Willd.* *H. B. K. Nov. Gen.* 4, 350.  
 † *Milium* *L.* *Linné Amoenit.* 7, 3.  
 † — — *Dumortier Gramin.* 13.  
 — *amphicarpum* *Pursh.* *Pursh Fl.* 2.  
 — *arundinaceum* *Sibth.* *Sibth. Fl. gr.* 66.  
 — *coerulescens* *Schousb.* *Desf. Fl. atl.* 12.  
 — *confertum* *Mill.* *Rchb. Fl. germ.* 1, 45.  
 — *effusum* *L.* *Fl. dan.* 7, 1143.  
 — — — *Sv. Bot.* 162.  
 — — — *Curt. Lond.* 2, 14.  
 — — — *Engl. Bot.* 16, 1106.  
 — — — *Knapp Gram.* 19.  
 — — — *Baxter Brit. Bot.* 4, 247.  
 — — — *Schk. Handb.* 11.  
 — — — *Host Gram.* 222.  
 — — — *Rchb. Fl. germ.* 1, 45, 7, 73.  
 † — — — *Nees Genera* 1, 17.  
 — *lanatum* *β. R. et Sch.* *Humb. Gram.* 163.  
 — *latifolium* *Cav.* *Cav. Ic.* 273.  
 — *lendigerum* *L.* *Schreber Gräser* 23.  
 — — — *Host Gram.* 224.  
 — — — *Sibth. Fl. gr.* 65.  
 — — — *Engl. Bot.* 16, 1107.  
 — *multiflorum* *Cav.* *Rchb. Fl. germ.* 1, 45.  
 — *paradoxum* *L.* *Scop. Fl. carn.* 1, 1.  
 — — — *Schreber Gräser* 28.  
 — — — *Host Gram.* 223.  
 — — — *Rchb. Fl. germ.* 1, 45.  
 — *paspaloides* *Ell.* *Elliott Carolina* 6.  
 — *tenellum* *Cav.* *Cav. Ic.* 274.  
 — *vernale* *M. v. B.* *Jacq. Eclogae Gram.* 41.  
 — — — *Rchb. Fl. germ.* 1, 45.  
 — — — *van Hall.* *Van Hall Syn. Gr. Belg.* 1.  
*Miliusa Leschenaultii* *DC.* *Mem. Genev.* 5, 3.  
*Milla biflora* *Cav.* *Cav. Ic.* 196.  
 † — — — *Kerner Genera* 145.  
 — — — *Bot. Reg.* 18, 1555.  
 — — — *uniflora* *Grah.* *Bot. Mag.* 61, 3327.  
*Milleria angustifolia* *Cav.* *Cav. Ic.* 223.  
 — *biflora* *L.* *Linné Hort. Cliff.* 25.  
 — — — *Martyn Hist.* 45.  
 † — — — *Lam. Encycl.* 710.  
 — *Conrayerva* *Cav.* *Cav. Ic.* 4.  
 † — — — *Lam. Encycl.* 710.  
 — *dichotoma* *Cav.* *Cav. Ic.* 82.  
 † — — — *Lam. Encycl.* 710.  
 — *quinqueflora* *L.* *Martyn Hist.* 39.  
 † — — — *Gaertn. Carp.* 168.  
 † — — — *Lam. Encycl.* 710.  
*Milletia macrophylla* *Benth.* *Hook. Niger Fl.* 32, 33.  
 — — — *Hook. Ic. pl.* 8, 788, 789.  
 — ? *piscidia* *W. et A.* *Wight Ic. pl. Ind. or.* 1, 86.  
 — *rubiginosa* *W. et A.* *Wight Ic. pl. Ind. or.* 1, 207.  
*Milligania cordifolia* *Hook. fil.* *Hook. Ic. pl.* 3, 299.  
 — *longifolia* *Hook. fil.* *Hook. Journal* 1853, 9.  
*Millingtonia Arnottiana* *Wight.* *Wight Illustr.* 53.  
 † — *hortensis* *L. fil.* *Wight Illustr.* 161 bis.

- Millingtonia pungens Wall. Wight Spicil. 34. 35.  
 — — — Wight Ic. pl. Ind. or. 3, 964<sup>c</sup>.  
 — simplicifolia Roxb. Roxb. Corom. 254.  
 Milnea edulis Roxb. Rheede Hort. mal. 4, 16.  
 — Roxburghiana Wight. Wight Ic. pl. Ind. or. 1, 166.  
 Miltianthus portulacoides Bge. Bunge Reliq. 9.  
 Miltonia candida Ldl. Lindley Sertum 21.  
 — — — Paxt. Mag. 6, 241.  
 — — — var. Bot. Mag. 66, 3793.  
 — Clowesii Ldl. Lindley Sertum 34.  
 — — — Bot. Mag. 70, 4109.  
 — — — Paxt. Mag. 9, 241.  
 — cuneata Ldl. Bot. Reg. 31, 8.  
 — Karwinskii Ldl. Paxt. Mag. 16, 162.  
 † — — — Journ. Hort. Soc. 4, 83.  
 — Busselliana Paxt. Paxt. Mag. 7, 217.  
 — spectabilis Ldl. Bot. Mag. 72, 4204. 75, 4425.  
 — — — Bot. Reg. 23, 1992.  
 — — — var. Lem. Jard. fl. 108.  
 — — — Paxt. Mag. 7, 97.  
 — — — Hart. Parad. 1, 11.  
 Mimetes Hartogii R. Br. Rechb. Hort. 93.  
 — hirta R. Br. Rechb. Hort. 92.  
 † Mimosa —? Jacq. Fragm. 43.  
 — albida H. B. Humb. Mim. 1.  
 — — — Kerner Hort. 566.  
 — amara Roxb. Roxb. Corom. 122.  
 — angustifolia Jacq. Jacq. Schoenbr. 3, 391.  
 — arabica Lam. Roxb. Corom. 149.  
 — arborea L. Gmelin Reise 3, 40.  
 — — Thunb. Kaempfer Japon. 19.  
 — asperata L. Houston Reliq. 24.  
 — — — DC. Legum. 63.  
 † — bimucronata Savi. Mem. Mod. 21, 6.  
 — botrycephala Vent. Vent. Cels 1.  
 — — — Herb. amat. 1, 6.  
 — Bourgoni Aubl. Aublet Guiana 358.  
 — caracasana Jacq. Jacq. Ic. 632.  
 — Catechu L. Roxb. Corom. 175.  
 — — — Woodv. Med. 3, 157.  
 — cinerea L. Roxb. Corom. 174.  
 — cochlearis Lab. Bill. Nov. Holl. 234.  
 † — cyclocarpa Jacq. Jacq. Fragm. 34.  
 — decipiens Konig. Konig Annals 1, 8.  
 — decurrens Vent. Vent. Malm. 61.  
 — discolor Andr. Andr. Rep. 4, 235.  
 — distachya Cav. Cav. Ic. 295.  
 — — — Vent. Cels 20.  
 — divaricata Jacq. Jacq. Schoenbr. 3, 395.  
 — dulcis Roxb. Roxb. Corom. 99.  
 — — — Kerner Hort. 102.  
 — eburnea L. Roxb. Corom. 199.  
 — elegans Andr. Andr. Rep. 9, 563.  
 — fagifolia Jacq. Jacq. Hist. stirp. am. 247.  
 — Farnesiana L. Nouveau Duhamel 2, 28.  
 † — — — Lam. Encycl. 846.  
 — — — Desc. Ant. 1, 1.  
 — fastuosa Jacq. Jacq. Fragm. 10.  
 — filicioides Cav. Cav. Ic. 78.  
 — floribunda Vent. Vent. Choix 13.  
 — — — H. B. Hook. Ic. pl. 4, 373.  
 — — — Lem. Jard. fl. 4, 345.  
 — foetida Jacq. Jacq. Schoenbr. 3, 390.  
 — glandulosa Michx. Vent. Choix 27.  
 — grandiflora L'her. Andr. Rep. 9, 592.  
 — guianensis Aubl. Aublet Guiana 357.  
 — heterophylla Lam. Journ. d'hist. nat. Par. 1, 15.  
 — hispidula Sm. Smith New Holl. 16.  
 — horridula Michx. Vent. Choix 28.  
 — Inga L. Desc. Ant. 5, 316.  
 — intermedia H. B. Humb. Mim. 6.  
 — juliflora Sw. Desc. Ant. 8, 550.

- Mimosa juniperina Vent. Vent. Malm. 64.  
 — lacustris H. B. Humb. Pl. aeq. 16.  
 — lanceolata Jacq. Jacq. Fragm. 53. 54.  
 — leucacantha Jacq. Jacq. Schoenbr. 3, 393.  
 — leucophloea Roxb. Roxb. Corom. 150.  
 — ligustrina Jacq. Jacq. Fragm. 32.  
 — — — Vahl. Vahl Eclogae 27.  
 — linearis Wendl. Wendl. Hort. herrenh. 18.  
 — linifolia Vent. Vent. Cels 2.  
 — — — Andr. Rep. 6, 394.  
 — longifolia Andr. Andr. Rep. 3, 207.  
 — — — Vent. Malm. 62.  
 — — — Kerner Hort. 177.  
 — lucida Vahl. Vahl Eclogae 24.  
 — — — Kerner Hort. 428.  
 — macrostachys Vahl. Vahl Eclogae 26.  
 — microcephala H. B. Humb. Mim. 8.  
 — montana H. B. Humb. Mim. 10.  
 — myrtifolia Sm. Smith New Holl. 15.  
 — — — Bot. Mag. 9, 302.  
 — natans Vahl. Roxb. Corom. 119.  
 — nigricans Lab. Bill. Nov. Holl. 238.  
 — — — Vahl. Vahl Eclogae 29.  
 — nilotica L. Woodv. Med. 3, 158.  
 — obliqua Lam. Journ. d'hist. nat. Par. 1, 5.  
 — octandra Roxb. Roxb. Corom. 200.  
 — odoratissima L. Roxb. Corom. 120.  
 — pectinata H. B. Humb. Mim. 2.  
 — pellita H. B. Humb. Mim. 9.  
 — plena L. Houston Reliq. 23.  
 — polycarpa H. B. Humb. Mim. 3.  
 — polydactyla H. B. Humb. Mim. 5.  
 — portoricensis Jacq. Jacq. Ic. 633.  
 — procerata Roxb. Roxb. Corom. 121.  
 — ptericina Poir. Lam. Encycl. 846.  
 — pubescens Vent. Vent. Malm. 21.  
 — — — Bot. Mag. 31, 1263.  
 — — — Herb. amat. 2, 137.  
 † — pudica L. Gaertn. Carp. 155.  
 † — — — Lam. Encycl. 846.  
 — — — Andr. Rep. 8, 544.  
 — — — Dict. sc. nat. 258.  
 — — — Bot. Reg. 11, 941.  
 † — — — Spach Suites 1.  
 † — — — Mem. Strassb. 4, x.  
 — purpurea L. Andr. Rep. 6, 372.  
 — quadrivalvis L. Houston Reliq. 25.  
 — rosea Vahl. Vahl Eclogae 25.  
 — rubicaulis Lam. Hook. Ic. pl. 2, 156.  
 — saligna Lab. Bill. Nov. Holl. 235.  
 — Saman Jacq. Jacq. Fragm. 9.  
 — scandens L. Desc. Ant. 3, 200.  
 † — scoparia Poir. Lam. Encycl. 846.  
 — sensitiva L. Lodd. Cab. 249.  
 — — — Bot. Reg. 1, 25.  
 — — — Desc. Ant. 8, 584.  
 — simplicifolia L. fil. Rumpf Amb. 3, 81.  
 — — — Jacq. Fragm. 44.  
 — somnians H. B. Humb. Mim. 7.  
 — Sophorae Lab. Bill. Nov. Holl. 237.  
 — speciosa Jacq. Jacq. Ic. 198.  
 — stricta Andr. Andr. Rep. 1, 53.  
 — — — Bot. Mag. 28, 1121.  
 — suaveolens Sm. Bill. Nov. Holl. 236.  
 — Sundra Roxb. Roxb. Corom. 225.  
 — tamarindifolia L. Jacq. Schoenbr. 3, 396.  
 — tenuifolia L. Desc. Ant. 2, 93.  
 — tomentosa H. B. Humb. Mim. 4.  
 — — — Kerner Hort. 600.  
 — trapezifolia Vahl. Vahl Eclogae 28.  
 — trichodes Jacq. Jacq. Schoenbr. 3, 394.  
 — ulicifolia Wendl. Wendl. Coll. 6.

- Mimosa unguis cati* L. Jacq. Schoenbr. 3, 392.  
 — — — Desc. Ant. 1, 11.  
 — — — *uruguensis* Benth. Bot. Reg. 28, 33.  
 — — — *verticillata* L'her. Bot. Mag. 4, 110.  
 — — — — — Vent. Malm. 63.  
 — — — — — Wendland Coll. 30.  
 — — — *virgata* L. Jacq. Vind. 80.  
 — — — *virgultosa* Vahl. Vahl. Ic. 20.  
 — — — *xylocarpa* Roxb. Roxb. Corom. 100.  
 — — — — — Kerner Hort. 108.  
 † *Mimoseae* DC. (Germinatio.) DC. Legum. 19.  
*Mimulus alatus* Ait. Barton Fl. 3, 94.  
 — — — — — Lodd. Cab. 410.  
 — — — *aurantiacus* Curt. Bot. Mag. 10, 354.  
 — — — *cardinalis* Ldl. Hort. Transact. 9, 3.  
 — — — — — Maund Bot. 1, 2.  
 — — — — — Bot. Mag. 64, 3560.  
 — — — — — Paxt. Mag. 3, 197.  
 — — — — — Sweet Fl. G. II. 358.  
 — — — *floribundus* Ldl. Bot. Reg. 13, 1125.  
 — — — *glutinosus* Wendl. Jacq. Schoenbr. 3, 364.  
 — — — — — Herb. amat. 1, 24.  
 — — — *guttatus* Fisch. Rchb. Hort. 204.  
 — — — *Harrisoniae* Paxt. Paxt. Mag. 4, 173.  
 — — — *Lewisii* Pursh. Pursh. Fl. 20.  
 — — — *luteus* L. Bonpland Malm. 60.  
 — — — — — Andr. Rep. 10, 661.  
 — — — — — Jacq. Ecl. pl. 92.  
 — — — — — Bot. Mag. 36, 1501.  
 — — — — — var. *variegatus*, Bot. Mag. 61, 3336.  
 — — — — — var. *Youngeanus*, Bot. Mag. 61, 3363.  
 — — — — — var. *rivularis*, Bot. Reg. 12, 1030.  
 — — — — — var. *variegatus*, Bot. Reg. 21, 1796.  
 — — — — — *δ. Wilsoni*, Sweet Fl. G. II. 406.  
 — — — *Maclaineanus* Paxt. Paxt. Mag. 9, 147.  
 — — — — — Marnock Mag. 1841, 12.  
 — — — *moschatus* Dougl. Bot. Reg. 13, 1118.  
 — — — *numularius* Gay. Gay. Chile 57.  
 — — — *parviflorus* Ldl. Bot. Reg. 11, 874.  
 — — — *perfoliatus* H. B. K. Bot. Mag. 58, 3067.  
 — — — *propinquus* Ldl. Bot. Reg. 16, 1330.  
 — — — *punctatus* Lois. Herb. amat. 3, 152.  
 — — — *punicens* Maund. Maund Bot. 4, 169.  
 — — — *ringens* L. Linné Hort. ups. 1.  
 — — — — — Bot. Mag. 8, 283.  
 † — — — — — Gaertn. Carp. 53.  
 † — — — — — Lam. Encycl. 523.  
 — — — *rivularis* Lodd. Lodd. Cab. 1575.  
 — — — *roseo-cardinalis* Henslow. Maund Bot. 2, 51.  
 — — — *roseus* Ldl. Bot. Reg. 19, 1591.  
 — — — — — Bot. Mag. 61, 3353. 68, 3924.  
 — — — — — Lodd. Cab. 1976.  
 — — — — — Paxt. Mag. 1, 29.  
 — — — — — Sweet Fl. G. II. 210.  
 — — — — — Spach Suites 142.  
 — — — *Smithii* Ldl. Bot. Reg. 20, 1674.  
 — — — — — Paxt. Mag. 1, 54.  
 — — — *variegatus* Lodd. Lodd. Cab. 1872.  
 — — — — — Paxt. Mag. 1, 79.  
 † *Mimusops* L. Kerner Genera 59.  
 † — — — *Balata* Gaertn. Gaertn. Carp. 205.  
 — — — *dissecta* R. Br. Bot. Mag. 59, 3157.  
 — — — *Elengi* L. Rheede Hort. mal. 1, 20.  
 — — — — — Rumpf Amb. 2, 63. 64.  
 † — — — — — Gaertn. Carp. 42.  
 † — — — — — Lam. Encycl. 300.  
 — — — — — Roxb. Corom. 14.  
 — — — — — Wight Ic. pl. Ind. or. 4, 1586.  
 † — — — *globosa* Gaertn. Gaertn. Carp. 205.  
 — — — *hexandra* Roxb. Roxb. Corom. 15.  
 — — — — — Kerner Hort. 636.  
 — — — *indica* DC. Wight Ic. pl. Ind. or. 4, 1587.

- Mimusops Kauki* L. Rheede Hort. mal. 4, 25.  
 — — — — — Rumpf Amb. 3, 8.  
 † — — — *racemosa* Jacq. Jacq. Collect. 5, 3.  
 — — — *Roxburghiana* Wight. Wight Ic. pl. Ind. 4, 1588.  
 † — — — — — Wight Illustr. 148 bis.  
 — — — *Mina lobata* La Ll. et Lex. Bot. Reg. 28, 24.  
 — — — — — Paxt. Mag. 16, 100.  
*Minuartia guianensis* Aubl. Aublet Guiana 370.  
*Minuartia campestris* L. Svensk Acad. 1758, 1.  
 — — — *dichotoma* L. Loeffling Iter 1.  
 — — — — — Svensk Acad. 1758, 1.  
 — — — — — Cav. Ic. 277.  
 — — — *fasciculata* Rchb. Rchb. Fl. germ. 5, 206.  
 — — — *fastigiata* Rchb. Rchb. Fl. germ. 5, 206.  
 — — — *montana* L. Loeffling Iter 1.  
 — — — — — Svensk Acad. 1758, 1.  
 — — — — — Annales de hist. nat. 2, 21.  
 — — — — — Cav. Ic. 568.  
 — — — — — Lam. Encycl. 52.  
 — — — *rostrata* Rchb. Rchb. Fl. germ. 5, 206.  
*Miniphyllis* Aubl. Aubert Orchid. 109.  
*Miquelia azurea* Bl. Blume Rumphia 189.  
 † — — — *celebica* Bl. Blume Mus. 1, 8.  
*Mirabilis aggregata* Cav. Cav. Ic. 437.  
 — — — *corymbosa* Cav. Cav. Ic. 379.  
 — — — *dichotoma* L. Martyn Hist. 1.  
 — — — — — Desc. Ant. 2, 139.  
 — — — *Jalapa* L. Rheede Hort. mal. 10, 75.  
 — — — — — Rumpf Amb. 5, 89.  
 — — — — — Bot. Mag. 11, 371.  
 — — — — — Schk. Handb. 41.  
 † — — — — — Lam. Encycl. 105.  
 — — — — — Spach Suites 146.  
 † — — — — — Ann. sc. nat. III. 18, 16.  
 † — — — — — Schnizl. Iconogr. 2, 104.  
 — — — *longiflora* L. Svensk Acad. 1755, 6.  
 — — — — — Smith Exot. Bot. 23.  
 † — — — — — Gaertn. Carp. 127.  
 — — — — — Nees Düssel. Suppl. 103.  
 † — — — — — Schnizl. Iconogr. 2, 104.  
 — — — *procera* Bert. Novi Comm. Bon. 3, 1.  
 — — — *viscosa* Cav. Cav. Ic. 19.  
 — — — — — Dict. sc. nat. 22.  
*Mirbelia Baxteri* Mackay. Bot. Reg. 17, 1434.  
 — — — *cordata* Sm. Bot. Reg. 12, 1005.  
 — — — *dilatata* R. Br. Lodd. Cab. 1367.  
 — — — — — Bot. Reg. 12, 1041.  
 — — — *floribunda* Paxt. Paxt. Mag. 8, 103.  
 — — — *grandiflora* Ait. Bot. Mag. 54, 2771.  
 — — — *Meisneri* Hook. Bot. Mag. 75, 4419.  
 — — — *reticulata* Sm. Vent. Malm. 119.  
 — — — — — Nouveau Duhamel 4, 37.  
 — — — — — Bot. Mag. 30, 1211.  
 — — — — — Lodd. Cab. 1371.  
 — — — *speciosa* Sieb. Bot. Reg. 27, 58.  
 — — — — — Sweet Austr. 34.  
 — — — — — Rchb. Hort. 191.  
*Mirmecodia echinata* Gaudich. Freycinet Voyage 96.  
 — — — *inermis* Gaudich. Freycinet Voyage 95.  
 † *Misodendrum brachystachyum* DC. DC. Lorantha-  
 cées 12.  
 — — — *imbricatum* P. et E. Poepp. et Endl. 3.  
 — — — *lineare* P. et E. Poepp. et Endl. 1.  
 — — — *oblongifolium* DC. Delessert Ic. 3, 80.  
 — — — — — Poepp. et Endl. 2.  
 — — — *punctulatum* Banks. DC. Loranthacées 11.  
 † — — — *quadriflorum* DC. DC. Loranthacées 12.  
*Missiessya celtidifolia* Gaudich. Gaudichaud Bonite 93.  
 — — — *fagifolia* Gaudich. Gaudichaud Bonite 93.  
 † *Mitchella repens* L. Gaertn. Carp. 192.  
 † — — — — — Lam. Encycl. 63.  
 — — — — — Barton Fl. 3, 95.

- Mitchella repens* L. Lodd. Cab. 979.  
 † *Mitscherlichia spectabilis* Kunth. Abh. Ac. Berl. 1832, 3.  
*Mitella cordifolia* Lam. Lam. Encycl. 373.  
 † — *diphylla* L. Gaertn. Carp. 44.  
 † — — — Lam. Encycl. 373.  
 — — — Schk. Handb. 120.  
 — — — Barton Fl. 3, 89.  
 — — — Bot. Reg. 2, 166.  
 — *pentandra* Hook. Bot. Mag. 56, 2933.  
 — *reniformis* Lam. Lam. Encycl. 373.  
 — *trifida* Grah. Hook. Bor. Am. 82.  
*Mitostigma tomentosum* Deene. Delessert Ic. 5, 59.  
 † *Mitracarpum* Zucc. Linnaea 3, 3.  
 — *Schizangium* DC. Hook. Beechey 99.  
*Mitragyna speciosa* Korth. Korthals Bot. 35.  
*Mitriaria coccinea* Cav. Anales de hist. nat. 3, 31.  
 — — — Cav. Ic. 579.  
 — — — Bot. Mag. 75, 4462.  
 — — — Paxt. Mag. 15, 147.  
 — — — Fl. d. serres 4, 385.  
*Mitrasacme pilosa* Lab. Lam. Encycl. 913.  
 — *villosa* Lab. Bill. Nov. Holl. 49.  
*Mitreola oldenlandioides* Wall. Hook. Ic. pl. 9, 827.  
 † — *ophiorrhizoides* Rich. Mem. hist. nat. Par. 1, 3.  
 — *paniculata* Wall. Wight Ic. pl. Ind. or. 4, 1600.  
 — — — Hook. Ic. pl. 9, 828.  
*Mitrospora recurvata* N. v. E. Endl. Bras. 3, 11.  
*Mnasion sphaerocephalum* Rudge. Rudge Pl. Guianae 12.  
 — *Theophrasti* Stackh. Stackhouse Extr. 2.  
 — *unilaterale* Rudge. Rudge Pl. Guianae 11.  
*Mnemonium cheiranthifolium* Webb. Webb Canar. 14<sup>B</sup>.  
 — *elegans* Spach. Spach Suites 121.  
 — *palmense* Webb. Webb Canar. 14.  
 † *Mniarum biflorum* Forst. Forster Charact. 1.  
 † — — — Lam. Encycl. 6.  
 — — — Comm. Gott. 9, 1.  
 ✓ — *fasciculatum* R. Br. Hook. Ic. pl. 3, 283.  
 — *pedunculatum* Lab. Bill. Nov. Holl. 2.  
 — — — Lam. Encycl. 901.  
*Mniopsis Hookeriana* Tul. Arch. Mus. 6, 8.  
 — — — Wight Ic. pl. Ind. or. 5, 1918.  
 — *Johnsonii* Wight. Wight Ic. pl. Ind. or. 5, 1918.  
 — *scaturiginum* Mart. Mart. Bras. 1.  
 — — — Schnizl. Iconogr. 2, 85.  
 — *Weddeliana* Tul. Arch. Mus. 6, 8.  
*Modecca australis* R. Br. Endl. Iconogr. 114, 115.  
 — *cordifolia* Bl. Blume Rumphia 49.  
 — *lobata* Jacq. Jacq. Fragm. 131.  
 — — — Bot. Reg. 5, 433.  
 — *obtusata* Bl. Blume Rumphia 48.  
 — *palmata* Lam. Rheed. Hort. mal. 8, 20 — 23.  
 — — — Wight Ic. pl. Ind. or. 1, 201.  
 — *populifolia* Bl. Blume Rumphia 50.  
 — *trilobata* Roxb. Roxb. Corom. 297.  
 — *Wightiana* Wall. Wight Ic. pl. Ind. or. 1, 179.  
 † *Modiola Moench*. Gray Genera 128.  
 — *caroliniana* Don. Gray Genera 128.  
 † *Moehringia* L. Gray Genera 112.  
 — *heterophylla* Doll. Rchb. Fl. germ. 5, 215.  
 — *lateriflora* Fenzl. Gray Genera 112.  
 — *muscosa* L. Jacq. Fl. austr. 5, 449.  
 † — — — Gaertn. Carp. 129.  
 † — — — Lam. Encycl. 314.  
 — — — Schk. Handb. 108.  
 — — — Rchb. Fl. germ. 5, 213, 214.  
 — — — var. Mem. Tur. 7, 5.  
 — *polygonoides* Wulf. Rchb. Fl. germ. 5, 215.  
 — *Ponae* Rchb. Rchb. Fl. germ. 5, 214.  
 — *sedifolia* Willd. Mag. naturf. Fr. 2, 3.  
 — — *Balb.* Rchb. Fl. germ. 5, 214.  
 — *sphagnoides* Froel. Rchb. Fl. germ. 5, 215.

- Moehringia stricta* Sibth. Sibth. Fl. gr. 362.  
 — *trinervia* Clairv. Rchb. Fl. germ. 5, 216.  
 — *villosa* Wulf. Rchb. Fl. germ. 5, 214.  
*Moenchia erecta* G. M. Sch. Baxter Brit. Bot. 6, 460.  
 — — — Rchb. Fl. germ. 5, 227.  
 — *glauca* Pers. Curt. Lond. 1, 69.  
 — *saxatilis* Schrank. Schrank Fl. monac. 4, 372.  
*Mogiphanes brasiliensis* Mart. Mart. Bras. 133, 134.  
 — *hirtula* Mart. Mart. Bras. 129.  
 — *multicaulis* Mart. Mart. Bras. 131, 134.  
 — *ramosissima* Mart. Mart. Bras. 130.  
 — *straminea* Mart. Mart. Bras. 135.  
 — *villosa* Mart. Mart. Bras. 132, 134.  
*Mogorium Sambac* Lam. Lam. Encycl. 6.  
 — *triflorum* Lam. Lam. Encycl. 6.  
*Mohlana nemoralis* Mart. Mart. Bras. 290.  
*Mohria thurifraga* Sw. Swartz Synopsis Fil. 5.  
 — — — Schk. Fil. 143.  
 † — — — Hook. Gen. Fil. 104.  
*Mokkwuren* Kaempf. Kaempfer Japon. 43, 44.  
 † *Moldavica punctata* Moench. Nees Genera 6, 26.  
*Moldenhawera cuprea* Pohl. Pohl Bras. 160.  
 † *Molina* R. et P. Ruiz et Pav. Prodr. 24.  
 — *chilensis* Gay. Gay Chile 62.  
 — *racemosa* Cav. Cav. Diss. 263.  
 — — — Lam. Encycl. 349.  
*Molinaea alternifolia* Willd. Lam. Encycl. 305.  
 — *canescens* Roxb. Roxb. Corom. 60.  
 — *laevis* Willd. Lam. Encycl. 305.  
*Molineria plicata* Colla. Mem. Tur. 31, 18.  
*Molinia aquatica* Wibel. Sv. Bot. 587.  
 — *coerulea* Moench. Rchb. Fl. germ. 1, 78.  
 † — — — Nees Genera 1, 61.  
 — *litoralis* Host. Rchb. Fl. germ. 1, 78.  
 — *squarrosa* Led. Ledeb. Ic. 227.  
*Mollia diffusa* Willd. Willdenow Hortus 11.  
*Mollia speciosa* Mart. Mart. Bras. 60.  
 † *Mollinedia* R. et P. Ruiz et Pav. Prodr. 15.  
 † *Mollugo* L. Gray Genera 101.  
 — *distica* Ser. Wight Ic. pl. Ind. or. 1, 3.  
 — *glinoides* Camb. St. Hil. Fl. Bras. 109.  
 — *stricta* L. Burmann Fl. ind. 5.  
 † — *verticillata* L. Gaertn. Carp. 130.  
 † — — — Lam. Encycl. 52.  
 — — — Gray Genera 101.  
*Moltkia coerulea* Lehm. Lehmann Asperif. 43.  
 — *libanotica* Zucc. Münchn. Abh. 3, 3.  
 — *punctata* Lehm. Lehmann Asperif. 44.  
*Moluccella acutiloba* Led. Eichwald Cauc. 35.  
 — — — frutescens L. All. Fl. ped. 3, 2.  
 — — — Sibth. Fl. gr. 568.  
 — *grandiflora* Steph. Ledeb. Ic. 436.  
 † — *laevis* L. Gaertn. Carp. 66.  
 — — — Lam. Encycl. 510.  
 — — — Sibth. Fl. gr. 566.  
 — — — Bot. Mag. 43, 1852.  
 — *Marrubium stratum* Mem. Mosc. 2, 4.  
 — — — Ledeb. Ic. 150.  
 — *persica* L. Burmann Fl. ind. 38.  
 — *spinosa* L. Rivinus Opus ined. 47.  
 † — — — Lam. Encycl. 510.  
 — — — Sibth. Fl. gr. 567.  
 † *Momordica Balsamina* L. Gaertn. Carp. 88.  
 † — — — Lam. Encycl. 794.  
 — — — Desc. Ant. 3, 164.  
 — — — Dict. sc. nat. 208, 209.  
 † — — — Kerner Genera 204, 205.  
 — *Charantia* L. Rheed. Hort. mal. 8, 9, 10.  
 — — — Rumpf Amb. 5, 151, 152.  
 † — — — Lam. Encycl. 794.  
 — — — Desc. Ant. 8, 594.  
 — — — Bot. Mag. 51, 2455.



- Momordica Charantia L. Wight Ic. pl. Ind. or. 2, 504.  
 † — — — Wight Illustr. 105 bis.  
 — dioica Roxb. Rheede Hort. mal. 8, 12, 18.  
 — — — Wight Ic. pl. Ind. or. 2, 505, 506.  
 — — — Jacquemont Ind. 71.  
 — Elaterium L. Woody. Med. 2, 72.  
 — — — Schk. Handb. 313.  
 — — — Bot. Mag. 44, 1914.  
 — — — Sibth. Fl. gr. 939.  
 — — — Hayne 8, 45.  
 — — — Nees Düsseld. 271.  
 — Luffa L. Rumpf Amb. 5, 147.  
 — macropoda P. et E. Poepp. et Endl. 173.  
 — monadelphia Roxb. Rheede Hort. mal. 8, 11.  
 — Morkhorra Dill. et Rich. Richard Abyssin. 53.  
 — sicoides Ser. Icones pl. Chin. 12.  
 — subangulata Bl. Rumpf Amb. 5, 153.  
 — trifoliata L. Rumpf Amb. 5, 152.  
 Monacanthus Bushnani Hook. Bot. Mag. 67, 3832.  
 — discolor Ldl. Bot. Reg. 20, 1735.  
 — — — Bot. Mag. 64, 3601.  
 — fimbriatus Gardn. Bot. Mag. 65, 3708.  
 — longifolius Ldl. Bot. Mag. 67, 3819.  
 — roseo-albus Hook. Bot. Mag. 67, 3796.  
 — viridis Ldl. Bot. Reg. 21, 1752.  
 — — — Linn. Transact. 17, 29.  
 Monachosorum davallioides Kze. Kunze Fil. 101.  
 Monactis flaverioides H. B. K. H. B. K. Nov. Gen. 4, 403.  
 Monadenia prasinata Ldl. Bot. Reg. 3, 210.  
 Monandraira Berteroana Em. Desv. Gay Chile 79.  
 — glauca Em. Desv. Gay Chile 79.  
 Monarda affinis Link. Rehb. Hort. 182.  
 — altissima Willd. Rehb. Hort. 170.  
 — amplexicaulis Fisch. Belgique hort. 1, 6.  
 — aristata Nutt. Bot. Mag. 63, 3526.  
 — coccinea Michx. Rafinesque Med. 64.  
 — — — Desc. Ant. 5, 369.  
 — contorta Morr. Belgique hort. 1, 6.  
 — didyma L. Schk. Handb. 2 b.  
 — — — Bot. Mag. 15, 546.  
 † — fistulosa L. Gaertn. Carp. 66.  
 — — — Bot. Mag. 5, 145, 61, 3310.  
 — — — Rehb. Hort. 172.  
 — Kalmiana Pursh. Pursh Fl. 1.  
 — media Willd. Sweet Fl. G. 98.  
 — menthaefolia Grah. Bot. Mag. 57, 2958.  
 — mollis L. Rehb. Hort. 171.  
 — punctata L. Andr. Rep. 8, 546.  
 — — — Lodd. Cab. 1437.  
 — — — Bot. Reg. 1, 87.  
 — — — Savi Fl. ital. 3, 105.  
 † — purpurea Lam. Lam. Encycl. 19.  
 — — — Lodd. Cab. 1396.  
 — Russeliana Nutt. Hook. Exot. Fl. 130.  
 — — — Sweet Fl. G. 166.  
 — — — Bot. Mag. 51, 2513.  
 — — — Rehb. Hort. 226.  
 — undulata Tausch. Rehb. Hort. 181.  
 Monardella villosa Benth. Bentham Sulphur 21.  
 Monenteles sphacelatus Lab. Bill. Sertum 44.  
 — spicatus Lab. Bill. Sertum 43.  
 † Monerma subulata Pal. B. Nees Genera I, 88.  
 Monetia barlerioides L'her. L'her. Stirp. 1.  
 † — — — Gaertn. Carp. 225.  
 Monimia ovalifolia Aub. Aubert Hes d'Afr. 7.  
 — rotundifolia Aub. Aubert Hes d'Afr. 7.  
 — — — Diet. sc. nat. 290.  
 † Monimiaceae Juss. Schnizl. Iconogr. 2, 105.  
 † Monnieria cuneifolia Michx. Gaertn. Carp. 214.  
 — trifolia L. Aublet Guiana 293.  
 — — — Desc. Ant. 3, 224.

- † Monnieria trifolia L. Mem. Mus. 12, 22.  
 † — — — Lam. Encycl. 596.  
 † Monnina Rz et P. Mem. Mus. 17, 30.  
 — cardiocarpa St. Hil. St. Hil. Fl. Bras. 93.  
 — cestrifolia H. B. K. H. B. K. Nov. Gen. 5, 502.  
 — cuneata St. Hil. St. Hil. Fl. Bras. 95.  
 — linearifolia Rz et P. Hook. Beechey 6.  
 — nemorosa H. B. K. H. B. K. Nov. Gen. 5, 504.  
 — obtusifolia H. B. K. Bot. Mag. 58, 3122.  
 — phytolaccaefolia H. B. K. H. B. K. Nov. Gen. 5, 503.  
 — polystachya Rz et P. Ruiz et Pav. Memoria x.  
 — — — Lambert Cinchona x.  
 — pubescens H. B. K. H. B. K. Nov. Gen. 5, 505.  
 — resedoides St. Hil. St. Hil. Fl. Bras. 94.  
 — revoluta H. B. K. H. B. K. Nov. Gen. 5, 501.  
 † Monnuria trifolia N. et M. Acta Leop. 11, 1, 18.  
 Monocera aromatica Ell. Elliott Carolina 11.  
 Monocera ferruginea Wight. Wight Ic. pl. Ind. or. 1, 205.  
 — grandiflora Hook. Bot. Mag. 78, 4680.  
 — — — Lem. Jard. fl. 4, 339.  
 — — — Fl. d. serres 8, 817.  
 — Munronii Wight. Wight Spicil. 18.  
 — — — Wight Ic. pl. Ind. or. 3, 952.  
 — Roxburghii Wight. Wight Ic. pl. Ind. or. 1, 63.  
 — rugosa Wight. Wight Ic. pl. Ind. or. 1, 61.  
 — tuberculata W. et Arn. Wight Illustr. 35.  
 — — — Wight Ic. pl. Ind. or. 1, 62.  
 † Monochaetum Naud. Ann. sc. nat. III, 4, 2.  
 — umbellatum Naud. Delessert Ic. 5, 4.  
 Monochilus affinis Ldl. Wight Ic. pl. Ind. or. 5, 1728.  
 — flabellatus Wight. Wight Ic. pl. Ind. or. 5, 1727.  
 — gloxinifolius F. et M. Endl. Bras. 10, 32.  
 Monodora Myristica Dun. Bot. Mag. 58, 3059.  
 Monodynamis humilis Pohl. Pohl Bras. 144.  
 Monogramma furcata Desv. Hook. Gen. Fil. 84.  
 — graminea Desv. Desvaux Journ. 3, 2.  
 — linearifolia Desv. Desvaux Journ. 3, 2.  
 — — — Mag. naturf. Fr. 5, 7, fig. 5.  
 † — linearis Kaulf. Schott Gen. Fil. 11.  
 † — — — Fée Fil. 5, 9.  
 Monographis Aub. Aubert Orchid. 45.  
 Monolophus scaposus Dalz. Wight Ic. pl. Ind. or. 6, 2030.  
 Monolopia major DC. Bot. Mag. 67, 3839.  
 — — — Hook. Ic. pl. 4, 344.  
 — minor DC. Hook. Ic. pl. 4, 343.  
 Monomeria barbata Ldl. Lindley Sertum Frontisp. x.  
 Monopogon avenaceus Presl. Presl Reliq. 44.  
 † Monoporandra elegans Thw. Hook. Journ. 1854, 2.  
 Monoporus paludosus A. DC. Ann. sc. nat. II, 16, 7.  
 Monopsis conspicua Salisb. Hort. Transact. 2, 2.  
 — debilis Presl. Delessert Ic. 5, 7.  
 Monosis Wightiana DC. Wight Spicil. 105.  
 — — — Wight Ic. pl. Ind. or. 3, 1085.  
 Monotaxis linifolia Brongn. Brongniart Coquille 49.  
 — tridentata Endl. Endl. Atacta 8.  
 Monotheca matscatensis DC. Delessert Ic. 5, 35.  
 Monotropa hypophegea Wallr. Rehb. Ic. crit. 5, 482.  
 — Hypopitys L. Fl. dan. 2, 232, 12, 2051.  
 — — — Sv. Bot. 97.  
 — — — Curt. Lond. 4, 105.  
 — — — Engl. Bot. 2, 69.  
 — — — Baxter Brit. Bot. 4, 275.  
 † — — — Gaertn. Carp. 185.  
 † — — — Lam. Encycl. 362.  
 — — — Schk. Handb. 116.  
 — — — α. glabra, Sturm Flora 4, 13.  
 — — — Rehb. Ic. crit. 5, 481.  
 — — — Dietr. Fl. bor. 7, 442.  
 † — — — Nees Genera X, x.  
 † — — — (Embryo.) Ann. sc. nat. III, 9, 1.  
 — lanuginosa Michx. Torrey New York 72.

- Monotropia uniflora* L. Lam. Encycl. 362.  
 — — — Dict. sc. nat. 76.  
 — — — Hook. Exot. Fl. 85.  
 — — — Barton Fl. 3, 86.  
 — — — Torrey New York 71.  
 † *Monoxora spectabilis* Wight. Wight Illustr. 97<sup>bis</sup>.  
 — — — Wight Ic. pl. Ind. or. 2, 524.  
*Monsonia emarginata* L'her. L'her. Geran. 41.  
 — filia L. fil. Cav. Diss. 74.  
 — — — Andr. Rep. 4, 276.  
 — — — Rchb. Mag. 34.  
 — lobata Ait. Bot. Mag. 11, 385.  
 — — — Sweet Geran. 273.  
 † — — — Lam. Encycl. 638.  
 — — — Herb. amat. 1, 5.  
 — ovata Cav. Cav. Diss. 113.  
 — — — Rchb. Hort. 179.  
 — pilosa Willd. Rchb. Mag. 35.  
 — — — Sweet Geran. 199.  
 — — — var. Colla Hort. Rip. 2.  
 — speciosa L. Bot. Mag. 3, 73.  
 — — — Cav. Diss. 74.  
 — — — Kerner Hort. 9.  
 — — — Lam. Encycl. 638.  
 — — — Lodd. Cab. 898.  
 — — — Sweet Geran. 77.  
 — — — Rchb. Mag. 36.  
 — — — Spach Suites 22.  
 — spinosa L'her. L'her. Geran. 42.  
*Montabea longifolia* P. et E. Poepp. et Endl. 186.  
*Montbretia securigera* Red. Red. Lil. 1, 53.  
*Monteverdia buxifolia* A. Rich. Ramon Cuba 36.  
*Montia fontana* L. Fl. dan. 1, 131. 11, 1926.  
 — — — Cirillo Pl. rar. 1, 11.  
 — — — Lam. Encycl. 50.  
 — — — Sv. Bot. 540.  
 — — — Curt. Lond. 3, 103.  
 — — — Engl. Bot. 17, 1206.  
 — — — Baxter Brit. Bot. 3, 196.  
 † — — — Gaertn. Carp. 129.  
 — — — Schk. Handb. 20.  
 — — —  $\alpha$ . minor, Sturm Flora 3, 11.  
 † — — — Linnæa 6, 7.  
 † — lamprosperma Cham. Linnæa 6, 7.  
 — minor L. Dietr. Fl. bor. 10, 662.  
 † *Montinia acris* L. fil. Lam. Encycl. 808.  
 — caryophyllacea Thunb. Smith Spicil. 15.  
 † — fruticosa Gaertn. Gaertn. Carp. 33.  
*Montira guianensis* Aubl. Aublet Guiana 257.  
 † — — — Lam. Encycl. 523.  
*Monttea chilensis* Gay. Gay Chile 51.  
*Moonia Arnottiana* Wight. Wight Spicil. 110.  
 — — — Wight Ic. pl. Ind. or. 3, 1105.  
*Moorcroftia penangiana* Choisy. Mem. Genev. 6, 4.  
*Moquilea canomensis* Mart. Mart. Bras. 166.  
 — chrysocalyx P. et E. Poepp. et Endl. 286.  
 — guianensis Aubl. Aublet Guiana 208.  
 — — — Lam. Encycl. 427.  
*Moquinia polymorpha* DC. DC. Composées 13.  
 — tomentosa Bong. Acad. Pet. 5, 9.  
 — velutina Bong. Acad. Pet. 5, 8.  
*Mora excelsa* Schomb. Linn. Transact. 18, 16. 17.  
*Moraea angusta* Gawl. Bot. Mag. 31, 1276.  
 — aphylla Thunb. Thunberg Moraea 2.  
 — bicolor Auct. Fl. d. serres 7, 744.  
 — bituminosa Gawl. Bot. Mag. 26, 1045.  
 — bulbifera Jacq. Jacq. Schoenbr. 2, 197.  
 — catenulata Ldl. Bot. Reg. 13, 1074.  
 — ciliata Gawl. Bot. Mag. 25, 1012. 27, 1061.  
 — coerulea Thunb. Thunberg Moraea 2.  
 — collina Thunb. Jacq. Ic. 226.  
 — — — Bot. Mag. 26, 1033. 28, 1103. 39, 1612.

- Moraea crispa* Gawl. Bot. Mag. 20, 759. 32, 1284.  
 — edulis Ker. Bot. Mag. 17, 613. 31, 1238.  
 — elegans Jacq. Jacq. Schoenbr. 1, 12.  
 — Ferrariola Jacq. Jacq. Schoenbr. 4, 450.  
 — filiformis Thunb. Thunberg Moraea 1.  
 — flexuosa L. fil. Bot. Mag. 19, 695.  
 — fugax Jacq. Jacq. Vind. 3, 20.  
 — Herberti Ldl. Bot. Reg. 11, 949.  
 † — iridioides L. Gaertn. Carp. 13.  
 † — — — Lam. Encycl. 31.  
 — — — Jacq. Schoenbr. 2, 196.  
 — — — Red. Lil. 1, 45.  
 — — — Bot. Mag. 19, 693.  
 — — — Herb. amat. 3, 175.  
 † — juncea L. Gaertn. Carp. 13.  
 — longiflora Gawl. Bot. Mag. 19, 712.  
 — lurida Ker. Bot. Reg. 4, 312.  
 — melaleuca Thunb. Thunberg Moraea 1.  
 — miniata Andr. Andr. Rep. 6, 404.  
 — Northiana Schneev. Schneevogt Ic. 41. 42.  
 — — — Andr. Rep. 4, 255.  
 — — — Kerner Hort. 51.  
 — odora Salisb. Salisb. Parad. 10.  
 — palmifolia Jacq. Jacq. Ic. 227.  
 — papilionacea Ker. Bot. Mag. 20, 750.  
 — pavonia Gawl. Bot. Mag. 31, 1247.  
 — ramosa Gawl. Bot. Mag. 20, 771.  
 — — — Hart. Parad. 1, 5.  
 — sertata Jacq. Jacq. Schoenbr. 1, 11.  
 — Sisyrinchium Gawl. Bot. Mag. 34, 1407.  
 — sordescens Jacq. Jacq. Ic. 225.  
 — — — Red. Lil. 2, 71.  
 — spathacea Thunb. Thunberg Moraea 1.  
 — — — Lam. Encycl. 31.  
 — spicata Gawl. Bot. Mag. 32, 1283.  
 — spiralis Thunb. Bot. Mag. 15, 520.  
 — Tenoreana Sweet. Sweet Fl. G. 110.  
 — tenuis Ait. Bot. Mag. 26, 1047.  
 — tricolor Ait. Andr. Rep. 2, 83.  
 — tricuspis Gawl. Bot. Mag. 19, 696. 20, 772.  
 — — — Sweet Fl. G. II. 249.  
 — tripetala Thunb. Bot. Mag. 19, 702.  
 — unguiculata Gawl. Bot. Mag. 16, 593.  
 — vaginata DC. Red. Lil. 1, 56.  
 — — — Kerner Hort. 174.  
 — vegeta L. Jacq. Ic. 224.  
 — villosa Ker. Rchb. Exot. 19.  
 — virgata Jacq. Jacq. Ic. 228.  
 † *Morea* Gaertn. Gaertn. Carp. 180.  
 † *Moreae* Endl. Schnizl. Iconogr. 2, 92.  
*Morelotia gahniaeformis* Gaudich. Freycinet Voyage 28.  
 † *Morenia* Ruz et P. Ruiz et Pav. Prodr. 32.  
 — fragrans R. et Sch. D'Orbigny Voyage 3. 16.  
 — — — Poeppigiana Mart. Mart. Palm. 140. 141.  
*Morgania pubescens* R. Br. Endl. Iconogr. 103.  
*Moricandia arvensis* DC. Rchb. Ic. crit. 5, 403.  
 — — — Rchb. Fl. germ. 2, 90.  
 — — — Bot. Mag. 57, 3007.  
 — — — Sweet Fl. G. 278.  
*Morina longifolia* Wall. Wall. Pl. asiat. 202.  
 — — — Bot. Reg. 26, 36.  
 — — — Bot. Mag. 70, 4092.  
 — — — Annales de Gand 1847, 127.  
 — persica L. Sibth. Fl. gr. 28.  
 † — — — Lam. Encycl. 21.  
 † — — — Mem. Genev. 2, 1.  
 — Wallichiana Royle. Royle Illustr. 55.  
*Morinda angustifolia* Roxb. Roxb. Corom. 237.  
 — bracteata Roxb. Wight Illustr. 126.  
 — citrifolia L. Rheede Hort. mal. 1, 52.  
 — — — Rumpf Amb. 3, 99.  
 † — — — Gaertn. Carp. 29.

- † *Morinda citrifolia* L. Lam. Encycl. 153.  
 — — — Kerner Hort. 463.  
 — — — *jasminoides* *Cunn.* Bot. Mag. 61, 3351.  
 — — — *muscosa* *Jacq.* Jacq. Hist. stirp. am. 66.  
 — — — *phyllireoides* *Lab.* Bill. Sertum 49.  
 — — — *Royoc* L. Jacq. Vind. 16.  
 † — — — Lam. Encycl. 153.  
 — — — Desc. Ant. 2, 129.  
 — — — *sessiliflora* *Bert.* Novi Comm. Bon. 4, 4.  
 — — — *umbellata* L. Rheede Hort. mal. 7, 27.  
 — — — Rumpf Amb. 3, 98.  
 † — — — Gaertn. Carp. 29.  
 † — — — Lam. Encycl. 153.  
*Moringa aptera* *Gaertn.* Ann. sc. nat. II. 4, 6.  
 † — — — *edulis* *Med.* Medikus Theodora 2.  
 † — — — *oleifera* *Lam.* Lam. Encycl. 337.  
 — — — Tussac Ant. 4, 16.  
 — — — *pterygosperma* *Gaertn.* Rheede Hort. mal. 6, 11.  
 † — — — Gaertn. Carp. 147.  
 — — — Wight Illustr. 77.  
*Morisia hypogaea* *Gay.* Moris Fl. sard. 7.  
 — — — Sweet Fl. G. II. 290.  
 † *Morisonia americana* L. Gaertn. Carp. 78.  
 † — — — Lam. Encycl. 595.  
 — — — Jacq. Hist. stirp. am. 144.  
 — — — Cav. Diss. 163.  
 — — — Desc. Ant. 7, 532.  
*Mormodes aromatica* *Ldl.* Bot. Reg. 29, 56.  
 — — — *atropurpurea* *Ldl.* Bot. Reg. 22, 1861.  
 — — — Knowles et Westcott 34.  
 — — — Bot. Mag. 77, 4577.  
 — — — *Cartoni* *Hook.* Bot. Mag. 72, 4214.  
 — — — *Hookeri* *Lem.* Lem. Jard. fl. 118.  
 — — — *ignea* *Ldl.* Paxt. Fl. G. 93.  
 — — — Lem. Jard. fl. 4, 330.  
 — — — *lentiginosa* *Hook.* Bot. Mag. 75, 4455.  
 — — — *lineata* *Batem.* Bot. Reg. 28, 43.  
 — — — *luxata* *Ldl.* Bot. Reg. 29, 33.  
 — — — *pardina* *Batem.* Bateman Orchid. 14.  
 — — — Knowles et Westcott 113.  
 — — — Bot. Mag. 68, 3879. 3900.  
*Mormolyca lineolata* *Fzl.* Denkschr. d. W. Ak. 1, 2.  
*Morna nitida* *Ldl.* Bot. Reg. 23, 1941.  
 — — — *nivea* *Ldl.* Bot. Reg. 24, 9.  
*Moronobea coccinea* *Aubl.* Aublet Guiana 313.  
 — — — Lam. Encycl. 644.  
 — — — Mart. Bras. 287.  
*Mortonia sempervirens* *Gray.* Smiths. Contr. 3, 4.  
 † *Morus alba* L. Gaertn. Carp. 126.  
 † — — — Lam. Encycl. 762.  
 — — — Schk. Handb. 290.  
 — — — Hartig 59.  
 — — — *Rechb.* Fl. germ. 12, 657.  
 † — — — *Nees* Gen. 4, 32.  
 † — — — *Schnizl.* Iconogr. 2, 92.  
 — — — *atropurpurea* *Roxb.* Wight Ic. pl. Ind. or. 2, 677.  
 — — — *Brunoniana* *Endl.* Endl. Atacta 32.  
 — — — *indica* L. Rumpf Amb. Auct. 5.  
 — — — Wight Ic. pl. Ind. or. 2, 674.  
 — — — *intermedia* *Perr.* Guillemin Arch. 1, 7.  
 — — — *mauritanica* *Jacq.* Jacq. Ic. 617.  
 — — — Jacq. Fragm. 5.  
 — — — *multicaulis* *Perr.* Annales de Fromont 1829, 3.  
 — — — *nigra* L. Lam. Encycl. 762.  
 — — — *Woodv.* Med. 4, 243.  
 — — — *Watson* Dendr. 2, 159.  
 — — — *Nees* Düsseld. 100.  
 — — — *Guimpel* et *Schl.* 226.  
 — — — *Hayne* 13, 16.  
 — — — *Wagner* 181.  
 — — — *Rechb.* Fl. germ. 12, 658.  
 † — — — *Nees* Gen. 4, 32.

- † *Morus nigra* L. Schnizl. Iconogr. 2, 92.  
 — — — *pabularia* *Decne.* Jacquemont Ind. 151.  
 — — — *paniculata* *Roxb.* Wight Ic. pl. Ind. or. 2, 676.  
 — — — *papyrifera* L. Kaempfer Amoenit. p. 472.  
 — — — Gil et Xuares 8.  
 † — — — Schk. Handb. 290.  
 — — — *rubra* L. Michaux Arb. 3, 10.  
 — — — *tatarica* *Pall.* Pallas Fl. ross. 52.  
 — — — Wight Ic. pl. Ind. or. 2, 675.  
 — — — *tinctoria* L. Desc. Ant. 6, 431.  
*Moscharia pinnatifida* *Rz et P.* Bot. Reg. 18, 1564.  
*Moschosma ocymoides* *Benth.* Jacq. Ecl. pl. 108.  
 † *Moschoxylum elegans* *Juss.* Mem. Mus. 19, 19.  
*Mougeotia inflata* *H. B. K.* H. B. K. Nov. Gen. 5, 484.  
 — — — *polystachya* *H. B. K.* H. B. K. Nov. Gen. 5, 483.  
 483<sup>a</sup>.  
*Moulinsia cupanioides* *Camb.* Mem. Mus. 18, 2.  
*Mourera fluviatilis* *Aubl.* Aublet Guiana 233.  
 † — — — Lam. Encycl. 480.  
 † — — — Arch. Mus. 6, 1.  
 — — — *Weddeliana* *Tul.* Arch. Mus. 6, 1.  
*Mouriria arborea* *Gardn.* Hook. Ic. pl. 6, 515.  
 † — — — *brevipes* *Naud.* Ann. sc. nat. III. 12, 10.  
 — — — *guianensis* *Aubl.* Aublet Guiana 180.  
 — — — Lam. Encycl. 360.  
 — — — *parvifolia* *Benth.* Bentham Sulphur 36.  
 — — — *polyantha* *Miq.* Miquel Surin. 11.  
 — — — *Pusa* *Gardn.* Hook. Journal 1840, 1.  
*Mouroucoa violacea* *Aubl.* Aublet Guiana 54.  
 † — — — Lam. Encycl. 103.  
*Moussonia elegans* *Decne.* Fl. d. serres 5, 489.  
*Moutabea guianensis* *Aubl.* Aublet Guiana 274.  
*Moutouchi suberosa* *Aubl.* Aublet Guiana 299.  
*Mozinia canescens* *Benth.* Bentham Sulphur 25.  
 — — — *spatulata* *Ortega.* Hook. Ic. pl. 4, 357.  
*Mucronia californica* *Benth.* Linn. Transact. 17, 20.  
*Mucuna anguina* *Wall.* Wall. Pl. asiat. 236.  
 — — — *gigantea* *DC.* Rheede Hort. mal. 8, 36.  
 — — — Rumpf Amb. 5, 6.  
 — — — Wight Illustr. in Hook. 14.  
 — — — *macrocarpa* *Wall.* Wall. Pl. asiat. 47.  
 — — — Paxt. Mag. 16, 97.  
 — — — *monosperma* *DC.* Wight Illustr. in Hook. 12.  
 — — — Wight Ic. pl. Ind. or. 1, 35<sup>bis</sup>.  
 — — — *pruriens* *DC.* Rheede Hort. mal. 8, 35.  
 — — — Wight Illustr. in Hook. 13.  
 — — — Bot. Reg. 24, 18.  
 — — — *utilis* *Wall.* Wight Ic. pl. Ind. or. 1, 280.  
*Muehlenbergia Beyrichiana* *Kth.* Humb. Gram. 213.  
 — — — *diffusa* *Willd.* Schreber Gräser 51.  
 — — — Elliott Carolina 5.  
 † — — — Lam. Encycl. 907.  
 — — — Petersb. 2, 4.  
 — — — *erecta* *Schreb.* Schreber Gräser 50.  
 † — — — Lam. Encycl. 907.  
 — — — Petersb. 2, 4.  
 — — — *rariflora* *Hook.* Hook. Fl. ant. 131.  
*Muelleria moniliformis* L. fil. Miquel Surin. 4.  
*Muenchhausia speciosa* L. Murray Prodr. gött. 2.  
*Mukia scabrella* *Arn.* Wight Ic. pl. Ind. or. 2, 501.  
 † — — — Wight Illustr. 105<sup>bis</sup>.  
 † *Muldera* *Miq.* Miquel Comment. 4.  
 — — — *baccata* *Miq.* Miquel Ill. Pip. 59.  
 — — — *recurva* *Miq.* Miquel Ill. Pip. 60.  
 — — — *trichostachya* *Miq.* Wight Ic. pl. Ind. or. 6, 1944.  
 — — — *Wightiana* *Miq.* Wight Ic. pl. Ind. or. 6, 1943.  
*Mulgedium alpinum* *Cass.* Dietr. Fl. bor. 8, 565.  
 — — — *macrorrhizon* *Royle.* Royle Illustr. 61.  
 — — — Bot. Reg. 32, 17.  
 — — — Fl. d. serres 2, 64.  
 — — — *neilgherrense* *Wight.* Wight Spicil. 119.  
 — — — Wight Ic. pl. Ind. or. 3, 1144.

- Mulgedium sagittatum *Royle*. Royle Illustr. 61.  
 Mulinum ulicinum *Gill*. Hook. Bot. Misc. 64.  
 †Mundia *H. B.* Mem. Mus. 17, 30.  
 — brasiliensis *St. Hil.* St. Hil. Fl. Bras. 92.  
 †Munozia *Rz et P.* Ruiz et Pav. Prodr. 23.  
 — javanica *R. Br.* Bennett Java 38.  
 — neilgherica *Wight*. Wight Illustr. 54.  
 — pumila *Wight*. Wight Ic. pl. Ind. or. 1, 91.  
 Muntingia Calabura *L.* Jacq. Hist. stirp. am. 158.  
 † — — Gaertn. Carp. 59.  
 — — Lam. Encycl. 468.  
 — — Tussac Ant. 4, 21.  
 — — Desc. Ant. 5, 368.  
 †Muraltia Heisteria *DC.* Mem. Mus. 17, 29.  
 — — Rchb. Mag. 87.  
 — — Paxt. Mag. 4, 150.  
 — mixta *Rchb.* Rchb. Mag. 87.  
 — stipulacea *Burch.* Paxt. Mag. 4, 149.  
 Murdannia scapiflora *Royle*. Royle Illustr. 95.  
 Murraya exotica *L.* Rumpf Amb. 5, 18.  
 — — Comm. Gott. 9, 1.  
 † — — Gaertn. Carp. 93.  
 — — Lam. Encycl. 352.  
 — — Bot. Reg. 5, 434.  
 — — Wight Ic. pl. Ind. or. 1, 96.  
 — paniculata *DC.* Hook. Exot. Fl. 134.  
 Murucua aurantia *Forst.* Kerner Hort. 688.  
 — Baueri *Ldl.* Lindley Collect. 36.  
 — ocellata *Pers.* Tussac Ant. 2, 7.  
 — — Kerner Hort. 647.  
 — — Spach Suites 51.  
 Musa Bihai *L.* Rumpf Amb. 5, 62.  
 — Cavendishii *Paxt.* Paxt. Mag. 3, 51.  
 — coccinea *Roxb.* Andr. Rép. 1, 47.  
 — — Lodd. Cab. 475.  
 — — Bot. Mag. 38, 1559.  
 — — Red. Lil. 6, 307. 308.  
 — — Kerner Hort. 349.  
 † — — Hegetschw. Comm. 4.  
 — — Rchb. Exot. 272.  
 — — Fl. d. serres 7, 722. 723.  
 — glauca *Roxb.* Roxb. Corom. 300.  
 — maculata *Jacq.* Jacq. Schoenbr. 4, 446.  
 — — Kerner Hort. 677.  
 — paradisiaca *L.* Rheede Hort. mal. 1, 12—14.  
 — — Rumpf Amb. 5, 60.  
 — — Linné Musa Cliffortiana 1.  
 — — Gil et Xvarez 19.  
 — Tilesius Musa 1—4.  
 — — Lodd. Cab. 684.  
 — — Red. Lil. 8, 443. 444.  
 — — Tussac Ant. 1, 1. 2.  
 † — — Lam. Encycl. 836. 837.  
 † — — Dict. sc. nat. 67.  
 — — Spach Suites 102.  
 † — — Acta Leop. 15. S. 1.  
 † — rosacea *Jacq.* Jacq. Fragm. 132.  
 — — Jacq. Fragm. 4, 445.  
 — — Kerner Hort. 253.  
 — — Lodd. Cab. 615.  
 — — Bot. Reg. 9, 706.  
 — — Rchb. Exot. 72.  
 † — sapientum *L.* Gaertn. Carp. 11.  
 — — Roxb. Corom. 275.  
 — — Kerner Hort. 397—399.  
 — — Dict. sc. nat. 66.  
 — — (Colla.) Mem. Tur. 25, 13—15.  
 — speciosa *Ten.* Atti d. Acc. Pontan. 1830, x.  
 — superba *Roxb.* Roxb. Corom. 223.  
 — — Kerner Hort. 674.  
 — — Bot. Mag. 67, 3849. 3850.  
 — — Wight Ic. pl. Ind. or. 6, 2017. 2018.

- Musa Troglodytarum *L.* Rumpf Amb. 5, 61.  
 † — — Gaertn. Carp. 11.  
 †Musaceae *DC.* (Lestiboudois.) Ann. sc. nat. II. 17,  
 11. 12.  
 † — — Schnizl. Iconogr. 1, 70.  
 Muscari ambrosiacum *Moench.* Red. Lil. 3, 132.  
 — botryoides *Mill.* Red. Lil. 7, 361.  
 — — Sturm Flora 2, 7.  
 — — Schrank Fl. monac. 3, 217.  
 — — Dietr. Fl. bor. 1, 40.  
 — — Rchb. Fl. germ. 10, 456.  
 † — — Nees Gen. 2, 41.  
 — — Sweet Fl. G. 15.  
 — ciliatum *Ker.* Bot. Reg. 5, 394.  
 — commutatum *Guss.* Tenore Fl. nap. 229.  
 — — Sweet Fl. G. II. 369.  
 — comosum *Mill.* Red. Lil. 4, 231.  
 — — Sturm Flora 20, 93.  
 — — Dietr. Fl. bor. 1, 42.  
 — — Rchb. Fl. germ. 10, 457.  
 † — — Nees Gen. 2, 41.  
 — glaucum *Ldl.* Bot. Reg. 13, 1085.  
 — macrocarpum *Sweet.* Sweet Fl. G. 210.  
 — monstrosum *Mill.* Herb. amat. 1, 12.  
 — moschatum *Desf.* Bot. Mag. 19, 734. 38, 1565.  
 — — Rchb. Fl. germ. 10, 457.  
 — pallens *Fisch.* Sweet Fl. G. 259.  
 — racemosum *Mill.* Red. Lil. 4, 232.  
 † — — Plée Types 41.  
 — — Baxter Brit. Bot. 2, 92.  
 — — Rchb. Fl. germ. 10, 456.  
 — — Dietr. Fl. bor. 1, 41.  
 Mussaenda Afzelii *Don.* Van Houtte Hort. 3.  
 — Belilla *Hamilton.* Rheede Hort. mal. 2, 18.  
 — formosa *Jacq.* Jacq. Hist. stirp. am. 70.  
 — frondosa *L.* Rumpf Amb. 4, 51.  
 † — — Gaertn. Carp. 28.  
 — — Lam. Encycl. 157.  
 — — Bot. Reg. 6, 517.  
 — —  $\gamma$ . Wight Illustr. 124.  
 — — Morren Fuchsia 12.  
 — — Revue hort. 1853, 22.  
 — glabra *Vahl.* Lodd. Cab. 1269.  
 — latifolia *Poir.* Lam. Encycl. 157.  
 — luteola *Del.* Caillaud Voyage 62.  
 — macrophylla *Wall.* Wall. Pl. asiat. 180.  
 — — Bot. Reg. 32, 24.  
 — — Paxt. Mag. 12, 197.  
 — — Journ. Hort. Soc. 3, 248.  
 — pubescens *Dryand.* Bot. Mag. 46, 2099.  
 — — Lodd. Cab. 451.  
 — spinosa *L.* Jacq. Hist. stirp. am. 71.  
 — tetraacantha *Cav.* Cav. Ic. 435.  
 †Musschia aurea *Dumort.* DC. Campan. 4.  
 — — Bot. Reg. 1, 57.  
 Mustelia eupatoria *Spr.* Linn. Transact. 6, 13.  
 †Mutisia *Rz et P.* Ruiz et Pav. Prodr. 23.  
 — acerosa *P. et E.* Poepp. et Endl. 30.  
 — Candolleana *Gardn.* Fielding Sertum 45. 46.  
 — Clematis *L. fil.* Cav. Ic. 492.  
 — — Lam. Encycl. 690.  
 — — Kerner Hort. 628.  
 † — — Ann. Mus. 19, 3.  
 — decurrens *Cav.* Cav. Ic. 497.  
 — — Kerner Hort. 605.  
 — grandiflora *H. B.* Humb. Pl. aeq. 50.  
 — hastata *Cav.* Cav. Ic. 494.  
 — ilicifolia *Cav.* Cav. Ic. 493.  
 — — Hook. Bot. Misc. 4.  
 — — Paxt. Mag. 15, 101.  
 — inflexa *Cav.* Cav. Ic. 496.  
 — — Kerner Hort. 627.

- Mutisia inflexa* Cav. Hook. Bot. Misc. 6.  
 — *latifolia* Don. Poepp. et Endl. 27.  
 — — Sweet Fl. G. II. 288.  
 — *linearifolia* Cav. Cav. Ic. 500.  
 — — Hook. Hook. Bot. Misc. 8.  
 — *linifolia* Hook. Hook. Bot. Misc. 9.  
 — *oligodon* P. et E. Poepp. et Endl. 29.  
 — *peduncularis* Cav. Cav. Ic. 491.  
 — *retrorsa* Cav. Cav. Ic. 498.  
 — *rosea* P. et E. Poepp. et Endl. 31.  
 — *runcinata* Willd. Hook. Bot. Misc. 5.  
 — *sinuata* Cav. Cav. Ic. 499.  
 — *speciosa* Ait. Bot. Mag. 54, 2705.  
 — — Lodd. Cab. 1809.  
 — *subspinosa* Cav. Cav. Ic. 495.  
 — — Hook. Bot. Misc. 7.  
 — *tridens* P. et E. Poepp. et Endl. 28.  
 — *viciaefolia* Cav. Cav. Ic. 490.  
 — — Lam. Encycl. 690.  
 † *Myagrum Tournef.* Medikus Gattungen 1.  
 † *aegyptiacum* L. Desvaux Journal 5, 25.  
 — *arborescens* Jacq. Jacq. Ic. 120.  
 — *austriacum* Jacq. Jacq. Fl. austr. 2, 111.  
 † — — Schk. Handb. 178.  
 † — *Erucago* Lam. Lam. Encycl. 553.  
 — *iberioides* Brot. Brotero Phytogr. 42.  
 — *littorale* Scop. Scop. Fl. carn. 2, 36.  
 — *paniculatum* L. Fl. dan. 2, 204.  
 † — — Schk. Handb. 178.  
 — *perenne* L. Jacq. Fl. austr. 5, 414.  
 † — *perfoliatum* L. Gaertn. Carp. 141.  
 † — — Lam. Encycl. 553.  
 — — Schk. Handb. 178.  
 — — Rehb. Fl. germ. 2, 4.  
 † — — Nees Gen. X, x.  
 — *rostratum* Scop. Scop. Fl. carn. 2, 35.  
 — *sativum* L. Fl. dan. 6, 1038.  
 — — Cav. Ic. 66.  
 † — — Schk. Handb. 178.  
 — *saxatile* L. Jacq. Fl. austr. 2, 128.  
 — *sphaerocarpum* Jacq. Jacq. Obs. 41.  
 † — *verrucosum* Lam. Lam. Encycl. 553.  
*Myangis* Aub. Aubert Orchid. 60.  
*Myanthus barbatus* Ldl. Bot. Reg. 21, 1778.  
 — — Bot. Mag. 63, 3514.  
 — — Paxt. Mag. 2, 124.  
 — — var. Knowles et Westcott 37.  
 — *cernuus* Ldl. Bot. Reg. 20, 1721.  
 — *deltoides* Ldl. Bot. Reg. 22, 1896.  
 — — Bot. Mag. 68, 3923.  
 — *fimbriatus* Morren. Annales de Gand 1848, 232.  
 — *spinus* Hook. Bot. Mag. 67, 3802.  
 † *Mycaranthes latifolia* Bl. Blume Tabellen 57.  
 — *stricta* Ldl. Wight Ic. pl. Ind. or. 5, 1733.  
*Myginda myrsinoides* H. B. K. H. B. K. Nov. Gen. 7, 620.  
 — ? *myrtifolia* Nutt. Hook. Bor. Am. 41.  
 — *Rhacoma* Sw. Jacq. Ic. 311.  
 — *uragoga* Jacq. Jacq. Hist. stirp. am. 22.  
 — — Lam. Encycl. 76.  
 — — Tussac Ant. 2, 23.  
 — — Desc. Ant. 4, 251.  
*Mylocaryum ligustrinum* Willd. Bot. Mag. 39, 1625.  
 — — Pursh Fl. 14.  
 † — — Lam. Encycl. 952.  
*Myonima multiflora* Rich. Hook. Bot. Misc. 87.  
 — *myrtifolia* Lam. Lam. Encycl. 68.  
 — *obovata* Lam. Lam. Encycl. 68.  
 † — — Gaertn. Carp. 195.  
*Myoporum debile* R. Br. Bot. Mag. 43, 1830.  
 — *insulare* R. Br. Rehb. Mag. 26.  
 — *obscurum* Endl. Endl. Iconogr. 65.

- Myoporum oppositifolium* R. Br. Rehb. Mag. 2.  
 — *parvifolium* R. Br. Bot. Mag. 41, 1693.  
 — — Lodd. Cab. 837.  
 — — Rehb. Mag. 2.  
 — — Dict. sc. nat. 40.  
 — *serratum* R. Br. Bot. Reg. 31, 15.  
 † *Myoschilos Rz et P.* Ruiz et Pav. Prodr. 34.  
 — *oblonga* Rz et P. Ruiz et Pav. Fl. 242.  
*Myoseris purpurea* Link. Rehb. Pl. crit. 1, 9.  
*Myosotis alba* Colla. Mem. Tur. 38, 41.  
 — *alpestris* Schmidt. Curt. Lond. 5, 145.  
 — — Sturm Flora 11, 42.  
 — *antartica* Hook. Hook. Fl. ant. 38.  
 — *arvensis* Hoffm. Engl. Bot. 2629.  
 — — Sibth. Engl. Bot. 36, 2558.  
 — — Dreves 2, 51.  
 — — var. *multicaulis*, Sturm Flora 11, 42.  
 — — var. *basiantha*, Sturm Flora 11, 42.  
 — — Schrank Fl. monac. 2, 200.  
 — *azorica* Watson. Bot. Mag. 70, 4122.  
 — — Lem. Jard. fl. 4, 340.  
 — — Paxt. Fl. G. 97.  
 — *barbata* M. v. B. Marschall Cent. 36.  
 — *borbonica* Lam. Lehmann Beschreibung 2.  
 — *caespitosa* Schultz. Sturm Flora 11, 42.  
 — — Fl. dan. 13, 2283.  
 — — Engl. Bot. 2661.  
 — *capitata* Hook. Hook. Fl. ant. 37.  
 — *ciliata* Rud. Petersb. 1, 11.  
 — *collina* Ehrh. Sturm Flora 11, 42.  
 — *deflexa* Wahlenb. Svensk Acad. 1809, 4.  
 — — Fl. dan. 9, 1568.  
 — *echinophora* Pall. Pallas Reise 3, ii.  
 — *glomerata* Nutt. Hook. Bor. Am. 162.  
 — *grandiflora* H. B. K. H. B. K. Nov. Gen. 3, 199.  
 — *hispida* Schlecht. Fl. dan. 13, 2284.  
 — — Cosson Atlas 15.  
 — *Hortensia* Decne. Delessert Ic. 5, 99.  
 — *intermedia* Link. Sturm Flora 11, 42.  
 — — Cosson Atlas 15.  
 † — *Lappula* L. Gaertn. Carp. 68.  
 — — Lam. Encycl. 91.  
 — — Fl. dan. 4, 692.  
 — *laxiflora* Rehb. Sturm Flora 11, 42.  
 — *leucophaea* Dougl. Hook. Bor. Am. 163.  
 — *linearis* Colla. Mem. Tur. 38, 42.  
 — *lithospermifolia* Hornem. Sturm Flora 11, 42.  
 — *macrophylla* M. v. B. Marschall Cent. 14.  
 — *nana* Vill. Vill. Dauph. 13.  
 — — Sturm Flora 11, 42.  
 — *obtusa* W. et K. W. et Kit. 100.  
 — *palustris* Roth. Curt. Lond. 3, 87.  
 — — Engl. Bot. 28, 1973.  
 — — Baxter Brit. Bot. 1, 57.  
 — — Schk. Handb. 29.  
 — — Sturm Flora 2, 5, 11, 42.  
 — — Schrank Fl. monac. 1, 100.  
 † — — Nees Genera 6, 60.  
 — — Fl. dan. 12, 1958.  
 — — Cosson Atlas 15.  
 — *pectinata* Pall. Pallas Reise 3, E.  
 † — *peduncularis* Trev. Mag. naturf. Fr. 7, 2.  
 — — Rehb. Hort. 6.  
 — *pusilla* Lois. Desvaux Journal 2, 8.  
 — — Loiseleur Notice 1.  
 — *refracta* Boiss. Boissier Esp. 125<sup>a</sup>.  
 — *repens* Donn. Engl. Bot. 2703.  
 — — Sturm Flora 11, 42.  
 — *rupestris* Pall. Pallas Reise 3, E.  
 — *rupicola* Sm. Engl. Bot. 36, 2559.  
 — *scorpioides* L. Fl. dan. 4, 583.  
 — — Sv. Bot. 72.

- Myosotis scorpioides* L. Lodd. Cab. 169.  
 — *silvatica* Ehrh. Sturm Flora 11, 42.  
 — — — Engl. Bot. 2630.  
 † — — — Nees Gen. 6, 60.  
 — *sparsiflora* Mik. Fl. dan. 10, 1688.  
 — — — Tratt. Archiv 251.  
 — — — Sturm Flora 11, 42.  
 — *spathulata* Forst. Lehmann Beschreibung 1.  
 — *spinocarpos* Vahl. Lehmann Beschreibung 1.  
 — *stricta* Link. Fl. dan. 13, 2285.  
 — — — Cosson Atlas 15.  
 — *strigulosa* Rchb. Sturm Flora 11, 42.  
 — *suavcolens* Kit. Sturm Flora 11, 42.  
 — *tenuiflora* Viv. Viviani Lib. 1.  
 — *terglouensis* Hacq. Hacquet Pl. alp. 2.  
 — *versicolor* Roth. Engl. Bot. 7, 480.  
 — — — Sturm Flora 11, 42.  
 — — — Cosson Atlas 15.  
 — *villosa* Led. Ledeb. Ic. 215.  
 † *Myosurus* L. Gray Genera 8.  
 — *apetalus* Gay. Gay Chile 1.  
 — *minimus* L. Gmelin Reise 2, 31.  
 — — — Fl. dan. 3, 406.  
 — — — Sv. Bot. 690.  
 — — — Curt. Lond. 3, 4.  
 — — — Engl. Bot. 7, 435.  
 — — — Baxter Brit. Bot. 3, 204.  
 † — — — Gaertn. Carp. 74.  
 † — — — Lam. Encycl. 221.  
 — — — Schk. Handb. 88.  
 — — — Tratt. Archiv 87.  
 — — — Sturm Flora 3, 11.  
 — — — Rchb. Fl. germ. 3, 1.  
 — — — Dietr. Fl. bor. 3, 174.  
 — — — Gray Genera 8.  
*Myoxanthus monophyllus* P. et E. Poepp. et Endl. 88.  
*Myrcia acris* DC. Bot. Mag. 59, 3153.  
 — *crassinervia* DC. Mem. Genev. 9, 15.  
 — *glauca* Camb. St. Hil. Fl. Bras. 145.  
 — *goyazensis* Camb. St. Hil. Fl. Bras. 143.  
 — *imbricata* Gardn. Fielding Sertum 75.  
 — *linearifolia* Camb. St. Hil. Fl. Bras. 148.  
 — *nivea* Camb. St. Hil. Fl. Bras. 146.  
 — *pinifolia* Camb. St. Hil. Fl. Bras. 147.  
 — *reticulata* Camb. St. Hil. Fl. Bras. 142.  
 — *rubella* Camb. var. *a.* St. Hil. Fl. Bras. 144.  
 — *silvatica* DC. Miquel Surin. 9.  
 — *surinamensis* Mig. Miquel Surin. 9.  
*Myriactis Wightii* DC. Wight Spicil. 107.  
 — — — Wight Ic. pl. Ind. or. 3, 1091.  
*Myriangis Aub.* Aubert Orchid. 73.  
*Myrianthus arboreus* Pal. B. Pal. B. Fl. d'Oware 11, 12.  
 † *Myriaspota decipiens* Naud. Ann. sc. nat. III. 18, 3.  
*Myrica arguta* H. B. K. H. B. K. Nov. Gen. 2, 98.  
 — — — Dict. sc. nat. 298.  
 — *banksiaefolia* Wendl. Wendland Coll. 24.  
 — *californica* Cham. Journ. Hort. Soc. 7, 283.  
 † — — — Lam. Encycl. 809.  
 † — — — Gil et Xarez 18.  
 — — — Schk. Handb. 322.  
 — — — Bigelow Med. 43.  
 — *Faya Ait.* Nouveau Duhamel 2, 56.  
 — *Gale* L. Fl. dan. 2, 327.  
 — — — Sv. Bot. 76.  
 — — — Engl. Bot. 8, 562.  
 — — — Baxter Brit. Bot. 6, 489.  
 — — — Nouveau Duhamel 2, 57.  
 — — — var. Mem. Mus. 14, 28.  
 — — — Schk. Handb. 322.  
 — — — Guimpel Holzgew. 200.  
 — — — Rchb. Fl. germ. 11, 620.

- † *Myrica Gale* L. Nees Gen. 4, 26.  
 † — — — Spach Suites 97.  
 — *javanica* Bl. Blume Java 10, 1.  
 — *integrifolia* Roxb. Wight Ic. pl. Ind. or. 3, 764. 5.  
 — *macrophylla* Mirbel. Mem. Mus. 14, 27.  
 — *pennsylvanica* Lam. Nouveau Duhamel 2, 55.  
 † — — — Mem. Instit. 1830, 6.  
 — *quereifolia* Jacq. Jacq. Fragm. 1.  
 — *sapida* Wall. Wallich Tentamen 45.  
 — *segregata* Jacq. Jacq. Ic. 625.  
 — *spathulata* Mirbel. Mem. Mus. 14, 28.  
*Myricaria bracteata* Royle. Royle Illustr. 44.  
 — *Hoffmeisteri* Klotzsch. Prinz Waldem. Him. 25.  
*Myriocarpa stipitata* Benth. Bentham Sulphur 55.  
 † *Myriophyllum* L. Ann. Mus. 3, 30.  
 — *alterniflorum* DC. Fl. dan. 12, 2061.  
 — — — Engl. Bot. 2854.  
 — *ambiguum* Nutt. var. Torrey New York 98.  
 — *amphibium* Lab. Bill. Nov. Holl. 220.  
 — *intermedium* DC. Wight Illustr. 102.  
 — *spicatum* L. Gmelin Reise 2, 33.  
 — — — Fl. dan. 4, 681.  
 † — — — Gaertn. Carp. 68.  
 † — — — Lam. Encycl. 775.  
 — — — Engl. Bot. 2, 83.  
 — — — Schk. Handb. 296.  
 — — — Roemer Fl. europ. 12, 7.  
 † — — — Nees Gen. 4, 3.  
 — *variaefolium* J. Hook. Hook. Ic. pl. 3, 289.  
 — *verticillatum* L. Fl. dan. 6, 1046.  
 — — — Engl. Bot. 4, 218.  
 † — — — Konig Annals 1, 12.  
 — — — Baxter Brit. Bot. 5, 376.  
 — — — Roemer Fl. europ. 12, 8.  
 — — — Dict. sc. nat. 217.  
 † *Myriopteris* Fée. Fée Fil. 5, 12.  
 — *gracilis* Fée. Fée Fil. 5, 29.  
 — *villosa* Fée. Fée Fil. 5, 28.  
*Myriotheca fraxinea* Sm. Lam. Encycl. 866.  
*Myristica amygdalina* Wall. Wall. Pl. asiat. 90.  
 — *aromatica* Lam. Roxb. Corom. 274.  
 — — — Lam. Encycl. 832. 833.  
 — — — Desc. Ant. 8, 562.  
 — — — Dict. sc. nat. 14.  
 — — — Nees Düsseld. 133.  
 — *dactyloides* Gaertn. Rheede Hort. mal. 4, 5.  
 † — — — Gaertn. Carp. 41.  
 — *fatua* Sw. Blume Rumphia 59.  
 — *fragrans* Thunb. Blume Rumphia 55.  
 — *glabra* Bl. Blume Rumphia 64.  
 — *glauca* Bl. Blume Rumphia 60.  
 † — *globularia* Lam. Blume Rumphia 64.  
 — *glomerata* Thunb. Svensk Acad. 1799, 2.  
 — *Horsfieldii* Spr. Blume Rumphia 63.  
 — *javanica* Bl. Blume Rumphia 62.  
 — *iners* Bl. Blume Rumphia 58.  
 † — *Irya* Gaertn. Gaertn. Carp. 41.  
 † — — — Lam. Encycl. 833.  
 † — *Iryaghaedi* Gaertn. Gaertn. Carp. 41.  
 † — — — Lam. Encycl. 833.  
 † — *laevigata* Bl. Blume Rumphia 64.  
 — *laurina* Bl. Blume Rumphia 61.  
 — *lepidota* Bl. Blume Rumphia 57.  
 † — *malabarica* Lam. Lam. Encycl. 833.  
 — *moschata* Thunb. Rumpf Amb. 2, 4. 5.  
 † — — — Sonnerat Voyage 116—118.  
 — — — Svensk Acad. 1782, 1.  
 — — — Woodv. Med. 4, 238.  
 — — — Hayne 9, 12.  
 — — — Nees Düsseld. 133.  
 — — — Guimpel et Schl. 73. 74.  
 — — — Wagner 155.

- Myristica moschata* *Thunb.* Rehb. Exot. 276. 277.  
 † — *officinalis* *L. fil.* Gaertn. Carp. 41.  
 — — — Roemer Mag. 2, 1. 2.  
 — — — Hook. Exot. Fl. 155. 156.  
 — — — Bot. Mag. 54, 2756. 2757.  
 — — — Spach Suites 143.  
 — *Otoba H. B.* Humb. Pl. aeq. 103.  
 — — — Kerner Hort. 356.  
 — *salicifolia* *Willd.* Rumpf Amb. 2, 6.  
 — *sebifera* *Sw.* Desc. Ant. 6, 432.  
 — *sphaerocarpa* *Wall.* Wall. Pl. asiat. 89.  
 — *tomentosa* *Thunb.* Svensk Acad. 1782, 1.  
 — *tubiflora* *Bl.* Blume Rumphia 56.  
*Myrmecodia tuberosa* *Jack.* Rumpf Amb. 6, 55. fig. 2.  
 † *Myrmecostylum tortuosum* *Presl.* Prager Abh. 3, 10.  
 † *Myrobalanus Bellirica* *Gaertn.* Gaertn. Carp. 97.  
 † — — — *Lam.* Encycl. 849.  
 † — *Chebula* *Gaertn.* Gaertn. Carp. 97.  
 † — — — *Lam.* Encycl. 849.  
 † — *citrina* *Gaertn.* Gaertn. Carp. 97.  
 † — — — *Lam.* Encycl. 849.  
 — *rhomboidea* *Poir.* Lam. Encycl. 849.  
 † — *Terminalia* *Poir.* Lam. Encycl. 849.  
*Myrobroma fragrans* *Salisb.* Salisb. Parad. 82.  
*Myrocarpus fastigiatus* *Allem.* Allemão Diss. 1847, x.  
 — *frondosus* *Allem.* Allemão Diss. 1848, x.  
 † *Myrodia* *Sw.* Swartz Fl. Ind. occ. 22.  
 — *penduliflora* *Juss.* St. Hil. Fl. Bras. 53.  
 — *turbinata* *Sw.* St. Hil. Fl. Bras. 53.  
 † *Myrosmodes nubigenum* *Rchb.* Rchb. Xenia 1, 8.  
*Myrospermum frutescens* *Jacq.* Jacq. Hist. stirp. am. 178. 179.  
 — — — *H. B. K.* Nov. Gen. 6, 570. 571.  
 † — — — *Lam.* Encycl. 341.  
 — — — *Berl. Jahrb.* 1825, 1. 2.  
 — *pedicellatum* *Lam.* Lam. Encycl. 341.  
 — — — *Desc.* Ant. 5, 360.  
 † *Myroxylon* *Forst.* Forster Charact. 63.  
 — *pertuiferum* *L. fil.* Lambert Cinchona x.  
 — — — *Woodv.* Med. 5, 13.  
 — — — *Opusc. sc.* Bon. 1, 5.  
 † — — — *Bertol.* Amoen. it. 1.  
 — — — *Hayne* 14, 11.  
 — — — *Guimpel et Schl.* 278.  
 — — — *Nees Düsseld.* 320.  
 — — — *Wagner* 226.  
 — *punctatum* *Klotzsch.* Hayne 14, 12.  
 — *toluiferum* *A. Rich.* Ramon Cuba 38.  
 — — — *Nees Düsseld.* 321.  
 — — — *Guimpel et Schl.* 279.  
*Myrrhinum atropurpureum* *Schott.* Mart. Bras. 291.  
*Myrrhis andicola* *H. B. K.* H. B. K. Nov. Gen. 5, 419.  
 † — *aurea* *Spr.* Gaertn. Carp. 23.  
 † — *bulbosa* *Gouan.* Comm. Gott. rec. 2, 1.  
 — — — *El. dan.* 11, 1868.  
 † — *Bunium* *Spr.* Comm. Gott. rec. 2, 1.  
 † — *canadensis* *Nutt.* Gaertn. Carp. 23.  
 — *Claytoni* *Spr.* Sprengel Umb. 3.  
 † — *crinita* *Spr.* Comm. Gott. rec. 2, 1.  
 — *cynapioides* *Guss.* Gussone Pl. rar. 24.  
 † — *odorata* *Scop.* Gaertn. Carp. 23.  
 — — — *El. dan.* 11, 1928.  
 — — — *Baxter Brit.* Bot. 5, 374.  
 — *silvestris* *Spr.* Schrank Fl. monac. 4, 379.  
 † — *temula* *Gaertn.* Gaertn. Carp. 23.  
*Myrsine africana* *Lam.* Lam. Encycl. 122.  
 — — — *Nouveau Duhamel* 2, 70.  
 — *capitellata* *Wall.* Wallich Tentamen 25.  
 — — — *Bot. Mag.* 60, 3222.  
 — — — *Wight Spicil.* 137.  
 — — — *Wight* Ic. pl. Ind. or. 4, 1211.  
 — *ciliata* *H. B. K.* H. B. K. Nov. Gen. 3, 245.  
 † — *glabra* *Gaertn.* Gaertn. Carp. 59.

- Myrsine Myrtillus* *Hook.* Hook. Ic. pl. 9, 825.  
 — *myrtoides* *Hook.* Hook. Ic. pl. 9, 877.  
 — *retusa* *Ait.* Jacq. Schoenbr. 4, 424.  
 — — — *Vent.* Cels 86.  
 — — — *Lodd.* Cab. 409.  
 — *semiserrata* *Wall.* Wallich Tentamen 24.  
 † *Myrsineaceae* *DC.* Ann. sc. nat. II. 16, 8. 9.  
 † — — *Wight* Illustr. 142.  
 † *Myrtaceae* *DC.* Wight Illustr. 97 bis.  
*Myrtus acris* *Sw.* Kerner Hort. 699.  
 — — — *Nees Düsseld.* Suppl. 116.  
 — *bicolor* *H. B. K.* H. B. K. Nov. Gen. 6, 540.  
 — *Billardiana* *H. B. K.* H. B. K. Nov. Gen. 6, 544.  
 — *bullata* *Sol.* Hook. Ic. pl. 6, 557.  
 — *caryophyllata* *L.* Desc. Ant. 3, 214.  
 — *casearioides* *H. B. K.* H. B. K. N. Gen. 6, 546.  
 † — *communis* *L.* Gaertn. Carp. 38.  
 † — — — *Lam.* Encycl. 419.  
 — — — *romana*, *Nouveau Duhamel* 1, 43.  
 — — — *Sibth.* Fl. gr. 475.  
 — — — *Hayne* 10, 36.  
 † — — — *Ann. sc. nat.* III. 20, 9.  
 — *cotinifolia* *Poir.* Desc. Ant. 2, 105.  
 — *Cumini* *L.* Rumpf Amb. 1, 41.  
 — *disticha* *Sw.* Bot. Mag. 22, 867.  
 — — — *Lindley* Collect. 19.  
 — *excelsa* *Camb.* St. Hil. Fl. Bras. 140.  
 — *filifolia* *Linden.* Linden Prix Courant 1854, x.  
 — *fimbriata* *H. B. K.* H. B. K. Nov. Gen. 6, 542.  
 — *Gudilla* *Colla.* Mem. Tur. 37, 15.  
 — *horizontalis* *Vent.* Vent. Malm. 60.  
 — *Lindleyana* *H. B. K.* H. B. K. Nov. Gen. 6, 543.  
 — *microphylla* *H. B.* Humb. Pl. aeq. 4.  
 — *mucronata* *Camb.* St. Hil. Fl. Bras. 141.  
 — *myricoides* *H. B. K.* H. B. K. Nov. Gen. 6, 539.  
 † — *numularia* *Lam.* Ann. sc. nat. 5, 2.  
 — ? *obscura* *Ldl.* Bot. Reg. 13, 1044.  
 — *orbiculata* *Spr.* Bot. Mag. 77, 4558.  
 — — — *Lem. Jard.* fl. 83.  
 — *pedunculata* *Hook. fil.* Hook. Ic. pl. 7, 629.  
 — *Pimenta* *L.* Ortega Malaguetta x.  
 † — — — *Gaertn.* Carp. 38.  
 — — — *Woodv.* Med. 3, 194.  
 — — — *var. longifolia*, *Bot. Mag.* 30, 1236.  
 — — — *var. latifolia*, *Lodd.* Cab. 178.  
 — — — *Tussac* Ant. 4, 12.  
 — — — *Desc.* Ant. 3, 215.  
 — — — *Hayne* 10, 37.  
 — — — *Guimpel et Schl.* 96.  
 — — — *Nees Düsseld.* 297.  
 — *pimentoides* *N. v. E.* Nees Düsseld. Suppl. 115.  
 — *polyantha* *H. B. K.* H. B. K. Nov. Gen. 6, 545.  
 — *salicifolia* *H. B. K.* H. B. K. Nov. Gen. 6, 541.  
 — *tomentosa* *Ait.* Bot. Mag. 7, 250.  
 — — — *Kerner* Hort. 55.  
 — — — *Herb. amat.* 4, 267.  
 — — — *Wight* Spicil. 71.  
 † — — — *Wight* Illustr. 97 bis.  
 — — — *Wight* Ic. pl. Ind. or. 2, 522.  
 — — — *Lem. Jard.* fl. 170.  
 — *xylopioides* *H. B. K.* H. B. K. Nov. Gen. 7, 657.  
*Mystropetalon Polemanni* *Harv.* Jard. Ann. 2, 20.  
 — *Thomii* *Harv.* Jard. Ann. 2, 19.  
 † *Myxopyrum nervosum* *Bl.* Blume Mus. 1, 51.  
 † *Myzodendron* *DC.* Ann. sc. nat. III. 5, 5—9.  
 † — *brachystachyum* *DC.* Ann. sc. nat. III. 5, 5. 8.  
 — — — *Hook.* Fl. ant. 103. 105—107<sup>bc</sup>.  
 — *imbricatum* *Poepp.* Hook. Fl. ant. 104.  
 — *linearifolium* *DC.* Hook. Fl. ant. 107<sup>c</sup>.  
 † — *punctulatum* *Banks.* Ann. sc. nat. III. 5, 5. 7.  
 — — — *Hook.* Fl. ant. 102. 104. 107<sup>bc</sup>.  
 † — *quadriflorum* *DC.* Hook. Fl. ant. 107<sup>c</sup>.

- Nabalus alatus* Hook. Hook. Bor. Am. 102.  
*Nacibaea alba* Aubl. Aublet Guiana 37.  
 — *coccinea* Aubl. Aublet Guiana 37.  
 — — Lam. Encycl. 64.  
 † — *glabra* Gaertn. Gaertn. Carp. 197.  
*Nageia japonica* Gaertn. Kaempfer Amoenit. p. 774.  
 † — — Gaertn. Carp. 39.  
 — *Putranjiva* Roxb. Rheede Hort. mal. 7, 59.  
*Nahusia coccinea* Schneew. Schneevogt Ic. 21.  
 † *Najadeae* Rich. Schnizl. Iconogr. 1, 71.  
*Najas canadensis* Michx. Hook. Bor. Am. 184.  
 † — *fluviatilis* Lam. Lam. Encycl. 799.  
 — *graminea* Delile. Delile Egypte 50.  
 — *major* Roth. Sturm Flora 11, 41.  
 — — Linnæa 9, 7, 10, 1.  
 † — — Nees Gen. 3, x.  
 — *marina* L. Svensk Acad. 1838, 8.  
 — — Fl. dan. 12, 2121.  
 — — Flora 1840, 1.  
 — *minor* Roth. Schk. Handb. 296.  
 † — — Nees Gen. 3, x.  
 — *monosperma* Willd. Sturm Flora 11, 41.  
 — *muricata* Delile. Delile Egypte 50.  
 † *Nama jamaicensis* L. Gaertn. Carp. 44.  
 † — — Lam. Encycl. 184.  
 — *longiflora* Choisy. Mem. Genev. 6, 2.  
 — *organifolia* H. B. K. H. B. K. Nov. Gen. 3, 218.  
 — *undulata* H. B. K. Mem. Genev. 6, 2.  
 † — — Ann. sc. nat. 30, 16.  
 — *zeylanica* L. Linné Fl. zeylan. 2.  
*Namomé* Kaempf. Kaempfer Japon. 35.  
*Nananthea perpusilla* DC. Delessert Ic. 4, 45.  
*Nandina domestica* Thumb. Kaempfer Japon. 13, 14.  
 † — — Gaertn. Carp. 92.  
 — — Lam. Encycl. 261.  
 — — Bot. Mag. 28, 1109.  
 † — — Ann. sc. nat. II, 2, 12.  
 — — Herb. amat. 4, 281.  
 † *Nanodea muscosa* Gaertn. Gaertn. Carp. 225.  
 † — — Ann. sc. nat. 5, 2.  
*Nanodes discolor* Ldl. Bot. Reg. 18, 1541.  
 † *Napaea* L. Gray Genera 119.  
 † — *dioica* L. Gaertn. Carp. 136.  
 — — Gray Genera 119.  
 — *laevis* L. Lam. Encycl. 579.  
 — *scabra* L. Lam. Encycl. 579.  
*Napimoga guianensis* Aubl. Aublet Guiana 237.  
 — — Lam. Encycl. 484.  
*Napoleona Heudelotii* Juss. Ann. sc. nat. III, 2, 4.  
 — — Fl. d. serres 1, 1<sup>b</sup>.  
 — — Annales d'hortic. 1852, x.  
 — *imperialis* Pal. B. Pal. B. Fl. d'Oware 78.  
 — — Dict. sc. nat. 66.  
 — — Rchb. Exot. 137.  
 — — Bot. Mag. 74, 4387.  
 — — Fl. d. serres 1, 1.  
 — *Vogelii* Hook. Hook. Niger Fl. 49, 50.  
 — — Hook. Ic. pl. 8, 799-800.  
 — *Whitfieldii* Ldl. Fl. d. serres 4, 386, 387.  
 — — Revue hort. 1853, 16.  
 † *Narcissus* L. Herbert Amar. 38, 41.  
 — — (Var. hybridæ.) Bot. Reg. 29, 38.  
 — — Icones pl. Chinae 20.  
 — *Amancaes* Rz et P. Ruiz et Pav. Fl. 283.  
 — *angustifolius* Curt. Bot. Mag. 6, 193.  
 — *aureus* DC. Herb. amat. 3, 147.  
 — *bicolor* L. Bot. Mag. 29, 1187.  
 — *biflorus* Curt. Bot. Mag. 6, 197.  
 — — Engl. Bot. 4, 276.  
 — — Red. Lil. 7, 405.  
 — — Rchb. Fl. germ. 9, 365.  
 — *bifrons* Gawl. Bot. Mag. 29, 1186, 32, 1299.  
*Narcissus Bulbocodium* L. Bot. Mag. 3, 88.  
 — — — Red. Lil. 1, 24.  
 — — — Roemer Fl. eur. 13, 6.  
 — — — Herb. amat. 2, 76.  
 — *calathinus* L. Bot. Mag. 24, 934.  
 — — — Red. Lil. 3, 177, 7, 410.  
 — *candidissimus* Red. Red. Lil. 4, 188.  
 — *conspicuus* Don. Sweet Fl. G. II. 326.  
 — *Cypri* Haw. Sweet Fl. G. II. 92.  
 — *dificiens* Herb. Bot. Reg. 33, 22.  
 — *dubius* Gouan. Red. Lil. 8, 429.  
 — — — Rchb. Fl. germ. 9, 366.  
 — *Gouani* Red. Red. Lil. 4, 220.  
 — *gracilis* Sabine. Bot. Reg. 10, 816.  
 — *incomparabilis* Curt. Bot. Mag. 4, 121.  
 — — — Rchb. Fl. germ. 9, 370.  
 — *intermedius* Lois. Loiseleur Fl. gall. 7.  
 — — — Red. Lil. 8, 427.  
 — *Jonquilla* L. Bot. Mag. 1, 15.  
 — — — Red. Lil. 3, 159.  
 — — — Rchb. Fl. germ. 9, 366.  
 — *italicus* Gawl. Bot. Mag. 29, 1188.  
 — *juncifolius* Req. var. minor, Bot. Reg. 33, 22.  
 — *laetus* DC. Red. Lil. 8, 427, 428.  
 — — *Salisb.* Rchb. Fl. germ. 9, 370.  
 — *Macleaii* Ldl. Bot. Reg. 12, 987.  
 — — — Bot. Mag. 52, 2588.  
 † — *majalis* Curt. Herbert Amar. 40.  
 — — — Rchb. Fl. germ. 9, 364.  
 — *major* Curt. Bot. Mag. 2, 51, 32, 1301.  
 — — — Rchb. Fl. germ. 9, 369.  
 — *maximus* Don. Sweet Fl. G. II. 286.  
 — *minor* L. Bot. Mag. 1, 6.  
 — — — Red. Lil. 8, 480.  
 — — — Herb. amat. 3, 165.  
 — *montanus* Ker. Bot. Reg. 2, 123.  
 — *moschatus* L. Bot. Mag. 24, 924, 32, 1300.  
 — *odorus* L. Bot. Mag. 3, 78.  
 — — — Red. Lil. 3, 157.  
 — — — Herb. amat. 2, 75.  
 — — — Rchb. Fl. germ. 9, 370.  
 — *orientalis* L. Bot. Mag. 24, 940, 946, 948, 25, 1011, 26, 1026, 27, 1298.  
 — *pachybolbus* Durieu. Explor. Alger. 47.  
 — *papyraceus* Gawl. Bot. Mag. 24, 947.  
 — *poeticus* L. Red. Lil. 3, 160.  
 — — — Dict. sc. nat. 54.  
 — — — Engl. Bot. 5, 275.  
 — — — Schk. Handb. 90.  
 — — — Schrank Fl. monac. 3, 220.  
 — — — Rchb. Fl. germ. 9, 364.  
 † — — Nees Gen. 3, x.  
 — *polyanthos* Lois. Herb. amat. 3, 146.  
 — — — Rchb. Fl. germ. 9, 367.  
 — *praecox* Ten. Tenore Fl. nap. 27.  
 — *Pseudo-Narcissus* L. Engl. Bot. 1, 17.  
 — — — Baxter Brit. Bot. 1, 73.  
 — — — Red. Lil. 3, 158.  
 — — — Fl. dan. 13, 2170.  
 † — — Herbert Amar. 38, 39, 40.  
 † — — Lam. Encycl. 229.  
 † — — Plée Types 20.  
 — — — Brandt und Ratzeb. 3.  
 — — — Rchb. Fl. germ. 9, 369.  
 † — — Nees Gen. 3, x.  
 — *pumilus* Red. Red. Lil. 7, 409.  
 — *radiatus* Red. Red. Lil. 8, 459.  
 — — — Spach Suites 96.  
 — *radiiflorus* Salisb. Rchb. Fl. germ. 9, 364.  
 † — *recurvus* Haw. Herbert Amar. 40.  
 — — — Sweet Fl. G. II. 188.  
 — *Sabini* Ldl. Bot. Reg. 9, 762.



- Narcissus serotinus* L. Desf. Fl. atl. 82.  
 — *stellaris* Haw. Sweet Fl. G. II. 132.  
 — *stellatus* DC. Rchb. Fl. germ. 9, 368.  
 — *Tazetta* L. Sibth. Fl. gr. 308.  
 — — Bot. Mag. 24, 925.  
 — — Red. Lil. 1, 17.  
 — — Lam. Encycl. 229.  
 — — Rousseau Bot. 5.  
 — — Herb. amat. 3, 147.  
 — — Rchb. Fl. germ. 9, 366.  
 † — — Nees Gen. 3, x.  
 — *tenuifolius* Red. Red. Lil. 8, 486.  
 — — Haw. Sweet Fl. G. 114.  
 — *tenuior* Curt. Bot. Mag. 11, 379.  
 — *triandrus* L. Bot. Mag. 2, 48. 31, 1262.  
 — *trilobus* L. Bot. Mag. 24, 945.  
 † — *tripodalis* Herb. Herbert Amar. 40.  
 — *unicolor* Ten. Tenore Fl. nap. 26.  
 — — Colla. Mem. Tur. 35, 10.  
 — *verbanensis* Herb. Herbert Amar. 37.  
 — *viridiflorus* Schousb. Schousboe Marocco 2.  
 — — Bot. Mag. 41, 1687.  
 † *Nardosmia fragrans* Rchb. Nees Gen. X, x.  
 — *palmata* Hook. Torrey New York 49.  
*Nardostachys grandiflora* DC. DC. Valer. 2.  
 — *Jatamansi* DC. Asiatic Researches 2, x. 4, 16.  
 — — DC. Valer. 1.  
 — — Royle Illustr. 54.  
 — — Nees Düsseld. Suppl. 60.  
*Nardurus Salzmanni* Boiss. Boissier Esp. 178.  
 † *Nardus* L. Linné Amoenit. 7, 2.  
 † — — Dumortier Gramin. 14.  
 — *aristata* L. Vill. Dauph. 2.  
 — *indica* L. Roxb. Corom. 132.  
 — *stricta* L. Cav. Ic. 204.  
 — — Lam. Encycl. 39.  
 — — Fl. dan. 6, 1022.  
 — — Sv. Bot. 174.  
 — — Curt. Lond. 5, 175.  
 — — Engl. Bot. 5, 290.  
 — — Knapp Gram. 2.  
 — — Baxter Brit. Bot. 4, 300.  
 — — Schreber Gräser 7.  
 — — Host Gram. 104.  
 — — Schk. Handb. 9.  
 — — Rchb. Fl. germ. 1, 110.  
 † — — Nees Gen. 1, 86.  
*Naregamia alata* W. et A. Rheede Hort. mal. 10, 22.  
 — — Wight Ic. pl. Ind. or. 1, 90.  
*Narthecium americanum* Gawl. Bot. Mag. 37, 1505.  
 — *ossifragum* Huds. Curt. Lond. 4, 139.  
 — — Engl. Bot. 8, 535.  
 — — Baxter Brit. Bot. 3, 186.  
 — — Sv. Bot. 489.  
 — — Lam. Encycl. 268.  
 — — Sturm Flora 18, 78.  
 — — Rchb. Fl. germ. 10, 421.  
 † — — Nees Gen. 2, 30.  
 † *Nasmythia septangularis* Huds. Acta Leop. 17. 1, 2.  
*Nassauvia aculeata* P. et E. Poepp. et Endl. 20.  
 † — *Gaudichaudii* Cass. Ann. sc. nat. 5, 3.  
 — *nivalis* P. et E. Poepp. et Endl. 22.  
 — *pumila* P. et E. Poepp. et Endl. 21.  
 — *serpens* D'Urv. Brongniart Coquille 56.  
 — — Hook. Fl. atl. 114.  
 — *sprengelioides* DC. DC. Composées 14.  
 — *suaveolens* Lam. Lam. Encycl. 721.  
 — — Brongniart Coquille 56.  
*Nassella pungens* Em. Desv. Gay Chile 75.  
 † *Nasturtium castratum* Med. Medikus Gattungen 2.  
 † *Nasturtium* R. Br. Gray Genera 53.  
 — *alpinum* Crtz. Crantz Crucif. 1.

- Nasturtium amphibium* R. Br. Sv. Bot. 697.  
 — — —  $\alpha$ .  $\beta$ . Sturm Flora 11, 43.  
 — — — Rchb. Fl. germ. 2, 51. 52.  
 — — — Dietr. Fl. bor. 9, 625.  
 — *anceps* Rchb. Rchb. Fl. germ. 2, 54.  
 — — — Sturm Flora 12, 45.  
 — — — Sv. Bot. 696.  
 — *aquaticum* Wahlbg. Sv. Bot. 624.  
 — *austriacum* Crtz. Rchb. Fl. germ. 2, 51.  
 — *brachycarpum* Led. Ledeb. Ic. 261.  
 — *glaucophyllum* DC. Delessert Ic. 2, 14.  
 — *lipizzense* DC. Rchb. Fl. germ. 2, 55.  
 — *madagascariense* DC. Wight Illustr. 13.  
 — *microphyllum* Bött. Rchb. Fl. germ. 2, 50.  
 — *natans* DC. Delessert Ic. 2, 15.  
 — *officinale* R. Br. Curt. Lond. 3, 120.  
 — — — Baxter Brit. Bot. 4, 271.  
 — — — Sturm Flora 11, 43.  
 — — — Rchb. Fl. germ. 2, 50.  
 — — — Dietr. Fl. bor. 10, 788.  
 — *palustre* DC. Sv. Bot. 694.  
 — — — Sturm Flora 11, 43.  
 — — — Rchb. Fl. germ. 2, 53.  
 — — — Dietr. Fl. bor. 9, 627.  
 — *petraeum* Crtz. Crantz Crucif. 2.  
 — *pyrenaicum* R. Br. Rochel Banat. 13.  
 — — — Sturm Flora 12, 45.  
 — — — Rchb. Fl. germ. 2, 54.  
 — *rivulare* Rchb. Rchb. Pl. crit. 6, 517.  
 — — — Rchb. Fl. germ. 2, 53.  
 — *sessiliflorum* Nutt. Gray Genera 53.  
 — *siifolium* Rchb. Rchb. Ic. crit. 9, 840.  
 — — — Rchb. Fl. germ. 2, 50.  
 — *silvestre* R. Br. Fl. dan. 11, 1881.  
 — — — Sv. Bot. 695.  
 — — — Curt. Lond. 3, 51.  
 — — —  $\beta$ . *brevistylum*, Sturm Flora 11, 43.  
 — — — Rchb. Fl. germ. 2, 55.  
 — — — Dietr. Fl. bor. 9, 626.  
 — *terrestre* R. Br. Curt. Lond. 3, 53.  
*Nastus arundinaceus* Sm. Lam. Encycl. 264.  
 † — *barbatus* Trin. Acad. Petersb. 5, 17.  
 † — *borbonicus* Gmel. Acad. Petersb. 5, 17.  
 — *capitatus* Kth. Humb. Gram. 75.  
 † — — Acad. Petersb. 5, 16.  
 — *verticillatus* Sm. Lam. Encycl. 264.  
*Natalia paullinoides* Planch. Hook. Niger Fl. 29.  
 — — — Hook. Ic. pl. 8, 780.  
*Nathusia alata* Hochst. Richard Abyssin. 67.  
*Nauclea clypeata* Desc. Desc. Ant. 8, 591.  
 — *pubica* Desc. Mem. soc. Linn. Par. 4, 1.  
 — — — Desc. Ant. 8, 589.  
 — *virginiana* Desc. Desc. Ant. 8, 590.  
*Nauclea Adina* Sm. Bot. Mag. 53, 2613.  
 — — — Bot. Reg. 11, 895.  
 — — — Lodd. Cab. 1284.  
 — *adinoides* Ldl. Bot. Reg. 11, 895.  
 — *Cadamba* Roxb. Rheede Hort. mal. 3, 33.  
 — *cordifolia* Roxb. Roxb. Corom. 53.  
 — — — Kerner Hort. 367.  
 — *Gambir* Hunter. Linn. Transact. 9, 22.  
 — — — Nees Düsseld. Suppl. 7.  
 — — — Hayne 10, 3.  
 — *guianensis* Lam. Lam. Encycl. 153.  
 — *orientalis* Lam. Rumpf Amb. 3, 55.  
 — — — Lam. Encycl. 153.  
 † — — Gaertn. Gaertn. Carp. 30.  
 — *parvifolia* Roxb. Roxb. Corom. 52.  
 † — — Hoffmannsegg Verz. 1826, 1.  
 — — — Wight Illustr. 123.  
 — *platanocarpa* Hook. fil. Hook. Ic. pl. 8, 787.  
 — *purpurea* Roxb. Roxb. Corom. 54.

- Nauclaea purpurea* *Roeb.* Kerner Hort. 131.  
*Naucleopsis macrophylla* *Miq.* Endl. Bras. 12, 35.  
*Naudinia argyrophylla* *A. Rich.* Ramon Cuba 44<sup>1</sup>.  
 † *Naumburgia thyriflora* *Rchb.* Nees Gen. 5, 14.  
*Nauplius intermedius* *Webb.* Webb Canar. 86.  
   — *sericeus* *Cass.* Webb Canar. 87.  
   — *stenophyllus* *Webb.* Webb Canar. 86<sup>B</sup>.  
*Navaea phoenicea* *Webb.* Webb Canar. 1<sup>C</sup>.  
*Nectandra cuspidata* *N. v. E.* Miquel Surin. 59.  
   — *leucantha* *N. v. E.* Miquel Surin. 58.  
   — *pallida* *N. v. E.* Miquel Surin. 59.  
   — *Pisi* *Miq.* Miquel Surin. 60.  
*Nectaroscordum siculum* *Ldl.* Bot. Reg. 22, 1913.  
*Nectouxia formosa* *H. B. K.* H. B. K. Nov. Gen. 3, 193.  
   — — — *Lam.* Encycl. 918.  
 † *Necaea Rz et P.* Ruiz et Pav. Prodr. 9.  
   — *hirsuta* *P. et E.* Poepp. et Endl. 161.  
   — *laxa* *P. et E.* Poepp. et Endl. 162.  
*Necdhamia Pumilio* *DC.* var. *β.* Delessert Ic. 5, 26.  
*Neesia altissima* *Bl.* Acta Leop. 17, 1, 6.  
 † *Negretia Rz et P.* Ruiz et Pav. Prodr. 21.  
   — *urens* *Rz et P.* Tussac Ant. 2, 13.  
 † *Negundo Moench.* Gray Genera 175.  
   — *aceroides* *Moench.* Gray Genera 175.  
   — *californicum* *Hook.* Hook. Beechey 77.  
*Neja gracilis* *Don.* Lodd. Cab. 1814.  
   — — — *Sweet* Fl. G. II. 78.  
*Neilreichia cupatorioides* *FzL.* Denkschr. d. W. Ak. 1, 1.  
 † *Nelitris Jambosella* *Gaertn.* Gaertn. Carp. 27.  
 † — *paniculata* *Ldl.* Wight Illustr. 97<sup>bis</sup>.  
   — — — *Wight* Ic. pl. Ind. or. 2, 521.  
 † — *polymorpha* *Bl.* Blume Mus. 1, 60.  
*Nelsonia campestris* *R. Br.* Endl. Iconogr. 79.  
 † *Nelumbium Juss.* Mem. Genev. 1, 1.  
 † — — *Gray* Genera 40, 41.  
   — *caspicum* *Fisch.* Bot. Reg. 30, 14.  
   — — — *Fl. d. serres* 3, 265, 266.  
 † — *indicum* *Lam.* Lam. Encycl. 453.  
   — *luteum* *Willd.* Bot. Mag. 66, 3753.  
   — — — *Diet.* sc. nat. 180.  
   — — — *Maund* Bot. 1, 14.  
   — — — *Rafin.* Med. 66.  
   — — — *Gray* Genera 40, 41.  
   — *speciosum* *Willd.* Rheede Hort. mal. 11, 30, 31.  
   — — — *Rumpf* Amb. 6, 73.  
   — — — *Sprengel* Gesch. d. Bot. 8.  
   — — — *Bot. Mag.* 23, 903<sup>a</sup>. 903<sup>b</sup>. 68, 3916.  
   — — — — — 3917.  
   — — — *Rchb.* Exot. 17, 18.  
   — — — *Wight* Illustr. 9<sup>a</sup><sup>b</sup>.  
   — — — *Fl. d. serres* 5, 523<sup>i</sup>.  
   — — — *var. caspicum*, *Fl. d. serres* 3, 265, 266.  
   — — — *Ann. nat. hist.* 1853, 3.  
 † *Nelumbo Adams.* Gmelin Reise 3, 44, 45.  
   — *jamaicensis* *Desc.* Desc. Ant. 8, 599.  
   — *javanica* *Poir.* Rumpf Amb. 6, 73.  
   — *indica* *Tuss.* Tussac Ant. 3, 23.  
 † — *nucifera* *Gaertn.* Gaertn. Carp. 19.  
 † — — — (Mirbel.) *Ann. Mus.* 13, 34.  
 † — — — (Correa.) *Ann. Mus.* 14, 8.  
*Nematanthera guianensis* *Miq.* Linnaea 18, 11.  
*Nematanthus chloronema* *Mart.* Mart. Bras. 220.  
   — — — *Bot. Mag.* 70, 4080.  
   — *heterophyllus* *P. et E.* Poepp. et Endl. 203.  
   — *ionema* *Mart.* Bot. Mag. 75, 4460.  
   — — — *Fl. d. serres* 5, 498.  
   — *longipes* *DC.* Bot. Mag. 69, 4018.  
*Nematoceras macrantha* *Hook. fil.* Hook. New Zeal. 57.  
   — *oblonga* *Hook. fil.* Hook. New Zeal. 57.  
 † *Nemedia claeagnoides* *Juss.* Mem. Mus. 19, 14.  
*Nemesia floribunda* *Lehm.* Bot. Reg. 24, 39.  
   — *foetens* *Vent.* Vent. Malm. 41.  
 † *Nemesia foetens* *Vent.* Ann. sc. nat. 8, 27.  
*Nemochloa macrantha* *N. v. E.* Endl. Bras. 3, 14.  
   — *sparsiflora* *N. v. E.* Endl. Bras. 3, 15.  
*Nemopanthes canadensis* *DC.* DC. Hort. genev. 3.  
*Nemophila atomaria* *Fisch. et M.* Bot. Mag. 66, 3774.  
   — — — *Bot. Reg.* 23, 1940.  
   — — — *Paxt. Mag.* 5, 99.  
   — — — *Sweet* Fl. G. II. 376.  
   — *aurita* *Ldl.* Bot. Reg. 19, 1601.  
   — — — *Sweet* Fl. G. II. 338.  
   — *discoidalis* *Hort.* Fl. d. serres 2, 75.  
   — *insignis* *Benth.* Bot. Mag. 63, 3485.  
   — — — *Bot. Reg.* 20, 1713.  
   — — — *Paxt. Mag.* 3, 151.  
   — — — *Sweet* Fl. G. II. 329.  
   — — — *Spach* Suites 141.  
   — *liniflora* *Fisch. et M.* Sert. petrop. 8.  
   — — — *Jard.* Petersb. 5.  
   — *maculata* *Benth.* Journ. Hort. Soc. 3, 320.  
   — — — *Paxt. Mag.* 16, 6.  
   — — — *Fl. d. serres*, 5, 431.  
   — — — *Belgique* hortic. 1, 11.  
   — *Nuttallii* *Colla.* Mem. Tur. 31, 5.  
   — *phacelioides* *Bart.* Barton Fl. 2, 61.  
   — — — *Bot. Reg.* 9, 740.  
   — — — *Bot. Mag.* 50, 2373.  
   — — — *Sweet* Fl. G. 32.  
 † *Nenax acerosa* *Gaertn.* Gaertn. Carp. 32.  
*Nenuphar luteum* *Ait.* Hayne 4, 36.  
 † *Neottia Jacq.* Swartz Fl. Ind. occ. 28.  
 † — — *Svensk* Acad. 1800, 3.  
 † — — *Schrader* Neues Journal 1, 1.  
   — *acaulis* *Sm.* Smith Exot. Bot. 105.  
   — *aestivalis* *DC.* Engl. Bot. 2817.  
   — *aphylla* *Hook.* Bot. Mag. 55, 2797.  
   — *australis* *R. Br.* var. *β.* Bot. Reg. 7, 602.  
   — *bicolor* *Ker.* Bot. Reg. 10, 794.  
   — *calcarata* *Sw.* Bot. Mag. 62, 3403.  
   — *camptchatea* *Rchb. fil.* Rchb. Fl. germ. 13, 478.  
   — *cernua* *Willd.* Bot. Mag. 38, 1568.  
   — — — *Sweet* Fl. G. 42.  
   — *cordata* *Rich.* Dietr. Fl. bor. 1, 22.  
   — *elata* *Sw.* Red. Lil. 3, 164.  
   — — — *Bot. Mag.* 46, 2026.  
   — — — *Lodd.* Cab. 343.  
   — *gemmaipara* *Sm.* Engl. Bot. 2786.  
   — *glandulosa* *Sims.* Bot. Mag. 22, 842.  
   — *grandiflora* *Hook.* Bot. Mag. 54, 2730.  
   — ? — — *Bot. Mag.* 57, 2956.  
   — *latifolia* *Rich.* Dietr. Fl. bor. 1, 10.  
   — *Lindleyana* *Decne.* Jacquemont Ind. 163.  
   — *minor* *Jacq.* Jacq. Ic. 601.  
   — — — *Andr.* Rep. 6, 376.  
   — *nidus avis* *Rich.* Rivinus Irreg. hexap. 7.  
   — — — *Dietr.* Fl. bor. 1, 21.  
   — — — *Rchb.* Fl. germ. 13, 473.  
   — *orchioides* *Sw.* Bot. Mag. 26, 1036.  
   — — — *Bot. Reg.* 9, 701.  
   — *Petola* *Bl.* Rumpf Amb. 6, 41.  
 † — — — *Blume* Tabellen 2.  
   — *picta* *Sims.* Bot. Mag. 38, 1562.  
   — — — *Lodd.* Cab. 214.  
   — — — *Rchb.* Exot. 92.  
   — *plantaginea* *Hook.* Hook. Exot. Fl. 226.  
   — *procera* *Ker.* Bot. Reg. 8, 639.  
   — — — *Lodd.* Cab. 776.  
   — *speciosa* *Jacq.* Jacq. Ic. 600.  
   — — — *Andr.* Rep. 1, 3.  
   — — — *Bot. Mag.* 34, 1374.  
   — — — *Lodd.* Cab. 838.  
   — — — *Hook.* Exot. Fl. 3, 4.  
   — — — *Red.* Lil. 7, 404.

- Neottia speciosa* Jacq. Herb. amat. 4, 228.  
 — *spiralis* Sw. Curt. Lond. I, 140.  
 — — — Lodd. Cab. 931.  
 — *squamulosa* H. B. K. H. B. K. Nov. Gen. 1, 71.  
 — — — Lam. Encycl. 990.  
 — *tortilis* Sw. Barton Fl. 1, 35.  
 † *Neottidium nidus avis* Schl. Nees Gen. 3, x.  
 † *Neottopteris Nidus* Sm. Hook. Gen. Fil. 113.  
*Nepa Boivini* Webb. Webb Otia 24.  
 — *Cossonii* Webb. Webb Otia 23.  
 — *Escayracii* Webb. Webb Otia 28.  
 — *lurida* Webb. Webb Otia 21.  
 — *megalorites* Webb. Webb Otia 25.  
 — *Salzmanni* Webb. Webb Otia 26.  
 — *Vaillantii* Webb. Webb Otia 27.  
 — *Webbiana* Coss. Webb Otia 22.  
 † *Nepenthes* L. Ann. sc. nat. 1, 5.  
 † — — Korthals Bot. 4. 20. 21. 22.  
 † — — Schnizl. Iconogr. 2, 115.  
 — *nova species*, Marnock Mag. 1841, 3.  
 — *ampullaria* Jack. Lambert Pinus 2, app. 8.  
 — — — Korthals Bot. 13.  
 † — — Belgique hort. 2, 38. 39.  
 — *Bongso* Korth. Korthals Bot. 14.  
 — *Boschiana* Korth. Korthals Bot. 2. 4.  
 — *destillatoria* L. Rumpf Amb. 5, 59.  
 — — — Hill Decade 9.  
 † — — Gaertn. Carp. 83.  
 — — — Schriften naturf. Fr. II, 3.  
 — — — Bot. Mag. 53, 2798.  
 — — — Lodd. Cab. 1017.  
 — — — Rchb. Exot. 254.  
 — — — Paxt. Mag. 4, 1.  
 † — — Belgique hort. 2, 38. 39.  
 — *gracilis* Korth. Korthals Bot. 1. 4.  
 — — — Spach Suites 144.  
 — *gymnamphora* Reinw. Korthals Bot. 3. 4.  
 — — — Ann. sc. nat. 3, 19. 20.  
 — *indica* Lam. Dict. sc. nat. 4.  
 † — *laevis* Morren. Belgique hort. 2, 40. 41.  
 — *maxima* Reinw. Ann. sc. nat. 3, 20.  
 — *phyllamphora* Willd. Korthals Bot. 4. 15.  
 — — — Bot. Mag. 53, 2629.  
 — *Rafflesiana* Jack. Lambert Pinus 2, app. 7.  
 — — — Bot. Mag. 73, 4285.  
 — — — Annales de Gand 1847, 105.  
 — — — Fl. d. serres 3, 213. 214.  
 — — — Belgique hort. 2, 38. 39.  
 † — *villosa* Hook. fil. Hook. Ic. pl. 9, 888.  
*Nepeta argolica* Bory. Bory et Chaub. Morée 16.  
 — *bipinnata* Cav. Cav. Ic. 49.  
 — *Cataria* L. Fl. dan. 4, 580.  
 — — — Sv. Bot. 410.  
 — — — Engl. Bot. 2, 137.  
 — — — Baxter Brit. Bot. 5, 378.  
 — — — Lam. Encycl. 502.  
 † — — Schk. Handb. 157.  
 — — — Hayne 4, 8.  
 — — — Schrank Fl. monac. 4, 310.  
 — — — Sturm Flora 19, 84.  
 — — — Dietr. Fl. bor. 10, 695.  
 † — — — Nees Gen. 6, 23.  
 — *granatensis* Boiss. Boissier Esp. 144.  
 — *grandiflora* M. v. B. Rchb. Ic. crit. 3, 279.  
 † — *graveolens* Vill. Mutel Fl. fr. 51.  
 — *incana* Lam. Rchb. Ic. crit. 4, 305.  
 — *italica* L. Jacq. Vind. 112.  
 — — — Sibth. Fl. gr. 548.  
 — — — Rchb. Ic. crit. 5, 483.  
 — *lanata* Jacq. Jacq. Obs. 75.  
 — *lanceolata* Lam. Sturm Flora 19, 84.  
 — — — Rchb. Ic. crit. 6, 586.  
 † *Nepeta leucophylla* Benth. Wight Illustr. 176<sup>b</sup>.  
 — *longibracteata* Benth. Jacquemont Ind. 137.  
 — *longiflora* Vent. Vent. Cels 66.  
 — — — Bot. Mag. 23, 923.  
 — *malabarica* Rheede. Rumpf Amb. 6, 68.  
 — *marifolia* Cav. Anales de hist. nat. 2, 22.  
 — — — Cav. Ic. 576.  
 — *melissaefolia* Desf. Ann. Mus. 10, 23.  
 — — — Desf. Choix 12.  
 — *micrantha* Led. Ledeb. Ic. 412.  
 — *mollis* Med. Acta palat. 3, 14.  
 — *multibracteata* Desf. Desf. Fl. atl. 123.  
 — — — Brotero Phytogr. 111.  
 — — — Hoffm. et Link Fl. port. 5.  
 — *multifida* L. Trew Pl. rar. 23.  
 — — — Lam. Encycl. 502.  
 — — — Rchb. Ic. crit. 6, 530.  
 — *Mussini* Spr. Rchb. Ic. crit. 6, 587.  
 — *Nepetella* L. All. Fl. ped. 3, 2.  
 — — — Rchb. Ic. crit. 3, 261.  
 — — — Sturm Flora 19, 84.  
 † — — — Mutel Fl. Fr. 51.  
 — *nuda* L. Jacq. Fl. austr. 1, 24.  
 — — — Sibth. Fl. gr. 547.  
 — — — Sturm Flora 19, 84.  
 — *pannonica* Jacq. Jacq. Fl. austr. 2, 129.  
 — — — Sturm Flora 19, 84.  
 † — — — Nees Gen. 6, 23.  
 — *racemosa* Lam. Rchb. Ic. crit. 6, 585.  
 — *reticulata* Desf. Desf. Fl. atl. 124.  
 — — — Rchb. Pl. crit. 5, 440.  
 — *Scorditis* L. Rivinus Opus ined. 35.  
 — — — Viviani Lib. 6.  
 — *serpyllifolia* M. v. B. Marschall Cent. 28.  
 — — — Rchb. Ic. crit. 3, 219.  
 — *Teydea* Webb. Webb Canar. 165.  
 — *thibetica* Benth. Jacquemont Ind. 136.  
 — *tuberosa* L. Rchb. Pl. crit. 5, 439.  
 — *violacea* L. Schk. Handb. 157.  
 † *Nephelaphyllum pulchrum* Bl. Blume Tabellen 22.  
 † *Nephelium lappaceum* L. Gaertn. Carp. 140.  
 — — — Lam. Encycl. 764.  
 — — — Marsden Sumatra 4.  
 — *Litchi* Wight. Wight Ic. pl. Ind. or. 1, 43.  
 — *Longana* Camb. Bot. Mag. 70, 4096.  
 — *rubrum* Wight. Wight Ic. pl. Ind. or. 1, 24. 25.  
*Nephrodium deflexum* Presl. Presl Reliq. 5.  
 — *delicatum* Deene. Jacquemont Ind. 179.  
 — *elongatum* Hook. Hook. Ic. Fil. 2, 234.  
 — *fragrans* Rich. Hook. Ic. Fil. 1, 70.  
 — *Gaimardianum* Gaudich. Freycinet Voyage 12.  
 — *Goldianum* Hook. Hook. Ic. Fil. 1, 102.  
 — *membranifolium* Presl. Presl Reliq. 5.  
 † — *molle* Schott. Schott Gen. Fil. 14.  
 † — — — Hook. Gen. Fil. 48.  
 — *Napoleonis* Bory. Bélanger Ind. or. 6.  
 — *pallidum* Bory. Bory Morée 36.  
 — *Plunula* Presl. Presl Reliq. 5.  
 — *pubescens* Hook. Hook. Ic. Fil. 2, 162.  
 — *trapezoides* Presl. Presl Reliq. 6.  
 † — *unitum* Hook. Hook. Gen. Fil. 48.  
 † *Nephrrolepis exaltata* Schott. Schott Gen. Fil. 15.  
 † — — — Hook. Gen. Fil. 35.  
 † — — — Fée Fil. 5, 23.  
 † — *punctulata* Presl. Hook. Gen. Fil. 48.  
 † — *tuberosa* Presl. Fée Fil. 5, 25.  
*Nephrrophyllum abyssinicum* Rich. Richard Abyssin. 76.  
 † *Nepsora aquatica* Naud. Ann. sc. nat. III. 12, 14.  
*Neptunia plena* Benth. Bot. Reg. 32, 3.  
 — — — Bot. Mag. 79, 4695.  
*Neraudia melastomaefolia* Gaudich. Freycinet Voyage 117.

- Neraudia sericea* Gaudich. Gaudichaud Bonite 133.  
*Neriandra hancorniaefolia* DC. Delessert Ic. 5, 50.  
 †*Nerine* Herb. Herbert Amar. 36.  
 — *aurea* Sweet. Bury Hexandrian plants 3.  
 — *humilis* Herb. Lodd. Cab. 1674.  
 — *hybrida* Herb. Herbert Appendix 3.  
 — *Mitchamiae* Herb. Herbert Amar. 45.  
 — *pulchella* Herb. Bot. Mag. 50, 2407.  
 — *rosea* Herb. Bot. Mag. 47, 2124.  
 — — — Rechb. Exot. 46.  
 — *undulata* Herb. Lodd. Cab. 1669.  
*Nerium* caudatum Roxb. Wight Ic. pl. Ind. or. 2, 599.  
 — coccineum Roxb. Lodd. Cab. 894.  
 — — — Wight Ic. pl. Ind. or. 2, 442.  
 — coronarium Ait. Jacq. Ic. 52.  
 — — — Bot. Mag. 44, 1865.  
 — grandiflorum Roxb. Wight Ic. pl. Ind. or. 3, 832.  
 — odorum Willd. Rheede hort. mal. 9, 1. 2.  
 † — — — Jacq. Fragm. 3.  
 — — — Bot. Mag. 43, 1799. 46, 2032.  
 — — — var.  $\beta$ . Bot. Reg. 1, 74.  
 — — — Kerner Hort. 293. 452.  
 — — — var. Savi Fl. ital. 1, 14.  
 — *Oleander* L. Rumpf Amb. Auct. 9.  
 — — — Schk. Handb. 52.  
 — — — Sibth. Fl. gr. 248.  
 † — — — Lam. Encycl. 174.  
 — — — Nouveau Duhamel 5, 23.  
 — — — Herb. amat. 2, 79. 80.  
 — — — Desc. Ant. 6, 410.  
 — — — Lodd. Cab. 666. 700.  
 — — — Brandt und Ratzeb. 20.  
 — — — Savi Fl. ital. 1, 9.  
 — — — Paxt. Mag. 11, 53.  
 † — — — Nees Gen. X, x.  
 † — — — (Folium.) Mem. Instit. 1850, 9.  
 — piscidium Roxb. Wight Ic. pl. Ind. or. 2, 472.  
 — reticulatum Roxb. Wight Ic. pl. Ind. or. 2, 494.  
 — thyrsoflorum Paxt. Paxt. Mag. 3, 73.  
 — tinctorium Roxb. Wight Ic. pl. Ind. or. 2, 444.  
 — tomentosum Roxb. Rheede Hort. mal. 9, 3. 4.  
 — — — Wight Ic. pl. Ind. or. 2, 443.  
 † — zeylanicum L. Gaertn. Carp. 117.  
*Nerophila gentianoides* Naud. Ann. sc. nat. III. 13, 8.  
*Nertera assurgens* Aub. Aubert Th. Mel. 11.  
 — *depressa* Banks. Aubert Th. Mel. 10.  
 † — — — Gaertn. Carp. 26.  
 — — — Smith Ic. Linn. 28.  
 — — — Tratt. Archiv 86.  
 — *dichondraefolia* Hook. fil. Hook. New Zéal. 28.  
 — *repens* Ruz et P. Ruiz et Pav. Prodr. 33.  
 — — — Ruiz et Pav. Fl. 90.  
 — *setulosa* Hook. fil. Hook. New Zéal. 28.  
*Nervilia aragoana* Gaudich. Freycinet Voyage 35.  
*Nesaea erecta* Guill. Guillemin Seneg. 69.  
 — *radicans* Guill. Guillemin Seneg. 70.  
 — *salicifolia* Kth. Rechb. Hort. 166.  
 — *triflora* Kth. Wight Ic. pl. Ind. or. 1, 259.  
*Neslia paniculata* Desv. Dietr. Fl. bor. 11, 760.  
 — — — Rechb. Fl. germ. 2, 24.  
*Neumayera austriaca* Rechb. Rechb. Fl. germ. 5, 210.  
 — *filicaulis* Welw. Rechb. Fl. germ. 5, 210.  
 — *Villarsii* Rechb. Rechb. Fl. germ. 5, 210.  
*Neuracanthus Lawii* Wight. Wight Ic. pl. Ind. or. 4, 1531.  
 — *sphaerostachys* Dalz. Hook. Ic. pl. 9, 835.  
 — *trinervius* Wight. Wight Ic. pl. Ind. or. 4, 1532.  
*Neurachne montana* Gaudich. Freycinet Voyage 26.  
 †*Neurada procumbens* L. Gaertn. Carp. 32.  
 — — — Lam. Encycl. 393.  
 — — — Wight Ic. pl. Ind. or. 4, 1596.  
 — — — Hook. Ic. pl. 9, 840.

- Neurocallis praestantissima* Fée. Fée Fil. 1, 52. 5, 4.  
*Neurocalyx Hookerianus* Wight. Wight Ic. pl. Ind. or. 1, 52.  
 — *zeylanicus* Hook. Hook. Ic. pl. 2, 174.  
 †*Neurocarpum* Desv. Kerner Genera 189.  
 — *angustifolium* Kth. Humb. Mim. 60.  
 — *cajanifolium* Presl. Presl Symbolae 9.  
 — *simplicifolium* Kth. Humb. Mim. 59.  
 †*Neurodium lanceolatum* Fée. Fée Fil. 5, 8.  
 †*Neurogramme tomentosa* Link. Fée Fil. 5, 14.  
 †*Neuropeltis ovata* Wall. Mem. Genev. 6, 2.  
 † — *racemosa* Wall. Mem. Genev. 6, 2.  
 — — — Delessert Ic. 5, 96.  
 †*Neurophyllum pinnatum* Presl. Prager Abh. 3, 4.  
*Neuroplatyceros aethiopicus* Pluk. Fée Fil. 64.  
 † — *biformis* Fée. Fée Fil. 64.  
 †*Neuropteris* Desv. Mem. soc. Linn. Par. 6, 11.  
 — *elegans* Desv. Mem. soc. Linn. Par. 6, 8.  
*Neuroscapha Guilleminiana* Tul. Arch. Mus. 4, 6.  
 †*Neuwiedia* Bl. Schnizl. Iconogr. 1, 67.  
*Nhandiroba scandens* Desc. Desc. Ant. 3, 198.  
 †*Nhandirobeae* St. Hil. Schnizl. Iconogr. 201.  
*Nicandra anomala* Link. Link Ic. I. 35.  
 † — *physaloides* Gaertn. Gaertn. Carp. 131.  
 — — — Bot. Mag. 51, 2458.  
 † — — — Ann. sc. nat. III. 18, 16.  
*Nicolletia Edwardsii* Gray. Smiths. Contr. 3, 8.  
*Nicolsonia cayennensis* DC. DC. Legum. 51.  
 † — *congesta* Wight. Calcutta Journal 1847, 2.  
 — — — Wight Ic. pl. Ind. or. 3, 1056.  
*Nicotiana acuminata* Hook. Bot. Mag. 56, 2919.  
 — *alata* Link. Link Ic. II. 32.  
 — *angustifolia* Ruz et P. Ruiz et Pav. Fl. 130.  
 † — — — Cav. Mem. Genev. 6, 3.  
 — *bonariensis* Lehm. Lehmann Nic. 1.  
 — *cerinthoides* Hornem. Lehmann Nic. 2.  
 — *cirrhoides* Miers. Miers Illustr. 22.  
 — *crispa* Desf. Jacq. Fragm. 84.  
 — — — Dict. sc. nat. 34.  
 — *glauca* Gräh. Bot. Mag. 55, 2837.  
 — *glutinosa* L. Svensk Acad. 1753, 2.  
 — — — Andr. Rep. 7, 484.  
 — — — Sweet Fl. G. 107.  
 — *Langsdorffii* Weim. Horae berol. 10.  
 — — — Bot. Mag. 48, 2221.  
 — — — Bot. Mag. 52, 2555.  
 — *longiflora* Cav. Sweet Fl. G. II. 196.  
 — *multivalvis* Ldl. Bot. Reg. 13, 1057.  
 — *nana* Ldl. Bot. Reg. 10, 833.  
 — *noctiflora* Hook. Bot. Mag. 54, 2785.  
 — — — Sweet Fl. G. 262.  
 — *nyctaginiflora* Lehm. Preuss. Garten-Verein 1, 1.  
 — *paniculata* L. Svensk Acad. 1753, 1.  
 — — — Ruiz et Pav. Fl. 129.  
 — *persica* Ldl. Bot. Reg. 19, 1592.  
 — *quadrivalvis* Pursh. Lehmann Nic. 4.  
 — — — Bot. Mag. 43, 1778.  
 — *repanda* Willd. Lehmann Nic. 3.  
 — — — Bot. Mag. 51, 2484.  
 — *rustica* L. Barton Fl. 1, 25.  
 † — — — Plée Types 14.  
 † — *Tabacum* L. Gaertn. Carp. 53.  
 † — — — Lam. Encycl. 113.  
 — — — Woodv. Med. 2, 77.  
 — — — Schk. Handb. 44.  
 — — — Nees Disseld. 193.  
 — — — Guimpel et Schf. 105.  
 — — — Hayne 12, 41.  
 — — — Wagner 101.  
 — — — Desc. Ant. 6, 413.  
 — — — Bigelow Med. 40.  
 † — — — Wight Illustr. 166 bis.

- †*Nicotiana Tabacum* L. Nees Gen. 5, 52.  
 — *tomentosa* Rz et P. Ruiz et Pav. Fl. 129.  
 — *undulata* Vent. Vent. Malm. 10.  
 — — — Bot. Mag. 18, 673.  
 — — — Jacq. Fragn. 56.  
 — — — Rz et P. Ruiz et Pav. Fl. 130.  
*Nicubuhria linearis* DC. Hook. Ic. pl. 2, 124.  
 — — — Wight Ic. pl. Ind. or. 1, 174.  
 — *oblongifolia* DC. Hook. Ic. pl. 2, 127.  
*Nierembergia angustifolia* H. B. K. H. B. K. Nov. Gen. 3, 198.  
 — *anomala* Miers. Miers Illustr. 20.  
 — *aristata* Don. Sweet Fl. G. II. 255.  
 — *Atkinsiana* Sweet. Sweet Fl. G. II. 268.  
 — *calycina* Hook. Bot. Mag. 61, 3371.  
 — — — Sweet Fl. G. II. 319.  
 — *filicaulis* Ldl. Bot. Reg. 19, 1649.  
 — — — Bot. Mag. 61, 3370.  
 — — — Sweet Fl. G. II. 243.  
 — *gracilis* Hook. Bot. Mag. 58, 3108.  
 — — — Sweet Fl. G. II. 172.  
 — *graveolens* St. Hil. Mem. Mus. 12, 10.  
 — — — St. Hil. Pl. rem. 21.  
 — *hippomonica* Miers. Miers Illustr. 18.  
 — *intermedia* Grmh. Sweet Fl. G. II. 237.  
 — *linifolia* Miers. Miers Illustr. 20.  
 — *phoenicea* Don. Sweet Fl. G. II. 193. 354.  
 — *repens* Rz et P. Ruiz et Pav. Fl. 123.  
 — *rigida* Miers. Miers Illustr. 19.  
 — *rivularis* Miers. Miers Illustr. 18.  
 — *stricta* Miers. Miers Illustr. 19.  
*Nigella* *aristata* Sibth. Sibth. Fl. gr. 510.  
 — *arvensis* L. Schk. Handb. 146.  
 † — — — Lam. Encycl. 488.  
 — — — Sibth. Fl. gr. 512.  
 — — — Hayne 6, 17.  
 — — — Rchb. Fl. germ. 4, 120.  
 — — — Dietr. Fl. bor. 7, 436.  
 — *ciliaris* DC. Delessert Ic. 1, 45.  
 † *damascena* L. Gaertn. Carp. 118.  
 † — — — Lam. Encycl. 488.  
 † — — — Schk. Handb. 146.  
 — — — Bot. Mag. 1, 22.  
 — — — Sibth. Fl. gr. 509.  
 — — — Hayne 6, 15.  
 — — — Rchb. Fl. germ. 4, 120.  
 — *divaricata* Beaupr. Delessert Ic. 1, 46.  
 — *hispanica* L. Desf. Fl. atl. 112.  
 — — — Bot. Mag. 31, 1265.  
 † *orientalis* L. Gaertn. Carp. 118.  
 — — — Bot. Mag. 31, 1264.  
 † *sativa* L. Gaertn. Carp. 118.  
 † — — — Lam. Encycl. 488.  
 — — — Sibth. Fl. gr. 511.  
 — — — Hayne 6, 16.  
 — — — Nees Düsseld. Suppl. 45.  
 — — — Guimpel et Kl. 23.  
 — — — Rchb. Fl. germ. 4, 120.  
 — *segetalis* M. v. B. Marschall Cent. 25.  
 † *truncata* Viv. Viviani Aeg. 2.  
*Nigrina spicifera* Lam. Lam. Encycl. 71.  
*Nigritella angustifolia* Rich. Lodd. Cab. 1643.  
 — — — Rchb. Ic. crit. 6, 568. 8, 762.  
 † — — — Nees Genera 3, x.  
 — *fragrans* Sauter. Rchb. Ic. crit. 8, 763.  
 — *nigra* Rchb. fil. Rchb. Fl. germ. 13, 467.  
 — *suaveolens* Koch. Rchb. Fl. germ. 13, 466. 513.  
*Niota lucida* Wall. Wall. Pl. asiat. 168.  
 — *pendula* Sm. Rheede Hort. mal. 6, 18.  
 — *tetrapetala* Lam. Lam. Encycl. 299.  
*Nipa fruticans* Thunb. Rumpf Amb. 1, 16.  
 † — — — Mem. Mus. 5, 22. 23.  
 † *Nipa fruticans* Thunb. Lam. Encycl. 897.  
 — — — Mart. Palm. 108. 171. 172.  
 — — — Blume Rumphia 105. 164. 165.  
 — — — Gaudichaud Bonite 6. 7.  
*Niphaea albo-lineata* Hook. Bot. Mag. 73, 4282.  
 — — — Fl. d. serres 3, 210.  
 — *argyroneura* Planch. Fl. d. serres 8, 823.  
 — *oblonga* Ldl. Bot. Reg. 28, 5.  
 — *rubida* Ch. Lem. Fl. d. serres 3, 251.  
*Niphobolus africanus* α. β. Kze. Kunze Fil. 33.  
 — *albicans* Bl. Blume Java 6, 25.  
 — *bicolor* Kaulf. Hook. Ic. Fil. 1, 44.  
 — *'carinosus* Bl. Rheede Hort. mal. 12, 29.  
 — — — Blume Java 6, 19.  
 — *caudatus* Bl. Blume Java 6, 22.  
 — *elongatus* Bl. Blume Java 6, 20.  
 — *fissus* Bl. Blume Java 6, 24.  
 — *flocciger* Bl. Blume Java 6, 26.  
 — *glaber* Bl. Blume Java 6, 27.  
 — *Lingua Spr.* Kunze Fil. 63.  
 — *macrocarpus* Hook. Hook. Beechey 18.  
 † *penangianus* Hook. Hook. Gen. Fil. 83.  
 — — — Hook. Ic. pl. 3, 203.  
 — *puberulus* Bl. Blume Java 6, 23.  
 — *rupestris* Spr. Hook. Ic. Fil. 1, 93.  
 — *sphaerocephalus* Hook. Hook. Ic. Fil. 1, 94.  
 — *varius* Bl. Blume Java 6, 21.  
 — *venosus* Bl. Blume Java 6, 28.  
*Nissolia fruticosa* L. Jacq. Hist. stirp. am. 187.  
 — — — Jacq. Vind. 167.  
 † — — — Jacq. Fragn. 33.  
 † — — — Gaertn. Carp. 145.  
 † — — — Lam. Encycl. 600.  
 — — — Hook. Ic. pl. 6, 599.  
 † — *punctata* Lam. Lam. Encycl. 600.  
 — *quinata* Aubl. Aublet Guiana 297.  
 — — — Lam. Encycl. 600.  
 — *racemosa* DC. Delessert Ic. 3, 68.  
 † *reticulata* Lam. Lam. Encycl. 600.  
*Nitella Brongniartiana* Coss. et G. Cosson Atlas 40.  
 — *glomerata* Coss. et G. Cosson Atlas 41.  
 — *gracilis* Agardh. Cosson Atlas 41.  
 — *mucronata* Coss. et G. Cosson Atlas 40.  
 — *stelligera* Coss. et G. Cosson Atlas 41.  
 † — *syncarpa* Coss. et G. Ann. sc. nat. III. 16, 9.  
 — — — Cosson Atlas 39.  
 — *tenuissima* Coss. et G. Cosson Atlas 41.  
 — *translucens* Coss. et G. Cosson Atlas 40.  
*Nitraria Olivieri* Jaub. Jaubert Illustr. 295.  
 — *Schoberi* L. Pallas Fl. ross. 50.  
 — — — Murray Prodr. gött. 1.  
 † — — — Gaertn. Carp. 58.  
 — — — Andr. Rep. 8, 529.  
 — — — Watson Dendr. 2, 130.  
 — — — Lodd. Cab. 1395.  
 — *senegalensis* Lam. Lam. Encycl. 403.  
 — *sericea* Jaub. Jaubert Illustr. 294.  
 — *sibirica* Lam. Lam. Encycl. 403.  
 — *tridentata* Desf. Jaubert Illustr. 293.  
*Nocca latifolia* Cerv. Sweet Fl. G. 215.  
 — *rigida* Cav. Cav. Ic. 224.  
 — — — Sweet Fl. G. II. 26.  
*Noccaea alpina* Rchb. Rchb. Fl. germ. 2, 11.  
 — *brevicaulis* Rchb. Rchb. Fl. germ. 2, 11.  
 — *mollis* Jacq. Jacq. Fragn. 85.  
*Nochotta oleracea* Gm. Gmelin Reise 3, 3.  
*Noisetia frangulaefolia* H. B. K. H. B. K. Nov. Gen. 4, 499<sup>a</sup>. 499<sup>b</sup>.  
 — *longifolia* H. B. K. H. B. K. Nov. Gen. 5, 499<sup>b</sup>.  
 — *pyrifolia* Mart. Mart. Bras. 16.  
 † *Roquefeuillana* St. Hil. Mem. Mus. 11, 22.  
 † — — — St. Hil. Pl. rem. 26.

- †*Nolana L.* Kerner Genera 75.  
 — *atriplicifolia* Don. Sweet Fl. G. II. 305.  
 — *Chastenayana* Gaudich. Gaudichaud Bonite 33.  
 — *coronata* R $\acute{z}$  et P. Ruiz et Pav. Fl. 112.  
 — — — Kerner Hort. 789.  
 — *inflata* R $\acute{z}$  et P. Ruiz et Pav. Fl. 112.  
 — *paradoxa* Ldl. Bot. Reg. 10, 865.  
 — — — Bot. Mag. 52, 2604.  
 — *polymorpha* Gaudich. Gaudichaud Bonite 101.  
 — *prostrata* L. Linné Hort. ups. 1, 2.  
 — — — Bot. Mag. 19, 731.  
 — — — Schk. Handb. 32.  
 † — — — Gaertn. Carp. 132.  
 — — — Lam. Encycl. 97.  
 — *revoluta* R $\acute{z}$  et P. Ruiz et Pav. Fl. 113.  
 — *rupicola* Gaudich. Gaudichaud Bonite 28.  
 — *spathulata* R $\acute{z}$  et P. Ruiz et Pav. Fl. 113.  
 — — — Kerner Hort. 563.  
*Nomaphila pinnatifida* Dalz. Hook. Ic. pl. 9, 843.  
*Nomisnia capitata* W. et A. Wight Ic. pl. Ind. or. 1, 295.  
 — *nummularia* W. et A. Wight Ic. pl. Ind. or. 1, 283.  
*Nonatelia longiflora* Aubl. Aublet Guiana 71.  
 — *lutea* Aubl. Aublet Guiana 74.  
 — *officinalis* Aubl. Aublet Guiana 70.  
 — — — Desc. Ant. 4, 296.  
 — *paniculata* Aubl. Aublet Guiana 70.  
 — *racemosa* Aubl. Aublet Guiana 72.  
 — — — Lam. Encycl. 155.  
 — *violacea* Aubl. Aublet Guiana 73.  
 — — — Lam. Encycl. 155.  
*Nonea planeranthera* Viv. Viviani Lib. 1.  
 — *pulla* DC. Dietr. Fl. bor. 8, 541.  
 † — — — Nees Gen. 6, 73.  
 † — *violacea* DC. Nees Gen. 6, 73.  
*Norantea adamantium* Camb. St. Hil. Fl. Bras. 62.  
 — — — Spach Suites 45.  
 — *anomala* H. B. K. H. B. K. Nov. Gen. 7, 647<sup>b</sup>.  
 — *guianensis* Aubl. Aublet Guiana 220.  
 — *japurensis* Mart. Mart. Bras. 295.  
 — *paraensis* Mart. Mart. Bras. 296.  
 — *violacea* Poir. Lam. Encycl. 447.  
*Noronhea chartacea* Hook. Hook. Bot. Misc. 88.  
*Norysca mysorensis* Arn. Wight Ic. pl. Ind. or. 1, 56.  
*Notarisia lycopodioides* Colla. Mem. Tur. 39, 75.  
*Notelaea excelsa* Webb. Webb Canar. 186.  
 — *longifolia* Vent. Vent. Choix 25.  
 — *ovata* R. Br. Endl. Iconogr. 55.  
*Noterophila inundata* Mart. Mart. Bras. 254.  
 — *pusilla* Naud. Ann. sc. nat. III. 12, 13.  
*Nothochlaena cheilanthoides* Spr. Acta Leop. 10, 1, 17.  
 — *dealbata* Kze. Kunze Fil. 124.  
 — *densa* Sm. Kunze Fil. 64.  
 — *distans* Lab. Bill. Sertum 7.  
 — *Doradilla* Colla. Mem. Tur. 39, 73.  
 † — *eriphora* Fée. Fée Fil. 5, 13.  
 — *Fendleri* Kze. Kunze Fil. 136.  
 — *hypoleuca* Kze. Kunze Fil. 53.  
 — *inaequalis* Kze. Kunze Fil. 64.  
 — *incana* Presl. Presl Reliq. 1.  
 — *mollis* Kze. Kunze Fil. 53.  
 — *nivea* Desv. Kunze Fil. 22.  
 — *semiglabra* Kze. Kunze Fil. 124.  
 — *sinuata* Kaulf. Kunze Fil. 45.  
 — — — Bot. Mag. 79, 4699.  
 — *sulcata* Meyen. Kunze Fil. 3.  
 † — *tenera* Gill. Hook. Gen. Fil. 76.  
 — — — Kunze Fil. 22.  
 — — — Bot. Mag. 58, 3055.  
*Nothria repens* Berg. Bergius Cap. 1.  
*Notoceras canariense* R. Br. Jacq. Ecl. pl. 111.  
 — *cardaminifolium* DC. Delessert Ic. 2, 18.  
 — *hispanicum* DC. Delessert Ic. 2, 17.  
*Notoceras quadricorne* DC. Delessert Ic. 2, 16.  
*Notonia abyssinica* Rich. Richard Abyssin. 59.  
 — *corymbosa* DC. Wight Ic. pl. Ind. or. 2, 484.  
 — *grandiflora* DC. Delessert Ic. 4, 61.  
 † — — — Wight Illustr. 134.  
*Notylia multiflora* Hook. Hook. Journal 1844, 10.  
 — *punctata* Ldl. Bot. Reg. 9, 759.  
 — *sagittifera* Lk et Kl. Link Ic. III. 18.  
*Nowodworskya agrostoides* Presl. Presl Reliq. 40.  
 †*Noyera Trécul.* Ann. sc. nat. III. 8, 5.  
 †*Nunnezharia* R $\acute{z}$  et P. Ruiz et Pav. Prodr. 31.  
 †*Nuphar* Sm. Mem. Genev. 1, 1.  
 † — — — Gray Genera 44.  
 — *advena* Ait. Rchb. Exot. 12.  
 — — — Gray Genera 44.  
 — *japonica* DC. Delessert Ic. 2, 6.  
 — *lutea* Sm. Curt. Lond. 4, 141.  
 — — — Engl. Bot. 3, 159.  
 — — — Baxter Brit. Bot. 4, 281, 282.  
 † — — — Spach Suites 87.  
 — — — Sturm Flora 8, 30.  
 — — — Rchb. Fl. germ. 7, 63.  
 — — — Dietr. Fl. bor. 11, 766.  
 † — — — Ann. sc. nat. III. 4, 10—13.  
 † — — — Flora 1853, 7.  
 — *minima* Sm. Engl. Bot. 32, 2292.  
 — — — Flora 1827, 1.  
 — *pumila* DC. Curt. Lond. 5, 165.  
 — — — Rchb. Ic. crit. 2, 119.  
 — — — Rchb. Fl. germ. 7, 65.  
 — *sericea* Lang. Rchb. Ic. crit. 2, 120.  
 — — — Rchb. Fl. germ. 7, 64.  
 — *Spenneriana* Gaud. Rchb. Fl. germ. 7, 66.  
*Nuphylis* Aub. Aubert Orchid. 106.  
*Nuttallia cerasiformis* Hook. Hook. Beechey 82.  
 — *cordata* Ldl. Bot. Reg. 23, 1938.  
 — *digitata* Dick. Hook. Exot. Fl. 171.  
 — — — Barton Fl. 2, 62.  
 — — — Bot. Mag. 53, 2612.  
 — — — Sweet Fl. G. 129.  
 — *grandiflora* Paxt. Paxt. Mag. 5, 217.  
 — — — Annales de Gand 1847, 167.  
 — *malvaeflora* F. et M. Paxt. Mag. 7, 31.  
 — *Papaver* Grah. Bot. Mag. 60, 3287.  
 — — — Paxt. Mag. 6, 173.  
 — — — Sweet Fl. G. II. 279.  
 — *pedata* Nutt. Hook. Exot. Fl. 172.  
*Nuxia verticillata* Lam. Lam. Encycl. 71.  
*Nuytsia floribunda* Ldl. Lindley Swan River 4.  
 †*Nyctagineae* Juss. Ann. sc. nat. III. 9, 16—19.  
 † — — — Schnizl. Iconogr. 2, 104.  
 †*Nyctago hortensis* Juss. Flora 1853, 2.  
*Nyctanthes angustifolia* L. Wight Ic. pl. Ind. or. 2, 698.  
 — *arbor tristis* L. Rheede Hort. mal. 1, 21.  
 † — — — Lam. Encycl. 6.  
 — — — Bot. Reg. 5, 399.  
 — *multiflora* Burm. Burm. Fl. ind. 3.  
 — *Sambac* L. Rumpf Amb. 5, 30.  
 † — — — Gaertn. Carp. 106.  
 — *triflora* Burm. Burm. Fl. ind. 2.  
*Nycteria lychnidea* Don. Bot. Reg. 9, 748.  
 — — — Sweet Fl. G. II. 239.  
 †*Nycterisition* R $\acute{z}$  et P. Ruiz et Pav. Prodr. 5.  
 — *argenteum* H. B. K. H. B. K. Nov. Gen. 3, 244.  
 — *ferrugineum* R $\acute{z}$  et P. Ruiz et Pav. Fl. 187.  
*Nycteria amazonium* Sims. Bot. Mag. 43, 1801.  
 — *cordifolium* Vent. Vent. Malm. 85.  
 — — — Kerner Hort. 198.  
*Nymphaea acutiloba* DC. Icones pl. Chin. 18.  
 — *advena* Ait. Willdenow Hortus 38.  
 — — — Bot. Mag. 18, 684.  
 — — — Kerner Hort. 188.

- Nymphaea alba* L. Fl. dan. 4, 602.  
 — — — Curt. Lond. 4, 140.  
 — — — Engl. Bot. 3, 160.  
 — — — Baxter Brit. Bot. 3, 181. 182.  
 — — — Sv. Bot. 92.  
 — — — Dict. sc. nat. 179.  
 — — — Schk. Handb. 142.  
 — — — Sturm Flora 8, 30.  
 — — — Hayne 4, 35.  
 — — — Schrank Fl. monac. 4, 345.  
 — — — Rchb. Fl. germ. 7, 67. 68.  
 — — — Dietr. Fl. bor. 11, 765.  
 † — — — Gaertn. Carp. 19.  
 † — — — Lam. Encycl. 453.  
 † — — — Bull. philom. 1811. no. 57.  
 † — — — Mem. Instit. 1830, 6.  
 † — — — Mem. Genev. 1, 2.  
 † — — — Plée Types 36. 37.  
 † — — — Gray Genera 42. 43.  
 † — — — Flora 1853, 7.  
 † — — — Acad. Neap. 4, 0.  
 — — — var. minor, Belgique hortic. 1, 59.  
 — — — Desc. Desc. Ant. 8, 374.  
 — — — ampla DC. Bot. Mag. 75, 4469.  
 — — — biradiata Sommer. Rchb. Fl. germ. 7, 69.  
 — — — cachemiriana Decne. Jacquemont Ind. 10.  
 — — — candida Presl. Rchb. Fl. germ. 7, 70.  
 — — — coerulea Savigny. Delile Egypte 60.  
 — — — Vent. Malm. 6.  
 — — — Kerner Hort. 99.  
 — — — Ann. Mus. 1, 25.  
 — — — Bot. Mag. 16, 552. 78, 4647.  
 — — — Spach Suites 87.  
 — — — Fl. d. serres 7, 653.  
 — — — (Germinatio.) Münchn. Abh. 5, 13.  
 † — — — Andr. Andr. Rep. 3, 197.  
 — — — dentata Schum. et Thonn. Bot. Mag. 72, 4257.  
 — — — Fl. d. serres 6, 627. 628.  
 — — — devoniensis Paxt. Paxt. Fl. G. 98.  
 — — — Bot. Mag. 78, 4665.  
 — — — Lem. Jard. fl. 4, 346. 347.  
 — — — elegans Hook. Bot. Mag. 77, 4604.  
 — — — Lem. Jard. fl. 180.  
 — — — gigantea Hook. Bot. Mag. 78, 4647.  
 — — — Fl. d. serres 7, 751.  
 — — — Lem. Jard. fl. 240 — 241.  
 — — — Kalmiana Sims. Bot. Mag. 31, 1243.  
 — — — Lotus W. et K. W. et Kit. 15.  
 — — — L. Delile Egypte 60.  
 — — — Pal. B. Fl. d'Oware 88.  
 — — — Bot. Mag. 21, 797.  
 — — — Andr. Rep. 6, 391.  
 — — — Desc. Ant. 8, 597.  
 — — — Sprengel Gesch. d. Bot. 7.  
 — — — Kerner Hort. 147.  
 — — — Rchb. Exot. 14.  
 — — — lutea L. Fl. dan. 4, 603.  
 † — — — Gaertn. Carp. 19.  
 † — — — Lam. Encycl. 453.  
 — — — Sv. Bot. 266.  
 — — — Schk. Handb. 142.  
 — — — Schrank Fl. monac. 1, 20.  
 — — — micrantha Guill. Bot. Mag. 76, 4535.  
 — — — Lem. Jard. fl. 52.  
 — — — Belgique hortic. 1, 59.  
 — — — Nelumbo L. Rumpf Amb. 6, 73.  
 — — — Delile Egypte 61.  
 — — — var. flava, Hill Decade 8.  
 — — — nitida Sims. Bot. Mag. 33, 1359.  
 — — — Rchb. Exot. 13.  
 — — — odorata Willd. Willdenow Hortus 39.  
 — — — Kerner Hort. 231.

- Nymphaea odorata* Ait. Bot. Mag. 21, 819.  
 — — — var. rosea, Bot. Mag. 40, 1652.  
 — — — Andr. Rep. 5, 297.  
 — — — Kerner Hort. 676.  
 — — — Bigelow Med. 55.  
 — — — Gray Genera 42. 43.  
 — — — Ortigisano-rubra V. H. Fl. d. serres 8, 775. 776.  
 — — — pubescens Willd. Rheede Hort. mal. 11, 26.  
 — — — Kerner Hort. 540.  
 — — — pygmaea Dryand. Bot. Mag. 37, 1525.  
 — — — reniformis Walt. Delessert Ic. 2, 5.  
 — — — rubra Roxb. Andr. Rep. 8, 503.  
 — — — Bot. Mag. 31, 1280. 33, 1364.  
 — — — Kerner Hort. 361.  
 — — — Rchb. Exot. 16.  
 — — — Wight Illustr. 10.  
 — — — Paxt. Mag. 11, 265.  
 — — — Paxt. Fl. G. 50.  
 — — — Lem. Jard. fl. 173. 174.  
 — — — Fl. d. serres 6, 629. 8, 759. 760.  
 — — — scutifolia DC. Fl. d. serres 6, 645.  
 — — — stellata Willd. Rheede Hort. mal. 11, 27.  
 — — — Andr. Rep. 5, 330.  
 — — — Kerner Hort. 406.  
 — — — Bot. Mag. 46, 2058.  
 — — — Fl. d. serres 8, 854.  
 — — — Wight Ic. pl. Ind. or. 1, 178.  
 — — — thermalis DC. Rchb. Fl. germ. 7, 71.  
 — — — Fl. d. serres 7, 706. 707.  
 — — — Belgique hortic. 1, 59.  
 — — — versicolor Sims. Bot. Mag. 29, 1189.  
 — — — Rchb. Exot. 15.  
 † *Nyssa angulisans* Michx. Ann. sc. nat. III. 17, 17—20.  
 † — — — angulosa Poir. Lam. Encycl. 851.  
 — — — aquatica L. Michaux Arb. 2, 22.  
 † — — — biflora, Michx. Gaertn. Carp. 216.  
 — — — capitata Walt. Michaux Arb. 2, 20.  
 † — — — caroliniana Poir. Lam. Encycl. 851.  
 † — — — denticulata Ait. Gaertn. Carp. 216.  
 † — — — grandidentata Michx. Michaux Arb. 2, 19.  
 — — — montana Gaertn. Gaertn. Carp. 216.  
 — — — multiflora Wangenh. Emery Rep. Mass. 17.  
 — — — Torrey New York 95.  
 — — — silvatica Michx. Michaux Arb. 2, 21.  
 † — — — uniflora Wangenh. Wangenheim Beitrag 27.  
*Oakesia Conradii* Tuckerm. Gray Chloris' 1.  
 — — — Hook. Ic. pl. 6, 531.  
*Obeliscaria Drummondii* Maund. Maund Bot. 5, 201.  
*Oberonia Arnottiana* Wight. Wight Ic. pl. Ind. or. 5, 1628.  
 — — — brevifolia Ldl. Brongniart Coquille 40.  
 — — — Brunoniana Wight. Wight Ic. pl. Ind. or. 5, 1622.  
 — — — denticulata Wight. Wight Ic. pl. Ind. or. 5, 1625.  
 — — — Griffithiana Ldl. Lindley Sertum 8.  
 — — — imbricata Blume. Wight Ic. pl. Ind. or. 5, 1629.  
 — — — iridifolia Ldl. Bot. Mag. 76, 4517.  
 — — — Lem. Jard. fl. 113.  
 — — — Lindleyana Wight. Wight Ic. pl. Ind. or. 5, 1624.  
 — — — Brongniart Coquille 40.  
 — — — platycaulon Wight. Wight Ic. pl. Ind. or. 5, 1623.  
 — — — rufilabris Ldl. Lindley Sertum 8.  
 † — — — stachyoides A. Rich. Ann. sc. nat. II. 15, 1.  
 — — — verticillata Wight. Wight Ic. pl. Ind. or. 5, 1626.  
 — — — Wightiana Ldl. Wight Ic. pl. Ind. or. 5, 1627.  
*Obetia ficifolia* Gaudich. Gaudichaud Bonite 82.  
*Obione fera* Moq. Wight Ic. pl. Ind. or. 5, 1788.  
 — — — Konigii Moq. Wight Ic. pl. Ind. or. 5, 1790.  
 † — — — muricata Gaertn. Gaertn. Carp. 126.  
 † — — — sibirica Gaertn. Nees Genera 4, 64.  
 — — — Stocksii Wight. Wight Ic. pl. Ind. or. 5, 1789.  
*Obolaria virginica* L. Barton Fl. 3, 90.  
 — — — Darlington Fl. cestr. 2.  
 — — — Gray Chloris 3.

- Ochna atropurpurea* DC. Bot. Mag. 76, 4519.  
 — — — Lem. Jard. fl. 29.  
 — ciliata Lam. Ann. Mus. 17, 14.  
 — dubia Guillem. Guillem. Seneg. 35.  
 † Jabotapita L. Gaertn. Carp. 70.  
 — — — Lam. Encycl. 472.  
 — leucophloeos Hochst. Richard Abyssin. 29.  
 — lucida Lam. Lam. Encycl. 472.  
 — mauritiana Lam. Ann. Mus. 17, 15, 16.  
 — mossambicensis Klotzsch. Peters Mossamb. 16.  
 — multiflora DC. Ann. Mus. 17, 13.  
 — nitida Thunb. Ann. Mus. 17, 12.  
 — parvifolia Vahl. Ann. Mus. 17, 30.  
 — pulchra Hook. Hook. Ic. pl. 6, 588.  
 — squarrosa L. Rumpf Amb. 3, 13.  
 — — — Roxb. Corom. 89.  
 — — — Ann. Mus. 17, 11.  
 — — — Wight Illustr. 69.  
 — Wightiana Wall. Wight Ic. pl. Ind. or. 1, 223.  
*Ochradenus baccatus* Delile. Delile Egypte 31.  
*Ochranthe arguta* Ldl. Bot. Reg. 21, 1819.  
 † *Ochroma Swartz.* Svensk Acad. 1792, 6.  
 † — — Swartz Fl. Ind. occ. 23.  
 † *Ochropteris angusta* Fée. Fée Fil. 5, 29.  
 † — pallens J. Sm. Hook. Gen. Fil. 106.  
 — — — Hook. Sp. Fil. 77.  
 † — — — Fée Fil. 5, 29.  
 † — peltigera Fée. Fée Fil. 5, 29.  
*Ochrosia elliptica* Lab. Bill. Sertum 30.  
 — maculata Jacq. Jacq. Ic. 321.  
*Ochroxylon punctatum* Mart. Münchn. Denkschr. 6, A.  
*Ochrus hirsutus* L. Sibth. Fl. gr. 690.  
*Ochthocharis paniculata* Korth. Korthals Bot. 64.  
 † — — — Ann. sc. nat. III, 15, 15.  
*Ochthocosmus africanus* Hook. fil. Hook. Niger Fl. 23.  
 — — — Hook. Ic. pl. 8, 773.  
*Ocimum americanum* L. Jacq. Vind. 3, 86.  
 — — — Desc. Ant. 4, 301.  
 — Basilicum L. var. anisatum, Rheede Hort. mal. 11, 87.  
 † — — — Lam. Encycl. 514.  
 — — — Hayne 11, 3.  
 — — — Guimpel et Schl. 137.  
 — — — Nees Düsseld. 183.  
 † — — — Nees Genera 6, 1.  
 — — — var. thyrsoforum, Wight Ic. pl. Ind. or. 3, 868.  
 — bracteosum Benth. Hook. Ic. pl. 5, 455.  
 — canum Sims. Bot. Mag. 51, 2452.  
 — febrifugum Ldl. Bot. Reg. 9, 753.  
 — grandiflorum L'her. L'her. Stirp. 43.  
 — gratissimum L. Rheede Hort. mal. 10, 86.  
 — — — Rumpf Amb. 5, 92, fig. 2.  
 — — — Jacq. Ic. 495.  
 — heptodon Pal. B. Pal. B. Fl. d'Oware 94.  
 — menthoides Burm. Rumpf Amb. 5, 93, fig. 2.  
 — minimum L. Rumpf Amb. 5, 93, fig. 1.  
 — — — Schk. Handb. 166.  
 — monostachyum Pal. B. Pal. B. Fl. d'Oware 95.  
 — montanum Hook. Bot. Mag. 75, 2996.  
 — polystachyum L. N. Comm. Gott. 3, 3.  
 — sanctum L. Rheede Hort. mal. 10, 92.  
 — — — Rumpf Amb. 5, 92, fig. 1.  
 — scutellarioides L. Rumpf Amb. 5, 101, 102, fig. 3.  
 — — — Bot. Mag. 35, 1446.  
 — sericum Med. Acta palat. 4, 7.  
 — stamineum Sims. Bot. Mag. 51, 2452.  
 — thyrsoforum L. Jacq. Vind. 3, 72.  
 — — — N. Comm. Gott. 8, 5.  
 — virgatum Thunb. Rheede Hort. mal. 10, 85.  
 — zeylanicum Med. Acta palat. 4, 6.  
*Ocotea guianensis* Aubl. Aublet Guiana 310.  
 † *Ocotea guianensis* Aubl. Gaertn. Carp. 222.  
*Octoceras Lehmanni* Bge. Bunge Reliq. Lehm. 4.  
 † *Octomeria Baueri* Ldl. Bauer Orchid. (Genera.) 4.  
 † — graminifolia R. Br. Bauer Orchid. (Genera.) 4.  
 — — — Bot. Mag. 54, 2764.  
 — — — Lodd. Cab. 1891.  
 — paucifolia Breda. Breda Orchid. Jav. 11.  
 — racemosa Breda. Breda Orchid. Jav. 12.  
 — serratifolia Hook. Bot. Mag. 55, 2823.  
 — vaginata Breda. Breda Orchid. Jav. 5.  
 † *Octomeris Naud.* Ann. sc. nat. III, 4, 2.  
*Odina Wodier Roxb.* Rheede Hort. mal. 4, 32.  
 — — — Royle Illustr. 31.  
 — — — Wight Ic. pl. Ind. or. 1, 60.  
*Odonia tomentosa* Bertol. Opusc. sc. Bonon. 4, 8.  
 — — — Bertoloni Lucubr. 1.  
*Odontarrhena microphylla* Led. Ledeb. Ic. 143.  
 — obovata Led. Ledeb. Ic. 277.  
*Odontites granatensis* Boiss. Boissier Esp. 134.  
 — lutea Rchb. Dietr. Fl. bor. 8, 516.  
 † — — — Nees Gen. 5, 41.  
 † — rubra Pers. Dietr. Fl. bor. 2, 79.  
 † — — — Nees Gen. 5, 41.  
 † — semicomposita Spr. Mag. naturf. Fr. 6, 5.  
*Odontocarpum Gayana* Remy. Gay Chile 44.  
*Odontoglossum bictoniense* Ldl. Bot. Reg. 26, 66.  
 — Cervantesii Ldl. Bot. Reg. 31, 36.  
 — — — Paxt. Mag. 12, 193.  
 — — — Paxt. Fl. G. 15.  
 — citrosum Ldl. Bot. Reg. 29, 3.  
 — — — Lem. Jard. fl. 90.  
 — — — Fl. d. serres 6, 633.  
 — cordatum Ldl. Knowles et Westcott 100.  
 — — — Paxt. Mag. 13, 147.  
 — Ehrenbergii Link et Kl. Link Ic. III, 15.  
 — — — Fl. d. serres 8, 846.  
 — epidendroides H. B. K. H. B. K. Nov. Gen. 1, 85.  
 — — — Lam. Encycl. 992.  
 — grande Ldl. Bateman Orchid. 24.  
 — — — Hart. Parad. 1, 13.  
 — — — Bot. Mag. 68, 3955.  
 — — — Paxt. Mag. 8, 49.  
 — — — Fl. d. serres 1, 21.  
 — — — Annales de Gand 1845, 37.  
 — hastatum Ldl. Bateman Orchid. 20.  
 — hastilabium Ldl. Bot. Mag. 72, 4272.  
 † — Inslayi Ldl. Journ. Hort. Soc. 8, 55.  
 — laeve Ldl. Bot. Reg. 30, 39.  
 — maculatum Ldl. Bot. Reg. 26, 30.  
 — membranaceum Ldl. Bot. Reg. 32, 34.  
 — — — Annales de Gand 1845, 10.  
 — naevium Ldl. Paxt. Fl. G. 18.  
 — — — Fl. d. serres 6, 594.  
 — Pescatorei Linden. Paxt. Fl. G. 90.  
 — — — Lem. Jard. fl. 4, 331.  
 — pulchellum Batem. Bot. Reg. 27, 48.  
 — — — Bot. Mag. 70, 4104.  
 — Rossii Ldl. Bot. Reg. 25, 48.  
 — — — Maund Bot. 5, 222.  
 — — — var. Knowles et Westcott 129.  
 — Warneri Ldl. var. purpuratum, Bot. Reg. 33, 20.  
*Odontoloma acuminatum* H. B. K. H. B. K. Nov. Gen. 4, 319.  
 † — Boryanum J. Sm. Hook. Gen. Fil. 114.  
 † — — — Fée Fil. 5, 26.  
 — pulchellum J. Sm. Fielding Sertum 51.  
 † *Odontosoria uncinella* Fée. Fée Fil. 5, 27.  
*Odontostemma glandulosum* Benth. Endl. Acta 34.  
*Odontostigma Galeottianum* A. Rich. Ramon Cuba 56.  
*Odonstylis multiflora* Breda. Breda Orchid. Jav. 4.  
 — triflora Breda. Breda Orchid. Jav. 4.  
 † *Oedera aliena* L. fil. Jacq. Fragm. 2.



- Oedera aliena* L. *fl.* Jacq. Schoenbr. 2, 154.  
 † — — *prolifera* L. Gaertn. Carp. 172.  
 — — — Lam. Encycl. 720.  
 — — — Bot. Mag. 40, 1637.  
*Oedmannia lancea* Thunb. Svensk Acad. 1800, 4.  
*Oenanthe apiifolia* Brot. Brotero Phytogr. 33.  
 — — *crocata* L. Jacq. Vind. 3, 55.  
 † — — — Gaertn. Carp. 22.  
 — — — Woodv. Med. 1, 38.  
 — — — Curt. Lond. 5, 201.  
 — — — Engl. Bot. 33, 2313.  
 — — — Baxter Brit. Bot. 2, 160.  
 — — *filiformis* Lam. Lam. Encycl. 203.  
 † — — *fistulosa* L. Gaertn. Carp. 22.  
 † — — — Lam. Encycl. 203.  
 — — — Fl. dan. 5, 846.  
 — — — Engl. Bot. 6, 363.  
 — — — Sv. Bot. 619.  
 — — — Schk. Handb. 70.  
 — — — Dreves 3, 98.  
 — — — Brandt und Ratzeb. 26.  
 — — *fluviatilis* Colem. Jardine Ann. 13, 3.  
 — — — Engl. Bot. 2944.  
 † — — *globulosa* L. Gaertn. Carp. 22.  
 — — — Gouan Illustr. 9.  
 — — *incrassans* Bory. Bory et Chaubard Morée 8.  
 — — *Jordani* Ten. Tenore Fl. nap. 218.  
 — — *Karsthia* Haecq. Hacquet Pl. alp. 3.  
 — — *Lisae* Moris. Moris Fl. sard. 77.  
 — — *peucedanifolia* Poll. Pollich Palat. 1, 2.  
 — — — Sm. Engl. Bot. 5, 348.  
 — — *Phellandrium* Lam. Nees Düsseld. 280.  
 — — *pimpinelloides* Sm. Engl. Bot. 5, 347.  
 — — — Fl. dan. 9, 1454.  
 — — — Jacq. Fl. austr. 4, 394.  
 † — — — Gaertn. Carp. 22.  
 — — *prolifera* L. Jacq. Vind. 3, 62.  
 — — *stolonifera* DC. Wight Ic. pl. Ind. or. 2, 571.  
*Oenocarpus Bacaba* Mart. Mart. Palm. 26.  
 — — — Wallace Palms 9.  
 — — *Bataua* Mart. Mart. Palm. 24, 25.  
 — — — Wallace Palms 10, 11.  
 — — *circumtexta* Mart. Mart. Palm. 26.  
 — — *disticha* Mart. Mart. Palm. 22, 23.  
 — — *minor* Mart. Mart. Palm. 27.  
 — — *Tarampabo* Mart. D'Orbigny Voyage 8, 18.  
 † *Oenothera* L. Ann. sc. nat. II. 18, 11, 12.  
 — — *acaulis* Cav. Cav. Ic. 399.  
 — — — Bot. Reg. 9, 763.  
 — — *albicans* Lam. Lam. Encycl. 279.  
 — — *alysoides* H. et A. Hook. Ic. pl. 4, 339.  
 — — *amoena* Lehm. Acta Leop. 14, 2, 45.  
 — — *anisoloba* Sweet. Bot. Reg. 18, 1479.  
 — — — Sweet Fl. G. II. 105.  
 — — *anomala* Curt. Bot. Mag. 11, 388.  
 — — *biennis* L. Fl. dan. 3, 446.  
 † — — — Lam. Encycl. 279.  
 — — — Sv. Bot. 549.  
 — — — Engl. Bot. 22, 1534.  
 — — — Baxter Brit. Bot. 4, 257.  
 — — — var. *grandiflora*, Bot. Reg. 19, 1604.  
 † — — — Pléc Types 32.  
 — — — Sturm Flora 1, 5.  
 — — — Schrank Fl. monac. 1, 30.  
 — — — Dietr. Fl. bor. 3, 214.  
 — — *bifrons* Don. Bot. Mag. 66, 3764.  
 — — — Bot. Reg. 17, 1405.  
 — — — Sweet Fl. G. II. 386.  
 — — *caespitosa* Sims. Bot. Mag. 39, 1593.  
 — — *cheiranthifolia* Hornem. Bot. Reg. 12, 1040.  
 — — *concinna* Don. Sweet Fl. II. 183.  
 — — *corymbosa* Sims. Bot. Mag. 45, 1974.

- Oenothera decumbens* Dougl. Bot. Reg. 15, 1221.  
 — — — Bot. Mag. 56, 2889.  
 — — *densiflora* Ldl. Bot. Reg. 19, 1593.  
 — — *dentata* Rz et P. Ruiz et Pav. Fl. 317.  
 — — — Cav. Cav. Ic. 398.  
 — — — Lindley Collect. 10.  
 — — *Drummondii* Hook. Bot. Mag. 61, 3361.  
 — — *Fraseri* Pursh. Bot. Mag. 40, 1674.  
 — — *fruticosa* L. Bot. Mag. 10, 332.  
 — — — var. Bot. Mag. 64, 3545.  
 — — — var. *indica*, Bot. Reg. 27, 11.  
 — — *glauca* Michx. Bot. Mag. 39, 1606.  
 — — — Bot. Reg. 18, 1511.  
 — — *graciliflora* H. et A. Hook. Ic. pl. 4, 338.  
 — — *grandiflora* Rz et P. Ruiz et Pav. Fl. 318.  
 — — — Ait. Barton Fl. 1, 6.  
 — — — Bot. Mag. 46, 2068.  
 — — *humifusa* Nutt. Bot. Reg. 22, 1829.  
 — — *laciniata* Hill. Hill Hort. Kew. 6.  
 — — *Lindleyi* Dougl. Bot. Mag. 55, 2832.  
 — — — Sweet Fl. G. II. 19.  
 — — *longiflora* L. Jacq. Vind. 172.  
 — — — Bot. Mag. 11, 365.  
 — — *macrocarpa* Pursh. Sweet Fl. G. 5.  
 — — *minima* Pursh. Pursh Fl. 15.  
 — — *missouriensis* Sims. Bot. Mag. 39, 1592.  
 — — *mollissima* L. Schk. Handb. 105.  
 — — *multicaulis* Rz et P. Ruiz et Pav. Fl. 317.  
 — — *muricata* Murr. N. Comm. Gott. 6, 1.  
 — — — Fl. dan. 10, 1752.  
 — — *nocturna* Jacq. Jacq. Ic. 455.  
 — — *octovalvis* L. Jacq. Hist. stirp. am. 105.  
 — — *odorata* Jacq. Jacq. Ic. 456.  
 — — — Hook. Exot. Fl. 183.  
 — — — Bot. Mag. 50, 2403.  
 — — — Bot. Reg. 2, 147.  
 † — — — N. Ann. Mus. 4, 30.  
 † — — — Spach Suites 86.  
 — — *pallida* Ldl. Bot. Reg. 14, 1142.  
 — — *prostrata* Rz et P. Ruiz et Pav. Fl. 315.  
 — — *pumila* L. Bot. Mag. 10, 355.  
 — — *purpurea* Curt. Bot. Mag. 10, 352.  
 — — *quadrivulnera* Dougl. Bot. Reg. 13, 1119.  
 — — *repanda* Med. Acta palat. 3, 8.  
 — — *Romanzowii* Led. Petersb. 8, 11.  
 — — — Bot. Reg. 7, 562.  
 — — *rosea* Ait. Meerb. Pl. scl. 17.  
 — — — Bot. Mag. 10, 347.  
 — — *roseo-alba* Bernh. Rchb. Hort. 47, 150.  
 — — — Sweet Fl. G. 268.  
 — — *rubra* Cav. Cav. Ic. 400.  
 — — *serotina* Sweet. Sweet Fl. G. 184.  
 — — — Bot. Reg. 22, 1840.  
 — — *serrulata* Nutt. Hook. Exot. Fl. 140.  
 — — — Sweet Fl. G. 133.  
 — — *sinuata* L. N. Comm. Gott. 5, 9.  
 — — — Bot. Mag. 62, 3392.  
 — — *speciosa* Nutt. Hook. Exot. Fl. 80.  
 — — — Bot. Mag. 59, 3189.  
 — — — Kerner Hort. 744.  
 — — — Sweet Fl. G. 253.  
 — — *stricta* Led. Petersb. 8, 12.  
 — — *subulata* Rz et P. Ruiz et Pav. Fl. 316.  
 — — *taraxacifolia* Sweet. Sweet Fl. G. 294.  
 — — *tenella* Cav. Cav. Ic. 396.  
 — — — Ruiz et Pav. Fl. 316.  
 — — — Bot. Mag. 50, 2424.  
 — — — Sweet Fl. G. 167.  
 — — — var. *tenuifolia*, Bot. Reg. 19, 1587.  
 — — *tenuifolia* Cav. Cav. Ic. 397.  
 — — — Ruiz et Pav. Fl. 317.  
 — — *tetraptera* Cav. Cav. Ic. 279.

- Oenothera tetraptera Cav.* Bot. Mag. 13, 468.  
 — *triloba Bart.* Barton Fl. 2, 49.  
 — — — Bot. Mag. 52, 2566.  
 — — — Rehb. Hort. 145.  
 — *viminea Dougl.* Bot. Mag. 55, 2873.  
 — — — Bot. Reg. 15, 1220.  
 — *virgata Rz et P.* Ruiz et Pav. Fl. 315.  
 † *Oenotheraeae Endl.* (Embryo.) Ann. sc. nat. III. 9, 4.  
*Oginetia indica Roxb.* Wight Ic. pl. Ind. or. 3, 895.  
*O-Higginsia aggregata Rz et P.* Ruiz et Pav. Fl. 83.  
 — *obovata Rz et P.* Ruiz et Pav. Fl. 85.  
 — *verticillata Rz et P.* Ruiz et Pav. Fl. 85.  
*Ohlendorffia rosulata N. v. E.* Bot. Reg. 22, 1882.  
*Oiospermum Wightianum DC.* Delessert Ic. 4, 1.  
 † *Olacineae Mirbel.* Wight Illustr. 142.  
*Olax scandens Roxb.* Roxb. Corom. 102.  
 † — — — Gaertn. Carp. 201.  
 — *stricta R. Br.* Dict. sc. nat. 6.  
 † — *zeylanica L.* Gaertn. Carp. 179.  
*Oldenburgia arbuscula DC.* DC. Composées 12.  
 † *Oldenlandia corymbosa L.* Gaertn. Carp. 30.  
 † — — — Lam. Encycl. 61.  
 — — — Desc. Ant. 1, 50.  
 — *Deppeana DC.* Knowles et Westcott 1.  
 — — — Maund Bot. 5, 249.  
 — *paniculata L.* Burm. Fl. ind. 15.  
 — *ramosa Roxb.* Wight Ic. pl. Ind. or. 3, 822.  
 — *repens L.* Rumpf Amb. 5, 170. fig. 4.  
 — — *Burm.* Burm. Fl. ind. 15.  
 — *tenuifolia Burm.* Burm. Fl. ind. 14.  
 — *umbellata L.* Roxb. Corom. 3.  
 — *verticillata L.* Rumpf Amb. 6, 10.  
*Oldfieldia africana Benth. et Hook.* Hook. Journ. 1850, 6.  
*Olea americana L.* Michaux Arb. 3, 6.  
 — *apetala Andr.* Andr. Rep. 5, 316.  
 — — *Vahl.* Endl. Iconogr. 54.  
 — *capensis L.* Bot. Reg. 8, 613.  
 — *clavata G. Don.* Wight Ic. pl. Ind. or. 2, 736.  
 — *dioica Roxb.* Rheede Hort. mal. 4, 54.  
 — — — Wight Illustr. 151.  
 — *emarginata Lam.* Lam. Encycl. 8.  
 † *europaea L.* Gaertn. Carp. 93.  
 † — — — Lam. Encycl. 8.  
 † — — — Kerner Genera 130.  
 — — — Lehr Olea x.  
 — — — Tavanti tab. 1—5.  
 — — — Couture Traité 1, 1—5. 2, 1. 2.  
 — — — Sibth. Fl. gr. 3.  
 — — — Woodv. Med. 2, 98.  
 — — — var. *longifolia, Lodd.* Cab. 456.  
 — — — *Nouveau Duhamel* 5, 25—32.  
 — — — Hillhouse Description 1.  
 — — — Dict. sc. nat. 38.  
 — — — Spach Suites 106.  
 — — — Hayne 10, 10.  
 — — — Nees Düsseld. 211.  
 — — — Guimpel et Schl. 248.  
 — — — Wagner 54.  
 — *exasperata Jacq.* Jacq. Schoenbr. 3, 251.  
 — *ferruginea Royle.* Royle Illustr. 65.  
 — *fragrans Thunb.* Thunberg Fl. jap. 2.  
 — — — Bot. Mag. 38, 1552.  
 — — — Lodd. Cab. 1786.  
 — — — *Nouveau Duhamel* 5, 24.  
 — — — Nees Düsseld. 212.  
 † — — — (Folium.) Mem. Institut. 1850, 8.  
 † — *glandulifera Wall.* Wight Illustr. 151<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1238.  
 — *linocieroides Wight.* Wight Ic. pl. Ind. or. 4, 1241.  
 — *montana Hook. fil.* Hook. New Zeal. 46.  
 — *nigra Loiseleur.* Herb. amat. 4, 256.  
 — *paniculata Roxb.* Wight Ic. pl. Ind. or. 2, 735.  
*Olea polygama Wight.* Wight Ic. pl. Ind. or. 4, 1239.  
 — — — 1240.  
 — *robusta Wall.* Wight Spicil. 147.  
 — — — Wight Ic. pl. Ind. or. 4, 1242.  
 — *Roxburghii R. et Sch.* Wight Ic. pl. Ind. or. 2, 735.  
 — *undulata Jacq.* Jacq. Schoenbr. 1, 2.  
 — — — Bot. Mag. 58, 3089.  
 — — — Lodd. Cab. 379.  
 † *Oleaceae Endl.* Wight Illustr. 151<sup>bis</sup>.  
*Oleandra hirtella Miq.* Kunze Fil. 129.  
 † — *pilosa Hook.* Hook. Gen. Fil. 45.  
*Olearia Colensoi Hook. fil.* Hook. New Zeal. 29.  
 —? *grandiflora Hook.* Hook. Ic. pl. 9, 862.  
 — — *Gunniana Hook. fil.* Bot. Mag. 78, 4638.  
 — — — Lem. Jard. fl. 243.  
*Olfersia corcovadensis Raddi.* Opusc. sc. Bon. 3, 11.  
 — — — Raddi Fil. 14. 15.  
 † — — — Hook. Gen. Fil. 79.  
 † — — — Schott Gen. Fil. 5.  
*Oligogyne Burchellii Hook.* Hook. Ic. pl. 2, 101.  
 — *tampicana DC.* Delessert Ic. 4, 38.  
*Oligolepis amaranthoides Wight.* Wight Ic. pl. Ind. or. 3, 1149.  
*Oligomeris glaucescens Decne.* Jacquemont Ind. 25.  
 † *Oligopholis tubulosa Wight.* Wight Illustr. 158<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1422.  
 † *Oligosporus emarginatus Gaudich.* Ann. sc. nat. 5, 3.  
 † *Oligothrix DC.* Ann. sc. nat. II. 12, 4.  
 — *gracilis DC.* Delessert Ic. 4, 57.  
*Olinia acuminata Klotzsch.* Link Ic. III. 21.  
 — *capensis Klotzsch.* Link Ic. III. 3.  
 — *cymosa Thunb.* Link Ic. III. 24.  
*Olivaria decumbens Vent.* Vent. Cels 21.  
 — — — Lam. Encycl. 935.  
 † *Olmedia Rz et P.* Ruiz et Pav. Prodr. 28.  
 † — — — Ann. sc. nat. III. 8, 2.  
 — *angustifolia P. et E.* Poepp. et Endl. 143.  
 — *aspera Rz et P.* H. B. K. Nov. Gen. 7, 633.  
 — *calophylla P. et E.* Poepp. et Endl. 146.  
 — *mollis P. et E.* Poepp. et Endl. 144.  
 — *tomentosa P. et E.* Poepp. et Endl. 145.  
 † *Olyra L.* Linné Amoenit. 7, 3.  
 † — — — Ann. Mus. 17, 6.  
 — *axillaris Lam.* Lam. Encycl. 751.  
 — *capillata Trin.* Trin. Sp. Gr. 3, 341.  
 — *cordifolia Willd.* Trin. Sp. Gr. 3, 342.  
 — *fasciculata Trin.* Trin. Sp. Gr. 3, 343.  
 — *filiformis Trin.* Trin. Sp. Gr. 3, 344.  
 — *floribunda Raddi.* Trin. Sp. Gr. 3, 345.  
 — *humilis N. v. E.* Brongniart Coquille 22.  
 † — *latifolia L.* Gaertn. Carp. 181.  
 — — — Lam. Encycl. 751.  
 — *micrantha Humb. Kth.* Humb. Gram. 12.  
 — *paniculata Sw.* Trin. Sp. Gr. 3, 346.  
 — *semiovata Trin.* Trin. Sp. Gr. 3, 347.  
 † *Omalanthus Leschenaultianus Juss.* Juss. Euphorb. 16.  
 — *populifolius Graham.* Bot. Mag. 54, 2780.  
*Ombrophytum peruvianum P. et E.* Poepp. et Endl. 155.  
 † — *zamioides Wedd.* Ann. sc. nat. III. 14, 10.  
*Omphacarpus hirsutus Korth.* Korthals Bot. 42.  
 † *Omphalea axillaris Poir.* Lam. Encycl. 753.  
 — *diandra L.* Aublet Guiana 328.  
 † — — — Lam. Encycl. 753.  
 † — *triandra L.* Swartz Obs. 10.  
 † — — — Lam. Encycl. 753.  
 — — — Lodd. Cab. 519.  
 — — — Tussac Ant. 4, 9.  
 — — — Desc. Ant. 2, 80.  
 † — — — Jussieu Euphorb. 17.  
 † *Omphalobium indicum Gaertn.* Gaertn. Carp. 46.  
 — *Patrisii DC.* Mem. hist. nat. Par. 2, 20.  
 — *Perrottetii DC.* Mem. hist. nat. Par. 2, 20.

- Omphalobium rubrum* P. et E. Poepp. et Endl. 288.  
 — *Schotia Jacq.* Jacq. Ecl. pl. 126.  
 — *villosum DC.* Delessert Ic. 3, 58.  
*Omphalocarpum procerum* Pal. B. Pal. B. Fl. d'Ow. 5. 6.  
 † — — — Lam. Encycl. 966.  
 † — — — Kerner Genera 91. 92.  
*Omphalodes amplexicaulis* Lehm. Mag. naturf. Fr. 8, 3.  
 — *cornifolia* Lehm. Mag. naturf. Fr. 8, 2.  
 — *longiflora A. DC.* Regel Gartenfl. 2, 46.  
 — *Luciliae Boiss.* Jaubert Illustr. 366.  
 — *nitida Link.* Hoffm. et Link Fl. port. 25.  
 — *scorpioides* Lehm. Mag. naturf. Fr. 8, 4.  
 — — — Sturm Flora 6, 21.  
 — *verna Moench.* Sturm Flora 6, 21.  
 † — — — Nees Genera 6, 57.  
 † *Omphalopus fallax* Naud. Ann. sc. nat. III. 15, 4.  
 † *Onagra biennis* Moench. Gaertn. Carp. 32.  
 † *Onagraricae DC.* Spach Suites 85. 86.  
 † *Oncidium Sw.* Svensk Acad. 1800, 3.  
 † — — — Schrader Neues Journal 1, 1.  
 — *altissimum Ldl.* Bot. Reg. 19, 1651. 22, 1851.  
 — — — Bot. Mag. 57, 2990.  
 — — — Kerner Hort. 394.  
 — *amictum Ldl.* Bot. Reg. 33, 66.  
 — *ampliatum Ldl.* Bot. Reg. 20, 1699.  
 — *barbatum Ldl.* Lindley Collect. 27.  
 — — — Kerner Hort. 791.  
 — *Barkeri Ldl.* Lindley Sertum 48.  
 — — — Paxt. Mag. 14, 97.  
 — — — Lemaire Illustr. 1854, 2.  
 — *Batemanianum* Parm. Knowles et Westcott 137.  
 † *Baueri Ldl.* Bauer Orchid. (Genera.) 7.  
 — *bicallosum Ldl.* Bot. Reg. 29, 12.  
 — — — Bot. Mag. 71, 4148.  
 — *bicolor Ldl.* Bot. Reg. 29, 66.  
 — *bicornutum Hook.* Bot. Mag. 58, 3109.  
 — — — Bot. Reg. 12, 1007.  
 — *bifolium Sims.* Bot. Mag. 36, 1491.  
 — — — Lodd. Cab. 1845.  
 — *carthagenense Sw.* Lodd. Cab. 662.  
 — — — Link Ic. III. 6.  
 — *Cavendishianum Batem.* Bateman Orchid. 3.  
 — *Cebolleta Sw.* Bot. Reg. 23, 1994.  
 — — — Bot. Mag. 64, 3568.  
 — *ciliatum Ldl.* Bot. Reg. 20, 1660.  
 — *citrinum Ldl.* Bot. Reg. 21, 1758.  
 — — — Paxt. Mag. 4, 77.  
 — ? *concolor Hook.* Bot. Mag. 66, 3752.  
 — *cornigerum Ldl.* Bot. Reg. 18, 1542.  
 — — — Bot. Mag. 63, 3486.  
 — *crispum Lodd.* Lodd. Cab. 1854.  
 — — — Bot. Mag. 63, 3499.  
 — — — Bot. Reg. 23, 1920.  
 — — — Maund Bot. 1, 26.  
 — — — Knowles et Westcott 64.  
 — *cucullatum Ldl.* Paxt. Fl. G. 87.  
 — — — Lem. Jard. fl. 3, 317.  
 — — — Fl. d. serres 8, 835.  
 — *curtum Ldl.* Bot. Reg. 33, 68.  
 — *deltoides Lodd.* Bot. Reg. 23, 2006.  
 — *divaricatum Ldl. β. cupreum*, Bot. Reg. 13, 1050.  
 — — — Paxt. Mag. 3, 4.  
 — — — Lodd. Cab. 1212.  
 — — — Rchb. Exot. 95.  
 — *echinatum H. B. K.* H. B. K. Nov. Gen. 1, 79.  
 — *flabelliferum Pin.* Paxt. Mag. 16, 65.  
 — *flexuosum Lodd.* Lodd. Cab. 424.  
 — — — Bot. Mag. 48, 2203.  
 — — — Rchb. Exot. 94.  
 — *Forbesii Hook.* Bot. Mag. 65, 3705.  
 — *gallopavinum Morr.* Annales de Gand 1845, 1.  
 — *Geertianum Morr.* Annales de Gand 1848, 179.

- Oncidium haematochilum Ldl.* Paxt. Fl. G. 6.  
 — *Harrisonianum Ldl.* Bot. Reg. 19, 1569.  
 — — — Lodd. Cab. 1917.  
 — *heteranthum P. et E.* Poepp. et Endl. 60.  
 — *Huntianum Hook.* Bot. Mag. 67, 3806.  
 — *incurvum Barker.* Bateman Orchid. 29.  
 — — — Bot. Reg. 31, 64.  
 — *Insleayii Ldl.* Bateman Orchid. 21.  
 — — — Paxt. Mag. 8, 265.  
 — — — Fl. d. serres 1, 43.  
 — *intermedium Kn. et W.* Knowles et Westcott 60.  
 — *iridifolium Ldl.* Bot. Reg. 22, 1911.  
 — *lacerum Ldl.* Bot. Reg. 32, 27.  
 — *Lanceanum Ldl.* Hortic. Transact. 9, 5.  
 — — — Bot. Reg. 22, 1887.  
 — — — Knowles et Westcott 79.  
 — — — Paxt. Mag. 4, 169.  
 — — — var. *superbum*, Hart. Parad. 1, 12.  
 — *Lemonianum Ldl.* Bot. Reg. 21, 1789.  
 — *leucochilum Batem.* Bateman Orchid. 1.  
 — — — Paxt. Mag. 7, 241.  
 — *longifolium Ldl.* Bot. Reg. 28, 4.  
 — *lunatum Ldl.* Bot. Reg. 23, 1929.  
 — *luridum Ldl.* Bot. Reg. 9, 727.  
 — — — Bot. Mag. 64, 3603.  
 — — — var. *guttatum*, Bot. Reg. 25, 16.  
 — — — var. *Henchmanni*, Knowles et Westcott 97.  
 — *macrantherum Hook.* Bot. Mag. 67, 3845.  
 — *microchilum Batem.* Bot. Reg. 29, 23.  
 — *monoceras Hook.* Bot. Mag. 68, 3890.  
 — *Normani Hort.* Glenny Journal 1839, x.  
 — *ornithorhynchum H. B. K.* H. B. K. N. G. 1, 80.  
 — — — Bot. Reg. 26, 10.  
 — — — Bot. Mag. 68, 3912.  
 — — — Bateman Orchid. 4.  
 — — — Knowles et Westcott 136.  
 — *pachyphyllum Hook.* Bot. Mag. 67, 3807.  
 — *panchrysum Ldl.* Journal Hort. Soc. 4, 267.  
 — *panduriferum H. B. K.* H. B. K. Nov. Gen. 1, 82.  
 — *Papilio Ldl.* Bot. Reg. 11, 910.  
 — — — Bot. Mag. 55, 2795. 66, 3733.  
 — — — Lodd. Cab. 1086.  
 — — — Maund Bot. 1, 10.  
 — — — Paxt. Mag. 5, 175.  
 — — — Knowles et Westcott 12.  
 — — — Rchb. Exot. 62.  
 — — — Hart. Parad. 1, 9.  
 — *pectorale Ldl.* Lindley Sertum 39.  
 — *pelicanum Mart.* Bot. Reg. 33, 70.  
 — *pictum H. B. K.* H. B. K. Nov. Gen. 1, 81.  
 — — — Lam. Encycl. 992.  
 — — — Kerner Hort. 499.  
 — *planilabre Ldl.* Journal Hort. Soc. 6, 60.  
 — *pubes Ldl.* Bot. Reg. 12, 1007.  
 — — — var. *Bot. Mag. 68, 3926.*  
 — *pulchellum Hook.* Bot. Mag. 54, 2773.  
 — — — Bot. Reg. 21, 1787.  
 — — — Lodd. Cab. 1984.  
 — *pulvinatum Ldl.* Bot. Reg. 25, 42.  
 — *pumilum Ldl.* Bot. Reg. 11, 920.  
 — — — Bot. Mag. 64, 3581.  
 — — — Lodd. Cab. 1732.  
 — *raniferum Ldl.* Bot. Reg. 24, 48.  
 — — — Bot. Mag. 66, 3712.  
 — *reflexum Ldl.* Maund Bot. 3, 116.  
 — *Rigbyanum Paxt.* Paxt. Mag. 16, 257.  
 — *Russelianum Ldl.* Bot. Reg. 22, 1830.  
 — *sanguineum Ldl.* Lindley Sertum 27.  
 — *sessile Part.* Paxt. Fl. G. 21.  
 — *sphacelatum Ldl.* Bot. Reg. 28, 30.  
 — *spilopterum Ldl.* Bot. Reg. 31, 40.  
 — — — Paxt. Mag. 15, 200.

- Oncidium stramineum* Ldl. Bot. Reg. 26, 14.  
 — *tenue* Ldl. Journal Hort. Soc. 3, 77, 7, 271.  
 — *tricolor* Hook. Bot. Mag. 70, 4130.  
 — *trilingue* Ldl. Paxt. Fl. G. 63.  
 — — — Lem. Jard. fl. 217.  
 — *triquetrum* R. Br. Bot. Mag. 62, 3393.  
 — *trulliferum* Ldl. Bot. Reg. 25, 57.  
 — *uniflorum* Booth. Bot. Reg. 29, 43.  
 — *urophyllum* Lodd. Bot. Reg. 28, 54.  
 — *varicosum* Ldl. Lem. Jard. fl. 206 — 207.  
 — *variegatum* Sw. Lem. Jard. fl. 99.  
 — — — Paxt. Fl. G. 33.  
 — *Wentworthianum* Batem. Bateman Orchid. 39.  
 — *Wrayae* Hook. Bot. Mag. 67, 3854.  
*Oncoba spinosa* Forsk. Lam. Encycl. 471.  
 — — *Perrotet.* Guillemin Sencg. 10.  
*Oncosperma filamentosa* Bl. Blume Rumphia 82, 103.  
 † *Oncostemum Capelicanum* Juss. Mem. Mus. 19, 11.  
 — *Commersonianum* Juss. Mem. Mus. 19, 11.  
 † *Onobroma coeruleum* Gaertn. Gaertn. Carp. 160.  
*Onobrychis cretica* Desv. Desvieux Journ. 5, 23.  
 † — *Crista galli* Lam. Gaertn. Carp. 148.  
 — *diffusa* Decne. Jacquemont Ind. 49.  
 — *horrida* Desv. Desvieux Journ. 5, 22.  
 — *Pallasii* M. v. B. Marschall Cent. 35.  
 — *radiata* M. v. B. Marschall Cent. 55.  
 — — — Bot. Reg. 33, 37.  
 — — — Knowles et Westcott 3.  
 — *sativa* Lam. Sturm Flora 5, 19.  
 — — — Schrank Fl. monac. 4, 320.  
 — — — Dietr. Fl. bor. 9, 605.  
 — — — Baxter Brit. Bot. 2, 134.  
 — *saxatilis* Lam. All. Fl. ped. 3, 19.  
 † — *squarrosa* Viv. Viviani Aeg. 2.  
*Onoclea Boryana* Sw. Schk. Fil. 103<sup>b</sup>.  
 — *crispa* Liljeblad. Sturm Flora II, 1, 8.  
 — *nodulosa* Michx. Schk. Fil. 104.  
 — *nuda* Lab. Bill. Nov. Holl. 246.  
 — *obtusilobata* Schk. Schk. Fil. 103.  
 — — — Lodd. Cab. 1578.  
 — — — Torrey New York 160.  
 — *scandens* Sw. Schk. Fil. 106, 107.  
 — *sensibilis* L. Schk. Fil. 102.  
 — — — Dict. sc. nat. 90.  
 — — — Lam. Encycl. 864.  
 — — — var. Torrey New York 160.  
 † — — — Hook. Gen. Fil. 82.  
 — *Struthiopteris* Sw. Schk. Fil. 105.  
*Onoctonia calcarata* Naud. Ann. sc. nat. III, 12, 12.  
 — *crassipes* Naud. Ann. sc. nat. III, 12, 12.  
 — *pauciflora* Naud. Ann. sc. nat. III, 12, 12.  
*Ononis aggregata* Asso. Asso Aragon. 6.  
 • — *alba* Poir. Moris Fl. sard. 33<sup>b</sup>.  
 — *alopeuroides* L. Picot Pyrénées 9.  
 — — — Schk. Handb. 194.  
 — *antiquorum* L. Sibth. Fl. gr. 675.  
 — — — Jaubert Illustr. 154.  
 — — — Rchb. Pl. crit. 1, 7.  
 — — — Sturm Flora 17, 72.  
 — — — Baxter Brit. Bot. 4, 289.  
 † — — — Mutel Fl. fr. 15.  
 — *aragonensis* Asso. Asso Aragon. 6.  
 — *arborescens* Desf. Desf. Fl. atl. 193.  
 — *arthropodia* Brot. Brotero Phytogr. 58.  
 — *arvensis* L. var. *spinosa*, Engl. Bot. 10, 682.  
 — — — var. *spinosa*, Sv. Bot. 243.  
 — — — Engl. Bot. 2659.  
 — *Aucherii* Jaub. Jaubert Illustr. 96.  
 — *barbata* Cav. Cav. Ic. 153.  
 — *biflora* Desf. Moris Fl. sard. 33.  
 — *calycina* Viv. Viviani Lib. 18.  
 — *capitata* Cav. Cav. Ic. 154.

- Ononis cenisia* L. All. Fl. ped. 3, 10.  
 — *cephalotes* Boiss. Boissier Esp. 47.  
 — *Cherleri* Sibth. Sibth. Fl. gr. 677.  
 — *cintrana* Brot. Brotero Phytogr. 57.  
 — *Columnae* All. Allione Fl. ped. 3, 20.  
 — — — Brotero Phytogr. 56.  
 — — — Sibth. Fl. gr. 676.  
 — *crispa* L. Roemer Archiv I. 1.  
 — — — Sibth. Fl. gr. 680.  
 — *Dehnhardtii* Ten. Acad. Neap. 3, 4.  
 — — — Tenore Fl. nap. 169.  
 — *dentata* Soland. Transact. Cambr. Soc. 4, 4.  
 — *diacantha* Sieb. Rchb. Pl. crit. 1, 7.  
 — *diffusa* Ten. Tenore Fl. nap. 169.  
 — *ervoides* Sieb. Sieber Creta 11.  
 — *euphrasioides* Desf. Desf. Fl. atl. 184.  
 — *falcata* Viv. Viviani Lib. 18.  
 — *filicaulis* Salzmann. Boissier Esp. 46.  
 — *flexipes* Webb. Webb Canar. 54.  
 — *foetens* All. All. Fl. ped. 3, 41.  
 — *fruticosa* L. Bot. Mag. 9, 317.  
 — — — Lodd. Cab. 1569.  
 — — — Nouveau Duhamel 2, 36.  
 — *gibraltarica* Boiss. Boissier Esp. 43.  
 — *hebecarpa* Webb. Webb Canar. 52.  
 — *hircina* Jacq. Jacq. Vind. 93.  
 — — — Hayne 11, 42.  
 — — — Sturm Flora 17, 72.  
 — — — Fl. dan. 9, 1584.  
 — *hispanica* L. Brotero Phytogr. 177.  
 — — — Bot. Mag. 51, 2450.  
 — *hispida* Desf. Desf. Fl. atl. 189.  
 — *juncea* Asso. Asso Arag. 5.  
 — *latifolia* Asso. Asso Arag. 11.  
 — *laxiflora* Desf. Desf. Fl. atl. 190.  
 — — — Webb Canar. 53.  
 — *longifolia* Willd. Webb Canar. 51.  
 — *Masquillierii* Bert. Novi Comm. Bonon. 4, 5.  
 — *minutissima* Jacq. Jacq. Fl. austr. 3, 240.  
 — *mollis* Savi. Mem. Mod. 9, x.  
 — *monophylla* Desf. Desf. Fl. atl. 188.  
 — *Natrix* L. Bot. Mag. 10, 329.  
 — — — Sturm Flora 17, 72.  
 — — — Guimpel Holzgew. 125.  
 — *oligophylla* Ten. Tenore Fl. nap. 67.  
 — *ornithopodioides* L. Car. Ic. 192.  
 — — — Sibth. Fl. gr. 679.  
 — *parviflora* Lam. Cav. Ic. 154.  
 — *peduncularis* Ldl. Bot. Reg. 17, 1447.  
 — *pendula* Desf. Desf. Fl. atl. 191.  
 — *persica* Burm. Burm. Fl. ind. 49.  
 — *Picardi* Boiss. Boissier Esp. 45.  
 — *picta* Desf. Desf. Fl. atl. 187.  
 — *polymorpha* Guss. Gussone Pl. rar. 48.  
 — *ramosissima* Desf. Desf. Fl. atl. 186.  
 — *reclinata* L. Engl. Bot. 2838.  
 — *repens* L. Sturm Flora 17, 72.  
 — — — Hayne 11, 44.  
 † — — — Cosson Atlas 11.  
 — *rosea* Durieu. Explor. Alger. 83.  
 — *rotundifolia* L. Jacq. Fl. austr. 5, 49.  
 — — — Bot. Mag. 10, 335.  
 — — — Lodd. Cab. 1496.  
 — — — Lam. Encycl. 616.  
 — — — Herb. amat. 2, 119.  
 — — — Sturm Flora 17, 72.  
 — — — Guimpel Holzgew. 126.  
 — *serrata* Forsk. β. prostata, Webb Canar. 55.  
 — *sicula* Guss. Boissier Esp. 46.  
 — *speciosa* Lag. Boissier Esp. 44.  
 — *spinosa* L. Fl. dan. 5, 783.  
 — — — Schk. Handb. 194.

- † *Ononis spinosa* L. Gaertn. Carp. 154.  
 † — — — Lam. Encycl. 616.  
 — — — Guimpel Holzgew. 124.  
 — — — Schrank Fl. monac. 4, 333.  
 — — — Sturm Flora 17, 72.  
 — — — Guimpel et Schl. 166.  
 — — — Wagner 214.  
 — — — Nees Düsseld. 323.  
 — — — Hayne II, 43.  
 † — — — Cosson Atlas 11.  
 — *syriaca* Jaub. Jaubert Illustr. 155.  
 — *tridentata* L. Cav. Ic. 152.  
 — *ulicina* Webb. Webb Canar. 51 B.  
 — *vaginalis* Vahl. Vent. Cels 32.  
 — — — Viviani Lib. 4.  
 — *variegata* L. Desf. Fl. atl. 185.  
 — *vestita* Viv. Viviani Lib. 18.  
 — *villosissima* Desf. Desf. Fl. atl. 192.  
 — *viscosa* L. Sibth. Fl. gr. 678.  
*Onopordon Acanthium* L. Fl. dan. 6, 909.  
 — — — Curt. Lond. 2, 20.  
 — — — Engl. Bot. 14, 977.  
 — — — Baxter Brit. Bot. 4, 273.  
 — — — Sv. Bot. 227.  
 — — — Schk. Handb. 230.  
 — — — Hayne 6, 44.  
 — — — Schrank Fl. monac. 1, 67.  
 — — — Dietr. Fl. bor. 8, 521.  
 — — — Rehb. Fl. germ. 15, 813.  
 — *acaule* L. Jacq. Ic. 167.  
 — *arabicum* L. Jacq. Vind. 149.  
 — — — Bot. Mag. 61, 3299.  
 — *elatium* Sibth. Sibth. Fl. gr. 833.  
 — *graecum* Gouan. Gouan Illustr. 25.  
 — *illyricum* L. Jacq. Vind. 148.  
 † — — — Gaertn. Carp. 161.  
 † — — — Lam. Encycl. 664.  
 † — — — Schk. Handb. 230.  
 — — — Rehb. Fl. germ. 15, 814.  
 — *macroacanthum* Schousb. Schousboe Mar. 5<sup>a</sup>, 5<sup>b</sup>.  
 — — — Sibth. Fl. gr. 832.  
 — *nervosum* Boiss. Boissier Esp. 108<sup>a</sup>.  
 — *rotundifolium* All. All. Fl. ped. 3, 38.  
 — *tauricum* Willd. Rehb. Fl. germ. 15, 814.  
 — *uniflorum* Cav. Cav. Ic. 88.  
*Onoseris hieracioides* H. B. K. H. B. K. Nov. Gen. 4, 304.  
 — *hyssopifolia* H. B. K. H. B. K. Nov. Gen. 4, 306.  
 — *linifolia* Colla. Mem. Tur. 38, 25.  
 † — *purpurata* Willd. Ann. Mus. 19, 3.  
 † — *speciosa* H. B. K. H. B. K. Nov. Gen. 4, 305.  
*Onosma angustifolium* Lehm. Lehmann Asperif. 14.  
 — *arenarium* W. et K. W. et Kit. 279.  
 — — — Nees Düsseld. Suppl. 33.  
 † — — — Nees Gen. 6, 67.  
 — *echinatum* Desf. Desf. Fl. atl. 43.  
 — — — Viviani Lib. 26.  
 — *echioides* L. Jacq. Fl. austr. 3, 295.  
 — — — Schk. Handb. 31.  
 † — — — Lam. Encycl. 93.  
 — — — β. Sibth. Fl. gr. 172.  
 — — — Lodd. Cab. 1741.  
 — — — Nees Düsseld. Suppl. 32.  
 — *erectum* Sibth. Sibth. Fl. gr. 173.  
 — *fruticosum* Lab. Bill. Syr. 3, 6.  
 — — — Sibth. Fl. gr. 174.  
 — *giganteum* Lam. Tausch Hort. Canal. 3.  
 — *Gmelini* Led. Ledeb. Ic. 280.  
 — — — Rehb. Ic. crit. 4, 380.  
 — *polyphyllum* Led. Ledeb. Ic. 24.  
 — *rigidum* Led. Ledeb. Ic. 238.  
 — *rupestre* M. v. B. Lehmann Asperif. 12.  
 — — — Lodd. Cab. 1880.

- Onosma sericeum* Willd. Lehmann Asperif. 10.  
 — *setosum* Led. Ledeb. Ic. 196.  
 — — — Knowles et Westcott 111.  
 † — *simplicissimum* L. Gaertn. Carp. 67.  
 — — — Marshall Cent. 57.  
 — — — Bot. Mag. 48, 2248.  
 — — — Lehmann Asperif. 13.  
 — *stamineum* Led. Eichwald Canc. 3.  
 — *stellatum* W. et K. W. et Kit. 173.  
 — — — Kerner Hort. 850.  
 — *syriacum* Lab. Bill. Syr. 3, 5.  
 — *tauricum* Pall. Bot. Mag. 23, 889.  
 — — — Lodd. Cab. 1405.  
 — *tinctorium* M. v. B. Marshall Cent. 79.  
 — — — Lehmann Asperif. 11.  
 — *trinervium* Lehm. Lehmann Asperif. 9.  
*Onosmodium hispidum* Michx. Torrey New York 79.  
 — *molle* Michx. Michaux Fl. 15.  
 † *Onychium Kaulf.* Kaulfuss Enumeratio 1.  
 † — *auratum* Kaulf. Fée Fil. 5, 7.  
 † — *capense* Kaulf. Fée Fil. 5, 7.  
 † — *lucidum* Kaulf. Hook. Gen. Fil. 11.  
 — *melanolepis* Decne. Kunze Fil. 104.  
 — — — Hook. Ic. pl. 10, 902.  
*Ooclinium Sideritis* DC. Delessert Ic. 4, 14.  
*Opalatoa spicata* Aubl. Aublet Guiana 147.  
 (cf. *Apalatoa* supra p. 82).  
*Opercularia apiciflora* Lab. Bill. Nov. Holl. 48.  
 † — *aspera* Gaertn. Gaertn. Carp. 24.  
 † — — — Lam. Encycl. 58.  
 — — — Ann. Mus. 4, 70.  
 — *hyssopifolia* Juss. Ann. Mus. 4, 71.  
 — *ligustrifolia* Juss. Ann. Mus. 4, 71.  
 — — — Dict. sc. nat. 102.  
 — *ocimifolia* Juss. Ann. Mus. 4, 71.  
 † — *paleata* Young. Linn. Transact. 3, 5.  
 — — — Roemer Archiv II, 1, 3.  
 — *sessiliflora* Juss. Ann. Mus. 4, 70.  
 — *spermacoea* Lab. Bill. Nov. Holl. 47.  
 † — *umbellata* Gaertn. Gaertn. Carp. 24.  
 † — — — Lam. Encycl. 58.  
 — *vaginata* Lab. Bill. Nov. Holl. 46.  
 † *Opetiola myosuroides* Gaertn. Gaertn. Carp. 2.  
 † *Ophelia affinis* W. et A. Wight Illustr. 157<sup>bis</sup>.  
 † — *alba* W. et A. Wight Illustr. 157<sup>bis</sup>.  
 † — *cordata* Don. Wight Illustr. 157<sup>bis</sup>.  
 — *corymbosa* Griseb. Bot. Mag. 76, 4489.  
 — — — Wight Ic. pl. Ind. or. 4, 1329.  
 † — *Dalhousiae* Griseb. Wight Illustr. 157<sup>bis</sup>.  
 — *elegans* Wight. Wight Ic. pl. Ind. or. 4, 1331.  
 — *Grisebachiana* Wight. Wight Ic. pl. Ind. or. 4, 1330.  
 † — *Lawii* W. et A. Wight Illustr. 157<sup>bis</sup>.  
 — *minor* Griseb. Wight Ic. pl. Ind. or. 4, 1332.  
 — *nuda* Klotzsch. Prinz Waldemar Him. 67.  
 † — *purpurascens* Don. Wight Illustr. 157<sup>bis</sup>.  
 † — *trilobata* W. et A. Wight Illustr. 157<sup>bis</sup>.  
 † — *umbellata* Wight. Wight Illustr. 157<sup>bis</sup>.  
*Ophioglossae R. Br.* Schnizl. Iconogr. 1, 32.  
*Ophioglossum Bergianum* Schlecht. Hook. Ic. pl. 3, 263.  
 — *bulbosum* Michx. Barton Fl. 2, 56.  
 — *capense* Schlecht. Schlechtendal Fil. 1.  
 — *circinatum* Burm. Rumpf Amb. 6, 33.  
 — *ellipticum* H. et Gr. Hook. Ic. Fil. 1, 40.  
 — *filiforme* Roxb. Calcutta Journal 1844, 26.  
 — *gramineum* Willd. Willdenow Farnk. 1.  
 — *lusitanicum* L. Lam. Encycl. 664.  
 — — — Hook. Ic. Fil. 1, 80.  
 — *macrorrhizum* Kze. Kunze Fil. 29.  
 — *microstichum* Achar. Sv. Bot. 378.  
 — *nudicaule* L. fil. Swartz Synopsis Fil. 4.  
 — — — Kunze Fil. 29.  
 — *ovatum* Bl. Rumpf Amb. 6, 68.

- Ophioglossum palmatum* L. Hook. Ic. pl. 1, 4.  
 — — — Dict. sc. nat. 97.  
 — pedatum *Burm.* Burmann Fl. ind. 66.  
 — pedunculatum *Desv.* Kunze Fil. 29.  
 — pendulum L. Rumpf Amb. 6, 37. fig. 3.  
 — — — Hook. Ic. Fil. 1, 19.  
 — petiolatum *Hook.* Hook. Exot. Fl. 56.  
 — reticulatum L. Lam. Encycl. 864.  
 — — — Desc. Ant. 7, 486.  
 — — — Hook. Ic. Fil. 1, 20.  
 — scandens L. Calcutta Journal 1844, 26.  
 — stipatum *Colla.* Mem. Tur. 39, 75.  
 — vulgatum L. Fl. dan. 1, 147.  
 — — — Curt. Lond. 4, 78.  
 — — — Engl. Bot. 2, 108.  
 — — — Sv. Bot. 378.  
 — — — Schk. Fil. 153.  
 — — — Hayne 6, 48.  
 — — — Barton Fl. 2, 55.  
 — — — Lam. Encycl. 864.  
 — — — Sturm Flora II. 1, 11.  
 † — — — Hopkirk Fl. anom. 7.  
 — — — Flora 1822, 1.  
 † — — — Hook. Gen. Fil. 59.  
 — — — Newman p. 349.  
 — — — Schnizl. Iconogr. 1, 32.  
 — ypanemense *Mart.* Mart. Crypt. bras. 73.  
 † *Ophiomeris macahensis* *Miers.* Linn. Transact. 20, 15.  
*Ophiopogon Jaburan* *Lodd.* Lodd. Cab. 1876.  
 — japonicus *Ker.* Kaempfer Amoenit. p. 824.  
 — — — Bot. Mag. 27, 1063.  
 — indicus *Wight.* Wight Ic. pl. Ind. or. 6, 2050.  
 — intermedius *Don.* Royle Illustr. 96.  
 — spicatus *Ker.* Bot. Reg. 7, 593.  
 — — — Lodd. Cab. 694.  
 † *Ophiopogoneae* *Endl.* Schnizl. Iconogr. 1, 56\*\*.  
*Ophiorrhiza eriantha* *Wight.* Wight Ic. pl. Ind. 3, 1067.  
 — grandiflora *Wight.* Wight Ic. pl. Ind. or. 3, 1069.  
 — *Harrisonii* *Heyne.* Wight Ic. pl. Ind. or. 3, 1162.  
 — *Mitreola* L. Swartz Observ. 3.  
 — — — Lam. Encycl. 107.  
 † — *Mungos* L. Gaertn. Carp. 55.  
 † — — — Lam. Encycl. 107.  
 — — — Mem. hist. nat. Par. 1, 2.  
 — *Richardiana* *Gaudich.* Freycinet Voyage 97.  
 — *Roxburghiana* *Wight.* Wight Ic. pl. Ind. or. 3, 1068.  
*Ophiostachys virginica* *Red.* Red. Lil. 8, 464.  
*Ophioxylon ceylanicum* *Wight.* Wight Ic. pl. Ind. 4, 1291.  
 — *neilgherrense* *Wight.* Wight Ic. pl. Ind. or. 4, 1292.  
 — *serpentinum* L. Rheede Hort. mal. 6, 47.  
 — — — Rumpf Amb. Auct. 16.  
 — — — Jacq. Schoenbr. 3, 389.  
 — — — Bot. Mag. 20, 784.  
 † — — — Roemer Archiv 1, 7.  
 † — — — Lam. Encycl. 842.  
 — — — Wight Ic. pl. Ind. or. 3, 849.  
 † — *trifoliatum* *Gaertn.* Gaertn. Carp. 109.  
*Ophira stricta* L. Lam. Encycl. 293.  
 † *Ophiurus corymbosus* *Gaertn.* Gaertn. Carp. 181.  
 † — *incurvatus* *Pal. B.* Gaertn. Carp. 181.  
 † — — — Nees Gen. 1, 89.  
 † — *pannonicus* *Pal. B.* Nees Gen. 1, 89.  
 — *subulatus* *Link.* Rchb. Fl. germ. 1, 3.  
*Ophryoscleria lucida* *N. v. E.* Endl. Bras. 3, 25.  
 † *Ophrys* L. Svensk Acad. 1800, 3.  
 † — — — Schrader Neues Journal 1, 1.  
 † — — — Ann. sc. nat. II. 3, 8.  
 † — — — Mutel Fl. fr. 66. 67.  
 † — — — Bory Morée 32.  
 — *alpina* L. Jacq. Enum. vind. 9.  
 — — — Fl. dan. 3, 452.  
 — — — Sv. Bot. 683.

- Ophrys alpina* L. Lodd. Cab. 1188.  
 — *anthropophora* L. Fl. dan. 1, 103.  
 — — — Engl. Bot. 1, 29.  
 † — — — Lam. Encycl. 727.  
 — *apiculata* *J. C. Schmidt.* Rchb. Fl. germ. 13, 454.  
 — *apifera subterrostrunca* *Brot.* Brotero Phyt. 90.  
 — *apifera* *Huds.* Curt. Lond. 1, 101.  
 — — — Engl. Bot. 6, 383.  
 — — — Baxter Brit. Bot. 1, 8.  
 † — — — Bauer Orch. 11.  
 — — — Dict. sc. nat. 71.  
 † — — — var. Mem. Strassb. 2, 1.  
 † — — — Cosson Atlas 32.  
 — — — Schrank Fl. monac. 1, 4.  
 — — — Dietr. Fl. bor. 11, 724.  
 — — — Verhandl. Rheinl. 7, 7.  
 — — — Rchb. Ic. crit. 9, 866.  
 — — — Rchb. Fl. germ. 13, 457. 464. 465.  
 — — — Fl. d. serres 9, 882.  
 — *aquisgranensis* *Kaltenb.* Verhandl. Rheinl. 7, 7.  
 — *Arachnites Reichard.* Rivinus Irreg. hexap. 13.  
 — — — Engl. Bot. 2596.  
 — — — Bot. Mag. 51, 2516.  
 † — — — Lam. Encycl. 727.  
 † — — — Spach Suites 123.  
 † — — — Cosson Atlas 32.  
 — — — Dietr. Fl. bor. 1, 71.  
 — — — Rchb. Ic. crit. 9, 872.  
 — — — Rchb. Fl. germ. 13, 461.  
 — *arachnoides* *Andr.* Andr. Rep. 7, 470.  
 — *araneola* *Rchb.* Rchb. Ic. crit. 9, 861.  
 — — — Rchb. Fl. germ. 13, 450.  
 — *aranifera* *Huds.* Curt. Fl. Lond. 1, 29.  
 — — — Engl. Bot. 1, 65.  
 — — — var. limbata, Bot. Reg. 14, 1197.  
 — *triandra*, Guill. Arch. 2, 16.  
 — — — Spach Suites 123.  
 † — — — Cosson Atlas 32.  
 — — — Dietr. Fl. bor. 1, 70.  
 — — — Rchb. Ic. crit. 9, 862—864.  
 — — — Rchb. Fl. germ. 13, 449. 454. 464. 465.  
 517. 521.  
 — *atrata* *Ldl.* Bot. Reg. 13, 1087.  
 — — — Rchb. Ic. crit. 9, 858.  
 — — — Rchb. Fl. germ. 13, 452.  
 — *aurita* *Brot.* Brotero Phytogr. 91.  
 — *Bertolonii* *Moretti.* Rchb. Ic. crit. 9, 865.  
 — — — Rchb. Fl. germ. 13, 455. 517.  
 — *bicornis* *Sadl.* Nendtwich Quinque Eccl. 1.  
 † — *bombyliflora* *Link.* Mem. Strassb. 2, 1.  
 — — — Rchb. Ic. crit. 9, 867.  
 — — — Rchb. Fl. germ. 13, 456.  
 — *brachyotus* *Rchb.* Rchb. Ic. crit. 9, 871.  
 — — — Rchb. Fl. germ. 13, 462.  
 † — *bremifera* *Stev.* Mem. Mosc. 2, 11.  
 — *camtschatea* L. Linné Amoenit. 2, 4.  
 — *ciliata* *H. B. K.* H. B. K. Nov. Gen. 1, 74.  
 — — *Bivona.* Tenore Fl. nap. 95.  
 — *Corallorrhiza* L. Fl. dan. 3, 451.  
 — — — Lightf. Fl. scot. 1, 23.  
 — — — Engl. Bot. 22, 1547.  
 — *cordata* L. Fl. dan. 8, 1278.  
 — — — Engl. Bot. 5, 358.  
 — *corniculata* *Brot.* Brotero Phytogr. 93.  
 † — *cornuta* *Stev.* Mem. Mosc. 2, 11.  
 — — — Rchb. Ic. crit. 9, 870.  
 — — — Bot. Reg. 32, 52.  
 — *crabonifera* *Mauri.* Mauri Rom. pl. XIII, 2.  
 — *crucigera* *Jacq.* Jacq. Ic. 185.  
 — *densiflora* *Desf.* Ann. Mús. 10, 16.  
 — — — Desf. Choix 6.  
 — *exaltata* *Ten.* Tenore Fl. nap. 96.

- Ophrys exaltata* *Ten.* *Rehb. Fl. germ.* 13, 465. 521.  
 — *Ferrum equinum* *Desf.* *Ann. Mus.* 10, 15.  
 — — — *Desf. Choix* 5.  
 — — — *Sprengel Gesch. d. Bot.* 6.  
 — — — *Bot. Reg.* 33, 46.  
 — — — *Rehb. Fl. germ.* 13, 451.  
 — *flavicans* *Vis.* *Rehb. Fl. germ.* 13, 521.  
 — *fucifera* *Sm.* *Engl. Bot.* 2649.  
 — — — *Rehb. Fl. germ.* 13, 465.  
 — *fuciflora* *Hall.* *Bot. Reg.* 33, 25.  
 — — — *Rehb. Ic. crit.* 9, 868. 869.  
 † — — — *Nees Gen.* 3, x.  
 — *fusca* *Link.* *Brotero Phytogr.* 93.  
 — — — *Tenore Fl. nap.* 92.  
 — — — *Sibth. Fl. gr.* 930.  
 — — — *Bot. Reg.* 13, 1071.  
 — — — *Rehb. Ic. crit.* 9, 853.  
 — — — *Rehb. Fl. germ.* 13, 444. 462.  
 † — — — *Mem. Strassb.* 2, 1.  
 — *grandiflora* *Ten.* *Tenore Fl. nap.* 94.  
 — *hiulca* *Mauri.* *Mauri Rom. pl.* XIII, 2.  
 — — — *Spruner.* *Rehb. Fl. germ.* 13, 453.  
 — *hybrida* *Pokorny.* *Rehb. Fl. germ.* 13, 465. 521.  
 — *iricolor* *Desf.* *Desf. Choix* 3.  
 — — — *Rehb. Ic. crit.* 9, 856.  
 — — — *Rehb. Fl. germ.* 13, 444. 445. 464.  
 — *labrofossa* *Brot.* *Brotero Phytogr.* 88.  
 — *lilifolia* *L.* *Red. Lil.* 8, 437.  
 — — — *Andr. Rep.* 1, 65.  
 — *Loeselii* *L.* *Engl. Bot.* 1, 47.  
 — — — *Roemer Fl. europ.* 2, 5.  
 — *lunulata* *Parl.* *Rehb. Fl. germ.* 13, 450.  
 — *lutea* *Cav.* *Cav. Ic.* 160.  
 — — — *Brotero Phytogr.* 3.  
 — — — *Hook. Exot. Fl.* 10.  
 — — — *Kerner Hort.* 729.  
 — — — *Risso Fl. de Nice* 15.  
 † — — — *Mem. Strassb.* 2, 1.  
 — — — *Rehb. Ic. crit.* 9, 857.  
 — — — *Rehb. Fl. germ.* 13, 446.  
 — — — *Sweet Fl. G.* 206.  
 — *Bivona.* *Bivona Pl. sic.* 2, 5.  
 — *mammosa* *Desf.* *Ann. Mus.* 10, 12.  
 — — — *Desf. Choix* 2.  
 — — — *Rehb. Fl. germ.* 13, 453.  
 — *monophyllos* *L.* *Jacq. Collect.* 4, 13.  
 — *Monorchis* *L.* *Fl. dan.* 1, 102.  
 — — — *Engl. Bot.* 1, 71.  
 — — — *Roemer Fl. europ.* 2, 6.  
 — — — *Schrank Fl. monac.* 3, 232.  
 — *muscifera* *Huds.* *Rivinus Irreg. hexap.* 13. 21.  
 — — — *Curt. Lond.* 4, 30.  
 — — — *Engl. Bot.* 1, 64.  
 — — — *Sturm Flora* 10, 40.  
 — — — *Rehb. Fl. germ.* 13, 447.  
 — *myodes* *Jacq.* *Jacq. Ic.* 184.  
 — — — *Fl. dan.* 8, 1398.  
 — — — *Sv. Bot.* 293.  
 — — — *Andr. Rep.* 7, 471.  
 † — — — *Lam. Encycl.* 727.  
 — — — *Dietr. Fl. bor.* 1, 69.  
 — — — *Rehb. Ic. crit.* 9, 854.  
 † — — — *Nees Gen.* 3, x.  
 † — — — *Cosson Atlas* 32.  
 — — — *Fl. d. serres* 9, 882.  
 — *nidus avis* *L.* *Fl. dan.* 2, 181.  
 — — — *Engl. Bot.* 1, 48.  
 † — *ocstrifera* *Stev.* *Mem. Mosc.* 2, 11.  
 — — — *Bory Morée* 31.  
 — *ovata* *L.* *Fl. dan.* 1, 137.  
 — — — *Schk. Handb.* 273.  
 — — — *Engl. Bot.* 22, 1548.

- Ophrys oxyrrhynchos* *Tod.* *Rehb. Fl. germ.* 13, 462.  
 — *pallida* *Raf.* *Rehb. Fl. germ.* 13, 443.  
 — *paludosa* *Müll.* *Fl. dan.* 5, 877.  
 — — — *L.* *Fl. dan.* 7, 1234.  
 † — *pectus* *Mutel.* *Mem. Strassb.* 2, 1.  
 — — — *Ann. sc. nat.* II, 11, 1.  
 — — — *Rehb. Fl. germ.* 13, 443.  
 — *pseudospeculum* *DC.* *Rehb. Ic. crit.* 9, 860.  
 — *pulla* *Cirillo.* *Tenore Fl. nap.* 97.  
 — *purpurata* *Tausch.* *Rehb. Fl. germ.* 13, 465.  
 — *rostrata* *Ten.* *Tenore Fl. nap.* 245.  
 — *Scolopax* *Brot.* *Brotero Phytogr.* 3.  
 — — — *Cav.* *Cav. Ic.* 161.  
 † — — — *Mem. Strassb.* 2, 1.  
 — — — *Rehb. Fl. germ.* 13, 458. 459. 460. 517.  
 — *Speculum* *Bertol.* *Bivona Pl. sic.* 1, 3.  
 — — — *Link.* *Bot. Reg.* 5, 370.  
 † — — — *Mem. Strassb.* 2, 1.  
 — — — *Rehb. Ic. crit.* 9, 859.  
 — — — *Rehb. Fl. germ.* 13, 448.  
 — *spiralis* *L.* *Fl. dan.* 3, 387.  
 — — — *Engl. Bot.* 8, 541.  
 — *tabanifera* *Willd.* *Rehb. Ic. crit.* 9, 873.  
 — — — *Bot. Reg.* 33, 46.  
 — — — *Bory Morée* 31.  
 — *Tenoreana* *Ldl.* *Bot. Reg.* 13, 1093.  
 — — — *Rehb. Ic. crit.* 9, 876.  
 — *tenthredinifera* *Willd.* *Brotero Phytogr.* 87.  
 — — — *Bivona Pl. sic.* 2, 4.  
 — — — *Tenore Fl. nap.* 93.  
 — — — *Sibth. Fl. gr.* 929.  
 — — — *Bot. Mag.* 44, 1930.  
 † — — — *Bot. Reg.* 3, 205. 13, 1093.  
 — — — *Mem. Strassb.* 2, 1.  
 — — — *Rehb. Exot.* 93.  
 — — — *Rehb. Ic. crit.* 9, 874.  
 — — — *Rehb. Fl. germ.* 13, 463. 517.  
 — *tricolor* *Desf.* *Ann. Mus.* 10, 13.  
 — *umbilicata* *Desf.* *Ann. Mus.* 10, 15.  
 — — — *Desf. Choix* 5.  
 — *villosa* *Desf.* *Ann. Mus.* 10, 14.  
 — — — *Desf. Choix* 4.  
 — — — *Rehb. Ic. crit.* 9, 875.  
*Ophthalmoblapton macrophyllum* *All.* *All. Diss.* 1849, x.  
*Opilia amentacea* *Roxb.* *Roxb. Corom.* 158.  
 — — — *Wight Illustr.* 40.  
*Opizia stolonifera* *Presl.* *Presl Reliq.* 41.  
 † *Oplismenus* *Pal. B.* *Dumortier Gramin.* 14.  
 — *africanus* *Pal. B.* *Pal. B. Fl. d'Oware* 68.  
 — — — *Trin. Sp. Gr.* 2, 188.  
 † — — — *Nees Gen.* 1, 20.  
 — *bromoides* *R. et Sch.* *Rumpf Amb.* 6, 5. fig. 2.  
 — *Burmanni* *Pal. B.* *Rumpf Amb.* 6, 5. fig. 3.  
 — — — *Trin. Sp. Gr.* 2, 193.  
 — *undulatifolius* *Pal. B.* *Trin. Sp. Gr.* 2, 192.  
 † — — — *Nees Gen.* 1, 20.  
*Oplothea floridana* *Nutt.* *Barton Fl.* 2, 59.  
 — — — *Bot. Mag.* 52, 2603.  
 — — — *Hook. Ic. pl.* 3, 256.  
 — *lanata* *Mart.* *Mart. Bras.* 146.  
*Opopanax Chironium* *Koch.* *Nees Düsseld.* 290.  
 † *Oporanthus Fischerianus* *Herb.* *Herbert Amar.* 47.  
 † — *lutens* *Herb.* *Herbert Amar.* 21.  
*Oporinia autumnalis* *Don.* *Dietr. Fl. bor.* 9, 612.  
 — *microcephala* *Boiss.* *Boissier Esp.* 115.  
*Opuntia amyclaca* *Ten.* *Acad. Neap.* 5, 2.  
 — — — *Ten. Fl. nap.* 236.  
 † — — — *Acad. Neap.* 6, (1851.) 1, 2.  
 — *aurantiaca* *Ldl.* *Bot. Reg.* 19, 1606.  
 — *brasiliensis* *Haw.* *Bot. Mag.* 61, 3293.  
 — — — *Pfeiffer Cact.* 1, 29.  
 — *coccinellifera* *Mill.* *Kerner Hort.* 683.

- Opuntia coccinellifera* Mill. Pfeiffer Cact. 1, 24.  
 — *curassavica* Mill. Pfeiffer Cact. 1, 6.  
 — *cylindrica* DC. Bot. Mag. 61, 3301.  
 † — *Darwinii* Henslow. Jardine Mag. 1, 14.  
 — *decumbens* Salm. Bot. Mag. 68, 3914.  
 — *Dillenii* Haw. Wight Illustr. 114.  
 — *Drummondii* Maund. Maund Bot. 5, 246.  
 † — *Ficus indica* Mill. Acad. Neap. 6, (1851.) 1, 2.  
 — *foliosa* Salm. Pfeiffer Cact. 1, 18.  
 † — *galapageia* Henslow. Jardine Mag. 1, 14.  
 — *Hernandezii* DC. Mem. Mus. 17, 16.  
 — *monacantha* Haw. Bot. Mag. 68, 3911.  
 — — Bot. Reg. 20, 1726.  
 — *rosea* DC. Mem. Mus. 17, 15.  
 — *Salmiana* Parm. Pfeiffer Cact. 1, 6.  
 — — Bot. Mag. 76, 4542.  
 — — Fl. d. serres 7, 670.  
 — — Lem. Jard. fl. 194.  
 — *Tuna* Mill. Spach Suites 46.  
 † — *vulgaris* Mill. Ann. sc. nat. III. 18, 11.  
*Orania Macrocladus* Mart. Mart. Palm. 177.  
 — *porphyrocarpa* Mart. Mart. Palm. 157.  
 — *regalis* Bl. Blume Rumphia 85, 95.  
 † *Orbignya dubia* Mart. Mart. Palm. 169.  
 † — *humilis* Mart. Mart. Palm. 169.  
 — — D'Orbigny Voyage 10, 32.  
 — *phalerata* Mart. Mart. Palm. 170.  
 — — D'Orbigny Voyage 13, 32.  
 † *Orchideae* Juss. (Waechter.) Roemer Archiv II. 2, 6.  
 † — — (Richard.) Mem. Mus. 4, 5.  
 † — — (Lestiboudois.) Ann. sc. nat. II. 17, 13.  
 † — — (Amici.) Parlatore Giorn. bot. 2, 2.  
 † — — (Amici.) Ann. sc. nat. III. 7, 10.  
 † — — (Schacht.) Ann. sc. nat. III. 15, 5.  
 † — — (Mutel.) Mem. Strassb. 3, 1—5.  
 † — — (Link.) Abh. Ac. Berl. 1849, 1—4.  
 † — — (A. Henry.) Verhandl. Rheinl. 7, 2, 3: 6.  
 † — — Todaro Orchideae sic. 1, 2.  
 † — — Schnizl. Iconogr. 1, 66. 66<sup>a</sup>.  
 — — Rchb. Fl. germ. 13, 353—356.  
*Orchidium boreale* Sw. Sv. Bot. 518.  
*Orchipeda foetida* Bl. Blume Rumphia 179, 180.  
*Orchippedum plantaginifolium* Breda. Breda Orchid. Javae 10.  
 † *Orchis* L. Svensk Acad. 1800, 3.  
 † — — Schrader Neues Journal 1, 1.  
 † — — Lam. Encycl. 726.  
 † — — Mutel Fl. fr. 64, 65, 66.  
 ! — — Linnaea 16, 14.  
 — *abortiva* L. Jacq. Fl. austr. 2, 193.  
 — *acuminata* Desf. Desf. Fl. atl. 247.  
 — — Bot. Mag. 44, 1932.  
 † — — Jordan Obs. 1, 4.  
 † — — Rchb. Fl. germ. 13, 507.  
 — *affinis* C. Koch. Rchb. Fl. germ. 13, 408.  
 — *anatolica* Boiss. Rchb. Fl. germ. 13, 389.  
 — *angustifolia* L. Krocke Fl. sil. 3, 3.  
 — — Loıs. Rchb. Ic. crit. 9, 848.  
 — — Rchb. Fries. Rchb. Fl. germ. 13, 394, 507.  
 — *aristata* Fisch. Rchb. Fl. germ. 13, 410.  
 — *bicornis* Jacq. Jacq. Schoenbr. 2, 179.  
 — — Andr. Rep. 5, 315.  
 — *bifolia* L. Fl. dan. 2, 275. 2/  
 — — Sv. Bot. 314.  
 — — Engl. Bot. 1, 22.  
 † — — Schk. Handb. 271.  
 — — Schrank Fl. monac. 2, 136.  
 — — Nees Düsseld. 73.  
 † — — Ann. sc. nat. 24, 5.  
 — *Boryi* Rchb. fil. Rchb. Fl. germ. 13, 503.  
 — *bractealis* Salisb. Salisb. Parad. 110.  
 — *Brancifortii* Biv. Bivona Stirp. rar. Sic. 1, 1.

- Orchis brevicornu* Viv. Viviani Fl. ital. 12.  
 — — Rchb. Fl. germ. 13, 384, 509.  
 — *brevifolia* Rchb. Rchb. Fl. germ. 13, 403.  
 — *Burmanniana* L. Weber Archiv 3.  
 — *canariensis* Ldl. Webb Canar. 220.  
 — — Rchb. Fl. germ. 13, 385.  
 — *candidissima* Krock. Krocke Fl. sil. 3, 2.  
 — *Champagneuxii* Barn. Rchb. Fl. germ. 13, 365.  
 — *ciliaris* L. Andr. Rep. 1, 42.  
 — *commutata* Todaro. Rchb. Fl. germ. 13, 371.  
 — *Comperiana* Stev. Mem. Mosc. 7, 12.  
 — — Rchb. Fl. germ. 13, 510.  
 — *conica* Willd. Brotero Phytogr. 91.  
 — *conopsea* L. Fl. dan. 2, 224.  
 — — Engl. Bot. 1, 10.  
 † — — Schk. Handb. 271.  
 — — Schrank Fl. monac. 3, 268.  
 — *cordata* Willd. Brotero Phytogr. 90.  
 — *cordigera* Fries. Rchb. Fl. germ. 13, 411.  
 — *coriophora* L. symphyetala, Brotero Phyt. 89.  
 — — Rivinus Irreg. hexap. 18.  
 — — Jacq. Fl. austr. 2, 122.  
 † — — Schk. Handb. 271.  
 — — Dietr. Fl. bor. 1, 3.  
 — — Rchb. Ic. crit. 6, 567.  
 — — Rchb. Fl. germ. 13, 367, 504.  
 — — Sweet Fl. G. 219.  
 — *corsica* Viv. Risso Fl. de Nice 14.  
 — *cruenta* Müll. Fl. dan. 5, 876.  
 — — Rchb. Fl. germ. 13, 395.  
 — — Retz. Rochel Banat. 1.  
 — *cucullata* L. Stephan Ic. pl. mosq. 1.  
 — — Liboschitz Petersb. 27.  
 — *Cyrilli* Ten. Tenore Fl. nap. 87.  
 — *elator* Afz. Rchb. Fl. germ. 13, 396.  
 — *elodes* Griseb. Rchb. Fl. germ. 13, 406.  
 — *expansa* Ten. Tenore Fl. nap. 197.  
 — *extensa* Hartm. Rchb. Fl. germ. 13, 398.  
 — *fasciculata* Tineo. Rchb. Fl. germ. 13, 519.  
 — *flavescens* C. Koch. Rchb. Fl. germ. 13, 414.  
 — *foliosa* Solander. Lindley Sertum 44.  
 — — Bot. Reg. 20, 1701.  
 — — Rchb. Fl. germ. 13, 401.  
 — *formosa* Stev. Rchb. Fl. germ. 13, 358.  
 — *fragrans* Poll. Rchb. Fl. germ. 13, 366.  
 † — *fuciflora* Vill. Vill. Dauph. 2.  
 — *fusca* Jacq. Rivinus Irreg. hexap. 16.  
 — — Jacq. Fl. austr. 4, 307.  
 — — Curt. Lond. 1, 23.  
 — — Engl. Bot. 1, 16.  
 — — Sturm Flora 11, 41.  
 — — Dietr. Fl. bor. 1, 64.  
 † — — Cosson Atlas 32.  
 — — Rchb. Fl. germ. 13, 378.  
 † — — Godr. Rchb. Fl. germ. 13, 513.  
 — *fuscescens* L. Lodd. Cab. 1748.  
 † — *galeata* Lam. Cosson Atlas 32.  
 † — — Rchb. Fl. germ. 13, 513.  
 ! — — hybr. Ann. sc. nat. III. 18, 1.  
 — *Gennarii* Rchb. fil. Rchb. Fl. germ. 13, 520.  
 — *gigantea* Sm. Smith Exot. Bot. 100.  
 — *globosa* L. Jacq. Fl. austr. 3, 265.  
 — — Dietr. Fl. bor. 11, 723.  
 — — Rchb. Ic. crit. 6, 562.  
 — — Rchb. Fl. germ. 13, 381, 507.  
 — *Habenaria* L. Swartz Obs. 9.  
 — *Hanrii* Jord. Jordan Obs. 1, 4.  
 — — Rchb. Fl. germ. 13, 371.  
 — *hireina* Sw. Curt. Lond. 4, 96.  
 — *Hostii* Tratt. Tratt. Archiv 79.  
 — *hybrida* Bönningh. Rchb. Fl. germ. 13, 377.  
 — *hyperboraea* L. Retz. Obs. 4, 3.



- † *Orchis Jacquini* *Godr.* *Rehb. Fl. germ.* 13, 513.  
 — *japonica* *Thunb.* *Thunberg Ic. jap.* 3.  
 — *iberica* *M. v. B.* *Rehb. Fl. germ.* 13, 408. 506.  
 — *incarnata* *L.* *Rivinus Irreg. hexap.* 9.  
 — — — *Tratt. Archiv* 268.  
 — — — *Fl. dan.* 14, 2476.  
 — — — *Rehb. Ic. crit.* 9, 810.  
 — — — *Rehb. Fl. germ.* 13, 397—99. 514—16.  
 — *lactea* *Poir.* *Rehb. Fl. germ.* 13, 370.  
 † — *laeta* *Steinh.* *Ann. sc. nat.* II, 9, 7.  
 — — — *Rehb. Fl. germ.* 13, 388.  
 — *lagotis* *Rehb.* *Rehb. Fl. germ.* 13, 403.  
 — *lanceata* *Dietr.* *Dietr. Fl. bor.* 1, 5.  
 — — — *Rehb. Ic. crit.* 6, 564.  
 — *lapponica* *Laest.* *Rehb. Fl. germ.* 13, 405.  
 — *latifolia labrovaria* *Brotr.* *Brotero Phytogr.* 92.  
 — *latifolia* *L.* *Fl. dan.* 2, 266.  
 — — — *Curt. Lond.* 2, 86.  
 — — — *Engl. Bot.* 33, 2308.  
 † — — — *Ann. sc. nat.* 24, 5, 6.  
 † — — — *Mem. hist. nat. Par.* 1, 3.  
 † — — — *Morren Resp.* 1—6.  
 — — — *Rivinus Irreg. hexap.* 8, 9.  
 — — — *Sturm Flora* 2, 7.  
 † — — — *Schk. Handb.* 271.  
 — — — *Schrank Fl. monac.* 1, 85.  
 — — — *Dietr. Fl. bor.* 1, 4.  
 — — — *α, majalis* *Rehb.* *Guimpel et Kl.* 13.  
 — — — *β, angustifolia* *Lois.* *Guimp. et Kl.* 14.  
 — — — *Rehb. Ic. crit.* 6, (564.) 565.  
 — — — *Rehb. Fl. germ.* 13, 398. 402—404. 515.  
 — — — ————— 516. 522.  
 — *laxiflora* *Lam.* *Rivinus Irreg. hexap.* 18.  
 — — — *Hayne* 14, 18.  
 — — — *Guimpel et Kl.* 10.  
 — — — *Rehb. Fl. germ.* 13, 393.  
 — — — *Engl. Bot.* 2828.  
 — *longibracteata* *Biv.* *Bivona Pl. sic.* 1, 4.  
 — — — *Bot. Reg.* 5, 357.  
 — — — *Rehb. Fl. germ.* 13, 379.  
 — *longicornu* *Desf.* *Desf. Fl. atl.* 246.  
 — — — *Bot. Reg.* 3, 202.  
 — — — *Bot. Mag.* 45, 1944.  
 — — — *Sweet Fl. G.* 249.  
 — — — *Rehb. Fl. germ.* 13, 364.  
 — — — *Poir.* *Rehb. Fl. germ.* 13, 507.  
 — *longicurris* *Link.* *Brotero Phytogr.* 87.  
 — — — *Rehb. Fl. germ.* 13, 375.  
 — *maculata* *L.* *Rivinus Irreg. hexap.* 11.  
 — — — *Fl. dan.* 6, 933.  
 — — — *Curt. Lond.* 4, 112.  
 — — — *Engl. Bot.* 9, 632.  
 — — — *Sv. Bot.* 413.  
 — — — *Schrank Fl. monac.* 2, 112.  
 — — — *Dietr. Fl. bor.* 1, 6.  
 — — — *Guimpel et Kl.* 12.  
 — — — *Rehb. Ic. crit.* 6, 566.  
 — — — *Rehb. Fl. germ.* 13, 406—408. 516.  
 — *majalis* *Rehb.* *Rehb. Ic. crit.* 6, 565.  
 — *mascula* *L.* *Fl. dan.* 3, 457.  
 — — — *Sv. Bot.* 220.  
 — — — *Curt. Lond.* 2, 43.  
 — — — *Engl. Bot.* 9, 631.  
 — — — *Woodv. Med.* 4, 264.  
 † — — — *Bauer Orchid.* 3.  
 — — — *Tenore Fl. nap.* 196.  
 — — — *Jacq. Ic.* 180.  
 † — — — *Schk. Handb.* 271.  
 — — — *Dietr. Fl. bor.* 8, 508.  
 — — — *Nees Düssel.* 71.  
 — — — *Wagner* 150.  
 † — — — *Nees Gen.* 3, x.

- Orchis mascula* *L.* *Rehb. Ic. crit.* 6, 563.  
 — — — *Rehb. Fl. germ.* 13, 390. 509.  
 — *matodes* *Rehb.* *Rehb. Fl. germ.* 13, 398.  
 — *maxima* *C. Koch.* *Rehb. Fl. germ.* 13, 502.  
 — *militaris* *L.* *Fl. dan.* 8, 1277.  
 — — — *Sv. Bot.* 340.  
 — — — *Engl. Bot.* 27, 1873.  
 — — — *Engl. Bot.* 2675.  
 — — — *Sweet Fl. G.* 163.  
 — — — *var. iodoocranus* *Morr.* *Belg. hort.* 2, 37.  
 — — — *Jacq. Ic.* 598.  
 — — — *Roemer Fl. europ.* 5, 7.  
 — — — *Schrank Fl. monac.* 1, 74.  
 — — — *Dietr. Fl. bor.* 1, 63.  
 † — — — *Nees Gen.* 3, x.  
 — — — *Guimpel et Kl.* 11.  
 — — — *Hayne* 14, 17.  
 — — — *Rehb. Ic. crit.* 8, 701.  
 — — — *Rehb. Fl. germ.* 13, 376.  
 — *moravica* *Jacq.* *Jacq. Ic.* 182.  
 — *Morio* *L.* *Fl. dan.* 2, 253.  
 — — — *Sv. Bot.* 233.  
 — — — *Curt. Lond.* 1, 10.  
 — — — *Engl. Bot.* 29, 2059.  
 † — — — *Linn. Transact.* 7, 1, 21, 2.  
 † — — — *Ann. sc. nat.* III, 9, 1.  
 — — — *Rivinus Irreg. hexap.* 13.  
 — — — *var. Krocker* *Fl. sil.* 3, 1.  
 — — — *Schk. Handb.* 271.  
 — — — *Schrank Fl. monac.* 2, 116.  
 — — — *Sturm Flora* 20, 94.  
 — — — *Dietr. Fl. bor.* 1, 1.  
 — — — *Nees Düssel.* 72.  
 — — — *Wagner* 149.  
 — — — *Guimpel et Kl.* 9.  
 — — — *Hayne* 14, 24.  
 — — — *Rehb. Fl. germ.* 13, 363. 502. 504.  
 — *Morio-laxiflora* *Reut.* *Rehb. Fl. germ.* 13, 393. 514.  
 — *mutabilis* *Stev.* *Linn. Transact.* 11, 39.  
 — *Nicodemi* *Ten.* *Tenore Fl. nap.* 90.  
 — — — *Rehb. Fl. germ.* 13, 365.  
 — *nigra* *Sw.* *Sv. Bot.* 500.  
 — *odoratissima* *L.* *Jacq. Fl. austr.* 3, 264.  
 — — — *Sv. Bot.* 542.  
 — *olida* *Bréb.* *Rehb. Fl. germ.* 13, 504.  
 — *ornithis* *Jacq.* *Jacq. Fl. austr.* 2, 138.  
 — *pallens* *L.* *Jacq. Fl. austr.* 1, 45.  
 — — — *Dietr. Fl. bor.* 11, 722.  
 — — — *Rehb. Ic. crit.* 9, 808.  
 — — — *Rehb. Fl. germ.* 13, 386. 509.  
 — *palustris* *Jacq.* *Rivinus Irreg. hexap.* 19. 21.  
 — — — *Jacq. Ic.* 181.  
 — — — *Dietr. Fl. bor.* 1, 2.  
 — — — *Rehb. Ic. crit.* 9, 831.  
 — — — *Rehb. Fl. germ.* 13, 392.  
 — *papilionacea* *L. rubra*, *Brotero Phytogr.* 88.  
 — — — *Sibth. Fl. gr.* 928.  
 — — — *Bot. Reg.* 14, 1155.  
 — — — *Rehb. Fl. germ.* 13, 362. 507.  
 — *parvifolia* *Chaub.* *Rehb. Fl. germ.* 13, 512.  
 — *patens* *Desf.* *Desf. Fl. atl.* 248.  
 — — — *Rehb. Fl. germ.* 13, 384.  
 — *pauciflora* *Ten.* *Tenore Fl. nap.* 88.  
 — — — *Rehb. Fl. germ.* 13, 388.  
 — — — *Fisch.* *Rehb. Fl. germ.* 13, 522.  
 — *pectinata* *Sm.* *Smith Exot. Bot.* 99.  
 — *pectinata* *Lois.* *Rehb. Fl. germ.* 13, 365.  
 — *plantaginea* *Korb.* *Roxb. Corom.* 37.  
 — *platyphila* *C. Koch.* *Rehb. Fl. germ.* 13, 511.  
 — *provincialis* *Balb.* *Mem. Tur.* 9, 2.  
 — — — *Rehb. Fl. germ.* 13, 387. 509.  
 — *pseudopallens* *C. Koch.* *Rehb. Fl. germ.* 13, 511.

- Orchis pseudosambucina* *Ten.* Tenore Fl. nap. 86.  
 — — — *Rehb.* Fl. germ. 13, 413.  
 — — — *punctulata* *Stev.* *Rehb.* Fl. germ. 13, 369. 502.  
 — — — *purpurea* *Huds.* Rivinus Irreg. hexap. 16.  
 — — — *pyramidalis* *L.* Jacq. Fl. austr. 3, 266.  
 — — — Curt. Lond. 4, 106.  
 — — — Engl. Bot. 2, 110.  
 — — — Sv. Bot. 584.  
 — — — Fl. dan. 12, 2113.  
 — — — *Rehb.* Ic. crit. 6, 561.  
 † — — — Linn. Transact. 21, 2.  
 † — — — *M. v. B.* *Rehb.* Fl. germ. 13, 513.  
 — — — *quadrupunctata* *Ten.* Tenore Fl. nap. 89.  
 — — — *Rehb.* Fl. germ. 13, 508. 512.  
 — — — *radiata* *Thunb.* Thunberg Ic. jap. 2.  
 — — — *recurva* *Nyl.* *Rehb.* Fl. germ. 13, 406.  
 — — — *Rivini* *Gouan.* Rivinus Irreg. hexap. 15.  
 — — — Sweet Fl. G. 162.  
 — — — *Robertiana* *Lois.* Loiseleur Fl. gall. 21.  
 — — — Herb. amat. 5, 353.  
 — — — Tenore Fl. nap. 91.  
 — — — *romana* *Sdb.* Sebastiani Pl. rom. 1, 3.  
 — — — Sebastiani Fl. rom. 9.  
 — — — *rubra* *Jacq.* Jacq. Ic. 183.  
 — — — Roemer Fl. europ. 8, 8.  
 — — — *saccata* *Ten.* *Rehb.* Fl. germ. 13, 382. 509.  
 — — — *saccifera* *Brongn.* Bory Morée 30.  
 — — — *Rehb.* Fl. germ. 13, 409.  
 — — — *salina* *Turcz.* *Rehb.* Fl. germ. 13, 395. 522.  
 — — — *sambucina* *L.* Rivinus Irreg. hexap. 12.  
 — — — Jacq. Fl. austr. 2, 108.  
 — — — Baumgarten Fl. lips. 2.  
 — — — Fl. dan. 7, 1232.  
 — — — Sv. Bot. 362.  
 — — — Roemer Fl. europ. 4, 8.  
 — — — Dietr. Fl. bor. 4, 227.  
 — — — Sweet Fl. G. 299.  
 — — — *Rehb.* Ic. crit. 9, 809. 810.  
 — — — *Rehb.* Fl. germ. 13, 412. 512.  
 † — — — *satyroides* *Stev.* Mem. Mosc. 2, 11.  
 — — — *Schleicheri* *Sweet.* Sweet Fl. G. 199.  
 † — — — *sepulchralis* *Boiss.* *Rehb.* Fl. germ. 13, 507.  
 — — — *sesquipedalis* *L. K.* var. *algerica*, *Rehb.* Fl. germ. 13, 396.  
 — — — *Willd.* *Rehb.* Fl. germ. 13, 400. 405.  
 † — — — *Simia* *Lam.* Cosson Atlas 32.  
 — — — *speciosa* *Host.* Jacq. Schoenbr. 4, 451.  
 — — — *Rehb.* Fl. germ. 13, 391.  
 — — — *spectabilis* *L.* Hook. Exot. Fl. 69.  
 — — — Lodd. Cab. 78.  
 — — — Sweet Fl. G. 65.  
 — — — *sphaerica* *M. v. B.* *Rehb.* Fl. germ. 13, 380. 507.  
 — — — *Spitzelii* *Saut.* *Rehb.* Fl. germ. 13, 383.  
 — — — *spuria* *Rehb. fil.* *Rehb.* Fl. germ. 13, 374.  
 — — — *stabiana* *Ten.* Tenore Fl. nap. 196.  
 — — — *Rehb.* Fl. germ. 13, 391.  
 — — — *Stevenii* *Rehb. fil.* *Rehb.* Fl. germ. 13, 372.  
 — — — *suaveolens* *Vill.* Vill. Dauph. 1.  
 — — — *sulphurea* *Schrad.* Bot. Mag. 52, 2569.  
 — — — *Susannae* *L.* Rumpf Amb. 5, 99. fig. 2.  
 — — — *taurica* *Ldl.* *Rehb.* Fl. germ. 13, 505.  
 — — — *Tenoreana* *Guss.* *Rehb.* Fl. germ. 13, 507.  
 — — — *tenuifolia* *C. Koch.* *Rehb.* Fl. germ. 13, 414.  
 — — — *tophrosanthos* *Vill.* Curt. Lond. 4, 82.  
 — — — Bot. Mag. 62, 3426.  
 — — — Bot. Reg. 5, 375.  
 — — — Baxter Brit. Bot. 3, 213.  
 — — — *Rehb.* Fl. germ. 13, 373. 505.  
 — — — *tharandina* *Rehb.* *Rehb.* Fl. germ. 13, 403.  
 — — — *Traunsteineri* *Koch.* *Rehb.* Ic. crit. 6, 564.  
 — — — *trichocera* *Brongn.* Bory Morée 30.  
 — — — *tridentata* *Mühlenb.* Barton Fl. 1, 15.

- Orchis tridentata* *Scop.* *Rehb.* Fl. germ. 13, 371.  
 — — — *undulatifolia* *Biv.* Bivona Pl. sic. 2, 6.  
 — — — Sibth. Fl. gr. 927.  
 — — — *ustulata* *L.* Rivinus Irreg. hexap. 17.  
 — — — Curt. Lond. 4, 36.  
 — — — Engl. Bot. 1, 18.  
 — — — Sv. Bot. 351.  
 — — — Sturm Flora 3, 12.  
 — — — Schrank Fl. monac. 3, 204.  
 — — — Dietr. Fl. bor. 4, 226.  
 — — — Hayne 14, 16.  
 — — — *Rehb.* Ic. crit. 6, 569.  
 — — — *Rehb.* Fl. germ. 13, 368.  
 — — — *variegata* *All.* Rivinus Irreg. hexap. 15.  
 — — — Ruppius Fl. jen. 6.  
 — — — Jacq. Ic. 599.  
 — — — Bot. Reg. 5, 367.  
 — — — Dietr. Fl. bor. 7, 434.  
 † — — — Jordan Obs. 1, 4.  
*Oreas involucrata* *Cham. et Schl.* Linnaea 1, 1.  
*Orelia grandiflora* *Aubl.* Aublet Guiana 106.  
*Oreobliton thesioides* *Dur. et Moq.* Explor. Alger. 79.  
 † *Oreobolus obtusangulus* *Gaudich.* Ann. sc. nat. 5, 2.  
 — — — *pectinatus* *Hook.* Hook. Fl. ant. 49.  
*Oreochloa disticha* *Link.* *Rehb.* Fl. germ. 1, 12.  
 † — — — Nees Gen. 1, 52.  
 † *Oreocosmos monticola* *Naud.* Ann. sc. nat. III. 12, 14.  
*Oreodaphne bullata* *N. v. E.* Bot. Mag. 68, 3931.  
 — — — *foetens* *N. v. E.* Webb Canar. 205.  
*Oreodoxa oleracea* *Mart.* Mart. Palm. 156. 163. Z.  
 — — — *regia* *H. B.* Mart. Palm. 156. S.  
*Oreomyrrhis andicola* *Endl.* Hook. Fl. ant. 101.  
*Oreophila odorata* *P. et E.* Poepp. et Endl. 263.  
*Oreoscris lanuginosa* *DC.* Delessert Ic. 4, 76.  
*Oriastrum pusillum* *P. et E.* Poepp. et Endl. 257.  
*Origanum benghalense* *Burm.* Burm. Fl. ind. 38.  
 — — — *compactum* *Benth.* Boiss. Esp. 147.  
 — — — *creticum* *L.* Schk. Handb. 164.  
 — — — Hayne 8, 7.  
 — — — Guimpel et Schl. 159.  
 — — — Nees Düsseld. 176.  
 — — — Mem. Tur. 38, 1.  
 — — — *Dictamnus* *L.* Rivinus Opus ined. 41.  
 — — — Bot. Mag. 9, 298.  
 — — — Woodv. Med. 2, 129.  
 — — — Hayne 8, 6.  
 — — — *hirtum* *Link.* Sturm Flora 20, 90.  
*macrostachyum* *Link.* Hoffm. Lk. Fl. port. 10.  
 — — — Brotero Phytogr. 113.  
 — — — Nees Düsseld. Suppl. 23.  
 — — — *Majorana* *L.* Woodv. Med. 2, 124.  
 — — — Hayne 8, 9.  
 — — — Nees Düsseld. 175.  
 — — — Guimpel et Schl. 158.  
 — — — Mem. Tur. 38, 1.  
 — — — *Maru* *L.* Sibth. Fl. gr. 573.  
 — — — Bot. Mag. 52, 2605.  
 — — — *Onitis* *L.* Sibth. Fl. gr. 572.  
 — — — *sipyleum* *L.* Lam. Encycl. 511.  
 — — — Sibth. Fl. gr. 570.  
 — — — *smyrnaeum* *L.* Sibth. Fl. gr. 571.  
 — — — *syriacum* *L.* Mem. Tur. 38, 2.  
 — — — *Tournefortii* *Ait.* Andr. Rep. 8, 537.  
 — — — Lodd. Cab. 258.  
 — — — Sibth. Fl. gr. 569.  
 — — — *virens* *Link.* Hoffm. Lk. Fl. port. 9.  
 — — — Brotero Phytogr. 112.  
 — — — *vulgare* *L.* Fl. dan. 4, 638. 9, 1581.  
 — — — Sv. Bot. 188.  
 — — — Woodv. Med. 2, 123.  
 — — — Curt. Lond. 3, 44.  
 — — — Engl. Bot. 16, 1143.

- Origanum vulgare* *L.* Baxter Brit. Bot. 5, 354.  
 † — — — Lam. Encycl. 511.  
 — — — Sturm Flora. 1, 3.  
 — — — Schrank Fl. monac. 1, 98.  
 — — — Haync 8, 8.  
 — — — Nees Düsseld. 174.  
 — — — Guimpel et Schl. 161.  
 — — — Wagner 129.  
 — — — Dietr. Fl. bor. 2, 86.  
 † — — — Nees Gen. 6, 14.  
*Orithyia nutans* *Trautv.* Trautvetter Imag. 10.  
 — *uniflora* *Don.* Sweet Fl. G. II. 336.  
 † *Orium* *Desv.* Desvauz Journal 5, 25.  
*Orixa japonica* *Thunb.* Thunberg Ic. jap. 12.  
*Orlaya grandiflora* *Hoffm.* Dietr. Fl. bor. 11, 745.  
*Ormenis aurea* *Durieu.* Explor. Alger. 61.  
 † — *mixta* *DC.* Explor. Alger. 61.  
*Ormocarpum sennoides* *DC.* Wight Ic. pl. Ind. or. 1, 297.  
 — *verrucosum* *Pal. B.* Pal. B. Fl. d'Oware 58.  
 — — — Lam. Encycl. 978.  
*Ormosia coarctata* *Jacks.* Linn. Transact. 10, 27.  
 — *coccinea* *Jacks.* Linn. Transact. 10, 25.  
 — *dasycarpa* *Jacks.* Linn. Transact. 10, 26.  
 — — — Kerner Hort. 576.  
 — *glauca* *Wall.* Wall. Pl. asiat. 125.  
*Ornithidium album* *Hook.* Bot. Mag. 61, 3306.  
 — *aureum* *P. et E.* Poepp. et Endl. 96.  
 — *coccineum* *Salisb.* Hook. Exot. Fl. 38.  
 — — — Kerner Hort. 790.  
*Ornithocephalus gladiatus* *Hook.* Hook. Exot. Fl. 127.  
*Ornithochilus abyssinicus* *Hochst.* Richard Abyssin. 82.  
*Ornithogalum aequipetalum* *Colla.* Mem. Tur. 39, 53.  
 — *alliaceum* *Lodd.* Lodd. Cab. 1818.  
 — *arabicum* *Brot.* Brotero Phytogr. 45.  
 — — — *Red.* Red. Lil. 2, 63.  
 — — — *L.* Bot. Mag. 19, 728.  
 — — — Bot. Reg. 11, 906.  
 — — — Rchb. Fl. germ. 10, 470.  
 — *arvense* *Pers.* Usteri Ann. 11, 1.  
 — — — Sibth. Fl. gr. 332.  
 — — — Fl. dan. 11, 1869.  
 — *aureum* *Curt.* Bot. Mag. 6, 190.  
 — — — Lodd. Cab. 1183.  
 — — — Red. Lil. 8, 439.  
 — — — Herb. amat. 3, 191.  
 — — — Paxt. Mag. 12, 175.  
 — — — Hart. Parad. 1, 1.  
 — — — Fl. d. serres 2, 13.  
 — *barbatum* *Jacq.* Jacq. Schoenbr. 1, 91.  
 — *biflorum* *Don.* Sweet Fl. G. II. 246.  
 — *bifolium* *Lodd.* Lodd. Cab. 1802.  
 — *bohemium* *Zauschn.* Sturm Flora 6, 23.  
 — *bulbiferum* *L.* Rchb. Ic. crit. 2, 117.  
 — *caudatum* *Ait.* Jacq. Ic. 423.  
 — — — Bot. Mag. 21, 805.  
 — *chloroleucum* *Ldl.* Bot. Reg. 22, 1853.  
 — *circinatum* *L. fil.* Rchb. Fl. germ. 10, 481.  
 — *coarctatum* *Jacq.* Jacq. Ic. 435.  
 — *coccineum* *Lodd.* Lodd. Cab. 301.  
 — *collinum* *Guss.* Rchb. Fl. germ. 10, 468.  
 — *comosum* *L.* Jacq. Ic. 426.  
 — — — Rchb. Fl. germ. 10, 468.  
 — *conicum* *Jacq.* Jacq. Ic. 428.  
 — — — Bot. Mag. 63, 3538.  
 — *contortum* *Ten.* Tenore Fl. nap. 220.  
 — *corymbosum* *Rz et P.* Ruiz et Pav. Fl. 300.  
 — — — Bot. Reg. 11, 906.  
 — — — Bot. Mag. 59, 3179.  
 — — — Sweet Fl. G. II. 89.  
 — *cuspidatum* *Bert.* Novi Comm. Bonon. 5, 42.  
 — *dichotomum* *Lab.* Bill. Nov. Holl. 109.  
 — *divaricatum* *Ldl.* Bot. Reg. 28, 28.

- Ornithogalum elatum* *Andr.* Andr. Rep. 8, 528.  
 — *exscapum* *Ten.* Tenore Fl. nap. 34, 226.  
 — — — Rchb. Fl. germ. 10, 469.  
 — — — *Schultz.* Flora 1827, 2.  
 — *fibrosum* *Desf.* Desf. Fl. atl. 84.  
 — *filiforme* *Led.* Ledeb. Ic. 392.  
 — *fimbriatum* *Willd.* Lindley Collect. 28.  
 — — — Bot. Mag. 58, 3077.  
 — — — Bot. Reg. 7, 555.  
 — — — Sweet Fl. G. II. 111.  
 — *fistulosum* *Ram.* Red. Lil. 4, 221.  
 — — — Rchb. Fl. germ. 10, 476.  
 — *flavescens* *Jacq.* Jacq. Ic. 437.  
 — *flavissimum* *Jacq.* Jacq. Ic. 436.  
 — — — Andr. Rep. 8, 505.  
 — *fuscatum* *Jacq.* Jacq. Ic. 429.  
 — *garganicum* *Ten.* Ac. Neap. 3, 6.  
 — — — Rchb. Fl. germ. 10, 468.  
 — *giganteum* *Jacq.* Jacq. Schoenbr. 1, 87.  
 — *gramineum* *Sims.* Bot. Mag. 50, 2419.  
 — *Grimaldi* *Nocca.* Nocca Pl. select. 4.  
 — *Gussonii* *Ten.* Tenore Fl. nap. 226.  
 — *intermedium* *Schultz.* Flora 1827, 2.  
 — — — var. *bulbiferum*, Flora 1827, 2.  
 — *juncifolium* *Jacq.* Jacq. Schoenbr. 1, 90.  
 — — — Bot. Mag. 25, 972.  
 — *lacteum* *Jacq.* Jacq. Ic. 434.  
 — — — Andr. Rep. 4, 274.  
 — — — Bot. Mag. 28, 1134.  
 — — — Red. Lil. 7, 418.  
 — — — Lodd. Cab. 1159.  
 — — — Rchb. Exot. 53.  
 — — — *Vill.* Rchb. Fl. germ. 10, 472.  
 — *lanceolatum* *Lab.* Bill. Syr. 5, 8.  
 — *latifolium* *L.* Jacq. Ic. 424.  
 — — — Bot. Mag. 22, 876.  
 — — — Bot. Reg. 23, 1978.  
 — *Liotardi* *Sternb.* Regensb. Denkschr. 2, 3.  
 — *longibracteatum* *Jacq.* Jacq. Vind. 3, 29.  
 — — — Red. Lil. 2, 120.  
 — — — Lodd. Cab. 1789.  
 — *luteum* *L.* Fl. dan. 3, 378.  
 — — — Curt. Lond. 4, 121.  
 — — — Red. Lil. 6, 302.  
 — — — Engl. Bot. 1, 21.  
 — — — Sv. Bot. 634.  
 — — — Liboschitz Petersb. 19.  
 — — — Sturm Flora 3, 12.  
 — — — Schrank Fl. monac. 1, 38.  
 — *maculatum* *Jacq.* Jacq. Collect. 2, 18.  
 — *marginatum* *Ldl.* Bot. Reg. 31, 21.  
 — *miniatum* *Jacq.* Jacq. Ic. 438.  
 — — — Kerner Hort. 22.  
 — *minimum* *L.* Fl. dan. 4, 612. 8, 1331.  
 — — — Sv. Bot. 494.  
 — — — Red. Lil. 6, 302.  
 — — — Sturm Flora 3, 12.  
 — *montanum* *Cirillo.* Tenore Fl. nap. 33.  
 — — — Bot. Reg. 24, 28.  
 — — — Rchb. Fl. germ. 10, 470.  
 — — — Sweet Fl. G. II. 42.  
 — *nanum* *Brot.* Brotero Phytogr. 46.  
 — — — *Sm.* Sibth. Fl. gr. 333.  
 — — — Tenore Fl. nap. 226.  
 — — — Bot. Reg. 31, 39.  
 — *narbonnense* *L.* Bot. Mag. 51, 2510.  
 — — — Rchb. Ic. crit. 10, 906.  
 — — — Rchb. Fl. germ. 10, 472.  
 — *niveum* *Ait.* Bot. Reg. 3, 235.  
 — *nudiscapum* *Schultz.* Flora 1827, 2.  
 — *nutans* *L.* Jacq. Fl. austr. 4, 301.  
 — — — Fl. dan. 6, 912.

- Ornithogalum nutans *L.* Bot. Mag. 8, 269.  
 — — — Curt. Lond. 4, 44.  
 — — — Engl. Bot. 28, 1997.  
 — — — Red. Lil. 5, 253.  
 — — — Dietr. Fl. bor. 1, 55.  
 — octandrum *Fingerh.* Linnaea 4, 4.  
 — odoratum *Jacq.* Jacq. Ic. 432.  
 — — — Andr. Rep. 4, 260.  
 — — — Kerner Hort. 731.  
 — orthophyllum *Ten.* Tenore Fl. nap. 225.  
 — paradoxum *Jacq.* Jacq. Collect. 5, 1.  
 — polyphyllum *Jacq.* Jacq. Ic. 430.  
 — prasinum *Ker.* Bot. Reg. 2, 158.  
 — pratense *Pers.* Usteri Annalen 11, 2.  
 — — — Fl. dan. 13, 2225.  
 — pusillum *Schmidt.* Rchb. Ic. crit. 2, 117.  
 — pyramidale *L.* Jacq. Ic. 425.  
 — — — Red. Lil. 8, 422.  
 † — — — Gaertn. Carp. 17.  
 † — — — Lam. Encycl. 242.  
 — pyrenaicum *L.* Jacq. Fl. austr. 2, 103.  
 — — — Red. Lil. 4, 234.  
 — — — Engl. Bot. 7, 499.  
 — — — Rchb. Ic. crit. 10, 907.  
 — — — Rchb. Fl. germ. 10, 471.  
 † — — — Nees Gen. 2, 48.  
 — refractum *Kit.* Tenore Fl. nap. 225.  
 — — — Rchb. Ic. crit. 2, 142.  
 — — — Rchb. Fl. germ. 10, 469.  
 — — — Sweet Fl. G. II. 58.  
 — revolutum *Jacq.* Jacq. Schoenbr. 1, 89.  
 — — — Bot. Mag. 18, 653.  
 — — — Bot. Reg. 4, 315.  
 — Rudolphi *Jacq.* Jacq. Ecl. pl. 20.  
 — saxatile *Vis.* Visiani Dalm. 4.  
 — — — Rchb. Fl. germ. 10, 468.  
 — scilloides *Jacq.* Jacq. Schoenbr. 1, 88.  
 — secundum *Jacq.* Jacq. Ic. 333.  
 — sessile *Pacho.* Pacho Voyage 97.  
 — silvaticum *Pers.* Usteri Annalen 11, 1.  
 — spathaceum *Hayne.* Usteri Annalen 21, 1.  
 — — — Sibth. Fl. gr. 331.  
 — — — Red. Lil. 5, 242.  
 — — — Sv. Bot. 494.  
 — Squilla *Gawl.* Bot. Mag. 23, 918.  
 — stachyoides *Ait.* Rchb. Fl. germ. 10, 472.  
 — Sternbergii *Haenke.* Lodd. Cab. 1209.  
 — suaveolens *Jacq.* Jacq. Ic. 431.  
 — sulphureum *Bert.* Rchb. Fl. germ. 10, 471.  
 — tenellum *Jacq.* Jacq. Ic. 427.  
 — tenuifolium *Red.* Red. Lil. 6, 312.  
 — — — *Guss.* Rchb. Fl. germ. 10, 467.  
 — thyrsoides *Jacq.* Jacq. Vind. 3, 28.  
 — — — Red. Lil. 6, 333.  
 — — — Bot. Mag. 29, 1164.  
 — — —  $\beta$ . flavescens, Bot. Reg. 4, 305.  
 — — —  $\alpha$ . album, Bot. Reg. 4, 316.  
 † — — — Ann. sc. nat. 23, 1.  
 — triandrum *Lab.* Bill. Nov. Holl. 110.  
 — triflorum *Led.* Ledeb. Ic. 379.  
 — — — Rchb. Fl. germ. 10, 478.  
 — trigynum *Red.* Red. Lil. 7, 417.  
 — umbellatum *L.* Jacq. Fl. austr. 4, 343.  
 — — — Curt. Lond. 4, 45.  
 — — — Engl. Bot. 2, 130.  
 — — — Baxter Brit. Bot. 2, 124.  
 — — — Fl. dan. 8, 1266.  
 — — — Sv. Bot. 388.  
 — — — Red. Lil. 3, 143.  
 † — — — Lam. Encycl. 242.  
 — — — Schk. Handb. 94.  
 — — — Dietr. Fl. bor. 1, 56.

- Ornithogalum umbellatum *L.* Rchb. Fl. germ. 10, 467.  
 † — — — Nees Gen. 2, 48.  
 — unifolium *Gawl.* Bot. Mag. 24, 935. 953.  
 — villosum *M. v. B.* Rchb. Fl. germ. 10, 479.  
 — virens *Ldl.* Bot. Reg. 10, 814.  
 Ornithoglossum glaucum *Salisb.* Salisb. Parad. 54.  
 — undulatum *Spr.* Sweet Fl. G. 131.  
 Ornithopus compressus *L.* Sibth. Fl. gr. 714.  
 — coriandrinus *Hochst.* Fielding Sertum 49.  
 — durus *Cav.* Cav. Ic. 41.  
 — ebracteatus *Brot.* Brotero Phytogr. 68.  
 — — — Loiseleur Fl. gall. 13.  
 — heterophyllum *Brot.* Brotero Phytogr. 67.  
 — lotoides *Viv.* Viviani Fl. ital. 9.  
 — purpusillus *L.* Fl. dan. 5, 730.  
 — — — Curt. Lond. 1, 75.  
 — — — Engl. Bot. 6, 369.  
 — — — Baxter Brit. Bot. 5, 358.  
 — — — Lam. Encycl. 631.  
 — — — Viviani Fl. ital. 14.  
 — — — Schk. Handb. 206.  
 — — — Dietr. Fl. bor. 3, 542.  
 — pygmaeus *Viv.* Viviani Fl. ital. 14.  
 — repandum *Poir.* Lam. Encycl. 631.  
 — scorpioides *L.* Cav. Ic. 37.  
 † — — — Schk. Handb. 206.  
 † — — — Gaertn. Carp. 155.  
 † — — — Lam. Encycl. 631.  
 — — — Sibth. Fl. gr. 715.  
 Ornitrophe integrifolia *Lam.* Lam. Encycl. 309.  
 — occidentalis *Willd.* Lam. Encycl. 309.  
 — panigera *Lab.* Bill. Sertum 52.  
 — serrata *Roxb.* Roxb. Corom. 61.  
 — villosa *Roxb.* Wight Ic. pl. Ind. or. 2, 401.  
 Ornus dipetala *Hook.* Hook. Beechey 87.  
 — europaea *Pers.* Hayne 13, 11.  
 — rotundifolia *Moench.* Hayne 13, 12.  
 Orobanche acaulis *Roxb.* Roxb. Corom. 292.  
 — — — Kerner Hort. 668.  
 — alba *Steph.* Marschall Cent. 52.  
 — — — Rchb. Ic. crit. 7, 679. 680. 681.  
 — amethystea *Thuill.* Rchb. Ic. crit. 7, 685. 686.  
 — ammophila *Led.* Ledeb. Ic. 389.  
 — amoena *Led.* Ledeb. Ic. 385.  
 — apiculata *Wallr.* Rchb. Ic. crit. 7, 652.  
 — arenaria *Borkh.* Rchb. Ic. crit. 7, 693. 694.  
 — — — Dietr. Fl. bor. 9, 579.  
 † — — — Mutel Fl. fr. 43.  
 † — — — Schultz Orobanche 1.  
 — Artemisiae *Gaud.* Vaucher Orobanche 13. 14.  
 — barbata *Brot.* Brotero Phytogr. 142.  
 — — — *Poir.* Engl. Bot. 2859.  
 — — — Rchb. Ic. crit. 7, 655.  
 — bicolor *Led.* Ledeb. Ic. 390.  
 † — bipontina *Schultz.* Schultz Orobanche 1.  
 — Buekii *Diétr.* Diétr. Fl. bor. 3, 145.  
 — caesia *Rchb.* Rchb. Ic. crit. 7, 698.  
 — caryophyllacea *Sm.* Tratt. Archiv 3.  
 — — — Gaudin Fl. helv. 4, 1.  
 — — — Rchb. Ic. crit. 7, 660. 9, 835.  
 — — — Engl. Bot. 2639.  
 † — — — Schultz Orobanche 1.  
 — citrina *Diétr.* Diétr. Fl. bor. 7, 441.  
 — coccinea *M. v. B.* Marschall Cent. 56.  
 — — — Rchb. Ic. crit. 7, 699.  
 — coerulea *Vill.* Engl. Bot. 6, 423.  
 — — — Roemer Fl. europ. 9, 7.  
 † — — — Mutel Fl. fr. 43.  
 — — — Rchb. Ic. crit. 7, 692.  
 — — — var. Millefolii, Rchb. Ic. crit. 8, 784.  
 † — — — Schultz Orobanche 1.  
 — — — Dietr. Fl. bor. 3, 150.

- Orobanche coerulesca* *Vill.* *Vaucher Orobanche* 15.  
 — *coerulescens* *Steph.* *Rehb. Ic. crit.* 7, 690.  
 — — — *Dietr. Fl. bor.* 8, 511.  
 — *comosa* *Wallr.* *Hook. Bor. Am.* 169.  
 — — — *Vaucher Orobanche* 15.  
 — *compacta* *Viv.* *Viviani Lib.* 25.  
 — *condensata* *Moris.* *Rehb. Ic. crit.* 7, 666.  
 — *crinita* *Viv.* *Rehb. Ic. crit.* 7, 687.  
 — *cruenta* *Bert.* *Rehb. Ic. crit.* 7, 665.  
 † — — — *Mutel Fl. fr.* 42.  
 † — — — *Cosson Atlas* 19.  
 — *cumana* *Wallr.* *Rehb. Ic. crit.* 7, 691.  
 † — *curviflora* *Viv.* *Viviani Aeg.* 2.  
 — *Dorycnii* *Vauch.* *Vaucher Orobanche* 3.  
 — *elatio* *Sutton.* *Linn. Transact.* 4, 17.  
 — — — *Engl. Bot.* 8, 568.  
 — — — *Fl. dan.* 8, 1338.  
 — — — *Roemer Fl. europ.* 9, 5.  
 — — — *Rehb. Ic. crit.* 7, 669, 670.  
 — — — *Dietr. Fl. bor.* 3, 148.  
 † — — — *Schultz Orobanche* 1.  
 — *Epithymum* *DC.* *Vaucher Orobanche* 6.  
 — — — *Rehb. Ic. crit.* 7, 658, 659.  
 — — — *Dietr. Fl. bor.* 4, 251.  
 † — — — *Schultz Orobanche* 1.  
 † — — — *Nees Gen.* 5, 50.  
 † — — — *Mutel Fl. fr.* 40.  
 † — — — *Cosson Atlas* 19.  
 † — — — *Wight Illustr.* 158<sup>b</sup>.  
 — *Eryngii* *Duby.* *Vaucher Orobanche* 10.  
 † — — — *Cosson Atlas* 19.  
 — *fasciculata* *Nutt.* *Hook. Bor. Am.* 170.  
 † — *flava* *Mart.* *Schultz Orobanche* 1.  
 — *foetida* *Desf.* *Fl. atl.* 144.  
 — — — *Brotero Phytogr.* 145.  
 — — — *Hoffm. Lk. Fl. port.* 62.  
 — — — *Rehb. Ic. crit.* 7, 689.  
 — *fuliginosa* *Jord.* *Jordan Obs.* 3, 9.  
 — *Galii* *Duby.* *Rehb. Ic. crit.* 7, 661—664.  
 — — — *Sturm Flora* 20, 94.  
 — — — *Dietr. Fl. bor.* 3, 146.  
 † — — — *Mutel Fl. fr.* 41.  
 † — — — *Cosson Atlas* 19.  
 — *gilva* *Dietr.* *Dietr. Fl. bor.* 7, 439.  
 — *glabra* *Hook.* *Hook. Bor. Am.* 167.  
 — *glabrata* *C. A. M.* *Eichwald Cauc.* 17.  
 — *gracilis* *Sm.* *Rehb. Ic. crit.* 7, 667.  
 — *grandiflora* *Bory.* *Bory et Chaubard Morée* 22.  
 — *Hederæ* *Vauch.* *Vaucher Orobanche* 8.  
 † — *Kochii* *F. Schultz.* *Flora* 1847, 1.  
 — *Krausci* *Dietr.* *Dietr. Fl. bor.* 7, 437.  
 — *laevis* *L.* *Schk. Handb.* 176.  
 — *Laserpitii* *Sileris* *Jord.* *Jordan Obs.* 3, 9.  
 — *lavandulacea* *Rehb.* *Rehb. Ic. crit.* 7, 697.  
 — *laxiflora* *Rehb.* *Dietr. Fl. bor.* 4, 253.  
 † — *longiflora* *Trev.* *Mag. naturf. Fr.* 7, 2.  
 — — — *Rehb. Ic. crit.* 7, 695.  
 — *loricata* *Rehb.* *Rehb. Ic. crit.* 7, 682, 683.  
 — — — *Dietr. Fl. bor.* 9, 580.  
 — *macrantha* *Dietr.* *Dietr. Fl. bor.* 7, 438.  
 † — *major* *L.* *Gaertn. Carp.* 185.  
 — — — *Curt. Lond.* 3, 109.  
 — — — *Engl. Bot.* 6, 421.  
 — — — *Sv. Bot.* 596.  
 — — — *Roemer Fl. europ.* 9, 4.  
 — — — *Schrank Fl. monac.* 3, 242.  
 — — — *Rehb. Ic. crit.* 5, 470, 7, 668.  
 † — *Medicaginis* *Duby.* *Mutel Fl. fr.* 42.  
 — — — *Vaucher Orobanche* 2.  
 — — — *Rehb. Ic. crit.* 7, 684.  
 — *minor* *Sutton.* *Engl. Bot.* 6, 422.  
 — — — *Baxter Brit. Bot.* 5, 381.

- Orobanche minor* *Sutton.* *Fl. dan.* 7, 1219.  
 — — — *Roemer Fl. europ.* 9, 6.  
 — — — *Rehb. Ic. crit.* 7, 652—654.  
 — — — *Vaucher Orobanche* 4.  
 † — — — *Cosson Atlas* 19.  
 † — *Mutellii* *Schultz.* *Mutel Fl. fr.* 43, Suppl. 2.  
 — *Nicotianæ* *Wight.* *Wight Illustr.* 158.  
 — *nudiflora* *Wallr.* *Rehb. Ic. crit.* 7, 656, 682.  
 — *papyracea* *DC.* *Vaucher Orobanche* 7.  
 † — *pedunculata* *Viv.* *Viviani Aeg.* 2.  
 — *Picridis* *Schultz.* *Engl. Bot.* 2956.  
 — — — *Vaucher Orobanche* 12.  
 † — — — *Cosson Atlas* 19.  
 † — *procera* *Koch.* *Flora* 1836, 1.  
 † — — — *Mutel Fl. fr.* Suppl. 1.  
 — *pruinosa* *Lap.* *Vaucher Orobanche* 5.  
 — — — *Rehb. Ic. crit.* 7, 678.  
 — *purpurea* *L.* *Jacq. Fl. austr.* 3, 267.  
 † — *ramosa* *L.* *Gaertn. Carp.* 185.  
 † — — — *Schultz Orobanche* 1.  
 † — — — *Mutel Fl. fr.* 43.  
 † — — — (*Vaucher.*) *Mem. Mus.* 10, 16.  
 — — — *Brotero Phytogr.* 145.  
 — — — *Engl. Bot.* 3, 184.  
 — — — *Gmelin Fl. bad.* 2, 5.  
 — — — *Roemer Fl. europ.* 9, 8.  
 — — — *Sibth. Fl. gr.* 608.  
 — — — *Lam. Encycl.* 551.  
 — — — *Vaucher Orobanche* 16.  
 — — — *Rehb. Ic. crit.* 7, 696.  
 — — — *Dietr. Fl. bor.* 4, 250.  
 — *Rapum* *Thuill.* *Rehb. Ic. crit.* 7, 688.  
 — — — *Vaucher Orobanche* 1.  
 — — — *Dietr. Fl. bor.* 4, 249.  
 † — — — *Cosson Atlas* 19.  
 — *robusta* *Dietr.* *Dietr. Fl. bor.* 3, 151.  
 — *rubens* *Wallr.* *Sturm Flora* 20, 94.  
 — *Rubi* *Vauch.* *Vaucher Orobanche* 9.  
 — *rubiginosa* *Dietr.* *Dietr. Fl. bor.* 4, 252.  
 — *rubra* *Sm.* *Curt. Lond.* 4, 105.  
 — — — *Engl. Bot.* 25, 1786.  
 — — — *Rehb. Ic. crit.* 7, 657.  
 — *Scabiosæ* *Koch.* *Vaucher Orobanche* 11.  
 † — *Schultzei* *Mutel.* *Mutel Fl. fr.* Suppl. 2.  
 — *sordida* *Led.* *Ledeb. Ic.* 386.  
 — *speciosa* *Dietr.* *Dietr. Fl. bor.* 3, 149.  
 † — *stigmatodes* *Wimmer.* *Flora* 1847, 1.  
 — *strobiligena* *Rehb.* *Rehb. Ic. crit.* 7, 673, 674.  
 † — *Teucris* *Holandre.* *Mutel Fl. fr.* 41, Suppl. 3.  
 — — — *Flora* 1835, 1.  
 — *torquata* *Rehb.* *Rehb. Ic. crit.* 9, 836.  
 — — — *Dietr. Fl. bor.* 7, 440.  
 — *tuberosa* *Hook.* *Hook. Bor. Am.* 168.  
 — *tubiflora* *Dietr.* *Dietr. Fl. bor.* 3, 147.  
 † — *Tussilaginis* *Mutel.* *Mutel Fl. fr.* 42.  
 — *uniflora* *L.* *Barton Med.* 50.  
 — — — *Dict. sc. nat.* 29.  
 — *variegata* *Wallr.* *Rehb. Ic. crit.* 7, 671, 672.  
 — *virginiana* *L.* *Barton Med.* 27.  
 † — *vulgaris* *Poir.* *Lam. Encycl.* 551.  
 — — — *Gaudin Fl. helv.* 4, 2.  
 — — — *Rehb. Ic. crit.* 7, 651, 675—677.  
 † *Orobanchæac* *Vent.* *Wight Illustr.* 158<sup>bis</sup>.  
 † *Orobanchia* *Vandelli.* *Roemer Scriptoris* 7.  
*Orobus albus* *Willd.* *Sweet Fl. G.* 22.  
 — *alpestris* *W. et K.* *W. et Kit.* 126.  
 — *angustifolius* *Reichard.* *var. Schneevogt* *Ic.* 10.  
 — *atropurpureus* *Desf.* *Desf. Fl. atl.* 196.  
 — — — *Bot. Reg.* 21, 1763.  
 — *aurantius* *M. v. B.* *Sweet Fl. G. II.* 198.  
 — *aureus* *Steven.* *Lodd. Cab.* 1955.  
 — *canescens* *L. fil.* *Bot. Mag.* 58, 3117.

- Orobus coccineus* Lodd. Lodd. Cab. 883.  
 — *croceus* Desf. Ann. Mus. 12, 9.  
 — — — Desf. Choix 64.  
 — *digitatus* Ten. Tenore Fl. nap. 243.  
 — *divaricatus* Lapeyr. Mem. Mus. 2, 11.  
 — *ensifolius* Lapeyr. Mem. Mus. 2, 12.  
 — *Fischeri* Sweet. Sweet Fl. G. 289.  
 — — — Lodd. Cab. 1740.  
 — *flaccidus* Kit. Rehb. Ic. crit. 10, 959.  
 — *formosus* Stev. Linn. Transact. 11, 36.  
 — *hirsutus* L. Bot. Mag. 49, 2345.  
 — — — Lodd. Cab. 929.  
 — — — Sweet Fl. G. II. 302.  
 — *intermedius* Led. Ledeb. Ic. 484.  
 — *Jordani* Ten. Tenore Fl. nap. 170.  
 — *lacteus* M. v. B.  $\beta$ . Ledeb. Ic. 485.  
 — *lævigatus* W. et K. W. et Kit. 243.  
 — *lathyroides* L. Bot. Mag. 46, 2098.  
 — — — Lodd. Cab. 698.  
 — *laxiflorus* Desf. Ann. Mus. 12, 8.  
 — — — Desf. Choix 63.  
 — *luteus* L. Lodd. Cab. 783.  
 — — — Sweet Fl. G. II. 115.  
 — *montanus* Scop. Scop. Fl. carn. 2, 41.  
 — *niger* L. Fl. dan. 7, 1170.  
 † — — — Gaertn. Carp. 151.  
 † — — — Schk. Handb. 200.  
 † — — — Lam. Encycl. 633.  
 — — — Bot. Mag. 48, 2261.  
 — — — Engl. Bot. 2788.  
 — — — Dietr. Fl. bor. 9, 603.  
 — *ochroleucus* W. et K. W. et Kit. 118.  
 — *pannonicus* Jacq. Jacq. Fl. austr. 1, 39.  
 — *saxatilis* Vent. Vent. Cels 94.  
 — *sessilifolius* Sibth. Sibth. Fl. gr. 692.  
 — — — Bot. Mag. 55, 2796.  
 — *silvaticus* L. Lightf. Fl. scot. 1, 16.  
 — — — Curt. Lond. 4, 8.  
 — — — Engl. Bot. 8, 518.  
 — — — Lodd. Cab. 1181.  
 — — — Roemer Fl. europ. 11, 8.  
 — *stipulaceus* Hook. Bot. Mag. 56, 2937.  
 — *subvillosus* Led. Ledeb. Ic. 483.  
 — *Tournefortii* Lapeyr. Mem. Mus. 2, 10.  
 — *tuberosus* L. Fl. dan. 5, 781.  
 — — — Curt. Lond. 1, 98.  
 — — — Engl. Bot. 17, 1153.  
 — — — Baxter Brit. Bot. 6, 433.  
 — — — Schk. Handb. 200.  
 — — — Sturm Flora 6, 21.  
 — — — Dietr. Fl. bor. 7, 484.  
 — *variegatus* Ten. Tenore Fl. nap. 68.  
 — — — Lodd. Cab. 1168.  
 — — — Sweet Fl. G. II. 28.  
 — *varius* Solander. Hill Hort. Kew. 11.  
 — — — Bot. Mag. 18, 675.  
 — *vernus* L. Fl. dan. 7, 1226.  
 — — — Bot. Mag. 15, 521.  
 † — — — Lam. Encycl. 633.  
 — — — Sv. Bot. 640.  
 — — — Sibth. Fl. gr. 691.  
 — — — var. Rochel Banat. 16.  
 — — — Sturm Flora 2, 7.  
 — — — Dietr. Fl. bor. 7, 483.  
 † *Orontiaceae* R. Br. Schnizl. Iconogr. 1, 72<sup>b</sup>. 72<sup>bb</sup>.  
 † *Orontium* L. Kerner Genera 114.  
 — *aquaticum* L. Linn. Amoenit. 3, 1.  
 — — — Barton Fl. 2, 37.  
 — — — Lodd. Cab. 402.  
 — — — Hook. Exot. Fl. 19.  
 † — — — Lam. Encycl. 251.  
 — *japonicum* Thunb. Kaempfer Japon. 12.

- Orontium japonicum* Thunb. Bot. Mag. 23, 898.  
 — — — Lam. Encycl. 251.  
 † *Oropetium thomaeum* Trin. Trinius Fund. 3.  
 — *Orophea polycarpa* DC. Mem. Genev. 5, 4.  
 — *Orothamnus Zeyheri* Pappe. Bot. Mag. 74, 4357.  
 — — — Fl. d. serres 4, 338.  
 — *Orphium frutescens* E. M. Paxt. Mag. 13, 221.  
 — *Ortegia dichotoma* All. Misc. Taur. 3, 4.  
 — *hispanica* L. Cav. Ic. 47.  
 — — — Lam. Encycl. 29.  
 † — — — Gaertn. Carp. 129.  
 — *Orphanthera viminea* Wight. Jacquemont Ind. 115.  
 — — — Royle Illustr. 66.  
 — *Orthocarpus strictus* Hook. Hook. Bor. Am. 173.  
 — *Orthoclada laxa* Pal. B. Humb. Gram. 71.  
 — *Orthopogon Burmanni* R. Br. Petersb. 10, 22.  
 — — — Rehb. Fl. germ. 1, 28.  
 — — *imbecillis* R. Br. Trin. Sp. Gr. 2, 191.  
 — — *undulatifolius* R. Br. Rehb. Fl. germ. 1, 28.  
 — *Orthosiphon bracteatus* Wight. Wight Ic. pl. Ind. or. 4, 1428.  
 — *incurvus* Benth. Bot. Mag. 67, 3847.  
 — — — Maund Bot. 4, 173.  
 — *rubicundus* Benth. Hook. Ic. pl. 5, 459.  
 † *Orthosporum Bonus* Henricus C. A. M. Nees Gen. 4, 57.  
 † — *rubrum* C. A. M. Nees Gen. 4, 57.  
 — *Orthotactus venosus* N. v. E. Endl. Bras. 7, 21.  
 — *Orthrosanthus multiflorus* Sweet. Sweet Austr. 11.  
 — — — Lodd. Cab. 1474.  
 — — — Paxt. Mag. 11, 245.  
 — *Oryza latifolia* Desv. Humb. Gram. 4.  
 — *sativa* L. Rumpf Amb. 5, 75<sup>b</sup>.  
 — — — Tidyman Dissert. 1. 2.  
 — — — Host Gram. 325.  
 — — — Metzger Cer. 13.  
 — — — Nees Düsseld. 36.  
 — — — Desc. Ant. 8, 547.  
 † — — — Linn. Amoenit. 7, 3.  
 † — — — Gaertn. Carp. 80.  
 † — — — Lam. Encycl. 264.  
 † — — — Ann. Mus. 17, 10.  
 † — — — Spach Suites 127.  
 † — — — Nees Gen. 1, 2.  
 — *subulata* N. v. E. Humb. Gram. 101.  
 — *Oryzopsis asperifolia* Rich. Michaux Fl. 9.  
 † — — — Lam. Encycl. 908.  
 — *Osbeckia angustifolia* Don. Wall. Pl. asiat. 251.  
 † — *antherotoma* Naud. Ann. sc. nat. III. 13, 6.  
 — *aspera* Blume. Wight Ic. pl. Ind. or. 3, 377.  
 † — *brachystemon* Naud. Ann. sc. nat. III. 13, 7.  
 — *canescens* Graham. Knowles et Westcott 123.  
 — — — Maund Bot. 5, 229.  
 — — — Bot. Mag. 66, 3790.  
 — *chinensis* L. Lam. Encycl. 283.  
 — — — Lodd. Cab. 665.  
 — — — Bot. Reg. 7, 542.  
 — — — Bot. Mag. 69, 4026.  
 — *cupularis?* W. et A. Rheede Hort. mal. 4, 43.  
 — *Gardneriana* Wight. Wight Spicil. 69.  
 — — — Wight Ic. pl. Ind. or. 3, 997.  
 — *glomerata* DC. Bot. Mag. 55, 2838.  
 † — *hirta* Gaertn. Gaertn. Carp. 126.  
 — *hispidissima* Wight. Wight Ic. pl. Ind. or. 4, 1612.  
 — *Leschenaultiana* DC. Wight Spicil. 68.  
 — — — Wight Ic. pl. Ind. or. 3, 996.  
 † — *linearis* Bl. Blume Mus. 1, 19.  
 † — — — Ann. sc. nat. III. 13, 7.  
 — *nepalensis* Hook. Hook. Exot. Fl. 31.  
 — — — Mem. Genev. 4, 1.  
 — — — var. *albiflora*, Bot. Reg. 17, 1475.  
 † — — — Ann. sc. nat. III. 13, 7.  
 † — *Perrottetii* Naud. Ann. sc. nat. III. 13, 7.

- † *Osbeckia Royeni* *Miq.* Miquel Comment. 10.  
 — *stellata* *Don.* Hook. Exot. Fl. 37.  
 — — — Bot. Reg. 8, 674. 30, 55.  
 — — — Rehb. Exot. 239.  
 — — — Lem. Jard. fl. 168.  
 — *ternifolia* *Don.* Wall. Pl. asiat. 240.  
 — *truncata* *Don.* Wight Ic. pl. Ind. or. 2, 375.  
 — *virgata* *Don.* Rheede Hort. mal. 4, 44.  
 — — — Wight Ic. pl. Ind. or. 2, 376.  
 — *Wightiana* *Benth.* Wight Spicil. 70.  
 — — — Wight Ic. pl. Ind. or. 3, 998.  
 † *zanzibariensis* *Naud.* Ann. sc. nat. III. 13, 7.  
 — *zeylanica* *L.* Lam. Encycl. 283.  
 — — — Bot. Reg. 7, 565.  
 † *Osbeckiastrum Heudelotii* *Naud.* Ann. sc. nat. III. 13, 7.  
*Oserya Culteriana* *Tul.* Arch. Mus. 6, 10.  
 — *flabellifera* *Tul.* Arch. Mus. 6, 10.  
 † *Osmites asteriscoides* *L.* Gaertn. Carp. 174.  
 † — — — Lam. Encycl. 704.  
 — *calycina* *L.* Lam. Encycl. 704.  
 † — *camphorina* *Gaertn.* Gaertn. Carp. 174.  
 † — — — Lam. Encycl. 704.  
*Osmorrhiza brevistylis* *DC.* Hook. Bor. Am. 97.  
 — *laxa* *Royle.* Royle Illustr. 52.  
 — *longistylis* *DC.* Hook. Bor. Am. 96.  
 — — — Torrey New York 38.  
*Osmunda africana* *Schk.* Schk. Fil. 147.  
 — *bifurcata* *Jacq.* Jacq. Collect. 3, 20.  
 — *cinnamomea* *L.* Schk. Fil. 146.  
 — *crispa* *L.* Fl. dan. 3, 496.  
 — *deltoides* *Cav.* Cav. Ic. 593.  
 — *fulva* *Cav.* Cav. Ic. 593.  
 — *gracilis* *Link.* Kunze Fil. 39.  
 — *humilis* *Cav.* Cav. Ic. 592.  
 — *javanica* *Bl.* Kunze Fil. 111.  
 — *imbricata* *Kze.* Kunze Fil. 112.  
 — *interrupta* *Michx.* Schk. Fil. 144.  
 — *lanceolata* *Roxb.* Desc. Ant. 2, 146.  
 — — — Calcutta Journal 1844, 27.  
 — *lunaria* *L.* Fl. dan. 1, 18.  
 — — — Engl. Bot. 5, 318.  
 — — — Lam. Encycl. 865.  
 — — — Sturm Flora II. 1, 12.  
 — *Matricariae* *Schrank.* Sturm Flora II. 2, 8.  
 — *oblongifolia* *Cav.* Cav. Ic. 592.  
 — *regalis* *L.* Fl. dan. 2, 217.  
 — — — Curt. Lond. 5, 150.  
 — — — Engl. Bot. 3, 209.  
 — — — Newman p. 331. 333.  
 — — — Sv. Bot. 366.  
 — — — Dict. sc. nat. 99.  
 † — — — Lam. Encycl. 865.  
 † — — — Hook. Gen. Fil. 46.  
 — — — Schk. Fil. 145.  
 — — — Sturm Flora II. 2, 7.  
 — *Spicata* *L.* Fl. dan. 1, 99.  
 † — — — Hedwig Theoria 5.  
 — *Struthiopteris* *L.* Fl. dan. 1, 169.  
 — *tenella* *Cav.* Cav. Ic. 592.  
 — *ternata* *Thunb.* Thunb. Fl. jap. 32.  
 — *trifida* *Jacq.* Jacq. Collect. 3, 20.  
 — *Vachellii* *Hook.* Hook. Ic. pl. 1, 15.  
 — *zeylanica* *L.* Rumpf Amb. 6, 68.  
 — — — Kunze Fil. 122.  
 † *Osmundaceae* *Mart.* Schnizl. Iconogr. 1, 30.  
*Osteomeles anthyllidifolia* *Ldl.* Linn. Transact. 13, 8.  
 — *glabrata* *H. B. K.* H. B. K. Nov. Gen. 6, 553.  
 — *latifolia* *H. B. K.* H. B. K. Nov. Gen. 6, 554.  
*Osteospermum coeruleum* *Jacq.* Jacq. Ic. 179.  
 † — *moniliferum* *L.* Gaertn. Carp. 168.  
 † — — — Lam. Encycl. 714.  
 — *pinnatifidum* *L'her.* L'her. Stirp. 6.

- Osteospermum spinosum* *Jacq.* Jacq. Schoenbr. 3, 377.  
 — *palustre* *Bess.* Rehb. Ic. crit. 5, 402.  
 † *Ostrya carpinifolia* *Scop.* Nees Gen. 4, 21.  
 — *virginica* *Willd.* Torrey New York 102.  
 † — — — Bull. Mosc. 1850, 15.  
 — *vulgaris* *Willd.* Watson Dendr. 2, 143.  
 — — — Hartig 22.  
 — — — Rehb. Fl. germ. 12, 635.  
 † — — — Bull. Mosc. 1850, 15.  
 † *Osyricera crassifolia* *Bl.* Blume Tabellen 58.  
 † *Osyris alba* *L.* Gaertn. Carp. 216.  
 † — — — Lam. Encycl. 802.  
 † — — — Ann. sc. nat. II. 6, 6.  
 † — — — Nees Gen. 4, 49.  
 — — — Schk. Handb. 319.  
 — — — Sibth. Fl. gr. 954.  
 — — — Rehb. Fl. germ. II, 548.  
 — *japonica* *Thunb.* Thunberg Ic. jap. 21.  
 † *nepalensis* *Griff.* (Ovulum.) Linn. Transact. 19, 18.  
 — *peltata* *Roxb.* Wight Ic. pl. Ind. or. 3, 817.  
 † — *quadripartita* *Decne.* Ann. sc. nat. II. 6, 6.  
 — *Wightiana* *Wall.* Wight Ic. pl. Ind. or. 5, 1853.  
*Otanthera bracteata* *Korth.* Korthals Bot. 51.  
 — *moluccana* *Bl.* Rumpf Amb. 4, 71.  
 † — — — Blume Mus. 1, 20.  
*Othera japonica* *Thunb.* Thunberg Ic. jap. 13.  
*Othonna abrotanifolia* *L.* Bot. Reg. 2, 108.  
 — — — Lodd. Cab. 1698.  
 — *amplexicaulis* *Thunb.* Bot. Mag. 32, 1312.  
 — *Athanasiae* *Jacq.* Jacq. Schoenbr. 2, 242.  
 — *cheirifolia* *L.* Bot. Reg. 4, 266.  
 † — *coronopifolia* *L.* Gaertn. Carp. 170.  
 † — — — Lam. Encycl. 714.  
 — *denticulata* *Thunb.* Bot. Mag. 45, 1979.  
 — *filicaulis* *Jacq.* Jacq. Schoenbr. 2, 241.  
 — *flabellifolia* *Lodd.* Lodd. Cab. 728.  
 — *frutescens* *L.* Bot. Mag. 69, 3967.  
 — *Lingua* *Thunb.* Jacq. Schoenbr. 2, 238.  
 — *pectinata* *L.* Bot. Mag. 9, 306.  
 — *perfoliata* *Jacq.* Jacq. Schoenbr. 2, 240.  
 — *pinnata* *L. fil.* Bot. Mag. 60, 768.  
 — *retrofracta* *Jacq.* Jacq. Schoenbr. 3, 376.  
 — *Tagetes* *L.* Comm. Gott. 3, 5.  
 — *tenuissima* *L.* Jacq. Schoenbr. 2, 239.  
 — *tuberosa* *Thunb.* Bot. Mag. 69, 4038.  
*Othonnopsis angustifolia* *J. et Sp.* Jaubert Illustr. 357.  
 † *Othostemma lacunosum* *Bl.* Blume Mus. 1, 11.  
*Otidia alternans* *Sweet.* Sweet Geran. 286.  
 — *carnea* *Sweet.* Sweet Geran. 98.  
 — *crithmifolia* *Sweet.* Sweet Geran. 354.  
 — *laxa* *Sweet.* Sweet Geran. 196.  
 † *Ottilis zeylanica* *Gaertn.* Gaertn. Carp. 57.  
*Otocarpus virgatus* *Durieu.* Explor. Alger. 77.  
*Otochilus fusca* *Ldl.* Wall. Pl. asiat. 68.  
 — — — Bot. Mag. 68, 3921.  
*Otoptera Burchellii* *DC.* DC. Legum. 42.  
*Otostegia arabica* *Jaub. et Sp.* Jaubert Illustr. 380.  
 — *Aucherii* *Boiss.* Jaubert Illustr. 382.  
 — *Benthamiana* *Jaub. et Sp.* Jaubert Illustr. 379.  
 — *microphylla* *Boiss.* Jaubert Illustr. 381.  
 — *moluccoides* *Jaub. et Sp.* Jaubert Illustr. 378.  
 † *Ottelia alismoides* *Rich.* Mem. Institut. 1811, 7.  
 — *lanceifolia* *Rich.* Richard Abyssin. 95.  
*Ottoa ocanthoides* *H. B. K.* H. B. K. Nov. Gen. 5, 423.  
 † *Otonnia Anisum* *Spr.* Miquel III. Pip. 92.  
 — — — Endl. Bras. 11, 22.  
 — *Blanchetii* *Moric.* Moricand Pl. Am. 57.  
 — *coreovadensis* *Miq.* Endl. Bras. 11, 23.  
 — *Lessertiana* *Miq.* Miquel III. Pip. 92.  
 — *macrophylla* *Miq.* Endl. Bras. 11, 22.  
 — *macrostachya* *Miq.* Endl. Bras. 11, 22.  
 — *Pohlana* *Miq.* Endl. Bras. 11, 23.

- Ottonia Waracabacoura* *Miq.* Endl. Bras. 11, 24.  
*Ouratea guianensis* *Aubl.* Aublet Guiana 152.  
*Ourisia alpina* *P. et E.* Poepp. et Endl. 6.  
 — *antarctica* *Hook.* Hook. Fl. ant. 118.  
 — *breviflora* *Benth.* Hook. Fl. ant. 118.  
 — *macrophylla* *Hook.* Hook. Ic. pl. 6, 545, 546.  
 † *magellanica* *Pers.* Gaertn. Carp. 185.  
 — — — — — Poepp. et Endl. 4.  
 — *microphylla* *P. et E.* Poepp. et Endl. 7.  
 — *pallens* *P. et E.* Poepp. et Endl. 5.  
*Ouroparia guianensis* *Aubl.* Aublet Guiana 68.  
*Outea guianensis* *Aubl.* Aublet Guiana 9.  
 — — — — — Lam. Encycl. 26.  
*Outreya carduiformis* *Jaub.* Jaubert Illustr. 68.  
*Ouvirandra Bernieriana* *Decne.* Delessert Ic. 3, 100.  
 — *fenestralis* *Poir.* Delessert Ic. 3, 99.  
 — *undulata* *Edgew.* Hook. Journal 1844, 18.  
*Ovieda mitis* *L.* Burm. Fl. ind. 43.  
 † — — — — — Gaertn. Carp. 57.  
 † — — — — — Lam. Encycl. 538.  
 † — *spinosa* *L.* Lam. Encycl. 538.  
 — — — — — Desc. Ant. 7, 467.  
 † *Oxalideae* *DC.* Fayer Organogénie 11.  
 † *Oxalis* *L.* Gray Genera 144.  
 † — *Acetosella* *L.* Jacquin Oxalis 80.  
 † — — — — — Gaertn. Carp. 113.  
 † — — — — — Lam. Encycl. 391.  
 † — — — — — Plée Types 29.  
 — — — — — Fl. dan. 6, 980.  
 — — — — — Woodv. Med. 3, 201.  
 — — — — — Curt. Lond. 1, 17.  
 — — — — — Engl. Bot. 11, 762.  
 — — — — — Baxter Brit. Bot. 5, 327.  
 — — — — — Sv. Bot. 10.  
 — — — — — Dreves 1, 1.  
 — — — — — Schk. Handb. 123.  
 — — — — — Schrank Fl. monac. 1, 57.  
 — — — — — Hayne 5, 39.  
 — — — — — Nees Düsseld. 383.  
 — — — — — Guimp. et Schl. 96.  
 — — — — — Dietr. Fl. bor. 2, 131.  
 — — — — — Rehb. Fl. germ. 5, 199.  
 — *alata* *Mart.* Münchn. Denkschr. 9, 1.  
 — *alba* *Hort. bot.* Sweet Fl. G. II. 398.  
 † — *ambigua* *Salisb.* Linn. Transact. 2, 23.  
 — *ambigua* *Jacq.* Jacquin Oxalis 43.  
 — *amoena* *Jacq.* Jacq. Schoenbr. 2, 206.  
 — *anthelmintica* *Rich.* Richard Abyssin. 23.  
 — *arbuscula* *Barn.* Gay Chile 14.  
 — *arcuata* *Jacq.* Jacquin Oxalis 31.  
 — *arenaria* *Colla.* Mem. Tur. 37, 3.  
 — *asinina* *Jacq.* Jacquin Oxalis 24.  
 — *Barrelieri* *L.* Jacquin Oxalis 3.  
 — — — — — Bot. Mag. 66, 3748.  
 — *Berteroana* *Barn.* Gay Chile 14.  
 — *bifida* *Thunb.* Thunberg Oxalis 1.  
 — — — — — Jacquin Oxalis 79.  
 — *bifurca* *Lodd.* Lodd. Cab. 1056.  
 — *bipartita* *St. Hil.* St. Hil. Fl. Bras. 25.  
 — *bipunctata* *Grah.* Bot. Mag. 54, 2781.  
 — *Bowieana* *Lodd.* Lodd. Cab. 1782.  
 — — — — — Maund Bot. 1, 25.  
 — — — — — Bot. Reg. 19, 1585.  
 — *brasiliensis* *Lodd.* Lodd. Cab. 1962.  
 — — — — — Knowles et Westcott 62.  
 — *breviscapa* *Jacq.* Jacquin Oxalis 58.  
 — — — — — Kerner Hort. 71.  
 — *Bridgesii* *Colla.* Mem. Tur. 37, 4.  
 — *bupleurifolia* *St. Hil.* St. Hil. Fl. Bras. 23.  
 — *canescens* *Jacq.* Jacquin Oxalis 11.  
 — *caprina* *Thunb.* Jacquin Oxalis 76.  
 — — — — — Bot. Mag. 7, 237.

- Oxalis* *caprina* *Thunb.* Lodd. Cab. 1109.  
 — *carnosa* *Molina.* Lodd. Cab. 1647.  
 — — — — — Bot. Reg. 13, 1063.  
 — — — — — Bot. Mag. 53, 2866.  
 — *casta* *Mart.* Münchn. Denkschr. 9, 6.  
 — *cataractae* *Cunn.* Hook. Ic. pl. 5, 418.  
 — *cernua* *Thunb.* Thunberg Oxalis 2.  
 — — — — — Jacquin Oxalis 6.  
 † — — — — — Jacq. Fragm. 6.  
 — — — — — Lodd. Cab. 1154.  
 — — — — — Kerner Hort. 298.  
 — *ciliaris* *Jacq.* Jacquin Oxalis 30.  
 — *compressa* *L. fil.* Jacquin Oxalis 78.  
 — — — — — Jacq. Fragm. 37.  
 — — — — — Kerner Hort. 158.  
 — *confertissima* *St. Hil.* St. Hil. Fl. Bras. 24.  
 — *convexula* *Jacq.* Jacquin Oxalis 55.  
 — — — — — Kerner Hort. 303.  
 — *cordata* *St. Hil.* St. Hil. Pl. usuelles 45.  
 — *corniculata* *L.* Jacquin Oxalis 5.  
 — — — — — Fl. dan. 5, 873, 10, 1753.  
 — — — — — Engl. Bot. 24, 1726.  
 — — — — — Sibth. Fl. gr. 451.  
 † — — — — — Schk. Handb. 123.  
 — — — — — Sturm Flora 1, 1.  
 — — — — — Dietr. Fl. bor. 4, 240.  
 — — — — — Rehb. Fl. germ. 5, 199.  
 — — — — — Wight Ic. pl. Ind. or. 1, 18.  
 — *crassicaulis* *Zucc.* Münchn. Abh. 1, 8.  
 — *cratensis* *Hook.* Hook. Ic. pl. 4, 361.  
 — *crenata* *Jacq.* Sweet Fl. G. II. 125.  
 — *crispa* *Jacq.* Jacquin Oxalis 23.  
 — *cruentata* *Jacq.* Jacq. Ecl. pl. 45.  
 — *Cumingi* *Ldl.* Bot. Reg. 18, 1545.  
 — *cuneata* *Jacq.* Jacquin Oxalis 40.  
 — *cuneifolia* *Jacq.* Jacquin Oxalis 41.  
 — *cuprea* *Lodd.* Lodd. Cab. 824.  
 — *Darvelliana* *Kn. et W.* Knowles et Westcott 93.  
 — *decaphylla* *H. B. K.* H. B. K. Nov. Gen. 5, 468.  
 — *dentata* *Jacq.* Jacquin Oxalis 7.  
 — *Deppei* *Lodd.* Lodd. Cab. 1500.  
 — — — — — Hénon Notice 1—3.  
 — — — — — Sweet Fl. G. II. 96.  
 — *discolor* *Klotzsch.* Link Ic. III. 29.  
 — *disticha* *Jacq.* Jacquin Oxalis 18.  
 — *divergens* *Benth.* Bot. Reg. 19, 1620.  
 — *dormiens* *Mart.* Münchn. Denkschr. 9, 5.  
 — *obracteata* *Savigny.* Lam. Encycl. 391.  
 — *Ehrenbergii* *Schlecht.* Schlechtendal Hortus 6.  
 — *elegans* *H. B. K.* H. B. K. Nov. Gen. 5, 466.  
 — — — — — Paxt. Mag. 16, 238.  
 — — — — — Bot. Mag. 76, 4490.  
 — *elongata* *Jacq.* Jacquin Oxalis 37.  
 — *enneaphylla* *Cav.* Cav. Ic. 411.  
 — — — — — Hook. Ic. pl. 5, 494.  
 — *exaltata* *Jacq.* Jacquin Oxalis 49.  
 — *fabaeifolia* *Jacq.* Jacquin Oxalis 27.  
 — — — — — Kerner Hort. 215.  
 — *fallax* *Jacq.* Jacquin Oxalis 67.  
 — *ferruginata* *Jacq.* Jacq. Schoenbr. 3, 274.  
 — *filicaulis* *Jacq.* Jacq. Schoenbr. 2, 205.  
 — *filifolia* *Jacq.* Jacq. Schoenbr. 3, 273.  
 — *filiformis* *H. B. K.* H. B. K. Nov. Gen. 5, 469.  
 — *flabellifolia* *Jacq.* Jacquin Oxalis 74.  
 — *flaccida* *Jacq.* Jacquin Oxalis 51.  
 — *flava* *L.* Jacquin Oxalis 73.  
 — — — — — Bot. Reg. 2, 117.  
 — *floribunda* *Lehm.* Link Ic. II. 10.  
 — — — — — Bot. Reg. 13, 1123.  
 — — — — — Sweet Fl. G. II. 54.  
 — *frutescens* *L.* Desc. Ant. 1, 32.  
 — *fruticosa* *St. Hil.* Bot. Reg. 27, 41.



- Oxalis fulgida* Ldl. Bot. Reg. 13, 1073.  
 — *fulva* St. Hil. St. Hil. Pl. usuelles 44.  
 — *fuscata* Jacq. Jacquin Oxalis 45.  
 — *geniculata* Kn. et W. Knowles et Westcott 21.  
 — *glabra* Thunb. Thunberg Oxalis 2.  
 — — Jacquin Oxalis 76.  
 — *glandulitega* Salisb. Salisbury Parad. 66.  
 — *glandulosa* Jacq. Jacquin Oxalis 46.  
 — *glauca* H. B. K. H. B. K. Nov. Gen. 5, 471.  
 — *gracilis* Jacq. Jacquin Oxalis 33.  
 — *grandiflora* Jacq. Jacquin Oxalis 54.  
 — *hirta* L. Jacquin Oxalis 13, 77.  
 — — Lodd. Cab. 213.  
 — *hirtella* Jacq. Jacquin Oxalis 14.  
 — *incarnata* L. Jacquin Oxalis 71.  
 — *laburnifolia* Jacq. Jacquin Oxalis 28.  
 — *laciniata* Cav. Cav. Ic. 412.  
 — *lanata* L. fil. Jacquin Oxalis 77.  
 — *lanceaefolia* Jacq. Jacquin Oxalis 26.  
 — *lasiandra* Hook. Bot. Mag. 68, 3896.  
 — *lasiopetala* Zucc. Bot. Mag. 68, 3932.  
 — *lateriflora* Jacq. Jacq. Schoenbr. 2, 204.  
 — *latifolia* H. B. K. H. B. K. Nov. Gen. 5, 467.  
 — *laxula* Jacq. Jacquin Oxalis 57.  
 — *lepada* Jacq. Jacquin Oxalis 21.  
 — *leporina* Jacq. Jacquin Oxalis 25.  
 — *libyca* Viv. Viviani Lib. 13.  
 — *lindsaeaefolia* Hook. Hook. Journal 1844, 1, 2.  
 — *linearis* Jacq. Jacquin Oxalis 32.  
 — *livida* Jacq. Jacquin Oxalis 8.  
 — *lobata* Sims. Bot. Mag. 50, 2386.  
 — *lotoides* H. B. K. Hook. Ic. pl. 7, 661.  
 — *lupinifolia* Jacq. Jacquin Oxalis 72.  
 — *luteola* Jacq. Jacquin Oxalis 65.  
 — *macrogonia* Jacq. Jacquin Oxalis 70.  
 — *macrostylis* Jacq. Jacquin Oxalis 9.  
 — *magellanica* Forst. Hook. New Zeal. 13.  
 — *mallobolba* Cav. Cav. Ic. 393.  
 — *mandioccaea* Raddi. Münchn. Denkschr. 9, 1.  
 — *marginata* Jacq. Jacquin Oxalis 68.  
 — *Martiana* Zucc. Lodd. Cab. 1523.  
 — — Bot. Mag. 68, 3938.  
 — *mauritiana* Lodd. Lodd. Cab. 1780.  
 — *mimosoides* St. Hil. St. Hil. Fl. Bras. 21.  
 — *miniata* Jacq. Jacquin Oxalis 35.  
 — *minuta* Thunb. Thunberg Oxalis 2.  
 — — Jacquin Oxalis 79.  
 — *monophylla* L. Thunberg Oxalis 1.  
 — — Jacquin Oxalis 79.  
 — *multiflora* Jacq. Jacquin Oxalis 15.  
 — — Jacq. Ic. 472.  
 — *natans* L. Thunberg Oxalis 1.  
 — — Jacquin Oxalis 76.  
 — *obtusa* Jacq. Jacquin Oxalis 79.  
 — *Ottonis* Klotzsch. Link Ic. III. 4.  
 — *papilionacea* Hoffmgg. Münchn. Abhandl. 1, 7.  
 — — Lodd. Cab. 1551.  
 — *pectinata* Jacq. Jacquin Oxalis 75, 78.  
 † — — Jacq. Fragm. 6.  
 — — Kerner Hort. 741.  
 — *pentantha* Jacq. Jacquin Oxalis 1.  
 — *pentaphylla* Sims. Bot. Mag. 38, 1549.  
 — *Piottae* Colla. Colla Hort. Rip. 1.  
 — — Bot. Reg. 21, 1817.  
 — *Plumierii* Jacq. Bot. Reg. 10, 810.  
 — *polymorpha* Mart. Münchn. Denkschr. 9, 3.  
 — *polyphylla* Jacq. Jacquin Oxalis 39.  
 — — Jacq. Ic. 473.  
 — *psoraloides* H. B. K. H. B. K. Nov. Gen. 5, 470.  
 — *pulehata* Jacq. Jacquin Oxalis 69.  
 — *punctata* L. Thunberg Oxalis 1.  
 — — Jacquin Oxalis 66.

- Oxalis purpurata* Jacq. Jacq. Schoenbr. 3, 356.  
 — *purpurea* Jacq. Jacquin Oxalis 56.  
 — — Kerner Hort. 106.  
 † — *pusilla* Salisb. Linn. Transact. 2, 23.  
 — — Jacq. Jacquin Oxalis 42.  
 — *reclinata* Jacq. Jacquin Oxalis 34.  
 — *repens* Thunb. Thunberg Oxalis 1.  
 — — Jacquin Oxalis 78.  
 — — St. Hil. Pl. usuelles 43.  
 — *reptatrix* Jacq. Jacquin Oxalis 20.  
 — — Herb. amat. 3, 161.  
 — *rhombifolia* Jacq. Jacquin Oxalis 2.  
 — *rigidula* Jacq. Jacquin Oxalis 59.  
 — *rosacea* Jacq. Jacquin Oxalis 17.  
 — — Bot. Mag. 41, 1698.  
 — *rosea* Jacq. Bot. Mag. 50, 2415, 55, 2830.  
 — — Bot. Reg. 13, 1123.  
 — *roselata* St. Hil. St. Hil. Fl. Bras. 22.  
 — *rostrata* Jacq. Jacquin Oxalis 22.  
 — *rubella* Jacq. Jacquin Oxalis 16.  
 — — Jacq. Ic. 471.  
 — — Bot. Mag. 26, 1031.  
 — *rubrocincta* Ldl. Bot. Reg. 28, 64.  
 — *rubrolava* Jacq. Jacquin Oxalis 50.  
 — *rusciformis* Mik. Mikan Del. Bras. 9.  
 — — Münchn. Denkschr. 9, 2.  
 — *sanguinea* Jacq. Jacquin Oxalis 29.  
 — *sarmentosa* Zucc. Münchn. Abhandl. 1, 9.  
 — *secunda* Jacq. Jacquin Oxalis 12.  
 — *sensitiva* L. Rumpf Amb. 5, 104.  
 — — Hill Decade 4.  
 — — Bot. Reg. 31, 68.  
 † — — Jacquin Oxalis 78.  
 † — — Münchn. Denkschr. 9, 5.  
 — *sericea* L. Jacquin Oxalis 77.  
 — *somnians* Mart. Münchn. Denkschr. 9, 4.  
 — *speciosa* Jacq. Jacquin Oxalis 60.  
 — — Kerner Hort. 81, 740.  
 — *stricta* L. Jacquin Oxalis 4.  
 — — Hayne 5, 40.  
 — — Sturm Flora 1, 1.  
 — — Rehb. Fl. germ. 5, 199.  
 — — Dietr. Fl. bor. 2, 132.  
 — *strumosa* Jacq. Jacquin Oxalis 64.  
 — *suggillata* Jacq. Jacquin Oxalis 61.  
 — *sulphurea* Jacq. Jacquin Oxalis 63.  
 — *tenella* Jacq. Jacquin Oxalis 19.  
 — — Lodd. Lodd. Cab. 1096.  
 — *tenera* Spr. Bot. Reg. 13, 1046.  
 — *tenuifolia* Jacq. Jacquin Oxalis 38.  
 — — Lodd. Lodd. Cab. 712.  
 — *tetraphylla* Cav. Cav. Ic. 237.  
 — — Lodd. Cab. 790.  
 — — Jacq. Ecl. pl. 8.  
 — — Link Ic. II. 11.  
 — *tomentosa* L. fil. Jacquin Oxalis 81.  
 — *tortuosa* Ldl. Bot. Reg. 15, 1249.  
 — *tricolor* Jacq. Jacquin Oxalis 47, 48.  
 — *truncatula* Jacq. Jacquin Oxalis 62.  
 — *tubiflora* Jacq. Jacquin Oxalis 10.  
 — *undulata* Jacq. Jacquin Oxalis 44.  
 — *variabilis* Jacq. Jacquin Oxalis 52, 53.  
 — — Kerner Hort. 251.  
 — — Bot. Mag. 41, 1683, 1712.  
 — — Bot. Reg. 18, 1505.  
 — *versicolor* L. Jacquin Oxalis 36, 77.  
 — — Bot. Mag. 5, 155.  
 — — Smith Ic. pict. 7.  
 — — Herb. amat. 1, 55.  
 — — Van H. Fl. d. serres 8, 834.  
 — *villosa* M. v. B. Rehb. Fl. germ. 5, 199.  
 † — *violacea* L. Jacquin Oxalis 80.

- Oxalis violacea* L. Jacq. Vind. 180.  
 — — — Bot. Mag. 48, 2215.  
 — — — Diet. sc. nat. 132.  
 — — — Gray Genera 144.  
 † — — — Payer Organogénie 11.  
 — — — *virginica* Jacq. Jacq. Schoenbr. 3, 275.  
*Oxandra laurifolia* A. Rich. Ramon Cuba 8.  
*Oxera pulchella* Lab. Bill. Sertum 28.  
*Oxleya xanthoxyla* Cunn. Hook. Bot. Misc. 54.  
*Oxyanthera micrantha* Brongn. Brongniart Coquille 37.  
*Oxyanthus formosus* Hook. fil. Hook. Niger Fl. 40. 41.  
 — — — Hook. Ic. pl. 8, 785. 786.  
 — — — *speciosus* DC. Bot. Mag. 45, 1992.  
 — — — Lindley Collect. 13.  
 — — — *tubiflorus* DC. Bot. Mag. 78, 4636.  
 — — — Lem. Jard. fl. 245.  
 — — — Fl. d. serres 7, 737.  
 — — — *versicolor* Ldl. Fl. d. serres 2, 148.  
*Oxybaphus Cervantesii* Lagasca. Sweet Fl. G. 84.  
 — — — *viscosus* L'her. L'her. Monogr. x.  
 — — — Bot. Mag. 13, 434.  
*Oxycyladus aphyllus* Miers. Linn. Transact. 21, 18.  
 † *Oxycoccus* Pers. Kerner Genera 17.  
 — — — *erectus* Pursh. Watson Dendr. 1, 31.  
 — — — *macrocarpus* Pursh. Barton Fl. 1, 17.  
 — — — Rafin. Med. 69.  
 — — — Watson Dendr. 2, 122.  
 — — — *palustris* Pers. Dietr. Fl. bor. 2, 119.  
 — — — Baxter Brit. Bot. 6, 429.  
 † *Oxygonium ovatum* Presl. Hook. Gen. Fil. 116.  
*Oxylobium arborescens* R. Br. Lodd. Cab. 163.  
 — — — Bot. Reg. 5, 392.  
 — — — Bot. Mag. 51, 2442.  
 — — — *batillum* Hook. Hook. Ic. pl. 7, 612.  
 — — — *capitatum* Benth. Bot. Reg. 29, 16.  
 — — — *cordifolium* R. Br. Andr. Rep. 7, 492.  
 — — — Lodd. Cab. 937.  
 — — — Bot. Mag. 37, 1544.  
 — — — *ellipticum* R. Br. Bot. Mag. 60, 3249.  
 — — — *obovatum* Ldl. Bot. Reg. 29, 36.  
 — — — Paxt. Mag. 10, 243.  
 — — — *obtusifolium* Sweet. Sweet Austr. 5.  
 — — — *ovalifolium* Meisn. Paxt. Fl. G. 85.  
 — — — *Pultenaeae* DC. Lodd. Cab. 1947.  
 — — — Paxt. Mag. 9, 149.  
 — — — *retusum* R. Br. Bot. Reg. 11, 913.  
 — — — *scandens* Benth. Bot. Reg. 17, 1434.  
 — — — Maund Bot. 3, 114.  
*Oxymeris quinquenodis* DC. Mart. Bras. 285.  
*Oxypappus scaber* Benth. Bentham Sulphur 42.  
*Oxypetalum appendiculatum* Mart. Mart. Bras. 30.  
 — — — *Banksii* R. et Sch. Mart. Bras. 29.  
 — — — *riparium* H. B. K. H. B. K. Nov. Gen. 3, 231.  
 — — — *solanoides* Hook. Bot. Mag. 74, 4367.  
 — — — Fl. d. serres 4, 347.  
*Oxyramphis macrostyla* Wall. Bot. Reg. 32, 28.  
 — — — *stenocarpa* Klotzsch. Prinz Waldem. Him. 1.  
 † *Oxyria digyna* Campd. Mutel Fl. fr. 58.  
 — — — *elator* R. Br. Hook. Ic. pl. 5, 483.  
 — — — *reniformis* Hook. Rafin. Med. 70.  
 — — — Baxter Brit. Bot. 4, 311.  
 — — — Sturm Flora 19, 88.  
 † — — — Nees Gen. 4, 55.  
*Oxysepala ovalifolia* Wight. Wight Ic. pl. Ind. or. 5, 1736.  
*Oxyspora paniculata* DC. DC. Melastom. 4.  
 — — — Wall. Pl. asiat. 88.  
 — — — *vagans* Wall. Bot. Mag. 76, 4553.  
 — — — Lem. Jard. fl. 79.  
*Oxystelma esculentum* R. Br. Hook. Companion 22.  
*Oxystophyllum atropurpureum* Bl. Blume Rumphia 193. 198.  
 † — — — *carnosum* Bl. Blume Tabellen 38.

- Oxythea spiculata* Miers. Linn. Transact. 21, 17.  
*Oxytropis aciphylla* Led. Ledeb. Ic. 281.  
 — — — *ammophila* Turcz. Trautvetter Imag. 13.  
 — — — *annularis* DC. DC. Astrag. 7.  
 — — — *argyrophylla* Led. Ledeb. Ic. 54.  
 — — — *brevicaulis* Led. Ledeb. Ic. 288.  
 — — — *brevirostra* DC. DC. Astrag. 6.  
 — — — *campestris* DC. Lodd. Cab. 1287.  
 — — — Baxter Brit. Bot. 6, 495.  
 — — — Sturm Flora 5, 19.  
 — — — *cashemiriana* Camb. Jacquemont Ind. 44.  
 — — — *chiliophylla* Royle. Jacquemont Ind. 45.  
 — — — *dichoptera* DC. DC. Astrag. 4.  
 — — — *diffusa* Led. Ledeb. Ic. 451.  
 — — — *foetida* DC. DC. Astrag. 8.  
 — — — *inaria* DC. Ledeb. Ic. 457.  
 — — — *intermedia* Bunge. Trautvetter Imag. 12.  
 — — — *Lamberti* Nutt. Bot. Mag. 47, 2147.  
 — — — Bot. Reg. 13, 1054.  
 — — — *leptophylla* DC. DC. Astrag. 5.  
 — — — *leucopodia* Led. Ledeb. Ic. 282.  
 — — — *montana* DC. Sprengel Fl. hal. 8.  
 — — — Sturm Flora 12, 49.  
 — — — *oxyphylla* DC. DC. Astrag. 2.  
 — — — *physocarpa* Led. Ledeb. Ic. 381.  
 — — — *pilosa* DC. Lodd. Cab. 544.  
 — — — Bot. Mag. 51, 2483.  
 — — — Sturm Flora 12, 49.  
 — — — Dietr. Fl. bor. 8, 529.  
 — — — *polyphylla* Led. Ledeb. Ic. 255.  
 — — — *pumila* Led. Ledeb. Ic. 315.  
 — — — *songarica* DC. DC. Astrag. 3.  
 — — — *subverticillaris* Led. Ledeb. Ic. 292.  
 — — — *sulphurea* Led. Ledeb. Ic. 55.  
 — — — *tragacanthoides* Fisch. Ledeb. Ic. 279.  
 — — — *triflora* Hoppe. Sturm Flora 12, 49.  
*Oxyura chrysanthemoides* DC. Maund Bot. 3, 128.  
 — — — Bot. Reg. 22, 1850.  
 — — — Jard. Petersb. 7.  
 — — — Fisch. et M. Sert. petrop. 6.  
*Oyedaea verbesinoides* DC. Delessert Ic. 4, 34.  
 † *Ozodia foeniculacea* W. et A. Wight Illustr. 117.  
 † *Ozoroa Delile*. Ann. sc. nat. II. 20, 1.  
 — — — *insignis* Delile. Ferret Abyssin. 9.  
*Ozothamnus depressus* Hook. fil. Hook. New Zeal. 35.  
 — — — *microphyllus* Hook. fil. Hook. New Zeal. 35.  
 — — — *Vauvilliersii* Hombr. Richard Astrolabe 5.  
*Pachira alba* Walp. Bot. Mag. 76, 4508.  
 — — — Lem. Jard. fl. 94.  
 — — — *aquatica* Aubl. Aublet Guiana 291. 292.  
 — — — Cav. Diss. 72.  
 † — — — Lam. Encycl. 589.  
 — — — *emarginata* A. Rich. Ramon Cuba 20.  
 — — — *grandiflora* Tuss. Tussac. Ant. 4, 3. 4.  
 — — — *insignis* Savigny. Lem. Jard. fl. 3, 295.  
 — — — *longifolia* Hook. Bot. Mag. 76, 4549.  
 — — — *macrocarpa* Hook. Bot. Mag. 76, 4549.  
 — — — Fl. d. serres 6, 620.  
 — — — Lem. Jard. fl. 109—110.  
 — — — *marginata* St. Hil. St. Hil. Fl. Bras. 51.  
*Pachycentria tuberculata* Korth. Korthals Bot. 63.  
 † — — — *varingiaefolia* Korth. Korthals Bot. 63.  
 † *Pachylophus Nuttallii* Spach. N. Ann. Mus. 4, 30.  
 † — — — Spach Suites 86.  
*Pachynema complanatum* R. Br. Delessert Ic. 1, 73.  
*Pachyphyllum distichum* H. B. K. H. B. K. Nov. Gen. 1, 77.  
 — — — *parvifolium* Ldl. Hook. Ic. pl. 2, 117.  
*Pachyphytum bracteosum* Link et Kl. Link Ic. III. 43.  
*Pachypleurum alpinum* Led. Ledeb. Ic. 344.  
*Pachypodium integrifolium* Hook. Hook. Beechey 74.  
 — — — *tuberosum* Ldl. Bot. Reg. 16, 1321.

- Pachypodium tuberosum* Ldl. Lodd. Cab. 1676.  
*Pachypterygium brevipes* Bge. Bunge Rel. Lehm. 7.  
 — lamprocarpum Bge. Bunge Rel. Lehm. 7.  
 — multicaule Kar. et Kir. Bunge Rel. Lehm. 7.  
*Pachyrrhizus angulatus* Rich. Rumpf Amb. 5, 132. fig. 1.  
*Pachysandra?* coriacea Hook. Hook. Exot. Fl. 148.  
 — ? — Bot. Reg. 12, 1012.  
 — procumbens Michx. Michaux Fl. 45.  
 — — Bot. Mag. 45, 1964.  
 — — Bot. Reg. 1, 33.  
 — — Lodd. Cab. 910.  
 † — — Jussieu Euphorb. 1.  
 — — Lam. Encycl. 994.  
 — — Dict. sc. nat. 277.  
 — — Herb. amat. 1, 3.  
 † *Pachystemon trilobum* Bl. Wight Ic. pl. Ind. or. 6, 1949.  
*Pachystigma pteleoides* Hook. Bot. Mag. 75, 4436.  
 — — Hook. Ic. pl. 7, 698, 699.  
 † *Pachystoma pubescens* Bl. Blume Tabellen 29.  
*Pacouria guianensis* Aubl. Aublet Guiana 105.  
 — — Lam. Encycl. 169.  
*Pacourina edulis* Aubl. Aublet Guiana 316.  
 † — — Lam. Encycl. 665.  
*Paederia foetida* L. Rumpf Amb. 5, 160.  
 — — Kaempfer Japon. 9.  
 † — — Gaertn. Carp. 195.  
 — — Lam. Encycl. 166.  
 — lanuginosa Wall. Wall. Pl. asiat. 165.  
 — secundiflora Poir. Lam. Encycl. 166.  
 — ? Valli Kara DC. Rheede Hort. mal. 7, 18.  
*Paederota Ageria* L. Sturm Flora 6, 24.  
 † — — Nees Gen. 5, 39.  
 — Bonarota L. Jacq. Vind. 121.  
 — — Schk. Handb. 2<sup>o</sup>.  
 — — Sturm Flora 6, 24.  
 † — — Nees Gen. 5, 39.  
 — coerulea L. Jacq. Fl. austr. 5, 39.  
 — — Lam. Encycl. 13.  
 — nudicaulis Lam. Lam. Encycl. 13.  
 † *Paeonia* L. Lam. Encycl. 481.  
 — albiflora Pall. Pallas Fl. ross. 84.  
 — — Andr. Rep. 1, 64, 10, 612.  
 — — Bonpland Malm. 47.  
 — — var. fragrans, Hort. Transact. 2, 18.  
 — — Bot. Mag. 42, 1756.  
 — — var. rosea, Bot. Mag. 56, 2888.  
 — — var.  $\beta$ . Willd. Bot. Reg. 1, 42.  
 — — var. fragrans, Bot. Reg. 6, 485.  
 — — var. Whitleyi, Bot. Reg. 8, 630.  
 — — var. Pottsii, Bot. Reg. 17, 1436.  
 — — var. Pottsii, Sweet Fl. G. II. 351.  
 — — Fl. d. serres 8, 790, 791, 828, 829.  
 — — Savi Fl. ital. 3, 104.  
 — — Rhb. Mag. 85.  
 — anomala L. Comm. Gott. 7, 5.  
 — — Schk. Handb. 144.  
 — — Andr. Rep. 8, 514.  
 — — Bot. Mag. 42, 1754.  
 — — Kerner Hort. 524, 718.  
 — arborea Don. var. odorata, Kerner Hort. 645.  
 — banatica Roch. Rochel Banat. 11.  
 — — Rhb. Fl. germ. 4, 125.  
 — Brownii Dougl. Bot. Reg. 25, 30.  
 — corallina Retz. Engl. Bot. 22, 1513.  
 — — Baxter Brit. Bot. 3, 217.  
 — — Moris Fl. sard. 4.  
 — — Rhb. Fl. germ. 4, 128.  
 — coriacea Boiss. Boissier Esp. 3.  
 — cretica Sabine. Bot. Reg. 10, 819.  
 — daurica Anderson. Andr. Rep. 7, 486.  
 — — Bot. Mag. 35, 1441.  
 — — Bonpland Malm. 9.

- Paeonia edulis* Salisb. Salisbury Parad. 78.  
 — — var. sinensis, Bot. Mag. 42, 1768.  
 — — var. Reevesiana, Paxt. Mag. 1, 197.  
 — humilis Retz. Bot. Mag. 35, 1422.  
 — hybrida Pall. Pallas Fl. ross. 86.  
 — — Bot. Reg. 14, 1208.  
 — lobata Desf. Rhb. Fl. germ. 4, 123.  
 — — Sweet Fl. G. 70.  
 — mollis Anderson. Bot. Reg. 6, 474.  
 — — Lodd. Cab. 1263.  
 — Moutan Sims. Bot. Mag. 29, 1154, 47, 2175.  
 † — — Mem. Genev. 1, 1.  
 — — Bonpland Malm. 1, 23.  
 — — Herb. amat. 2, 142.  
 — — var. papaveracea, Lodd. Cab. 547.  
 — — var. rosea, Lodd. Cab. 1035.  
 — — Bot. Reg. 5, 379, 17, 1456, 20, 1678, 21, 1771.  
 — — Knowles et Westcott 56.  
 — — Rhb. Exot. 131.  
 — — var. Salmonia, Paxt. Fl. G. 20, 31.  
 — — var. variegata, Sweet Fl. G. II. 238.  
 — — var. coccinea, Sweet Fl. G. II. 297.  
 — — var. Fl. d. serres 7, 747.  
 — officinalis Retz. Woodv. Med. 3, 173.  
 — — Bot. Mag. 43, 1784, 59, 3175.  
 — — var. Sabini, Lodd. Cab. 1075.  
 — — Hayne 5, 26.  
 — — Nees Düsseldorf. 395.  
 — — Guimpel et Schl. 101.  
 — — Rhb. Fl. germ. 4, 127.  
 — papaveracea Andr. Andr. Rep. 7, 463.  
 — — Kerner Hort. 473.  
 — paradoxa Anderson. Sweet Fl. G. 19.  
 — peregrina Mill. Bot. Mag. 26, 1050.  
 — — Rhb. Fl. germ. 4, 123.  
 — promiscua Tausch. Rhb. Fl. germ. 4, 126.  
 — pubens Sims. Bot. Mag. 48, 2264.  
 — — Kerner Hort. 656.  
 — — Rhb. Fl. germ. 4, 124.  
 — Russi Bivona. Bot. Mag. 62, 3431.  
 — — Sweet Fl. G. 122.  
 — sessiliflora Sims. Bot. Mag. 53, 2648.  
 — sibirica Pall. Pallas Fl. ross. 85.  
 — suffruticosa Andr. Andr. Rep. 6, 373.  
 — — var. purpurea, Andr. Rep. 7, 448.  
 — — Kerner Hort. 229, 530.  
 — tenuifolia L. Pallas Fl. ross. 87.  
 — — Linné Fasc. pl. ups. 5.  
 † — — Gaertn. Carp. 65.  
 — — Bot. Mag. 24, 926.  
 — — Rochel Banat. 12.  
 — — Rhb. Fl. germ. 4, 122.  
 — — plena, Fl. d. serres 4, 308.  
 — — plena, Sweet Fl. G. II. 345.  
 — villosa Sweet. Sweet Fl. G. 113.  
 — Wittmanniana Hartwiss. Bot. Reg. 32, 9.  
 — — Annales de Gand 1846, 64.  
*Paepalanthus compactus* Gardn. Hook. Ic. pl. 6, 527.  
 — distichophyllus Mart. Hook. Ic. pl. 6, 510.  
 — flaccidus Kth. Hook. Ic. pl. 6, 526.  
 — laricifolius Gardn. Hook. Ic. pl. 6, 524.  
 † — rigidulus Mart. Acta Leop. 17, 1, 2.  
 — rupestris Gardn. Hook. Ic. pl. 6, 525.  
 — speciosus Gardn. Hook. Ic. pl. 6, 512.  
 — Spixianus Mart. Acta Leop. 17, 1, 1.  
 † — subtilis Mig. Miquel Surin. 65.  
 — uncinatus Gardn. Hook. Ic. pl. 6, 523.  
*Pagamea guianensis* Aubl. Aublet Guiana 74.  
 — — Lam. Encycl. 88.  
 † *Pajanelia Rheedii* Wight. Wight Illustr. 161 bis.  
 — — Wight Ic. pl. Ind. or. 4, 1343, 1344.

- Palafoxia linearis* Lagasca. Bot. Mag. 47, 2132.  
 — *texana* DC. Hook. Ic. pl. 2, 148.  
 † *Palaua Rz et P.* Ruiz et Pav. Prodr. 22.  
 — *malvifolia Cav.* Cav. Diss. 11.  
 † — — — Lam. Encycl. 577.  
 — *moschata Cav.* Cav. Diss. 11.  
 † — — — Lam. Encycl. 577.  
 — *rhombifolia Grah.* Bot. Mag. 58, 3100.  
 — — — Bot. Reg. 16, 1375.  
 — *scabra H. B. K.* H. B. K. Nov. Gen. 7, 648. 649.  
 — *tomentosa H. B. K.* H. B. K. Nov. Gen. 7, 650.  
 † *Paliavana Vandelli.* Roemer Scriptores 7.  
*Palicourea apicata H. B. K.* H. B. K. Nov. Gen. 3, 285.  
 — *guianensis Aubl.* Aublet Guiana 66.  
 † *longifolia St. Hil.* Mem. Mus. 12, 11.  
 † — — — St. Hil. Pl. rem. 22.  
 — *Marcgravii St. Hil.* Mem. Mus. 12, 11.  
 — — — St. Hil. Pl. rem. 22.  
*Paliurus aculeatus Lam.* Lam. Encycl. 210.  
 — — — Nouveau Duhamel 3, 17.  
 † — — — Ann. sc. nat. 10, 12.  
 † — *australis Gaertn.* Gaertn. Carp. 43.  
 — — — Sibth. Fl. gr. 240.  
 — *reticulatus Vahl.* Vahl Eclogae 23.  
 — *virgatus Don.* Bot. Mag. 52, 2535.  
 † *Palladia antarctica Lam.* Lam. Encycl. 285.  
 † *Pallasia caspica L.* Gaertn. Carp. 184.  
 — *dentata H. B.* Humb. Pl. aeq. 111.  
 — *Pterococcus Pall.* Pallas Fl. ross. 77. 78.  
 † *Pallenis spinosa Cass.* Nees Gen. X, x.  
 — — — Rehb. Fl. germ. 16, 938. 939.  
 † *Palma Maripa Aubl.* Ann. Mus. 8, 34.  
 † — *Mocaya Aubl.* Ann. Mus. 10, 7.  
 † *Palmae Juss.* (Karsten.) Abh. Ac. Berl. 1847, 1—9.  
 † — — — Blume Rumphia 104. 105. 121.  
 † — — — Mart. Palm. 166. 167. 175. 176. Z. 21, 22.  
 † — — — Schnizl. Iconogr. 1, 75. 75<sup>a</sup>. 75<sup>b</sup>.  
*Palouca guianensis Aubl.* Aublet Guiana 141.  
 † — — — Lam. Encycl. 323.  
 † *Paltoria Rz et P.* Ruiz et Pav. Prodr. 33.  
 — *ovalis Rz et P.* Ruiz et Pav. Fl. 84.  
*Pamea guianensis Aubl.* Aublet Guiana 359.  
*Pamphalea Tweedii Gardn.* Fielding Sertum 21.  
*Pamphilia styracifolia A. DC.* Delessert Ic. 5, 42.  
*Panargyrum abbreviatum Hook.* Richard Astrolabe 17.  
 — *glomeratum Gillies.* Gay Chile 42.  
 — *spinosum Don.* DC. Composées 16.  
*Panax aculeatum Ait.* Jacq. Ic. 634.  
 — — — Lodd. Cab. 977.  
 — *anomalum Hook.* Hook. Journal 1843, 12.  
 — *arboresum Forst.* Annalen d. Wien. Mus. 1, 15.  
 — — — Hook. Journal 1843, 11.  
 † — *chrysophyllum Vahl.* Vahl Eclogae 10.  
 — *cochleatum DC.* Rumpf Amb. 4, 31.  
 — *Colensoi Hook. fil.* Hook. New Zeal. 21.  
 — *fruticosum L.* Rumpf Amb. 4, 33.  
 — — — Andr. Rep. 9, 595.  
 — — — Wight Ic. pl. Ind. or. 2, 573.  
 — *horridum Sm.* Hook. Bor. Am. 98.  
 — *pinnatum DC.* Rumpf Amb. 4, 32.  
 — *pseudoginseng Wall.* Wall. Pl. asiat. 137.  
 — *pusillum Sims.* Bot. Mag. 33, 1344.  
 — *quinquefolium L.* Woodv. Med. 1, 58.  
 — — — Bot. Mag. 33, 1333.  
 — — — Barton Med. 45.  
 — — — Bigelow Med. 29.  
 — — — Nees Düsseld. Suppl. 111.  
 † — — — Lam. Encycl. 860.  
 — — — Desc. Ant. 8, 570.  
 — — — Dict. sc. nat. 113.  
 — — — Spach Suites 39.  
 — *Schinseng N. v. E.* Nees Düsseld. Suppl. 112.

- Panax simplex Forst.* Richard Astrolabe 30.  
 — — — Hook. Fl. ant. 12.  
 — *trifolium L.* Lodd. Cab. 405.  
 † — — — Lam. Encycl. 860.  
 — — — Nees Düsseld. Suppl. 111.  
 — *undulatum Aubl.* Aublet Guiana 360.  
 † — — — H. B. K. Nov. Gen. 5, 417.  
*Panciatia purpurea Picc.* Picciuoli Hort. Panc. 1.  
 † *Pancratium L.* Herbert Amar. 33. 34.  
 — *Amanceas Ker.* Bot. Mag. 30, 1224.  
 — — — Lodd. Cab. 1266.  
 — — — Bot. Reg. 7, 600.  
 — — — Bury Hexandrian pl. 37.  
 — — — Rehb. Exot. 83.  
 — — — Fl. d. serres 5, 449.  
 — — — Hart. Parad. 1, 3.  
 — *amboinense L.* Rumpf Amb. 6, 70. fig. 1.  
 — — — Red. Lil. 7, 384.  
 — — — Bot. Mag. 35, 1419.  
 — — — Herb. amat. 5, 314.  
 — — — Bury Hexandrian pl. 20.  
 — *amoenum Salisb.* Linn. Transact. 2, 10.  
 — — — Kerner Hort. 129.  
 — — — Andr. Rep. 9, 556.  
 — — — Lodd. Cab. 286.  
 — — — Bot. Mag. 36, 1467.  
 — — — Bury Hexandrian pl. 28.  
 — *angustum Ker.* Bot. Reg. 3, 221.  
 — *australasicum Ker.* Bot. Reg. 9, 715.  
 — *calathiforme Red.* Red. Lil. 6, 353.  
 — — — Kerner Hort. 468.  
 — — — Bot. Reg. 3, 215.  
 — — — Bot. Mag. 38, 1561.  
 — — — Bury Hexandrian pl. 10.  
 — — — Paxt. Mag. 4, 53.  
 — *cambayense Herb.* Herbert Amar. 42.  
 — *canariense Ker.* Bot. Reg. 2, 174.  
 — *caribaeum L.* Martyn Hist. 25.  
 — — — Willdenow Hortus 73.  
 — — — Bot. Mag. 21, 826.  
 — — — Desc. Ant. 8, 556.  
 — *carolinianum L.* Bot. Reg. 11, 927.  
 — *coccineum Rz et P.* Ruiz et Pav. Fl. 285.  
 — *croceum Red.* Red. Lil. 4, 187.  
 — *declinatum Jacq.* Jacq. Hist. stirp. am. 102.  
 — — — Jacq. Vind. 3, 11.  
 — — — Red. Lil. 6, 358. 7, 414.  
 — — — Lodd. Cab. 558.  
 — *disciforme Red.* Red. Lil. 3, 155.  
 — — — Kerner Hort. 237.  
 — *distichum Sims.* Bot. Mag. 44, 1879.  
 — *expansum Sims.* Bot. Mag. 44, 1941.  
 — *flavum Rz et P.* Ruiz et Pav. Fl. 284.  
 — *fragrans Salisb.* Linn. Transact. 2, 11.  
 — — — Red. Lil. 7, 413.  
 — — — Lodd. Cab. 834.  
 — — — Kerner Hort. 430.  
 — *guianense Ker.* Bot. Reg. 4, 265.  
 — *humile Cav.* Cav. Ic. 207.  
 — *illyricum L.* Bot. Mag. 19, 718.  
 — — — Red. Lil. 3, 153.  
 — — — Rehb. Fl. germ. 9, 371.  
 — *latifolium Rz et P.* Ruiz et Pav. Fl. 284.  
 — *litorale Jacq.* Jacq. Hist. stirp. am. 101.  
 — — — Jacq. Vind. 3, 75.  
 — — — Linn. Transact. 2, 13.  
 — — — Bot. Mag. 21, 825.  
 — — — Red. Lil. 3, 154.  
 — — — Kerner Hort. 245.  
 — *longiflorum Roxb.* Herbert Amar. 42.  
 — *maritimum L.* Cav. Ic. 56.  
 — — — Linn. Transact. 2, 9.

- Panicratium maritimum* L. Red. Lil. 1, 8.  
 — — — Sibth. Fl. gr. 309.  
 — — — Bot. Reg. 2, 161.  
 — — — Rehb. Exot. 84.  
 — — — Rehb. Fl. germ. 9, 371.  
 † — — — Nees Gen. 3, x.  
 — — — *mexicanum* L. Lam. Encycl. 228.  
 — — — Lodd. Cab. 274.  
 — — — Bot. Reg. 11, 940.  
 — — — *narcissiflorum* Jacq. Jacq. Fragm. 138.  
 — — — Kerner Hort. 490.  
 — — — *nervifolium* Salisb. Salisb. Parad. 84.  
 — — — *nutans* Ker. Hart. Parad. 1, 3.  
 — — — *ovatum* Mill. Bot. Reg. 1, 43.  
 — — — Lodd. Cab. 510.  
 — — — *parviflorum* Desf. Red. Lil. 8, 471.  
 — — — *pedale* R. et Sch. Lodd. Cab. 809.  
 — — — Bot. Reg. 19, 1641.  
 — — — *recurvatum* R. et P. Ruiz et Pav. Fl. 285.  
 — — — *ringens* R. et P. Ruiz et Pav. Fl. 283.  
 — — — Hart. Parad. 1, 10.  
 — — — *rotatum* Ker. Bot. Mag. 21, 827, 27, 1082.  
 — — — Lodd. Cab. 19.  
 — — — var. *repandum*, Hart. Parad. 2, 2.  
 — — — *speciosum* L. fil. Linn. Transact. 2, 12.  
 — — — Bot. Mag. 35, 1453.  
 — — — Red. Lil. 3, 136, 7, 412.  
 — — — Bury Hexandrian pl. 47.  
 — — — Rehb. Exot. 85.  
 — — — *stellare* Salisb. Linn. Transact. 2, 14.  
 — — — *tiaraeflorum* Salisb. Salisb. Parad. 86.  
 — — — *verecundum* Solander. Rheede Hort. mal. 11, 40.  
 — — — Bot. Reg. 5, 413.  
 — — — Wight Ic. pl. Ind. or. 6, 2023.  
 — — — *zeylanicum* L. Rumpf Amb. 6, 70, fig. 2.  
 — — — Lam. Encycl. 228.  
 — — — Bot. Mag. 52, 2538.  
 — — — Bot. Reg. 6, 479.
- † *Pandaneae* R. Br. Schnizl. Iconogr. 1, 74.  
*Pandanus* of Nicobar, Asiat. Researches 3, x.  
 † — — *amaryllidifolius* Roxb. Mem. Instit. 1842, 12.  
 † — — *Boryi* Gaudich. Gaudichaud Bonite 22.  
 — — *Candelabrum* Pal. B. Pal. B. Fl. d'Oware 21, 22.  
 — — *concidens* Lam. Rumpf Amb. 4, 77.  
 † — — *Douglasii* Gaudich. Gaudichaud Bonite 22.  
 — — *fascicularis* Lam. Rheede Hort. mal. 2, 1, 6.  
 † — — *fragrans* Gaudich. Gaudichaud Bonite 22.  
 — — *furcatus* Roxb. Rheede Hort. mal. 2, 8.  
 — — *humilis* Willd. Rumpf Amb. 4, 76.  
 † — — — Jacq. Fragm. 14.  
 † — — *Linnaei* Gaudich. Gaudichaud Bonite 22.  
 † — — *Lourciri* Gaudich. Gaudichaud Bonite 22.  
 † — — *Menziesii* Gaudich. Gaudichaud Bonite 22.  
 — — *odoratissimus* L. Rheede Hort. mal. 2, 2—5.  
 — — — Rumpf Amb. 4, 74, 75.  
 — — — Roxb. Corom. 94, 95, 96.  
 — — — Kerner Hort. 133—136.  
 † — — — Jacq. Fragm. 13, 14.  
 † — — — Lam. Encycl. 798.  
 — — — Desc. Ant. 8, 540.  
 — — — *pygmaeus* Aub. Th. Bot. Mag. 79, 4736.  
 † — — *Rheedii* Gaudich. Gaudichaud Bonite 22.  
 † — — *Rumphii* Gaudich. Gaudichaud Bonite 22.  
 — — *unipapillatus* Dennst. Rheede Hort. mal. 2, 7.  
 — — *utilis* Bory. Diet. sc. nat. 10, 11.  
 † — — — Gaudichaud Bonite 129.
- Pangium edule* Reinw. Bennett Java 43.  
 — — — Blume Rumphia 178.
- † *Panicaceae* Trin. Acad. Petersb. 3, x.  
*Panicularia Berteri* Colla. Mem. Tur. 39, 64.  
 † *Panicum* L. Linné Amoenit. 7, 2.  
 † — — — Dumortier Gramin. 13.

- Panicum abortivum* R. Br. Trin. Sp. Gr. 2, 181.  
 — — — *acariferum* Tr. Trin. Sp. Gr. 1, 87.  
 — — — *accrescens* Tr. Trin. Sp. Gr. 1, 88.  
 — — — *adpersum* Tr. Trin. Sp. Gr. 2, 169.  
 — — — *agrostoides* Mühlenb. Trin. Sp. Gr. 3, 261.  
 — — — — Torrey New York 148.  
 — — — *almadense* N. v. E. Trin. Sp. Gr. 2, 217.  
 — — — *amplexicaule* Rudge. Rudge Pl. Guianae 27.  
 — — — Trin. Sp. Gr. 2, 205.  
 — — — *angustum* Tr. Trin. Sp. Gr. 3, 334.  
 — — — *ansatum* Tr. Trin. Sp. Gr. 3, 279.  
 — — — *arenarium* Brot. Brotero Phytogr. 6.  
 — — — *argenteum* R. Br. Trin. Sp. Gr. 2, 170.  
 — — — *arnacites* Tr. Trin. Sp. Gr. 3, 317.  
 — — — *arvensis* Kth. Humb. Gram. 109.  
 — — — *asperrimum* Lagasca. Jacq. Ecl. Gram. 31.  
 — — — *attenuatum* Willd. Jacq. Ecl. Gram. 33.  
 — — — *aturensis* H. B. K. H. B. K. Nov. Gen. 1, 33.  
 — — — *aureum* Tr. Trin. Sp. Gr. 1, 97.  
 — — — *barbinode* Tr. Trin. Sp. Gr. 3, 318.  
 — — — *Beyrichii* Kth. Humb. Gram. 27.  
 — — — *brachystachyum* Tr. Trin. Sp. Gr. 2, 157.  
 — — — *brizoides* Retz. Jacq. Ecl. Gram. 2.  
 — — — Trin. Sp. Gr. 2, 158, 159.  
 — — — *Burmanni* Retz. Trin. Sp. Gr. 2, 193.  
 — — — *caespitosum* Sw. Trin. Sp. Gr. 2, 184.  
 — — — *campestre* N. v. E. Trin. Sp. Gr. 2, 229.  
 — — — *capillare* L. Host Gram. 316.  
 — — — Rehb. Fl. germ. 7, 82.  
 — — — *caucasicum* Tr. Trin. Sp. Gr. 3, 262.  
 — — — *chnoodes* Tr. Trin. Sp. Gr. 2, 241, 3, 247.  
 — — — *ciliare* Retz. Host Gram. 316.  
 — — — Trin. Sp. Gr. 2, 144.  
 — — — *clandestinum* Lam. Petersb. 2, 5.  
 — — — *colonium* L. Jacq. Ecl. Gram. 32.  
 — — — Trin. Sp. Gr. 2, 160.  
 — — — *coloratum* L. Jacq. Ic. 12.  
 — — — *commelinaefolium* Rudge. Rudge Pl. G. 28.  
 — — — *compositum* L. Trin. Sp. Gr. 2, 187—190.  
 — — — *coryophorum* Kth. Humb. Gram. 107.  
 — — — *Crus Galli* L. Fl. dan. 5, 852, 9, 1564.  
 — — — Curt. Lond. 1, 21.  
 — — — Engl. Bot. 13, 876.  
 — — — Knapp Gram. 11.  
 — — — Baxter Brit. Bot. 6, 462.  
 † — — — Schrader Fl. germ. 3.  
 — — — Host Gram. 119.  
 — — — Trin. Sp. Gr. 2, 161, 162.  
 — — — *ctenodes* Trin. Trin. Sp. Gr. 2, 171.  
 — — — *cultratum* Trin. Trin. Sp. Gr. 2, 145.  
 — — — *cuspidatum* Roxb. Petersb. 10, 22.  
 — — — *cyanescens* N. v. E. Trin. Sp. Gr. 2, 230.  
 — — — *Dactylon* L. Rheede Hort. mal. 12, 47.  
 — — — Sibth. Fl. gr. 60.  
 — — — Host Gram. 118.  
 — — — Engl. Bot. 12, 850.  
 — — — Knapp Gram. 13.  
 — — — *decumbens* R. et Sch. Humb. Gram. 16.  
 — — — Trin. Sp. Gr. 2, 146.  
 — — — *demissum* Tr. Trin. Sp. Gr. 3, 319.  
 — — — *diandrum* Kth. Humb. Gram. 110.  
 — — — *dichotomum* Lam. Petersb. 2, 5.  
 — — — *diffusum* Sw. Trin. Sp. Gr. 3, 263.  
 — — — *dimidiatum* L. Burmann Fl. ind. 8.  
 — — — *discolor* Tr. Trin. Sp. Gr. 2, 231.  
 — — — *distachyum* L. Lam. Encycl. 43.  
 — — — *distans* Tr. Trin. Sp. Gr. 2, 172.  
 — — — *distichophyllum* Tr. Trin. Sp. Gr. 2, 182.  
 — — — *divaricatum* L. Humb. Gram. 29.  
 — — — — Jacq. Schoenbr. 1, 25.  
 — — — *echinatum* Jacq. Jacq. Ecl. Gram. 20.  
 — — — Willd. Trin. Sp. Gr. 2, 162.

- Panicum effusum* *R. Br.* Trin. Sp. Gr. 3, 244.  
 — *clatius L. fil.* Jacq. Ecl. Gram. 49.  
 — *erichrysoides N. v. E.* Trin. Sp. Gr. 1, 90.  
 — *eruciforme Sibth.* Sibth. Fl. gr. 59.  
 — — Trin. Sp. Gr. 3, 262.  
 — *erythrosperrum Hornem.* Jacq. Ecl. Gram. 24.  
 — *exaratum Tr.* Trin. Sp. Gr. 2, 194.  
 — *excurrent Tr.* Trin. Sp. Gr. 1, 89.  
 — *falciferum Tr.* Trin. Sp. Gr. 2, 147.  
 — *ferrugineum Kth.* Humb. Gram. 165.  
 — — Trin. Sp. Gr. 1, 90.  
 — *filiforme L.* Jacq. Observ. 70.  
 — — Trin. Sp. Gr. 2, 148.  
 — — *Torrey* New York 147.  
 — *flavidum Retz.* Humb. Gram. 17.  
 — — Trin. Sp. Gr. 2, 158.  
 — *frondescens Meyer.* Trin. Sp. Gr. 2, 218.  
 — *frumentaceum Roxb.* Petersb. 10, 22.  
 — — Trin. Sp. Gr. 2, 164.  
 — *fuscum Sw.* Trin. Sp. Gr. 2, 206.  
 — *gaudichaudii Kth.* Humb. Gram. 106.  
 — *Gayanum Kth.* Humb. Gram. 31.  
 — *germanicum Willd.* Host Gram. 115.  
 — — Trin. Sp. Gr. 2, 199.  
 — *gibbosum R. Br.* Humb. Gram. 105.  
 — *glabrum Gaud.* Trin. Sp. Gr. 2, 149.  
 † *glaucum L.* Gaertn. Carp. 1.  
 — — Schreber Gräser 25.  
 — — Host Gram. 116.  
 — — Fl. dan. 13, 2162.  
 — — Trin. Sp. Gr. 2, 195. 196.  
 — *glutinosum Lam.* Lam. Encycl. 43.  
 — *gongyloides Jacq.* Jacq. Ecl. Gram. 21.  
 — *granulare Lam.* Trin. Sp. Gr. 2, 159. 172.  
 — *grossarium Auct.* Trin. Sp. Gr. 2, 185.  
 — *grumosum N. v. E.* Trin. Sp. Gr. 2, 207.  
 — *Helopus Tr.* Trin. Sp. Gr. 2, 183.  
 — *hirsutum Koenig.* Petersb. 10, 21.  
 — *hirtellum L.* Burmann Fl. ind. 12.  
 — — Host Gram. 252.  
 — *hirtum Lam.* Humb. Gram. 24.  
 — *Hoffmannseggii R. et Sch.* Trin. Sp. Gr. 2, 219.  
 — *holcooides Jacq.* Jacq. Ecl. Gram. 22.  
 — *holosericeum R. Br.* Humb. Gram. 18.  
 — — Trin. Sp. Gr. 2, 173.  
 — *hordeiforme Thunb.* Thunberg Fl. jap. 9.  
 — *ignoratum Kth.* Humb. Gram. 20.  
 — *imbecille Tr.* Trin. Sp. Gr. 2, 191.  
 — *incomtum Tr.* Trin. Sp. Gr. 2, 232.  
 — *inconstans Tr.* Trin. Sp. Gr. 3, 320. 321.  
 — *indicum L.* Trin. Sp. Gr. 2, 197.  
 — *italicum L.* Rumpf Amb. 5, 75<sup>b</sup>.  
 — — Host Gram. 314.  
 — — Desc. Ant. 8, 542.  
 — — Trin. Sp. Gr. 2, 198. 199.  
 — — Metzger Cer. 17. 19.  
 — *jubiflorum Trin.* Petersb. 10, 21.  
 — *juniperinum N. v. E.* Humb. Gram. 26.  
 — *laetum Kth.* Humb. Gram. 113.  
 — *laeve Lam.* Jacq. Ecl. Gram. 43.  
 — *lanatum Rottb.* Rottboell Surinam 1.  
 — *lasianthum Tr.* Trin. Sp. Gr. 3, 245.  
 — *latissimum Mik.* Trin. Sp. Gr. 2, 208.  
 — — var. Trin. Sp. Gr. 3, 324.  
 — *laxiflorum Lam.* Petersb. 2, 5.  
 — *laxum Sw.* Trin. Sp. Gr. 2, 215.  
 — *Leandri Tr.* Trin. Sp. Gr. 3, 335.  
 — *leucophaeum Kth.* Trin. Sp. Gr. 2, 220.  
 — *lineare L.* Burmann Fl. ind. 10.  
 — *lineatum Tr.* Trin. Sp. Gr. 2, 233.  
 — *loreum Tr.* Trin. Sp. Gr. 3, 246. 247.  
 — *marginatum R. Br.* Trin. Sp. Gr. 2, 209.

- Panicum Martianum N. v. E.* Trin. Sp. Gr. 2, 217.  
 — *maximum Jacq.* Jacq. Ic. 13.  
 — *megastachyum N. v. E.* Trin. Sp. Gr. 2, 234.  
 — *millaceum L.* Rheede Hort. mal. 12, 61.  
 — — Host Gram. 120.  
 — — Metzger Cer. 18.  
 — — Trin. Sp. Gr. 2, 221.  
 — — Rehb. Fl. germ. 7, 82.  
 † — — Nees Gen. 1, 19.  
 — *monostachyum H. et Kth.* Humb. Gram. 104.  
 — — Trin. Sp. Gr. 2, 143.  
 — *muscarium Tr.* Trin. Sp. Gr. 2, 235.  
 — *nemorosum Sw.* Trin. Sp. Gr. 2, 210. 216.  
 — *nerosum Lam.* Humb. Gram. 25.  
 — *numidianum Lam.* Desf. Fl. atl. 11.  
 — — Petersb. 10, 22.  
 — — Trin. Sp. Gr. 2, 174.  
 — *obliquum Roth.* Trin. Sp. Gr. 1, 88.  
 — *obtusifolium Delile.* Delile Egypte 5.  
 — *obtusum H. et Kth.* Humb. Gram. 116.  
 — *oryzoides Ard.* Arduino Anim. 2, 5.  
 — *ovalifolium Pal. B.* Pal. B. Fl. d'Oware 110.  
 — *ovuliferum Tr.* Trin. Sp. Gr. 2, 222.  
 — *patens Sw.* Trin. Sp. Gr. 2, 211. 212.  
 — *paludicola N. v. E.* Trin. Sp. Gr. 2, 218.  
 — *palustre Tr.* Trin. Sp. Gr. 2, 218.  
 — *pappophorum N. v. E.* Trin. Sp. Gr. 2, 194.  
 — *paradoxum R. Br.* Humb. Gram. 32.  
 — — Freycinet Voyage 27.  
 — *parvifolium Lam.* Trin. Sp. Gr. 2, 236.  
 — *paspaloides Pers.* Trin. Sp. Gr. 2, 168.  
 — — Webb Canar. 245.  
 — *patens L.* Burmann Fl. ind. 10.  
 — *pellitum Tr.* Trin. Sp. Gr. 2, 237.  
 — *penicillatum Tr.* Trin. Sp. Gr. 2, 231.  
 — *perforatum N. v. E.* Trin. Sp. Gr. 2, 175.  
 — *Perrottetii Kth.* Humb. Gram. 111.  
 — *Petiverii Tr.* Trin. Sp. Gr. 2, 176. 180.  
 — *petrosum Tr.* Trin. Sp. Gr. 3, 280.  
 — *phaeothrix Tr.* Trin. Sp. Gr. 1, 91.  
 — *pilosum Sw.* Trin. Sp. Gr. 2, 213.  
 — *plantagineum Lk.* Trin. Sp. Gr. 3, 335.  
 — *platycarpum Tr.* Trin. Sp. Gr. 3, 356.  
 — *plicatum Lam.* Jacq. Ecl. Gram. 1.  
 — — Trin. Sp. Gr. 2, 223.  
 — *polygonatum Schrad.* Humb. Gram. 209.  
 — *polyphyllum R. Br.* Trin. Sp. Gr. 2, 177.  
 — *proboscideum Tr.* Trin. Sp. Gr. 3, 222.  
 — *procurrens N. v. E.* Trin. Sp. Gr. 2, 224.  
 — *prostratum Lam.* Jacq. Ecl. Gram. 42.  
 — — Trin. Sp. Gr. 2, 184. 185.  
 — *pruriens Tr.* Trin. Sp. Gr. 1, 92.  
 — *pulchellum Raddi.* Trin. Sp. Gr. 2, 178.  
 — *pungens Tr.* Trin. Sp. Gr. 3, 248.  
 — *pyramidale Lam.* Humb. Gram. 23.  
 — *rarpilum Kth.* Humb. Gram. 114.  
 — *rarum R. Br.* Humb. Gram. 15.  
 — — Trin. Sp. Gr. 2, 200.  
 — *repandum N. v. E.* Trin. Sp. Gr. 2, 150.  
 — *repens L.* Burmann Fl. ind. 11.  
 — — Cav. Ic. 110.  
 — — Sibth. Fl. gr. 61.  
 — *reptans Kth.* Humb. Gram. 21.  
 — *Riedelii Tr.* Trin. Sp. Gr. 3, 323.  
 — *rigidifolium Tr.* Trin. Sp. Gr. 2, 214.  
 — *rivulare Tr.* Trin. Sp. Gr. 3, 264.  
 — *rotboellioides H. B. K.* H. B. K. Noy. Gen. 1, 32.  
 — — Trin. Sp. Gr. 3, 281. 282.  
 — *rugulosum Tr.* Trin. Sp. Gr. 2, 238.  
 — *rupestre Tr.* Trin. Sp. Gr. 2, 239.  
 — *sabulicolum N. v. E.* Trin. Sp. Gr. 2, 163.  
 — *saccharoides Kth.* Humb. Gram. 30.

- Panicum sanguinale* L. Burmann Fl. ind. 10.  
 — — — Fl. dan. 3, 388.  
 — — — Schreber Gräser 16.  
 — — — Schk. Handb. 10.  
 — — — Host Gram. 117. *vol. 2, t. 12*  
 — — — Curt. Lond. 1, 20.  
 — — — Engl. Bot. 12, 849.  
 — — — Knapp Gram. 12.  
 — — — Trin. Sp. Gr. 1, 93. 94. 2, 144.  
 — — — Torrey New York 146.  
 — *scandens* Tr. Trin. Sp. Gr. 2, 201.  
 — *sciurotis* Trin. Humb. Gram. 210.  
 — *sclerochloa* Tr. Trin. Sp. Gr. 3, 283.  
 — *scoparium* Rudge. Rudge Pl. Guianae 29.  
 — *scopuliferum* Tr. Trin. Sp. Gr. 2, 165.  
 — *secundum* Tr. Trin. Sp. Gr. 3, 324.  
 — *serratum* R. Br. Humb. Gram. 19.  
 — — — Trin. Sp. Gr. 2, 165.  
 — *setigerum* Pal. B. Pal. B. Fl. d'Oware 49.  
 — *setosum* Sw. Trin. Sp. Gr. 1, 95. 96.  
 — *silvaticum* Lam. Trin. Sp. Gr. 2, 190.  
 — *spectabile* N. v. E. Trin. Sp. Gr. 2, 166.  
 — *squarrosus* Retz. Retzius Obs. 5, 1.  
 — — — Roxb. Corom. 206.  
 — *stagninum* Host. Host Gram. 251.  
 — *stenocladium* Tr. Trin. Sp. Gr. 2, 240.  
 — *stigmatosum* Tr. Trin. Sp. Gr. 2, 225.  
 — *stoloniferum* Poir. Humb. Gram. 22.  
 — — — Trin. Sp. Gr. 2, 171.  
 — — — *Trin.* var. *major*, Humb. Gram. 108.  
 — *strictum* R. Br. Trin. Sp. Gr. 2, 179.  
 — *subalbidum* Kth. Humb. Gram. 112.  
 — *subulatum* Spr. Humb. Gram. 167.  
 — — — Trin. Sp. Gr. 2, 240.  
 — *subquadriparum* Trin. Petersb. 10, 21.  
 — — — Trin. Sp. Gr. 2, 186.  
 — *tenuiculme* Meyer. Trin. Sp. Gr. 2, 215.  
 — *trachystachyum* N. v. E. Trin. Sp. Gr. 2, 167.  
 — *thrasyoides* Tr. Trin. Sp. Gr. 2, 151.  
 — *trinerve* Tr. Trin. Sp. Gr. 2, 226.  
 — *truncatum* Trin. Petersb. 10, 21.  
 — — — Trin. Sp. Gr. 2, 168.  
 — *turgidum* Forsk. Delle Egypte 9.  
 — — — Trin. Sp. Gr. 2, 227.  
 — *uncinatum* Raddi. Trin. Sp. Gr. 2, 216.  
 — *undulatifolium* Ard. Arduino Anim. 2, 4.  
 — — — Trin. Sp. Gr. 2, 192.  
 — *unilaterale* Rasp. Ann. d'obs. 1, 11.  
 — *Urvilleanum* Kth. Humb. Gram. 115.  
 — — — Brongniart Coquille 9.  
 — *vaginatum* N. v. E. Humb. Gram. 166.  
 — *velutinosum* N. v. P. Trin. Sp. Gr. 2, 180.  
 † — *verticillatum* L. Lam. Encycl. 43.  
 — — — Host Gram. 113.  
 — — — Curt. Lond. 3, 132.  
 — — — Engl. Bot. 13, 874.  
 — — — Knapp Gram. 9.  
 — — — Fl. dan. 13, 2163.  
 — — — Trin. Sp. Gr. 2, 202.  
 — *vilvoides* Tr. Trin. Sp. Gr. 2, 204.  
 — *virgatum* L. Petersb. 2, 5.  
 — — — Trin. Sp. Gr. 2, 228.  
 — *viride* L. Curt. Lond. 2, 126.  
 — — — Engl. Bot. 13, 875.  
 — — — Knapp Gram. 10.  
 — — — Host Gram. 114.  
 — — — Trin. Sp. Gr. 2, 203.  
 — *viscidum* Ell. Elliott Carolina 7.  
 — *xanthophysum* Gray. Torrey New York 146.  
 — — — Trin. Sp. Gr. 3, 357.  
 — *zizanioides* Humb. Kth. Humb. Gram. 28.

†*Papaver* L. Viguer Monographie 1.

- †*Papaver* L. Kerner Genera 14.  
 † — — — Elkan Monogr. 1.  
 — *alpinum* L. Jacq. Fl. austr. 1, 83.  
 — — — Rehb. Ic. crit. 8, 745.  
 — — — Rehb. Fl. germ. 3, 13.  
 — — — *β. flaviflorum*, Sturm Flora 5, 17.  
 — — — Lodd. Cab. 434.  
 — — — Sweet Fl. G. 247.  
 — *apulum* Ten. Tenore Fl. nap. 238.  
 — *Argemone* L. Fl. dan. 5, 867.  
 — — — Sv. Bot. 538.  
 — — — Curt. Lond. 1, 130.  
 — — — Engl. Bot. 9, 643.  
 † — — — Schk. Handb. 140.  
 — — — Schrank Fl. monac. 4, 313.  
 — — — Hayne 6, 37.  
 — — — Rehb. Fl. germ. 3, 14.  
 — — — Dietr. Fl. bor. 3, 187.  
 — *argemonoides* Cesati. Cesati Stirp. ital. x.  
 — *bracteatum* Ldl. Lindley Collect. 23.  
 — — — Bot. Reg. 8, 658.  
 — — — Kerner Hort. 649.  
 — — — Rehb. Exot. 339.  
 — *Burseri* Crantz. Rehb. Ic. crit. 8, 744.  
 — — — Rehb. Fl. germ. 3, 13.  
 — *cambricum* L. Engl. Bot. 1, 66.  
 — *caucasicum* M. v. B. Bot. Mag. 40, 1675.  
 — *croceum* Led. Ledeb. Ic. 141.  
 — — — Bot. Mag. 57, 3035.  
 — *dubium* L. Fl. dan. 6, 902.  
 — — — Sv. Bot. 457.  
 — — — Curt. Lond. 1, 128.  
 — — — Engl. Bot. 9, 644.  
 — — — Jacq. Fl. austr. 1, 25.  
 — — — Schk. Handb. 140.  
 — — — Schrank Fl. monac. 3, 229.  
 — — — Hayne 6, 39.  
 — — — Rehb. Fl. germ. 3, 15.  
 — — — Dietr. Fl. bor. 3, 186.  
 — *floribundum* Desf. Ann. Mus. 11, 33.  
 — — — Desf. Choix 46.  
 — — — Bot. Reg. 2, 134.  
 — *gariepinum* Burch. Bot. Mag. 64, 3623.  
 — *horridum* Spr. Sweet Fl. G. 173.  
 — *hybridum* L. Engl. Bot. 1, 43.  
 — — — Rehb. Fl. germ. 3, 14.  
 — — — Dietr. Fl. bor. 3, 188.  
 — *intermedium* Beck. Rehb. Fl. germ. 3, 16.  
 — *laevigatum* M. v. B. Rehb. Ic. crit. 4, 352.  
 — — — Rehb. Fl. germ. 3, 16.  
 — *miniatum* Rehb. Rehb. Ic. crit. 8, 746.  
 — *nudicaule* L. Fl. dan. 1, 41.  
 — — — Curt. Lond. 5, 214.  
 — — — Bot. Mag. 39, 1633. 49, 2344.  
 — — — Engl. Bot. 2681.  
 — — — Rehb. Ic. crit. 8, 742.  
 — *officinale* Gmel. Nees Dusseld. 402.  
 — — — Wagner 148.  
 — — — Rehb. Fl. germ. 3, 17.  
 — *oligophyllum* Bm. Bélanger Ind. or. x.  
 † — *orientale* L. Gaertn. Carp. 60.  
 — — — Bot. Mag. 2, 57.  
 ! — — — Ann. gen. 7, 100.  
 — — — Savi Fl. ital. 1, 37.  
 — *persicum* Ldl. Bot. Reg. 19, 1570.  
 — *pilosum* Sm. Sibth. Fl. gr. 492.  
 — — — Bot. Mag. 79, 4749.  
 — — — Regel Gartenf. 1, 31.  
 — *pyrenaicum* Willd. Rehb. Ic. crit. 8, 743.  
 — — — Rehb. Fl. germ. 3, 13.  
 — *Rhocas* L. Curt. Lond. 2, 78.  
 — — — Engl. Bot. 9, 645.

- Papaver Rhoeas* *L.* *Woodv. Med.* 2, 139.  
 — — — *Fl. dan.* 9, 1580.  
 — — — *Sv. Bot.* 519.  
 † — — — *Plée Types* 10.  
 † — — — *Spach Suites* 55.  
 — — — *Sturm Flora* 5, 17.  
 — — — *Schrank Fl. monac.* 1, 29.  
 — — — *Hayne* 6, 38.  
 — — — *Nees Düsseld.* 401.  
 — — — *Guimpel et Schl.* 87.  
 — — — *Wagner* 56.  
 — — — *Rchb. Fl. germ.* 3, 15.  
 — — — *Dietr. Fl. bor.* 3, 185.  
 — — — *Rubiacei Vig. Vignier Monographie* 1.  
 — — — *rupifragum Boiss. et R. Regel Gartenfl.* 2, 45.  
 — — — *setigerum DC. Delessert Ic.* 2, 7.  
 — — — *Sweet Fl. G.* 172.  
 — — — *somniferum L. Woodv. Med.* 2, 138.  
 — — — *Engl. Bot.* 30, 2145.  
 — — — *Baxter Brit. Bot.* 1, 53.  
 — — — *Sv. Bot.* 525.  
 — — — *Sibth. Fl. gr.* 491.  
 — — — *Dict. sc. nat.* 177.  
 † — — — *Lam. Encycl.* 451.  
 † — — — *Mem. Genev.* 1, 2.  
 — — — *Hayne* 6, 40.  
 — — — *Brandt und Ratzsch.* 43.  
 — — — *Guimpel et Schl.* 88.  
 — — — *Nees Düsseld.* 403.  
 — — — *Wagner* 210.  
 — — — *Rchb. Fl. germ.* 3, 17.  
 — — — *Hamburger Symb.* 2.  
 ! — — — *trilobum Wallr. Wallroth Sched.* 1.  
 — — — *Rchb. Fl. germ.* 3, 15.  
 † *Papaveraceae Juss. Ann. sc. nat.* 6, 11.  
 † — — — *Cesati Stirpes ital. x.*  
 † *Papaya Carica Gaertn. Gaertn. Carp.* 122.  
 — — — *sativa Tuss. Tussac Ant.* 3, 10, 11.  
 † — — — *vulgaris Lam. Lam. Encycl.* 821.  
 † *Papayaceae Mart. Schnizl. Iconogr.* 200.  
*Paphinia cristata Ldl. Fl. d. serres* 4, 335.  
*Pappea capensis Eckl. et Z. Hook. Ic. pl.* 4, 352.  
*Pappophorum alopecuroideum Vahl. Vahl Symbolae* 51.  
 — — — *Aucheri Jaub. Jaubert Illustr.* 323.  
 — — — *brachystachyum Jaub. Jaubert Illustr.* 324.  
 — — — *pallidum R. Br. Humb. Gram.* 51.  
 — — — *polystachyum Schrad. Humb. Gram.* 131, 132.  
 † *Papyrius japonicus Lam. Lam. Encycl.* 762.  
*Papyrus antiquorum Willd. Caylus Dissertation* 1—4.  
 — — — *Cirillo Papyrus* 1, 2.  
 — — — *Henckel v. D. Adumbr. pl.* 1.  
 — — — *Smyth Sicily* 2.  
 — — — *Tratt. Archiv* 132, 132<sup>a</sup>.  
 † — — — *Spach Suites* 110.  
 — — — *junciformis Schrad. Endl. Bras.* 3, 3.  
 † *Paraetaeum Novae Hollandiae Pal. B. Lam. Enc.* 910.  
*Paralea guianensis Aubl. Aublet Guiana* 231.  
 — — — *Lam. Encycl.* 454.  
*Paranephelis uniflorus P. et E. Pœppl. et Endl.* 248.  
*Parapetalifera odorata Wendl. Wendland Coll.* 15.  
 — — — *serrata Wendl. Wendland Coll.* 34.  
*Paratropia venulosa W. et A. Rheede Hort. mal.* 7, 28.  
 — — — *Wight Illustr.* 118.  
*Pardanthus chinensis Bl. Rheede Hort. mal.* 11, 37.  
 — — — *Lodd. Cab.* 1874.  
*Parentucellia floribunda Viv. Viviani Lib.* 21.  
*Pariana campestris Aubl. Aublet Guiana* 337.  
 — — — *Lam. Encycl.* 776.  
*Parietaria alsinefolia Delile. Delile Egypte* 50.  
 — — — *appendiculata Webb. Webb Canar.* 214.  
 — — — *arborescens L'her. Webb Canar.* 213.  
 — — — *cretica L. Sibth. Fl. gr.* 154.

- Parietaria diffusa M. et K. Rchb. Fl. germ.* 12, 651.  
 — — — *crecta M. et K. Sturm Flora* 3, 9.  
 — — — *filamentosa Webb. Webb Canar.* 212.  
 † — — — *judaica L. Gaertn. Carp.* 119.  
 — — — *Lam. Encycl.* 853.  
 — — — *Schk. Handb.* 346.  
 — — — *Rchb. Fl. germ.* 12, 651.  
 — — — *micantha Led. Ledeb. Ic.* 22.  
 — — — *officinalis L. Fl. dan.* 3, 521.  
 — — — *Curt. Lond.* 3, 12.  
 — — — *Engl. Bot.* 13, 879.  
 — — — *Baxter Brit. Bot.* 3, 224.  
 — — — *Woodv. Med.* 4, 239.  
 — — — *Lam. Encycl.* 853.  
 — — — *Schk. Handb.* 346.  
 — — — *Hayne* 5, 12.  
 — — — *Sturm Flora* 3, 9.  
 — — — *Dietr. Fl. bor.* 10, 689.  
 † — — — *Nees Gen.* 4, 29.  
 — — — *Rchb. Fl. germ.* 12, 651.  
 — — — *orientalis Tournef. Martyn Hist.* 7.  
*Parilia malabarica Dennst. Rheede Hort. mal.* 5, 3.  
 † *Parilium arbor tristis Gaertn. Gaertn. Carp.* 51.  
*Parinarium campestre Aubl. Aublet Guiana* 206.  
 — — — *excelsum G. Don. Guillemin Seneg.* 62.  
 — — — *montanum Aubl. Aublet Guiana* 204, 205.  
 — — — *Lam. Encycl.* 429.  
 — — — *senegalense Guill. Guillemin Seneg.* 61.  
*Paris incompleta M. v. B. Marschall Cent.* 74.  
 — — — *obovata Led. Ledebour Monogr.* 1.  
 — — — *Leдебour Ic.* 16.  
 — — — *polyphylla Sm. Wall. Pl. asiat.* 126.  
 — — — *quadrifolia L. Fl. dan.* 1, 139.  
 — — — *Sv. Bot.* 6.  
 — — — *Engl. Bot.* 1, 7.  
 — — — *Baxter Brit. Bot.* 1, 6.  
 — — — *Red. Lil.* 4, 226.  
 — — — *Lam. Encycl.* 319.  
 — — — *Liboschitz Petersb.* 20.  
 † — — — *Gaertn. Carp.* 83.  
 † — — — *Kerner Genera* 99.  
 — — — *Schk. Handb.* 109<sup>a</sup>.  
 — — — *Hayne* 3, 7.  
 — — — *Sturm Flora* 3, 12.  
 — — — *Schrank Fl. monac.* 1, 35.  
 — — — *Brandt und Ratzsch.* 6.  
 — — — *Dietr. Fl. bor.* 1, 39.  
 — — — *Rchb. Fl. germ.* 10, 430.  
 † — — — *Nees Gen.* 2, 58.  
*Paritium sterculiaefolium Guill. Guillemin Seneg.* 13.  
 — — — *tiliaceum St. Hil. Wight Ic. pl. Ind. or.* 1, 7.  
 — — — *tortuosum Dillw. Rheede Hort. mal.* 1, 30.  
*Parivoa grandiflora Aubl. Aublet Guiana* 303.  
 † — — — *Abh. Ac. Berl.* 1832, 3.  
 — — — *tomentosa Aubl. Aublet Guiana* 304.  
*Parkeria pteridoides Hook. Hook. Exot. Fl.* 147, 231.  
 † — — — *Hook. Gen. Fil.* 50.  
 — — — *Hook. Ic. Fil.* 1, 97.  
*Parkia africana R. Br. Pal. B. Fl. d'Oware* 90.  
 — — — *Rchb. Exot.* 231.  
*Parkinsonia aculeata L. Linné Hort. Cliff.* 13.  
 — — — *Jacq. Hist. stirp. am.* 119.  
 — — — *Lam. Encycl.* 336.  
 — — — *Desc. Ant.* 1, 12.  
 — — — *orientalis Spr. Rumpf Amb.* 3, 123.  
*Parmientera cereifera Seem. Semann Herald* 32.  
 † *Parnassia L. Gray Genera* 86.  
 — — — *asarifolia Vent. Vent. Malm.* 39.  
 — — — *Tratt. Thes.* 6.  
 — — — *caroliniana Michx. Bot. Mag.* 35, 1459.  
 — — — *Torrey New York* 11.  
 — — — *Gray Genera* 86.



- Parnassia fimbriata* *Banks.* Hook. Bot. Misc. 23.  
 — *Kotzebuei* *Cham. et Schl.* Hook. Bor. Am. 28.  
 — — — Fl. dan. 13, 2286.  
 — *mysorensis* *Heyne.* Wight Illustr. 21.  
 — *nubicola* *Wall.* Royle Illustr. 50.  
 — — — Wight Illustr. 21.  
 — *obtusiflora* *Rupr.* Rupr. Fl. Samoij. 3.  
 — *ovata* *Led.* Ledeb. Ic. 242.  
 † *palustris* *L.* Gaertn. Carp. 60.  
 † — — — Lam. Encycl. 216.  
 — — — Fl. dan. 4, 584.  
 — — — Sv. Bot. 172.  
 — — — Curt. Lond. 4, 1.  
 — — — Engl. Bot. 2, 82.  
 — — — Baxter Brit. Bot. 1, 70.  
 — — — Liboschitz Petersb. 8.  
 — — — Dict. sc. nat. 186.  
 — — — Dreves 3, 85.  
 — — — Hayne 2, 42.  
 — — — Schk. Handb. 86.  
 — — — Tratt. Thes. 5.  
 — — — Schrank Fl. monac. 2, 144.  
 — — — Sturm Flora 4, 13.  
 — — — Dietr. Fl. bor. 2, 143.  
 — *parviflora* *DC.* Hook. Bor. Am. 27.  
 — *Schmidii* *Zenk.* Zenker Pl. ind. 5.  
 — *Wightiana* *Wall.* Wight Spicil. 13.  
 — — — Wight Ic. pl. Ind. or. 3, 945.  
 — — — Wight Illustr. 21.  
*Parochetus communis* *Hamilt.* Royle Illustr. 35.  
 — *maculatus* *R. Br.* Bennett Java 34.  
 — *major* *Don.* Wight Ic. pl. Ind. or. 2, 483.  
*Parolinia ornata* *Webb.* Ann. sc. nat. II. 13, 3.  
 † *Paronychia* *Juss.* Gray Genera 105.  
 — *arabica* *Juss.* Delile Egypte 18.  
 — *aretioides* *DC.* Boissier Esp. 62.  
 — *argyrocoma* *Nutt.* Gray Genera 105.  
 † — *bonariensis* *DC.* Nees Gen. 4, 73.  
 — *canariensis* *Juss.* Webb Canar. 20.  
 † — *capitata* *DC.* Nees Gen. 4, 73.  
 — *illecebroides* *Webb.* Hook. Niger Fl. 7.  
 — — — Hook. Ic. pl. 8, 756.  
 — *lanuginosa* *Poir.* Tussac Ant. 2, 21.  
 † — *nitida* *Gaertn.* Gaertn. Carp. 128.  
 —? *ramosissima* *DC.* DC. Paronychiées 4.  
 — *Rosetta* *Camb.* St. Hil. Fl. Bras. 113.  
 — *sessiliflora* *Nutt.* Hook. Bor. Am. 75.  
 † — *verticillata* *DC.* Lam. Encycl. 180.  
*Paropsia edulis* *Aub. Th.* Aubert Îles d'Afrique 19.  
*Parrotia Jacquemontiana* *Decne.* Jacquemont Ind. 82.  
 † *Parrya arctica* *R. Br.* Parry Voyage tab. B.  
 — *exscapa* *Led.* Ledeb. Ic. 86.  
 — *macrocarpa* *R. Br.* Hook. Bor. Am. 15.  
*Parsonia capsularis* *Endl.* Delessert Ic. 5, 49.  
 — *heterophylla* *Cunn.* Journ. Hort. Soc. 5, 195.  
 — *rosea* *Decne.* Raoul Nouv. Zel. 11.  
*Parthenium Hysterophorus* *L.* Bot. Mag. 49, 2275.  
 — — — Desc. Ant. 6, 385.  
 — *incanum* *H. B. K.* H. B. K. Nov. Gen. 4, 391.  
 — *integrifolium* *L.* Schk. Handb. 293.  
 — — — Willdenow Hortus 4.  
 † — — — Gaertn. Carp. 168.  
 † — — — Lam. Encycl. 766.  
 † *Parvatia Brunoniana* *Decne.* Arch. Mus. 1, 12.  
*Pascalja glauca* *Ortega.* Andr. Rep. 8, 549.  
 — — — Paxt. Mag. 8, 125.  
 † *Paspalum* *L.* Linné Amoenit. 7, 3.  
 — *ammodes* *Tr.* Trin. Sp. Gr. 2, 152.  
 — *angustifolium* *N. v. E.* Trin. Sp. Gr. 1, 111.  
 — *annulatum* *Flügge.* Trin. Sp. Gr. 2, 133.  
 — *arenarium* *Schrad.* Trin. Sp. Gr. 1, 109.  
 — *aspidiotes* *Tr.* Trin. Sp. Gr. 3, 269.

- Paspalum aureum* *H. B. K.* H. B. K. Nov. Gen. 1, 27.  
 — — — Trin. Sp. Gr. 1, 97.  
 — *barbatum* *N. v. E.* Trin. Sp. Gr. 1, 98.  
 — *blepharophorum* *R. et Sch.* Trin. Sp. Gr. 2, 134.  
 — *caespitosum* *Flügge.* Trin. Sp. Gr. 2, 121.  
 — *candidum* *H. B. K.* H. B. K. Nov. Gen. 1, 25.  
 — *canescens* *N. v. E.* Trin. Sp. Gr. 1, 99.  
 — *capillare* *Lam.* Humb. Gram. 11.  
 — — — Trin. Sp. Gr. 1, 100.  
 — *carinatum* *Kth.* Trin. Sp. Gr. 1, 119.  
 — *chrysostachyum* *Schrad.* Trin. Sp. Gr. 1, 101.  
 — *ciliatum* *H. B. K.* H. B. K. Nov. Gen. 1, 24.  
 — — — Lam. Pal. B. Fl. d'Oware 92.  
 — *Commersonii* *Lam.* Lam. Encycl. 43.  
 — *commutatum* *N. v. E.* Trin. Sp. Gr. 2, 124.  
 — *conjugatum* *Berg.* Trin. Sp. Gr. 1, 102.  
 — *corcovadense* *Raddi.* Trin. Sp. Gr. 2, 153.  
 — *coryphaeum* *Tr.* Trin. Sp. Gr. 3, 272.  
 — *cuyabense* *Tr.* Trin. Sp. Gr. 3, 284.  
 — *densum* *Poir.* Trin. Sp. Gr. 2, 122.  
 — *denticulatum* *Tr.* Trin. Sp. Gr. 2, 123.  
 — *dilatatum* *Poir.* Humb. Gram. 10.  
 — — — Trin. Sp. Gr. 2, 139.  
 — *dissectum* *L.* Trin. Sp. Gr. 2, 124.  
 — *dissitiflorum* *Trin.* Trin. Sp. Gr. 1, 103.  
 — *distichophyllum* *H. B. K.* Trin. Sp. Gr. 2, 141.  
 † — *distichum* *L.* Gaertn. Carp. 80.  
 — — — Swartz Observ. 2.  
 — *elegans* *Flügge.* Jacq. Ecl. Gram. 23.  
 — *erianthum* *N. v. E.* Trin. Sp. Gr. 2, 135.  
 — *eucomum* *N. v. E.* Trin. Sp. Gr. 1, 110.  
 — *fasciculatum* *Willd.* Trin. Sp. Gr. 3, 270.  
 — *Fernandezianum* *Colla.* Mem. Tur. 39, 59.  
 — *ferrugineum* *Tr.* Trin. Sp. Gr. 2, 136.  
 — *fimbriatum* *H. B. K.* H. B. K. Nov. Gen. 1, 28.  
 — *firmum* *Tr.* Trin. Sp. Gr. 2, 125.  
 — *glabrum* *Poir.* Trin. Sp. Gr. 2, 126.  
 — *gracile* *Rudge.* Rudge Pl. Guianae 26.  
 — *guttatum* *Tr.* Trin. Sp. Gr. 1, 104.  
 — *heterotrichum* *Tr.* Trin. Sp. Gr. 3, 285.  
 — *hirtum* *H. et Kth.* Humb. Gram. 205.  
 — *Humboldtianum* *Flügge.* H. B. K. Nov. Gen. 1, 23.  
 — *inaequivalve* *Raddi.* Humb. Gram. 207.  
 — *ischnocaulon* *Tr.* Trin. Sp. Gr. 2, 126.  
 — *Kora* *Willd.* Willdenow Hortus 74.  
 — — — Pal. B. Fl. d'Oware 85.  
 — *lanatum* *H. B. K.* H. B. K. Nov. Gen. 1, 29.  
 — *lanciflorum* *Tr.* Trin. Sp. Gr. 3, 286.  
 — *lentiferum* *Lam.* Trin. Sp. Gr. 2, 137.  
 — *lineare* *Tr.* Trin. Sp. Gr. 1, 111.  
 — *littorale* *R. Br.* Trin. Sp. Gr. 1, 112.  
 — *longiflorum* *Retz.* Rheede Hort. mal. 12, 44.  
 — — — Pal. B. Fl. d'Oware 85.  
 — *longifolium* *Roxb.* Trin. Sp. Gr. 2, 138.  
 — *maculosum* *Tr.* Trin. Sp. Gr. 1, 113.  
 — *malacophyllum* *Tr.* Trin. Sp. Gr. 3, 271.  
 — *mandiocanum* *Tr.* Trin. Sp. Gr. 2, 154.  
 — *marginatum* *Tr.* Trin. Sp. Gr. 1, 105.  
 — *membranaceum* *Lam.* Lam. Encycl. 43.  
 — *notatum* *Flügge.* Trin. Sp. Gr. 1, 114.  
 — *obtusifolium* *Raddi.* Trin. Sp. Gr. 1, 115.  
 — *ovatum* *N. v. E.* Trin. Sp. Gr. 2, 139.  
 — *pallidum* *H. et Kth.* Humb. Gram. 204.  
 † — *paniculatum* *L.* Gaertn. Carp. 80.  
 — — — Trin. Sp. Gr. 2, 127.  
 — *parviflorum* *Rohde.* Trin. Sp. Gr. 1, 116.  
 — *pectinatum* *N. v. E.* Trin. Sp. Gr. 1, 117.  
 — *pellitum* *N. v. E.* Trin. Sp. Gr. 1, 106.  
 — *platense* *Spr.* Trin. Sp. Gr. 2, 139.  
 — *platycaule* *Poir.* Trin. Sp. Gr. 1, 118.  
 — *plicatulum* *Michx.* Trin. Sp. Gr. 2, 140.  
 — *polyphyllum* *N. v. E.* Trin. Sp. Gr. 2, 141.

- Paspalum pruinatum* *Tr.* Trin. Sp. Gr. 3, 272.  
 — *pulchellum* *H. B. K.* H. B. K. Nov. Gen. 1, 26.  
 — *punctatum* *Flügge.* Trin. Sp. Gr. 2, 153.  
 — *purpurascens* *Ell.* Elliott Carolina 6.  
 — *pusillum* *Vent.* Humb. Gram. 208.  
 — — Trin. Sp. Gr. 3, 273.  
 — *quadrifarium* *Lam.* Trin. Sp. Gr. 2, 128.  
 — *racemosum* *Jacq.* Jacq. Ic. 302.  
 — *ramosissimum* *N. v. E.* Humb. Gram. 164.  
 — *reimarioides* *Brongn.* Brongniart Coquille 20.  
 — *saccharoides* *N. v. E.* Trin. Sp. Gr. 1, 107.  
 — *sanguinolentum* *Tr.* Trin. Sp. Gr. 2, 142.  
 — *scalare* *Tr.* Trin. Sp. Gr. 3, 274.  
 — *scrobiculatum* *L.* Trin. Sp. Gr. 2, 143.  
 — *serotinum* *Flügge.* Humb. Gram. 206.  
 — *setaceum* *Michx.* Trin. Sp. Gr. 2, 129.  
 — *stellatum* *Kunth.* Trin. Sp. Gr. 1, 119. 3, 284.  
 — *stoloniferum* *Bosc.* Linn. Transact. 2, 16.  
 — *strictum* *Brot.* Brotero Phytogr. 5.  
 — *succinctum* *Tr.* Trin. Sp. Gr. 2, 156.  
 — *suffultum* *Mik.* Trin. Sp. Gr. 1, 108.  
 — *supinum* *Bosc.* Trin. Sp. Gr. 2, 130.  
 † — *tenue* *Gaertn.* Gaertn. Carp. 80.  
 — *vaginatum* *Pal. B.* Pal. B. Fl. d'Oware 92.  
 — — *Sw.* Trin. Sp. Gr. 1, 120.  
 — *villosum* *Thunb.* Thunberg Fl. jap. 8.  
 — *virgatum* *L.* Jacq. Ic. 11.  
 † — — Gaertn. Carp. 80.  
 — — Trin. Sp. Gr. 2, 131. 132.  
 † *Passerina* *L.* Atti Nap. 1788, 18. 19.  
 — *annua* *Wikstr.* Dietr. Fl. bor. 8, 527.  
 † — — Nees Gen. 4, 47.  
 — *canescens* *Schousb.* Boissier Esp. 157.  
 † — *capitata* *L.* Wendland Beob. 2.  
 — — Lam. Encycl. 291.  
 — *elliptica* *Boiss.* Boissier Esp. 158.  
 — *filiformis* *L.* Linné Hort. Cliff. 11.  
 † — — Wendland Beob. 2.  
 — *globosa* *Poir.* Lam. Encycl. 291.  
 — *grandiflora* *L. fil.* Bot. Mag. 9, 292.  
 † — *hirsuta* *L.* Wendland Beob. 2.  
 — — Bot. Mag. 45, 1949.  
 — — Sibth. Fl. gr. 360.  
 — — Rehb. Fl. germ. 11, 550.  
 † — — Nees Gen. 4, 47.  
 † — *laxa* *L. fil.* Wendland Beob. 2.  
 — — Lodd. Cab. 755.  
 — *nitida* *Desf.* Desf. Fl. atl. 94.  
 — *navalis* *Ramond.* Bull. philom. 1800. no. 40.  
 † — — Gaertn. Carp. 215.  
 — *racemosa* *Led.* Ledeb. Ic. 374.  
 † — *spicata* *L. fil.* Wendland Beob. 2.  
 — — Lodd. Cab. 311.  
 — *striata* *Lam.* Lam. Encycl. 291.  
 † — *Tartouira* *Wikstr.* Nees Gen. 4, 47.  
 † — *Thymelaea* *Wikstr.* Nees Gen. 4, 47.  
 † — *uniflora* *L.* Wendland Beob. 2.  
 — — Lam. Encycl. 291.  
 — *villosa* *Wikstr.* Boissier Esp. 157.  
 — *virgata* *Desf.* Desf. Fl. atl. 95.  
 † *Passiflora* *L. (Folia.)* Linné Amoenit. 1, 10.  
 † — — Ann. gen. 2, 22. 23.  
 † — — Kerner Genera 168 — 170.  
 — *Actinia* *Hook.* Bot. Mag. 69, 4009.  
 — — Fl. d. serres 2, 39.  
 — *adiantifolia* *Willd.* Bot. Reg. 3, 233.  
 — *adulterina* *L. fil.* Cav. Diss. 278.  
 — — Smith Ic. Linn. 24.  
 † — *alata* *Ait.* Linn. Transact. 2, 3.  
 — — Bot. Mag. 2, 66.  
 — — Lodd. Cab. 246.  
 — — Wendland Coll. 46.

- Passiflora alata* *Ait.* Kerner Hort. 392.  
 — — — Savi Fl. ital. 2, 77.  
 † — — — Dict. sc. nat. 216.  
 — — — Herb. amat. 1, 60.  
 † — — — Spach Suites 51.  
 — *alato-coerulea* *Ldl.* Bot. Reg. 10, 848.  
 — *alba* *Sello.* Link Ic. II. 32.  
 — *albida* *Ker.* Bot. Reg. 8, 677.  
 — *albo-nigra* *Regel.* Regel Gartenflora 1852, 8.  
 — *amabilis* *Ch. Lem.* Bot. Mag. 74, 4406.  
 — — — Fl. d. serres 3, 209.  
 — — — Ysabeau Journal 1850, 3.  
 — *amethystina* *Mik.* Mikan Del. Bras. 20.  
 — *angustifolia* *Sw.* Bot. Mag. 45, 1983.  
 — — — Bot. Reg. 3, 188.  
 — *aurantia* *Andr.* Andr. Rep. 5, 295.  
 — *biflora* *Lam.* Cav. Diss. 289.  
 — *bilobata* *Juss.* Ann. Mus. 6, 37.  
 — *capsularis* *L.* Bot. Mag. 55, 2868.  
 — *ciliata* *Ait.* Bot. Mag. 8, 288.  
 — — — Jacq. Ecl. pl. 122.  
 — *cinerea* *P. et E.* Poepp. et Endl. 177.  
 — *cirrhiflora* *Juss.* Ann. Mus. 6, 41.  
 — *coccinea* *Aubl.* Aublet Guiana 324.  
 — — — Cav. Diss. 280.  
 — — — Desc. Ant. 5, 350.  
 — *coerulea* *L.* Schk. Handb. 84<sup>b</sup>.  
 — — — Cav. Diss. 295.  
 — — — Bot. Mag. 1, 28.  
 † — — — Linn. Transact. 2, 4.  
 — — — Nouveau Duhamel 2, 12.  
 † — — — Lam. Encycl. 732.  
 — — — Herb. amat. 2, 102.  
 — — — Desc. Ant. 1, 34.  
 — — — Bot. Reg. 6, 488.  
 — *coeruleo-racemosa* *Sabine.* Hort. Transact. 4, 9.  
 — — — Lodd. Cab. 573.  
 — — — Kerner Hort. 663.  
 — *Colvillii* *Sweet.* Sweet Fl. G. 126.  
 — *coriacea* *Juss.* Ann. Mus. 6, 39.  
 — *cuneifolia* *Cav.* Cav. Diss. 292.  
 — *cuprea* *L.* Martyn Hist. 35.  
 — — — Jacq. Ic. 676.  
 — — — Cav. Diss. 273.  
 — *discolor* *Link.* Link Ic. I. 5.  
 — — — Lodd. Cab. 565.  
 — — — Kerner Hort. 602.  
 — *edulis* *Sims.* Bot. Mag. 45, 1989.  
 — — — Jacq. Ecl. pl. 124.  
 — — — Annales de Gand 1845, 35.  
 — *emarginata* *H. B.* Humb. Pl. aeq. 23.  
 — *filamentosa* *Cav.* Cav. Diss. 294.  
 — — — Bot. Mag. 46, 2023.  
 — — — Bot. Reg. 7, 584.  
 — — — Fl. d. serres 6, 543.  
 † — — — Spach Suites 51.  
 — *foetida* *L.* Cav. Diss. 289.  
 — — — Bot. Mag. 53, 2619.  
 — — — Bot. Reg. 4, 321.  
 — — — Lodd. Cab. 725.  
 — — — Desc. Ant. 5, 375.  
 — *glabra* *Wendl.* Wendland Coll. 17.  
 — *glandulosa* *Cav.* Cav. Diss. 281.  
 — *glauca* *H. B.* Humb. Pl. aeq. 22.  
 — — — Jacq. Schoenbr. 3, 384.  
 — — — Bot. Reg. 1, 88.  
 — — — Kerner Hort. 405. 827.  
 — *gossypifolia* *Desv.* Link Ic. II. 46.  
 — — — Bot. Reg. 19, 1634.  
 — *gracilis* *Link.* Jacq. Ecl. pl. 168.  
 — — — Bot. Reg. 11, 870.  
 — — — Kerner Hort. 784.

- Passiflora guazumaefolia* Juss. Ann. Mus. 6, 39.  
 — *Herbertiana* Ker. Bot. Reg. 9, 737.  
 — — Lodd. Cab. 1364.  
 — *heterophylla* Ait. Jacq. Schoenbr. 2, 181.  
 — *hibiscifolia* Lam. β. Jacq. Ecl. pl. 123.  
 — *hirsuta* Lodd. Lodd. Cab. 138.  
 — — Ait. Jacq. Ecl. pl. 123.  
 — *holosericea* L. Martyn Hist. 49.  
 — — Cav. Diss. 291.  
 — — — Bot. Mag. 45, 2015.  
 — — — Bot. Reg. 1, 59.  
 — — — Kerner Hort. 32.  
 — *Horsfieldii* Bl. Blume Rumphia 52.  
 — *incarnata* L. Jacq. Ic. 187.  
 — — — Cav. Diss. 293.  
 — — — Hort. Transact. 3, 3.  
 — — — Bot. Reg. 2, 152, 4, 332.  
 — — — Bot. Mag. 65, 3697.  
 — *kermesina* Link et O. Preuss. Gart. Verein 2, 15.  
 — — — Bot. Reg. 19, 1633.  
 — — — Bot. Mag. 63, 3503.  
 — — — Knowles et Westcott 6.  
 — — — Maund Bot. 3, 118.  
 — — — Paxt. Mag. 1, 25, 14, 151.  
 — *laurifolia* L. Schneevogt Ic. 38.  
 — — — Jacq. Hist. stirp. am. 219.  
 — — — Jacq. Vind. 162.  
 — — — Cav. Diss. 284.  
 † — — — Linn. Transact. 2, 4.  
 — — — Bot. Reg. 1, 13.  
 — — — Desc. Ant. 1, 56.  
 — *Leschenaultii* DC. Zenker Pl. ind. 8.  
 — — — Hook. Ic. pl. 4, 353.  
 — — — Wight Spicil. 76.  
 — — — Wight Ic. pl. Ind. or. 1, 39.  
 — *ligularis* Juss. Ann. Mus. 6, 40.  
 — — — Bot. Mag. 57, 2967.  
 — — — Bot. Reg. 16, 1339.  
 — *longifolia* Lam. Cav. Diss. 270.  
 — *longipes* Juss. Ann. Mus. 6, 38.  
 — *Lowe* Heer. Regel Gartenflora 1852, 9.  
 — *lunata* Sm. Smith Ic. pictae 1.  
 † — — — Linn. Transact. 2, 5.  
 — — — Andr. Rep. 10, 657.  
 — — — Lodd. Cab. 181.  
 — — — Bot. Mag. 49, 2354.  
 — — — Bot. Reg. 7, 577.  
 — — — Poepp. et Endl. 178.  
 — *lutea* L. Jacq. Ic. 607.  
 — — — Cav. Diss. 267.  
 — — — Bot. Reg. 1, 79.  
 — *lyraefolia* Tuss. Tussac Ant. 1, 4.  
 — — — Desc. Ant. 4, 255.  
 — — — Kerner Hort. 488.  
 — *maliformis* L. Jacq. Schoenbr. 2, 180.  
 — — — Andr. Rep. 4, 217.  
 — — — Bot. Reg. 2, 94.  
 — — — Kerner Hort. 845.  
 — *mauritanica* Aub. Th. Ann. Mus. 6, 65.  
 — *Maximiliana* Bory. Ann. gen. 2, 24.  
 — *Medusaea* Ch. Lem. Fl. d. serres 5, 528.  
 — — — Bot. Mag. 79, 4752.  
 — *mexicana* Juss. Ann. Mus. 6, 38.  
 — *Middletoniana* Paxt. Paxt. Mag. 9, 51.  
 — *minima* L. Jacq. Vind. 20.  
 — — — Cav. Diss. 266.  
 † — — — Linn. Transact. 2, 5.  
 — — — Bot. Reg. 2, 144.  
 — *mixta* L. Smith Ic. Linn. 25.  
 — *mollucana* Reimw. Blume Rumphia 51.  
 — *Moooreana* Hook. Bot. Mag. 66, 3773.  
 — *mucronata* Lam. Cav. Dis. 282.

- Passiflora multiflora* L. Cav. Diss. 272.  
 — — — multiformis Jacq. Jacq. Eragm. 67.  
 — — — Jacq. Ecl. pl. 121.  
 — *Murucua* L. Cav. Diss. 287.  
 — — — Bot. Reg. 7, 574.  
 — — — Desc. Ant. 1, 62.  
 — — — Rehb. Exot. 215.  
 † — *myriadenia* Van Houtte. Van Houtte Hort. 5.  
 — *nepalensis* Wall. Wallich Tentamen 11.  
 — *Neumannii* Paxt. Paxt. Mag. 15, 270.  
 — *nigelliflora* Tweed. Bot. Mag. 65, 3635.  
 † — *nigra* Jacq. Jacq. Observ. 46.  
 — *odora* Link. Link Ic. II. 47.  
 — *onychina* Ldl. Bot. Reg. 24, 21.  
 — — — Bot. Mag. 67, 3820.  
 — *orbiculata* Cav. Cav. Diss. 286.  
 — *pallida* L. Bot. Reg. 8, 660.  
 — — — Desc. Ant. 7, 460.  
 — *pallidiflora* Moris. Mem. Tur. 36, 6.  
 — *palmeta* Lodd. Lodd. Cab. 97.  
 — *pedata* L. Herb. amat. 5, 303.  
 — — — Desc. Ant. 5, 351.  
 — *pedunculata* Cav. Cav. Ic. 426.  
 — *peltata* Cav. Cav. Diss. 274.  
 — — — Bot. Reg. 6, 507.  
 — *penduliflora* Bertero. Bot. Mag. 77, 4565.  
 — — — Lem. Jard. fl. 114.  
 — — — Fl. d. serres 7, 656.  
 — *perfoliata* L. Jacq. Schoenbr. 2, 182.  
 — — — Andr. Rep. 8, 547.  
 — — — Bot. Reg. 1, 78.  
 — — — Kerner Hort. 94.  
 — — — Kerner Ic. pl. sel. 2.  
 — *phoenicea* Ldl. Bot. Reg. 19, 1603.  
 — *picturata* Ker. Bot. Reg. 8, 673.  
 — — — Lodd. Cab. 1050.  
 — — — Rehb. Exot. 136.  
 — *pinnatistipula* Cav. Cav. Ic. 428.  
 — *princeps* Lodd. Lodd. Cab. 84.  
 — — — Rehb. Exot. 305.  
 — — — Savi Fl. ital. 2, 73, 77.  
 — *punctata* L. Cav. Diss. 269.  
 — — — Lodd. Lodd. Cab. 101.  
 — *quadrangularis* L. Jacq. Hist. stirp. am. 218.  
 — — — Cav. Diss. 283.  
 † — — — Linn. Transact. 2, 3.  
 — — — Bot. Mag. 46, 2041.  
 — — — Bot. Reg. 1, 14.  
 — — — Tussac Ant. 4, 10, 11.  
 — — — Desc. Ant. 1, 60.  
 — — — Dict. sc. nat. 215.  
 — — — Kerner Hort. 479.  
 — — — Rehb. Exot. 304.  
 — — — var. *Decaisneana*, Fl. d. serres 8, 848.  
 — *racemosa* Brot. Bot. Mag. 45, 2001.  
 — — — Bot. Reg. 4, 285.  
 — — — Linn. Transact. 12, 6.  
 — — — Kerner Hort. 542.  
 — *reflexiflora* Cav. Cav. Ic. 425.  
 — *rigidula* Jacq. Jacq. Ecl. pl. 124.  
 — *rotundifolia* L. Cav. Diss. 290.  
 † — — — Jacq. Observ. 46.  
 — *rubra* L. Jacq. Ic. 186.  
 — — — Cav. Diss. 268.  
 — — — Bot. Reg. 2, 95.  
 — *rubricaulis* Jacq. Jacq. Ecl. pl. 169.  
 — *sanguinea* Colla. Mem. Tur. 33, 6.  
 — — — Sm. Fl. d. serres 8, 803.  
 — *serrata* L. Cav. Diss. 296.  
 — — — Desc. Ant. 5, 349.  
 — *serratifolia* L. Martyn Hist. 34.  
 — — — Jacq. Vind. 10.

- Passiflora serratifolia* L. Cav. Diss. 279.  
 — — — Bot. Mag. 18, 631.  
 — — — Lodd. Cab. 195.  
 † — serrulata Jacq. Jacq. Observ. 46.  
 — sexiflora Juss. Ann. Mus. 6, 37.  
 — speciosa Gardn. Fielding Sertum 17.  
 — stipulata Aubl. Aublet Guiana 325.  
 — suberosa L. Jacq. Vind. 163.  
 — — — Cav. Diss. 265.  
 — — — Smith Exot. Bot. 28.  
 — Tacso Cav. Cav. Diss. 277.  
 — tiliaefolia L. Cav. Diss. 285.  
 — tinifolia Juss. Ann. Mus. 6, 41.  
 — tomentosa Lam. Cav. Diss. 275, 276.  
 — trifoliata Cav. Cav. Ic. 427.  
 — tuberosa Jacq. Jacq. Schoenbr. 4, 496.  
 — — — Bot. Reg. 5, 432.  
 — tucamanensis Hook. Bot. Mag. 65, 3636.  
 — variolata P. et E. Poepp. et Endl. 179.  
 — verrucifera Ldl. Bot. Reg. 26, 52.  
 — Vespertilio L. Martyn Hist. 50.  
 — — — Cav. Diss. 271.  
 — — — Bot. Reg. 7, 597.  
 — viridiflora Cav. Cav. Ic. 424.  
 — Walkeriae Wight. Wight Illustr. 108.  
 † Passifloreae Juss. Schnizl. Iconogr. 197.  
*Passoura guianensis* Aubl. Aublet Guiana 380.  
*Pastinaca dissecta* Vent. Vent. Cels 78.  
 — Hookeriana Wight. Wight Ic. pl. Ind. or. 3, 1010.  
 — ligusticifolia W. et A. Wight Illustr. 116.  
 — lucida L. Gouan Illustr. 11, 12.  
 — — — Jacq. Vind. 199.  
 — Opoponax L. Gouan Illustr. 13, 14.  
 — — — Woodv. Med. 1, 47.  
 — — — W. et Kit. 211.  
 — — — Sibth. Fl. gr. 288.  
 † — rectistyla Ces. Linnaea 11, 7.  
 — rigens Wight. Wight Spicil. 82.  
 — — — Wight Ic. pl. Ind. or. 3, 1009.  
 † — sativa L. Gaertn. Carp. 21.  
 † — — — Lam. Encycl. 206.  
 — — — Fl. dan. 7, 1206.  
 — — — Engl. Bot. 8, 556.  
 — — — Baxter Brit. Bot. 3, 172.  
 — — — Schk. Handb. 76.  
 — — — Hayne 7, 16.  
 — — — Schrank Fl. monac. 4, 396.  
 — — — Dietr. Fl. bor. 10, 701.  
 — — — var. Rochel Banat. 25.  
 — Sprengeliana Wight. Wight Ic. pl. Ind. or. 3, 1008.  
 — triquinata Spr. Sprengel Umb. 6.  
*Patabea coccinea* Aubl. Aublet Guiana 43.  
 — — — Lam. Encycl. 65.  
*Patagonula americana* L. Lam. Encycl. 96.  
 — bahiensis Moric. Moricand Pl. Am. 86.  
 † Patania crosa Math. Hook. Gen. Fil. 61.  
*Patersonia glabrata* R. Br. Bot. Reg. 1, 51.  
 — — — Lodd. Cab. 768.  
 — glauca R. Br. Bot. Mag. 53, 2677.  
 — — — Lodd. Cab. 1182.  
 — — — Endl. Iconogr. 50.  
 — lanata R. Br. Sweet Austr. 15.  
 — longiscapa Sweet. Sweet Austr. 39.  
 — saphirina Ldl. Bot. Reg. 25, 60.  
 — sericea R. Br. Bot. Mag. 26, 1041.  
*Patima guianensis* Aubl. Aublet Guiana 77.  
 — — — Lam. Encycl. 159.  
*Patrinia intermedia* Hornem. Rchb. Hort. 83.  
 — scabiosaefolia Fisch. Lodd. Cab. 1340.  
 — — — Sweet Fl. G. 154.  
 — — — Rchb. Hort. 20.  
 — serratifolia Fisch. Rchb. Hort. 94.

- Patrisia parviflora* DC. Delessert Ic. 3, 14.  
*Pattonia macrantha* Wight. Wight Ic. pl. Ind. or. 5, 1750.  
 † *Pauletia* Cav. (Folia 11 spec.) Acad. Pet. 4, 4, 5, 7.  
 — aculeata Cav. Cav. Ic. 410.  
 — bicolor Bong. Acad. Pet. 4, 6.  
 — inermis Cav. Cav. Ic. 409.  
 † *Paullinia* L. (Folia 14 specierum.) Jacq. Observ. 61, 62.  
 — — — affinis St. Hil. St. Hil. Fl. Bras. 78.  
 † — australis St. Hil. Mem. Mus. 12, 13.  
 — — — St. Hil. Pl. remarq. 24.  
 — caracasana Jacq. Jacq. Schoenbr. 1, 99.  
 — cauliflora Jacq. Jacq. Ic. 458.  
 — Cururu L. Desc. Ant. 3, 181.  
 — glabra Bert. Novi Comm. Bonon. 4, 40.  
 — hispida Jacq. Jacq. Schoenbr. 3, 268.  
 — meliaefolia Juss. Ann. Mus. 4, 66.  
 — — — Hook. Exot. Fl. 110.  
 † — pinnata L. Gaertn. Carp. 79.  
 † — — — Lam. Encycl. 318.  
 — rhizantha P. et E. Poepp. et Endl. 243.  
 † — Seriana L. Gaertn. Carp. 79.  
 — sericea St. Hil. St. Hil. Fl. Bras. 77.  
 — sinuata Poir. Lam. Encycl. 318.  
 — tenera P. et E. Poepp. et Endl. 243.  
 — thalictrifolia Juss. Ann. Mus. 4, 66.  
 — tomentosa Jacq. Jacq. Observ. 10.  
 — triternata L. Desc. Ant. 4, 237.  
 — velutina DC. Delessert Ic. 3, 37.  
*Paulownia imperialis* Sieb. et Z. Sieb. Fl. Japon. 10.  
 — — — Paxt. Mag. 10, 7.  
 — — — Annales de Gand 1846, 104.  
 — — — Bot. Mag. 77, 4666.  
 † — — — Ann. sc. nat. III. 8, s. III. 19, 5.  
*Pavetta breviflora* DC. Wight Ic. pl. Ind. or. 3, 1035.  
 — Brunonis Wall. Wight Ic. pl. Ind. or. 3, 1065.  
 — caffra Thunb. Bot. Mag. 64, 3580.  
 — — — Maund Bot. 4, 193.  
 — — — Lem. Jard. fi. 3, 293, 294.  
 — foetidissima Cir. Cirillo Pl. rar. 1, 1.  
 — indica L. Rheede Hort. mal. 5, 10.  
 — — — Rumpf Amb. 4, 47.  
 — — — Burmann Fl. ind. 13.  
 † — — — Gaertn. Carp. 25.  
 — — — Bot. Reg. 3, 198.  
 — — — Herb. amat. 5, 331.  
 — — — Wight Ic. pl. Ind. or. 1, 148.  
 — owariensis Pal. B. Pal. B. Fl. d'Oware 52.  
*Pavia carnea* Spach. Sweet Fl. G. II. 301.  
 — indica Wall. Jacquemont Ind. 35.  
 — lutea Poir. Nouveau Duhamel 3, 38.  
 — — — Michaux Arb. 3, 11.  
 — macrostachys DC. Herb. amat. 3, 212.  
 † — Michauxii Spach. Spach Suites 18.  
 — rubra Lam. Lam. Encycl. 273.  
 — — — Dict. sc. nat. 165, 166.  
 † *Pavonia* Ruiz et P. Ruiz et Pav. Prodr. 28.  
 † — — — Gray Genera 130.  
 — acerifolia Link. Link Ic. I. 1.  
 — — — Kerner Hort. 768.  
 — acuminata Spr. Kerner Hort. 786.  
 — aristata Cav. Cav. Diss. 45.  
 — cancellata Cav. Rchb. Hort. 215.  
 — coccinea Cav. Cav. Diss. 47.  
 — — — Lam. Encycl. 585.  
 — — — Desc. Ant. 6, 385.  
 — Columella Cav. Cav. Diss. 48.  
 — — — Jacq. Schoenbr. 4, 462.  
 — cuneifolia Cav. Cav. Diss. 45.  
 — diuretica St. Hil. St. Hil. Pl. usuelles 53.  
 — geminiflora Moric. Moricand Pl. Am. 73.  
 — glechomoides St. Hil. St. Hil. Fl. Bras. 45.  
 — hastata Cav. Cav. Diss. 47.

- Pavonia hastata* Cav. Rehb. Hort. 227.  
 † — — Payer Organogénie 7.  
 — *humilis* Jacq. Jacq. Fragm. 122.  
 — *linearis* A. Rich. Ramon Cuba 13.  
 — *multiflora* Juss. St. Hil. Fl. Bras. 47.  
 — *muricata* St. Hil. St. Hil. Fl. Bras. 44.  
 — *odorata* Willd. Rehb. Hort. 203.  
 — *paniculata* Cav. Cav. Diss. 46.  
 — *papilionacea* Cav. Cav. Diss. 49.  
 — *pentacarpus* Poir. Rehb. Fl. germ. 5, 179.  
 — *praemorsa* Willd. Lodd. Cab. 371.  
 — *prostrata* Moric. Moricand Pl. Am. 72.  
 — *Rosa campestris* St. Hil. St. Hil. Fl. Bras. 46.  
 — *rosea* Moris. Mem. Tur. 36, 10.  
 — *Schrankii* Spr. Bot. Mag. 65, 3692.  
 — *sempervirens* Rz et P. Ruiz et Pav. Ined. x.  
 — *speciosa* H. B. K. H. B. K. Nov. Gen. 5, 477.  
 — *spicata* Cav. Cav. Diss. 46.  
 — — Bot. Reg. 4, 339.  
 — *spiralis* Cav. Cav. Ic. 434.  
 — *Typhalaca* Cav. Cav. Diss. 197.  
 — *urens* Cav. Cav. Diss. 49.  
 — — Jacq. Ic. 552.  
 — — Lam. Encycl. 585.  
 — *varians* Moric. Moricand Pl. Am. 74.  
 — *velutina* St. Hil. Fl. d. serres 4, 350.  
 — *veneta* Spr. Rehb. Fl. germ. 5, 179.  
 — *Wrightii* Gray. Gray Genera 130.  
 — *zeylanica* Cav. Cav. Diss. 48.  
*Paxtonia rosea* Cunn. Bot. Reg. 24, 60.  
 — — Maund Bot. 5, 210.  
*Paypayrola guianensis* Aubl. Aublet Guiana 99.  
 — — Lam. Encycl. 125.  
*Pectangis* Aub. Aubert Orchid. 51.  
 † *Pectinea zeylanica* Gaertn. Gaertn. Carp. 111.  
*Pectis canescens* H. B. K. H. B. K. Nov. Gen. 4, 393.  
 — *elongata* H. B. K. H. B. K. Nov. Gen. 4, 392.  
 † — *linifolia* Gaertn. Gaertn. Carp. 171.  
 † — — Lam. Encycl. 684.  
 — *pinnata* Lam. Journ. d'hist. nat. Par. 2, 31.  
 — *prostrata* Cav. Cav. Ic. 324.  
 — *punctata* L. Jacq. Hist. stirp. am. 196.  
*Pectocarya chilensis* DC. Gay Chile 52<sup>b</sup>.  
*Pectophytum pedunculare* H. B. K. H. B. K. Nov. Gen. 5, 425.  
*Pedaliium Murex* L. Rheede Hort. mal. 10, 72.  
 — — Burmann Fl. ind. 45.  
 † — — Gaertn. Carp. 58.  
 † — — Lam. Encycl. 538.  
 — — Wight Ic. pl. Ind. or. 4, 1615.  
*Peddica africana* Harvey. Hook. Journal 1840, 10.  
*Pedicularis abrotanifolia* M. v. B. Mem. Mosc. 6, 5.  
 — — Ledeb. Ic. 278.  
 — *acaulis* Scop. Scop. Fl. carn. 1, 31.  
 — — Jacq. Collect. 1, 14.  
 — *achilleaeifolia* Steph. Ledeb. Ic. 446.  
 — *adunca* M. v. B. Mem. Mosc. 6, 5.  
 — *aequinoctialis* H. B. K. Mem. Mosc. 6, 3.  
 — *altaica* Steph. Ledeb. Ic. 442.  
 — *amoena* Adams. Mem. Mosc. 6, 7.  
 — *asplenifolia* Floerke. Bot. Zeitung 1803, 1.  
 — — Sturm Flora 5, 20.  
 — *atrorubens* Schleich. Schweizer Denkschr. 3, 6.  
 — — Mem. Mosc. 6, 13.  
 — *bicornuta* Klotzsch. Prinz Waldem. Him. 61.  
 — *brachystachys* Led. Ledeb. Ic. 427.  
 — *canadensis* L. Bot. Mag. 51, 2506.  
 — — Sweet Fl. G. 67.  
 — *capitata* Adams. Mem. Mosc. 6, 3.  
 — — Trautv. Imagines 36.  
 — *carnosa* Wall. Wall. Pl. asiat. 154.

- Pedicularis caucasica* M. v. B. Mem. Mosc. 6, 8.  
 — *Chamissonis* Stev. Mem. Mosc. 6, 4.  
 — *comosa* L. All. Fl. ped. 3, 4.  
 — — Mem. Mosc. 6, 14.  
 — — Stephan Monogr. x.  
 — — Stephan Ic. pl. mosq. 5.  
 — *compacta* Steph. Mem. Mosc. 6, 11.  
 — *condensata* M. v. B. Mem. Mosc. 6, 17.  
 — *elata* Willd. Mem. Mosc. 6, 11.  
 — *euphrasioides* Steph. Rehb. Pl. crit. 1, 14.  
 — *flammea* L. Linné Fl. lapp. 4.  
 — — Fl. dan. 1, 30, 11, 1878.  
 — *flava* Pall. Ledeb. Ic. 439.  
 — *foliosa* L. Jacq. Fl. austr. 2, 139.  
 — — Sturm Flora 5, 20.  
 — *Friderici Augusti* Tomm. Linnaea 13, 2.  
 † — *gladiata* Michx. Mem. Mosc. 6, 1.  
 — *grandiflora* Fisch. Mem. Mosc. 6, 2.  
 — *groenlandica* Retz. Fl. dan. 7, 1166.  
 — *gyroflexa* Vill. Vill. Dauph. 9.  
 — *himalayca* Klotzsch. Prinz Waldem. Him. 58.  
 — *hirsuta* L. Linné Fl. lapp. 4.  
 — — Fl. dan. 7, 1105.  
 — — All. Fl. ped. 3, 3.  
 — *Hoffmeisteri* Klotzsch. Prinz Waldem. Him. 60.  
 — *Jacquini* Koch. Sturm Flora 5, 20.  
 — *incarnata* Jacq. Jacq. Fl. austr. 2, 140.  
 — — All. Fl. ped. 3, 3, 4.  
 — — Retzius Obs. 4, 1.  
 — — Sturm Flora 8, 30.  
 — — Lam. Encycl. 517.  
 — *interrupta* Steph. Mem. Mosc. 6, 6.  
 — — Ledeb. Ic. 434.  
 — *labellata* Decne. Jacquemont Ind. 123.  
 — *lanata* Cham. Fl. dan. 11, 1821.  
 — *lanceolata* Michx. Mem. Mosc. 6, 4.  
 — — Torrey New York 75.  
 — *Langsdorfii* Fisch. Mem. Mosc. 6, 9.  
 — — var. *gymnostemon*, Trautv. Imag. 38.  
 — *lapponica* L. Linné Fl. lapp. 4.  
 — — Fl. dan. 1, 2.  
 — — Sv. Bot. 750.  
 — — Lam. Encycl. 517.  
 — — Rehb. Pl. crit. 1, 14.  
 — *lasioctachys* Led. Ledeb. Ic. 340.  
 — *longiflora* Rudolphi. Petersb. 4, 3.  
 — *lusitanica* Link. Hoffm. Lk. Fl. port. 61.  
 — *macrantha* Klotzsch. Prinz Waldem. Him. 59.  
 — *mollis* Wall. Bot. Mag. 77, 4399.  
 — — Lem. Jard. fl. 166.  
 — *nasuta* M. v. B. Mem. Mosc. 6, 15.  
 — *palustris* L. Stephan Ic. pl. mosq. 6.  
 — — Engl. Bot. 6, 399.  
 — — Fl. dan. 12, 2055.  
 † — — Lam. Encycl. 517.  
 — — Schk. Handb. 171.  
 — — Hayne 8, 33.  
 — — Schrank Fl. monac. 4, 368.  
 — — Dietr. Fl. bor. 2, 87.  
 — *Perrottetii* Benth. Wight Ic. pl. Ind. or. 4, 1418.  
 — *Portenschlagii* Saut. Rehb. Ic. crit. 5, 401.  
 — *punctata* Decne. Jacquemont Ind. 122.  
 — *ramosa* Wormsk. Fl. dan. 10, 1758.  
 — *recutita* L. Jacq. Fl. austr. 3, 258.  
 — — Sturm Flora 8, 30.  
 — *rosea* Jacq. Jacq. Ic. 115.  
 — — Sturm Flora 5, 20.  
 — — Mutel Fl. fr. 44.  
 — *rostrata* Jacq. Jacq. Fl. austr. 3, 205.  
 — — Sturm Flora 5, 20.  
 — *rubens* Steph. Ledeb. Ic. 441.  
 — *Sceptrum* Carolinum L. Linné Fl. lapp. 4.

- Pedicularis Sceptrum Carolinum L.* Fl. dan. 1, 26.  
 — — — Sv. Bot. 505.  
 — — — Stephan Ic. pl. mosq. 4.  
 — — — Schrank Fl. monac. 1, 8.  
 — — — Sturm Flora 8, 30.  
 — *silvatica L.* Fl. dan. 2, 225.  
 — — — Sv. Bot. 358.  
 — — — Engl. Bot. 6, 400.  
 — — — Baxter Brit. Bot. 4, 266.  
 — — — Hayne 8, 34.  
 — — — Sturm Flora 4, 13.  
 — — — Dietr. Fl. bor. 2, 88.  
 † — — — Mem. Mosc. 6, 1.  
 † — — — Nees Gen. 5, 45.  
 † *striata Pall.* Mem. Mosc. 6, 1.  
 — *sudetica Willd.* Mem. Mosc. 6, 15.  
 — — — Rehb. Ic. crit. 4, 390.  
 — *teucriifolia M. v. B.* Mem. Mosc. 6, 10.  
 — *tristis L.* Mem. Mosc. 6, 10.  
 — *tuberosa L.* Sturm Flora 8, 30.  
 — *tubiformis Klitzsch.* Prinz Waldem. Him. 57.  
 — *uncinata Steph.* Mem. Mosc. 6, 12.  
 — *versicolor Wahlenb.* Rehb. Pl. crit. 1, 14.  
 † — — — Mutel Fl. fr. 44.  
 — — — Royle Illustr. 72.  
 — *verticillata L.* Jacq. Fl. austr. 3, 206.  
 † — — — Gaertn. Carp. 53.  
 — — — Sturm Flora 5, 20.  
 — *Wilhelmsiana Stev.* Mem. Mosc. 6, 16.  
 — *Wlassoviana Stev.* Mem. Mosc. 6, 9.  
 † — *zeylanica Benth.* Wight Illustr. 165<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1419.  
*Pedilanthus angustifolius Poit.* Ann. Mus. 19, 19.  
 † — *macrocarpus Benth.* Bentham Sulphur 23.  
 — *tithymaloides Poit.* Ann. Mus. 19, 19.  
 — — — Bot. Reg. 10, 837.  
 † *Pedilea Ldl.* Lindley Orchid. scel. 27.  
 † *Pedilonum undulatum Bl.* Blume Tabellen 36.  
*Peganum crithmifolium Retz.* Eichwald Cauc. 15.  
 — *Harmala L.* Gmelin Reise 2, 27.  
 — — — Schk. Handb. 127.  
 — — — Lam. Encycl. 401.  
 — — — Sibth. Fl. gr. 456.  
 † — — — Gaertn. Carp. 95.  
 † — — — Mem. Mus. 12, 16.  
 † — — — Payer Organogénie 14.  
 — — — Rehb. Fl. germ. 5, 158.  
*Pegia? Colebrookiana Wight.* Wight Ic. pl. Ind. or. 1, 236.  
*Pegolettia senegalensis Cass.* Jaubert Illustr. 341.  
*Peixotoa glabra Juss.* St. Hil. Fl. Bras. 172.  
 † — — — Arch. Mus. 3, 13.  
*Pekea butyrosa Aubl.* Aublet Guiana 238.  
 † — — — Lam. Encycl. 486.  
 — *tuberosa Aubl.* Aublet Guiana 239.  
 † — — — Lam. Encycl. 486.  
*Pelargonium L.* (Formae hortenses.) Fl. d. serres 4,  
 319, 382, 7, 708, 8, 833, 877.  
 — *Abdel Kader Hort.* Annales de Gand 1845, 31.  
 — *abrotanifolium Jacq.* Jacq. Schoenbr. 2, 136.  
 — — — Sweet Geran. 351.  
 — *abutiloides Sweet.* Sweet Geran. 403.  
 — *acerifolium L'her.* L'her. Geran. 21.  
 — *aceroides Sweet.* Sweet Geran. 242.  
 — *acetabulosum Sweet.* Sweet Geran. 443.  
 — *acetosum L'her.* Bot. Mag. 3, 103.  
 — *acidum Sweet.* Sweet Geran. 261.  
 — *acugnaticum Aub.* Aub. Th. Mélanges 13.  
 — *acutidentatum Sweet.* Sweet Geran. 440.  
 — *acutilobum Sweet.* Sweet Geran. 184.  
 — *adulterinum L'her.* L'her. Geran. 34.  
 — — — Sweet Geran. 22.  
 — *adventitium Sweet.* Sweet Geran. 430.

- Pelargonium acmulum Sweet.* Sweet Geran. 160.  
 — *affine Sweet.* Sweet Geran. 277.  
 — *affluens Sweet.* Sweet Geran. 194.  
 — *alatum Colla.* Colla Hort. Rip. 5.  
 — *albinotatum Sweet.* Sweet Geran. 359.  
 — *Allenii Sweet.* Sweet Geran. 229.  
 — *alternans Wendl.* Wendl. Hort. herrenh. 10.  
 — *althacoides Jacq.* Jacq. Collect. 4, 21.  
 — — — L'her. Geran. 10.  
 — *altum Sweet.* Sweet Geran. 426.  
 — *amoenum Sweet.* Sweet Geran. 121.  
 — *amplissimum Wendl.* Wendland Coll. 65.  
 — *anacamptum Sweet.* Sweet Geran. 464.  
 — *anceps Jacq.* Jacq. Collect. 4, 22.  
 — *anemonaefolium Jacq.* Jacq. Ic. 535.  
 — *anisodonton Sweet.* Sweet Geran. 399.  
 — *Annleyanum Sweet.* Sweet Geran. 456.  
 — *anomalum Sweet.* Sweet Geran. 315.  
 — *anthriscifolium Sweet.* Sweet Geran. 233.  
 — *apiifolium Jacq.* Jacq. Ecl. pl. 27.  
 — *ardens Sweet.* Sweet Geran. 45.  
 — — — Lodd. Cab. 139.  
 — — — Colla Hort. Rip. 14.  
 — — — Kerner Hort. 546.  
 — *ardescens Sweet.* Sweet Geran. 231.  
 — — — Kerner Hort. 837.  
 — *argutum Sweet.* Sweet Geran. 344.  
 — *armatum Sweet.* Sweet Geran. 214.  
 — *asperifolium Sweet.* Sweet Geran. 169.  
 — — — Kerner Hort. 467.  
 — *astragalifolium Pers.* Jacq. Ic. 511.  
 — *Atkinsianum Sweet.* Sweet Geran. 499.  
 — *atrolfulgens Kern.* Kerner Hort. 804.  
 — *atrofuscum Sweet.* Sweet Geran. 82.  
 — *atropurpureum Sweet.* Sweet Geran. 152.  
 — *atrovirens Sweet.* Sweet Geran. 474.  
 — *atrum L'her.* L'her. Geran. 44.  
 — *augustum Kern.* Kerner Hort. 595.  
 — *aurantiacum Sweet.* Sweet Geran. 198.  
 — *australe Willd.* Jacq. Ecl. pl. 100.  
 — — — Sweet Geran. 68.  
 — *Avronianum Sweet.* Sweet Geran. 394.  
 — *Baileyianum Sweet.* Sweet Geran. 87.  
 — *Bakerianum Sweet.* Sweet Geran. 240.  
 — *balsameum Jacq.* Jacq. Ic. 543.  
 — *barbatum Jacq.* Jacq. Ic. 513.  
 — *Barclayanum Sweet.* Sweet Geran. 384.  
 — *Barnardianum Sweet.* Sweet Geran. 127.  
 — *basilicum Sweet.* Sweet Geran. 360.  
 — *Beadoniae Sweet.* Sweet Geran. 191.  
 — *Beaufortianum Pers.* Sweet Geran. 138.  
 — — — Kerner Hort. 698.  
 — *Belladonna Sweet.* Sweet Geran. 270.  
 — *bellulum Sweet.* Sweet Geran. 60.  
 — *Berterianum Colla.* Mem. Tur. 33, 4.  
 — *betonicum Jacq.* Jacq. Ic. 531.  
 — *bctulinum Ait.* Bot. Mag. 5, 148.  
 — — — Kerner Hort. 631.  
 — *bicolor Ait.* Bot. Mag. 6, 201.  
 — — — Sweet Geran. 97.  
 — — — Savi Fl. ital. 1, 26.  
 — *biflorum Sweet.* Sweet Geran. 287.  
 — *bipinnatifidum Sweet.* Sweet Geran. 462.  
 — *Bishopae Sweet.* Sweet Geran. 272.  
 — *Blandfordianum Sweet.* Sweet Geran. 101.  
 — *blandum Sweet.* Sweet Geran. 4.  
 — *blattarium Jacq.* Jacq. Schoenbr. 2, 131.  
 — *Bluntianum Sweet.* Sweet Geran. 479.  
 — *Boyleae Sweet.* Sweet Geran. 50.  
 — *Breesianum Sweet.* Sweet Geran. 64.  
 — *Brightianum Sweet.* Sweet Geran. 227.  
 — *Broadleyae Kern.* Kerner Hort. 772.

- Pelargonium Broughtoniae Sweet. Sweet Geran. 181.  
 — Brownii Sweet. Sweet Geran. 146.  
 — byroniaefolium Sweet. Sweet Geran. 320.  
 — bullatum Jacq. Jacq. Ic. 530.  
 — Burdini Colla. Mem. Tur. 33, 3.  
 — Burnettianum Sweet. Sweet Geran. 369.  
 — calamistratum Sweet. Sweet Geran. 436.  
 — calliston Sweet. Sweet Geran. 409.  
 — calocephalon Sweet. Sweet Geran. 201.  
 — calycinum Sweet. Sweet Geran. 81.  
 — campyliaeforum Sweet. Sweet Geran. 251.  
 — campylosepalum Sweet. Sweet Geran. 379.  
 — canariense Willd. Willdenow Hortus 17.  
 — candidum Sweet. Sweet Geran. 128.  
 — carbasinum Sweet. Sweet Geran. 438.  
 — carduifolium Sweet. Sweet Geran. 15.  
 — carinatum Wendl. Wendland Coll. 71.  
 — — Sweet Geran. 21.  
 — carnescens Sweet. Sweet Geran. 388.  
 — carneum Jacq. Jacq. Ic. 512.  
 — cartilagineum Sweet. Sweet Geran. 382.  
 — caryophyllaceum Sweet. Sweet Geran. 347.  
 — caucalifolium Jacq. Jacq. Ic. 529.  
 — ceratophyllum L'her. L'her. Geran. 13.  
 — — Bot. Mag. 9, 315.  
 — chaerophyllum Sweet. Sweet Geran. 257.  
 — chamadryfolium Jacq. Jacq. Ic. 523.  
 — Charwoodii Sweet. Sweet Geran. 380.  
 — chelidoniifolium Sweet. Sweet Geran. 341.  
 — chenopodiifolium Sweet. Sweet Geran. 328.  
 — chrysanthemifolium Sweet. Sweet Geran. 124.  
 — ciliatum L'her. L'her. Geran. 7.  
 — — Jacq. Jacq. Ic. 519.  
 — — — Lam. Encycl. 574.  
 — — — Kerner Hort. 305.  
 — clarum Sweet. Sweet Geran. 366.  
 — clathratum Sweet. Sweet Geran. 485.  
 — Clintoniae Sweet. Sweet Geran. 392.  
 — coarctatum Sweet. Sweet Geran. 70.  
 — coilophyllum Sweet. Sweet Geran. 433.  
 — columbinum Jacq. Jacq. Schoenbr. 2, 133.  
 — Colvillii Sweet. Sweet Geran. 86.  
 — Colleyanum Sweet. Sweet Geran. 483.  
 — compactum Sweet. Sweet Geran. 470.  
 — Comptoniae Sweet. Sweet Geran. 122.  
 — comptum Sweet. Sweet Geran. 255.  
 — concavifolium Wendl. Wendland Coll. 64.  
 — concavum Sweet. Sweet Geran. 237.  
 — conchyllatum Sweet. Sweet Geran. 495.  
 — concinnum Sweet. Sweet Geran. 108.  
 — conclausum Sweet. Sweet Geran. 305.  
 — concolor Sweet. Sweet Geran. 140.  
 — conerctum Sweet. Sweet Geran. 424.  
 — confertifolium Sweet. Sweet Geran. 297.  
 — congestum Sweet. Sweet Geran. 325.  
 — contiguum Sweet. Sweet Geran. 473.  
 — cordatum Ait. L'her. Geran. 22.  
 — — Sweet Geran. 67.  
 — cordifolium Curt. Bot. Mag. 5, 165.  
 — — Kerner Hort. 702.  
 — cordiforme Sweet. Sweet Geran. 449.  
 — coriandrifolium Jacq. Jacq. Ic. 528.  
 — — Sweet Geran. 34.  
 — coronopifolium Jacq. Jacq. Ic. 526.  
 — — Kerner Hort. 141.  
 — cortusaefolium L'her. L'her. Geran. 25.  
 — — Sweet Geran. 14.  
 — — Jacq. Jacq. Ic. 539.  
 — coruscans Sweet. Sweet Geran. 173.  
 — Cosmianum Sweet. Sweet Geran. 189.  
 — Cotyledonis L'her. L'her. Geran. 27.  
 — Couttsiae Sweet. Sweet Geran. 269.

- Pelargonium crassicaule L'her. L'her. Geran. 26.  
 — — — Bot. Mag. 14, 477.  
 — — — Sweet Geran. 192.  
 — crataegifolium Sweet. Sweet Geran. 419.  
 — crenulatum Sweet. Sweet Geran. 162.  
 — crispum L'her. L'her. Geran. 32, 33.  
 — — Sweet Geran. 383.  
 — crithmifolium Sm. Smith Ic. pict. 13.  
 — cruentum Sweet. Sweet Geran. 170.  
 — Cumingiae Sweet. Sweet Geran. 435.  
 — cuneiflorum Sweet. Sweet Geran. 330.  
 — cynosbatifolium Willd. Willdenow Hortus 78.  
 — — Sweet Geran. 259.  
 — daedaleum Sweet. Sweet Geran. 500.  
 — Daleyanum Sweet. Sweet Geran. 463.  
 — dasycaulon Haw. Bot. Mag. 46, 2029.  
 — daucoides Jacq. Jacq. Ic. 522.  
 — Daveyanum Sweet. Sweet Geran. 32.  
 — Deburghae Sweet. Sweet Geran. 421.  
 — decorum Sweet. Sweet Geran. 415.  
 — delicatum Sweet. Sweet Geran. 267.  
 — Dennisianum Sweet. Sweet Geran. 20.  
 — denticulatum Jacq. Jacq. Schoenbr. 2, 135.  
 — — — Kerner Hort. 461.  
 — — — Sweet Geran. 109.  
 — dependens Sweet. Sweet Geran. 195.  
 — depressum Jacq. Jacq. Ic. 520.  
 — difforme Sweet. Sweet Geran. 105.  
 — dilatatum Sweet. Sweet Geran. 314.  
 — dilatilobum Sweet. Sweet Geran. 378.  
 — dilutum Sweet. Sweet Geran. 293.  
 — dimacriaeflorum Sweet. Sweet Geran. 220.  
 — dioicum R. Br. Bot. Mag. 48, 2234.  
 — dipetalum L'her. L'her. Geran. 43.  
 — dissectum Sweet. Sweet Geran. 247.  
 — dissimile Sweet. Sweet Geran. 460.  
 — divergens Sweet. Sweet Geran. 439.  
 — diversifolium Wendl. Wendland Coll. 58.  
 — diversilobum Sweet. Sweet Geran. 361.  
 — Dobreeanum Sweet. Sweet Geran. 253.  
 — Drakeae Sweet. Sweet Geran. 496.  
 — dumosum Sweet. Sweet Geran. 19.  
 — echinatum Curt. Bot. Mag. 9, 309.  
 — — — Kerner Hort. 742.  
 — — — Sweet Geran. 54.  
 — electum Sweet. Sweet Geran. 238.  
 — elegans Willd. Kerner Hort. 329.  
 — — — Sweet Geran. 36.  
 — Endlicherianum Fenzl. Russegger Reise 3.  
 — eratinum Sweet. Sweet Geran. 430.  
 — erectum Sweet. Sweet Geran. 187.  
 — eriocaulon Sweet. Sweet Geran. 357.  
 — eriophorum Sweet. Sweet Geran. 490.  
 — eriophyllum Sweet. Sweet Geran. 141.  
 — eriopetalum Sweet. Sweet Geran. 375.  
 — eriostemon Jacq. Jacq. Schoenbr. 2, 132.  
 — eximium Sweet. Sweet Geran. 26.  
 — — — Ysabeau Journal 1850, 5.  
 — exornatum Sweet. Sweet Geran. 381.  
 — exquisitum Sweet. Sweet Geran. 455.  
 — exstipulatum Ait. L'her. Geran. 35.  
 — Fairlieae Sweet. Sweet Geran. 178.  
 — fastuosum Sweet. Sweet Geran. 499.  
 — filipendulifolium Sweet. Sweet Geran. 85.  
 — flabellifolium Sweet. Sweet Geran. 448.  
 — flaccidum Sweet. Sweet Geran. 337.  
 — flagrans Sweet. Sweet Geran. 416.  
 — flavum Sweet. Sweet Geran. 254.  
 — flexuosum Sweet. Sweet Geran. 180.  
 — floccosum Sweet. Sweet Geran. 129.  
 — floridum Sweet. Sweet Geran. 41.  
 — Foljambeae Sweet. Sweet Geran. 312.

- Pelargonium foliosum* Sweet. Sweet Geran. 340.  
 — *formosissimum* Sweet. Sweet Geran. 215.  
 — *formosum* Sweet. Sweet Geran. 120.  
 — — Kerner Hort. 724.  
 — *Fothergillii* Sweet. Kerner Hort. 469.  
 — *fragrans* Willd. Willdenow Hortus 77.  
 — — Sweet Geran. 172.  
 — *Francisci* Sweet. Sweet Geran. 349.  
 — *fulgidum* Sweet. Sweet Geran. 69.  
 — *fuscatum* Jacq. Jacq. Ic. 540.  
 — — Sweet Geran. 210.  
 — *gibbosum* Sweet. Sweet Geran. 61.  
 — *glabrescens* Sweet. Sweet Geran. 445.  
 — *glancifolium* Sweet. Sweet Geran. 779.  
 — *glaucoides* Wendl. Wendland Coll. 63.  
 — *glaucum* L'her. L'her. Geran. 29.  
 — — Kerner Hort. 308.  
 — — Sweet Geran. 57.  
 — *glomeratum* Donn. Jacq. Ecl. pl. 98.  
 — *glorianum* Sweet. Sweet Geran. 482.  
 — *glutinosum* Ait. L'her. Geran. 20.  
 — — Bot. Mag. 4, 143.  
 — — Jacq. Ic. 131.  
 — *Goweri* Sweet. Sweet Geran. 333.  
 — *grandidentatum* Sweet. Sweet Geran. 217.  
 — *grandiflorum* Sweet. Sweet Geran. 29.  
 — *graphicum* Sweet. Sweet Geran. 412.  
 — *graveolens* Ait. L'her. Geran. 17.  
 — *Grenvilliae* Hortul. Kerner Hort. 507.  
 — *Gurneyanum* Sweet. Sweet Geran. 393.  
 — *haemastictum* Sweet. Sweet Geran. 418.  
 — *hamatum* Jacq. Jacq. Schoenbr. 2, 138.  
 — *Hammerslicae* Sweet. Sweet Geran. 225.  
 — *Harwoodiae* Sweet. Sweet Geran. 389.  
 — *heracleifolium* Lodd. Lodd. Cab. 437.  
 — — Sweet Geran. 211.  
 — *Heritieri* Jacq. Jacq. Ecl. pl. 140.  
 — *hermanniaefolium* Jacq. Jacq. Ic. 545.  
 — *Hesilrigeae* Sweet. Sweet Geran. 319.  
 — *heterogamum* L'her. L'her. Geran. 18.  
 — — Kerner Hort. 811.  
 — *heteromallum* Sweet. Sweet Geran. 432.  
 — *heterophyllum* Jacq. Jacq. Ic. 516.  
 — *heterotrichum* Sweet. Sweet Geran. 303.  
 — *Hillianum* Sweet. Sweet Geran. 451.  
 — *hirtum* Jacq. Jacq. Ic. 536.  
 — — Sweet Geran. 113.  
 — *hoareaeflorum* Sweet. Sweet Geran. 133.  
 — *Hoareanum* Sweet. Sweet Geran. 80.  
 — *Humei* Sweet. Sweet Geran. 324.  
 — *humifusum* Willd. Jacq. Ecl. pl. 99.  
 — — Sweet Geran. 42.  
 — *Husseyanum* Sweet. Sweet Geran. 92.  
 — *hybridum* Sweet. Sweet Geran. 63.  
 — *iconicum* Sweet. Sweet Geran. 488.  
 — *Jenkinsoni* Sweet. Sweet Geran. 154.  
 — *ignescens* Sweet. Sweet Geran. 2. 55.  
 — — Lodd. Cab. 109.  
 — — Kerner Hort. 575. 704.  
 — *imbricatum* Sweet. Sweet Geran. 63.  
 — *imperiale* Sweet. Sweet Geran. 365.  
 — *incanescens* Sweet. Sweet Geran. 203.  
 — *incarnatum* Sweet. Sweet Geran. 308.  
 — *incisum* Sweet. Sweet Geran. 93.  
 — *incrassatum* Sims. Bot. Mag. 20, 761.  
 — — Kerner Hort. 227.  
 — *inodorum* Willd. Willdenow Hortus 34.  
 — — Sweet Geran. 56.  
 — *inquinans* Willd. Rivinus Opus ined. 112.  
 † — — Spach Suites 22.  
 † — — Payer Organogénie 13.  
 — *inscriptum* Sweet. Sweet Geran. 193.

- Pelargonium insculptum* Sweet. Sweet Geran. 65.  
 — *insignitum* Sweet. Sweet Geran. 300.  
 — *instratum* Sweet. Sweet Geran. 478.  
 — *intertextum* Sweet. Sweet Geran. 185.  
 — *involutatum* Sweet. *α. maximum*, Sweet Ger. 33.  
 — *jonquillum* Sweet. Sweet Geran. 241.  
 — *Kenrickae* Sweet. Sweet Geran. 450.  
 — *Kingii* Sweet. Sweet Geran. 248.  
 — *Knipeae* Sweet. Sweet Geran. 372.  
 — *lacerum* Jacq. Jacq. Ic. 532.  
 — *Laconiac* Sweet. Sweet Geran. 374.  
 — *Lamberti* Sweet. Sweet Geran. 104.  
 — *lanceolatum* Hortul. Kerner Hort. 632.  
 — *lanosum* Sweet. Sweet Geran. 484.  
 — *lasiocaulon* Sweet. Sweet Geran. 364.  
 — *lasiophyllum* Sweet. Sweet Geran. 296.  
 — *lateripes* L'her. L'her. Geran. 24.  
 — *latidentatum* Sweet. Sweet Geran. 428.  
 — *latifolium* Sweet. Sweet Geran. 335.  
 — *latilobum* Sweet. Sweet Geran. 236.  
 — *lautum* Sweet. Sweet Geran. 491.  
 — *Lawranceanum* Sweet. Sweet Geran. 423.  
 — *laxiflorum* Sweet. Sweet Geran. 216.  
 — *laxulum* Sweet. Sweet Geran. 475.  
 — *Legheckae* Sweet. Sweet Geran. 377.  
 — *lepidum* Sweet. Sweet Geran. 156.  
 — *ligulatum* Sweet. Sweet Geran. 301.  
 — *limoneum* Sweet. Sweet Geran. 278.  
 — *lineatum* Sweet. Sweet Geran. 16.  
 — *litorale* Hügel. Hügel Archiv 5.  
 — *Littleanum* Sweet. Sweet Geran. 472.  
 — *lobatum* Willd. Bot. Mag. 45, 1986.  
 — — Kerner Hort. 557.  
 — — Sweet Geran. 51.  
 — *longicaule* Jacq. Jacq. Ic. 533.  
 — *longiflorum* Jacq. Jacq. Ic. 521.  
 — *longifolium* Jacq. Jacq. Ic. 518.  
 — *Loudonianum* Sweet. Sweet Geran. 417.  
 — *Lousadianum* Sweet. Sweet Geran. 44.  
 — *lucidum* Sweet. Sweet Geran. 373.  
 — *luridum* Sweet. Sweet Geran. 281.  
 — *macranthum* Sweet. Sweet Geran. 83.  
 — *magnifolium* Sweet. Sweet Geran. 410.  
 — *magnistipulatum* Sweet. Sweet Geran. 313.  
 — *malachraefolium* Sweet. Sweet Geran. 402.  
 — *malacrophyllum* Sweet. Sweet Geran. 397.  
 — *malvaefolium* Jacq. Jacq. Ecl. pl. 97.  
 — *mammulosum* Wendl. Wendland Coll. 70.  
 — *Mattocksianum* Sweet. Sweet Geran. 234.  
 — *megalanthum* Sweet. Sweet Geran. 404.  
 — *megaleion* Sweet. Sweet Geran. 405.  
 — *megalostictum* Sweet. Sweet Geran. 408.  
 — *melananthos* Jacq. Jacq. Ic. 514.  
 — — Lodd. Cab. 87.  
 — *melancholicum* Sweet. Sweet Geran. 453.  
 — *melanostictum* Sweet. Sweet Geran. 406.  
 — *melissinum* Sweet. Sweet Geran. 5.  
 — *millefoliatum* Sweet. Sweet Geran. 230.  
 — *mirabile* Sweet. Sweet Geran. 457.  
 — *mixtum* Sweet. Sweet Geran. 71.  
 — *modestum* Sweet. Sweet Geran. 204.  
 — *mollifolium* Sweet. Sweet Geran. 477.  
 — *monstrum* Sweet. Sweet Geran. 13.  
 — *Moreanum* Sweet. Sweet Geran. 285.  
 — *Mostynae* Sweet. Sweet Geran. 10.  
 — *mucronatum* Sweet. Sweet Geran. 275.  
 — *multicaule* Jacq. Jacq. Ic. 534.  
 — *multiflorum* Sweet. Sweet Geran. 396.  
 — *multinerve* Sweet. Sweet Geran. 17.  
 — *multiradiatum* Wendl. Wendland Coll. 59.  
 — — Sweet Geran. 145.  
 — *mundulum* Sweet. Sweet Geran. 288.



- Pelargonium Murrayanum Colla. Mem. Tur. 33, 2.  
 — — — Sweet Geran. 164.  
 — mutabile Sweet. Sweet Geran. 213.  
 — Nairnii Sweet. Sweet Geran. 376.  
 — nanum Sweet. Sweet Geran. 102.  
 — nervifolium Jacq. Jacq. Ic. 517.  
 — nervosum Sweet. Sweet Geran. 47.  
 — Newshamianum Sweet. Sweet Geran. 144.  
 — nitidum Sweet. Sweet Geran. 298.  
 — nodosum Sweet. Sweet Geran. 420.  
 — notatum Sweet. Sweet Geran. 208.  
 — nubilum Sweet. Sweet Geran. 420.  
 — nummulifolium Salisb. Salisb. Parad. 23.  
 — nutans Sweet. Sweet Geran. 466.  
 — obcordatum Sweet. Sweet Geran. 310.  
 — oblatum Sweet. Sweet Geran. 35.  
 — obovatum Sweet. Sweet Geran. 365.  
 — Obrienianum Sweet. Sweet Geran. 411.  
 — obscurum Sweet. Sweet Geran. 89.  
 — obtusidentatum Sweet. Sweet Geran. 492.  
 — obtusifolium Sweet. Sweet Geran. 25.  
 — obtusilobum Sweet. Sweet Geran. 8.  
 — odoratissimum Sweet. Sweet Geran. 299.  
 — oenanthifolium Sweet. Sweet Geran. 413.  
 — Oenotherae L. fil. Jacq. Ic. 525.  
 — optabile Sweet. Sweet Geran. 62.  
 — opulifolium Sweet. Sweet Geran. 53.  
 — ornatum Sweet. Sweet Geran. 39.  
 — ovale L'her. L'her. Geran. 28.  
 — — — Sweet Geran. 235.  
 — pallens Sweet. Sweet Geran. 148.  
 — pallidulum Sweet. Sweet Geran. 497.  
 — Palkii Sweet. Sweet Geran. 224.  
 — paniculatum Jacq. Jacq. Schoenbr. 2, 137.  
 — pannifolium Sweet. Sweet Geran. 9.  
 — papilionaceum Sweet. Sweet Geran. 27.  
 — papyraceum Sweet. Sweet Geran. 422.  
 — particeps Sweet. Sweet Geran. 49.  
 — parviflorum Wendl. Wendl. Coll. 66.  
 — patens Sweet. Sweet Geran. 125.  
 — patentissimum Wendl. Wendl. Coll. 69.  
 — patulum Jacq. Jacq. Ic. 541.  
 — paucidentatum Sweet. Sweet Geran. 186.  
 — pavinum Sweet. Sweet Geran. 40.  
 — pectinifolium Sweet. Sweet Geran. 66.  
 — pedicellatum Sweet. Sweet Geran. 250.  
 — pedunculatum Sweet. Sweet Geran. 346.  
 — peltatum Ait. Rivinus Opus ined. 110.  
 — — — Kerner Hort. 705.  
 — penicillatum Willd. Willdenow Hortus 37.  
 — pentastictum Sweet. Sweet Geran. 425.  
 — peramphum Sweet. Sweet Geran. 461.  
 — Peytoniae Sweet. Sweet Geran. 446.  
 — phoeniceum Sweet. Sweet Geran. 207.  
 — picturatum Sweet. Sweet Geran. 444.  
 — pinguifolium Sweet. Sweet Geran. 52.  
 † — — Hoffmannsegg Verz. 1826, 1.  
 — pinnatum L'her. L'her. Geran. 8.  
 — — — Bot. Mag. 16, 579.  
 — planifolium Sweet. Sweet Geran. 219.  
 — platanifolium Sweet. Sweet Geran. 326.  
 — platypetalum Sweet. Sweet Geran. 116.  
 — plectophyllum Sweet. Sweet Geran. 441.  
 — poculifolium Sweet. Sweet Geran. 431.  
 — politum Sweet. Sweet Geran. 487.  
 — polytrichum Sweet. Sweet Geran. 274.  
 — porphyreum Sweet. Sweet Geran. 489.  
 — Potteri Sweet. Sweet Geran. 147.  
 — praeclarum Sweet. Sweet Geran. 467.  
 — Princeanum Sweet. Sweet Geran. 386.  
 — principissae Sweet. Sweet Geran. 139.  
 — psilophyllum Sweet. Sweet Geran. 356.

- Pelargonium pulchellum Sims. Bot. Mag. 15, 524.  
 — — — Salisb. Parad. 39.  
 — — — Sweet Geran. 31.  
 — pulcherrimum Sweet. Sweet Geran. 134.  
 — pulchrum Sweet. Sweet Geran. 107.  
 — pullaceum Sweet. Sweet Geran. 476.  
 — pulverulentum Sweet. Sweet Geran. 218.  
 — pumilum Willd. Münchn. Denkschr. 5, 5.  
 — purum Sweet. Sweet Geran. 334.  
 — pustulosum Sweet. Sweet Geran. 11.  
 — pyrethrifolium Sweet. Sweet Geran. 153.  
 — quadriflorum Sweet. Sweet Geran. 321.  
 — quercifolium Ait. L'her. Geran. 14. 15.  
 — — — Kerner Hort. 775.  
 — quinatum Sims. Bot. Mag. 15, 547.  
 — quinquelobum Colla. Colla Hort. Rip. 33.  
 — quinquevulnerum Willd. Herb. amat. 1, 28.  
 — — — Sweet Geran. 161.  
 — radicutum Vent. Vent. Malm. 65.  
 — — — Bot. Mag. 41, 1718.  
 — — — Kerner Hort. 244. 436.  
 — Radula Ait. L'her. Geran. 16.  
 — ramigerum Sweet. Sweet Geran. 352.  
 — ramulosum Sweet. Sweet Geran. 177.  
 — rapaceum Jacq. Jacq. Ic. 510.  
 — — — Bot. Mag. 44, 1877.  
 — recurvatum Sweet. Sweet Geran. 223.  
 — recurvifolium Sweet. Sweet Geran. 343.  
 — regium Sweet. Sweet Geran. 368.  
 — reniforme Curt. Bot. Mag. 14, 493.  
 — — — Sweet Geran. 48.  
 — revolutum Jacq. Jacq. Ic. 133.  
 — rhodanthum Sweet. Sweet Geran. 282.  
 — rhodolentum Sweet. Sweet Geran. 291.  
 — rhodopetalum Sweet. Sweet Geran. 414.  
 — ribifolium Jacq. Jacq. Ic. 538.  
 — Richianum Sweet. Sweet Geran. 370.  
 — rigescens Sweet. Sweet Geran. 112.  
 — ringsens Sweet. Sweet Geran. 256.  
 — Robinsoni Sweet. Sweet Geran. 150.  
 — Rollisoni Sweet. Sweet Geran. 371.  
 — roseum striatum Wise. Fl. d. serres 6, 607.  
 — rotundilobum Sweet. Sweet Geran. 252.  
 — rubens Willd. Wendl. Coll. 54.  
 — rubescens Sweet. Sweet Geran. 30.  
 — rugosum Andr. Kerner Hort. 687.  
 — Russellianum Sweet. Sweet Geran. 385.  
 — rutaceum Sweet. Sweet Geran. 279.  
 — saepeflorens Sweet. Sweet Geran. 58.  
 — salebrosum Sweet. Sweet Geran. 309.  
 — sanguineum Wendl. Wendl. Coll. 53.  
 — — — Jacq. Ecl. pl. 57.  
 — — — Sweet Geran. 76.  
 — — — Herb. amat. 5, 320.  
 — — — Mart. Münchn. Denkschr. 5, 4.  
 — saturatum Sweet. Sweet Geran. 437.  
 — Saundersii Sweet. Sweet Geran. 205.  
 — scabrum Ait. L'her. Geran. 31.  
 — — — Jacq. Ic. 542.  
 — Scarboroviae Sweet. Sweet Geran. 117.  
 — schizopetalum Sweet. Sweet Geran. 232.  
 — schizophyllum Sweet. Sweet Geran. 289.  
 — scintillans Sweet. Sweet Geran. 28.  
 — scitulum Sweet. Sweet Geran. 390.  
 — Scottii Sweet. Sweet Geran. 264.  
 — scutatum Link. Link. Ic. I. 23.  
 — — — Sweet Geran. 95.  
 — selectum Sweet. Sweet Geran. 190.  
 — semitrilobum Jacq. Jacq. Schoenbr. 2, 130.  
 — senecioides L'her. L'her. Geran. 11.  
 — — — Sweet Geran. 327.  
 — serratifolium Sweet. Sweet Geran. 221.

- Pelargonium Seymouriae Sweet.* Sweet Geran. 37.  
 — *signatum Sweet.* Sweet Geran. 275.  
 — *Smithii Sweet.* Sweet Geran. 110.  
 — *solubile Sweet.* Sweet Geran. 24.  
 — *Southcoteanum Sweet.* Sweet Geran. 348.  
 — *speciosum Willd.* Kerner Hort. 738.  
 — *spectabile Sweet.* Sweet Geran. 136.  
 — *speculum Sweet.* Sweet Geran. 452.  
 — *spharoccephalum Sweet.* Sweet Geran. 317.  
 — *sphondyliifolium Sweet.* Sweet Geran. 246.  
 — *Spinii Colla.* Colla Hort. Rip. 7.  
 — — Sweet Geran. 362.  
 — *splendens Willd.* Willdenow Hortus 76.  
 — *staphysagrioides Sweet.* Sweet Geran. 498.  
 — *Stapletoni Sweet.* Sweet Geran. 212.  
 — *Stewartii Sweet.* Sweet Geran. 363.  
 — *striatum Sweet.* Sweet Geran. 1.  
 — *succulentum Sweet.* Sweet Geran. 469.  
 — *suffusum Sweet.* Sweet Geran. 447.  
 — *tabulare L'her.* L'her. Geran. 9.  
 — *tanacetifolium Sweet.* Sweet Geran. 336.  
 — *tenuifolium L'her.* L'her. Geran. 12.  
 — *ternatum L. fil.* Bot. Mag. 12, 413.  
 — — Jacq. Ic. 544.  
 — — Sweet Geran. 165.  
 — *tetragonum L'her.* L'her. Geran. 23.  
 — — Bot. Mag. 4, 136.  
 — — Jacq. Ic. 132.  
 — — DC. Plantes grasses 96.  
 — *Thynneae Sweet.* Sweet Geran. 74.  
 — *Tibbitsianum Sweet.* Sweet Geran. 158.  
 — *tinctum Sweet.* Sweet Geran. 429.  
 — *tomentosum L'her.* Bot. Mag. 15, 518.  
 — — Sweet Geran. 168.  
 — — Jacq. Jacq. Ic. 537.  
 — *torrefactum Sweet.* Sweet Geran. 243.  
 — *tortuosum Sweet.* Sweet Geran. 443.  
 — *translucens Sweet.* Sweet Geran. 400.  
 — *trichostemon Jacq.* Jacq. Ic. 524.  
 — *tricolor Curt.* Bot. Mag. 7, 240.  
 — — Kerner Hort. 453.  
 — — Herb. amat. 1, 10.  
 — *tricuspidatum L'her.* L'her. Geran. 30.  
 — *trifidum Jacq.* Jacq. Schoenbr. 2, 134.  
 — *trifoliatum Sweet.* Sweet Geran. 294.  
 — *trilobatum Schrad.* Schrader Hort. gott. 2.  
 — *tripartitum Sweet.* Sweet Geran. 115.  
 — *triphyllum Jacq.* Jacq. Ic. 515.  
 — *triste Ait.* Bot. Mag. 40, 1641.  
 — — Herb. amat. 1, 27.  
 — *tyrianthinum Sweet.* Sweet Geran. 183.  
 — *undulaeflorum Sweet.* Sweet Geran. 329.  
 — *urbanum Sweet.* Sweet Geran. 450.  
 — *ursinum Sweet.* Sweet Geran. 494.  
 — *Vandesiae Sweet.* Sweet Geran. 7.  
 — *variifolium Sweet.* Sweet Geran. 280.  
 — *Veitchianum Sweet.* Sweet Geran. 481.  
 — *veniflorum Sweet.* Sweet Geran. 258.  
 — *venustum Sweet.* Sweet Geran. 167.  
 — *verbenaefolium Sweet.* Sweet Geran. 149.  
 — *verecundum Sweet.* Sweet Geran. 316.  
 — *versicolor Sweet.* Sweet Geran. 478.  
 — *vespertinum Sweet.* Sweet Geran. 239.  
 — *vestitum Sweet.* Sweet Geran. 427.  
 — *Victorianum Sweet.* Sweet Geran. 407.  
 — *villosum Sweet.* Sweet Geran. 100.  
 — *violareum Jacq.* Jacq. Ic. 527.  
 — *viridifolium Sweet.* Sweet Geran. 331.  
 — *viscosissimum Sweet.* Sweet Geran. 118.  
 — *vitifolium Ait.* L'her. Geran. 19.  
 — *volatiflorum Sweet.* Sweet Geran. 284.  
 — *Wattsoni Sweet.* Sweet Geran. 130.

- Pelargonium Wellsianum Sweet.* Sweet Geran. 175.  
 — *Willdenowii Link.* Kerner Hort. 815.  
 — *Youngii Sweet.* Sweet Geran. 131.  
 — *Zingibainum Sweet.* Sweet Geran. 442.  
 — *zonale Willd.* Rivinus Opus ined. 112.  
*Pelcxia pauciflora P. et E.* Poepp. et Endl. 124.  
 — *spiranthoides Ldl.* Bot. Reg. 12, 985.  
*Peliosanthes courtallensis Wight.* Wight Ic. pl. Ind. or. 6, 2051.  
 — *humilis Andr.* Andr. Rep. 10, 634.  
 — — Bot. Mag. 37, 1532.  
 — *neilgherrensis Wight.* Wight Ic. pl. Ind. or. 6, 2052.  
 — *Teta Andr.* Andr. Rep. 9, 605.  
 — — Bot. Mag. 32, 1302.  
 — — Red. Lil. 7, 415.  
 — — Rchb. Mag. 14.  
 † — — Schnizl. Iconogr. 1, 56\*\*.  
 † *Pella ribesoides Gaertn.* Gaertn. Carp. 28.  
 † *Pellacalyx axillaris Korth.* Hoeven Tijdschr. 3, 2.  
*Pellaea abyssinica Fée.* Mem. Strassb. 4, 3.  
*Pelletiera verna St. Hil.* Ann. sc. nat. II, 11, 4.  
*Pellionia elatostemoides Gaudich.* Freycinet Voyage 119.  
*Peltandra longipes Wight.* Wight Ic. pl. Ind. or. 5, 1891.  
 — *parvifolia Wight.* Wight Ic. pl. Ind. or. 5, 1892.  
 — *virginica Rafin.* Torrey New York 124.  
 † *Peltaria Desv.* Desvaux Journal 5, 25.  
 † — *alliacea L.* Gaertn. Carp. 141.  
 — — Jacq. Fl. austr. 2, 123.  
 — — Sturm Flora 12, 48.  
 — — Rchb. Fl. germ. 2, 12.  
 — *Garzini Burm.* Burmann Fl. ind. 46.  
 — *glastifolia DC.* Delessert Ic. 2, 43.  
*Peltobryon attenuatum Klotzsch.* Miquel Ill. Pip. 67.  
 — — Endl. Bras. 11, 5.  
 — *exserens Miq.* Endl. Bras. 11, 5.  
 — *Martianum Miq.* Endl. Bras. 11, 5.  
 — *pubescens Miq.* Endl. Bras. 11, 4.  
*Peltodon pusillus Pohl.* Pohl Bras. 54.  
 — *radicans Pohl.* Pohl Bras. 55.  
 — *tomentosus Pohl.* Pohl Bras. 56.  
*Peltophyllum luteum Gardn.* Linn. Transact. 19, 15.  
*Pemphis acidula Forst.* Rumpf Amb. 3, 84.  
 † — — Forster Charact. 34.  
*Penaea fucata L.* Lam. Encycl. 78.  
 — *imbricata Grah.* Bot. Mag. 55, 2809.  
 — *lateriflora Thunb.* Mag. naturf. Fr. 1, 3.  
 † — *mucronata L.* Gaertn. Carp. 225.  
 † — — Wendland Beob. 1.  
 — — Vent. Malm. 87.  
 — — Lodd. Cab. 1770.  
 — — Schnizl. Iconogr. 2, 112.  
 — *Sarcocolla Lam.* Lam. Encycl. 78.  
 — — Mag. naturf. Fr. 1, 3.  
 — *squamosa L.* Bot. Reg. 2, 106.  
 † — — Schnizl. Iconogr. 2, 112.  
 — *tomentosa Thunb.* Mag. naturf. Fr. 1, 3.  
 † *Penaeaceae Kth.* Schnizl. Iconogr. 2, 112.  
*Pendiphylis Aub.* Aubert Orchid. 103.  
*Penicillaria Plukenetii Link.* Jacq. Ecl. Gram. 47.  
 — *spicata Willd.* Jacq. Ecl. Gram. 17.  
 † *Pennantia corymbosa Forst.* Forster Charact. 67.  
 † — — Lam. Encycl. 854.  
 — — Linnaea 16, 12.  
 — — Endl. Iconogr. 121.  
 — — Hook. New Zeal. 12.  
 — *Endlicheri Reiss.* Linnaea 16, 13.  
*Pennisetum Alopecuroides Jacq.* Jacq. Ecl. Gram. 45.  
 — *articulare Tr.* Trin. Sp. Gr. 3, 287.  
 — *borbonicum Kth.* Humb. Gram. 41.  
 — *cenchroides Rich.* Webb Canar. 244.  
 — *compressum R. Br.* Trin. Sp. Gr. 1, 19.  
 — *dichotomum Delile.* Delile Egypte 8.

- Pennisetum geniculatum* Jacq. Jacq. Ecl. Gram. 26.  
 — japonicum Tr. Trin. Sp. Gr. 1, 19.  
 — macrochaeton Jacq. Jacq. Ecl. Gram. 25.  
 — parviflorum Tr. Trin. Sp. Gr. 3, 288.  
 — Prieurii Kth. Humb. Gram. 119.  
 — Richardi Kth. Humb. Gram. 39.  
 — scandens Jacq. Jacq. Ecl. Gram. 44.  
 — setosum Rich. Rumpf Amb. 6, 7, fig. 2<sup>b</sup>.  
 — — Trin. Sp. Gr. 1, 20.  
 — typhoideum Rich. Delile Egypte 8.  
 — uniflorum H. B. K. H. B. K. Nov. Gen. 1, 34.  
 — violaceum Kth. var. major, Humb. Gram. 40.  
*Pentacaena polycnemoides* Bartl. Presl Reliq. 49.  
 † *Pentacoelium bontioides* S. et Z. Münchn. Abh. 4, 3.  
 † *Pentacrypta atropurpurea* Lehm. Linnaea 5, 5.  
 † *Pentadactylon angustifolium* Gaertn. Gaertn. Carp. 220.  
*Pentagonia macrophylla* Benth. Benth. Sulphur 39.  
 — pinnatifida Seem. Hook. Journal 1848, 18.  
 — Tinajita Seem. Seemann Herald 28.  
*Pentameris curvifolia* N. v. E. Humb. Gram. 218.  
 — Thouarsii Pal. B. Humb. Gram. 66.  
*Pentanema divaricatum* Cass. Fielding Sertum 68.  
 — — Jaubert Illustr. 350.  
 — pulicariaeforme J. et Sp. Jaubert Illustr. 351.  
 † *Pentanura sumatrana* Bl. Blume Mus. 1, 21.  
*Pentapera sicula* Klotzsch. Link Ic. III. 19.  
*Pentapetes acerifolia* L. Cav. Diss. 44.  
 — Erythroxylon Ait. Bot. Mag. 25, 1000.  
 — ovata DC. Lam. Encycl. 576.  
 — phoenicea L. Rheede Hort. mal. 10, 56.  
 — — Rumpf Amb. 5, 100.  
 — — Trew Pl. rar. 5.  
 † — — Gaertn. Carp. 134.  
 — — Lam. Encycl. 576.  
 — — Bot. Reg. 7, 575.  
 — suberifolia L. Cav. Diss. 43.  
*Pentaphylax euryoides* Gardn. Linn. Transact. 21, 12.  
 † *Pentaphyllum norvegicum* Gaertn. Gaertn. Carp. 73.  
*Pentaple mantica* Rehb. Rehb. Fl. germ. 5, 227.  
*Pentaptera arjuna* DC. Mem. Genev. 4, 2.  
 — tomentosa DC. Mem. Genev. 4, 1.  
*Pentarraphia cubensis* Decne. Journ. Hort. Soc. 5, 86.  
 — — Fl. d. serres 3, 297.  
*Pentarraphis scabra* H. B. K. H. B. K. Nov. Gen. 1, 60.  
*Pentarrhinum abyssinicum* Decne. Delessert Ic. 5, 70.  
*Pentas carnea* Benth. Bot. Reg. 30, 32.  
 — — Bot. Mag. 70, 4086.  
 — — Paxt. Mag. 11, 125.  
*Pentasachme Wallichii* Wight. Delessert Ic. 5, 87.  
*Pentatropis microphylla* W. et A. Wight Ic. pl. 2, 352.  
 † — spiralis Decne. Ann. sc. nat. II. 9, 11.  
 † *Penthorum* L. DC. Crassulacées 1.  
 — chinense Pursh. DC. Crassulacées 13.  
 † — sedoides L. Gaertn. Carp. 65.  
 — — Lam. Encycl. 390.  
*Pentiphragma begoniaefolium* Wall. Hook. Bot. Misc. 57.  
*Pentlandia miniata* Ldl. Bot. Reg. 25, 68.  
*Pentopetia androsaemifolia* Decne. Delessert Ic. 5, 58.  
*Pentstemon acuminatus* Dougl. Bot. Reg. 15, 1285.  
 — angustifolius Ldl. Bot. Reg. 13, 1122.  
 — — Lodd. Cab. 1420.  
 — argutus Paxt. Paxt. Mag. 6, 271.  
 — atropurpureus G. Don. Lodd. Cab. 1429.  
 — attenuatus Dougl. Bot. Reg. 15, 1295.  
 — azureus Benth. Paxt. Fl. G. 64.  
 — — Lem. Jard. fl. 211.  
 — — Moore Mag. 1850, 209.  
 — baccharidifolius Hook. Bot. Mag. 78, 4627.  
 — — Fl. d. serres 7, 717.  
 — — Lem. Jard. fl. 227.  
 — barbatus Ldl. var. carneus, Bot. Reg. 25, 21.  
 — breviflorus Ldl. Bot. Reg. 23, 1946.

- Pentstemon campanulatus* Willd. Jacq. Schoenbr. 3, 362.  
 — — Bot. Mag. 44, 1878, 68, 3884.  
 — — Kerner Hort. 165.  
 — centranthifolius Ldl. Bot. Reg. 20, 1737.  
 — Cobaea Nutt. Bot. Mag. 63, 3465.  
 — — Paxt. Mag. 4, 243.  
 — — Sweet Fl. G. II. 348.  
 — confertus Dougl. Bot. Reg. 15, 1260.  
 — cordifolius Benth. Journ. Hort. Soc. 5, 88.  
 — — Bot. Mag. 76, 4497.  
 — — Fl. d. serres 6, 568.  
 — — Lem. Jard. fl. 14.  
 — crassifolius Ldl. Bot. Reg. 24, 16.  
 — — Paxt. Mag. 9, 197.  
 — — Fl. d. serres 1, 25.  
 — cyananthus Hook. Bot. Mag. 75, 4464.  
 — — Fl. d. serres 6, 583.  
 — deustus Dougl. Bot. Reg. 16, 1318.  
 — diffusus Dougl. Bot. Reg. 14, 1132.  
 — — Bot. Mag. 65, 3645.  
 — — Rehb. Exot. 173.  
 — Digitalis Sims. Bot. Mag. 52, 2587.  
 — — Rehb. Exot. 292.  
 — frutescens Lamb. Linn. Transact. 10, 6.  
 — gentianoides Benth. Bot. Reg. 24, 3.  
 — — var. transparens, Bot. Reg. 31, 16.  
 — — Bot. Mag. 65, 3661.  
 — — Paxt. Mag. 4, 265, 9, 175.  
 — — Paxt. Fl. G. 71.  
 — — Lem. Jard. fl. 231.  
 — — Fl. d. serres 7, 730.  
 — — Annales de Gand 1848, 222.  
 — gigantens Morr. var. elegans, Ann. de G. 1846, 63.  
 — — Belgique hortic. 1, 27.  
 — glaber Pursh. Bot. Mag. 40, 1672.  
 — glandulosus Dougl. Bot. Reg. 15, 1262.  
 — — Bot. Mag. 65, 3688.  
 — glaucus Grah. Bot. Reg. 15, 1286.  
 — Gordoni Hook. Bot. Mag. 73, 4319.  
 — — Fl. d. serres 3, 269.  
 — — Annales de Gand 1847, 162.  
 — gracilis Nutt. Bot. Mag. 56, 2945.  
 — — Lodd. Cab. 1541.  
 — heterophyllus Ldl. Bot. Reg. 22, 1899.  
 — — Bot. Mag. 67, 3853.  
 — — Moore Mag. 1850, 137.  
 — laevigatus Ait. Bot. Mag. 35, 1425.  
 — lanceolatus Benth. Annales de Gand 1848, 173.  
 — Mac Ewani Paxt. Paxt. Mag. 14, 174.  
 — Mackayanus Kn. et W. Knowles et Westcott 74.  
 — miniatus Ldl. Bot. Reg. 33, 14.  
 — — Fl. d. serres 3, 232.  
 — Murrayanus Hook. Bot. Mag. 63, 3472.  
 — — Paxt. Mag. 3, 265.  
 — nemorosus Ldl. Bot. Reg. 14, 1211.  
 — ovatus Dougl. Bot. Mag. 56, 2903.  
 — — Lodd. Cab. 1626.  
 — — Paxt. Mag. 13, 199.  
 — — Sweet Fl. G. II. 211.  
 — — var. Annales de Gand 1848, 210.  
 — procerus Dougl. Bot. Mag. 56, 2954.  
 — — Lodd. Cab. 1616.  
 — pruinosis Dougl. Bot. Reg. 15, 1280.  
 — pubescens Ait. Bot. Mag. 35, 1424.  
 — — Barton Fl. 3, 103.  
 — pulchellus Ldl. Lodd. Cab. 1438.  
 — — Bot. Reg. 14, 1138.  
 — Richardsonii Dougl. Bot. Reg. 13, 1121.  
 — — Bot. Mag. 62, 3391.  
 — — Lodd. Cab. 1641.  
 — Scouleri Ldl. Bot. Reg. 15, 1277.  
 — speciosus Dougl. Bot. Reg. 15, 1270.

- Pentstemon speciosus* Dougl. *Rehb. Exot.* 217.  
 — — — Paxt. Mag. 6, 171.  
 — — — Sweet Fl. G. II. 259.  
 — — — *staticifolius* Ldl. *Bot. Reg.* 21, 1770.  
 — — — *triphyllus* Dougl. *Bot. Reg.* 15, 1245.  
 — — — *venustus* Dougl. *Bot. Reg.* 16, 1309.  
 — — — *Wrightii* Hook. *Bot. Mag.* 77, 4601.  
 — — — Fl. d. sères 7, 685.  
 — — — Lem. Jard. fl. 190.  
 — — — Belgique hort. 2, 32.  
*Peperidium tubulatum* Ldl. *Bot. Reg.* 9, 777.  
 † *Peperomia* Rz et P. Ruiz et Pav. Prodr. 2.  
 † — — Kerner Genera 191.  
 † — — Miquel Commentarii 4.  
 — — — *acuminata* Rz et P. Ruiz et Pav. Fl. 51.  
 — — — *alata* Rz et P. Ruiz et Pav. Fl. 48.  
 — — — *arabica* Decne. Miquel Illustr. Pip. 12.  
 — — — *arifolia* Miq. Miquel Illustr. Pip. 4.  
 — — — Endl. Bras. 11, 2.  
 — — — *Berteroana* Miq. Miquel Illustr. Pip. 11.  
 † — — *blanda* H. B. K. H. B. K. Nov. Gen. 1, 3.  
 — — — Hook. Exot. Fl. 21.  
 — — — Dict. sc. nat. 293, 294.  
 † — — *brasiliensis* Miq. Endl. Bras. 11, 1.  
 — — — *camptotricha* Miq. Miquel Illustr. Pip. 19.  
 — — — *clusiaefolia* Hook. Bot. Mag. 56, 2943.  
 — — — *colorata* H. B. K. H. B. K. Nov. Gen. 1, 11.  
 — — — *concaua* Rz et P. Ruiz et Pav. Fl. 46.  
 — — — *congesta* H. B. K. H. B. K. Nov. Gen. 1, 14.  
 — — — *conjugata* H. B. K. H. B. K. Nov. Gen. 1, 9.  
 — — — *courtallensis* Miq. Wight Ic. pl. Ind. or. 6, 1923.  
 — — — *dendrophila* Schlecht. Miquel Illustr. Pip. 7.  
 — — — *dependens* Rz et P. Ruiz et Pav. Fl. 48.  
 — — — *Deppéana* Miq. Endl. Bras. 11, 2.  
 — — — *dindygulensis* Miq. Miquel Illustr. Pip. 13.  
 — — — Wight Ic. pl. Ind. or. 6, 1921.  
 — — — *dissimilis* H. B. K. H. B. K. Nov. Gen. 1, 13.  
 — — — *distachya* Dietr. Miquel Illustr. Pip. 23.  
 † — — — Endl. Bras. 11, 1.  
 — — — *dolabriformis* H. B. K. H. B. K. Nov. Gen. 1, 4.  
 — — — *emarginata* Rz et P. Ruiz et Pav. Fl. 49.  
 — — — *filiformis* Rz et P. Ruiz et Pav. Fl. 47.  
 — — — *fimbriata* Miq. var.  $\beta$ . *Linnaea* 20, 1.  
 — — — Endl. Bras. 11, 2.  
 — — — *foliflora* Rz et P. Ruiz et Pav. Fl. 45.  
 — — — *Galeottiana* Hook. Hook. Ic. pl. 4, 327.  
 — — — *galioides* H. B. K. H. B. K. Nov. Gen. 1, 17.  
 — — — Miquel Illustr. Pip. 20.  
 — — — Endl. Bras. 11, 2.  
 — — — *Gardneriana* Miq. Miquel Illustr. Pip. 5.  
 — — — Endl. Bras. 11, 2.  
 — — — *Hcyneana* Miq. Wight Ic. pl. Ind. or. 6, 1922.  
 — — — *hydrocotyloides* Miq. *Linnaea* 20, 1.  
 — — — Endl. Bras. 11, 2.  
 — — — *hypoleuca* Miq. Miquel Illustr. Pip. 17.  
 — — — *inaequalifolia* Rz et P. Ruiz et Pav. Fl. 46.  
 — — — *incana* Dietr. Hook. Exot. Fl. 23.  
 — — — Miquel Illustr. Pip. 23.  
 † — — — Endl. Bras. 11, 1.  
 † — — — Schnizl. Iconogr. 2, 81.  
 — — — *lancifolia* Hook. Hook. Ic. pl. 4, 332.  
 — — — *latifolia* Miq. Miquel Illustr. Pip. 15.  
 — — — *laxiflora* H. B. K. H. B. K. Nov. Gen. 1, 10.  
 — — — *maculosa* Hook. Hook. Exot. Fl. 92.  
 — — — *margaritifera* Bert. Hook. Ic. pl. 1, 91.  
 — — — Miquel Illustr. Pip. 10.  
 — — — *Martiana* Miq. Endl. Bras. 11, 1.  
 — — — *maypurensis* H. B. K. Miquel Illustr. Pip. 16.  
 — — — *mexicana* Miq. Miquel Illustr. Pip. 6.  
 — — — *microphylla* H. B. K. H. B. K. Nov. Gen. 1, 15.  
 — — — *muscosa* Miq. *Linnaea* 20, 1.  
 — — — Endl. Bras. 11, 1.

- Peperomia myriocarpa* Miq. Endl. Bras. 11, 1.  
 — — — *myrtifolia* Miq. *Linnaea* 20, 1.  
 — — — var. Endl. Bras. 11, 2.  
 — — — *nivalis* Miq. Miquel Illustr. Pip. 9.  
 — — — *obliqua* Rz et P. Ruiz et Pav. Fl. 51.  
 † — — — *obtusifolia* Lam. H. B. K. Nov. Gen. 1, 3.  
 † — — — Dict. sc. nat. 294.  
 — — — *ovalifolia* Hook. Hook. Exot. Fl. 165.  
 — — — *peltoides* H. B. K. H. B. K. Nov. Gen. 1, 7.  
 — — — *pereskiaefolia* H. B. K. Hook. Exot. Fl. 67.  
 — — — *perforata* Opiz. Presl Reliq. 30.  
 — — — *pilosa* Rz et P. Ruiz et Pav. Fl. 50.  
 — — — *plicata* Opiz. Presl Reliq. 29.  
 — — — *polybotrya* H. B. K. H. B. K. Nov. Gen. 1, 5.  
 — — — *polystachya* Dietr. Hook. Exot. Fl. 23.  
 † — — — Miquel Illustr. Pip. 8.  
 † — — — Endl. Bras. 11, 1.  
 — — — *portulacoides* Dietr. Wight Ic. pl. Ind. or. 6, 1922.  
 — — — *pulicaris* Opiz. Presl Reliq. 30.  
 — — — *pumila* Opiz. Presl Reliq. 30.  
 — — — *purpurea* Rz et P. Ruiz et Pav. Fl. 49.  
 — — — *quadrifolia* H. B. K. Hook. Exot. Fl. 22.  
 — — — *reflexa* H. B. K. H. B. K. Nov. Gen. 1, 16.  
 — — — Dietr. Wight Ic. pl. Ind. or. 6, 1923.  
 — — — *reniformis* Hook. Hook. Exot. Fl. 164.  
 † — — — *repens* Miq. Endl. Bras. 11, 1.  
 — — — *rhombica* Rz et P. Ruiz et Pav. Fl. 46.  
 — — — *rotundata* H. B. K. H. B. K. Nov. Gen. 1, 12.  
 — — — *rubella* Hook. Hook. Exot. Fl. 58.  
 — — — *sandwicensis* Miq. Miquel Illustr. Pip. 14.  
 — — — *scandens* Rz et P. Ruiz et Pav. Fl. 51.  
 — — — *scutellaefolia* Rz et P. Ruiz et Pav. Fl. 44.  
 — — — *secunda* Rz et P. Ruiz et Pav. Fl. 45.  
 — — — Miquel Illustr. Pip. 22.  
 — — — *Seemanniana* Miq. Seemann Herald 37.  
 — — — *Sellowiana* Miq. Endl. Bras. 11, 2.  
 — — — *septemnervia* Rz et P. Ruiz et Pav. Fl. 47.  
 — — — *striata* Rz et P. Ruiz et Pav. Fl. 52.  
 — — — *subpeltata* Dietr. Rumpf Amb. 6, 59, fig. 1.  
 — — — *talinifolia* H. B. K. H. B. K. Nov. Gen. 1, 8.  
 — — — *tenera* Miq. Endl. Bras. 11, 1.  
 — — — *tenerrima* Schlecht. Miquel Illustr. Pip. 21.  
 — — — *tetragona* Rz et P. Ruiz et Pav. Fl. 47.  
 — — — *tomentosa* Dietr. Miquel Illustr. Pip. 18.  
 — — — *trinervis* Rz et P. Ruiz et Pav. Fl. 50.  
 — — — Miquel Illustr. Pip. 8.  
 — — — *trineura* Miq. *Linnaea* 20, 1.  
 — — — Endl. Bras. 11, 2.  
 — — — *tristachya* H. B. K. H. B. K. Nov. Gen. 1, 6.  
 — — — Opiz. Presl Reliq. 30.  
 — — — *umbilicata* Rz et P. Ruiz et Pav. Fl. 45.  
 — — — H. B. K. Nov. Gen. 1, 15.  
 — — — *valantioides* Miq. *Linnaea* 20, 1.  
 — — — Endl. Bras. 11, 2.  
 — — — *variegata* Rz et P. Ruiz et Pav. Fl. 52.  
 — — — *Wightiana* Miq. Wight Ic. pl. Ind. or. 6, 1924.  
*Peplidium humifusum* Delile. Delile Egypte 4.  
 † — — — Wight Illustr. 165<sup>b</sup>.  
*Peplis alternifolia* Led. Ledeb. Ic. 391.  
 — — — *Boraei* Jord. Jordan Obs. 3, 5.  
 — — — *nummulariaefolia* Jord. Jordan Obs. 3, 5.  
 — — — *Portula* L. Fl. dan. 1, 64.  
 † — — — Gaertn. Carp. 51.  
 — — — Lam. Encycl. 262.  
 — — — Curt. Lond. 3, 86.  
 — — — Engl. Bot. 17, 1211.  
 — — — Baxter Brit. Bot. 3, 220.  
 — — — Sv. Bot. 592.  
 — — — Drevs 4, 108.  
 — — — Schk. Handb. 99.  
 — — — Sturm Flora 1, 1.  
 — — — Dietr. Fl. bor. 10, 669.

- Peplis Portula *L.* Jordan Obs. 3, 5.  
 — tetrandra *L.* Jacq. Hist. stirp. am. 103.  
 — — Swartz Obs. 1.  
 — Timeroyi *Jord.* Jordan Obs. 3, 5.  
 Pera arborea *Mutis.* Svensk Acad. 1784, 8.  
 Peralteia lupinoides *H. B. K.* H. B. K. Nov. Gen. 6, 589.  
 Perama dichotoma *P. et E.* Poepp. et Endl. 235.  
 — hirsuta *Aubl.* Aublet Guiana 18.  
 — — Lam. Encycl. 68.  
 Perdicium divaricatum *H. B. K.* H. B. K. Nov. Gen. 4, 355.  
 — lactucoides *Vahl.* Skrifter nat. Selsk. 1791, 5.  
 — laevigatum *Berg.* Svensk Acad. 1772, 7.  
 † — — Gaertn. Carp. 170.  
 † — — Lam. Encycl. 677.  
 — magellanicum *L.* Skrifter nat. Selsk. 1791, 4.  
 — purpureum *Vahl.* Skrifter nat. Selsk. 1791, 3.  
 † — radiale *L.* Lam. Encycl. 677.  
 — recurvatum *Vahl.* Skrifter nat. Selsk. 1791, 7.  
 — squarrosum *Vahl.* Skrifter nat. Selsk. 1791, 6.  
 — Taraxaci *Vahl.* Skrifter nat. Selsk. 1791, 1.  
 — tomentosum *Thunb.* Skrifter nat. Selsk. 1791, 2.  
 † Perebea *Aubl.* Ann. sc. nat. III. 8, 5.  
 — guianensis *Aubl.* Aublet Guiana 361.  
 † — laurifolia *Trécul.* Endl. Bras. 12, 35.  
 Perceilema crinitum *Presl.* Presl Reliq. 37.  
 — — Trin. Sp. Gr. 3, 358.  
 Pereskia aculeata *DC.* Bot. Reg. 23, 1928.  
 — Bleo *DC.* Bot. Mag. 63, 3478.  
 — — Bot. Reg. 17, 1473.  
 — — Rehb. Exot. 328.  
 — — Pfeiffer Cact. 1, 30.  
 — grandifolia *Haw.* Rehb. Exot. 329.  
 — lychnidiflora *DC.* Mem. Mus. 17, 18.  
 — opuntiaeflora *DC.* Mem. Mus. 17, 19.  
 — rotundifolia *DC.* Mem. Mus. 17, 20.  
 — zinniaeflora *DC.* Mem. Mus. 17, 17.  
 Perezia Gayana *DC.* Delessert Ic. 4, 94.  
 † Pergularia bifida *Zipp.* Ann. sc. nat. II. 9, 10.  
 — glabra *L.* Rumpf Amb. 5, 29, fig. 2.  
 — minor *Andr.* Andr. Rep. 3, 184.  
 — — Bot. Mag. 20, 755.  
 — odoratissima *Sm.* Smith Ic. pict. 16.  
 — — Andr. Rep. 3, 185.  
 — — Bot. Reg. 5, 412.  
 — — Savi Fl. ital. 2, 59.  
 — — Wight Ic. pl. Ind. or. 2, 414.  
 — pallida *W. et A.* Wight Ic. pl. Ind. or. 2, 585.  
 — sanguinolenta *Ldl.* Bot. Mag. 52, 2532.  
 — tomentosa *L.* Lam. Encycl. 176.  
 Periandra caespitosa *Jacq.* Jacquemont Ind. 29.  
 Pericallis cruenta *Webb.* Webb Canar. 104.  
 — multiflora *Webb.* Webb Canar. 105.  
 — papyracea *Webb.* Webb Canar. 106.  
 — populifolia *Webb.* Webb Canar. 103.  
 — Tussilaginis *Sweet.* Sweet Fl. G. II. 228.  
 Pericycla penduliflora *Bl.* Blume Rumphia 94.  
 † Peridium *Schott.* Wiegmann Archiv 7, 7.  
 † Perilla ocymoides *L.* Lam. Encycl. 503.  
 — — Bot. Mag. 50, 2395.  
 Perilomia ocymoides *H. B. K.* Bot. Reg. 17, 1394.  
 — scutellarioides *H. B. K.* H. B. K. Nov. Gen. 2, 159.  
 † Periphragmos *Rz et P.* Ruiz et Pav. Prodr. 4.  
 — dependens *Rz et P.* Ruiz et Pav. Fl. 133.  
 — flexuosus *Rz et P.* Ruiz et Pav. Fl. 131.  
 — foetidus *Rz et P.* Ruiz et Pav. Fl. 132.  
 † Periploca *L.* Jacq. Genit. Ascl. x.  
 — africana *L.* Andr. Rep. 9, 557.  
 — angustifolia *Lab.* Bill. Syr. 2, 7.  
 — aphylla *Decne.* Jacquemont Ind. 116.  
 — emetica *Retz.* Willdenow Phytogr. 5.  
 — esculenta *L.* Roxb. Corom. 11.  
 — — Kerner Hort. 76.

- Periploca graeca *L.* Lam. Encycl. 177.  
 — — Schk. Handb. 53.  
 — — Sibth. Fl. gr. 249.  
 — — Bot. Mag. 49, 2289.  
 — — Bot. Reg. 10, 803.  
 — — Lodd. Cab. 1389.  
 † — — Wight Illustr. 182.  
 — mauritiana *Poir.* Rumpf Amb. 5, 10.  
 — punicaefolia *Cav.* Cav. Ic. 217, 500<sup>b</sup>.  
 — rigida *Viv.* Viviani Lib. 6.  
 — silvestris *Retz.* Willdenow Phytogr. 5.  
 — tunicata *Retz.* Willdenow Phytogr. 5.  
 Peristeria Barkeri *Batem.* Bateman Orchid. 8.  
 † — — Mem. Genev. 11, 1.  
 — — Bot. Mag. 72, 4203.  
 — cerina *Ldl.* Bot. Reg. 23, 1953.  
 — elata *Hook.* Bot. Mag. 58, 3116.  
 — Humboldtii *Ldl.* Bot. Reg. 29, 18.  
 — — var. Bot. Mag. 71, 4156.  
 — guttata *Kn. et W.* Knowles et Westcott 70.  
 — pendula *Hook.* Bot. Mag. 63, 3479.  
 Peristrophe montana *N. v. E.* Wight Ic. pl. Ind. 4, 1553.  
 — tinctoria *N. v. E.* Rumpf Amb. 6, 22, fig. 1.  
 Peristylus albidus *Ldl.* Rivinus Irreg. hexap. 3.  
 — — Baxter Brit. Bot. 5, 387.  
 † — brachyphyllus *A. Rich.* Ann. sc. nat. II. 15, 2.  
 — cordatus *Ldl.* Bot. Reg. 18, 1499.  
 — exilis *Wight.* Wight Ic. pl. Ind. or. 5, 1698.  
 — goodyeroides *Ldl.* Royle Illustr. 87.  
 † — grandis *Bl.* Blume Tabellen 30.  
 † — lancifolius *A. Rich.* Ann. sc. nat. II. 15, 2.  
 — Lawii *Wight.* Wight Ic. pl. Ind. or. 5, 1695.  
 † — Lefeburianus *A. Rich.* Ann. sc. nat. II. 14, 16.  
 — Petitianus *A. Rich.* Richard Abyssin. 84.  
 — plantagineus *Ldl.* Wight Ic. pl. Ind. or. 3, 921.  
 — Quartianus *A. Rich.* Richard Abyssin. 85.  
 † — — Ann. sc. nat. II. 14, 16.  
 — Richardianus *Wight.* Wight Ic. pl. Ind. or. 5, 1697.  
 — robustior *Wight.* Wight Ic. pl. Ind. or. 5, 1699.  
 † — spiralis *A. Rich.* Ann. sc. nat. II. 15, 2.  
 — — Wight Ic. pl. Ind. or. 5, 1696.  
 Perityle californica *Benth.* Bentham Sulphur 15.  
 Pernettya angustifolia *Ldl.* Bot. Reg. 26, 63.  
 — — Bot. Mag. 68, 3889.  
 — ciliaris *Don.* Journ. Hort. Soc. 6, 268.  
 — empetrifolia *Gaudich.* Freycinet Voyage 67.  
 — mucronata *Gaudich.* Richard Astrolabe 22.  
 — — Bot. Reg. 20, 1675.  
 — — Maund Bot. 3, 112.  
 — pumila *Hook.* Hook. Ic. pl. 1, 9.  
 — — Richard Astrolabe 22.  
 Perobachne secunda *Presl.* Presl Reliq. 48.  
 Perojia microphylla *Cav.* Cav. Ic. 349.  
 Peronema canescens *Jack.* Wight Ic. pl. Ind. or. 4, 1460.  
 Peronia stricta *DC.* Red. Lil. 6, 342.  
 Perotis latifolia *Ait.* Rheede Hort. mal. 12, 62.  
 — — Humb. Gram. 92.  
 Perovskia abrotanoides *Kavel.* Bull. Mosc. 1841, 1.  
 Perreymondia Brongniartii *Barn.* Gay Chile 4.  
 Perrottetia quinduensis *H. B. K.* H. B. K. N. G. 7, 622.  
 Persea azorica *Seub.* Seubert Fl. azor. 6.  
 † — gratissima *Gaertn.* Gaertn. Carp. 221.  
 † — — Kerner Genera 195, 196.  
 — — Tussac Ant. 3, 3.  
 — — Bot. Reg. 15, 1258.  
 — — Dict. sc. nat. 13.  
 — — Wight Ic. pl. Ind. or. 5, 1823.  
 — — Bot. Mag. 77, 4580.  
 — — Lem. Jard. fl. 252.  
 — — indica *Spr.* Webb Canar. 204.  
 † Persica vulgaris *Mill.* Mill. Spach Suites 5.  
 † Persicaria virginiana *Gaertn.* Gaertn. Carp. 119.

- † *Persoonia Sm.* Kerner Genera 20.  
 — *ferruginea Sm.* Smith Exot. Bot. 83.  
 † — — — Gaertn. Carp. 220.  
 — — — Tratt. Archiv 10.  
 — *flexifolia R. Br.* Lodd. Cab. 922.  
 — *hirsuta Pers.* Linn. Transact. 10, 16.  
 — — — Lodd. Cab. 327.  
 — — — Rchb. Mag. 77.  
 — *juniperina Lab.* Bill. Nov. Holl. 45.  
 — *lanceolata Andr.* Andr. Rep. 2, 74.  
 — — — Lodd. Cab. 25.  
 — — — Rchb. Mag. 77.  
 — *latifolia Andr.* Andr. Rep. 4, 280.  
 — — — Lodd. Cab. 1509.  
 — — — Michaux Fl. 43.  
 — *Laureola Ldl.* Hook. Ic. pl. 5, 426.  
 — *linearis Andr.* Andr. Rep. 2, 77.  
 — — — Bot. Mag. 20, 760.  
 — — — Vent. Malm. 32.  
 — — — Nouveau Duhamel 4, 43.  
 — *personata Poir.* Lam. Encycl. 716.  
 — *pinifolia R. Br.* Linn. Transact. 10, 16.  
 — *quinquenervis Hook.* Hook. Ic. pl. 5, 425.  
 — *spatulata R. Br.* Lodd. Cab. 1199.  
*Perularia fuscescens Ldl.* Rchb. Fl. germ. 13, 426. 519.  
*Pervillaea tomentosa Decne.* Delessert Ic. 5, 85.  
*Peschiera diversifolia Miq.* Miquel Surinam 47.  
 — *tenuiflora P. et E.* Poepp. et Endl. 280.  
*Pesomeria tetragona Ldl.* Bot. Mag. 75, 4442.  
*Petalidium barberioides N. v. E.* Bot. Mag. 70, 4053.  
 † *Petaloma Sw.* Swartz Fl. Ind. occ. 14.  
 — *domingensis Tuss.* Tussac Ant. 3, 37.  
 † — — — Kerner Genera 209.  
 — *Muriri Sw.* Dict. sc. nat. 232.  
*Petalostemum candidum Michx.* Michaux Fl. 37.  
 — *violaceum Michx.* Michaux Fl. 37.  
 — — — Bot. Mag. 41, 1707.  
 † *Petasites albus Gaertn.* Gaertn. Carp. 166.  
 — — — Sturm Flora 6, 21.  
 — — — Dietr. Fl. bor. 9, 595.  
 † — — — Nees Gen. X, x.  
 — — — Rchb. Fl. germ. 16, 899.  
 — *fragrans Presl.* Rchb. Fl. germ. 16, 895. 896.  
 — *Kablikianus Tausch.* Rchb. Fl. germ. 16, 900.  
 — *niveus Baumg.* Sturm Flora 6, 21.  
 — — — Rchb. Fl. germ. 16, 898.  
 — *officinalis Moench.* Sturm Flora 2, 7.  
 † — — — Nees Gen. X, x.  
 — *spurius Retz.* Sturm Flora 6, 21.  
 — — — Dietr. Fl. bor. 9, 596.  
 — — — Rchb. Fl. germ. 16, 897.  
 — *vulgaris Desf.* Baxter Brit. Bot. 2, 139.  
 — — — Dietr. Fl. bor. 8, 537.  
 — — — Rchb. Fl. germ. 16, 901.  
*Petasostylis nigrescens Griseb.* Fl. d. serres 1, 53.  
*Petersia rosea Klotzsch.* Peters Mossamb. 30.  
 † *Petesia carnea Forst.* Gaertn. Carp. 192.  
 † *Petiveria L.* Swartz Observ. 10.  
 — *alliacea L.* Svensk Acad. 1744, 7.  
 † — — — Gaertn. Carp. 75.  
 † — — — Lam. Encycl. 272.  
 — — — Lodd. Cab. 148.  
 — — — Desc. Ant. 5, 347.  
 — *octandra L.* Jacq. Hist. stirp. am. 104.  
*Petrea Blanchetiana Schauer.* Endl. Bras. 10, 45.  
 — *erecta Lodd.* Lodd. Cab. 1606.  
 — *insignis Schauer.* Endl. Bras. 10, 46.  
 — *macrostachya Benth.* Miquel Surin. 42.  
 — *Martiana Schauer.* Endl. Bras. 10, 46.  
 — *Stapelsiae Paxt.* Paxt. Mag. 4, 199.  
 — *subserata Cham.* Endl. Bras. 10, 45.  
 † — *volubilis L.* Houston Reliq. 11.

- Petrea volubilis L.* Jacq. Hist. stirp. am. 173.  
 † — — — Gaertn. Carp. 177.  
 † — — — Lam. Encycl. 539.  
 — — — Kerner Hort. 151.  
 — — — Bot. Mag. 17, 628.  
 — — — Lodd. Cab. 736.  
 — — — Knowles et Westcott 108.  
*Petrobium cordatum Bong.* Acad. Pet. 4, 0.  
*Petrocallis pyrenaica R. Br.* Lodd. Cab. 635.  
 — — — Sturm Flora 15, 65.  
 — — — Rchb. Fl. germ. 2, 16.  
*Petrocoptis Lagascae Willk.* Willkomm Ic. Hisp. 1, 21.  
 — *pyrenaica A. Br.* Willkomm Ic. Hisp. 1, 19. 20.  
*Petromarula pinnata DC. fil.* Sweet Fl. G. II. 224.  
 — — — Jaubert Illustr. 420.  
*Petrophila acicularis R. Br.* Bot. Mag. 63, 3469.  
 — *pedunculata R. Br.* Guillemain Austr. 18.  
 — *trifida R. Br.* Lodd. Cab. 1883.  
*Petrophytes Agriostaphis Webb.* Webb Canar. 36 C.  
 — *brachycaulon Webb.* Webb Canar. 36 B.  
 — *polyphyllum Webb.* Webb Canar. 36 B.  
*Petroselinum prostratum DC.* Hook. Ic. pl. 4, 305.  
 — *sativum Hoffm.* Engl. Bot. 2793.  
 — — — Nees Dusseld. 282.  
 † — — — Nees Gen. X, x.  
 — *segetum Koch.* Baxter Brit. Bot. 5, 360.  
*Petrostylis grandiflora R. Br.* Guillemain Austr. 6.  
*Pettera graminifolia Rchb.* Rchb. Fl. germ. 5, 220.  
*Petunia elegans Miers.* Miers Illustr. 24.  
 — *intermedia Ldl.* Bot. Reg. 23, 1931.  
 — *linearis Paxt.* Paxt. Mag. 2, 219.  
 — *Meleagris Hort.* Fl. d. serres 6, 550.  
 — *nyctaginiflora Juss.* Ann. Mus. 2, 47.  
 — — — Bot. Mag. 52, 2552.  
 — — — Sweet Fl. G. 119.  
 — — — var. Paxt. Mag. 2, 173.  
 — *ovalifolia Miers.* Miers Illustr. 24.  
 — *parviflora Juss.* Ann. Mus. 2, 47.  
 — — — Miers Illustr. 23.  
 † — *Prince Rohan Hortul.* Fl. d. serres 8, 781.  
 — *punctata Paxt.* Paxt. Mag. 11, 7.  
 — *striata formosissima H. V.* Fl. d. serres 9, 874.  
 — *Van Volxem Hortul.* Fl. d. serres 6, 562.  
 — *violacea Ldl.* Bot. Reg. 19, 1626.  
 — — — Bot. Mag. 64, 3556.  
 — — — Paxt. Mag. 1, 7.  
 — *viscosa Colla.* Mem. Tur. 38, 45.  
*Peucedanum alsaticum Neck.* Acta palat. 2, 3.  
 — *L.* Jacq. Fl. austr. 1, 70.  
 — *arenarium Kit.* Winterl Index 11.  
 — — — W. et Kit. 20.  
 — *aureum Soland.* Bot. Reg. 7, 559.  
 — — — Webb Canar. 74.  
 — *canescens Led.* Ledeb. Ic. 105.  
 — *Cervaria Lapeyr.* Dietr. Fl. bor. 10, 710.  
 — *Chabraei Koch.* Dietr. Fl. bor. 11, 733.  
 — *dissectum Led.* Ledeb. Ic. 181.  
 — *clatum Led.* Ledeb. Ic. 305.  
 — *gracile Led.* Ledeb. Ic. 306.  
 — *longifolium W. et K.* W. et Kit. 251.  
 — *obtusifolium Sibth.* Sibth. Fl. gr. 277.  
 † — *officinale L.* Gaertn. Carp. 21.  
 — — — Schk. Handb. 63.  
 — — — Engl. Bot. 25, 1767.  
 — — — Baxter Brit. Bot. 6, 419.  
 — — — Hayne 7, 4.  
 — *Oreoselinum Moench.* Nees Dusseld. 289.  
 — *Ostruthium Koch.* Nees Dusseld. 288.  
 — *paniculatum Led.* Ledeb. Ic. 199.  
 — *polyphyllum Led.* Ledeb. Ic. 309.  
 — *ruthenicum M. v. B.* Rochel Banat. 23.  
 — *sibiricum Willd.* W. et Kit. 60.

- Peucedanum Silaus *L.* Jacq. Fl. austr. 1, 15.  
 — — — Hayne 7, 5.  
 — — — Engl. Bot. 30, 2142.  
 — vaginatum *Led.* Ledeb. Ic. 308.  
 Peyrouisia aculeata *Sweet.* Sweet Fl. G. II. 39.  
 Pfaffia glabrata *Mart.* Mart. Bras. 122.  
 — sericea *Mart.* Mart. Bras. 123.  
 — velutina *Mart.* Mart. Bras. 124.  
 Pfeiffera cereiformis *Salm.* Pfeiffer Cact. 2, 9.  
 Phaca abbreviata *Led.* Ledeb. Ic. 330.  
 — Aboriginorum *Hook.* Hook. Bor. Am. 56.  
 — alpina *Jacq.* Jacq. Ic. 151.  
 — — — Sturm Flora 6, 24.  
 — — — Fl. dan. 5, 856.  
 † — — — Gaertn. Carp. 154.  
 † — — — Lam. Encycl. 624.  
 — — — Schk. Handb. 208<sup>b</sup>.  
 — — — Roemer Fl. europ. 12, 6.  
 — astragalina *DC.* Sturm Flora 5, 19.  
 — — — Lodd. Cab. 429.  
 — australis *L.* Jacq. Misc. 2, 3.  
 — — — Roemer Fl. europ. 8, 7.  
 — — — Sturm Flora 12, 49.  
 — — — Lodd. Cab. 490.  
 — baetica *L.* Sibth. Fl. gr. 727.  
 — Berteriana *Moris.* Mem. Tur. 37, 26.  
 — caespitosa *Nutt.* Hook. Bor. Am. 55.  
 — Candolleana *H. B. K.* H. B. K. Nov. Gen. 6, 586.  
 — chrysantha *Moris.* Mem. Tur. 37, 25.  
 — densifolia *Sm.* Hook. Ic. pl. 3, 282.  
 — frigida *L.* Jacq. Fl. austr. 2, 166.  
 † — — — Wahlenberg Fl. lapp. 12.  
 — — — Sturm Flora 12, 49.  
 — glabra *Clar.* DC. Ic. Gall. 31.  
 — Halleri *Vill.* Vill. Dauph. 41.  
 — Hoffmeisteri *Klotzsch.* Prinz Waldem. Him. 2.  
 — mollis *H. B. K.* H. B. K. Nov. Gen. 6, 585.  
 † — montana *Wahlenb.* Wahlenberg Fl. lapp. 12.  
 — neglecta *T. et Gr.* Torrey New York 26.  
 — pectinata *Hook.* Hook. Bor. Am. 54.  
 — triflora *DC.* DC. Astrag. 1.  
 — vesicaria *L.* Schreber Ic. 3.  
 — Vogeli *Webb.* Hook. Niger Fl. 8.  
 — — — Hook. Ic. pl. 8, 763.  
 Phacelia bipinnatifida *Michx.* Michaux Fl. 16.  
 — circinata *Jacq.* Jacq. Ecl. pl. 91.  
 — congesta *Hook.* Bot. Mag. 62, 3452.  
 — — — Sweet Fl. G. II. 327.  
 — tanacetifolia *Benth.* Bot. Reg. 20, 1696.  
 — — — Bot. Mag. 65, 3703.  
 — — — Sweet Fl. G. II. 360.  
 — vinifolia *Paxt.* Paxt. Mag. 3, 121.  
 Phaedranassa chloracra *Herb.* Bot. Reg. 31, 17.  
 — — — Fl. d. serres 1, 26.  
 Phaeocarpus campestris *Mart.* Mart. Bras. 37, 38.  
 Phaeocordylis areolata *Griff.* Linn. Transact. 20, 8.  
 Phaeopappus aristatus *Jaub.* Jaubert Illustr. 213.  
 — armenus *Jaub.* Jaubert Illustr. 210.  
 — gymnocladus *Jaub.* Jaubert Illustr. 211.  
 — microcephalus *Jaub.* Jaubert Illustr. 212.  
 † Phaëthusa americana *Gaertn.* Gaertn. Carp. 169.  
 † — — — Lam. Encycl. 689.  
 Phagnalon melanolocum *Webb.* Hook. Niger Fl. 9.  
 — — — Hook. Ic. pl. 8, 764.  
 — purpurescens *Sch. Bip.* Webb Canar. 82<sup>B</sup>.  
 † rupestre *DC.* Nees Gen. X, x.  
 — — — Rchb. Fl. germ. 16, 920.  
 † saxatile *Cass.* Nees Gen. X, x.  
 — — — Rchb. Fl. germ. 16, 920.  
 — sordidum *DC.* Rchb. Fl. germ. 16, 920.  
 — umbelliforme *DC.* Webb Canar. 82.  
 Phajus albus *Ldl.* Wall. Pl. asiatic. 193.

- Phajus albus *Ldl.* Bot. Reg. 24, 33.  
 — — — Bot. Mag. 68, 3991.  
 — — — Knowles et Westcott 125.  
 — — — Paxt. Mag. 5, 125.  
 — bicolor *Ldl.* Lindley Sörtum 23.  
 — — — Bot. Mag. 70, 4078.  
 — — — Wight Ic. pl. Ind. or. 5, 1659—1660.  
 — grandifolius *Lour.* var. Fl. d. serres 7, 738.  
 — maculatus *Ldl.* Lodd. Cab. 1803.  
 — — — Bot. Mag. 68, 3960.  
 — rosellus *Ch. Lem.* Fl. d. serres 3, 301.  
 — Wallichii *Ldl.* Wall. Pl. asiatic. 158.  
 — — — Paxt. Mag. 6, 193.  
 Phalacraea latifolia *DC.* Delessert Ic. 4, 8.  
 Phalaenopsis amabilis *Bl.* Rumpf Amb. 6, 43.  
 † — — — Blume Tabellen 44.  
 — — — Blume Rumphia 194, 199.  
 — — — Bennett Java 8.  
 — — — Bot. Reg. 24, 34.  
 — — — Bot. Mag. 73, 4297.  
 — — — Maund Bot. 3, 133.  
 — — — Paxt. Mag. 7, 49.  
 — — — Fl. d. serres 1, 36.  
 — intermedia *Ldl.* Lem. Jard. fl. 4, p. 44.  
 — rosea *Ldl.* Paxt. Fl. G. 72.  
 — — — Lem. Jard. fl. 3, 283.  
 Phalangium attenuatum *Wight.* Wight Ic. pl. 6, 2037.  
 — bicolor *DC.* Red. Lil. 4, 215.  
 — ciliatum *H. B. K.* H. B. K. Nov. Gen. 7, 676.  
 — elatum *Poir.* Red. Lil. 4, 191.  
 — Liliago *Schreb.* Bot. Mag. 23, 914, 39, 1635.  
 — — — Lam. Encycl. 240.  
 — Liliastrum *Poir.* Red. Lil. 5, 255.  
 — nepalense *Ldl.* Bot. Reg. 12, 998.  
 —? oligospermum *Wight.* Wight Ic. pl. Ind. or. 6, 2038.  
 —? parviflorum *Wight.* Wight Ic. pl. Ind. or. 6, 2039.  
 — pendulum *DC.* Red. Lil. 6, 360.  
 — pomeridianum *Don.* Sweet Fl. G. II. 381.  
 — ramosum *Lam.* Red. Lil. 5, 287.  
 — — — Bot. Mag. 26, 1055.  
 — serotinum *Lam.* Red. Lil. 5, 270.  
 — tuberosum *Kth.* Wight Ic. pl. Ind. or. 6, 2036.  
 † Phalaris *L.* Linné Amoenit. 7, 3.  
 † — — — Dumortier Gramin. 11.  
 — alpina *Haenke.* Host Gram. 135.  
 — americana *Ell.* Elliott Carolina 5.  
 — angusta *N. v. E.* Trin. Sp. Gr. 1, 78.  
 — aquatica *L.* Sibth. Fl. gr. 57.  
 — — — Host Gram. 139.  
 — — — Mutel Fl. fr. 76.  
 — — — Rchb. Fl. germ. 1, 52.  
 † — — — Nees Gen. 1, 12.  
 — arenaria *Huds.* Engl. Bot. 4, 222.  
 — — — Knapp Gram. 4.  
 — — — Roemer Fl. europ. 10, 1.  
 — arundinacea *L.* Fl. dan. 2, 259.  
 — — — Engl. Bot. 6, 402, 30, 2160.  
 † — — — Schraub. Fl. germ. 6.  
 — — — Schk. Handb. 9.  
 — — — Host Gram. 133.  
 — aspera *Retz.* Host Gram. 137.  
 — brachystachys *Link.* Trin. Sp. Gr. 1, 75.  
 — — — Webb Canar. 241.  
 — bulbosa *Cav.* Cav. Ic. 64.  
 — — — Trin. Sp. Gr. 1, 76.  
 — canariensis *L.* Schreber Gräser 10.  
 † — — — Gaertn. Carp. 80.  
 † — — — Lam. Encycl. 42.  
 — — — Sibth. Fl. gr. 55.  
 — — — Host Gram. 138.  
 — — — Metzger Cer. 14.  
 — — — Engl. Bot. 19, 1310.

- Phalaris canariensis* L. Knapp Gram. 3.  
 — — — Baxter Brit. Bot. 1, 56.  
 — — — Rchb. Fl. germ. 1, 52.  
 — — — Trin. Sp. Gr. 1, 74.  
 — — — Webb Canar. 241.  
 † — — — Nees Gen. 1, 12.  
 † — — — *crypsoides* d'Urv. Humb. Gram. 202.  
 — — — Jaubert Illustr. 308.  
 — — — *microstachya* DC. Trin. Sp. Gr. 1, 77.  
 — — — *minor* Retz. Trin. Sp. Gr. 1, 79.  
 — — — *nepalensis* Tr. Trin. Sp. Gr. 1, 80.  
 — — — *nodosa* L. Sibth. Fl. gr. 56.  
 — — — Trin. Sp. Gr. 1, 81.  
 — — — *oryzoides* Jacq. Schreber Gräser 22.  
 — — — *paradoxa* L. Linné Hort. ups. 2, 18.  
 — — — Schreber Gräser 12.  
 — — — Sibth. Fl. gr. 58.  
 — — — Host Gram. 140.  
 — — — Trin. Sp. Gr. 1, 82.  
 — — — Rchb. Fl. germ. 1, 52.  
 — — — *phleoides* L. Fl. dan. 3, 531.  
 — — — Host Gram. 134.  
 — — — Engl. Bot. 7, 459.  
 — — — Knapp Gram. 5.  
 — — — Roemer Fl. europ. 9, 1.  
 — — — *pubescens* Lam. Gerard Fl. gallopr. 1.  
 — — — *tenuis* Host. Host Gram. 136.  
 — — — *trigyna* Host. Host Gram. 320.  
 — — — *utriculata* L. Host Gram. 207.  
*Phalocallis plumbea* Herb. Bot. Mag. 65, 3710.  
 — — — Fl. d. serres 4, 395.  
 † *Phalona Dumort.* Dumortier Gramin. 5.  
 † *Phaneroplebia nobilis* Presl. Hook. Gen. Fil. 49.  
 † — — — Fée Fil. 5, 22.  
*Phania multicaulis* DC. Delessert Ic. 4, 11.  
 † *Pharbitis Choisy.* Mem. Genev. 6, 1.  
 — — — *cathartica* Choisy. Bot. Mag. 73, 4289.  
 — — — *diversifolia* Ldl. Bot. Reg. 23, 1988.  
 — — — *Learii* Ldl. Bot. Reg. 27, 56.  
 — — — Bot. Mag. 68, 3928.  
 — — — Maund Bot. 4, 184.  
 — — — *limbata* Ldl. Lem. Jard. fl. 97.  
 — — — Fl. d. serres 6, 608.  
 — — — *ostrina* Ldl. Bot. Reg. 28, 51.  
 — — — Paxt. Mag. 9, 243.  
 — — — *pubibunda* Ldl. Bot. Reg. 12, 999.  
 — — — *tyrianthina* Ldl. Bot. Mag. 69, 4024.  
*Pharium fistulosum* Herb. Bot. Reg. 18, 1546.  
*Pharmacosycea anthelmintica* Miq. Endl. Bras. 12, 25.  
 — — — *grandaeva* Miq. Endl. Bras. 12, 25.  
 — — — *perforata* Miq. Endl. Bras. 12, 26.  
 — — — *Radula* Miq. Hook. Journal 1848, 2.  
 — — — Endl. Bras. 12, 25.  
*Pharmaceum bellidifolium* Poir. Desc. Ant. 5, 317.  
 † — — — *Cerviana* L. Gaertn. Carp. 130.  
 † — — — Lam. Encycl. 214.  
 — — — *cordifolium* L. Jacq. Schoenbr. 3, 349.  
 — — — *incanum* L. Lam. Encycl. 214.  
 — — — Bot. Mag. 44, 1883.  
 — — — *lineare* Andr. Andr. Rep. 5, 326. 329.  
 — — — *Mollugo* L. Burmann Fl. ind. 5.  
 — ? *semiquinquefidum* Hook. Hook. Ic. pl. 1, 83.  
 — — — *Spergula Dillw.* Rheed. Hort. mal. 10, 24.  
 — — — *sperguloides* Poir. Lam. Encycl. 214.  
 — — — *triphylum* Dennst. Rheed. Hort. mal. 10, 26.  
 † *Pharus L.* Linné Amoenit. 7, 3.  
 † — — — Ann. Mus. 17, 10.  
 — — — *lappulaceus* Lam. Lam. Encycl. 769.  
 — — — Tussac Ant. 2, 8.  
 — — — Desc. Ant. 6, 398.  
 — — — *latifolius* L. Lam. Encycl. 769.  
 — — — *pubescens* Spr. Sprengel Neue Entd. 1, 1.

- Pharus vittatus* Ch. Lem. Fl. d. serres 4, 316.  
 † *Phaseoleae* DC. (Germination.) DC. Legum. 16—18.  
 † *Phaseolus L.* Proc. Bot. Soc. Lond. 1839, 1.  
 † — — — Ann. sc. nat. III. 18, 16.  
 — — — *aconitifolius* L. fil. Jacq. Observ. 52.  
 — — — *bipunctatus* Jacq. Jacq. Vind. 100.  
 — — — *Caracalla* L. Andr. Rep. 5, 341.  
 — — — Kerner Hort. 376.  
 — — — Herb. amat. 1, 31.  
 — — — Bot. Reg. 4, 341.  
 — — — Paxt. Mag. 10, 267.  
 — — — Rchb. Exot. 228.  
 † — — — *coccineus* L. Mem. Instit. 1830, 10.  
 † — — — *communis* L. Mem. Instit. 1809, 1—7.  
 — — — *fuscus* Wall. Wall. Pl. asiat. 6.  
 — — — *inamoenus* L. Jacq. Vind. 66.  
 — — — *lathyroides* L. Desc. Ant. 8, 559.  
 — — — *lobatus* Hook. Bot. Mag. 70, 4076.  
 — — — *lunatus* L.? Jacq. Vind. 114.  
 — — — Wight Ic. pl. Ind. or. 3, 755.  
 — — — *marinus* Burm. Rumpf Amb. 5, 141. fig. 2.  
 — — — *Max* L. Rumpf Amb. 5, 140.  
 — — — Jacq. Vind. 99.  
 — — — *microcarpus* Mart. Martius Auswahl 12.  
 — — — *multiflorus* Willd. Hayne 11, 45.  
 — — — *Mungo* L. Rheed. Hort. mal. 8, 50.  
 — — — *nanus* L. Guimpel et Schl. 111.  
 — — — Hayne 11, 47.  
 — — — *perennis* Walt. Torrey New York 23.  
 — — — *psoraleoides* W. et Arn. Wight Ic. pl. 1, 249.  
 — — — *pulniensis* Wight. Wight Ic. pl. Ind. or. 1, 202.  
 — — — *radiatus* L. Rumpf Amb. 5, 139. fig. 2.  
 — — — Svensk Acad. 1742, 7.  
 — — — *Ricciardianus* Ten. Mem. Tur. 38, 3.  
 — — — *rostratus* Wall. Rheed. Hort. mal. 8, 42.  
 — — — Wall. Pl. asiat. 63.  
 — — — Wight Ic. pl. Ind. or. 1, 34.  
 — — — *rufus* Jacq. Jacq. Vind. 34.  
 — — — *semierectus* L. Jacq. Ic. 558.  
 — — — Bot. Reg. 9, 743.  
 — — — *trilobus* Ait. Wight Ic. pl. Ind. or. 1, 94.  
 — — — *trinervius* W. et Arn. Rheed. Hort. mal. 8, 37.  
 — — — *tumidus* Savi. Nees Düsseld. Suppl. 16.  
 — — — *vexillatus* L. Jacq. Vind. 102.  
 † — — — *vulgaris* L. Gaertn. Carp. 150.  
 † — — — Lam. Encycl. 610.  
 † — — — Mem. Instit. 1809, 1—7.  
 — — — Schk. Handb. 199<sup>a</sup>.  
 — — — var.  $\alpha$ . Hayne 11, 46.  
 — — — Guimpel et Schl. 112.  
 — — — Nees Düsseld. Suppl. 15.  
 — — — var. *Beurre*, Fl. d. serres 5, 433.  
*Phaylopsis longifolia* Sims. Bot. Mag. 50, 2433.  
*Phebalium anceps* DC. Mem. hist. nat. Par. 2, 12.  
 — — — *correaefolium* Ad. Juss. Mem. hist. nat. Par. 2, 10.  
 — — — *diosmeum* Ad. Juss. Mem. hist. nat. Par. 2, 11.  
 — — — *elaegnifolium* Ad. Juss. Mem. hist. nat. Par. 2, 11.  
 — — — *grandiflorum* Hook. Hook. Ic. pl. 8, 724.  
 — — — *hexapetalum* Ad. Juss. Mem. hist. nat. Par. 2, 11.  
 — — — *montanum* Hook. Hook. Ic. pl. 1, 59.  
 — — — *nudum* Hook. Hook. Ic. pl. 6, 568.  
 — — — *retusum* Hook. Hook. Ic. pl. 1, 57.  
 — — — *salicifolium* Ad. Juss. Mem. hist. nat. Par. 2, 12.  
 — — — *squamuligerum* Hook. Hook. Ic. pl. 8, 727.  
 — — — *squamulosum* Vent. Vent. Mahn. 102.  
*Phegopteris cordata* Fée. Mem. Strassb. 4, 6.  
 † — — — *decurive pinnata* Fée. Fée Fil. 5, 20.  
 — — — *nervosa* Fée. Mem. Strassb. 4, 2.  
 † *Phelipaea arenaria* Coss. et G. Cosson Atlas 19.  
 † — — — *coerulea* Coss. et G. Cosson Atlas 19.  
 — — — *foliata* Lamb. Linn. Transact. 10, 7.  
 — — — *lanuginosa* Led. Ledeb. Ic. 377.



- Phélipaea lutea* Desf. Desf. Fl. atl. 146.  
 † — — Lam. Encycl. 971.  
 — — *pulchella* C. A. M. Eichwald Cauc. 18.  
 † — — *ramosa* Coss. et G. Cosson Atlas 19.  
 † — — — Nees Gen. 5, 49.  
 † — — — Wight Illustr. 158<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1618.  
 — — *salsa* C. A. M. Ledeb. Ic. 376.  
 — — *tinctoria* Brot. Brotero Phytogr. 16.  
 — — *Tournefortii* Desf. Ann. Mus. 10, 21.  
 — — — Desf. Choix 10.  
 — — *trichocalyx* Webb. Webb Canar. 185.  
 — — *violacea* Desf. Desf. Fl. atl. 145.  
*Phellandrium aquaticum* L. — Ernsting Diss. 1.  
 — — — Fl. dan. 7, 1154.  
 — — — Sv. Bot. 155.  
 — — — Woodv. Med. 1, 37.  
 — — — Engl. Bot. 10, 684.  
 — — — Schk. Handb. 71.  
 — — — Hayne 1, 40.  
 — — — Guimpel et Schl. 217.  
 — — — Wagner 122.  
 — — *Mutellina* L. Jacq. Fl. austr. 1, 56.  
 — — *stoloniferum* Roxb. Wight Ic. pl. Ind. or. 2, 571.  
*PHELLINE comosa* Lab. Bill. Sertum 38.  
 † *Phenakospermum guianense* Endl. Miquel Sur. 62, 63.  
 † *Philadelphus coronarius* L. Gaertn. Carp. 35.  
 † — — — Lam. Encycl. 420.  
 — — — Nouveau Duhamel 1, 20.  
 — — — Bot. Mag. 11, 391.  
 — — — Schk. Handb. 131<sup>a</sup>.  
 — — — Sturm Flora 1, 3.  
 † — — — Plée Types 44.  
 † — — — Ann. sc. nat. III. 20, 11.  
 — — *floribundus* Roemer. Roemer Mag. 3, 2.  
 — — *Gordonianus* Ldl. Bot. Reg. 25, 32.  
 — — *grandiflorus* Willd. Guimpel Fr. Holzgew. 44.  
 — — — Watson Dendr. 1, 46.  
 — — — Bot. Reg. 7, 570.  
 — — — Sweet Fl. G. II. 8.  
 — — *hirsutus* Nutt. Watson Dendr. 1, 47.  
 — — — Bot. Reg. 24, 14.  
 — — — Sweet Fl. G. II. 119.  
 — — *inodorus* L. Bot. Mag. 36, 1478.  
 — — *laxus* Schrad. Bot. Reg. 25, 39.  
 — — *mexicanus* Schlecht. Bot. Reg. 28, 38\*.  
 — — *myrtoides* Bert. Novi Comm. Bonon. 4, 43.  
 — — *pubescens* Loiseleur. Herb. amat. 4, 268.  
 — — *speciosus* Schrad. Bot. Reg. 23, 2003.  
 — — *tomentosus* Don. Royle Illustr. 46.  
 — — *verrucosus* Schrad. Bot. Reg. 7, 570.  
*Philagonia fraxinifolia* Hook. Hook. Ic. pl. 8, 710.  
*Philaxerus vermicularis* Pal. B. Pal. B. Fl. d'Ow. 98.  
*Philesia buxifolia* Lam. Lam. Encycl. 248.  
 — — — Bot. Mag. 79, 4738.  
 — — — Fl. d. serres 9, 873.  
 — — — Lemaire Illustr. 1854, 3.  
*Philetairia horrida* Liebm. Danske Vid. Skr. 1851, 1.  
*Philibertia canescens* D'Orb. D'Orbigny Voyage 9.  
 — — *gracilis* Don. Maund Bot. 1, 46.  
 — — — Sweet Fl. G. II. 403.  
 — — *grandiflora* Hook. Bot. Mag. 64, 3618.  
 — — — Bot. Reg. 29, 13.  
 — — — Paxt. Mag. 6, 7.  
 — — *solanoides* H. B. K. H. B. K. Nov. Gen. 3, 230.  
*Philippodendron regium* Poit. Ann. sc. nat. II. 8, 3.  
 † *Phillyrea angustifolia* L. Lam. Encycl. 8.  
 — — — Guimpel Fr. Holzgew. 115.  
 † — — *latifolia* L. Lam. Encycl. 8.  
 — — — Sibth. Fl. gr. 2.  
 — — — Guimpel Fr. Holzgew. 117.  
 † — — *media* L. Gaertn. Carp. 92.

- Phillyrea media* L. Guimpel Fr. Holzgew. 116.  
 — — — Nouveau Duhamel 2, 27.  
 — — *paniculata* Roxb. Wight Ic. pl. Ind. or. 2, 736.  
*Philocrena pusilla* Bong. Acad. Pet. 3, 6.  
*Philodendrum crassinervium* Ldl. Bot. Reg. 23, 1958.  
 — — — Bot. Mag. 64, 3621.  
 — — *deltoideum* P. et E. Poepp. et Endl. 298.  
 — — *heterophyllum* P. et E. Poepp. et Endl. 297.  
 — — *Simsii* Kth. Lem. Jard. fl. 36.  
 — — — Moore Mag. 1850, p. 41.  
*Philodice Hoffmannseggii* Mart. Acta Leop. 17, 1, 3.  
*Philoglossa peruviana* DC. Delessert Ic. 4, 33.  
*Philotheca australis* Rudge. Linn. Transact. 11, 21.  
 † — — — Mem. Mus. 12, 21.  
 — — — Reichenbachiana Sieb. Rehb. Hort. 200.  
 † *Philydreae* R. Br. Schnizl. Iconogr. 1, 52.  
 † *Philydrum lanuginosum* Gaertn. Gaertn. Carp. 16.  
 † — — — Lam. Encycl. 4.  
 — — — Bot. Mag. 20, 783.  
 — — — Guillemin Austr. 5.  
 — — — Schnizl. Iconogr. 1, 52.  
 † *Phlebigonium immersum* Fée. Fée Fil. 5, 24.  
 † *Phleboanthe Laxmanni* Tausch. Nees Gen. 6, 49.  
 † *Phlebodium aureum* Hook. Hook. Gen. Fil. 112.  
 † *Phlebolithis indica* Gaertn. Gaertn. Carp. 43.  
*Phlebophyllum Kunthianum* N. v. E. Wight Ic. 2, 448.  
 † *Phleum* L. Linné Amoenit. 7, 3.  
 † — — — Dumortier Gramin. 11.  
 — — *alpinum* L. Fl. dan. 2, 213.  
 — — — Sv. Bot. 414.  
 — — — Engl. Bot. 8, 519.  
 — — — Knapp Gram. 7.  
 — — — Host Gram. 210.  
 — — — Sturm Flora 8, 29.  
 — — — Trin. Sp. Gr. 1, 21, 22.  
 — — — Rehb. Fl. germ. 1, 50.  
 — — *ambiguum* Ten. Tenore Fl. nap. 103.  
 — — *arenarium* L. Fl. dan. 6, 915.  
 — — — Curt. Lond. 4, 7.  
 — — — Sturm Flora 8, 29.  
 — — — Rehb. Fl. germ. 1, 50.  
 — — *asperum* Vill. Jacq. Ic. 14.  
 — — — Sturm Flora 7, 26.  
 — — *Boehmeri* Wibel. Dietr. Fl. bor. 9, 592.  
 — — *bulbosum* Gouan. Host Gram. 321.  
 — — *crinitum* Schreb. Schreber Gräser 20.  
 — — — Sibth. Fl. gr. 62.  
 — — *echinatum* Host. Host Gram. 211.  
 — — — Rehb. Fl. germ. 1, 50.  
 — — — Trin. Sp. Gr. 1, 7.  
 — — *Gerardi* All. Jacq. Ic. 301.  
 — — — Sturm Flora 8, 29.  
 † — — *Michellii* All. Schrader Fl. germ. 1.  
 — — — Engl. Bot. 32, 2265.  
 — — *nodosum* L. Fl. dan. 3, 380.  
 — — — Trin. Sp. Gr. 1, 6.  
 — — *paniculatum* Huds. Engl. Bot. 15, 1077.  
 — — — Knapp Gram. 8.  
 — — *phalaroides* Koeler. Sv. Bot. 396.  
 — — *pratense* L. Schreber Gräser 14.  
 † — — — Gaertn. Carp. 1.  
 † — — — Lam. Encycl. 42.  
 — — — Fl. dan. 12, 1984.  
 — — — Sv. Bot. 23.  
 — — — Engl. Bot. 15, 1076.  
 — — — Knapp Gram. 6.  
 — — — Baxter Brit. Bot. 1, 68.  
 — — — Elliott Carolina 7.  
 — — — Trin. Sp. Gr. 1, 5.  
 — — — Schk. Handb. 10.  
 — — — Host Gram. 209.  
 — — — Dietr. Fl. bor. 9, 591.

- Phleum pratense *L.* *Rchb. Fl. germ.* 1, 50.  
 † — — — *Nees Gen.* 1, 10.  
 — — — *schoenoides Jacq. Jacq. Fl. austr.* 5, 7.  
 — — — *L. Jacq. Ic.* 15.  
 — — — *Cav. Ic.* 52.  
 — — — *tenuis Schrad. Rchb. Fl. germ.* 1, 50.  
 Phlogacanthus curviflorus *N. v. E. Bot. Mag.* 66, 3783.  
 — — — *guttatus N. v. E. Bot. Reg.* 16, 1334.  
 — — — *latifolius Wight. Wight Ic. pl. Ind. or.* 4, 1537.  
 Phlomis? africana *Pal. B. Pal. B. Fl. d'Oware* 111.  
 — — — *agraria Led. Ledeb. Ic.* 364.  
 — — — *armeniaca Willd. Sweet Fl. G. II.* 364.  
 — — — *biloba Desf. Desf. Fl. atl.* 127.  
 — — — *Bruguieri Desf. Mem. Mus.* 11, 5.  
 — — — *caribaea Jacq. Jacq. Ic.* 110.  
 — — — *cashmeriana Royle. Royle Illustr.* 75.  
 — — — *Bot. Reg.* 30, 22.  
 — — — *Lem. Jard. fl.* 3, 284.  
 — — — *clandestina Bory. Bory et Chaubard Morée* 20.  
 — — — *crinita Cav. Cav. Ic.* 247.  
 — — — *ferruginea Ten. Tenore Fl. nap.* 57.  
 — — — *floccosa Don. Bot. Reg.* 15, 1300.  
 — — — *fruticosa L. Bot. Mag.* 43, 1843.  
 — — — *Sibth. Fl. gr.* 563.  
 — — — *Lam. Encycl.* 510.  
 — — — *Dict. sc. nat.* 43.  
 † — — — *Nees Gen.* 6, 42.  
 — — — *herba venti L. Russell Aleppo* 16.  
 — — — *Sibth. Fl. gr.* 565.  
 — — — *Bot. Mag.* 51, 2449.  
 — — — *Sweet Fl. G. II.* 74.  
 — — — *laciniata L. Rchb. Hort.* 70.  
 — — — *Sweet Fl. G.* 24.  
 — — — *lanata Willd. Jaubert Illustr.* 411.  
 — — — *lanceolata L. Savi Fl. ital.* 1, 33.  
 — — — *Leonurus L. Bot. Mag.* 14, 478.  
 — — — *lunarifolia Sm. Bot. Mag.* 52, 2542.  
 — — — *Lychnitis L. Bot. Mag.* 25, 999.  
 — — — *Tratt. Archiv* 348.  
 — — — *mauritanica Munby. Munby Fl. d'Algérie* 3.  
 — — — *microphylla Sieb. Sieber Creta* 8.  
 — — — *molucooides Vahl. Vahl Symbolae* 14.  
 — — — *nepitifolia L. Rivinus Opus ined.* 11.  
 — — — *Nissolii L. Lam. Encycl.* 510.  
 — — — *pungens Willd. Sweet Fl. G.* 33.  
 — — — *purpurea L. Smith Spicil.* 7.  
 — — — *Rocmer Fl. europ.* 7, 5.  
 — — — *rigida Lab. Bill. Syr.* 3, 10.  
 — — — *salviaefolia Jacq. Jacq. Schoenbr.* 3, 359.  
 — — — *samia L. Andr. Rep.* 9, 584.  
 — — — *Bot. Mag.* 44, 1891.  
 — — — *Vent. Choix* 4.  
 — — — *Sibth. Fl. gr.* 564.  
 — — — *Viviani Lib.* 15.  
 † — — — *tuberosa L. Gaertn. Carp.* 66.  
 — — — *Schk. Handb.* 163.  
 — — — *Bot. Mag.* 38, 1555.  
 — — — *zeylanica L. Rumpf Amb.* 6, 16. fig. 1.  
 — — — *Jacq. Ic.* 111.  
 † *Phlomis tuberosa Rchb. Nees Gen.* 6, 43.  
 Phlox *L. (Hybridae.) Fl. d. serres* 6, 542. 7, 680. 681. 8, 800.  
 — — — *Annales de Gand* 1845, 30. 1847, 160. 1848, 196. 216.  
 — — — *acuminata Pursh. Bot. Mag.* 44, 1880.  
 — — — *Herb. amat.* 5, 298.  
 — — — *amoena Sims. Bot. Mag.* 32, 1308.  
 — — — *aristata Michx. Lodd. Cab.* 1731.  
 — — — *Torrey New York* 80.  
 — — — *Bridgesii Hortul. Marnock Mag.* 1842, 1.  
 — — — *Broughtonii Hortul. Marnock Mag.* 1842, 3.

- Phlox canadensis *Sweet. Sweet Fl. G.* 221.  
 — — — *carnea Sims. Bot. Mag.* 47, 2155.  
 — — — *Lodd. Cab.* 711.  
 — — — *carolina L. Martyn Hist.* 9.  
 — — — *Bot. Mag.* 33, 1344.  
 — — — *Sweet Fl. G.* 190.  
 — — — *Coldryana Paxt. Paxt. Mag.* 7, 197.  
 — — — *cordata Ell. var. grandiflora, Paxt. Mag.* 1, 268.  
 — — — *Sweet Fl. G. II.* 13.  
 — — — *corymbosa Sweet. Sweet Fl. G. II.* 114.  
 — — — *crassifolia Lodd. Lodd. Cab.* 1596.  
 — — — *divaricata L. Bot. Mag.* 5, 163.  
 — — — *Lodd. Cab.* 1418.  
 — — — *Douglasii Hook. Hook. Bor. Am.* 158.  
 — — — *Drummondii Hook. Bot. Mag.* 62, 3441.  
 — — — *Engl. Bot.* 23, 1949.  
 — — — *Maund Bot.* 1, 15.  
 — — — *Paxt. Mag.* 2, 221.  
 — — — *Sweet Fl. G. II.* 316.  
 — — — *(11 var.) Annales de Gand* 1848, 216.  
 — — — *var. Regel Gartenfl.* 2, 40.  
 † — — — *Bot. Zeitung* 1853, 6.  
 — — — *glaberrima L. Sweet Fl. G. II.* 36.  
 — — — *Hookeri Dougl. Hook. Bor. Am.* 159.  
 — — — *Leopoldiana Paxt. Paxt. Mag.* 14, 266.  
 — — — *Fl. d. serres* 7, 680. 681.  
 — — — *linearis Cav. Cav. Ic.* 527.  
 — — — *longiflora Sweet. Sweet Fl. G. II.* 31.  
 † — — — *maculata L. Gaertn. Carp.* 62.  
 † — — — *Lam. Encycl.* 108.  
 — — — *Jacq. Vind.* 127.  
 — — — *Schk. Handb.* 38.  
 — — — *Barton Fl.* 2, 69.  
 — — — *nivalis Lodd. Lodd. Cab.* 780.  
 — — — *Sweet Fl. G.* 185.  
 — — — *odorata Sweet. Sweet Fl. G.* 224.  
 — — — *ovata L. Bot. Mag.* 15, 528.  
 — — — *Kerner Hort.* 275.  
 — — — *paniculata L. Lam. Encycl.* 108.  
 — — — *penduliflora Sweet. Sweet Fl. G. II.* 46.  
 — — — *pilosa L. Bot. Mag.* 32, 1307.  
 — — — *Lodd. Cab.* 1251.  
 — — — *pinnata Cav. Cav. Ic.* 528.  
 — — — *procumbens Lehm. Lodd. Cab.* 1722.  
 — — — *Sweet Fl. G. II.* 7.  
 — — — *pyramidalis Donn. Smith Exot. Bot.* 87.  
 — — — *Lodd. Cab.* 342.  
 — — — *Sweet Fl. G.* 233.  
 — — — *reflexa Sweet. Sweet Fl. G.* 232.  
 — — — *reptans Michx. Vent. Malm.* 107.  
 — — — *Kerner Hort.* 213.  
 — — — *Richardsonii Hook. Hook. Bor. Am.* 160.  
 — — — *Rodigasii Hort. Annales de Gand* 1848, 196.  
 — — — *scabra Sweet. Sweet Fl. G.* 248.  
 — — — *setacea L. Bot. Mag.* 12, 415.  
 — — — *Kerner Hort.* 272.  
 — — — *sibirica L. Trautvetter Imag.* 24.  
 — — — *Sickmanni Lehm. Acta Leop.* 14, 2, 46.  
 — — — *speciosa Pursh. Bot. Reg.* 16, 1351.  
 — — — *stolonifera Sims. Bot. Mag.* 16, 563.  
 — — — *var. β. Sweet Fl. G. II.* 293.  
 — — — *subulata L. Jacq. Fragn.* 44.  
 — — — *Bot. Mag.* 12, 411.  
 — — — *Lam. Encycl.* 108.  
 † — — — *Spach Suites* 99.  
 — — — *suffruticosa Willd. Bot. Reg.* 1, 68.  
 — — — *Herb. amat.* 1, 16.  
 — — — *Savi Fl. ital.* 2, 48.  
 — — — *triflora Michx. Sweet Fl. G.* 29.  
 — — — *triumphator Hort. Annales de Gand* 1845, 30.  
 — — — *unidentata Colla. Mem. Tur.* 38, 39.  
 — — — *Van Houttei Paxt. Paxt. Mag.* 11, 173.

- Phlox Van Houttei *Paxt.* Bot. Reg. 29, 5.  
 Phoberos rhiathanthera *R. Br.* Bennett Java 39.  
 Phoebe Barbusana *Webb.* Webb Canar. 203.  
 — lanceolata *N. v. E.* Wight Ic. pl. Ind. or. 5, 1821.  
 — paniculata *N. v. E.* Wight Ic. pl. Ind. or. 5, 1820.  
 — villosa *Wight.* Wight Ic. pl. Ind. or. 5, 1822.  
 Phoenix acaulis *Roxb.* Roxb. Corom. 273.  
 † — — — Mart. Palm. Z<sup>6</sup>.  
 — — — Griffith Palms 228.  
 — dactylifera *L. Kaempf. Amoen.* p. 672. 696. 710.  
 ! — — — Jacq. Collect. 5, 15. **33**  
 † — — — Gaertn. Carp. 9.  
 † — — — Delile Egypte 62.  
 — — — Nouveau Duhamel **1<sup>b</sup>. 2<sup>b</sup>. 3<sup>b</sup>. (N.A.)**  
 — — — Kerner Hort. 721—723.  
 — — — Dict. sc. nat. 25. 26.  
 — — — Desc. Ant. 4, 275. **34 277**  
 † — — — Lam. Encycl. 893.  
 † — — — Mem. Mus. 3, 15.  
 † — — — Mem. Instit. 1842, 1—10.  
 † — — — Gaudichaud Bonite 124.  
 — — — Galesio Pomona 2, 1—4.  
 — — — Nees Düsseld. 37.  
 — — — Mart. Palm. 120. X. Z.  
 † — — — (Fructus.) Ehrenberg Symb. 10.  
 ! — — — Acta Leop. 18. Suppl. 1—4.  
 † — — — Schnizl. Iconogr. 1, 75<sup>b</sup>.  
 — farinifera *Roxb.* Roxb. Corom. 74.  
 — humilis *Cav.* Cav. Ic. 115.  
 — paludosa *Roxb.* Mart. Palm. 136.  
 — — — Griffith Palms 229<sup>ab</sup>.  
 † — pusilla *Gaertn.* Gaertn. Carp. 9.  
 — — — Mart. Palm. 124. 136. W.  
 — reclinata *Jacq.* Jacq. Fragm. 24.  
 — — — Kerner Hort. 736.  
 — — — Mart. Palm. 164.  
 — silvestris *Roxb.* Rheede Hort. mal. 3, 22—23.  
 — — — Mart. Palm. 136.  
 † — — — Griffith Palms 228<sup>a</sup>.  
 † — — — Gaudichaud Bonite 121.  
 Pholidia scoparia *R. Br.* Endl. Iconogr. 66.  
 Pholidota imbricata *Ldl.* Rheede Hort. mal. 12, 24.  
 — — — Bot. Reg. 14, 1213. 21, 1777.  
 — — — Hook. Exot. Fl. 138.  
 — — — Lodd. Cab. 1934.  
 — — — Wight Ic. pl. Ind. or. 3, 907.  
 — pallida *Ldl.* Bot. Reg. 14, 1213.  
 — rubra *Wall.* Wall. Pl. asiat. 239.  
 Pholisma arenarium *Nutt.* Hook. Ic. pl. 7, 626.  
 Pholiusus pannonicus *Trin.* Rehb. Fl. germ. 1, 3.  
 Phormium bulbiferum *Cir.* Cirillo Pl. rar. 1, 12.  
 † — tenax *Forst.* Forster Charact. 24.  
 — — — Red. Lil. 8, 448. 449.  
 — — — Desvaux Journal 4, 17. 18.  
 — — — Ann. Mus. 19, 20.  
 — — — Mem. soc. Linn. Par. 4, 7.  
 — — — Dict. sc. nat. 51.  
 — — — Herb. amat. 2, 120.  
 — — — Bot. Mag. 59, 3199.  
 † — — — Kerner Genera 116. 117.  
 † Phorolobus *Desv.* Mem. soc. Linn. Par. 6, 11.  
 † — crispus *Desv.* Fée Fil. 5, 7.  
 Photinia arbutifolia *Ldl.* Bot. Reg. 6, 491.  
 — dubia *Ldl.* Linn. Transact. 13, 10.  
 — Lindleyana *W. et A.* Wight Ic. pl. Ind. or. 1, 228.  
 — Notoniana *Wall.* Wight Spicil. 64.  
 — — — Wight Illustr. 86.  
 — — — Wight Ic. pl. Ind. or. 3, 991.  
 † Photinopteris Horsfieldii *Sm.* Hook. Gen. Fil. 92.  
 — — — Fée Fil. 63.  
 Phragmites communis *Trin.* Fl. dan. 14, 2464.  
 — — — Rehb. Fl. germ. 1, 108.

- † Phragmites communis *Trin.* Nees Gen. 1, 37.  
 — isiacus *Rehb.* Rehb. Fl. germ. 1, 108.  
 — mauritianus *Kth.* Humb. Gram. 50.  
 Phreatia uniflora *Wight.* Wight Ic. pl. Ind. or. 5, 1734.  
 † Phryma leptostachya *L.* Gaertn. Carp. 75.  
 † — — — Lam. Encycl. 516.  
 Phrynium Allouya *Rosc.* Roscoe Scitam. 38.  
 — capitatum *Willd.* Rheede Hort. mal. 11, 34.  
 — — — Wight Ic. pl. Ind. or. 6, 2016.  
 — Casupo *Rosc.* Roscoe Scitam. 43.  
 — coloratum *Hook.* Bot. Mag. 57, 3010.  
 — comosum *Rosc.* Roscoe Scitam. 35.  
 — cylindricum *Rosc.* Roscoe Scitam. 40.  
 — dicephalum *P. et E.* Poepp. et Endl. 128.  
 — ellipticum *Rosc.* Roscoe Scitam. 44.  
 — escapum *P. et E.* Poepp. et Endl. 125.  
 —? floribundum *Lem.* Lem. Jard. fl. 189.  
 — grandiflorum *Rosc.* Roscoe Scitam. 33.  
 — Myrosma *Rosc.* Roscoe Scitam. 39.  
 — pachystachyum *P. et E.* Poepp. et Endl. 127.  
 — Parkeri *Rosc.* Roscoe Scitam. 42.  
 — parviflorum *Roxb.* Roscoe Scitam. 34.  
 — sanguineum *Hook.* Bot. Mag. 78, 4646.  
 — — — Fl. d. serres 8, 785.  
 — setosum *Rosc.* Roscoe Scitam. 41.  
 — velutinum *P. et E.* Poepp. et Endl. 125.  
 — violaceum *Rosc.* Roscoe Scitam. 37.  
 — zebrinum *Rosc.* Roscoe Scitam. 36.  
 Phucagrostis ciliata *Ehrenb.* Ehrenberg Symb. 6.  
 — major *Cavol.* Cavolini Monogr. 1.  
 — — — Usteri Annalen 11, 3.  
 — minor *Cavol.* Cavolini Monogr. 2.  
 — — — Usteri Annalen 11, 4.  
 † Phycella attenuata *Herb.* Herbert Amar. 24. 25.  
 — brevituba *Herb.* Bot. Reg. 23, 1943.  
 — corusca *Ldl.* Fl. d. serres 4, 419.  
 — glauca *Lodd.* Lodd. Cab. 1746.  
 † — graciliflora *Herb.* Herbert Amar. 25.  
 — Herbertiana *Ldl.* Bot. Reg. 16, 1341.  
 — ignea *Ldl.* Bot. Reg. 10, 809.  
 — — — Bot. Mag. 53, 2687.  
 — — — Lodd. Cab. 1769.  
 — — — Sweet Fl. G. II. 121.  
 † — Macraeana *Herb.* Herbert Amar. 24.  
 † — magnifica *Herb.* Herbert Amar. 24.  
 † — obtusifolia *Herb.* Herbert Amar. 25.  
 Phyganthus vernus *P. et E.* Poepp. et Endl. 200.  
 Phygelius capensis *E. M.* Fielding Sertum 66. 67.  
 Phylacium bracteosum *R. Br.* Bennett Java 33.  
 Phyllica acerosa *Willd.* Mag. naturf. Fr. 8, 8.  
 — axillaris *Lam.* Mag. naturf. Fr. 8, 8.  
 — buxifolia *L.* Wendland Coll. 26.  
 — — — Lodd. Cab. 848.  
 — capitata *Thunb.* Wendland Coll. 50.  
 — — — Bot. Reg. 9, 711.  
 — Commelini *Spr.* Mag. naturf. Fr. 8, 8.  
 — cylindrica *Willd.* Mag. naturf. Fr. 8, 8.  
 — — — Wendland Coll. 7.  
 † — ericoides *L.* Gaertn. Carp. 24.  
 — — — Lam. Encycl. 127.  
 — — — Bot. Mag. 7, 224.  
 — — — Mag. naturf. Fr. 8, 8.  
 — excelsa *Wendl.* Wendland Coll. 74.  
 — orientalis *Willd.* Herb. amat. 4, 233.  
 — papillosa *Wendl.* Wendland Coll. 75.  
 — parviflora *L.* Wendland Coll. 80.  
 † — plumosa *L.* Gaertn. Carp. 24.  
 † — — — Lam. Encycl. 127.  
 — — — Mag. naturf. Fr. 8, 8.  
 — — — Lodd. Cab. 253.  
 † — — — Ann. sc. nat. 10, 17.  
 — pubescens *Lam.* Lam. Encycl. 127.

- Phyllica pubescens* Lam. Lodd. Cab. 695.  
 — *reclinata* Wendl. Wendland Coll. 56.  
 — *rosmarinifolia* Lam. Lodd. Cab. 849.  
 — *spicata* L. fil. Lam. Encycl. 127.  
 — — — Lodd. Cab. 323.  
 — — — Bot. Mag. 53, 2704.  
 — *squarrosa* Vent. Lodd. Cab. 36.  
 — *stipularis* L. Mag. naturf. Fr. 8, 8.  
 — — — Wendland Coll. 32.  
 — *thymifolia* Vent. Vent. Malm. 57.  
 † *Phyllachne uliginosa* Forst. Forster Char. 58.  
 — — — Konig Annals 1, 5.  
 — — — Schrader Journal 1799, 1, 1.  
 † — — — Journ. d'hist. nat. Par. 1, 10.  
 † — — — Lam. Encycl. 741.  
 † — — — Ann. Mus. 18, 2.  
*Phyllagathis rotundifolia* Bl. Korthals Bot. 57.  
 † *Phyllanthera bifida* Bl. Blume Mus. 1, 22.  
 † *Phyllanthus* L. Swartz Observ. 10.  
 — *attenuatus* Mig. Miquel Surin. 31.  
 — *calycinus* Lab. Bill. Nov. Holl. 225.  
 — *cantoniensis* Hornem. Münchn. Denkschr. 5, 6.  
 — — — Mem. Genev. 5, 4.  
 † — *cernuus* Poir. Flora 1853, 6.  
 — *Cheramela* L. Rumpf Amb. Auct. 17, fig. 1.  
 — *depressus* Ham. Rheede Hort. mal. 10, 27.  
 — *Emblica* L. Rheede Hort. mal. 1, 38.  
 — — — Rumpf Amb. Auct. 1.  
 † — ? — — — Wendland Beob. 4.  
 — — — Lodd. Cab. 548.  
 † — *Epiphyllanthus* L. Flora 1853, 6.  
 — *fraxinifolius* L. Lodd. Cab. 839.  
 — *guianensis* Klotzsch. Miquel Surin. 31.  
 — *Hoffmeisteri* Klotzsch. Prinz Waldem. Him. 24.  
 † — *lanceolatus* Lam. Jussieu Euphorb. 5.  
 — *laurifolius* A. Rich. Ramon Cuba 70.  
 — *leprocarpus* Wight. Wight Ic. pl. Ind. or. 5, 1895.  
 — *longifolius* Roxb. Rheede Hort. mal. 3, 47, 48.  
 — — — Lam. Lam. Encycl. 756.  
 † — — — Jacq. Jacq. Fragm. 15.  
 — — — Jacq. Schoenbr. 2, 194.  
 † — — *madraspatensis* L. Gaertn. Carp. 108.  
 † — — — Lam. Encycl. 756.  
 — — — Wight Ic. pl. Ind. or. 5, 1895.  
 — *mimosoides* Sw. Lodd. Cab. 721.  
 — *Niruri* L. Rheede Hort. mal. 10, 15.  
 — — — Rumpf Amb. 6, 17.  
 — — — Martyn Hist. 8.  
 — — — Münchn. Denkschr. 5, 7.  
 — — — Wight Ic. pl. Ind. or. 5, 1894.  
 — *nutans* Sw. Jacq. Schoenbr. 2, 193.  
 — — — Kerner Hort. 115.  
 — *orbicularis* H. B. K. H. B. K. Nov. Gen. 2, 106.  
 — *polyphyllus* Willd. Wight Ic. pl. Ind. or. 5, 1895.  
 — *reticulatus* Poir. Lodd. Cab. 116.  
 — *Rheedii* Wight. Wight Ic. pl. Ind. or. 5, 1895.  
 — *salviaefolius* H. B. K. H. B. K. N. G. 2, 107, 108.  
 — *scandens* Roxb. Rheede Hort. mal. 2, 27.  
 — *speciosus* Jacq. Jacq. Ic. 616.  
 — — — Schneevogt Ic. 30.  
 † — *tristis* Juss. Jussieu Euphorb. 5.  
 — *turbinatus* Sims. Rheede Hort. mal. 5, 43.  
 — — — Bot. Mag. 44, 1862.  
 — — — Lodd. Cab. 731.  
 — *Urinaria* L. Rheede Hort. mal. 10, 16.  
 — — — Rumpf Amb. 6, 17.  
 — — — Lam. Encycl. 756.  
 — *vitis idaea* Roxb. Rheede Hort. mal. 5, 44.  
*Phyllarthron Bojerianum* DC. Bot. Mag. 71, 4173.  
 — — — Fl. d. serres 2, 26.  
 † *Phyllis Nobla* L. Gaertn. Carp. 25.  
 † — — — Lam. Encycl. 186.  
*Phyllocalyx Quartianus* Dill. et Rich. Rich. Abyss. 34.  
*Phyllobryon Pavoni* Mig. Miquel Illustr. Pip. 2.  
*Phyllocactus anguliger* Lem. Lem. Jard. fl. 92.  
 — — — Paxt. Fl. G. 34.  
 — *phyllanthoides* Link. Pfeiffer Cact. 2, 17.  
 — *speciosissimo-crenatus* Paxt. Paxt. Fl. G. 62.  
*Phyllocarpus Riedelii* Tulasne. Arch. Mus. 4, 10.  
*Phyllocladus alpinus* Hook. fil. Hook. New Zeal. 53.  
 — *hypophyllus* Hook. fil. Hook. Ic. pl. 9, 889.  
 † — *rhomboidalis* Rich. Richard Conif. 3.  
 — *trichomoides* Don. Hook. Ic. pl. 6, 549—551.  
*Phyllodoce taxifolia* Salisb. Salisb. Parad. 36.  
*Phylloglossum Drummondii* Kze. Hook. Ic. pl. 10, 908.  
*Phylloma aloiflorum* Gawl. Bot. Mag. 38, 1585.  
*Phyllophora Ehrh.* Rehb. Fl. germ. 8, 194—198.  
*Phyllopus Martii* DC. Mart. Bras. 275.  
*Phylloorchis Aub.* Aubert Orchid. 92.  
*Phyllospadix Scouleri* Hook. Hook. Bor. Am. 186.  
 † *Phyllostachys bambusoides* S. et Z. Münchn. Abh. 3, 5.  
*Phymatanthus elatus* Sweet. Sweet Geran. 96.  
 — — — Rehb. Exot. 244.  
 — *intertextus* Sweet. Sweet Geran. 54.  
 — *tricolor* Sweet. Sweet Geran. 43.  
 † *Phymatodes crassifolia* Presl. Hook. Gen. Fil. 29.  
 † *Physalis* L. Kerner Genera 67.  
 — *aequata* Jacq. Jacq. Ecl. pl. 137.  
 † — *Alkekengi* L. Gaertn. Carp. 131.  
 † — — — Lam. Encycl. 116.  
 — — — Woodv. Med. 2, 81.  
 — — — Schk. Handb. 45.  
 — — — Sibth. Fl. gr. 234.  
 — — — Fl. dan. 10, 1636.  
 — — — Hayne 6, 4.  
 † — — — Plée Types 15.  
 † — — — Nees Gen. 5, 56.  
 — *angulata* L. Rheede Hort. mal. 10, 70.  
 — — — Wight Illustr. 166<sup>b</sup>.  
 — *barbadensis* Jacq. Jacq. Ic. 39.  
 — *chenopodiifolia* Lam. Jacq. Fragm. 85.  
 — *edulis* Sims. Bot. Mag. 27, 1068.  
 — *flexuosa* L. Rheede Hort. mal. 4, 55.  
 — — — Jacq. Ecl. pl. 23.  
 — *indica* Lam. Rumpf Amb. 6, 26, fig. 1.  
 — *minima* L. Rheede Hort. mal. 10, 71.  
 — *prostrata* L'her. L'her. Stirp. 22.  
 — — — Jacq. Ic. 38.  
 — — — Andr. Rep. 2, 75.  
 — — — Lam. Encycl. 116.  
 — — — Kerner Hort. 294.  
 — *pruinosa* L. Acta palat. 4, 5.  
 — *Schraderiana* Benth. Maund Bot. 4, 168.  
 † — *somnifera* L. Gaertn. Carp. 131.  
 — — — Cav. Ic. 103.  
 — — — Sibth. Fl. gr. 233.  
 — — — Jacq. Ecl. pl. 22.  
 — — — var. *flexuosa* N. v. E. Wight Ic. pl. Ind. or. 3, 853.  
 — *suberosa* Cav. Cav. Ic. 102.  
 — *subtriflora* Rz et P. Ruiz et Pav. Fl. 178.  
 — *tomentosa* Medicus. Acta palat. 4, 4.  
 — *tuberosa* Willd. Rehb. Hort. 221.  
 — *turbinata* Medicus. Acta palat. 4, 5.  
 — *viscosa* L. Jacq. Vind. 136.  
 — — — Bot. Mag. 53, 2625.  
*Physanthemum glaucum* Klotzsch. Peters Mossamb. 29.  
*Physematium molle* Kaulf. Kunze Anal. 27.  
*Physianthus albens* Mart. Mart. Bras. 32.  
 — — — Bot. Mag. 59, 3201.  
 — — — Bot. Reg. 21, 1759.  
 — *auricomus* Grah. Bot. Mag. 68, 3891.  
*Physichilus Serpyllum* N. v. E. Wight Ic. pl. Ind. or. 4, 1493.

- Physocalymma florida Pohl. Pohl Bras. 82. 83.  
 Physocalyx aurantiacus Pohl. Pohl Bras. 53.  
 — — — Rehb. Exot. 293.  
 — — — major Mart. Mart. Bras. 201.  
 — — — minor Mart. Mart. Bras. 202.  
 Physoclaina grandiflora Hook. Bot. Mag. 77, 4600.  
 — — — Lem. Jard. fl. 163.  
 Physodium corymbosum Presl. Presl Reliq. 72.  
 Physogeton acanthophyllus Jaub. Jaubert Illustr. 135.  
 Physolobium carinatum Benth. Maund Bot. 4, 183.  
 — — — elatum Hügel. Hügel Archiv 2.  
 — — — Stirlingii Benth. Bot. Reg. 22, 1845.  
 Physorhynchus brahuicus Hook. Hook. Ic. pl. 9, 821. 822.  
 Physosiphon Loddigesii Ldl. Hook. Ic. pl. 6, 508.  
 † Physospermum Cuss. Mem. Mosc. 5, 1.  
 — — — commutatum Spr. Sprengel Umbellif. 4.  
 — — — cornubiense DC. Baxter Brit. Bot. 6, 475.  
 Physostegia imbricata Hook. Bot. Mag. 62, 3386.  
 — — — Paxt. Mag. 5, 173.  
 — — — truncata Benth. Bot. Mag. 63, 3494.  
 Physostemon ambiguus Bong. Acad. Pet. 5, 2.  
 — — — intermedius Moric. Moricand Pl. Am. 42.  
 — — — lanceolatus Mart. Mart. Bras. 45.  
 — — — rotundifolius Mart. Mart. Bras. 47.  
 — — — tenuifolius Mart. Mart. Bras. 46.  
 Physurus vaginatus Hook. Hook. Ic. pl. 5, 449.  
 † Phytelephas Bonplandiana Gaudich. Gaudich. Bon. 30.  
 † — — — Endlicheriana Gaudich. Gaudichaud Bonite 30.  
 † — — — Humboldtiana Gaudich. Gaudichaud Bonite 30.  
 † — — — Kunthiana Gaudich. Gaudichaud Bonite 30.  
 — — — macrocarpa Hook. Hook. Journal 1849, 6. 7.  
 — — — Fl. d. serres 5, 496. 497.  
 † — — — Willd.? Morren Dodonaea 2, 1. 2.  
 — — — Orbignyana Gaudich. Gaudichaud Bonite 29.  
 — — — Pavonii Gaudich. Gaudichaud Bonite 16. 29.  
 † — — — Persooniana Gaudich. Gaudichaud Bonite 30.  
 † — — — Poeppigii Gaudich. Gaudichaud Bonite 16.  
 † — — — Ruizii Gaudich. Gaudich. Bonite 14. 15. 16. 29.  
 † — — — Willdenoviana Gaudich. Gaudichaud Bonite 30.  
 Phyteuma amplexicaule Willd. Sibth. Fl. gr. 219.  
 — — — begoniifolium Roxb. Hook. Bot. Misc. 57.  
 — — — betonicaefolium Vill. Vill. Dauph. 12.  
 — — — Bot. Mag. 46, 2066.  
 — — — Rehb. Ic. crit. 3, 250.  
 — — — campanuloides Sims. Bot. Mag. 26, 1015.  
 — — — canescens W. et K. W. et Kit. 14.  
 — — — Carestiac Birolii. Mem. Tur. 23, 5.  
 — — — Charmeilii Vill. Vill. Dauph. 11.  
 — — — charmeloides Birolii. Mem. Tur. 24, 10.  
 — — — collinum Guss. Gussone Pl. rar. 19.  
 — — — comosum L. Jacq. Fl. austr. 5, 50.  
 — — — — — Sturm Flora 6, 22.  
 — — — — — Tratt. Archiv 364.  
 — — — cordatum Vill. Vill. Dauph. 11.  
 — — — Bot. Mag. 36, 1466.  
 — — — ellipticum Vill. Vill. Dauph. 11.  
 — — — — — Sibth. Fl. gr. 217.  
 — — — globulariaefolium Sternb. et H. Rehb. Ic. crit. 4, 365.  
 † — — — Mutel Fl. fr. 35.  
 — — — hemisphaericum L. - Jacq. Ic. 333.  
 — — — — — Lam. Encycl. 124.  
 — — — — — Rehb. Ic. crit. 4, 363.  
 † — — — Mutel Fl. fr. 35.  
 — — — humile Schleich. Rehb. Ic. crit. 4, 364.  
 † — — — Mutel Fl. fr. 35.  
 — — — Jacquinii Sieb. Sieber Creta 6.  
 — — — lanceolatum Vill. Vill. Dauph. 12.  
 — — — — — Schrank Fl. monac. 2, 170.  
 — — — — — Willd. Ann. Mus. 11, 5.  
 — — — — — Desf. Choix 24.  
 — — — limonifolium Sibth. Sibth. Fl. gr. 218.

- Phyteuma lobelioides Willd. Willdenow Phytogr. 4.  
 — — — Michelii All. Allione Fl. ped. 3, 7.  
 — — — — — Rehb. Ic. crit. 4, 348.  
 † — — — Mutel Fl. fr. 36.  
 — — — orbiculare L. Jacq. Fl. austr. 5, 437.  
 — — — — — Curt. Lond. 4, 55.  
 — — — — — Engl. Bot. 2, 142.  
 — — — — — Lodd. Cab. 122.  
 — — — — — Baxter Brit. Bot. 3, 205.  
 — — — — — Dietr. Fl. bor. 12, 809.  
 † — — — parviflorum L. Mutel Fl. fr. 35.  
 — — — pauciflorum L. Rehb. Ic. crit. 4, 364.  
 — — — pinnatum L. Vent. Cels 52.  
 — — — — — Sibth. Fl. gr. 220.  
 — — — — — Rehb. Hort. 137.  
 — — — Scheuchzeri All. Allione Fl. ped. 3, 39.  
 — — — — — Bot. Mag. 43, 1797.  
 — — — — — Rehb. Ic. crit. 4, 360.  
 † — — — Mutel Fl. fr. 35.  
 — — — scorzoneraefolium Vill. Vill. Dauph. 12.  
 — — — — — Bot. Mag. 48, 2271.  
 — — — — — Rehb. Ic. crit. 3, 249.  
 — — — Sieberi Spr. Rehb. Ic. crit. 3, 214.  
 — — — spicatum L. Fl. dan. 3, 362.  
 † — — — Gaertn. Carp. 30.  
 † — — — — — Lam. Encycl. 124.  
 — — — — — Schk. Handb. 39.  
 — — — — — Bot. Mag. 49, 2347.  
 — — — — — Engl. Bot. 2598.  
 — — — — — Schrank Fl. monac. 3, 208.  
 — — — — — Dietr. Fl. bor. 8, 513.  
 — — — strictum Sims. Bot. Mag. 47, 2145.  
 — — — virgatum Willd. Lodd. Cab. 667.  
 Phytoerene gigantea Wall. Wall. Pl. asiat. 216.  
 † — — — macrophylla Bl. Blume Mus. 1, 7.  
 Phytolacca abyssinica Hoffm. Comm. Gott. 12, 2.  
 — — — bojotensis H. B. K. Miquel Sertum 3.  
 — — — decandra L. Bot. Mag. 24, 931.  
 — — — — — Schk. Handb. 126.  
 — — — — — Bigelow Med. 3.  
 — — — — — Barton Med. 48.  
 † — — — — — Lam. Encycl. 393.  
 — — — — — Desc. Ant. 5, 312.  
 — — — — — Dict. sc. nat. 20.  
 — — — — — Torrey New York 94.  
 † — — — — — Nees Gen. 4, 70.  
 — — — dioica L. L'her. Stirp. 70.  
 — — — dodecandra L'her. L'her. Stirp. 69.  
 — — — drastica P. et E. Poepp. et Endl. 43. 44.  
 † — — — icosandra L. Lam. Encycl. 393.  
 — — — — — Bot. Mag. 53, 2633.  
 — — — litoralis P. et E. Poepp. et Endl. 45.  
 † — — — mexicana Mill. Gaertn. Carp. 77.  
 — — — octandra L. Kaempfer Amoenit. p. 829.  
 — — — stricta Hoffm. Comm. Gott. 12, 3.  
 Picea obovata Led. Ledeb. Ic. 499.  
 † — — — vulgaris Link. Nees Gen. 4, 7.  
 † — — — — — Schacht Baum 2.  
 Pieradenia Richardsoni Hook. Hook. Bor. Am. 108.  
 † Picea umbrosa Seem. Seemann Herald 24.  
 Picasma javanica Blume. Bennett Java 41.  
 Picridium ligulatum Vent. Vent. Malm. 68.  
 Picris altissima Delile. Delile Egypte 41.  
 — — — danubialis All. Allione Fl. ped. 3, 70.  
 — — — echioides L. Curt. Lond. 2, 98.  
 — — — — — Engl. Bot. 14, 972.  
 † — — — — — Schk. Handb. 216.  
 — — — grandiflora Ten. Tenore Fl. nap. 185.  
 — — — hieracioides L. Engl. Bot. 3, 196.  
 — — — — — Baxter Brit. Bot. 4, 274.  
 — — — — — Fl. dan. 9, 1522.

- Picris hieracioides* L. Lam. Encycl. 648.  
 — — — Schk. Handb. 216.  
 — — — Dietr. Fl. Bor. 11, 789.  
 — — — Wight Ic. pl. Ind. or. 3, 1143.  
 † — — — *γ. indica*, Wight Illustr. 134.  
 — laciniata Vis. Visiani Dalm. 6.  
 — lyrata Delile. Delile Egypte 40.  
 — pauciflora Willd. DC. Ic. Gall. 20.  
 — pilosa Delile. Delile Egypte 41.  
 † — pyrenaica Gaertn. Gaertn. Carp. 159.  
 — saxatilis All. Allione Fl. ped. 3, 14.  
 — scaberrima Ten. Tenore Fl. nap. 185.  
 † — Sprengeriana Lam. Lam. Encycl. 648.  
 — sulphurea Delile. Delile Egypte 40.  
 — Taraxaci All. Allione Fl. ped. 3, 31.  
*Picrorrhiza Kurrooa* Royle. Royle Illustr. 71.  
*Picosia australis* D'Orb. D'Orbigny Voyage 10.  
*Pictetia aristata* DC. DC. Legum. 47.  
 — Desvauxii DC. DC. Legum. 47.  
 — orbicdata DC. DC. Legum. 47.  
 — squamata DC. DC. Legum. 47.  
 — ternata DC. DC. Legum. 47.  
*Pierardia macrostachys* W. et Arn. Wight Ic. pl. Ind. or. 5, 1912, 1913.  
*Pilea grossecrenata* Miq. Endl. Bras. 12, 68.  
 — hyalina Fenzl. var. longipes, Endl. Bras. 12, 69.  
 — muscosa Ldl. Lindley Collect. 4.  
 — radicans Wight. Wight Ic. pl. Ind. or. 6, 1974.  
 — rhizobola Miq. Endl. Bras. 12, 70.  
 — trinervia Wight. Wight Ic. pl. Ind. or. 6, 1973.  
*Pileanthus Limacis* Lab. Bill. Nov. Holl. 149.  
 — — — Mem. Mus. 5, 3.  
 — — — Spach Suites 28.  
 † — — — Lam. Encycl. 961.  
 † — — — Acta Leop. 19, Suppl. II. 5.  
 † — peduncularis Endl. Acta Leop. 19, Suppl. II. 5.  
 † *Pilocarpus* Vahl. Acta Leop. II. 1, 19.  
 — parviflorus N. et M. Acta Leop. II. 1, 30.  
 — pauciflorus St. Hil. St. Hil. Fl. Bras. 17.  
 — pennatifolius Lem. Lem. Jard. fl. 263.  
 † — racemosus Vahl. Vahl Eclogae 10.  
 † — — — Mem. Mus. 12, 22.  
 — spicatus St. Hil. St. Hil. Pl. rem. 16.  
*Pilocereus senilis* Lem. Mittler Taschenbuch 1.  
 † *Pilophora testicularis* Jacq. Jacq. Fragm. 35, 36.  
*Pilostyles Berterii* Guillem. Ann. sc. nat. II. 2, 1.  
*Pilularia globulifera* L. Fl. dan. 2, 223.  
 — — — Curt. Lond. 4, 83.  
 — — — Engl. Bot. 8, 521.  
 — — — Newman p. 393, 397.  
 — — — Sv. Bot. 599.  
 — — — Agardh Pilularia 1.  
 — — — Schk. Fil. 173.  
 † — — — Lam. Encycl. 862.  
 † — — — Linn. Transact. 18, 34.  
 † — — — Ann. sc. nat. III. 9, 8.  
 † — — — Ficinus Fl. Dresd. 2, 1.  
 † — — — Corda Rhizosp. 1.  
 † — — — Schnizl. Iconogr. 1, 34, 1, Suppl. 2.  
 † — — — Mettenius Rhizoc. 2, 3.  
 † — — — Hofmeister Untersuchungen 21.  
 † — — — Durieu. Explor. Alger. 38.  
 † — — — Hofmeister Untersuchungen 21.  
*Pilumna laxa* Ldl. Bot. Reg. 32, 57.  
*Pimelandra Wallichii* DC. Delessert Ic. 5, 31.  
*Pimelea arenaria* Cunn. Bot. Mag. 60, 3270.  
 — cernua R. Br. Knowles et Westcott 72.  
 — curviflora R. Br. Linn. Transact. 10, 13.  
 — decussata R. Br. Sweet Austr. 8.  
 — — — Lodd. Cab. 1283.  
 — — — Maund Bot. 3, 136.  
 — — — Schnizl. Iconogr. 2, 109.

- Pimelea diosmaefolia* Lodd. Lodd. Cab. 1708.  
 — drupacea Lab. Bill. Nov. Holl. 7.  
 — — — Sweet Austr. 52.  
 — — — Lodd. Cab. 540.  
 — — — Lam. Encycl. 902.  
 — ferruginea Lab. Bill. Nov. Holl. 5.  
 — filamentosa Rudge. Linn. Transact. 10, 14.  
 † — Forsteri Lam. Lam. Encycl. 9.  
 — glauca R. Br. Linn. Transact. 10, 13.  
 — — — Lodd. Cab. 1611.  
 — graciliflora Hook. Bot. Mag. 60, 3288.  
 — Hendersoni Hook. Bot. Mag. 66, 3721.  
 † — hirsuta Schnizl. Schnizl. Iconogr. 2, 109.  
 — hispida R. Br. Bot. Reg. 19, 1578.  
 — — — Bot. Mag. 63, 3459.  
 — — — Lodd. Cab. 1966.  
 — humilis R. Br. Bot. Reg. 15, 1268.  
 — hypericina Cunn. Bot. Mag. 61, 3330.  
 — incana R. Br. Bot. Reg. 24, 24.  
 — — — Maund Bot. 3, 147.  
 — intermedia Ldl. Bot. Reg. 17, 1439.  
 — — — Maund Bot. 5, 243.  
 † — laevigata Gaertn. Gaertn. Carp. 39.  
 — lanata R. Br. Maund Bot. 2, 61.  
 — latifolia R. Br. Lodd. Cab. 1668.  
 — ligustrina Lab. Bill. Nov. Holl. 3.  
 — — — Bot. Reg. 21, 1827.  
 — linifolia Sm. Smith New Holl. 11.  
 — — — Bot. Mag. 23, 891.  
 — — — Bonpland Malm. 31.  
 — — — Herb. amat. 3, 208.  
 — longiflora R. Br. Bot. Mag. 60, 3281.  
 — macrocephala Hook. Bot. Mag. 75, 4543.  
 — — — Lem. Jard. fl. 76.  
 — nana Grah. Bot. Mag. 67, 3833.  
 — nivea Lab. Bill. Nov. Holl. 6.  
 — — — Knowles et Westcott 9.  
 — pauciflora R. Br. Lodd. Cab. 179.  
 — physodes Hook. Hook. Ic. pl. 9, 865.  
 † — prostrata Willd. Lam. Encycl. 9.  
 — punicea R. Br. Endl. Iconogr. 11.  
 — rosea R. Br. Lodd. Cab. 88.  
 — — — Bot. Mag. 35, 1458.  
 — silvestris R. Br. Bot. Mag. 60, 3276.  
 — — — Bot. Reg. 19, 1582.  
 — — — Lodd. Cab. 1965.  
 — spatulata Lab. Bill. Nov. Holl. 4.  
 — — — Lam. Encycl. 902.  
 — spectabilis Ldl. Bot. Reg. 27, 33.  
 — — — Bot. Mag. 68, 3950.  
 — spicata R. Br. Linn. Transact. 10, 14.  
 — Verschaffeltii Morr. Annales de Gand 1847, 166.  
 † *Pimenta acris* Wight. Wight Illustr. 97 bis.  
 † — vulgaris Ldl. Wight Illustr. 97 bis.  
*Pimentelia glomerata* Wedd. Weddell Hist. 27.  
 † *Pimpinella agrimonioides* Gaertn. Gaertn. Carp. 32.  
 — anisoides Brig. Acad. Neap. 1, 1.  
 — — — Briganti Pimpinella x.  
 — Anisum L. Woodv. Med. 1, 52.  
 — — — Hayne 7, 22.  
 — — — Nees Düsseldorf. 274.  
 — — — Guimpel et Schl. 129.  
 — — — Wagner 229.  
 † — — — Nees Gen. X, x.  
 — bubonoides Brot. Brotero Phytogr. 35.  
 — Buchii Webb. Webb Canar. 73.  
 — Candolleana W. et A. Wight Ic. pl. Ind. or. 2, 341.  
 — canescens Lois. Desvaux Journal 2, 10.  
 — — — Loiseau Notice 4.  
 — Dendrotragium Webb. Webb Canar. 72.  
 — dissecta Retz. Retzius Obs. 3, 2.  
 — — — Lam. Encycl. 203.

- Pimpinella dissecta* Retz. Nees Düsseld. 273.  
 — *dioica* Sm. Engl. Bot. 17, 1209.  
 — *glauca* L. W. et Kit. 72.  
 — ? *involuta* W. et A. Wight Ic. pl. Ind. or. 2, 335.  
 — *Leschenaultii* DC. Wight Spicil. 80.  
 — — — Wight Ic. pl. Ind. or. 3, 1005.  
 — *lutea* Desf. Desf. Fl. atl. 76. 76<sup>b</sup>.  
 — *magna* L. Fl. dan. 7, 1155.  
 — — — Sv. Bot. 741.  
 — — — Engl. Bot. 6, 408.  
 — — — Hayne 7, 21.  
 — — — Dietr. Fl. bor. 10, 703.  
 † — — — Nees Gen. X, x.  
 — *major* Jacq. Jacq. Fl. austr. 4, 396.  
 — *nigra* Willd. Dietr. Fl. bor. 10, 705.  
 — *nodiflora* Vog. Trew Pl. rar. 30.  
 † — *officialis* Gaertn. Gaertn. Carp. 32.  
 — *orientalis* Gouan. Gouan Illustr. 15.  
 — — — Jacq. Fl. austr. 4, 397.  
 — *peregrina* L. Rivinus Opus ined. 109.  
 — — — Jacq. Vind. 131.  
 † — — — Nees Gen. X, x.  
 — *pumila* Jacq. Jacq. Fl. austr. 1, 28.  
 † — *Sanguisorba* Gaertn. Gaertn. Carp. 32.  
 — *Saxifraga* L. Fl. dan. 4, 669.  
 — — — Woodv. Med. 1, 51.  
 — — — Engl. Bot. 6, 407.  
 — — — Baxter Brit. Bot. 6, 411.  
 — — — Sv. Bot. 160.  
 — — — Lam. Encycl. 203.  
 — — — Jacq. Fl. austr. 4, 395.  
 — — — Schk. Handb. 78.  
 — — — Hayne 7, 20.  
 — — — Nees Düsseld. 272.  
 — — — Guimpel et Schl. 130.  
 — — — Wagner 205.  
 — — — Dietr. Fl. bor. 10, 704.  
 — — — var. *Rochel* Banat. 28.  
 — — — ε. *nigra*, Berg Darstellung 1<sup>b</sup>.  
 † — *spinosa* Gaertn. Gaertn. Carp. 32.  
 † *Pinalia* Ldl. Lindley Orchid. secl. 23.  
*Pinanga bifida* Bl. Blume Rumphia 113.  
 — *coronata* Bl. Blume Rumphia 112. 113.  
 — *costata* Bl. Blume Rumphia 109.  
 — *furfuracea* Bl. Blume Rumphia 116.  
 — *javana* Bl. Blume Rumphia 87. 110.  
 — *Kuhlii* Bl. Blume Rumphia 111.  
 — *latisecta* Bl. Blume Rumphia 108.  
 — *minor* Bl. Blume Rumphia 114.  
 — *Nenga* Bl. Blume Rumphia 107.  
 — *noxa* Bl. Blume Rumphia 110.  
 — *patula* Bl. Blume Rumphia 115.  
*Pinardia coronaria* Less. Rehb. Fl. germ. 16, 986.  
*Pinckneya pubens* Michx. Michaux Fl. 13.  
 — — — Michaux Arb. 2, 24.  
 — — — Barton Fl. 1, 7.  
 † — — — Gaertn. Carp. 194.  
 † *Pineda* Rz et P. Ruiz et Pav. Prodr. 14.  
*Pinellia fornicata* Ten. Wight Ic. pl. Ind. or. 3, 789. 792.  
 — *tubifera* Ten. Acad. Neap. 4, x.  
*Pinguicula alpina* L. Linné Fl. lapp. 12.  
 — — — Fl. dan. 3, 453.  
 — — — Sv. Bot. 685.  
 — — — Lodd. Cab. 309.  
 — — — Engl. Bot. 2747.  
 — — — N. Schr. naturf. Fr. 2, 5.  
 — — — Sturm Flora 4, 14.  
 — — — Schrank Fl. monac. 1, 75.  
 — — — Rehb. Pl. crit. 1, 81.  
 † — — — Mutel Fl. fr. 46.  
 — *antarctica* Vahl. Hook. Fl. ant. 119.  
 — *brachyloba* Led. Rehb. Pl. crit. 1, 81.

- Pinguicula campanulata* Lam. Journ. d'hist. nat. Par. 1, 18.  
 — *crystallina* Sibth. Sibth. Fl. gr. 11.  
 — *edentula* Hook. Hook. Exot. Fl. 16.  
 — *flavescens* Flörke. Rehb. Pl. crit. 1, 81<sup>l</sup>.  
 † — — — Mutel Fl. fr. 46.  
 — *grandiflora* Lam. Lam. Encycl. 14.  
 — — — Curt. Lond. 4, 128.  
 — — — Engl. Bot. 31, 2184.  
 — — — Lodd. Cab. 445.  
 — — — Tenore Fl. nap. 201.  
 — — — Rehb. Pl. crit. 1, 83.  
 † — — — Mutel Fl. fr. 46.  
 — *hirtiflora* Ten. Tenore Fl. nap. 201.  
 — *involuta* Rz et P. Ruiz et Pav. Fl. 31.  
 — *leptoceras* Rehb. Rehb. Pl. crit. 1, 82.  
 † — — — Mutel Fl. fr. 46.  
 — *lusitanica* L. Brotero Phytogr. 1.  
 † — — — Roemer Script. 1.  
 — — — Curt. Lond. 5, 187.  
 — — — Engl. Bot. 3, 145.  
 — — — Rehb. Pl. crit. 1, 84.  
 — — — Loiseleur Fl. gall. 1.  
 † — — — Mutel Fl. fr. 46.  
 — *lutea* Vahl. Bot. Reg. 2, 126.  
 — *macroceras* Led. Rehb. Pl. crit. 1, 82.  
 — *orchidioides* A. DC. Bot. Mag. 72, 4231.  
 — *purpurea* Willd. N. Schr. naturf. Fr. 2, 5.  
 — *vallisneriaefolia* Webb. Webb Otia 44.  
 — *villösa* L. Linné Fl. lapp. 12.  
 — — — Lightfoot Fl. scot. 1, 6.  
 — — — Fl. dan. 6, 1021.  
 — — — Sv. Bot. 686.  
 — — — Rehb. Pl. crit. 1, 83.  
 † — — — Mutel Fl. fr. 46.  
 — *vulgaris* L. Rivinus Opus ined. 66.  
 — — — Fl. dan. 1, 93.  
 † — — — Gaertn. Carp. 112.  
 † — — — Lam. Encycl. 14.  
 — — — Curt. Lond. 4, 104.  
 — — — Engl. Bot. 1, 70.  
 — — — Lodd. Cab. 393.  
 — — — Baxter Brit. Bot. 3, 209.  
 — — — Sv. Bot. 36.  
 — — — Dreves 73.  
 — — — Schk. Handb. 3.  
 — — — Sturm Flora 4, 14.  
 — — — Schrank Fl. monac. 3, 270.  
 — — — Dietr. Fl. bor. 2, 109.  
 — — — var. Rehb. Pl. crit. 1, 84.  
 † — — — Mutel Fl. fr. 46.  
 † — — — Nees Gen. 5, 24.  
*Pinillosia tetranthoides* DC. Delessert Ic. 4, 27.  
*Pinonia splendens* Gaudich. Freycinet Voyage 21.  
*Pintoa chilensis* Gay. Gay Chile 16.  
 † *Pinus* L. Hofmeister Untersuchungen 27—30.  
 — *Abies* L. Fl. dan. 2, 193.  
 — — — Woodv. Med. 1, 2.  
 — — — Schk. Handb. 308.  
 — — — Guimpel Holzgew. 157.  
 — — — Sv. Bot. 217.  
 — — — Lambert Pinus 1, 27.  
 — — — Nees Düsseld. 81.  
 † — — — Antoine Conif. 95.  
 — *alba* Ait. Lambert Pinus 1, 28.  
 — — — Guimpel Fr. Holzgew. 131.  
 † — — — Antoine Conif. 34.  
 † — *amabilis* Dougl. Antoine Conif. 25.  
 † — *americana* Gaertn. Gaertn. Carp. 91.  
 — *australis* Mill. Michaux Arb. 1, 6.  
 † — — — Antoine Conif. 6.  
 — *austriaca* Loud. Hortig 6.  
 — — — Tratt. Hoess Monogr. 1, 2.

- Pinus austriaca *Tratt.* Graf Uxkull Schwarzkiefer 1.  
 — balsamea *L.* Woodv. Med. 5, 1.  
 — — — Lambert Pinus 1, 33.  
 — — — Desc. Ant. 4, 246.  
 — — — Nees Düsseld. 82.  
 † — — — Antoine Conif. 26.  
 — Banksiana *Lamb.* Lambert Pinus 1, 3.  
 — — — Pinetum Woburnense 3.  
 † — — — Antoine Conif. 4.  
 † — Benthamiana *Hartw.* Journ. Hort. Soc. 4, 213.  
 † — bifida *Ant.* Antoine Conif. 31.  
 — bracteata *Don.* Lambert Pinus 3, 23.  
 † — — — Antoine Conif. 30.  
 — Brunoniana *Wall.* Wall. Pl. asiat. 247.  
 † — — — Antoine Conif. 32.  
 — brutia *Ten.* Tenore Fl. nap. 200.  
 — — — Lambert Pinus 3, 1.  
 — — — Pinetum Woburnense 9.  
 † — — — Antoine Conif. 1.  
 — canadensis *L.* Lambert Pinus 1, 35.  
 — — — Nees Düsseld. 83.  
 † — — — Antoine Conif. 32.  
 — canariensis *Ch. Smith.* DC. Hortus 1. 2.  
 — — — Lambert Pinus 3, 13.  
 — — — Pinetum Woburnense 21.  
 † — — — Antoine Conif. 15.  
 — Cedrus *L.* Cedrorum Lib. hist. 1—7.  
 — — — Lambert Pinus 2, 41.  
 — — — Loiseleur Cèdre 1. 2.  
 † — — — Antoine Conif. 22. 23.  
 — Cembra *L.* Pallas Fl. ross. 2.  
 — — — Lambert Pinus 1, 23. 24.  
 — — — Pinetum Woburnense 27.  
 — — — Hartig 7.  
 — — — Rchb. Fl. germ. 11, 530.  
 † — — — Antoine Conif. 20.  
 † — cembroides *Zucc.* Journ. Hort. Soc. 1, 236.  
 † — — — Fl. d. serres 4, 331.  
 † — cephalonica *Steudel.* Antoine Conif. 27.  
 — Coulteri *Don.* Lambert Pinus 3, 8.  
 — — — Pinetum Woburnense 25. 26.  
 † — — — Antoine Conif. 12. 13.  
 — Dammara *Lamb.* Marsden Sumatra 2.  
 — densiflora *S. et Zucc.* Sieb. Fl. Japon. 112.  
 † — Deodara *Roxb.* Lambert Pinus 2, 42.  
 — — — Antoine Conif. 22.  
 — Douglasii *Sabine.* Lambert Pinus 3, 20.  
 — — — Hook. Bor. Am. 183.  
 † — — — Antoine Conif. 33.  
 — excelsa *Wall.* Wall. Pl. asiat. 201.  
 — — — Lambert Pinus 1, 26.  
 — — — Pinetum Woburnense 29.  
 † — — — Antoine Conif. 20.  
 † — firma *Ant.* Antoine Conif. 27. 28.  
 — Fraseri *Pursh.* Lambert Pinus 3, 21.  
 † — — — Antoine Conif. 29.  
 † — Fremontiana *Endl.* Journ. Hort. Soc. 4, 294.  
 — Gerardiana *Wall.* Lambert Pinus 3, 14.  
 — — — Pinetum Woburnense 19.  
 — — — Royle Illustr. 85.  
 † — — — Antoine Conif. 10.  
 † — Gordoniana *Hartw.* Journ. Hort. Soc. 2, 80.  
 † — — — Fl. d. serres 4, 331.  
 — grandis *Dougl.* Lambert Pinus 3, 26.  
 † — — — Antoine Conif. 25.  
 † — Grenvilleae *Gord.* Journ. Hort. Soc. 2, 78.  
 — halepensis *Ait.* Lambert Pinus 1, 7.  
 — — — Pinetum Woburnense 8.  
 † — — — Antoine Conif. 1.  
 — — — Rchb. Fl. germ. 11, 526.  
 † — homolepis *Ant.* Antoine Conif. 31.  
 † — jezöensis *Ant.* Antoine Conif. 37.

- Pinus inops *Ait.* Michaux Arb. 1, 4.  
 — — — Lambert Pinus 1, 14.  
 — — — Pinetum Woburnense 4.  
 † — — — Antoine Conif. 5.  
 — insignis *Dougl.* Pinetum Woburnense 18.  
 † — — — Antoine Conif. 8.  
 — Khutrow *Royle.* Royle Illustr. 84.  
 † — — — Antoine Conif. 36.  
 — koraiensis *S. et Zucc.* Sieb. Fl. Japon. 116.  
 — Lambertiana *Dougl.* Lambert Pinus 1, x. 3, 16. 17.  
 — — — Pinetum Woburnense 30.  
 † — — — Antoine Conif. 19.  
 — lanceolata *Lamb.* Lambert Pinus 1, 37.  
 — — — Kerner Hort. 338.  
 † — laricina *Duroi.* Duroi Harbk. Baumz. 3.  
 — Laricio *Santi.* Santi Viaggi 3, 1<sup>a</sup>. 1<sup>b</sup>.  
 — — — *Poir.* Lambert Pinus 1, 4.  
 — — — Rchb. Fl. germ. 11, 524.  
 † — — — Antoine Conif. 2.  
 † — — — Ann. sc. nat. II. 20, 8.  
 — Larix *L.* Pallas Fl. ross. 1.  
 — — — Woodv. Med. 1, 4.  
 — — — Lambert Pinus 1, 38.  
 — — — Nees Düsseld. 84.  
 — — — Guimpel et Schl. 172.  
 — — — Wagner 91.  
 — — — (permagna!) Höller König 1.  
 † — — — (Embryo.) Bull. Mosc. 1849. 2, 10. 11.  
 † — — — (Embryo.) Ann. sc. nat. III. 14, 12—15.  
 † — — — Antoine Conif. 21.  
 ! — — — Verhandl. schles. Forstv. 1853, 4.  
 — leiophylla *Schiede.* Lambert Pinus 3, 11.  
 — — — Pinetum Woburnense 28.  
 † — — — Antoine Conif. 18.  
 — Lemoniana *Benth.* Hort. Transact. 8, 20.  
 — Llaveana *Schiede.* Pinetum Woburnense 17.  
 † — — — Antoine Conif. 16.  
 — longifolia *Roxb.* Lambert Pinus 1, 22.  
 — — — Pinetum Woburnense 20.  
 † — — — Antoine Conif. 9.  
 — — — Royle Illustr. 85.  
 † — mariana *Gaertn.* Gaertn. Carp. 91.  
 — maritima *Lamb.* Lambert Pinus 1, 6.  
 — — — Sibth. Fl. gr. 949.  
 — — — Rchb. Fl. germ. 11, 527.  
 — Massoniana *Lamb.* Lambert Pinus 1, 8.  
 — — — Sieb. Fl. Japon. 113—114.  
 — Menziesii *Dougl.* Lambert Pinus 3, 19.  
 † — — — Antoine Conif. 33.  
 — Merkusii *Jungh.* Vriese Pl. nov. 2.  
 — microcarpa *Don.* Lambert Pinus 2, 40.  
 † — — — Antoine Conif. 21.  
 — mitis *Michx.* Michaux Arb. 1, 3.  
 † — — — Antoine Conif. 5.  
 — Montezumae *Don.* Lambert Pinus 3, 12.  
 † — — — Antoine Conif. 17.  
 — monticola *Dougl.* Lambert Pinus 3, 15.  
 — — — Pinetum Woburnense 31.  
 † — — — Antoine Conif. 18.  
 — Mughus *Jacq.* Jacq. Ic. 193.  
 — — — Pinetum Woburnense 2.  
 — — — Rchb. Fl. germ. 11, 523.  
 — muricata *Don.* Lambert Pinus 3, 4.  
 † — — — Journ. Hort. Soc. 4, 217.  
 † — — — Antoine Conif. 14.  
 — nigra *Arn.* Arnold Marizell 1.  
 † — — *Ait.* Lambert Pinus 1, 29.  
 † — — — Antoine Conif. 34.  
 — nobilis *Dougl.* Lambert Pinus 3, 22.  
 † — — — Antoine Conif. 29.  
 † — Nordmanniana *Stev.* Bull. Mosc. 1838, 2.  
 † — — — Antoine Conif. 28.



- Pinus obliqua *Sauter*. Rchb. Fl. germ. 11, 522.  
 † — obovata *Steudel*. Antoine Conif. 37.  
 † — occidentalis *Sw.* Desc. Ant. 4, 245.  
 † — — — Antoine Conif. 18.  
 † — oocarpa *Schiede*. Antoine Conif. 17.  
 — — — orientalis *L.* Lambert Pinus 1, 31.  
 † — — — Antoine Conif. 35.  
 † — Orizabae *Gord.* Journ. Hort. Soc. 1, 238.  
 — — — Pallasiana *Lamb.* Lambert Pinus 1, 5.  
 — — — Pinetum Woburnense 7.  
 — — — palustris *Ait.* Lambert Pinus 1, 21.  
 — — — Pinetum Woburnense 22.  
 — — — parviflora *S. et Zucc.* Sieb. Fl. Japon. 115.  
 — — — patula *Schiede*. Lambert Pinus 3, 9.  
 † — — — Antoine Conif. 16.  
 — — — pendula *Sm.* Lambert Pinus 2, 39.  
 — — — Picea *L.* Woodv. Med. 1, 3.  
 — — — Lambert Pinus 1, 32.  
 ! — — — Pinetum Woburn. Frontisp. x.  
 — — — Guimpel Holzgew. 156.  
 † — — — Antoine Conif. 27.  
 — — — Pinaster *Ait.* Lambert Pinus 1, 9, 10.  
 — — — Rochel Banat. 29.  
 — — — Nees Düsseld. 76, 77.  
 — — — Rchb. Fl. germ. 11, 525.  
 † — — — Antoine Conif. 6.  
 — — — Pindrow *Royle*. Lambert Pinus 3, 24.  
 † — — — Antoine Conif. 24.  
 — — — Pinea *L.* Lambert Pinus 1, 11—13.  
 — — — Pinetum Woburnense 10, 10<sup>b</sup>.  
 — — — Nees Düsseld. 78, 79.  
 — — — Rchb. Fl. germ. 11, 528, 529.  
 — — — Dict. sc. nat. 308, 309.  
 † — — — Lam. Encycl. 786.  
 † — — — Richard Conif. 12.  
 † — — — Antoine Conif. 3.  
 † — Pinsapo *Steudel*. Antoine Conif. 26.  
 † — polita *Ant.* Antoine Conif. 36.  
 — — — ponderosa *Dougl.* Pinetum Woburnense 15.  
 † — — — Antoine Conif. 8.  
 — — — Pumilio *Haenke*. W. et Kit. 149.  
 — — — Hartig 5.  
 — — — Lambert Pinus 1, 2.  
 — — — Pinetum Woburnense 1.  
 † — — — Nees Gen. 4, 6.  
 † — — — Antoine Conif. 3.  
 — — — pungens *Michx.* Michaux Arb. 1, 5.  
 — — — Lambert Pinus 3, 3.  
 — — — Pinetum Woburnense 5.  
 † — — — Antoine Conif. 5.  
 † — pyrenaica *Lapeyr.* Antoine Conif. 1.  
 † — radiata *Don.* Lambert Pinus 3, 6.  
 † — — — Journ. Hort. Soc. 4, 215.  
 † — — — Antoine Conif. 14.  
 — — — religiosa *Kth.* Lambert Pinus 3, 25.  
 † — — — Antoine Conif. 28.  
 — — — resinosa *Ait.* Lambert Pinus 1, 15.  
 — — — Pinetum Woburnense 6.  
 † — — — Antoine Conif. 4.  
 — — — rigida *Du Roi*. Michaux Arb. 1, 8.  
 — — — Lambert Pinus 1, 19, 20.  
 — — — Pinetum Woburnense 13.  
 † — — — Antoine Conif. 7.  
 — — — rotundata *Link.* Hayne 14, 10.  
 — — — rubra *Mill.* Michaux Arb. 1, 1.  
 — — — *Lamb.* Lambert Pinus 1, 30.  
 † — — — Antoine Conif. 34.  
 — — — rupestris *Michx.* Michaux Arb. 1, 2.  
 — — — Sabiniana *Dougl.* Lambert Pinus 3, 7.  
 — — — Pinetum Woburnense 23, 24.  
 † — — — Antoine Conif. 11, 12.  
 — — — serotina *Michx.* Michaux Arb. 1, 7.

- Pinus serotina *Michx.* Lambert Pinus 3, 8.  
 — — — Pinetum Woburnense 16.  
 † — — — Antoine Conif. 8.  
 † — sibirica *Steud.* Antoine Conif. 26.  
 — — — silvestris *L.* Woodv. Med. 1, 1.  
 — — — Lambert Pinus 1, 1, 3, 0.  
 — — — Engl. Bot. 35, 2460.  
 — — — Baxter Brit. Bot. 5, 389.  
 — — — Sv. Bot. 91.  
 — — — Schk. Handb. 308.  
 — — — Hartig 4.  
 — — — Schrank Fl. monac. 3, 225.  
 — — — Nees Düsseld. 80.  
 — — — Guimpel et Schl. 171.  
 — — — Wagner 185.  
 — — — Hayne 14, 9.  
 — — — Dietr. Fl. bor. 10, 686.  
 — — — Rchb. Fl. germ. 11, 521.  
 † — — — Richard Conif. 11, 23.  
 † — — — Lam. Encycl. 786.  
 † — — — Ann. sc. nat. II, 20, 9. III, 11, 6.  
 † — — — Nees Gen. 4, 6.  
 † — — — Antoine Conif. 4.  
 † — — — Schacht Baum 2, 6.  
 ! — — — Jaeger Observations 1.  
 — — — Sinclairii *Hook.* Hook. Beechey 93.  
 — — — sinensis *Don.* Lambert Pinus 3, 2.  
 — — — Pinetum Woburnense 12.  
 † — — — Antoine Conif. 1.  
 — — — Smithiana *Wall.* Wall. Pl. asiat. 246.  
 — — — Lambert Pinus 3, 18.  
 † — — — Antoine Conif. 36, 37.  
 — — — spectabilis *Lamb.* Lambert Pinus 1, 34.  
 — — — Strobis *L.* Lambert Pinus 1, 25.  
 — — — Michaux Arb. 1, 10.  
 — — — Hartig 8.  
 † — — — Richard Conif. 12.  
 † — — — Lam. Encycl. 786.  
 † — — — Ann. sc. nat. II, 5, 3.  
 † — — — Antoine Conif. 20.  
 — — — Taeda *L.* Michaux Arb. 1, 9.  
 — — — Lambert Pinus 1, 17, 18.  
 — — — Pinetum Woburnense 14.  
 † — — — Antoine Conif. 7.  
 — — — taxifolia *Lamb.* Lambert Pinus 1, 36.  
 — — — Teocote *Schiede*. Lambert Pinus 3, 10.  
 † — — — Antoine Conif. 16.  
 † — Tsuja *Ant.* Antoine Conif. 32.  
 † — tuberculata *Don.* Lambert Pinus 3, 5.  
 † — — — Journ. Hort. Soc. 4, 219.  
 † — — — Antoine Conif. 14.  
 — — — uncinata *Ram.* Rchb. Fl. germ. 11, 522.  
 † — — — var. *α.* Antoine Conif. 3.  
 — — — variabilis *Lamb.* Lambert Pinus 1, 16.  
 — — — Pinetum Woburnense 11.  
 † — — — Antoine Conif. 5.  
 — — — viminalis *Alstr.* Svensk Acad. 1777, 8, 9.  
 — — — Tratt. Archiv 281, 281<sup>a</sup>, 281<sup>b</sup>.  
 † — Webbiana *Wall.* Antoine Conif. 24.  
 † — Wincesteriana *Gord.* Journ. Hort. Soc. 2, 159.  
 Pionandra capsicoides *Miers.* Miers Illustr. 9.  
 — — — floribunda *Miers.* Miers Illustr. 8.  
 Piparea dentata *Aubl.* Aublet Guiana 386.  
 † — multiflora *Gaertn.* Gaertn. Carp. 224.  
 † Piper *L.* Kerner Genera 192.  
 † — — — (Folia 41 specierum.) Verh. Bat. Gen. 11, x.  
 † — — — Miquel Commentarii 4.  
 — — — acuminatum *L.* Bot. Mag. 44, 1882.  
 — — — acutifolium *Rz et P.* Ruiz et Pav. Fl. 64.  
 — — — aduncum *L.* Jacq. Ic. 210.  
 — — — Desc. Ant. 3, 230.  
 — — — aequale *Vahl.* Vahl Eclogae 3.

- Piper Amalago *L.* Rumpf Amb. 5, 116.  
 — angustifolium *Rz et P.* Ruiz et Pav. Fl. 57.  
 — arborescens *Roxb.* Rumpf Amb. 5, 28.  
 — — Wight Ic. pl. Ind. or. 6, 1940.  
 — — Miquel Illustr. Pip. 54.  
 — arcuatum *Bl.* var. Miquel Illustr. Pip. 58.  
 — argyrophyllum *Miq.* Miquel Illustr. Pip. 56.  
 — — Wight Ic. pl. Ind. or. 6, 1941.  
 † aromaticum *Lam.* Lam. Encycl. 23.  
 — — Dict. sc. nat. 291.  
 — — Desc. Ant. 6, 424.  
 — asperifolium *Rz et P.* Ruiz et Pav. Fl. 56.  
 — attenuatum *Ham.* Miquel Illustr. Pip. 49.  
 — — Wight Ic. pl. Ind. or. 6, 1933.  
 — augustum *Rudge.* Rudge Pl. Guianae 7.  
 † baccatum *Bl.* Verh. Bat. Gen. 11, 3.  
 — Betle *L.* Rheede Hort. mal. 7, 15.  
 — — Bot. Mag. 59, 3132.  
 — blandum *Jacq.* Jacq. Ic. 218.  
 — — Dict. sc. nat. 293, 294.  
 — bracteatum *Thomps.* Linn. Transact. 9, 21.  
 — Bredemeyeri *Jacq.* Jacq. Ecl. pl. 84.  
 — brevispicatum *Opiz.* Presl Reliq. 28.  
 — callosum *Rz et P.* Ruiz et Pav. Fl. 53.  
 † caninum *Bl.* Verh. Bat. Gen. 11, 5.  
 — — Miquel Commentarii 3.  
 — Carpunya *Rz et P.* Ruiz et Pav. Fl. 63.  
 — celtidiforme *Opiz.* Presl Reliq. 26.  
 — Churumayu *Rz et P.* Ruiz et Pav. Fl. 58.  
 — clusiae-folium *Jacq.* Jacq. Ic. 212.  
 — coriaccum *Vahl.* Lodd. Cab. 128.  
 — crocatum *Rz et P.* Ruiz et Pav. Fl. 55.  
 † Cubeba *L. fil.* Gaertn. Carp. 92.  
 — — Woodv. Med. 5, 27.  
 — — Guimpel et Schl. 230.  
 — — Nees Düsseld. 22.  
 — — Desc. Ant. 6, 429.  
 — — Miquel Commentarii 1, 2.  
 — cuneifolium *Jacq.* Jacq. Ic. 214.  
 — curvatum *Rz et P.* Ruiz et Pav. Fl. 54.  
 — decumanum *L.* Rumpf Amb. 5, 27.  
 † densum *Bl.* Verh. Bat. Gen. 11, 6.  
 — dichotomum *Rz et P.* Ruiz et Pav. Fl. 60.  
 — discolor *Sw.* Lodd. Cab. 610.  
 — — Desc. Ant. 6, 427.  
 — dumosum *Rudge.* Rudge Pl. Guianae 14.  
 — excavatum *Rz et P.* Ruiz et Pav. Fl. 54.  
 — excelsum *Forst.* Kerner Hort. 33.  
 — eucalyptifolium *Rudge.* Rudge Pl. Guianae 6.  
 — fasciculare *Rudge.* Rudge Pl. Guianae 4.  
 — filiforme *Sw.* Swartz Ic. Ind. occ. 5.  
 — flexuosum *Rudge.* Rudge Pl. Guianae 13.  
 — — Willd. Jacq. Ecl. pl. 93.  
 — Galtena *Ham.* Rheede Hort. mal. 7, 13.  
 — geniculatum *Sw.* Kerner Hort. 152.  
 — glaucescens *Jacq.* Jacq. Ecl. pl. 76.  
 — gracile *Rz et P.* Ruiz et Pav. Fl. 59.  
 — grande *Vahl.* Vahl Eclogae 11.  
 — — Kerner Hort. 346.  
 — granulatum *Rz et P.* Ruiz et Pav. Fl. 64.  
 — heterophyllum *Rz et P.* Ruiz et Pav. Fl. 56.  
 — hispidulum *Sw.* Swartz Ic. Ind. occ. 4.  
 — hymenophyllum *Miq.* Wight Ic. pl. Ind. 6, 1942.  
 — incanum *Haw.* Lodd. Cab. 503.  
 — — Link Ic. I. 7.  
 † laevigatum *Bonpl.* H. B. K. Nov. Gen. 1, 3.  
 † — — Dict. sc. nat. 292.  
 — lanceolatum *Rz et P.* Ruiz et Pav. Fl. 61.  
 — lineatum *Rz et P.* Ruiz et Pav. Fl. 60.  
 — Linkii *A. Dietr.* Miquel Illustr. Pip. 53.  
 — Lonchites *R. et Sch.* Miquel Illustr. Pip. 57.  
 — longifolium *Rz et P.* Ruiz et Pav. Fl. 61.

- Piper longum *L.* Rheede Hort. mal. 7, 14.  
 — — — Woodv. Med. 4, 247.  
 — — — Nees Düsseld. 23.  
 — maculosum *L.* Lodd. Cab. 861.  
 — — Desc. Ant. 6, 417.  
 — magnoliaefolium *Jacq.* Jacq. Ic. 213.  
 — Malamiris *L.* Rheede Hort. mal. 7, 16.  
 — — Rumpf Amb. 3, 36, 5, 116.  
 — marginatum *Jacq.* Jacq. Ic. 215.  
 — medium *Jacq.* Jacq. Ic. 8.  
 — methysticum *Forst.* Delessert Ic. 3, 89.  
 — mite *Rz et P.* Ruiz et Pav. Fl. 58.  
 † muricatum *Bl.* Verh. Batav. Gen. 11, 1.  
 — — Miquel Illustr. Pip. 55.  
 — myosuroides *Rudge.* Rudge Pl. Guianae 5.  
 — nepalense *Miq.* Wight Ic. pl. Ind. or. 6, 1938.  
 — nigrum *L.* Rheede Hort. mal. 7, 12.  
 — — Marsden Sumatra 1.  
 † — — Verh. Bat. Gen. 11, 2.  
 — — Jaume Mémoire 1827, 1, 2.  
 — — Woodv. Med. 4, 246.  
 — — Bot. Mag. 59, 3139.  
 — — Nees Düsseld. 21.  
 — — Guimpel et Schl. 229.  
 — — Hayne 14, 6.  
 — — Dict. sc. nat. 291.  
 — — Spach Suites 125.  
 — — Miquel Illustr. Pip. 50.  
 — — Wight Ic. pl. Ind. or. 6, 1934.  
 — nitidulum *Opiz.* Presl Reliq. 27.  
 — nutans *Opiz.* Presl Reliq. 28.  
 — obliquum *Rz et R.* Ruiz et Pav. Fl. 63.  
 — — Kerner Hort. 384.  
 — obovatum *Rz et P.* Ruiz et Pav. Fl. 53.  
 — obtusifolium *L.* Jacq. Ic. 9.  
 — — Desc. Ant. 5, 313.  
 — ovatum *Vahl.* Vahl Eclogae 1.  
 — patulum *Bert.* Novi Comm. Bonon. 4, 36.  
 — pellucidum *L.* Linné Hort. Cliff. 4.  
 — — Desc. Ant. 3, 226.  
 — peltatum *Rz et P.* Ruiz et Pav. Fl. 59.  
 — — *L.* Desc. Ant. 4, 236.  
 — pereskiaefolium *Jacq.* Jacq. Ic. 219.  
 — pilosiusculum *Opiz.* Presl Reliq. 29.  
 — plantagineum *Lam.* Desc. Ant. 7, 458.  
 — prunifolium *Jacq.* Jacq. Ecl. pl. 94.  
 — pulchellum *Ait.* Lodd. Cab. 574.  
 — punctatum *Rz et P.* Ruiz et Pav. Fl. 62.  
 — quadrangulare *Thomps.* Linn. Transact. 9, 21.  
 † recurvum *Bl.* Verh. Bat. Gen. 11, 4.  
 † revolutum *Rich.* H. B. K. Nov. Gen. 1, 3.  
 † — — Dict. sc. nat. 292.  
 — ribesioides *Wall.* Wall. Pl. asiat. 91.  
 — rubricaula *N. v. E.* Horae berol. 8.  
 — rugosum *Vahl.* Vahl Eclogae 2.  
 — — *Opiz.* Presl Reliq. 27.  
 — scabrum *Rz et P.* Ruiz et Pav. Fl. 55.  
 — — Kerner Hort. 167.  
 — secundum *Rz et P.* Ruiz et Pav. Fl. 62.  
 — sidaefolium *Link.* Link Ic. I. 6.  
 — silvestre *Lam.* Wight Ic. pl. Ind. or. 6, 1937.  
 — Siriboa *L.* Rumpf Amb. 5, 117.  
 — stellatum *Sw.* Jacq. Ic. 217.  
 — trioicum *Roxb.* Miquel Illustr. Pip. 51, 52.  
 — — Wight Ic. pl. Ind. or. 6, 1935, 1936.  
 — tuberculatum *Jacq.* Jacq. Ic. 211.  
 — umbellatum *Jacq.* Jacq. Ic. 216.  
 — — Desc. Ant. 1, 37.  
 — unguiculatum *Rz et P.* Ruiz et Pav. Fl. 57.  
 † — — Meyer Houttuynia x.  
 — viminalis *Opiz.* Presl Reliq. 26.  
 — Wightianum *Miq.* Wight Ic. pl. Ind. or. 6, 1939.

- †Piperaceae *Rich.* Schnizl. Iconogr. 2, 81.  
 Piperonia Knoblechteriana *Schott.* Bot. Zeitg. 1851, 5.  
 Piptanthus nepulensis *Sweet.* Sweet Fl. G. 264.  
 Piptatherum paradoxum *Pal. B.* Rehb. Fl. germ. 7, 74.  
 † — — — *Nees* Gen. 1, 24.  
 Piptochoactium panicoides *Em. Desv.* Gay Chile 75.  
 — setifolium *Presl.* Presl. Reliq. 37.  
 Piptostylis indica *Dalz.* Hook. Journal 1851, 2.  
 Piqueria trinervia *Cav.* Cav. Ic. 235.  
 — — — *Jacq.* Ecl. pl. 48.  
 — — — *Bot. Mag.* 53, 2650.  
 Piratinera guianensis *Aubl.* Aublet Guiana 340.  
 Pirigara hexapetala *Aubl.* Aublet Guiana 193.  
 — tetrapetala *Aubl.* Aublet Guiana 192.  
 — — — *Lam. Encycl.* 592.  
 Piripēa palustris *Aubl.* Aublet Guiana 253.  
 † — — — *Lam. Encycl.* 520.  
 Piriqueta villosa *Aubl.* Aublet Guiana 117.  
 Pironneava glomerata *Gaudich.* Gaudichaud Bonite 63.  
 — platynema *Gaudich.* Gaudichaud Bonite 64.  
 Pisaura automorpha *Bonato.* Bonato Memoria 1.  
 †Piscidia Erythrina *L.* *Lam. Encycl.* 605.  
 — — — *Desc. Ant.* 3, 196.  
 — punicea *Cav.* Cav. Ic. 316.  
 †Pisonia aculeata *L.* *Gaertn. Carp.* 76.  
 † — — — *Lam. Encycl.* 861.  
 — — — *Wight Ic. pl. Ind. or.* 5, 1763, 1764.  
 — Forsteriana *Endl.* Acta Leop. 19, Suppl. 11.  
 — grandis *R. Br.* Endl. Iconogr. 30.  
 — macrocarpa *Presl.* Presl. Symbolae 56.  
 — morindifolia *R. Br.* *Wight Ic. pl. Ind. or.* 5, 1765.  
 — obtusata *Sw.* *Jacq. Schoenbr.* 3, 314.  
 — Olfersiana *Link et Kl.* *Link Ic. III.* 15.  
 — Pacurero *Kth.* *Seemann Herald* 34.  
 — procera *Bertero.* *Delessert Ic.* 3, 87.  
 — Sinclairii *Hook. fl.* *Hook. New Zealand* 50.  
 Pistacia atlantica *Desf.* *Webb Canar.* 66.  
 — Lentiscus *L.* *Woodv. Med.* 1, 11.  
 — — — *Nouveau Duhamel* 4, 18.  
 — — — *Bot. Mag.* 45, 1967.  
 — — — *Sibth. Fl. gr.* 957.  
 — — — *Nees Düsseld.* 349.  
 — — — *Guimpel et Schl.* 271.  
 — — — *Hayne* 13, 20.  
 — — — *Wagner* 199.  
 — mexicana *H. B. K.* *H. B. K. Nov. Gen.* 7, 608.  
 — Terebinthus *L.* *Woodv. Med.* 1, 12.  
 † — — — *Lam. Encycl.* 811.  
 — — — *Sibth. Fl. gr.* 936.  
 — — — *Nees Düsseld.* 350.  
 — — — *Guimpel et Schl.* 272.  
 — — — *Hayne* 13, 19.  
 — vera *L.* *Nouveau Duhamel* 4, 17.  
 † — — — *Lam. Encycl.* 811.  
 — — — *Dict. sc. nat.* 260.  
 — — — *Gallesio Pomona* 2, 0.  
 — — — *Nees Düsseld. Suppl.* 89.  
 — — — *Hayne* 13, 18.  
 †Pistia obcordata *Schleiden.* *Transact. Linn. Soc.* 21, 7.  
 — Stratiotes *L.* *Rheede Hort. mal.* 11, 32.  
 — — — *Rumpf Amb.* 6, 74.  
 — — — *Jacq. Hist. stirp. am.* 225.  
 † — — — (*Mirbel.*) *Ann. Mus.* 16, 2.  
 — — — *Lam. Encycl.* 733.  
 — — — *Dict. sc. nat.* 7, 8.  
 — — — *Desc. Ant.* 7, 490.  
 — — — *Roxb. Corom.* 268.  
 — — — *Bot. Mag.* 77, 4564.  
 — — — *Fl. d. serres* 6, 625.  
 — — — *Lem. Jard. fl.* 137.  
 — texensis *Klotzsch.* *Abh. Acad. Berl.* 1852, 1—3.  
 † — Turpini *C. Koch.* *Bot. Zeitung* 1852, 6.

- †Pistiaceae *Bl.* *Schnizl. Iconogr.* 1, 72.  
 †Pistorinia *DC.* *DC. Crassul.* 1.  
 — — — *Salzmanni Boiss.* *Boissier Esp.* 63.  
 Pisum — ? *Icones plant. Chinae* 15.  
 — arvense *L.* *Sturm Flora* 2, 4.  
 — — — *Dict. sc. nat.* 249.  
 — — — *Sibth. Fl. gr.* 687.  
 — Aucherii *Jaub.* *Jaubert Illustr.* 46.  
 — fulvum *Sibth.* *Sibth. Fl. gr.* 688.  
 — maritimum *L.* *Fl. dan.* 2, 338.  
 — — — *Smith Spicil.* 9.  
 — — — *Sv. Bot.* 656.  
 — — — *Curt. Lond.* 4, 5.  
 — — — *Engl. Bot.* 15, 1046.  
 — — — *Baxter Brit. Bot.* 3, 225.  
 — Ochrus *L.* *Schk. Handb.* 200.  
 — — — *Sibth. Fl. gr.* 689.  
 † — sativum *L.* *Gaertn. Carp.* 152.  
 † — — — *Lam. Encycl.* 633.  
 † — — — *Mem. Institut.* 1830, 9.  
 † — — — *Ann. sc. nat.* III, 18, 16.  
 — — — *Rousseau Bot.* 14, 15.  
 — — — *Schrank Fl. monac.* 3, 261.  
 †Pitcairnia *L'her.* *Swartz Fl. Ind. occ.* 12.  
 — albiflos *Herb.* *Bot. Mag.* 53, 2642.  
 — albucaefolia *Schrad.* *Schrader Blumenbachia* 3.  
 — Altensteinii *Link.* *Fl. d. serres* 2, 162.  
 — — — var. gigantea, *Fl. d. serres* 3, 253, 254.  
 — angustifolia *Ait.* *Red. Lil.* 2, 76.  
 — — — *Bot. Mag.* 37, 1547.  
 — asterotricha *P. et E.* *Poepp. et Endl.* 158.  
 — bracteata *Dryand.* *Bot. Mag.* 34, 1416, 55, 2813.  
 — bromeliaefolia *L'her.* *L'her. Sertum* 11.  
 — — — *Schneevogt Ic.* 11.  
 — — — *Red. Lil.* 2, 75.  
 — — — *Lam. Encycl.* 224.  
 — — — *Bot. Mag.* 21, 824.  
 — — — *Bot. Reg.* 12, 1011.  
 — — — *Kerner Hort.* 46.  
 — discolor *Herb.* *Herb. amat.* 5, 345.  
 — echinata *Hook.* *Bot. Mag.* 79, 4709.  
 — — — *Fl. d. serres* 8, 844.  
 — exscapa *Hook.* *Bot. Mag.* 77, 4591.  
 — — — *Lem. Jard. fl.* 151.  
 — fastuosa *Morr.* *Annales de Gand* 1847, 161.  
 — flammea *Ldl.* *Bot. Reg.* 13, 1092.  
 † — — — *Schnizl. Iconogr.* 1, 65.  
 — furfuracea *Willd.* *Jacq. Ecl. pl.* 79.  
 — — — *Bot. Mag.* 53, 2657.  
 — Jacksoni *Hook.* *Bot. Mag.* 76, 4540.  
 — — — *Lem. Jard. fl.* 127.  
 — integrifolia *Gawl.* *Bot. Mag.* 36, 1462.  
 — lanuginosa *Rz et P.* *Ruiz et Pav. Fl.* 258.  
 — — — *Kerner Hort.* 247.  
 — — — *Savi Fl. ital.* 3, 99.  
 — latifolia *Ait.* *Andr. Rep.* 5, 322.  
 — — — *Wendl. Hort. herrenh.* 3.  
 — — — *Bot. Mag.* 22, 856.  
 — — — *Red. Lil.* 2, 73, 74.  
 — — — *Herb. amat.* 4, 223.  
 — longifolia *Hook.* *Bot. Mag.* 80, 4775.  
 — macrocalyx *Hook.* *Bot. Mag.* 79, 4705.  
 — Morrenii *Lem.* *Lem. Jard. fl.* 3, 291.  
 — muscosa *Mart.* *Bot. Mag.* 80, 4770.  
 — nubigena *Planch.* *Fl. d. serres* 8, 847.  
 — Olfersi *Link.* *Preuss. Garten-Verein* 7, 3.  
 — paniculata *Rz et P.* *Ruiz et Pav. Fl.* 260.  
 — pulverulenta *Rz et P.* *Ruiz et Pav. Fl.* 259.  
 — ringens *Link et Kl.* *Link Ic. III.* 25.  
 — — — *Regel Gartenfl.* 2, 53.  
 — staminea *Lodd.* *Lodd. Cab.* 722.  
 — — — *Bot. Mag.* 50, 2411.

- Pitcairnia staminea* Lodd. Rchb. Exot. 115.  
 — *suaveolens* Ldl. Bot. Reg. 13, 1069.  
 — *sulphurea* Andr. Andr. Rep. 4, 249.  
 — *undulata* Scheidw. Fl. d. serres 2, 162.  
 — *undulatifolia* Hort. Bot. Mag. 72, 4241.  
 † *Pite-heddija* Gaertn. Gaertn. Carp. 180.  
*Pithecolobium Auaremotemo* Mart. Hayne 14, 13.  
 — *glomeratum* Benth. Miquel Surinam 1.  
*Pittonia foetidissima* Desc. Desc. Ant. 5, 376.  
 — *hirsuta* Desc. Desc. Ant. 4, 253.  
*Pittosporum abyssinicum Delile*. Richard Abyssin. 11.  
 — *angustifolium* Lodd. Lodd. Cab. 1859.  
 † — *chelidospermum* Bl. Blume Mus. 1, 33.  
 — *coriaceum* Ait. Andr. Rep. 3, 151.  
 — — Lodd. Cab. 569.  
 — *cornifolium* Cunn. Bot. Mag. 59, 3161.  
 — *discolor* H. Berol. Regel Gartenfl. 1852, 15.  
 — *ferrugineum* Dryand. Bot. Mag. 46, 2075.  
 — *fulvum* Rudge. Linn. Transact. 10, 20.  
 — — Sweet Austr. 25.  
 — *neilgherrense* W. et A. Wight Illustr. 70.  
 — *obcordatum* Decne. Raoul Nouv. Zel. 24.  
 — *parviflorum* Hook. Hook. Beechey 32.  
 — *revolutum* Ait. Lodd. Cab. 506.  
 — — Bot. Reg. 3, 186.  
 — *rhombifolium* Cunn. Hook. Ic. pl. 7, 621.  
 — *rigidum* Hook. Hook. New Zealand 10.  
 — *sinense* Donn. — ? — 2, 57.  
 † — *tenuifolium* Gaertn. Gaertn. Carp. 59.  
 † — — Lam. Encycl. 143.  
 — *tetraspermum* W. et A. Wight Spicil. 43.  
 — — Wight Ic. pl. Ind. or. 3, 971.  
 — *Tobira* Ait. Kaempfer Amoënit. p. 796.  
 — — Bot. Mag. 34, 1396.  
 — *tomentosum* Bonpl. Bonpland Malm. 21.  
 — — Diet. sc. nat. 129.  
 — — Sweet Austr. 33.  
 — — Lodd. Cab. 1441.  
 † — *umbellatum* Gaertn. Gaertn. Carp. 59.  
 † — — Lam. Encycl. 143.  
 — *undulatum* Vent. Vent. Cels 76.  
 — — Andr. Rep. 6, 383.  
 — — Nouveau Duhamel 4, 62.  
 — — Bot. Reg. 1, 16.  
 — — Herb. amat. 2, 86.  
 — — Schrader Gen. pl. 4.  
 — *viridiflorum* Sims. Bot. Mag. 41, 1684.  
*Pitumba guianensis* Aubl. Aublet Guiana 385.  
*Pituranthos denudatum* Viv. Viviani Lib. 7.  
 † *Pityrosperma acerinum* Sieb. et Z. Münchn. Abh. 3, 3.  
*Placea ornata* Miers. Bot. Reg. 27, 50.  
*Pladera decussata* Roxb. Bot. Mag. 58, 3066.  
 — *virgata* Roxb. Wight Illustr. in Hook. 25.  
 † *Plagianthus* Forst. Forster Charact. 43.  
 — *divaricatus* Forst. Bot. Mag. 66, 3271.  
 † — — Payer Organogénie 7.  
 — ? *sidoides* Hook. Bot. Mag. 62, 3396.  
*Plagiocheilus frigidus* P. et E. Poepp. et Endl. 248.  
*Plagiolobium chorizemaefolium* Sweet. Sweet Austr. 2.  
*Plagiopteron fragrans* Griff. Calcutta Journ. 1844, 13.  
*Planarium latisiliquum* Desv. Bentham Sulphur 30.  
*Planera carpinifolia* Wats. Watson Dendr. 2, 106.  
 — *crenata* Desf. Michaux Mémoire 1.  
 — *Richardi* Michx. Dunal Description 1, 2.  
 — *ulmifolia* Michx. Michaux Arb. 3, 7.  
*Plantagineae* Juss. Leydolt Plantagin. 1.  
 † — — Barnéoud Mémoire 1.  
 † *Plantago* L. Hopkirk Fl. anomala 10.  
 — *aegyptiaca* Jacq. Jacq. Ic. 28.  
 — *albicans* L. Cav. Ic. 124.  
 — — Sibth. Fl. gr. 145.  
 — *alpina* L. Jacq. Vind. 125.

- Plantago alpina* L. Sturm Flora 13, 51, 19, 88.  
 † — — Nees Gen. 5, 2.  
 — — Vill. Rochel Banat. 1.  
 — *altissima* L. Jacq. Obs. 83.  
 — — Sturm Flora 19, 87.  
 — *amplexicaulis* Cav. Cav. Ic. 125.  
 — *arborescens* Poir. Webb Canar. 197.  
 † — *argentea* Lam. Jordan Obs. 3, 10.  
 — *arenaria* W. et K. W. et Kit. 51.  
 — — Sturm Flora 2, 7.  
 — — Hayne 5, 16.  
 — — Nees Düsseld. 150.  
 — — Guimpel et Schl. 48.  
 — — Fl. dan. 11, 1808.  
 — — Dietr. Fl. bor. 3, 210.  
 — *asiatica* L. Wight Illustr. 177.  
 — *aucklandica* Hook. Hook. Fl. ant. 42.  
 — *azorica* Hochst. Seubert Fl. azor. 7.  
 — *barbata* Forst. Comm. Gott. 9, 4.  
 — *Bellardi* All. All. Fl. ped. 3, 85.  
 — — Sibth. Fl. gr. 146.  
 † — *bellidifolia* Viv. Viviani Aeg. 2.  
 — *brasiliensis* Sims. Bot. Mag. 53, 2616.  
 — *brutia* Ten. Tenore Fl. nap. 113.  
 — *canescens* Ad. Mem. Mosc. 9, 113.  
 — *capitata* Ten. Tenore Fl. nap. 112.  
 — *carnosa* R. Br. Hook. Fl. ant. 43.  
 — *ceratophylla* H. et L. Hoffm. Lk. Fl. port. 74.  
 — *ciliata* Desf. Desf. Fl. atl. 39.  
 — *congesta* Desf. Ruiz et Pav. Fl. 79.  
 — *cordata* Lam. Jacq. Ecl. pl. 72.  
 — *Cornuti* Jacq. Jacq. Ic. 27.  
 — — Gouan. Sturm Flora 19, 87.  
 — *Coronopus* L. Fl. dan. 2, 272.  
 — — Sv. Bot. 723.  
 — — Engl. Bot. 13, 892.  
 — — Sturm Flora 19, 88.  
 — *cretica* L. Sibth. Fl. gr. 147.  
 — *crispa* Jacq. Jacq. Collect. 5, 16.  
 — *Cynops* L. Jacq. Fragm. 81.  
 — — Hayné 5, 18.  
 — — Nees Düsseld. 151.  
 — — Guimpel et Schl. 47.  
 — — Sturm Flora 19, 88.  
 — *dentata* Roth. Fl. dan. 10, 1634.  
 — *eristochyia* Ten. Tenore Fl. nap. 112.  
 — *exigua* Juss. Comm. Gott. 1, 5.  
 — *fuscescens* Jord. Jordan Obs. 3, 10.  
 † — *graminea* DC. Nees Gen. 5, 2.  
 — *hirsuta* Rz et P. Ruiz et Pav. Fl. 78.  
 — — Thumb. Jacq. Schoenbr. 3, 258.  
 — *hirtella* H. B. K. H. B. K. Nov. Gen. 2, 127.  
 — *hispidula* Rz et P. Ruiz et Pav. Fl. 78.  
 — *hungarica* W. et K. W. et Kit. 203.  
 — *incurvata* Juss. Comm. Gott. 3, 6.  
 — *lanata* Portenschl. Sturm Flora 19, 87.  
 — *lanceolata* L. Fl. dan. 3, 437.  
 — — Gerard Fl. gallop. 12.  
 — — Curt. Lond. 2, 19.  
 — — Engl. Bot. 8, 507.  
 — — Sv. Bot. 632.  
 — — Sturm Flora 2, 7.  
 — — Hayne 5, 15.  
 — — Schrank Fl. monac. 4, 334.  
 — — Dietr. Fl. bor. 3, 209.  
 † — — Jordan Obs. 3, 10.  
 — *lagopoides* Desf. Desf. Fl. atl. 39.  
 — *Lagopus* L. Sibth. Fl. gr. 144.  
 — — Sturm Flora 19, 87.  
 — *latibracteata* Trautv. Trautvetter Imag. 14.  
 — *Loefflingii* L. Jacq. Vind. 126.  
 — —  $\beta$ . *caspia*, Trautvetter Imag. 18.

- Plantago major *L.* Fl. dan. 3, 461.  
 — — — Woodv. Med. 1, 33.  
 — — — Curt. Lond. 1, 110.  
 — — — Engl. Bot. 22, 1558.  
 — — — Baxter Brit. Bot. 3, 207.  
 — — — Sv. Bot. 93.  
 — — — Schk. Handb. 23.  
 † — — — Gaertn. Carp. 51.  
 † — — — Lam. Encycl. 85.  
 — — — Drevs 1, 25.  
 — — — Hayne 5, 13.  
 — — — Guimpel et Schl. 46.  
 — — — Dict. sc. nat. 23.  
 — — — Sturm Flora 19, 87.  
 — — — Dietr. Fl. bor. 3, 207.  
 † — — — Nees Gen. 5, 2.  
 — — — *maritima L.* Fl. dan. 2, 243.  
 — — — Curt. Lond. 5, 193.  
 — — — Engl. Bot. 3, 175.  
 — — — Sibth. Fl. gr. 148.  
 — — — Sturm Flora 19, 88.  
 — — — Dietr. Fl. bor. 12, 816.  
 † — — — *maxima Jacq.* Jacq. Ic. 26.  
 † — — — *media L.* Gaertn. Carp. 51.  
 — — — Fl. dan. 4, 581.  
 — — — Curt. Lond. 1, 104.  
 — — — Engl. Bot. 22, 1559.  
 — — — Sv. Bot. 631.  
 — — — Hayne 5, 14.  
 — — — Dietr. Fl. bor. 3, 208.  
 — — — Sturm Flora 19, 87.  
 — — — Spach Suites 138.  
 — — — *monanthos D'Urv.* Hook. Fl. ant. 121.  
 — — — *montana Lam.* Lodd. Cab. 1581.  
 — — — Sturm Flora 19, 88.  
 — — — Gussone Pl. rar. 13.  
 † — — — Jordan Obs. 3, 10.  
 — — — *nana Tratt.* Tratt. Archiv. 18.  
 — — — *nivalis Boiss.* Boissier Esp. 156.  
 † — — — Jordan Obs. 3, 10.  
 — — — *nubigena H. B. K.* H. B. K. Nov. Gen. 2, 126.  
 — — — *patagonica Jacq.* Jacq. Ic. 306.  
 — — — *penicillata Endl.* Endl. et Fenzl Sertum cab. 1.  
 — — — *philippica Cav.* Cav. Ic. 359.  
 — — — *pilosa Cav.* Cav. Ic. 249.  
 — — — *Roth.* Roth Catal. 2, 1.  
 — — — *Pourr.* Sturm Flora 19, 88.  
 — — — *Psyllium L.* Sibth. Fl. gr. 149.  
 — — — Sturm Flora 2, 7, 19, 88.  
 — — — Hayne 5, 17.  
 — — — Nees Düsseld. 149.  
 † — — — Nees Gen. 5, 2.  
 — — — *Queleniana Gaudich.* Freycinet Voyage 50.  
 — — — *radicata H. et L.* Hoffm. Lk. Fl. port. 73.  
 — — — *recurvata L.* Sturm Flora 19, 88.  
 — — — *rigida H. B. K.* H. B. K. Nov. Gen. 2, 126.  
 — — — *sericea W. et K.* W. et Kit. 151.  
 — — — Sturm Flora 19, 87.  
 — — — Ruiz et Pav. Fl. 79.  
 — — — *serpentina Lam.* Sturm Flora 6, 24.  
 — — — *squamata Müller.* Fl. dan. 4, 691.  
 — — — *squarrosa Murr.* Comm. Gott. 4, 3.  
 — — — Jacq. Fragm. 81.  
 — — — *subulata L.* Jacq. Collect. 1, 10.  
 — — — Rehb. Ic. crit. 9, 807.  
 — — — *syrtica Viv.* Viviani Lib. 3.  
 — — — *tenuiflora W. et K.* W. et Kit. 39.  
 — — — *uniflora L.* Fl. dan. 1, 170.  
 — — — *vaginata Vent.* Vent. Cels 29.  
 — — — *Victoralis Poir.* Sturm Flora 19, 87.  
 — — — *Webbii Barn.* Webb Canar. 198.  
 — — — *Weldenii Rehb.* Rehb. Ic. crit. 9, 806.

- Plantago Wulfen *Schreb.* Sturm Flora 6, 24.  
 † *Platanaceae Lest.* Schnizl. Iconogr. 2, 97.  
*Platanocarpum africanum Hook. fil.* Hook. Niger Fl. 37.  
 — — — *subditum Korth.* Korthals Bot. 32.  
*Platanthera affinis Wight.* Wight Ic. pl. Ind. or. 5, 1693.  
 † — — — *bifolia Rich.* Usteri Annalen 7, 1.  
 — — — Dietr. Fl. bor. 1, 7.  
 — — — Rehb. Ic. crit. 9, 851.  
 † — — — *Cosson Atlas 32.*  
 † — — — *Rehb.* Nees Gen. 3, x.  
 — — — Rehb. Fl. germ. 13, 427—429.  
 — — — *borealis Rehb. fil.* Rehb. Fl. germ. 13, 431.  
 — — — *brachyglossa Wallr.* Rehb. Ic. crit. 9, 852.  
 — — — *brachyphylla Ldl.* Wight Ic. pl. Ind. or. 5, 1694.  
 — — — *chlorantha Cust.* Rehb. Ic. crit. 9, 853.  
 † — — — *Cosson Atlas 32.*  
 — — — *Chorisiana Rehb. fil.* Rehb. Fl. germ. 13, 435.  
 — — — *convallariaefolia Ldl.* Rehb. Fl. germ. 13, 431.  
 — — — *decipiens Ldl.* Rehb. Fl. germ. 13, 417.  
 — — — *diphylla Rehb. fil.* Rehb. Fl. germ. 13, 436.  
 — — — *dolichorrhiza Rehb. fil.* Rehb. Fl. germ. 13, 432.  
 — — — *foliosa Brongn.* Brongniart Coquille 38.  
 — — — *hyperboraea Rehb. fil.* Rehb. Fl. germ. 13, 432. 33.  
 — — — *iantha Wight.* Wight Ic. pl. Ind. or. 5, 1692.  
 — — — *lutea Wight.* Wight Ic. pl. Ind. or. 3, 919.  
 — — — *montana Rehb. fil.* Rivinus Irreg. hexap. 12.  
 — — — Rehb. Fl. germ. 13, 430.  
 — — — *obtusata Ldl.* Hook. Bor. Am. 199.  
 — — — Rehb. Fl. germ. 13, 427.  
 — — — *orbiculata Ldl.* Hook. Bor. Am. 200.  
 — — — *rotundifolia Ldl.* Hook. Bor. Am. 201.  
 — — — *Rumphii Brongn.* Brongniart Coquille 38.  
 — — — *satyroides Rehb. fil.* Rehb. Fl. germ. 13, 437.  
 † — — — *solstitialis Bönn.* var. *patula*, Rehb. Fl. g. 13, 517.  
 — — — *Susannae Ldl.* Wight Ic. pl. Ind. or. 3, 920.  
 — — — *tipuloides Ldl.* Rehb. Fl. germ. 13, 428. 517.  
 † — — — *tricuris A. Rich.* Ann. sc. nat. II, 14, 16.  
 — — — *viridis Ldl.* Rehb. Fl. germ. 13, 434. 435.  
 † *Platanus acerifolia Willd.* Nees Gen. 4, 17.  
 — — — *mexicana Moric.* Moricand Pl. Am. 26.  
 — — — *occidentalis L.* Michaux Arb. 3, 3.  
 — — — Schk. Handb. 306.  
 — — — *Nouveau Duhamel 2, 2.*  
 — — — Hartig 54.  
 — — — *Watson Dendr. 2, 100.*  
 † — — — *Schnizl. Iconogr. 2, 97.*  
 — — — *orientalis L.* Pallas Fl. ross. 51.  
 † — — — Gaertn. Carp. 90.  
 † — — — Lam. Encycl. 783.  
 — — — *Nouveau Duhamel 2, 1.*  
 — — — Schk. Handb. 306.  
 — — — *Watson Dendr. 2, 101.*  
 — — — Sibth. Fl. gr. 945.  
*Platonia elata Kth.* Humb. Gram. 76.  
*Platonia insignis Mart.* Mart. Bras. 289.  
*Platostoma africanum Pal. B.* Pal. B. Fl. d'Oware 95.  
*Platycarpum orenocense H. B.* Humb. Pl. aeq. 104.  
 — — — Lam. Encycl. 924.  
 † *Platycarya strobilacea S. et Z.* Münchn. Abh. 3, 5.  
 † *Platycentrum clidemioides Naud.* Ann. sc. nat. III, 18, 5.  
*Platycerium alicicornis Gaudich.* Bot. Reg. 3, 262. 263.  
 — — — *biforme Bl.* Blume Java 6, 18.  
 † — — — Hook. Gen. Fil. 80.  
*Platycheilum Celsianum Delaunoy.* Herb. amat. 3, 187.  
*Platycodon autumnalis Decne.* Lem. Jard. fl. 250.  
 — — — *chinensis Ldl.* Paxt. Fl. G. 61.  
 † — — — *grandiflorus A. DC.* DC. Camp. 3.  
 — — — Paxt. Mag. 13, 7.  
 — — — *Sweet Fl. G. II, 208.*  
*Platycrater arguta S. et Z.* Sieb. Fl. Japon. 27.  
*Platylepis brasiliensis Kth.* Endl. Bras. 3, 4.  
 † — — — *goodyeroides A. Rich.* Mem. hist. nat. Par. 4, 6.

- Platylobium formosum* Sm. Smith New Holl. 6.  
 — — — Bot. Mag. 14, 469.  
 — — — Vent. Malm. 31.  
 — — — Rehb. Exot. 315.  
 — — — Rehb. Mag. 71.  
 — — — Paxt. Mag. 13, 195.  
 — lanceolatum Andr. Andr. Rep. 3, 205.  
 — — — Herb. amat. 4, 246.  
 — microphyllum Sims. Bot. Mag. 22, 863.  
 — Murrayanum Hook. Bot. Mag. 60, 3259.  
 — obtusangulum Hook. Bot. Mag. 60, 3258.  
 — ovatum Sm. Andr. Rep. 4, 266.  
 — parviflorum Sm. Bot. Mag. 37, 1520.  
 — — — Lodd. Cab. 1241.  
 — — — Paxt. Mag. 11, 219.  
 — Scolopendrum Andr. Andr. Rep. 3, 191.  
 — — — Vent. Malm. 55.  
 — — — Kerner Hort. 262.  
 — triangulare R. Br. Bot. Mag. 37, 1508.  
 — — — Lodd. Cab. 1014.  
 — — — Rehb. Mag. 71.  
 † *Platyloma Brownii* Sm. Hook. Gen. Fil. 115.  
*Platymiscium polystachyum* Benth. Seemann Herald 21.  
*Platypetalum purpurascens* R. Br. Hook. Bor. Am. 23.  
 — — — Fl. dan. 13, 2295.  
 † *Platysma gracilis* Bl. Blume Tabellen 43.  
*Platyspermum scapigerum* Hook. Hook. Bor. Am. 18.  
*Platystemma violoides* Wall. Wall. Pl. asiat. 151.  
 — — — Royle Illustr. 71.  
 † — — — Wight Illustr. 159<sup>b</sup>.  
*Platystemon californicus* Benth. Bot. Mag. 64, 3579.  
 — — — Bot. Reg. 20, 1679.  
 — — — Maund Bot. 2, 65.  
 — — — Sweet Fl. G. II. 394.  
 — leiocarpus F. et M. Bot. Mag. 66, 3750.  
 — — — Knowles et Westcott 76.  
*Platystigma lineare* Benth. Bot. Mag. 64, 3575.  
 — — — Bot. Reg. 23, 1954.  
 — — — Hook. Ic. pl. 1, 38.  
*Platystylis cyanea* Sweet. Sweet Fl. G. 239.  
*Platzamia rigida* Zucc. Münch. Abh. 4, 4.  
*Platzoma microphyllum* R. Br. Guillemain Austr. 13.  
 — — — Dict. sc. nat. 92.  
 † — — — Hook. Gen. Fil. 41.  
 † *Plecosorus mexicanus* Fée. Fée Fil. 5, 13.  
 † — peruvianus Fée. Fée Fil. 5, 13.  
 † *Plecospermum Trécul.* Ann. sc. nat. III. 8, 4.  
 — spinosum Trécul. Wight Ic. pl. Ind. or. 6, 1963.  
*Plecostigma pauciflorum* Turcz. Trautv. Imag. 2.  
*Plectanthera floribunda* Mart. Mart. Bras. 26.  
*Plectocephalus americanus* Don. Sweet Fl. G. II. 51.  
*Plectocomia elongata* Mart. Mart. Palm. 114. 116. 176.  
 — — — Blume Rumphia 158. 163.  
 — — — Griffith Palms 217<sup>abc</sup>.  
 — himalayana Griff. Griffith Palms 219.  
 — Khasiyana Griff. Griffith Palms 218.  
 — Mülleri Bl. Blume Rumphia 159.  
*Plectranthus australis* R. Br. Lodd. Cab. 1185.  
 — — — Bot. Reg. 13, 1098.  
 — barbatus Andr. Andr. Rep. 9, 594.  
 — comosus Sims. Bot. Mag. 49, 2318.  
 — cordifolius Benth. Rheede Hort. mal. 10, 84.  
 — Forskählii Vahl. Bot. Mag. 46, 2036.  
 — fruticosus L'her. L'her. Stirp. 41.  
 † — — — Ratzeburg Peloria 1.  
 — galeatus Vahl. Rehb. Hort. 177.  
 — Macraei Benth. Wight Ic. pl. Ind. or. 4, 1430.  
 — paniculatus Jacq. Jacq. Fragm. 91.  
 — parviflorus Willd. Willdenow Hortus 65.  
 — punctatus L'her. L'her. Stirp. 42.  
 — rotundifolius Benth. Rheede Hort. mal. 11, 25.  
 — scrophularioides Wall. Hook. Ic. pl. 5, 464.

- Plectranthus ternatus* Sims. Bot. Mag. 51, 2460.  
 — ternifolius Don. Hook. Ic. pl. 5, 460.  
 — Wightii Benth. Wight Ic. pl. Ind. or. 4, 1429.  
*Plectritis congesta* Ldl. Bot. Reg. 13, 1094.  
*Electronia ventosa* L. Lam. Encycl. 146.  
*Pleca tenuifolia* Michx. Michaux Fl. 25.  
 — — — Red. Lil. 5, 248.  
 — — — Lam. Encycl. 947.  
 — — — Bot. Mag. 45, 1956.  
*Pleiomis canariensis* DC. Webb Canar. 187.  
*Pleione humilis* Don. Lem. Jard. fl. 158.  
 — — — Paxt. Fl. G. 51.  
 — lagenaria Ldl. Lem. Jard. fl. 93.  
 — maculata Ldl. Lem. Jard. fl. 93.  
 — — — Paxt. Fl. G. 39.  
 — Wallichiana Ldl. Lem. Jard. fl. 153.  
*Pleocarphus revolutus* Don. Gay Chile 43.  
 † *Pleocnemia Leuceana* Presl. Hook. Gen. Fil. 70. 97.  
*Pleopeltis angusta* H. B. Humb. Pl. aeq. 140.  
 — — — H. B. K. Nov. Gen. 1, 1.  
 — — — Hook. Exot. Fl. 61.  
 — ensifolia Carm. Hook. Exot. Fl. 62.  
 — nuda Hook. Hook. Exot. Fl. 63.  
 † — — — Hook. Gen. Fil. 18.  
 — percussa H. et Gr. Hook. Ic. Fil. 1, 67.  
 — pinnatifida Gill. Hook. Ic. Fil. 2, 157.  
*Pleroma Benthamianum* Gardn. Bot. Mag. 69, 4007.  
 — elegans Gardn. Bot. Mag. 72, 4262.  
 — — — Paxt. Mag. 15, 27.  
 — heteromallum Don. Maund Bot. 4, 175.  
 — — — Hart. Parad. 2, 2.  
 — Kunthianum Paxt. Paxt. Mag. 12, 125.  
 — — — Bot. Mag. 74, 4412.  
 — petiolatum Paxt. Paxt. Mag. 11, 267.  
*Pleurachne secunda* Schrad. Comm. Gott. rec. 7, 4.  
*Pleurandra acicularis* Lab. Bill. Nov. Holl. 144.  
 — — — Lam. Encycl. 960.  
 — bracteata R. Br. Delessert Ic. 1, 78.  
 — cistiflora Sieb. Rehb. Hortus 79.  
 — furfuracea R. Br. Delessert Ic. 1, 80.  
 — hypericioides DC. Delessert Ic. 1, 81.  
 — ovata Lab. Bill. Nov. Holl. 143.  
 — — — Lam. Encycl. 960.  
 — sericea R. Br. Delessert Ic. 1, 79.  
 † *Pleurogramme* Presl. Hook. Gen. Fil. 72.  
 — graminifolia Fée. Fée Fil. 3, 4.  
 — immersa Fée. Fée Fil. 3, 4.  
 † — linearis Presl. Hook. Gen. Fil. 75.  
 † — myrtilifolia Fée. Fée Fil. 5, 10.  
 — paradoxa Fée. Fée Fil. 3, 4.  
*Pleurogyne himalayensis* Klotzsch. Prinz Wald. Him. 68.  
*Pleurophora pungens* Don. Poepp. et Endl. 193.  
*Pleurophyllum criniferum* Hook. Hook. Fl. ant. 24. 25.  
 — speciosum Hook. Hook. Fl. ant. 22. 23.  
 † *Pleuroplitis Langsdorffii* Trin. Trinius Fund. 16.  
 † *Pleuropogon Sabinii* R. Br. Parry Voyage tab. D.  
 † *Pleurosorus immersus* Fée. Fée Fil. 5, 16.  
*Pleurostachys Urvilleana* Brongn. Brongniart Coq. 31.  
*Pleurostyliia Wightii* W. et A. Wight Ic. pl. Ind. or. 1, 155.  
 † *Pleurothallis acuminata* Focke. Miquel Surinam 64.  
 — aristata Hook. Jardine Annals 2, 15.  
 — bicarinata Ldl. Bot. Mag. 71, 4142.  
 — cauliflora Hook. Hook. Ic. pl. 1, 50.  
 — ciliata Kn. et W. Knowles et Westcott 19.  
 —? coccinea Hook. Hook. Exot. Fl. 129.  
 — — — Kerner Hort. 747.  
 — decurrens P. et E. Poepp. et Endl. 83.  
 — diffusa P. et E. Poepp. et Endl. 86.  
 † — disticha A. Rich. Mem. hist. nat. Par. 4, 8.  
 — floribunda P. et E. Poepp. et Endl. 84.  
 — foliosa Hook. Bot. Mag. 54, 2746.  
 — Grobyi Batem. Bot. Reg. 21, 1797.

- Pleurothallis Grobyi *Batem.* Bot. Mag. 68, 3682.  
 — Lanceana *Ldl.* Lodd. Cab. 1767.  
 — multicaulis *P. et E.* Poepp. et Endl. 82.  
 — pachyrachis *A. Rich.* Ramon Cuba 74.  
 † pectinata *Miers.* Linn. Transact. 18, 37.  
 — peduncularis *Hook.* Hook. Journal 1841, 9.  
 — picta *Ldl.* Bot. Reg. 21, 1825.  
 — — Bot. Mag. 68, 3897.  
 — prolifera *Herb.* Lodd. Cab. 1908.  
 — — Bot. Reg. 15, 1298.  
 — — Bot. Mag. 60, 3261.  
 — punctata *Ker.* Bot. Reg. 9, 759.  
 — racemiflora *Ldl.* Lodd. Cab. 949.  
 — — Hook. Exot. Fl. 123.  
 — ruscifolia *R. Br.* Hook. Exot. Fl. 197.  
 — sagittifera *H. B. K.* H. B. K. Nov. Gen. 1, 91.  
 — saurocephala *Lodd.* Lodd. Cab. 1571.  
 — — Bot. Mag. 57, 3030.  
 — — Bot. Reg. 23, 1968.  
 — secunda *P. et E.* Poepp. et Endl. 85.  
 — Smithiana *Ldl.* Journ. Hort. Soc. 2, 247.  
 † surinamensis *Focke.* Miquel Surin. 64.  
 — tricarinata *P. et E.* Poepp. et Endl. 87.  
 — truncata *Ldl.* Hook. Ic. pl. 1, 55.  
 Plicangis *Aub.* Aubert Orchid. 58.  
 Plinia pedunculata *L. fil.* Bot. Mag. 14, 473.  
 † — pinnata *L.* Lam. Encycl. 428.  
 Plinthine aggregata *Rchb.* Rchb. Fl. germ. 5, 219.  
 — tetraquetra *Rchb.* Rchb. Fl. germ. 5, 219.  
 † Plocama pendula *Ait.* Gaertn. Carp. 196.  
 † Plocoglossis javanica *Bl.* Blume Tabellen 21.  
 † Plocostemma lasianthum *Bl.* Blume Mus. 1, 14.  
 Ploesslea floribunda *Endl.* Endl. Iconogr. 119. 120.  
 Ploiarium elegans *Korth.* Korthals Bot. 25.  
 Pluchea indica *Less.* Wight Illustr. 131.  
 — Quitoc *DC.* Jacq. Ecl. pl. 133.  
 † Plukenetia volubilis *L.* Lam. Encycl. 788.  
 Plumbagidium auriculatum *Spach.* Spach Suites 149.  
 † Plumbaginaceae *Juss.* Barnéoud Mémoire 2.  
 † — Schnizl. Iconogr. 117.  
 † Plumbago *L.* Kerner Genera 32.  
 — auriculata *Lam.* Savi Fl. ital. 3, 108.  
 — — Herb. amat. 5, 339.  
 — capensis *Thunb.* Bot. Mag. 47, 2110.  
 — — Bot. Reg. 5, 417.  
 — — Lodd. Cab. 295.  
 — cyanea *Turp.* Dict. sc. nat. 24.  
 † — europaea *L.* Lam. Encycl. 105.  
 — — Schk. Handb. 36.  
 — — Sibth. Fl. gr. 191.  
 — — Bot. Mag. 47, 2139.  
 — — Nees Düsseld. Suppl. 84. 85.  
 † — — Nees Gen. 5, 5.  
 — lapathifolia *Willd.* Nees Düsseld. Suppl. 84.  
 — Larpentae *Ldl.* Paxt. Mag. 14, 267.  
 — — Annales de Gand 1848, 191.  
 — — Fl. d. serres 4, 307.  
 — micrantha *Led.* Ledeb. Ic. 21.  
 — rhomboidea *Hook.* Bot. Mag. 56, 2917.  
 — — Lodd. Cab. 1536.  
 — rosea *L.* Rheede Hort. mal. 10, 9.  
 — — Rumpf Amb. 5, 168.  
 † — — Gaertn. Carp. 50.  
 — — Bot. Mag. 7, 230.  
 — — Herb. amat. 5, 287.  
 — scandens *L.* Jacq. Hist. stirp. am. 23.  
 — — Desc. Ant. 3, 172.  
 † — — Schnizl. Iconogr. 117.  
 — zeylanica *L.* Rheede Hort. mal. 10, 8.  
 — — Trewh. Pl. rar. 8.  
 — — Bot. Reg. 32, 23.  
 — — Wight Illustr. 179.  
 Plumieria acuminata *Dryand.* Bot. Mag. 68, 3952.  
 — — Bot. Reg. 2, 114.  
 — — Rehb. Exot. 222.  
 — — Wight Ic. pl. Ind. or. 2, 471.  
 — acutiflora *Poir.* Rumpf Amb. 4, 38.  
 — alba *L.* Jacq. Hist. stirp. am. 38.  
 — — Desc. Ant. 3, 178.  
 — aurantia *Don.* Hart. Parad. 1, 4.  
 — bicolor *Rz et P.* Ruiz et Pav. Fl. 141.  
 — — Bot. Reg. 6, 480.  
 — carinata *Rz et P.* Ruiz et Pav. Fl. 140.  
 — — Kerner Hort. 355.  
 — Jamesoni *Hook.* Bot. Mag. 79, 4751.  
 — incarnata *Rz et P.* Ruiz et Pav. Fl. 138.  
 — — Kerner Hort. 206.  
 — Lambertiana *Ldl.* Bot. Reg. 16, 1378.  
 — lutea *Rz et P.* Ruiz et Pav. Fl. 142.  
 — — Kerner Hort. 703.  
 — mexicana *Lodd.* Lodd. Cab. 1024.  
 — obtusa *L.* Lam. Encycl. 173.  
 — purpurea *Rz et P.* Ruiz et Pav. Fl. 137.  
 — rubra *L.* Bot. Mag. 8, 279.  
 † — — Lam. Encycl. 173.  
 — — Tussac Ant. 3, 20.  
 — — Desc. Ant. 4, 297.  
 — — Bot. Reg. 10, 780.  
 — — Kerner Hort. 31. 780.  
 — — Rehb. Exot. 175.  
 — tricolor *Rz et P.* Ruiz et Pav. Fl. 139.  
 — — Bot. Reg. 6, 510.  
 — — Kerner Hort. 414.  
 — — Rehb. Exot. 223.  
 — tuberculata *Lodd.* Lodd. Cab. 681.  
 Pneumonantha frigida *Schmidt.* Roemer Archiv 1, 2.  
 — plicata *Schmidt.* Roemer Archiv 1, 2.  
 † Poa *L.* Linné Amoenit. 7, 3.  
 † — — Dumortier Gramin. 5.  
 † — — Wiegmann Archiv 2, 6.  
 — abyssinica *Jacq.* Jacq. Ic. 17.  
 — aegyptiaca *Delile.* Delile Egypte 10.  
 — agrostoides *DC.* DC. Ic. Gall. 1.  
 — alpina *L.* Fl. dan. 5, 807.  
 — — Sv. Bot. 757.  
 — — Host Gram. 167.  
 — — Knapp Gram. 50.  
 — — Engl. Bot. 14, 1003.  
 — — Rchb. Fl. germ. 1, 83.  
 — — Sturm Flora 8, 29.  
 — altaica *Led.* Ledeb. Ic. 225.  
 — amboinensis *R. et Sch.* Rumpf Amb. 6, 7. fig. 3.  
 — angustifolia *L.* Schk. Handb. 13.  
 — — Rchb. Fl. germ. 1, 87.  
 † — annua *L.* Lam. Encycl. 45.  
 — — Host Gram. 164.  
 — — Fl. dan. 10, 1686.  
 — — Sv. Bot. 126.  
 — — Curt. Lond. 2, 131.  
 — — Engl. Bot. 16, 1141.  
 — — Knapp Gram. 52.  
 — — Baxter Brit. Bot. 4, 288.  
 — — Rchb. Fl. germ. 1, 82.  
 — aquatica *L.* Fl. dan. 6, 920.  
 — — Sv. Bot. 30.  
 — — Host Gram. 160.  
 — — Curt. Lond. 2, 15.  
 — — Engl. Bot. 19, 1315.  
 — — Knapp Gram. 44.  
 — aspera *Juss.* Jacq. Virid. 3, 56.  
 — atrovirens *Desf.* Desf. Fl. atl. 14.  
 † — badensis *Haenke.* Nees Gen. 1, 56.  
 — Balfourii *Parnell.* Engl. Bot. 2918.  
 — — var. Jardine Annals 10, 5.

- Poa barbata* Thunb. Thunberg Fl. jap. 10.  
 — Bergiana Kth. Humb. Gram. 189.  
 — bifaria Vahl. Humb. Gram. 80.  
 — bififormis Kth. Humb. Gram. 149.  
 — borbonica Kth. Humb. Gram. 151.  
 — bulbosa L. Host Gram. 165.  
 — — Engl. Bot. 15, 1071.  
 — — Knapp Gram. 53.  
 — — Rchb. Fl. germ. 1, 81.  
 † — — Verhandl. Rheinh. 7, 6.  
 — caesia Sm. Engl. Bot. 24, 1719.  
 — — Knapp Gram. 56.  
 — — Rchb. Fl. germ. 1, 85.  
 — Cambessediana Kth. Humb. Gram. 146.  
 — cenisia All. Host Gram. 146.  
 — — Sturm Flora 19, 86.  
 — — Rchb. Fl. germ. 1, 83.  
 — Chapelieri Kth. Humb. Gram. 186.  
 — chilensis Moris. Mem. Tur. 36, 11.  
 — chinensis L. Burmann Fl. ind. 11.  
 — cilianensis All. Allione Fl. ped. 3, 91.  
 — ciliaris L. Jacq. Ic. 304.  
 — coerulea Knapp. Knapp Gram. 118.  
 — collina Host. Host Gram. 166.  
 — compressa L. Fl. dan. 5, 742.  
 — — Host Gram. 170.  
 — — Engl. Bot. 6, 365.  
 — — Knapp Gram. 57.  
 — — Rchb. Fl. germ. 1, 85.  
 † — — Nees Gen. 1, 56.  
 — concinna Gaud. Rchb. Fl. germ. 1, 81.  
 — cristata L. Host Gram. 175.  
 — cynosuroides Retz. Delile Egypte 10.  
 — decumbens With. Host Gram. 172.  
 — — Engl. Bot. 11, 792.  
 — — Knapp Gram. 59.  
 — dentata Torr. Torrey New York 153.  
 — distans L. Fl. dan. 2, 251.  
 — — Host Gram. 163.  
 — — Curt. Lond. 3, 124.  
 — — Engl. Bot. 14, 986.  
 — — Knapp Gram. 47.  
 — disticha Wulf. Jacq. Ic. 19.  
 — — Sturm Flora 2, 6.  
 — — Host Gram. 176.  
 — distichophylla Gaud. Rchb. Fl. germ. 1, 84.  
 — — Schrank. Münchn. Denkschr. 7, 3.  
 — divaricata Gouan. Gouan Illustr. 2.  
 — dura Scop. Host Gram. 173.  
 — Eragrostis L. Schreber Gräser 38.  
 — — Sibth. Fl. gr. 73.  
 — — Cav. Ic. 92.  
 — — Host Gram. 169.  
 — falcata Gaudich. Freycinet Voyage 25.  
 — fertilis Host. Host Gram. 214.  
 † — — Nees Gen. 1, 56.  
 — festucaeformis Host. Host Gram. 217.  
 — flexuosa Host. Host Gram. 326.  
 — — Sm. Engl. Bot. 16, 1123.  
 — — Knapp Gram. 51.  
 — — Wahlenb. Sv. Bot. 704.  
 — — Rchb. Fl. germ. 1, 84.  
 — fuitans L. Sv. Bot. 102.  
 — — Engl. Bot. 22, 1520.  
 — — Knapp Gram. 45.  
 — geniculata Durieu. Explor. Alger. 40.  
 — glauca Vahl. Fl. dan. 6, 964.  
 — — Sm. Engl. Bot. 24, 1720.  
 — glomerata Knapp. Knapp Gram. 117.  
 — gracilis Bert. var.  $\beta$ . Novi Comm. Bonon. 5, 40.  
 — Halleri R. et Sch. Rchb. Fl. germ. 1, 85.  
 — hybrida Gaud. Rchb. Fl. germ. 1, 90.

- Poa interrupta* Lam. Humb. Gram. 188.  
 — Kergulensis Hook. Hook. Fl. ant. 138.  
 — Langeana Richt. Rchb. Fl. germ. 1, 85.  
 — lanigera N. v. E. var. Humb. Gram. 153.  
 — laxa Haenke. Host Gram. 215.  
 — — — Roemer Fl. europ. 13, 3.  
 — — — Sturm Flora 8, 29.  
 — — — Rchb. Fl. germ. 1, 84.  
 — ligulata Boiss. Boissier Esp. 178.  
 — litoralis Gouan. Lam. Encycl. 45.  
 — malabarica L. Burmann Fl. ind. 11.  
 — maritima L. Fl. dan. 2, 251.  
 — — Schrad. Fl. dan. 10, 1626.  
 — — Cav. Cav. Ic. 126.  
 — — Huds. Engl. Bot. 16, 1140.  
 — — — Knapp Gram. 46.  
 — maypurensis H. et Kth. Humb. Gram. 183.  
 — Meratiana Kth. Humb. Gram. 184.  
 — Michauxii Kth. Humb. Gram. 181.  
 — minor Gaud. Sturm Flora 9, 34.  
 — — — Rchb. Fl. germ. 1, 82.  
 — Molinerii Balb. Mem. Tur. 7, 5.  
 — mucronata Pal. B. Pal. B. Fl. d'Oware 4.  
 — nana Savi. Usteri Annalen 24, 1.  
 — — — Mem. Mod. 9, x.  
 — nemoralis L. Fl. dan. 5, 749.  
 — — — Host Gram. 171.  
 — — — Engl. Bot. 18, 1265.  
 — — — Knapp Gram. 58.  
 — — — Rchb. Fl. germ. 1, 86.  
 — nigricans H. et Kth. Humb. Gram. 146.  
 — palustris L. Fl. dan. 5, 750.  
 — — Vill. Vill. Cat. Strasb. 2.  
 — Parnellii Bab. Engl. Bot. 2916.  
 — pastoensis H. et Kth. Humb. Gram. 145.  
 — pectinata Lam. Lam. Encycl. 45.  
 — peruviana Jacq. Jacq. Ic. 18.  
 — pilosa L. Host Gram. 168.  
 — plumosa Retz. Rumpf Amb. 6, 4. fig. 3.  
 — pratensis L. Curt. Lond. 2, 72.  
 — — — Engl. Bot. 15, 1073.  
 — — — Knapp Gram. 55.  
 — — — Sv. Bot. 88.  
 — — — Vill. Cat. Strasb. 2.  
 — — — Host Gram. 161.  
 — — — Rchb. Fl. germ. 1, 88.  
 † — — Nees Gen. 1, 56.  
 — procumbens Curt. Curt. Lond. 3, 118.  
 — — — Engl. Bot. 8, 532.  
 — — — Knapp Gram. 49.  
 — prostrata H. et Kth. Humb. Gram. 144.  
 — racemosa Thunb. Petersb. 2, 7.  
 — ramosa Savi. Mem. Mod. 9, x.  
 — rariflora Desf. Humb. Gram. 150.  
 — refracta Mühlenb. Elliott Carolina 9.  
 — reptans Michx. Michaux Fl. 11.  
 — rigida L. Curt. Lond. 2, 129.  
 — — — Engl. Bot. 20, 1371.  
 — — — Knapp Gram. 48.  
 — — — Host Gram. 174.  
 — rubens Lam. Lam. Encycl. 45.  
 — scoparia Kth. Humb. Gram. 182.  
 — serotina Ehrh. Sv. Bot. 502.  
 — — — Fl. dan. 13, 2166.  
 — seslerioides All. Allione Fl. ped. 3, 91.  
 — sicula Jacq. Jacq. Ic. 303.  
 — — — Cirillo Pl. rar. 2, 8.  
 — silvatica Vill. Vill. Dauph. 3.  
 — — — Poll. Fl. dan. 7, 1145.  
 — solida Kth. Humb. Gram. 185.  
 — spinosa Thunb. Humb. Gram. 190.  
 — stolonifera Bell. Mem. Tur. 5, 3.



- Poa subcoerulea* Sm. Engl. Bot. 14, 1004.  
 — *subfastigiata* Led. Ledeb. Ic. 224.  
 — *subuniflora* Kth. Humb. Gram. 83.  
 — *sudetica* Haenke. Host Gram. 213.  
 — — — Fl. dan. 11, 1924.  
 — — — Sv. Bot. 614.  
 — — — Petersb. 2, 7.  
 — — — Rehb. Fl. germ. 1, 90.  
 — *supina* Schrad. Host Gram. 327.  
 — — — Sturm Flora 9, 34.  
 — *tenax* H. B. K. H. B. K. Nov. Gen. 7, 692.  
 — *tenella* L. Humb. Gram. 147.  
 — *thalassica* H. et Kth. Humb. Gram. 81. 82.  
 — *Thouarsiana* Kth. Humb. Gram. 152.  
 — *trivialis* L. Host Gram. 162.  
 — — — Fl. dan. 9, 1444. 10, 1685.  
 — — — Curt. Lond. 2, 73.  
 — — — Engl. Bot. 15, 1072.  
 — — — Knapp Gram. 54.  
 — — — Rehb. Fl. germ. 1, 89.  
 — *variabilis* Gaudich. Humb. Gram. 187.  
 — *verticillata* Cav. Cav. Ic. 93.  
 — *violacea* Bell. Mem. Tur. 5, 3.  
 — *virens* Jacq. Jacq. Ecl. Gram. 36.  
*Pocockia cretica* DC. Rehb. Ic. crit. 6, 578.  
 † *Podalyria* Lam. Kerner Genera 5.  
 — *alba* Willd. Bot. Mag. 29, 1177.  
 — *argentea* Salisb. Salisb. Parad. 7.  
 — *australis* Vent. Vent. Cels 56.  
 — *biflora* Willd. Bot. Mag. 20, 753.  
 — — — Lam. Encycl. 327.  
 — *bracteata* Roxb. Roxb. Corom. 259.  
 — — — Kerner Hort. 619.  
 — *buxifolia* Willd. Lam. Encycl. 327.  
 — — — Lodd. Cab. 1020.  
 — — — Bot. Reg. 11, 869.  
 — — — Maund Bot. 5, 204.  
 — *capensis* Willd. Dict. sc. nat. 253.  
 — *cuneifolia* Vent. Vent. Cels 99.  
 — *hirsuta* Willd. Andr. Rep. 8, 525.  
 — *lupinoides* Lam. Lam. Encycl. 327.  
 — — — Bot. Mag. 34, 1389.  
 — *myrtifolia* Retz. Rehb. Mag. 41.  
 — *obcordata* Poir. Lam. Encycl. 327.  
 — *oleaeifolia* Salisb. Salisb. Parad. 114.  
 — *sericea* R. Br. Bot. Mag. 44, 1923.  
 — — — Lodd. Cab. 1442.  
 — — — Herb. amat. 3, 203.  
 — — — Rehb. Mag. 41.  
 — *styracifolia* Sims. Bot. Mag. 38, 1580.  
 — — — Lodd. Cab. 649.  
 — — — Knowles et Westcott 104.  
 — — — Rehb. Exot. 317.  
 — — — Rehb. Mag. 41.  
 — *tinctoria* Willd. Bot. Mag. 27, 1099.  
 — — — Lam. Encycl. 327.  
*Podanthera pallida* Wight. Wight Ic. pl. Ind. or. 5, 1759.  
*Podocarpus agathifolia* Bl. Blume Rumphia 173.  
 — *amara* Bl. Blume Rumphia 170.  
 — *aspleniifolia* Lab. Bill. Nov. Holl. 221.  
 — — — Tratt. Archiv 59.  
 — — — Lam. Encycl. 997.  
 —? *biformis* Hook. Hook. Ic. pl. 6, 544.  
 — *bracteata* Bl. Blume Rumphia 172.  
 † *chilina* Rich. Richard Conif. 1.  
 † *coriacea* Rich. Richard Conif. 1.  
 — — — Hook. Journal 1842; 21.  
 — *cupressina* R. Br. Bennett Java 10.  
 — — — Blume Rumphia 172. 172<sup>b</sup>.  
 —? *Dieffenbachii* Hook. Hook. Ic. pl. 6, 547.  
 † *elongata* Rich. Richard Conif. 1.  
 — *ferruginea* Don. Hook. Ic. pl. 6, 542.

- Podocarpus latifolia* Wall. Wall. Pl. asiat. 30.  
 — — — Hook. Journal 1842, 23.  
 — *macrophylla* Wall. Wallich Tentamen 43.  
 — *neriifolia* Don. Bot. Mag. 78, 4655.  
 — — — Lem. Jard. fl. 3, 313.  
 — — — Fl. d. serres 8, 768.  
 —? *nivalis* Hook. Hook. Ic. pl. 6, 582.  
 — *nucifera* Loudon. Kaempfer Amoenit. p. 815.  
 — *Purdiana* Hook. Hook. Ic. pl. 7, 624.  
 — *spicata* R. Br. Hook. Ic. pl. 6, 543.  
 — *taxifolia* H. B. K. H. B. K. Nov. Gen. 2, 97.  
 † — — — Richard Conif. 29.  
 — — — Kerner Hort. 497.  
 — *Thunbergii* Hook. Hook. Journal 1842, 22.  
 — *Totarra* Don. Hook. Journal 1842, 19.  
*Podochilus densiflorus* Bl. Blume Rumphia 192. 200.  
 † — *lucescens* Bl. Blume Orchid. 12.  
 — *scapellifolius* Bl. Blume Rumphia 194. 200.  
 † — *similis* Bl. Blume Rumphia 200.  
 † *Podogyne pentaphylla* Hoffmannsegg. Hoffmannsegg  
 Verz. 1824, 1.  
*Podolepis gracilis* Griseb. Bot. Mag. 56, 2904.  
 — — — Sweet Fl. G. 285.  
 — *rugata* Lab. Bill. Nov. Holl. 208.  
*Podolobium staurophyllum* Sieber. Bot. Reg. 12, 959.  
 — — — Lodd. Cab. 1177.  
 — — — Paxt. Mag. 4, 171.  
 — *trilobum* R. Br. Bot. Mag. 36, 1477.  
 — — — Bot. Reg. 16, 1333.  
 — — — Rehb. Exot. 128.  
 † *Podopeltis singaporiensis* Fée. Fée Fil. 5, 23.  
 † *Podophyllum* L. Gray Genera 35. 36.  
 — *hexandrum* Royle. Jacquemont Ind. 9.  
 — *montanum* Rafin. Rafinesque Med. 73.  
 — *peltatum* L. Bot. Mag. 43, 1819.  
 — — — Barton Med. 25.  
 — — — Bigelow Med. 23.  
 — — — Lam. Encycl. 449.  
 — — — Tratt. Archiv 60.  
 — — — Dict. sc. nat. 178.  
 — — — Gray Genera 35. 36.  
*Podopterus mexicanus* H. B. Humb. Pl. aeq. 107.  
 † — — — Lam. Encycl. 940.  
*Podosaeum debile* H. B. K. H. B. K. Nov. Gen. 7, 681.  
 — *gracile* H. B. K. H. B. K. Nov. Gen. 7, 683.  
 — *quadridentatum* H. B. K. H. B. K. N. G. 7, 682.  
*Podosperma angustifolium* Lab. Bill. Nov. Holl. 177.  
*Podospermum pinifolium* Link. Hoffm. Lk Fl. port. 90.  
 † *Podostemeae* Rich. Schnizl. Iconogr. 2, 85.  
*Podostemon Ceratophyllum* Michx. Michaux Fl. 44.  
 — — — Torrey New York 98.  
 † — — — Schnizl. Iconogr. 2, 85.  
 † — *Griffithii* Wall. Asiat. Res. 19, 17.  
 — *subulatus* Gardn. Arch. Mus. 6, 9.  
 — — — Wight Ic. pl. Ind. or. 5, 1918.  
 † — *Wallichii* R. Br. Asiat. Res. 19, 17.  
*Podostigma pubescens* Ell. Delessert Ic. 5, 65.  
*Podotheca gnaphalioides* Griseb. Bot. Mag. 68, 3920.  
 † *Poecilopteris fraxinifolia* Presl. Hook. Gen. Fil. 81.  
*Poepigia procera* Presl. Presl Symbolae 8.  
*Pogonantha pulverulenta* Bl. Korthals Bot. 65.  
 † — *reflexa* Bl. Ann. sc. nat. III. 15, 15.  
*Pogonatherum contortum* Brongn. Brongniart Coq. 17.  
 — *saccharoideum* Pal. B. Humb. Gram. 161. 162.  
*Pogonia biflora* Wight. Wight Ic. pl. Ind. or. 5, 1758.  
 — *carinata* Ldl. Wight Ic. pl. Ind. or. 5, 1720.  
 — *debilis* Andr. Andr. Rep. 3, 212.  
 — *glabra* Andr. Andr. Rep. 4, 283.  
 — *ophioglossoides* Ker. Rivinus Opus ined. 101.  
 — — — Barton Fl. 3, 77.  
 — — — Hook. Exot. Fl. 70.  
 — — — Bot. Reg. 2, 148.

- Pogonia pendula* Ldl. Bot. Reg. 11, 908.  
 — *tetrandra* Lab. Bill. Nov. Holl. 83.  
 — *tetraphylla* P. et E. Poepp. et Endl. 122.  
 — *verrucosa* Desv. Desvieux Journal 6, 35.  
 — *verticillata* Nutt. Barton Fl. 2, 67.  
*Pogonopsis tenera* Presl. Presl Reliq. 46.  
*Pogonostylis squarrosa* Bertol. Cesati Stirp. ital. x.  
*Pogonotrophe macrocarpa* Miq. Wight Ic. pl. Ind. or. 6, 1965.  
 — *verrucosa* Hook. Hook. Journal 1848, 2.  
*Pogopetalum orbiculatum* Benth. Linn. Transact. 18, 42.  
*Pogostemon Heyneanus* Benth. Rheede Hort. mal. 10, 77.  
 — — — Wight Ic. pl. Ind. or. 4, 1440.  
 — *hirsutus* Benth. Wight Ic. pl. Ind. or. 4, 1442.  
 — *paniculatus* Benth. Rheede Hort. mal. 10, 65.  
 — *Patchouli* Pellet. Hook. Journal 1849, 11.  
 — *plectranthoides* Desf. Mem. Mus. 2, 6.  
 — — — Lam. Encycl. 969.  
 — — — Bot. Mag. 60, 3238.  
 † *rotundatus* Benth. Wight Illustr. 176<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1441.  
 — *speciosus* Benth. Wight Ic. pl. Ind. or. 4, 1443.  
*Poinciana bijuga* L. Rumpf Amb. 4, 20.  
 — *Gilliesii* Hook. Hook. Bot. Misc. 34.  
 — — — Bot. Mag. 66, 4006.  
 — — — Paxt. Fl. G. 28.  
 — — — Sweet Fl. G. II. 311.  
 — — — Fl. d. serres 1, 55.  
 — *insignis* H. B. Humb. Mim. 44.  
 — *pulcherrima* L. Rheede Hort. mal. 6, 1.  
 † — — — Gaertn. Carp. 150.  
 — — — Jacq. Hist. stirp. am. 120.  
 — — — Bot. Mag. 25, 995.  
 — — — Lam. Encycl. 333.  
 — — — Desc. Ant. 1, 6.  
 — — — Rchb. Exot. 130.  
 — — — Rchb. Mag. 93.  
 — — — Knowles et Westcott 89.  
 — — — Paxt. Mag. 3, 3, 4, 97.  
 † — — — Spach Suites 2.  
 — *regia* Bojer. Bot. Mag. 56, 2884.  
 — — — Rchb. Exot. 318.  
*Poinsettia pulcherrima* Grah. Knowles et Westc. 33.  
 — — — Bot. Mag. 63, 3493.  
 — — — Maund Bot. 2, 70, 79.  
*Poiretia cucullata* Cav. Cav. Ic. 343.  
 — *scandens* Vent. Vent. Choix 42.  
 — — — Lam. Encycl. 979.  
*Poitea galegoides* Vent. Vent. Choix 36.  
 — — — Dict. sc. nat. 251.  
 — — — Lam. Encycl. 978.  
*Poivreia aculeata* DC. Mem. Genev. 4, 4.  
 — — — Guillemin Seneg. 66.  
 — *coccinea* DC. Hart. Parad. 1, 4.  
 — *eripetala* DC. Mem. Genev. 4, 5.  
 — *mossambicensis* Klotzsch. Peters Mossamb. 13.  
 † *Polanisia Rafin.* Gray Genera 79.  
 — *burtporensis* Munro. Wight Ic. pl. Ind. or. 3, 1072.  
 — *Chelidonii* DC. Wight Ic. pl. Ind. or. 2, 319.  
 — *graveolens* Rafin. Rafinesque Med. 74.  
 — — — Delessert Ic. 3, 6.  
 — *icosandra* R. et Sch. Rumpf Amb. 5, 96, fig. 2.  
 — *simplicifolia* Camb. Jacquemont Ind. 20.  
 — *trachysperma* Torr. et Gr. Gray Genera 79.  
 — *viscosa* DC. Rheede Hort. mal. 9, 23.  
 † *Polembrum castanocarpum* Juss. Mem. Mus. 12, 23.  
 — *Jussieui* Schott. Schott Rutaceae 6.  
 † *Polemonium coeruleum* L. Gaertn. Carp. 62.  
 † — — — Lam. Encycl. 106.  
 — — — Fl. dan. 2, 255.  
 — — — Sv. Bor. 309.  
 — — — Engl. Bot. 1, 14.  
*Polemonium coeruleum* L. Baxter Brit. Bot. 2, 149.  
 — — — Dict. sc. nat. 51.  
 — — — Schk. Handb. 38.  
 — — — Sturm Flora 7, 26.  
 † — — — Nees Gen. 5, 62.  
 — — — var. *piliferum*, Bot. Reg. 15, 1303.  
 — *dissectum* Rchb. Rchb. Ic. crit. 5, 463.  
 — *humile* Willd. Bot. Reg. 15, 1304.  
 — *mexicanum* Lag. Bot. Reg. 6, 460.  
 — *pulchellum* Led. Ledeb. Ic. 20.  
 — *pulcherrimum* Hook. Bot. Mag. 57, 2979.  
 — *reptans* L. Lam. Encycl. 106.  
 — — — Bot. Mag. 44, 1887.  
 — *Richardsoni* Grah. Bot. Mag. 55, 2800.  
 — *sibiricum* Don. Sweet Fl. G. 182.  
 — *villosum* Rudolph. Sweet Fl. G. 266.  
*Polia bonariensis* Ten. Acad. Pont. Don. 2.  
*Polianthes gracilis* Link. Link Ic. I. 24.  
 — *maculata* Mart. Martius Auswahl 13.  
 — *pygmaea* Jacq. Jacq. Ic. 380.  
 — *tuberosa* L. Rumpf Amb. 5, 98.  
 — — — Hort. Transact. 1, 2.  
 — — — Red. Lil. 3, 147.  
 — — — Lam. Encycl. 242.  
 — — — Rousseau Bot. 6.  
 — — — Bot. Mag. 43, 1817.  
 — — — Bot. Reg. 1, 63.  
*Poliodendron heterophyllum* Webb. Webb Canar. 173.  
*Polistes Lecheguana* St. Hil. Mem. Mus. 12, 12.  
 — — — St. Hil. Pl. rem. 23.  
*Pollalesta vernonioides* H. B. K. H. B. K. Nov. Gen. 4, 321.  
*Polia japonica* Thunb. Thunberg Ic. jap. 25.  
*Pollichia campestris* Ait. Smith Spicil. 1.  
 † — — — Gaertn. Carp. 213.  
*Pollinia distachys* Spr. Rchb. Fl. germ. 1, 54.  
 — *Gryllus* Spr. Rchb. Fl. germ. 1, 54.  
 — *undata* Spr. Trin. Sp. Gr. 2, 189.  
*Polypoda capensis* Presl. Presl Symbolae 1.  
*Polyachyrus niveus* Lagasca. DC. Compos. 15.  
 — *Poeppigii* Kunze. Poepp. et Endl. 23.  
 — — — Delessert Ic. 4, 84.  
*Polyalthia cuneiformis* Bl. Blume Java 1, 35, 36, 37.  
 — *elliptica* Bl. Blume Java 1, 34, 36.  
 — *Kentii* Bl. Blume Java 1, 38, 52.  
 — *macrophylla* Bl. Blume Java 1, 39, 52.  
 — *subcordata* Bl. Blume Java 1, 33, 36.  
*Polybotrya apiifolia* Sm. Fielding Sertum 30, 31.  
 — — — Kunze Fil. 62.  
 — *articulata* Sm. Fée Fil. 37.  
 — *aurita* Bl. Rumpf Amb. 6, 35, fig. 1.  
 — — — Blume Java 6, 1.  
 — *caudata* Kze. Fée Fil. 34.  
 — *cervina* Kaulf. Hook. Ic. Fil. 1, 81.  
 — *cicutaria* Bl. Blume Java 6, 2.  
 — *cylindrica* Kaulf. Fée Fil. 36.  
 — *Helferiana* Kze. Kunze Fil. 114.  
 — *incisa* Link. Fée Fil. 35.  
 — *intermedia* Sm. Fée Fil. 40.  
 — *marginata* Bl. Blume Java 6, 3.  
 — *nana* Fée. Fée Fil. 38.  
 — *neglecta* Fée. Fée Fil. 39.  
 — *nodiflora* Bory. Fée Fil. 38.  
 — *osmundacea* H. B. K. H. B. K. Nov. Gen. 1, 2.  
 † — — — Hook. Gen. Fil. 78.  
 — *pubens* Mart. Mart. Crypt. bras. 25.  
 † — *serrulata* Sm. Fée Fil. 39.  
 † — *speciosa* Schott. Schott Gen. Fil. 4.  
 — *vivipara* Hamilt. Hook. Exot. Fl. 107.  
*Polycardia phyllantoides* Lam. Lam. Encycl. 132.  
*Polycarpa spicata* Wight. Wight Ic. pl. Ind. or. 2, 510.  
*Polycarpaea candidissima* Bert. Novi Comm. Bon. 6, 18.

- Polycarpaea corymbosa* Lam. Wight Ic. pl. Ind. or. 2, 712.  
 — — — var. *aurea*, Wight Illustr. 110.  
 — — — *fragilis* Delile. Delile Egypte 24.  
 — — — *glabrifolia* DC. DC. Paronych. 5.  
 — — — *linearifolia* DC. DC. Paronych. 6.  
 — — — *memphtica* Delile. Delile Egypte 24.  
 — — — *spadicea* Lam. Rheede Hort. mal. 10, 66.  
 — — — *Wight et A.* Hook. Comp. 6.  
 — — — *Teneriffae* Lam. Journ. d'hist. nat. Par. 2, 25.  
*Polycarpia aristata* Chr. Smith. Webb Canar. 24.  
 — — — *candida* Webb. Webb Canar. 21.  
 — — — *carcosa* Chr. Smith. Webb Canar. 22.  
 — — — *Smithii* Link. Webb Canar. 23.  
*Polycarpon diphylum* Cav. Cav. Ic. 151.  
 — — — *magellanicum* L. Comm. Gott. 9, 3.  
 — — — *tetraphyllum* L. Gaertn. Carp. 129.  
 † — — — Lam. Encycl. 51.  
 — — — Sibth. Fl. gr. 102.  
 — — — Engl. Bot. 15, 1031.  
 — — — Baxter Brit. Bot. 2, 155.  
*Polycenia hebenstreitoides* Choisy. Mem. Genev. 2, 2.  
*Polychilus cornu cervi* Breda. Breda Orchid. Jav. 1.  
*Polyclathra cucumerina* Bert. Novi Comm. Bon. 4, 47.  
*Polycnemum arvense* L. Jacq. Fl. austr. 4, 365.  
 † — — — Gaertn. Carp. 128.  
 — — — Lam. Encycl. 29.  
 — — — Schk. Handb. 5<sup>a</sup>.  
 — — — Sturm Flora 11, 44.  
 — — — Dietr. Fl. bor. 9, 628.  
 † — — — Nees Gen. 4, 76.  
 — — — var. *recurvum* Lois. Gussone Pl. rar. 4.  
 — — — *brachiatum* Pall. Pallas Illustr. 52.  
 — — — *crassifolium* Pall. Pallas Illustr. 55.  
 — — — *erinaceum* Pall. Pallas Illustr. 48.  
 — — — *glaucum* Pall. Pallas Illustr. 53, 54.  
 — — — *monandrum* Pall. Pallas Illustr. 49.  
 — — — *sclerospermum* Pall. Pallas Illustr. 56.  
 — — — *sibiricum* Pall. Pallas Illustr. 51.  
 — — — *Volvox* Pall. Pallas Illustr. 50.  
*Polydendris Aub.* Aubert Orchid. 84.  
 † *Polygala* L. Mem. Mus. 17, 27, 28.  
 † — — — Gray Genera 183, 184.  
 — — — *alopeuroides* L. Andr. Rep. 6, 371.  
 — — — Bot. Mag. 25, 1006.  
 — — — *alpestris* Rehb. Rehb. Pl. crit. 1, 23.  
 † — — — Mutel Fl. fr. 10.  
 — — — Hayne 13, 24.  
 — — — *amara* L. Fl. dan. 7, 1169,  
 — — — Sv. Bot. 484.  
 — — — Engl. Bot. 2764.  
 — — — Bot. Mag. 50, 2437.  
 — — — Jacq. Fl. austr. 5, 412.  
 — — — Schrank Fl. monac. 4, 324.  
 — — — Rehb. Pl. crit. 1, 22.  
 † — — — Mutel Fl. fr. 10.  
 — — — Hayne 13, 22.  
 — — — Nees Düsseld. Suppl. 69.  
 — — — Guimpel et Schl. 146.  
 — — — Dietr. Fl. bor. 4, 277.  
 — — — Meyer Fl. hann. 7.  
 — — — *amarella* Crantz. Rehb. Pl. crit. 1, 22.  
 — — — Guimpel et Schl. 147.  
 — — — Nees Düsseld. 409.  
 — — — Cosson Atlas 7.  
 † — — — *amblyptera* Rehb. Mutel Fl. fr. 10.  
 — — — *angustifolia* H. B. K. H. B. K. Nov. Gen. 5, 511.  
 — — — *arillata* Ham. Wall. Pl. asiat. 100.  
 — — — Wight Spicil. 14.  
 — — — Wight Ic. pl. Ind. or. 3, 946.  
 — — — *arvensis* Willd. var. *W. et A.* Rheede Hort. m. 9, 61.  
 — — — *attenuata* Lodd. Lodd. Cab. 1000.  
 — — — *austriaca* Crantz. Rehb. Pl. crit. 1, 21.

- Polygala austriaca* Crantz. Dietr. Fl. bor. 4, 278.  
 † — — — Mutel Fl. fr. 10.  
 — — — Cosson Atlas 7.  
 — — — *bicolor* H. B. K. H. B. K. Nov. Gen. 5, 507.  
 — — — *bracteolata* L. Bot. Mag. 10, 345.  
 — — — Lodd. Cab. 1211.  
 — — — *brizoides* Camb. St. Hil. Fl. Bras. 88.  
 — — — *buxifolia* Rehb. Rehb. Pl. crit. 1, 24.  
 — — — *Chamaebuxus* L. Schmidel Ic. 20.  
 — — — Jacq. Fl. austr. 3, 233.  
 — — — Sturm Flora 4, 13.  
 — — — Guimpel Holzgew. 114.  
 — — — Bot. Mag. 9, 316.  
 — — — Lodd. Cab. 593.  
 — — — *comosa* Schk. Schk. Handb. 194.  
 — — — Rehb. Pl. crit. 1, 26.  
 — — — Sv. Bot. 713.  
 † — — — Mutel Fl. fr. 11.  
 — — — Hayne 13, 25.  
 — — — Dietr. Fl. bor. 4, 279.  
 — — — Meyer Fl. hann. 5.  
 — — — *cordifolia* Thunb. Bot. Mag. 50, 2438.  
 — — — Lodd. Cab. 1189.  
 — — — *corisoides* St. Hil. St. Hil. Fl. Bras. 83.  
 — — — *crotalarioides* DC. Rheede Hort. mal. 9, 67.  
 — — — Wall. Pl. asiat. 185.  
 — — — Royle Illustr. 19.  
 — — — *depressa* Wender. Marburger Schriften 2, 1.  
 — — — Cosson Atlas 8.  
 — — — *distans* St. Hil. St. Hil. Fl. Bras. 84.  
 — — — *Dunaliána* St. Hil. St. Hil. Fl. Bras. 85.  
 — — — *erioptera* DC. Delessert Ic. 3, 15.  
 — — — *exilis* DC. Rehb. Pl. crit. 1, 28.  
 † — — — Mutel Fl. fr. 11.  
 — — — *flavescens* DC. Sebastiani Pl. rom. 1, 1.  
 — — — *furcata* Royle. Royle Illustr. 19.  
 — — — *glandulosa* H. B. K. H. B. K. Nov. Gen. 5, 510.  
 — — — *glumacea* Sibth. Sibth. Fl. gr. 670.  
 — — — *grandiflora* Lodd. Lodd. Cab. 1227.  
 — — — *Heisteria* L. Schneevogt Ic. 26.  
 — — — Bot. Mag. 10, 340.  
 — — — Lodd. Cab. 268.  
 — — — Nouveau Duhamel 3, 39.  
 — — — *Hilariana* Endl. Endl. Atacta 4.  
 — — — *humilis* Lodd. Lodd. Cab. 420.  
 — — — *hygrophila* H. B. K. H. B. K. Nov. Gen. 5, 508.  
 — — — *javana* DC. Hook. Companion 7.  
 — — — *latifolia* Ker. Lodd. Cab. 760.  
 — — — Bot. Reg. 8, 645.  
 — — — *Laureola* St. Hil. St. Hil. Fl. Bras. 89.  
 — — — *ligularis* Ker. Bot. Reg. 8, 637.  
 — — — *major* Jacq. Jacq. Fl. austr. 5, 413.  
 — — — Rehb. Pl. crit. 1, 27.  
 — — — Hayne 13, 25.  
 — — — *micrantha* Thunb. Andr. Rep. 6, 424.  
 — — — Lodd. Cab. 1773.  
 — — — *microphylla* L. Hoffm. Link Fl. port. 56.  
 — — — Brotero Phytogr. 175.  
 — — — *mixta* Andr. Andr. Rep. 7, 455.  
 — — — *L. fil.* Bqt. Mag. 41, 1714.  
 — — — *monopetala* Camb. Jacquemont Ind. 27.  
 — — — *monspeliaca* L. DC. Ic. Gall. 9.  
 — — — Hoffm. Link Fl. port. 55.  
 — — — Brotero Phytogr. 176.  
 — — — Rehb. Pl. crit. 1, 26.  
 — — — Mutel Fl. fr. 11.  
 † — — — *Moquiniana* St. Hil. St. Hil. Fl. Bras. 86.  
 — — — *Myrsinites* Royle. Royle Illustr. 19.  
 — — — *myrtifolia* L. Bot. Reg. 8, 669.  
 — — — var. *Bot. Mag.* 64, 3616.  
 — — — Savi Fl. ital. 2, 61.  
 — — — Spach Suites 120.

- Polygala nicaensis* *Risso*. *Risso Fl. de Nice* 4.  
 — *noncherensis* *Camb. Jacquemont Ind.* 26.  
 — *oppositifolia* *L. Bot. Mag.* 14, 492.  
 — — — *Nouveau Duhamel* 3, 40.  
 — — — *Bot. Reg.* 8, 636.  
 — — — *var. major*, *Bot. Reg.* 14, 1146.  
 — *oxycoecoides* *Desf. Desf. Fl. atl.* 174.  
 — *oxyphylla* *DC. Delessert Ic.* 3, 17.  
 — *oxyptera* *Rehb. Rechb. Pl. crit.* 1, 23, 24.  
 † — — — *Mutel Fl. fr.* 10.  
 — *paniculata* *L. Swartz Obs.* 6.  
 — — — *Rechb. Pl. crit.* 1, 28.  
 — — — *Bot. Reg.* 9, 761.  
 — *paucifolia* *Willd. Bot. Mag.* 55, 2852.  
 — — — *Barton Fl.* 2, 56.  
 — — — *Rafinesque Med.* 75.  
 — — — *Gray Genera* 184.  
 — *peduncularis* *A. Rich. Ramon Cuba* 12<sup>b</sup>.  
 — *persicariaefolia* *DC. Wall. Pl. asiat.* 184.  
 — *pinifolia* *Lam. Lam. Encycl.* 598.  
 — *Poaya* *Mart. Münchn. Denkschr.* 9, 2, 8.  
 — *polygama* *Walt. Hook. Bor. Am.* 29.  
 — *pseudo-Erica* *St. Hil. St. Hil. Fl. Bras.* 87.  
 — *purpurea* *Nutt. Barton Fl.* 2, 47.  
 — *Quartiniana* *Rich. Richard Abyssin.* 9.  
 — *rivinaefolia* *H. B. K. H. B. K. Nov. Gen.* 5, 512.  
 — *rosea* *Desf. Desf. Fl. atl.* 176.  
 — *rubella* *Mühlbg. Bigelow Med.* 54.  
 — *saxatilis* *Desf. Desf. Fl. atl.* 175.  
 — *Senega* *L. Linné Amoenit.* 2, 2.  
 — — — *Woodv. Med.* 3, 162.  
 — — — *Berl. Jahrbuch* 1804, 3.  
 — — — *Bot. Mag.* 26, 1051.  
 — — — *Bigelow Med.* 30.  
 — — — *Barton Med.* 36.  
 — — — *Lodd. Cab.* 1380.  
 — — — *Nees Düsseldorf.* 410.  
 — — — *Wagner* 138.  
 — — — *Guimpel et Schl.* 176.  
 — — — *Hayne* 13, 21.  
 — — — *Gray Genera* 183.  
 — *serpyllacea* *Weihe. Hayne* 13, 24.  
 — *sibirica* *L. Ledeb. Ic.* 448.  
 — *sororia* *Miq. Miquel Surin.* 8.  
 — *speciosa* *Sims. Bot. Mag.* 43, 1780.  
 — — — *Lodd. Cab.* 621.  
 — — — *Bot. Reg.* 2, 150.  
 — — — *Maund Bot.* 1, 43.  
 — — — *Herb. amat.* 3, 193.  
 † — — — *Ann. sc. nat.* III, 15, 18.  
 — *spectabilis* *DC. Delessert Ic.* 3, 18.  
 — *stenophylla* *Klotzsch. Peters Mossamb.* 23.  
 — *stipulacea* *L. Andr. Rep.* 6, 363.  
 — — — *Lodd. Cab.* 741.  
 — — — *Bot. Mag.* 41, 1715.  
 — *subtilis* *H. B. K. H. B. K. Nov. Gen.* 5, 506.  
 — *supina* *Schreb. Schreber Ic.* 10.  
 — *teretifolia* *L. Andr. Rep.* 6, 370.  
 — — — *Lodd. Cab.* 294.  
 — *thesioides* *Willd. Sweet Fl. G. II.* 215.  
 — *Timeoutou* *Aubl. Aublet Guiana* 295.  
 — *trichosperma* *L. Jacq. Observ.* 67.  
 — *triphylla* *Royle. Royle Illustr.* 19.  
 — *uliginosa* *Rehb. Rechb. Pl. crit.* 1, 21.  
 — — — *Nees Düsseldorf.* 409.  
 † — — — *Mutel Fl. fr.* 10.  
 — *variabilis* *H. B. K. H. B. K. Nov. Gen.* 5, 509.  
 — *venenosa* *Juss. Delessert Ic.* 3, 16.  
 — *venulosa* *Sibth. Sibth. Fl. gr.* 669.  
 — *violacea* *Aubl. Aublet Guiana* 294.  
 — *virgata* *Thunb. Kerner Hort.* 785.  
 — *vulgaris* *L. Fl. dan.* 3, 516.

- † *Polygala vulgaris* *L. Gaertn. Carp.* 62.  
 † — — — *Lam. Encycl.* 598.  
 — — — *Sv. Bot.* 712.  
 — — — *Engl. Bot.* 2, 76, 2827.  
 — — — *Baxter Brit. Bot.* 4, 251.  
 — — — *var. Rochel Banat.* 17.  
 — — — *var. pyxophylla, Avé-Lallemant* 21.  
 † — — — *Mutel Fl. fr.* 10.  
 — — — *Dict. sc. nat.* 174.  
 — — — *Cosson Atlas* 8.  
 — — — *Schrank Fl. monac.* 4, 325.  
 — — — *Hayne* 13, 23, 24.  
 — — — *Wagner* 80.  
 — — — *Rechb. Pl. crit.* 1, 25.  
 — — — *Dietr. Fl. bor.* 4, 276.  
 — — — *Meyer Fl. hann.* 6.  
 — *Wallichiana* *Wight. Wight Illustr.* 22.  
 — *Wightiana* *Wall. Wight Ic. pl. Ind. or.* 1, 67.  
*Polygonatum geminiflorum* *Decne. Jacquemont Ind.* 170.  
 — *graminifolium* *Hook. Ic. pl.* 9, 833.  
 — *latifolium* *Desf. Red. Lil.* 5, 243.  
 — *multiflorum* *All. Dietr. Fl. bor.* 1, 35.  
 — *orientale* *Desf. Ann. Mus.* 9, 7.  
 — *sibiricum* *Red. Red. Lil.* 6, 315.  
 — *verticillatum* *All. Red. Lil.* 5, 244.  
 — — — *Dietr. Fl. bor.* 1, 36.  
 — — — *vulgare* *Red. Red. Lil.* 5, 258.  
 — — — *Dietr. Fl. bor.* 1, 34.  
 † — — — *Nees Gen.* 2, 60.  
 † *Polygoneae* *Juss. Linn. Transact.* 17, 17.  
 † — — — *Meisner Monogr.* 1—7.  
 † — — — *Schnizl. Iconogr.* 2, 103.  
 † *Polygonella parvifolia* *C. A. M. Acad. Pet.* 6, x.  
*Polygonum acetosaeifolium* *Vent. Vent. Cels* 88.  
 — *adpressum* *Lab. Bill. Nov. Holl.* 127.  
 — — — *Bot. Mag.* 59, 3145.  
 — *alpestre* *C. A. M. Jaubert Illustr.* 118.  
 — *alpinum* *All. Allione Fl. ped.* 3, 68.  
 — *ambiguum* *Meisn. Wight Ic. pl. Ind. or.* 5, 1797.  
 — *ammannioides* *Jaub. Jaubert Illustr.* 119.  
 — *amphibium* *L. Fl. dan.* 2, 282.  
 — — — *Curt. Lond.* 1, 106.  
 — — — *Engl. Bot.* 7, 436.  
 — — — *Dietr. Fl. bor.* 4, 283.  
 — *amplexicaule* *Don. Bot. Reg.* 25, 46.  
 — *arenarium* *W. et K. W. et Kit.* 67.  
 — *arifolium* *L. Barton Fl.* 3, 100.  
 — *auriculatum* *Meisn. Meisner Monogr.* 6.  
 — *australe* *Ach. Rich. Endl. Iconogr.* 87.  
 — *aviculare* *L. Fl. dan.* 5, 803.  
 — — — *Curt. Lond.* 2, 69.  
 — — — *Engl. Bot.* 18, 1252.  
 — — — *Sv. Bot.* 406.  
 — — — *Lam. Encycl.* 315.  
 — — — *Hayne* 5, 23.  
 — — — *Sturm Flora* 1, 1.  
 — — — *Dietr. Fl. bor.* 4, 281.  
 † — — — *Nees Gen.* 4, 52.  
 — *barbatum* *L. Wight Ic. pl. Ind. or.* 5, 1798.  
 — *Bellardi* *All. Allione Fl. ped.* 3, 90.  
 — *Bistorta* *L. Fl. dan.* 3, 421.  
 — — — *Curt. Lond.* 3, 125.  
 — — — *Engl. Bot.* 8, 509.  
 — — — *Woodv. Med.* 4, 232.  
 — — — *Baxter Brit. Bot.* 1, 5.  
 — — — *Dreves* 2, 39.  
 — — — *Hayne* 5, 19.  
 — — — *Nees Düsseldorf.* 105.  
 — — — *Wagner* 3.  
 — — — *Dietr. Fl. bor.* 4, 282.  
 † — — — *Nees Gen.* 4, 52.  
 — *brachiatum* *Lam. Lam. Encycl.* 315.

- Polygonum Brunonis *Wall.* Royle Illustr. 80.  
 — — — Lem. Jard. fl. 117.  
 — — — Paxt. Fl. G. 37.  
 — chinense *L.* Burmann Fl. ind. 30.  
 — — — Wight Ic. pl. Ind. or. 5, 1806.  
 — Convolvulus *L.* Fl. dan. 5, 744.  
 — — — Curt. Lond. 2, 132.  
 — — — Engl. Bot. 14, 941.  
 — — — Schrank Fl. monac. 4, 380.  
 † — — — Nees Gen. 4, 52.  
 — corrigioloides *Jaub.* Jaubert Illustr. 124.  
 — crassinerve *Ces.* Cesati Stirp. ital. x.  
 — crispulum *Sims.* Bot. Mag. 27, 1065.  
 — cuspidatum *S. et Zucc.* Jaarb. Tuinb. 1849, x.  
 — cymosum *Trev.* Rehb. Hort. 176.  
 — Donii *Meisn.* Wight Ic. pl. Ind. or. 5, 1801.  
 — dumetorum *L.* Fl. dan. 5, 756.  
 — — — Engl. Bot. 2811.  
 — elegans *Ten.* Tenore Fl. nap. 35.  
 — emarginatum *Roth.* Metzger Cereal. 20.  
 — — — Bot. Reg. 13, 1065.  
 — Emodi *Wall.* Wall. Pl. asiat. 287.  
 — equisetiforme *Sibth.* Sibth. Fl. gr. 364.  
 † — Fagopyrum *L.* Usteri Annalen 5, 5.  
 — — — Engl. Bot. 15, 1044.  
 — — — Dreves 3, 77.  
 — — — Hayne 5, 24.  
 — — — Sturm Flora 5, 18.  
 — — — Metzger Cereal. 20.  
 — — — Spach Suites 72.  
 † — frutescens *L.* Gaertn. Carp. 119.  
 — — — Lam. Encycl. 315.  
 — — — Lodd. Cab. 489.  
 — — — Bot. Reg. 3, 254.  
 — glabrum *Willd.* Rheede Hort. mal. 12, 77.  
 — — — Wight Ic. pl. Ind. or. 5, 1799.  
 — hastatum *Murr.* Novi Comm. Gott. 5, 6.  
 — — — Ledeb. Ic. 361.  
 — horridum *Roxb.* Wight Ic. pl. Ind. or. 5, 1803.  
 — Hydropiper *L.* Fl. dan. 9, 1576.  
 — — — Sv. Bot. 424.  
 — — — Curt. Lond. 2, 121.  
 — — — Engl. Bot. 14, 989.  
 † — — — Mutel Fl. fr. 59.  
 — — — Schk. Handb. 108.  
 — — — Hayne 5, 20.  
 — — — Rehb. Ic. crit. 5, 494.  
 — — — Dietr. Fl. bor. 4, 285.  
 † — — — Nees Gen. 4, 52.  
 — indicum *Roth.* Wight Ic. pl. Ind. or. 5, 1808.  
 — injucundum *Ldl.* Bot. Reg. 15, 1250.  
 — lapathifolium *Ait.* Curt. Lond. 2, 27, 27<sup>b</sup>.  
 — — — Engl. Bot. 20, 1382.  
 † — — — Mutel Fl. fr. 58.  
 — — — Rehb. Ic. crit. 5, 495.  
 † — — — Nees Gen. 4, 52.  
 † — laxiflorum *Weihe.* Mutel Fl. fr. 59.  
 — laxum *Rehb.* Rehb. Ic. crit. 5, 492.  
 † — — — Mutel Fl. fr. 58.  
 — — — Engl. Bot. 2822.  
 — linifolium *Mühlenb.* Barton Fl. 3, 95.  
 — luzuloides *Jaub.* Jaubert Illustr. 126.  
 — maritimum *L.* Santi Viaggi 3, 4.  
 — — — Sibth. Fl. gr. 363.  
 — — — Engl. Bot. 2804.  
 — minus *Huds.* Curt. Lond. 3, 123.  
 — — — Engl. Bot. 15, 1043.  
 — — — Fl. dan. 13, 2230.  
 — — — Hayne 5, 21.  
 — — — Rehb. Ic. crit. 5, 493.  
 — — — Dietr. Fl. bor. 4, 286.  
 — mite *Schrank.* Engl. Bot. 2867.

- Polygonum molle *Don.* Wight Ic. pl. Ind. or. 5, 1807.  
 — multiflorum *Thunb.* Red. Lil. 4, 229.  
 — nepalense *Meisn.* Meisner Monogr. 7.  
 — — — Wight Ic. pl. Ind. or. 5, 1804.  
 — nodosum *Pers.* Rehb. Ic. crit. 5, 496.  
 † — — — Mutel Fl. fr. 58.  
 — Oliverii *Jaub.* Jaubert Illustr. 121.  
 † — orientale *L.* Gaertn. Carp. 119.  
 — — — Bot. Mag. 6, 213.  
 — — — Dict. sc. nat. 15.  
 — Owenii *Bojer.* Ann. sc. nat. II. 4, 9.  
 — pedunculare *Wall.* Wight Ic. pl. Ind. or. 5, 1802.  
 — perfoliatum *L.* Burmann Fl. ind. 31.  
 — — — Lam. Encycl. 315.  
 — Persicaria *L.* Fl. dan. 4, 702.  
 — — — Curt. Lond. 2, 137.  
 — — — Engl. Bot. 11, 756.  
 — — — Schk. Handb. 108.  
 — — — Hayne 5, 22.  
 — — — Rehb. Pl. crit. 5, 491.  
 — — — Dietr. Fl. bor. 4, 284.  
 — podocephalum *Klotzsch.* Prinz Waldem. Him. 86.  
 — polycnemoides *Jaub.* Jaubert Illustr. 120.  
 — polygamum *Vent.* Vent. Cels 65.  
 — Raji *Bab.* Engl. Bot. 2805.  
 — rivulare *Roxb.* Rheede Hort. mal. 10, 80, 12, 76.  
 — romanum *Jacq.* Jacq. Observ. 58.  
 — rotboellioides *Jaub.* Jaubert Illustr. 122.  
 — sagittatum *L.* Linné Hort. Cliff. 12.  
 — — — Barton Fl. 3, 101.  
 — salicornioides *Jaub.* Jaubert Illustr. 123.  
 — serpyllaceum *Jaub.* Jaubert Illustr. 117.  
 — setosum *Jacq.* Jacq. Obs. 57.  
 — — — Jaubert Illustr. 125.  
 — splendens *Klotzsch.* Prinz Waldem. Him. 88.  
 — strictum *All.* Allione Fl. ped. 3, 68.  
 — — — Wight Ic. pl. Ind. or. 5, 1800.  
 — — — Led. Ledeb. Ic. 444.  
 — tataricum *L.* Svensk Acad. 1744, 4.  
 — — — Metzger Cereal. 20.  
 † — — — Mem. Instit. 1830, 6.  
 — thymifolium *Jaub.* Jaubert Illustr. 116.  
 † — tinctorium *Ait.* Joly Études 1.  
 — — — Acad. Brux. 12, x.  
 — undulatum *Murr.* Novi Comm. Gott. 5, 5.  
 — vacciniifolium *Wall.* Royle Illustr. 80.  
 — — — Bot. Mag. 77, 4622.  
 — — — Lem. Jard. fl. 117.  
 — — — Belgique hortic. 2, 37.  
 — viviparum *L.* Fl. dan. 1, 13.  
 — — — Sv. Bot. 336.  
 — — — Curt. Lond. 4, 81.  
 — — — Engl. Bot. 10, 669.  
 — — — Lodd. Cab. 1525.  
 — — — Schrank Fl. monac. 4, 321.  
 — — — Wallichii *Meisn.* Meisner Monogr. 7.  
 — — — Wight Ic. pl. Ind. or. 5, 1805.  
 † Polyolepis *Rz et P.* Ruiz et Pav. Prodr. 15.  
 Polymeria calycina *R. Br.* Endl. Iconogr. 57.  
 Polymnia canadensis *L.* Linné Amocnit. 3, 1.  
 † — — — Gaertn. Carp. 174.  
 — — — Lam. Encycl. 711.  
 — maculata *Cav.* Cav. Ic. 227.  
 — sonchifolia *P. et E.* Poepp. et Endl. 254.  
 — tetragonetheca *Pers.* Schk. Handb. 263.  
 — Wedelia *L.* Jacq. Hist. stirp. am. 198.  
 — — — Lam. Encycl. 711.  
 † Polymniastrum variabile *Lam.* Lam. Encycl. 712.  
 Polyodon distichum *H. B. K.* H. B. K. Nov. Gen. 1, 55.  
 Polyodontia ceylanica *Wight.* Wight Ic. pl. Ind. or. 1, 256.  
 Polyosma ilicifolia *Bl.* Bennett Java 40.  
 † — serrulata *Bl.* Blume Mus. 1, 57.

- Polyphragmon sericeum *Desf.* Mem. Mus. 6, 2. 2<sup>b</sup>.  
 † Polypodium *L.* (Germinatio.) Usteri Ann. 20, 2.  
 † — Schnitzl. Iconogr. 1, 26<sup>a</sup>, 26<sup>b</sup>.  
 — achilleaeefolium *Kaulf.* Kunze Fil. 43.  
 — acrostichoides *Sw.?* Rheed. Hort. mal. 12, 74.  
 — aculeatum *Raddi.* Raddi Fil. 42.  
 — Adenophorus *Hook.* Hook. Beechey 22.  
 — adnascens *Sw.* Swartz Synopsis Fil. 2.  
 — affine *M. et G.* Acad. Brux. 15, 8.  
 — — *Bl.* Blume Java 6, 69.  
 — albidosquamatum *Bl.* Blume Java 6, 57.  
 — albopunctatum *Raddi.* Raddi Fil. 30.  
 — alpinum *Jacq.* Jacq. Ic. 642.  
 — angustatum *Sw.* Schk. Fil. 8<sup>c</sup>.  
 — — Blume Java 6, 62.  
 — angustifolium *Sw.* Raddi Fil. 24.  
 — araneosum *M. et G.* Acad. Brux. 15, 5.  
 — arboreum *L.* Desc. Ant. 1, 63.  
 — argentatum *Jacq.* Jacq. Schoenbr. 4, 447.  
 — asperum *L.* Presl Reliq. 3.  
 — asplenoides *Scop.* Scop. Fl. carn. 2, 62.  
 — atrovirens *Langsd.* Langsd. et Fischer 14.  
 — attenuatum *R. Br.* Hook. Ic. pl. 5, 409.  
 — aureum *L.* Schk. Fil. 12.  
 † — — Konig Annals 1, 1.  
 † — aurisetum *Raddi.* Raddi Fil. 23.  
 † — australe *Fée.* Fée Fil. 5, 20.  
 — avenium *Desv.* Desvaux Journal 6, 41.  
 — axillare *Raddi.* Raddi Fil. 41.  
 — Bergianum *Schlecht.* Schlechtendal Fil. 9.  
 — biauriculatum *Hook.* Hook. Ic. pl. 2, 121.  
 — bicuspe *Bl.* Blume Java 6, 78.  
 — biserratum *M. et G.* Acad. Brux. 15, 9.  
 — brasiliense *Poir.* Dict. sc. nat. 84.  
 — Brongniartii *Bory.* Bory Coquille 34.  
 — Calaguala *Rz et P.* Ruiz et Pav. Memoria x.  
 — — Lambert Cinchona x.  
 — — Desc. Ant. 1, 64.  
 — calcareum *Sm.* Engl. Bot. 22, 1525.  
 — — Newman p. 131.  
 — cancellatum *Fée.* Mem. Strassb. 4, 7.  
 — Catharinae *Langsd.* Langsd. et Fischer 9.  
 — caudatum *Raddi.* Raddi Fil. 39.  
 — caudiforme *Bl.* Blume Java 6, 54.  
 — celebicum *Bl.* Blume Java 6, 84.  
 — chrysolepis *Hook.* Hook. Ic. pl. 8, 721.  
 — commutatum *Bl.* Blume Java 6, 73.  
 — conjugatum *Kaulf.* Kunze Analecta 10.  
 — connexum *Mart.* Mart. Crypt. bras. 65.  
 — corcovadense *Raddi.* Raddi Fil. 40.  
 — cordifolium *M. et G.* Acad. Brux. 15, 4.  
 — coriaceum *Raddi.* Raddi Fil. 25.  
 — — *Roxb.* Calcutta Journal 1844, 28.  
 — crassinervium *Bl.* Blume Java 6, 61.  
 — crinitum *Poir.* Hook. Ic. Fil. 1, 66.  
 — cristallinum *Kze.* Kunze Fil. 135.  
 — cristatum *L.* Svensk Acad. 1787, 9.  
 — — Baumgarten Fl. lips. 3.  
 — cucullatum *N. et Bl.* Acta Leop. 11, 1, 12.  
 — cuspidatum *Presl.* Presl Reliq. 1.  
 — — Blume Java 6, 82.  
 — decurrens *Raddi.* Raddi Fil. 33.  
 — delicatulum *M. et G.* Acad. Brux. 15, 7.  
 — dentatum *Dicks.* Dickson Fasc. 7.  
 — dentatum *Hoffm.* Sturm Flora II. 1, 6.  
 — dichotomum *Thunb.* Thunberg Fl. jap. 37.  
 — dilatatum *Hoffm.* Müller Fl. friedrichsd. 2. fig. 4.  
 — dipteris *Bl.* Blume Java 6, 81.  
 — discolor *Hook.* Hook. Ic. pl. 4, 386.  
 — dissimile *L.* Rumpf Amb. 6, 35. fig. 2.  
 — — Schk. Fil. 14.  
 — distans *Raddi.* Raddi Fil. 31.

- Polypodium divergens *Schk.* Schk. Fil. 26<sup>b</sup>.  
 — Dryopteris *L.* Fl. dan. 5, 759. 11, 1943.  
 — — — Schk. Fil. 25.  
 — — — Sturm Flora II. 1, 7.  
 — — — Engl. Bot. 9, 616.  
 — — — Newman p. 123.  
 — effusum *Sw.* Schk. Fil. 26<sup>c</sup>.  
 — elaeagnifolium *Bory.* Bory Coquille 31.  
 — elongatum *Schrad.* Schlechtendal Fil. 7.  
 — ensiforme *Thunb.* Kunze Fil. 54.  
 — excavatum *Roxb.* Calcutta Journal 1844, 30.  
 — falcatum *Thunb.* Thunberg Fl. jap. 36.  
 — falciculatum *Raddi.* Raddi Fil. 36<sup>b</sup>.  
 † — fallax *Schlecht.* Fée Fil. 5, 10.  
 — farinosum *Hook.* Hook. Ic. pl. 10, 947.  
 — ferrugineum *M. et G.* Acad. Brux. 15, 7.  
 — filipendulifolium *Fée.* Mem. Strassb. 4, 5.  
 † — Filix femina *L.* Hedwig Theoria 7.  
 † — Filix mas *L.* Woodv. Med. 4, 267.  
 — — Nees Düsseld. 19.  
 — flagelliferum *Roxb.* Calcutta Journal 1844, 31.  
 — flexile *Fée.* Mem. Strassb. 4, 2.  
 — formosum *Raddi.* Raddi Fil. 38.  
 — fragile *L.* Fl. dan. 3, 401.  
 — — Vill. Dauph. 53.  
 — fragrans *L.* Desf. Fl. atl. 257.  
 — fraxinifolium *Jacq.* Jacq. Ic. 639.  
 — Friedrichsthalianum *Kze.* Kunze Fil. 123.  
 — fulvum *M. et G.* Acad. Brux. 15, 6.  
 — Funiculum *Fée.* Mem. Strassb. 4, 8.  
 — furcatum *Sw.* Blume Java 6, 86.  
 — Galeottii *Martens.* Acad. Brux. 15, 7.  
 — Gaudichaudii *Bory.* Ann. sc. nat. 5, 14.  
 — — Blume Java 6, 67.  
 — gibbosum *Fée.* Mem. Strassb. 4, 2.  
 — glabrum *Roxb.* Calcutta Journal 1844, 28.  
 — glaucinum *M. et G.* Acad. Brux. 15, 5.  
 — glaucophyllum *Kze.* Kunze Fil. 93.  
 — glaucum *Sw.* Raddi Fil. 29.  
 — gracile *Hook.* Hook. Ic. Fil. 2, 222.  
 — granulolum *Presl.* Presl Reliq. 4.  
 — griseum *Schk.* Schk. Fil. 25<sup>b</sup>.  
 — grossum *Langsd.* Langsd. et Fischer 8.  
 — Hartwegianum *Hook.* Hook. Ic. pl. 4, 390.  
 — Hasseltii *Bl.* Blume Java 6, 92.  
 — hastaeifolium *Sw.* Hook. Ic. Fil. 2, 203.  
 — hastatum *Thunb.* Thunberg Ic. jap. 30.  
 — — — Kunze Fil. 83.  
 — heterocarpum *Bl.* Blume Java 6, 75.  
 — heteromorphum *Hook.* Hook. Ic. Fil. 1, 108.  
 — hexagonopterum *Michx.* Hook. Ic. Fil. 2, 210.  
 — Hippocrepis *Jacq.* Jacq. Ic. 641.  
 — hirsutissimum *Raddi.* Raddi Fil. 26.  
 — — Bory Coquille 32.  
 — hirsutum *Raddi.* Raddi Fil. 29.  
 — hirtum *Sw.* Schk. Fil. 25<sup>c</sup>.  
 — Horsfieldii *R. Br.* Bennett Java 1.  
 — hyperboraicum *Sw.* Schk. Fil. 17<sup>b</sup>.  
 — — — Sturm Flora II. 3, 1.  
 — — — Engl. Bot. 29, 2023.  
 — — — Fl. dan. 13, 2185.  
 — ilvense *Sw.* Schk. Fil. 19.  
 — — — Sturm Flora II. 2, 1.  
 — — — Fl. dan. 13, 2186.  
 — incurvatum *Bl.* Blume Java 6, 65.  
 — insigne *Bl.* Blume Java 6, 74.  
 — intermedium *Colla.* Mem. Tur. 39, 74.  
 — invisum *Sw.* Schk. Fil. 18.  
 — irioides *Poir.* Hook. Ic. Fil. 2, 125.  
 — — Blume Java 6, 77.  
 — irregulare *Presl.* Presl Reliq. 4.  
 — — Blume Java 6, 72.

- Polypodium juglandifolium* *H.B.K.* *H.B.K.N.G.* 7, 665.  
 — *Keraudrenianum* *Gaudich.* *Freycinet Voyage* 7.  
 — *khasyanum* *Hook.* *Hook. Ic.* pl. 10, 949.  
 — *laciniatum* *Vill.* *Vill. Dauph.* 53.  
 — — *Forst.* *Blume Java* 6, 63.  
 — *laetum* *Raddi.* *Raddi Fil.* 28.  
 — *lanceolatum* *L.* *Lam. Encycl.* 866.  
 — *lapathifolium* *Lam.* *Raddi Fil.* 24.  
 — *latifolium* *Forst.* *Schk. Fil.* 24.  
 — *latipes* *Langsd.* *Langsd. et Fischer* 10.  
 — *laxum* *Presl.* *Presl Reliq.* 4.  
 — *lepidotum* *Willd.* *Schlechtendal Fil.* 8.  
 — *leptophyllum* *L.* *Schk. Fil.* 26.  
 — *leucosorum* *Boj.* *Hook. Ic.* pl. 10, 942, 943.  
 — *Leuzeanum* *Gaudich.* *Freycinet Voyage* 6.  
 — *Lindenianum* *Kze.* *Kunze Fil.* 134.  
 — *lineare* *Burm.* *Burm. Fl. ind.* 67.  
 — — *Thunb.* *Thunberg Ic.* jap. 19.  
 — *Lingua* *Thunb.* *Langsd. et Fischer* 5.  
 — *Linnaei* *Bory.* *Ann. sc. nat.* 5, 12.  
 — *Lobbianum* *Hook.* *Hook. Journ.* 1853, 11.  
 — *Lonchitis* *L.* *Fl. dan.* 3, 497.  
 — — *Sturm Flora* II, 1, 4.  
 — *longifrons* *Wall.* *Hook. Ic. Fil.* 1, 65.  
 — *longissimum* *Bl.* *Blume Java* 6, 68.  
 — *lunulatum* *Forst.* *Schk. Fil.* 23.  
 † *lycopodioides* *L.* *Linn. Transact.* 2, 18.  
 — — *Schk. Fil.* 8<sup>c</sup>.  
 — — *Desvaux Journal* 6, 40.  
 — *macrocarpum* *Presl.* *Presl Reliq.* 1.  
 — — *Kunze Fil.* 13.  
 — — *Hook. Ic.* pl. 10, 934.  
 — *macrosum* *Fée.* *Mem. Strassb.* 4, 8.  
 — *megalodus* *Schk.* *Schk. Fil.* 19<sup>b</sup>.  
 — *melanopum* *Hook.* *Hook. Bot. Misc.* 111.  
 — *menisciifolium* *Langsd.* *Langsd. et Fischer* 12.  
 — — ? *Raddi Fil.* 31<sup>b</sup>.  
 — *microlepis* *Fée.* *Mem. Strassb.* 4, 6.  
 — *millefolium* *Bl.* *Blume Java* 6, 88.  
 — *minutum* *Bl.* *Blume Java* 6, 87.  
 — *molle* *Vill.* *Vill. Dauph.* 53.  
 — — *Jacq.* *Jacq. Ic.* 640.  
 — *mollicomum* *N. et Bl.* *Acta Leop.* 11, 1, 12.  
 — — *Blume Java* 6, 86.  
 — *moniliforme* *Lagasca.* *Schk. Fil.* 8<sup>c</sup>.  
 — *montanum* *All.* *Sv. Bot.* 666.  
 — *morbillosum* *Presl.* *Presl Reliq.* 3.  
 — *multifidum* *Jacq.* *Jacq. Ic.* 643.  
 — — *Bory.* *Bory Iles d'Afrique* 20.  
 — — *Kunze Fil.* 43.  
 — *murorum* *Hook.* *Hook. Ic.* pl. 1, 70.  
 — *musaeifolium* *Bl.* *Blume Java* 6, 79.  
 — *myriocarpum* *Hook.* *Hook. Ic.* pl. 1, 84.  
 — *myrrhidifolium* *Vill.* *Vill. Dauph.* 53.  
 — *neglectum* *Bl.* *Blume Java* 6, 54.  
 — *neriifolium* *Schk.* *Schk. Fil.* 15.  
 — — var.  $\beta$ . *Raddi Fil.* 31<sup>b</sup>.  
 — *nigrescens* *Bl.* *Blume Java* 6, 70.  
 — *nutans* *Bl.* *Blume Java* 6, 86.  
 — *obliquatum* *Bl.* *Blume Java* 6, 85.  
 — *obtusum* *Ham.* *Rheede Hort. mal.* 12, 17.  
 — — *Schk.* *Schk. Fil.* 21.  
 — *onustum* *Hook.* *Hook. Ic.* pl. 8, 749.  
 — *Oreopteris* *Willd.* *Fl. dan.* 7, 1121.  
 — — *Reich Magazin* 23, 24.  
 — *ovatum* *Wall.* *Hook. Ic. Fil.* 1, 41.  
 — *pallens* *Bl.* *Blume Java* 6, 84.  
 — *palmatum* *Bl.* *Blume Java* 6, 64.  
 — *paludosum* *Bl.* *Blume Java* 6, 90.  
 — *papillosum* *Bl.* *Blume Java* 6, 89.  
 — — *Bennett Java* 2.  
 — — *Hook. Ic.* pl. 10, 946.

- Polypodium paradiscae* *Langsd.* *Langsd. et Fischer* 11.  
 — *parietinum* *Kl.* *Kunze Fil.* 117.  
 — *Parkeri* *Hook.* *Hook. Ic. Fil.* 2, 232.  
 — *parvulum* *Bl.* *Blume Java* 6, 87.  
 — *pectinatum* *L.* *Schk. Fil.* 17<sup>b</sup>.  
 — — *Lodd. Cab.* 748.  
 — *pellucidum* *Kaulf.* *Hook. Ic.* pl. 10, 944, 945.  
 — *pendulum* *Sw.* *Schk. Fil.* 10.  
 — *pennigerum* *Forst.* *Schk. Fil.* 22.  
 — *percussum* *Cav.* *Langsd. et Fischer* 6.  
 — — *Raddi Fil.* 24.  
 — *pertusum* *Roxb.* *Hook. Exot. Fl.* 162.  
 — — *Calcutta Journal* 1844, 29.  
 — *peruvianum* *Desv.* *Hook. Ic. Fil.* 2, 223.  
 — *petrophyum* *Bl.* *Blume Java* 6, 71.  
 — *Phegopteris* *L.* *Fl. dan.* 7, 1241.  
 — — *Schk. Fil.* 20, 20<sup>b</sup>.  
 — — *Engl. Bot.* 31, 2224.  
 — — *Newman p.* 115, 122.  
 — *phymatodes* *L.* *Jacq. Ic.* 637.  
 — — *Schk. Fil.* 8<sup>d</sup>, et 9, 17.  
 — *piligerum* *Hook.* *Hook. Ic.* pl. 4, 321.  
 — *pilipes* *Hook.* *Hook. Ic.* pl. 3, 221.  
 — *pilosissimum* *M. et G.* *Acad. Brux.* 15, 9.  
 — *pilosum* *Schk.* *Schk. Fil.* 17.  
 — *plantagineum* *Jacq.* *Jacq. Collect.* 2, 3.  
 — — *Hook. Exot. Fl.* 114.  
 — *pleopeltifolium* *Raddi.* *Raddi Fil.* 21.  
 — *Plumula* *Raddi.* *Raddi Fil.* 27.  
 — *proliferum* *Roxb.* *Calcutta Journal* 1844, 32.  
 — *Pseudo-Grammitis* *Hook.* *Hook. Beechey* 21.  
 — *pteroides* *Retz.* *Presl Reliq.* 4.  
 — *pteropus* *Bl.* *Blume Java* 6, 76.  
 — *pubescens* *Gill.* *Hook. Ic. Fil.* 2, 182.  
 — — *Raddi Fil.* 34.  
 — *pulchrum* *M. et G.* *Acad. Brux.* 15, 8.  
 — *punctulatum* *Hook.* *Hook. Ic.* pl. 8, 720.  
 — *pustulatum* *Forst.* *Schk. Fil.* 10.  
 † — *Konig Annals* 1, 1.  
 — *quercifolium* *L.* *Rheede Hort. mal.* 12, 11.  
 — — *Rumpf Amb.* 6, 36.  
 — — *Schk. Fil.* 13.  
 — — *Calcutta Journal* 1844, 30.  
 — *radicans* *Burm.* *Burm. Fl. ind.* 66.  
 — *regium* *L.* *Vill. Dauph.* 53.  
 — *rhaeticum* *L.* *Vill. Dauph.* 53.  
 — *rigescens* *Bory.* *Hook. Ic. Fil.* 2, 216.  
 — *rigidum* *Hook.* *Hook. Ic. Fil.* 2, 163.  
 — *rivulorum* *Raddi.* *Raddi Fil.* 35.  
 — *rosmarinifolium* *H. B. K.* *H. B. K. N. G.* 7, 663.  
 — *rufescens* *Bl.* *Blume Java* 6, 91.  
 — *rugulosum* *Lab.* *Bill. Nov. Holl.* 241.  
 — *rupestre* *Bl.* *Blume Java* 6, 55, 60.  
 — *saccatum* *Fée.* *Mem. Strassb.* 4, 7.  
 — *saxicola* *Sw.* *Svensk Acad.* 1817, 3.  
 — *scandens* *Forst.* *Bill. Nov. Holl.* 240.  
 — — *Schk. Fil.* 8.  
 — *Schkuhrii* *Raddi.* *Raddi Fil.* 27.  
 — *Schomburgkianum* *Kze.* *Kunze Fil.* 42.  
 — *scelopendrioides* *L.* *Hook. Ic. Fil.* 1, 42.  
 — *Scouleri* *H. et Gr.* *Hook. Ic. Fil.* 1, 56.  
 — *semiadnatum* *Hook.* *Hook. Ic.* pl. 10, 948.  
 — *Serricula* *Fée.* *Mem. Strassb.* 4, 7.  
 — *setigerum* *Bl.* *Hook. Beechey* 21.  
 — — *Hook. Ic.* pl. 10, 941.  
 — *siatulaefolium* *Bl.* *Blume Java* 6, 78.  
 — *silvaticum* *Schk.* *Schk. Fil.* 8<sup>b</sup>.  
 — — *Col.* *Hook. New Zealand* 81.  
 — *solutum* *Kl.* *Kunze Fil.* 117.  
 — *Speluncae* *L.* *Schk. Fil.* 26<sup>d</sup>, e.  
 — *spinulosum* *Burm.* *Burm. Fl. ind.* 67.  
 — — *Müll.* *Müller Fl. friedrichsd.* 2, fig. 2.

- Polypodium spinulosum* Mill. Fl. dan. 4, 707.  
 — stellatum Vahl. Schk. Fil. 8.  
 — stenophyllum Bl. Blume Java 6, 55.  
 — stigmaticum Presl. Presl Reliq. 3.  
 — subauriculatum Bl. Blume Java 6, 83.  
 — subcrenatum Hook. Hook. Ic. pl. 8, 719.  
 — subdigitatum Bl. Blume Java 6, 93.  
 — subfalcatum Bl. Blume Java 6, 87.  
 — subincisum Mart. Mart. Crypt. bras. 64.  
 — submarginale Langsd. Langsd. et Fischer 13.  
 — subpetiolatum Hook. Hook. Ic. pl. 4, 391. 392.  
 — subtriphyllym Hook. Hook. Beechey 50.  
 — superficiale Bl. Blume Java 6, 56.  
 — surinamense Jacq. Jacq. Collect. 3, 21.  
 — surucuchense Hook. Hook. Ic. pl. 1, 69.  
 — suspensum L. Desc. Ant. 2, 147.  
 — Taenitis Roth. Bory Coquille 33.  
 — tenellum Forst. Schk. Fil. 16.  
 — tenuifolium H. B. K. H. B. K. Nov. Gen. 7, 664.  
 — tenuisectum Bl. Blume Java 6, 88.  
 — tetragonum Sw. Schk. Fil. 18<sup>b</sup>.  
 — Thelypteris L. Schmidel Ic. 11.  
 — — Fl. dan. 5, 760.  
 — — Vill. Dauph. 53.  
 — — Sturm Flora II. 1, 5.  
 — Thouinianum Gaudich. Freycinet Voyage 5.  
 — tjuccanum Raddi. Raddi Fil. 37.  
 — tomentosum Aub. Aub. Th. Mélanges 3.  
 — — Roxb. Calcutta Journal 1844, 29.  
 — trapezioides Burm. Burm. Fl. ind. 66.  
 — trichomanoides Sw. Schk. Fil. 10.  
 — tridactylum Wall. Hook. Ic. Fil. 2, 209.  
 — tridens Kze. Kunze Fil. 13.  
 — trifoliatum Jacq. Jacq. Ic. 638.  
 — triphyllum Jacq. Jacq. Collect. 3, 22.  
 — triquetrum Bl. Blume Java 6, 59.  
 — Tweedianum Hook. Hook. Ic. pl. 1, 86.  
 — unitum Burm. Calcutta Journal 1844, 30.  
 — vacciniifolium Langsd. Langsd. et Fischer 7.  
 — — Raddi Fil. 23.  
 — varians Bl. Blume Java 6, 58.  
 — velatum Schk. Schk. Fil. 11<sup>b</sup>.  
 — venulosum Bl. Blume Java 6, 85.  
 — vestitum Raddi. Raddi Fil. 36.  
 — viviparum Raddi. Raddi Fil. 32.  
 — vulgare L. Fl. dan. 6, 1060.  
 — — Sv. Bot. 37.  
 — — Woody. Med. 4, 268.  
 — — Curt. Lond. 1, 5.  
 — — Engl. Bot. 16, 1149.  
 — — Newman p. 111. 113.  
 † — — Hook. Gen. Fil. 69.  
 † — — Lam. Encycl. 866.  
 — — Schk. Fil. 11.  
 — — var. cambricum, Schk. Fil. 11. 17.  
 — — Sturm Flora II. 1, 3.  
 — — Nees Düsseld. 15.  
 — — Wagner 189.  
 — vulvanicum Bl. Blume Java 6, 56.  
 — Wallichii R. Br. Hook. Ic. Fil. 2, 168. 169.  
 — Willdenowii Bory. Ann. sc. nat. 5, 13.  
 — — Blume Java 6, 66.  
 — Zippelii Bl. Blume Java 6, 80.  
 † *Polyopogon* Desf. Dumortier Gramin. 11.  
 — interruptus H. B. K. H. B. K. Nov. Gen. 1, 44.  
 — linearis Trin. Gay Chile 77.  
 — litoralis Sm. Mutel Fl. fr. 77.  
 — — Rehb. Fl. germ. 1, 31. 7, 75.  
 — maritimus Willd. Mutel Fl. fr. 77.  
 — — Gussone Pl. rar. 5.  
 — — Rehb. Fl. germ. 7, 75.  
 — mouspeliensis Desf. Mutel Fl. fr. 76. 77.

- Polyopogon mouspeliensis* Desf. Baxter Brit. Bot. 3, 208.  
 † — — Münch. Denkschr. 4, 9.  
 — — Rehb. Fl. germ. 1, 31.  
 † — — Nees Gen. 1, 32.  
 † — subspicatus Willd. Münch. Denkschr. 4, 9.  
 † *Polypompholyx laciniata* Benj. Endl. Bras. 9, 20. 22.  
 † *Polypremum procumbens* L. Gaertn. Carp. 62.  
 † — — Lam. Encycl. 71.  
*Polyschistis pauperula* Presl. Presl Reliq. 41.  
 † *Polyscias* Forst. Forster Charact. 32.  
 † — pinnata Lam. Lam. Encycl. 320.  
*Polyspora axillariss* Don. Bot. Mag. 69, 4019.  
*Polystachya bracteosa* Ldl. Bot. Mag. 71, 4161.  
 — grandiflora Ldl. Bot. Mag. 65, 3707.  
 — luteola Hook. Hook. Exot. Fl. 103.  
 — — Wight Ic. pl. Ind. or. 5, 1678.  
 — puberula Ldl. Bot. Reg. 10, 851.  
 — purpurea Wight. Wight Ic. pl. Ind. or. 5, 1679.  
*Polystemma viridiflora* Decne. Delessert Ic. 5, 79.  
*Polystepis* Aub. Aubert Orchid. 81.  
*Polystichum aculeatum* Roth. Newman p. 169.  
 — angulare Newm. Newman p. 173. 174. 182.  
 — aristatum Presl. Hook. New Zealand 78.  
 — cyphochlamys Fée. Mem. Strassb. 4, 3.  
 — ilicifolium Fée. Mem. Strassb. 4, 6.  
 † *Lonchitis* Roth. Schott Gen. Fil. 12.  
 — — Newman p. 163. 166.  
 — proliferum Presl. Richard Astrolabe 4.  
 — venustum Hombr. Richard Astrolabe 5.  
 — viviparum Fée. Mem. Strassb. 4, 3.  
*Polytaenia Nuttallii* DC. DC. Umbellif. 13.  
 † *Polytaenium* Desv. Mem. soc. Linn. Par. 6, 11.  
 — lineatum Desv. Hook. Gen. Fil. 107.  
*Polytoca bracteata* R. Br. Bennett Java 5.  
*Polytropia ferulaefolia* Presl. Presl Symbolae 13.  
 † *Pomaceae* Juss. Spach Suites 7 — 10.  
*Pomaderris andromedaefolia* Cunn. Bot. Mag. 60, 3219.  
 — apetalab Lab. Bill. Nov. Holl. 87.  
 † — — Ann. sc. nat. 10, 16.  
 — — Lam. Encycl. 925.  
 — aspera Sieb. Mem. Genev. 6, 4.  
 — betulina Cunn. Bot. Mag. 60, 3212.  
 — discolor DC. Sweet Austr. 41.  
 — elliptica Lab. Bill. Nov. Holl. 86.  
 — — Bot. Mag. 37, 1510.  
 — — Lodd. Cab. 756.  
 — — Lam. Encycl. 925.  
 — lanigera Sims. Bot. Mag. 43, 1823.  
 — — Lodd. Cab. 357.  
 — phyllicaeifolia Lodd. Lodd. Cab. 120.  
*Pomaria glandulosa* Cav. Cav. Ic. 402.  
 † *Pomatium spicatum* Gaertn. Gaertn. Carp. 225.  
*Pomatocalpa spicatum* Breda. Breda Orchid. Jav. 15.  
*Pombalia Ipeacacuanha* Vand. Vandelli Fasc. 1.  
 — — Roemer Scriptoras 3.  
 † *Pometia* Forst. Forster Charact. 55.  
 † *Pommereulla Cornucopiae* L. Linné Gram. x.  
 † — — Lam. Encycl. 37.  
 † — — Ann. sc. nat. 23, 7.  
 — — Roxb. Corom. 131.  
*Ponerorchis graminifolia* Rehb. Rehb. Xenia 1, 8.  
*Pongamia atropurpurea* Wall. Wall. Pl. asiat. 78.  
 — elliptica Wall. Wall. Pl. asiat. 237.  
 — — Wight Ic. pl. Ind. or. 2, 420.  
 — glabra Vent. Rheede Hort. mal. 6, 3.  
 — — Vent. Malm. 28.  
 — — Lam. Encycl. 603.  
 — — Wight Ic. pl. Ind. or. 1, 59.  
 — ovalifolia W. et A. Wight Ic. pl. Ind. or. 2, 328.  
 — triphylla Wight. Wight Illustr. in Hook. 41.  
 — uliginosa DC. Rheede Hort. mal. 8, 46.



- Pontederia azurea* Sw. Bot. Mag. 56, 2932.  
 — — — Rchb. Exot. 255.  
 — — — *cordata* L. Red. Lil. 2, 72.  
 — — — Lam. Encycl. 225.  
 — — — Dict. sc. nat. 39.  
 — — — Herb. amat. 4, 230.  
 — — — Bot. Mag. 29, 1156.  
 — — — Tratt. Thes. 77.  
 — — — Desc. Ant. 8, 598.  
 — — — Torrey New York 131.  
 — — — *crassipes* Mart. Mart. Bras. 4.  
 — — — Rchb. Exot. 40.  
 † — — — Schnizl. Iconogr. 1, 54.  
 — — — *dilatata* Buchan. Symes Ava 23.  
 — — — Andr. Rep. 7, 490.  
 — — — Kerner Hort. 754.  
 — — — *hastata* L. Roxb. Corom. 111.  
 — — — *lanceolata* Nutt. Lodd. Cab. 613.  
 — — — *natans* Pal. B. Pal. B. Fl. d'Oware 68.  
 — — — *vaginalis* L. Rheede Hort. mal. 11, 44.  
 — — — Rumpf Amb. 6, 75. fig. 1.  
 — — — Roxb. Corom. 110.  
 — — — Kerner Hort. 142.  
 † Pontederiaceae Rich. Schnizl. Iconogr. 1, 54.  
*Ponthieva multiflora* P. et E. Poepp. et Endl. 123.  
 — — — *petiolata* Ldl. Bot. Reg. 9, 760.  
 — — — Lodd. Cab. 1190.  
*Populus alba* L. Nouveau Duhamel 2, 52.  
 — — — Hartig 32.  
 — — — Engl. Bot. 23, 1618.  
 — — — Fl. dan. 13, 2182.  
 — — — Rchb. Fl. germ. 11, 614.  
 — — — *angulata* Michx. Michaux Arb. 3, 12.  
 — — — *argentea* Michx. Michaux Arb. 3, 9.  
 — — — *Bachofenii* Wierzb. Rchb. Fl. germ. 11, 616.  
 — — — *balsamifera* L. Pallas Fl. ross. 41.  
 — — — Michaux Arb. 3, 13.  
 — — — Nouveau Duhamel 2, 50.  
 — — — *canadensis* Michx. Michaux Arb. 3, 11.  
 — — — *candicans* Ait. Michaux Arb. 3, 13.  
 — — — *canescens* Sm. Engl. Bot. 23, 1619.  
 — — — Hartig 33.  
 — — — Fl. dan. 13, 2183.  
 — — — Rchb. Fl. germ. 11, 617.  
 — — — *ciliata* Wall. Royle Illustr. 84<sup>a</sup> or 98.  
 — — — *dilatata* Ait. Nocca et Balb. Fl. tic. 19.  
 — — — Hayne 13, 46.  
 — — — *diversifolia* Schrenk. Trautvetter Imag. 16.  
 — — — *graeca* Ait. Nouveau Duhamel 2, 54.  
 — — — *grandidentata* Michx. Michaux Arb. 3, 8.  
 — — — Torrey New York 121.  
 — — — *heterophylla* L. Nouveau Duhamel 1, 51.  
 — — — *hudsonica* Michx. Michaux Arb. 3, 10.  
 — — — *hybrida* M. v. B. Rchb. Fl. germ. 11, 615.  
 — — — *laurifolia* Led. Ledeb. Ic. 479.  
 — — — *monilifera* Ait. Watson Dendr. 2, 102.  
 † — — — *nigra* L. Gaertn. Carp. 90.  
 — — — Schk. Handb. 330.  
 — — — Hartig 35.  
 — — — Hayne 13, 47.  
 — — — Rchb. Fl. germ. 11, 619.  
 † — — — Nees Gen. 4, 16.  
 — — — Engl. Bot. 27, 1910.  
 — — — Baxter Brit. Bot. 6, 506.  
 — — — *nivea* Willd. Schk. Handb. 330.  
 — — — *pannonica* Kit. Rchb. Fl. germ. 11, 619.  
 — — — *tremula* L. Schk. Handb. 330.  
 — — — Hartig 34.  
 — — — Rchb. Fl. germ. 11, 618.  
 — — — Nees Düsseld. Suppl. 87.  
 † — — — Nees Gen. 4, 16.  
 — — — Engl. Bot. 27, 1909.

- Populus tremula* L. Fl. dan. 13, 2184.  
 — — — Sv. Bot. 103.  
 † — — — Lam. Encycl. 819.  
 — — — Spach Suites 152.  
 — — — *tremuloides* Michx. Michaux Arb. 3, 8.  
 — — — Nouveau Duhamel 2, 53.  
 — — — *trichocarpa* Torr. et Gr. Hook. Ic. pl. 9, 878.  
 — — — *villosa* Lang. Rchb. Fl. germ. 11, 617.  
*Porana acuminata* Pal. B. Pal. B. Fl. d'Oware 39.  
 — — — *paniculata* Roxb. Roxb. Corom. 235.  
 — — — *racemosa* Roxb. Jacq. Ecl. pl. 165.  
 — — — Wight Ic. pl. Ind. or. 4, 1376.  
 † — — — Wight Illustr. 168<sup>bis</sup>.  
 — — — *volubilis* L. Burmann Fl. ind. 21<sup>b</sup>.  
 — — — Lam. Encycl. 186.  
 — — — Wight Ic. pl. Ind. or. 2, 347.  
 † — — — Wight Illustr. 168<sup>bis</sup>.  
*Poranthera corymbosa* Brongn. Brongniart Coquille 50.  
 — — — *ericifolia* Rudge. Linn. Transact. 10, 22.  
 — — — Hügel Archiv 8.  
 — — — *microphylla* Brongn. Brongniart Coquille 50.  
*Poraqueiba guianensis* Aubl. Aublet Guiana 47.  
 — — — Lam. Encycl. 134.  
 † *Porcelia Rz et P.* Ruiz et Pav. Prodr. 16.  
 † *Porlieria Rz et P.* Ruiz et Pav. Prodr. 9.  
 † — — — *hygrometrica Rz et P.* Mem. Mus. 12, 16.  
 † *Porocarpus Helminthotheca* Gaertn. Gaertn. Carp. 178.  
*Porophyllum japonicum* DC. Sieb. Fl. Japon. 84.  
*Porphyrocoma lanceolata* Scheidw. Annales de Gand 1846, 56.  
 — — — Paxt. Mag. 14, 55.  
 — — — Bot. Mag. 71, 4176.  
 † *Porrum Tournef.* Nees Gen. 2, 51.  
*Portenschlagia australis* Tratt. Tratt. Archiv 170.  
 — — — *integrifolia* Tratt. Tratt. Archiv 219.  
*Porteria ebractescens* Hook. Hook. Ic. pl. 9, 864.  
*Portesia mucronata* Cav. Cav. Diss. 216.  
 — — — *ovata* Cav. Cav. Diss. 215.  
 — — — Lam. Encycl. 302.  
*Portlandia corymbosa Rz et P.* Ruiz et Pav. Fl. 190.  
 — — — *grandiflora* L. Jacq. Hist. stirp. am. 64.  
 † — — — Gaertn. Carp. 31.  
 — — — Schneevogt Ic. 4.  
 — — — Bot. Mag. 8, 286.  
 — — — Smith Ic. pictae 6.  
 — — — Lam. Encycl. 162.  
 — — — Kerner Hort. 15.  
 — — — *hexandra* Jacq. Jacq. Hist. stirp. am. 65.  
 — — — Lam. Encycl. 257.  
 — — — *platantha* Hook. Bot. Mag. 76, 4534.  
 — — — Lem. Jard. fl. 60.  
 † *Portulaca* L. Gray Genera 99.  
 — — — *australis* Endl. Endl. Atacta 6.  
 — — — *crassicaulis* Jacq. Jacq. Vind. 3, 52.  
 — — — *foliosa* Ldl. Bot. Reg. 10, 793.  
 — — — *Gilliesii* Hook. Bot. Mag. 58, 3064.  
 — — — Bot. Reg. 20, 1672.  
 — — — Maund Bot. 2, 78.  
 — — — Mem. Tur. 5, (1843.) x.  
 — — — *grandiflora* Hook. Bot. Mag. 56, 2885.  
 — — — Fl. d. serres 8, 786.  
 — — — *guineensis* Ldl. Bot. Reg. 10, 793.  
 — — — *hirsutissima* Camb. St. Hil. Fl. Bras. 114.  
 — — — *maritima* Desc. Ant. 1, 51.  
 — — — *meridiana* L. Rheede Hort. mal. 10, 31.  
 — — — *oleracea* L. Rheede Hort. mal. 10, 36.  
 — — — Schk. Handb. 130.  
 — — — Tratt. Archiv 67.  
 — — — Sibth. Fl. gr. 457.  
 — — — DC. Plantes grasses 123.  
 — — — Lam. Encycl. 402.  
 † — — — Ann. sc. nat. 2, 4.

- Portulaca oleracea* L. Gray Genera 99.  
 — *paniculata* Jacq. Jacq. Hist. stirp. am. 136.  
 — — — Jacq. Vind. 151.  
 † — *pilosa* L. Gaertn. Carp. 128.  
 — — — Lam. Encycl. 402.  
 — — — Bot. Reg. 10, 792.  
 — *quadrifida* L. Jacq. Collect. 2, 17.  
 — — — Wight Illustr. 109.  
 — *rostellata* Brign. Novi Comm. Bonon. 7, 21.  
 — *splendens* Hort. Bot. Reg. 29, 34.  
 — *Thellusonii* Ldl. Bot. Reg. 26, 31.  
 — — — Paxt. Mag. 8, 29.  
 — — — Maund Bot. 5, 239.  
 — *triangularis* L. Jacq. Hist. stirp. am. 135.  
 — — — Jacq. Obs. 23.  
*Portulacaria afra* Jacq. DC. Plantes grasses 132.  
 — — — Tratt. Archiv 68.  
*Posidonia Konig.* Konig Annals 2, 6.  
 — *Caulini* Konig. Rchb. Fl. germ. 7, 5.  
 † *Posoqueria drupacea* Gaertn. Gaertn. Carp. 195.  
 — *floribunda* Roxb. Wight Ic. pl. Ind. or. 2, 583.  
 — *formosa* Planch. Fl. d. serres 6, 587.  
 — *longiflora* Aubl. Aublet Guiana 51.  
 † — — — Gaertn. Carp. 193.  
 — — — Lam. Encycl. 163.  
 — *nutans* Roxb. Wight Ic. pl. Ind. or. 2, 581.  
 — *versicolor* Ldl. Bot. Reg. 27, 26.  
*Possira arborescens* Aubl. Aublet Guiana 355.  
 — *dodecandra* Poir. Lam. Encycl. 461.  
 — *triphyllos* Gm. Lam. Encycl. 461.  
*Potalia amara* Aubl. Aublet Guiana 151.  
 — — — Lam. Encycl. 348.  
 — — — Desc. Ant. 7, 473.  
 — *resinifera* Mart. Mart. Bras. 170.  
 † *Potamogeton* L. Linnæa 2, 4, 5, 6.  
 — *acuminatus* Schum. Fl. dan. 8, 1384.  
 — *acutifolius* Link. Fl. dan. 10, 1747. 12, 2046.  
 — — — Rchb. Ic. crit. 2, 176.  
 — — — Rchb. Fl. germ. 7, 26.  
 † — — — Fieber Potamog. 3.  
 — — — Engl. Bot. 2609.  
 † — — — Mutel Fl. fr. 63.  
 — — — Cosson Atlas 34.  
 — *annulatus* Bell. Mem. Tur. 7, 1.  
 — *augustanus* Balb. Mem. Tur. 7, 3.  
 † *Berchtoldi* Fieb. Fieber Potamog. 4.  
 — — — Rchb. Fl. germ. 7, 22.  
 — *coloratus* Hornem. Fl. dan. 9, 1449.  
 † — — — Fieber Potamog. 1.  
 — *compressus* L. Fl. dan. 2, 203.  
 — — — Engl. Bot. 6, 418.  
 † — — — Fieber Potamog. 3.  
 — — — Rchb. Fl. germ. 7, 24.  
 † — — — Mutel Fl. fr. 63.  
 † — *condylocarpus* Tausch. Fieber Potamog. 4.  
 — — — Rchb. Fl. germ. 7, 22.  
 — *crispus* L. Fl. dan. 6, 927.  
 — — — Curt. Lond. 2, 125.  
 — — — Engl. Bot. 15, 1012.  
 † — — — Fieber Potamog. 3.  
 — — — Rchb. Fl. germ. 7, 29, 30.  
 † — — — Nees Gen. 3, x.  
 — *decipiens* Nolte. Rchb. Fl. germ. 7, 35.  
 — *densus* L. Fl. dan. 8, 1264.  
 — — — Engl. Bot. 6, 397.  
 † — — — Fieber Potamog. 1.  
 — — — Rchb. Fl. germ. 7, 28.  
 † — — — Flora 1853, 7.  
 — *diversifolius* Bart. Barton Fl. 3, 84.  
 — *filiformis* Pers. Fl. dan. 12, 2106.  
 † — — — Fieber Potamog. 4.  
 — *fluitans* Roth. Fl. dan. 9, 1450.

- Potamogeton fluitans* Roth. Curt. Lond. 5, 172.  
 — — — Engl. Bot. 18, 1286.  
 — — — Fl. dan. 12, 2105.  
 † — — — Fieber Potamog. 1.  
 — — — Rchb. Fl. germ. 7, 48, 49.  
 — *gramineus* L. Fl. dan. 2, 222.  
 — — — Engl. Bot. 32, 2253.  
 — *heterophyllus* Schreb. Fl. dan. 8, 1263.  
 — — — Engl. Bot. 18, 1285.  
 — — — Rochel Banat. 39.  
 † — — — Fieber Potamog. 2.  
 — — — Rchb. Fl. germ. 7, 41, 42, 43.  
 — *lanceolatus* Sm. Engl. Bot. 28, 1985.  
 — — — Rchb. Fl. germ. 7, 31.  
 — *longifolius* Gay. Engl. Bot. 2847.  
 — — — Rchb. Fl. germ. 7, 40.  
 — *lucens* L. Fl. dan. 2, 195.  
 — — — Engl. Bot. 6, 376.  
 — — — Rchb. Fl. germ. 7, 36, 37, 40.  
 † — — — Fieber Potamog. 2.  
 — — — R. et Sieber. Fl. dan. 10, 1635.  
 — *marinus* L. Fl. dan. 2, 186.  
 — — — Dict. sc. nat. 2.  
 — — — Rchb. Fl. germ. 7, 18.  
 — *monogynus* Gay. Cosson Atlas 33.  
 † *natans* L. Gaertn. Carp. 84.  
 — — — Lam. Encycl. 69.  
 — — — Fl. dan. 6, 1025.  
 — — — Engl. Bot. 26, 1822.  
 — — — Baxter Brit. Bot. 5, 350.  
 — — — Schk. Handb. 28.  
 — — — Sturm Flora 3, 9.  
 † — — — Fieber Potamog. 2.  
 — — — Rchb. Fl. germ. 7, 50.  
 † — — — Nees Gen. 3, x.  
 — *nitens* Weber. Fl. dan. 11, 1807.  
 — — — Rchb. Fl. germ. 7, 34.  
 † — — — Fieber Potamog. 2.  
 — *oblongus* Viv. Viviani Fl. ital. 2.  
 — — — Engl. Bot. 2849.  
 † — — — Fieber Potamog. 1.  
 — *obtusifolius* M. et K. Fl. dan. 12, 2107.  
 † — — — Fieber Potamog. 3.  
 — — — Rchb. Fl. germ. 7, 25.  
 — *obtusus* Ducros. Gaudin Fl. helv. 1, 4.  
 — *ochreateus* Decne. Raoul Nouv. Zel. 7.  
 † *paucifolius* Opiz. Fieber Potamog. 2.  
 — *pectinatus* L. Engl. Bot. 5, 323.  
 — — — Fl. dan. 10, 1746.  
 † — — — Fieber Potamog. 4.  
 — — — Rchb. Fl. germ. 7, 19.  
 — — — Cosson Atlas 34.  
 † — — — Oefvers. Sv. Acad. 1852, 1.  
 — *perfoliatus* L. Fl. dan. 2, 196.  
 — — — Engl. Bot. 3, 168.  
 — — — Sv. Bot. 580.  
 — — — Rchb. Fl. germ. 7, 29.  
 † — — — Fieber Potamog. 1.  
 — *plantagineus* Ducros. Gaudin Fl. helv. 1, 3.  
 — — — Engl. Bot. 2848.  
 — — — Rchb. Fl. germ. 7, 45, 46.  
 — *polygonifolius* Pourr. Rchb. Fl. germ. 7, 44.  
 — *praelongus* Wulf. Rchb. Ic. crit. 2, 185.  
 — — — Rchb. Fl. germ. 7, 33.  
 — — — Fl. dan. 10, 1687.  
 — — — Engl. Bot. 2858.  
 † — — — Mutel Fl. fr. 63.  
 † — — — Fieber Potamog. 1.  
 † — *purpurascens* Seidel. Fieber Potamog. 1.  
 — *pusillus* L. Engl. Bot. 3, 215.  
 — — — Fl. dan. 9, 1451.  
 — — — Cosson Atlas 33.

- Potamogeton pusillus *L.* Rchb. Fl. germ. 7, 22.  
 † — — — Fieber Potamog. 4.  
 † — — — Nees Gen. 3, x.  
 — rufescens *Schrad.* Rchb. Ic. crit. 2, 184.  
 — — — Rchb. Fl. germ. 7, 32.  
 † — — — Mutel Fl. fr. 63.  
 — rutilus *Wolfg.* Rchb. Fl. germ. 7, 23.  
 † — spathulatus *Koch et Ziz.* Fieber Potamog. 1.  
 — — — Rchb. Fl. germ. 7, 47.  
 — striatus *Rz et P.* Ruiz et Pav. Fl. 106.  
 — tenuissimus *M. K.* Rchb. Fl. germ. 7, 22.  
 † — trichoides *Cham.* Fieber Potamog. 4.  
 — — — Rchb. Fl. germ. 7, 21, 22.  
 † — Zizii *M. et K.* Fieber Potamog. 2.  
 — — — Rchb. Fl. germ. 7, 38, 39.  
 — zosteraceus *Fr.* Rchb. Fl. germ. 7, 20.  
 — zosteraceifolius *Schum.* Rchb. Ic. crit. 2, 175.  
 — — — Rchb. Fl. germ. 7, 27.  
 — — — Fl. dan. 11, 1865.  
 — — — Engl. Bot. 2685.  
 † — — — Fieber Potamog. 3.  
 Potamophila parviflora *R. Br.* Humb. Gram. 5.  
 — — — Trin. Sp. Gr. 3, 249.  
 † Potentilla *L.* Nestler Potentilla 1.  
 — agrimonioides *M. v. B.* Ledeb. Ic. 327.  
 — alba *L.* Jacq. Fl. austr. 2, 115.  
 — — — Sturm Flora 2, 4.  
 — — — Schrank Fl. monac. 2, 165.  
 — — — Dietr. Fl. bor. 3, 166.  
 — — — Engl. Bot. 20, 1384.  
 — — — Lodd. Cab. 1534.  
 — alpestris *Hall. fil.* Lodd. Cab. 1499.  
 — altaica *Bunge.* Ledeb. Ic. 329.  
 — ambigua *Camb.* Jacquemont Ind. 62.  
 — — — Bot. Mag. 77, 4613.  
 — — — Lem. Jard. f. 210.  
 — angustifolia *Willd.* Lehmann Potentilla 19.  
 — anserina *L.* Fl. dan. 4, 544.  
 — — — Sv. Bot. 152.  
 — — — Curt. Lond. 3, 3.  
 — — — Engl. Bot. 12, 861.  
 — — — Dreves 1, 35.  
 — — — Sturm Flora 2, 4.  
 — — — Hayne 4, 31.  
 — — — Schrank Fl. monac. 4, 386.  
 — — — Dietr. Fl. bor. 2, 142.  
 — apennina *Ten.* Tenore Fl. nap. 46.  
 — approximata *Led.* Ledeb. Ic. 325.  
 — arbuscula *Don.* Wall. Pl. asiat. 228.  
 — argentea *L.* Fl. dan. 5, 865.  
 — — — Engl. Bot. 2, 89.  
 — — — Sturm Flora 5, 17.  
 — — — Dietr. Fl. bor. 4, 273.  
 — arguta *Pursh.* Hook. Bor. Am. 63.  
 — — — Bot. Reg. 16, 1379.  
 — argyrophylla *Wall.* Lehmann Potentilla 29.  
 — astracanicum *Jacq.* Jacq. Ic. 92.  
 — astragalifolia *Bunge.* Ledeb. Ic. 328.  
 — — — Lehmann Potentilla 22.  
 — atrosanguinea *Lodd.* Lodd. Cab. 786.  
 — — — Bot. Mag. 53, 2689.  
 — — — Sweet Fl. G. 124.  
 — — — Bot. Mag. 63, 3470.  
 — — — var. *Menziesii*, Ann. de Gand 1848, 213.  
 — — — Fl. d. serres 7, 748.  
 — — — Belgique hort. 2, 17.  
 — aurea *L.* Fl. dan. 1, 114.  
 — — — Engl. Bot. 8, 561.  
 — — — Lodd. Cab. 77.  
 — — — Lam. Encycl. 442.  
 — — — Sturm Flora 5, 17.  
 — — — Séringe Mus. helv. 8.

- Potentilla bannchalensis *Camb.* Jacquemont Ind. 64.  
 — bicolor *Ldl.* Bot. Reg. 31, 62.  
 — — — Fl. d. serres 2, 57.  
 — biflora *Willd.* Lehmann Potentilla 20.  
 — bifurca *L.* Gmelin Reise 1, 27.  
 — Bocconi *Nestl.* Nestler Potentilla 10.  
 — Brauceana *Hoppe.* Sturm Flora 5, 17.  
 — — — Nestler Potentilla 10.  
 — calabra *Ten.* Tenore Fl. nap. 45.  
 — — — Lodd. Cab. 1757.  
 — canadensis *L.* Nestler Potentilla 10.  
 — candicans *H. B. K.* Nestler Potentilla 3.  
 — cathacines *Lehm.* Lehmann Potentilla 30.  
 — caulescens *L.* Jacq. Fl. austr. 3, 220.  
 — — — Sturm Flora 2, 1.  
 — Cautleyana *Royle.* Royle Illustr. 40.  
 — chrysantha *Trev.* Rchb. Ic. crit. 6, 589.  
 — — — Ledeb. Ic. 338.  
 — cicutariaefolia *Willd.* Nestler Potentilla 2.  
 — cinerea *Chaix.* Dietr. Fl. bor. 3, 167.  
 — — — var. Sturm Flora 20, 92.  
 — Clusiana *Jacq.* Jacq. Fl. austr. 2, 116.  
 — — — Bot. Mag. 32, 1327.  
 — — — Sturm Flora 20, 92.  
 — collina *Wibel.* Sturm Flora 20, 91.  
 — comarioides *H. B. K.* Nestler Potentilla 4.  
 — concinna *Richards.* Lehmann Potentilla 27.  
 — — — Hook. Bor. Am. 67.  
 — conferta *Bunge.* Ledeb. Ic. 333.  
 — crassinervia *Viv.* Moris Fl. sard. 72.  
 — cryptantha *Klotzsch.* Prinz Waldem. Him. 12.  
 — dasyphylla *Led.* Ledeb. Ic. 331.  
 — davurica *Poir.* Nestler Potentilla 1<sup>b</sup>.  
 — dealbata *Led.* Ledeb. Ic. 326.  
 — desertorum *Led.* Ledeb. Ic. 337.  
 — De Tommasii *Ten.* Tenore Fl. nap. 44.  
 — discolor *Camb.* Jacquemont Ind. 65.  
 — Dombeyi *Nestl.* Nestler Potentilla 5.  
 — Doubljonnecana *Camb.* Jacquemont Ind. 61.  
 — Drummondii *Lehm.* Hook. Bor. Am. 65.  
 — Egedii *Wormsk.* Fl. dan. 9, 1578.  
 — elatior *Schleich.* Lehmann Potentilla 14.  
 — emarginata *Pursh.* Fl. dan. 13, 2291.  
 — ferruginea *Paxt.* Paxt. Mag. 5, 223.  
 — flabelliformis *Lehm.* Lehmann Potentilla 26.  
 — — — Hook. Bor. Am. 66.  
 — flagellaris *Willd.* Lehmann Potentilla 12.  
 — floribunda *Pursh.* Watson Dendr. 1, 70.  
 — formosa *Don.* Sweet Fl. G. 136.  
 — Fragaria *Poir.* Curt. Lond. 3, 74.  
 — — — Séringe Mus. helv. 4.  
 — — — Dietr. Fl. bor. 5, 317.  
 — fragariaefolia *Klotzsch.* Prinz Waldem. Him. 10.  
 — Fragariastrum *Ehrh.* Sturm Flora 20, 92.  
 — fragarioides *L.* Lehmann Potentilla 4.  
 — fragiformis *Willd.* Lehmann Potentilla 15.  
 — frigida *Vill.* Nestler Potentilla 10.  
 — — — Zolliker Alpenfl. 8.  
 — — — Sturm Flora 20, 92.  
 — fruticosa *L.* Engl. Bot. 2, 88.  
 — — — Sv. Bot. 253.  
 — — — Nouveau Duhamel 2, 4.  
 — — — Guimpel Fr. Holzgew. 42.  
 — geoides *M. v. B.* Lehmann Potentilla 2.  
 — geranioides *Willd.* Nestler Potentilla 5.  
 — glabra *Lodd.* Lodd. Cab. 914.  
 — — — Bot. Mag. 65, 3676.  
 — — — Ledeb. Ic. 173.  
 — glacialis *Hall. fil.* Séringe Mus. helv. 7.  
 — glandulosa *Ldl.* Bot. Reg. 19, 1583, 23, 1973.  
 — glauca *Camb.* Jacquemont Ind. 66.  
 — gracilis *Dougl.* Bot. Mag. 57, 2984.

- Potentilla grammopetala* Moretti. Moretti Bot. ital. 2.  
 — *grandiflora* Scop. Scop. Fl. carn. 1, 22<sup>b</sup>.  
 — — *L.* Bot. Mag. 3, 75.  
 — — — Sturm Flora 20, 92.  
 — *Güntheri* Pohl. Krock. Fl. sil. 2, 12.  
 — — — Lehmann Potentilla 10.  
 — — — Dietr. Fl. bor. 12, 798.  
 — *Guilelmi Waldemarii* Kl. Prinz Wald. Him. 13.  
 — *haematochrous* Lehm. Knowles et Westcott 119.  
 — *Hippiana* Lehm. Hook. Bor. Am. 64.  
 — *hirsuta* Michx. Nestler Potentilla 9.  
 — — — *Vahl.* Fl. dan. 8, 1390.  
 — *hirta* L. Allione Fl. ped. 3, 71.  
 — — — Lehmann Potentilla 8.  
 — — — Sturm Flora 20, 91.  
 — *Hopwoodiana* Hort. Bot. Reg. 16, 1387.  
 — — — Paxt. Mag. 6, 149.  
 — — — Sweet Fl. G. II. 61.  
 — *Jacquemontiana* Camb. Jacquemont Ind. 63.  
 — *incisa* Desf. Nestler Potentilla 4.  
 — *inclinata* Vill. Vill. Dauph. 45.  
 — — — Sturm Flora 20, 91.  
 — *Inglisii* Royle. Royle Illustr. 41.  
 — *insignis* Royle. Bot. Reg. 27, 37.  
 — *intermedia* L. Nestler Potentilla 8.  
 — — — Rchb. Ic. crit. 6, 590.  
 — *Kleiniana* W. et A. Wight Illustr. 85.  
 — *laciniosa* W. et K. Lehmann Potentilla 7.  
 — — — Bot. Reg. 18, 1478.  
 — *Leschenaultiana* Ser. Lehmann Potentilla 23.  
 — — — Wight Spicil. 63.  
 — — — Wight Ic. pl. Ind. or. 3, 990.  
 — *leucochroa-atrosanguinea* Hort. Annales de Gand 1847, 117.  
 — *lineata* Trev. Rchb. Hort. 8.  
 — *lupinoides* Willd. Lodd. Cab. 654.  
 — *Mackayana* Sweet. Sweet Fl. G. II. 43.  
 — *MacNabiana* Hort. Paxt. Mag. 13, 219.  
 — — — Annales de Gand 1847, 117.  
 — — — Fl. d. serres 2, 149.  
 — *macrantha* Led. Ledeb. Ic. 133.  
 — *meifolia* Wall. Lehmann Potentilla 21.  
 — *Menziesii* Hort. Paxt. Mag. 15, 247.  
 — — — Annales de Gand 1848, 213.  
 — — — Fl. d. serres 7, 748.  
 — *micrantha* Ramond. Séringe Mus. helv. 5.  
 — — — Sturm Flora 20, 92.  
 — — — Dietr. Fl. bor. 12, 811.  
 — *micropetala* Spr. Lehmann Potentilla 24.  
 — *microphylla* Spr. Lehmann Potentilla 22.  
 — — — *Don.* Royle Illustr. 41.  
 — *minima* Hall. fl. Séringe Mus. helv. 8.  
 — — — Lodd. Cab. 480.  
 — — — Sturm Flora 5, 17.  
 — *missourica* Hornem. Bot. Reg. 17, 1412.  
 — *mixta* Nolte. Sturm Flora 20, 92.  
 — *Mooniana* Wight. Wight Ic. pl. Ind. or. 1, 233.  
 — *multifida* L. Séringe Mus. helv. 8.  
 — *nana* H. B. K. Nestler Potentilla 4.  
 — — — *Willd.* Lehmann Potentilla 17.  
 — *nemoralis* Nestl. Lehmann Potentilla 13.  
 — — — Fl. dan. 11, 1819.  
 — *nepalensis* Hook. Hook. Exot. Fl. 88.  
 — — — Lodd. Cab. 1031.  
 — *nevadensis* Boiss. Boissier Esp. 59.  
 — *nitida* L. Jacq. Fl. austr. 5, 25.  
 — — — Sturm Flora 6, 22.  
 — — — Séringe Mus. helv. 5.  
 — *nivea* L. Fl. dan. 6, 1035.  
 — — — Lodd. Cab. 460.  
 — — — Bot. Mag. 57, 2982.  
 — — — Sturm Flora 20, 92.

- Potentilla norvegica* L. Fl. dan. 1, 171.  
 † — — — Lam. Encycl. 442.  
 — — — Sturm Flora 20, 91.  
 — — — Dietr. Fl. bor. 12, 797.  
 — *obscura* Willd. Nocca et Balb. Fl. tic. 10.  
 — — — Rchb. Ic. crit. 4, 340.  
 — — — Sturm Flora 20, 91.  
 — *ochreata* Ldl. Moore Mag. 1851, p. 32.  
 — *opaca* L. Jacq. Ic. 91.  
 — — —? Krock. Fl. sil. 2, 12.  
 — — — Sturm Flora 5, 17.  
 — — — Séringe Mus. helv. 4.  
 — — — Engl. Bot. 35, 2449.  
 — — — Dietr. Fl. bor. 3, 169.  
 — *ornithopoda* Tausch. Tausch Hort. Canal. 10.  
 — *patula* W. et K. W. et Kit. 199.  
 — — — Sturm Flora 20, 91.  
 — *pedata* Willd. Nestler Potentilla 7.  
 — — — Lodd. Cab. 579.  
 — *petraea* Willd. Lehmann Potentilla 11.  
 — *pennsylvanica* L. Jacq. Vind. 189.  
 † *pilosa* Willd. Mutel Fl. fr. 16.  
 — — — Sturm Flora 20, 91.  
 — *pimpinelloides* L. Nestler Potentilla 2.  
 — *polyphylla* Wall. Lehmann Potentilla 25.  
 — *procumbens* Sibth. Sturm Flora 20, 92.  
 — *pteropoda* Royle. Royle Illustr. 40.  
 — *pulchella* R. Br. Lehmann Potentilla 27.  
 — — — Fl. dan. 13, 2234.  
 — *ranunculoides* H. B. K. Nestler Potentilla 3.  
 — *recta* L. Jacq. Fl. austr. 4, 383.  
 — — — Fl. dan. 11, 1820.  
 — — — Nestler Potentilla 6.  
 — — — Rchb. Ic. crit. 4, 339.  
 † — — — Mutel Fl. fr. 16.  
 — — — Sturm Flora 20, 91.  
 — — — Dietr. Fl. bor. 4, 238.  
 — *reptans* L. Woodv. Med. 3, 175.  
 — — — Curt. Lond. 2, 124.  
 — — — Engl. Bot. 12, 862.  
 — — — Fl. dan. 7, 1164.  
 — — — Sv. Bot. 709.  
 † — — — Lam. Encycl. 442.  
 — — — Schk. Handb. 136.  
 — — — Hayne 4, 32.  
 — — — Schrank Fl. monac. 4, 366.  
 — — — Sturm Flora 20, 91.  
 — — — Dietr. Fl. bor. 3, 171.  
 — *retusa* Müll. Fl. dan. 5, 799. 11, 1875.  
 — *rupestris* L. Jacq. Fl. austr. 2, 114.  
 — — — Séringe Mus. helv. 6.  
 — — — Engl. Bot. 29, 2058.  
 — — — Baxter Brit. Bot. 4, 313.  
 — — — Sturm Flora 20, 91.  
 — — — Dietr. Fl. bor. 3, 170.  
 — *Russelliana* Hort. Bot. Reg. 18, 1496.  
 — — — Sweet Fl. G. 279.  
 — *Salesoviana* Steph. Mem. Mosc. 2, 3.  
 — *Salesovii* Steph. Lehmann Potentilla 1.  
 — *salisburgensis* Haenke. Jacq. Ic. 490.  
 — — — Sturm Flora 5, 17.  
 — *Sanguisorba* Willd. Lehmann Potentilla 5.  
 — *Saundersiana* Royle. Royle Illustr. 41.  
 — *sericea* L. Ledeb. Ic. 334.  
 — — — Lehmann Potentilla 6.  
 — *Siemersiana* Lehm. Acta Leop. 14. 2, 47.  
 — *simplex* Michx. Nestler Potentilla 9.  
 — *Smoutii* Hort. Fl. d. serres 4, 373.  
 — *soongorica* Led. Ledeb. Ic. 332.  
 — *sordida* Klotzsch. Prinz Waldem. Him. 9.  
 — *speciosa* Willd. Nestler Potentilla 11.  
 — — — Sibth. Fl. gr. 484.

- Potentilla splendens* Wall. Bot. Mag. 53, 2700.  
 — — — Lodd. Cab. 1323.  
 — — — Sweet Fl. G. 191.  
 — — — *Ramond.* var. Sturm Flora 20, 92.  
 — *Sprengeliana* Lehm. Lehmann Potentilla 3.  
 — *striata formosissima* Hort. Fl. d. serres 7, 695.  
 — *subacaulis* L. Jacq. Ic. 491.  
 — — *Wulf.* Sturm Flora 20, 92.  
 — *supina* L. Gmelin Reise 1, 27.  
 — — — Jacq. Fl. austr. 5, 406.  
 — — — Fl. dan. 13, 2175.  
 — — — Sturm Flora 20, 91.  
 — — — Dietr. Fl. bor. 9, 585.  
 — *taurica* Willd. Lehmann Potentilla 9.  
 — *terglouensis* Haecq. Hacquet Pl. alp. 4.  
 — *Thomasii* DC. Sweet Fl. G. II. 365.  
 — *thuringiaca* Bernh. Sturm Flora 20, 91.  
 — *Tormentilla* L. Schrank Fl. monac. 4, 399.  
 — *tridentata* Ait. Ait. Hort. Kew. 2, 9.  
 — — — Engl. Bot. 34, 2389.  
 † — *umbrosa* Stev. Denkschr. d. W. Ak. I, 2.  
 — *uniflora* Led. Lehmann Potentilla 18.  
 — *Valderia* L. Allione Fl. ped. 3, 24.  
 — *variabilis* Klotzsch. Prinz Waldem. Him. 11.  
 — *velutina* Spr. Lehmann Potentilla 28.  
 — *vena* L. Allione Fl. ped. 3, 24.  
 — — — Engl. Bot. 1, 37.  
 — — — Fl. dan. 10, 1648.  
 — — — Sturm Flora 5, 17.  
 — — — Schrank Fl. monac. 4, 364.  
 — — — Dietr. Fl. bor. 3, 168.  
 — *vestita* Klotzsch. Prinz Waldem. Him. 14.  
 — *villosa* Pall. Lehmann Potentilla 16.  
 — *viscosa* Donn. Bot. Reg. 18, 1492.  
 — — *Led.* Ledeb. Ic. 343.  
 — *Weinmanni* Lodd. Lodd. Cab. 706.  
*Poteranthera pusilla* Bong. Acad. Petersb. 4, 0.  
*Poterium ancistroides* Desf. Desf. Fl. atl. 251.  
 — *caudatum* Ait. Bot. Mag. 49, 2341.  
 — — — Colla Hort. Rip. 40.  
 † — *hybridum* L. Nees Gen. 4, 79.  
 — *polygamum* W. et K. W. et Kit. 198.  
 — *Sanguisorba* L. Curt. Lond. 3, 89.  
 — — — Engl. Bot. 12, 860.  
 — — — Baxter Brit. Bot. 6, 438.  
 — — — Fl. dan. 11, 1939.  
 — — — Hayne 8, 23.  
 — — — Schrank Fl. monac. 4, 367.  
 — — — Dietr. Fl. bor. 12, 812.  
 † — — — Lam. Encycl. 777.  
 † — — — Spach Suites 5.  
 † — — — Nees Gen. 4, 79.  
 † — *spinosum* L. Lam. Encycl. 777.  
 — — — Sibth. Fl. gr. 943.  
 — *villosum* Sibth. Sibth. Fl. gr. 942.  
 † *Pothomorphe* Miq. Miquel Comment. 4.  
 † — *Dombeyana* Miq. Miquel Illustr. Pip. 26.  
 — *Lessertiana* Miq. Miquel Illustr. Pip. 26.  
 — *mollissima* Miq. Miquel Comment. 6.  
 — *Otonnis* Miq. Miquel Illustr. Pip. 25.  
 † — *subpeltata* Miq. Miquel Illustr. Pip. 26.  
 — — — Wight Ic. pl. Ind. or. 6, 1925.  
 † *Pothos* L. Schnizl. Iconogr. 1, 72<sup>b</sup>, 72<sup>bb</sup>.  
 — *acaulis* L. Jacq. Hist. stirp. am. 231.  
 — — — Hook. Exot. Fl. 122.  
 — — — Lodd. Cab. 483.  
 — *cannaefolia* Dryand. Bot. Mag. 17, 603.  
 — — — Lodd. Cab. 471.  
 — — — Rudge Pl. Guianae 33.  
 — — — Kerner Hort. 416.  
 — *cordata* L. Kerner Hort. 410.  
 — *coriacea* Grah. Hook. Exot. Fl. 210.

- Pothos crassinervia* Jacq. Jacq. Ic. 609.  
 † — — — Jacq. Fragn. 1.  
 † — — — Kerner Genera 81—84.  
 — — — Bot. Mag. 57, 2987.  
 — *decursiva* Roxb. Wall. Pl. asiat. 192.  
 — — — Wight Ic. pl. Ind. or. 3, 779.  
 — *digitata* Jacq. Jacq. Ic. 611.  
 — *drupacea* Dennst. Rheede Hort. mal. 7, 42.  
 — *foetida* Ait. Bot. Mag. 22, 836.  
 — *glauca* Wall. Wall. Pl. asiat. 156.  
 — *gracilis* Roxb. Rumpf Amb. 5, 182.  
 — — *Rudge.* Rudge Pl. Guianae 32.  
 — *grandifolia* Jacq. Jacq. Ic. 610.  
 † — — — Jacq. Fragn. 7.  
 — — — Lam. Encycl. 738.  
 — *Harrisii* Grah. Hook. Exot. Fl. 211.  
 — — — Lodd. Cab. 1301.  
 — *heterophylla* Roxb. Wight Ic. pl. Ind. or. 3, 777.  
 — *macrophylla* Sw. Bot. Mag. 55, 2801.  
 — *microphylla* Hook. Bot. Mag. 56, 2953.  
 — — — Lodd. Cab. 1673.  
 — *mysouroides* H. B. K. H. B. K. Nov. Gen. 1, 18.  
 — *officinalis* Roxb. Wight Ic. pl. Ind. or. 3, 778.  
 — *palmata* L. Kerner Hort. 153.  
 — *pedata* H. B. K. H. B. K. Nov. Gen. 1, 20.  
 — *Peepla* Roxb. Wight Ic. pl. Ind. or. 3, 780.  
 — *pentaphylla* Willd. Bot. Mag. 34, 1375.  
 — — — Lodd. Cab. 567.  
 — — — Rchb. Exot. 73.  
 — *pertusa* Roxb. Rheede Hort. mal. 12, 20, 21.  
 — — — Wight Ic. pl. Ind. or. 3, 781.  
 — *pinnata* L. Rumpf Amb. 5, 183, fig. 2.  
 — *remotiflora* Hook. Hook. Ic. pl. 2, 133.  
 — *sagittaeifolia* Rudge. Rudge Pl. Guianae 34.  
 — *sagittata* Sims. Bot. Mag. 38, 1584.  
 — *scandens* L. Rheede Hort. mal. 7, 40.  
 — — — Rumpf Amb. 5, 184, fig. 1—3.  
 — — — Wight Ic. pl. Ind. or. 3, 776.  
 — — — Bot. Reg. 16, 1337.  
 — — — Hook. Ic. pl. 2, 175.  
 — *violacea* Sw. H. B. K. Nov. Gen. 1, 19.  
 — — — Hook. Exot. Fl. 55.  
 — — — Lodd. Cab. 632.  
 — — — Kerner Hort. 500.  
*Pothuava comata* Gaudich. Gaudichaud Bonite 116.  
 — *spicata* Gaudich. Gaudichaud Bonite 117.  
*Pottsia cantonensis* Hook. Hook. Beechey 43.  
 — *Hookeriana* Wight. Wight Ic. pl. Ind. or. 4, 1306<sup>bis</sup>.  
 † *Pourouma* Aubl. Ann. sc. nat. III. 8, 2.  
 — *acuminata* Mart. Endl. Bras. 12, 40.  
 — *bicolor* Mart. Endl. Bras. 12, 39.  
 — *cecropiaefolia* Mart. Endl. Bras. 12, 36.  
 — *cinerascens* Mart. Endl. Bras. 12, 37.  
 — *guianensis* Aubl. Aublet Guiana 341.  
 — *palmata* P. et E. Poepp. et Endl. 141.  
 — *tomentosa* Mart. Endl. Bras. 12, 38.  
 — *velutina* Mart. Endl. Bras. 12, 41.  
 † *Pourretia* Rz et P. Ruiz et Pav. Prodr. 7.  
 — *aeranthis* Rossi. Herb. amat. 5, 307.  
 — *alpestris* P. et E. Poepp. et Endl. 156.  
 † — *arborea* Willd. Ann. Mus. 9, 26.  
 — *coarctata* Rz et P. Gaudich. Bon. 41. 42. 43. 44.  
 — *inermis* E. M. Presl Reliq. 23.  
 — *lanuginosa* Rz et P. Ruiz et Pav. Fl. 256.  
 — *magnispatha* Colla. Mem. Tur. 31, 19.  
 — *platanifolia* H. B. Humb. Pl. aeq. 133.  
 — *pyramidata* Rz et P. Ruiz et Pav. Fl. 257.  
*Pouteria guianensis* Aubl. Aublet Guiana 33.  
 — — — Lam. Encycl. 72.  
 † *Pouzolzia acuta* Wight. Wight Ic. pl. Ind. or. 6, 2092.  
 † — *ambigua* Wight. Wight Ic. pl. Ind. or. 6, 2095.  
 † — *angustifolia* Wight. Wight Ic. pl. Ind. or. 6, 2100.

- † *Pouzolzia aspera* Wight. Wight Ic. pl. Ind. or. 6, 2095.  
 — *auriculata* Wight. Wight Ic. pl. Ind. or. 6, 1980.  
     2099.  
 — *Bennettiana* Wight. Wight Ic. pl. Ind. or. 6, 1978.  
 † — *bicuspidata* Wight. Wight Ic. pl. Ind. or. 6, 2098.  
 † — *borbonica* Wight. Wight Ic. pl. Ind. or. 6, 2100.  
 † — *caudata* Benn. Wight Ic. pl. Ind. or. 6, 2097.  
 † — *concinna* Wight. Wight Ic. pl. Ind. or. 6, 2093.  
 † — *courtallensis* Wight. Wight Ic. pl. Ind. or. 6, 2093.  
 — *cymosa* Wight. Wight Ic. pl. Ind. or. 6, 1979.  
 † — *Dalzellii* Wight. Wight Ic. pl. Ind. or. 6, 2096.  
 † — *diffusa* Wight. Wight Ic. pl. Ind. or. 6, 2099.  
 † — *elliptica* Wight. Wight Ic. pl. Ind. or. 6, 2098.  
 † — *Gardneri* Wight. Wight Ic. pl. Ind. or. 6, 2092.  
 † — *glabra* Wight. Wight Ic. pl. Ind. or. 6, 2095.  
 † — *heterocarpa* Wight. Wight Ic. pl. Ind. or. 6, 2094.  
 — *indica* Wight. Wight Ic. pl. Ind. or. 6, 1980. 2100.  
 — *integrifolia* Dalz. Wight Ic. pl. Ind. or. 6, 1979.  
 † — *Johnsoniana* Wight. Wight Ic. pl. Ind. or. 6, 2101.  
 † — *longifolia* Wight. Wight Ic. pl. Ind. or. 6, 2093.  
 † — *microphylla* Wight. Wight Ic. pl. Ind. or. 6, 2098.  
 † — *minor* Wight. Wight Ic. pl. Ind. or. 6, 2100.  
 † — *mysorensis* Wight. Wight Ic. pl. Ind. or. 6, 2092.  
 † — *neilgherrensis* Wight. Wight Ic. pl. Ind. or. 6, 2097.  
 † — *oblongifolia* Wight. Wight Ic. pl. Ind. or. 6, 2096.  
 † — *ovalifolia* Wight. Wight Ic. pl. Ind. or. 6, 2092.  
 † — *ovata* Wight. Wight Ic. pl. Ind. or. 6, 2096.  
 † — *parvifolia* Wight. Wight Ic. pl. Ind. or. 6, 2092.  
 — *pentandra* Benn. Bennett Java 14.  
 † — — Wight Ic. pl. Ind. or. 6, 2096.  
 † — *pilosa* Wight. Wight Ic. pl. Ind. or. 6, 2101.  
 † — *procumbens* Wight. Wight Ic. pl. Ind. or. 6, 2099.  
 † — *pyramidata* Wight. Wight Ic. pl. Ind. or. 6, 2101.  
 † — *quadrilata* Wight. Wight Ic. pl. Ind. or. 6, 2094.  
 † — *ramosissima* Wight. Wight Ic. pl. Ind. or. 6, 2095.  
     2097.  
 † — *Rheedii* Wight. Wight Ic. pl. Ind. or. 6, 2099.  
 — *rostrata* Wight. Wight Ic. pl. Ind. or. 6, 1980.  
     2099.  
 † — *rotundifolia* Wight. Wight Ic. pl. Ind. or. 6, 2098.  
 † — *scabra* Wight. Wight Ic. pl. Ind. or. 6, 2097.  
 † — *scabrida* Wight. Wight Ic. pl. Ind. or. 6, 2100.  
 † — *ternata* Benn. Wight Ic. pl. Ind. or. 6, 2093.  
 † — *tetraptera* Wight. Wight Ic. pl. Ind. or. 6, 2100.  
 † — *tomentosa* Wight. Wight Ic. pl. Ind. or. 6, 2094.  
 † — *trialata* Wight. Wight Ic. pl. Ind. or. 6, 2096.  
 † — *Walkeriana* Wight. Wight Ic. pl. Ind. or. 6, 2095.  
 † — *Wallichiana* Wight. Wight Ic. pl. Ind. or. 6, 2096.  
 † — *Wightii* Benn. Wight Ic. pl. Ind. or. 6, 2093.  
 † — *zeylanica* Benn. Wight Ic. pl. Ind. or. 6, 2101.  
*Pozoa coriacea* Lagasca. Hook. Bot. Misc. 66.  
 — *hydrocotylifolia* Bridg. Fielding Sertum 40.  
 — *reniformis* Hook. Hook. Fl. ant. 11.  
*Pozopsis cordifolia* Hook. Hook. Ic. pl. 9, 839.  
*Prangos pabularia* Ldl. Wall. pl. asiat. 212.  
*Pravinia densiflora* Korth. Korthals Bot. 41.  
*Prasium glabrum* Gaudich. Freycinet Voyage 64.  
 † — *grandiflorum* Gaudich. Freycinet Voyage 65.  
 † — *macrophyllum* Gaudich. Freycinet Voyage 65.  
 — *majus* L. Rivinus Opus ined. 12.  
 † — — Gaertn. Carp. 66.  
 † — — Lam. Encycl. 516.  
 — — Sibth. Fl. gr. 584.  
 † — — Nees Gen. 6, 44.  
 — *parviflorum* Gaudich. Freycinet Voyage 65.  
*Pratia arenosa* Hook. Hook. Fl. ant. 29.  
 — *begoniifolia* Ldl. Bot. Reg. 16, 1373.  
 — *repens* Gaudich. Freycinet Voyage 79.  
*Premna cordifolia* Roxb. Wight Ic. pl. Ind. or. 4, 1483.  
 —? *cornutioides* Ham. Rheede Hort. mal. 1, 53.  
 — *glaberrima* Wight. Wight Ic. pl. Ind. or. 4, 1484.  
 — *integrifolia* L. Rumpf Amb. 3, 133. 134.  
*Premna integrifolia* L. Burmann Fl. ind. 41.  
 — — — Lam. Encycl. 543.  
 — — — Wight Ic. pl. Ind. or. 4, 1469.  
 † — *latifolia* Roxb. Wight Illustr. 173<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 3, 869.  
 — *longifolia* Roxb. Rheede Hort. mal. 5, 51.  
 † — *serratifolia* L. Gaertn. Carp. 56.  
 † — — — Lam. Encycl. 543.  
 — *tomentosa* Willd. Wight Ic. pl. Ind. or. 4, 1468.  
 — *Wightiana* Schauer. Wight Ic. pl. Ind. or. 4, 1485.  
 † *Prenanthes* L. Kerner Genera 52.  
 — *alba* Willd. Bot. Mag. 27, 1079.  
 — *chondrilloides* L. Arduino Anim. 2, 17.  
 — — — Münchn. Denkschr. 4, 14.  
 — *cordata* Willd. Willdenow Hortus 25.  
 — *debilis* Thunb. Thunberg Ic. jap. 39.  
 — *diversifolia* Led. Ledeb. Ic. 152.  
 — *glomerata* Decne. Jacquemont Ind. 107.  
 — *muralis* L. Fl. dan. 3, 509.  
 — — — Curt. Lond. 3, 63.  
 — — — Engl. Bot. 7, 457.  
 — — — Baxter Brit. Bot. 1, 27.  
 — — — Schk. Handb. 218.  
 — — — Schrank Fl. monac. 4, 390.  
 — *pendula* Webb. Webb Canar. 124.  
 — *pinnata* L. Jacq. Ecl. pl. 19.  
 — *polymorpha* Led. Ledeb. Ic. 498.  
 — *purpurea* L. Jacq. Fl. austr. 4, 317.  
 † — — — Gaertn. Carp. 158.  
 † — — — Schk. Handb. 218.  
 — — — Schrank Fl. monac. 1, 21.  
 — *ramosissima* All. Allione Fl. ped. 3, 33.  
 — *repens* L. Linné Amoenit. 2, 4.  
 — *sarmentosa* Willd. Willdenow Phytogr. 6.  
 — *serpentaria* Pursh. Pursh Fl. 24.  
 — *suavis* Salisb. Salisb. Parad. 85.  
 — *tenuifolia* L. Allione Fl. ped. 33.  
 — *triquetra* Lab. Bill. Syr. 3, 2.  
 — *viminea* L. Allione Fl. ped. 3, 52.  
 — — — Jacq. Fl. austr. 1, 9.  
 — *violaeifolia* Decne. Jacquemont Ind. 108.  
*Prepusa connata* Gardn. Hook. Ic. pl. 3, 225. 226.  
 — *Hookeriana* Gardn. Bot. Mag. 68, 3909.  
 — — — Fl. d. serres 3, 252.  
 — *montana* Mart. Mart. Bras. 190.  
*Prescottia colorans* Ldl. Bot. Reg. 22, 1916.  
 — *plantaginea* Lodd. Lodd. Cab. 990.  
 — *plantaginifolia* Ldl. Hook. Exot. Fl. 115.  
*Preslea paradoxa* Mart. Mart. Bras. 164.  
 † *Preslia cervina* Fresen. Nees Gen. 6, 4.  
*Prestonia latifolia* Benth. Delessert Ic. 5, 51.  
 — *mollis* H. B. K. H. B. K. Nov. Gen. 3, 242.  
*Pretea artemisiaefolia* Klotzsch. Peters Mossamb. 31.  
 — *senecioides* Klotzsch. Peters Mossamb. 32.  
*Prevostea mossambicensis* Klotzsch. Peters Mossamb. 39.  
*Priestleya axillaris* DC. DC. Legum. 32.  
 — *elliptica* DC. DC. Legum. 33.  
 — *ericaeifolia* DC. DC. Legum. 31.  
 — *laevigata* DC. DC. Legum. 30.  
 — *myrtifolia* DC. DC. Legum. 29.  
 — *villosa* DC. Bot. Mag. 60, 3216.  
*Priurea senegalensis* DC. DC. Onagrariées 2.  
*Primula acaulis* Jacq. Curt. Lond. 1, 7.  
 — — — Bot. Mag. 7, 229.  
 — — — Sturm Flora 4, 14.  
 — *algida* Adam. Lehmann Primula 7.  
 — *Allionii* Lois. Desvaux Journal 2, 11.  
 — — — Loiseleur Notice 3.  
 — — — Tratt. Archiv 360.  
 — *alpina* Schleich. Rehb. Ic. crit. 9, 830.  
 † — — — Mutel Fl. fr. 53.  
 — *altaica* Lehm. Lehmann Primula 5.



- Primula mistassinica* Michx. Lehmann Primula 7.  
 — — Bot. Mag. 57, 2973.  
 — Munroi Ldl. Bot. Reg. 33, 15.  
 — Muretiana Mor. Schweizer Denkschr. 3, 2.  
 — norvegica Retz. Fl. dan. 11, 1809.  
 — obtusifolia Royle. Royle Illustr. 77.  
 — officinalis Jacq. Fl. dan. 3, 434.  
 † — — Gaertn. Carp. 50.  
 — — Lam. Encycl. 98.  
 — — Dreves 1, 11.  
 — — Sturm Flora 4, 14.  
 — — Schrank Fl. monac. 3, 266.  
 — — Nees Düsseld. 152.  
 † — — Plée Types 9.  
 — — var. smaragdina, Ann. de Gand 1845, 38.  
 — Palinuri Willd. Jacq. Ecl. pl. 43.  
 — — Tratt. Archiv 384, 384<sup>a</sup>.  
 — — Tenore Fl. nap. 14.  
 — — Savi Fl. ital. 1, 21.  
 — — Hook. Exot. Fl. 118.  
 — — Bot. Mag. 62, 3414.  
 — — Sweet Fl. G. 8.  
 — Pallasii Lehm. Lehmann Primula 3.  
 — — Bot. Reg. 11, 896.  
 — — Lodd. Cab. 1585.  
 — pedemontana Thom. Rchb. Ic. crit. 7, 635.  
 — Perreiniiana Flügge. Ann. Mus. 12, 37.  
 — petiolaris Wall. Wallich Tentamen 31.  
 — praenitens Ker. Bot. Reg. 7, 539.  
 — — Sweet Fl. G. 196.  
 † — — Otto Garten-Zeitung 1835, 1.  
 — — Spach Suites 89.  
 — prolifera Wall. Asiat. Researches 13, 3.  
 — puberula Schott. Schott Blendl. 2.  
 — pubescens Jacq. Tratt. Archiv 378.  
 — — Rchb. Ic. crit. (7, 635.) 9, 847.  
 † — — Mutel Fl. fr. 53.  
 — purpurea Royle. Royle Illustr. 77.  
 — pusilla Goldie. Hook. Exot. Fl. 68.  
 — — Bot. Mag. 57, 3020.  
 — — Lodd. Cab. 1726.  
 — — Sweet Fl. G. II. 5.  
 — — Wall. Wallich Tentamen 32.  
 — — Mem. Genev. 10, 1.  
 — rosea Royle. Royle Illustr. 76.  
 — rotundifolia Wall. Wallich Tentamen 32.  
 — salisburgensis Herb. Willd. Schott Blendl. 1.  
 — saxifragifolia Lehm. Lehmann Primula 9.  
 — scotica Hook. Curt. Lond. 4, 133.  
 — — Lodd. Cab. 652.  
 — — Engl. Bot. 2608.  
 — sedifolia Salisb. Salisb. Parad. 107.  
 — sertulosa Kickx. Mem. soc. Linn. Par. 4, 3.  
 — sibirica Jacq. Tratt. Archiv 391.  
 — — Lehmann Primula 5.  
 — — Bot. Mag. 59, 3167.  
 — — var. integrifolia, Bot. Mag. 62, 3445.  
 — — Trautvetter Imag. 30.  
 — sikkimensis Hook. Bot. Mag. 77, 4597.  
 — — Lem. Jard. fl. 169.  
 — simensis Hochst. Fielding Sertum 48.  
 — sinensis Ldl. Lindley Collect. 7.  
 — — Hook. Exot. Fl. 105.  
 — — Lodd. Cab. 916, 1926.  
 — — Bot. Mag. 52, 2564.  
 — — Dict. sc. nat. 26.  
 — — Kerner Hort. 644.  
 † — — Ann. sc. nat. II. 1, 9.  
 † — — Schweizer Denkschr. 5, 4.  
 † — — Hoesen Tijdschr. 10, 6, 7.  
 † — — Acta Leop. 22, 2, 55<sup>a</sup>, 55<sup>b</sup>.  
 — spectabilis Tratt. Tratt. Archiv 377.

- Primula spectabilis* Tratt. Sturm Flora 6, 24.  
 — — Schott Blendl. 4.  
 — stricta Hornem. Fl. dan. 8, 1385.  
 — Stuartii Wall. Wallich Tentamen 34.  
 — — Bot. Mag. 74, 4356.  
 — suaveolens Bertol. Lehmann Primula 1.  
 — truncata Lehm. Lehmann Primula 8.  
 — undulata Fisch. Rchb. Ic. crit. 5, 468.  
 — uralensis Fisch. Rchb. Ic. crit. 7, 638.  
 — variabilis Bast. var.  $\alpha$ .  $\beta$ .  $\gamma$ .  $\delta$ .  $\epsilon$ . Tratt. Archiv  
 351—353, 371—372, 394.  
 — venusta Host. Rchb. Ic. crit. 5, 469, 7, 630.  
 — — — Sturm Flora 13, 54.  
 — — — Bot. Reg. 23; 1983.  
 — veris L. var. acaulis, Fl. dan. 2, 194.  
 — — Curt. Lond. 2, 79.  
 — — Engl. Bot. 1, 5.  
 — — Baxter Brit. Bot. 2, 89.  
 — — Sv. Bot. 5.  
 — — Dict. sc. nat. 25.  
 — — var. officinalis, Schk. Handb. 33.  
 — — Hayne 3, 34.  
 — — Nees Düsseld. 152.  
 — — Dietr. Fl. bor. 6, 403.  
 † — — Nees Gen. 5, 8.  
 — verticillata Forsk. Vahl Symbolae 5.  
 — — — Tratt. Archiv 380.  
 — — — Ehrenberg Symb. 8.  
 — — — Link Ic. I. 51.  
 — — — Bot. Mag. 55, 2842.  
 — — — Lodd. Cab. 1834.  
 — villosa Jacq. Jacq. Fl. austr. 5, 27.  
 — — — var. Jacq. Misc. 1, 18.  
 — — — Bot. Mag. 1, 14, 29, 1161.  
 — — — Lodd. Cab. 182.  
 — — — Sturm Flora 6, 24.  
 — — — Tratt. Archiv 389.  
 — — — Rchb. Ic. crit. 7, 634.  
 — — — Sweet Fl. G. II. 52.  
 — viscosa All. Allione Fl. ped. 3, 5.  
 — — — Tratt. Archiv 385.  
 † — — Vill. Mutel Fl. fr. 54.  
 — vulgaris Sm. Engl. Bot. 1, 4.  
 — — —  $\beta$ . rubra, Sibth. Fl. gr. 184.  
 — — Wulfeniana Schott. Schott Blendl. 6.  
 † Primulaceae Rchb. Ann. sc. nat. III. 2, 7, 8.  
 Pringlea antiscorbutica Hook. Hook. Fl. ant. 90—91.  
 Prinosis ambiguus Michx. Watson Dendr. 1, 29.  
 — asprellus Hook. Hook. Beechey 36.  
 — dioicus Vahl. Vahl Eclogae 14.  
 — glaber L. Nouveau Duhamel 3, 54.  
 — — — Lam. Encycl. 255.  
 — — — Watson Dendr. 1, 27.  
 — — — Lodd. Cab. 450.  
 — — — Torrey New York 73.  
 — Godajam Wall. Wall. Pl. asiat. 261.  
 — laevigatus Pursh. Watson Dendr. 1, 28.  
 — verticillatus L. Bigelow Med. 56.  
 † — — Barton Med. 17.  
 — — — Lam. Encycl. 255.  
 — — — Watson Dendr. 1, 30.  
 — — — Guimpel Fr. Holzgew. 56.  
 Prinsepia utilis Royle. Royle Illustr. 38.  
 Prionites americana Hook. Hook. Ic. pl. 1, 30.  
 Prionolepis silphoides P. et E. Poepp. et Endl. 261.  
 Prismatocarpus falcatus Ten. Tenore Fl. nap. 20.  
 — hirtus Ten. Tenore Fl. nap. 19.  
 — paniculatus L'her. DC. Camp. 20.  
 Prismophyllis Aub. Aubert Orchid. 108.  
 Priva bahiensis DC. Endl. Bras. 10, 50.  
 Proboscidea Jussieu Schmid. Schmidel Ic. 12, 13.  
 Prockia completa Hook. Hook. Ic. pl. 1, 94.



- Prockia Crucis *L.* Vahl Symbolae 64.  
 — — — Lam. Encycl. 465.  
 — — — Bot. Reg. 12, 972.  
 — — — Lodd. Ceb. 1933.  
 — deltoidea *Lam.* Lam. Encycl. 465.  
 — lobata *Poir.* Lam. Encycl. 834.  
 — ovata *Lam.* Lam. Encycl. 465.  
 — villosa *Moric.* Moricand Pl. Am. 97.  
 Procris obtusa *Wall.* Royle Illustr. 83.  
 — peduncularis *Wall.* Royle Illustr. 83.  
 — racemosa *Royle.* Royle Illustr. 83.  
 — ramiflora *Poir.* Lam. Encycl. 763.  
 — trinervata *Poir.* Lam. Encycl. 763.  
 Prolongoa pectinata *Boiss.* Boissier Esp. 92<sup>a</sup>.  
 Pronaya elegans *Hügel.* Hügel Archiv 6.  
 — — — Paxt. Mag. 12, 99.  
 †Prosaptia contigua *Presl.* Fée Fil. 5, 27.  
 †Proserpinaca palustris *L.* Lam. Encycl. 50.  
 † — — — König Annals 1, 12.  
 † — — — Ann. Mus. 3, 30.  
 — pectinata *Lam.* Lam. Encycl. 50.  
 Prosopis aculeata *Koen.* Asiat. Researches 4, x.  
 — dulcis *H. B.* Humb. Mim. 34.  
 — horrida *H. B.* Humb. Mim. 33.  
 — spicata *Burm.* Burmann Fl. ind. 25.  
 — spicigera *L.* Lam. Encycl. 340.  
 — — — Roxb. Corom. 63.  
 Prostanthera Lasianthus *Lab.* Bill. Nov. Holl. 157.  
 — — — Andr. Rep. 10, 641.  
 — — — Bot. Mag. 50, 2434.  
 — — — Bot. Reg. 2, 143.  
 — — — Herb. amat. 5, 293.  
 — violacea *R. Br.* Bot. Reg. 13, 1072.  
 — — — Lodd. Cab. 1376.  
 †Prostea pinnata *Camb.* Mem. Mus. 18, 1.  
 Protea abrotanifolia *Andr.* Andr. Rep. 8, 507. 522.  
 536. 545.  
 — acaulis *Thunb.* Bot. Mag. 46, 2065.  
 — acerosa *R. Br.* Bot. Reg. 5, 351.  
 — — — Kerner Hort. 750.  
 — acufera *Cav.* Cav. Ic. 549.  
 — acufolia *Salisb.* Salisb. Parad. 2.  
 — — — Kerner Hort. 357.  
 — acuminata *Sims.* Bot. Mag. 41, 1694.  
 — — — Kerner Hort. 594.  
 — anemonifolia *Sims.* Bot. Mag. 19, 697.  
 — — — Andr. Rep. 5, 332.  
 † — argentea *L.* Gaertn. Carp. 51.  
 — — — Lam. Encycl. 53.  
 — argentiflora *Andr.* Andr. Rep. 7, 447.  
 — aulacea *Thunb.* Thunberg Protea 2.  
 — bracteata *Thunb.* Thunberg Protea 1.  
 — caespitosa *Andr.* Andr. Rep. 8, 526.  
 — canaliculata *Andr.* Andr. Rep. 7, 437.  
 — — — Kerner Hort. 464.  
 — candicans *Andr.* Andr. Rep. 5, 294.  
 — caudata *Thunb.* Thunberg Protea 2.  
 — coarctata *Thunb.* Petersb. 6, 15.  
 — comosa *Thunb.* Jacq. Fragm. 38.  
 — conifera *Thunb.* Wendl. Hort. herrenh. 20.  
 — — — Andr. Rep. 8, 541.  
 — conocarpa *Thunb.* Lam. Encycl. 53.  
 — cordata *Thunb.* Thunberg Protea 5.  
 — — — Andr. Rep. 5, 289.  
 — — — Kerner Hort. 377.  
 — cordifolia *Sims.* Bot. Mag. 18, 649.  
 — — — Rchb. Exot. 274.  
 — coronata *Andr.* Andr. Rep. 7, 469.  
 — — — *Lam.* Dict. sc. nat. 10.  
 — corymbosa *Thunb.* Thunberg Protea 2.  
 — — — Andr. Rep. 8, 495.  
 — cynaroides *L.* Bot. Mag. 20, 770.

- Protea cynaroides *L.* Andr. Rep. 4, 288.  
 — — — Rchb. Exot. 219.  
 — — — Kerner Hort. 709.  
 — — — Maund Bot. 4, 166.  
 — — — Lady South Afr. 8.  
 — — — Hart. Parad. 2, 5.  
 — decumbens *Thunb.* Thunberg Protea 1.  
 — — — *Andr.* Andr. Rep. 5, 349.  
 — dichotoma *Cav.* Cav. Ic. 551.  
 — divaricata *L.* Andr. Rep. 7, 465.  
 — florida *Thunb.* Thunberg Protea 1.  
 — formosa *R. Br.* Andr. Rep. 1, 17.  
 — — — Bot. Mag. 41, 1713.  
 — fusciflora *Jacq.* Jacq. Schoenbr. 1, 27.  
 — glaucophylla *Salisb.* Salisb. Parad. 11.  
 — — — Kerner Hort. 393.  
 — globosa *Andr.* Andr. Rep. 5, 307.  
 — — — Bot. Mag. 22, 878.  
 — globularia *Lam.* Lam. Encycl. 53.  
 — glomerata *Andr.* Andr. Rep. 4, 264.  
 — grandiceps *Tratt.* Kerner Hort. 337.  
 — grandiflora *Thunb.* Andr. Rep. 5, 301.  
 — — — Bot. Mag. 51, 2447.  
 — — —  $\beta$ . angustifolia, Bot. Reg. 7, 569.  
 — hirsuta *Savi.* Savi Fl. ital. 3, 119.  
 — humiflora *Andr.* Andr. Rep. 8, 532.  
 — imbricata *Thunb.* Thunberg Protea 5.  
 — — — Wendl. Hort. herrenh. 14.  
 — — — Andr. Rep. 8, 517.  
 — incurva *Thunb.* Thunberg Protea 3.  
 — — — *Andr.* Andr. Rep. 6, 431.  
 — lacticolor *Salisb.* Salisb. Parad. 27.  
 — laevis *R. Br.* Bot. Mag. 50, 2439.  
 — — — Petersb. 6, 16.  
 — lagopus *Andr.* Andr. Rep. 4, 243.  
 — lanata *Thunb.* Thunberg Protea 3.  
 — latifolia *R. Br.* Bot. Mag. 41, 1717.  
 — — — Kerner Hort. 601.  
 — Lepidocarpon *L.* Bot. Mag. 18, 674.  
 — Levisanus *L.* Wendl. Hort. herrenh. 1.  
 — linearis *Thunb.* Thunberg Protea 4.  
 — linifolia *Jacq.* Jacq. Schoenbr. 1, 26.  
 — longiflora *Lam.* Bot. Mag. 54, 2720.  
 — — — Kerner Hort. 489.  
 — — — var. Link Ic. III. 22.  
 — longifolia *Andr.* Andr. Rep. 2, 132. 133. 144.  
 — — — Bot. Reg. 1, 47.  
 — — — Kerner Hort. 241. 672. 692.  
 — — — *Salisb.* Salisb. Parad. 37.  
 — melaleuca *R. Br.* Tratt. Thes. 11.  
 — — — Kerner Hort. 564.  
 — mellifera *Thunb.* Bot. Mag. 10, 346.  
 — — — Wendl. Hort. herrenh. 13.  
 — — — Andr. Rep. 9, 582.  
 — — — Lady South Afr. 7.  
 — — — Kerner Hort. 44. 534. 818.  
 — mucronifolia *R. Br.* Salisb. Parad. 24.  
 — — — Bot. Mag. 24, 933.  
 — — — Andr. Rep. 8, 500.  
 — — — Kerner Hort. 363.  
 — nectarina *Schrad. et W.* Wendl. Sert. hann. 21.  
 — neriifolia *R. Br.* Bot. Reg. 3, 208.  
 — ochroleuca *Sm.* Smith Exot. Bot. 81.  
 — ovata *Thunb.* Petersb. 6, 17.  
 — pallens *Thunb.* Wendl. Hort. herrenh. 19.  
 — parviflora *L.* Thunberg Protea 4.  
 — pinifolia *L.* Andr. Rep. 2, 76.  
 — pinnata *Andr.* Andr. Rep. 8, 512.  
 — plumigera *Thunb.* Petersb. 6, 14.  
 — polygaloides *Willd.* Willdenow Hort. 100.  
 — prolifera *Thunb.* Thunberg Protea 4.  
 — pulchella *Schrad.* Schrad. Sert. hannov. 7.

- Protea pulchella* Schrad. Cav. Ic. 550.  
 — — — Bot. Mag. 21, 796.  
 — — — Andr. Andr. Rep. 4, 270.  
 — — — Kerner Hort. 352, 482.  
 — — — R. Br. Bot. Reg. 1, 20.  
 — — — Rchb. Exot. 218.  
*radiata* Bonpl. Bonpland Malm. 59.  
 — — — Andr. Rep. 10, 646.  
 — — — Kerner Hort. 565.  
 — — — Rchb. Exot. 273.  
*repens* Andr. Andr. Rep. 7, 453.  
*rosacea* L. Smith Exot. Bot. 44.  
*saligna* Andr. Andr. Rep. 9, 572.  
*Sceptrum Gustavianum* Sparr. Svensk Ac. 1777, 1.  
*Scolymus* Thunb. Wendland Sert. hannov. 20.  
 — — — Bot. Mag. 19, 698.  
 — — — Andr. Rep. 6, 409.  
*spathulata* Thunb. Thunberg Protea 5.  
*speciosa* L. Andr. Rep. 2, 103, 110, 4, 277.  
 — — — Bot. Mag. 29, 1183.  
 — — — Wendl. Coll. 73.  
 — — — Tratt. Thes. 12.  
*spicata* Andr. Andr. Rep. 4, 234.  
*stellaris* Sims. Bot. Mag. 23, 881.  
*strobilina* L. Schrader Sert. hannov. 1.  
*teretifolia* Andr. Andr. Rep. 7, 461.  
*torta* Thunb. Wendland Hort. herrenh. 7.  
 — — — Jacq. Schoenbr. 4, 401.  
*tridactylites* Cav. Anales de hist. nat. 1, 16.  
 — — — Cav. Ic. 548.  
*triternata* Andr. Andr. Rep. 5, 337.  
*umbellata* L. Andr. Rep. 4, 248.  
*villifera* Ldl. Bot. Reg. 12, 1023.  
*virgata* Andr. Andr. Rep. 9, 577.  
 — — — Kerner Hort. 510.  
† *Proteaceae* R. Br. Schnizl. Iconogr. 2, 113.  
*Proteinia orientalis* Sér. Rchb. Fl. germ. 6, 244.  
*Proustia pyrifolia* Lag. Ann. Mus. 19, 4.  
*Prunella aequinoctialis* H. B. K. H. B. K. Nov. Gen.  
 — — — 2, 162.  
— *alba* Pall. Rivinus Opus ined. 23.  
† — — — Mutel Fl. fr. 52.  
— *caroliniana* Mill. Martyn Hist. 4.  
— *grandiflora* L. Jacq. Fl. austr. 4, 377.  
— — — Schk. Handb. 168.  
— — — Bot. Mag. 10, 337.  
— — — Schrank Fl. monac. 2, 186.  
— — — Dietr. Fl. bor. 2, 125.  
† — — — Nees Gen. 6, 21.  
— — — Fl. dan. 11, 1933.  
— — — Poll. Bot. Mag. 45, 2014.  
— *hyssoipifolia* L. Rchb. Ic. crit. 3, 243.  
† — — — Mutel Fl. fr. 52.  
† — — — Nees Gen. 6, 21.  
— *intermedia* Brot. Rchb. Ic. crit. 3, 205.  
— *laciniata* L. Jacq. Fl. austr. 4, 378.  
— — — Lam. Encycl. 516.  
— — — Rchb. Ic. crit. 3, 238.  
— *longifolia* Pers. Rchb. Ic. crit. 6, 588.  
— *pennsylvanica* Willd. Willdenow Hortus 9.  
— — — Barton Fl. 2, 60.  
— — — Rchb. Hort. 216.  
† — *vulgaris* L. Usteri Annalen 5, 3.  
† — — — Schk. Handb. 168.  
† — — — Lam. Encycl. 516.  
† — — — Mutel Fl. fr. 51.  
† — — — Nees Gen. 6, 21.  
† — — — Wight Illustr. 176<sup>b</sup>.  
— — — Fl. dan. 6, 910.  
— — — Curt. Lond. 3, 9.  
— — — Engl. Bot. 14, 961.

- Prunella vulgaris* L. Baxter Brit. Bot. 1, 67.  
 — — — Liboschitz Pet. 12.  
 — — — Hayne 6, 10.  
 — — — Sturm Flora 2, 5.  
 — — — Schrank Fl. monac. 2, 185.  
 — — — Rchb. Ic. crit. 3, 239.  
 — — — Dietr. Fl. bor. 2, 77.  
 — — — Wight Ic. pl. Ind. or. 4, 1448.  
† *Prunus* L. (Fructus monstrosus.) DC. Legum. 3.  
— *armeniaca* L. var. Fl. d. serres 4, 418.  
— *avium* L. Fl. dan. 10, 1647.  
— — — Sv. Bot. 205.  
— — — Hartig 91.  
— — — Lam. Encycl. 432.  
— *borealis* Poir. Lodd. Cab. 1598.  
— *candicans* Willd. Bot. Reg. 14, 1135.  
— *Capollin* DC. Münchn. Abhandl. 2, 8.  
— *Cerasus* L. Hayne 4, 42.  
— — — Hartig 90.  
— — — Schrank Fl. monac. 4, 377.  
— — — Nees Düsseld. 316.  
— — — Guimpel et Schl. 63.  
— — — Wagner 198.  
— — — var. Nouveau Duhamel 5, 4—20.  
— — — Lam. Encycl. 432.  
— — — Engl. Bot. 10, 706.  
— — — Engl. Bot. 2863.  
— — — Baxter Brit. Bot. 2, 100.  
— — — Fl. d. serres 8, 782.  
— *Chamaecerasus* L. Jacq. Ic. 90.  
— — — Hartig 89.  
— *Cocumiglia* Ten. Tenore Memoria x.  
— — — Tenore Fl. nap. 144.  
— *dasycarpa* Ehrh. Lodd. Cab. 1250.  
— — — Bot. Reg. 15, 1243.  
— *depressa* Pursh. Lodd. Cab. 1607.  
— *divaricata* Led. Ledeb. Ic. 13.  
— *domestica* L. Woodv. Med. 3, 187.  
— — — Rousseau Bot. 43, 44.  
— — — Sv. Bot. 193.  
— — — Engl. Bot. 25, 1783.  
† — — — Gaertn. Carp. 93.  
† — — — Lam. Encycl. 432.  
— — — Hayne 4, 43.  
— — — Hartig 94.  
— — — Nees Düsseld. 318.  
— — — Guimpel et Schl. 62.  
— — — Wagner 70.  
— — — var. Fl. d. serres 4, 396, 397.  
! — — — (Fructus.) Hook. Journal 1841, 4.  
— — — Siebold Fl. Japon. 90.  
— *incana* Stev. Revue hortic. 1853, 15.  
— *insititia* L. Hartig 93.  
— — — Engl. Bot. 12, 841.  
— *Laurocerasus* L. Woodv. Med. 3, 185.  
— — — Hayne 4, 41.  
— — — Guimpel et Schl. 64.  
— — — Nees Düsseld. 317.  
— — — Wagner 204.  
— *Mahaleb* L. Jacq. Fl. austr. 3, 227.  
— — — Tratt. Archiv 255.  
— — — Hartig 88.  
— *Mume* S. et Zucc. Siebold Fl. Japon. 11.  
— *nana* Duroi. Duroi Harb. Baumzucht 4.  
— *nigra* Ail. Bot. Mag. 28, 1117.  
— *Padus* L. Fl. dan. 2, 205.  
— — — Sv. Bot. 121.  
— — — Engl. Bot. 20, 1383.  
— — — Hartig 87.  
— — — Hayne 4, 40.  
— — — Schrank Fl. monac. 2, 154.

- Prunus Padus* L. Nees Düsseld. 315.  
 — *paniculata* Thunb. Bot. Reg. 10, 800.  
 — *prostrata* Lab. Bill. Syr. 1, 6.  
 — — Sibth. Fl. gr. 478.  
 — — Bot. Reg. 2, 136.  
 — *pumila* L. Guimpel Fr. Holzgew. 119.  
 — *rubra* Ait. Guimpel Fr. Holzgew. 78.  
 — *salicifolia* H. B. K. H. B. K. Nov. Gen. 6, 563.  
 — *samydoides* Cham. et Schl. Hook. Ic. pl. 4, 371.  
 — *semperflorens* Ehrh. Watson Dendr. 2, 131.  
 — *serotina* Ehrh. Guimpel Fr. Holzgew. 37.  
 — — Watson Dendr. 1, 48.  
 — *sibirica* L. Pallas Fl. ross. 8.  
 — — Lodd. Cab. 1627.  
 — *sphaerica* Willd. Guimpel Fr. Holzgew. 128.  
 — *spinosa* L. Woodv. Med. 3, 186.  
 — — Fl. dan. 6, 926.  
 — — Sv. Bot. 151.  
 — — Engl. Bot. 12, 842.  
 — — Schk. Handb. 132.  
 — — Hayne 4, 44.  
 — — Hartig 92.  
 — — Sturm Flora 3, 9.  
 — — Schrank Fl. monac. 2, 137.  
 — — Nees Düsseld. 319.  
 — — Guimpel et Kl. 24.  
 — — Wagner 76.  
 — *tomentosa* Sieb. Siebold Fl. Japon. 22.  
 — *virginiana* Willd. Guimpel Fr. Holzgew. 36.  
*Psammisia sclerophylla* Planch. Fl. d. serres 8, 825.  
*Psathura borbonica* Gmel. Lam. Encycl. 260.  
 † *corymbosa* Gaertn. Gaertn. Carp. 194.  
 — *obovata* Tuss. Tussac Ant. 2, 18.  
*Psathyrotes scaposa* Gray. Smiths. Contrib. 5, 15.  
*Pseudanthus brachiatus* Wight. Wight Ic. pl. Ind. or. 5, 1776. 1776<sup>b</sup>.  
 † — *pimeleoides* Sieb. Flora 1832, 2.  
 — — Endl. Atacta 11.  
*Pseudarthria viscida* Wight et Arn. Wight Ic. pl. Ind. or. 1, 286.  
 † *Pseudolmedia Trécul*. Ann. sc. nat. III. 8, 5.  
*Psiadia arabica* Jaub. et Sp. Jaubert Illustr. 352. 353.  
 — *glutinosa* Jacq. Jacq. Schoenbr. 2, 152.  
*Psidium angustifolium* Lam. Lam. Encycl. 416.  
 — *Araca Raddi*. Opusc. sc. Bonon. 4, 7.  
 — *aromaticum* Aubl. Aublet Guiana 191.  
 — — Desc. Ant. 5, 364.  
 — *Cattleyanum* Sabine. Hort. Transact. 4, 11.  
 — — Lindley Collect. 16.  
 — — Bot. Mag. 51, 2501.  
 — — Bot. Reg. 8, 622.  
 — *cordatum* Sims. Bot. Mag. 43, 1779.  
 — *decaspermum* Willd. Rumpf Amb. 1, 49.  
 — *dubium* H. B. K. H. B. K. Nov. Gen. 6, 547<sup>b</sup>.  
 — *eugenioides* Camb. St. Hil. Fl. Bras. 139.  
 — *grandiflorum* Aubl. Aublet Guiana 190.  
 — *littorale* Raddi. Opusc. sc. Bonon. 4, 7.  
 — *mengahiense* Camb. St. Hil. Fl. Bras. 138.  
 — *molle* Bert. Novi Comm. Bonon. 4, 44.  
 — *multiflorum* Camb. St. Hil. Fl. Bras. 137.  
 — *polycarpum* Lamb. Linn. Transact. 11, 17.  
 — — Kerner Hort. 587.  
 — — Bot. Reg. 8, 653.  
 † — — Miquel Surin. 14.  
 — *pomiferum* L. Rheede Hort. mal. 3, 35.  
 — — Rumpf Amb. 1, 48.  
 — — Tussac Ant. 2, 22.  
 — — Dict. sc. nat. 224.  
 — *pyriferum* L. Rheede Hort. mal. 3, 34.  
 — — Rumpf Amb. 1, 47.  
 — — Gil et Xarez 26.  
 — — Lam. Encycl. 416.

- Psidium pyriferum* L. Desc. Ant. 2, 72.  
 — — Bot. Reg. 13, 1079.  
 — *sapidissimum* Jacq. Jacq. Schoenbr. 3, 366.  
 — *ternatifolium* Camb. St. Hil. Fl. Bras. 136.  
*Psilathera tenella* Link. Rehb. Fl. germ. 1, 56.  
 † — — Nees Gen. 1, 54.  
*Psilocarya vlutina* N. v. E. Endl. Bras. 3, 7.  
 † *Psilonema calycinum* C. A. M. Acad. Petersb. 6, 2.  
 — *dasyarpum* Led. Ledeb. Ic. 202.  
*Psilostachys gnaphalobrya* Hochst. Flora 1844, 1.  
*Psilotrichum nudum* Moq. Wight Ic. pl. Ind. or. 5, 1775.  
*Psilotum complanatum* Sw. Swartz Syn. Fil. 4.  
 — — Schk. Fil. 165<sup>b</sup>.  
 — *Forsteri* Endl. Endl. Iconogr. 85.  
 — *triquetrum* Sw. Schk. Fil. 165<sup>b</sup>.  
 — — Dict. sc. nat. 81.  
 — — Lodd. Cab. 1916.  
 † — — Hook. Gen. Fil. 87.  
*Psilurus nardoides* Trin. Rehb. Fl. germ. 1, 1.  
 † — — Nees Gen. 1, 87.  
*Psoralea aculeata* L. Andr. Rep. 3, 146.  
 — — Bot. Mag. 47, 2158.  
 — *acuminata* Lam. Lam. Encycl. 614.  
 — *altissima* Bert. Novi Comm. Bonon. 3, 2.  
 — *americana* L. Gil et Xarez 6.  
 — — Jacq. Schoenbr. 2, 227.  
 — *angustifolia* Ait. Jacq. Schoenbr. 2, 226.  
 — *aphylla* Jacq. Jacq. Schoenbr. 2, 223.  
 — — Bot. Mag. 42, 1727.  
 — — Lodd. Cab. 221.  
 — — Rehb. Mag. 30.  
 — *arborea* Sims. Bot. Mag. 46, 2090.  
 — *argophylla* Pursh. Hook. Bor. Am. 52.  
 — *bipedunculata* Jacq. Jacq. Ic. 562.  
 † — *bituminosa* L. Gaertn. Carp. 145.  
 — — Lam. Encycl. 614.  
 — — Schk. Handb. 210.  
 — — Sibth. Fl. gr. 738.  
 — *brachiata* Dougl. Hook. Bor. Am. 53.  
 — *bracteata* L. Bot. Mag. 13, 446.  
 — — Lodd. Cab. 1559.  
 — — Jacq. Jacq. Schoenbr. 2, 224.  
 — *citriodora* Cav. Cav. Ic. 271.  
 — *conferta* Bert. Novi Comm. Bonon. 3, 2.  
 — *corylifolia* L. Burmann Fl. ind. 49.  
 — — Bot. Mag. 18, 665.  
 — *Dalea* L. Linné Hort. Cliff. 22.  
 — *decumbens* Ait. Lodd. Cab. 282.  
 — *emphysodes* Jacq. Jacq. Ic. 563.  
 — *esculenta* Pursh. Pursh Fl. 22.  
 — *glandulosa* L. Bot. Mag. 25, 990.  
 — — Sweet Fl. G. 296.  
 — *hirta* Jacq. Jacq. Schoenbr. 2, 228.  
 — *lagopus* Cav. Cav. Ic. 86.  
 — *lanccolata* Pursh. Hook. Bor. Am. 51.  
 — *lathyriifolia* Balb. Mem. Tur. 10, 8.  
 — *lutea* Cav. Cav. Ic. 325.  
 — *macrostachya* DC. Bot. Reg. 21, 1769.  
 — *melilotoides* Michx. Vent. Malm. 94.  
 — — Barton Fl. 2, 57.  
 — — Bot. Mag. 46, 2063.  
 — — Bot. Reg. 6, 454.  
 — *multicaulis* Jacq. Jacq. Schoenbr. 2, 230.  
 — *mutabilis* Cav. Cav. Ic. 394.  
 — *Mutisii* H. B. Humb. Mim. 54.  
 — *nutans* Cav. Cav. Ic. 201.  
 — *odoratissima* Jacq. Jacq. Schoenbr. 2, 229.  
 — — Rehb. Mag. 47.  
 — *Onobrychis* Nutt. Bot. Reg. 6, 453.  
 — *orbicularis* Ldl. Bot. Reg. 23, 1971.  
 — *palastina* Gouan. Jacq. Vind. 184.  
 — *pedunculata* Ker. Bot. Reg. 3, 223.

- Psoralea pinnata* L. Andr. Rep. 7, 474.  
 — — — Rehb. Mag. 47.  
 — — — *plicata* Delile. Delile Egypte 37.  
 — — — *pubescens* Balb. Bot. Reg. 12, 968.  
 — — — *reclinata* Cav. Cav. Ic. 87.  
 — — — — — Lam. Encycl. 614.  
 — — — *spicata* L. Andr. Rep. 6, 411.  
 — — — *stipulacea* Decne. Delessert Ic. 3, 67.  
 — — — *strobilina* Hook. Hook. Beechey 80.  
 — — — *tenuifolia* L. Jacq. Schoenbr. 2, 225.  
 — — — *tomentosa* Cav. Cav. Ic. 240.  
 — — — *verrucosa* Willd. Rehb. Mag. 30.  
*Psorospermum tenuifolium* Hook. fil. Hook. Ic. pl. 8, 771.  
 — — — — — Hook. Niger Fl. 21.  
*Psychanthus myrtifolius* Spach. Spach Suites 120.  
*Psychechilos gracile* Breda. Breda Orchid. Javae 9.  
*Psychine stylosa* Desf. Desf. Fl. atl. 148.  
 — — — — — Lam. Encycl. 975.  
*Psychotria alba* Rz et P. Ruiz et Pav. Fl. 205.  
 — — — *ambigua* W. et A. Wight Illustr. 127.  
 — — — *amethystina* Rz et P. Ruiz et Pav. Fl. 203.  
 † — — — *asiatica* L. Gaertn. Carp. 25.  
 — — — — — Lam. Encycl. 161.  
 — — — *bisulcata* W. et A. Wight Spicil. 99.  
 — — — — — Wight Ic. pl. Ind. or. 3, 1039.  
 — — — *capitata* Rz et P. Ruiz et Pav. Fl. 206.  
 — — — *coerulea* Rz et P. Ruiz et Pav. Fl. 213.  
 — — — *collina* Lab. Bill. Sertum 47.  
 — — — *crocea* Sw. Lam. Encycl. 161.  
 — — — *cymosa* Rz et P. Ruiz et Pav. Fl. 206.  
 — — — *daphnoides* Cunn. Bot. Mag. 60, 3228.  
 — — — *elliptica* Ker. Bot. Reg. 8, 607.  
 — — — *emetica* Mutis. Humb. Pl. aeq. 126.  
 — — — — — Richard Hist. nat. Ipec. 2.  
 — — — — — Berl. Jahrb. 1821, 2.  
 — — — — — Hayne 8, 19.  
 — — — — — Nees Düsseld. 258.  
 — — — — — Desc. Ant. 2, 120.  
 — — — *excelsa* H. B. K. H. B. K. Nov. Gen. 3, 282.  
 — — — *foveolata* Rz et P. Ruiz et Pav. Fl. 207.  
 — — — *gracilis* Rz et P. Ruiz et Pav. Fl. 211.  
 — — — *herbacea* L. Jacq. Hist. stirp. am. 67.  
 — — — — — Tussac Ant. 1, 8.  
 — — — *hyacinthiflora* Rz et P. Ruiz et Pav. Fl. 213.  
 — — — *laevigata* W. et A. Wight Ic. pl. Ind. or. 3, 828.  
 — — — *laxa* Rz et P. Ruiz et Pav. Fl. 212.  
 — — — *leucocephala* Bronqn. Lem. Jard. fl. 3, 292.  
 — — — *lucida* H. B. K. H. B. K. Nov. Gen. 3, 283.  
 — — — *macrobotrys* Rz et P. Ruiz et Pav. Fl. 203.  
 — — — *macrophylla* Rz et P. Ruiz et Pav. Fl. 202.  
 — — — *macropoda* Rz et P. Ruiz et Pav. Fl. 211.  
 — — — *megalosperma* Vahl. Vahl Eclogae 21.  
 — — — *micrantha* H. B. K. H. B. K. Nov. Gen. 3, 284.  
 — — — *mitis* Rz et P. Ruiz et Pav. Fl. 208.  
 — — — *noxia* St. Hil. Mem. Mus. 12, 10.  
 — — — — — St. Hil. Pl. remarq. 21.  
 — — — *obovata* Rz et P. Ruiz et Pav. Fl. 204.  
 — — — *obtusifolia* Poir. Lam. Encycl. 161.  
 — — — *Pavetta* Sw. Lam. Encycl. 161.  
 — — — *pilosa* Rz et P. Ruiz et Pav. Fl. 208.  
 — — — *punicea* Rz et P. Ruiz et Pav. Fl. 212.  
 — — — *quadrifolia* Rudge. Rudge Pl. Guianae 42.  
 — — — *reticulata* Rz et P. Ruiz et Pav. Fl. 202.  
 — — — *sarmentosa* Blume. Wight Ic. pl. Ind. or. 3, 1038.  
 — — — *subtomentosa* Rz et P. Ruiz et Pav. Fl. 210.  
 — — — *sulphurea* Rz et P. Ruiz et Pav. Fl. 205.  
 — — — *thysiflora* Rz et P. Ruiz et Pav. Fl. 204.  
 — — — *tinctoria* Rz et P. Ruiz et Pav. Fl. 211.  
 — — — *trichocephala* P. et E. Poepp. et Endl. 238.  
 — — — *trifida* Rz et P. Ruiz et Pav. Fl. 209.  
 — — — *undata* Jacq. Jacq. Schoenbr. 3, 260.  
 † — — — *undulata* Poir. Jacq. Fragm. 33.  
*Psychotria villosa* Rz et P. Ruiz et Pav. Fl. 207.  
 — — — *violacea* Aubl. Aublet Guiana 55.  
 — — — *virgata* Rz et P. Ruiz et Pav. Fl. 209.  
 — — — *viridis* Rz et P. Ruiz et Pav. Fl. 210.  
*Psychrophila andicola* Gay. Gay Chile 2.  
 † *Psydrax dicoccos* Gaertn. Gaertn. Carp. 26.  
*Psyllocarpus ericoides* Mart. Mart. Bras. 28.  
 — — — *laricoides* Mart. Mart. Bras. 28.  
*Ptarmica abrotanoides* Vis. Visiani Dalm. 10.  
 — — — *vulgaris* DC. Dietr. Fl. bor. 8, 558.  
 † *Ptelea* L. Gray Genera 157.  
 † — — — *trifoliata* L. Gaertn. Carp. 49.  
 — — — — — Schk. Handb. 25.  
 — — — — — Gimpel Fr. Holzgew. 74.  
 — — — — — Lam. Encycl. 84.  
 — — — — — Nouveau Duhamel 1, 57.  
 — — — — — Dict. sc. nat. 128.  
 † — — — — — Mem. Mus. 12, 26.  
 — — — — — Gray Genera 157.  
*Ptelidium* Aub. Aub. Th. Iles d'Afrique 2.  
 — — — *ovatum* Poir. Lam. Encycl. 916.  
*Pterandra latifolia* Juss. Delessert Ic. 3, 30.  
 † — — — — — Arch. Mus. 3, 6.  
 — — — *psidiifolia* Juss. St. Hil. Fl. Bras. 179.  
 † — — — — — Arch. Mus. 3, 6.  
 — — — *pyroidea* Juss. St. Hil. Fl. Bras. 179.  
 † — — — — — Arch. Mus. 3, 6.  
 † *Pteranthus echinatus* Desf. Gaertn. Carp. 213.  
 — — — — — Lam. Encycl. 764.  
 † *Pteridophyllum decipiens* Thu. Hook. Journ. 1854, 1.  
 † — — — *racemosum* Sieb. Zucc. Münch. Abh. 3, 1.  
 † *Pterigium costatum* Correa. Ann. Mus. 8, 65.  
 † — — — *teres* Correa. Ann. Mus. 10, 8.  
 † *Pteriglyphis elegans* Fée. Fée Fil. 5, 18.  
 † *Pteris* L. Fée Fil. 5, 11.  
 — — — *Adscensionis* Sw. Schk. Fil. 94.  
 — — — *alata* Gaudich. Freycinet Voyage 19.  
 — — — — — Lam. Encycl. 869.  
 — — — *angustifolia* Sw. Calcutta Journal 1844, 33.  
 — — — *aquilina* L. Schk. Fil. 95, 96.  
 — — — — — Sturm Flora II, 1, 9.  
 — — — — — Engl. Bot. 24, 1679.  
 — — — — — Newman p. 93.  
 — — — — — Sv. Bot. 90.  
 — — — — — Fl. dan. 13, 2303.  
 — — — — — Dict. sc. nat. 86.  
 † — — — — — (Antheridia.) Ann. sc. nat. III, 11, 3, 4.  
 — — — *argentea* Gmel. Langsd. et Fischer 22.  
 — — — *atropurpurea* L. Schk. Fil. 101.  
 — — — *auriculata* Sw. Schlechtendal Fil. 23.  
 — — — — — Thunb. Hook. Ic. Fil. 1, 116.  
 — — — *australis* H. et Gr. Hook. Ic. Fil. 1, 8.  
 — — — *biaurita* L. Hook. Ic. Fil. 2, 142.  
 — — — *blechnoides* Willd. Willdenow Phytogr. 9.  
 — — — *brasilensis* Raddi. Raddi Fil. 68, 68<sup>b</sup>.  
 — — — *calomelanos* Sw. Lodd. Cab. 1689.  
 — — — — — Schlechtendal Fil. 24.  
 — — — *capensis* Thunb. Schlechtendal Fil. 26.  
 — — — *cartilaginea* Presl. Presl Reliq. 9.  
 — — — *caudata* L. Jacq. Ic. 645.  
 — — — — — Schk. Fil. 96<sup>b</sup>.  
 — — — *chrysocarpa* Hook. Hook. Ic. Fil. 1, 107.  
 — — — *collina* Raddi. Raddi Fil. 65.  
 — — — *comans* Forst. Schk. Fil. 92.  
 — — — *concolor* Langsd. Langsd. et Fischer 21.  
 — — — *cornuta* Pal. B. Pal. B. Fl. d'Oware 37.  
 — — — *costata* Hook. Hook. Beechey 51.  
 — — — *cretica* L. Schk. Fil. 90.  
 — — — — — Risso Fl. de Nice 20.  
 — — — *crispa* Sm. Engl. Bot. 17, 1160.  
 — — — — — Schk. Fil. 98.  
 — — — — — Newman p. 103, 108.

- Pteris* decurrens *Raddi*. *Raddi Fil.* 69<sup>b</sup>.  
 — denticulata *Sw.* *Hook. Ic. Fil.* 1, 28.  
 — elegans *Jacq.* *Jacq. Fragm.* 116.  
 — Endlicheriana *Ag.* *Hook. Ic. pl.* 10, 973.  
 — esculenta *Forst.* *Bill. Nov. Holl.* 244.  
 — — *Schk. Fil.* 97.  
 — fallax *M. et G.* *Acad. Brux.* 15, 14.  
 — farinosa *Forsk.* *Vahl Symbolae* 75.  
 — flabellata *Thunb.* *Schk. Fil.* 93.  
 — flavescens *Colla.* *Mem. Tur.* 39, 66.  
 — flexuosa *Hook.* *Hook. Ic. pl.* 2, 119.  
 — geraniifolia *Raddi.* *Raddi Fil.* 67.  
 — — *Hook. Ic. pl.* 10, 915.  
 — hastata *Sw.* *Raddi Fil.* 63.  
 — incisa *Thunb.* *Schlechtendal Fil.* 25.  
 — interrupta *Willd.* *Willdenow Phytogr.* 10.  
 — intramarginalis *Kze.* *Kunze Analecta* 17.  
 — lanuginosa *Spr.* *Acta Leop.* 10, 1, 16.  
 — latifolia *Willd.* *Kunze Fil.* 118.  
 — longifolia *L.* *Schk. Fil.* 88.  
 — — *Jacq. Schoenbr.* 3, 399, 400.  
 — lunulata *Retz.* *Retzius Obs.* 2, 4.  
 — nemoralis *Willd.* *Hook. Gen. Fil.* 64.  
 — Orizabae *M. et G.* *Acad. Brux.* 15, 13.  
 — osmundoides *Bory.* *Bory Isles d'Afrique* 32.  
 — pallida *Raddi.* *Raddi Fil.* 71.  
 — palmata *Lodd.* *Lodd. Cab.* 1299.  
 — pedata *L.* *Schk. Fil.* 100.  
 — — *Langsd. et Fischer* 20.  
 — — *Raddi Fil.* 65, 66, 66<sup>b</sup>.  
 — — *Bot. Mag.* 60, 3247.  
 — pedatoides *Desv.* *Mem. soc. Linn. Par.* 7.  
 — peruviana *Lam.* *Lodd. Cab.* 1665.  
 — piloselloides *L.* *Kaempfer Japon.* 31.  
 — — *Swartz Syn. Fil.* 2.  
 — — *Schk. Fil.* 87.  
 — rotundifolia *Forst.* *Schk. Fil.* 99.  
 — — *Hook. Ic. pl.* 5, 422.  
 — rugosula *Lab.* *Bill. Sertum* 8.  
 — sagittifolia *Raddi.* *Raddi Fil.* 63.  
 — scaberula *A. Rich.* *Hook. Sp. Fil.* 93.  
 — serrulata *L.* *Schk. Fil.* 91.  
 — — *Linn. Transact.* 21, 14—16.  
 — — *Acta Leop.* 12, 1, 12.  
 — — *Suminski Entw. d. Farnkr.* 1—6.  
 — seticaulis *Hook.* *Hook. Ic. pl.* 3, 207.  
 — Sloani *Raddi.* *Raddi Fil.* 71<sup>b</sup>.  
 — spiculata *Schk.* *Schk. Fil.* 100.  
 — spinulosa *Raddi.* *Raddi Fil.* 70, 70<sup>b</sup>.  
 — stenophylla *Wall.* *Hook. Ic. Fil.* 2, 130.  
 — ternifolia *Cav.* *Hook. Ic. Fil.* 2, 126.  
 — trichomanoides *L.* *Schk. Fil.* 99.  
 — triphylla *M. et G.* *Acad. Brux.* 15, 14.  
 — tristicula *Raddi.* *Raddi Fil.* 69.  
 — varians *Raddi.* *Raddi Fil.* 64.  
 — Vespertilionis *Lab.* *Bill. Nov. Holl.* 245.  
 — vittarioides *Aub.* *Aub. Thouars Mélanges* 1.  
 — vittata *Sw.* *Schk. Fil.* 89.  
*Pterisanthes* cissoides *Bl.* *Linnaea* 18, 8.  
*Pterocarpus* abyssinicus *Hochst.* *Richard Abyssin.* 45.  
 — africanus *Hook.* *Gray Western Africa* D.  
 — apterus *Gaertn.* *Gaertn. Carp.* 156.  
 — — *Lam. Encycl.* 602.  
 — dalbergioides *Roxb.* *Wight Ic. pl. Ind. or.* 1, 246.  
 — Draco *L.* *Rumpf Amb.* 2, 70.  
 — — *Hayne* 9, 9.  
 — — *Lam. Encycl.* 602.  
 — Ecastaphyllum *Berg.* *Svensk Acad.* 1769, 4.  
 — — *Desc. Ant.* 4, 258.  
 — crinaceus *Lam.* *Lam. Encycl.* 602.  
 — — *Guillemin Seneg.* 54.  
 — — *Woodv. Med.* 5, 12.

- Pterocarpus* flavus *DC.* *Rumpf Amb.* 3, 117.  
 — gummiferus *Bert.* *DC. Legum.* 57.  
 † — hemipterus *Gaertn.* *Gaertn. Carp.* 156.  
 † — — *Lam. Encycl.* 602.  
 — Marsupium *Roxb.* *Rheede Hort. mal.* 6, 25.  
 — — *Roxb. Corom.* 116.  
 — Montouchi *Lam.* *Lam. Encycl.* 602.  
 † — Peltaria *DC.* *DC. Legum.* 57.  
 — santalinus *L. fil.* *Woodv. Med.* 3, 156.  
 — senegalensis *Hook.* *Nees Düsseld.* 329.  
 — Wallichii *W. et A.* *Wight Illustr.* 78.  
 † Pteroccephalus *Coulter.* *Mem. Genev.* 2, 1.  
 — Broussonetii *Coult.* *Boissier Esp.* 86.  
 — dumetorum *Coult.* *Webb Canar.* 80.  
 — plumosus *Coult.* *Rchb. Fl. germ.* 12, 674.  
 — spathulatus *Coult.* *Boissier Esp.* 87.  
 — virens *Webb.* *Webb Canar.* 81.  
*Pterochilus* plantagineus *Hook.* *Hook. Beechey* 17.  
*Pterocyclus* angelicoides *Klotzsch.* *Prinz Wald. Him.* 47.  
*Pterocymbium* javanicum *R. Br.* *Bennett Java* 45.  
*Pterodiscus* speciosus *Hook.* *Bot. Mag.* 70, 4117.  
 — — *Fl. d. serres* 2, 6.  
*Pterogastra* minor *Naud.* *Ann. sc. nat.* III, 12, 15.  
*Pterogyne* nitens *Juss.* *Arch. Mus.* 4, 9.  
*Pterolobium* lacerans *R. Br.* *Wight Ic. pl. Ind. or.* 1, 196.  
*Pteroneurum* graecum *DC.* *Rchb. Ic. crit.* 4, 397.  
 — — *Rchb. Fl. germ.* 2, 29.  
 † — parallelum *Fée.* *Fée Fil.* 5, 25.  
 † Pteronia camphorata *L.* *Gaertn. Carp.* 167.  
 — — *Lam. Encycl.* 667.  
 † — oppositifolia *L.* *Gaertn. Carp.* 167.  
 † — — *Lam. Encycl.* 667.  
 — pauciflora *Sims.* *Bot. Mag.* 41, 1697.  
 — Porophyllum *Cav.* *Cav. Ic.* 225.  
 † Pteropsis *Desv.* *Mem. soc. Linn. Par.* 6, 11.  
 † — angustifolia *Desv.* *Hook. Gen. Fil.* 77.  
*Pteropyrum* Aucherii *Jaub.* *Jaubert Illustr.* 107.  
 — Oliverii *Jaub.* *Jaubert Illustr.* 108.  
 — — *Wight Ic. pl. Ind. or.* 5, 1809.  
 — scoparium *Jaub.* *Jaubert Illustr.* 109.  
*Pterospermum* acerifolium *Willd.* *Bot. Mag.* 17, 620.  
 — — *Lam. Encycl.* 576.  
 — — *Wight Ic. pl. Ind. or.* 2, 631.  
 — glabrescens *W. et A.* *Rheede Hort. mal.* 6, 58.  
 — Heyneanum *Wall.* *Wight Ic. pl. Ind. or.* 2, 489.  
 — reticulatum *Wight.* *Hook. Ic. pl.* 2, 125.  
 — semisagittatum *Roxb.* *Mem. Mus.* 10, 9.  
 — suberifolium *Willd.* *Bot. Mag.* 37, 1526.  
 — — *Lam. Encycl.* 576.  
 — — *Wight Illustr.* in *Hook.* 26.  
 — — *Rchb. Exot.* 166.  
*Pterospora* andromedea *Nutt.* *Rafinesque Med.* 78.  
 — — *Lindley Collect.* 5.  
*Pterostegia* drymarioides *Hook.* *Hook. Beechey* 90.  
*Pterostelma* albiflorum *Bl.* *Blume Rumphia* 188.  
*Pterostigma* grandiflorum *Benth.* *Hook. Beechey* 45.  
 — — *Bot. Reg.* 32, 16.  
 — — *Paxt. Mag.* 14, 74.  
*Pterostylis* acuminata *R. Br.* *Bot. Mag.* 62, 3401.  
 — Banksii *R. Br.* *Bot. Mag.* 59, 3172.  
 — concinna *R. Br.* *Hook. Journal* 1834, 136.  
 — — *Bot. Mag.* 62, 3400.  
 — curta *R. Br.* *Guillemin Austr.* 2.  
 — — *Bot. Mag.* 58, 3086.  
 — grandiflora *R. Br.* *Bauer Illustr.* 2.  
 — nutans *R. Br.* *Bot. Mag.* 58, 3085.  
*Pterostyrax* corymbosum *S. et Z.* *Siebold Fl. Jap.* 47.  
 † Pterotheca nemausensis *Cass.* *Monnier Essai* 4.  
 † — — *Visiani Dalm.* 50.  
 — — *Vahlil Presl.* *Presl Symbolae* 35.  
 † Pterozonium reforme *Fée.* *Fée Fil.* 5, 16.  
 † Pterygodium *Sw.* *Svensk Acad.* 1800, 3.

- †*Pterygodium Sw.* Schrader Neues Journal 1, 1.  
 — *alatum Sw.* Journal sc. and arts 8, 3.  
 † — *atratum Sw.* Bauer Orchid. 11.  
 — *catholicum Sw.* Journal sc. and arts 6, 1.  
 — *inversum Sw.* Journal sc. and arts 9, 4.  
 — *volueris Sw.* Journal sc. and arts 9, 4.  
*Ptilochaeta diodon N. v. E.* Endl. Bras. 3, 8.  
*Ptilostephium coronopifolium H. B. K.* H. B. K. Nov. Gen. 4, 387.  
 — *trifidum H. B. K.* H. B. K. Nov. Gen. 4, 388.  
*Ptilotrichum canescens Led.* Ledeb. Ic. 273.  
 — *elongatum Led.* Ledeb. Ic. 275.  
 — *longicaule Boiss.* Boissier Esp. 11.  
 — *purpureum Boiss.* Boissier Esp. 12.  
*Ptycanthera Berterii Decne.* Delessert Ic. 5, 81.  
*Ptychochilus septemnervis Schauer.* Acta Leop. 19. S. 12.  
 †*Ptychophyllum plicatum Presl.* Prager Abh. 3, 11.  
*Ptychosperma angustifolia Bl.* Blume Rumphia 156.  
 — *appendiculata Bl.* Blume Rumphia 84. 119.  
 — — — Griffith Palms 242 a. b.  
 — *gracilis Lab.* Mem. Instit. 1809, x.  
 — *Rumphii Bl.* Blume Rumphia 83. 156.  
*Ptychotis Ajouran DC.* Wight Ic. pl. Ind. or. 2, 566.  
 † — — — Wight Illustr. 117.  
 † — *ammoides Koch.* Nees Gen. X, x.  
 † — *heterophylla Koch.* Nees Gen. X, x.  
*Pueraria tuberosa DC.* Wight Ic. pl. Ind. or. 2, 412.  
 — *Wallichii DC.* DC. Legum. 43.  
 †*Pugionium cornutum Gaertn.* Gaertn. Carp. 142.  
 † — — — Lam. Encycl. 974.  
 — — — Münchn. Abh. 4, 1.  
*Pulegium vulgare Mill.* Hayne 11, 39.  
 — — — Diatr. Fl. bor. 5, 312.  
 † — — — Nees Gen. 6, 5.  
*Pulicaria Aucheri Jaub.* Jaubert Illustr. 346.  
 — *dentata DC.* Rechb. Fl. germ. 16, 933.  
 — *dysenterica Gray.* Baxter Brit. Bot. 3, 170.  
 — — — Gaertn. Schrank Fl. monac. 4, 378.  
 — — — Diatr. Fl. bor. 8, 561.  
 † — — — Nees Gen. X, x.  
 — — — Rechb. Fl. germ. 16, 933.  
 — *glaucescens Jaub.* Jaubert Illustr. 349.  
 — *glutinosa Jaub.* Jaubert Illustr. 348.  
 — *grandidentata Jaub.* Jaubert Illustr. 345.  
 — *indica Jaub.* Jaubert Illustr. 343.  
 — *odora Rechb.* Rechb. Fl. germ. 16, 932.  
 — *orientalis Jaub.* Jaubert Illustr. 342.  
 — *persica Jaub.* Jaubert Illustr. 347.  
 — *petiolaris Jaub.* Jaubert Illustr. 344.  
 — *sicula Moris.* Rechb. Fl. germ. 16, 934.  
 † *vulgaris Gaertn.* Gaertn. Carp. 173.  
 † — — — Nees Gen. X, x.  
 — — — Diatr. Fl. bor. 8, 562.  
 — — — Rechb. Fl. germ. 16, 933.  
*Pulmonaria angustifolia L.* Fl. dan. 3, 483.  
 — — — Sv. Bot. 544.  
 — — — Engl. Bot. 23, 1628.  
 — — — Dict. sc. nat. 45.  
 — — — Hayne 2, 43.  
 — — — Rechb. Pl. crit. 6, 502.  
 — — — Diatr. Fl. bor. 5, 315.  
 † — — — Mutel Fl. fr. 38.  
 — *azurea Bess.* Rechb. Pl. crit. 6, 501.  
 — *davurica Sims.* Bot. Mag. 42, 1743.  
 — — — Lodd. Cab. 528.  
 — *maritima L.* Fl. dan. 1, 25.  
 — — — Lightfoot Fl. scot. 1, 7.  
 — — — Engl. Bot. 6, 368.  
 — — — Lodd. Cab. 467.  
 — *media Host.* Rechb. Pl. crit. 6, 504.  
 — *mollis Wolf.* Bot. Mag. 50, 2422.  
 — — — Lodd. Cab. 1492.  
*Pulmonaria mollis Wolf.* Rechb. Pl. crit. 6, 503.  
 † — — — Mutel Fl. fr. 38.  
 † — *oblongata Schrad.* Mutel Fl. fr. 38.  
 — *officinalis L.* Fl. dan. 3, 482.  
 — — — Woodv. Med. 2, 104.  
 — — — Engl. Bot. 2, 118.  
 — — — Baxter Brit. Bot. 2, 102.  
 — — — Sv. Bot. 135.  
 — — — Schk. Handb. 30.  
 — — — Dreves 1, 14.  
 — — — Hayne 2, 44.  
 — — — Gumpel et Kl. 19.  
 — — — Nees Düsseld. 186.  
 — — — Schrank Fl. monac. 2, 125.  
 — — — Rechb. Pl. crit. 6, 506.  
 — — — Sturm Flora 20, 93.  
 — — — Diatr. Fl. bor. 4, 245.  
 † — — — Mutel Fl. fr. 37.  
 † — — — Nees Gen. 6, 63.  
 — *paniculata Ait.* Bot. Mag. 53, 2680.  
 — — — Bot. Reg. 2, 146.  
 — *saccharata Mill.* Rechb. Pl. crit. 6, 505.  
 — *virginica L.* Bot. Mag. 5, 160.  
 — — — Tratt. Archiv 308.  
 — — — Kerner Hort. 779.  
 — — — Herb. amat. 5, 329.  
 †*Pulsatilla Mill.* Gray Genera 3.  
 — *alba Lob.* Rechb. Fl. germ. 4, 51.  
 — *albana Led.* var.  $\beta$ . Ledeb. Ic. 109.  
 — *alpina Spr.* Diatr. Fl. bor. 7, 481.  
 — *apiifolia Scop.* Rechb. Fl. germ. 4, 51.  
 † — *Bogenhardiana Rechb.* Rechb. Fl. germ. 4, 53.  
 — *Bungeana Led.* Ledeb. Ic. 110.  
 — *Burseriana Scop.* Rechb. Fl. germ. 4, 51.  
 — *Hackelii Pohl.* Rechb. Fl. germ. 4, 57.  
 — *Halleri Willd.* Rechb. Fl. germ. 4, 55.  
 — *montana Hoppe.* Rechb. Fl. germ. 4, 52.  
 — *patens Mill.* Rechb. Fl. germ. 4, 57.  
 — — — Diatr. Fl. bor. 7, 480.  
 — — — Gray Genera 3.  
 — *patenti-vernalis Lasch.* Rechb. Fl. germ. 4, 59.  
 — *pratensi-patens Lasch.* Rechb. Fl. germ. 4, 56.  
 — *pratensi-vernalis Lasch.* Rechb. Fl. germ. 4, 58.  
 — *pratensis Mill.* Rechb. Fl. germ. 4, 52. 53.  
 — — — Diatr. Fl. bor. 7, 477.  
 — — — Brandt und Ratzeb. 31.  
 — — — Wagner 21.  
 — *subpatenti-pratensis Lasch.* Rechb. Fl. germ. 4, 56.  
 — *vernalis Mill.* Sweet Fl. G. 205.  
 — — — Diatr. Fl. bor. 7, 479.  
 — — — Rechb. Fl. germ. 4, 59.  
 — *vulgaris Mill.* Diatr. Fl. bor. 7, 478.  
 — — — Brandt und Ratzeb. 30.  
 — — — Rechb. Fl. germ. 4, 54.  
*Pultenaea aristata Sieb.* Rechb. Hort. 195.  
 — *biloba R. Br.* Bot. Mag. 46, 2091.  
 — — — Lodd. Cab. 550.  
 — *bracteata Schrad.* Schrader Sert. hannov. 18.  
 — *candida Lodd.* Lodd. Cab. 1236.  
 — *cordata Hook.* Bot. Mag. 62, 3443.  
 — *daphnoides Sm.* Andr. Rep. 2, 98.  
 — — — Wendland Hort. herrenh. 17.  
 — — — Bot. Mag. 34, 1394.  
 — — — Lodd. Cab. 1143.  
 — — — Kerner Hort. 408.  
 — *dentata Lab.* Bill. Nov. Holl. 131.  
 — — — Lam. Encycl. 950.  
 — *echinula Sieb.* Rechb. Hort. 196.  
 — *elliptica Rudge.* Linn. Transact. 11, 24.  
 — *ericoides Vent.* Vent. Malm. 35.  
 — — — Henfr. Moore Mag. 1851, p. 145.  
 — — — Lem. Jard. fl. 152.

- Pultenaea ericoides* Vent. Belgique hortie. 2, 1.  
 — *ferruginea* Rudge. Linn. Transact. 11, 23.  
 — *flexilis* Sm. Sweet Austr. 35.  
 — — Bot. Reg. 20, 1694.  
 — *hypolampra* Sieb. Rehb. Hort. 194.  
 — *ilicifolia* Andr. Andr. Rep. 5, 320.  
 — — Kerner Hort. 423.  
 — *juniperina* Lab. Bill. Nov. Holl. 130.  
 — *linophylla* Schrad. Schrader Sert. hannov. 18.  
 — *mucronata* Lodd. Lodd. Cab. 1711.  
 — *nana* Andr. Andr. Rep. 7, 434.  
 — *obcordata* Andr. Andr. Rep. 9, 574.  
 — *paleacea* Sm. Lodd. Cab. 291.  
 — *pedunculata* Hook. Bot. Mag. 55, 2859.  
 — *plumosa* Sieb. Rehb. Hort. 193.  
 — *polygalifolia* Rudge. Linn. Transact. 11, 25.  
 — — Sweet Austr. 37.  
 — *retorta* Wendl. Wendland Hort. herrenh. 9.  
 — *retusa* Sm. Bot. Mag. 46, 2081.  
 — — Bot. Reg. 5, 378.  
 — — Rehb. Mag. 33.  
 — *rosmarinifolia* Ldl. Bot. Reg. 19, 1584.  
 — *rubiaefolia* Andr. Andr. Rep. 5, 331.  
 — *stipularis* Sm. Smith New Holl. 12.  
 — — Bot. Mag. 14, 475.  
 — — Lodd. Cab. 1088.  
 — — Rehb. Hort. 192.  
 — *stricta* Sims. Bot. Mag. 38, 1588.  
 — — Lodd. Cab. 974.  
 — *subumbellata* Hook. Bot. Mag. 60, 3254.  
 — — Bot. Reg. 19, 1632.  
 — *tenuifolia* R. Br. Bot. Mag. 46, 2086.  
 — — Lodd. Cab. 1057.  
 — *villosa* Andr. Andr. Rep. 5, 309.  
 — — Willd. Bot. Mag. 25, 967.  
 — — Rehb. Mag. 33.  
*Punceria coagulans* Stocks. Journ. Bomb. As. Soc. 3, 4.  
 — — Wight Ic. pl. Ind. or. 4, 1616.  
 — — Hook. Ic. pl. 9, 801.  
*Punica Granatum* L. Rumpf Amb. 2, 24.  
 — — Woodv. Med. 3, 190.  
 † — — Gaertn. Carp. 38.  
 † — — Lam. Encycl. 415.  
 — — Nouveau Duhamel 4, 11. 11<sup>bis</sup>.  
 — — var. *alba*, Andr. Rep. 2, 96.  
 — — Bot. Mag. 43, 1832<sup>a, b</sup>.  
 — — Sibth. Fl. gr. 476.  
 — — Schk. Handb. 131<sup>b</sup>.  
 — — Hayne 10, 35.  
 — — Guimpel et Schl. 89.  
 — — Nees Düsseld. 300.  
 — — Desc. Ant. 1, 35.  
 — — Wight Illustr. 97. 97<sup>bis</sup>.  
 † — — (Fructus.) Acta Leop. 11. 1, 11.  
 † — — Ann. sc. nat. III. 20, 10.  
 — *nana* L. Bot. Mag. 17, 634.  
 — — Lodd. Cab. 988.  
*Pupalia densiflora* Mart. Mart. Bras. 156. 158.  
 — *orbiculata* Wight. Wight Ic. pl. Ind. or. 5, 1783.  
*Purkinjia nodosa* Presl. Presl Symbolae 64.  
 † *Purshia tridentata* DC. Hook. Bor. Am. 58.  
 — — Bot. Reg. 17, 1446.  
*Puschkinia scilloides* M. v. B. Sieber Creta 7.  
 — — Lindley Collect. 24.  
 — — Bot. Mag. 48, 2244.  
*Putranjiva Roxburghii* Wall. Endl. Iconogr. 19.  
 — — Royle Illustr. 83 or 100.  
 — — Wight Ic. pl. Ind. or. 5, 1876.  
 † *Putranjivaceae* Endl. Schnizl. Iconogr. 2, 96\*.  
*Puya Altensteinii* Lk et Kl. Link Ic. III. 1.  
 — — var. *gigantea*, Bot. Mag. 73, 4309.  
 — — Annales de Gand 1846, 59.

- Puya chilensis* Molina. Bot. Mag. 79, 4715.  
 — — Lem. Jard. fl. 4, 392.  
 — — Fl. d. serres 9, 869—870.  
 — *coerulea* Ldl. Bot. Reg. 26, 11.  
 — *heterophylla* Ldl. Bot. Reg. 26, 71.  
 — *longifolia* Morr. Annales de Gand 1846, 101.  
 — — Paxt. Fl. G. 86.  
 — *sulphurea* Hort. Herrenh. Bot. Mag. 79, 4696.  
*Pycnanthemum aristatum* Michx. Michaux Fl. 33.  
 — *limifolium* Pursh. Rivinus Opus ined. 24.  
 — *Monardella* Michx. Michaux Fl. 34.  
 — *tenuifolium* Schrad. Schrader Hort. gott. 4.  
*Pycnocomon rutaefolium* H. et L. Hoffm. Lk. Fl. port. 88.  
*Pycnoocyca glauca* Royle. Royle Illustr. 51.  
 — *spinosa* Decne. Jaubert Illustr. 243.  
 — *tomentosa* Decne. Jaubert Illustr. 242.  
 † *Pycnoneurum junciforme* Decne. Ann. sc. nat. II. 9, 12.  
 — *sessiliflorum* Decne. Delessert Ic. 5, 67.  
*Pycnostachys coerulea* Hook. Hook. Exot. Fl. 202.  
 † *Pycreus flavescens* Rehb. Nees Gen. 2, 22.  
 † — *pannonicus* Rehb. Nees Gen. 2, 22.  
 — *polystachyos* Pal. B. Pal. B. Fl. d'Oware 86.  
*Pygeum acuminatum* Colebr. Linn. Transact. 12, 18.  
 — — Wight Spicil. 66.  
 — — Wight Ic. pl. Ind. or. 3, 993.  
 † — *zeylanicum* Gaertn. Gaertn. Carp. 46.  
*Pyramia salviaefolia* Naud. Ann. sc. nat. III. 15, 3.  
*Pyrenacantha volubilis* Wight. Wight III. in Hook. 9. 10.  
*Pyrenaria serrata* Bl. Korthals Bot. 30.  
*Pyrethrum Acemella* Med. Acta palat. 3, 19.  
 — *alpinum* Willd. Sturm Flora 5, 19.  
 — *Bidens* Med. Acta palat. 3, 18.  
 — *cinerarifolium* Trev. Rehb. Hort. 36.  
 † — *corymbiferum* Gaertn. Gaertn. Carp. 169.  
 — *corymbosum* Willd. Schrank Fl. monac. 2, 158.  
 — — Dietr. Fl. bor. 11, 744.  
 — *densum* Lab. Bill. Syr. 3, 8.  
 — *discoideum* Led. Ledeb. Ic. 153.  
 — *diversifolium* Griseb. Hook. Exot. Fl. 215.  
 — — Bot. Reg. 12, 1025.  
 — *ferulaceum* Webb. Webb Canar. 110.  
 — *flaveolum* H. et L. Hoffm. Lk. Fl. port. 104.  
 — *foeniculaceum* Willd. Bot. Reg. 4, 272.  
 † — *frutescens* Willd. Gaertn. Carp. 169.  
 — *indicum* Roxb. Bot. Mag. 37, 1521.  
 — — Cass. Bot. Reg. 15, 1287. 18, 1502.  
 — *inodorum* Sm. Engl. Bot. 10, 676.  
 — — Curt. Lond. 4, 101.  
 — — Fl. dan. 11, 1936.  
 — *maritimum* Sm. Engl. Bot. 14, 979.  
 — *millefoliatum* Led. Ledeb. Ic. 369.  
 — *Myconis* Moench. Jacq. Ecl. pl. 147.  
 — *Parthenium* Sm. Engl. Bot. 18, 1231.  
 — — Baxter Brit. Bot. 1, 20.  
 — — Sv. Bot. 285.  
 — — Hayne 6, 20.  
 — — Guimpel et Schl. 154.  
 — — Nees Düsseld. 242.  
 — — Dietr. Fl. bor. 11, 743.  
 — *pectinatum* H. et L. Hoffm. Lk. Fl. port. 103.  
 — *ptarmicaeflorum* Willd. Webb Canar. 111.  
 — *pulchrum* Led. Ledeb. Ic. 84.  
 — *radicans* Cav. Boissier Esp. 92.  
 — *roseum* M. v. B. Marschall Cent. 34.  
 — — Bot. Reg. 12, 1024.  
 — *saxatile* Lodd. Lodd. Cab. 126.  
 — *sericeum* M. v. B. Marschall Cent. 78.  
 — *tenuifolium* Ten. Tenore Fl. nap. 80.  
 — *uliginosum* W. et K. Bot. Mag. 54, 2706.  
*Pyrola* *aphylla* Sm. Hook. Bor. Am. 137.  
 — *asarifolia* Michx. Radius Pyrola 4.  
 — *chlorantha* Sw. Svensk Acad. 1809, 5.

- Pyrola chlorantha* Sw. Sv. Bot. 453.  
 — — — Fl. dan. 10, 1693.  
 — — — Lodd. Cab. 1542.  
 — — — Hook. Bor. Am. 134.  
 — — — Sturm Flora 4, 13.  
 — — — Hayne 4, 22.  
 — — — Dietr. Fl. bor. 2, 130.  
 — — — Meyer Fl. hann. 13.  
 — corymbosa Bert. Novi Comm. Bonon. 6, 20.  
 — dentata Sm. Hook. Bor. Am. 136.  
 — elliptica Nutt. Radius Pyrola 5.  
 — — — Hook. Bor. Am. 135.  
 — grandiflora Radius. Radius Pyrola 3.  
 — grönlandica Hornem. Fl. dan. 11, 1817.  
 — maculata L. Bot. Mag. 23, 897.  
 — — — Lodd. Cab. 708.  
 — — — Rafinesque Med. 79.  
 — media Sw. Svensk Acad. 1804, 7.  
 — — — Sv. Bot. 311.  
 — — — Curt. Lond. 4, 29.  
 — — — Engl. Bot. 28, 1945.  
 — — — Hayne 4, 22.  
 — — — Radius Pyrola 3.  
 — — — Meyer Fl. hann. 14.  
 — minor L. Fl. dan. 1, 55.  
 — — — Sv. Bot. 550.  
 — — — Engl. Bot. 3, 158.  
 — — — Curt. Lond. 5, 153.  
 — — — Baxter Brit. Bot. 3, 239.  
 — — — Hayne 4, 23.  
 — — — Sturm Flora 4, 13.  
 — — — Radius Pyrola 1.  
 — — — Dietr. Fl. bor. 7, 445.  
 — obovata Bert. Novi Comm. Bonon. 6, 19.  
 — rosea Sm. Engl. Bot. 36, 2543.  
 — — — Radius Pyrola 2.  
 — rotundifolia L. Fl. dan. 1, 110. 11, 1816.  
 — — — Engl. Bot. 3, 213.  
 — — — Curt. Lond. 4, 25.  
 — — — Lodd. Cab. 564.  
 — — — Sv. Bot. 304.  
 — — — Liboschitz Petersb. 32.  
 — — — Lam. Encycl. 367.  
 — — — Dict. sc. nat. 75.  
 — — — Séringe Mus. helv. 3.  
 † — — — Gaertn. Carp. 63.  
 † — — — Schk. Handb. 119.  
 — — — Hayne 4, 21.  
 — — — Sturm Flora 4, 13. 20, 93.  
 — — — Schrank Fl. monac. 2, 132.  
 — — — Dietr. Fl. bor. 7, 444.  
 — — — Meyer Fl. hann. 12.  
 — secunda L. Fl. dan. 3, 402.  
 — — — Stephan Ic. pl. mosq. 10.  
 — — — Engl. Bot. 8, 517.  
 — — — Curt. Lond. 5, 202.  
 — — — Sv. Bot. 566.  
 — — — Sturm Flora 4, 13.  
 — — — Dietr. Fl. bor. 2, 129.  
 — uliginosa T. et Gr. Torrey New York 69.  
 — umbellata L. Stephan Ic. pl. mosq. 9.  
 — — — Oberlin Propositions x.  
 — — — Bot. Mag. 20, 778.  
 — — — Woodv. Med. 5, 10.  
 — — — Lodd. Cab. 463.  
 — — — Fl. dan. 8, 1336.  
 — — — Sv. Bot. 27.  
 — — — Lam. Encycl. 367.  
 — — — Gmelin Fl. bad. 2, 2.  
 — — — Bigelow Med. 21.  
 — — — Sturm Flora 20, 93.  
 — — — Hayne 13, 13.

- Pyrola uniflora* L. Fl. dan. 1, 8.  
 — — — Sv. Bot. 176.  
 — — — Engl. Bot. 3, 146.  
 — — — Curt. Lond. 5, 207.  
 — — — Liboschitz Petersb. 37.  
 — — — Dreves 2, 70.  
 — — — Schk. Handb. 119.  
 — — — Schrank Fl. monac. 3, 272.  
 — — — Dietr. Fl. bor. 7, 443.  
 — — — virens Schweigg. Séringe Mus. helv. 3.  
*Pyrolirion aurantiacum* Lem. Lem. Jard. fl. 4, 377.  
 † — aureum Herb. Herbert Amar. 23. 29.  
 — — — Bot. Reg. 20, 1724.  
*Pyrostria oleoides* Lam. Lam. Encycl. 68.  
*Pyrrhosia Horsfieldii* Bl. Wight Ic. pl. Ind. or. 5, 1857.  
*Pyrocoma carthamoides* Hook. Hook. Bor. Am. 107.  
 † *Pyrosia Desv.* Mem. soc. Linn. Par. 6, 11.  
 † *Pyrus Achras Gaertn.* Gaertn. Carp. 87.  
 — Amelanchier L. Schrank Fl. monac. 2, 149.  
 — — — Hartig 76.  
 — — — Bot. Mag. 50, 2430.  
 — americana Willd. Watson Dendr. 1, 54.  
 — angustifolia Willd. Watson Dendr. 2, 132.  
 — — — Bot. Reg. 14, 1207.  
 — arbutifolia L. fil. Wangerheim Beitrag 28.  
 — — — Bot. Mag. 65, 3668.  
 — Aria Ehrh. Engl. Bot. 26, 1858.  
 — — — Sibth. Fl. gr. 479.  
 — — — Sv. Bot. 45.  
 — — — Hartig 72. 73.  
 — — — Schrank Fl. monac. 3, 221.  
 † — aucuparia Gaertn. Gaertn. Carp. 87.  
 — — — Engl. Bot. 5, 337.  
 — — — Sv. Bot. 145.  
 — baccata L. Pallas Fl. ross. 10.  
 — — — Guimpel Fr. Holzgew. 126.  
 — — — Watson Dendr. 1, 51.  
 — Bollweilleriana DC. Bot. Reg. 17, 1437.  
 — Botryapium L. Wangerheim Beitrag 28.  
 — — — Guimpel Fr. Holzgew. 79.  
 — Chamaespilus Ldl. Hartig 75.  
 — communis L. Engl. Bot. 25, 1784.  
 — — — Fl. dan. 12, 2118.  
 — — — Hartig 78.  
 † — — — Lam. Encycl. 435.  
 — — — (femina.) Mem. soc. Linn. Par. 3, 5.  
 ! — — — Mem. soc. Norm. 7, 6.  
 — — — var. sinaica, Ehrenberg Symb. 10.  
 — coronaria L. Wangerheim Beitrag 21.  
 — — — Bot. Mag. 45, 2009.  
 — — — Bot. Reg. 8, 651.  
 — — — Rchb. Exot. 240.  
 — crenata Don. Bot. Reg. 20, 1655.  
 — cuneifolia Guss. Gussone Pl. rar. 39.  
 — — — Visiani Dalm. 38.  
 — Cydonia L. Jacq. Fl. austr. 4, 342.  
 † — — — Gaertn. Carp. 87.  
 — — — Woodv. Med. 3, 182.  
 — — — Rousseau Bot. 40—42.  
 — — — Nees Düsseld. 304.  
 — dioica Moench. Moench Weissenstein 5.  
 — domestica L. Engl. Bot. 5, 350.  
 — edulis Willd. Guimpel Fr. Holzgew. 80.  
 — — — Watson Dendr. 1, 52.  
 — floribunda Ldl. Bot. Reg. 13, 1006.  
 — foliosa Wall. Wall. Pl. asiat. 189.  
 — grandifolia Ldl. Bot. Reg. 14, 1154.  
 — hybrida Moench. Moench Weissenstein 6.  
 — — — Guimpel Fr. Holzgew. 81.  
 — japonica Thunb. Jacq. Fragm. 136.  
 — — — Bot. Mag. 18, 692.  
 — — — Lodd. Cab. 541. 1594.



- Pyrus japonica* *Thunb.* Kerner Hort. 475.  
 — — — *Rehb.* Exot. 330.  
 — — — *indica* *Wall.* Wall. Pl. asiat. 173.  
 — — — *Malus* *L.* Fl. dan. 7, 1101.  
 — — — *Sv. Bot.* 229.  
 — — — *Engl. Bot.* 3, 179.  
 — — — *Schk. Handb.* 134.  
 — — — *Hartig* 77.  
 — — — *Schrank Fl. monac.* 4, 339.  
 — — — *Hayne* 4, 46.  
 — — — *Guimpel et Schl.* 61.  
 — — — *Nees Düsseld.* 303.  
 — — — *Wagner* 115, 116.  
 — — — *nivalis* *L. fil.* Jacq. Fl. austr. 2, 107.  
 — — — *Hartig* 79.  
 — — — *Sturm Flora* 9, 34.  
 — — — *Bot. Reg.* 18, 1484.  
 — — — *parviflora* *Desf.* Ann. Mus. 12, 4.  
 — — — *Desf. Choix* 59.  
 — — — *pinnatifida* *Ehrh.* Engl. Bot. 33, 2331.  
 — — — *pollveria* *L.* *Hartig* 80.  
 — — — *Lodd. Cab.* 1009.  
 † — — — *Spach Suites* 8.  
 — — — *rivularis* *Dougl.* Hook. Bor. Am. 68.  
 — — — *salicifolia* *L.* *Pallas Fl. ross.* 9.  
 — — — *Guimpel Fr. Holzgew.* 125.  
 — — — *Lodd. Cab.* 1120.  
 — — — *Bot. Reg.* 6, 514.  
 — — — *salviaefolia* *DC.* *Bot. Reg.* 18, 1482.  
 — — — *Sinai Du H.* *Watson Dendr.* 1, 49.  
 — — — *sinaica* *Thouin.* Mem. Mus. 1, 9.  
 — — — *Guimpel Fr. Holzgew.* 127.  
 — — — *sinensis* *Ldl.* *Bot. Reg.* 15, 1248.  
 — — — *sorbifolia* *Bosc.* *Watson Dendr.* 1, 53.  
 † — — — *Sorbus* *Gaertn.* *Gaertn. Carp.* 87.  
 — — — *spectabilis* *Ait.* *Bot. Mag.* 8, 267.  
 — — — *Schneevogt* Ic. 15.  
 — — — *Watson Dendr.* 1, 50.  
 — — — *Lodd. Cab.* 1729.  
 — — — *spuria* *DC.* *Bot. Reg.* 14, 1196.  
 — — — *forminalis* *Ehrh.* *Engl. Bot.* 5, 298.  
 — — — *Baxter Brit. Bot.* 2, 111.  
 — — — *Hartig* 74.  
*Pythium bulbiferum* *Schott.* *Wight Ic. pl. Ind. or.* 3, 783.  
*Pyxidantha barbulate* *Michx.* *Michaux Fl.* 17.  
 — — — *Bot. Mag.* 77, 4592.  
 — — — *Fl. d. serres* 7, 676.  
 — — — *Belgique hortic.* 2, 32.  
 — — — *granulata* *Michx.* *Lem. Jard. fl.* 150.  
 † *Pyxidanthus latifolius* *Naud.* *Ann. sc. nat. III.* 18, 6.  
 † *Quadria Rz et P.* *Ruiz et Pav. Prodr.* 33.  
 † — — — *Avellana* *Gaertn.* *Gaertn. Carp.* 220.  
 • — — — *heterophylla* *Rz et P.* *Ruiz et Pav. Fl.* 99.  
 † *Quadriala lanceolata* *S. et Z.* *Münchn. Abh.* 4, 2.  
*Qualea coerulea* *Aubl.* *Aublet Guiana* 2.  
 — — — *ecalearata* *Mart.* *Mart. Bras.* 78.  
 — — — *Rehb. Exot.* 332.  
 — — — *grandiflora* *Mart.* *Mart. Bras.* 79.  
 — — — *multiflora* *Mart.* *Mart. Bras.* 80.  
 — — — *parviflora* *Mart.* *Mart. Bras.* 81.  
 — — — *rosea* *Aubl.* *Aublet Guiana* 1.  
 — — — *Lam. Encycl.* 4.  
 † *Quamoclit Choisy.* *Mem. Genev.* 6, 1.  
*Quapira guianensis* *Aubl.* *Aublet Guiana* 119.  
*Quapoya Panaparari* *Aubl.* *Aublet Guiana* 344.  
 — — — *scandens* *Aubl.* *Aublet Guiana* 343.  
 — — — *Lam. Encycl.* 831.  
*Quaraibeia guianensis* *Aubl.* *Aublet Guiana* 276.  
 — — — *Cav. Diss.* 71.  
 — — — *Lam. Encycl.* 571.  
 † *Quartinia abyssinica* *A. Rich.* *Ann. sc. nat. II.* 14, 14.  
 — — — *turfosa* *Endl.* *Richard Abyssin.* 51.

- Quassia amara* *L.* *Linné Amoenit.* 6, 4.  
 — — — *Woodv. Med.* 3, 204.  
 — — — *Bot. Mag.* 14, 497.  
 — — — *Lodd. Cab.* 172.  
 — — — *Lam. Encycl.* 343.  
 — — — *Dict. sc. nat.* 125.  
 — — — *Desc. Ant.* 1, 5.  
 † — — — *Mem. Mus.* 12, 27.  
 — — — *Hayne* 9, 14.  
 — — — *Guimpel et Schl.* 238.  
 — — — *Nees Düsseld.* 381.  
 — — — *Wagner* 238.  
 — — — *excelsa* *Sw.* *Svensk Acad.* 1788, 8.  
 — — — *Transact. Edinb.* 3, 6.  
 — — — *Woodv. Med.* 5, 17.  
 — — — *Guimpel et Schl.* 239.  
 — — — *Wagner* 239.  
 — — — *polygama* *Lindsay.* *Transact. Edinb.* 3, 6.  
 — — — *Simaruba* *L.* *Transact. Edinb.* 2, 1, 2.  
 — — — *Woodv. Med.* 3, 203.  
 † — — — *Gaertn. Carp.* 70.  
 — — — *Lam. Encycl.* 343.  
 — — — *Desc. Ant.* 1, 14.  
 — — — *Wagner* 164.  
*Quebitea guianensis* *Aubl.* *Aublet Guiana* 327.  
 † *Queltia Salisb.* *Herbert Amar.* 38, 39, 41.  
 † — — — *juncifolia* *Herb.* *Herbert Amar.* 39, 43.  
 — — — *pusilla* *Herb.* *Herbert Amar.* 39, 43.  
 † *Quelusia Vand.* *Roemer Scriptores* 6.  
 † *Quercus L.* (*Arbores vetustae.*) *Rooke Oaks* 1—10.  
 ! — — — (—) *Strutt Sylva britannica* x.  
 ! — — — (—) *Mem. soc. Linn. Par.* 1, x.  
 ! — — — (—) *Deshayes Notice* 1826, 1.  
 ! — — — (—) *Annal. d'hortic.* 1838, x. 1839, x.  
 ! — — — (*Gallae.*) *Ann. sc. nat. III.* 19, 16—19.  
 — — — *acuminata* *Roxb.* *Wight Ic. pl. Ind. or.* 1, 221.  
 — — — *acutifolia* *H. B.* *Humb. Pl. aeq.* 95.  
 — — — *Aegilops* *L.* *Hayne* 12, 47.  
 — — — *agrifolia* *Née.* *Journ. Hort. Soc.* 6, 158.  
 — — — — — *Hook. Ic. pl.* 4, 377.  
 — — — *alba* *L.* *Michaux Chênes* 5.  
 — — — *Michaux Arb.* 2, 1.  
 — — — *Guimpel Fr. Holzgew.* 130.  
 — — — *Emerson Rep. Massach.* 1.  
 — — — *almaguerensis* *H. B.* *Humb. Pl. aeq.* 131.  
 — — — *alpestris* *Boiss.* *Boissier Esp.* 164.  
 — — — *ambigua* *Michx.* *Michaux Arb.* 2, 24.  
 — — — *H. B.* *Humb. Pl. aeq.* 93.  
 † — — — *angustata* *Bl.* *Blume Java* 4, 7.  
 † — — — *annulata* *Korth.* *Korthals Bot.* 46.  
 — — — *aquatica* *Catesb.* *Michaux Chênes* 19, 20, 21.  
 — — — *Michaux Arb.* 2, 17.  
 — — — *argentata* *Korth.* *Korthals Bot.* 47.  
 — — — *armata* *Roxb.* *Roxb. Corom.* 296.  
 — — — *Kerner Hort.* 669.  
 — — — *Wight Ic. pl. Ind. or.* 3, 770.  
 — — — *Aucherii* *Jaub.* *Jaubert Illustr.* 58.  
 — — — *aurca* *Kit.* *Rehb. Fl. germ.* 12, 645.  
 — — — *austriaca* *Willd.* *Guimpel Holzgew.* 142.  
 — — — *Wagner* 173.  
 — — — *Rehb. Fl. germ.* 12, 650.  
 — — — *Banisteri* *Michx.* *Michaux Chênes* 27.  
 — — — *Michaux Arb.* 2, 19.  
 — — — *bicolor* *Willd.* *Emerson Rep. Massach.* 14.  
 — — — *Blumeana* *Korth.* *Korthals Bot.* 44.  
 — — — *brutia* *Ten.* *Tenore Fl. nap.* 197.  
 — — — *Rehb. Fl. germ.* 12, 649.  
 — — — *calliprinos* *Webb.* *Jaubert Illustr.* 57.  
 — — — *Castanea* *Willd.* *Emerson Rep. Massach.* 5.  
 — — — *castaneaefolia* *C. A. M.* *Eichwald Cauc.* 1.  
 — — — *Jaubert Illustr.* 54.  
 — — — *castanicaarpa* *Roxb.* *Roxb. Corom.* 296.

- Quercus castanicaarpa* *Roxb.* Kerner Hort. 620.  
 — — — Wight Ic. pl. Ind. or. 3, 769.  
 — *Catesbaei* *Michx.* Michaux Chênes 29. 30.  
 — — — Michaux Arb. 2, 20.  
 — *Cerris* *L.* Hartig 14.  
 — — — Watson Dendr. 2, 92. 93.  
 — — — Hayne 12, 48.  
 — — — Rehb. Fl. germ. 12, 650.  
 — *chrysophylla* *H. B.* Humb. Pl. aeq. 87.  
 — *cinerea* *Michx.* Michaux Chênes 14.  
 — — — Michaux Arb. 2, 14.  
 — *coccifera* *L.* Russell Aleppo 15.  
 — — — Sibth. Fl. gr. 944.  
 — — — Watson Dendr. 2, 91.  
 — — — Nees Düsseld. Suppl. 120.  
 — — — Hayne 12, 44.  
 — — — Rehb. Fl. germ. 12, 643.  
 — *coccinea* *Wangenh.* Michaux Chênes 31. 32.  
 — — — Michaux Arb. 2, 23.  
 — — — Emerson Rep. Massach. 9.  
 — *conferta* *Kit.* Rehb. Fl. germ. 12, 646.  
 — *confertifolia* *H. B.* Humb. Pl. aeq. 94.  
 — *conglomerata* *Pers.* Rehb. Fl. germ. 12, 645.  
 — *corrugata* *Hook.* Hook. Ic. pl. 5, 403. 404.  
 — *costata* *Bl.* Blume Java 4, 13. 14.  
 — *crassifolia* *H. B.* Humb. Pl. aeq. 91.  
 — *crassipes* *H. B.* Humb. Pl. aeq. 83. 84.  
 — *cubana* *A. Rich.* Ramon Cuba 73.  
 — *cuspidata* *Thunb.* Kaempfer Japon. 38.  
 — — — Thunberg Ic. jap. 47.  
 — — — Sieb. Fl. Japon. 2.  
 — *cypria* *Jaub.* Jaubert Illustr. 56.  
 — *daphnoidea* *Bl.* Blume Java 4, 16.  
 — *dealbata* *Royle.* Royle Illustr. 84.  
 — *densiflora* *H. et A.* Hook. Ic. pl. 4, 380.  
 — *dentata* *Thunb.* Thunberg Ic. jap. 46.  
 — *depressa* *H. B.* Humb. Pl. aeq. 92.  
 — *Douglasii* *Hook.* Hook. Ic. pl. 4, 382. 383.  
 — *elegans* *Bl.* Blume Java 4, 10.  
 — *enclisacarpa* *Korth.* Korthals Bot. 45.  
 — *Esculus* *L.* Kerner Hort. 509.  
 — *Ewyckii* *Korth.* Korthals Bot. 46.  
 — *falcata* *Michx.* Michaux Chênes 28.  
 — — — Michaux Arb. 2, 21.  
 — *fenestrata* *Roxb.* Wight Ic. pl. Ind. or. 1, 219.  
 — *ferox* *Roxb.* Wight Ic. pl. Ind. or. 1, 218.  
 — *ferruginea* *Michx.* Michaux Arb. 2, 18.  
 — *foemina* *Roth.* Fl. dan. 7, 1180.  
 — *fructipendula* *Schrank.* Schrank Fl. monac. 1, 80.  
 — *gemelliflora* *Bl.* Blume Java 4, 17.  
 — *glaberrima* *Bl.* Blume Java 4, 8.  
 — *glabra* *Thunb.* Thunberg Ic. jap. 35.  
 — — — Sieb. Fl. Japon. 89.  
 — *glauca* *Thunb.* Kaempfer Japon. 17.  
 — *glaucescens* *H. B.* Humb. Pl. aeq. 78.  
 — *grandifolia* *Don.* Lambert Pinus 2, app. 2.  
 — *heterophylla* *Michx.* Michaux Arb. 2, 16.  
 — — — Belgique hort. 1, 9.  
 — *Humboldtii* *Bonpl.* Humb. Pl. aeq. 130.  
 — *Hystrix* *Korth.* Korthals Bot. 43.  
 — *iberica* *Stev.* Eichwald Cauc. 38.  
 — *Ilex* *L.* Watson Dendr. 2, 90.  
 — — — Rehb. Fl. germ. 12, 642.  
 — *ilicifolia* *Wangenh.* Guimpel Fr. Holzgew. 54.  
 — — — Emerson Rep. Massach. 11.  
 — *imbricaria* *Michx.* Michaux Chênes 15. 16.  
 — — — Michaux Arb. 2, 13.  
 — *induta* *Bl.* Blume Java 4, 12.  
 — *infectoria* *Oliv.* Olivier Voyage x.  
 — — — Willdenow Baumzucht 3.  
 — — — Woodv. Med. 5, 2.  
 — — — Nees Düsseld. 94.

- Quercus infectoria* *Oliv.* Guimpel et Schl. 21.  
 — — — Hayne 12, 45.  
 — *lamellosa* *Wall.* Wall. Pl. asiat. 149.  
 — *lancaefolia* *Roxb.* Wight Ic. pl. Ind. or. 1, 212.  
 — *lanceolata* *H. B.* Humb. Pl. aeq. 81.  
 — *lappacea* *Roxb.* Wight Ic. pl. Ind. or. 1, 220.  
 — *laurifolia* *Michx.* Michaux Chênes 17. 18.  
 — *laurina* *H. B.* Humb. Pl. aeq. 80.  
 — *lineata* *Bl.* Blume Java 4, 19.  
 — *lusitanica* *Lam.* Hook. Ic. pl. 6, 562.  
 — *lyrata* *Wall.* Michaux Chênes 4.  
 — — — Michaux Arb. 2, 5.  
 — *Mackiana* *Hook.* Hook. Ic. pl. 3, 224.  
 — *macrocarpa* *Michx.* Michaux Chênes 2. 3.  
 — — — Michaux Arb. 2, 3.  
 — — — Kerner Hort. 297.  
 — — — Emerson Rep. Massach. 2.  
 — — — Torrey New York 108.  
 — *Mesto* *Boiss.* Boissier Esp. 166.  
 — *mexicana* *H. B.* Humb. Pl. aeq. 82.  
 — — — Kerner Hort. 391.  
 — *molucca* *L.* Rumpf Amb. 3, 56.  
 — *montana* *Willd.* Emerson Rep. Massach. 6.  
 — — — Belgique hort. 1, 56.  
 — *nigra* *L.* Michaux Chênes 22. 23.  
 — — — Torrey New York 105.  
 — *obtusata* *H. B.* Humb. Pl. aeq. 76.  
 — — — Kerner Hort. 300.  
 — *obtusiloba* *Michx.* Michaux Chênes 1.  
 — — — Michaux Arb. 2, 4.  
 † *oïdocarpa* *Korth.* Korthals Bot. 47.  
 — *olivaeformis* *Michx.* Michaux Arb. 2, 2.  
 — *pallida* *Bl.* Blume Java 4, 4. 5.  
 — *palustris* *Du Roi.* Michaux Chênes 33. 34.  
 — — — Michaux Arb. 2, 25.  
 — — — Torrey New York 107.  
 — *pandurata* *H. B.* Humb. Pl. aeq. 77.  
 — *pedunculata* *L.* Schk. Handb. 301.  
 — — — Hartig 12.  
 — — — Hayne 6, 36.  
 — — — Nees Düsseld. 93.  
 — — — Guimpel et Schl. 19.  
 — — — Wagner 172.  
 — — — Rehb. Fl. germ. 12, 648.  
 † — — — Nees Gen. 4, 23.  
 † — — — Schacht Baum 4.  
 — *persica* *Jaub.* Jaubert Illustr. 55.  
 — *Phellos* *L.* Michaux Chênes 12. 13.  
 — — — Michaux Arb. 2, 12.  
 — — — Torrey New York 104.  
 — *placentaria* *Bl.* Blume Java 4, 9.  
 — *platycarpa* *Bl.* Blume Java 4, 15.  
 — *prinoides* *Willd.* Torrey New York 109.  
 — *Prinus* *L.* Michaux Chênes 6. 7. 8. 9.  
 — — — var. *acuminata*, Michaux Arb. 2, 9.  
 — — — var. *Chincapin*, Michaux Arb. 2, 10.  
 — — — var. *discolor*, Michaux Arb. 2, 6.  
 — — — var. *monticola*, Michaux Arb. 2, 8.  
 — — — var. *palustris*, Michaux Arb. 2, 7.  
 — *pruinosa* *Bl.* Blume Java 4, 1.  
 — *pseudo-coccifera* *Desf.* Bill. Syr. 5, 6.  
 — — — Boissier Esp. 165.  
 — *pseudo-moluccana* *Bl.* Blume Java 4, 6.  
 — *Pseudo-Suber* *Santi.* Santi Viaggi 1, 3.  
 — — — Sprengel Antiq. 1.  
 — — — Nees Düsseld. Suppl. 119.  
 — *pubescens* *Willd.* Hartig 13.  
 — — — Rehb. Fl. germ. 12, 647.  
 — *pulchella* *H. B.* Humb. Pl. aeq. 88.  
 — *pumila* *Wall.* Michaux Arb. 2, 15.  
 — *pyrenaica* *Willd.* Lam. Encycl. 779.  
 — *racemosa* *Lam.* Lam. Encycl. 779.

- Quercus repanda* *H. B.* Humb. Pl. aeq. 79.  
 — *reticulata* *H. B.* Humb. Pl. aeq. 86.  
 † — *Robur* *L.* Gaertn. Carp. 37.  
 — — — *Woodv.* Med. 1, 10.  
 — — — *Engl. Bot.* 19, 1342.  
 — — — *Baxter Brit. Bot.* 5, 371.  
 — — — *Sv. Bot.* 73.  
 — — — *β. lanuginosa*, *Rochel Banat.* 38.  
 — — — *Schk. Handb.* 301<sup>b</sup>.  
 — — — *Hartig* 11.  
 — — — *Hayne* 6, 35.  
 — — — *Nees Düsseld.* 92.  
 — — — *Guimpel et Schl.* 20.  
 — — — *Wagner* 171.  
 — — — *Rchb. Fl. germ.* 12, 644.  
 † — — — *Mem. Institut.* 1830, 8. 1850, 11.  
 — *rotundata* *Bl.* Blume Java 4, 11.  
 — *rubra* *L.* Michaux Chênes 35. 36.  
 — — — *Michaux Arb.* 2, 26.  
 — — — *Torrey New York* 106.  
 — — — *Emerson Rep. Massach.* 10.  
 — — — *Belgique hortic.* 1, 5.  
 — *sclerophylla* *Ldl.* Moore Mag. 1850. 2, p. 277.  
 — *semecarpifolia* *Wall.* Wall. Pl. asiat. 174.  
 — *semiserrata* *Roxb.* Wight Ic. pl. Ind. or. 1, 211.  
 — *sessiliflora* *Sm.* Engl. Bot. 26, 1845.  
 — *sideroxyla* *H. B.* Humb. Pl. aeq. 85.  
 — *Skinneri* *Benth.* Hook. Ic. pl. 5, 402.  
 — *spicata* *H. B.* Humb. Pl. aeq. 89.  
 — — — *Kerner Hort.* 342.  
 — — — *Wall. Pl. asiat.* 46.  
 — *squamata* *Roxb.* Wight Ic. pl. Ind. or. 1, 213.  
 — *stellata* *Wangenh.* Emerson Rep. Massach. 3.  
 — *stipularis* *H. B.* Humb. Pl. aeq. 90.  
 — *Suber* *L.* Watson Dendr. 2, 89.  
 — — — *Nees Düsseld. Suppl.* 119.  
 — — — *Hayne* 12, 43.  
 — — — *Rchb. Fl. germ.* 12, 641.  
 — *sundaica* *Bl.* Blume Java 4, 2. 3.  
 — *Thomasii* *Ten.* Tenore Fl. nap. 198.  
 — — — *Rchb. Fl. germ.* 12, 649.  
 — *tinctoria* *Bartr.* Michaux Chênes 24. 25.  
 — — — *Michaux Arb.* 2, 22.  
 — — — *Emerson Rep. Massach.* 7. 8.  
 — — — *Hayne* 12, 46.  
 — — — *Belgique hortic.* 1, 25. 3, 54.  
 — *tolimensis* *H. B.* Humb. Pl. aeq. 129.  
 — *tridens* *H. B.* Humb. Pl. aeq. 96.  
 — *triloba* *Michx.* Michaux Chênes 26.  
 — *trojana* *Webb.* Jaubert Illustr. 57.  
 — *turbinata* *Bl.* Blume Java 4, 18.  
 — — — *Wight Ic. pl. Ind. or.* 1, 221.  
 — *Turneri* *Willd.* Willdenow Baumzucht 3.  
 — *valentina* *Cav.* Cav. Ic. 129.  
 — *velutina* *Wall.* Wall. Pl. asiat. 150.  
 — *virens* *Ait.* Michaux Chênes 10. 11.  
 — — — *Michaux Arb.* 2, 11.  
 — *xalapensis* *H. B.* Humb. Pl. aeq. 75.  
 † *Quercia canadensis* *L.* Gaertn. Carp. 128.  
 — *hispanica* *L.* Lam. Encycl. 52.  
 — *trichotoma* *Thunb.* Thunberg Ic. jap. 41.  
*Quesnelia rufa* *Gaudich.* Gaudichaud Bonito 54.  
*Quiina guianensis* *Aubl.* Aublet Guiana 379.  
 † — — — *Gaertn. Carp.* 222.  
 † *Quillaia saponaria* *Poir.* Lam. Encycl. 774.  
*Quinchamalium chilense* *Lam.* Lam. Encycl. 142.  
 — *Dombeiyi* *Brongn.* Brongniart Coquille 52.  
 — *ericoides* *Brongn.* Brongniart Coquille 51.  
 — *gracile* *Brongn.* Brongniart Coquille 52.  
 — *majus* *Brongn.* Brongniart Coquille 51.  
 — *procumbens* *Rz et P.* Ruiz et Pav. Fl. 107.  
*Quintinia serrata* *Cunn.* Hook. Ic. pl. 6, 558.

- † *Quintinia Sieberi* *A. DC.* Flora 1832, 2.  
*Quisqualis ebracteata* *Pal. B.* Pal. B. Fl. d'Oware 35.  
 — *glabra* *Burm.* Burmann Fl. ind. 28.  
 — — — *Lam. Encycl.* 357.  
 — *indica* *L.* Bot. Mag. 46, 2033.  
 — — — *Bot. Reg.* 6, 492.  
 — — — *Maund Bot.* 2, 73.  
 — — — *Rchb. Exot.* 233.  
 — — — *Wight Illustr.* 92.  
 — — — *Spach Suites* 32.  
 — *pubescens* *Burm.* Rumpf Amb. 5, 38.  
 — — — *Burmann Fl. ind.* 35.  
 — — — *Lam. Encycl.* 357.  
 — *sinensis* *Ldl.* Bot. Reg. 30, 15.  
*Quivisia decandra* *Cav.* Cav. Diss. 211.  
 — *heterophylla* *Cav.* Cav. Diss. 213.  
 — — — *Lam. Encycl.* 302.  
 † — — — *Mem. Mus.* 19, 12.  
 — *oppositifolia* *Cav.* Cav. Diss. 214.  
 † — — — *Mem. Mus.* 19, 12.  
 — *ovata* *Cav.* Cav. Diss. 212.  
 — — — *Lam. Encycl.* 302.  
*Quoya cuneata* *Gaudich.* Freycinet Voyage 66.  
*Rabelaisia philippensis* *Planch.* Hook. Journ. 1845, 17. 18.  
*Racaria silvatica* *Aubl.* Aublet Guiana 382.  
*Racoubea guianensis* *Aubl.* Aublet Guiana 236.  
*Raddisia Sacramento.* Münchn. Denkschr. 7, 15.  
*Radiola linoides* *Gm.* Dietr. Fl. bor. 11, 728.  
 — *Millegrana* *Sm.* Engl. Bot. 13, 893.  
 — — — *Baxter Brit. Bot.* 3, 188.  
 — — — *Rchb. Fl. germ.* 6, 325.  
*Rafflesia Arnoldi* *R. Br.* Linn. Transact. 13, 15—22.  
 — — — ————— 19, 22—26.  
 — — — *Hook. Companion* 14.  
 — — — *Spach Suites* 131.  
 † — — — *Ann. sc. nat.* III, 14, 8.  
 † — — — *Schnizl. Iconogr.* 1, 41. 1, Suppl. 3.  
 — *Patma* *Bl.* Blume Java 11, 1. 2. 3.  
 — — — *Hook. Companion* 15.  
 — — — *Vriese Mémoire* 2.  
 — *Rochussenii* *Teysm.* Vriese Mémoire 1.  
*Rafnia angulata* *Thunb.* Delessert Ic. 3, 62.  
 — *retusa* *Vent.* Vent. Malm. 53.  
 — — — *Nouveau Duhamel* 4, 52.  
 — — — *Kerner Hort.* 163.  
 — *triflora* *Thunb.* Vent. Malm. 48.  
 — — — *Nouveau Duhamel* 4, 51.  
 — — — *Kerner Hort.* 254.  
 — — — *Lodd. Cab.* 611.  
 — — — *Maund Bot.* 5, 214.  
 — — — *Knowles et Westcott* 114.  
*Ragatelus eriophorus* *Presl.* Prager Abh. 6, 9.  
 † *Rajania cordata* *L.* Gaertn. Carp. 14.  
 — — — *Lam. Encycl.* 818.  
 — — — *Dict. sc. nat.* 50.  
*Railliardia linearis* *Gaudich.* Freycinet Voyage 83.  
*Ramangis Aub.* Aubert Orchid. 59.  
*Ramatuela argentea* *H. B. K.* H. B. K. Nov. Gen. 7, 656.  
*Ramirezia cubensis* *A. Rich.* Ramon Cuba 39.  
 † *Ramondia flexuosa* *Mirb.* Bull. philom. 1800, no. 47.  
 — *pyrenaica* *Rich.* Rivinus Opus ined. 83.  
 — — — *Lam. Encycl.* 917.  
 † *Ramphicarpa longiflora* *Benth.* Wight Illustr. 165<sup>b</sup>.  
*Rancagua Bridgesii* *P. et E.* Poepp. et Endl. 25.  
 — *Feullei* *P. et E.* Poepp. et Endl. 24.  
 † *Randalia decapularis* *Pal.* Ann. sc. nat. 13, 5.  
 † *Randia aculeata* *L.* Gaertn. Carp. 26.  
 — *Bowieana* *Cunn.* Bot. Mag. 62, 3409.  
 — *dumetorum* *Lam.* Rheede Hort. mal. 4, 13.  
 — — — *Lam. Encycl.* 156.  
 — — — *Wight Ic. pl. Ind. or.* 2, 580.  
 — *floribunda* *DC.* Wight Ic. pl. Ind. or. 2, 583.

- Randia latifolia* Lam. Lam. Encycl. 156.  
 — — — Desc. Ant. 2, 79.  
 — — — *longiflora* Lam. Lam. Encycl. 156.  
 — — — *Salisb.* Salisb. Parad. 93.  
 — — — *longispina* DC. Wight Ic. pl. Ind. or. 2, 582.  
 † — — — *mitis* L. Houston Reliq. 4.  
 — — — *nutans* DC. Wight Ic. pl. Ind. or. 2, 581.  
 — — — *parvifolia* Lam. Lam. Encycl. 156.  
 — — — *pubescens* Rz et P. Ruiz et Pav. Fl. 220.  
 — — — *speciosa* Hook. Hook. Ic. pl. 9, 824.  
 — — — *uliginosa* DC. Wight Ic. pl. Ind. or. 2, 397.  
 † *Ranunculus* L. Cesati Stirpes ital. x.  
 † — — — Gray Genera 9.  
 — — — *acaulis* Banks et Sol. Hook. Fl. ant. 2.  
 — — — *acetosellaefolius* Boiss. Boissier Esp. 1.  
 — — — *aconitifolius* L. Fl. dan. 1, 111.  
 — — — — Bot. Mag. 6, 204.  
 — — — — Dietr. Fl. bor. 5, 352.  
 — — — — Rchb. Fl. germ. 3, 7.  
 — — — *acris* L. Woodv. Med. 3, 172.  
 — — — — fl. pleno, Bot. Mag. 6, 215.  
 — — — — Curt. Lond. 1, 94.  
 — — — — Engl. Bot. 10, 652.  
 — — — — Baxter Brit. Bot. 4, 302.  
 — — — — Sv. Bot. 375.  
 — — — — Spach Suites 57.  
 — — — — Schrank Fl. monac. 2, 160.  
 — — — — Sturm Flora 12, 46.  
 — — — — Rchb. Fl. germ. 13, 16<sup>b</sup>. 17.  
 — — — — Dietr. Fl. bor. 3, 178.  
 — — — — Brandt und Ratzeb. 32.  
 † — — — — Nees Gen. X, x.  
 — — — *adscendens* Brot. Brotero Phytogr. 181.  
 — — — *affinis* R. Br. Hook. Bor. Am. 6.  
 — — — *Agerii* Bert. Opusc. sc. Bonon. 3, 6.  
 — — — *alpestris* L. Jacq. Fl. austr. 2, 110.  
 — — — — Engl. Bot. 34, 2390.  
 — — — — Sturm Flora 5, 19.  
 — — — — Rchb. Fl. germ. 3, 5.  
 — — — — Brandt und Ratzeb. 33.  
 — — — *amoenus* Led. Ledeb. Ic. 113.  
 — — — *amplexicaulis* L. Bot. Mag. 8, 266.  
 — — — — Lodd. Cab. 1593.  
 — — — — Delessert Ic. 1, 27.  
 — — — *anemonoides* Zahlbr. Rchb. Ic. crit. 8, 779.  
 — — — — Sturm Flora 12, 46.  
 — — — *angustifolius* DC. Delessert Ic. 1, 27.  
 — — — — var. *uniflorus*, Boissier Esp. 1.  
 — — — *apiifolius* Pers. Delessert Ic. 1, 26.  
 — — — *aquatilis* L. var.  $\delta$ . Fl. dan. 3, 376.  
 — — — — Engl. Bot. 2, 101.  
 † — — — — Godron Essai 1.  
 † — — — — Cosson Atlas 2.  
 † — — — — Schk. Handb. 152.  
 — — — —  $\alpha$ .  $\beta$ .  $\gamma$ .  $\delta$ .  $\epsilon$ . Sturm Flora 14, 67.  
 — — — — Rchb. Fl. germ. 3, 3.  
 — — — — Dietr. Fl. bor. 3, 183.  
 — — — *arvensis* L. Fl. dan. 2, 219.  
 — — — — Curt. Lond. 1, 26.  
 — — — — Engl. Bot. 2, 135.  
 — — — — Sv. Bot. 537.  
 † — — — — Schk. Handb. 152.  
 — — — — Sturm Flora 18, 82.  
 — — — — Rchb. Fl. germ. 3, 21.  
 — — — — Dietr. Fl. bor. 3, 182.  
 † — — — — Nees Gen. X, x.  
 † — — — *asiaticus* L. Hill prolif. Bl. 1, 2.  
 — — — — Pacho Voyage 99.  
 — — — — Sibth. Fl. gr. 518.  
 — — — — Rchb. Fl. germ. 3, 8.  
 — — — *aureus* Schleich. Rchb. Fl. germ. 3, 18.  
 — — — *auricomus* L. Fl. dan. 4, 665.

- Ranunculus auricomus* L. Curt. Lond. 1, 126.  
 — — — — Engl. Bot. 9, 624.  
 — — — — Sturm Flora 14, 59.  
 — — — — Rchb. Fl. germ. 3, 12—14.  
 — — — — Dietr. Fl. bor. 3, 175.  
 — — — — Linnaea 10, 2.  
 — — — *Balbisi* Moris. Moris Fl. sard. 1.  
 † — — — *Baudotii* Godr. Godron Essai 1.  
 † — — — *bellidiflorus* Gesn. Gesner Dissert. 1.  
 † — — — — Konig Annals 1, 9.  
 — — — *biternatus* Sm. Delessert Ic. 1, 24.  
 — — — — Hook. Ic. pl. 5, 497.  
 — — — *blepharicarpos* Boiss. Boissier Esp. 1<sup>a</sup>.  
 — — — *bonariensis* Poir. Delessert Ic. 1, 29.  
 — — — *brachiatus* Schleich. Rchb. Fl. germ. 3, 23.  
 — — — *brachyphyllus* Ten. Tenore Fl. nap. 149.  
 — — — *brevicaulis* Hook. Hook. Bor. Am. 7.  
 — — — *Breynianus* Crantz. Rchb. Ic. crit. 2, 140.  
 — — — *brutus* Ten. Tenore Fl. nap. 50.  
 — — — *bulbosus* L. Fl. dan. 4, 551.  
 — — — — Curt. Lond. 1, 148.  
 — — — — Engl. Bot. 8, 515.  
 — — — — Sv. Bot. 387.  
 — — — — Bigelow Med. 47.  
 † — — — — Schk. Handb. 152.  
 — — — — Roemer Fl. europ. 11, 3.  
 — — — — Schrank Fl. monac. 4, 314.  
 — — — — Sturm Flora 12, 46.  
 — — — — Dietr. Fl. bor. 3, 176.  
 — — — — Rchb. Fl. germ. 3, 20, 23.  
 † — — — — Plée Types 5.  
 — — — *bullatus* L. var. Tenore Fl. nap. 49.  
 — — — *bupleuroides* Brot. Brotero Phytogr. 79.  
 † — — — *caespitosus* Thuill. Godron Essai 2.  
 — — — *canadensis* Jacq. Jacq. Ic. 105.  
 — — — *cardiophyllus* Hook. Hook. Bor. Am. 5.  
 — — — — Bot. Mag. 57, 2999.  
 — — — *carinthiacus* Hoppe. Sturm Flora 12, 46.  
 — — — — Rchb. Fl. germ. 3, 16.  
 — — — *cassubicus* L. Sturm Flora 18, 82.  
 — — — — Rchb. Ic. crit. 2, 139.  
 — — — — Rchb. Fl. germ. 3, 14, 15.  
 — — — — Bot. Mag. 48, 2267.  
 — — — *Chamissonis* Schlecht. Schlechtend. Anim. 1, 1.  
 — — — *chilensis* DC. Hook. Beechey 3.  
 — — — *cicutarius* Schlecht. Schlechtendal Anim. 1, 4.  
 — — — *circinatus* Sibth. Engl. Bot. 2869.  
 — — — — Fl. dan. 13, 2236.  
 — — — — Rchb. Fl. germ. 3, 2.  
 † — — — — Cosson Atlas 1.  
 — — — *Columnae* All. Allione Fl. ped. 3, 67.  
 — — — *columnaris* Don. var.  $\beta$ . Sweet Fl. G. II. 361.  
 — — — *cortusaefolius* Willd. Delessert Ic. 1, 36.  
 — — — — Bot. Mag. 78, 4625.  
 — — — — Lem. Jard. fl. 239.  
 — — — *crenatus* W. et K. W. et Kit. 10.  
 — — — — Sturm Flora 12, 46.  
 — — — — Rchb. Fl. germ. 3, 5.  
 — — — *creticus* L. var. *macrophyllus*, Bot. Reg. 17, 1432.  
 — — — *crassipes* Hook. Hook. Fl. ant. 81.  
 — — — *cuneilobus* Dill. et Rich. Richard Abyssin. 3.  
 — — — *Cymbalariae* Pursh. Fl. dan. 13, 2293.  
 — — — *daucifolius* Stev. Bull. Mosc. 1852, 1, 7.  
 — — — *demissus* DC. var. *hispanicus*, Boissier Esp. 2.  
 — — — *digitatus* Hook. Hook. Journal 1851, 4.  
 — — — *dimorphorhizus* Brot. Brotero Phytogr. 180.  
 — — — *divaricatus* Schrank. Sturm Flora 14, 67.  
 † — — — — Godron Essai 2.  
 — — — *echinatus* Vent. Vent. Cels 73.  
 — — — — Mem. Tur. 4, 3.  
 — — — *Eschscholzii* Schlecht. Schlechtend. Anim. 2, 1.  
 — — — *falcatus* L. Jacq. Fl. austr. 1, 48.

- Ranunculus fascicularis *Mühlent.* Schlecht. *Anim.* 2, 2.  
 — — — *Hook.* *Bor. Am.* 8.  
 — — — *Gray* *Genera* 9.  
 — *Ficaria L.* *Fl. dan.* 3, 499.  
 — — — *Curt. Lond.* 2, 59.  
 — — — *Engl. Bot.* 9, 584.  
 — — — *Sv. Bot.* 17.  
 — — — *Hayne* 5, 27.  
 — — — *Sturm Flora* 3, 11.  
 † — — — *Verhandl. Rheinl.* 7, 3.  
 — *ficarioides Bory.* *Bory et Chaub. Morée* 15.  
 — *filiformis Michx.* *Barton Fl.* 2, 70.  
 — *flabellatus Desf.* *Desf. Fl. atl.* 114.  
 — — — *Sibth. Fl. gr.* 520.  
 — — — *Heuff.* *Rehb. Fl. germ.* 3, 13.  
 — *flagelliformis Sm.* *Schlechtendal Anim.* 1, 3.  
 — *Flamula L.* *Fl. dan.* 4, 575.  
 — — — *Curt. Lond.* 2, 39.  
 — — — *Woodv. Med.* 5, 15.  
 — — — *Engl. Bot.* 6, 387.  
 — — — *Sv. Bot.* 117.  
 † — — — *Lam. Encycl.* 498.  
 — — — *Schrank Fl. monac.* 4, 340.  
 — — — *Sturm Flora* 18, 82.  
 — — — *Brandt und Ratzeb.* 33.  
 — — — *Dietr. Fl. bor.* 3, 180.  
 — — — *Rehb. Fl. germ.* 3, 10.  
 — *fluitans Lam.* *Sturm Flora* 14, 67.  
 — — — *Rehb. Fl. germ.* 3, 2.  
 — — — *Engl. Bot.* 2870.  
 — — — *Godron Essai* 2.  
 — — — *Cosson Atlas* 2.  
 — *frigidus Willd.* *Rehb. Ic. crit.* 3, 289.  
 — *geoides H. B. K.* *H. B. K. Nov. Gen.* 5, 429.  
 — *geranifolius Hook.* *Hook. New Zeal.* 3.  
 — *geranioides H. B. K.* *H. B. K. Nov. Gen.* 5, 427.  
 — *glaberrimus Hook.* *Hook. Bor. Am.* 5.  
 — *glabriusculus Rupr.* *Ruprecht Fl. Samoj.* 1.  
 — *glacialis L.* *Linné Fl. lapp.* 3.  
 — — — *Fl. dan.* 1, 19.  
 — — — *Jacq. Collect.* 1, 8, 9.  
 — — — *Sv. Bot.* 747.  
 — — — *Sturm Flora* 5, 19.  
 — — — *Rehb. Fl. germ.* 3, 6.  
 — *Gouani Willd.* *Rehb. Fl. germ.* 3, 16.  
 — *gracilis Schleich.* *Rehb. Fl. germ.* 3, 16.  
 — *gramineus L.* *Bot. Mag.* 5, 164.  
 — — — *Engl. Bot.* 33, 2306.  
 — — — *Roemer Fl. europ.* 14, 3.  
 — — — *Rehb. Fl. germ.* 3, 10.  
 — *grandiflorus L.* *Ann. Mus.* 11, 31.  
 — — — *Desf. Choix* 44.  
 — *Gunnianus Hook.* *Hook. Journal* 1834, 133.  
 — *Guzmanni Humb.* *Delessert Ic.* 1, 34.  
 — *halophilus Schlecht.* *Schlechtendal Anim.* 1, 4.  
 — *hederaceus L.* *Fl. dan.* 2, 321.  
 — — — *Curt. Lond.* 1, 95.  
 — — — *Engl. Bot.* 28, 2003.  
 — — — *Sv. Bot.* 673.  
 — — — *Dreves* 4, 106.  
 — — — *Sturm Flora* 14, 67.  
 — — — *Rehb. Fl. germ.* 3, 2.  
 † — — — *Nees Gen. X,* x.  
 † — — — *Godron Essai* 1.  
 † — — — *Cosson Atlas* 1.  
 † — *heterophyllus L.* *Schk. Handb.* 152.  
 — *hirsutus Curt.* *Curt. Lond.* 1, 127.  
 — — — *Engl. Bot.* 21, 1504.  
 — — — *Rehb. Fl. germ.* 3, 23.  
 — *Hornschuchii Hoppe.* *Sturm Flora* 12, 46.  
 — *humilis Collie.* *Hook. Beechey* 2.  
 — *hybridus Biria.* *Sturm Flora* 5, 19.

- Ranunculus hybridus *Stoffels.* *Ann. gen.* 8, 129.  
 — *hydrophilus Hook.* *Hook. Fl. ant.* 82.  
 — *hyperboraeus Rottb.* *Sv. Bot.* 710.  
 — — — *Rehb. Pl. crit.* 1, 11.  
 — *javanicus Bl.* *Hook. Journal* 1848, 17.  
 — *illyricus L.* *Jacq. Fl. austr.* 3, 222.  
 — — — *Sturm Flora* 12, 46.  
 — — — *Rehb. Fl. germ.* 3, 8.  
 — — — *Lodd. Cab.* 1620.  
 — *incisus Hook.* *Hook. New Zeal.* 4.  
 — *insignis Hook.* *Hook. New Zeal.* 2.  
 — *insubricus Ces.* *Cesati Stirpes ital.* x.  
 — *kamtschaticus DC.* *Linnaea* 6, 7.  
 — *Krapfia DC.* *Delessert Ic.* 1, 35.  
 — *lacerus Bell.* *Mem. Tur.* 5, 9.  
 — — — *Rehb. Fl. germ.* 3, 7.  
 — *lanuginosus L.* *Fl. dan.* 3, 397.  
 — — — *Sibth. Fl. gr.* 519.  
 — — — *Schrank Fl. monac.* 4, 326.  
 — — — *Sturm Flora* 12, 46.  
 — — — *Dietr. Fl. bor.* 4, 287.  
 — — — *Rehb. Fl. germ.* 3, 19.  
 — *lapponicus L.* *Linné Fl. lapp.* 3.  
 — — — *Fl. dan.* 1, 144, 13, 2292.  
 † — — — *Wahlenberg Fl. lapp.* 8.  
 — — — *Sv. Bot.* 749.  
 — — — *Rehb. Pl. crit.* 1, 11.  
 — *lasiocarpus Led.* *Ledeb. Ic.* 112.  
 — *lateriflorus DC.* *Delessert Ic.* 1, 30.  
 — *Lenormandi Schultz.* *Engl. Bot.* 2930.  
 † — — — *Godron Essai* 1.  
 † — — — *Cosson Atlas* 1.  
 — *leptaleus DC.* *Delessert Ic.* 1, 33.  
 — *Lingua L.* *Fl. dan.* 5, 755.  
 — — — *Curt. Lond.* 5, 171.  
 — — — *Engl. Bot.* 2, 100.  
 — — — *Sv. Bot.* 636.  
 — — — *Dict. sc. nat.* 114.  
 — — — *Roemer Fl. europ.* 8, 5.  
 — — — *Sturm Flora* 18, 82.  
 — — — *Dietr. Fl. bor.* 3, 181.  
 — — — *Rehb. Fl. germ.* 3, 10.  
 — *lobatus Camb.* *Jacquemont Ind.* 1.  
 — *longicaulis Led.* *Ledeb. Ic.* 117.  
 † — *longirostris Godr.* *Godron Essai* 2.  
 — *macropus Hook. fl.* *Hook. Ic. pl.* 7, 634.  
 — *millefoliatus Vahl.* *Vahl Symbolae* 37.  
 — — — *Desf. Fl. atl.* 116.  
 — — — *Sibth. Fl. gr.* 521.  
 — — — *Rehb. Fl. germ.* 3, 9.  
 — — — *Bot. Mag.* 57, 3009.  
 — — — *var.  $\beta$ .* *Sweet Fl. G. II.* 248.  
 — *monspeliacus L.* *DC. Ic. Gall.* 50.  
 — — — *Rehb. Fl. germ.* 3, 8.  
 — — — *var.  $\beta$ .* *Sweet Fl. G.* 94.  
 — *montanus Willd.* *Sturm Flora* 5, 19.  
 — — — *Rehb. Fl. germ.* 3, 16.  
 — — — *var. personatus, Avé-Lallemant* 20.  
 — — — *Bot. Mag.* 57, 3022.  
 — — — *Lodd. Cab.* 1610.  
 — *mucronatus Bert.* *Novi Comm. Bonon.* 6, 8.  
 — *multiscapus Hook.* *Hook. New Zeal.* 5.  
 † — *muricatus L.* *Gaertn. Carp.* 74.  
 † — — — *Schk. Handb.* 152.  
 — — — *Lam. Encycl.* 498.  
 — — — *Sibth. Fl. gr.* 522.  
 — — — *Sturm Flora* 18, 82.  
 — — — *Rehb. Fl. germ.* 3, 22.  
 — *myriophyllus DC.* *Delessert Ic.* 1, 31.  
 — *natans Led.* *Ledeb. Ic.* 114.  
 — *neapolitanus Ten.* *Tenore Fl. nap.* 148.  
 — *memorosus DC.* *Pollini Fl. ver.* 2, 3.

- Ranunculus nemorosus* DC. Sturm Flora 12, 46.  
 — — — Rchb. Fl. germ. 3, 18.  
 — — — *nivalis* L. Linné Fl. lapp. 3.  
 † — — — Wahlenberg Fl. lapp. 8.  
 — — — Fl. dan. 10, 1699.  
 — — — Sv. Bot. 394r.  
 — — — Tenore Fl. nap. 237.  
 — — — Jacq. Fl. austr. 4, 325. 326.  
 — — — Sturm Flora 5, 19.  
 — — — Rchb. Pl. crit. 1, 2.  
 — — — *nivicola* Hook. Hook. Ic. pl. 6, 571. 572.  
 — — — *nodiflorus* L. W. et Kit. 176.  
 — — — var. Bot. Mag. 47, 2171.  
 — — — Rchb. Fl. germ. 3, 21.  
 — — — *oenanthifolius* Ten. Tenore Fl. nap. 237.  
 — — — *ophioglossifolius* Vill. Vill. Dauph. 49.  
 — — — Engl. Bot. 2833.  
 — — — Sturm Flora 14, 59.  
 — — — Rchb. Fl. germ. 3, 21.  
 — — — *oreophytus* Delile. Ferret Abyssin. 13.  
 — — — *orientalis* L. Delessert Ic. 1, 32.  
 — — — *orthorhynchus* Hook. Hook. Bor. Am. 9.  
 — — — *ovalis* Rafin. Hook. Bor. Am. 6.  
 — — — *Pallasii* Schlecht. Schlechtendal Anim. 1, 2.  
 † — — — *paradoxus* Weihe. Linnaea 10, 2.  
 — — — *parnassifolius* L. Bot. Mag. 11, 386.  
 — — — Lodd. Cab. 245.  
 — — — Jacq. Collect. 1, 9.  
 — — — Reiner Reisen 1, 5.  
 — — — Roemer Fl. europ. 4, 7.  
 — — — Sturm Flora 5, 19.  
 — — — Rchb. Fl. germ. 3, 4.  
 — — — *parviflorus* L. Fl. dan. 7, 1218.  
 — — — Engl. Bot. 2, 120.  
 — — — Sturm Flora 18, 82.  
 — — — Rchb. Fl. germ. 3, 22.  
 — — — *parvulus* Clairv. Rchb. Fl. germ. 3, 17.  
 — — — *pedatifidus* Sm. Hook. Bor. Am. 8.  
 — — — *pedatus* W. et K. W. et Kit. 108.  
 — — — Lodd. Cab. 351.  
 — — — Bot. Mag. 48, 2229.  
 — — — Rchb. Fl. germ. 3, 9.  
 — — — *peduncularis* Sm. Delessert Ic. 1, 42.  
 — — — *peruvianus* Pers. Delessert Ic. 1, 37.  
 — — — Hook. Ic. pl. 8, 745.  
 — — — *petiolaris* H. B. K. H. B. K. Nov. Gen. 5, 428.  
 — — — *Petiveri* Koch. Sturm Flora 18, 82.  
 † — — — Cosson Atlas 1.  
 — — — *petroselinus* Biria. Biria Renonc. 2.  
 — — — *Philonotis Ehrh.* Fl. dan. 9, 1459.  
 — — — Sturm Flora 18, 82.  
 — — — Diétr. Fl. bor. 10, 668.  
 † — — — Nees Gen. X, x.  
 — — — *Phthora Crantz.* Rchb. Fl. germ. 3, 9.  
 — — — *pilulifer* Hook. Hook. Ic. pl. 6, 600.  
 — — — *pimpinellifolius* R. Br. Hook. Ic. pl. 3, 260.  
 — — — *pinguis* Hook. Hook. Fl. ant. 1.  
 — — — *plantagineus* All. Allione Fl. ped. 3, 76.  
 — — — *plantaginifolius* Murr. Novi Comm. Gott. 8, 2.  
 — — — *platyspermus* DC. Ledeb. Ic. 115.  
 — — — *polyanthemus* L. Fl. dan. 10, 1700.  
 — — — Sturm Flora 18, 82.  
 — — — Rchb. Fl. germ. 3, 18.  
 — — — Diétr. Fl. bor. 4, 222.  
 — — — *polymorphus* All. Allione Fl. ped. 3, 82.  
 — — — *polypetalus* Gill. Royle Illustr. 11.  
 — — — *polyphyllus* W. et K. W. et Kit. 45.  
 — — — Rchb. Fl. germ. 3, 11.  
 — — — *polyrhizos* Willd. Marshall Cent. 19.  
 — — — Delessert Ic. 1, 38.  
 — — — *procerus* Moris. Moris Fl. sard. 2.  
 † — — — *prolifer* Oelh. Oelhafius Elenchus 3.

- Ranunculus pulchellus* Ledeb. Ledeb. Ic. 111.  
 — — — *Purshii* Rich. Hook. Bor. Am. 7.  
 — — — *pusillus* Poir. Delessert Ic. 1, 28.  
 — — — *pygmaeus* Wahlenb. Wahlenberg Fl. lapp. 8.  
 — — — Sv. Bot. 748.  
 — — — Rchb. Pl. crit. 1, 2.  
 — — — *pyrenaicus* L. Gouan Illustr. 17.  
 — — — Jacq. Misc. 1, 18.  
 — — — Roemer Fl. europ. 8, 4.  
 — — — Sturm Flora 5, 19.  
 — — — Rchb. Fl. germ. 3, 4.  
 — — — Delessert Ic. 1, 27.  
 — — — *radicans* Ledeb. Ledeb. Ic. 116.  
 — — — *recurvatus* Poir. Delessert Ic. 1, 41.  
 — — — *reniformis* Wall. Wight Illustr. 2.  
 — — — Wight Ic. pl. Ind. or. 1, 75.  
 — — — *repens* Amm. Fl. dan. 2, 331.  
 — — — L. Fl. dan. 5, 795.  
 — — — Curt. Lond. 1, 52.  
 — — — Engl. Bot. 8, 516.  
 — — — Sv. Bot. 400.  
 — — — Roemer Fl. europ. 12, 4.  
 — — — Sturm Flora 12, 46.  
 — — — Rchb. Fl. germ. 3, 20.  
 — — — Diétr. Fl. bor. 3, 177.  
 — — — *reptans* L. Linné Fl. lapp. 3.  
 — — — Lightf. Fl. scot. 1, 0.  
 — — — Fl. dan. 1, 108.  
 — — — Sturm Flora 18, 82.  
 — — — *rhoeadifolius* DC. Delessert Ic. 1, 40.  
 † — — — *rigidus* Godr. Godron Essai 2.  
 — — — *rutaefolius* L. All. Fl. ped. 3, 67.  
 — — — Jacq. Collect. 1, 6. 7.  
 — — — Sturm Flora 5, 19.  
 — — — *ruthenicus* Jacq. Jacq. Vind. 3, 31.  
 — — — *sagittaeifolius* Hook. Hook. Ic. pl. 2, 173.  
 — — — *saniculaefolius* Viv. Viviani Lib. 11.  
 — — — *scleratus* L. Fl. dan. 4, 571.  
 — — — Curt. Lond. 2, 45.  
 — — — Engl. Bot. 10, 681.  
 — — — Sv. Bot. 412.  
 — — — Liboschitz Pet. 22.  
 — — — Sturm Flora 18, 82.  
 — — — Rchb. Fl. germ. 3, 11.  
 — — — Diétr. Fl. bor. 3, 179.  
 — — — Brandt und Ratzeb. 32.  
 — — — *scutatus* W. et K. W. et Kit. 187.  
 — — — *Seguieri* Vill. Vill. Dauph. 49.  
 — — — Sturm Flora 5, 19.  
 — — — Rchb. Fl. germ. 3, 6.  
 — — — *sericeus* Poir. Delessert Ic. 1, 39.  
 — — — *seriocephalus* Hook. Hook. Fl. ant. 83.  
 — — — *spicatus* Desf. Desf. Fl. atl. 115.  
 — — — Bot. Mag. 77, 4585.  
 — — — Fl. d. serres 7, 666.  
 — — — Lem. Jard. fl. 148.  
 — — — *stenopetalus* Hook. Hook. Ic. pl. 7, 677.  
 — — — *Steveni* Andr. Rchb. Fl. germ. 3, 17.  
 — — — *subpinnatus* W. et Arn. Wight Ic. pl. Ind. or. 1, 49.  
 — — — *ternatus* Thunb. Thunberg Pl. japon. x.  
 — — — Delessert Ic. 1, 25.  
 — — — *Thomasii* Ten. Tenore Fl. nap. 146. 240.  
 — — — *Thora* L. Jacq. Fl. austr. 5, 442.  
 — — — Jacq. Obs. 13.  
 — — — Cesati Stirpes ital. x.  
 — — — Sturm Flora 14, 53.  
 — — — Rchb. Fl. germ. 3, 9.  
 — — — Brandt und Ratzeb. 33.  
 — — — *Traunfellneri* Hoppe. Flora 1819, 2.  
 — — — Sturm Flora 12, 46.  
 — — — Rchb. Fl. germ. 3, 5.  
 — — — *trilobus* Desf. Desf. Fl. atl. 113.

- Ranunculus tripartitus* DC. DC. Ic. Gall. 49.  
 — — — Fl. dan. 12, 1993.  
 — — — Engl. Bot. 2946.  
 — — — Sturm Flora 14, 67.  
 — — — Rchb. Fl. germ. 3, 2.  
 † — — — Godron Essai 1.  
 † — — — Cosson Atlas 1.  
 — trullifolius Hook. Hook. Fl. ant. 82.  
 — tuberosus Lapeyr. Rchb. Hort. 49.  
 — velutinus Ten. Tenore Fl. nap. 147.  
 — verrucosus Presl. Rchb. Fl. germ. 3, 22.  
 — Villarsii DC. Sturm Flora 12, 46.  
 — Wallichianus W. et A. Wight Ic. pl. Ind. or. 3, 937.  
 — — — Wight Spicil. 5.  
 † Ranunculaceae Juss. Biria Rénoncules 1.  
*Raoulia australis* Decne. Raoul Nouv. Zel. 15.  
 — grandiflora Hook. fil. Hook. New Zeal. 37.  
 — tenuicaulis Hook. fil. Hook. New Zeal. 36.  
*Rapanea guianensis* Aubl. Aublet Guiana 46.  
 — — — Lam. Encycl. 122.  
 † *Rapatea Friderici Augusti* Schb. Schomburgk Monogr. 1.  
 — gracilis P. et E. Poepp. et Endl. 168.  
 — paludosa Aubl. Aublet Guiana 118.  
 — — — Lam. Encycl. 226.  
 † — — — Ann. sc. nat. 13, 4.  
 † — — — Endl. Bras. 8, 17.  
 — pycnocephala Seub. Endl. Bras. 8, 17.  
 † *Rapateae* Endl. Schnizl. Iconogr. 1, 51<sup>a</sup>.  
*Raphanistrum arvense* Dietr. Dietr. Fl. bor. 6, 432.  
 † — *Lampasana* Gaertn. Gaertn. Carp. 143.  
 — *Landra Moretti*. Rchb. Fl. germ. 2, 3.  
 — maritimum Sm. Rchb. Fl. germ. 2, 3.  
 — segetum Baumg. Rchb. Fl. germ. 2, 3.  
 † — — — Nees Gen. X, x.  
*Raphanus amplexicaulis* Viv. Viviani Lib. 3.  
 — caudatus L. Linné Fasc. pl. ups. 10.  
 — cheiranthiflorus Willd. Willdenow Hortus 19.  
 — *Landra Moretti*. Poll. Fl. ver. 3, 4.  
 — — — Delessert Ic. 2, 94.  
 — maritimus Sm. Engl. Bot. 23, 1643.  
 — pinnatus Viv. Viviani Lib. 16.  
 — *Raphanistrum* L. Linné Amoenit. 6, 5.  
 — — — Winterl Index 13.  
 — — — Curt. Lond. 3, 91.  
 — — — Engl. Bot. 12, 856.  
 — — — Baxter Brit. Bot. 5, 359.  
 — — — Sv. Bot. 623.  
 — — — Schk. Handb. 189.  
 — — — Hayne 2, 15.  
 † — — — Webb Canar. 8<sup>a</sup>.  
 — recurvatus Pers. Delile Egypte 36.  
 — sativus L. Hayne 11, 41.  
 — — — Rchb. Fl. germ. 2, 3.  
 † — — — Gaertn. Carp. 143.  
 † — — — Lam. Encycl. 566.  
 † — — — Ann. sc. nat. 21, 5.  
 † — — — Plée Types 22.  
 † — — — Webb Canar. 8<sup>a</sup>.  
 † — — — Nees Gen. X, x.  
 † — — — Hoeven Tijdschr. 3, 7.  
 — sibiricus L. Novi Comm. Gott. 5, 11.  
*Raphia pedunculata* Poir. Pal. B. Fl. d'Oware 44. 45.  
 † — *ruffia* Mart. Mart. Palm. Z<sup>6</sup>. Z<sup>21</sup>.  
 — taedigera Mart. Wallace Palms 2. 16.  
 — vinifera Pal. B. Pal. B. Fl. d'Oware 44. 45. 46.  
 — — — Desc. Ant. 1, 33.  
*Raphiolepis japonica* S. et Z. Sieb. Fl. Japon. 85.  
 — indica Ldl. Bot. Reg. 6, 468.  
 — — — Mem. Tur. 31, 13.  
 — rubra Ldl. Lindley Collect. 3.  
 — salicifolia Ldl. Bot. Reg. 8, 652.  
*Raphistemma pulchellum* Wall. Paxt. Mag. 14, 27.

- Raphistemma pulchellum* Wall. Paxt. Fl. G. 101.  
 † *Rapistrum* Tournef. Medicus Gattungen 1.  
 † — — Desvaux Journal 5, 25.  
 — glabrum Host. Rchb. Fl. germ. 2, 2.  
 † — paniculatum Gaertn. Gaertn. Carp. 141.  
 † — — — Lam. Encycl. 974.  
 — perenne All. Rchb. Fl. germ. 2, 2.  
 — rugosum All. Allione Fl. ped. 3, 78.  
 — — — Rchb. Fl. germ. 2, 2.  
 † — — — Nees Gen. X, x.  
 † *Rapuntium syphiliticum* Gaertn. Gaertn. Carp. 30.  
*Raputia aromatica* Aubl. Aublet Guiana 272.  
 — — — Lam. Encycl. 10.  
 † *Raspalia microphylla* Ad. Br. Ann. sc. nat. 8, 37.  
*Ratzeburgia pulcherrima* Kth. Humb. Gram. 158.  
 † *Rauia* Nees et Mart. Acta Leop. 11. 1, 19.  
 — racemosa N. et M. Acta Leop. 11. 1, 24.  
 — resinosa N. et M. Acta Leop. 11. 1, 23.  
 † *Rauwolfia canescens* L. Gaertn. Carp. 52.  
 † — — — Lam. Encycl. 172.  
 — — — Desc. Ant. 3, 184.  
 — flexuosa R. et P. Ruiz et Pav. Fl. 152.  
 — glabra Cav. Cav. Ic. 297.  
 — heterophylla Willd. Hook. Ic. pl. 4, 366.  
 — macrophylla R. et P. Ruiz et Pav. Fl. 152.  
 — nitida L. Linné Hort. Cliff. 9.  
 — — — Lam. Encycl. 172.  
 — — — Lodd. Cab. 339.  
 — spinosa Cav. Cav. Ic. 526.  
 — ternifolia H. B. Bot. Mag. 50, 2440.  
 — tomentosa Jacq. Jacq. Hist. stirp. am. 46.  
 — — — Jacq. Obs. 35.  
*Ravenala madagascariensis* Sonnerat. Jacq. Schoenb. 1, 93.  
 — — — Lam. Encycl. 222.  
 — — — Endl. Iconogr. 42.  
 † — — — Gaudichaud Bonite 130.  
*Rayera teretifolia* Gaudich. Gaudichaud Bonite 108.  
 † *Rea Berteriana* Decne. Guillemain Arch. 1, 9. 10.  
 † — macrantha Bert. Guillemain Arch. 1, 9. 10.  
 — micrantha Bert. Guillemain Arch. 1, 9. 10.  
 — pinnata Bert. Guillemain Arch. 1, 9. 10.  
*Reaumuria filifolia* Jaub. Jaubert Illustr. 246.  
 — hirtella Jaub. Jaubert Illustr. 244.  
 — hypericoides Willd. Jacq. Ecl. pl. 62.  
 — — — Lam. Encycl. 489.  
 — — — Bot. Mag. 46, 2057.  
 — — — Bot. Reg. 10, 845.  
 — hyrcanica Jaub. Jaubert Illustr. 248.  
 — linifolia Salisb. Salisb. Parad. 18.  
 — mucronata Jaub. Jaubert Illustr. 245.  
 — squarrosa Jaub. Jaubert Illustr. 247.  
 — vermiculata L. Gmelin Reise 4, 18.  
 — — — DC. Plantes grasses 177.  
 — — — Lam. Encycl. 489.  
 — — — Schnizl. Iconogr. 220.  
 † *Reaumuria* Ehrenb. Schnizl. Iconogr. 220.  
*Reboulea gracilis* Kth. Humb. Gram. 84.  
*Rectangis* Aub. Aubert Orchid. 55.  
 † *Rectomitra galeata* Bl. Blume Mus. 1, 2.  
*Rectophyllis* Aub. Aubert Orchid. 95.  
*Redoutea heterophylla* Vent. Vent. Cels 11.  
*Redowskia sophiaefolia* Schlecht. Linnæa 1, 2.  
*Reevesia thyrsoidea* Ldl. Bot. Reg. 15, 1236.  
 — — — Bot. Mag. 71, 4199.  
 — — — Fl. d. serres 3, 206.  
 † *Regelia ciliata* Schauer. Acta Leop. 21. 1, 1.  
*Rehmannia chinensis* Fisch. et M. Bot. Reg. 23, 1960.  
 — — — Bot. Mag. 65, 3653.  
 — — — Knowles et Westcott 44.  
*Reichenbachia hirsuta* Spr. Bull. philom. 1823, 1.  
*Reidia fimbriata* Wight. Wight Ic. pl. Ind. or. 5, 1904.  
 — floribunda Wight. Wight Ic. pl. Ind. or. 5, 1903.

- Reidia latifolia* Wight. Wight Ic. pl. Ind. or. 5, 1904.  
 — *ovalifolia* Wight. Wight Ic. pl. Ind. or. 5, 1904.  
 — *polyphylla* Wight. Wight Ic. pl. Ind. or. 5, 1904.  
*Reifferscheidia speciosa* Presl. Presl Reliq. 62.  
*Reimaria acuta* Flügge. H. B. K. Nov. Gen. 1, 21.  
 † — — — Lam. Encycl. 909.  
 — — — Trin. Sp. Gr. 3, 275.  
 — *conferta* N. v. E. Trin. Sp. Gr. 3, 276.  
 † *Reinwardtia elongata* Korth. Korthals Bot. 12.  
 — *patens* Korth. Korthals Bot. 12.  
*Rejoua aurantiaca* Gaudich. Freycinet Voyage 61.  
*Relhania pungens* L'her. Bot. Reg. 7, 587.  
 — — — Lodd. Cab. 1175.  
 — *squarrosa* L'her. L'her. Sertum 29.  
*Remaclea funebris* Morr. Belgique hort. 3, 1.  
*Remirea maritima* Aubl. Aublet Guiana 16.  
 — — — Lam. Encycl. 37.  
 — — — Pal. B. Fl. d'Oware 73.  
 † — — — Séringe Mel. 1.  
*Remusatia vivipara* Schott. Wight Ic. pl. Ind. or. 5, 900.  
 — — — Annales de Gand 1846, 66.  
*Renanthera bilinguis* Rchb. fl. Rchb. Xenia 1, 4.  
 — *coccinea* Lour. Bot. Mag. 57, 2997. 2998.  
 — — — Bot. Reg. 14, 1131.  
 — — — Rchb. Exot. 114.  
 — — — Paxt. Mag. 4, 49.  
 — *matutina* Ldl. Bot. Reg. 29, 41.  
 — *moluccana* Bl. Blume Rumphia 193. 197.  
*Renealmia calcarata* Andr. Andr. Rep. 6, 421.  
 — — — Kerner Hort. 417.  
 — *exaltata* L. Roscoe Scit. 65.  
 — *fasciculata* Rosc. Roscoe Scit. 66.  
 — *grandiflora* R. Br. Sweet Fl. G. 64.  
 — — — Lodd. Cab. 993.  
 — *nutans* Andr. Andr. Rep. 5, 360.  
 † *Renealmia pendula* Gaertn. Gaertn. Carp. 182.  
*Rengifa peruviana* P. et E. Poepp. et Endl. 210.  
*Requienia obcordata* DC. DC. Legum. 37.  
 — *shaerosperma* DC. DC. Legum. 38.  
 † *Reseda* L. (Buchenau.) Bot. Zeitung 1853, 8.  
 — *alba* L. Sibth. Fl. gr. 459.  
 — — — Rchb. Fl. germ. 2, 101.  
 — — — Wight Illustr. 15.  
 — *collina* Gay. Explor. Alger. 71.  
 — *complicata* Bory. Boissier Esp. 22.  
 — *crystallina* Webb. Webb Canar. 9.  
 — *Durieuana* Gay. Explor. Alger. 71.  
 — *fruticulosa* L. Jacq. Ic. 474.  
 — — — Engl. Bot. 2628.  
 — *Gayana* Boiss. Boissier Esp. 21.  
 — *gracilis* Ten. Tenore Fl. nap. 230.  
 — — — Rchb. Fl. germ. 2, 102.  
 — *inodora* Rchb. Rchb. Fl. germ. 2, 99.  
 — *lanceolata* Lag. Boissier Esp. 19.  
 — *lutea* L. Jacq. Fl. austr. 4, 353.  
 — — — Engl. Bot. 5, 321.  
 — — — Baxter Brit. Bot. 1, 15.  
 — — — Lam. Encycl. 410.  
 — — — Diet. sc. nat. 187.  
 — — — Dietr. Fl. bor. 11, 778.  
 !! — — — Rchb. Fl. germ. 2, 100.  
 — *Luteola* L. Fl. dan. 5, 864.  
 — — — Engl. Bot. 5, 320.  
 — — — Sv. Bot. 82.  
 † — — — Mem. Instit. 1830, 3.  
 † — — — Ann. sc. nat. 17, 14.  
 — — — Schk. Handb. 129.  
 — — — Dreves 3, 99.  
 — — — Dietr. Fl. bor. 6, 420.  
 — — — Rchb. Fl. germ. 2, 99.  
 — *mediterranea* L. Jacq. Ic. 475.  
 — — — Rchb. Fl. germ. 2, 99.

- Reseda mediterranea* L. Lindley Collect. 22.  
 — *odorata* L. Bot. Mag. 1, 29.  
 — — —  $\beta$ . *suffrutescens*, Bot. Reg. 3, 227.  
 † — — — Spach Suites 129.  
 — — — Rchb. Fl. germ. 2, 99.  
 ! — — — (Henslow.) Tr. Cambr. Soc. 5, 1. 2.  
 † — — — *Phyteuma* L. Gaertn. Carp. 76.  
 † — — — Lam. Encycl. 410.  
 — — — Jacq. Fl. austr. 2, 132.  
 — — — Rchb. Fl. germ. 2, 99.  
 † — *podocarpa* Viv. Viviani Aeg. 2.  
 — *scoparia* Brouss. Webb Canar. 10.  
 — *sesamoides* L. All. Fl. ped. 3, 88.  
 — — — DC. Ic. Gall. 40.  
 † — — — Lam. Encycl. 410.  
 † — — — Ann. Mus. 18, 21.  
 — *suffruticulosa* L. Rchb. Fl. germ. 2, 101.  
 † — *tridens* Viv. Viviani Aeg. 2.  
 † — *undata* L. Schk. Handb. 129.  
 — — — Rchb. Fl. germ. 2, 101.  
 — — — Boissier Esp. 20.  
*Resedella subulata* Webb. Webb Canar. 11.  
 † *Restiaceae* R. Br. Schnizl. Iconogr. 1, 45.  
 † *Restio* L. Linné Gramin. 1.  
 † — — — Acta Leop. 17, 1, 5.  
 — *aristatus* Thunb. Thunberg Monogr. x.  
 — — — Usteri Delectus 1, 2.  
 — *cernuus* Thunb. Thunberg Monogr. x.  
 — — — Usteri Delectus 1, 2.  
 † — *chondropetalus* N. v. E. Schnizl. Iconogr. 1, 45.  
 — *compressus* Rottb. Rottboell Deser. 2.  
 — — — Schnizl. Iconogr. 1, 45.  
 — *dichotomus* Rottb. Rottboell Deser. 1.  
 † — — — Gaertn. Gaertn. Carp. 82.  
 — *distachyos* Rottb. Rottboell Deser. 3.  
 — *distichus* Rottb. Rottboell Deser. 2.  
 — *eriphorus* Rchb. Schnizl. Iconogr. 1, 45.  
 — *imbricatus* Thunb. Thunberg Monogr. x.  
 — — — Usteri Delectus 1, 2.  
 — *paniculatus* Rottb. Rottboell Deser. 2.  
 † — *racemosus* Lam. Lam. Encycl. 804.  
 † — *scariosus* Thunb. Gaertn. Carp. 181.  
 — *spicifer* Lam. Lam. Encycl. 804.  
 — *spicigerus* Thunb. Thunberg Monogr. x.  
 — — — Usteri Delectus 1, 2.  
 † — *squarrosus* Thunb. Lam. Encycl. 804.  
 — *tectorum* L. fl. Schnizl. Iconogr. 1, 45.  
 — *tetraphyllum* Lab. Bill. Nov. Holl. 226. 227.  
 — — — Diet. sc. nat. 34. 35.  
 — *thyrsifer* Rottb. Rottboell Deser. 3.  
 † — — — Lam. Encycl. 804.  
 — *triflorus* Rottb. Rottboell Deser. 2.  
 — *triticeus* Rottb. Rottboell Deser. 3.  
 — *umbellatus* Thunb. Thunberg Monogr. x.  
 — — — Usteri Delectus 1, 2.  
 — *verticillaris* Thunb. Thunberg Monogr. x.  
 — — — Usteri Delectus 1, 2.  
 — *vimineus* Rottb. Rottboell Deser. 2.  
 — *virgatus* Rottb. Rottboell Deser. 1.  
*Restrepia antennifera* H. B. K. H. B. K. Nov. Gen. 1, 94.  
 — — — Lam. Encycl. 991.  
 — — — Fl. d. serres 7, 743.  
 — *tentaculata* P. et E. Poepp. et Endl. 59.  
 — *vittata* Ldl. Journal Hort. Soc. 3, 314.  
*Retama monosperma* Boiss. Webb Otia 17.  
 † *Retanilla obcordata* Ad. Br. Ann. sc. nat. 10, 14.  
 † *Retinaria volubilis* Gaertn. Gaertn. Carp. 120.  
*Retiniphyllum secundiflorum* H. B. Humb. Pl. aeq. 25.  
 — — — Lam. Encycl. 922.  
*Retinispora obtusa* S. et Z. Sieb. Fl. Japon. 121.  
 — *pisifera* S. et Z. Sieb. Fl. Japon. 122.



- Retinispora squarrosa *S. et Z.* Sieb. Fl. Japon. 123.  
 Retinodendron Rassak *Korth.* Korthals Bot. 8.  
 †Retzia capensis *Thumb.* Lam. Encycl. 103.  
 Reutera gracilis *Boiss.* Boissier Esp. 69.  
 — procumbens *Boiss.* Boissier Esp. 70.  
 Reyesia chilensis *Gay.* Gay Chile 52.  
 Reynaudia filiformis *Kth.* Humb. Gram. 9.  
 Rhabdia lycioides *Mart.* Mart. Bras. 195.  
 — viminea *Dalz.* Hook. Ic. pl. 9, 823.  
 Rhadodothea picridioides *Webb.* Hook. Ic. pl. 8, 766.  
 — — Hook. Niger Fl. 11.  
 Rhagadiolus Koelpinia *Lam.* Lam. Encycl. 655.  
 † — lyratus *Lam.* Lam. Encycl. 655.  
 † — stellatus *Gaertn.* Gaertn. Carp. 157.  
 † — — Lam. Encycl. 655.  
 †Rhamneae *Ad. Br.* Ann. sc. nat. 10, 12—17.  
 †Rhamnus *L.* Gray Genera 168.  
 — Alaternus *L.* Nouveau Duhamel 3, 14.  
 — — Dict. sc. nat. 270.  
 † — — Ann. sc. nat. 10, 13.  
 † — — Spach Suites 15.  
 — alnifolius *L'her.* Guimpel Fr. Holzgew. 61.  
 — — Hook. Bor. Am. 42.  
 — alpinus *L.* Nouveau Duhamel 3, 13.  
 — — Sturm Flora 13, 51.  
 — — Lodd. Cab. 1077.  
 — — Hartig 65.  
 — buxifolius *Poir.* Nouveau Duhamel 3, 12.  
 — carpinifolius *Pall.* Pallas Fl. ross. 60.  
 — catharticus *L.* var. sibirica, Pallas Fl. ross. 61.  
 — — Fl. dan. 5, 850.  
 — — Woodv. Med. 3, 210.  
 — — Engl. Bot. 23, 1629.  
 — — Sv. Bot. 307.  
 — — Lam. Encycl. 128.  
 — — Nouveau Duhamel 3, 10.  
 † — — Ann. sc. nat. 10, 13.  
 — — Hartig 64.  
 — — Schrank Fl. monac. 4, 304.  
 — — Hayne 5, 43.  
 — — Guimpel et Schl. 84.  
 — — Nees Düsseld. 358.  
 — — Wagner 37, 38.  
 — colubrinus *L.* Jacq. Hist. stirp. am. 74.  
 — — Jacq. Vind. 3, 50.  
 — coriaceus *N. v. E.* Horae berolin. 23.  
 — crenulatus *Ait.* Webb Canar. 67.  
 — cubensis *L.* Jacq. Hist. stirp. am. 75.  
 — — Jacq. Vind. 3, 49.  
 — elegans *H. B. K.* H. B. K. Nov. Gen. 7, 619.  
 — erythroxylo *Pall.* Pallas Fl. ross. 62.  
 — ferreus *Vahl.* Vahl Symbolae 58.  
 — Frangula *L.* Fl. dan. 2, 278.  
 — — Engl. Bot. 4, 250.  
 — — Baxter Brit. Bot. 3, 219.  
 — — Sv. Bot. 109.  
 — — Lam. Encycl. 128.  
 — — Nouveau Duhamel 3, 15.  
 † — — Ann. sc. nat. 10, 13.  
 † — — Gaertn. Carp. 106.  
 — — Schk. Handb. 46.  
 — — Guimpel Holzgew. 14.  
 — — Schrank Fl. monac. 2, 109.  
 — — Hayne 5, 44.  
 — — Nees Düsseld. 359.  
 — glandulosus *Ait.* Vent. Malm. 34.  
 — hirsutus *W. et A.* Wight Spicil. 49.  
 — — Wight Ic. pl. Ind. or. 3, 978.  
 — Humboldtianus *R. et Sch.* H. B. K. Nov. Gen. 7, 618.  
 — hydiensis *Hacq.* Hacquet Pl. alp. 2.  
 — ignaneus *L.* Cav. Ic. 294.  
 — infectorius *L.* Nouveau Duhamel 3, 11.

- Rhamnus infectorius *L.* Guimpel Fr. Holzgew. 99.  
 — — Visiani Dalm. 37.  
 — Jujuba *L.* Rumpf Amb. 2, 36.  
 — lanceolatus *Pursh.* Gray Genera 168.  
 — latifolius *L'her.* L'her. Sertum 8.  
 — — Bot. Mag. 53, 2663.  
 — — Watson Dendr. 1, 11.  
 — — Guimpel Fr. Holzgew. 100.  
 — lineatus *L.* Osbeck Reise 7.  
 — lycioides *Pall.* Pallas Fl. ross. 63.  
 — — *L.* Cav. Ic. 182.  
 — microphyllus *Willd.* H. B. K. Nov. Gen. 7, 616.  
 — Naepca *L.* Rumpf Amb. 2, 37.  
 — oleifolius *Hook.* Hook. Bor. Am. 44.  
 — oleoides *L.* Moris Fl. sard. 26.  
 — paliuroides *Pall.* Pallas Fl. ross. 59.  
 — Paliurus *L.* Pallas Fl. ross. 64.  
 — persicaefolius *Moris.* Moris Fl. sard. 27.  
 — prinoides *L'her.* L'her. Sertum 9.  
 — pubescens *Sibth.* Sibth. Fl. gr. 239.  
 — pumilus *L.* Jacq. Collect. 2, 11.  
 — — Cav. Ic. 181.  
 — — Roemer Fl. europ. 10, 3.  
 — Purshianus *DC.* Hook. Bor. Am. 43.  
 — pusillus *Ten.* Tenore Fl. nap. 123.  
 — rupestris *Scop.* Scopoli Fl. carn. 1, 5.  
 — saxatilis *L.* Jacq. Fl. austr. 1, 53.  
 — — Guimpel Fr. Holzgew. 98.  
 — scandens *Hill.* Hill Hort. Kew. 20.  
 — serrulatus *H. B. K.* H. B. K. Nov. Gen. 7, 617.  
 — tinctorius *W. et K.* W. et Kit. 255.  
 — — Guimpel Fr. Holzgew. 97.  
 — trinervius *Cav.* Cav. Ic. 505.  
 — umbellatus *Cav.* Cav. Ic. 504.  
 — volubilis *L.* Jacq. Ic. 336.  
 — Wightii *Wight et Arn.* Wight Ic. pl. Ind. or. 1, 159.  
 Rhamphicarpa longiflora *Benth.* Wight Ic. pl. 4, 1415.  
 † — — Wight Illustr. 165<sup>b</sup>.  
 Rhantherium suaveolens *Desf.* Desf. Fl. atl. 240.  
 — — Lam. Encycl. 986.  
 Rhaphidospora glabra *N. v. E.* Wight Ic. pl. 4, 1554.  
 Rhaphiolepis rubra *Ldl.* Bot. Reg. 17, 1400.  
 Rhaphis trivialis *Lour.* Trin. Sp. Gr. 1, 8, 9.  
 Rhapis fabelliformis *L. fil.* Bot. Mag. 33, 1371.  
 — — Jacq. Schoenbr. 3, 316.  
 — — Mart. Palm. 144.  
 Rhabdistemma pulchellum *Wall.* Wall. Pl. asiat. 163.  
 — — Paxt. Fl. G. 101.  
 — — Fl. d. serres 3, 228.  
 — — Lem. Jard. fl. 4, 353.  
 — — Paxt. Mag. 14, 27.  
 Rhaptostylum acuminatum *H. B.* Humb. Pl. acq. 125.  
 — — H. B. K. Nov. Gen. 7, 621.  
 — — Lam. Encycl. 957.  
 Rhazia stricta *Decne.* Jacquemont Ind. 111.  
 Rheedia lateriflora *L.* Tussac Ant. 3, 32.  
 — — Lam. Encycl. 457.  
 — — Desc. Ant. 5, 343.  
 Rheum australe *Don.* Hayne 12, 6.  
 — — Nees Düsseld. Suppl. 101, 102.  
 — — Sweet Fl. G. 269.  
 — — caspicum *Pall.* Pallas Fl. ross. 3, 21.  
 † — — compactum *L.* Gaertn. Carp. 119.  
 † — — Lam. Encycl. 324.  
 — — Hayne 12, 9.  
 — — Nees Düsseld. 121.  
 † — — digynum *Wahlenb.* Wahlenberg Fl. lapp. 9.  
 — — Sv. Bot. 692.  
 — — Emodi *Wall.* Bot. Mag. 63, 3508.  
 — — Guimpel et Schl. 182.  
 — — hybridum *Murr.* Comm. Gott. 2, 1.  
 † — — Novi Comm. Gott. 5, 12.

- Rheum hybridum* Murr. Nees Düsseld. Suppl. 28—30.  
 — *leucorrhizum* Pall. Ledeb. Ic. 491.  
 — *nutans* Pall. Pallas Fl. ross. 3, 18, 19.  
 — *palmatum* L. Linné Fasc. pl. ups. 4.  
 — — Pallas Fl. ross. 3, 22, 23.  
 † — — Gaertn. Carp. 119.  
 † — — Lam. Encycl. 324.  
 — — Woodv. Med. 4, 231.  
 — — Hayne 12, 10.  
 — — Nees Düsseld. 118—120.  
 — *Rhabarbarum* L. Linné Amoenit. 3, 4.  
 — — Gil et Suarez 25.  
 — — Schk. Handb. 110.  
 — *Rhaponticum* L. Hayne 12, 7.  
 — — Nees Düsseld. 113—115.  
 — — Rehb. Hort. 129.  
 — *Ribes* L. Ann. Mus. 2, 49.  
 — *sibiricum* Pall. Pallas Fl. ross. 3, 24, 25.  
 — *spiciforme* Royle. Royle Illustr. 78.  
 — *undulatum* L. Pallas Fl. ross. 3, 20.  
 † — — Gaertn. Carp. 119.  
 † — — Lam. Encycl. 324.  
 — — Woodv. Med. 5, 24.  
 — — Wagner 241, 242.  
 — — Nees Düsseld. 116, 117.  
 — — Hayne 12, 8.  
 — — Rehb. Hort. 117.  
 — *Webbianum* Royle. Royle Illustr. 99 or 78<sup>a</sup>.  
*Rhexia* *adamantium* St. Hil. Humb. Melast. 60.  
 — *angustrensis* H. B. Humb. Melast. 29.  
 — *aquatica* Sw. Humb. Melast. 40.  
 — *berberifolia* H. B. Humb. Melast. 42.  
 — *Bonplandii* Kth. Humb. Melast. 18.  
 — *campanularis* H. B. Humb. Melast. 14.  
 — *canescens* H. B. Humb. Melast. 6, 18.  
 — *capitata* H. B. Humb. Melast. 32.  
 — *cardinalis* H. B. Humb. Melast. 37.  
 — — Kerner Hort. 599.  
 — *cernua* H. B. Humb. Melast. 13.  
 — *chamaecistus* Sieber. Rehb. Hort. 65.  
 — *ciliosa* Michx. Pursh Fl. 10.  
 — — Sweet Fl. G. 298.  
 — *circaeifolia* H. B. Humb. Melast. 39.  
 — *conferta* H. B. Humb. Melast. 20.  
 — *corymbosa* Raddi. Mem. Mod. 20, 9.  
 — *dichranthera* Rz et P. Ruiz et Pav. Fl. 320.  
 — *divaricata* H. B. Humb. Melast. 22.  
 — *diversifolia* H. B. Humb. Melast. 45.  
 — *echinata* Rz et P. Ruiz et Pav. Fl. 319.  
 — *elegans* Bonpl. Spach Suites 30.  
 — *elliptica* Raddi. Mem. Mod. 20, 8.  
 — *Espora* St. Hil. Humb. Melast. 58.  
 — *estrellensis* Raddi. Mem. Mod. 20, 8.  
 — *excelsa* H. B. Humb. Melast. 34.  
 — *flexuosa* Rz et P. Ruiz et Pav. Fl. 320.  
 — *Fontanesii* H. B. Humb. Melast. 36.  
 — — Kerner Hort. 603.  
 — — Rehb. Exot. 236.  
 — *glabella* Michx. Humb. Melast. 44.  
 — *glandulosa* H. B. Bonpl. Malm. 27.  
 — *glomerata* Rottb. Rottboell Surinam 4.  
 — — Lodd. Cab. 334.  
 — *glutinosa* L. fil. Humb. Melast. 17.  
 — *gracilis* H. B. Humb. Melast. 52.  
 — *grandiflora* H. B. Humb. Melast. 11.  
 — *herbacea* Raddi. Mem. Mod. 20, 8.  
 — *heteranthera* H. B. Humb. Melast. 33.  
 — *Hilariana* H. B. Humb. Melast. 56.  
 — *holoserica* H. B. Humb. Melast. 12.  
 — — Lodd. Cab. 236.  
 — — Bot. Reg. 4, 323.  
 — — Herb. amat. 5, 321.

- Rhexia* *holoserica* H. B. Kerner Hort. 353.  
 — *imbricata* Thunb. Thunberg Pl. bras. 2.  
 — *indecora* H. B. Humb. Melast. 49.  
 — *ladanoides* H. B. Humb. Melast. 27.  
 — *lanceolata* H. B. Humb. Melast. 21.  
 — — Lam. Encycl. 283.  
 — *Langsdorffiana* H. B. Humb. Melast. 51.  
 — *latifolia* Aubl. Aublet Guiana 129.  
 — *lepidota* H. B. Humb. Melast. 15.  
 — — Kerner Hort. 328.  
 — *leptophylla* H. B. Humb. Melast. 24.  
 — *Leuzeana* H. B. Humb. Melast. 54, 55.  
 — *longifolia* Vahl. Vahl Ic. 15.  
 — *lutea* Michx. Pursh Fl. 10.  
 — *lutescens* Rz et P. Ruiz et Pav. Fl. 319.  
 † — *mariana* L. Gaertn. Carp. 112.  
 — — Lam. Encycl. 283.  
 — — Humb. Melast. 47.  
 — — Barton Fl. 1, 27.  
 — — Lodd. Cab. 366.  
 — — Maund Bot. 1, 28.  
 — — var.  $\beta$ . Pursh. Sweet Fl. G. 41.  
 — *microphylla* H. B. Humb. Melast. 2.  
 — *mollis* H. B. Humb. Melast. 19.  
 — — Kerner Hort. 312.  
 — *multiflora* H. B. Humb. Melast. 16.  
 — *muricata* H. B. Humb. Melast. 1.  
 — *myrtoidea* H. B. Humb. Melast. 3.  
 — *nummularioides* H. B. Humb. Melast. 23.  
 — *nymphaeifolia* H. B. Humb. Melast. 53.  
 — *ochypetala* Rz et P. Ruiz et Pav. Fl. 321.  
 — *ornata* H. B. Humb. Melast. 26.  
 — *pendulifolia* H. B. Bonpland Malm. 26.  
 — *piloselloides* H. B. Humb. Melast. 5.  
 — *polystachya* H. B. Humb. Melast. 38.  
 — *princeps* H. B. Humb. Melast. 46.  
 — — Rehb. Exot. 237.  
 — *pumila* H. B. Humb. Melast. 35.  
 — *quinquenervis* Rz et P. Ruiz et Pav. Fl. 321.  
 — *radula* H. B. Humb. Melast. 41.  
 — *reticulata* H. B. Humb. Melast. 9.  
 — — Rehb. Exot. 238.  
 — *rosmarinifolia* Rz et P. Ruiz et Pav. Fl. 318.  
 — *rotundifolia* H. B. Humb. Melast. 25.  
 — *sarmentosa* H. B. Humb. Melast. 10.  
 — *scoparia* St. Hil. Humb. Melast. 59.  
 — *sebastianopolitana* Raddi. Mem. Mod. 20, 9.  
 — *serrulata* Rich. Humb. Melast. 28.  
 — *sileniflora* H. B. Humb. Melast. 48.  
 — *speciosa* H. B. Humb. Melast. 4.  
 — — Kerner Hort. 309.  
 — — Dict. sc. nat. 231.  
 — — Rehb. Exot. 235.  
 — *stachyoides* H. B. Humb. Melast. 43.  
 — *stricta* H. B. Humb. Melast. 8.  
 — *superba* Raddi. Mem. Mod. 20, 8.  
 — *taxifolia* St. Hil. Humb. Melast. 57.  
 — *tenella* H. B. Humb. Melast. 30.  
 — *thymifolia* H. B. Humb. Melast. 50.  
 — *tortuosa* H. B. Humb. Melast. 7.  
 — *trichotoma* Vahl. Rottboell Surinam 5.  
 — *triflora* Raddi. Mem. Mod. 20, 8.  
 — *versicolor* Ldl. Bot. Reg. 13, 1066.  
 — *villosa* Aubl. Aublet Guiana 129.  
 — *villosissima* H. B. Humb. Melast. 31.  
 — *viminea* Don. Bot. Reg. 8, 664.  
 — — Rehb. Exot. 338.  
 — *virginica* L. Bot. Mag. 25, 968.  
 — — Lodd. Cab. 840.  
 — — Lam. Encycl. 283.  
 — — Barton Fl. 1, 4.  
 — — Rehb. Exot. 234.

- Rhigozum trichotomum* *Burch.* Regensb. Denkschr. 3, 5.  
*Rhinacanthus communis* *N. v. E.* Wight Ic. pl. 2, 464.  
 † — — — Wight Illustr. 164 bis.  
*Rhinanthus angustifolius* *Gm.* Mutel Fl. fr. Suppl. 3.  
 — *crista galli* *L.* Fl. dan. 6, 981.  
 — — — Curt. Lond. 1, 83.  
 — — — Engl. Bot. 10, 657.  
 — — — Baxter Brit. Bot. 4, 259.  
 — — — Sv. Bot. 348.  
 † — — — Gaertn. Carp. 54.  
 † — — — Lam. Encycl. 517.  
 — — — Schk. Handb. 169.  
 — — — Schrank Fl. monac. 2, 192.  
 † — *glabra* *Lam.* Ann. sc. nat. 8, 27.  
 — *hirsuta* *Lam.* Dict. sc. nat. 32.  
 — *indica* *L.* Burmann Fl. ind. 39.  
 † — *major* *Ehrh.* Mutel Fl. fr. 44.  
 — — — Engl. Bot. 2737.  
 † — *minor* *Ehrh.* Mutel Fl. fr. 44.  
 † — *orientalis* *L.* Lam. Encycl. 517.  
 — — — Rchb. Ic. crit. 8, 730.  
 — — — Jaubert Illustr. 394.  
 — *Tournefortii* *Jaub. et Sp.* Jaubert Illustr. 393.  
 — *Trixago* *L.* Brotero Phytogr. 146.  
 — *versicolor* *Lam.* Brotero Phytogr. 14.  
*Rhinocarpus excelsus* *H. B. K.* H. B. K. Nov. Gen. 7, 601.  
 † *Rhinoglossum obliquum* *DC.* Wight Illustr. 159 b.  
*Rhinopetalum Karelini* *Fisch.* Sweet Fl. G. II. 283.  
 † *Rhipidopteris peltata* *H. et Gr.* Fée Fil. 5, 2.  
 † — *sphenophylla* *Kze.* Fée Fil. 5, 2.  
*Rhipsalis brachiata* *Hook.* Bot. Mag. 69, 4039.  
 † — *Cassutha* *Gaertn.* Gaertn. Carp. 28.  
 † — — — Kerner Genera 197.  
 — — — Lodd. Cab. 865.  
 — — — Hook. Exot. Fl. 2.  
 — — — Bot. Mag. 58, 3080.  
 — — — var. *Mociniana* *DC.* Mem. Mus. 17, 21.  
 — *fasciculata* *Haw.* Bot. Mag. 58, 3079.  
 — *funalis* *Salm.* Link Ic. II. 38.  
 — *grandiflora* *Haw.* Bot. Mag. 54, 2740.  
 — *mesembrianthemoides* *Haw.* Bot. Mag. 58, 3078.  
 — — — Lodd. Cab. 1920.  
 — *pentaptera* *Pfeiff.* Pfeiffer Cact. 1, 17.  
 — *salicornioides* *Haw.* Lodd. Cab. 369.  
 — — — Bot. Mag. 51, 2461.  
 — — — Link Ic. I. 21.  
 † — *Swartziana* *Pfeiff.* Flora 1853, 6.  
 † *Rhizobolus Pekea* *Gaertn.* Gaertn. Carp. 98.  
 † — *Saouvari* *Aut.* Ann. Mus. 8, 64.  
*Rhizobotrya alpina* *Tausch.* Rchb. Fl. germ. 2, x.  
 — — — Sturm Flora 19, 88.  
 † *Rhizocarpeae* *Bisch.* Bischoff Crypt. Gew. 7. 8. 9.  
*Rhizophora Candel* *L.* Desc. Ant. 1, 10.  
 — *caryophylloides* *Burm.* Rumpf Amb. 3, 78.  
 — *cascolaris* *L.* Rumpf Amb. 3, 73—75.  
 — *conjugata* *L.* Rheede Hort. mal. 6, 34.  
 — *corniculata* *L.* Rumpf Amb. 3, 77.  
 — *gymnorhiza* *L.* Rumpf Amb. 3, 68.  
 † — — — Gaertn. Carp. 45.  
 — *Mangle* *L.* Rumpf Amb. 3, 71. 72.  
 — — — Jacq. Hist. stirp. am. 132.  
 † — — — Gaertn. Carp. 45.  
 † — — — Lam. Encycl. 396.  
 — — — Dict. sc. nat. 109.  
 — — — Spach Suites 34.  
 † — *mucronata* *Lam.* Lam. Encycl. 396.  
 — — — Wight Ic. pl. Ind. or. 1, 238.  
*Rhodanthe Manglesii* *Ldl.* Bot. Reg. 20, 1703.  
 — — — Bot. Mag. 63, 3483.  
 — — — Paxt. Mag. 3, 173.  
 — — — Sweet Fl. G. II. 295.  
 — — — Fl. d. serres 6, 622.

- Rhodiola rosea* *L.* Fl. dan. 2, 183.  
 — — — Engl. Bot. 8, 508.  
 — — — Baxter Brit. Bot. 5, 391.  
 — — — Schk. Handb. 331.  
 — — — Lam. Encycl. 819.  
*Rhodochiton volubile* *Zucc.* Preuss. Gart. Verein 10, 1.  
 — — — Bot. Mag. 61, 3267.  
 — — — Bot. Reg. 21, 1755.  
 — — — Paxt. Mag. 2, 27.  
*Rhodocistus Berthelotianus* *Webb.* β. Webb Canar. 12.  
 † *Rhododendron* *L.* Wight Illustr. 141.  
 — *acuminatum* *Hook. fil.* Hook. Ic. pl. 9, 886.  
 — *aeneum* *Hort.* Annales de Gand 1848, 203.  
 — *aeruginosum* *Hook. fil.* Hook. Rhod. 22.  
 — *albiflorum* *Hook.* Hook. Bor. Am. 133.  
 — — — Bot. Mag. 65, 3670.  
 — *album* *Ham.* Sweet Fl. G. II. 148.  
 — *alstroemeroides* *Hort.* Lem. Jard. fl. 4, 384.  
 — *altaclarensis* *Ldl.* Bot. Reg. 17, 1414.  
 — — — Bot. Mag. 62, 3423.  
 — *anthopogon* *Don.* Royle Illustr. 64.  
 — — — Bot. Mag. 68, 3947.  
 — *Aprilis* *Hort.* Bot. Reg. 29, 62.  
 — *arboreum* *Sm.* Smith Exot. Bot. 6.  
 — — — Hook. Exot. Fl. 168.  
 — — — var. *album*, Wall. Pl. asiat. 123.  
 — — — Tratt. Archiv 370.  
 — — — Kerner Hort. 506.  
 — — — Rchb. Exot. 225.  
 — — — var. *album*, Bot. Mag. 61, 3290.  
 — — — var. *cinnamomeum*, Bot. Mag. 67, 3825.  
 — — — Bot. Reg. 11, 890.  
 — — — var. *roseum*, Bot. Reg. 15, 1240.  
 — — — var. *album*, Bot. Reg. 20, 1684.  
 — — — var. *cinnamomeum*, Bot. Reg. 23, 1982.  
 — — — Paxt. Mag. 1, 101. 2, 98.  
 — — — var. *Paxtoni*, Paxt. Mag. 14, 99.  
 — — — Sweet Fl. G. 250.  
 — — — var. *roseum*, Sweet Fl. G. II. 339.  
 — — — var. *undulatum*, Sweet Fl. G. II. 341.  
 — — — var. *Boddaertianum*, Ann. de G. 1845, 20.  
 — — — var. *gandavense*, Ann. de G. 1847, 164.  
 — — — var. *tigrinum* *roseum*, An. d. G. 1848, 199.  
 — — — var. *album* *speciosum*, Lemaire Illustr. 1854, 1.  
 — — — Wight Spicil. 131.  
 — — — Wight Illustr. 140.  
 — — — Wight Ic. pl. Ind. or. 4, 1201.  
 — *argenteum* *Hook. fil.* Hook. Rhod. 9.  
 — — — Fl. d. serres 5, 473—476.  
 — *Aucklandii* *Hook. fil.* Hook. Rhod. 11.  
 — *azaleoides* *Desf.* Guimpel Fr. Holzgew. 15.  
 — — — Annales de Gand 1845, 4.  
 — *barbatum* *Wall.* Hook. Rhod. 3.  
 — — — Fl. d. serres 5, 469—472.  
 — *Brookeanum* *Low.* Journ. Hort. Soc. 3, 83.  
 — *buxifolium* *Low.* Hook. Ic. pl. 9, 890.  
 — *calendulaceum* *Hook.* var. Bot. Mag. 62, 3439.  
 — *camelliaeflorum* *Hook. fil.* Hook. Rhod. 28.  
 — *campanulatum* *Don.* Bot. Mag. 66, 3759.  
 — — — Lodd. Cab. 1944.  
 — — — Paxt. Mag. 16, 193.  
 — — — Sweet Fl. G. II. 241.  
 — *Campbelliae* *Hook. fil.* Hook. Rhod. 6.  
 — *campylocarpum* *Hook. fil.* Hook. Rhod. 30.  
 — *Candelabrum* *Hook. fil.* Hook. Rhod. 29.  
 — *carneum* *Hort.* Fl. d. serres 2, 23.  
 — *Cartoni* *Hort.* Bot. Reg. 17, 1449.  
 — *catawbiense* *Michx.* Bot. Mag. 40, 1671.  
 — — — Lodd. Cab. 1176.  
 — — — Duc de Brabant, Fl. d. serres 8, 836—7.  
 — *caucasicum* *arboreum* *Hort.* Maund Bot. 4, 157.

- Rhododendron caucasicum *Pall.* Pallas Fl. ross. 31.  
 — — — Bot. Mag. 28, 1145.  
 — — — Guimpel Fr. Holzgew. 124.  
 — — — var. stramineum, Bot. Mag. 62, 3422.  
 — — — var. hybrid. album, Bot. Mag. 67, 3811.  
 Chamaccistus *L.* Jacq. Fl. austr. 3, 217.  
 — — — Schk. Handb. 117.  
 — — — Guimpel Holzgew. 54.  
 — — — Bot. Mag. 14, 488.  
 — — — Lodd. Cab. 1491.  
 — — — Paxt. Mag. 3, 169.  
 Championae *Hook.* Bot. Mag. 77, 4609.  
 — — — Lem. Jard. fl. 208.  
 chrysanthum *L.* Pallas Fl. ross. 30.  
 — — — Koelpin Bemerkungen 1.  
 — — — Woodv. Med. 2, 103.  
 — — — Berl. Jahrb. 1811, 2.  
 — — — Guimpel Fr. Holzgew. 123.  
 — — — Hayne 10, 27.  
 — — — Nees Düsseld. 216.  
 — — — Guimpel et Schl. 42.  
 ciliatum *Hook. fil.* Hook. Rhod. 24.  
 — — — Paxt. Fl. G. 83.  
 — — — var. Bot. Mag. 78, 4648.  
 — — — var. Lem. Jard. fl. 3, 312.  
 — — — var. Fl. d. serres 8, 766.  
 cinnabarinum *Hook. fil.* Hook. Rhod. 8.  
 — — — var. pallidum, Bot. Mag. 80, 4788.  
 cinnamomeum *Wall.* Paxt. Fl. G. 16.  
 — — — var. Cunninghami, Moore Mag. 1851,  
 p. 121.  
 citrinum *Hassk.* Bot. Mag. 80, 4797.  
 Clivianum *Hort.* Bot. Mag. 75, 4478.  
 Dalhousiae *Hook. fil.* Hook. Rhod. 1—2.  
 — — — Bot. Mag. 79, 4718.  
 — — — Fl. d. serres 5, 460—468.  
 davuricum *L.* Pallas Fl. ross. 32.  
 — — — Andr. Rep. 1, 4.  
 — — — Bot. Mag. 17, 636. 44, 1888.  
 — — — Lodd. Cab. 605. 1446. 1584.  
 — — — Guimpel Fr. Holzgew. 122.  
 — — —  $\beta$ . atrovirens, Bot. Reg. 3, 194.  
 Edgeworthi *Hook. fil.* Hook. Rhod. 21.  
 — — — Fl. d. serres 8, 797—798.  
 elaeagnoides *Hook. fil.* Hook. Rhod. 23.  
 ericoides *Low.* Hook. Ic. pl. 9, 887.  
 Etendard de Flandre, Fl. d. serres 8, 783. 784.  
 Falconeri *Hook. fil.* Hook. Rhod. 10.  
 — — — Fl. d. serres 5, 477—480.  
 Farrerae *Tate.* Sweet Fl. G. II. 95.  
 fastuosum *Hort.* Fl. d. serres 2, 143—144.  
 ferrugineum *L.* Jacq. Fl. austr. 3, 255.  
 — — — Jacq. Obscy. 16.  
 — — — Guimpel Holzgew. 52.  
 — — — Hayne 10, 25.  
 — — — Nees Düsseld. 207.  
 — — — Zollikofer Alpenfl. 6.  
 — — — Lodd. Cab. 65.  
 — — —  $\beta$ . album, Sweet Fl. G. II. 258.  
 flavum *Don.* var. ardens, Sweet Fl. G. II. 306.  
 — — — var. coronarium, Sweet Fl. G. II. 331.  
 formosum *Wall.* Wall. Pl. asiat. 207.  
 — — — Bot. Mag. 75, 4457.  
 fragrans *Paxt.* Paxt. Mag. 10, 147.  
 fulgens *Hook. fil.* Hook. Rhod. 25.  
 — — — Fl. d. serres 8, 789.  
 Gibsonii *Paxt.* Paxt. Mag. 8, 217.  
 — — — Fl. d. serres 1, 18.  
 glaucum *Hook. fil.* Hook. Rhod. 17.  
 — — — Bot. Mag. 79, 4721.  
 — — — Fl. d. serres 7, 672.  
 Gowenianum *Sweet.* Sweet Fl. G. 263.

- Rhododendron gracile *Low.* Journ. Hort. Soc. 3, 85.  
 — grande *Wight.* Wight Ic. pl. Ind. or. 4, 1202'.  
 — Griffithianum *Wight.* Wight Ic. pl. Ind. or. 4, 1203'.  
 — hirsutum *L.* Jacq. Fl. austr. 1, 98.  
 — — — Nouveau Duhamel 2, 40.  
 — — — Guimpel Holzgew. 53.  
 — — — Zollikofer Alpenfl. 7.  
 — — — Lodd. Cab. 479.  
 — — — Bot. Mag. 43, 1853.  
 — — — Hayne 10, 26.  
 Hodgsoni *Hook. fil.* Hook. Rhod. 15.  
 hybridum *Ker.* Bot. Reg. 3, 195.  
 jasminiflorum *Hook.* Bot. Mag. 76, 4524.  
 — — — Lem. Jard. fl. 41.  
 javanicum *Bennett.* Bennett Java 19.  
 — — — Bot. Mag. 73, 4336.  
 — — — Paxt. Mag. 15, 217.  
 — — — Fl. d. serres 3, 293. 294.  
 — — — var. aurantiacum, Fl. d. serres 6, 576.  
 indicum *Sweet.* Maund Bot. 4, 160.  
 — — — var. ignescens, Sweet Fl. G. II. 128.  
 — — — var. Smithii, Sweet Fl. G. II. 154.  
 — — — var. speciosum, Sweet Fl. G. II. 284.  
 kamschaticum *Pall.* Pallas Fl. ross. 33.  
 — — — Guimpel Fr. Holzgew. 121.  
 lanatum *Hook. fil.* Hook. Rhod. 16.  
 — — — Fl. d. serres 7, 684.  
 lancifolium *Hook. fil.* Hook. Rhod. 4.  
 lapponicum *Wahlenb.* Sv. Bot. 481.  
 — — — Bot. Mag. 58, 3106.  
 ledifolium *DC.* var. versicolor, Ann. de G. 1846, 89.  
 — — — var. Ambrosii, Ann. de Gand 1847, 139.  
 — — — var. setosum, Ann. de Gand 1848, 188.  
 lepidotum *Wall.* Royle Illustr. 64.  
 — — — Bot. Mag. 78, 4657.  
 — — — var. chloranthum, Bot. Mag. 80, 4802.  
 — — — Lem. Jard. fl. 4, 343.  
 longiflorum *Ldl.* Journ. Hort. Soc. 3, 89.  
 Lowii *Hook. fil.* Hook. Ic. pl. 9, 883.  
 macranthum *Don.* Sweet Fl. G. II. 261.  
 Maddeni *Hook. fil.* Hook. Rhod. 18.  
 † — maximum *L.* Gaertn. Carp. 63.  
 † — — — Lam. Encycl. 364.  
 — — — Bot. Mag. 24, 951.  
 — — — Michaux Arb. 3, 4.  
 † — — — Schk. Handb. 117.  
 — — — Guimpel Fr. Holzgew. 112.  
 — — — Kerner Hort. 190.  
 — — — Bigelow Med. 51.  
 — — — *Hook.* (hybridum.) Bot. Mag. 62, 3454.  
 Metternichii *S. et Z.* Sieb. Fl. Japon. 9.  
 Morterii *Don.* Sweet Fl. G. II. 10.  
 myrtifolium *Lodd.* Lodd. Cab. 908.  
 nilagiricum *Zenk.* Zenker Pl. ind. 15.  
 — — — Bot. Mag. 74, 4381.  
 nivale *Hook. fil.* Hook. Rhod. 26.  
 — — — Bot. Mag. 79, 4730.  
 — — — Lem. Jard. fl. 4, 421.  
 nudiflorum *Torr.* var. Bot. Mag. 65, 3667.  
 — — — var.  $\mu$ . Sweet Fl. G. II. 291.  
 obtusum *Hort.* Watson Dendr. 2, 162.  
 officinale *Salisb.* Salisbury Parad. 80.  
 ornatum *Sweet.* Sweet Fl. G. II. 137.  
 pendulum *Hook. fil.* Hook. Rhod. 13.  
 — — — Fl. d. serres 7, 662.  
 phoeniceum *Don.*  $\delta$ . splendens, Sweet Fl. G. II. 385.  
 ponticum *L.* Pallas Fl. ross. 29.  
 — — — Jacq. Ic. 78.  
 — — — Meerburg Pl. sel. 22.  
 — — — Bot. Mag. 18, 650.  
 — — — var. Andr. Rep. 6, 379.  
 — — — Nouveau Duhamel 2, 41.

- Rhododendron ponticum *L.* Kerner Hort. 88.  
 — — — Guimpel Fr. Holzgew. 111.  
 — — — Rchb. Exot. 129.  
 — — — Savi Fl. ital. 3, 101.  
 — — — var. Fl. d. serres 5, 492—495.  
 — pulcherrimum *Ldl.* Bot. Reg. 21, 1820.  
 — pulchrum *Sweet.* Paxt. Mag. 1, 126.  
 — — — Sweet Fl. G. II. 117.  
 — pumilum *Hook. fil.* Hook. Rhod. 14.  
 — — — Fl. d. serres 7, 667.  
 — punctatum *Willd.* Vent. Cels 15.  
 — — — Andr. Rep. 1, 36.  
 — — — Watson Dendr. 2, 162.  
 — — — Bot. Mag. 49, 2285.  
 — — — var.  $\beta$ . Bot. Reg. 1, 37.  
 — retusum *Bennett.* Bennett Java 20.  
 — Rollissonii *Hort.* Paxt. Fl. G. 7.  
 — — — Bot. Reg. 29, 25.  
 — Roylii *Hook. fil.* Hook. Rhod. 7.  
 — rugosum *Low.* Hook. Ic. pl. 9, 885.  
 — Russellianum *Sweet.* Sweet Fl. G. II. 91.  
 — salignum *Hook. fil.* Hook. Rhod. 23.  
 — setosum *Wall.* Hook. Rhod. 20.  
 — sinense *Sweet.  $\beta$ .* Sweet Fl. G. 290.  
 — Smithii *Sweet.* Sweet Fl. G. II. 50.  
 — — — Fl. d. serres 1, 8.  
 — — — var. aureum, Paxt. Mag. 9, 79.  
 — Standishii *Paxt.* Paxt. Mag. 15, 55.  
 — Thomsoni *Hook. fil.* Hook. Rhod. 12.  
 — — — Fl. d. serres 7, 688—690.  
 — triflorum *Hook. fil.* Hook. Rhod. 19.  
 — — — Fl. d. serres 7, 673.  
 — venustum *Don.* Sweet Fl. G. II. 285.  
 — verticillatum *Low.* Journ. Hort. Soc. 3, 87.  
 — — — Hook. Ic. pl. 9, 884.  
 — virgatum *Hook. fil.* Hook. Rhod. 26.  
 — viscosum *Torr.* Torrey New York 66.  
 — Wallichii *Hook. fil.* Hook. Rhod. 5.  
 — Wightii *Hook. fil.* Hook. Rhod. 27.  
 — — — Fl. d. serres 8, 792, 793.  
 Rhodolaena altivola *Aub.* Aub. Th. Iles d'Afrique 13.  
 — — — Kerner Hort. 339.  
 Rhodoleia Championi *Hook.* Bot. Mag. 76, 4509.  
 — — — Lem. Jard. fl. 4.  
 — — — Fl. d. serres 6, 561.  
 Rhodora canadensis *L.* L'her. Stirp. 68.  
 — — — Meerburg Pl. sel. 23.  
 — — — Bot. Mag. 14, 474.  
 — — — Nouveau Duhamel 3, 53.  
 † — — — Gaertn. Carp. 209.  
 † — — — Lam. Encycl. 364.  
 — — — Guimpel Fr. Holzgew. 14.  
 Rhodorrhiza fruticulosa *Webb.* Webb Canar. 140.  
 — glandulosa *Webb.* Webb Canar. 139.  
 — virgata *Webb.* Webb Canar. 138.  
 Rhodoseris conspicua *Turcz.* Bull. Mosc. 1851. 2, 2.  
 Rhodospatha latifolia *P. et E.* Poepp. et Endl. 300.  
 Rhodostoma gardenioides *Schw.* Moore Mag. 1850, 65.  
 Rhodothamnus kantschaticus *Ldl.* Paxt. Fl. G. 22.  
 — — — Lem. Jard. fl. 53.  
 Rhodotypos kerrioides *S. et Z.* Sieb. Fl. Japon. 99.  
 Rhomboclytrum Berteroanum *Em. Desv.* Gay Chile 81.  
 — rhomboideum *Link.* Gay Chile 81.  
 Rhopala complicata *H. B. K.* H. B. K. Nov. Gen. 2, 119.  
 — cordifolia *H. B. K.* H. B. K. Nov. Gen. 2, 118.  
 — excelsa *Roxb.* Wight Ic. pl. Ind. or. 1, 190.  
 — grata *Wall.* Moore Mag. 1850. 2, p. 33.  
 — hameliaefolia *Rudge.* Rudge Pl. Guianae 31.  
 — heterophylla *Pohl.* Pohl Bras. 90.  
 — inaequalis *Pohl.* Pohl Bras. 89.  
 — longepetiolata *Pohl.* Pohl Bras. 88.  
 — montana *Aubl.* Aublet Guiana 32.

- † Rhopala montana *Aubl.* Gaertn. Carp. 32.  
 — — — Lam. Encycl. 55.  
 — myrtoidea *P. et E.* Poepp. et Endl. 149.  
 — nitida *Rudge.* Rudge Pl. Guianae 39.  
 — obovata *H. B. K.* H. B. K. Nov. Gen. 2, 120.  
 — ovalis *Pohl.* Pohl Bras 86.  
 — pinnata *Poir.* Rudge Pl. Guianae 38.  
 — polystachya *H. B. K.* H. B. K. Nov. Gen. 2, 121.  
 — robusta *Roxb.* Wight Ic. pl. Ind. or. 1, 191.  
 — Thomesiana *Moric.* Moricand Pl. Am. 100.  
 — tomentosa *Pohl.* Pohl Bras. 87.  
 † Rhus *L.* Gray Genera 159. 160.  
 — aromatica *Ait.* Ann. Mus. 5, 30.  
 — — — Gray Genera 160.  
 — atomaria *Jacq.* Jacq. Schoenbr. 3, 343.  
 — Bucki-amela *Roxb.* Wight Ic. pl. Ind. or. 2, 561.  
 —? caustica *Miers.* Hook. Beechey 7.  
 † — copallina *L.* Gaertn. Carp. 44.  
 † — — — Lam. Encycl. 297.  
 — — — Jacq. Schoenbr. 3, 341.  
 — Coriaria *L.* Woodv. Med. 3, 213.  
 — — — Nouveau Duhamel 2, 46.  
 — — — Sibth. Fl. gr. 290.  
 — — — Watson Dendr. 2, 136.  
 † — — — Payer Organogénie 19.  
 — Cotinus *L.* Jacq. Fl. austr. 3, 210.  
 — — — Nouveau Duhamel 2, 49.  
 — — — Guimpel Holzgew. 30.  
 — — — Wagner 165. 166.  
 † — — — Payer Organogénie 19.  
 — decipiens *W. et A.* Wight Illustr. 175.  
 — diversiloba *Torr. et Gr.* Bot. Reg. 31, 38.  
 — elegans *Ait.* Watson Dendr. 1, 16.  
 — elongata *Jacq.* Jacq. Schoenbr. 3, 345.  
 † — glabra *L.* Lam. Encycl. 207.  
 — — — Watson Dendr. 1, 15.  
 — — — Gray Genera 159.  
 — juglandifolia *H. B. K.* H. B. K. N. G. 7, 603. 604.  
 — leucantha *Jacq.* Jacq. Schoenbr. 3, 342.  
 — lobata *Hook.* Hook. Bor. Am. 46.  
 — lucida *L.* Cav. Ic. 132.  
 — — — Jacq. Schoenbr. 3, 347.  
 — Metopium *L.* Desc. Ant. 2, 79.  
 — mollis *Jacq.* Jacq. Fragm. 115.  
 — — *H. B. K.* H. B. K. Nov. Gen. 7, 602.  
 — pendulina *Jacq.* Jacq. Schoenbr. 4, 449.  
 — pentaphylla *Desf.* Desf. Fl. atl. 77.  
 — pumila *Meerb.* Meerburg Pl. sel. 14.  
 — radicans *L.* Schk. Handb. 82.  
 — — — Nees Düsseld. 352.  
 — — — Guimpel et Schl. 181.  
 — — — Bigelow Med. 42.  
 — semialata *Murr.* Comm. Gott. 6, 3.  
 — — —  $\gamma$ . DC. Wight Ic. pl. Ind. or. 2, 561.  
 — striata *Rz et P.* Ruiz et Pav. Fl. 252.  
 — succedanea *L.* Kaempfer Amoenit. p. 795.  
 — — — Wight Ic. pl. Ind. or. 2, 560.  
 — Thunbergii *Hook.* Hook. Ic. pl. 6, 595.  
 — Toxicodendron *L.* Nouveau Duhamel 2, 48.  
 — — — Woodv. Med. 5, 20.  
 — — — Bot. Mag. 43, 1806.  
 — — — Hayne 9, 1.  
 — — — Nees Düsseld. 351.  
 — — — Brandt und Ratzsch. 48.  
 — typhina *L.* Nouveau Duhamel 2, 47.  
 — — — Watson Dendr. 1, 17. 18.  
 — undulata *Jacq.* Jacq. Schoenbr. 3, 346.  
 — Vernix *L.* Kaempfer Amoenit. p. 792.  
 † — — — Gaertn. Carp. 44.  
 † — — — Lam. Encycl. 207.  
 — — — Bigelow Med. 10.  
 — — — Watson Dendr. 1, 19.

- Rhus viminalis* Vahl. Jacq. Schoenbr. 3, 344.  
*Rhynchadenia cubensis* A. Rich. Raimon Cuba 85.  
 †*Rhynchanthera adenophora* Miq. Miquel Comment. 10.  
 — *cordata* Mart. Mart. Bras. 260.  
 — *Schrankiana* Mart. Mart. Bras. 259.  
*Rhynchocorys Elephas* Griseb. Rivinus Opus ined. 71.  
 — *orientalis* Griseb. Rivinus Opus ined. 71.  
*Rhynchoglossum obliquum* Bl. Rheede Hort. mal. 9, 80.  
 — *zeylanicum* Hook. Bot. Mag. 71, 4198.  
*Rhyncholacis Hydrocichorium* Tul. Arch. Mus. 6, 3.  
 — *macrocarpa* Tul. Arch. Mus. 6, 3.  
 †*Rhyncholepis brevispilis* Miq. Miquel Illustr. Pip. 45.  
 — *Cumingiana* Miq. Miquel Illustr. Pip. 45.  
*Rhynchopora pedunculata* Kl. Link Ic. III. 41.  
 — *punctata* Karst. Karsten Auswahl 7.  
*Rhynchopsidium sessiliflorum* DC. Mem. Genev. 7, 6.  
*Rhynchosia faginea* Guill. Guillemin Seneg. 52.  
 — *grandiflora* Cham. Hook. Beechey 59.  
 — *laxiflora* Camb. Jacquemont Ind. 54.  
 — *menispermoidea* DC. DC. Legum. 55.  
 — *picta* Seem. Seemann Herald 20.  
 — *polystachya* Dill. et Rich. Richard Abyssin. 44.  
 — *pseudocajan* Camb. Jacquemont Ind. 55.  
 — *punctata* DC. DC. Legum. 56.  
 — *rufescens* DC. Hook. Ic. pl. 2, 189.  
 — *stipulosa* Rich. Richard Abyssin. 43.  
*Rhynchospermum jasminoides* Ldl. Moore Mag. 1850.  
 — — — Fl. d. serres 6, 615.  
 — — — Bot. Mag. 79, 4737.  
*Rhynchospora alba* Vahl. Sv. Bot. 557.  
 — — — Baxter Brit. Bot. 5, 396.  
 — — — Sturm Flora 10, 40.  
 — — — Rchb. Fl. germ. 8, 285.  
 † — — — Nees Gen. 2, 5.  
 — *armerioides* Presl. Presl. Reliq. 31.  
 — *aurea* Vahl. Pal. B. Fl. d'Oware 81.  
 — *fusca* Vahl. Fl. dan. 9, 1562.  
 — — — Sv. Bot. 557.  
 — — — Sturm Flora 10, 40.  
 — — — Rchb. Fl. germ. 8, 285.  
 † — — — Nees Gen. 2, 5.  
 — *globosa* R. et Sch. Presl Reliq. 36.  
 — *longiflora* Presl. Presl Symbolae 28.  
 — *paniculata* Presl. Presl Symbolae 29.  
 — *pauciflora* Presl. Presl Symbolae 36.  
 †*Rhynchosstylis retusa* Bl. Blume Tabellen 49.  
 †*Rhynchotheca* R. et P. Ruiz et Pav. Prodr. 15.  
 — *diversifolia* H. B. K. H. B. K. Nov. Gen. 5, 465.  
 — *integrifolia* H. B. K. H. B. K. Nov. Gen. 5, 464.  
*Rhynea phyllicaeifolia* DC. Delessert Ic. 4, 52.  
 †*Rhysospermum ellipticum* Gaertn. Gaertn. Carp. 224.  
*Rhysotelma nigricans* Decne. Delessert Ic. 5, 75.  
*Rhytidophyllum auriculatum* Hook. Bot. Mag. 64, 3562.  
 — *floribundum* Ch. Lem. Fl. d. serres 2, 178.  
 — *purpureum* P. et E. Poepp. et Endl. 206.  
*Rhytidostylis gracilis* Hook. Hook. Beechey 97.  
*Rhytiglossa angustifolia* N. v. E. Endl. Bras. 7, 19.  
 — *cristata* Regel. Regel Gartenfl. 1852, 14.  
*Rhytispermum arvense* Link. Dietr. Fl. bor. 5, 316.  
 † — — — Nees Gen. 6, 62.  
 † — *purpureo-coeruleum* Link. Nees Gen. 6, 62.  
*Riana Conohoria* Aubl. Lam. Encycl. 135.  
 — *guianensis* Aubl. Aublet Guiana 94.  
 — — — Lam. Encycl. 135.  
 †*Ribes* L. (24 species.) Mem. Genev. 3, 1, 2.  
 — *aciculare* Sm. Ledeb. Ic. 230.  
 — *albidum* Hort. Paxt. Mag. 10, 55.  
 — — — Fl. d. serres 1, 3.  
 — *albifolium* R. et P. Ruiz et Pav. Fl. 232.  
 — *alpestre* Royle. Jacquemont Ind. 75.  
 — *alpinum* L. Jacq. Fl. austr. 1, 47.

- Ribes alpinum* L. Fl. dan. 6, 968.  
 — — — Sv. Bot. 223.  
 — — — Engl. Bot. 10, 704.  
 — — — Lodd. Cab. 1486.  
 — — — Guimpel Holzgew. 21.  
 — — — Sturm Flora 13, 51.  
 — *atropurpureum* Led. Ledeb. Ic. 231.  
 — *aureum* Pursh. Bot. Reg. 2, 125.  
 — — — Guimpel Fr. Holzgew. 2.  
 — — — Rchb. Mag. 95.  
 — — — Herb. amat. 5, 301.  
 — — — Mem. Tur. 33, 1.  
 — *cereum* Dougl. Bot. Reg. 15, 1263.  
 — — — Bot. Mag. 57, 3008.  
 — *cuneifolium* R. et P. Ruiz et Pav. Fl. 233.  
 — *Cynosbati* L. Jacq. Vind. 123.  
 — — — Guimpel Fr. Holzgew. 135.  
 — *Diacantha* L. fil. Pallas Fl. ross. 66.  
 — *divaricatum* Dougl. Bot. Reg. 16, 1359.  
 † *flavum* Colla. Mem. Tur. 33, 1.  
 † — — — Spach Suites 47.  
 — *floridum* Moench. Moench Weissenst. 7.  
 — — — Guimpel Fr. Holzgew. 1.  
 — *fragrans* Lodd. Lodd. Cab. 1533.  
 — *glandulosum* R. et P. Ruiz et Pav. Fl. 233.  
 — *Gordonianum* Hort. Fl. d. serres 2, 165.  
 — *Grossularia* L. Engl. Bot. 18, 1292.  
 — — — Sv. Bot. 133.  
 — — — Sturm Flora 1, 4.  
 — — — Guimpel Holzgew. 23.  
 — — — Dietr. Fl. bor. 12, 818.  
 — *heterotrichum* Led. Ledeb. Ic. 235.  
 — *himalayense* Royle. Jacquemont Ind. 77.  
 — *inebrians* Ldl. Bot. Reg. 17, 1471.  
 — *lacustre* Poir. Guimpel Fr. Holzgew. 136.  
 — — — Lodd. Cab. 884.  
 — *leptostachyum* Decne. Jacquemont Ind. 76.  
 — *macrobotrys* R. et P. Ruiz et Pav. Fl. 232.  
 — *malvaceum* Benth. Sweet Fl. G. II. 340.  
 — *Menziesii* Pursh. Bot. Reg. 33, 56.  
 — *multiflorum* R. et Sch. Bot. Mag. 50, 2368.  
 — — — Lodd. Cab. 1331.  
 — *niveum* Ldl. Bot. Reg. 20, 1692.  
 — *nigrum* L. Fl. dan. 4, 556.  
 — — — Woodv. Med. 3, 192.  
 — — — Engl. Bot. 18, 1291.  
 — — — Sv. Bot. 169.  
 — — — Hayne 3, 26.  
 — — — Guimpel Holzgew. 22.  
 — — — Dietr. Fl. bor. 12, 817.  
 — *palmatum* Desf. var. Revue hort. 1853, 17.  
 — *petraeum* Wulf. Jacq. Ic. 49.  
 — — — Engl. Bot. 10, 705.  
 — — — Lam. Encycl. 146.  
 — — — Guimpel Holzgew. 20.  
 — — — Sturm Flora 8, 56.  
 — *procumbens* Pall. Pallas Fl. ross. 65.  
 — *prostratum* L'her. L'heritier Stirp. 2.  
 — *pulchellum* Turcz. Trautvetter Imag. 8.  
 — *punctatum* R. et P. Ruiz et Pav. Fl. 233.  
 — — — Bot. Reg. 15, 1278.  
 — — — DC. Bot. Reg. 20, 1658.  
 — *resinosum* Pursh. Bot. Mag. 38, 1583.  
 — *rubrum* L. Fl. dan. 6, 967.  
 — — — Woodv. Med. 3, 191.  
 — — — Engl. Bot. 18, 1289.  
 — — — Baxter Brit. Bot. 5, 345.  
 — — — Lam. Encycl. 146.  
 † — — — Nouveau Duhamel 3, 57.  
 — — — Sv. Bot. 199.  
 — — — Schk. Handb. 48.  
 — — — Sturm Flora 1, 4.

- Ribes rubrum* L. Guimpel Holzgew. 19.  
 — — — Schrank Fl. monac. 4, 365.  
 — — — Hayne 3, 25.  
 — — — Nees Düsseld. 296.  
 — — — Guimpel et Schl. 32.  
 — — — Wagner 40.  
 — sanguineum Pursh. Hort. Transact. 7, 13.  
 — — — Lodd. Cab. 1487.  
 — — — Bot. Reg. 16, 1349.  
 — — — Bot. Mag. 61, 3335.  
 — — — Spach Suites 47.  
 — — — Paxt. Mag. 1, 3.  
 — — — Annales de Gand 1845, 42.  
 — — — Sweet Fl. G. II. 109.  
 — — — flore pleno, Paxt. Mag. 12, 121.  
 — — — flore pleno, Fl. d. serres 1, 45.  
 — saxatile Led. Ledeb. Ic. 239.  
 — setosum Ldl. Bot. Reg. 15, 1237.  
 — speciosum Pursh. Bot. Reg. 18, 1557.  
 — — — Bot. Mag. 63, 3530.  
 — — — Maund Bot. 1, 38.  
 — — — Sweet Fl. G. II. 149.  
 — spicatum Robs. Linn. Transact. 3, 21.  
 — — — Engl. Bot. 18, 1290.  
 — stramineum Sm. Mem. Genev. 3, 3.  
 — tenuiflorum Ldl. Bot. Reg. 15, 1274.  
 — triflorum Willd. Willdenow Hortus 61.  
 — — — Guimpel Fr. Holzgew. 3.  
 — — — Lodd. Cab. 1094.  
 — tubiflorum C. A. M. Mem. Mosc. 7, 4.  
 — Uva crispa L. Schmidel Icones 1.  
 — — — Fl. dan. 4, 546.  
 † — — — Lam. Encycl. 146.  
 — — — Nouveau Duhamel 3, 58.  
 — — — Dict. sc. nat. 207.  
 — — — Engl. Bot. 29, 2057.  
 — — — Guimpel Holzgew. 24.  
 — — — Schrank Fl. monac. 2, 146.  
 — — — Sturm Flora II, 44.  
 — viscosissimum Pursh. Hook. Bor. Am. 76.  
 † Richardia africana Kth. Mem. Mus. 4, 20.  
 Richardia pilosa Rz et P. Ruiz et Pav. Fl. 279.  
 † — scabra L. Houston Reliq. 9.  
 † — — — Gaertn. Carp. 25.  
 † — — — Lam. Encycl. 254.  
 Richardsonia brasiliensis Gomez. Hayne 8, 21.  
 — pilosa H. B. K. H. B. K. Nov. Gen. 3, 279.  
 — rosea St. Hil. St. Hil. Pl. usuelles 7.  
 — scabra St. Hil. St. Hil. Pl. usuelles 8.  
 — — — Nees Düsseld. 255.  
 — — — Sweet Fl. G. 91.  
 Richea Desgrazii Hombr. Richard Astrolabe 27<sup>b</sup>.  
 — dracophylla R. Br. Guillemain Austr. 3.  
 — glauca Lab. Labill. Relation 16.  
 — scoparia Hook. fil. Hook. Ic. pl. 9, 850.  
 Richeria grandis Vahl. Vahl Eclogae 4.  
 Ricinocarpus pinifolius Desf. Mem. Mus. 3, 22.  
 — — — Endl. Iconogr. 124.  
 Ricinus africanus Willd. Rumpf Amb. 4, 41.  
 — — — Rehb. Hort. 155.  
 — armatus Andr. Andr. Rep. 6, 430.  
 — badius Rehb. Rehb. Hort. 154.  
 — communis L. Rheede Hort. mal. 2, 32.  
 † — — — Gaertn. Carp. 107.  
 † — — — Lam. Encycl. 792.  
 — — — Woodv. Med. 3, 221.  
 — — — Sibth. Fl. gr. 952.  
 — — — Bot. Mag. 48, 2209.  
 — — — Dict. sc. nat. 276.  
 — — — Desc. Ant. 1, 59, 2, 127.  
 — — — Schk. Handb. 312.  
 — — — Hayne 10, 48.

- Ricinus communis* L. Nees Düsseld. 140.  
 — — — Guimpel et Schl. 113.  
 — — — Wagner 33.  
 † — — — Spach Suites 76.  
 — — — Berg Darstellung 1<sup>c</sup>.  
 † — europaeus L. Nees Gen. 4, 38.  
 — inermis Jacq. Jacq. Ic. 195.  
 — lividus Jacq. Jacq. Ic. 196.  
 † — — — Schk. Handb. 312.  
 — — — Rehb. Hort. 153.  
 — Mappa L. Rumpf Amb. 3, 108.  
 — — — Wight Ic. pl. Ind. or. 3, 816.  
 — speciosus Burm. Burmann Fl. ind. 63.  
 — Tanarius L. Rumpf Amb. 3, 121.  
 — viridis Willd. Willdenow Hortus 49.  
 † Ricotia aegyptiaca L. Medicus Gatt. 2.  
 — — — Lam. Encycl. 561.  
 — — — Bot. Reg. 1, 49.  
 — Lunaria DC. Sweet Fl. G. II. 411.  
 — tenuifolia Sibth. Sibth. Fl. gr. 630.  
 Ridolfia segetum Moris. Moris Fl. sard. 75.  
 † Riedelia lippoides Chamisso. Linnaea 7, 7.  
 Riedelia Berteriana DC. Delessert Ic. 3, 23.  
 — corchorifolia W. et A. Rheede Hort. mal. 9, 73.  
 — serrata Vent. Vent. Choix 37.  
 Riesenbachia racemosa Presl. Presl Reliq. 54.  
 Rigidella flammea Ldl. Bot. Reg. 26, 16.  
 — — — Paxt. Mag. 7, 247.  
 — immaculata Herb. Bot. Reg. 27, 58.  
 — — — Fl. d. serres 5, 502.  
 — orthantha Ch. Lem. Fl. d. serres 1, 46.  
 — — — Paxt. Mag. 14, 121.  
 Rinorea guianensis Aubl. Aublet Guiana 93.  
 — — — Lam. Encycl. 134.  
 Riocreuxia torulosa Decne. Delessert Ic. 5, 91.  
 † Ripogonum scandens Forst. Forster Charact. 25.  
 † — — — Lam. Encycl. 254.  
 Ritchiea erecta Hook. fil. Hook. Ic. pl. 8, 769, 770.  
 — — — Hook. Niger Fl. 19, 20.  
 † Rittera Schreb. Swartz Fl. Ind. occ. 16.  
 — dodecandra Vahl. Vahl Symbolae 34.  
 — grandiflora Vahl. Vahl Ic. 9.  
 † — pinnata Vahl. Vahl Eclogae 20.  
 † — — — Ann. Mus. 9, 24.  
 Rivea cuneata Wight. Wight Ic. pl. Ind. or. 3, 890.  
 — hirsuta Wight. Wight Ic. pl. Ind. or. 3, 891.  
 — ornata Choisy. Mem. Genev. 6, 3.  
 — — — Wight Ic. pl. Ind. or. 4, 1356.  
 † — — — Wight Illustr. 168<sup>bis</sup>.  
 — pomacea Wight. Wight Ic. pl. Ind. or. 3, 888.  
 Riveria nitens H. B. K. H. B. K. Nov. Gen. 7, 659<sup>b</sup>.  
 Rivina dodecandra Jacq. Jacq. Hist. stirp. am. 21.  
 — — — Jacq. Obs. 2.  
 † — humilis L. Gaertn. Carp. 77.  
 — — — Lam. Encycl. 81.  
 † — — — Usteri Annalen 12, 1.  
 — — — Bot. Mag. 43, 1781.  
 — inaequalis Hook. Hook. Ic. pl. 2, 130.  
 — laevis L. Usteri Annalen 12, 1.  
 — — — Lam. Encycl. 81.  
 — — — Bot. Mag. 49, 2333.  
 — purpurascens Schrad. Schrad. Gen. pl. 5.  
 — secunda Rz et P. Ruiz et Pav. Fl. 102.  
 Rixea azurea Morren. Annales de Gand 1845, 22.  
 Rizoia ovatifolia Cav. Cav. Ic. 578.  
 — — — Anales de hist. nat. 3, 29.  
 Robbia cestroides DC. Delessert Ic. 5, 52.  
 Robinia Altagana Pall. Pallas Fl. ross. 42.  
 — — — L'her. Stirp. 76.  
 — — — Lodd. Cab. 1064.  
 — Caragana L. Nouveau Duhamel 2, 19.  
 — — — Guimpel Fr. Holzgew. 67.

- Robinia, Caragana *L.* Bot. Mag. 44, 1866.  
 — Chamlagu *Lam.* L'heritier Stirp. 77.  
 — — Nouveau Duhamel 1, 21.  
 — — Guimpel Fr. Holzgew. 30.  
 — dubia *Poir.* Lam. Encycl. 606.  
 — ferox *Pall.* Pallas Fl. ross. 44.  
 — — Nouveau Duhamel 2, 20.  
 — florida *Vahl.* Vahl Symbolae 70.  
 — frutescens *L.* Pallas Fl. ross. 43.  
 — — Schk. Handb. 204.  
 — glutinosa *Sims.* Bot. Mag. 16, 560.  
 — grandiflora *M. v. B.* Marschall Cent. 15.  
 — Halodendron *L. fil.* Pallas Fl. ross. 46.  
 — — Bot. Mag. 26, 1016.  
 — — Guimpel Fr. Holzgew. 69.  
 — hispida *L.* Bot. Mag. 9, 311.  
 — — Guimpel Fr. Holzgew. 66.  
 — jubata *Pall.* Pallas Astrag. 85.  
 — — Lodd. Cab. 522.  
 — Nicou *Aubl.* Aublet Guiana 308.  
 — Panacoco *Aubl.* Aublet Guiana 307.  
 — — Desc. Ant. 7, 454.  
 — Pseudacacia *L.* Wangenheim Beitrag 7.  
 — — Medicus Akazienbaum 1. 2.  
 — — Juglar Triomphe 1.  
 — — Michaux Arb. 3, 1.  
 — — Nouveau Duhamel 2, 16.  
 — — Rousseau Bot. 18.  
 — — Lam. Encycl. 606.  
 † — — Gaertn. Carp. 145.  
 † — — Acad. Neap. 6, (1851.) 0.  
 † — — Ann. sc. nat. III, 19, 2. 6. 7.  
 — pygmaea *L.* Pallas Fl. ross. 45.  
 — rosea *Mirbel.* Nouveau Duhamel 2, 18.  
 — spinosa *L.* Guimpel Fr. Holzgew. 68.  
 — squamata *Vahl.* Vahl Symbolae 69.  
 — subdecandra *L'her.* L'heritier Stirp. 75.  
 — tragacanthoides *Pall.* Pallas Astr. 86.  
 — vesicaria *Jacq.* Jacq. Ic. 148.  
 — violacea *Pal. B.* Pal. B. Fl. d'Oware 76.  
 — — Desc. Ant. 7, 522.  
 — viscosa *Vent.* Vent. Cels 4.  
 — — Nouveau Duhamel 2, 17.  
 — — Michaux Arb. 3, 2.  
 — — Kerner Hort. 161.  
 — — Guimpel Fr. Holzgew. 65.  
 Robinsonia Gayana *Decne.* Delessert Ic. 4, 64.  
 † — — Ann. sc. nat. II, 1, 1.  
 † — macrocephala *Decne.* Ann. sc. nat. II, 1, 1.  
 — thurifera *Decne.* Delessert Ic. 4, 63.  
 Robiquetia adscendens *Gaudich.* Freycinet Voyage 34.  
 † Rochea *DC.* DC. Crassulacées 1.  
 — falcata *DC.* DC. Plantae grasses 103.  
 — — Jacq. Fragmenta 82.  
 — — Tratt. Thes. 20.  
 † Rochefortia *Sw.* Swartz Fl. Ind. occ. 11.  
 Rochelia leiocarpa *Led.* Ledeb. Ic. 244.  
 — stellulata *Rchb.* Rchb. Ic. crit. 2, 123.  
 † — — Nees Gen. 6, 55.  
 Rodigia commutata *Spr.* Rchb. Hort. 14.  
 † Rodriguezia *Rz et P.* Ruiz et Pav. Prodr. 25.  
 — Barkeri *Hook.* Bot. Mag. 63, 3497.  
 — Batemani *Ldl.* Poepp. et Endl. 70.  
 — crispa *Ldl.* Bot. Reg. 26, 54.  
 — lanceolata *Rz et P.* Lodd. Cab. 676.  
 — planifolia *Ldl.* Bot. Mag. 63, 3504.  
 — secunda *H. B. K.* H. B. K. Nov. Gen. I, 92.  
 — — Bot. Mag. 63, 3524.  
 — — Bot. Reg. 11, 930.  
 Rodschiedia serrata *Dennst.* Rheede Hort. mal. 5, 56.  
 Roella ciliata *L.* Linné Hort. Cliff. 35.

- † Roella ciliata *L.* Gaertn. Carp. 31.  
 — — — Lam. Encycl. 123.  
 — — — Herb. amat. 5, 332.  
 — — — Bot. Mag. 11, 378.  
 — — — Lodd. Cab. 1156.  
 — — — Paxt. Mag. 7, 245.  
 — — — Fl. d. serres 5, 517.  
 — decurrens *L'her.* L'heritier Sertum 6.  
 — — *Andr.* Andr. Rep. 4, 238.  
 — elegans *Paxt.* Paxt. Mag. 6, 27.  
 — ? — — Fl. d. serres 1, 54.  
 — filiformis *Lam.* Lam. Encycl. 123.  
 † Roemeria hybrida *DC.* Mem. Genev. 1, 2.  
 — pinnatifida *Bvn.* Belanger Ind. or. x.  
 — refracta *DC.* Delessert Ic. 2, 8.  
 Roepera fabagifolia *Juss.* Delessert Ic. 3, 42.  
 † — — Mem. Mus. 12, 15.  
 Rogeria adenophylla *Delile.* Cailliaud Voyage 63.  
 — amoena *Planch.* Fl. d. serres 5, 442.  
 — cordata *Planch.* Lem. Jard. fl. 122.  
 — — — Fl. d. serres 8, 754.  
 — — — Moore Mag. 1851, p. 89.  
 — latifolia *Decne.* Revue hort. 1853, 7.  
 — versicolor *Lem.* Lem. Jard. fl. 112.  
 † Rohdea japonica *Bl.* Hoeven Tijdschr. 1, 3.  
 Rohria armata *Vahl.* Skrifter nat. Selsk. 1793, 6.  
 — bisulca *Thunb.* Skrifter nat. Selsk. 1799, 7.  
 — carlinoides *Thunb.* Skrifter nat. Selsk. 1791, 9.  
 — carthamoides *Thunb.* Skrifter nat. Selsk. 1793, 8.  
 — cuneata *Thunb.* Skrifter nat. Selsk. 1793, 10.  
 — cynaroides *Thunb.* Skrifter nat. Selsk. 1791, 8.  
 — decurrens *Thunb.* Skrifter nat. Selsk. 1793, 9.  
 — hispida *Thunb.* Skrifter nat. Selsk. 1793, 6.  
 — ilicifolia *Vahl.* Skrifter nat. Selsk. 1793, 7.  
 — incana *Thunb.* Skrifter nat. Selsk. 1793, 11.  
 — lanceolata *Thunb.* Skrifter nat. Selsk. 1793, 4.  
 — monanthos *Thunb.* Skrifter nat. Selsk. 1793, 7.  
 — obovata *Thunb.* Skrifter nat. Selsk. 1799, 10.  
 — palmata *Thunb.* Skrifter nat. Selsk. 1793, 13.  
 — patula *Thunb.* Skrifter nat. Selsk. 1799, 9.  
 — pectinata *Thunb.* Skrifter nat. Selsk. 1799, 8.  
 — pungens *Thunb.* Skrifter nat. Selsk. 1799, 11.  
 — spinosissima *Thunb.* Skrifter nat. Selsk. 1793, 12.  
 — squarrosa *Thunb.* Skrifter nat. Selsk. 1793, 5.  
 — sulcata *Thunb.* Skrifter nat. Selsk. 1799, 6.  
 † Rolandra *Sw.* Swartz Fl. ind. occ. 27.  
 Rolfinkia centaureoides *Zenk.* Zenker Pl. ind. 14.  
 Rollandia Delessertiana *Gaudich.* Gaudichaud Bonite 75.  
 — Humboldtiana *Gaudich.* Gaudichaud Bonite 76.  
 — montana *Gaudich.* Freycinet Voyage 74.  
 Rollinia cuspidata *Mart.* Endl. Bras. 2, 6.  
 † — exsuca *DC.* Mem. Genev. 5, 2.  
 — longifolia *St. Hil.* St. Hil. Fl. Bras. 5.  
 † — — Spach Suites 61.  
 — parviflora *St. Hil.* Endl. Bras. 2, 6.  
 — puberula *DC.* Mem. Genev. 5, 1.  
 — Sieberi *DC.* Mem. Genev. 5, 2.  
 Romanzowia sitchensis *Bong.* Acad. Petersb. 2, 4.  
 — unalaskensis *Cham.* Horae berlin. 14.  
 † — — Mem. Genev. 6, 3.  
 — — Ann. sc. nat. 30, 16.  
 Romneya Coulteri *Harv.* Hook. Journal 1845, 3.  
 Romulea Maratti. Maratti Rom. et Sat. x.  
 — — Rchb. Fl. germ. 9, 354.  
 — Bulbocodium *Sebast.* Risso Fl. de Nice 12.  
 — Linareusii *Parl.* Parl. Ic. pl. rar. panorm. 3.  
 — rosea *Eckl.* var. Celsii, Fl. d. serres 8, 799.  
 Ronabea latifolia *Aubl.* Aublet Guiana 59.  
 — — — Lam. Encycl. 166.  
 † Rondeletia *L.* Swartz Observ. 10.  
 — americana *L.* Lam. Encycl. 162.  
 — asiatica *L.* Rheede Hort. mal. 2, 23.



- Rondeletia biflora* *L. fil.* Rottboell Surin. 2.  
 — *buxifolia* *Vahl.* Vahl *Eclogae* 12.  
 † — *hirta* *Sw.* Gaertn. *Carp.* 184.  
 — — — *Lodd.* Cab. 350.  
 — *leucophylla* *H. B. K.* H. B. K. *Nov. Gen.* 3, 290.  
 — *longiflora* *Cham.* Bot. Reg. 29, 42.  
 — — — *Bot. Mag.* 69, 3977.  
 — — — *Paxt. Mag.* 9, 217.  
 — *odorata* *Jacq.* Jacq. *Hist. stirp. am.* 61.  
 — — — *Lam. Encycl.* 162.  
 — — — *Bot. Reg.* 22, 1905.  
 — — — *Bot. Mag.* 68, 3953.  
 — — — Knowles et Westcott 36.  
 — — — Maund Bot. 2, 53.  
 — — — Hartinger *Parad.* 1, 9.  
 — *pubescens* *H. B. K.* H. B. K. *Nov. Gen.* 3, 291.  
 — *speciosa* *Lodd.* Lodd. Cab. 1893.  
 — — — *Paxt. Mag.* 2, 242. 16, 354.  
 — *triflora* *Vahl.* Vahl *Symbolae* 54.  
 — *trifoliata* *L.* Jacq. *Hist. stirp. am.* 62.  
 — *versicolor* *Hook.* Bot. Mag. 77, 4579.  
*Ropourea guianensis* *Aubl.* Anbl. Guiana 78.  
 — — — *Lam. Encycl.* 121.  
*Roridula dentata* *L.* Lam. *Encycl.* 141.  
 † — *muscipapa* *Gaertn.* Gaertn. *Carp.* 62.  
 † — — — *Lam. Encycl.* 141.  
 ! *Rosa* *L.* Hill *prolif.* Blumen 5.  
 ! — — Hopkirk *Flora anomala* 9.  
 ! — — Redouté *Roses* 149.  
 ! — — Engelmann *Antholysis* 3.  
 ! — — Mem. soc. Linn. Norm. 9, 10.  
 ! — — Mem. Mod. 5, x. 11, 1.  
 ! — — Fenzl in *Wiener Sitzungs.* 3, 3. 4.  
 — *abyssinica* *R. Br.* Lindley *Monogr.* 13.  
 — *Acharii* *Wahlenb.* Sv. Bot. 577.  
 — *acicularis* *Ldl.* Lindley *Monogr.* 8.  
 — *aciphylla* *Rau.* Rau *Enum. Rosarum* 1.  
 — — — Redouté *Roses* 70.  
 — *Adelaide* *Red.* Redouté *Bouquet* 4.  
 — *alba* *L.* Fl. dan. 7, 1215.  
 — — — Hayne 11, 31.  
 — — — Guimpel *Holzgew.* 96.  
 — — — *cymbaefolia*, Redouté *Roses* 81.  
 — — — *flore pleno*, Redouté *Roses* 46.  
 — — — *foliacea*, Redouté *Roses* 125.  
 — — — *regalis*, Redouté *Roses* 36.  
 — — — *anglica altissima*, Roessig *Rosen* 34.  
 — — — *plena*, Roessig *Rosen* 15. 25.  
 — *albo-rubicunda plena*, Roessig *Rosen* 23.  
 — *alpina* *L.* Jacq. Fl. austr. 3, 279.  
 — — — Guimpel *Holzgew.* 92.  
 — — — *Sturm Flora* 7, 26.  
 — — — Redouté *Roses* 113.  
 — — — *Bot. Reg.* 5, 424.  
 — — — Maund Bot. 1, 21.  
 — — — *debilis*, Redouté *Roses* 124.  
 — — — *flore variegato*, Redouté *Roses* 85.  
 — — — *laevis*, Redouté *Roses* 18.  
 — — — *pendulina*, Redouté *Roses* 17.  
 — *Amélie* *Red.* Redouté *Bouquet* 1.  
 — *amygdalifolia* *Ser.* Icones pl. *Chinae* 19.  
 — *andegavensis* *Bast.* Redouté *Roses* 59.  
 — *arvensis* *L.* Curt. *Lond.* 4, 123.  
 — — — *Engl. Bot.* 3, 188.  
 — — — *Baxter Brit. Bot.* 5, 325.  
 — — — *Bot. Mag.* 46, 2054.  
 — — — Guimpel *Holzgew.* 95.  
 — — — *Schrank Fl. monac.* 4, 305.  
 — — — *ovata*, Redouté *Roses* 32.  
 — *atrovirens* *Viv.* Viviani Fl. ital. 6.  
 — *Banksiae* *R. Br.* Roessig *Rosen* 57.  
 — — — Redouté *Roses* 79.

- Rosa Banksiae* *R. Br.* Bot. Mag. 45, 1954.  
 — — — *flore pleno albo*, Bot. Reg. 5, 397.  
 — — — *lutea*, Bot. Reg. 13, 1105.  
 — — — *lutea*, Lodd. Cab. 1960.  
 — — — *Herb. amat.* 4, 245.  
 — *belgica* *Mill.* Roessig *Rosen* 40.  
 — *bengalensis* *Savi.* Savi Fl. ital. 1, 38. 2, 2.  
 — *berberifolia* *Pall.* Roessig *Rosen* 53.  
 — — — Redouté *Roses* 2.  
 — — — Kerner Hort. 504.  
 — — — Ledeb. Ic. 370.  
 — *bicolor* *Jacq.* Jacq. *Vind.* 1.  
 — *bifera* *Dupont.* rosea, Roessig *Rosen* 42.  
 — — — *alba*, Redouté *Roses* 48.  
 — — — *macrocarpa*, Redouté *Roses* 121.  
 — — — *officinalis*, Redouté *Roses* 41.  
 — — — *pumila*, Redouté *Roses* 146.  
 — — — *variegata*, Redouté *Roses* 161.  
 — *biserrata* *Mérat.* Redouté *Roses* 130.  
 — *blanda* *Ait.* Jacq. *Fragm.* 105.  
 — *borboniana* *Hort.* Annales de Gand 1846, 49.  
 — *bracteata* *Wendl.* Wendl. Hort. herrenh. 23.  
 — — — *Jacq. Fragma.* 34.  
 — — — Roessig *Rosen* 52.  
 — — — *Vent. Cels* 28.  
 — — — *Bot. Mag.* 34, 1377.  
 — — — Redouté *Roses* 6.  
 — *brevistyla* *Red.* leucochroa, Redouté *Roses* 33.  
 — *Brownii* *Spr.* Fl. d. serres 4, 366. 367.  
 — *Brunonii* *Ldl.* Lindley *Monogr.* 14.  
 — — — *Bot. Mag.* 69, 4030.  
 — *bullata* *Savi.* Savi Fl. ital. 1, 34.  
 — *burgundica* *Pers.* Roessig *Rosen* 4.  
 — *caesia* *Sm.* Engl. Bot. 33, 2367.  
 — *campanulata* *Ehrh.* alba, Redouté *Roses* 105.  
 — *Candolleana* *Thory.* Thory *Monographie* 1.  
 — — — *Bibl. britann.* 10, (1819.) x.  
 — — — *elegans*, Redouté *Roses* 80.  
 † — *canina* *L.* Gaertn. *Carp.* 73.  
 — — — Fl. dan. 4, 555. 10, 1695.  
 — — — *Woodv. Med.* 3, 177.  
 — — — *Curt. Lond.* 1, 9.  
 — — — *Engl. Bot.* 14, 992.  
 — — — *Sv. Bot.* 29.  
 — — — *Lam. Encycl.* 440.  
 — — — *Dict. sc. nat.* 241.  
 † — — — *Plée Types* 35.  
 — — — *Sturm Flora* 5, 18. 9, 34.  
 — — — *Schrank Fl. monac.* 1, 70.  
 — — — *var. umbellata*, Schrank Fl. mon. 3, 277.  
 — — — Guimpel *Holzgew.* 94.  
 — — — Hayne 11, 32.  
 — — — *Dietr. Fl. bor.* 12, 861.  
 — — — *Meyer Fl. hannov.* 11.  
 — — — *rubra*, Roessig *Rosen* 21.  
 — — — *carnea simplex*, Roessig *Rosen* 29.  
 — — — *borboniana*, Redouté *Roses* 171.  
 — — — *grandiflora*, Redouté *Roses* 154.  
 — — — *nitens*, Redouté *Roses* 83.  
 — *carolina* *L.* Wangenheim *Beitrag* 31.  
 — — — Roessig *Rosen* 44.  
 — — — *corymbosa*, Redouté *Roses* 28.  
 — — — Lindley *Monogr.* 4.  
 — *caucasica* *Pall.* Lindley *Monogr.* 11.  
 — *centifolia* *L.* *Woodv. Med.* 3, 178.  
 — — — *muscosa* *Ait.* Guimpel *Fr. Holzgew.* 39.  
 — — — Guimpel et Schl. 49.  
 — — — Hayne 11, 29.  
 — — — *Nees Düsseld.* 301.  
 — — — *Wagner* 24.  
 — — — Roessig *Rosen* 1.  
 — — — *minor*, Roessig *Rosen* 20.

- Rosa centifolia* L. Redouté Roses 1.  
 — — — anemonoides, Redouté Roses 115.  
 — — — anglica rubra, Redouté Roses 108.  
 — — — bipinnata, Redouté Roses 60.  
 — — — bullata, Redouté Roses 7.  
 — — — burgundica, Redouté Roses 133.  
 — — — carnea, Redouté Roses 27.  
 — — — caryophyllacea, Redouté Roses 44.  
 — — — crenata, Redouté Roses 90.  
 — — — foliacea, Redouté Roses 87.  
 — — — mutabilis, Redouté Roses 43.  
 — — — simplex, Redouté Roses 26.  
 — — — Savi Fl. ital. 1, 27.  
 — — — var. cristata, Bot. Mag. 63, 3475.  
 — cerea Roessig. Roessig Rosen 2.  
 — chinensis Jacq. Jacq. Observ. 55.  
 — cinerea Sw. Sv. Bot. 553.  
 — cinnamomea L. Fl. dan. 7, 1214.  
 — — — Engl. Bot. 34, 2388.  
 — — — Guimpel Holzgew. 85.  
 — — — Schrank Fl. monac. 1, 40.  
 — — — Redouté Roses 54.  
 — — — majalis, Redouté Roses 40.  
 — — — majalis, Roessig Rosen 3.  
 — — — Lindley Monogr. 5.  
 — Clare Ldl. Bot. Reg. 17, 1438.  
 — Clementine Red. Redouté Bouquet 3.  
 — clinophylla Red. Redouté Roses 10.  
 — collina Jacq. Jacq. Fl. austr. 2, 197.  
 — — — Sturm Flora 9, 34.  
 — — — fastigiata, Redouté Roses 61.  
 — — — Monsoniana, Redouté Roses 150.  
 — — — Sm. Engl. Bot. 27, 1895.  
 — corymbifera Borkh. alba hispanica, Roess. Ros. 27.  
 † cuprea Jacq. Jacq. Fragm. 34.  
 — damascena L. marmorea, Roessig Rosen 38.  
 — — — rubro-purpurea, Roessig Rosen 18.  
 — — — Aurora, Redouté Roses 78.  
 — — — Celsiana, Redouté Roses 84. 123.  
 — — — coccinea, Redouté Roses 42.  
 — — — italica, Redouté Roses 135.  
 — — — subalba, Redouté Roses 20.  
 — — — variegata, Redouté Roses 56.  
 — — — incarnata, Kerner Hort. 848.  
 — Desirée Giraud Van Houitte. Fl. d. serres 8, 853.  
 — Dicksoni Ldl. Engl. Bot. 2707.  
 — dijonnensis Roessig. Roessig Rosen 24.  
 — diversifolia Vent. Vent. Cels 35.  
 — Doniana Woods. Engl. Bot. 2601.  
 — dumetorum Sm. Engl. Bot. 36, 2579.  
 — — Thuill. Engl. Bot. 2610.  
 — — — Redouté Roses 100.  
 — Eglanteria L. Sv. Bot. 463.  
 — — — Redouté Roses 23.  
 — — — luteola, Redouté Roses 126.  
 — — — punicea, Redouté Roses 24.  
 — — — subrubra, Redouté Roses 153.  
 — — — rubra, Roessig Rosen 10. 25.  
 — — — Desc. Ant. 6, 403.  
 — Evratina Bosc. Redouté Roses 165.  
 — farinosa Bechst. Redouté Roses 147.  
 — ferox M. v. B. Marschall Cent. 37.  
 — — Ait. Bot. Reg. 5, 420.  
 — flandrica tricolor Hort. Fl. d. serres 2, 155.  
 — flava Wikstr. Svensk Acad. 1820. 2, 3.  
 — fluvialis Müller. Fl. dan. 5, 868.  
 — foetida Bastard. Redouté Roses 53.  
 — formosa Roessig. Roessig Rosen 50.  
 — Forsteri Sm. Engl. Bot. 2611.  
 — Fortuneana Ldl. Lem. Jard. fl. 4, 361.  
 — — — Fl. d. serres 7, p. 256.  
 — — — Double Yellow; Bot. Mag. 78, 4679.  
 — Rosa Fortuneana Ldl. Double Yellow, Fl. d. serres 8, 769.  
 — — — fragariaeflora Ser. Icones pl. Chinae 28.  
 — — — francofurtensis Münchh. Roessig Rosen 11.  
 — — — fraxinifolia Borkh. Bot. Reg. 6, 458.  
 — — — gallica L. Woodv. Med. 3, 179.  
 † — — — Lam. Encycl. 440.  
 — — — officinalis, Kerner Hort. 521.  
 — — — Sturm Flora 10, 34.  
 — — — Guimpel Holzgew. 89.  
 — — — Hayne 11, 30.  
 — — — Nees Düsseld. 302.  
 — — — Guimpel et Schl. 50.  
 — — — Wagner 103.  
 — — — duplex, Roessig Rosen 17.  
 — — — maxima, Roessig Rosen 46.  
 — — — superbissima, Roessig Rosen 45.  
 — — — Agatha, Redouté Roses 134. 136. 139.  
 — — — 140. 155.  
 — — — aurelianensis, Redouté Roses 131.  
 — — — coerulea, Redouté Roses 103.  
 — — — flore giganteo, Redouté Roses 143.  
 — — — flore marmoreo, Redouté Roses 141.  
 — — — Granati, Redouté Roses 100.  
 — — — Gueriniana, Redouté Roses 163.  
 — — — latifolia, Redouté Roses 119.  
 — — — Mahaka, Redouté Roses 156.  
 — — — officinalis, Redouté Roses 25.  
 — — — Pontiana, Redouté Roses 118.  
 — — — purpureo-velutina parva, Red. Ros. 63.  
 — — — purpureo-violacea magna, Red. Ros. 69.  
 — — — regalis, Redouté Roses 64.  
 — — — rosea simplex, Redouté Roses 145.  
 — — — stapeliaeflora, Redouté Roses 144.  
 — — — versicolor, Redouté Roses 55.  
 — — — Savi Fl. ital. 1, 29.  
 — — — versicolor, Bot. Mag. 43, 1794.  
 — — — Tuscany, Bot. Reg. 6, 448.  
 — — — Geant de batailles, Ysabeau Journal 1850, 2.  
 — — — geminata Rau. Redouté Roses 99.  
 — — — glaucophylla Ehrh. Roessig Rosen 43.  
 — — — glutinosa Sibth. Sibth. Fl. gr. 432.  
 — — — grandiflora Ldl. Bot. Reg. 11, 888.  
 — — — Guilelmi Waldemarii Klotzsch. Prinz Waldem.  
 — — — Him. 8.  
 — — — Hardii Paxt. Paxt. Mag. 10, 195.  
 — — — Helene Red. Redouté Bouquet 2.  
 — — — hibernica Sm. Engl. Bot. 31, 2196.  
 — — — hispida Sims. Bot. Mag. 38, 1570.  
 — — — Red. argentea, Redouté Roses 159.  
 — — — Hoffmeisteri Klotzsch. Prinz Waldem. Him. 7.  
 — — — holosericea Duroi. duplex, Roessig Rosen 16. 25.  
 — — — regalis, Roessig Rosen 49.  
 — — — Hudsoniana Red. salicifolia, Redouté Roses 35.  
 — — — scandens, Redouté Roses 112.  
 — — — subcorymbosa, Redouté Roses 116.  
 — — — hystrix Ldl. Lindley Monogr. 17.  
 — — — japonica Waitz. Roessig Rosen 51.  
 — — — indica L. Redouté Roses 50.  
 — — — acuminata, Redouté Roses 15.  
 — — — autumnalis, Redouté Roses 164.  
 — — — Blairi, Sweet Fl. G. II. 405.  
 — — — caryophyllacea, Redouté Roses 151.  
 — — — cruenta, Redouté Roses 49.  
 — — — dichotoma, Redouté Roses 148.  
 — — — fragrans, Redouté Roses 19. 169.  
 — — — fragrans, Roessig Rosen 55.  
 — — — multipetala, Redouté Roses 75.  
 — — — nivea, Sweet Fl. G. II. 229.  
 — — — odoratissima, Bot. Reg. 10, 804.  
 — — — pannosa, Redouté Roses 76.  
 — — — pumila, Redouté Roses 45. 67.  
 — — — Queen Victoria, Ann. de Gand 1848, 181.

- Rosa indica* *L.* Queen-Victoria, Fl. d. serres 7, 691.  
 — — — sertulata, Redouté Roses 138.  
 — — — Smithii, Sweet Fl. G. II. 157.  
 — — — subalba, Redouté Roses 97.  
 — — — stelligera, Redouté Roses 137.  
 — — — subviolacea, Redouté Roses 117.  
 — — — vulgaris, Redouté Roses 14.  
 — inermis *Red.* Redouté Roses 104.  
 — inodora *Fries.* Fl. dan. 13, 2233.  
 — involucrata *Roxb.?* Icones pl. Chinae 9.  
 — — — Bot. Reg. 9, 739.  
 — — — Wight Ic. pl. Ind. or. 1, 234.  
 — involuta *Sm.* Engl. Bot. 29, 2068.  
 — kamtchatica *Vent.* Vent. Cels 67.  
 — — — Redouté Roses 12.  
 — — — Roessig Rosen 60.  
 — — — Bot. Mag. 59, 3149.  
 — — — Bot. Reg. 5, 419.  
 — — —  $\beta$ . nitens, Bot. Reg. 10, 824.  
 — lacteola *Cam.* Roessig Rosen 41.  
 — Lawranceana *Sweet.* Bot. Reg. 7, 538.  
 — laxa *Ldl.* Lindley Monogr. 3.  
 — — — *Retz.* Svensk Acad. 1820. 2, 3.  
 — Leschenaultiana *Red.* Wight Ic. pl. Ind. or. 1, 38.  
 — leucantha *Loiseleur.* Redouté Roses 52.  
 — leucochroa *Desv.* Desvaux Journal 4, 15.  
 — Lheritieriana *Red.* Redouté Roses 127.  
 — longifolia *Willd.* Redouté Roses 68.  
 † lucida *Ehrh.* Jacq. Fragm. 107.  
 — — — Guimpel Fr. Holzgew. 93.  
 — — — Redouté Roses 11.  
 — — — Savi Fl. ital. 1, 23.  
 — lutea *Mill.* Bot. Mag. 11, 363.  
 — — — bicolor, Bot. Mag. 27, 1677.  
 — — — Guimpel Holzgew. 84.  
 — — — plena, Sweet Fl. G. II. 353.  
 — — — Hoggii, Sweet Fl. G. II. 410.  
 — lutescens *Pursh.* Lindley Monogr. 9.  
 — Lyellii *Ldl.* Lindley Monogr. 1.  
 — macrophylla *Ldl.* Lindley Monogr. 6.  
 — — — Wall. Pl. asiat. 117.  
 — malmundariensis *Lejeune.* Redouté Roses 74.  
 — marmorea *Roessig.* Roessig Rosen 26.  
 — micrantha *Sm.* Engl. Bot. 35, 2490.  
 — microcarpa *Ldl.* Lindley Monogr. 18.  
 — — — Icones pl. Chinae 9.  
 — — — *Retz.* Svensk Acad. 1820. 2, 3.  
 — microphylla *Roxb.* Bot. Reg. 11, 919.  
 — — — Bot. Mag. 63, 3490.  
 — mollis *Sm.* Engl. Bot. 35, 2459.  
 — mollissima *Borkh.* Redouté Roses 102.  
 — Montezumae *H. B.* Redouté Roses 16.  
 † moschata *Mill.* Jacq. Fragm. 34.  
 — — — Jacq. Schoenbr. 3, 280.  
 — — — Guimpel et Schl. 51.  
 — — — Hayne 11, 33.  
 — — — Redouté Roses 5. 37.  
 — — — nepalensis, Bot. Reg. 10, 829.  
 — — — nivea, Bot. Reg. 10, 861.  
 — multiflora *Thunb.* Bot. Mag. 26, 1059.  
 — — — carnea, Redouté Roses 91.  
 — — — platyphylla, Redouté Roses 92.  
 — — — platyphylla, Bot. Reg. 16, 1372.  
 — — — Bot. Reg. 5, 425.  
 — — — Savi Fl. ital. 1, 20.  
 — — — Herb. amat. 1, 67.  
 — muscosa *Mill.* Bot. Mag. 2, 69.  
 — — — Roessig Rosen 6.  
 — — — simplex, Redouté Roses 8.  
 — — — alba, Redouté Roses 31.  
 — — — anemoniflora, Redouté Roses 167.  
 — — — multiplex, Redouté Roses 9.

- Rosa mutica* *Müller.* Fl. dan. 4, 688.  
 — — — myriacantha *DC.* Redouté Roses 122.  
 — — — Lindley Monogr. 10.  
 — — — Narcisse de Salvandy, Fl. d. serres 6, 593.  
 — — — nitida *Willd.* Lindley Monogr. 2.  
 — — — nivea *Poir.* Redouté Roses 98.  
 — — — Noisettiana *Red.* Redouté Roses 96.  
 — — — purpurea, Redouté Roses 170.  
 — — — Herb. amat. 5, 288.  
 — — — Savi Fl. ital. 3, 89.  
 — ochroleuca *Sw.* Svensk Acad. 1820. 2, 3.  
 — — — Guimpel Fr. Holzgew. 94.  
 — — — odoratissima *Waitz.* Roessig Rosen 55.  
 — — — omnium calendarum *Borkh.* Roessig Rosen 8.  
 — — — Orbessanca *Red.* Redouté Roses 65.  
 — — — papaverina *Moench.* major, Roessig Rosen 31.  
 — — — parviflora *Willd.* Redouté Roses 94.  
 — — — parvifolia *Ehrh.* Bot. Reg. 6, 452.  
 — — — persica *Hort.* lutea, Fl. d. serres 4, 374.  
 — — — pimpinellifolia *L.* Pallas Fl. ross. 75.  
 — — — Jacq. Fragm. 107.  
 — — — Guimpel Holzgew. 86.  
 — — — Roessig Rosen 9. 25.  
 — — — pumila, Roessig Rosen 59.  
 — — — flore albo, Redouté Roses 107.  
 — — — flore variegato, Redouté Roses 109.  
 — — — inermis, Redouté Roses 128.  
 — — — mariaeburgensis, Redouté Roses 29.  
 — — — pumila, Redouté Roses 30.  
 — — — rubra, Redouté Roses 47.  
 — — — Dietr. Fl. bor. 12, 864.  
 — — — d'Enghien, Fl. d. serres 6, 580.  
 — polyanthos *Roessig.* Roessig Rosen 35.  
 — — — pomponia *DC.* Roessig Rosen 37.  
 — — — Redouté Roses 21.  
 — — — burgundica, Redouté Roses 172.  
 — — — flore subsimplici, Redouté Roses 86.  
 — — — muscosa, Redouté Roses 168.  
 — — — Prince Albert *Hort.* Fl. d. serres 8, 808.  
 — — — provincialis *Ait.* var. Bot. Mag. 12, 407.  
 — — — muscosa, Bot. Reg. 1, 53. 2, 102.  
 — — — muscosa, Roessig Rosen 56.  
 — — — anemonoides, Roessig Rosen 58.  
 — — — pulverulenta *M. v. B.* Marschall Cent. 62.  
 — — — pumila *Ait.* Jacq. Fl. austr. 2, 198.  
 — — — Sturm Flora 10, 34.  
 — — — Redouté Roses 89.  
 — — — punicea *Mill.* Roessig Rosen 5.  
 — — — pygmaea *M. v. B.* Marschall Cent. 2.  
 — — — pyrenaica *Gouan.* Gouan Illustr. 19.  
 — — — Jacq. Schoenbr. 4, 416.  
 — — — Guimpel Holzgew. 93.  
 — — — Rapa *Bosc.* Redouté Roses 58.  
 — — — reclinata *Red.* Redouté Roses 157. 158.  
 — — — Redouteana *Thory.* Thory Monogr. x.  
 — — — glauca, Redouté Roses 38.  
 — — — rubescens, Redouté Roses 39.  
 — — — repens *Scop.* Jacq. Fragm. 104.  
 — — — reversa *W. et K.* W. et Kit. 264.  
 — — — Guimpel Fr. Holzgew. 38.  
 — — — Rosenberghiana *Red.* Redouté Roses 114.  
 — — — rubella *Sm.* Engl. Bot. 36, 2521.  
 — — — rubicans *Roessig.* Roessig Rosen 48.  
 — — — rubifolia *R. Br.* Lindley Monogr. 15.  
 — — — Redouté Roses 152.  
 — — — rubiginosa *L.* Curt. Lond. 4, 116.  
 — — — Engl. Bot. 14, 991.  
 — — — Jacq. Fl. austr. 1, 50.  
 — — — Schk. Handb. 134.  
 — — — Guimpel Holzgew. 91.  
 — — — Sturm Flora 5, 18.  
 — — — Dietr. Fl. bor. 12, 862.

- Rosa rubiginosa* *L. altissima*, Roessig Rosen 47.  
 — — — *aculeatissima*, Redouté Roses 106.  
 — — — *anemoniflora*, Redouté Roses 129.  
 — — — *cretica*, Redouté Roses 50.  
 — — — *flore semipleno*, Redouté Roses 95.  
 — — — *memoralis*, Redouté Roses 66.  
 — — — *triflora*, Redouté Roses 34.  
 — — — *Vaillantiana*, Redouté Roses 166.  
 — — — *Zabeth*, Redouté Roses 57.  
 — — — *Savi* Fl. ital. 1, 35.  
 — *rubra* *Lam. lucida*, Roessig Rosen 7. 25.  
 — *rubrifolia* *Vill. Jacq. Fragm.* 106.  
 — — — *Roessig* Rosen 54.  
 — — — *Redouté* Roses 4.  
 — — — *Guimpel* Holzgew. 90.  
 — — — *var. Séringe* *Mus. helv.* 1. 2.  
 — — — *Bot. Reg.* 5, 430.  
 — — — *Bell. Mem. Tur.* 5, 6.  
 — *Ruga* *Ldl. Bot. Reg.* 16, 1389.  
 — *rugosa* *Thunb. Lindley Monogr.* 19.  
 — — — *Sieb. Fl. Japon.* 28.  
 — *Sabini* *Woods. Engl. Bot.* 2954.  
 — *sanguineo-purpurea atra*, Roessig Rosen 28.  
 — *sanguineo-purpurea ranunculiformis*, Roessig Rosen 39.  
 — *sanguineo-purpurea simplex*, Roessig Rosen 36.  
 — *sarmentacea* *Woods. Engl. Bot.* 2595.  
 — *scabriuscula* *Woods. Engl. Bot.* 27, 1896.  
 — *semperflorens* *Curt. Bot. Mag.* 8, 284. 42, 1762.  
 — — — *Smith Exot. Bot.* 91.  
 — — — *Jacq. Schoenbr.* 3, 281.  
 — — — *Kerner Hort.* 114.  
 — — — *carnea*, Roessig Rosen 19.  
 — — — *purpurea*, Roessig Rosen 12.  
 — *sempervirens* *L. Roessig* Rosen 32.  
 — — — *globosa*, Redouté Roses 62.  
 — — — *latifolia*, Redouté Roses 82.  
 — — — *Leschenaultiana*, Redouté Roses 162.  
 — — — *Sibth. Fl. gr.* 483.  
 — — — *Bot. Reg.* 6, 465.  
 — *senticosa* *Achar. Svensk Acad.* 1813, 3.  
 — — — *Sv. Bot.* 475.  
 — *sepium* *Thuill. flore submultiplici*, Red. Ros. 111.  
 — — — *myrtifolia*, Redouté Roses 142.  
 — — — *rosea*, Redouté Roses 88.  
 — — — *Engl. Bot.* 2653.  
 — *sericea* *Ldl. Lindley Monogr.* 12.  
 — — — *Royle Illustr.* 42.  
 — *simplicifolia* *Poir. Salisbury Parad.* 101.  
 — *sinica* *Ait. Lindley Monogr.* 16.  
 — — — *Bot. Reg.* 23, 1922.  
 — — — *Bot. Mag.* 55, 2847.  
 — *spinosissima* *L. Fl. dan.* 3, 398.  
 — — — *Sv. Bot.* 559.  
 — — — *Jacq. Fragm.* 124.  
 — — — *Engl. Bot.* 3, 187.  
 — — — *picta*, *Lodd. Cab.* 687.  
 — — — *reversa*, *Bot. Reg.* 5, 431.  
 — — — *Guimpel* Holzgew. 87.  
 — *spinulifolia* *Dematr. Redouté* Roses 120.  
 — — — *Thory Prodr.* 1.  
 — — — *Fox. Thory Prodr.* 2.  
 — *stricta* *Mühlent. Lindley Monogr.* 7.  
 — *stylosa* *Desv. Desvaux Journ.* 4, 14.  
 — — — *Redouté* Roses 132.  
 — *suavifolia* *Lightf. Fl. dan.* 5, 870.  
 — *suavis* *Willd. Guimpel Fr. Holzgew.* 40.  
 — *sulphurea* *Ait. Redouté* Roses 3.  
 — — — *Bot. Reg.* 1, 46.  
 — *Swartzii* *Liljebl. Sv. Bot.* 541.  
 — *Thea* *Hort. Savi* Fl. ital. 2, 47.  
 — — — *à 5 couleurs* *Fort. Fl. d. serres* 4, 381.
- Rosa Thea* *Hort. Gloire de Dijon*, Fl. d. serres 9, 872.  
 — *tomentosa* *Sm. Curt. Lond.* 4, 124.  
 — — — *Engl. Bot.* 14, 990.  
 — — — *Sturm Flora* 5, 18.  
 — — — *Sv. Bot.* 571.  
 — — — *Redouté* Roses 77. 101.  
 — — — *Dietr. Fl. bor.* 12, 863.  
 — *Triomphe de Valenciennes*, *Ysabeau Journal* 1850, 1.  
 — — — *Fl. d. serres* 6, 545.  
 — *turbinata* *Ait. Jacq. Fragm.* 107.  
 — — — *Jacq. Schoenbr.* 4, 415.  
 — — — *Redouté* Roses 51.  
 — *Ventenatiana* *Red. Redouté* Roses 160.  
 — *versicolor* *Hort. Roessig* Rosen 14.  
 — *villosa* *Sm. Engl. Bot.* 9, 583.  
 — — — *Fl. dan.* 9, 1458.  
 — — — *L. Sv. Bot.* 313.  
 — — — *Sturm Flora* 5, 18.  
 — — — *Guimpel* Holzgew. 88.  
 — — — *Roessig* Rosen 30.  
 — — — *pomifera*, *Redouté* Roses 22.  
 — — — *terebinthina*, *Redouté* Roses 93.  
 — *violaceo-purpurea plena*, *Roessig* Rosen 22.  
 — *virginiana* *Duroi. simplex*, *Roessig* Rosen 13. 25.  
 — *Webbiana* *Wall. Royle Illustr.* 42.  
 — *Wilsoni* *Borrer. Engl. Bot.* 2723.  
 — *Woodsii* *Ldl. Bot. Reg.* 12, 976.  
 — *York et Lancaster*, *Roessig* Rosen 33.
- Roscoea alpina* *Royle. Royle Illustr.* 89.  
 — — — *Wight Ic. pl. Ind. or.* 6, 2013.  
 — *capitata* *Sm. Wall. Pl. asiat.* 255.  
 — *lutea* *Royle. Wight Ic. pl. Ind. or.* 6, 2013.  
 — *procera* *Wall. Wall. Pl. asiat.* 242.  
 — *purpurea* *Sm. Smith Exot. Bot.* 108.  
 — — — *Hook. Exot. Fl.* 144.  
 — — — *Roscoe Scitam.* 61.  
 — — — *Lodd. Cab.* 1104.  
 — — — *Royle Illustr.* 89.  
 — — — *Bot. Reg.* 26, 61.  
 — — — *Bot. Mag.* 78, 4630.  
 — — — *Lem. Jard. fl.* 230.  
 — — — *Kerner Hort.* 760.  
 — *spicata* *Sm. Royle Illustr.* 89.
- Rosea crassifolia* *Klotzsch. Peters Mossamb.* 46.  
 — *elatior* *Mart. Martius Bras.* 155.  
 — *jasminiflora* *Klotzsch. Peters Mossamb.* 45.
- Rosmarinus officinalis* *L. Woodv. Med.* 2, 117.  
 — — — *Lam. Encycl.* 19.  
 — — — *Sibth. Fl. gr.* 14.  
 — — — *Nouveau Duhamel* 3, 44.  
 — — — *Hayne* 7, 25.  
 — — — *Nees Düsseld.* 161.  
 — — — *Guimpel et Schl.* 54.  
 — — — *Wagner* 60.  
 † — — — *Nees Gen.* 6, 9.
- Rossatis* *Aub. Aubert Orchid.* 5. 3. 12.  
 † *Rostellaria Lessertiana* *Gaertn. Gaertn. Carp.* 207.  
*Rostellaria gracilis* *Wight. Wight Ic. pl. Ind. or.* 4, 1541.  
 — *hedyotidifolia* *N. v. E. Wight Ic. pl. Ind. or.* 4, 1540.  
 — *procumbens* *N. v. E. Wight Ic. pl. Ind. or.* 4, 1539.  
 — *simplex* *Wight. Wight Ic. pl. Ind. or.* 4, 1542.
- † *Rostkovia* *Desv. Desvaux Journal* 1, 12.  
 — *gracilis* *Hook. Hook. Fl. ant.* 47.
- † *Rostraria pubescens* *Trin. Trinius Fund.* 13.
- Rotala fimbriata* *Wight. Wight Ic. pl. Ind. or.* 1, 217.  
 — *Roxburghiana* *Wight. Wight Ic. pl. Ind. or.* 1, 260.  
 — *verticillaris* *L. Rheede Hort. mal.* 9, 81.  
 — — — *Wight Ic. pl. Ind. or.* 1, 260.
- † *Rothia andryaloides* *Gaertn. Gaertn. Carp.* 174.  
 — — — *Schk. Handb.* 223.
- Rothia carolinensis* *Lam. Journ. d'hist. nat. Par.* 1, 1.

- Rothia carolinensis* Lam. Lam. Encycl. 667.  
*Rothia trifoliata* Pers. Jacq. Ecl. pl. 129.  
 — — — Wight Ic. pl. Ind. or. 1, 199.  
*Rothmannia capensis* Thunb. Svensk Acad. 1776, 2.  
 — longiflora Salisb. Salisb. Parad. 65.  
 † *Rottboellia* L. fil. Linné Gramin. 1.  
 — *Coelorhachis* Forst. Bill. Sertum 20.  
 — *complanata* Sw. Mag. naturf. Fr. 4, 5.  
 — *compressa* L. Roxb. Corom. 156.  
 — *corymbosa* L. Roxb. Corom. 181.  
 — *digitata* Sibth. Sibth. Fl. gr. 92.  
 † *dimidiata* Sw. Gaertn. Carp. 181.  
 — — — Lam. Encycl. 48.  
 — — — Mag. naturf. Fr. 4, 5.  
 — — — Elliott Carolina 12.  
 — *exaltata* L. Roxb. Corom. 157.  
 — *fasciculata* Desf. Desf. Fl. atl. 36.  
 — *formosa* R. Br. Humb. Gram. 91.  
 — *hirsuta* Vahl. Delile Egypte 14.  
 — *incurvata* L. Cirillo Pl. rar. 1, 6.  
 — — — Lam. Encycl. 48.  
 — — — Cav. Ic. 213.  
 — — — Fl. dan. 6, 938.  
 — — — Sibth. Fl. gr. 91.  
 — — — Host Gram. 23.  
 — — — Engl. Bot. 11, 760.  
 — — — Knapp Gram. 103.  
 — — — Baxter Brit. Bot. 6, 476.  
 — *loliacea* Bory. Bory et Chaub. Morée 3.  
 — *monandra* Cav. Cav. Ic. 39.  
 — *muricata* Retz. Petersb. 2, 7.  
 — *pannonica* Host. Host Gram. 24.  
 — *perforata* Roxb. Roxb. Corom. 182.  
 — *pubescens* Bert. Novi Comm. Bonon. 5, 40.  
 — *setacea* Roxb. Roxb. Corom. 132.  
 — *Thomaea* Willd. Roxb. Corom. 132.  
 — *tripsacoides* Lam. Lam. Encycl. 48.  
 † *Rottlera* Roxb. Roemer Archiv I. 3, 7.  
 — *dicocca?* Roxb. Rheede Hort. mal. 5, 32.  
 — *japonica* Spr. Sieb. Fl. Japon. 79.  
 † — *indica* Willd. Jussieu Euphorb. 9.  
 — *mappoides* Dalz. Wight Ic. pl. Ind. or. 5, 1873.  
 — *peltata* Roxb. Wight Ic. pl. Ind. or. 5, 1873.  
 † — *ricinoides* Juss. Jussieu Euphorb. 9.  
 † — *scabrifolia* Juss. Jussieu Euphorb. 9.  
 — *tinctoria* Roxb. Rheede Hort. mal. 5, 21, 24.  
 — — — Roxb. Corom. 168.  
 † *Roubieua multifida* Moq. Tand. Ann. sc. nat. II. 1, 10.  
*Roucheria calophylla* Planch. Hook. Journal 1847, 2.  
*Rouhamon guianensis* Aubl. Aublet Guiana 36.  
 — — — Lam. Encycl. 81.  
*Roulinia corymbosa* Deene. Delessert Ic. 5, 62.  
*Roumea abyssinica* Dill. et Rich. Richard Abyssin. 8.  
*RouPELLIA grata* Wall. Lady South Africa x.  
 — — — Bot. Mag. 75, 4466.  
 — — — Lcm. Jard. fl. 16.  
 — — — Fl. d. serres 6, 589.  
*Rourea frutescens* Aubl. Aublet Guiana 187.  
 † — *javanica* Bl. Blume Mus. 1, 59.  
*Roussaea simplex* Sm. Smith Ic. Linn. 6.  
 — — — Lam. Encycl. 75.  
 — — — Rousseau Bot. Vignette 1.  
 † — — — Gaertn. Carp. 312.  
 — — — Endl. Iconogr. 107.  
 † *Rousseauxia chrysophylla* DC. Ann. sc. nat. III. 14, 7.  
*Rousselia lappulacea* Gaudich. Gaudichaud Bonite 98.  
*Roussinia indica* Gaudich. Gaudichaud Bonite 21.  
*Rova devoniensis* Paxt. Paxt. Mag. 8, 169.  
*Roxburghia gloriosa* Pers. Bot. Mag. 36, 1500.  
 — *gloriosoides* Roxb. Rumpf Amb. 5, 129.  
 — — — Roxb. Corom. 32.  
 — — — Lam. Encycl. 945.

- Roxburghia gloriosoides* Roxb. Wight Ic. pl. Ind. or. 6, 2061.  
 † — — — Schnizl. Iconogr. 1, 56<sup>b</sup>.  
 † — *ruscifolia* Zucc. Schnizl. Iconogr. 1, 56<sup>b</sup>.  
 — *viridiflora* Sm. Smith Exot. Bot. 57.  
 — — — Wall. Pl. asiat. 282.  
 — — — Kerner Hort. 554.  
 † *Roxburghiaceae* Wall. Schnizl. Iconogr. 1, 56<sup>b</sup>.  
*Roydsia suaveolens* Roxb. Roxb. Corom. 289.  
*Royena ambigua* Vent. Ventenat Malm. 17.  
 † — *hirsuta* Jacq. Jacq. Fragm. 1.  
 — — — Jacq. Collect. 5, 13.  
 — — — Lam. Encycl. 370.  
 † — *lucida* L. Jacq. Fragm. 1.  
 † — — — Gaertn. Carp. 94.  
 — — — Lam. Encycl. 370.  
 — — — Bot. Reg. 32, 40.  
 † — — — Ann. Mus. 6, 62.  
 — *pubescens* Willd. Bot. Reg. 6, 500.  
*Roylea elegans* Wall. Wall. Pl. asiat. 74.  
*Rubia acalyculata* Cav. Cav. Ic. 195.  
 — *angustifolia* L. Lam. Encycl. 60.  
 — *Bocconi Petagna*. Tenore Fl. nap. 10.  
 † — *cordifolia* L. Wight Illustr. 128<sup>bis</sup>.  
 — *fruticosa* Jacq. Jacq. Ic. 25.  
 — *himalayensis* Klotzsch. Prinz Waldem. Him. 76.  
 † — *lucida* L. Gaertn. Carp. 195.  
 — — — Sibth. Fl. gr. 142.  
 — *munjista* Roxb. Wight Ic. pl. Ind. or. 1, 187.  
 — *nitida* H. B. K. H. B. K. Nov. Gen. 3, 280.  
 † — *Olivierii* Rich. Nees Gen. X, x.  
 — *peregrina* L. Engl. Bot. 12, 851.  
 — — — Baxter Brit. Bot. 2, 135.  
 — *purpurea* Deene. Jacquemont Ind. 92.  
 — *silvestris* Brot. Brotero Phytogr. 160.  
 — *splendens* H. et L. Hoffm. Link Fl. port. 85.  
 — *tinctorum* L. Woodv. Med. 1, 67.  
 † — — — Lam. Encycl. 60.  
 — — — Sibth. Fl. gr. 141.  
 — — — Schk. Handb. 23.  
 — — — Sturm Flora 1, 3.  
 — — — Hayne 11, 4.  
 — — — Guimpel et Schl. 133.  
 — — — Nees Düssel. 254.  
 — — — Wagner 117.  
 — — — Spach Suites 56.  
 † — — — Mém. cour. Brux. 12, 1—10.  
 † *Rubiaceae* Juss. Wight Illustr. 128<sup>bis</sup>.  
*Rubus acheruntinus* Ten. Tenore Fl. nap. 235.  
 — *affinis* W. et N. Weihe Rubus 3, 3<sup>b</sup>.  
 — *agrestis* W. et K. W. et Kit. 268.  
 — *apiculatus* Weihe. Weihe Rubus 24.  
 — *arcticus* L. Linné Fl. lapp. 5.  
 — — — Fl. dan. 3, 488.  
 — — — Bot. Mag. 4, 132.  
 — — — Engl. Bot. 23, 1585.  
 — — — Sv. Bot. 26.  
 — — — *β. castoreus*, Sv. Bot. 766.  
 — — — Weihe Rubus 48.  
 — *argenteus* W. et N. Weihe Rubus 19.  
 — *australis* Forst. Hook. New Zealand 14.  
 — *Bellardi* Guenther. Weihe Rubus 44.  
 — *biflorus* Buchan. Bot. Mag. 78, 1678.  
 — — — Lcm. Jard. fl. 4, 335.  
 — — — Belgique hortic. 4, 5.  
 — *caesius* L. Fl. dan. 7, 1213.  
 — — — Engl. Bot. 12, 826.  
 — — — Sv. Bot. 241.  
 — — — Schk. Handb. 135.  
 — — — Hayne 3, 9.  
 — — — Guimpel Holzgew. 100.  
 — — — Schrank Fl. monac. 1, 24.

- Rubus caesius *L.* Weihe Rubus 46<sup>a</sup>, 46<sup>b</sup>, 46<sup>c</sup>.  
 — carpinifolius *W. et N.* Weihe Rubus 13.  
 — — Engl. Bot. 2664.  
 — Chamaemorus *L.* Linné Fl. lapp. 5.  
 — — Lightf. Fl. scot. 1, 13.  
 — — Fl. dan. 1, 1.  
 — — Curt. Lond. 4, 136.  
 — — Engl. Bot. 10, 716.  
 — — Sv. Bot. 469.  
 — — Weihe Rubus 49.  
 — collinus *DC.* Nocca et Balb. Fl. tic. 9.  
 — cordifolius *W. et N.* Weihe Rubus 5.  
 — corylifolius *Sm.* Engl. Bot. 12, 827.  
 — — Sv. Bot. 187.  
 — — Hayne 3, 11.  
 — — Guimpel Holzgew. 102.  
 — Dalibarda *L.* Smith Ic. Linn. 20.  
 — — Lam. Encycl. 441.  
 — — discolor *W. et N.* Weihe Rubus 20.  
 — — dumetorum *Weihe.* Weihe Rubus 45<sup>a</sup>, 45<sup>b</sup>.  
 — — elongatus *Sm.* Smith Ic. Linn. 62.  
 — — fastigiatus *W. et N.* Weihe Rubus 2.  
 — — floribundus *H. B. K.* H. B. K. Nov. Gen. 6, 557.  
 — — foliosus *Weihe.* Weihe Rubus 28.  
 + fruticosus *L.* Gaertn. Carp. 73.  
 — — Lam. Encycl. 441.  
 — — Schmidel Ic. 2.  
 — — Fl. dan. 7, 1163.  
 — — Engl. Bot. 19, 715.  
 — — Baxter Brit. Bot. 5, 334.  
 — — Schk. Handb. 135.  
 — — Guimpel Holzgew. 103.  
 — — Hayne 3, 12.  
 — — Guimpel et Schl. 144.  
 — — Weihe Rubus 7.  
 — — flore pleno, Savi Fl. ital. 1, 28.  
 — fuscoater *Weihe.* Weihe Rubus 26.  
 — fuscus *Weihe.* Weihe Rubus 27.  
 — geoides *Sm.* Smith Ic. Linn. 19.  
 — — Hook. Ic. pl. 5, 495.  
 — — glabratus *H. B. K.* H. B. K. Nov. Gen. 6, 558.  
 — — glandulosus *Bell.* Guimpel Holzgew. 99.  
 — — Engl. Bot. 2883.  
 — — Fl. dan. 10, 1696.  
 — — gowreepful *Roxb.* Wight Ic. pl. Ind. or. 1, 230.  
 — — Guentheri *Weihe.* Weihe Rubus 21.  
 — — Gunnianus *Hook.* Hook. Ic. pl. 3, 291.  
 — — Hamiltonianus *Wall.* Wall. Pl. asiat. 234.  
 — — hirtus *W. et K.* W. et Kit. 141.  
 — — Weihe Rubus 43.  
 — — Fl. dan. 12, 2053.  
 — — humifusus *Weihe.* Weihe Rubus 35.  
 — — humulifolius *C. A. M.* Meyer Fl. Wiatka 1.  
 — — Hystrix *Weihe.* Weihe Rubus 41.  
 — — idaeus *L.* Woodv. Med. 3, 176.  
 — — Engl. Bot. 34, 2442.  
 — — Fl. dan. 5, 788.  
 — — Sv. Bot. 181.  
 — — Guimpel Holzgew. 97.  
 — — Schrank Fl. monac. 4, 341.  
 — — Hayne 3, 8.  
 — — Nees Düsseld. 310.  
 — — Guimpel et Schl. 145.  
 — — Wagner 74.  
 — — Weihe Rubus 47.  
 — — var. Fastloff, Fl. d. serres 4, 380.  
 — — infestus *Weihe.* Weihe Rubus 30.  
 — — Koehleri *Weihe.* Weihe Rubus 25.  
 — — Engl. Bot. 2605.  
 — — laciniatus *Willd.* Willdenow Hortus 82.  
 — — Guimpel Fr. Holzgew. 41.  
 — — Watson Dendr. 1, 69.

- Rubus lasiocarpus *Sm.* Wight Ic. pl. Ind. or. 1, 232.  
 — — Lejeunei *Weihe.* Weihe Rubus 31.  
 — — leucostachys *Sm.* Engl. Bot. 2631.  
 — — Lingna *Weihe.* Weihe Rubus 38.  
 — — Lobbianus *Hook.* Hook. Ic. pl. 8, 741, 742.  
 — — macilentus *Camb.* Jacquemont Ind. 60.  
 — — macroacanthos *W. et N.* Weihe Rubus 18.  
 — — macropetalus *Dougl.* Hook. Bor. Am. 59.  
 — — macrophyllus *W. et N.* Weihe Rubus 12.  
 — — Engl. Bot. 2625.  
 — — Menkei *Weihe.* Weihe Rubus 22.  
 — — moluccanus *L.* Rumpf Amb. 5, 47.  
 — — nemorosus *Hayne.* Hayne 3, 10.  
 — — — Guimpel Holzgew. 101.  
 — — nensensis *Hall.* Linn. Transact. 11, 16.  
 — — nitidus *W. et N.* Weihe Rubus 4.  
 — — nutkanus *DC.* Bot. Reg. 16, 1368.  
 — — — Bot. Mag. 62, 3453.  
 — — — Sweet Fl. G. II. 83.  
 — — obovatus *Michx.* Hook. Bor. Am. 60.  
 — — odoratus *L.* Bot. Mag. 9, 323.  
 — — — Barton Fl. 2, 42.  
 — — pallidus *Weihe.* Weihe Rubus 29.  
 — — palmatus *Thunb.* Thunberg Ic. jap. 36.  
 — — parvifolius *L.* Rumpf Amb. 5, 47.  
 — — — Bot. Reg. 6, 496.  
 — — pauciflorus *Wall.* Bot. Reg. 10, 854.  
 — — pedatus *Sm.* Smith Ic. Linn. 63.  
 — — — Hook. Bor. Am. 61.  
 — — pistillatus *Sm.* Smith Exot. Bot. 86.  
 — — plicatus *W. et N.* Weihe Rubus 1.  
 — — — Engl. Bot. 2714.  
 — — pubescens *W. et N.* Weihe Rubus 16.  
 — — pulcherrimus *Hook.* Hook. Ic. pl. 8, 729, 730.  
 — — pungens *Camb.* Jacquemont Ind. 59.  
 — — pygmaeus *Weihe.* Weihe Rubus 42.  
 — — pyrifolius *Sm.* Smith Ic. Linn. 61.  
 — — radicans *Cav.* Cav. Ic. 413.  
 — — Radula *Weihe.* Weihe Rubus 39.  
 — — reflexus *Ker.* Bot. Reg. 6, 461.  
 — — Reichenbachii *Koehler.* Weihe Rubus 37.  
 — — rhamnifolius *W. et N.* Weihe Rubus 6.  
 — — — Engl. Bot. 2604.  
 — — roridus *Ldl.* Bot. Reg. 19, 1607.  
 — — rosaceus *Weihe.* Weihe Rubus 36.  
 — — rosaeiflorus *Hook.* Hook. Ic. pl. 1, 46.  
 — — rosaeifolius *Sm.* Smith Ic. Linn. 60.  
 — — — Bot. Mag. 43, 1783.  
 — — — Lodd. Cab. 158.  
 — — — Herb. amat. 5, 352.  
 — — — Hook. Ic. pl. 4, 349.  
 — — Roylei *Klotzsch.* Prinz Waldem. Him. 6.  
 — — rudis *Weihe.* Weihe Rubus 40.  
 — — rugosus *Sm.* Wight Ic. pl. Ind. or. 1, 225.  
 — — sanctus *Schreb.* Schreber Ic. 8.  
 — — — Ann. Mus. 12, 6.  
 — — — Desf. Choix 61.  
 — — saxatilis *L.* Fl. dan. 1, 134.  
 — — — Sv. Bot. 349.  
 — — — Curt. Lond. 5, 154.  
 — — — Engl. Bot. 32, 2233.  
 — — — Guimpel Holzgew. 104.  
 — — — Weihe Rubus 9.  
 — — scaber *Weihe.* Weihe Rubus 32.  
 — — Schlechtendalii *Weihe.* Weihe Rubus 11.  
 — — Schleicheri *Weihe.* Weihe Rubus 23.  
 — — silvaticus *W. et N.* Weihe Rubus 15.  
 — — spectabilis *Pursh.* Pursh Flora 16.  
 — — — Bot. Reg. 17, 1424.  
 — — — Lodd. Cab. 1602.  
 — — Sprengelii *Weihe.* Weihe Rubus 10.  
 — — — Fl. dan. 10, 1697.

- Rubus stellatus* Sm. Smith Ic. Linn. 64.  
 — suberectus *Anderson*. Fl. dan. 12, 1992.  
 — — Engl. Bot. 36, 2572.  
 — thyrsiflorus *Weihe*. Weihe Rubus 34.  
 — tomentosus *Borkh.* Nocca et Balb. Fl. tic. 8.  
 — — Guimpel Holzgew. 98.  
 — — Weihe Rubus 8.  
 — triflorus *Rich.* Hook. Bor. Am. 62.  
 — trivialis *Michx.* Guimpel Fr. Holzgew. 71.  
 — velutinus *Vest.* Weihe Rubus 12.  
 — vestitus *Weihe*. Weihe Rubus 33.  
 — villicaulis *Koehler*. Weihe Rubus 17.  
 — villosus *Ait.* Bigelow Med. 38.  
 — — Barton Med. 39.  
 — vulgaris *W. et N.* Weihe Rubus 14.  
 — Wallichianus *W. et A.* Wight Ic. pl. Ind. or. 1, 231.  
 — Zahlbrucknerianus *Endl.* Endl. Atacta 35.  
 † *Ruckeria* DC. Ann. sc. nat. II. 12, 4.  
 — tagetoides DC. Delessert Ic. 4, 66.  
*Rudbeckia alata* Jacq. Jacq. Ic. 593.  
 — amplexicaulis *Vahl.* Skrifter nat. Selsk. 1793, 4.  
 † — — Schk. Handb. 259.  
 † — — Lam. Encycl. 705.  
 — amplexifolia *Jacq.* Jacq. Ic. 592.  
 — columnaris *Sims.* Bot. Mag. 39, 1601.  
 — digitata *Mill.* Schrader Gen. pl. 1.  
 — Drummondii *Paxt.* Paxt. Mag. 6, 51.  
 — fulgida *Ait.* Schrader Gen. pl. 3.  
 — — Barton Fl. 1, 5, 3, 98.  
 — — Bot. Mag. 45, 1996.  
 — hirta *L.* Lodd. Cab. 1386.  
 — — Sweet Fl. G. 82.  
 † laciniata *L.* Gaertn. Carp. 172.  
 — — Barton Fl. 1, 16.  
 — nudiflora *Bert.* Novi Comm. Bonon. 9, 14.  
 — perfoliata *Cav.* Cav. Ic. 252.  
 — pinnata *Vent.* Vent. Cels 71.  
 — — Smith Exot. Bot. 38.  
 — — Kerner Hort. 351, 759.  
 — — Bot. Mag. 49, 2310.  
 — — Sweet Fl. G. 146.  
 — purpurea *L.* Bot. Mag. 1, 2.  
 — — Schk. Handb. 259.  
 — — Barton Fl. 2, 64.  
 — serotina *Sweet.* Sweet Fl. G. 4.  
 — — Lodd. Cab. 1539.  
 — triloba *L.* Schrader Gen. pl. 2.  
 — — Barton Fl. 1, 24.  
 — — Lodd. Cab. 817.  
 — — Bot. Reg. 7, 525.  
*Rudgea lanceaefolia* *Salisb.* Linn. Transact. 8, 18.  
 — ovalifolia *Salisb.* Linn. Transact. 8, 19.  
 † *Rudolphia Willd.* Kerner Genera 37.  
 — dubia *H. B. K.* H. B. K. Nov. Gen. 6, 591.  
 — rosea *Juss.* Tussac Ant. 1, 22.  
 — volubilis *Willd.* Vahl Eclogae 30.  
*Ruchssia estebanensis* *Karsten.* Pruss. Gart. Verein 19, 1.  
*Ruellia alata* *Wall.* Wall. Pl. asiat. 31.  
 — alternata *Burm.* Rumpf Amb. 6, 13, fig. 2, 3.  
 — anisophylla *Wall.* Hook. Exot. Fl. 191.  
 — — Lodd. Cab. 1070.  
 — antipoda *L.* Rumpf Amb. 5, 170, fig. 2.  
 — australis *Cav.* Cav. Ic. 586.  
 — — Maund Bot. 4, 177.  
 — bracteata *R. Br.* Endl. Iconogr. 104.  
 — ciliatiflora *Hook.* Bot. Mag. 66, 3718.  
 — cocinea *Vahl.* Kerner Hort. 123.  
 — cristata *Andr.* Andr. Rep. 8, 506.  
 — dulcis *Cav.* Cav. Ic. 585.  
 — elegans *Hook.* Bot. Mag. 62, 3389.  
 † — — Van Houtte Hortus 5.  
 — — Fl. d. serres 1, 54.

- Ruellia elongata* *Pal. B.* Pal. B. Fl. d'Oware 26.  
 — erecta *Burm.* Burmann Fl. ind. 41.  
 — formosa *H. B.* Humb. Pl. aeq. 48.  
 — — *Andr.* Andr. Rep. 10, 610.  
 — — Bot. Mag. 34, 1400.  
 — — Kerner Hort. 319, 514, 814.  
 — — Savi Fl. ital. 3, 81.  
 — — Herb. amat. 5, 324.  
 — fulgida *Andr.* Andr. Rep. 8, 527.  
 — gigantea *H. B.* Humb. Pl. aeq. 102.  
 — gossypina *Wall.* Wall. Pl. asiat. 42.  
 — hirta *Vahl.* Vahl Symbolae 67.  
 — hispida *Rich.* Desc. Ant. 2, 115.  
 — japonica *Thunb.* Thunberg Ic. jap. 49.  
 — infundibuliformis *Andr.* Andr. Rep. 8, 542.  
 — lactea *Cav.* Cav. Ic. 255.  
 — lilacina *Hook.* Bot. Mag. 71, 4147.  
 — — Bot. Reg. 32, 13, 45.  
 — — Paxt. Mag. 12, 243.  
 — litoralis *L.* Wight Ic. pl. Ind. or. 2, 447.  
 — longiflora *Vahl.* Vahl Symbolae 15.  
 — macrophylla *Vahl.* Vahl Symbolae 39.  
 — — Bot. Reg. 32, 7.  
 — — Paxt. Mag. 14, 29.  
 — — Fl. d. serres 2, 147.  
 — maculata *Wall.* Wall. Pl. asiat. 250.  
 — microphylla *Cav.* Cav. Ic. 586.  
 — Neesiana *Wall.* Wall. Pl. asiat. 83.  
 — oblongifolia *Lodd.* Lodd. Cab. 1889.  
 — ochroleuca *Mart.* Endl. Bras. 7, 5.  
 — ocymoides *Cav.* Cav. Ic. 416.  
 — ovata *Cav.* Cav. Ic. 254.  
 — paniculata *L.* Bot. Reg. 7, 585.  
 — patula *Jacq.* Jacq. Ic. 119.  
 — — Lam. Encycl. 550.  
 — — Desc. Ant. 2, 114.  
 — persica *Burm.* Burmann Fl. ind. 42.  
 — persicifolia *Ldl.* Bot. Reg. 11, 955.  
 — picta *Lodd.* Lodd. Cab. 1448.  
 — ? punctata *N. v. E.* Wight Ic. pl. Ind. or. 4, 1563.  
 — Purdieana *Hook.* Bot. Mag. 73, 4298.  
 — — Paxt. Mag. 16, 130.  
 — — Fl. d. serres 3, 299.  
 — repanda *L.* Rumpf Amb. 6, 13, fig. 1.  
 — — Burmann Fl. ind. 40.  
 — repens *L.* Burmann Fl. ind. 41.  
 — rubicaulis *Cav.* Cav. Ic. 417.  
 — rubra *Aubl.* Aublet Guiana 270.  
 — Sabiniana *Wall.* Bot. Reg. 15, 1238.  
 — — Lodd. Cab. 1712.  
 — — Rchb. Exot. 210.  
 † — strepens *L.* Gaertn. Carp. 54.  
 † — — Lam. Encycl. 550.  
 — — Schk. Handb. 177.  
 — tentaculata *L.* Burmann Fl. ind. 40.  
 — tuberosa *L.* Desc. Ant. 2, 113.  
 — varians *Vent.* Vent. Cels 46.  
 — — Herb. amat. 3, 145.  
 — violacea *Aubl.* Aublet Guiana 271.  
 — zeylanica *Roxb.* Rheede Hort. mal. 9, 45.  
*Rueppelia abyssinica* *Dill. et Rich.* Richard Abyssin. 37.  
 † *Ruizia* *Cav.* Ruiz et Pav. Prodr. 29.  
 — cordata *Cav.* Cav. Diss. 36.  
 — diversifolia *Jacq.* Jacq. Schoenbr. 3, 295.  
 — fragrans *Rz et P.* Ruiz et Pav. Ic. Ined. x.  
 — — Endl. Iconogr. 21.  
 — laciniata *Cav.* Cav. Diss. 37.  
 — lobata *Cav.* Cav. Diss. 36.  
 — palmata *Cav.* Cav. Diss. 37.  
*Rulingia corylifolia* *Grah.* Bot. Mag. 59, 3182.  
 — pannosa *R. Br.* Bot. Mag. 48, 2191.  
 — — Lodd. Cab. 491.

- Rumex coriacea* *Poit.* Mem. Mus. 1, 4.  
 † *Rumex L.* Gaertn. Carp. 119.  
 † — — Lam. Encycl. 271.  
 † — — Mutel Fl. fr. 57.  
 † — — Schnizl. Iconogr. 2, 103.  
 — — Campdera *Rumex* 1—3. (non vidi.)  
 — *abyssinicus Jacq.* Jacq. Vind. 3, 93.  
 — *Acetosa L.* Engl. Bot. 2, 127.  
 — — Woodv. Med. 4, 230.  
 — — Sv. Bot. 190.  
 — — *α. β. γ.* Sturm Flora 17, 74.  
 — — Nees Düsseld. 112.  
 — — Hayne 13, 6.  
 † — — Nees Gen. 4, 54.  
 — *Acetosella L.* Fl. dan. 7, 1161.  
 — — Curt. Lond. 2, 97.  
 — — Engl. Bot. 24, 1674.  
 — — Sturm Flora 17, 74.  
 † — — Mutel Fl. fr. 57.  
 — *acutus L.* Engl. Bot. 11, 724.  
 — — Sv. Bot. 161.  
 — — Wagner 126.  
 — *alpinus L.* Engl. Bot. 2694.  
 — — Sturm Flora 17, 74.  
 — — Nees Düsseld. 110. 111.  
 — — Hayne 13, 7.  
 † — — Mutel Fl. fr. 57.  
 † — — Nees Gen. 4, 54.  
 — *aquaticus L.* Engl. Bot. (30, 2104.) 2698.  
 — — Sv. Bot. 209.  
 — — Rchb. Ic. crit. 4, 369.  
 — — Sturm Flora 17, 74.  
 — — Hayne 13, 4.  
 † — — Mutel Fl. fr. 57.  
 — *arifolius All.* Sturm Flora 17, 74.  
 — *bucephalophorus L.* Cav. Ic. 41.  
 — — Sibth. Fl. gr. 345.  
 † — — Gaertn. Carp. 119.  
 † — — Mutel Fl. fr. 57.  
 † — — Ann. sc. nat. II. 9, 7.  
 — *chrysocarpos Moris.* Mem. Tur. 38, 2.  
 — *conglomeratus Murr.* Fl. dan. 13, 2228.  
 — — Sturm Flora 17, 73.  
 † — — Mutel Fl. fr. 57.  
 — *cordifolius Hornem.* Rchb. Ic. crit. 5, 487.  
 — *crispus L.* Curt. Lond. 2, 95.  
 — — Engl. Bot. 28, 1998.  
 — — Fl. dan. 8, 1334.  
 — — Rchb. Ic. crit. 6, 576.  
 — — Sturm Flora 17, 73.  
 — — Nees Düsseld. 107. 109.  
 — — Hayne 13, 3.  
 † — — Mutel Fl. fr. 57.  
 † — — Nees Gen. 4, 54.  
 — *dentatus L.* Novi Comm. Gott. 5, 10.  
 † — *digynus L.* Gaertn. Carp. 119.  
 — — Fl. dan. 1, 14.  
 — — Engl. Bot. 13, 910.  
 — *Dioscoridis Wallr.* Hayne 13, 5.  
 — *diyaricatus L.* Sturm Flora 17, 73.  
 — *domesticus Hartm.* Rchb. Ic. crit. 4, 345.  
 — *elongatus Guss.* Gussone Pl. rar. 28.  
 — *glaucus Jacq.* Jacq. Ic. 67.  
 — — Sturm Flora 17, 74.  
 — *glomeratus Schreb.* Rchb. Ic. crit. 4, 368.  
 — *graminifolius Lamb.* Linn. Transact. 10, 10.  
 † — *hamatus Trev.* Nees Gen. 4, 54.  
 — *hastifolius M. v. B.* Sturm Flora 17, 74.  
 — *Helolapathum Drejer.* Fl. dan. 13, 2288.  
 — *Hydrolapathum Huds.* Woodv. Med. 4, 229.  
 — — Engl. Bot. 30, 2104.  
 — — Rchb. Ic. crit. 4, 370.

- Rumex Hydrolapathum Huds.* Sturm Flora 17, 73.  
 — — — Hayne 13, 4.  
 † — — Mutel Fl. fr. 57.  
 — *intermedius DC.* Sturm Flora 17, 74.  
 — *Limoniastrum Jaub.* Jaubert Illustr. 106.  
 — *longifolius H. B. K.* Rchb. Hort. 225.  
 — *maritimus L.* Fl. dan. 7, 1208.  
 — — Schk. Handb. 100.  
 — — Engl. Bot. 11, 725.  
 — — Sv. Bot. 706.  
 — — Sturm Flora 17, 73.  
 † — — Mutel Fl. fr. 57.  
 — *Marschallianus Rchb.* Rchb. Pl. crit. 6, 516.  
 — *maximus Schreb.* Sturm Flora 17, 73.  
 — *multifidus L.* Sibth. Fl. gr. 349.  
 — — Sturm Flora 17, 74.  
 — *Nemolapathum Ehrh.* Sv. Bot. 655.  
 — — Fl. dan. 13, 2229.  
 — — Rchb. Ic. crit. 4, 367.  
 — *nemorosus Schrad.* Nees Düsseld. 108. 109.  
 — *nepalensis Spr.* Rchb. Hort. 234.  
 — — Wight Ic. pl. Ind. or. 5, 1810.  
 — *nivalis Hegetschw.* Schweizer Denkschr. 3, 1.  
 — — Sturm Flora 19, 88.  
 † — *obtusifolius L.* Gaertn. Carp. 119.  
 — — Fl. dan. 8, 1335.  
 — — Curt. Lond. 2, 134.  
 — — Engl. Bot. 28, 1999.  
 — — Baxter Brit. Bot. 6, 454.  
 — — Rchb. Ic. crit. 4, 366.  
 — — *α. β. γ.* Sturm Flora 17, 73.  
 — — Nees Düsseld. 106. 109.  
 — — Guimpel et Schl. 37.  
 — — Hayne 13, 1.  
 † — — Mutel Fl. fr. 57.  
 † — — Nees Gen. 4, 54.  
 — *Oxylapathum Wall.* Hayne 13, 2.  
 — *palustris Sm.* Engl. Bot. 27, 1932.  
 — — Curt. Lond. 2, 113.  
 — — Fl. dan. 11, 1873.  
 — — Sturm Flora 17, 73.  
 † — *Patientia L.* Gaertn. Carp. 119.  
 — — Sturm Flora 17, 73.  
 † — — Mutel Fl. fr. 57.  
 — *polygamus Cav.* Cav. Ic. 22.  
 — *pratensis M. et K.* Sturm Flora 17, 73.  
 — — Nees Düsseld. Suppl. 55. 56.  
 — — Engl. Bot. 2757.  
 — *pulcher L.* Engl. Bot. 22, 1576.  
 — — Rchb. Ic. crit. 5, 486.  
 — — Sturm Flora 17, 73.  
 † — — Mutel Fl. fr. 57.  
 † — *purpureus Poir.* Mutel Fl. fr. 57.  
 — — Sturm Flora 17, 73.  
 — *roseus L.* Sibth. Fl. gr. 346.  
 † — *sanguineus L.* Gaertn. Carp. 119.  
 — — Curt. Lond. 2, 106.  
 — — Engl. Bot. 22, 1533.  
 — — Sturm Flora 17, 73.  
 † — — Mutel Fl. fr. 57.  
 — *scutatus L. α. β. γ.* Sturm Flora 17, 74.  
 — *silvestris Wallr.* Sturm Flora 17, 73.  
 — — Hayne 13, 1.  
 † — *spinous L.* Gaertn. Carp. 119.  
 — — Sibth. Fl. gr. 347.  
 — *Steinii Becker.* Sturm Flora 17, 73.  
 — *stenophyllus Led.* Ledeb. Ic. 399.  
 — *tuberosus L.* Sibth. Fl. gr. 348.  
 — *uliginosus Guss.* Gussone Pl. rar. 29.  
 — *venosus Pursh.* Hook. Bor. Am. 174.  
 — *vesicarius L.* Desc. Ant. 7, 494.  
*Rumfordia floribunda DC.* Delessert Ic. 4, 30.



- Rumohria aspidioides *Raddi*. Opusc. sc. Bonon. 3, 12.  
 — — — *Raddi* Fil. 43.  
*Rumphia amboinensis* *L.* Rheede Hort. mal. 4, 11.  
 — *tiliaefolia* *Lam.* Lam. Encycl. 25.  
*Rungia Arnottiana* *Wight*. Wight Ic. pl. Ind. or. 4, 1550.  
 — *latior* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1548.  
 — *pectinata* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1547.  
 — *repens* *N. v. E.* Wight Ic. pl. Ind. or. 2, 465.  
 — *Wightiana* *N. v. E.* Wight Ic. pl. Ind. or. 4, 1549.  
*Rupala* *Willd.* = *Rhopala* *Schreb.*  
*Ruppia antarctica* *Lab.* Bill. Nov. Holl. 264.  
 — — — *Freycinet* Voyage 40.  
 † — *maritima* *L.* Gaertn. Carp. 84.  
 — — — *Lam.* Encycl. 90.  
 — — — *Lightfoot* Fl. scot. 1, 8.  
 — — — *Curt.* Lond. 4, 50.  
 — — — *Engl. Bot.* 2, 136.  
 — — — *Baxter* Brit. Bot. 6, 451.  
 — — — *Sv. Bot.* 650.  
 — — — *Rehb.* Ic. crit. 2, 174.  
 — — — *Rehb.* Fl. germ. 7, 17.  
 † — — — *Mutel* Fl. fr. 63.  
 † — — — *Nees* Gen. 3, x.  
 — *rostellata* *Koch.* *Rehb.* Ic. crit. 2, 174.  
 — — — *Rehb.* Fl. germ. 7, 17.  
 — *trichodes* *Durieu.* Explor. Alger. 46.  
 † *Ruprechtia ramiflora* *C. A. M.* Acad. Pet. 6, x.  
 † — *salicifolia* *C. A. M.* Acad. Pet. 6, x.  
*Ruscus aculeatus* *L.* *Woodv.* Med. I, 64.  
 — — — *Engl. Bot.* 8, 560.  
 — — — *Baxter* Brit. Bot. 6, 474.  
 — — — *Lam.* Encycl. 835.  
 † — — — *Schk.* Handb. 340.  
 — — — *Sturm* Flora 11, 41.  
 — — — *Rehb.* Fl. germ. 10, 437.  
 † — — — *Nees* Gen. 2, 64.  
 † — — — *Flora* 1853, 6.  
 — *androgynus* *L.* *Bot. Mag.* 44, 1898.  
 — — — *var. a.* *Bot. Mag.* 57, 3029.  
 † — — — *Nees* Gen. 2, 64.  
 — *Hypoglossum* *L.* *Schk.* Handb. 340.  
 — — — *Sibth.* Fl. gr. 935.  
 — — — *Endlicher* Fl. poson. x.  
 — — — *Rehb.* Fl. germ. 10, 437.  
 † — — — *Schnizl.* Iconogr. 1, 56.  
 — *Hypophyllum* *L.* *Bot. Mag.* 46, 2049.  
 † — — — *Flora* 1853, 6.  
 † — *racemosus* *L.* *Gaertn.* Carp. 16.  
 — — — *Watson* Dendr. 2, 145.  
 † — — — *Lam.* Encycl. 835.  
*Russeggera collina* *Endl.* *Endl.* Iconogr. 94.  
*Russelia juncea* *Zucc.* *Bot. Reg.* 21, 1773.  
 — — — *Maund* Bot. 5, 220.  
 — — — *Paxt.* Mag. 4, 79.  
 — *multiflora* *Sims.* *Bot. Mag.* 37, 1528.  
 — — — *Herb. amat.* 4, 284.  
 — — — *Paxt.* Mag. 16, 163.  
 — *rotundifolia* *Cav.* *Cav.* Ic. 415.  
 — *sarmentosa* *Jacq.* *Jacq.* Hist. stirp. am. 171.  
 — — — *Lam.* Encycl. 539.  
 — — — *var.* *Regel* Gartenfl. 1852, 5.  
*Ruta acutifolia* *DC.* *Delessert* Ic. 3, 44.  
 — *albiflora* *Hook.* *Exot.* Fl. 79.  
 — — — *Lodd.* Cab. 1352.  
 — *angustifolia* *Pers.* *Bot. Mag.* 49, 2311.  
 — — — *Rehb.* Ic. crit. 8, 788.  
 — — — *Rehb.* Fl. germ. 5, 156.  
 † — — — *Mutel* Fl. fr. 15.  
 — *bracteosa* *DC.* *Rehb.* Ic. crit. 8, 789.  
 — — — *Rehb.* Fl. germ. 5, 157.  
 † — — — *Mutel* Fl. fr. 15.  
 — *chalepensis* *L.* *Sibth.* Fl. gr. 368.

- Ruta chalepensis* *L.* *Desc.* Ant. 8, 595.  
 — *corsica* *DC.* *Rehb.* Ic. crit. 8, 790.  
 † — — — *Mutel* Fl. fr. 15.  
 — *divaricata* *Ten.* *Tenore* Fl. nap. 36.  
 — — — *Rehb.* Ic. crit. 8, 787.  
 — — — *Rehb.* Fl. germ. 5, 155.  
 — *fruticulosa* *Lab.* *Bill.* Syr. 1, 4.  
 † — *graveolens* *L.* *Gaertn.* Carp. 111.  
 — — — *Woodv.* Med. 3, 174.  
 — — — *Lam.* Encycl. 345.  
 — — — *Diet.* sc. nat. 122.  
 — — — *Schk.* Handb. 115.  
 — — — *Hayne* 6, 8.  
 — — — *Nees* Düsseld. 374.  
 — — — *Guimpel* et *Schl.* 186.  
 — — — *Wagner* 34.  
 — — — *Rehb.* Fl. germ. 5, 157.  
 † — — — *Mem.* Mus. 12, 17.  
 † — — — *Ann.* sc. nat. 17, 14.  
 † — — — *Mem.* Institut. 1830, 3.  
 † — — — *Payer* Organogénie 15.  
 — *legitima* *All.* *Jacq.* Ic. 76.  
 — *limifolia* *L.* *Andr.* Rep. 9, 565.  
 — — — *Lam.* Encycl. 345.  
 — — — *var.* *Bot.* Mag. 48, 2254.  
 — *macrophylla* *Soland.* *Bot. Mag.* 45, 2018.  
 — *montana* *Clus.* *Rehb.* Ic. crit. 8, 786.  
 — — — *Rehb.* Fl. germ. 5, 154.  
 † — — — *Mutel* Fl. fr. 15.  
 — *obtusifolia* *Led.* *Eichwald* Cauc. 32.  
 — *parviflora* *Desf.* *Ann.* Mus. 11, 42.  
 — — — *Desf.* *Choix* 54.  
 — *patavina* *L.* *Sibth.* Fl. gr. 369.  
 — — — *Roemer* Fl. europ. 6, 7.  
 — — — *Portenschlag* Dalm. 6.  
 — *pinnata* *L.* *Bot.* Reg. 4, 307.  
 — *spathulata* *Sibth.* *Sibth.* Fl. gr. 370.  
 — *tuberculata* *Forsk.* *Delessert* Ic. 3, 43.  
 † *Rutaceae* *Juss.* *Mem.* Mus. 12, 14—29.  
 † — — — *Payer* Organogénie 15.  
 † *Rutosma* *Gray.* *Gray* Genera 155.  
 — *texana* *Gray.* *Gray* Genera 155.  
 † *Ruyschia* *Jacq.* *Swartz* Fl. Ind. occ. 11.  
 — *amazonica* *Mart.* *Mart.* Bras. 292.  
 — *bicolor* *Benth.* *Bentham* Sulphur 29.  
 — *clusiaefolia* *Jacq.* *Jacq.* Hist. stirp. am. 76.  
 — — — *Lam.* Encycl. 135.  
 — *corallina* *Mart.* *Mart.* Bras. 294.  
 — *lepidota* *Miq.* *Miquel* Surin. 27.  
 — *spixiana* *Mart.* *Mart.* Bras. 293.  
 — *Surubea* *Sw.* *Lam.* Encycl. 135.  
*Ryania speciosa* *Vahl.* *Vahl* Eclogae 9.  
*Ryssopterys timorensis* *Juss.* *Delessert* Ic. 3, 35.  
 † — — — *Arch.* Mus. 3, 11.  
*Sabal Andansonii* *Guersuent.* *Bull.* philom. 1811. no. 87.  
 — — — *Bot.* Mag. 35, 1434.  
 — — — *Tratt.* Archiv 362. 362<sup>a</sup>.  
 — — — *Mart.* Palm. 103. S. Y. Z<sup>2</sup>. Z<sup>3</sup>.  
 † — *mexicana* *Mart.* *Mart.* Palm. S. V.  
 — *umbraclifera* *Mart.* *Mart.* Palm. 130. T. Y. Z<sup>1</sup>.  
*Sabbatia angularis* *Pursh.* *Bigelow* Med. 57.  
 — — — *Barton* Med. 24.  
 — — — *Rehb.* Hort. 118.  
 — — — *Torrey* New York 83.  
 — *calycosa* *Pursh.* *Bot. Mag.* 39, 1600.  
 — *chloroides* *Pursh.* *Torrey* New York 84.  
 — *gracilis* *Salisb.* *Salisbury* Parad. 32.  
*Sabia lanceolata* *Colebr.* *Linn.* Transact. 12, 14.  
 † — *Menicosta* *Bl.* *Blume* Mus. 1, 44.  
*Sabicea aspera* *Aubl.* *Aublet* Guiana 76.  
 — *cana* *Hook.* *Hook.* Ic. pl. 3, 247.  
 — *cinerea* *Aubl.* *Aublet* Guiana 75.

- Sabicea cinerea* *Aubl.* Lam. Encycl. 165.  
*Sabulina bannatica* *Heuff.* Rchb. Fl. germ. 5, 205.  
 — *mediterranea* *Led.* Rchb. Fl. germ. 5, 205.  
 — *mucronata* *Rchb.* Rchb. Fl. germ. 5, 205.  
 — *obtusa* *Rchb.* Rchb. Fl. germ. 5, 215.  
 — *setacea* *Thuill.* Rchb. Fl. germ. 5, 205.  
 — *tenuifolia* *Rchb.* Rchb. Fl. germ. 5, 204.  
 — *viscosa* *Schreb.* Rchb. Fl. germ. 5, 204.  
*Saccellium lanceolatum* *H. B.* Humb. Pl. aeq. 13.  
 — — — Lam. Encycl. 995.  
*Saccharum argenteum* *Brouss.* Jacq. Ecl. Gram. 5.  
 — *cylindricum* *Lam.* Rumpf Amb. 6, 7. fig. 2<sup>a</sup>.  
 — — — Lam. Encycl. 40.  
 — — — Sibth. Fl. gr. 54.  
 — — — Tenore Fl. nap. 211.  
 — *exaltatum* *Roxb.* Rheede Hort. mal. 12, 46.  
 — *floridulum* *Lab.* Bill. Sertum 18.  
 — *officinatum* *L.* Rumpf Amb. 5, 74. fig. 1.  
 † — — — Linné Amoenit. 7, 2.  
 † — — — Lam. Encycl. 40.  
 — — — Woodv. Med. 4, 266.  
 — — — Tratt. Archiv 307. 307<sup>a</sup>.  
 † — — — Kerner Genera 101—103.  
 — — — Tussac Ant. 1, 23. 24. 25.  
 — — — Desc. Ant. 4, 283.  
 — — — Hayne 9, 30. 31.  
 — — — Guimpel et Schl. 100.  
 — — — Nees Düsseld. 33—35.  
 — — — Wagner 22. 22.  
 — — — Hook. Bot. Misc. 26.  
 — — — Spach Suites 103.  
 † — — — Mem. Instit. 1850, 1. 2.  
 † — *panicum* *Lam.* Lam. Encycl. 40.  
 — *Ravennae* *L.* Sibth. Fl. gr. 52.  
 — — — Rchb. Fl. germ. 1, 55.  
 — *sinense* *Roxb.* Rumpf Amb. 5, 74. fig. 2.  
 — — — Roxb. Corom. 232.  
 — *spicatum* *L.* Burmann Fl. ind. 9.  
 † — *spontaneum* *L.* Gaertn. Carp. 82.  
 † — — — Trinius Fundam. 15.  
 — — — *Pal. B.* Pal. B. Fl. d'Oware 103.  
 — *Sisca* *Cav.* Cav. Ic. 292.  
 — *strictum* *Spr.* Rchb. Fl. germ. 1, 55.  
 — *Teneriffae* *L.* Sibth. Fl. gr. 53.  
 — — — Bivona Stirp. rar. Sic. 4, 1.  
 — — — Jacq. Ecl. Gram. 34.  
 — *violaceum* *Juss.* Desc. Ant. 7, 493.  
*Saccocalyx satireioides* *Coss. et Dur.* Ann. sc. n. III. 20, 5.  
*Saccolabium abyssinicum* *Rich.* Richard Abyssin. 81.  
 — *acutifolium* *Ldl.* Lindley Sertum Frontisp. x.  
 — *ampullaceum* *Ldl.* Lindley Sertum 17.  
 — — — Paxt. Mag. 13, 49.  
 — *Blumei* *Ldl.* Lindley Sertum 47.  
 — *calceolare* *Ldl.* Lindley Sertum Frontisp. x.  
 — — — Paxt. Mag. 6, 97.  
 — *compressum* *Ldl.* Lindley Sertum 32.  
 — *denticulatum* *Paxt.* Paxt. Mag. 7, 145.  
 — — — Bot. Mag. 80, 4772.  
 — *guttatum* *Ldl.* Rheede Hort. mal. 12, 1.  
 — — — Bot. Mag. 70, 4108.  
 — — — Wight Ic. pl. Ind. or. 5, 1745. 1746.  
 — — — Hart. Parad. 2, 3.  
 — *miniatum* *Ldl.* Bot. Reg. 33, 58.  
 — *paniculatum* *Wight.* Wight Ic. pl. Ind. or. 5, 1676.  
 — *papillosum* *Ldl.* Rheede Hort. mal. 12, 4.  
 — — — Bot. Reg. 18, 1552.  
 — — — Wight Ic. pl. Ind. or. 5, 1672.  
 — *praemorsum* *Ldl.* Rheede Hort. mal. 12, 2.  
 † — *pusillum* *Bl.* Blume Tabellen 50.  
 — *Rheedii* *Wight.* Wight Ic. pl. Ind. or. 6, 1745.  
 — *rubrum* *Ldl.* Wight Ic. pl. Ind. or. 5, 1673.  
 — *speciosum* *Wight.* Wight Ic. pl. Ind. or. 5, 1674. 75.

- Saccolabium Wightianum* *Ldl.* Wight Ic. pl. Ind. or. 3, 917.  
 † *Saccoloma elegans* *Kaulf.* Kaulfuss Enumer. 1.  
 † — — — Hook. Gen. Fil. 58.  
 — — — Kunze Fil. 41.  
 † — — — Fée Fil. 5, 25.  
 † — *Imrayanum* *Hook.* Hook. Gen. Fil. 58.  
*Saccopetalum Horsfieldii* *R. Br.* Bennett Java 35.  
 † *Sadleria cyathoides* *Kaulf.* Fée Fil. 5, 7.  
 † — *Souleytiana* *Gaud.* Fée Fil. 5, 7.  
 † *Sagenia hippocrepis* *Presl.* Hook. Gen. Fil. 53.  
 † — *macrodonta* *Fée.* Fée Fil. 5, 24.  
 † *Sageretia Brongn.* Gray Genera 166.  
 — — — *Michauxii* *Brongn.* Gray Genera 166.  
 † — *oppositifolia* *Brongn.* Ann. sc. nat. 10, 13.  
 † *Sagina L.* Gray Genera 109.  
 — *apetala* *L.* Arduino Anim. 2, 8.  
 — — — Curt. Lond. 1, 82.  
 — — — Engl. Bot. 13, 881.  
 — — — Gmelin Fl. bad. 1, 1.  
 — — — Rchb. Fl. germ. 5, 200.  
 — — — Fl. dan. 12, 2102.  
 — — — Jordan Observ. 1, 3.  
 — *bryoides* *Froel.* Rchb. Fl. germ. 5, 200.  
 — *cerastoides* *Dickson.* Roemer Fl. europ. 6, 3.  
 — *ciliata* *Fries.* Sv. Bot. 562.  
 — — — Rchb. Fl. germ. 5, 200.  
 — *debilis* *Jord.* Jordan Observ. 3, 3.  
 — *decandra* *Rchb.* Rchb. Ic. crit. 7, 650.  
 — — — Rchb. Fl. germ. 5, 201.  
 — *densa* *Jord.* Jordan Observ. 3, 3.  
 — *depressa* *Schultz.* Rchb. Fl. germ. 5, 200.  
 — *erecta* *L.* Fl. dan. 5, 845.  
 — — — Engl. Bot. 9, 609.  
 — *maritima* *Don.* Curt. Lond. 4, 115.  
 — — — Engl. Bot. 31, 2195.  
 — — — Fl. dan. 12, 2104.  
 — — — Rchb. Fl. germ. 5, 201.  
 — — — Jordan Observ. 3, 3.  
 — *patula* *Jord.* Jordan Observ. 1, 3.  
 — *procumbens* *L.* Arduino Anim. 2, 8.  
 † — — — Gaertn. Carp. 129.  
 — — — Lam. Encycl. 90.  
 — — — Curt. Lond. 3, 114.  
 — — — Engl. Bot. 13, 880.  
 — — — Baxter Brit. Bot. 3, 199.  
 — — — Fl. dan. 12, 2103.  
 — — — Schk. Handb. 27.  
 — — — Sturm Flora 8, 30.  
 — — — Rchb. Fl. germ. 5, 201.  
 — — — Gray Genera 109.  
 — *stricta* *Fries.* Sv. Bot. 562.  
 — *subulata* *D'Urv.* Hook. Fl. ant. 93.  
 † *Sagittaria acutifolia* *L. fil.* Endl. Bras. 8, 16.  
 — *angustifolia* *Ldl.* Bot. Reg. 14, 1141.  
 — *echinocarpa* *Mart.* Martius Auswahl 3.  
 — *lancifolia* *L.* Andr. Rep. 5, 333.  
 — — — Tratt. Thes. 8.  
 — — — Bot. Mag. 43, 1792.  
 — — — Rchb. Exot. 10.  
 — — — Desc. Ant. 7, 498.  
 — *major* *Schrank.* Schrank Fl. monac. 4, 336.  
 — *obtusa* *Willd.* Desc. Ant. 7, 497.  
 — *obtusifolia* *L.* Rheede Hort. mal. 11, 45.  
 — *ovata* *Red.* Red. Lil. 7, 411.  
 — *rigida* *Pursh.* Bot. Mag. 39, 1632.  
 † — *sagittifolia* *L.* Gaertn. Carp. 84.  
 — — — Fl. dan. 1, 172.  
 — — — Sv. Bot. 164.  
 — — — Engl. Bot. 2, 84.  
 — — — Baxter Brit. Bot. 2, 109.  
 — — — Red. Lil. 5, 279. 280.  
 — — — Lam. Encycl. 776.

- Sagittaria sagittifolia* L. Schk. Handb. 298.  
 — — — Roemer Fl. europ. 2, 7.  
 — — — Tratt. Thes. 7.  
 — — — Nolte Monogr. 2.  
 — — — Dietr. Fl. bor. 1, 59.  
 — — — Rchb. Fl. germ. 7, 53.  
 † — — — Nees Gen. 2, 26.  
 † — — — Sellowiana *Kth.* Endl. Bras. 8, 15.  
 — — — Seubertiana *Mart.* Endl. Bras. 8, 15.  
 — — — sinensis *Sims.* Bot. Mag. 39, 1631.  
 † *Sagonea aquatica* Lam. Lam. Encycl. 212.  
 — — — palustris *Aubl.* Aublet Guiana 111.  
*Saguerus Langkab* Bl. Blume Rumphia 95. 125.  
 — — — Rumphii *Roxb.* Rumpf Amb. 1, 13.  
 — — — saccharifer *Bl.* Blume Rumphia 123. 124.  
*Sagus elata* Bl. Blume Rumphia 128.  
 — — — Mart. Palm. 102.  
 † — — — farinifera *Gaertn.* Gaertn. Carp. 120.  
 — — — Dict. sc. nat. 30. 31.  
 — — — filaris *Bl.* Blume Rumphia 128.  
 — — — genuina *Lab.* Dict. sc. nat. 32. 33.  
 — — — Konigii *Griff.* Griffith Palms 181.  
 — — — laevis *Reinw.* Griffith Palms 182.  
 † — — — Palma-Pinus *Gaertn.* Gaertn. Carp. 10.  
 † — — — pedunculata *Poir.* Lam. Encycl. 771.  
 † — — — Ruffia *Jacq.* Jacq. Fragm. 4.  
 — — — Rumphii *Willd.* Rumpf Amb. 1, 17.  
 — — — Blume Rumphia 86. 126. 127.  
 — — — Guimpel et Schl. 237.  
 † — — — Schnizl. Iconogr. 1, 75<sup>a</sup>.  
 — — — taedigera *Mart.* Mart. Palm. 45. 48.  
 † — — — vinifera *Pers.* Lam. Encycl. 771.  
 — — — Desc. Ant. 1, 33.  
*Sakaki* *Kaempf.* Kaempfer Japon. 33.  
*Salacia celebica* Bl. Blume Rumphia 178<sup>c</sup>.  
 — — — kalahiensis *Korth.* Korthals Bot. 38.  
 — — — laevigata *Wight.* Wight Illustr. in Hook. 36.  
 — — — longifolia *Wall.* Wall. Pl. asiat. 278.  
 — — — macrophylla *Miq.* Miquel Surin. 23.  
 — — — macrosperma *Wight.* Wight Spicil. 32.  
 — — — Wight Ic. pl. Ind. or. 3, 962.  
 — — — oblonga *Wall.* Wight Illustr. 47.  
 — — — pomifera *Wall.* Wight Ic. pl. Ind. or. 1, 55.  
 — — — prinoides *DC.* Wight Ic. pl. Ind. or. 2, 321.  
 — — — senegalensis *DC.* Guillemain Seneg. 27.  
*Salicornia acetaria* *Pall.* Pallas Illustr. 1. 2.  
 — — — amplexicaulis *Vahl.* Gussone Fl. sicula 1.  
 — — — annua *Sm.* Engl. Bot. 6, 415.  
 — — — brachiata *Roxb.* Wight Ic. pl. Ind. or. 3, 738.  
 — — — caspica *Pall.* Pallas Illustr. 7.  
 — — — foliata *L.* Pallas Illustr. 5. 6.  
 † — — — Nees Gen. 4, 68.  
 † — — — fruticosa *L.* Lam. Encycl. 4.  
 — — — Engl. Bot. 35, 2467.  
 — — — Fl. dan. 10, 1621.  
 — — — Gussone Fl. sicula 3.  
 — — — herbacca *L.* Fl. dan. 2, 303.  
 † — — — Lam. Encycl. 4.  
 — — — Schk. Handb. 1.  
 — — — Sv. Bot. 252.  
 — — — Gussone Fl. sicula 2.  
 — — — Baxter Brit. Bot. 4, 307.  
 † — — — Nees Gen. 4, 68.  
 † — — — Schnizl. Iconogr. 2, 101.  
 — — — indica *Willd.* Neue Schr. naturf. Fr. 2, 4.  
 — — — Wight Ic. pl. Ind. or. 3, 737.  
 — — — macrostachya *Guss.* Gussone Fl. sicula 4.  
 — — — nodulosa *Delile.* Delile Egypte 3.  
 — — — procumbens *Sm.* Engl. Bot. 35, 2475.  
 — — — prostrata *Pall.* Pallas Illustr. 3.  
 † — — — Nees Gen. 4, 68.  
 — — — pygmaea *Pall.* Pallas Illustr. 2.

- Salicornia radicans* *Sm.* Engl. Bot. 24, 1691.  
 † — — — strobilacea *Gaertn.* Gaertn. Carp. 127.  
 — — — *Pall.* Pallas Illustr. 4.  
 — — — *Delile.* Delile Egypte 3.  
*Salisburia adiantifolia* *Sm.* Watson Dendr. 2, 168.  
 † — — — Ginkgo *Rich.* Richard Conif. 3. 3<sup>b</sup>.  
*Salix* *L.* Wade Salices 1. (non vidi.)  
 † — — — Salicetum Woburnense A.  
 † — — — Verhandl. Rheinl. 1854, 8. 9.  
 † — — — (Folia.) Linné Fl. lappon. 8.  
 † — — — ( — ) Villars Dauph. 50. 51.  
 † — — — ( — ) Willdenow Baumzucht 4. 5. 6. 7.  
 † — — — ( — ) Neue Schr. naturf. Fr. 4, 6.  
 † — — — ( — ) König Annals 2, 5.  
 † — — — ( — ) Schkuhr Handb. 317<sup>b</sup>. 317<sup>c</sup>.  
 † — — — ( — ) Salicetum Woburnense 141—152.  
 — — — acuminata *Mill.* Hoffmann Salix 6.  
 — — — *Sm.* Engl. Bot. 20, 1434.  
 — — — Salicetum Woburnense 131.  
 — — — Hartig (14.) 40.  
 — — — Rchb. Fl. germ. 11, 601.  
 — — — acutifolia *Willd.* Rchb. Fl. germ. 11, 603.  
 — — — adscendens *Sm.* Engl. Bot. 28, 1962.  
 — — — Salicetum Woburnense 80.  
 — — — alaternoides *Schleich.* Salicetum Woburnense 76.  
 — — — alba *L.* Hoffmann Salix 7. 8. 24.  
 — — — Sturm Flora 7, 25.  
 — — — Host Salix 32. 33.  
 — — — Hartig (40.) 52.  
 — — — Nees-Düsseld. Suppl. 53.  
 — — — Hayne 13, 42.  
 — — — Wagner 157. 158.  
 — — — Rchb. Fl. germ. 11, 608.  
 — — — Nouveau Duhamel 3, 26.  
 † — — — Lam. Encycl. 802.  
 — — — Engl. Bot. 34, 2430.  
 — — — Woodv. Med. 5, 4.  
 — — — Salicetum Woburnense 136.  
 — — — Sv. Bot. 523.  
 † — — — Cosson Atlas 27.  
 — — — alpestris *Host.* Host Salix 99. 100.  
 — — — alpina *Scop.* Scopoli Fl. carn. 2, 61.  
 — — — ambigua *Ehrh.* Engl. Bot. 2733.  
 — — — Rchb. Fl. germ. 11, 592.  
 — — — Ammaniana *Willd.* Sturm Flora 7, 25.  
 — — — Rchb. Fl. germ. 11, 573.  
 — — — amplexicaulis *Bory et Ch.* Bory et Chaub. Mor. 34.  
 — — — amygdalina *L. α.* discolor, Sturm Flora 7, 25.  
 — — — Host Salix 13. 14.  
 — — — Rchb. Fl. germ. 11, 604. 605.  
 — — — Engl. Bot. 27, 1936.  
 — — — Salicetum Woburnense 18.  
 † — — — Anderson Salices 2.  
 — — — Andersoniana *Sm.* Engl. Bot. 33, 2343.  
 — — — Salicetum Woburnense 109.  
 — — — angustifolia *Poir.* Nouveau Duhamel 3, 29.  
 — — — *Wulf.* Hartig (118.) 41<sup>f</sup>.  
 — — — Rchb. Fl. germ. 11, 588.  
 — — — annularis *Forbes.* Salicetum Woburnense 21.  
 — — — Ansoniana *Forbes.* Salicetum Woburnense 107.  
 — — — appendiculata *Vahl.* Fl. dan. 6, 1056.  
 — — — aquatica *Sm.* Engl. Bot. 20, 1437.  
 — — — Salicetum Woburnense 127.  
 — — — Hartig (49.) 41.  
 — — — Hayne 13, 44.  
 — — — arbuscula *L.* Fl. dan. 6, 1055.  
 — — — Mag. nat. Fr. 4, 2.  
 — — — Schk. Handb. 317<sup>a</sup>.  
 — — — var. Waldsteiniana, Sturm Flora 7, 25.  
 — — — Rchb. Fl. germ. 11, 561.  
 † — — — Anderson Salices 23.  
 — — — *Jacq.* Jacq. Fl. austr. 5, 408.

- † Salix arbuscula *Wahlenb.* Wahlenberg Fl. lapp. 16.  
 — — — Salicetum Woburnense 138.  
 — — — *Sm.* Engl. Bot. 19, 1366.  
 — — — Salicetum Woburnense 86.  
 — arctica *R. Br.* Mem. Mosc. 8, 6.  
 — — — *Pall.* Ledeb. Ic. 460.  
 — — — Fl. dan. 14, 2488.  
 — — — *Rchb.* Fl. germ. 11, 566.  
 † — arenaria *L.* Gaertn. Carp. 90.  
 — — — Fl. dan. 2, 197.  
 — — — *Schk.* Handb. 317<sup>h</sup>.  
 — — — *Sturm* Flora 7, 25.  
 — — — *Nouveau Duhamel* 3, 30.  
 — — — Engl. Bot. 26, 1809.  
 — — — Salicetum Woburnense 70.  
 — — — *Rchb.* Fl. germ. 11, 572.  
 — argentea *Sm.* Engl. Bot. 19, 1364.  
 — — — Salicetum Woburnense 78.  
 — — — *Hartig* (118.) 41<sup>J</sup>.  
 — — — *Rchb.* Fl. germ. 11, 591.  
 — atrovirens *Schleich.* Salicetum Woburnense 108.  
 — aurita *L.* Hoffmann Salix 1. 5. 22.  
 — — — Host Salix 78.  
 — — — *Hartig* (47.) 39.  
 — — — *Rchb.* Fl. germ. 11, 575.  
 — — — Engl. Bot. 21, 1487.  
 — — — Salicetum Woburnense 124.  
 † — — — *Cosson* Atlas 30.  
 † — — — *Anderson* Salices 8.  
 — australis *Schleich.* Salicetum Woburnense 103.  
 — austriaca *Host.* Host Salix 64. 65.  
 — — — *Rchb.* Fl. germ. 11, 587.  
 — babylonica *L.* Gmelin Reise 3, 34.  
 — — — *Nouveau Duhamel* 3, 27.  
 — — — Salicetum Woburnense 22.  
 † — — — *Cosson* Atlas 27.  
 — Barattiana *Hook.* Hook. Bor. Am. 181.  
 — berberifolia *Pall.* Pallas Fl. ross. 82.  
 — — — Salicetum Woburnense 140.  
 — bicolor *Ehrh.* Guimpel Holzgew. 180.  
 — — — *Sm.* Engl. Bot. 26, 1806.  
 — — — Salicetum Woburnense 38.  
 — Bonplandiana *H. B. K.* H. B. K. Nov. Gen. 2,  
 101. 102.  
 — — — Salicetum Woburnense 9.  
 — Borreriana *Sm.* Engl. Bot. 2619.  
 — — — Salicetum Woburnense 45.  
 — Brayi *Led.* Ledeb. Ic. 449.  
 — buxifolia *Trev.* Mem. Mosc. 8, 10.  
 — caesia *Vill.* Mem. Mosc. 8, 12.  
 — — — *Mutel* Fl. fr. 62.  
 — — — *Rchb.* Fl. germ. 11, 565.  
 — callicarpaea *Trautv.* Mem. Mosc. 8, 7.  
 — canaliculata *Bess.* *Rchb.* Fl. germ. 11, 588.  
 — canariensis *Chr. Smith.* Webb Canar. 215.  
 — candida *Flügge.* Salicetum Woburnense 91.  
 — — — *Torrey* New York 117.  
 † — canescens *Fries.* *Anderson* Salices 5.  
 — Caprea *L.* Hoffmann Salix 1. 5. 21.  
 — — — Host Salix 66. 67.  
 — — — *Hartig* (48.) 38.  
 — — — *Hayne* 13, 43.  
 — — — *Rchb.* Fl. germ. 11, 577.  
 — — — var. *Pallas* Fl. ross. 81.  
 — — — Fl. dan. 2, 245.  
 — — — Sv. Bot. 98.  
 — — — *Woodv.* Med. 5, 3.  
 — — — Engl. Bot. 21, 1488.  
 — — — Salicetum Woburnense 122.  
 — — — *Dict. sc. nat.* 296. 297.  
 † — — — *Cosson* Atlas 31.  
 † — — — *Anderson* Salices 6.

- Salix carinata *Sm.* Engl. Bot. 19, 1363.  
 — — — Salicetum Woburnense 59.  
 — carinthiaca *Host.* Host Salix ined. x.  
 — carniolica *Host.* Host Salix 44. 45.  
 — cerasifolia *Spr.* *Nocca et Balb.* Fl. tic. 18.  
 — chrysanthos *Vahl.* Fl. dan. 6, 1057.  
 — cinerea *L.* *Nouveau Duhamel* 3, 28<sup>bis</sup>.  
 — — — Engl. Bot. 27, 1897.  
 — — — Salicetum Woburnense 125.  
 — — — Sv. Bot. 565.  
 — — — Host Salix 26. 27.  
 — — — *Rchb.* Fl. germ. 11, 576.  
 † — — — *Cosson* Atlas 30.  
 † — — — *Anderson* Salices 7.  
 — coerulea *Sm.* Engl. Bot. 34, 2431.  
 — — — Salicetum Woburnense 137.  
 — coluteoides *Mirbel.* Mem. Mus. 14, 20.  
 — concolor *Host.* Host Salix 34. 35.  
 — conformis *Forbes.* Salicetum Woburnense 24.  
 — conifera *Wangenh.* Wangenheim Beitrag 31.  
 — cordifolia *Pursh.* Mem. Mosc. 8, 9.  
 — coriacea *Schleich.* Salicetum Woburnense 112.  
 — coruscans *Willd.* *Sturm* Flora 7, 25.  
 — — — Host Salix 94.  
 — cotinifolia *Schleich.* Engl. Bot. 20, 1403.  
 — — — Salicetum Woburnense 114.  
 — — — Host Salix ined. x.  
 — crassifolia *Schleich.* Salicetum Woburnense 115.  
 — crassijulis *Trev.* Mem. Mosc. 8, 15.  
 — crispa *Forbes.* Salicetum Woburnense 42.  
 — Croweana *Sm.* Engl. Bot. 16, 1146.  
 — — — *Roemer* Fl. europ. 14, 7.  
 — — — Salicetum Woburnense 52.  
 — cuspidata *Schultz.* Fl. dan. 14, 2487.  
 — — — *Rchb.* Fl. germ. 11, 611.  
 — damascena *Salic. Wob.* Engl. Bot. 2709.  
 — daphnoides *Vill.* *Sturm* Flora 7, 25.  
 — — — *Hartig* (43.) 46.  
 — — — *Rchb.* Fl. germ. 11, 602.  
 — Davalliana *Sm.* Engl. Bot. 2701.  
 — — — Salicetum Woburnense 47.  
 — decipiens *Hoffm.* Hoffmann Salix 31.  
 — — — Engl. Bot. 27, 1937.  
 — — — Salicetum Woburnense 29.  
 — decumbens *Forbes.* Salicetum Woburnense 88.  
 — depressa *Hoffm.* Hoffmann Salix 15. 16.  
 — — — *L.* *Hartig* (116.) 41<sup>d</sup>.  
 — — — *Rchb.* Fl. germ. 11, 567.  
 † — — — livida, *Anderson* Salices 14.  
 — Dicksoniana *Sm.* Engl. Bot. 20, 1390.  
 — — — Salicetum Woburnense 55.  
 — diplodictya *Trautv.* Mem. Mosc. 8, 14.  
 — discolor *Host.* Host Salix 60. 61.  
 — — — *Rchb.* Fl. germ. 11, 587.  
 — Doniana *Sm.* Engl. Bot. 2599.  
 — — — Salicetum Woburnense 85.  
 — dura *Schleich.* Salicetum Woburnense 105.  
 — elaeagnifolia *Tausch.* Salicetum Woburnense 69.  
 — elaeagnoides *Schleich.* Mem. Mosc. 8, 8.  
 — elegans *Host.* Host Salix 97.  
 — excelsa *Gm.* Gmelin Reise 3, 34.  
 — excelsior *Host.* Host Salix 28. 29.  
 — fagifolia *Host.* Host Salix ined. x.  
 — ferruginea *Anders.* Salicetum Woburnense 128.  
 — — — Engl. Bot. 2665.  
 — finmarchica *Willd.* *Rchb.* Fl. germ. 11, 594.  
 † — — — *Anderson* Salices 20.  
 — firma *Schleich.* Salicetum Woburnense 106.  
 — fissa *Ehrh.* Hoffmann Salix 13. 14.  
 — — — *Rchb.* Fl. germ. 11, 586.  
 — flavescens *Host.* Host Salix 101.  
 — floribunda *Forbes.* Salicetum Woburnense 54.

- Salix Flüggeana Willd. Rchb. Fl. germ. 11, 580.  
 — Forbiana Sm. Engl. Bot. 19, 1344.  
 — — Salicetum Woburnense 5:  
 — formosa Willd. Rchb. Fl. germ. 11, 566.  
 — Forsteriana Sm. Engl. Bot. 33, 2344.  
 — — Salicetum Woburnense 110.  
 — fragilior Host. Host Salix 20, 210.  
 — fragilis L. Hartig (42.) 51.  
 — — —  $\gamma$ . Russeliana, Sturm Flora 7, 25.  
 — — — Host Salix 18, 19.  
 — — — Nees Düsseld. 91.  
 — — — Hayne 13, 41.  
 — — — Guimpel et Schl. 35.  
 — — — Rchb. Fl. germ. 11, 609.  
 — — — Woodv. Med. 1, 8.  
 — — — Engl. Bot. 26, 1807.  
 † — — — (Arbor ingens.) Salic. Wob. Frontisp. x.  
 — — — Salicetum Woburnense 27.  
 — — — Sv. Bot. 373.  
 — — — Fl. dan. 14, 2484.  
 † — — — Cosson Atlas 27.  
 — fragilissima Host. Host Salix 22, 23.  
 — fusca Wulf. Hoffmann Salix 28, 29.  
 — — — Jacq. Jacq. Fl. austr. 5, 409.  
 — — — L. Engl. Bot. 28, 1960.  
 — — — Salicetum Woburnense 83.  
 — — — Rchb. Fl. germ. 11, 592.  
 — geminata Forbes. Salicetum Woburnense 129.  
 — glabra Scop. Sturm Flora 7, 25.  
 — — — Rchb. Fl. germ. 11, 568.  
 — glauca L. Linné Fl. lapp. 7.  
 — — — Engl. Bot. 26, 1810.  
 — — — Salicetum Woburnense 68.  
 — — — Mem. Mosc. 8, 5.  
 — — — Ledeb. Ic. 468.  
 † — — — Wahlenberg Fl. lapp. 16.  
 † — — — Anderson Salices 21.  
 — — — Rchb. Fl. germ. 11, 571.  
 — — — glaucescens Host. Host Salix 76, 77.  
 † — — — glauco-phylicaeifolia And. Anderson Salices 10.  
 — — — grandifolia Ser. Rchb. Fl. germ. 11, 578.  
 — — — grisonensis Schleich. Salicetum Woburnense 99.  
 — — — grisophylla Schleich. Salicetum Woburnense 119.  
 — — — hastata L. Fl. dan. 7, 1238.  
 † — — — Wahlenberg Fl. lapp. 16.  
 — — — Sv. Bot. 719.  
 † — — — Anderson Salices 11.  
 — — — Salicetum Woburnense 35.  
 — — — Schk. Handb. 317<sup>e</sup>.  
 — — — var. stolbergensis, Hartig (111.) 35<sup>b</sup>.  
 — — — Rchb. Fl. germ. 11, 570.  
 — — — Helix L. Engl. Bot. 19, 1343.  
 — — — Salicetum Woburnense 2.  
 — — — Hartig (52.) 45.  
 — — — Sturm Flora 7, 25.  
 — — — Host Salix 36, 37.  
 — — — Rchb. Fl. germ. 11, 563.  
 — — — herbacea L. Linné Fl. lapp. 7.  
 — — — Fl. dan. 1, 117.  
 — — — Sv. Bot. 367.  
 — — — Engl. Bot. 27, 1907.  
 — — — Salicetum Woburnense 62.  
 † — — — Anderson Salices 27.  
 — — — Hoffmann Salix 20.  
 — — — Hartig (105.) 35<sup>b</sup>.  
 — — — Host Salix 104.  
 — — — Rchb. Fl. germ. 11, 557.  
 — — — heterophylla Host. Host Salix 87, 88.  
 † — — — hippophaeifolia Thuill. Cosson Atlas 28.  
 — — — Rchb. Fl. germ. 11, 607.  
 — — — hirta Sm. Engl. Bot. 20, 1404.  
 — — — Salicetum Woburnense 113.

- Salix Hoffmanniana Sm. Engl. Bot. 2620.  
 — — — Salicetum Woburnense 16.  
 — — — holosericea Willd. Hartig (112.) 37<sup>b</sup>.  
 — — — Rchb. Fl. germ. 11, 579.  
 — — — Hookeriana Barr. Hook. Bor. Am. 180.  
 — — — Hoppeana Willd. Sturm Flora 7, 25.  
 — — — Guimpel Holzgew. 158.  
 — — — Rchb. Fl. germ. 11, 605.  
 — — — Houstoniana Pursh. Salicetum Woburnense 11.  
 — — — Humboldtiana Willd. H. B. K. Nov. Gen. 2, 99, 100.  
 — — — Salicetum Woburnense 8.  
 † — — — hyperboraea And. Anderson Salices 12.  
 — — — Jacquiniana Host. Host Salix 102.  
 — — — Sturm Flora 7, 25.  
 — — — japonica Thunb. Thunberg Ic. jap. 31.  
 — — — ichnostachya Ldl. Wight Ic. pl. Ind. or. 6, 1953.  
 — — — incana Schrank. Sturm Flora 7, 25.  
 — — — Hartig (113.) 37<sup>c</sup>.  
 — — — Rchb. Fl. germ. 11, 596.  
 — — — Salicetum Woburnense 90.  
 — — — Michx. Torrey New York 117.  
 — — — incanescens Schleich. Salicetum Woburnense 120.  
 — — — incubacea L. Engl. Bot. 2600.  
 — — — Salicetum Woburnense 79.  
 — — — Guimpel Holzgew. 185.  
 — — — Rchb. Fl. germ. 11, 588.  
 — — — intermedia Host. Host Salix 56, 57.  
 — — — Kanderiana Ser. Rchb. Fl. germ. 11, 591.  
 — — — Kitaibeliana Willd. Salicetum Woburnense 64.  
 — — — Kochiana Trautv. Trautvetter Salicetum 1.  
 — — — lactea Bray. Regensb. Denkschr. 2, 2.  
 — — — lacustris Schleich. Salicetum Woburnense 116.  
 — — — laeta Schultz. Rchb. Fl. germ. 11, 588.  
 — — — Lambertiana Sm. Engl. Bot. 19, 1359.  
 — — — Salicetum Woburnense 3.  
 — — — Rchb. Fl. germ. 11, 585.  
 — — — lanata L. Linné Fl. lapp. 7.  
 † — — — Wahlenberg Fl. lapp. 16.  
 † — — — Anderson Salices 3.  
 — — — Pallas Fl. ross. 81.  
 — — — Nouveau Duhamel 3, 31.  
 — — — Engl. Bot. 2624.  
 — — — Salicetum Woburnense 71.  
 — — — Ledeb. Ic. 480.  
 — — — lanceolata Sm. Engl. Bot. 20, 1436.  
 — — — Salicetum Woburnense 14.  
 — — — Rchb. Fl. germ. 11, 606.  
 — — — Sér. Séringe Saules 1.  
 — — — Lapponum L. Fl. dan. 6, 1058.  
 — — — Schk. Handb. 317<sup>e</sup>.  
 — — — var. arenaria, Hartig (108.) 35<sup>e</sup>.  
 — — — Sturm Flora 7, 25.  
 — — — Rchb. Fl. germ. 11, 572.  
 — — — Salicetum Woburnense 73.  
 † — — — Anderson Salices 4.  
 — — — latifolia Forbes. Salicetum Woburnense 118.  
 — — — laurina Sm. Rchb. Fl. germ. 11, 564.  
 — — — lavandulaefolia Lap. Rchb. Fl. germ. 11, 596.  
 — — — laxiflora Borrer. Engl. Bot. 2749.  
 — — — ligustrina Michx. Michaux Arb. 3, 5.  
 — — — Host. Host Salix 15, 16.  
 † — — — limosa Wahlenb. Wahlenberg Fl. lapp. 16.  
 — — — Rchb. Fl. germ. 11, 572.  
 — — — linearis Forbes. Salicetum Woburnense 89.  
 — — — litoralis Host. Host Salix 52.  
 † — — — livida Wahlenb. Wahlenberg Fl. lapp. 16.  
 — — — longifolia Host. Host Salix 62, 63.  
 — — — Rchb. Fl. germ. 11, 601.  
 — — — lucida Mühlenb. Michaux Arb. 3, 5.  
 — — — Torrey New York 119.  
 — ? — — Salicetum Woburnense 32.  
 — — — Ludwigii Schk. Schk. Handb. 317<sup>d</sup>.

- Salix *Lyonii* Forbes. Salicetum Woburnense 10.  
 — *macrostipulacea* Schleich. Salic. Woburn. 130.  
 — *majalis* Wahlenb. Rchb. Fl. germ. 11, 563.  
 — *malifolia* Sm. Engl. Bot. 23, 1617.  
 — — Salicetum Woburnense 36.  
 — *menthaefolia* Host. Host Salix 79. 80.  
 — *Meyeriana* Willd. Hartig (37.) 50.  
 — — Rchb. Fl. germ. 11, 611.  
 — — Salicetum Woburnense 33.  
 — *Micheliana* Forbes. Salicetum Woburnense 135.  
 — *microphylla* Cham. Hook. Beechey 70.  
 — *microstachya* Turcz. Trautvetter Salicetum 4.  
 — *mirabilis* Host. Host Salix 46.  
 — *mollissima* Ehrh. Hartig (45.) 37.  
 — — Rchb. Fl. germ. 11, 599.  
 — — Sm. Engl. Bot. 21, 1509.  
 — — Rchb. Fl. germ. 11, 600.  
 — *monandra* Ard. Curt. Lond. 3, 130.  
 — — Hoffmann Salix 1. 5. 23.  
 — — Host Salix 71. 72.  
 — — Rchb. Fl. germ. 11, 582.  
 † — — Nees Gen. 4, 15.  
 — — Forbes. Salicetum Woburnense 4.  
 — *monspeliensis* Forbes. Salicetum Woburnense 30.  
 — *montana* Host. Host Salix 73.  
 — — Forbes. Salicetum Woburnense 19.  
 — *mutabilis* Host. Host Salix 42. 43.  
 — *Myrsinites* L. Linné Fl. lapp. 7.  
 — — Fl. dan. 6, 1054.  
 — — Mem. Mosc. 8, 18.  
 — — var. *Jacquiniana*, Hartig (109.) 35f.  
 — — Rchb. Fl. germ. 11, 559. 560.  
 † — — Anderson Salices 22.  
 — — Hoffm. Hoffmann Salix 17. 18. 19. 24.  
 — — Sm. Engl. Bot. 19, 1360.  
 — — Salicetum Woburnense 60.  
 — — Led. Ledeb. Ic. 455.  
 — *myrtilloides* L. Sv. Bot. 646.  
 — — Wahlenberg Fl. lapp. 18.  
 † — — Anderson Salices 19.  
 — — Hartig (117.) 41c.  
 — — Rchb. Fl. germ. 11, 593.  
 — — Willd. Salicetum Woburnense 66.  
 — *nigra* Michx. Michaux Arb. 3, 5.  
 — *nigricans* Sm. Engl. Bot. 17, 1213.  
 — — Salicetum Woburnense 37.  
 — — Roemer Fl. europ. 14, 8.  
 — — var. *Amaniana* Willd. Hartig (115.) 41c.  
 — — var.  $\alpha$ . Sturm Flora 7, 25.  
 — — Rchb. Fl. germ. 11, 573.  
 † — — Anderson Salices 15.  
 † — — Wahlenb. Wahlenberg Fl. lapp. 17.  
 — *nitens* Anders. Salicetum Woburnense 44.  
 — — Engl. Bot. 2655.  
 — *oleaeifolia* Sm. Engl. Bot. 20, 1402.  
 — — Salicetum Woburnense 126.  
 — — Vill. Rchb. Fl. germ. 11, 580.  
 — *onusta* Besser. Rchb. Fl. germ. 11, 594.  
 — *oppositifolia* Host. Host Salix 38. 39.  
 — *ovalifolia* Trautv. Mem. Mosc. 8, 13.  
 — *ovata* Host. Host Salix 74. 75.  
 — — Séringe. Séringe Saules 2.  
 † — — Anderson Salices 24.  
 — *padifolia* Host. Host Salix ined. x.  
 — *pallida* Schleich. Salicetum Woburnense 96.  
 — — Led. Ledeb. Ic. 454.  
 — *palustris* Host. Host Salix 24. 25.  
 — *pannosa* Schleich. Salicetum Woburnense 123.  
 — *parietariaefolia* Host. Host Salix 85. 86.  
 — *parviflora* Host. Host Salix 49.  
 — *parvifolia* Sm. Engl. Bot. 28, 1961.  
 — — Salicetum Woburnense 81.

- Salix *patens* Forbes. Salicetum Woburnense 39.  
 — *pedicellaris* Pursh. Torrèy New York 120.  
 — *pennsylvanica* Forbes. Salicetum Woburnense 95.  
 — *pentandra* L. Fl. dan. 6, 943.  
 — — Sv. Bot. 325.  
 — — Engl. Bot. 26, 1805.  
 — — Salicetum Woburnense 34.  
 — — Hartig (36.) 49.  
 — — Guimpel et Schl. 36.  
 — — Host Salix 1. 2.  
 — — Nees Düsseld. 89.  
 — — Hayne 13, 40.  
 — — Rchb. Fl. germ. 11, 612.  
 † — — Nees Gen. 4, 15.  
 † — — Anderson Salices 1.  
 — *petiolaris* Sm. Engl. Bot. 16, 1147.  
 — — Roemer Fl. europ. 14, 5.  
 — — Salicetum Woburnense 23.  
 — *petraea* Forbes. Salicetum Woburnense 97.  
 — — Engl. Bot. 2725.  
 — *phillyreifolia* Anders. Engl. Bot. 2660.  
 — *phylicifolia* L. var. Fl. dan. 6, 1053.  
 † — — Wahlenberg Fl. lapp. 17.  
 † — — Anderson Salices 9.  
 — — Engl. Bot. 28, 1958.  
 — — Salicetum Woburnense 46.  
 — — Hartig (110.) 33f.  
 — — Rchb. Fl. germ. 11, 564.  
 — *polaris* Wahlenb. Wahlenberg Fl. lapp. 13.  
 — — Sv. Bot. 493.  
 † — — Anderson Salices 28.  
 — — Salicetum Woburnense 63.  
 — — Rchb. Fl. germ. 11, 557.  
 — *polyandra* Bray. Regensb. Denkschr. 2, 1.  
 — — Rchb. Fl. germ. 11, 613.  
 — *polymorpha* Ehrh. Host Salix 68. 69. 70.  
 — *pomeranica* Willd. Rchb. Fl. germ. 11, 602.  
 — *Pontederana* Willd. Rchb. Fl. germ. 11, 587.  
 — — Salicetum Woburnense 43.  
 — — Vill. Rchb. Fl. germ. 11, 569.  
 — *praecox* Hoppe. Sturm Flora 7, 25.  
 — — Guimpel Holzgew. 168.  
 — — Salicetum Woburnense 26.  
 — — Rchb. Fl. germ. 11, 602.  
 — *pratensis* Scop. Host Salix 50. 51.  
 — — Rchb. Fl. germ. 11, 588.  
 — *prinoides* Pursh. Salicetum Woburnense 40.  
 — *procumbens* Forbes. Salicetum Woburnense 61.  
 — — Engl. Bot. 2753.  
 — *propinqua* Borrer. Engl. Bot. 2729.  
 — *prostrata* Sm. Engl. Bot. 28, 1959.  
 — — Salicetum Woburnense 82.  
 — — Ehrh. Rchb. Fl. germ. 11, 562.  
 — *proteaeifolia* Schleich. Salicetum Woburnense 75.  
 — *pruinosa* Wendl. Rchb. Fl. germ. 11, 603.  
 — *prunifolia* Sm. Engl. Bot. 19, 1361.  
 — — Salicetum Woburnense 56.  
 — — Mem. Mosc. 8, 16.  
 — — Rchb. Fl. germ. 11, 562.  
 — — Host. Host Salix 83. 84.  
 — *pulchella* Host. Host Salix 98.  
 † — — punctata Wahlenb. Wahlenberg Fl. lapp. 17.  
 † — — Anderson Salices 16.  
 — *purpurea* L. Engl. Bot. 20, 1388.  
 — — Salicetum Woburnense 1.  
 — — Baxter Brit. Bot. 6, 434.  
 — — Sv. Bot. 589.  
 — — Sturm Flora 7, 25.  
 — — Hartig (53.) 44.  
 — — Host Salix 40. 41.  
 — — Nees Düsseld. Suppl. 86.  
 — — Rchb. Fl. germ. 11, 582 — 585.

- † *Salix* *purpurea* *L.* *Cosson Atlas* 29.  
 — *pyrenaica* *Gouan.* *Mem. Mosc.* 8, 4.  
 — *pyrolaefolia* *Led.* *Leдеб. Ic.* 476.  
 — *ramifusca* *Forbes.* *Salicetum Woburnense* 53.  
 — *reflexa* *Forbes.* *Salicetum Woburnense* 94.  
 — *repens* *L.* *Engl. Bot.* 3, 183.  
 — — *Salicetum Woburnense* 84.  
 — — *Hartig* (51.) 42.  
 — — *Host Salix* 53.  
 — — *Rchb. Fl. germ.* 11, 589. 590.  
 — — *Fl. dan.* 14, 2489.  
 † — — *Cosson Atlas* 31.  
 — *reptans* *Rupr.* *Ruprecht Fl. Samoj.* 3.  
 — *reticulata* *L.* *Linné Fl. lapp.* 7.  
 — — *Fl. dan.* 2, 212.  
 — — *Nouveau Duhamel* 3, 32.  
 — — *Engl. Bot.* 27, 1908.  
 — — *Salicetum Woburnense* 67.  
 — — *Sv. Bot.* 529.  
 † — — *Anderson Salices* 25.  
 — — *Hoffmann Salix* 25. 26. 27.  
 — — *Schk. Handb.* 317<sup>a</sup>.  
 — — *Sturm Flora* 7, 25.  
 — — *Hartig* (107.) 35<sup>d</sup>.  
 — — *Guimpel Holzgew.* 178.  
 — — *Host Salix* 105.  
 — — *Rchb. Fl. germ.* 11, 557.  
 — *retusa* *L.* *Schk. Handb.* 317<sup>a</sup>.  
 — — *Sturm Flora* 7, 25.  
 — — *Hartig* (106.) 35<sup>c</sup>.  
 — — *var. Rochel Banat.* 38.  
 — — *Host Salix* 103.  
 — — *Salicetum Woburnense* 139.  
 — — *Rchb. Fl. germ.* 11, 558.  
 † — — *sarmentacea* *Fr.* *Anderson Salices* 26.  
 — *rhamnifolia* *Pall.* *Hook. Beechey* 26.  
 — *Richardsoni* *Hook.* *Hook. Bor. Am.* 182.  
 — *riparia* *Willd.* *Sturm Flora* 7, 25.  
 — — *Host Salix* 58. 59.  
 — — *Rchb. Fl. germ.* 11, 596.  
 — *rivalis* *Host.* *Host Salix* 81. 82.  
 — *rivularis* *Schleich.* *Salicetum Woburnense* 102.  
 — *rosmarinifolia* *L.* *Engl. Bot.* 19, 1365.  
 — — *Salicetum Woburnense* 87.  
 — — *Hartig* (50.) 43.  
 — — *Rchb. Fl. germ.* 11, 591.  
 — *rotundata* *Forbes.* *Salicetum Woburnense* 104.  
 — *rotundifolia* *Trautv.* *Mem. Mosc.* 8, 11.  
 — *rubra* *Huds.* *Engl. Bot.* 16, 1145.  
 — — *Salicetum Woburnense* 6.  
 — — *Roemer Fl. europ.* 14, 6.  
 — — *Hartig* (119.) 45<sup>b</sup>.  
 — — *var. Forbyana, Hartig* (120.) 45<sup>c</sup>.  
 — — *Rchb. Fl. germ.* 11, 586.  
 † — — *Cosson Atlas* 29.  
 — *rupestris* *Sm.* *Engl. Bot.* 33, 2342.  
 — — *Salicetum Woburnense* 111.  
 — *Russelliana* *Sm.* *Engl. Bot.* 26, 1608.  
 — — *Salicetum Woburnense* 28.  
 — — *Nees Düsseld.* 90.  
 — — *Rchb. Fl. germ.* 11, 610.  
 — *Safsaf* *Forsk.* *Trautvetter Salicetum* 2.  
 — *salviaefolia* *Link.* *Rchb. Fl. germ.* 11, 580.  
 — *Schleicheriana* *Willd.* *Salicetum Woburnense* 98.  
 — *semperflorens* *Host.* *Host Salix* 5. 6.  
 — *sericea* *Murrith.* *Salicetum Woburnense* 74.  
 — *Seringeana* *Gaud.* *Rchb. Fl. germ.* 11, 581.  
 † — — *Cosson Atlas* 30.  
 — *serpyllifolia* *Scop.* *Scopoli Fl. carn.* 2, 61.  
 — — *Jacq. Fl. austr.* 3, 298.  
 — — *Guimpel Holzgew.* 177.  
 — — *Salicetum Woburnense* 65.

- Salix* *sibirica* *Pall.* *Pallas Fl. ross.* 81.  
 — — *Rchb. Fl. germ.* 11, 595.  
 — *silesiaca* *Willd.* *Schk. Handb.* 317. *f.*  
 — — *Hartig* (114.) 41<sup>b</sup>.  
 — — *Rchb. Fl. germ.* 11, 574.  
 † — — *Anderson Salices* 13.  
 — *Smithiana* *Willd.* *Salicetum Woburnense* 134.  
 — — *Rchb. Fl. germ.* 11, 600.  
 — *sordida* *Schleich.* *Salicetum Woburnense* 101.  
 — *speciosa* *Tausch.* *Host Salix* 17.  
 — — *H. et A.* *Seemann Herald* 10.  
 — *spectabilis* *Host.* *Host Salix* 3. 4.  
 — *sphacelata* *Sm.* *Engl. Bot.* 33, 2333.  
 — — *Salicetum Woburnense* 121.  
 — *Starkeana* *Willd.* *Guimpel Holzgew.* 174.  
 — — *Host Salix* 89. 90.  
 — *stipularis* *Sm.* *Engl. Bot.* 17, 1214.  
 — — *Roemer Fl. europ.* 13, 8.  
 — — *Salicetum Woburnense* 132.  
 — — *Rchb. Fl. germ.* 11, 598.  
 — *strepida* *Schleich.* *Salicetum Woburnense* 100.  
 — *Stuartiana* *Sm.* *Engl. Bot.* 36, 2586.  
 — — *Salicetum Woburnense* 72.  
 — *stylaris* *Ser.* *Rchb. Fl. germ.* 11, 573.  
 — *subalpina* *Schleich.* *Salicetum Woburnense* 93.  
 — *sudetica* *Host.* *Host Salix* 91. 92.  
 — *tenuiflora* *Host.* *Host Salix* 7. 8.  
 — *tenuifolia* *Sm.* *Engl. Bot.* 31, 2186. 2795.  
 — — *Salicetum Woburnense* 50.  
 — *tenuijulis* *Led.* *Ledeb. Ic.* 453.  
 — *tenuior* *Borrer.* *Engl. Bot.* 2650.  
 — *tenuis* *Host.* *Host Salix* 47. 48.  
 — *tetrandra* *L.* *Rchb. Fl. germ.* 11, 612.  
 — *tetrapla* *Sm.* *Engl. Bot.* 2702.  
 — — *Salicetum Woburnense* 49.  
 — *tetrasperma* *Roxb.* *Roxb. Corom.* 97.  
 — — *Salicetum Woburnense* 31.  
 — — *Wight Ic. pl. Ind. or.* 6, 1954.  
 — *tomentosa* *Host.* *Host Salix* 93.  
 — *tortuosa* *Host.* *Host Salix ined. x.*  
 — *triandra* *L.* *Curt. Lond.* 3, 128.  
 — — *Engl. Bot.* 20, 1435.  
 — — *Salicetum Woburnense* 15.  
 — — *Hoffmann Salix* 9. 10. 23.  
 — — *Sturm Flora* 7, 25.  
 — — *Hartig* (39.) 48.  
 — — *Hayne* 13, 39.  
 — — *Rchb. Fl. germ.* 11, 605.  
 † — — *Cosson Atlas* 28.  
 † — — *Hamburger Symbolae* 1.  
 — *tridentata* *Viv.* *Viviani Lib.* 7.  
 — *tristis* *Ait.* *Torrey New York* 118.  
 — *uliginosa* *Willd.* *Guimpel Holzgew.* 190.  
 — *ulmifolia* *Hort. Par.* *Nouveau Duhamel* 3, 25.  
 — *undulata* *Ehrh.* *Hartig* (38.) 47.  
 — — *Rchb. Fl. germ.* 11, 606.  
 — — *Mutel Fl. fr.* 62.  
 † — — *Cosson Atlas* 28.  
 — — *Forbes.* *Salicetum Woburnense* 13.  
 — *vacciniifolia* *Sm.* *Engl. Bot.* 33, 2341.  
 — — *Salicetum Woburnense* 57.  
 — *varia* *Host.* *Host Salix* 11. 12.  
 — *vaudensis* *Schleich.* *Salicetum Woburnense* 117.  
 — *velutina* *Schrad.* *Rchb. Fl. germ.* 11, 579.  
 — *venulosa* *Sm.* *Engl. Bot.* 19, 1362.  
 — — *Salicetum Woburnense* 58.  
 — *venusta* *Host.* *Host Salix* 9. 10.  
 — *versicolor* *Forbes.* *Salicetum Woburnense* 77.  
 † — *versifolia* *Wahlenb.* *Wahlenberg Fl. lapp.* 18.  
 — — *Sv. Bot.* 511.  
 † — — *Anderson Salices* 17.  
 † — — *myrtoides* *Fr.* *Anderson Salices* 18.

- Salix versifolia* *Wahlenb.* Hartig (117.) 41<sup>c</sup>.  
 — — — *Rchb. Fl. germ.* 11, 592.  
 — *vestita* *Pursh.* *Rchb. Fl. germ.* 11, 560.  
 — *Villarsiana* *Willd.* *Salicetum Woburnense* 17.  
 — — — *Rchb. Fl. germ.* 11, 605.  
 — *villosa* *Forbes.* *Salicetum Woburnense* 92.  
 — *vilnensis* *Gorski.* *Rchb. Fl. germ.* 11, 595.  
 — *viminalis* *L.* *Hoffmann Salix* 1. 5.  
 — — — *Sturm Flora* 7, 25.  
 — — — *Hartig* (46.) 36.  
 — — — *Host Salix* 54. 55.  
 — — — *Hayne* 13, 45.  
 — — — *Rchb. Fl. germ.* 11, 597.  
 — — — *Nouveau Duhamel* 3, 28.  
 — — — *Engl. Bot.* 27, 1898.  
 — — — *Salicetum Woburnense* 133.  
 — — — *Sv. Bot.* 211.  
 — — — *Fl. dan.* 14, 2485.  
 † — — — *Cosson Atlas* 29.  
 — *violacea* *Andr.* *Andr. Rep.* 9, 581.  
 — — — *Salicetum Woburnense* 25.  
 — — — *Rchb. Fl. germ.* 11, 603.  
 — *virescens* *Forbes.* *Salicetum Woburnense* 7.  
 — *virgata* *Forbes.* *Salicetum Woburnense* 12.  
 — *viridis* *Fries.* *Fl. dan.* 14, 2486.  
 — *vitellina* *L.* *Engl. Bot.* 20, 1389.  
 — — — *Salicetum Woburnense* 20.  
 — — — *Nouveau Duhamel* 3, 27<sup>bis</sup>.  
 — — — *Hoffmann Salix* 11. 12. 24.  
 — — — *Dreves* 2, 61.  
 — — — *Hartig* (41.) 53.  
 — — — *Host Salix* 30. 31.  
 — — — *Nees Düsseld. Suppl.* 54.  
 † — — — *Nees Gen.* 4, 15.  
 — *Waldsteiniana* *Willd.* *Mem. Mosc.* 8, 17.  
 — *Weigelia* *Willd.* *Guimpel Holzgew.* 173.  
 — — — *Host Salix* ined. x.  
 — — — *Rchb. Fl. germ.* 11, 563.  
 — — — *Engl. Bot.* 2656.  
 — — — *Salicetum Woburnense* 51.  
 — *Wilhelmsiana* *M. v. B.* *Trautvetter Salicetum* 3.  
 — *Willdenowiana* *Forbes.* *Salicetum Woburnense* 41.  
 — *Woolgariana* *Hook.* *Engl. Bot.* 2651.  
 — *Wulfeniana* *Willd.* *Sturm Flora* 7, 25.  
 — — — *Guimpel Holzgew.* 163.  
 — — — *Host Salix* 95. 96.  
 — — — *Rchb. Fl. germ.* 11, 568.  
 — — — *Salicetum Woburnense* 48.  
*Salmea Eupatoria* *DC.* *Jacq. Ecl. pl.* 139.  
 — *scandens* *R. Br.* *Bot. Mag.* 46, 2062.  
*Salmia spicata* *Cav.* *Cav. Ic.* 246.  
 † *Salomonica ciliata* *DC.* *Mem. Mus.* 17, 29.  
 — *cordata* *Arn.* *Wight Illustr.* 22.  
 — *oblongifolia* *DC.* *Delessert Ic.* 3, 19.  
 — *obovata* *Wight.* *Wight Illustr.* 22.  
*Salpianthus arenarius* *H. B.* *Humb. Pl. aeq.* 44.  
 — — — *Lam. Encycl.* 906.  
 † *Salpichlaena* *Sm.* *Fée Fil.* 5, 5.  
 † — *volubilis* *Sm.* *Hook. Gen. Fil.* 93.  
*Salpichroma diffusa* *Miers.* *Miers Illustr.* 28.  
 — *hirsuta* *Miers.* *Miers Illustr.* 28.  
 — *rhomboidea* *Miers.* *Miers Illustr.* 1.  
 — *tristis* *Miers.* *Miers Illustr.* 28.  
 † *Salpiglossis Rz et P.* *Ruiz et Pav. Prodr.* 19.  
 — *atropurpurea* *Grah.* *Bot. Mag.* 55, 2811.  
 — — — *Bot. Reg.* 18, 1518.  
 — — — *Sweet Fl. G.* 271.  
 — — — *Rchb. Exot.* 323.  
 — *Barclayana* *Cam.* *Sweet Fl. G. II.* 112.  
 — *coccinea* *Ldl.* *Paxt. Fl. G.* 100.  
 — *integrifolia* *Hook.* *Bot. Mag.* 58, 3113.  
 — — — *Lodd. Cab.* 1978.

- Salpiglossis linearis* *Hook.* *Bot. Mag.* 60, 3236.  
 — *picta* *Sweet.* *Sweet Fl. G.* 258.  
 — — — *Lodd. Cab.* 1652.  
 — — — *Rchb. Exot.* 323.  
 — *sinuata* *Rz et P.* var. *coccinea* *Lem.* *Lem. Jard. fl.*  
 4, 395.  
 — — — var. *flava*, *Moore Mag.* 1850, p. 57.  
 — *straminea* *Hook.* *Hook. Exot. Fl.* 229.  
 — — — *Bot. Mag.* 61, 3365.  
 — — — *Sweet Fl. G.* 231.  
 — — — *Rchb. Exot.* 323.  
 † *Salpinga parviflora* *DC.* *Ann. sc. nat.* III. 16, 18.  
 — *secunda* *Mart.* *Mart. Bras.* 256.  
*Salpicantha coccinea* *Hook.* *Bot. Mag.* 71, 4158.  
 — — — *Fl. d. serres* 1, 35.  
*Salsola alopecuroides* *Delile.* *Delile Egypte* 21.  
 — *altissima* *L.* *Cav. Ic.* 289.  
 — *anomala* *C. A. M.* *Eichwald Cauc.* 12.  
 — *arbuscula* *Pall.* *Pallas Illustr.* 17.  
 — — — *Eichwald Cauc.* 29. 30. 31.  
 — *arenaria* *W. et K.* *W. et Kit.* 78.  
 — — — *Roemer Collect.* 1.  
 — *articulata* *Cav.* *Cav. Ic.* 284.  
 — *auricula* *Moq.* *Bélangier Ind. or. x.*  
 — *baccifera* *Pall.* *Pallas Illustr.* 23.  
 — *brachiata* *Pall.* *Pallas Illustr.* 22.  
 — *carinata* *C. A. M.* *Eichwald Cauc.* 28.  
 — *cinerea* *W. et K.* *W. et Kit.* 106.  
 — *collina* *Pall.* *Pallas Illustr.* 26.  
 — *crassa* *M. v. B.* *Eichwald Cauc.* 25.  
 — *dasyantha* *Pall.* *Pallas Illustr.* 11.  
 — *decurrens* *Jaub.* *Jaubert Illustr.* 138.  
 — *dendroides* *Pall.* *Pallas Illustr.* 14.  
 — *Echinus* *Lab.* *Bill. Syr.* 2, 5.  
 — — — *Delile Egypte* 21.  
 — *flavescens* *Cav.* *Cav. Ic.* 288.  
 — *fruticosa* *L.* *Cav. Ic.* 285.  
 — — — *Engl. Bot.* 9, 635.  
 — — — *Sibth. Fl. gr.* 255.  
 — *gemmascens* *Pall.* *Pallas Illustr.* 16.  
 — *genistoides* *Poir.* *Webb Otia* 5.  
 — *hirsuta* *L.* *Fl. dan.* 2, 187.  
 — *Hostii* *Tratt.* *Tratt. Archiv.* 69.  
 — *incanescens* *C. A. M.* *Eichwald Cauc.* 26.  
 — *Kali* *L.* *Fl. dan.* 5, 818.  
 — — — *Pallas Illustr.* 28. 29.  
 † — — — *Gaertn. Carp.* 75.  
 — — — *Lam. Encycl.* 181.  
 — — — *Curt. Lond.* 5, 158.  
 — — — *Engl. Bot.* 9, 634.  
 — — — *Woodv. Med.* 4, 227.  
 — — — *Baxter Brit. Bot.* 4, 255.  
 — — — *Sv. Bot.* 471.  
 — — — *Comm. Gott. rec.* 1, 1.  
 — — — *Dietr. Fl. bor.* 5, 303.  
 † — — — *Nees Gen.* 4, 61.  
 † — — — *Schnizl. Iconogr.* 2, 101.  
 — *lanata* *Pall.* *Pallas Illustr.* 21.  
 — *laniflora* *Gm.* *Gmelin Reise* 1, 37.  
 — *laricina* *Pall.* *Pallas Illustr.* 13.  
 — *microphylla* *Cav.* *Cav. Ic.* 287.  
 — *monandra* *L.* *Pallas Illustr.* 31.  
 — *Moquiniana* *Jaub.* *Jaubert Illustr.* 137.  
 — *Nitraria* *Pall.* *Pallas Illustr.* 15.  
 — *oppositifolia* *Pall.* *Pallas Illustr.* 27.  
 † — — — *Desf. Viviani Aeg.* 2.  
 — *orientalis* *Gm.* *Gmelin Reise* 4, 5.  
 — *pilosa* *Pall.* *Pallas Illustr.* 20.  
 — *prostrata* *L.* *Jacq. Fl. austr.* 3, 294.  
 — — — *Pall.* *Pallas Illustr.* 10.  
 — *radiata* *Desf.* *Ann. Mus.* 2, 34.  
 — *rigida* *Pall.* *Pallas Illustr.* 12.



- Salsola rosacea* L. Schk. Handb. 57<sup>a</sup>.  
 — — — Cav. Ic. 286.  
 — — — Lam. Encyl. 181.  
 — — — Pallas Illustr. 18.  
 — *salsa* L. Jacq. Vind. 3, 83.  
 — — — Cav. Ic. 290.  
 — *sativa* L. Cav. Ic. 291.  
 — *sclerantha* C. A. M. Eichwald Cauc. 27.  
 — *Soda* L. Jacq. Vind. 68.  
 — — — Pallas Illustr. 30.  
 — *spicata* Pall. Pallas Illustr. 19.  
 — *spinescens* Moq. Wight Ic. pl. Ind. or. 5, 1795.  
 — *spinifex* Pall. Pallas Illustr. 24.  
 — *subaphylla* C. A. M. Eichwald Cauc. 24.  
 — *tamariscifolia* Cav. Cav. Ic. 310. 500<sup>b</sup>.  
 — *tamariscina* Pall. Pallas Illustr. 25.  
 — *tetrandra* Forsk. Delile Egypte 21.  
 — *vermiculata* L. Asso Aragon. 2.
- Salutiaea grandiflora* Colla. Mem. Tur. 10, (1849.) x.  
*Salvadora indica* Wight. Wight Illustr. 181.  
 — *oleoides* Decne. Jacquemont Ind. 144.  
 — *persica* L. Vahl Symbolae 4.  
 — — — Lam. Encyl. 81.  
 † — — — Gaertn. Carp. 222.  
 — — — Roxb. Corom. 26.  
 — — — Wight Ic. pl. Ind. or. 4, 1621.  
 — *Stocksii* Wight. Wight Ic. pl. Ind. or. 4, 1621.
- Salvertia convallariodora* St. Hil. Mart. Bras. 93.  
 † — — — Spach Suites 33.  
 — *densiflora* (= *thyrsiflora*) Pohl. Pohl Bras. 110.
- ! *Salvia* L. (Folia.) Ann. sc. nat. II. 4, 5.  
 — *abyssinica* Jacq. Jacq. Ic. 6.  
 — *acuminata* Rz et P. Ruiz et Pav. Fl. 37.  
 — — — Vent. Cels 50.  
 — — — Kerner Hort. 291.  
 — *acutifolia* Rz et P. Ruiz et Pav. Fl. 38.  
 — *aegyptiaca* L. Jacq. Vind. 108.  
 † — — — Webb Canar. 167.  
 — *Aethiopsis* L. Jacq. Fl. austr. 3, 211.  
 — *algeriensis* Desf. Desf. Fl. atl. 3.  
 — *altissima* Pohl. Pohl Bras. 191.  
 — *amara* Jacq. Jacq. Schoenbr. 3, 255.  
 — *amarissima* Ortega. Bot. Reg. 4, 347.  
 — *amethystina* Sm. Smith Ic. Linn. 27.  
 — *amoena* Sims. Bot. Reg. 32, 1294.  
 — — — Lodd. Cab. 377.  
 — — — Bot. Reg. 6, 446.  
 — *angustifolia* Cav. Cav. Ic. 317.  
 — — — Bot. Reg. 18, 1554.  
 — — — Sweet Fl. G. II. 219.  
 — *argentea* L. Sibth. Fl. gr. 27.  
 — — — Jacq. Schoenbr. 1, 6.  
 — — — Knowles et Westcott 112.  
 — *aurea* L. Bot. Mag. 6, 182.  
 — *austriaca* L. Jacq. Fl. austr. 2, 112.  
 — — — Bot. Reg. 12, 1019.  
 — *azurea* Lam. Bot. Mag. 42, 1728.  
 — — — Paxt. Mag. 12, 31.  
 — *balaustina* Pohl. Pohl Bras. 189.  
 — *Barrelieri* Ten. Tenore Fl. nap. 2.  
 — *Benthamiana* Gardn. Fielding Sertum 19.  
 — *bicolor* Desf. Desf. Fl. atl. 2.  
 — — — Salisbury Parad. 113.  
 — — — Jacq. Schoenbr. 1, 7.  
 — — — Kerner Hort. 118.  
 — — — Bot. Mag. 43, 1774.  
 — — — Paxt. Mag. 9, 271.  
 — *biflora* Rz et P. Ruiz et Pav. Fl. 38.  
 — *Boosiana* Jacq. Jacq. Ecl. pl. 47.  
 — *Boosii* Tratt. Tratt. Archiv 47. 47<sup>a</sup>.  
 — *bracteata* Sims. Bot. Mag. 49, 2320.  
 — *Broussonetii* Benth. Webb Canar. 166.

- Salvia bullata* Schousb. Jacq. Schoenbr. 4, 481.  
 — *calycina* Sibth. Sibth. Fl. gr. 16.  
 — *campestris* M. v. B. Rehb. Ic. crit. 6, 529.  
 — *canariensis* L. Rivinus Opus ined. 26.  
 — — — Trew Pl. rar. 19.  
 † — — — Webb Canar. 167.  
 — *Candelabrum* Boiss. Boissier Esp. 136.  
 — *canescens* C. A. M. Bot. Reg. 24, 36.  
 — *cardinalis* H. B. K. H. B. K. Nov. Gen. 2, 152.  
 — — — Kerner Hort. 535.  
 — *carnea* H. B. K. H. B. K. Nov. Gen. 2, 151.  
 — *ceratophylla* L. Knowles et Westcott 5.  
 — *ceratophylloides* Ard. Arduino Anim. 2, 2.  
 — *chamaedryfolia* Andr. Andr. Rep. 6, 416.  
 — *chamaedryoides* Cav. Cav. Ic. 197.  
 — — — Bot. Mag. 21, 808.  
 — — — Lodd. Cab. 576.  
 — *Chamaedrys* Willd. Willdenow Hortus 29.  
 — *circinata* Cav. Cav. Ic. 318.  
 — *clandestina* L. Sibth. Fl. gr. 24.  
 — — — Jacq. Ecl. pl. 143.  
 — — — Rehb. Pl. crit. 6, 525.  
 † — — — Mutel Fl. fr. 52.  
 † — — — Webb Canar. 167.  
 — *clinopodioides* H. B. K. H. B. K. Nov. Gen. 2, 145.  
 — *Clusii* Jacq. Jacq. Schoenbr. 2, 195.  
 — *coccinea* Juss. Comm. Gott. 1, 1.  
 — *compressa* Vent. Vent. Cels 59.  
 — *confertiflora* Pohl. Pohl Bras. 190.  
 — — — Bot. Mag. 68, 3899.  
 — — — Bot. Reg. 25, 29.  
 — *crassifolia* Sibth. Sibth. Fl. gr. 26.  
 — — — Jacq. Jacq. Fragm. 60.  
 — *cretica* L. Mem. Genev. 5, 3.  
 — *cuspidata* Rz et P. Ruiz et Pav. Fl. 40.  
 — *deltoides* Pers. Kerner Hort. 629.  
 — *deserta* Schangin. Rehb. Pl. crit. 6, 528.  
 — *discolor* H. B. K. H. B. K. Nov. Gen. 2, 146.  
 — *dominica* Sw. Swartz Observ. 1.  
 — *elongata* H. B. K. H. B. K. Nov. Gen. 2, 139.  
 — *elsholtzioides* Benth. Benth. Sulphur 50.  
 — *exasperata* Cav. Anales de hist. nat. 2, 17.  
 — — — Cav. Ic. 558.  
 — *excisa* Rz et P. Ruiz et Pav. Fl. 36.  
 — *fimbriata* H. B. K. H. B. K. Nov. Gen. 2, 149.  
 — *foliosa* Benth. Bot. Reg. 17, 1429.  
 — *formosa* L'her. L'heritier Stürp. 21.  
 — — — Bot. Mag. 11, 376.  
 — — — Kerner Hort. 119. 684. 833.  
 — — — Dict. sc. nat. 42.  
 — — — Tratt. Archiv 310.  
 — *Forskälili* L. Sibth. Fl. gr. 21.  
 — — — Willdenow Hortus 20.  
 — — — Bot. Mag. 25, 988.  
 — *fulgens* Cav. Cav. Ic. 23.  
 — — — Bot. Reg. 16, 1356.  
 — — — Lodd. Cab. 1910.  
 — — — Sweet Fl. G. II. 59.  
 — *galeata* Rz et P. Ruiz et Pav. Fl. 42.  
 — *garganica* Ten. Tenore Fl. nap. 202.  
 — *gesneraeflora* Paxt. Paxt. Fl. G. 47.  
 — *gesneraefolia* Ldl. Lem. Jard. fl. 179.  
 — *glaucescens* Pohl. Pohl Bras. 192.  
 — *glechomaefolia* H. B. K. H. B. K. Nov. Gen. 2, 141.  
 — *glutinosa* L. Sturm Flora 5, 17.  
 — — — Schrank Fl. monac. 2, 110.  
 — *Grahami* Benth. Bot. Reg. 16, 1370.  
 — — — Lodd. Cab. 1795.  
 — *grandiflora* Eul. Jacq. Ecl. pl. 36.  
 — *Habliziana* Willd. Schrader Journal 1799. 1, 2.  
 — — — Bot. Mag. 35, 1429.  
 — *hians* Royle. Royle Illustr. 75.

- Salvia* *hians* *Royle*. Bot. Reg. 27, 39.  
 — *hiemalis* *Brot.* Brotero Phytogr. 83.  
 — *hirsuta* *Jacq.* Jacq. Schoenbr. 3, 252.  
 — *hispanica* *L.* Gil et Xuares 21.  
 † — — Gaertn. Carp. 66.  
 — — — Lam. Encycl. 20.  
 — — — Bot. Reg. 5, 359.  
 — *Horminum* *L.* Rivinus Opus ined. 29.  
 — — — Sibth. Fl. gr. 20.  
 — *ianthina* *Otto et Dietr.* Fl. d. serres 9, 884.  
 — *japonica* *Thunb.* Thunberg Fl. jap. 5.  
 — *incarnata* *Cav.* H. B. K. Nov. Gen. 2, 144.  
 — *incurvata* *Cav.* Ruiz et Pav. Fl. 42.  
 — *indica* *L.* Jacq. Vind. 78.  
 — — — Bot. Mag. 11, 395.  
 — *integrifolia* *Rz et P.* Ruiz et Pav. Fl. 35.  
 — *interrupta* *Schousb.* Schousboe Marocco 1.  
 — — — Jacq. Fragm. 90.  
 — — — Sweet Fl. G. 169.  
 — *involverata* *Cav.* Cav. Ic. 105.  
 — — — Bot. Mag. 55, 2872.  
 — — — Bot. Reg. 14, 1205.  
 — — — Rehb. Exot. 135.  
 — *laevigata* *H. B. K.* H. B. K. Nov. Gen. 2, 147.  
 — *lamifolia* *Jacq.* Jacq. Schoenbr. 3, 318.  
 — *lanata* *Roxb.* Wall. Pl. asiat. 116.  
 — — — Wight Ic. pl. Ind. or. 2, 325.  
 † — — — Wight Illustr. 176<sup>b</sup>.  
 — *lanceolata* *Brouss.* Jacq. Ecl. pl. 13.  
 — *lavandulaefolia* *Vahl.* Tratt. Archiv 262.  
 — *leonuroides* *Gloxin.* Gloxin Observ. 2.  
 — — — Lam. Encycl. 20.  
 — *leucantha* *Cav.* Cav. Ic. 24.  
 — — — Bot. Mag. 73, 4318.  
 — — — Desc. Ant. 3, 218.  
 — — — Savi Fl. ital. 1, 7.  
 — *leucocephala* *H. B. K.* H. B. K. Nov. Gen. 2, 156.  
 — *linarioides* *Paxt.* Paxt. Mag. 7, 77.  
 — *linearis* *Rz et P.* Ruiz et Pav. Fl. 41.  
 — *Littae* *Vis.* Regel Gartenflora 1852, 17.  
 — *longiflora* *Rz et P.* Ruiz et Pav. Fl. 40.  
 — — — Kerner Hort. 470.  
 — *lusitanica* *Poir.* Jacq. Ecl. pl. 38.  
 — *lutea* *H. B. K.* H. B. K. Nov. Gen. 2, 148.  
 — *mentiens* *Pohl.* Pohl Bras. 193.  
 — *mexicana* *L.* Cav. Ic. 26.  
 — *mollis* *H. B. K.* H. B. K. Nov. Gen. 2, 153.  
 — — — *Donn.* Jacq. Ecl. pl. 37.  
 — *moschata* *H. B. K.* H. B. K. Nov. Gen. 2, 143.  
 — *multifida* *Sibth.* Sibth. Fl. gr. 23.  
 — — — Rehb. Ic. crit. 6, 524.  
 — *napifolia* *Jacq.* Jacq. Vind. 152.  
 — *nemorosa* *L.* Rehb. Pl. crit. 6, 526.  
 — *nepetoides* *H. B. K.* H. B. K. Nov. Gen. 2, 150.  
 — *nilotica* *Juss.* Comm. Gott. 1, 2.  
 — — — Jacq. Vind. 3, 92.  
 — *nodosa* *Rz et P.* Ruiz et Pav. Fl. 41.  
 — *nubia* *Juss.* Comm. Gott. 1, 3.  
 — *nubicola* *Wall.* Sweet Fl. G. 140.  
 — *nutans* *L.* W. et Kit. 62.  
 — — — Bot. Mag. 50, 2436.  
 — *oblongata* *Vahl.* Jacq. Ecl. pl. 14.  
 — — — Rehb. Pl. crit. 6, 522.  
 — *odorata* *Willd.* Jacq. Ecl. pl. 16.  
 — *officinalis* *L.* Woodv. Med. 2, 127.  
 † — — — Lam. Encycl. 20.  
 — — — Rousseau Bot. 22.  
 — — — Schk. Handb. 4.  
 — — — Sturm Flora 3, 9.  
 — — — Tratt. Archiv 261.  
 — — — Hayne 6, 1.  
 — — — Nees Düsseld. 160.

- Salvia* *officinalis* *L.* Guimpel et Schl. 39.  
 — — — Wagner 44.  
 † — — — Nees Gen. 6, 8.  
 — *oppositiflora* *Rz et P.* Ruiz et Pav. Fl. 43.  
 — — — Paxt. Mag. 15, 53.  
 — — — Fl. d. serres 4, 345.  
 — *Ottonis* *Regel.* Regel Gartenflora 2, 50.  
 — *palaefolia* *H. B. K.* H. B. K. Nov. Gen. 2, 157.  
 — *papilionacea* *Cav.* Cav. Ic. 319.  
 — *parviflora* *Vahl.* Bill. Syr. 4, 7.  
 — *patens* *Cav.* Cav. Ic. 454.  
 — — — Hort. Transact. 9, 10.  
 — — — Kerner Hort. 604.  
 — — — Paxt. Mag. 6, 1.  
 — — — Maund Bot. 3, 109.  
 — — — Bot. Reg. 25, 23.  
 — — — Bot. Mag. 67, 3808.  
 — — — var. *alba*, Fl. d. serres 5, 503.  
 — *patula* *Link.* Hoffm. et Link Fl. port. 20.  
 — — — Brotero Phytogr. 84.  
 — *phlomoidea* *Cav.* Cav. Ic. 320.  
 — — — *Asso.* Roemer Scriptoris 1.  
 — *phoenicea* *H. B. K.* H. B. K. Nov. Gen. 2, 155.  
 — *pinnata* *L.* Jacq. Fragm. 49.  
 — *plumosa* *Rz et P.* Ruiz et Pav. Fl. 37.  
 — *polymorpha* *Link.* Hoffm. et Link Fl. port. 19.  
 — — — Rehb. Pl. crit. 6, 524.  
 — *polystachya* *Cav.* Cav. Ic. 27.  
 — *pomifera* *L.* Sibth. Fl. gr. 15.  
 — *praecox* *Savi.* Jacq. Ecl. pl. 143.  
 — *pratensis* *L.* Engl. Bot. 3, 153.  
 — — — Baxter Brit. Bot. 1, 63.  
 — — — Sv. Bot. 657.  
 — — — Schrank Fl. monac. 1, 3.  
 — — — Hayne 6, 2.  
 — — — Dietr. Fl. boř. 2, 118.  
 † — — — Nees Gen. 6, 8.  
 — *procumbens* *Rz et P.* Ruiz et Pav. Fl. 39.  
 — *prunelloidea* *H. B. K.* Paxt. Mag. 11, 175.  
 — *pseudococcinea* *Jacq.* Jacq. Ic. 209.  
 — — — Bot. Mag. 55, 2864.  
 — — — Paxt. Fl. G. 40.  
 — — — Lem. Jard. fl. 135.  
 — *pulchella* *H. B. K.* H. B. K. Nov. Gen. 2, 140.  
 — — — *Colla.* Colla Hort. Rip. 16.  
 — *pumila* *Benth.* Jacquemont Ind. 133.  
 — *punctata* *Rz et P.* Ruiz et Pav. Fl. 39.  
 — *purpurea* *Cav.* Cav. Ic. 166.  
 — — — Jacq. Schoenbr. 3, 253.  
 — *Regla* *Cav.* Cav. Ic. 455.  
 — — — Bot. Reg. 27, 14.  
 — *reptans* *Jacq.* Jacq. Schoenbr. 3, 319.  
 — *rhombifolia* *Rz et P.* Ruiz et Pav. Fl. 36.  
 — — — Bot. Reg. 17, 1429.  
 — *ringens* *Sibth.* Sibth. Fl. gr. 18.  
 — — — Regel Gartenflora 2, 59.  
 — *rivularis* *Gardn.* Fielding Sertum 20.  
 — *rosaefolia* *Sm.* Smith Ic. Linn. 5.  
 — *rotundifolia* *Vis.* Memor. Ist. veneto 1, 1.  
 — *rubescens* *H. B. K.* H. B. K. Nov. Gen. 2, 154.  
 — *rugosissima* *Zucc.* Münch. Abh. 3, 7.  
 — *runcinata* *L. fil.* Jacq. Schoenbr. 1, 8.  
 — *sagittata* *Rz et P.* Ruiz et Pav. Fl. 35.  
 — *salicifolia* *Pohl.* Pohl Bras. 196.  
 — *scabiosaefolia* *Lam.* Journ. d'hist. nat. Par. 2, 27.  
 — — — Jacq. Ecl. pl. 3.  
 † — — — Spach Suites 79.  
 — *scabrida* *Pohl.* Pohl Bras. 195.  
 — *Sclarea* *L.* Sibth. Fl. gr. 25.  
 — — — Sturm Flora 3, 9.  
 — — — Hayne 6, 3.  
 — — — Bot. Reg. 12, 1003.

- Salvia* sclareoides *Brot.* Brotero Phytogr. 2.  
 — scutellarioides *H. B. K.* H. B. K. Nov. Gen. 2, 158.  
 — serotina *L.* Jacq. Ic. 3.  
 — Sibthorpii *Sm.* Sibth. Fl. gr. 22.  
 † — — Mutel Fl. fr. 52.  
 — silvestris *L.* Jacq. Fl. austr. 3, 212.  
 — — Rehb. Pl. crit. 6, 527.  
 — Simsiana *Schultes.* Bot. Reg. 12, 1003.  
 — Spielmanni *Scop.* Jacq. Ecl. pl. 15.  
 — — Rehb. Ic. crit. 6, 532.  
 — spinosa *L.* Jacq. Ic. 7.  
 — splendens *Ker.* Bot. Reg. 8, 687.  
 — — Lodd. Cab. 1089.  
 — — Rehb. Hort. 51.  
 — — Savi Fl. ital. 3, 95.  
 — — Mem. Tur. 31, 17.  
 — — Spach Suites 79.  
 — stachyoides *H. B. K.* H. B. K. Nov. Gen. 2, 138.  
 — strictiflora *Hook.* Bot. Mag. 59, 3135.  
 — — Paxt. Mag. 11, 247.  
 — tenella *Sw.* Swartz Ic. Ind. occ. 2.  
 — Tenorii *Spr.* Sweet Fl. G. 26.  
 — tiliifolia *Vahl.* Jacq. Schoenbr. 3, 254.  
 — tomentella *Pohl.* Pohl Bras. 194.  
 — tortuosa *H. B. K.* H. B. K. Nov. Gen. 2, 142.  
 — — Kerner Hort. 533.  
 — triloba *L.* Sibth. Fl. gr. 17.  
 — tubifera *Cav.* Cav. Ic. 25.  
 — — Bot. Reg. 27, 44.  
 — tubiflora *Sm.* Smith Ic. Linn. 26.  
 — tubiformis *Link et Kl.* Link Ic. III. 28.  
 — Verbenaca *L.* Curt. Lond. 3, 7.  
 — — Engl. Bot. 3, 154.  
 — — Rehb. Pl. crit. 6, 523.  
 † — — Mutel Fl. fr. 52.  
 — verticillata *L.* Schrank Fl. monac. 2, 159.  
 — violacea *Rz et P.* Ruiz et Pav. Fl. 43.  
 — virgata *Ait.* Jacq. Vind. 37.  
 — viridis *L.* Jacq. Ic. 4.  
 — — Sibth. Fl. gr. 19.  
 — — Desf. Fl. ail. 1.  
 — — Rehb. Ic. crit. 6, 531.  
 † — — Mutel Fl. fr. 52.  
 — viscosa *Jacq.* Jacq. Ic. 5.  
*Salvinia* auriculata *Aubl.* Aublet Guiana 367.  
 — Azolla *Raddi.* Raddi Fil. bras. 1.  
 — biloba *Raddi.* Raddi Fil. bras. 1.  
 — natans *L.* Histoire de l'acad. de Paris 1762, 29.  
 — — Schkuhr Fil. 173.  
 — — Sturm Flora II. 1, 2.  
 † — — Ann. Mus. 18, 21.  
 † — — Mag. naturf. Freunde 8, 9.  
 — — Bibliotheca italiana 20, x.  
 — — Duvernoy De Salvinia 1.  
 † — — Bischoff Cryptog. Gewächse 9.  
 — — Fl. dan. 13, 2188.  
 † — — Acta Leop. 14. 1, 4. 5. 6.  
 † — — Corda Rhizosperm. 2.  
 † — — Schnizl. Iconogr. 1, 33. Suppl. 2.  
 † — — Mettenius Rhizocarp. 1. 2.  
 † — — Mettenius Beiträge 3. fig. 25. 26.  
 † — — Hofmeister Untersuchungen 22.  
 — oblongifolia *Mart.* Martius Crypt. bras. 75. 76.  
 — rotundifolia *Raddi.* Raddi Fil. bras. 1.  
 † — Sprengelii *Corda.* Corda Rhizosperm. 2.  
 † — verticillata *Roxb.* Calcutta Journ. 1845, 18. 19. 20.  
*Samadera* glandulifera *Presl.* Presl Symbolae 51.  
 † — indica *Gaertn.* Gaertn. Carp. 156.  
 — — Hook. Ic. pl. 1, 7.  
 — — Wight Illustr. 68.  
 † — madagascariensis *Juss.* Mem. Mus. 12, 27.  
*Samara* laeta *L.* Lam. Encycl. 74.

- Samara* Rheedii *Wight.* Wight Ic. pl. Ind. or. 4, 1591.  
*Sambucus* Ebulus *L.* Woodv. Med. 3, 212.  
 — — Curt. Lond. 3, 71.  
 — — Engl. Bot. 7, 475.  
 — — Baxter Brit. Bot. 2, 122.  
 — — Fl. dan. 7, 1156.  
 — — Sv. Bot. 271.  
 — — Schk. Handb. 83.  
 — — Hayne 4, 15.  
 — — Guimpel Holzgew. 33.  
 — — Schrank Fl. monac. 4, 394.  
 — — Nees Düsseld. 264.  
 — — Wagner 30. 31.  
 — — Dietr. Fl. bor. 5, 345.  
 — — Rehb. Fl. germ. 12, 729.  
 — nigra *L.* Fl. dan. 4, 545.  
 — — Woodv. Med. 3, 211.  
 — — Engl. Bot. 7, 476.  
 — — Sv. Bot. 33.  
 † — — Gaertn. Carp. 27.  
 — — Lam. Encycl. 211.  
 — — Nouveau Duhamel 1, 55.  
 — — Rousseau Bot. 33.  
 — — Dict. sc. nat. 104.  
 † — — Schk. Handb. 83.  
 — — Guimpel Holzgew. 34.  
 — — Hayne 4, 16.  
 — — Nees Düsseld. 265.  
 — — Guimpel et Schl. 57.  
 — — Wagner 77. 78.  
 — — Rehb. Fl. germ. 12, 730.  
 — — var. laciniata, Fl. dan. 13, 2169.  
 † — — Nees Gen. X, x.  
 — palmensis *Link.* Webb Canar. 78.  
 — racemosa *L.* Jacq. Ic. 59.  
 — — Nouveau Duhamel 1, 56.  
 † — — Schk. Handb. 83.  
 — — Guimpel Holzgew. 35.  
 — — Rehb. Fl. germ. 12, 731.  
 † *Sameraria* *Desv.* Desvaux Journal 5, 25.  
 — armena *Desv.* Jaubert Illustr. 225.  
*Samolus* ebracteatus *H. B. K.* H. B. K. Nov. Gen. 2, 129.  
 — litoralis *R. Br.* Lodd. Cab. 435.  
 — Valerandi *L.* Fl. dan. 2, 198.  
 — — Curt. Lond. 3, 24.  
 — — Engl. Bot. 10, 703.  
 — — Baxter Brit. Bot. 1, 11.  
 † — — Gaertn. Carp. 30.  
 † — — Lam. Encycl. 101.  
 — — Schk. Handb. 40.  
 — — Drevs 5, 139.  
 — — Dietr. Fl. bor. 10, 653.  
 † — — Nees Gen. 5, 23.  
*Samyda* multiflora *Cav.* Cav. Ic. 67.  
 † — nitida *L.* Lam. Encycl. 355.  
 — rosea *Sims.* Bot. Mag. 16, 550.  
 † — serrulata *L.* Gaertn. Carp. 224.  
 — — Jacq. Collect. 2, 17.  
 — — Andr. Rep. 3, 202.  
 — — Lam. Encycl. 355.  
 — — Dict. sc. nat. 245. 246.  
 — spinulosa *Vent.* Vent. Choix 43.  
 — suaveolens *P. et E.* Poepp. et Endl. 274.  
 † *Sanchezia* *Rz et P.* Ruiz et Pav. Prodr. 32.  
 — oblonga *Rz et P.* Ruiz et Pav. Fl. 8.  
 — — Lam. Encycl. 904.  
 — ovata *Rz et P.* Ruiz et Pav. Fl. 8.  
 — — Lam. Encycl. 904.  
*Sandersonia* aurantiaca *Hook.* Bot. Mag. 79, 4716.  
 — — Lem. Jard. fl. 4, 408.  
 — — Fl. d. serres 9, 862.  
*Sandoricum* indicum *Cav.* Rumpf Amb. 1, 64.

- Sandoricum indicum* Cav. Cav. Diss. 202, 203.  
 — — — Roxb. Corom. 261.  
 † — — — Lam. Encycl. 350.  
 † — — — Mem. Mus. 19, 16.  
 † *Sanguinaria* L. Gray Genera 49.  
 — *canadensis* L. Bot. Mag. 5, 162.  
 † — — — Gaertn. Carp. 180.  
 — — — Bigelow Med. 7.  
 — — — Barton Med. 2.  
 — — — Lodd. Cab. 1840.  
 — — — Lam. Encycl. 449.  
 † — — — Kerner Genera 15.  
 — — — Tratt. Archiv 56.  
 — — — var. *latifolia*, Tratt. Archiv 210.  
 — — — Nees Düsseld. 405.  
 — — — Gray Genera 49.  
 — *grandiflora* Rosc. Sweet Fl. G. II. 147.  
*Sanguisorba alpina* Led. Ledeb. Ic. 90.  
 — *dodecandra* Moretti. Massara Fl. valtell. 1.  
 — — — Cesati Stirpes ital. x.  
 — *media* L. Dict. sc. nat. 240.  
 — *officinalis* L. Fl. dan. 1, 97.  
 — — — Lam. Encycl. 85.  
 — — — Sv. Bot. 305.  
 — — — Engl. Bot. 19, 1312.  
 — — — Baxter Brit. Bot. 4, 269.  
 — — — Schk. Handb. 24.  
 — — — Schrank Fl. monac. 4, 363.  
 — — — Hayne 8, 22.  
 — — — Dietr. Fl. bor. 4, 274.  
 † — — — Nees Gen. 4, 78.  
*Sanicula arctioides* Hook. et A. Hook. Bor. Am. 91.  
 — *azorica* Hochst. Seubert Fl. azor. 15.  
 — *bipinnatifida* Dougl. Hook. Bor. Am. 92.  
 — *canadensis* L. Torrey New York 32.  
 — *elata* Ham. Wight Spicil. 79.  
 — — — Wight Ic. pl. Ind. or. 2, 334, 3, 1004.  
 † — — — Wight Illustr. 117.  
 — *europaea* L. Fl. dan. 2, 283.  
 — — — Sv. Bot. 245.  
 — — — Lam. Encycl. 191.  
 — — — Engl. Bot. 2, 98.  
 — — — Baxter Brit. Bot. 3, 235.  
 — — — Schk. Handb. 60.  
 — — — Schrank Fl. monac. 2, 169.  
 — — — Dietr. Fl. bor. 8, 529.  
 † — — — Nees Gen. X, x.  
 — *macrorrhiza* Colla. Mem. Tur. 37, 20.  
 † — *marilandica* L. Gaertn. Carp. 20.  
 — — — Jacq. Ic. 348.  
 — — — Lam. Encycl. 191.  
 — — — Torrey New York 31.  
 — *Menziesii* Hook. et A. Hook. Bor. Am. 90.  
*Sansevieria carnea* Andr. Andr. Rep. 6, 361.  
 — — — Red. Lil. 6, 323.  
 † — *fragrans* Jacq. Jacq. Fragm. 2, 33.  
 — — — Kerner Hort. 121.  
 — *fruticosa* Bl. Rumpf Amb. 4, 35.  
 — *guineensis* Willd. Red. Lil. 6, 330.  
 — — — Bot. Mag. 29, 1179.  
 — *lanuginosa* Willd. Rheede Hort. mal. 11, 42.  
 — *longiflora* Sims. Bot. Mag. 53, 2634.  
 — *sarmentosa* Jacq. Jacq. Fragm. 102, 132.  
 — *sessiliflora* Gawl. Bot. Mag. 19, 739.  
 — — — Herb. amat. 2, 124.  
 — *zeylanica* Willd. Red. Lil. 5, 290.  
 — — — Roxb. Corom. 184.  
 — — — Bot. Reg. 2, 160.  
 † *Santalaceae* R. Br. Schnizl. Iconogr. 2, 108.  
*Santalum album* L. Rumpf Amb. 2, 11.  
 — — — Woodv. Med. 2, 99.  
 — — — Hayne 10, 1.

- Santalum album* L. Nees Düsseld. 127.  
 — — — Bot. Mag. 60, 3235.  
 — — — Dict. sc. nat. 5.  
 — — — Spach Suites 26.  
 † — — — Ann. sc. nat. II. 11, 3.  
 † — — — Linn. Transact. 18, 1. 2. 3. 19, 17.  
 — *Freycinetianum* Gaudich. Freycinet Voyage 45.  
 — *Mida* Hook. Hook. Ic. pl. 6, 563, 575.  
 — *myrtifolium* Roxb. Hayne 10, 2.  
*Santia venulosa* W. et A. Wight Spicil. 96.  
 — — — Wight Ic. pl. Ind. or. 3, 1032.  
 † *Santiria laevigata* Bl. Blume Mus. 1, 40.  
*Santolina alpina* Sm. Sibth. Fl. gr. 851.  
 — — — L. Gussone Pl. rar. 58.  
 — *anthermoides* L. Sibth. Fl. gr. 854.  
 † — *Chamaecyparissus* L. Gaertn. Carp. 165.  
 † — — — Lam. Encycl. 671.  
 — — — Schk. Handb. 239.  
 — — — Hayne 6, 19.  
 — *elegans* Boiss. Boissier Esp. 93.  
 — *erecta* Lam. Lam. Encycl. 671.  
 — *fragrantissima* Forsk. Delile Egypte 42.  
 — *incana* Lam. Lam. Encycl. 671.  
 — *maritima* Sm. Engl. Bot. 2, 141.  
 — — — Sibth. Fl. gr. 850.  
 — *montana* Sibth. Sibth. Fl. gr. 852.  
 — *pinnata* Viv. Viviani Fl. ital. 1.  
 — *ptarmicoides* Lam. Lam. Encycl. 671.  
 — *rigida* Sibth. Sibth. Fl. gr. 853.  
 — *rosmarinifolia* L. Smith Exot. Bot. 62.  
 — — — var. *Webb* Otia 13.  
*Sanvitalia procumbens* Lam. Journ. d'hist. nat. Par. 2, 33.  
 † — — — Kerner Genera 188.  
 — — — Lam. Encycl. 686.  
 — — — Bot. Reg. 9, 707.  
 — *villosa* Cav. Cav. Ic. 351.  
*Sauari glabra* Aubl. Aublet Guiana 240.  
 — *villosa* Aubl. Aublet Guiana 241.  
 † *Sapindus* L. Gray Genera 180.  
 — *arborescens* Aubl. Aublet Guiana 139.  
 — *emarginatus* Vahl. Wight Illustr. 51.  
 — *esculentus* St. Hil. St. Hil. Pl. usuelles 68.  
 — *frutescens* Aubl. Aublet Guiana 138.  
 — *juglandifolius* St. Hil. St. Hil. Fl. Bras. 81.  
 — *marginatus* Willd. Gray Genera 180.  
 † — *Mucrossii* Gaertn. Gaertn. Carp. 70.  
 † — — — Lam. Encycl. 307.  
 — *Rarak* DC. Blume Rumphia 167.  
 † — *rigidus* Mill. Gaertn. Carp. 70.  
 — — — Lam. Encycl. 307.  
 — *rubiginosus* Roxb. Roxb. Corom. 62.  
 † *Saponaria* L. Lam. Encycl. 307.  
 — — — Desc. Ant. 4, 261.  
 — *senegalensis* Poir. Durand Voyage 22.  
 — — — Delessert Ic. 3, 38.  
 — *trifoliatus* L. Rheede Hort. mal. 4, 19.  
*Sapium aucuparium* Jacq. Jacq. Hist. stirp. am. 237.  
 — — — Lam. Encycl. 792.  
 † — — — Jussieu Euphorb. 15.  
 — *Hippomane* Meyer. Miquel Surin. 29.  
 — *indicum* Willd. Rheede Hort. mal. 4, 51.  
 — — — Wight Ic. pl. Ind. or. 6, 1950.  
 — *populifolium* Wight. Wight Ic. pl. Ind. or. 6, 1950.  
*Saponaria bellidifolia* Sm. Portenschlag Dalm. 6.  
 — *caespitosa* Sibth. Sibth. Fl. gr. 389.  
 — — — DC. Willkomm Ic. Hisp. 1, 22.  
 — *calabrica* Guss. Gussone Pl. rar. 31.  
 — — — Rchb. Pl. crit. 6, 518.  
 — — — Smeock Mag. 1840, 2.  
 — — — Sweet Fl. G. II. 79.  
 — — — Regel Gartenfl. 1852, 11.  
 — *fruticulosa* Bory. Bory et Chamb. Morée 11.

- Saponaria glutinosa* *M. v. B.* Marschall Cent. 66.  
 — — — Bot. Mag. 55, 2855.  
 — — — *hirsuta* *Lab.* Bill. Syr. 4, 4.  
 — — — *illyrica* *L.* Arduino Anim. 2, 9.  
 — — — *lutea* *L.* Allione Fl. ped. 3, 23.  
 — — — — — Smith Spicil. 5.  
 — — — — — Roemer Fl. europ. 1, 8.  
 — — — — — Sturm Flora 8, 29.  
 — — — *ocymoides* *L.* Jacq. Fl. austr. 5, 23.  
 — — — — — Cav. Ic. 134.  
 — — — — — Bot. Mag. 5, 154.  
 — — — — — Sturm Flora 14, 59.  
 — — — *officinalis* *L.* Fl. dan. 4, 543.  
 — — — — — Woodv. Med. 3, 206.  
 — — — — — Curt. Lond. 3, 45.  
 — — — — — Engl. Bot. 15, 1060.  
 — — — — — Baxter Brit. Bot. 1, 37.  
 — — — — — Sv. Bot. 338.  
 † — — — — — Lam. Encycl. 376.  
 † — — — — — Plée Types 1.  
 — — — — — Sturm Flora 2, 6.  
 — — — — — Schk. Handb. 121.  
 — — — — — Schrank Fl. monac. 2, 114.  
 — — — — — Hayne 2, 2.  
 — — — — — Nees Düsseld. 386.  
 — — — — — Guimpel et Schl. 38.  
 — — — — — Wagner 16.  
 — — — — — Dietr. Fl. bor. 3, 193.  
 — — — — — Rchb. Fl. germ. 6, 245.  
 ! — — — — — Arch. Mus. 4, 5.  
 — — — *plumbaginea* *Stsch.* Bull. Mosc. 1853, 4.  
 — — — *polygonoides* *Jaub. et Sp.* Jaubert Illustr. 402.  
 — — — *porrigens* *L.* Jacq. Vind. 109.  
 — — — *pungens* *Bunge.* Ledeb. Ic. 4.  
 † — — — *Vaccaria* *L.* Gaertn. Carp. 130.  
 † — — — — — Lam. Encycl. 376.  
 † — — — — — Bot. Mag. 49, 2290.  
 † *Sapota* *Achras* *Mill.* Gaertn. Carp. 104.  
 † — — — *elongata* *Gaertn.* Gaertn. Carp. 207.  
 — — — *elengoides* *A. DC.* Wight Spicil. 141.  
 — — — — — Wight Ic. pl. Ind. or. 4, 1218.  
 — — — *marginata* *Decne.* Hook. Ic. pl. 8, 761.  
 — — — — — Hook. Niger Fl. 13.  
 † *Sapotaceae* *Juss.* Wight Illustr. 142, 148<sup>bis</sup>.  
 † — — — — — Schnizl. Iconogr. 158.  
 † *Sapria* *himalayana* *Griff.* Linn. Transact. 19, 34, 35.  
*Saraca arborescens* *Burm.* Burmann Fl. ind. 25.  
 † *Saracha* *Rz et P.* Ruiz et Pav. Prodr. 34.  
 — — — *biflora* *Rz et P.* Ruiz et Pav. Fl. 179.  
 — — — *contorta* *Rz et P.* Ruiz et Pav. Fl. 180.  
 — — — *dentata* *Rz et P.* Ruiz et Pav. Fl. 179.  
 — — — *procumbens* *Rz et P.* Ruiz et Pav. Fl. 180.  
 — — — *punctata* *Rz et P.* Ruiz et Pav. Fl. 178.  
 — — — *umbellata* *DC.* Sweet Fl. G. 85.  
 — — — *viscosa* *Don.* Sweet Fl. G. II. 323.  
*Sarcandra chloranthoides* *Gardn.* Wight Ic. pl. 6, 1946.  
*Sarcanthus filiformis* *Ldl.* Lem. Jard. fl. 266.  
 — — — — — Bot. Mag. 78, 4639.  
 — — — — — Wight Ic. pl. Ind. or. 5, 1684.  
 — — — *guttatus* *Ldl.* Bot. Reg. 17, 1443.  
 † — — — *paniculatus* *Ldl.* Bauer Orchid. (Gen.) 9.  
 — — — *pauciflorus* *Wight.* Wight Ic. pl. Ind. or. 5, 1747.  
 — — — *rosceus* *Wight.* Wight Ic. pl. Ind. or. 5, 1685.  
 — — — *rostratus* *Ldl.* Lindley Collect. 39.  
 — — — — — Bot. Reg. 12, 981.  
 — — — *succisus* *Ldl.* Bot. Reg. 12, 1014.  
 — — — *teretifolius* *Ldl.* Bot. Mag. 64, 3571.  
 — — — *Walkerianus* *Wight.* Wight Ic. pl. Ind. or. 5, 1686.  
 † *Sarcobatus Maximiliani* *N. v. E.* Bot. Zeitung 1844, 7.  
*Sarcocephalus esculentus* *Adz.* Hort. Transact. 5, 18.  
*Sarcochilus Calceolus* *Ldl.* Bot. Reg. 32, 19.  
 — — — *falcatus* *R. Br.* Bot. Reg. 22, 1832.

- Sarcoclhamys pulcherrima* *Gaudich.* Gaudich. Bon. 89.  
*Sarcoclinium longifolium* *Wight.* Wight Ic. pl. Ind. or. 5, 1887, 1888.  
*Sarcococca pruniformis* *Ldl.* Bot. Reg. 12, 1012.  
 — — — *trinervia* *Wight.* Wight Ic. pl. Ind. or. 5, 1877.  
 † *Sarcodactylis helicteroioides* *Gaertn.* Gaertn. Carp. 185.  
*Sarcodes sanguinea* *Torr.* Smiths. Contrib. 5, 10.  
*Sarcoglottis speciosa* *Presl.* Presl Reliq. 15.  
*Sarcoleena grandiflora* *Aub. Th.* Aubert Iles d'Afrique 9.  
 — — — *multiflora* *Aub. Th.* Aubert Iles d'Afrique 10.  
 — — — — — Dict. sc. nat. 146.  
*Sarcobolus carinatus* *Wall.* Asiat. Researches 12, 7.  
 — — — *globosus* *Wall.* Asiat. Researches 12, 6.  
 — — — — — Wight Ic. pl. Ind. or. 4, 1273.  
 † *Sarcomeris coriacea* *Naud.* Ann. sc. nat. III. 16, 25.  
*Sarcophyllum carnosum* *Thunb.* Bot. Mag. 51, 2502.  
*Sarcophyte sanguinea* *Sparm.* Tratt. Archiv 90.  
 † — — — — — Linn. Transact. 19, 38.  
 † — — — — — Ann. sc. nat. III. 14, 10.  
*Sarcopodium Lobbia* *Ldl.* Lem. Jard. fl. 63, 183.  
 — — — — — Moore Mag. 1851, p. 269.  
*Sarcopyramis napalensis* *Wall.* Wallich Tentamen 23.  
 † *Sarcosiphon clandestinum* *Bl.* Blume Mus. 1, 18.  
*Sarcostemma australe* *R. Br.* Endl. Iconogr. 64.  
 — — — *brachystigma* *Wight.* Hook. Ic. pl. 9, 861.  
 — — — *brevistigma* *W. et A.* Jacquemont Ind. 113.  
 — — — — — Wight Ic. pl. Ind. or. 2, 595.  
 — — — *Brunonianum* *W. et A.* Wight Ic. pl. Ind. 4, 1282.  
 — — — *campanulatum* *Ldl.* Bot. Reg. 32, 36.  
 — — — *Daltoni* *Decne.* Hook. Ic. pl. 8, 768.  
 — — — — — Hook. Niger Fl. 14.  
 — — — *glaucum* *H. B. K.* H. B. K. Nov. Gen. 3, 229.  
 — — — *intermedium* *DC.* Wight Ic. pl. Ind. or. 4, 1281.  
*Sarcostigma Horsfieldii* *R. Br.* Bennett Java 47.  
 — — — *Kleinii* *W. et Arn.* Wight Ic. pl. Ind. or. 5, 1854.  
 † *Sarcostoma javanica* *Bl.* Blume Tabellen 45.  
*Sarcostyles peruviana* *Presl.* Presl Reliq. 60.  
*Sarcozygium xanthoxylum* *Bge.* Linnæa 17, 1.  
*Saribus rotundifolius* *Bl.* Blume Rumphia 95, 96.  
 † *Sarissus anceps* *Gaertn.* Gaertn. Carp. 25.  
*Sarmienta repens* *Rz et P.* Ruiz et Pav. Fl. 7.  
 — — — — — Lam. Encycl. 904.  
*Sarosantha excelsa* *Korth.* Korthals Bot. 16.  
*Sarotes ledifolia* *Hook.* Hook. Journal 1840, 16.  
*Sarothamnus affinis* *Boiss.* Boissier Esp. 40.  
 — — — *baeticus* *Webb.* Boissier Esp. 40<sup>a</sup>.  
 — — — — — Webb Otia 40.  
 — — — *grandiflorus* *Webb.* Webb Otia 39.  
 — — — *malacitanus* *Boiss.* Boissier Esp. 40.  
 — — — *patens* *Webb.* Boissier Esp. 40.  
*Sarotheca elegans* *N. v. E.* Endl. Bras. 7, 18.  
*Sarothra Drummondii* *H. et Gr.* Hook. Bot. Misc. 107.  
 † — — — *gentianoides* *L.* Gaertn. Carp. 114.  
 — — — — — Lam. Encycl. 215.  
 — — — *hypericoides* *Nutt.* Barton Fl. 3, 92.  
 † *Sarracenia* *L.* Gray Genera 45, 46.  
 — — — *adunca* *Sm.* Smith Exot. Bot. 53.  
 — — — *Drummondii* *Croom.* Paxt. Fl. G. 1.  
 — — — — — Fl. d. serres 6, 560.  
 — — — *flava* *L.* Bot. Mag. 20, 780.  
 — — — — — Andr. Rep. 6, 381.  
 — — — — — Lodd. Cab. 1957.  
 — — — — — Kerner Hort. 773.  
 — — — — — Rchb. Exot. 5.  
 — — — *minor* *Nutt.* Sweet Fl. G. II. 138.  
 — — — *purpurea* *L.* Bot. Mag. 22, 849.  
 — — — — — Lodd. Cab. 308.  
 — — — — — Paxt. Mag. 3, 221.  
 — — — — — Mem. soc. Linn. Par. 6, 13.  
 † — — — — — Lam. Encycl. 452.  
 — — — — — Dict. sc. nat. 181.  
 — — — — — var. *Torrey* New York 6.

- Sarracenia purpurea* L. Gray Genera 45. 46.  
 — — — Rchb. Exot. 6.  
 — — — Hart. Parad. 1, 7.  
 † — — — Schnizl. Iconogr. 185\*.  
 — — — *rubra* Walt. Hook. Exot. Fl. 13.  
 — — — Bot. Mag. 63, 3515.  
 — — — Lodd. Cab. 1163.  
 — — — *variolaris* Michx. Bot. Mag. 41, 1710.  
 — — — Lodd. Cab. 803.  
 — — — Kerner Hort. 758.  
 † Sarraceniaceae Turp. Schnizl. Iconogr. 185\*.  
*Sartwellia Flaveriae* Gray. Smiths. Contr. 3, 6.  
*Sassa Bruce*. Stackhouse Extracts 4.  
*Sassafras officinale* Hayne. Hayne 12, 19.  
 — *parthenoxylon* N. v. E. Wight Ic. pl. Ind. or. 5, 1832.  
*Satorchis* Aub. Aubert Orchid. 6. 12.  
*Satureja americana* Poir. Desc. Ant. 3, 222.  
 — *canescens* Guss. Gussone Pl. rar. 42.  
 — *capitata* L. Sibth. Fl. gr. 544.  
 — *consentina* Ten. Tenore Fl. nap. 151.  
 — *cuneifolia* Ten. Tenore Fl. nap. 155.  
 — *filiformis* Desf. Desf. Fl. atl. 121.  
 — *graeca* L. Sibth. Fl. gr. 542.  
 — — — Tenore Fl. nap. 151.  
 — *hortensis* L. Schk. Handb. 156.  
 — — — Sturm Flora 2, 5.  
 — — — Lam. Encycl. 504.  
 — — — Hayne 6, 9.  
 — — — Wagner 79.  
 † — — — Nees Gen. 6, 17.  
 — *juliana* L. Lam. Encycl. 504.  
 — — — Sibth. Fl. gr. 540.  
 — — — Tenore Fl. nap. 151.  
 — *montana* L. Scopoli Fl. carn. 1, 30.  
 — — — Sibth. Fl. gr. 543.  
 — — — Sturm Flora 20, 90.  
 † — — — Schk. Handb. 156.  
 † — — — Nees Gen. 6, 17.  
 — *nervosa* Desf. Desf. Fl. atl. 121.  
 — *parviflora* Vis. Visiani Dalm. 18.  
 — *pygmaea* Sieber. Sturm Flora 20, 90.  
 — *rupestris* Jacq. Jacq. Ic. 494.  
 — *spinosa* L. Sibth. Fl. gr. 545.  
 — *spicicata* Bartl. Visiani Stirp. dalm. 4.  
 — *tenuifolia* Ten. Tenore Fl. nap. 151.  
 — *Thymbra* L. Sibth. Fl. gr. 541.  
 — *thymifolia* Scop. Scopoli Fl. carn. 1, 29.  
 — *variegata* Hochst. Sturm Flora 20, 90.  
 — *virgata* Vis. Visiani Dalm. 18.  
*Saturnia Maratti*. Maratti Romul. et Saturn. x.  
 † *Satyrium Thunb*. Svensk Acad. 1800, 3.  
 † — — Schrader Neues Journal 1, 1.  
 — — — *albium* L. Fl. dan. 1, 115.  
 † — — — *albiflorum* A. Rich. Ann. sc. nat. II. 15, 5.  
 — — — Wight Ic. pl. Ind. or. 5, 1717.  
 — — — *aureum* Paxt. Paxt. Mag. 15, 31.  
 — — — *bifolium* Hochst. Richard Abyssin. 92.  
 † — — — Ann. sc. nat. II. 14, 18.  
 — — — *brachypetalum* A. Rich. Richard Abyssin. 90.  
 — — — *bracteatum* Thunb. Journ. sc. and arts 8, 3.  
 — — — *carneum* R. Br. Bot. Mag. 37, 1512.  
 — — — Rchb. Exot. 266.  
 — — — Fl. d. serres 4, 329.  
 — — — *coriophoroides* A. Rich. Richard Abyssin. 89.  
 † — — — Ann. sc. nat. II. 14, 18.  
 — — — *coriifolium* Sw. Bot. Mag. 47, 2172.  
 — — — Bot. Reg. 9, 703.  
 — — — Sweet Fl. G. II. 3.  
 — — — *cucullatum* Lodd. Lodd. Cab. 104.  
 — — — Sw. Bot. Reg. 5, 416.  
 — — — *Epipogium* L. Vill. Dauph. 1.

- Satyrium Epipogium* L. Jacq. Fl. austr. 1, 84.  
 — — — Fl. dan. 7, 1233.  
 — — — Hoffmann Phytogr. Bl. 1.  
 — — — *erectum* Sw. Maund Bot. 3, 117.  
 — — — *flexuosum* Aub. Th. Aubert Orchid. 7.  
 — — — *gramineum* Aub. Th. Aubert Orchid. 6.  
 — — — *hircinum* L. Jacq. Fl. austr. 4, 367.  
 † — — — Lam. Encycl. 726.  
 — — — *latifolium* Aub. Th. Aubert Orchid. 10.  
 — — — *nepalense* Don. Wight Ic. pl. Ind. or. 3, 929.  
 — — — *nigrum* L. Fl. dan. 6, 998.  
 — — — Jacq. Fl. austr. 4, 365.  
 — — — Lam. Encycl. 726.  
 † — — — *Perrottetianum* A. Rich. Ann. sc. nat. II. 15, 5.  
 — — — Wight Ic. pl. Ind. or. 5, 1716.  
 — — — *praecultrum* Aub. Th. Aubert Orchid. 11.  
 † — — — *pustulatum* Ldl. Bauer Orchid. 12. 13. 14.  
 — — — Bot. Reg. 26, 18.  
 — — — *repens* L. Lightfoot Fl. scot. 1, 22.  
 — — — Fl. dan. 5, 812.  
 — — — Jacq. Fl. austr. 4, 369.  
 — — — Schk. Handb. 272.  
 — — — *roscellatum* Aub. Th. Aubert Orchid. 5. 8.  
 — — — *Schimperi* Hochst. Richard Abyssin. 91.  
 — — — *spirale* Aub. Th. Aubert Orchid. 9.  
 — — — *viride* L. Fl. dan. 1, 77.  
 — — — Lam. Encycl. 726.  
 — — — *Wightianum* Ldl. Wight Ic. pl. Ind. or. 5, 1718.  
*Saubinetia helianthoides* J. Remy. Gay Chile 49.  
*Saurauja barbiger* Hook. Hook. Ic. pl. 4, 331.  
 — *Blumeana* Spr. Bennett Java 37.  
 — *bracteosa* DC. Mem. Genev. 1, 6.  
 — — — Delessert Ic. 3, 25.  
 — — — Bennett Java 36.  
 — *excelsa* Willd. Neue Schr. naturf. Fr. 3, 4.  
 — *fasciculata* Wall. Wall. Pl. asiat. 148.  
 — *ferox* Korth. Korthals Bot. 19.  
 — *lanceolata* DC. Mem. Genev. 1, 4.  
 — *montana* Seem. Seemann Herald 16.  
 — *napalensis* DC. Wall. Pl. asiat. 178.  
 — *nudiflora* DC. Mem. Genev. 1, 5.  
 — *pedunculata* Hook. Hook. Ic. pl. 4, 341. 342.  
 — *serrata* DC. Mem. Genev. 1, 3.  
 — *spectabilis* Hook. Bot. Mag. 69, 3982.  
 — *tristyla* DC. Mem. Genev. 1, 7.  
 — *villosa* DC. Mem. Genev. 1, 2.  
*Sauroglossum elatum* Ldl. Bot. Reg. 19, 1618.  
*Sauromatum guttatum* Schott. Bot. Mag. 75, 4465.  
 — — — Lem. Jard. fl. 12.  
*Sauropus Gardneriana* Wight. Wight Ic. pl. Ind. or. 6, 1951.  
 — — — *indica* Wight. Wight Ic. pl. Ind. or. 6, 1952.  
 — — — *retroversa* Wight. Wight Ic. pl. Ind. or. 6, 1951.  
 — — — *zeylanica* Wight. Wight Ic. pl. Ind. or. 6, 1952.  
 † *Saurureae* Rich. Schnizl. Iconogr. 2, 82.  
*Saururus cernuus* L. Schk. Handb. 103.  
 — — — Lam. Encycl. 276.  
 — — — Dict. sc. nat. 295.  
 — — — Torrey New York 97.  
 † — — — Schnizl. Iconogr. 2, 82.  
 — — — *lucidus* Donn. Jacq. Ecl. pl. 18.  
*Saussurea alata* DC. Ann. Mus. 16, 12.  
 — — — Ledeb. Ic. 63.  
 — — — *alpina* DC. Baxter Brit. Bot. 6, 473.  
 — — — var. Ledeb. Ic. 73.  
 — — — Rchb. Fl. germ. 15, 816.  
 — — — *amara* DC. Ledeb. Ic. 67.  
 — — — *bracteata* Decne. Jacquemont Ind. 102.  
 — — — *cana* Led. Ledeb. Ic. 75.  
 — — — *ceratocarpa* Decne. Jacquemont Ind. 101.  
 — — — *denticulata* Led. Ledeb. Ic. 74.  
 — — — *depressa* Gren. Rchb. Fl. germ. 15, 817. 887.

- Saussurea discolor DC. Rehb. Fl. germ. 15, 818.  
 — dissecta Led. Ledeb. Ic. 66.  
 — elata Led. Ledeb. Ic. 80.  
 — elegans Led. Ledeb. Ic. 77.  
 — elongata DC. Ann. Mus. 16, 10.  
 — foliosa Led. Ledeb. Ic. 69.  
 — Frolovii Led. Ledeb. Ic. 352.  
 — glomerata Poir. Ledeb. Ic. 68.  
 — gossypina Wall. Wall. pl. asiat. 138.  
 — japonica DC. Ann. Mus. 16, 13.  
 — laciniata Led. Ledeb. Ic. 64.  
 — latifolia Led. Ledeb. Ic. 70.  
 — macrophylla Saut. Rehb. Fl. germ. 15, 817.  
 — nuda Led. Ledeb. Ic. 61.  
 — pterocaulon Decne. Jacquemont Ind. 103.  
 — pulchella DC. Bot. Reg. 23, 18.  
 — pycnocephala Led. Ledeb. Ic. 59.  
 — pygmaea Spr. Rehb. Fl. germ. 15, 818. 887.  
 — rigida Led. Ledeb. Ic. 79.  
 — robusta Led. Ledeb. Ic. 63.  
 — runcinata DC. Ann. Mus. 16, 11.  
 — salicifolia DC. var. Ledeb. Ic. 76.  
 — serrata DC. var. Ledeb. Ic. 71. 72.  
 — subsinuata Led. Ledeb. Ic. 62.  
 — — Seemann Herald 7.  
 — tenuis Led. Ledeb. Ic. 78.  
 — Tilesii Led. Ledeb. Ic. 60.  
 Sauvagesia adima Aubl. Aublet Guiana 100.  
 — — Lam. Encycl. 140.  
 — deflexifolia Gardn. Hook. Ic. pl. 5, 484.  
 — erecta L. Aublet Guiana 100.  
 — — Jacq. Hist. stirp. am. 77.  
 † — — Gaertn. Carp. 224.  
 — — St. Hil. Pl. remarq. 3.  
 — — Mem. Mus. 11, 6.  
 — — Desc. Ant. 4, 299.  
 † — — Spach Suites 42.  
 — linearifolia St. Hil. St. Hil. Pl. remarq. 4.  
 — — Mem. Mus. 11, 7.  
 — ovata Mart. Mart. Bras. 24.  
 — pusilla Mart. Mart. Bras. 24.  
 — racemosa St. Hil. St. Hil. Pl. remarq. 1.  
 — rubiginosa St. Hil. St. Hil. Pl. remarq. 2.  
 — serpyllifolia Mart. Mart. Bras. 25.  
 — Sprengelii St. Hil. St. Hil. Pl. remarq. 2.  
 — tenella Desf. St. Hil. Pl. remarq. 3.  
 — — Mem. Mus. 11, 6.  
 † Savia sessiliflora Willd. Jussieu Euphorb. 2.  
 Saviona acerifolia Webb. Webb Canar. 1<sup>b</sup>.  
 † Saxifraga L. (Folia.) Jardine Annals 8, 11. 13, 4.  
 — aconitifolia Gardn. Fielding Sertum 57.  
 — adenodes Poepp. Sternberg Revisio 2, 26.  
 — adscendens All. Allione Fl. ped. 3, 22.  
 — — Jacq. Collect. 1, 11. 12.  
 — — Sternberg Revisio 1, 16.  
 — affinis Don. Engl. Bot. 2903.  
 — ajugaefolia L. Picot Pyren. 31.  
 — — *γ.* carpatica, Sternberg Revisio 2, 26.  
 — aizoides L. Engl. Bot. 1, 39.  
 — — Baxter Brit. Bot. 3, 187.  
 — — Sternberg Revisio 1, 7.  
 — — Sturm Flora (1, 1.) 9, 35.  
 — — Schrank Fl. monac. 4, 337.  
 — Aizoon L. Jacq. Fl. austr. 5, 438.  
 — — Sternberg Revisio 1, 3<sup>a</sup>. 3<sup>b</sup>.  
 — — Sturm Flora 9, 33.  
 — — Dietr. Fl. bor. 5, 351.  
 — alba petraea Pona. Sternberg Revisio 1, 11.  
 — amplexifolia Sternb. Sternberg Revisio 2, 2.  
 — andicola H. B. K. H. B. K. Nov. Gen. 6, 519.  
 — — Sternberg Revisio 2, 20.  
 — Andrewsii Harv. Hook. Journal 1848, 19.

- Saxifraga androsacea L. Jacq. Fl. austr. 4, 389.  
 — — — Sternberg Revisio 1, 11.  
 — — — Sturm Flora 9, 33.  
 — — — var. Sternberg Revisio 2, 7.  
 — — — aphylla Sternb. Sternberg Revisio 1, 11<sup>b</sup>.  
 — — — Sturm Flora 9, 33.  
 — — — Hegetschw. Reisen 8.  
 — — — aquatica Picot. Picot Pyren. 28. 29.  
 — — — Sternberg Revisio 1, 19.  
 — — — arachnoidea Sternb. Sternberg Revisio 1, 15.  
 — — — Sturm Flora 9, 35.  
 — — — aretioides Picot. Picot Pyren. 13.  
 — — — Sturm Flora 9, 35.  
 — — — arundana Boiss. Boissier Esp. 64.  
 — — — asarifolia Sternb. Sternberg Revisio 2, 24.  
 — — — aspera L. Jacq. Fl. austr. 5, 31.  
 — — — Sternberg Revisio 1, 8.  
 — — — Sturm Flora 9, 33.  
 — — — atropurpurea Sternb. Sternberg Revisio 1, 11<sup>b</sup>.  
 — — — Sturm Flora 9, 35.  
 — — — australis Moric. Sternberg Revisio 2, 17.  
 — — — autumnalis L. Fl. dan. 1, 72.  
 — — — Scopoli Fl. carn. 1, 14.  
 — — — Sturm Flora 1, 1.  
 — Bellardi All. Allione Fl. ped. 3, 88.  
 — bicolor Sternb. Sternberg Revisio 2, 14.  
 — bicuspidata Hook. Hook. Fl. ant. 97.  
 — biflora All. Allione Fl. ped. 3, 21.  
 — — — Picot Pyren. 17.  
 — — — Roemer Fl. europ. 9, 3.  
 — — — Sturm Flora 9, 35.  
 — biternata Boiss. Boissier Esp. 64<sup>a</sup>.  
 — Boussingaulti Brongn. Ann. sc. nat. II. 3, 1.  
 — brachypoda Don. Sternberg Revisio 2, 24.  
 — bronchialis L. Sternberg Revisio 1, 10.  
 — Brunoniana Wall. Sternberg Revisio 2. 23.  
 — bryoides L. Scopoli Fl. carn. 1, 15.  
 — — — Jacq. Misc. 2, 5.  
 — — — Sternberg Revisio 1, 8.  
 — — — Sturm Flora 9, 33.  
 — bulbifera Oeder. Fl. dan. 3, 390.  
 — — — Sternberg Revisio 1, 12.  
 — — — Sturm Flora 9, 35.  
 — Burseriana L. Jacq. Misc. 1, 17.  
 — — — Sternberg Revisio 1, 10<sup>b</sup>.  
 — — — Sturm Flora 9, 33.  
 — caesia L. Scopoli Fl. carn. 1, 15.  
 — — — Jacq. Fl. austr. 4, 374.  
 — — — Sternberg Revisio 1, 9.  
 — — — Sturm Flora 9, 33.  
 — — — Lodd. Cab. 421.  
 — caespitosa Scop. Scopoli Fl. carn. 1, 14.  
 — — — Fl. dan. 1, 71. 8, 1388.  
 — — — Picot Pyren. 34. 35. 36.  
 — — — Engl. Bot. 12, 794.  
 — — — *γ.* incurvifolia, Engl. Bot. 2909.  
 — — — Sv. Bot. 731.  
 — — — Sternberg Revisio 1, 11<sup>b</sup>.  
 — — — Sturm Flora 7, 27.  
 — — — var. acaulis, Hegetschw. Reisen 8.  
 — — — Dietr. Fl. bor. 12, 796.  
 — calyciflora Picot. Picot Pyren. 12.  
 — calycina Sternb. Sternberg Revisio 2, 21.  
 — Candollii Tausch. Sternberg Revisio 2, 19.  
 — capitata Picot. Picot Pyren. 30.  
 — carpatica Sternb. Sternberg Revisio 2, 25.  
 — cartilaginea Willd. Sternberg Revisio 1, 3<sup>c</sup>.  
 — ceratophylla Dryand. Bot. Mag. 40, 1651.  
 — cernua L. Linné Fl. lapp. 2.  
 — — — Fl. dan. 1, 22.  
 — — — Sv. Bot. 730.  
 — — — Engl. Bot. 10, 664.

- Saxifraga cernua* L. Sternberg Revisio 1, 12.  
 — — Trautv. Imag. 40.  
 — Chamissoi Sternb. Sternberg Revisio 2, 10.  
 — ciliata Royle. Royle Illustr. 49.  
 — — Bot. Reg. 29, 65.  
 — Clarioni Sternb. Sternberg Revisio 2, 26.  
 — condensata Gm. Gmelin Fl. bad. 2, 3.  
 — controversa Sternb. Sturm Flora 9, 33.  
 — Cotyledon L. Linné Fl. lapp. 2.  
 — — Fl. dan. 2, 241.  
 † — — Gaertn. Carp. 36.  
 — — Lam. Encycl. 372.  
 — — Sturm Flora 9, 33.  
 — crassifolia L. Linné Hort. ups. 2, 14.  
 — — Bot. Mag. 6, 196.  
 † — — Mem. Instit. 1809, 2.  
 — crustata Vest. Sternberg Revisio 1, 1<sup>b</sup>.  
 — — Sturm Flora 9, 33.  
 — cuneifolia Cav. Cav. Ic. 248.  
 — — Scopolii Fl. carn. 1, 13.  
 — — W. et Kit. 44.  
 — — Sturm Flora 9, 35.  
 — — *β. Bert. fil.* Novi Comm. Bonon. 5, 17.  
 — cuscutaeformis Lodd. Lodd. Cab. 186.  
 — — Bot. Mag. 53, 2631.  
 — Cymbalaria L. Sibth. Fl. gr. 378.  
 — cymosa W. et K. W. et Kit. 88.  
 — davurica Sternb. Sternberg Revisio 2, 5.  
 — decipiens Ehrh. Sternberg Revisio 1, 23.  
 — — Sturm Flora 7, 27.  
 — — Lodd. Cab. 1510.  
 — denudata Don. Lodd. Cab. 1517.  
 — depressa Sternb. Sternberg Revisio 1, 11.  
 — diapensioides Bell. Mem. Tur. 5, 5.  
 — — Sternberg Revisio 1, 9.  
 — dichotoma Willd. Sternberg Revisio 1, 21.  
 — diversifolia Wall. Sternberg Revisio 2, 22.  
 — — Hook. Journal 1845, 21.  
 — elatior M. et K. Sturm Flora 9, 33.  
 — elegans Mack. Rchb. Ic. crit. 7, 625.  
 — — Engl. Bot. 2892.  
 — — Sternb. Sternberg Revisio 2, 14.  
 — elongata Sternb. Sternberg Revisio 1, 4.  
 — elongella Sm. Engl. Bot. 32, 664.  
 — Eschscholtzii Sternb. Sternberg Revisio 2, 10.  
 — evolvuloides Wall. Sternberg Revisio 2, 23.  
 — exarata Vill. Vill. Dauph. 45.  
 — — All. Allione Fl. ped. 3, 88.  
 — exilis Stephan. Sternberg Revisio 2, 3.  
 — filicaulis Wall. Sternberg Revisio 2, 23.  
 — flagellaris Willd. Sternberg Revisio 1, 6.  
 — — Ledeb. Ic. 321.  
 — — Hook. Bor. Am. 87.  
 — — Bot. Mag. 77, 4621.  
 — — Lem. Jard. fl. 237.  
 — flavescens Sternb. Sternberg Revisio 2, 9.  
 — flexuosa Sternb. Sternberg Revisio 2, 15.  
 — gemmulosa Boiss. Boissier Esp. 64.  
 — geranioides L. Gouan Illustr. 18.  
 — — Picot Pyren. 43.  
 — — Sternberg Revisio 2, 19.  
 — Geum L. Picot Pyren. 24.  
 — — Engl. Bot. 22, 1561.  
 — — Engl. Bot. 2893.  
 † — — Lam. Encycl. 372.  
 — — Sternberg Revisio 2, 18.  
 — — Rchb. Ic. crit. 7, 628.  
 — glabella Bertol. Sternberg Revisio 2, 12.  
 — globulifera Desf. Desf. Fl. atl. 96.  
 — gracilis Sternb. Sternberg Revisio 2, 5.  
 — grandiflora Sternb. Sternberg Revisio 1, 12.  
 — granulata L. Fl. dan. 3, 514.

- Saxifraga granulata* L. Woodv. Med. 3, 197.  
 — — — Curt. Lond. 2, 38.  
 — — — Engl. Bot. 7, 500.  
 — — — Sv. Bot. 153.  
 — — — var. Picot Pyren. 27.  
 † — — — Lam. Encycl. 372.  
 † — — — Plée Types 30.  
 — — — Dict. sc. nat. 197.  
 — — — Schk. Handb. 119.  
 — — — Dreves 1, 6.  
 — — — Hayne 3, 23.  
 — — — Sturm Flora 2, 6.  
 — — — Schrank Fl. monac. 1, 77.  
 — — — Dietr. Fl. bor. 4, 243.  
 † — — — Flora 1853, 7.  
 — groenlandica L. Picot Pyren. 19.  
 — hederacea L. Sibth. Fl. gr. 379.  
 — — Sternberg Revisio 2, 15.  
 — — M. v. B. Sternberg Revisio 2, 16.  
 — heterantha Hook. Hook. Bor. Am. 78.  
 — heterophylla Sternb. Sternberg Revisio 1, 20.  
 — — Sturm Flora 9, 33.  
 — hibernica Sternb. Sternberg Revisio 2, 11.  
 — hieracifolia W. et K. W. et Kit. 18.  
 — hirculoides Decne. Jacquemont Ind. 78.  
 — Hirculus L. Fl. dan. 2, 200.  
 — — Curt. Lond. 2, 70.  
 — — Engl. Bot. 15, 1009.  
 — — Sv. Bot. 623.  
 — — Sturm Flora 9, 35.  
 — — Dietr. Fl. bor. 9, 586.  
 — hirsuta L. Picot Pyren. 23.  
 — — Engl. Bot. 33, 2322.  
 — — Rchb. Ic. crit. 7, 621.  
 — hirta Don. Engl. Bot. 32, 2291.  
 — Hoffmeisteri Klotzsch. Prinz Waldem. Him. 41.  
 — Hohenwartii Sternb. Sternberg Revisio 1, 7. 9<sup>b</sup>.  
 — — Sturm Flora 9, 33.  
 — hybrida Vill. Sternberg Revisio 1, 8.  
 — — Sternb. Sternberg Revisio 2, 21.  
 — hypnoides All. Allione Fl. ped. 3, 21.  
 — — Scop. Scopolii Fl. carn. 1, 16.  
 — — L. Vill. Dauph. 45.  
 — — Fl. dan. 2, 348.  
 — — Picot Pyren. 32.  
 — — Engl. Bot. 7, 454.  
 — Jacquemontiana Decne. Jacquemont Ind. 78.  
 — Jamesii Torr. Hook. Bor. Am. 84.  
 — imbricata Sternb. Sternberg Revisio 2, 13.  
 — — Royle. Royle Illustr. 49.  
 — intacta Willd. Willdenow Hortus 75.  
 — integrifolia Hook. Hook. Bor. Am. 86.  
 — intricata Picot. Picot Pyren. 33.  
 — irrigua M. v. B. Marshall Cent. 73.  
 — — Bot. Mag. 48, 2207.  
 — juniperina Adams. Sternberg Revisio 1, 10.  
 — ladanifera Picot. Picot Pyren. 42.  
 — leucanthemifolia Picot. Picot Pyren. 25.  
 — — Michx. Bot. Mag. 57, 2959.  
 — — Lodd. Cab. 1568.  
 — ligulata Murr. Comm. Gott. 4, 1.  
 — — Wall. Asiat. Researches 13, 13.  
 — — Lodd. Cab. 747.  
 — — Kerner Hort. 737.  
 — — Hook. Exot. Fl. 49.  
 — — Bot. Mag. 62, 3406.  
 — — Sweet Fl. G. 59.  
 — lingulata Bell. Moris Fl. sard. 74.  
 — longifolia Lam. Picot Pyren. 11.  
 — — Sturm Flora 9, 33.  
 — — var. *β. media*, Sternberg Revisio 1, 1<sup>a</sup>.  
 — luteo-purpurea Picot. Picot Pyren. 14.



- Saxifraga lysimachioides* *Klotzsch*. Prinz Wald. Him. 42.  
 — *maderensis* *Don*. Hook. Ic. pl. 3, 279.  
 — *magellanica* *Poir*. Sternberg Revisio 1, 11.  
 — *marginata* *Sternb*. Sternberg Revisio 2, 1.  
 — — Tenore Fl. nap. 234.  
 — *media* *Gouan*. Sibth. Fl. gr. 376.  
 — — Lam. Encycl. 372.  
 — *melaleuca* *Fisch*. Sternberg Revisio 2, 3.  
 — *Merkii* *Fisch*. Sternberg Revisio 2, 1.  
 — *Meyeri* *Sternb*. Sternberg Revisio 2, 21.  
 — *mixta* *Picot*. Picot Pyren. 20, 21.  
 — *modesta* *Rehb*. Rehb. Ic. crit. 7, 626.  
 — *mollis* *Sm*. Sternberg Revisio 2, 25.  
 — *Moorcroftiana* *Wall*. Sternberg Revisio 2, 24.  
 — *moschata* *Wulf*. Jacq. Misc. 2, 21.  
 — — Picot Pyren. 37, 38.  
 — — — Sternberg Revisio 1, 11.  
 — — — Engl. Bot. 33, 2314.  
 — — — Sturm Flora 9, 33.  
 — *multiflora* *Led*. Ledeb. Ic. 335.  
 — *muscooides* *All*. Allione Fl. ped. 3, 61.  
 — — *Wulf*. Sternberg Revisio 1, 11.  
 — — — var. *lineata*, Sternberg Revisio 2, 7.  
 — — — var. *nana*, Sternberg Revisio 2, 7.  
 — — — var. *atropurpurea*, Sturm Flora 9, 35.  
 — — — var. *laxa*, Sturm Flora 9, 35.  
 — — — var. *moschata*, Sturm Flora 9, 33.  
 — *mutata* *L*. Jacq. Ic. 466.  
 — — — Bot. Mag. 10, 351.  
 — — — Journal Hort. Soc. 2, 156.  
 — — — Sturm Flora 9, 35.  
 — — — Schrank Fl. monac. 2, 199.  
 — *neglecta* *Bray*. Sternberg Revisio 2, 6.  
 — *Nelsoniana* *Hook*. Hook. Beechey 29.  
 — *nervosa* *Picot*. Picot Pyren. 39.  
 — *nitida* *Sternb*. Sternberg Revisio 1, 10<sup>b</sup>.  
 — *nivalis* *L*. Linné Fl. lapp. 2.  
 — — — Fl. dan. 1, 28.  
 — — — Lightfoot Fl. scot. 1, 12.  
 — — — Engl. Bot. 7, 440.  
 — — — Sv. Bot. 728.  
 — — — Townson Hungary 15.  
 — — — Sturm Flora 9, 35.  
 — *odontophylla* *Wall*. Sternberg Revisio 2, 25.  
 — *oppositifolia* *L*. Linné Fl. lapp. 2.  
 — — — All. Fl. ped. 3, 21.  
 — — — Fl. dan. 1, 34.  
 — — — Picot Pyren. 16.  
 — — — Curt. Lond. 1, 4.  
 — — — Engl. Bot. 1, 9.  
 — — — Lodd. Cab. 869.  
 — — — Sweet Brit. Bot. 1, 1.  
 — — — Sturm Flora (2, 7.) 9, 35.  
 — — — Roemer Fl. europ. 9, 2.  
 — — — var. *Reiner Reisen* 1, 3.  
 — *orientalis* *Jacq*. Jacq. Observ. 34.  
 — *Pallasiana* *Sternb*. Sternberg Revisio 2, 22.  
 — *pallida* *Wall*. Sternberg Revisio 2, 23.  
 — *palmata* *Picot*. Picot Pyren. 41.  
 — — *Sm*. Engl. Bot. 7, 445.  
 — — *Panz*. Sturm Flora 7, 27.  
 — *paradoxa* *Sternb*. Sternberg Revisio 1, 14.  
 — *parnassifolia* *Don*. Sternberg Revisio 2, 25.  
 — *parviflora* *Biv*. Bivona Stip. rar. Sic. 4, 3.  
 — *patens* *Sternb*. Sternberg Revisio 2, 1, 12.  
 — *pauciflora* *Sternb*. Sternberg Revisio 2, 4.  
 — *Pavonii* *Don*. Sternberg Revisio 2, 12.  
 — — — Poep. et Endl. 18.  
 — *pedatifida* *Ehrh*. Engl. Bot. 32, 2278.  
 — *pedemontana* *All*. Allione Fl. ped. 3, 21.  
 — — — Sturm Flora 9, 33.  
 — *pentadactylis* *Picot*. Picot Pyren. 40.

- Saxifraga peruviana* *Sternb*. Sternb. Revis. 1, 22, 2, 20.  
 — — — Poep. et Endl. 18.  
 — *petraea* *Gouan*. Gouan Illustr. 18.  
 — — *L*. Jacq. Ic. 81.  
 — — — Fl. dan. 1, 68.  
 — — — Sternberg Revisio 1, 16.  
 — — — Sturm Flora 9, 35.  
 — — — Bot. Mag. 57, 3026.  
 — *planifolia* *Picot*. Sternberg Revisio 1, 7.  
 — — — Sturm Flora 10, 40.  
 — *platypetala* *Sm*. Engl. Bot. 32, 2276.  
 — *polita* *Haw*. Rehb. Ic. crit. 7, 627.  
 — *Ponae* *Sternb*. Sternberg Revisio 1, 18.  
 — — — Sturm Flora 9, 35.  
 — *porophylla* *Bert*. Opusc. sc. Bonon. 2, 1.  
 — — — Bertoloni Amoenit. 3.  
 — *pseudocaesia* *Roch*. Bochel Banat. 3.  
 — *punctata* *L*. Sternberg Revisio 2, 4.  
 — — — Rehb. Ic. crit. 7, 622, 623.  
 — — — Trautvetter Imag. 37.  
 — *purpurea* *All*. Allione Fl. ped. 3, 21.  
 — *pusilla* *Sternb*. Sternberg Revisio 2, 15.  
 — *pyramidalis* *Picot*. Sternberg Revisio 1, 2.  
 — — — Sturm Flora 9, 33.  
 — *pyrenaica* *Scop*. Scopoli Fl. carn. 1, 16.  
 — *ramulosa* *Wall*. Royle Illustr. 49.  
 — — — Sternberg Revisio 2, 26.  
 — *ranunculifolia* *Hook*. Hook. Bor. Am. 83.  
 — *recta* *Picot*. Picot Pyren. 15.  
 — *Redowskyi* *Adams*. Mem. Mosc. 9, 13.  
 — *reflexa* *Hook*. Hook. Bor. Am. 85.  
 — *repanda* *Willd*. Sternberg Revisio 1, 5.  
 — *reticulata* *Willd*. Sternberg Revisio 1, 13.  
 — *retusa* *Gouan*. Gouan Illustr. 18.  
 — — — Picot Pyren. 18.  
 — — — Sturm Flora 9, 35.  
 — — — Sweet Fl. G. II. 49.  
 — *rivularis* *L*. Linné Fl. lapp. 2.  
 — — — Fl. dan. 1, 118.  
 — — — Sv. Bot. 729.  
 — — — Curt. Lond. 5, 213.  
 — — — Engl. Bot. 32, 2275.  
 — — — Sternberg Revisio 1, 12.  
 — *Rochelii* *Sternb*. Sternberg Revisio 2, 11.  
 — *rotundifolia* *L*. Picot Pyren. 26.  
 — — — Bot. Mag. 12, 424.  
 — — — Sibth. Fl. gr. 377.  
 — — — Sturm Flora 9, 33.  
 — *Rudolphina* *Hornsch*. Sturm Flora 2, 7.  
 — *sarmentosa* *L*. Ellis Dionaea 2, 3.  
 — — — Bot. Mag. 3, 92.  
 — *Schraderi* *Sternb*. Sternberg Revisio 2, 8.  
 — *Scopoli* *Vill*. Sternberg Revisio 1, 16.  
 — *sedoides* *L*. Jacq. Misc. 2, 22.  
 — — — Sternberg Revisio 1, 7, 9<sup>b</sup>.  
 — — — Sturm Flora 9, 35.  
 — *Seguieri* *Spr*. Sternberg Revisio 1, 9<sup>b</sup>.  
 — *serpyllifolia* *Pursh*. var. *viscosa*, Trautv. Imag. 31.  
 — *serrata* *Sternb*. Sternberg Revisio 2, 11, 18.  
 — *serratifolia* *Mack*. Rehb. Ic. crit. 7, 624.  
 — *sibirica* *L*. Sternberg Revisio 1, 25.  
 — *sileniflora* *Sternb*. Sternberg Revisio 2, 13.  
 — *spathulata* *Desf*. Desf. Fl. atl. 96.  
 — *spinulosa* *Royle*. Royle Illustr. 50.  
 — *sponhemica* *Gm*. Gmelin Fl. bad. 4, 9.  
 — *squarrosa* *Sieber*. Sternberg Revisio 2, 17.  
 — *stabiiana* *Ten*. Tenore Fl. nap. 234.  
 — *Steinmanni* *Tausch*. Tausch Hort. Canal. 6.  
 — *stellaris* *L*. Linné Fl. lapp. 2.  
 — — — Scopoli Fl. carn. 1, 13.  
 — — — Fl. dan. 1, 23.  
 — — — Jacq. Collect. 1, 13.

- Saxifraga stellaris* L. Engl. Bot. 3, 167.  
 — — — Curt. Lond. 4, 69.  
 — — — Sturm Flora 9, 35.  
 — — — var. Rochel Banat. 3.  
 — — — var. foliosa R. Br. Trautvetter Imag. 35.  
 — stellata Don. Sternberg Revisio 2, 12.  
 — stenopetala Gaud. Hegetschw. Reisen 8.  
 — — — Sturm Flora 9, 33.  
 — stenophylla Royle. Royle Illustr. 50.  
 — Stephani Sternb. Sternberg Revisio 2, 6.  
 — Sternbergii Willd. Sternberg Revisio 1, 24.  
 — stolonifera Jacq. Jacq. Ic. 80.  
 — strigosa Wall. Sternberg Revisio 2, 22.  
 — tenella Wulf. Jacq. Collect. 3, 17.  
 — — — Sturm Flora 9, 35.  
 — tenera Suter. Sternberg Revisio 1, 9<sup>b</sup>.  
 — Tenorii Sternb. Sternberg Revisio 2, 14.  
 — terektensis Led. Ledeb. Ic. 398.  
 — thysanodes Ldl. Bot. Reg. 32, 33.  
 — trichodes Scop. Scopoli Fl. carn. 1, 15.  
 — tricuspidata Retz. Fl. dan. 6, 976.  
 — tridactylites L. Fl. dan. 9, 1517.  
 — — — Curt. Lond. 1, 53.  
 — — — Engl. Bot. 7, 501.  
 — — — Sv. Bot. 476.  
 — — — Schk. Handb. 119.  
 — — — Sternberg Revisio 1, 17.  
 — — — Sturm Flora 9, 33.  
 — — — Dietr. Fl. bor. 4, 244.  
 — trifurcata Schrad. Schrader Hort. gott. 7.  
 — tuberosa Sternb. Sternberg Revisio 2, 12.  
 — umbrosa L. Picot Pyren. 22.  
 — — — Lam. Encycl. 372.  
 — — — Engl. Bot. 10, 663.  
 — — — δ. serratifolia, Engl. Bot. 2891.  
 — — — Sternberg Revisio 2, 18.  
 — — — Rehb. Ic. crit. 7, 620.  
 — unalaschkensis Sternb. Sternberg Revisio 2, 21.  
 — uniflora Sternb. Sternberg Revisio 2, 9.  
 — vaginata Sternb. Sternberg Revisio 2, 15.  
 — valdensis DC. β. laxiflora, Sternberg Revis. 2, 17.  
 — Vandellii Sternb. Sternberg Revisio 1, 10<sup>b</sup>.  
 — — — Sternberg Revisio 2, 26.  
 — — — Cesati Stirp. ital. x.  
 — vernalis Willd. Willdenow Hortus 43.  
 — virginiana Michx. Lam. Encycl. 372.  
 — — — Bot. Mag. 40, 1664.  
 — — — Lodd. Cab. 1699.  
 — Wallichiana Sternb. Sternberg Revisio 2, 22.  
 † Saxo-Fridericia regalis Schomb. Schomb. Monogr. 2.  
 Saxo-Gothaea conspicua Ldl. Journal Hort. Soc. 6, 260.  
 — — — Fl. d. serres 7, p. 84.  
 ! Scabiosa L. (Folia.) Ann. sc. nat. II, 4, 5.  
 — acutiflora Rehb. Rehb. Ic. crit. 4, 326.  
 † — — — Mutel Fl. fr. 26.  
 † — africana L. Mem. Genév. 2, 2.  
 — agrestis W. et K. W. et Kit. 204.  
 — — — Rehb. Pl. crit. 1, 91.  
 ! — — — Avé-Lallemant 3 — 12.  
 † — alepica Coulter. Mem. Genév. 2, 2.  
 † — alpina L. Gaertn. Carp. 86.  
 — altissima Jacq. Jacq. Vind. 185.  
 — ambigua Ten. Tenore Fl. nap. 209.  
 † — — — Avé. Avé-Lallemant 2.  
 — ambrosioides Sibth. Sibth. Fl. gr. 103.  
 — amoena Jacq. Jacq. Ecl. pl. 59. 101.  
 — argentea L. Sibth. Fl. gr. 108.  
 — — — Desf. Choix 39.  
 — — — Ann. Mus. 11, 24.  
 — arvensis L. Fl. dan. 3, 447.  
 † — — — Lam. Encycl. 57.  
 — — — Curt. Lond. 3, 36.

- Scabiosa arvensis* L. Engl. Bot. 10, 659.  
 — — — Sv. Bot. 322.  
 — — — Drovcs 1, 34.  
 — — — Schk. Handb. 22.  
 — — — Hayne 5, 38.  
 — — — Schrank Fl. monac. 4, 331.  
 — — — Wagner 100.  
 — — — Rehb. Fl. germ. 12, 680. 681.  
 † atropurpurea L. Gaertn. Carp. 86.  
 — — — Bot. Mag. 7, 247.  
 — — — Rousscau Bot. 39.  
 † — — — Mem. Genév. 2, 2.  
 † — — — Nees Gen. X, x.  
 † — australis Wulf. Mem. Genév. 2, 2.  
 — — — Rehb. Ic. crit. 4, 325.  
 — bannatica W. et K. W. et Kit. 12.  
 — bidens Sibth. Sibth. Fl. gr. 104.  
 — bohemia Schmidt. Rehb. Fl. germ. 12, 682.  
 — brachchiata Sibth. Sibth. Fl. gr. 109.  
 — canescens W. et K. W. et Kit. 53.  
 — — — Fl. dan. 13, 2282.  
 — caucasica M. v. B. Jacq. Fragm. 129.  
 — — — Bot. Mag. 23, 886.  
 † — — — Mem. Genév. 2, 2.  
 — — — Herb. amat. 5, 313.  
 — ceratophylla Ten. Tenore Fl. nap. 8.  
 — ciliata Spr. Rehb. Ic. crit. 3, 273.  
 — — — Rehb. Fl. germ. 12, 678.  
 — collina Requièn. Rehb. Fl. germ. 12, 682.  
 — columbaria L. Fl. dan. 2, 314.  
 — — — Engl. Bot. 19, 1311.  
 — — — Sv. Bot. 393.  
 † — — — Mem. Genév. 2, 2.  
 † — — — Mutel Fl. fr. 27.  
 — — — Schrank Fl. monac. 2, 180.  
 — — — Rehb. Ic. crit. 4, 354. 355.  
 — — — Dietr. Fl. bor. 9, 617.  
 — Columnae Ten. Tenore Fl. nap. 7.  
 — corniculata W. et K. W. et Kit. 13.  
 — — — Rehb. Ic. crit. 4, 315.  
 — coronopifolia Sibth. Sibth. Fl. gr. 114.  
 — — — var. Bivona Stirp. rar. Sic. 3, 1.  
 — crenata Cir. Cirillo Pl. rar. 1, 3.  
 — cretacea M. v. B. Rehb. Ic. crit. 4, 332.  
 † — cretica L. Mem. Genév. 2, 2.  
 — daucoides Desf. Desf. Fl. atl. 38.  
 † — dichotoma Willd. Mem. Genév. 2, 2.  
 — diffusa Rehb. Rehb. Hortus 16.  
 — dipsacifolia Host. Rehb. Fl. germ. 12, 679.  
 — divaricata Jacq. Jacq. Vind. 15.  
 — dubia Moench. Moench Enum. Hass. 3.  
 — eburnea Sibth. Sibth. Fl. gr. 106.  
 — elata Hornem. Rehb. Ic. crit. 4, 301.  
 — Fleischmanni Hladn. Rehb. Fl. germ. 12, 683.  
 — Gmelini St. Hil. Bull. philom. 1812, 3.  
 — graminifolia L. W. et Kit. 188.  
 — — — Bot. Reg. 10, 835.  
 † — — — Mem. Genév. 2, 2.  
 † — — — Nees Gen. X, x.  
 † — gramuntia L. Mutel Fl. fr. 27.  
 — heterophylla Gm. Gmelin Reise 1, 28.  
 — Hladnikiana Host. Rehb. Fl. germ. 12, 695.  
 — hybrida All. Rehb. Fl. germ. 12, 675.  
 — integrifolia L. Savi Fl. pis. 2.  
 — — — Rehb. Fl. germ. 12, 675.  
 — involucrata Sibth. Sibth. Fl. gr. 112.  
 — joppensis Rehb. Rehb. Hortus 17.  
 — isetensis L. Gmelin Reise 1, 28.  
 — laevigata W. et K. W. et Kit. 230.  
 † — leucantha L. Gaertn. Carp. 86.  
 — — — Viviani Fl. ital. 17.  
 † — — — Mutel Fl. fr. 28.

- Scabiosa leucantha* L. Rchb. Ic. crit. 4, 356.  
 — *longifolia* W. et K. W. et Kit. 5.  
 — — Rchb. Fl. germ. 12, 676.  
 — *lucida* Vill. Rchb. Ic. crit. 4, 381.  
 † — — Mutel Fl. fr. 27.  
 † — — Nees Gen. X, x.  
 † *maritima* L. Mutel Fl. fr. 26.  
 — *micrantha* Desf. Ann. Mus. 11, 25.  
 — — Desf. Choix 40.  
 — *mollis* Willd. Rchb. Ic. crit. 4, 353.  
 — — Schleich. Rchb. Fl. germ. 12, 682.  
 — *monspeiliensis* Jacq. Jacq. Ic. 24.  
 † — — Mem. Genev. 2, 2.  
 — *montana* M. v. B. Jacq. Ecl. pl. 60, 101.  
 — *multisetata* Vis. Visiani Stirp. dalm. 1.  
 † — — Nees Gen. X, x.  
 — *norica* Wulf. Rchb. Fl. germ. 12, 695.  
 — *ochroleuca* L. Jacq. Fl. austr. 5, 439.  
 — — — Jacq. Obs. 73, 74.  
 † — — Mutel Fl. fr. 27.  
 — — — Dietr. Fl. bor. 11, 779.  
 ! — — Denkschr. d. Wiener Ak. 1, 2.  
 † *Olivieri* Coulter. Mem. Genev. 2, 2.  
 — — — Endl. et Fenzl Sert. cab. 4.  
 — *palaeestina* L. Jacq. Vind. 96.  
 † *papposa* Gaertn. Gaertn. Carp. 86.  
 † — — L. Roemer Collect. 2.  
 — — — Hoffm. et Link Fl. port. 86.  
 — *pilosa* R. et Sch. Gussone Pl. rar. 12.  
 — *plumosa* Link. Hoffm. et Link Fl. port. 87.  
 — — Sibth. Sibth. Fl. gr. 111.  
 — *prolifera* L. Sibth. Fl. gr. 107.  
 † — — Mem. Genev. 2, 2.  
 — *pterocephala* L. Sibth. Fl. gr. 113.  
 — *pubescens* Kit. Rchb. Fl. germ. 12, 682.  
 — *pulsatilloides* Boiss. Boissier Esp. 88.  
 — *pyrenaica* All. Allione Fl. ped. 3, 25, 26.  
 — *repens* Brign. Nocca et Balb. Fl. tic. 2.  
 — *rhizantha* Viv. Viviani Lib. 3.  
 — *Saviana* Rchb. Rchb. Hortus 53.  
 — *saxatilis* Cav. Cav. Ic. 184.  
 — *Sibthorpiana* Sm. Sibth. Fl. gr. 110.  
 — *sileniflora* W. et K. W. et Kit. 157.  
 — *silvatica* L. Jacq. Fl. austr. 4, 362.  
 — — — Jacq. Observ. 72.  
 — — — Schrank Fl. monac. 3, 206.  
 — — — Rchb. Fl. germ. 12, 677.  
 — *simplex* Desf. Desf. Fl. atl. 39.  
 — *speciosa* Royle. Royle Illustr. 55.  
 † *stellata* L. Gaertn. Carp. 86.  
 † — — Lam. Encycl. 57.  
 † — — Mem. Genev. 2, 2.  
 — *stricta* W. et K. W. et Kit. 138.  
 — — — Rchb. Fl. germ. 12, 695.  
 — *suavcolens* Desf. Sv. Bot. 705.  
 † — — Mem. Genev. 2, 2.  
 † — — Mutel Fl. fr. 27.  
 — — — Rchb. Pl. crit. 1, 76.  
 — — — Dietr. Fl. bor. 9, 618.  
 — *succisa* L. Fl. dan. 2, 279.  
 — — — Sv. Bot. 422.  
 — — — Curt. Lond. 3, 35.  
 — — — Engl. Bot. 13, 878.  
 — — — Baxter Brit. Bot. 4, 277.  
 † — — Mem. Genev. 2, 2.  
 — — — Hayne 5, 37.  
 — — — Schrank Fl. monac. 2, 145.  
 — — — Nees Düsseld. 252.  
 — *sympananthera* Rz et P. Ruiz et Pav. Fl. 76.  
 — *syriaca* L. Sibth. Fl. gr. 105.  
 — *tatarica* L. Rchb. Ic. crit. 4, 302.  
 — *tenuifolia* Presl. Presl Symbolac. 12.

- Scabiosa tomentosa* Cav. Cav. Ic. 183.  
 — *transilvanica* All. Allione Fl. ped. 3, 48.  
 — — — L. Jacq. Vind. 111.  
 — — — Rchb. Ic. crit. 2, 121.  
 — *Trenta* Hacq. Hacquet Pl. alp. 4.  
 † *ucranica* L. Mem. Genev. 2, 2.  
 † — — Mutel Fl. fr. 26.  
 — — — Rchb. Ic. crit. 4, 316.  
 † *uniseta* Savi. Savi Fl. pisana 2.  
 — *uralensis* Murr. Comm. Gott. 5, 4.  
 — — — Rchb. Ic. crit. 4, 314, 332.  
 † *urceolata* Desf. Mem. Genev. 2, 2.  
 † *Vahlia* Coulter. Mem. Genev. 2, 2.  
 — *Webbiana* Don. Bot. Reg. 9, 717.  
 † *Scabrita scabra* L. Gaertn. Carp. 138.  
*Scaevola attenuata* R. Br. Bot. Mag. 71, 4196.  
 — *Chamissoniana* Gaudich. Freycinet Voyage 82.  
 — *crassifolia* Lab. Bill. Nov. Holl. 79.  
 — *cuneiformis* Lab. Bill. Nov. Holl. 80.  
 — *glabra* Hook. Gaudichaud Bonite 48.  
 — *globulifera* Lab. Bill. Nov. Holl. 78.  
 — *hispidula* Cav. Anales de hist. nat. 1, 10.  
 — — — Cav. Ic. 510.  
 — *Koenigii* Vahl. Lam. Encycl. 124.  
 — — — Bot. Mag. 54, 2732.  
 — *Lobelia* L. Rumpf Amb. 4, 54.  
 — — — Jacq. Hist. stirp. am. 199.  
 † — — — Ann. Mus. 18, 1.  
 † — — — Schnizl. Iconogr. 123.  
 — *Macraei* de Vr. De Vriese Goodenov. 4.  
 † *macrocalyx* de Vr. De Vriese Goodenov. 3.  
 — *microcarpa* Cav. Anales de hist. nat. 1, 9.  
 — — — Cav. Ic. 509.  
 — — — Lodd. Cab. 1327.  
 — *montana* Lab. Bill. Sertum 42.  
 — — — Schnizl. Iconogr. 123.  
 — *Plumieri* L. Lam. Encycl. 124.  
 — — — Desc. Ant. 7, 474.  
 — *Taccada* Roxb. Rheede Hort. mal. 4, 59.  
 — — — Wight Illustr. 137.  
 — *tomentosa* Gaudich. Freycinet Voyage 81.  
 — *uvifera* Stocks. Wight Ic. pl. Ind. or. 4, 1613.  
*Scaevola jaceoides* Sims. Bot. Mag. 24, 956.  
 † *Scaligeria* DC. DC. Umbelliferae 1.  
*Scandix Anthriscus* L. Fl. dan. 5, 863.  
 — — — Curt. Lond. 2, 85.  
 — — — Engl. Bot. 12, 818.  
 — — — Jacq. Fl. austr. 2, 154.  
 — *australis* L. Sibth. Fl. gr. 285.  
 — *Cerefolium* L. Jacq. Fl. austr. 4, 390.  
 — — — Schk. Handb. 73.  
 — — — Hayne 7, 14.  
 — — — Engl. Bot. 18, 1268.  
 — — — Sv. Bot. 283.  
 — *falcata* Fisch. Mem. Mosc. 1, 5.  
 — *fumarioides* W. et K. W. et Kit. 224.  
 — *gilanica* Gm. Gmelin Reise 3, 31.  
 — *glaberrima* Desf. Desf. Fl. atl. 74.  
 — *glochidiata* Lab. Bill. Nov. Holl. 102.  
 — *infesta* Jacq. Jacq. Fl. austr. 1, 46.  
 — *latifolia* Sibth. Sibth. Fl. gr. 284.  
 — *nodosa* L. Jacq. Vind. 3, 25.  
 — *odorata* L. Jacq. Fl. austr. 5, 37.  
 — — — Engl. Bot. 10, 697.  
 — — — Sv. Bot. 374.  
 † *Pecten Veneris* L. Gaertn. Carp. 85.  
 — — — Jacq. Fl. austr. 3, 263.  
 — — — Fl. dan. 5, 844.  
 — — — Curt. Lond. 1, 80.  
 — — — Engl. Bot. 20, 1397.  
 — — — Baxter Brit. Bot. 4, 272.  
 — — — Dietr. Fl. bor. 11, 748.

- Scandix pinnatifida* Vent. Vent. Cels 14.  
 † — — — Comm. Gott. rec. 2, 1.  
*Scaphyglottis affinis* P. et E. Poepp. et Endl. 99.  
 — *conferta* P. et E. Poepp. et Endl. 100.  
 — *parviflora* P. et E. Poepp. et Endl. 97.  
 — *pendula* P. et E. Poepp. et Endl. 98.  
 — *rosea* Hook. Hook. Ic. pl. 4, 313.  
 — *violacea* Ldl. Bot. Reg. 22, 1901.  
 — — — Bot. Mag. 70, 4071.  
*Scelochilus Ottonis* Klotzsch. Link Ic. III. 31.  
*Scepa Lindleyana* Wight. Wight Ic. pl. Ind. or. 2, 361.  
 † — *villosa* Ldl. Schnizl. Iconogr. 2, 96\*\*\*.  
 † *Scepaceae* Ldl. Schnizl. Iconogr. 2, 96\*\*\*.  
 † *Schaeffera* Jacq. Swartz Fl. Ind. occ. 7.  
 † — *frutescens* Jacq. Gaertn. Carp. 225.  
 — — — Lam. Encycl. 809.  
 † *Schanginia linifolia* C. A. M. Ann. sc. nat. 23, 21.  
*Schaueria calicotricha* N. v. E. Bot. Reg. 12, 1027.  
 — *sulphurea* N. v. E. Endl. Bras. 7, 15.  
 † *Schedonorus* Pal. B. Dumortier Gramin. 3.  
 † — *elatior* Pal. B. Nees Gen. 1, 73.  
 † — *pratensis* Pal. B. Nees Gen. 1, 73.  
*Scheeria mexicana* Seem. Bot. Mag. 79, 4743.  
 — — — Regel Gartenflora 1853, 71.  
 — — — *β. coerulescens*, Fl. d. serres 9, 891.  
 † *Schefflera digitata* Forst. Forster Charact. 23.  
 † — — — Lam. Encycl. 221.  
*Schelhammera multiflora* R. Br. Lodd. Cab. 1511.  
 — *undulata* R. Br. Bot. Mag. 54, 2712.  
*Schelhammeria capitata* Moench. Rehb. Fl. germ. 8, 224.  
*Schellingia tenera* Steudel. Flora 1850, 1.  
*Scheppera juncea* DC. Linnaea 1, 3.  
*Scheuchzeria palustris* L. Linné Fl. lapp. 10.  
 — — — Fl. dan. 1, 76.  
 — — — Engl. Bot. 26, 1801.  
 — — — Baxter Brit. Bot. 6, 503.  
 — — — Lam. Encycl. 268.  
 — — — Schk. Handb. 100.  
 — — — Sturm Flora 19, 78.  
 — — — Dietr. Fl. bor.-J. 51.  
 — — — Rehb. Fl. germ. 10, 419.  
 † — — — Nees Gen. 2, 24.  
*Schicdea ligustrina* Endl. Endl. Atacta 14.  
 — *Nuttallii* Hook. Hook. Ic. pl. 7, 649—650.  
*Schima crenata* Korth. Korthals Bot. 29.  
 † — *Noronhae* Reinw. Korthals Bot. 29.  
*Schinus dentatus* Andr. Andr. Rep. 10, 620.  
 — ? *discolor* Benth. Bentham Sulphur 9.  
 — *Molle* L. Heister Dissertatio 1.  
 — — — Koelreuter Dissertatio 1.  
 † — — — Gaertn. Carp. 140.  
 — — — Lam. Encycl. 822.  
 — — — Bot. Mag. 61, 3339.  
 — *Saheria* Ham. Rheede Hort. mal. 4, 31.  
 † *Schismatopera* Klotzsch. Wiegmann Archiv 7, 7.  
*Schismoceras disticha* Presl. Presl Reliq. 13.  
*Schistocarpia bicolor* Less. Link Ic. III. 37.  
*Schistogyne silvestris* H. et A. Delessert Ic. 5, 74.  
*Schivereckia podolica* Bess. Delessert Ic. 2, 36.  
 — — — Lodd. Cab. 1720.  
 — — — Sweet Fl. G. 77.  
 † *Schizaea* Swartz. Schrader Journal 1801, 2.  
 † — — — Kaulfuss Enumeratio 1.  
 — *bifida* R. Br. Willdenow Farnk. 3.  
 — — — Schnizl. Iconogr. 1, 29.  
 — *dichotoma* Sw. Willdenow Farnk. 3.  
 — — — Guillemin Austr. 20.  
 — — — Dict. sc. nat. 96.  
 — — — Hook. Ic. Fil. 1, 17.  
 † — — — Hook. Gen. Fil. 19.  
 — *digitata* Sw. Swartz Synopsis Fil. 4.  
 — *fistulosa* Lab. Bill. Nov. Holl. 250.  
*Schizaca Flabellum* Mart. Mart. Crypt. bras. 55.  
 — *incurvata* Sw. Schk. Fil. 137.  
 — *pacificans* Mart. Mart. Crypt. bras. 56.  
 — *palmata* Hombr. Richard Astrolabe 4.  
 — *pectinata* Sw. Schk. Fil. 136.  
 — *penicillata* Willd. Bory Coquille 27.  
 — *pusilla* Pursh. Barton Fl. 1, 20.  
 — — — Acta Leop. 10, 1, 16.  
 — — — Hook. Ic. Fil. 1, 47.  
 — *rupestris* R. Br. Hook. Ic. Fil. 1, 48.  
 — *subtrijuga* Mart. Kunze Fil. 98.  
 — *tenella* Kaulf. Kunze Fil. 98.  
 — *trilateralis* Schk. Schk. Fil. 136.  
 — — — Hook. Ic. Fil. 1, 54.  
 † *Schizaeaceae* Mart. Schnizl. Iconogr. 1, 29.  
 † *Schizandra Michx.* Gray Genera 27.  
 — *coccinea* Michx. Michaux Fl. 47.  
 — — — Barton Fl. 1, 13.  
 — — — Bot. Mag. 34, 1413.  
 — — — Lam. Encycl. 995.  
 — — — Gray Genera 27.  
 † *Schizandraceae* Meisn. Schnizl. Iconogr. 175.  
*Schizanthus candidus* Ldl. Bot. Reg. 29, 45.  
 — *Evansianus* Paxt. Paxt. Mag. 8, 171.  
 — *Grahamii* Gillies. Bot. Mag. 58, 3044.  
 — — — Rehb. Exot. 324.  
 — — — Fl. d. serres 7, 712.  
 — *Hookeri* Gillies. Bot. Mag. 58, 3070.  
 — — — Rehb. Exot. 324.  
 — *incanus* Hort. Belgiqu hort. 2, 6.  
 — *pinnatus* R. et P. Ruiz et Pav. Fl. 17.  
 — — — Hook. Exot. Fl. 73.  
 — — — Bot. Mag. 50, 2404.  
 — — — Bot. Reg. 9, 725.  
 — — — Rehb. Exot. 324.  
 — — — Paxt. Mag. 2, 198.  
 — — — var. *humilis*, Bot. Reg. 18, 1562.  
 — — — Sweet Fl. G. 63.  
 — — — var. *β.* Sweet Fl. G. II. 197.  
 — *porrigens* Grab. Hook. Exot. Fl. 86.  
 — — — Bot. Mag. 51, 2521.  
 — — — Sweet Fl. G. 76.  
 — — — Rehb. Exot. 324.  
 — — — Spach Suites 77.  
 — *Priestii* Paxt. Paxt. Mag. 1, 31.  
 — *retusus* Hook. Bot. Mag. 58, 3045.  
 — — — Bot. Reg. 18, 1544.  
 — — — Rehb. Exot. 324.  
 — — — Paxt. Mag. 1, 5.  
 — — — Sweet Fl. G. II. 201.  
 † *Schizocaena Brunonis* J. Sm. Hook. Gen. Fil. 2.  
 † — — — Fée Fil. 5, 27<sup>c</sup>.  
 † *Schizocodon soldanelloides* S. et Zucc. Münchn. Abh. 3, 2.  
*Schizogyne obtusifolia* Cass. Webb Canar. 83.  
*Schizolaena rosea* Aub. Th. Aubert Iles d'Afr. 12.  
*Schizolepis trigonocarpa* N. v. E. Endl. Bras. 3, 26.  
 † *Schizolepton cordatum* Fée. Fée Fil. 5, 8.  
*Schizoloma Billardieri* Gaudich. Freycinet Voyage 17.  
 — *cordatum* Gaudich. Freycinet Voyage 16.  
 — *Guerinianum* Gaudich. Freycinet Voyage 18.  
 — *Javae* Fée. Fée Fil. 5, 29.  
 † — *macrophyllum* Presl. Hook. Gen. Fil. 63.  
*Schizopetalum Walkeri* Sims. Hook. Exot. Fl. 74.  
 — — — Bot. Mag. 50, 2379.  
 — — — Bot. Reg. 9, 752.  
 — — — Sweet Fl. G. II. 387.  
 † — — — Ann. sc. nat. III. 5, 3.  
*Schizophragma hydrangeoides* Zucc. Sieb. Fl. Japon. 26. 100.  
 † *Schizostachyum Blumei* N. v. E. Acad. Pet. 5, 16. 17.  
 † — *capitatum* Trin. Acad. Petersb. 5, 17.

- Schkuhria abrotanoides *Roth.* Schk. Handb. 250<sup>b</sup>. 256.  
 Schlegelia clongata *Miq.* Miquel Surinam 36.  
 — lilacina *Miq.* Miquel Surinam 36.  
 Schleicheria pentaphylla *Roxb.* Wight Ic. pl. Ind. or. 2, 402.  
 Schmidelia africana *DC.* Richard Abyssin. 27.  
 † — Cobbe *DC.* Lam. Encycl. 312.  
 — — — Wight Ic. pl. Ind. or. 3, 964<sup>b</sup>.  
 — edulis *St. Hil.* St. Hil. Pl. usuelles 67.  
 † — guaranica *St. Hil.* Mem. Mus. 10, 24.  
 † — — — St. Hil. Pl. rem. 19.  
 — heterophylla *St. Hil.* St. Hil. Fl. Bras. 82.  
 — macrocarpa *A. Rich.* Ramon Cuba 30.  
 — monophylla *Hook. fil.* Hook. Ic. pl. 8, 775.  
 — — — Hook. Niger Fl. 25.  
 — nervosa *A. Rich.* Ramon Cuba 29.  
 — punctata *P. et E.* Poepp. et Endl. 244.  
 — racemosa *L.* Lam. Encycl. 312.  
 — Rheedii *Wight.* Wight Spicil. 33.  
 — — — Wight Ic. pl. Ind. or. 3, 964<sup>a</sup>.  
 — scrobiculata *P. et E.* Poepp. et Endl. 244.  
 — timoriensis *DC.* Rheedee Hort. mal. 5, 25.  
 — villosa *Wight.* Wight Ic. pl. Ind. or. 2, 401.  
 Schmidia bicolor *Wight.* Wight Ic. pl. Ind. or. 5, 1848.  
 Schmidtia laciniata *Sch. Bip.* Webb Canar. 121.  
 Schmidtia utriculosa *Sternb.* Flora 1819, 1.  
 — — — Sturm Flora 11, 41.  
 — — — Rehb. Fl. germ. 1, 48.  
 † — — — Nees Gen. 1, 27.  
 † Schnella *Raddi.* Mem. Mod. 18, 5.  
 Schoberia acuminata *C. A. M.* Ledeb. Ic. 44.  
 — corniculata *C. A. M.* Ledeb. Ic. 195.  
 † — — — Ann. sc. nat. 23, 22.  
 — leiosperma *C. A. M.* Ledeb. Ic. 45.  
 † — maritima *C. A. M.* Nees Gen. 4, 62.  
 — microsperma *C. A. M.* Eichwald Cauc. 13.  
 † — salsa *C. A. M.* Nees Gen. 4, 62.  
 Schoenefeldia gracilis *Kth.* Humb. Gram. 53.  
 — ramosa *Trin.* Trinius Sp. Gr. 3, 359.  
 Schoenia oppositifolia *Steetz.* Bot. Mag. 77, 4560.  
 — — — Lem. Jard. fl. 149.  
 — — — Fl. d. serres 6, 630.  
 Schoenocephalum arthrophyllum *Seub.* Endl. Bras. 8, 18.  
 — Martianum *Seub.* Endl. Bras. 8, 19.  
 Schoenodium tenax *Lab.* Bill. Nov. Holl. 229.  
 † Schoenorchis juncifolia *Reimw.* Blume Tabellen 23.  
 — — — Blume Rumphia 193, 198.  
 † Schoenoxylum *N. v. E.* Wiegmann Archiv 2, 6.  
 † Schoenus *L.* Linné Amoenit. 7, 3.  
 — aculeatus *L.* Schreber Gräser 32.  
 — acutus *Lab.* Bill. Nov. Holl. 18.  
 — albus *L.* Fl. dan. 2, 320.  
 — — — Engl. Bot. 14, 985.  
 — — — Schk. Handb. 7.  
 — — — Host Gram. 372.  
 — arenarius *Schrad.* Comm. Gott. rec. 7, 4.  
 — atratus *Schrad.* Comm. Gott. rec. 7, 4.  
 — barbatus *Vahl.* Vahl Ic. 2.  
 — cephalotes *Rottb.* Rottboell Descr. 20.  
 — compar *L.* Rottboell Descr. 18.  
 — compressus *L.* var. Lightfoot Fl. scot. 2, 24.  
 — — — Engl. Bot. 11, 791.  
 — — — Pollich Palat. 1, 1.  
 — — — Fl. dan. 10, 1622.  
 — cuspidatus *Rottb.* Rottboell Descr. 18.  
 — Fabri *Rottb.* Rottboell Descr. 19.  
 — fasciatus *Rottb.* Rottboell Descr. 16.  
 — ferrugineus *L.* Schrad. Fl. germ. 1.  
 — — — Host Gram. 371.  
 — — — Sturm Flora 10, 40.  
 — — — Fl. dan. 9, 1503.  
 — — — Sv. Bot. 569.

- Schoenus Filum *Lab.* Bill. Nov. Holl. 19.  
 — floridus *Rudge.* Rudge Pl. Guianae 18.  
 — fragiferus *Rudge.* Rudge Pl. Guianae 17.  
 — fuscus *L.* Engl. Bot. 22, 1575.  
 — globosus *H. B.* Rudge Pl. Guianae 15.  
 — involucratu *Rottb.* Rottboell Descr. 19.  
 — junceus *Willd.* Willdenow Phytogr. 1.  
 — lanatus *Lab.* Bill. Nov. Holl. 20.  
 — longifolius *Rudge.* Rudge Pl. Guianae 16.  
 — Mariscus *L.* Fl. dan. 7, 1202.  
 — — — Sv. Bot. 275.  
 — — — Engl. Bot. 14, 950.  
 — — — Lam. Encycl. 38.  
 — — — Host Gram. 253.  
 — monoicus *Sm.* Engl. Bot. 20, 1410.  
 — mucronatus *L.* Sibth. Fl. gr. 43.  
 — — — Host Gram. 370.  
 — — — Sturm Flora 10, 40.  
 — — — Rehb. Fl. germ. 8, 286.  
 † — — — Nees Gen. 2, 7.  
 — nigricans *L.* Lam. Encycl. 38.  
 — — — Engl. Bot. 16, 1121.  
 — — — Baxter Brit. Bot. 4, 268.  
 — — — Sv. Bot. 515.  
 — — — Fl. dan. 13, 2281.  
 — — — Host Gram. 254.  
 — — — Sturm Flora 10, 40.  
 — — — Rehb. Fl. germ. 8, 286.  
 † — — — Nees Gen. 2, 7.  
 — paniculatus *Burm.* Rheedee Hort. mal. 12, 67.  
 — pilosus *Willd.* Willdenow Phytogr. 1.  
 — pusillus *Sw.* Swartz Ic. Ind. occ. 6.  
 — rufus *Huds.* Engl. Bot. 15, 1010.  
 — setaceus *Vahl.* Rottboell Descr. 21.  
 — spadiceus *Vahl.* H. B. K. Nov. Gen. 1, 69.  
 — sparsus *Michx.* Elliott Carolina 2.  
 — surinamensis *Rottb.* Rottboell Descr. 21.  
 — thermalis *L.* Rottboell Descr. 18.  
 — triceps *Vahl.* Vahl Ic. 3.  
 — umbellatus *Jacq.* Jacq. Ic. 10.  
 — ustulatus *L.* Rottboell Descr. 18.  
 Schoepfia fragrans *Wall.* Wallich Tentamen 9.  
 Schollera graminifolia *Willd.* Barton Fl. 2, 54.  
 — — — Torrey New York 133.  
 — Oxycoccus *Roth.* Dreves 3, 86.  
 — — — Hayne 4, 18.  
 Schollia crassifolia *Jacq.* Jacq. Ecl. pl. 2, 101.  
 Schomburgkia calcoides *DC.* DC. Composées 9.  
 Schomburgkia crispa *Ldl.* Lindley Sertum 10.  
 — — — Bot. Reg. 30, 23.  
 — marginata *Ldl.* Lindley Sertum 13.  
 — — — var. Bot. Mag. 66, 3729.  
 — tibicinis *Batem.* Bateman Orchid. 30.  
 — — — var. grandiflora, Bot. Reg. 31, 30.  
 — — — var. grandiflora, Bot. Mag. 75, 4476.  
 — — — var. grandiflora, Fl. d. serres 1, 49.  
 — undulata *Ldl.* Bot. Reg. 31, 53.  
 Schotia latifolia *Jacq.* Jacq. Fragm. 15.  
 — — — Jacq. Ecl. pl. 126.  
 — — — Hook. Exot. Fl. 159.  
 — parvifolia *Jacq.* Jacq. Fragm. 136.  
 — speciosa *Jacq.* Jacq. Ic. 75.  
 — — — Andr. Rep. 3, 348.  
 — — — Lam. Encycl. 331.  
 — — — Herb. amat. 1, 58.  
 — tamarindifolia *Afz.* Bot. Mag. 29, 1153.  
 — — — Rehb. Exot. 230.  
 Schouwia arabica *DC.* Hook. Ic. pl. 3, 223.  
 — brassicaefolia *Jaub.* Jaubert Illustr. 296.  
 — glastifolia *Jaub.* Jaubert Illustr. 297.  
 † Schradera scandens *Willd.* Roemer Archiv 1, 3, 7.  
 Schradera capitata *Vahl.* Vahl Ecl. 5.

- Schradera ligularis* Rudge. Rudge Pl. Guianae 45.  
 — *stellata* Benth. Bentham Sulphur 40.  
 †*Schranckia Medikus*. Medikus Gattungen 1.  
*Schrebera albens* Retz. Retzius Observ. 6, 3.  
*Schrebera schinoides* Thunb. Thunberg Prodr. Cap. 2.  
*Schrebera swietenoides* Roxb. Roxb. Corom. 101.  
 — — — Tratt. Archiv 11. 11<sup>a</sup>.  
 — — — Wight Illustr. 162.  
*Schubertia auricomma* Ch. Lem. Fl. d. serres 2, 169.  
 — *graveolens* Ldl. Bot. Reg. 32, 21.  
 — *multiflora* Mart. Mart. Bras. 33.  
*Schuebleria conferta* Mart. Mart. Bras. 186.  
 — *diffusa* Mart. Mart. Bras. 186.  
 — *patula* Mart. Mart. Bras. 188.  
 — *stricta* Mart. Mart. Bras. 187.  
*Schultesia crenuliflora* Mart. Mart. Bras. 180.  
 — *gracilis* Mart. Mart. Bras. 181.  
 — *stenophylla* Mart. Mart. Bras. 182.  
*Schumacheria castaneaeifolia* Vahl. Wight Illustr. 4.  
 †*Schurmansia elegans* Bl. Blume Mus. 1, 32.  
 †*Schwalbea americana* L. Gaertn. Carp. 55.  
 — — — Lam. Encycl. 520.  
 †*Schwannia elegans* Juss. Arch. Mus. 3, 22.  
*Schweiggera comans* Mart. Mart. Bras. 297.  
 †*Schweiggeria floribunda* St. Hil. St. Hil. Pl. remarq. 26.  
 † — — — Mem. Mus. 11, 22.  
 — — — *pauciflora* Mart. Bot. Reg. 27, 40.  
*Schweinitzia odorata* Ell. Gray Chloris 2.  
*Schwenckia americana* L. Schwencke Descriptio 1.  
 † — — — Gaertn. Carp. 214.  
 — — — *H. B. K.* H. B. K. Nov. Gen. 2, 180.  
 — *browallioides* H. B. K. H. B. K. Nov. Gen. 2, 181.  
 — *glabrata* H. B. K. H. B. K. Nov. Gen. 2, 178.  
 — *guianensis* Benth. Miquel Surinam 35.  
 — *Hilariana* DC. DC. Hortus genev. 10.  
 — *patens* H. B. K. H. B. K. Nov. Gen. 2, 179.  
 †*Schwenkfeldia* Schreb. Swartz Fl. ind. occ. 10.  
 — *umbellata* Rz et P. Ruiz et Pav. Fl. 200.  
*Schwerinia superba* Karst. Karsten Auswahl 4.  
 — — — Fl. d. serres 8, 767.  
*Schychowskia ruderalis* Endl. Annal. d. Wien. Mus. 1, 13.  
*Sciadocalyx Warszewiczii* Reg. Regel Gartenflora 2, 61.  
*Sciadopitys verticillata* S. et Z. Sieb. Fl. Jap. 101—102.  
*Sciaphila erubescens* Miers. Transact. Linn. Soc. 21, 6.  
 — *maculata* Miers. Transact. Linn. Soc. 21, 6.  
 † — *nana* Bl. Blume Mus. 1, 48.  
 — *picta* Miers. Transact. Linn. Soc. 21, 6.  
 † — *tenella* Bl. Blume Mus. 1, 48.  
 — *Torresiana* Gaudich. Freycinet Voyage 120.  
 †*Scilla* L. Kerner Genera 8.  
 † — — — Ann. sc. nat. II 11, 1.  
 — — — *amethystina* Vis. Visiani Dalm. 4.  
 — — — Rchb. Fl. germ. 10, 463.  
 — — — *amoena* L. Jacq. Fl. austr. 3, 218.  
 — — — Bot. Mag. 10, 341. 26, 1025.  
 — — — Lodd. Cab. 1015.  
 — — — Red. Lil. 3, 130. 5, 298.  
 — — — Schk. Handb. 94.  
 — — — Rchb. Fl. germ. 10, 464.  
 † — — — Nees Gen. 2, 46.  
 — — — *amoenula* Hornem. Bot. Mag. 50, 2408.  
 — — — *autumnalis* L. Curt. Lond. 1, 90.  
 — — — Engl. Bot. 2, 78.  
 — — — Bot. Mag. 23, 919.  
 — — — Cav. Ic. 274.  
 — — — Red. Lil. 6, 317.  
 — — — Rchb. Fl. germ. 10, 463.  
 † — — — Ann. sc. nat. II 1, 4.  
 — — — *Berthelotii* Webb. Webb Canar. 232.  
 — — — *biflora* Rz et P. Ruiz et Pav. Fl. 302.  
 — — — *bifolia* L. Jacq. Fl. austr. 2, 117.  
 — — — Fl. dan. 4, 568.

- Scilla bifolia* L. Roemer Fl. europ. 5, 4.  
 — — — Red. Lil. 5, 254.  
 — — — Herb. amat. 1, 47.  
 — — — Engl. Bot. 1, 24.  
 — — — Bot. Mag. 20, 746.  
 — — — Lodd. Cab. 283.  
 — — — var. *alba*, Lodd. Cab. 1462.  
 — — — Baxter Brit. Bot. 2, 95.  
 — — — Paxt. Mag. 14, 100.  
 — — — var. Fl. d. serres 2, 71.  
 — — — Dietr. Fl. bor. 4, 224.  
 — — — Rchb. Fl. germ. 10, 464.  
 — — — *brevifolia* Gawl. Bot. Mag. 36, 1468.  
 — — — *campanulata* Ait. Bot. Mag. 4, 128.  
 — — — *campanulata* Ait. Bot. Mag. 28, 1102.  
 — — — Red. Lil. 8, 435.  
 — — — Lam. Encycl. 238.  
 — — — Annales de Gand 1846, 48.  
 — — — *comata* Hoffmannsegg. Rchb. Fl. germ. 10, 465.  
 — — — *Cupaniana* Guss. Bot. Reg. 22, 1878.  
 — — — *dasyantha* Webb. Webb Canar. 231.  
 — — — *esculenta* Gawl. var. *coerulea*, Bot. Mag. 38, 1374.  
 — — — var. *alba*, Bot. Mag. 54, 2774.  
 † — — — *fallax* Steinh. Ann. sc. nat. II 1, 4.  
 † — — — *fugax* Moris. Mutel Fl. fr. 73.  
 — — — *haemorrhoidalis* Webb. Webb Canar. 230.  
 — — — *hyacinthoides* Jacq. Jacq. Ic. 65.  
 — — — L. Bot. Mag. 28, 1140.  
 — — — Rchb. Fl. germ. 10, 465.  
 — — — *japonica* Thunb. Thunberg Ic. Jap. 34.  
 — — — *iridifolia* Webb. Webb Canar. 233.  
 — — — *italica* L. Bot. Mag. 18, 663.  
 — — — Lodd. Cab. 1483.  
 — — — Red. Lil. 6, 304.  
 — — — Herb. amat. 2, 103.  
 — — — Rchb. Fl. germ. 10, 464.  
 — — — *Liliohyacinthus* L. Roemer Scriptorum 1.  
 — — — Red. Lil. 4, 205.  
 — — — *lingulata* Desf. Desf. Fl. atl. 83.  
 — — — Red. Lil. 6, 321.  
 — — — *lusitanica* L. Bot. Mag. 45, 1999.  
 — — — *maritima* L. Woodv. Med. 4, 255.  
 — — — Red. Lil. 2, 116.  
 — — — Hayne 11, 21.  
 — — — Guimpel et Schl. 13.  
 — — — Nees Düsseld. 55.  
 — — — Wagner 83. 84.  
 — — — Rchb. Fl. germ. 10, 466.  
 — — — *non scripta* Link. Bot. Mag. 36, 1461.  
 — — — Red. Lil. 4, 224.  
 — — — *nutans* Sm. Engl. Bot. 6, 377.  
 — — — *obtusifolia* Poir. Desf. Fl. atl. 86.  
 — — — Red. Lil. 4, 190.  
 † — — — Mutel Fl. fr. 73.  
 † — — — Ann. sc. nat. II 1, 4.  
 † — — — *parviflora* Desf. Desf. Fl. atl. 87.  
 — — — Ann. sc. nat. II 1, 4.  
 — — — *patula* DC. Red. Lil. 4, 225.  
 — — — Gaudin Fl. helv. 2, 15.  
 — — — *peruviana* L. Bot. Mag. 20, 749.  
 — — — Red. Lil. 3, 167.  
 — — — Desc. Ant. 4, 255.  
 — — — Kerner Hort. 640.  
 — — — Rchb. Fl. germ. 10, 465.  
 — — — *plumbea* Ldl. Bot. Reg. 16, 1355.  
 — — — *pomeridiana* DC. Red. Lil. 8, 421.  
 — — — *praecox* Willd. Sweet Fl. G. II. 141.  
 — — — *pratensis* W. et K. W. et Kit. 189.  
 — — — Bot. Reg. 25, 63.  
 — — — Rchb. Fl. germ. 10, 463.  
 — — — *pumila* Brot. Brotero Phytogr. 46.

- Scilla pumila* Brot. Bot. Mag. 57, 3023.  
 — romana *Gawl.* Bot. Mag. 24, 939.  
 — serotina *Gawl.* Bot. Mag. 22, 859. 29, 1185.  
 — siberica *Andr.* Andr. Rep. 6, 365.  
 — — Lodd. Cab. 151.  
 — — Liboschitz Petersb. 40.  
 — — Paxt. Mag. 14, 100.  
 — umbellata *Ram.* Bull. philom. 1800. no. 40.  
 — — Red. Lil. 3, 166.  
 — — Herb. amat. 3, 153.  
 — undulata *Desf.* Desf. Fl. atl. 88.  
 — verna *Huds.* Engl. Bot. 1, 23.  
 — — Lodd. Cab. 1736.  
 † — — Lam. Encycl. 238.  
 — — Rchb. Fl. germ. 10, 463.  
 — villosa *Desf.* Desf. Fl. atl. 85.  
 — — Bot. Mag. 60, 3211.  
*Scindapsus decursivus* *Schott.* Wight Ic. pl. Ind. or. 3, 779.  
 — officinalis *Schott.* Wight Ic. pl. Ind. or. 3, 778.  
 — Peepla *Schott.* Wight Ic. pl. Ind. or. 3, 780.  
 — pertusus *Schott.* Wight Ic. pl. Ind. or. 3, 781.  
 † *Scirpidium aciculare* *N. v. E.* Nees Gen. 2, 19.  
 † *Scirpus L.* Linné Amoenit. 7, 3.  
 † — — Lam. Encycl. 38.  
 † — — Nees Gen. 2, 15.  
 — acicularis *L.* Fl. dan. 1, 167. 2, 287.  
 — — Sv. Bot. 605.  
 — — Curt. Lond. 4, 49.  
 — — Engl. Bot. 11, 749.  
 — — Host Gram. 260.  
 — — Rchb. Fl. germ. 8, 294.  
 — alpinus *Schleich.* Rchb. Fl. germ. 8, 300.  
 — anceps *Willd.* Mag. naturf. Fr. 2, 8.  
 — annuus *All.* Allione Fl. ped. 3, 88.  
 — — Host Gram. 263.  
 — — Mutel Fl. fr. 75.  
 — argenteus *Rotb.* Rottboell Descr. 17.  
 — atropurpureus *Retz.* Rchb. Fl. germ. 8, 295.  
 — atrovirens *Willd.* Willdenow Hortus 99.  
 — autumnalis *L.* Rottboell Descr. 17.  
 — — Mag. naturf. Fr. 2, 8.  
 — *Baeothryon Ehrh.* Sv. Bot. 563.  
 — — Dreves 3, 94.  
 — — Sturm Flora 3, 10.  
 — — Rchb. Fl. germ. 8, 299.  
 — barbatus *Rotb.* Rottboell Descr. 17.  
 — bromeliaefolius *Rudge.* Rudge Pl. Guianae 24.  
 — bulbosus *Rotb.* Rottboell Descr. 16.  
 — caducus *Delile.* Delile Egypte 6.  
 — caespitosus *L.* Fl. dan. 11, 1861.  
 — — Sv. Bot. 563.  
 — — Engl. Bot. 15, 1029.  
 — — Host Gram. 259.  
 — — Sturm Flora 3, 10.  
 — — Rchb. Fl. germ. 8, 300.  
 — campestris *Roth.* Dreves 3, 95.  
 — capensis *Rotb.* Rottboell Descr. 16.  
 — caribaens *Rotb.* Rottboell Descr. 15.  
 — Caricis *Retz.* Host Gram. 257.  
 — carinatus *Sm.* Curt. Lond. 4, 79.  
 — — Engl. Bot. 28, 1983.  
 — carniolicus *Koch.* Rchb. Fl. germ. 8, 294.  
 — cephalotes *L.* Jacq. Vind. 97.  
 — ciliaris *L.* Rottboell Descr. 17.  
 — clathratus *Rchb.* Rchb. Fl. germ. 8, 301.  
 — compressus *Pers.* Sturm Flora 19, 85.  
 — debilis *Pursh.* Torrey New York 139.  
 — dichotomus *L.* Rottboell Descr. 13.  
 — — Sibth. Fl. gr. 50.  
 — — Mutel Fl. fr. 75.  
 — dipsaceus *Rotb.* Rottboell Descr. 22.  
 — divaricatus *Ell.* Elliott Carolina 2.

- Scirpus Duvalii* *Hoppe.* Sturm Flora 9, 36.  
 — — — Rchb. Fl. germ. 8, 308.  
 — — — Fl. dan. 10, 1743.  
 — fimbriatus *Delile.* Delile Egypte 7.  
 — fluitans *L.* Fl. dan. 7, 1982.  
 — — — Engl. Bot. 3, 216.  
 — — — Sturm Flora 19, 85.  
 — — — Rchb. Fl. germ. 8, 298.  
 — glaucus *Sm.* Engl. Bot. 33, 2321.  
 — — — Fl. dan. 11, 1922.  
 — glomeratus *L.* Host Gram. 368.  
 — gracilis *Rudge.* Linn. Transact. 10, 15.  
 — — *Salzm.* Rchb. Fl. germ. 8, 294.  
 — Holoschoenus *L.* Fl. dan. 3, 454.  
 — — — Engl. Bot. 23, 1612.  
 — — — Host Gram. 262.  
 — — — Sturm Flora 9, 36.  
 — hottentottus *L.* Rottboell Descr. 16.  
 — iridifolius *Bory.* Bory Isles d'Afrique 23. 23 bis.  
 — lacustris *L.* Fl. dan. 7, 1142.  
 — — — Sv. Bot. 150.  
 — — — Curt. Lond. 4, 91.  
 — — — Engl. Bot. 10, 666.  
 — — — Host Gram. 261.  
 — — — Sturm Flora 9, 36.  
 — — — Rchb. Fl. germ. 8, 306.  
 — Lereschii *Thomas.* Rchb. Fl. germ. 8, 295.  
 — limosus *Schrad.* Comm. Gott. rec. 7, 2.  
 † litoralis *Schrad.* Schrader Fl. germ. 5.  
 — — — Sturm Flora 19, 85.  
 — — — Rchb. Fl. germ. 8, 309.  
 — macrostachys *Willd.* Rchb. Fl. germ. 8, 286.  
 — maritimus *L.* Fl. dan. 6, 937.  
 — — — Sv. Bot. 240.  
 — — — Curt. Lond. 3, 104.  
 — — — Engl. Bot. 8, 542.  
 — — — Baxter Brit. Bot. 4, 264.  
 — — — Dict. sc. nat. 13.  
 — — — Schk. Handb. 8.  
 — — — Roemer Fl. europ. 12, 1.  
 — — — Host Gram. 267.  
 — — — Sturm Flora 4, 13.  
 — — — Rchb. Fl. germ. 8, 310. 311.  
 — Michelianus *L.* Usteri Annalen 2, 2.  
 — — — Host Gram. 259.  
 — — — Sturm Flora 19, 85.  
 — — — Rchb. Fl. germ. 8, 312.  
 — miliaceus *L.* Burmann Fl. ind. 9.  
 — — — Rottboell Descr. 5.  
 — monander *Rotb.* Rottboell Descr. 14.  
 — mucronatus *L.* Delile Egypte 7.  
 — — — Host Gram. 266.  
 — — — Sturm Flora 9, 36.  
 — — — Rchb. Fl. germ. 8, 303.  
 — multicaulis *Sm.* Engl. Bot. 17, 1187.  
 — — — Desvaux Journal 5, 21.  
 — — — Fl. dan. 11, 1923.  
 — — — Rchb. Fl. germ. 8, 296.  
 — nodosus *Rotb.* Rottboell Descr. 8.  
 — ovatus *Roth.* Fl. dan. 11, 1801.  
 — — — Host Gram. 255.  
 — — — Rchb. Fl. germ. 8, 295.  
 — palustris *L.* Fl. dan. 2, 273.  
 — — — Engl. Bot. 2, 131.  
 — — — Sv. Bot. 257.  
 — — — Host Gram. 255.  
 — — — Rchb. Fl. germ. 8, 297.  
 — parvulus *R. et Sch.* Sturm Flora 19, 85.  
 — — — Rchb. Fl. germ. 8, 299.  
 — — — Fl. dan. 13, 2161.  
 — pauciflorus *Lightf.* Engl. Bot. 16, 1122.  
 — — — Fl. dan. 11, 1862.

- Scirpus pauciflorus* *Lightf.* Host Gram. 258.  
 — — — *Sturm Flora* 3, 10.  
 — — — *Rehb. Fl. germ.* 8, 299.  
 — *planifolius Mühlenb.* Barton Fl. 3, 86.  
 — *plantaginoides Rottb.* Rottboell Descr. 15.  
 — *polytrichoides Retz.* Rumpf Amb. 6, 7. fig. 1.  
 — *prolifer Rottb.* Rottboell Descr. 17.  
 — — *Aub. Th.* Aubert Th. Mélanges 7.  
 — *pubescens Desf.* Desf. Fl. atl. 10.  
 — *pulcher Rudge.* Rudge Pl. Guianae 23.  
 — *pungens Vahl.* Engl. Bot. 2819.  
 — — — *Sturm Flora* 9, 36.  
 — — — *Rehb. Fl. germ.* 8, 304.  
 — *quadrangularis Michx.* Elliott Carolina 3.  
 — *radicans Schk.* Usteri Annalen 4, 1.  
 — — — Host Gram. 369.  
 — — — *Sturm Flora* 9, 36.  
 — — — *Rehb. Fl. germ.* 8, 314.  
 — — — Fl. dan. 10, 1742.  
 — *romanus L.* Jacq. Fl. austr. 5, 448.  
 — — — *Sturm Flora* 9, 36.  
 — *Rothii Hoppe.* *Sturm Flora* 9, 36.  
 — — — *Rehb. Fl. germ.* 8, 304.  
 — *rufus Schrad.* Schrader Fl. germ. 1.  
 — — — *Sturm Flora* 19, 85.  
 — — — Fl. dan. 9, 1504.  
 — *Savii Sebast.* Mutel Fl. fr. 75.  
 — — — Engl. Bot. 2782.  
 — — — *Rehb. Fl. germ.* 8, 301.  
 † — *setaceus L.* Gaertn. Carp. 2.  
 — — — Fl. dan. 2, 311.  
 — — — Rottboell Descr. 15.  
 — — — Curt. Lond. 4, 97.  
 — — — Engl. Bot. 24, 1693.  
 — — — Host Gram. 265.  
 — — — *Sturm Flora* 3, 10.  
 — — — *Rehb. Fl. germ.* 8, 301.  
 — *silvaticus L.* Fl. dan. 2, 307.  
 — — — Engl. Bot. 13, 919.  
 — — — Host Gram. 268.  
 — — — Schrank Fl. monac. 4, 387.  
 — — — *Sturm Flora* 9, 36.  
 — — — *Rehb. Fl. germ.* 8, 313.  
 — *spiralis Rottb.* Rottboell Descr. 15.  
 — *squarrosus L.* Rottboell Descr. 17.  
 — *sulcatus Aub. Th.* Aubert Th. Mélanges 7.  
 — *supinus L.* Schrader Fl. germ. 1.  
 — — — Host Gram. 264.  
 — — — *Sturm Flora* 19, 85.  
 — — — *Rehb. Fl. germ.* 8, 302.  
 — *Tabernaemontani Gm.* *Rehb. Fl. germ.* 8, 307.  
 — *tenuifolius Rudge.* Rudge Pl. Guianae 22.  
 — — *DC.* *Rehb. Fl. germ.* 8, 304.  
 — *trigonus Roth.* *Sturm Flora* 9, 36.  
 — *triqueter L.* Curt. Lond. 4, 92.  
 — — — Engl. Bot. 24, 1694.  
 — — — Fl. dan. 12, 1983.  
 — — — *Sturm Flora* 9, 36.  
 — — — *Rehb. Fl. germ.* 8, 305.  
 — — *Vahl.* Fl. dan. 9, 1563.  
 — *tristachyos Rottb.* Rottboell Descr. 13.  
 — *tuberosus Roxb.* Roxb. Corom. 231.  
 † — *uniglumis Link.* Mutel Fl. fr. 75.  
 — — — *Rehb. Ic. crit.* 2, 182.  
 — — — *Rehb. Fl. germ.* 8, 296.  
 † *Scitamineae R. Br.* Linn. Transact. 8, 20.  
 † — — Schnizl. Iconogr. 1, 68.  
*Sciuris bracteata N. et M.* Acta Leop. 11. 1, 18. 20.  
 † — *multiflora N. et M.* Acta Leop. 11. 1, 18.  
*Sclerachne punctata R. Br.* Bennett Java 4.  
 † *Scleranthus L.* Gray Genera 102.  
 † — *annuus L.* Gaertn. Carp. 126.  
*Scleranthus annuus L.* Fl. dan. 3, 504.  
 — — — Engl. Bot. 5, 351.  
 — — — *Baxter Brit. Bot.* 6, 439.  
 — — — Gray Genera 102.  
 — — — *Dietr. Fl. bor.* 9, 629.  
 † — — *Nees Gen.* 4, 77.  
 — *neglectus Roch.* Rochel Banat. 3.  
 — *perennis L.* Fl. dan. 4, 563.  
 — — — Engl. Bot. 5, 352.  
 — — — Lam. Encycl. 374.  
 — — — Schk. Handb. 120.  
 — — — *Dietr. Fl. bor.* 9, 630.  
 † *Scleria L.* Swartz Fl. Ind. oec. 3.  
 — *bracteata Cav.* Cav. Ic. 457.  
 — *Flabellum Sw.* Rumpf Amb. 6, 8. fig. 1.  
 — — — Lam. Encycl. 752.  
 — *flagellum nigrorum Berg.* Svensk Acad. 1765, 4.  
 — *Kunthii Miq.* Miquel Sertum 2.  
 — *lithosperma Willd.* Rheede Hort. mal. 12, 48.  
 — — — Rumpf Amb. 6, 6.  
 — *macrocarpa Moric.* Moricand Pl. Am. 49.  
 † — *margaritifera Gaertn.* Gaertn. Carp. 2.  
 — *mitis Berg.* Svensk Acad. 1765, 5.  
 — — — *Dict. sc. nat.* 16.  
 — *pratensis Ldl.* Endl. Bras. 3, 23.  
 — *reticulata Michx.* Elliott Carolina 12.  
 — *sumatrensis Retz.* Retzius Obs. 5, 2.  
*Sclerocarpus africanus Jacq.* Jacq. Ic. 176.  
 — — — Lam. Encycl. 701.  
*Sclerochloa dura Pal. B.* *Rehb. Fl. germ.* 1, 58.  
 — *maritima Rehb.* *Rehb. Fl. germ.* 1, 58.  
 — *procumbens Pal. B.* *Rehb. Fl. germ.* 1, 58.  
 — *rigida Rehb.* *Rehb. Fl. germ.* 1, 58.  
 † — — — *Nees Gen.* 1, 67.  
 † *Sclerolepis Kalmii Momm.* Monnier Essai 4.  
*Sclerolobium chrysophyllum P. et E.* Poepp. et Endl. 266.  
*Sclerophyllax Arnottii Miers.* Miers Illustr. 26.  
 — *Gilliesii Miers.* Miers Illustr. 26.  
 — *spinescens Miers.* Miers Illustr. 25.  
*Scleropyrum Wallichianum Arn.* Wight Ic. pl. Ind. or. 1, 241.  
 † *Sclerosciadium DC.* DC. Umbelliferae 1.  
*Sclerostylis atalantioides W. et A.* Wight Ic. pl. Ind. or. 1, 71.  
 — *Roxburghii Wight.* Wight Ic. pl. Ind. or. 1, 72.  
*Sclerotrinx fasciculata Presl.* Presl Symbolae 53.  
*Scolochloa festucacea Link.* *Rehb. Fl. germ.* 1, 71.  
 † — — — *Nees Gen.* 1, 62.  
*Scolopendrium ambiguum Raddi.* Raddi Fil. 57.  
 — *Ceterach Sm.* Engl. Bot. 18, 1244.  
 — — — Newman p. 293.  
 — *Hemionitis Cav.* Anales de hist. nat. 5, 41.  
 — — — Schk. Fil. 84.  
 — *Krebsii Kze.* Kunze Fil. 74.  
 — — — Bot. Mag. 80, 4768.  
 — *Lindeni Hook.* Hook. Ic. pl. 5, 488.  
 — *Lingua Sw.* Sv. Bot. 143.  
 — *longifolium Presl.* Presl Reliq. 9.  
 † — *minus Fée.* Fée Fil. 5, 17.  
 — *officinarum Sm.* Schk. Fil. 83.  
 † — — — Hook. Gen. Fil. 57.  
 † — — — Hopkirk Fl. anom. 3.  
 † — — — Ann. sc. nat. III. 11, 2. 3.  
 — *pinnatum Sm.* Kunze Fil. 56.  
 — *sagittatum DC.* Hook. Ic. pl. 3, 213.  
 — *D'Urvillei Bory.* Bory Coquille 37.  
 — — — Kunze Fil. 5.  
 — *vulgare Sm.* Curt. Lond. 1, 119.  
 — — — Engl. Bot. 16, 1150.  
 — — — Newman p. 289. 292.  
 † *Scolopia pusilla Willd.* Lam. Encycl. 423.  
 † *Scolosanthus versicolor Vahl.* Vahl Eclogae 10.



- †*Scolymus L.* Gaertn. Carp. 157.  
 † — — Lam. Encycl. 659.  
 — *grandiflorus Desf.* Desf. Fl. atl. 218.  
 — — — Lam. Encycl. 659.  
 — *hispanicus L.* Sibth. Fl. gr. 825.  
 — *maculatus L.* Schk. Handb. 227.  
 — — — Sibth. Fl. gr. 824.  
 †*Scoparia dulcis L.* Gaertn. Carp. 53.  
 † — — — Lam. Encycl. 85.  
 — — — Pal. B. Fl. d'Oware 115.  
 — — — Desc. Ant. 2, 106.  
 — *flava Cham. et Schl.* Link Ic. I. 60.  
 †*Scopolia lucida Forst.* Forster Charact. 70.  
 † — — — Lam. Encycl. 860.  
*Scopolia carnioica Jacq.* Jacq. Observ. 20.  
 † — — — Nees Gen. 5, 55.  
*Scopolina atropoides Schult.* Sturm Flora 6, 21.  
 — — — Brandt und Ratzeb. 16.  
 † — — — Nees Gen. 5, 55.  
*Scordium spinosum Cav.* Cav. Ic. 31.  
 †*Scorodonia heteromalla Moench.* Nees Gen. 6, 46.  
*Scorpiurus acutifolia Viv.* Viviani Lib. 19.  
 — *laevigata Sibth.* Sibth. Fl. gr. 718.  
 — *subvillosa L.* Schk. Handb. 208.  
 † — *sulcata L.* Gaertn. Carp. 155.  
 † — — — Lam. Encycl. 631.  
 † — — — Schk. Handb. 208<sup>a</sup>.  
 — — — Sibth. Fl. gr. 719.  
 † — *vermiculata L.* Gaertn. Carp. 155.  
 † — — — Lam. Encycl. 631.  
 † — — — Schk. Handb. 208<sup>a</sup>.  
*Scorzonera alpina Hoppe.* Sturm Flora 13, 51.  
 — *angustifolia L.* W. et Kit. 122.  
 — *araneosa Sibth.* Sibth. Fl. gr. 785.  
 — *aspera Desf.* Ann. Mus. 1, 9.  
 — *baetica Boiss.* Boissier Esp. 115.  
 — *brevicaulis Vahl.* Vahl Symbolae 44.  
 — *calcitrapifolia Willd.* Sibth. Fl. gr. 787.  
 — *Columnae Guss.* Gussone Pl. rar. 54.  
 — *coronopifolia Desf.* Desf. Fl. atl. 212.  
 — *crocifolia Sibth.* Sibth. Fl. gr. 786.  
 — *elongata Willd.* Sibth. Fl. gr. 789.  
 — *eriosperma M. v. B.* Marschall Cent. 69.  
 — *fistulosa Brot.* Hoffm. et Link Fl. port. 89.  
 — *graminifolia L.* Jacq. Observ. 100.  
 — — *Hoffm.* Sibth. Fl. gr. 784.  
 — *grandiflora Lapeyr.* Sturm Flora 13, 51.  
 † — *hispanica L.* Gaertn. Carp. 159.  
 † — — — Lam. Encycl. 647.  
 — — — Nees Düssel. 251.  
 — — — var. *Rochel Banat.* 30.  
 — *humilis L.* Fl. dan. 5, 816.  
 — — — var. *β.* Fl. dan. 10, 1653.  
 — — — Sv. Bot. 212.  
 — — — Jacq. Fl. austr. 1, 36.  
 — — — Dietr. Fl. bor. 9, 598.  
 † — *laciniata L.* Gaertn. Carp. 159.  
 † — — — Lam. Encycl. 647.  
 † — — — Schk. Handb. 215.  
 — — — Jacq. Fl. austr. 4, 356.  
 — — — Sibth. Fl. gr. 788.  
 — *latifolia Vis.* Visiani Dalm. 5.  
 — *messenica Bory.* Bory et Chamb. Morée 28.  
 — *mollis M. v. B.* Bot. Mag. 57, 3027.  
 — *octangularis Willd.* Gussone Pl. rar. 55.  
 — *parviflora Jacq.* Jacq. Fl. austr. 4, 305.  
 † — *picroides L.* Schk. Handb. 215.  
 — *pumila Cav.* Cav. Ic. 121.  
 — *purpurea L.* Scopoli Fl. carn. 2, 46.  
 — — — Jacq. Fl. austr. 1, 35.  
 — — — Bot. Mag. 49, 2294.  
 — — — Lam. Encycl. 647.

- Scorzonera purpurea L.* Dietr. Fl. bor. 9, 597.  
 — *pygmaea Sibth.* Sibth. Fl. gr. 783.  
 — *rosea W. et K.* W. et Kit. 121.  
 — *serrulata Viv.* Viviani Lib. 17.  
 — *taraxacifolia Jacq.* Jacq. Ic. 160.  
 — *Tenoril Presl.* Gussone Pl. rar. 55.  
 — *tingitana L.* Bot. Mag. 4, 142.  
 — — — Schk. Handb. 215.  
 — *trachysperma Günth.?* Gussone Pl. rar. 53.  
 — *tuberosa Pall.* Sprengel Gesch. d. Bot. 1.  
 — *undulata Desf.* Lam. Encycl. 647.  
 — *villosa Scop.* Scopoli Fl. carn. 2, 46.  
*Scottia angustifolia Ldl.* Bot. Reg. 15, 1266.  
 — *dentata R. Br.* Bot. Reg. 15, 1233.  
 — — — Maund Bot. 3, 134.  
 — — — Lodd. Cab. 1458.  
 — — — Rehb. Exot. 314.  
 — *laevis Ldl.* Bot. Reg. 19, 1652.  
 †*Scrophularia L.* Mem. Genev. 4, 1.  
 — *altaica Murr.* Comm. Gott. 4, 2.  
 — *appendiculata Jacq.* Jacq. Schoenbr. 3, 286.  
 † — *aquatica L.* Gaertn. Carp. 53.  
 † — — — Usteri Annalen 5, 4.  
 † — — — Schk. Handb. 173.  
 † — — — Lam. Encycl. 533.  
 — — — Rivinus Opus ined. 91.  
 — — — Fl. dan. 3, 507.  
 — — — Curt. Lond. 2, 83.  
 — — — Engl. Bot. 12, 854.  
 — — — Jardine Annals 5, 1.  
 — — — Hayne 5, 36.  
 — — — Sturm Flora 6, 23.  
 — — — Schrank Fl. monac. 3, 259.  
 — — — Dietr. Fl. bor. 2, 128.  
 — *arguta Ait.* Webb Canar. 179. (errore 177.)  
 — *auriculata Scop.* Scopoli Fl. carn. 1, 32.  
 † — — *L.* Schk. Handb. 173.  
 — *bicolor Sm.* Sibth. Fl. gr. 602.  
 — — — Gussone Pl. rar. 44.  
 — *Boissieriana Jaub.* Jaubert Illustr. 223.  
 — *caesia Sm.* Sibth. Fl. gr. 604.  
 — *calliantha Webb.* Webb Canar. 180.  
 — *canescens Bong.* Acad. Petersb. 6, 12.  
 — *canina L.* Sibth. Fl. gr. 598.  
 — — — Rehb. Ic. crit. 8, 728.  
 — *chrysantha Jaub.* Jaubert Illustr. 220.  
 — *chrysanthemifolia Willd.* Willdenow Hortus 59.  
 — — *M. v. B.* Rehb. Ic. crit. 8, 729.  
 — — *Balb.* Gussone Pl. rar. 45.  
 — *cretacea Fisch.* Mem. Genev. 4, 4.  
 — *deserti Delile.* Delile Egypte 33.  
 — *divaricata Led.* Ledeb. Ic. 121.  
 — *ebulifolia Link.* Hoffm. et Link Fl. port. 54.  
 — *Ehrharti Stev.* Jardine Annals 5, 1.  
 — — — Engl. Bot. 2875.  
 † — — — Flora 1853, 7.  
 — *ficifolia Mill.* Sibth. Fl. gr. 600.  
 — *filicifolia Sm.* Rivinus Opus ined. 94.  
 — *glabrata Ait.* Jacq. Schoenbr. 2, 209.  
 — *glandulosa W. et K.* W. et Kit. 214.  
 — *glauca Sm.* Sibth. Fl. gr. 599.  
 — *grandiflora DC.* Rehb. Hort. 98.  
 — *Hermirii Link.* Hoffm. et Link Fl. port. 53.  
 — — — Brotero Phytogr. 148.  
 — *heterophylla Willd.* Sibth. Fl. gr. 603.  
 — *hypericifolia Wylder.* Mem. Genev. 4, 5.  
 — *incisa Weimm.* Ledeb. Ic. 156.  
 — *laciniata W. et K.* W. et Kit. 170.  
 — *livida Sm.* Sibth. Fl. gr. 601.  
 — *lucida L.* Willdenow Hortus 57.  
 — — — Gussone Pl. rar. 43.  
 — *lyrata Willd.* Willdenow Hortus 55.

- Scrophularia mellifera* Vahl. Desf. Fl. atl. 143.  
 — *multifida* Willd. Willdenow Hortus 58.  
 — — Gussone Fl. rar. 45.  
 — *nodosa* L. Rivinus Opus ined. 92.  
 — — Fl. dan. 7, 1167.  
 — — Sv. Bot. 315.  
 — — Woody. Med. 5, 11.  
 — — Engl. Bot. 22, 1544.  
 — — Baxter Brit. Bot. 5, 385.  
 † — — Lam. Encycl. 533.  
 — — Hayne 5, 35.  
 — — Sturm Flora 6, 23.  
 — — Dietr. Fl. bor. 2, 127.  
 † — — Nees Gen. 5, 29.  
 † — — Flora 1853, 1.  
 — *Oliverii* Wydler. Jaubert Illustr. 222.  
 — *orientalis* L. Schk. Handb. 173.  
 — — Jaubert Illustr. 221.  
 — *peregrina* L. Sibth. Fl. gr. 597.  
 † — — Nees Gen. 5, 29.  
 — *rupestris* M. v. B. Rehb. Ic. crit. 3, 258.  
 — *sambucifolia* L. Rivinus Opus ined. 93.  
 — *Scorodonia* L. Engl. Bot. 31, 2209.  
 — *Smithii* Hornem. Webb Canar. 178.  
 — *sublyrata* Brot. Brotero Phytogr. 147.  
 — *tanacetifolia* Willd. Willdenow Hortus 56.  
 — *Urvillei* Wydler. Mem. Genev. 4, 2, 3.  
 — *variegata* M. v. B. Rehb. Ic. crit. 3, 257.  
 — *vernalis* L. Fl. dan. 3, 411.  
 — — W. et Kit. 73.  
 — — Curt. Lond. 4, 70.  
 — — Engl. Bot. 8, 567.  
 † — — Schk. Handb. 173.  
 — — Sturm Flora 6, 23.  
 — — Dietr. Fl. bor. 2, 97.  
 † — — Ann. sc. nat. 8, 27.  
 † — — Nees Gen. 5, 29.  
 † *Scrophularineae* Juss. Wight Illustr. 142. 165 bis.  
 † — — (Embryo.) Ann. sc. nat. III. 12, 3, 4.  
 † *Scutellaria* L. Ann. sc. nat. II. 3, 1.  
 — *albida* L. Sibth. Fl. gr. 581.  
 — *alpina* L. Allione Fl. ped. 3, 26.  
 — — W. et Kit. 137.  
 — — Roemer Fl. europ. 11, 6.  
 — — Bot. Reg. 17, 1460.  
 — — var. *lupulina*, Bot. Reg. 18, 1493.  
 — — Sweet Fl. G. 90.  
 — — var.  $\beta$ . Sweet Fl. G. II. 399.  
 † — — Nees Gen. 6, 22.  
 — *altissima* L. Bot. Mag. 52, 2548.  
 — *arabica* Jaub. et Sp. Jaubert Illustr. 376.  
 — *caroliniana* Lam. Lam. Encycl. 515.  
 — *Columnae* All. Allione Fl. ped. 3, 84.  
 — — Sweet Fl. G. 52.  
 — *cordifolia* Benth. Lodd. Cab. 1878.  
 — — Bot. Mag. 73, 4290.  
 — *galericulata* L. Fl. dan. 4, 637.  
 — — Sv. Bot. 437.  
 — — Curt. Lond. 2, 104.  
 — — Engl. Bot. 8, 523.  
 — — Baxter Brit. Bot. 1, 12.  
 — — Lam. Encycl. 515.  
 † — — Schk. Handb. 167.  
 — — Roemer Fl. europ. 11, 4.  
 — — Hayne 3, 36.  
 — — Dietr. Fl. bor. 2, 126.  
 † — — Nees Gen. 6, 22<sup>a</sup>.  
 — *glechomoides* Boiss. Jaubert Illustr. 377.  
 — *grandiflora* Sims. Bot. Mag. 17, 635.  
 — *hastifolia* L. Roemer Fl. europ. 10, 6.  
 — — Fl. dan. 11, 1823.  
 — *havanensis* Jacq. Jacq. Hist. stirp. am. 165.  
*Scutellaria havanensis* Jacq. Jacq. Observ. 29.  
 — — Desc. Ant. 5, 367.  
 — *hirta* Sm. Sibth. Fl. gr. 583.  
 — *hyssopifolia* L. Barton Fl. 1, 2.  
 — *japonica* Morr. Fl. d. serres 2, 16.  
 — — Paxt. Mag. 10, 123.  
 — *incarnata* Vent. Vent. Choix 39.  
 — — Bot. Mag. 72, 4268.  
 — *indica* L. Rumpf Amb. 5, 170. fig. 1.  
 — *integrifolia* L. Rivinus Opus ined. 65.  
 — — Torrey New York 78.  
 — *lateriflora* L. Lam. Encycl. 515.  
 — — Rafinesque Med. 84.  
 — — Barton Fl. 1, 21.  
 — *lupulina* L. Schmidel Ic. 73.  
 — *macrantha* Fisch. Rehb. Ic. crit. 5, 488.  
 — — Lodd. Cab. 1865.  
 — — Bot. Mag. 75, 4420.  
 — — Fl. d. serres 5, 428.  
 — *minor* L. Curt. Lond. 2, 110.  
 — — Engl. Bot. 8, 524.  
 — — Roemer Fl. europ. 11, 5.  
 — — Dietr. Fl. bor. 4, 231.  
 — *orientalis* L. Martyn Hist. 16.  
 — — Sibth. Fl. gr. 580.  
 — — Bot. Mag. 47, 2120.  
 — — Sweet Fl. G. 45.  
 — — Rehb. Pl. crit. 1, 8.  
 — — var. *pinnatifida*, Act. Acad. hung. 1835, 4.  
 — — var. *pinnatifida*, Jaubert Illustr. 413.  
 — *ovata* Hill. Hill Hort. Kew. 8.  
 — *parvula* Michx. Hook. Exot. Fl. 106.  
 — *peregrina* W. et K. W. et Kit. 125.  
 — — L. Sibth. Fl. gr. 582.  
 † — — Nees Gen. 6, 22<sup>a</sup>.  
 — *pilosa* Michx. Torrey New York 77.  
 — *pinnatifida* Roch. Acta Acad. hung. 1835, 4.  
 — *rivularis* Wall. Wight Ic. pl. Ind. or. 4, 1450.  
 — *serrata* Andr. Andr. Rep. 8, 494.  
 — *Siversii* Bunge. Ledeb. Ic. 123.  
 — *splendens* Link et Kl. Link Ic. III. 13.  
 — — Paxt. Mag. 10, 99.  
 — *utriculata* Lab. Bill. Syr. 4, 6.  
 — *Ventenatii* Hook. Bot. Mag. 72, 4271.  
 — — Fl. d. serres 3, 295.  
 — *villosa* Hook. Bot. Mag. 80, 4789.  
 — *violacea* Heyne. Wight Ic. pl. Ind. or. 4, 1449.  
 † — — Wight Illustr. 176<sup>b</sup>.  
 † *Scutia Commersonii* Ad. Br. Ann. sc. nat. 10, 15.  
 — *discolor* Klotzsch. Peters Mossamb. 21.  
 — *indica* Ad. Br. Wight Illustr. 73.  
*Scybalium fungiforme* Sch. et E. Schott et Endl. Melet. 2.  
*Scyphaea racemosa* Presl. Presl Symbolae 4.  
*Scyphanthus elegans* Don. Sweet Fl. G. 238.  
 — — Paxt. Mag. 10, 3.  
 † *Scyphiphora hydrophyllacea* Gaertn. Gaertn. Carp. 196.  
*Scyphocoronis viscosa* A. Gray. Hook. Ic. pl. 9, 854.  
*Scyphoglossis? fasciculata* Hook. Hook. Ic. pl. 4, 317.  
*Scyphogyne inconspicua* A. Br. Brongniart Coquille 54.  
 † *Scyphularia pentaphylla* Fée. Fée Fil. 5, 26.  
 † *Seytalia chinensis* Gaertn. Gaertn. Carp. 42.  
 — — Dict. sc. nat. 173.  
*Seytanthus Currori* Hook. Hook. Ic. pl. 7, 605 — 606.  
 — *Gordoni* Hook. Hook. Ic. pl. 7, 625.  
*Seafortia elegans* R. Br. Mart. Palm. 105. 106. 109.  
 — *malaiana* Mart. Mart. Palm. 158.  
 — *ptychosperma* Mart. Mart. Palm. 128. 129.  
 — *Reinwardtiana* Mart. Mart. Palm. 158.  
*Sebastiania brasiliensis* Spr. Sprengel Neue Entd. 2, 3.  
 † *Sebestena officinalis* Gaertn. Gaertn. Carp. 76.  
 † *Secale cereale* L. Linné Amoenit. 7, 2.  
 † — — Gaertn. Carp. 81.

- †*Secale cereale* L. Lam. Encycl. 49.  
 † — — — *Séringue* Melanges 1.  
 † — — — Dumortier Gramin. 1.  
 † — — — Nees Gen. 1, 81, 87.  
 — — — Schk. Handb. 19.  
 — — — Tratt. Archiv 311, 311<sup>a</sup>.  
 — — — Host Gram. 148.  
 — — — Metzger Cer. 9.  
 — — — Guimpel et Schl. 119.  
 — — — var. *arundinaceum*, Trautv. Schilfr. 1. 2.  
 ! — *cornutum* *Offic.* Nees Düsseld. Suppl. 24.  
 ! — — — Guimpel et Schl. 120.  
 ! — — — Linn. Transact. 18, 32, 33.  
 ! — — — Mem. Strassb. 3, 1, 2.  
 ! — — — Ann. sc. nat. III, 20, 1—4.  
 — *fagile* M. v. B. Rchb. Fl. germ. 1, 24.  
 † — *montanum* Guss. Hofmeister Embryo 5.  
 — *orientale* Willd. Neue Schr. naturf. Fr. 2, 4.  
 — *prostratum* Pall. Jacq. Vind. 3, 44.  
 — *silvestre* Host. Host Gram. 311.  
 — *villosum* L. Sibth. Fl. gr. 97.  
 — — — Host Gram. 147.  
 †*Secamone emetica* R. Br. Wight Illustr. 155<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 283.  
*Secchium peruvianum* P. et E. Poepp. et Endl. 176.  
*Secundatia peruviana* P. et E. Poepp. et Endl. 281.  
 †*Securidaca Coronilla* Poir. Lam. Encycl. 629.  
 † — *lanceolata* St. Hil. Mem. Mus. 17, 31.  
 † — *legitima* Gaertn. Gaertn. Carp. 153.  
 — *paniculata* Lam. Lam. Encycl. 599.  
 — *pubescens* DC. Delessert Ic. 3, 22.  
 — *scandens* Jacq. Jacq. Hist. stirp. am. 186.  
 — — — Lam. Encycl. 599.  
 — — — Tussac Ant. 4, 20.  
 — *tomentosa* St. Hil. St. Hil. Fl. Bras. 96.  
*Securinega nitida* Willd. Lindley Collect. 9.  
 † — — — Jussieu Euphorb. 2.  
*Seddera Bottae* Jaub. et Sp. Jaubert Illustr. 371.  
 — *evoluloidea* Wight. Wight Ic. pl. Ind. or. 4, 1369.  
 — *secundiflora* Jaub. et Spach. Jaubert Illustr. 372.  
 — *virgata* Hochst. Flora 1844, 1.  
*Sedgwickia cerasifolia* W. et Gr. Asiat. Researches 19,  
 15, 16.  
 †*Sedum* L. DC. Crassulacées 1.  
 — *acre* L. Woodv. Med. 3, 196.  
 — — — Curt. Lond. 1, 114.  
 — — — Engl. Bot. 12, 839.  
 — — — Baxter Brit. Bot. 5, 364.  
 — — — DC. Plantes grasses 117.  
 — — — Fl. dan. 9, 1457.  
 — — — Sv. Bot. 149.  
 — — — Tenore Fl. nap. 229.  
 — — — Schk. Handb. 123.  
 — — — Dreves 5, 144.  
 — — — Hayne 1, 15.  
 — — — Schrank Fl. monac. 4, 343.  
 — — — Dietr. Fl. bor. 4, 257.  
 — *aizoides* DC. DC. Plantes grasses 4.  
 — *Aizoon* L. DC. Plantes grasses 101.  
 — *album* L. Allione Fl. ped. 3, 65.  
 — — — Fl. dan. 1, 66.  
 — — — Curt. Lond. 2, 52.  
 — — — Engl. Bot. 22, 1578.  
 — — — DC. Plantes grasses 22.  
 — — — Lam. Encycl. 390.  
 — — — Sv. Bot. 430.  
 — *algidum* Led. Ledeb. Ic. 418.  
 — *alsinefolium* All. Allione Fl. ped. 3, 22.  
 — — — Cesati Stirpes ital. x.  
 — *altissimum* Poir. DC. Plantes grasses 40.  
 † — — — Mutel Fl. fr. 19.  
 — — — Rchb. Ic. crit. 3, 285.

- Sedum amplexicaule* DC. DC. Crassulacées 7.  
 — *Anacampseros* L. Bot. Mag. 4, 118.  
 — — — DC. Plantes grasses 33.  
 — *andegavense* DC. Moris Fl. sard. 73.  
 — *anglicum* Huds. Engl. Bot. 3, 171.  
 — — — Sv. Bot. 604.  
 — *annuum* L. Rchb. Ic. crit. 9, 841.  
 † — — — Mutel Fl. fr. 19.  
 † — *anopetalum* DC. DC. Crassulacées 8.  
 † — — — Mutel Fl. fr. 19.  
 — — — Rchb. Ic. crit. 3, 266.  
 — *arenarium* Brot. Brotero Phytogr. 1.  
 — *aristatum* Vill. Vill. Dauph. 45.  
 — *atratum* L. Allione Fl. ped. 3, 65.  
 — — — Jacq. Fl. austr. 1, 8.  
 — — — Sturm Flora 6, 22.  
 — — — DC. Plantes grasses 120.  
 — *azureum* Desf. Royle Illustr. 48.  
 † — *boloniense* Lois. Mutel Fl. fr. 19.  
 — *bracteatum* Viv. Viviani Lib. 8.  
 — *brevifolium* DC. DC. Crassulacées 4.  
 — *cariense* Jaub. Jaubert Illustr. 7.  
 — *Cepaea* L. Sibth. Fl. gr. 447.  
 — — — Bot. Reg. 16, 1391.  
 — *coccineum* Royle. Royle Illustr. 48.  
 — *coeruleum* Vahl. Bot. Reg. 6, 520.  
 — — — Bot. Mag. 48, 2224.  
 — — — Moris Fl. sard. 73.  
 — Cotyledon Jacq. Jacq. Ecl. pl. 17.  
 — — — Rchb. Hortus 125.  
 — *cristatum* Schrad. Schrader Hort. gott. 10.  
 — *cyaneum* Rud. Petersb. 4, 2.  
 — *dasyphyllum* L. Jacq. Vind. 153.  
 — — — Curt. Lond. 1, 115.  
 — — — Engl. Bot. 10, 656.  
 — — — DC. Plantes grasses 93.  
 — — — Tenore Fl. nap. 229.  
 — *dendroideum* M. et S. DC. Crassulacées 9.  
 — *ebracteatum* M. et S. DC. Crassulacées 6.  
 — *eriocarpum* Sibth. Sibth. Fl. gr. 449.  
 — *Eversii* Led. Ledeb. Ic. 58.  
 — *Fabaria* Koch. Sturm Flora 19, 83.  
 — *Forsterianum* Sm. Engl. Bot. 26, 1802.  
 — — — Rchb. Ic. crit. 9, 843.  
 — *fusiforme* Loue. Transact. Camb. Soc. 4, 3.  
 — *galioides* All. Allione Fl. ped. 3, 65.  
 — *glanduliferum* Guss. Tenore Fl. nap. 232.  
 — *glandulosum* Moris. Moris Fl. sard. 73.  
 — *glaucum* W. et K. W. et Kit. 181.  
 — — — Rchb. Ic. crit. 9, 845.  
 — — — Engl. Bot. 35, 2477.  
 — *Guettardi* Vill. Vill. Dauph. 45.  
 — *hirsutum* All. Allione Fl. ped. 3, 65.  
 — *hispanicum* L. Jacq. Fl. austr. 5, 47.  
 — — — Reiner Reisen 1, 4.  
 — — — Sturm Flora 6, 22.  
 — — — Rchb. Ic. crit. 9, 844.  
 — *hybridum* L. Novi Comm. Gott. 6, 5.  
 — *linearifolium* Royle. Royle Illustr. 48.  
 — *Listoniae* Vis. Mem. Ist. veneto 1, 6.  
 — *litoreum* Guss. Gussone Pl. rar. 37.  
 — *lusitanicum* Brot. Brotero Phytogr. 178.  
 — *magellense* Ten. Tenore Fl. nap. 139.  
 — *maximum* Suter. Sturm Flora 1, 6, 19, 83.  
 † — *L.* Mutel Fl. fr. 19.  
 — — — Rchb. Ic. crit. 8, 727.  
 — *monregalense* Balb. Mem. Tur. 7, 6.  
 — — — Lodd. Cab. 464.  
 — — — Rchb. Ic. crit. 3, 275.  
 † — — — Mutel-Fl. fr. 19.  
 — *neapolitanum* Ten. Tenore Fl. nap. 229.  
 — *neglectum* Ten. Tenore Fl. nap. 233.

- Sedum nicaense* *All.* Allione Fl. ped. 3, 90.  
 — *Notarianni* *Ten.* Tenore Fl. nap. 40.  
 — *nudum* *Ait.* DC. Plantes grasses 155.  
 — *oppositifolium* *Sims.* Bot. Mag. 43, 1807.  
 — *pilosum* *M. v. B.* Marshall Cent. 40.  
 — *populifolium* *Ait.* Bot. Mag. 6, 211.  
 — — DC. Plantes grasses 110.  
 — *purpurascens* *Koch.* Sturm Flora 19, 83.  
 — *reflexum* *L.* Fl. dan. 1, 113. 11, 1818.  
 — — Engl. Bot. 10, 695.  
 — — DC. Plantes grasses 116.  
 † — — Mutel Fl. fr. 19.  
 — — Herb. amat. 2, 115.  
 — — Sturm Flora 3, 12.  
 — — Rchb. Ic. crit. 3, 286.  
 — — Dietr. Fl. bor. 4, 259.  
 — *repens* *Schleicher.* Mem. Strassb. 1, 11.  
 † — — Mutel Fl. fr. 19.  
 — — Rchb. Ic. crit. 9, 842.  
 — *Rhodiola* *DC.* DC. Plantes grasses 143. 143 bis.  
 — — Sv. Bot. 466.  
 — *rivulare* *Boiss.* Boissier Esp. 63.  
 — *rostratum* *Ten.* Tenore Fl. nap. 139.  
 — *rubens* *Sturm.* Sturm Flora 6, 22.  
 — — *L.* Fl. dan. 1, 82.  
 — — Rochel Banat. 15.  
 — *rufescens* *Ten.* Tenore Fl. nap. 41.  
 — *rupestre* *L.* Fl. dan. 1, 59.  
 — — Engl. Bot. 3, 170.  
 — — DC. Plantes grasses 115.  
 † — — Mutel Fl. fr. 19.  
 — — Sturm Flora 3, 12.  
 — — Rchb. Ic. crit. 3, 276.  
 — *saxatile* *All.* Allione Fl. ped. 3, 65.  
 — — DC. Plantes grasses 119.  
 — — *Wigg.* Sibth. Fl. gr. 450.  
 — *sempervivioides* *Fisch.* Link Ic. I. 57.  
 — — Bot. Mag. 51, 2474.  
 — *sexangulare* *L.* Curt. Lond. 3, 113.  
 — — Engl. Bot. 28, 1946.  
 — — DC. Plantes grasses 118.  
 — — Fl. dan. 10, 1644.  
 — — Dreves 5, 145.  
 — — Hayne 1, 16.  
 — — Schrank Fl. monac. 4, 343.  
 — — Dietr. Fl. bor. 4, 258.  
 — *spathulatum* *W. et K.* W. et Kit. 104.  
 — *spurium* *Willd.* Bot. Mag. 50, 2370.  
 — *stellatum* *L.* Sibth. Fl. gr. 446.  
 — *stoloniferum* *Gm.* Gmelin Reise 3, 35. fig. 2.  
 — *Telephium* *L.* Fl. dan. 4, 686. 13, 2174.  
 — — Sv. Bot. 447.  
 — — Curt. Lond. 2, 71.  
 — — Engl. Bot. 19, 1319.  
 — — DC. Plantes grasses 92.  
 — — Lam. Encycl. 396.  
 † — — Mutel Fl. fr. 19.  
 † — — Gaertn. Carp. 65.  
 — — Hayne 6, 13.  
 — — Sturm Flora 1, 6.  
 — — Schrank Fl. monac. 3, 300.  
 — — Rchb. Ic. crit. 8, 726.  
 — — Dietr. Fl. bor. 2, 144.  
 — *ternatum* *Michx.* Bot. Mag. 45, 1977.  
 — — Bot. Reg. 2, 142.  
 — *tetraphyllum* *Sibth.* Sibth. Fl. gr. 448.  
 — *uniformum* *Rafin.* Rafinesque Caratteri 18.  
 — *verticillatum* *L.* Linné Amoenit. 2, 4.  
 — — Acad. Petersb. 3, 7.  
 — *villosum* *L.* Fl. dan. 1, 24.  
 — — Sv. Bot. 746.  
 — — Engl. Bot. 6, 394.

- Sedum villosum* *L.* DC. Plantes grasses 70.  
 — — Sturm Flora 1, 6.  
 — — Dietr. Fl. bor. 8, 514.  
 — *Wallichianum* *Hook.* Hook. Ic. pl. 7, 604.  
*Seetzenia orientalis* *Decne.* Ann. sc. nat. II. 3, 7.  
*Seguiera floribunda* *Benth.* Linn. Transact. 18, 19.  
 † *Selaginella* *Spring.* Hofmeister Untersuchungen 23—26.  
 — *amazonica* *Spring.* Endl. Bras. 1, 6.  
 † — *denticulata* *Spring.* Ann. sc. nat. III. 18, 8. 9.  
 † — *Galeottii* *Spring.* Hofmeister Untersuchungen 25.  
 † — *helvetica* *Spring.* Ann. sc. nat. III. 18, 9.  
 — *Jacquemontii* *Spring.* Jacquemont Ind. 176.  
 — *imbricata* *Spring.* Arch. Mus. 2, 7.  
 † — *involvens* *Spring.* Mettenius Beiträge 1. 2. 3.  
 — *marginata* *Spring.* Endl. Bras. 1, 7.  
 † — *Martensii* *Spring.* Ann. sc. nat. III. 18, 8. 9.  
 — *Poeppigiana* *Miq.* Miquel Sertum 1.  
 — *stellata* *Spring.* Endl. Bras. 1, 8.  
 † *Selago* *L.* Kerner Genera 152.  
 — *adpressa* *Choisy.* Mem. Genev. 2, 4.  
 — *ciliata* *L. fil.* Mem. Genev. 2, 5.  
 — *corymbosa* *L.* Rivinus Opus ined. 4.  
 — *distans* *E. M.* Bot. Reg. 31, 46.  
 — *fasciculata* *L.* Jacq. Ic. 496.  
 — — Lodd. Cab. 1423.  
 — — Bot. Reg. 3, 184.  
 † — — Gaertn. Carp. 51.  
 † — — Lam. Encycl. 521.  
 † — — Mem. Genev. 2, 1.  
 — *Gillii* *Hook.* Bot. Mag. 57, 3028.  
 — — Bot. Reg. 18, 1504.  
 — *lucida* *Vent.* Ventenat Malm. 26.  
 — *minutissima* *Choisy.* Mem. Genev. 2, 3.  
 — *myrtifolia* *Rchb.* Rchb. Hortus 223.  
 — *ovata* *Thunb.* Bot. Mag. 6, 186.  
 † — — Lam. Encycl. 521.  
 — *spuria* *L.* Jacq. Fragm. 3.  
 — — Lodd. Cab. 391.  
 — — Herb. amat. 5, 348.  
 † *Selenia* *Nutt.* Gray Genera 67.  
 — *aura* *Nutt.* Gray Genera 67.  
*Selenipedium* *Chica* *Rchb. fil.* Rchb. Xenia 1, 2.  
 — *palmifolium* *Rchb. fil.* Rchb. Xenia 1, 2.  
*Selinum* *acaule* *Cav.* Cav. Ic. 487.  
 — *austriacum* *Jacq.* Jacq. Fl. austr. 1, 71.  
 — *Carvifolia* *Chabr.* Jacq. Fl. austr. 1, 72.  
 — — *L.* Jacq. Fl. austr. 1, 16.  
 — — Hoffmann D. Fl. 1791, 3.  
 † — — Gaertn. Carp. 21.  
 — — Fl. dan. 4, 667.  
 — *decepiens* *Schrad.* Schrad. Sert. hannov. 13.  
 — *elegans* *Balb.* Mem. Tur. 10, 7.  
 — *glaucum* *Lam.* Lam. Encycl. 200.  
 — *Lachenalii* *Gm.* Gmelin Fl. bad. 1, 4.  
 — *lineare* *Schumacher.* Fl. dan. 8, 1330.  
 — *membranaceum* *Vill.* Villars Cat. Strasb. 6.  
 — *microphyllum* *Cav.* Cav. Ic. 486.  
 — *Monnierii* *L.* Jacq. Vind. 62.  
 — *Oreoselinum* *Scop.* Fl. dan. 10, 1750.  
 — *palustre* *L.* Fl. dan. 2, 257.  
 — — Engl. Bot. 4, 229.  
 — — Lam. Encycl. 200.  
 — — Sv. Bot. 380.  
 — *peucedanoides* *Desf.* Brotero Phytogr. 167.  
 — *proliferum* *Cav.* Cav. Ic. 486.  
 — *pyrenaicum* *Gouan.* Gouan Illustr. 5.  
 — *rigidulum* *Viv.* Viviani Fl. ital. 15.  
 — *Seguieri* *L.* Jacq. Vind. 61.  
 — *silvestre* *L.* Fl. dan. 3, 412.  
 — — Jacq. Fl. austr. 2, 152.  
 — — Schk. Handb. 63.  
 — *spinosum* *Cav.* Cav. Ic. 487.

- Selinum terebinthinum* *Hook.* *Hook. Bor. Am.* 95.  
*Selliera radicans* *Cav.* *Annales de hist. nat.* 1, 5.  
 — — — *Cav. Ic.* 474.  
 — — — *Bull. philom.* 1800. no. 33.  
*Selliguea Feei* *Bl.* *Blume Java* 6, 51.  
 — *heterocarpa* *Bl.* *Blume Java* 6, 52.  
 — *macrophylla* *Bl.* *Blume Java* 6, 53.  
 — *membranacea* *Bl.* *Blume Java* 6, 52.  
 — *Wallichiana* *Hook.* *Hook. Ic. pl.* 3, 204.  
 † — — — *Hook. Gen. Fil.* 74.  
*Selloa glutinosa* *Spr.* *Bot. Reg.* 6, 462.  
*Selloa plantaginea* *H. B. K.* *H. B. K. Nov. Gen.* 4, 395.  
 † *Semariilaria Rz et P.* *Ruiz et Pav. Prodr.* 9.  
*Semecarpus Anacardium* *L.* *Hayne* 1, 1.  
 — — — *Roxb. Corom.* 12.  
 — — — *Wight Ic. pl. Ind. or.* 2, 558.  
 — *Cassuvium* *Roxb.* *Rumpf Amb.* 1, 70.  
 — — — *Wight Ic. pl. Ind. or.* 2, 559.  
 — *Grahamii* *Wight.* *Wight Ic. pl. Ind. or.* 1, 235.  
*Semeiandra grandiflora* *H. et A.* *Bot. Mag.* 79, 4727.  
 — — — *Fl. d. serres* 9, 866.  
*Semonvillea fenestrata* *Fenzl.* *Hook. Ic. pl.* 6, 587.  
 † *Sempervivum* *L.* *DC. Crassulacées* 1.  
 — *acuminatum* *Decne.* *Jacquemont Ind.* 74.  
 — *arachnoideum* *L.* *Schmidel Ic.* 38.  
 — — — *Jacq. Fl. austr.* 5, 42.  
 — — — *Bot. Mag.* 2, 68.  
 — — — *Schk. Handb.* 130.  
 — — — *Sturm Flora* 6, 23.  
 — — — *DC. Plantes grasses* 106.  
 — — — *Herb. amat.* 1, 41.  
 — *arboresum* *L.* *DC. Plantes grasses* 125, 125 bis.  
 — — — *Sibth. Fl. gr.* 473.  
 — — — *Bot. Reg.* 2, 99.  
 — *arenarium* *Koch.* *Sturm Flora* 19, 83.  
 — *barbatum* *Chr. Smith.* *Webb Canar.* 30.  
 — *Braunii* *Funke.* *Sturm Flora* 16, 67.  
 — *caespitosum* *Chr. Smith.* *Lodd. Cab.* 1515.  
 — *calyciforme* *Haw.* *Bot. Reg.* 11, 892.  
 — — — *Lodd. Cab.* 1368.  
 — *canariense* *L.* *DC. Plantes grasses* 141, 141 bis.  
 — *ciliatum* *Sims.* *Bot. Mag.* 45, 1978.  
 — — — *DC. Crassulacées* 10.  
 — — — *Mem. Tur.* 35, 7.  
 — *Clusianum* *Ten.* *Tenore Fl. nap.* 233.  
 — *dichotomum* *DC.* *DC. Hortus genev.* 21.  
 — *dodrantale* *Willd.* *DC. Crassulacées* 11.  
 — *fimbriatum* *Klotzsch.* *Prinz Waldem. Him.* 43.  
 — *Funckii* *Braun.* *Flora* 1832, r.  
 — — — *Sturm Flora* 16, 67.  
 — — — *Rehb. Ic. crit.* 10, 960.  
 — *globiferum* *Wulf.* *Jacq. Fl. austr.* 5, 40.  
 — — — *Sturm Flora* 6, 23.  
 — — — *L. Schmidel Ic.* 26.  
 — — — *Bot. Mag.* 15, 507, 47, 2115.  
 — — — *Flora* 1835, 1.  
 — — — *Rehb. Ic. crit.* 9, 839.  
 † — — — *Mutel Fl. fr.* 20.  
 — *glutinosum* *Ait.* *Jacq. Schoenbr.* 4, 464.  
 — — — *Bot. Mag.* 45, 1963.  
 — — — *Bot. Reg.* 4, 278.  
 — — — *Herb. amat.* 5, 318.  
 — *Goochia* *Webb.* *Webb Canar.* 32.  
 — *himalayense* *Klotzsch.* *Prinz Waldem. Him.* 43.  
 — *hirtum* *L.* *Allione Fl. ped.* 3, 65.  
 — — — *Jacq. Fl. austr.* 1, 12.  
 — — — *DC. Plantes grasses* 107.  
 — — — *Sturm Flora* 8, 30.  
 — *monanthos* *Ait.* *Bot. Mag.* 3, 93.  
 — — — *DC. Plantes grasses* 157.  
 — *montanum* *L.* *Schmidel Ic.* 72.  
 — — — *Jacq. Fl. austr.* 5, 41.

- † *Sempervivum montanum* *L.* *Gaertn. Carp.* 65.  
 — — — *DC. Plantes grasses* 105.  
 — — — *Lam. Encycl.* 413.  
 — — — *Dict. sc. nat.* 201.  
 † — — — *Spach Suites* 37.  
 — — — *Sturm Flora* 16, 67.  
 — *punctatum* *Chr. Smith.* *DC. Crassulacées* 12.  
 — *sediforme* *Jacq.* *Jacq. Vind.* 81.  
 — — — *Jacq. Misc.* 1, 5.  
 — *sedoides* *Decne.* *Jacquemont Ind.* 74.  
 — *Smithii* *Sims.* *Bot. Mag.* 45, 1980.  
 — *soboliferum* *Sims.* *Schmidel Icones* 17.  
 — — — *Bot. Mag.* 35, 1457.  
 — — — *Dietr. Fl. bor.* 5, 342.  
 — *tectorum* *L.* *Schmidel Ic.* 53, 54.  
 — — — *Fl. dan.* 4, 601.  
 — — — *Curt. Lond.* 3, 105.  
 — — — *Engl. Bot.* 19, 1320.  
 — — — *Baxter Brit. Bot.* 6, 401.  
 — — — *Sv. Bot.* 260.  
 — — — *DC. Plantes grasses* 104.  
 † — — — *Lam. Encycl.* 413.  
 — — — *Sturm Flora* 6, 23.  
 — — — *Hayne* 6, 14.  
 — — — *Dietr. Fl. bor.* 6, 417.  
 — *tenuifolium* *Sibth.* *Sibth. Fl. gr.* 474.  
 — *tortuosum* *Ait.* *Bot. Mag.* 9, 296.  
 — — — *DC. Plantes grasses* 156.  
 — *tubulaeforme* *Lodd.* *Lodd. Cab.* 1328.  
 — *ubicum* *Chr. Smith.* *Bot. Reg.* 20, 1741.  
 — — — *Webb Canar.* 29.  
 — *villosum* *Haw.* *Bot. Mag.* 43, 1809.  
 — — — *Bot. Reg.* 18, 1553.  
 — *Wulfeni* *Hoppe.* *Sturm Flora* 6, 23.  
*Senapea guianensis* *Aubl.* *Aublet Guiana* 381.  
 † *Senebiera* *Poir.* *Gray Genera* 72.  
 — *Coronopus* *Poir.* *Sturm Flora* 16, 68.  
 — — — *Rehb. Fl. germ.* 2, 9.  
 — — — *Dietr. Fl. bor.* 7, 492.  
 — *didyma* *Pers.* *Rehb. Fl. germ.* 2, 9.  
 — — — *Sturm Flora* 16, 68.  
 — *integrifolia* *DC.* *Mem. soc. hist. nat. Par.* 1799, 8.  
 — *pinnatifida* *DC.* *Mem. soc. hist. nat. Par.* 1799, 9.  
 — — — *Gray Genera* 72.  
 — *rhytidocarpa* *Hook.* *Hook. Journal* 1843, 20.  
 — *serrata* *Pers.* *Delessert Ic.* 2, 71.  
 † *Senecillis glauca* *Gaertn.* *Gaertn. Carp.* 173.  
 — — — *Rehb. Fl. germ.* 16, 958.  
 — — — *Jacquemontiana* *Decne.* *Jacquemont Ind.* 98.  
*Senecio abrotanifolius* *L.* *Jacq. Fl. austr.* 1, 79.  
 — — — *Sturm Flora* 6, 21.  
 — — — *Rehb. Fl. germ.* 16, 967.  
 — *acanthifolius* *Homb.* *Richard Astrolabe* 11.  
 — *adamantinus* *Bong.* *Acad. Petersb.* 5, 1.  
 — *adenotrichus* *DC.* *Bot. Reg.* 14, 1190.  
 — *adonidifolius* *Lois.* *Loiseleur Fl. gall.* 19.  
 — *aegyptius* *L.* *Lam. Encycl.* 676.  
 — *alpestris* *Hoppe.* *Rehb. Fl. germ.* 16, 980.  
 — *alpinus* *Scop.* *Rehb. Ic. crit.* 2, 134, 135.  
 — *Ambavilla* *Pers.* *Lam. Encycl.* 676.  
 — *ampulaceus* *Hook.* *Bot. Mag.* 63, 3487.  
 — *anthoraefolius* *Presl.* *Rehb. Ic. crit.* 4, 336.  
 — *aquaticus* *Huds.* *Fl. dan.* 5, 784.  
 — — — *Sv. Bot.* 681.  
 — — — *Engl. Bot.* 16, 1131.  
 † — — — *Schk. Handb.* 267.  
 — — — *Rehb. Fl. germ.* 16, 965.  
 — *arborescens* *Steetz.* *Seemann Herald* 31.  
 — *armenius* *Jaub. et Sp.* *Jaubert Illustr.* 398.  
 — *artemisiofolius* *Pers.* *Rehb. Ic. crit.* 5, 485.  
 — *aurantiacus* *DC.* *Rehb. Fl. germ.* 16, 982.  
 — *auriculatus* *Vahl.* *Vahl Symbolae* 18.

- Senecio auriculatus* *Vahl*. *Rchb. Fl. germ.* 16, 960.  
 — *barbareaefolius* *Krock*. *Dietr. Fl. bor.* 11, 742.  
 — — *Rchb. Fl. germ.* 16, 965.  
 — *belbaysins* *Delile*. *Delile Egypte* 45.  
 — *biflorus* *Burm.* *Burmans Fl. ind.* 51.  
 — *Boissieri* *DC.* *Boissier Esp.* 95.  
 — *brachychaetus* *DC.* *Rchb. Fl. germ.* 16, 981.  
 — *buxifolius* *H. B. K.* *H. B. K. Nov. Gen.* 4, 367.  
 — *calaliaeformis* *Rchb. fil.* *Rchb. Fl. germ.* 16, 977.  
 — *Cacaliaster* *Lam.* *Rchb. Fl. germ.* 16, 974.  
 — *caespitosus* *Brot.* *Hoffm. et Link Fl. port.* 99.  
 — *calamifolius* *Hook.* *Bot. Mag.* 69, 4011.  
 — *calvescens* *Moris.* *Mem. Tur.* 2, (1840.) 1.  
 — *campestris* *DC.* *Rchb. Fl. germ.* 16, 978.  
 — *candicans* *DC.* *Richard Astrolabe* 30.  
 — — *Hook. Fl. ant.* 109.  
 — — *Wall.* *Wight Ic. pl. Ind. or.* 3, 1134.  
 — *canus* *Hook.* *Hook. Bor. Am.* 116.  
 — *carniolicus* *Willd.* *Rchb. Fl. germ.* 16, 968.  
 — *Cineraria* *DC.* *Rchb. Fl. germ.* 16, 968.  
 — *cinerascens* *Ait.* *Jacq. Schoenbr.* 2, 150.  
 — *Clusianus* *Rchb. fil.* *Rchb. Fl. germ.* 16, 980.  
 — *colpodes* *Bong.* *Acad. Petersb.* 5, 3.  
 † — *cordatus* *Koch.* *Mutel Fl. fr.* 29.  
 — — *Rchb. Fl. germ.* 16, 969.  
 — *coronopifolius* *Burm.* *Burmans Fl. ind.* 60.  
 — — *Desf.* *Webb Canar.* 108.  
 — *corymbosus* *Wall.* *Wight Spicil.* 115.  
 — — *Wight Ic. pl. Ind. or.* 3, 1130.  
 — *crassifolius* *Willd.* *Sibth. Fl. gr.* 868.  
 — — *Rchb. Fl. germ.* 16, 962.  
 — *crispatus* *DC.* *Rchb. Fl. germ.* 16, 984.  
 — *croaticus* *W. et K.* *W. et Kit.* 143.  
 — *cruentus* *DC.* var.  $\beta$ . *Jacq. Ecl. pl.* 105.  
 — — *Bot. Reg.* 25, 7.  
 — *dalmaticus* *Vis.* *Visiani Dalm.* 7.  
 — *Danyaui* *Hombr.* *Richard Astrolabe* 13.  
 — *daphnoides* *Poir.* *Lam. Encycl.* 676.  
 — *Decaisnei* *DC.* *Webb Canar.* 107.  
 — *delphinifolius* *Vahl.* *Vahl Symbolae* 45.  
 — — *Rchb. Fl. germ.* 16, 961.  
 — — *Desf.* *Rchb. Ic. crit.* 4, (336.) 461.  
 — *dentatus* *Jacq.* *Jacq. Collect.* 5, 6.  
 — *denticulatus* *Müller.* *Fl. dan.* 5, 791.  
 — *dictyophyllus* *Benth.* *Fielding Sertum* 60.  
 — *difficilis* *Dufour.* *Ann. sc. nat.* 5, 11.  
 — *Doria* *L.* *Jacq. Fl. austr.* 2, 185.  
 † — — *Schk. Handb.* 267.  
 — — *Rchb. Fl. germ.* 16, 973.  
 — *Doronicum* *L.* *Gerard Fl. gallopr.* 7.  
 — — *Jacq. Fl. austr.* 5, 45.  
 — — var. *Rochel Banat.* 34.  
 — — *Rchb. Fl. germ.* 16, 975.  
 — *Durieu* *Gay.* *Boissier Esp.* 96.  
 — *elegans* *Ait.* *Bot. Mag.* 7, 238.  
 — — *Rchb. Hortus* 123.  
 — *elodes* *Boiss.* *Boissier Esp.* 97.  
 † — *erraticus* *Bertol.* *Mutel Fl. fr.* 29.  
 — — *Rchb. Ic. crit.* 4, 357.  
 — — *Rchb. Fl. germ.* 16, 964.  
 † — *erucifolius* *L.* *Schk. Handb.* 267.  
 — — *Sv. Bot.* 607.  
 — — *Fl. dan.* 11, 1885.  
 — — *Rchb. Ic. crit.* 4, 335.  
 — — *Rchb. Fl. germ.* 16, 966.  
 — *exilis* *Hombr.* *Richard Astrolabe* 13.  
 — *falklandicus* *Hook.* *Hook. Fl. ant.* 110.  
 — *floccidus* *Hombr.* *Richard Astrolabe* 12.  
 — *foeniculaceus* *Ten.* *Tenore Fl. nap.* 78.  
 — — *Rchb. Fl. germ.* 16, 962.  
 — *frigidus* *Less.* *Hook. Bor. Am.* 112.  
 — *fruticulosus* *Sibth.* *Sibth. Fl. gr.* 870.  
*Senecio fruticulosus* *Sibth.* *Rchb. Ic. crit.* 4, 358.  
 † — *Fuchsii* *Gmel.* *Mutel Fl. fr.* 30.  
 — — *Rchb. Ic. crit.* 3, 293.  
 — — *Rchb. Fl. germ.* 16, 972.  
 — *gallicus* *Vill.* *Rchb. Fl. germ.* 16, 959.  
 — *giganteus* *Desf.* *Desf. Fl. atl.* 234.  
 — *glastifolius* *Hook. fil.* *Hook. New Zealand* 39.  
 — *graminifolius* *Jacq.* *Jacq. Ic.* 174.  
 — *grandiflorus* *Link.* *Hoffm. et Link Fl. port.* 100.  
 — *Greyii* *Hook. fil.* *Hook. New Zealand* 38.  
 — *hastatus* *Bong.* *Acad. Petersb.* 5, 4.  
 — *Heritierii* *DC.* *Bot. Mag.* 67, 3827.  
 — *heterophyllus* *DC.* *Fielding Sertum* 16.  
 — *himalayensis* *Klotzsch.* *Prinz Waldem. Him.* 82.  
 — *Hookeri* *Hombr.* *Richard Astrolabe* 13.  
 — *humilis* *Desf.* *Desf. Fl. atl.* 233.  
 — *Jacobaea* *L.* *Fl. dan.* 6, 944.  
 — — *Sv. Bot.* 606.  
 — — *Engl. Bot.* 16, 1130.  
 † — — *Schk. Handb.* 267.  
 † — — *Lam. Encycl.* 676.  
 — — *Dietr. Fl. bor.* 7, 498.  
 — — *Rchb. Fl. germ.* 16, 964.  
 — *Jacquinianus* *Rchb.* *Rchb. Fl. germ.* 16, 971.  
 — *incanus* *L.* *Rchb. Fl. germ.* 16, 968.  
 — *intermedius* *Wight.* *Wight Ic. pl. Ind. or.* 3, 1135.  
 — *laciniatus* *Bert.* *Nocca et Balb. Fl. tic.* 13.  
 — *Lagopus* *Decneq.* *Raoul Nouv. Zel.* 17.  
 — *lanatus* *L. fil.* *Gmelin Reise* 1, 35.  
 — — *Scop.* *Rchb. Fl. germ.* 16, 975.  
 — *lanceus* *Ait.* *Jacq. Schoenbr.* 3, 304.  
 — *Laseguei* *Hombr.* *Richard Astrolabe* 13.  
 — *laurifolius* *H. B. K.* *H. B. K. Nov. Gen.* 4, 366.  
 — *lavandulaefolius* *Wall.* *Wight Ic. pl. Ind. or.* 3, 1133.  
 — *laxiflorus* *Viv.* *Viviani Lib.* 11.  
 — *leptoschizus* *Bong.* *Acad. Petersb.* 5, 6.  
 — *Lessonii* *Brongn.* *Brongniart Coquille* 59.  
 — *leucanthemifolius* *Poir.* *Rchb. Fl. germ.* 16, 962.  
 — *lilacinus* *Schrad.* *Schrader Blumenbachia* 4.  
 — — *Bot. Reg.* 16, 1342.  
 — *linearifolius* *Colla.* *Mem. Tur.* 38, 29.  
 — *linearilobus* *Bong.* *Acad. Petersb.* 5, 5.  
 — *linifolius* *L.* var. *frigidus*, *Boissier Esp.* 96.  
 — *litoralis* *Gaudich.* var. *lanatus*, *Richard Astrol.* 10.  
 — — *Hook. Ic. pl.* 5, 493.  
 — *lividus* *L.* *Schk. Handb.* 245.  
 — — *Engl. Bot.* 35, 2515.  
 — *Lopezii* *Boiss.* *Boissier Esp.* 98<sup>a</sup>.  
 — *lugens* *Rich.* *Hook. Bor. Am.* 114.  
 — *lyratifolius* *Rchb.* *Rchb. Ic. crit.* 2, 136.  
 † — — *Mutel Fl. fr.* 29.  
 — — *Rchb. Fl. germ.* 16, 967.  
 — *montanus* *Willd.* *Tratt. Archiv* 51. 51<sup>a</sup>.  
 — *myrrhifolius* *Thunb.* *Rchb. Hortus* 122.  
 — *nebrodensis* *L.* *Rchb. Fl. germ.* 16, 963.  
 — *neilgherrianus* *DC.* *Wight Ic. pl. Ind. or.* 3, 1132.  
 — *nemorensis* *L.* *Jacq. Observ.* 65. 66.  
 — — *Jacq. Fl. austr.* 2, 184.  
 † — — *Mutel Fl. fr.* 30.  
 — — *Dietr. Fl. bor.* 8, 564.  
 — — *Rchb. Ic. crit.* 3, 294.  
 — — *Rchb. Fl. germ.* 16, 971.  
 — *orientalis* *Willd.* *Pacho Voyage* 97.  
 — *paludosus* *L.* *Fl. dan.* 3, 385.  
 — — *Engl. Bot.* 10, 650.  
 — — *Sv. Bot.* 736.  
 — — *Dietr. Fl. bor.* 12, 835.  
 — — *Rchb. Fl. germ.* 16, 974.  
 — *palustris* *DC.* *Dietr. Fl. bor.* 9, 609.  
 — — *Rchb. Fl. germ.* 16, 982.  
 — *papposus* *Less.* *Rchb. Fl. germ.* 16, 979.  
 — *parviflorus* *All.* *Allione Fl. ped.* 3, 38.

- Senecio pauciflorus* *H. B. K.* *H. B. K. Nov. Gen.* 4, 365.  
 — *pauciflorus* *Gm.* *Gmelin Reise* 1, 38.  
 — *paulensis* *Bong.* *Acad. Petersb.* 5, 2.  
 — *persicaefolius* *Ram.* *Bull. philom.* 1800. no. 43.  
 — *pimpinellaefolius* *H. B. K.* *H. B. K. N. G.* 4, 364.  
 — *pinnulatus* *Thunb.* *Rchb. Hortus* 236.  
 — *platanifolius* *Benth.* *Fielding Sertum* 15.  
 — *populifolius* *DC.* *Maund Bot.* 5, 115.  
 — — *var. lacteus*, *Bot. Reg.* 25, 45.  
 — *praecaltus* *Bert.* *Opusc. sc. Bonon.* 3, 7.  
 — *praecox* *DC.* *Bot. Mag.* 80, 4803.  
 — *pratensis* *DC.* *Rchb. Fl. germ.* 16, 979.  
 — *Pseudo-Arnica* *Less.* *Hook. Bor. Am.* 113.  
 — *Pseudo-China* *Andr.* *Andr. Rep.* 5, 291.  
 — *quadridentatus* *Lab.* *Bill. Nov. Holl.* 194.  
 — *quinqueradiatus* *Boiss.* *Boissier Esp.* 98.  
 — *reclinatus* *L.* *L'her. Stirp.* 5.  
 — *resedifolius* *Less.* *Hook. Bor. Am.* 117.  
 — *rigescens* *Jacq.* *Jacq. Collect.* 5, 6.  
 — *rosmarinifolius* *L.* *Jacq. Ic.* 587.  
 — *rubens* *Juss.* *Jacq. Vind.* 3, 98.  
 — *rupestris* *W. et K.* *W. et Kit.* 128.  
 — — *Rchb. Ic. crit.* 4, 334.  
 — *sarracenicus* *L.* *Jacq. Fl. austr.* 2, 186.  
 † — — *Schk. Handb.* 267.  
 — — *Engl. Bot.* 31, 2211.  
 † — — *Mutel Fl. fr.* 30.  
 — — *Fl. dan.* 12, 2059.  
 — — *Hayne* 8, 11.  
 — — *Dietr. Fl. bor.* 8, 563.  
 — — *Rchb. Ic. crit.* 3, 295.  
 — — *Rchb. Fl. germ.* 16, 970.  
 — *Schultesii* *Hochst.* *Fielding Sertum* 59.  
 — *sciadophilus* *Decne.* *Raoul Nouv. Zel.* 18.  
 — *seminudus* *Bory.* *Ann. gen.* 1, 12.  
 — *silvaticus* *L.* *Ruppius Fl. jen.* 3.  
 — — *Fl. dan.* 5, 869.  
 — — *Engl. Bot.* 11, 748.  
 † — — *Schk. Handb.* 267.  
 — — *Dietr. Fl. bor.* 12, 836.  
 — — *Rchb. Fl. germ.* 16, 960.  
 — *spathulaefolius* *DC.* *Rchb. Fl. germ.* 16, 978.  
 — — *β. tenuifolius*, *Rchb. Fl. germ.* 16, 981.  
 — *speciosus* *Ker.* *Bot. Reg.* 1, 41.  
 — — *Lodd. Cab.* 1113.  
 — *squalidus* *Sm.* *Engl. Bot.* 9, 600.  
 — — *Baxter Brit. Bot.* 1, 52.  
 — — *Rchb. Fl. germ.* 16, 961.  
 † — *subalpinus* *Koch.* *Mutel Fl. fr.* 29.  
 — — *Rchb. Fl. germ.* 16, 969.  
 — *subdentatus* *Led.* *Ledeb. Ic.* 493.  
 — *telephifolius* *Jacq.* *Jacq. Fragm.* 1.  
 — *tenuifolius* *Burm.* *Burm. Fl. ind.* 60.  
 — — *Jacq.* *Jacq. Fl. austr.* 3, 278.  
 † — — *Schk. Handb.* 267.  
 — — *Curt. Lond.* 3, 15.  
 — — *Engl. Bot.* 8, 574.  
 † — — *Mutel Fl. fr.* 29.  
 — *thapsoides* *DC.* *Rchb. Fl. germ.* 16, 976.  
 — *Thunbergianus* *Schrad.* *Schrader Blumenbachia* 4.  
 — *triangularis* *Hook.* *Hook. Bor. Am.* 115.  
 — *trifurcatus* *Less.* *Hook. Fl. ant.* 108.  
 — *trilobus* *Sibth.* *Sibth. Fl. gr.* 869.  
 — *tuberosus* *Rich.* *Richard Abyssin.* 58.  
 — *Tussilaginis* *Less.* *Bot. Reg.* 18, 1550.  
 — *umbrosus* *W. et K.* *W. et Kit.* 210.  
 — — *Rchb. Fl. germ.* 16, 973.  
 — *uniflorus* *All.* *Allione Fl. ped.* 3, 17.  
 — — *Rchb. Fl. germ.* 16, 968.  
 — *valerianifolius* *Wolf.* *Rchb. Hortus* 85.  
 — *varicosus* *L.* *Linné Hort. ups.* 1, 5.  
 — *venustus* *Ait.* *Bot. Reg.* 11, 901.

- Senecio verbascifolius* *Burm.* *Richard Ästrolabe* 12.  
 — *verbenaefolius* *Jacq.* *Jacq. Vind.* 3.  
 — *vernalis* *W. et K.* *W. et Kit.* 24.  
 — — *Rchb. Ic. crit.* 4, 333.  
 — — *Rchb. Fl. germ.* 16, 959.  
 — *vernus* *Biv.* *Bivona Pl. sic.* 1, 5.  
 — *viscosus* *L.* *Fl. dan.* 7, 1230.  
 — — *Engl. Bot.* 1, 32.  
 † — — *Schk. Handb.* 267.  
 — — *Dietr. Fl. bor.* 12, 837.  
 — — *Rchb. Fl. germ.* 16, 960.  
 — *Visianianus* *Papaf.* *Visiani Dalm.* 8.  
 — — *Rchb. Fl. germ.* 16, 976.  
 — *vulgaris* *L.* *Fl. dan.* 3, 513.  
 — — *Sv. Bot.* 353.  
 — — *Curt. Lond.* 2, 57.  
 — — *Engl. Bot.* 11, 747.  
 † — — *Gaertn. Carp.* 166.  
 † — — *Lam. Encycl.* 676.  
 — — *Dreyes* 1, 26.  
 — — *Hayne* 8, 10.  
 — — *Schrank Fl. monac.* 3, 298.  
 — — *Dietr. Fl. bor.* 7, 497.  
 — — *Rchb. Fl. germ.* 16, 959.  
 — *Walkeri* *Arn.* *Wight Ic. pl. Ind. or.* 3, 1131.  
 — *Wightianus* *DC.* *Wight Ic. pl. Ind. or.* 3, 1136.  
 † *Senefeldera* *Mart.* *Wiegmann Archiv* 7, 8.  
 † *Senna angustifolia* *Batka.* *Bot. Zeitung* 1849, 2.  
 † — *obovata* *Batka.* *Bot. Zeitung* 1849, 2.  
 † — *officinalis* *Gaertn.* *Gaertn. Carp.* 46.  
 † — *tomentosa* *Delile.* *Bot. Zeitung* 1849, 2.  
*Senra incana* *Cav.* *Cav. Diss.* 35.  
*Septacanthus alatus* *Wight.* *Wight Ic. pl. Ind. or.* 4, 1527.  
*Septas capensis* *L.* *Jacq. Fragm.* 2.  
 — — *Andr. Rep.* 2, 90.  
 — — *Lam. Encycl.* 276.  
 — — *Tratt. Archiv* 58.  
 — *globiflora* *Sims.* *Bot. Mag.* 36, 1472.  
 † — *trichotoma* *Lam.* *Lam. Encycl.* 276.  
 † *Serapias* *L.* *Svensk Acad.* 1800, 3.  
 † — *Schrader Neues Journal* 1, 1.  
 — *Caravata* *Aubl.* *Aublet Guiana* 320.  
 — *cordigera* *L.* *Sibth. Fl. gr.* 932.  
 — — *Andr. Rep.* 7, 475.  
 — — *Rchb. Fl. germ.* 13, 440.  
 — — *var. longipetala*, *Bot. Reg.* 14, 1189.  
 — *ensifolia* *Roth.* *Schk. Handb.* 274.  
 — *erecta* *Thunb.* *Thunberg Ic. jap.* 4.  
 — *falcata* *Thunb.* *Thunberg Ic. jap.* 5.  
 — *grandiflora* *L.* *Fl. dan.* 3, 506.  
 † — *Helleborine* *L.* *Gaertn. Carp.* 14.  
 — *lancifera* *St. Amans.* *Rchb. Fl. germ.* 13, 499.  
 — *latifolia* *L.* *Fl. dan.* 5, 811.  
 † — — *Lam. Encycl.* 728.  
 — *laxiflora* *Chaub.* *Rchb. Fl. germ.* 13, 442.  
 — — *β. Columnae*, *Rchb. Fl. germ.* 13, 499.  
 — *Lingua* *L.* *Hook. Exot. Fl.* 11.  
 — — *Lodd. Cab.* 655.  
 — — *Sibth. Fl. gr.* 931.  
 — — *Rchb. Fl. germ.* 13, 439. 499.  
 † — *longifolia* *L.* *Schk. Handb.* 274.  
 — — *Sturm Flora* 4, 13.  
 — *longipetala* *Poll.* *Tenore Fl. nap.* 98.  
 — — *Rchb. Exot.* 264.  
 — — *Bot. Reg.* 14, 1189.  
 — *neglecta* *Not.* *Rchb. Fl. germ.* 13, 520.  
 † — *oxygottis* *Willd.* *Nees Gen.* 3, x.  
 — *parviflora* *Parlat.* *Linnaea* 12, 4.  
 — *pseudocordigera* *Moric.* *Rchb. Fl. g.* 14, 441. 442.  
 † — *purpurea* *Poir.* *Lam. Encycl.* 728.  
 — *triloba* *Viv.* *Viviani Fl. ital.* 12.  
 — — *Rchb. Fl. germ.* 13, 438. 499.

- † *Sergilus scoparius* Gaertn. Gaertn. Carp. 174.  
 † *Seriana* Schum. Skrifter nat. Selsk. 1794, 9.  
 — *dibotrya* P. et E. Poepp. et Endl. 242.  
 — *divaricata* Schum. Skrifter nat. Selsk. 1794, 12.  
 — *lupulina* Schum. Skrifter nat. Selsk. 1794, 12.  
 — *meridionalis* St. Hil. St. Hil. Fl. Bras. 76.  
 — *nutans* P. et E. Poepp. et Endl. 242.  
 — *paniculata* H. B. K. H. B. K. Nov. Gen. 5, 441.  
 — *racemosa* Schum. Skrifter nat. Selsk. 1794, 12.  
 — *sinuata* L. Skrifter nat. Selsk. 1794, 12.  
 — *spectabilis* Schum. Skrifter nat. Selsk. 1794, 12.  
 — *velutina* Camb. St. Hil. Fl. Bras. 75.  
*Sericographis Ghiesbreghtiana* DC. Journ. Hort. Soc. 3, 245.  
 — — — Paxt. Mag. 15, 176.  
 — *rigida* N. v. E. Endl. Bras. 7, 16.  
*Sericostoma pauciflorum* Stocks. Wight Ic. pl. Ind. or. 4, 1377.  
 — — — Hook. Ic. pl. 9, 804.  
*Seringia platyphylla* Gay. Mem. Mus. 7, 16, 17.  
*Seriola aetnensis* L. Jacq. Obs. 79.  
 † — — — Gaertn. Carp. 159.  
 — — — Lam. Encycl. 656.  
 — — — Schk. Handb. 224.  
 — — — Sibth. Fl. gr. 815.  
 — *Alliatae* Biv. Bivona Pl. sic. 2, 7.  
 — *cretensis* L. Bivona Stirp. rar. sic. 4, 4.  
 — *laevigata* L. Desf. Fl. atl. 216.  
 — — — Sibth. Fl. gr. 814.  
 — *taraxacoides* Lois. Loiseleur Fl. gall. 18.  
 — *urens* All. Allione Fl. ped. 3, 29.  
 — — L. Schmidel Ic. 32.  
 — — Lam. Lam. Encycl. 656.  
 † *Seriphium cinereum* L. Gaertn. Carp. 167.  
 † — — — Lam. Encycl. 722.  
*Seris polymorpha* Less. Hook. Ic. pl. 6, 501.  
*Serissa capensis* Thunb. Cruse Rub. cap. 2.  
 — *foetida* Lam. Lam. Encycl. 151.  
 — — — Savi Fl. ital. 1, 31.  
*Serpicula hirsuta* W. et A. Wight Ic. pl. Ind. or. 3, 1001.  
 — *repens* L. Lam. Encycl. 758.  
 — *verticillata* Roxb. Roxb. Corom. 164.  
*Serraea incana* Cav. Ann. sc. nat. II. 4, 4.  
 — — — Wight Ic. pl. Ind. or. 4, 1592.  
*Serratula alata* Gm. Gmelin Reise 1, 35.  
 — *alpina* L. Lightfoot Fl. scot. 1, 19.  
 — — — Fl. dan. 1, 37.  
 — — — Engl. Bot. 9, 599.  
 — *arvensis* L. Fl. dan. 4, 644.  
 † — — — Schk. Handb. 234.  
 — *baetica* Boiss. Boissier Esp. 113.  
 — *Behen* Lam. Lam. Encycl. 666.  
 — *canariensis* Sch. Bip. Webb Canar. 119.  
 — *chaetocarpa* Led. Ledeb. Ic. 490.  
 — *cirsioides* Ten. Tenore Fl. nap. 181.  
 — *conifera* Brot. Brotero Phyto. 31.  
 † — *cyanoides* Gaertn. Gaertn. Carp. 162.  
 † — — — Lam. Encycl. 666.  
 — *depressa* Stev. Linn. Transact. 11, 38.  
 — *discolor* Willd. Rochel Banat. 37.  
 — *dissecta* Led. Ledeb. Ic. 489.  
 — *dubia* Scop. Lam. Encycl. 666.  
 — *elegans* Stev. Linn. Transact. 11, 37.  
 — *fruticosa* Lam. Lam. Encycl. 666.  
 — *glauca* Led. Ledeb. Ic. 52.  
 — *helenifolia* Sch. Bip. Rehb. Fl. germ. 15, 806.  
 — *heterophylla* Desf. Rehb. Fl. germ. 15, 804.  
 — *humilis* Desf. Desf. Fl. atl. 220.  
 — *incana* Gm. Gmelin Reise 1, 36.  
 — *mollis* Cav. Cav. Ic. 90.  
 — *mucronata* Desf. Desf. Fl. atl. 219.  
 — *nudicaulis* DC. Rehb. Fl. germ. 15, 803.

- Serratula polygyna* Rich. Richard Abyssin. 62.  
 — *pulchella* Sims. Bot. Mag. 52, 2589.  
 — *pygmaea* Jacq. Jacq. Fl. austr. 5, 440.  
 — *quinquefolia* Willd. Bot. Mag. 44, 1871.  
 — *radiata* M. v. B. Winterl Index 8.  
 — — — Rehb. Fl. germ. 15, 803.  
 — *Rhaponticum* DC. Rehb. Fl. germ. 15, 805.  
 — *simplex* DC. Bot. Mag. 51, 2482.  
 — *spicata* L. Andr. Rep. 6, 401.  
 — *stoechadifolia* M. v. B. Marschall Cent. 49.  
 — *tenuifolia* Bong. Acad. Petersb. 6, 10.  
 — *tinctoria* L. Fl. dan. 2, 281.  
 — — — Engl. Bot. 1, 38.  
 — — — Baxter Brit. Bot. 3, 174.  
 — — — Sv. Bot. 170.  
 — — — Schk. Handb. 234.  
 — — — Sturm Flora 2, 3.  
 — — — Dietr. Fl. bor. 8, 555.  
 — — — Rehb. Fl. germ. 15, 802, 887.  
 † *Serronia Gaudich.* Miquel Comment. 4.  
 — *acuminata* Moric. Moricand Pl. Am. 57.  
 — *Jaborandi* Gaudich. Delessert Ic. 3, 90.  
*Sertürnera glauca* Mart. Mart. Bras. 136, 137.  
 — *iresinoides* Mart. Mart. Bras. 138.  
*Sesamum indicum* L. Rumpf Amb. 5, 76, fig. 1.  
 — — — Bot. Mag. 41, 1688.  
 — — — DC. Hortus genev. 5.  
 — — — Endl. Iconogr. 70.  
 — — — Wight Illustr. 163.  
 — *laciniatum* Klein. Wight Ic. pl. Ind. or. 4, 1345.  
 — *orientale* L. Rheede Hort. mal. 9, 54, 55.  
 † — — — Gaertn. Carp. 110.  
 — — — Lam. Encycl. 528.  
 — — — Desc. Ant. 4, 268.  
 — *prostratum* Retz. Wight Ic. pl. Ind. or. 4, 1346.  
*Sesbania aegyptiaca* Pers. Rheede Hort. mal. 6, 27.  
 — — — Wight Ic. pl. Ind. or. 1, 32.  
 — *dubia* H. B. K. H. B. K. Nov. Gen. 7, 660.  
 — — — Kerner Hortus 726.  
 — *macrocarpa* Mühlent. Barton Fl. 1, 28.  
 — *pachycarpa* DC. Guillemin Seneg. 50.  
 — *picta* Pers. Bot. Reg. 11, 873.  
 — *pubescens* DC. Peters Mossamb. 8.  
*Seseli*  
*ammoides* L. Jacq. Vind. 52.  
 — *annuum* L. Jacq. Fl. austr. 1, 55.  
 — — — Lam. Encycl. 202.  
 — *bengalense* Roxb. Wight Ic. pl. Ind. or. 2, 568.  
 — *Boeconii* Guss. Moris Fl. sard. 76.  
 — *Carvi* Roth. Lam. Encycl. 202.  
 — *coloratum* Ehrh. Dietr. Fl. bor. 10, 709.  
 — *coronatum* Led. Ledeb. Ic. 169.  
 — *dichotomum* M. v. B. Bot. Mag. 46, 2073.  
 — *divaricatum* Pursh. Bot. Mag. 42, 1742.  
 — *elatum* Gouan. Gouan Illustr. 8.  
 — *glaucum* L. Jacq. Fl. austr. 2, 144.  
 — *globiferum* Vis. Visiani Dalm. 30.  
 — *gracile* W. et K. W. et Kit. 117.  
 — *graveolens* Led. Ledeb. Ic. 104.  
 — *gummiferum* Sm. Smith Exot. Bot. 120.  
 — — — Bot. Mag. 48, 2259.  
 — *Hippomarathrum* L. Jacq. Fl. austr. 2, 143.  
 — — — Schk. Handb. 75.  
 — *intricatum* Boiss. Boissier Esp. 72.  
 — *leiocarpum* Hook. Hook. Bor. Am. 93.  
 — *leucospermum* W. et K. W. et Kit. 89.  
 — *Libanotis* Koch. Baxter Brit. Bot. 6, 455.  
 — *multicaule* Jacq. Jacq. Vind. 129.  
 † *Pallasii* Besser. DC. Umbelliferae 3.  
 — *petraeum* M. v. B. Rehb. Hortus 3.  
 — *polyphyllum* Ten. Tenore Fl. nap. 134.  
 — *promonense* Vis. Visiani Dalm. 29.  
 — *pusillum* Brot. Brotero Phyto. 39.



- Seseli rigidum* *W. et K.* W. et Kit. 146.  
 — *strictum* *Led.* Ledeb. Ic. 174.  
 — *tenuifolium* *Led.* Ledeb. Ic. 97.  
 — *tomentosum* *Vis.* Visiani Stirp. dalm. 3.  
 — *triternatum* *Pursh.* Hook. Bor. Am. 94.  
 — *vaginatum* *Led.* Ledeb. Ic. 171.  
 † — *varium* *Trevir.* DC. Umbellifères 3.  
 — *venosum* *Hoffm.* Sprengel Fl. hal. 2.  
 — *verticillatum* *Desf.* Lam. Encycl. 202.  
 † *Sesleria Arduino.* Dumortier Gramin. 6.  
 — *alba* *Sibth.* Sibth. Fl. gr. 72.  
 — *coerulea* *Arduino* Anim. 2, 6.  
 — — — Lam. Encycl. 47.  
 — — — Fl. dan. 9, 1506.  
 — — — Sv. Bot. 210.  
 — — — Engl. Bot. 23, 1613.  
 — — — Knapp Gram. 43.  
 — — — Baxter Brit. Bot. 3, 192.  
 — — — Sturm Flora 2, 6.  
 — — — Host Gram. 198.  
 — — — Rchb. Fl. germ. 1, 56.  
 † — — — Nees Gen. 1, 53.  
 — *disticha* *Pers.* Sturm Flora 2, 6.  
 — *echinata* *Lam.* Lam. Encycl. 47.  
 — — *Host.* Host Gram. 208.  
 — *elongata* *Host.* Host Gram. 197.  
 — — — Rchb. Fl. germ. 1, 56.  
 † — — — Nees Gen. 1, 53.  
 — *interrupta* *Vis.* Visiani Dalm. 2.  
 — *juncifolia* *Host.* Host Gram. 322.  
 — — — Rchb. Fl. germ. 1, 57.  
 — *microcephala* *DC.* Sturm Flora 2, 6.  
 — *nitida* *Ten.* Tenore Fl. nap. 103.  
 — *rigida* *Heuffel.* Rchb. Fl. germ. 1, 57.  
 — *sphaerocephala* *Arduino* Anim. 2, 7.  
 — — — Host Gram. 199.  
 — — — Sturm Flora 2, 6.  
 — — — Rchb. Fl. germ. 1, 56.  
 — *tenella* *Host.* Host Gram. 200.  
 † *tenuifolia* *Schrad.* Schrader Fl. germ. 6.  
 — — — Rchb. Fl. germ. 1, 57.  
 † *Sessea Rz et P.* Ruiz et Pav. Prodr. 33.  
 — *dependens* *Rz et P.* Ruiz et Pav. Fl. 116.  
 — *stipulata* *Rz et P.* Ruiz et Pav. Fl. 115.  
 — — — Miers Illustr. 15.  
*Sestochilos uniflorum* *Breda.* Breda Orchid. Javae 3.  
 † *Sesuvium L.* Gray Genera 100.  
 — *pentandrum* *Ell.* Gray Genera 100.  
 — *Portulacastrum L.* Rumpf Amb. 6, 72. fig. 1.  
 — — — Jacq. Hist. stirp. am. 142.  
 — — — Lam. Encycl. 434.  
 — — — DC. Plantes grasses 9.  
 — — — Bot. Mag. 41, 1701.  
 — *repens* *Willd.* Hook. Companión 23.  
 — *revolutifolium* *Ortega.* Lam. Encycl. 434.  
 † *Setaria Pal. B.* Dumortier Gramin. 14.  
 — *glauca* *Pal. B.* var. *clongata* *R. et Sch.* Humb. Gram. 118.  
 — — — Rchb. Fl. germ. 1, 47.  
 — *gracilis* *Kth.* Trin. Sp. Gr. 2, 196.  
 † *italica* *Pal. B.* Nees Gen. 1, 22.  
 — *longiseta* *Pal. B.* Pal. B. Fl. d'Oware 110.  
 — *purpurascens* *Kth.* Trin. Sp. Gr. 2, 196.  
 — *scabrifolia* *Kth.* Humb. Gram. 212.  
 — *Ventenatii* *Kth.* Humb. Gram. 37.  
 — *verticillata* *Pal. B.* Baxter Brit. Bot. 3, 211.  
 — — — Rchb. Fl. germ. 1, 47.  
 † — — — Nees Gen. 1, 22.  
 — *viridis* *Pal. B.* Rchb. Fl. germ. 1, 47.  
*Sethia indica* *DC.* Wight Illustr. 48.  
 — *oblonga* *Wall.* Wight Ic. pl. Ind. or. 1, 97.  
*Seymouria asarifolia* *Sweet.* Sweet Geran. 206.

- † *Shawia paniculata* *Forst.* Forster Charact. 48.  
 — — — Raoul Nouv. Zel. 13.  
*Sheffieldia incana* *Lab.* Bill. Nov. Holl. 54.  
 † — *repens* *Forst.* Forster Charact. 9.  
*Shepherdia argentea* *Nutt.* Hook. Bor. Am. 178.  
 † — *canadensis* *Nutt.* Mem. hist. nat. Par. 1, 24.  
 † — — — Hoffmannsegg Verz. 1824, 1.  
*Sherardia arvensis L.* Fl. dan. 3, 439.  
 † — — — Gaertn. Carp. 24.  
 † — — — Lam. Encycl. 61.  
 — — — Curt. Lond. 1, 31.  
 — — — Engl. Bot. 13, 891.  
 — — — Baxter Brit. Bot. 4, 244.  
 — — — Sv. Bot. 609.  
 — — — Dict. sc. nat. 98.  
 — — — Schk. Handb. 22.  
 — — — Dietr. Fl. bor. 8, 576.  
 † — — — Nees Gen. X, x.  
 † — — — Schnizl. Iconogr. 3, 127<sup>a</sup>.  
 — *erecta* *Sibth.* Sibth. Fl. gr. 116.  
 — *muralis* *L.* Sibth. Fl. gr. 115.  
 — *pusilla* *Bory.* Bory et Chamb. Morée 15.  
 † *Shorea robusta* *Gaertn.* Gaertn. Carp. 186.  
 — — — Roxb. Corom. 212.  
 † *Shuteria bicolor* *Choisy.* Mem. Genev. 6, 2.  
 — — — Bot. Reg. 4, 318.  
 † — — — Wight Illustr. 168<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 3, 835.  
 — — — Fl. d. serres 4, 421.  
 — *glabrata* *W. et A.* Hook. Ic. pl. 2, 144.  
 — *vestita* *W. et Arn.* Wight Ic. pl. Ind. or. 1, 165.  
*Siagonanthus multicaulis P. et E.* Poepp. et Endl. 69.  
*Sibbaldia adpressa* *Bunge.* Ledeb. Ic. 276.  
 — *erecta* *L.* Lam. Encycl. 221.  
 — *parviflora* *Willd.* N. Schr. naturf. Fr. 2, 5.  
 — *potentilloides* *Decne.* Jacquemont Ind. 67.  
 — *procumbens* *L.* Fl. dan. 1, 32.  
 — — — Engl. Bot. 13, 897.  
 — — — Sv. Bot. 761.  
 — — — Lam. Encycl. 221.  
 † — — — Gaertn. Carp. 73.  
 — — — Bragne Fl. Salisb. 1, 3.  
 — — — Schk. Handb. 88.  
 — — — Sturm Flora 5, 17.  
 — — — Baxter Brit. Bot. 6, 470.  
 — *purpurea* *Royle.* Royle Illustr. 40.  
 † *Sibthorpia europaea L.* Gaertn. Carp. 55.  
 † — — — Lam. Encycl. 535.  
 — — — Roemer Fl. europ. 11, 7.  
 — — — Tratt. Archiv. 85.  
 — — — Engl. Bot. 10, 649.  
 — — — Baxter Brit. Bot. 3, 215.  
 — *pichinchensis* *H. B. K.* H. B. K. Nov. Gen. 2, 176.  
 — *retusa* *H. B. K.* H. B. K. Nov. Gen. 2, 177.  
 † *Sicyos angulata L.* Gaertn. Carp. 88.  
 — — — Lam. Encycl. 796.  
 — — — Schk. Handb. 316.  
 † — — — Hofmeister Embryo 13.  
 — *bryoniaefolia* *Moris.* Mem. Tur. 37, 27.  
 — *laciniata* *L.* Desc. Ant. 5, 331.  
 — *Garcini* *L.* Burmann Fl. ind. 57.  
 — *montana* *P. et E.* Poepp. et Endl. 172.  
 † *Sida L.* Gray Genera 123.  
 — *abutiloides* *Jacq.* Jacq. Observ. 7.  
 — *Abutilon L.* Schk. Handb. 190<sup>a</sup>.  
 — *acaulis* *Cav.* Cav. Ic. 422.  
 — *acuta* *Burm.* Rheed. Hort. mal. 10, 53.  
 — — — Rumpf Amb. 6, 18. fig. 2.  
 — — — Cav. Diss. 2.  
 — — — Wight Ic. pl. Ind. or. 1, 95.  
 — *africana* *Poir.* Pal. B. Fl. d'Oware 116.  
 — *alba* *Cav.* Cav. Diss. 3.

- Sida* *alnifolia* L. Cav. Diss. 1.  
 — *americana* L. Desc. Ant. 6, 406.  
 — *angustifolia* Mill. L'her. Stirp. 52.  
 — — *Juss.* Cav. Diss. 2.  
 — *anomala* St. Hil. St. Hil. Fl. Bras. 33.  
 — — var. *mexicana*, Moricand Pl. Am. 24.  
 — *arborea* L. fil. L'her. Stirp. 63.  
 — — Kerner Hort. 277.  
 — *asiatica* L. Rumpf Amb. 4, 10.  
 — — Cav. Diss. 7, 128.  
 — *atrosanguinea* Jacq. Jacq. Ic. 136.  
 — *aurantiaca* St. Hil. St. Hil. Fl. Bras. 35.  
 — *aurea* Lodd. Lodd. Cab. 1842.  
 — *aurita* Link. Bot. Mag. 51, 2495.  
 — *Bedfordiana* Hook. Bot. Mag. 68, 3892.  
 — *bicolor* Cav. Cav. Ic. 311.  
 — *biflora* Cav. Cav. Diss. 9.  
 — *bivalvis* Cav. Cav. Diss. 11.  
 — *borbonica* Cav. Cav. Diss. 10.  
 — *calycina* Cav. Cav. Diss. 8.  
 — *calyptrata* Cav. Cav. Diss. 133.  
 — *canescens* Cav. Cav. Diss. 8.  
 — *capensis* Cav. Cav. Diss. 12.  
 — *capillaris* Cav. Cav. Diss. 1.  
 — *carpinifolia* L. fil. Jacq. Ic. 135.  
 — — Cav. Diss. 134.  
 — — St. Hil. Pl. usuelles 50.  
 — *ciliaris* L. Cav. Diss. 3, 127.  
 — *cistiflora* L'her. L'her. Stirp. 61.  
 — *cordifolia* L. Rheede Hort. mal. 10, 54.  
 — — Cav. Diss. 3.  
 — *crassifolia* L'her. L'her. Stirp. 60.  
 — *crispa* L. Martyn Hist. 27.  
 — — Cav. Diss. 7, 135.  
 — *crispifolia* Cav. Cav. Ic. 419.  
 — *cristata* L. Bot. Mag. 10, 330.  
 — — Schk. Handb. 190<sup>a</sup>.  
 — *dioica* Cav. Cav. Diss. 132.  
 — *diploscypha* Hook. Hook. Beechey 76.  
 — *discissa* Bert. Mem. Mod. 23, 5.  
 — *disticha* Cav. Cav. Ic. 432.  
 — *Dombeyana* Hook. Hook. Bot. Misc. 89.  
 — *elegans* Colla. Mem. Tur. 35, 4.  
 — *excelsior* Cav. Cav. Diss. 5.  
 — *exstipularis* Comm. Cav. Diss. 7.  
 — *filiformis* Moric. Moricand Pl. Am. 25.  
 — *flavescens* Cav. Cav. Diss. 13.  
 — *floribunda* H. B. K. H. B. K. Nov. Gen. 5, 473.  
 — *foetida* Cav. Cav. Diss. 196.  
 — *fragrans* L'her. L'her. Stirp. 53.  
 — *frutescens* Cav. Cav. Diss. 10.  
 † *gigantea* Jacq. Jacq. Fragm. 2.  
 — — Jacq. Schoenbr. 2, 141.  
 — *glauca* Cav. Cav. Ic. 11.  
 — *globiflora* Hook. Bot. Mag. 55, 2821.  
 — *glomerata* Cav. Cav. Diss. 2.  
 — — Desc. Ant. 7, 526.  
 — *glutinosa* Comm. Cav. Diss. 2.  
 — *grandifolia* Willd. Bot. Reg. 5, 360.  
 — *graveolens* Roxb. Jacq. Fragm. 98.  
 — — Bot. Mag. 71, 4134.  
 — *hastata* Willd. Andr. Rep. 9, 588.  
 — — Bot. Mag. 37, 1541.  
 — ? — — St. Hil. Fl. Bras. 36.  
 — *hederaefolia* Cav. Cav. Diss. 9.  
 — *herbacea* Cav. Cav. Diss. 13.  
 — *hernandioides* L'her. L'her. Stirp. 58.  
 — *heterophylla* Cav. Cav. Ic. 421.  
 — *hirta* Lam. Cav. Diss. 7, 129.  
 — — Rehb. Hort. 152.  
 — *humilis* Cav. Cav. Diss. 134.  
 — *jamaicensis* L. Cav. Diss. 2.

- Sida* *iatrophoides* L'her. L'her. Stirp. 56.  
 — — Lam. Encycl. 578.  
 — *javenis* Cav. Cav. Diss. 1.  
 — *inaequalis* Link et O. Link Ic. I. 34.  
 — — Bot. Mag. 62, 3436.  
 — *indica* L. Rumpf Amb. 4, 11.  
 — — Cav. Diss. 7.  
 — *integerrima* Hook. Bot. Mag. 74, 4360.  
 — *intermedia* St. Hil. St. Hil. Fl. Bras. 36.  
 — *linearis* Cav. Cav. Ic. 312.  
 — *lignosa* Cav. Cav. Diss. 6.  
 — *linifolia* Juss. Cav. Diss. 2.  
 — *maculata* Cav. Cav. Diss. 3.  
 — *malacophylla* Link et O. Link Ic. I. 30.  
 — — Kerner Hort. 679.  
 — *malvaeflora* DC. Bot. Reg. 12, 1036.  
 — *mauritiana* L'her. L'her. Stirp. 62.  
 — — Jacq. Ic. 137.  
 — *micans* Cav. Cav. Diss. 3.  
 — *micrantha* St. Hil. St. Hil. Pl. usuelles 49.  
 — *microphylla* Cav. Cav. Diss. 12.  
 — *microsperma* Cav. Cav. Diss. 13.  
 — *mollis* Ortega. Bot. Mag. 54, 2759.  
 — *morifolia* Cav. Cav. Diss. 1.  
 — *multicaulis* Cav. Cav. Diss. 12.  
 — *multifida* Domb. Cav. Diss. 4.  
 — *multiflora* Cav. Cav. Diss. 3.  
 — — Jacq. Observ. 45.  
 — *muricata* Cav. Cav. Ic. 597.  
 — *Napaea* Cav. Cav. Diss. 132.  
 — — Bot. Mag. 48, 2193.  
 — *nudiflora* L'her. L'her. Stirp. 59, 59<sup>b</sup>.  
 — *nutans* L'her. L'her. Stirp. 57<sup>b</sup>.  
 — *obtusa* Vogel. Cav. Diss. 9.  
 — *occidentalis* L. Cav. Diss. 4.  
 — *orientalis* Cav. Cav. Diss. 12.  
 — *ovata* Cav. Cav. Diss. 196.  
 — *paeoniaeflora* Hook. Bot. Mag. 71, 4170.  
 — *palmata* Domb. Cav. Diss. 3, 131.  
 — — Jacq. Ic. 547.  
 — *paniculata* L. Cav. Diss. 12.  
 — *patens* Andr. Andr. Rep. 9, 571.  
 — *parmassiaefolia* Hook. Hook. Ic. pl. 4, 385.  
 — *periplocifolia* L. Cav. Diss. 5.  
 — *periptera* Sims. Bot. Mag. 40, 1644.  
 — *persica* Burm. Burmann Fl. ind. 47.  
 — — Cav. Diss. 4.  
 — *peruviana* Juss. Cav. Diss. 7, 130.  
 — *phyllanthos* Cav. Cav. Diss. 127.  
 — *pichinchensis* H. B. Humb. Pl. aeq. 116.  
 — *picta* Gillies. Bot. Mag. 67, 3840.  
 — *pilosa* Cav. Cav. Diss. 1.  
 — *pinnata* Cav. Cav. Ic. 422.  
 — *planicaulis* Cav. Cav. Diss. 3.  
 — *planiflora* Lam. Cav. Diss. 7.  
 — — Cav. Diss. 135.  
 — *plumosa* Cav. Cav. Diss. 14.  
 — *populifolia* Lam. Cav. Diss. 7, 128.  
 — *prostrata* Cav. Cav. Diss. 13.  
 — *pterosperra* L'her. L'her. Stirp. 57.  
 — *pubescens* Cav. Cav. Diss. 7.  
 — *pulchella* Bonpl. Bonpland Malm. 2.  
 — — Bot. Mag. 54, 2753.  
 — — Lodd. Cab. 1841.  
 — *pulchra* Bertero. Colla Hort. Rip. 34.  
 — *pusilla* Cav. Cav. Diss. 1, 127.  
 — *pyramidata* Desp. Cav. Diss. 1, 194.  
 — *radicans* Cav. Rheede Hort. mal. 10, 69.  
 — *ramosa* Cav. Cav. Diss. 6.  
 — *reflexa* Cav. Cav. Diss. 7, 195.  
 — — Kerner Hort. 288.  
 — *repens* Cav. Cav. Diss. 1.

- Sida retrorsa* L'her. L'her. Stirp. 64.  
 — *retusa* L. Rheede Hort. mal. 10, 18.  
 — — — Rumpf Amb. 6, 19.  
 — — — Cav. Diss. 3. 131.  
 — *rhombifolia* L. Cav. Diss. 3.  
 — *ricinoides* L'her. L'her. Stirp. 55.  
 — *rosea* Link et O. Link Ic. I. 32.  
 — — — Bot. Mag. 59, 3150.  
 — *rotundifolia* Cav. Cav. Diss. 3. 194.  
 — *rubifolia* St. Hil. St. Hil. Fl. Bras. 34.  
 — *sessiliflora* Hook. Bot. Mag. 55, 2857.  
 — *silvatica* Cav. Cav. Diss. 133.  
 — — — Lam. Encycl. 578.  
 — *Sonneratia* Cav. Cav. Diss. 6.  
 — *spicata* Cav. Cav. Diss. 8.  
 — *spinosa* L. Cav. Diss. 1.  
 — — — Gray Genera 123.  
 — *spiraeifolia* Link. Rchb. Hort. 33.  
 — *stellata* Cav. Cav. Diss. 5.  
 † *stipulata* Cav. Cav. Diss. 3.  
 — *suberosa* L'her. L'her. Stirp. 54.  
 — *supina* L'her. L'her. Stirp. 52<sup>b</sup>.  
 — *terminalis* Cav. Cav. Diss. 6. 195.  
 — *tiliaefolia* Willd. Jacq. Ecl. pl. 35.  
 — *tricuspidata* Cav. Cav. Diss. 6.  
 — *tridentata* Cav. Cav. Ic. 312.  
 — *triloba* Cav. Cav. Diss. 1. 131.  
 — — — Jacq. Schoenbr. 2, 142.  
 — *triquetra* L. Jacq. Hist. stirp. am. 184.  
 — — — Jacq. Vind. 118.  
 — — — Cav. Diss. 5.  
 † — — — Gaertn. Carp. 134.  
 — *truncata* Cav. Cav. Diss. 6.  
 — — — L'her. L'her. Stirp. 51.  
 — *ulmifolia* Cav. Cav. Diss. 2.  
 — *umbellata* L. Jacq. Vind. 56.  
 — — — Cav. Diss. 6. 129.  
 — *unilocularis* L'her. L'her. Stirp. 56<sup>b</sup>.  
 — *urens* L. Cav. Diss. 2.  
 — — — Novi Comm. Gott. 3, 5.  
 — *urticaefolia* St. Hil. St. Hil. Fl. Bras. 37.  
 — *venosa* Hook. Bot. Mag. 75, 4463.  
 — *veronicaefolia* Cav. Cav. Diss. 1. 127.  
 — *verticillata* Cav. Cav. Diss. 1.  
 — *virgata* Cav. Cav. Ic. 73.  
 — *viscosa* L. L'her. Stirp. 53<sup>b</sup>.  
 — *vitifolia* Cav. Cav. Ic. 420.  
 — — — Kerner Hort. 621.  
 — — — Bot. Mag. 72, 4227.  
 † *Sidalcea* Gray. Gray Genera 120.  
 — *diplosypha* Gray. Gray Genera 120.  
*Sideritis Alopecuros* Scop. Scopoli Fl. carn. 1, 28.  
 — *arborescens* Salm. Boissier Esp. 146.  
 — *brutia* Ten. Tenore Fl. nap. 51.  
 — *calycantha* M. v. B. Rchb. Pl. crit. 1, 15.  
 — *canariensis* L. Rivinus Opus ined. 17.  
 — — — Jacq. Vind. 3, 30.  
 — *candicans* Ait. Willdenow Hortus 105.  
 — *chamaedryfolia* Cav. Cav. Ic. 301.  
 — *cretica* L. Willdenow Hortus 106.  
 — *ebracteata* Asso. Asso Aragon. 11.  
 — *elegans* Murr. Comm. Gott. 1, 4.  
 — — — Schk. Handb. 158.  
 — *glauca* Cav. Cav. Ic. 185.  
 — *hirsuta* L. Cav. Ic. 302.  
 — — — Hayne 4, 9.  
 — — — Nees Dusseld. Suppl. 39.  
 — *hirta* Roth. Nees Dusseld. Suppl. 39.  
 — *hyssopifolia* L. Rivinus Opus ined. 43.  
 — — — Schk. Handb. 158.  
 — — — Lam. Encycl. 505.  
 — *incana* L. Cav. Ic. 186.

- Sidcritis leucantha* Cav. Cav. Ic. 304.  
 — *libanotica* Lab. Bill. Syr. 4, 8.  
 — *linearifolia* Lam. Hoffm. et Link Fl. port. 6.  
 — — — Brotero Phytogr. 115.  
 — *montana* L. Rivinus Opus ined. 14.  
 — — — Jacq. Fl. austr. 5, 434.  
 — — — Sturm Flora 1, 4.  
 — — — Schk. Handb. 158.  
 — — — Sibth. Fl. gr. 551.  
 — *ovata* Cav. Cav. Ic. 48.  
 — *parvifolia* Lam. Lam. Encycl. 505.  
 — *pullulans* Vent. Vent. Cels 98.  
 — *romana* L. Cav. Ic. 187.  
 — — — Sibth. Fl. gr. 552.  
 — *rosea* Desf. Ann. Mus. 10, 24.  
 — — — Desf. Choix 13.  
 — *scordioides* L. Cav. Ic. 303.  
 † — — — Nees Gen. 6, 35.  
 — — — var. *alpina*, Knowles et Westcott 31.  
 — *subspinosa* Cav. Cav. Ic. 209.  
 — *syriaca* L. Sibth. Fl. gr. 550.  
 — — — Rchb. Hortus 57.  
 — *taurica* M. v. B. Marschall Cent. 39.  
 — — — Rchb. Ic. crit. 4, 384.  
 — *virgata* Desf. Desf. Fl. atl. 125.  
*Siderodendron floribundum* A. Rich. Ramon Cuba 45.  
 † — *triflorum* Vahl. Gaertn. Carp. 197.  
 † *Sideroxylum attenuatum* DC. Wight Illustr. 148 bis.  
 — — — Wight Ic. pl. Ind. or. 4, 1590.  
 — *borbonicum* DC. Delessert Ic. 5, 38.  
 — *cylindrocarpum* P. et E. Poepp. et Endl. 282.  
 — *elegans* P. et E. Poepp. et Endl. 282.  
 — *ferrugineum* Hook. Hook. Beechey 55.  
 — *guianense* DC. Delessert Ic. 5, 39.  
 — *inerme* L. Lam. Encycl. 120.  
 † *Mastichodendrum* Jacq. Jacq. Collect. 2, 17.  
 † — — — Lam. Encycl. 120.  
 † — — — Gaertn. Carp. 202.  
 — *melanophleum* L. Jacq. Vind. 71.  
 — *mite* L. Bot. Mag. 43, 1858.  
 † *nigrum* Gaertn. Gaertn. Carp. 202.  
 † *obovatum* Gaertn. Gaertn. Carp. 202.  
 † *salicifolium* Lam. Gaertn. Carp. 202.  
 † *spinosum* L. Ann. Mus. 8, 64.  
 — *tomentosum* Roxb. Roxb. Corom. 28.  
 — *Wightianum* Wall. Hook. Beechey 41.  
*Siebera chelerarioides* Schrad. Rchb. Fl. germ. 5, 204.  
*Siegesbeckia agrestis* P. et E. Poepp. et Endl. 56.  
 — *droseroides* Sweet. Sweet Fl. G. 203.  
 — *fusculosa* L'her. L'her. Stirp. 19.  
 — *jurullensis* Kth. Bot. Reg. 13, 1061.  
 — *orientalis* L. Linné Hort. Cliff. 23.  
 — — — Schk. Handb. 256.  
 † — — — Gaertn. Carp. 168.  
 — — — Lam. Encycl. 687.  
 — — — Wight Ic. pl. Ind. or. 3, 1103.  
 † — — — Wight Illustr. 134.  
 — *triangularis* Cav. Cav. Ic. 253.  
*Sieversia albiflora* Hook. Hook. Fl. ant. 7.  
 — *clata* Royle. Royle Illustr. 39.  
 — *montana* Kn. et W. Knowles et Westcott 46.  
 — *paradoxa* Don. Linn. Transact. 14, 22.  
 — *Peckii* R. Br. Bot. Mag. 55, 2863.  
 † *Rossii* R. Br. Parry Voyage tab. C.  
 — *triflora* R. Br. Bot. Mag. 55, 2858.  
*Sigmatostalix graminea* Rchb. fl. Rchb. Xenia 1, 8.  
*Silaua pratensis* Bess. Baxter Brit. Bot. 6, 404.  
 † *Silene* L. Gray Genera 115.  
 — *acaulis* L. Lightfoot Fl. scot. 1, 12.  
 — — — Allione Fl. ped. 3, 79.  
 — — — Engl. Bot. 16, 1081.  
 — — — Lodd. Cab. 568.

- Silene acaulis* L. Rehb. Fl. germ. 6, 270.  
 † — — — Avé-Lallemant 14—19.  
 † — — — Jordan Obs. 5, 1.  
 — *adscendens* Lag. Willkomm Ic. Hisp. 1, 27.  
 — *Agrostemma* Boiss. et R. Willkomm Ic. Hisp. 1, 25.  
 — *Almolae* Gay. Willkomm Ic. Hisp. 1, 33.  
 — *alpestris* Jacq. Jacq. Fl. austr. 1, 96.  
 — — — Rehb. Fl. germ. 6, 277<sup>b</sup>.  
 — — — Sweet Fl. G. 111.  
 — *altaica* Pers. Ledeb. Ic. 172.  
 — *ambigua* Camb. Willkomm Ic. Hisp. 1, 28.  
 — *anglica* L. Curt. Lond. 2, 50.  
 — — — Engl. Bot. 17, 1178.  
 — — — Fl. dan. 10, 1643.  
 — — — Rehb. Fl. germ. 6, 273.  
 — *annulata* Thore. Rehb. Fl. germ. 6, 282<sup>b</sup>.  
 — *apetala* Willd. Rehb. Fl. germ. 6, 275.  
 — — — Willkomm Ic. Hisp. 1, 38.  
 — *Armeria* L. Fl. dan. 4, 559.  
 — — — Engl. Bot. 20, 1398.  
 — — — Baxter Brit. Bot. 2, 120.  
 — — — Sturm Flora 6, 21.  
 — — — Rehb. Fl. germ. 6, 284.  
 — *articulata* Viv. Viviani Lib. 12.  
 — *Atocion* Juss. Jacq. Vind. 3, 32.  
 — *auriculata* Sibth. Sibth. Fl. gr. 435.  
 — *Behen* L. Sibth. Fl. gr. 416.  
 — *bellidifolia* Juss. Jacq. Vind. 3, 81.  
 — *bicolor* Thore. DC. Icones Gall. 42.  
 — — — Rehb. Mag. 72.  
 — — — Rehb. Fl. germ. 6, 282.  
 — *bipartita* Desf. Desf. Fl. atl. 100.  
 — — — Willkomm Ic. Hisp. 1, 30, 31.  
 — *Boryi* Boiss. Boissier Esp. 25.  
 — *brachypetala* DC. Rehb. Fl. germ. 6, 274.  
 — — — Jordan Obs. 5, 1.  
 — *caesia* Sibth. Sibth. Fl. gr. 417.  
 — *caespitosa* Stev. Linn. Transact. 11, 35.  
 — *Cambessedii* Boiss. et R. Willk. Ic. Hisp. 1, 34.  
 — *canariensis* Spr. Webb Canar. 18.  
 — *canescens* Ten. Tenore Fl. nap. 38.  
 — — — Rehb. Fl. germ. 6, 278.  
 — *caspiaca* Pers. Rehb. Ic. crit. 3, 263.  
 — *catholica* Ait. Rehb. Ic. crit. 4, 304.  
 — — — Rehb. Fl. germ. 6, 293.  
 — *cerastoides* L. Vill. Dauph. 48.  
 — — — Sibth. Fl. gr. 412.  
 — — — Rehb. Fl. germ. 6, 273.  
 — — — Willkomm Ic. Hisp. 1, 37.  
 — *chloraefolia* Sm. Smith Ic. Linn. 13.  
 — — — Bonpland Malm. 5.  
 — — — Bot. Mag. 21, 807.  
 — — — Bot. Reg. 23, 1989.  
 — — — Sweet Fl. G. II. 263.  
 — *chlorantha* Ehrh. Rehb. Fl. germ. 6, 293.  
 — — — Dietr. Fl. bor. 3, 157.  
 — *ciliata* Pourr. Willkomm Ic. Hisp. 1, 42.  
 — *cisplatensis* Camb. St. Hil. Fl. Bras. 108.  
 — *clandestina* Jacq. Jacq. Collect. 5, 3.  
 — *clinaria* Spr. Rehb. Fl. germ. 6, 270.  
 — *compacta* Fisch. Rehb. Hortus 26.  
 — — — Rehb. Fl. germ. 6, 284.  
 — — — Lodd. Cab. 1638.  
 — — — Sweet Fl. G. II. 64.  
 — *conica* L. Jacq. Fl. austr. 3, 253.  
 — — — Engl. Bot. 13, 922.  
 — — — Sibth. Fl. gr. 423.  
 — — — Rehb. Fl. germ. 6, 276.  
 — — — Dietr. Fl. bor. 5, 290.  
 — *conoidea* L. Rehb. Fl. germ. 6, 275.  
 — *cordifolia* All. Allione Fl. ped. 3, 23.  
 — — — Rehb. Fl. germ. 6, 286.

- Silene corsica* Lois. Willkomm Ic. Hisp. 1, 39.  
 — *cretica* L. Sibth. Fl. gr. 422.  
 — *cryptantha* Viv. Viviani Lib. 9.  
 — *decumbens* Biv. Bivona Pl. sic. 1, 6.  
 — *dichotoma* Ehrh. Winterl Index 7.  
 — — — W. et Kit. 29.  
 — — — Sibth. Fl. gr. 413.  
 — — — Rehb. Fl. germ. 6, 280.  
 — *discolor* Sibth. Sibth. Fl. gr. 410.  
 — *distachya* Brot. Brotero Phytogr. 71.  
 — *disticha* Willd. Mem. Mus. 14, 12.  
 — *divaricata* Sibth. Sibth. Fl. gr. 414.  
 — — — *Clemente*. Willkomm Ic. Hisp. 1, 35.  
 — *echinata* Oth. Jaubert Illustr. 4.  
 — *effusa* Bernh. Rehb. Fl. germ. 6, 290.  
 — *Elisabethae* Jan. Cesati Stirpes ital. x.  
 — — — Rehb. Ic. crit. 10, 901.  
 — — — Rehb. Fl. germ. 6, 271.  
 — *exscapa* All. Allione Fl. ped. 3, 79.  
 † — — — Jordan Obs. 5, 1.  
 — *Fabaria* Sm. Sibth. Fl. gr. 415.  
 — *falcata* Sibth. Sibth. Fl. gr. 436.  
 — *Falconeriana* Royle. Royle Illustr. 20.  
 — *fimbriata* Sims. Bot. Mag. 23, 908.  
 — *flavescens* W. et K. W. et Kit. 175.  
 — — — Rehb. Fl. germ. 6, 287.  
 † — *fruticosa* L. Schk. Handb. 122.  
 — — — Sibth. Fl. gr. 428.  
 — *fusca* Link. Moris Fl. sard. 15.  
 — *gallica* L. Rehb. Fl. germ. 6, 272.  
 — *Gallynii* Heuff. Rehb. Fl. germ. 6, 280.  
 — *genuiculata* Pourr. Willkomm Ic. Hisp. 1, 42.  
 — *gibraltaria* Boiss. Boissier Esp. 26<sup>a</sup>.  
 — *gigantea* L. Sibth. Fl. gr. 432.  
 — *glareosa* Jord. Willkomm Ic. Hisp. 1, 23.  
 — *Graefferi* Guss. Gussone Pl. rar. 34.  
 — — — Rehb. Ic. crit. 9, 880.  
 — *graminea* Vis. Visiani Dalm. 34.  
 — — — Rehb. Fl. germ. 6, 286.  
 — *graminifolia* Oth. Ledeb. Ic. 138.  
 — *Guilelmi Waldemarii* Kl. Prinz Waldem. Him. 31.  
 — *hirsuta* Lag. Willkomm Ic. Hisp. 1, 29.  
 — *hirta* Willd. Willdenow Hortus 23.  
 — *hispanica* Jacq. Jacq. Fragm. 59.  
 — *hispida* Desf. Moris Fl. sard. 19.  
 — — — Willkomm Ic. Hisp. 1, 29.  
 — *holopetala* Led. Ledeb. Ic. 163.  
 — *Honigbergeri* Fenzl. Endl. et Fenzl Sertum cab. 2.  
 — *imbricata* Desf. Desf. Fl. atl. 98.  
 — *inaperta* L. Sibth. Fl. gr. 420.  
 — — — Rehb. Fl. germ. 6, 281.  
 — — — Willkomm Ic. Hisp. 1, 38.  
 — *incana* DC. Rehb. Fl. germ. 6, 296.  
 — *incarnata* Lodd. Lodd. Cab. 41.  
 — *inflata* Sm. Engl. Bot. 3, 164.  
 — — — Rehb. Fl. germ. 6, 299—301.  
 — — — Dietr. Fl. bor. 4, 239.  
 — — — Willkomm Ic. Hisp. 1, 23.  
 — *infracta* W. et K. W. et Kit. 213.  
 — — — Rehb. Ic. crit. 3, 265.  
 — — — Rehb. Fl. germ. 6, 296.  
 — *integripetala* Bory. Bory et Chaub. Morée 13.  
 — *intrusa* W. et A. Wight Illustr. 26.  
 — *italica* Pers. Sibth. Fl. gr. 429.  
 — — — var. Moris Fl. sard. 16.  
 — — — Rehb. Ic. crit. 3, (253.) 292.  
 — — — Rehb. Fl. germ. 6, 295.  
 — — — Willkomm Ic. Hisp. 1, 45.  
 — *juncea* Sibth. Sibth. Fl. gr. 421.  
 — *Kowalenskyi* Stsch. Bull. Mosc. 1853, 5.  
 — *lacera* Sims. Bot. Mag. 48, 2255.  
 — *laciniata* Cav. Cav. Ic. 364.

- Silene laciniata* Cav. Bot. Reg. 17, 1444.  
 — — — Paxt. Mag. 1, 267.  
 — *laevigata* Sibth. Sibth. Fl. gr. 418.  
 — *lasiostyla* Boiss. et R. Willkomm Ic. Hisp. 1, 26.  
 — *legionensis* Lag. Willkomm Ic. Hisp. 1, 41.  
 — *Leichenfeldiana* Baumg. Rehb. Fl. germ. 6, 288.  
 — *leucophaca* Sibth. Sibth. Fl. gr. 424.  
 — *ligulata* Viv. Viviani Lib. 12.  
 — *linicola* Gm. Rehb. Fl. germ. 6, 283.  
 — *linifolia* Sibth. Sibth. Fl. gr. 433.  
 — *livida* Willd. Rehb. Ic. crit. 3, 255.  
 — — — Rehb. Fl. germ. 6, 294.  
 — *longicaulis* Pourr. Willkomm Ic. Hisp. 1, 44.  
 — *longiflora* Ehrh. W. et Kit. 8.  
 — — — Rehb. Fl. germ. 6, 294.  
 — *longipetala* Vent. Vent. Cels 83.  
 — — — Sibth. Fl. gr. 419.  
 — *maritima* With. Engl. Bot. 14, 957.  
 — — — Rehb. Fl. germ. 6, 299.  
 — *mellifera* R. et B. Willkomm Ic. Hisp. 1, 46.  
 — *Menziesii* Hook. Hook. Bor. Am. 30.  
 — *micropetala* DC. Rehb. Mag. 72.  
 — *multicaulis* Guss. Gussone Fl. rar. 35.  
 — *multiflora* Pers. Winterl Index 23.  
 — — — Rehb. Fl. germ. 6, 291.  
 — *muscipula* L. Rehb. Fl. germ. 6, 283.  
 — — — Willkomm Ic. Hisp. 1, 40.  
 — *neglecta* Ten. Tenore Fl. nap. 230.  
 — *memoralis* W. et K. W. et Kit. 249.  
 — — — Rehb. Ic. crit. 3, 254.  
 — — — Rehb. Fl. germ. 6, 297.  
 — *nevadensis* Boiss. Willkomm Ic. Hisp. 1, 45.  
 — *nicaeensis* All. Allione Fl. ped. 3, 44.  
 — — — Rehb. Fl. germ. 6, 278.  
 — *noctoleans* Webb. Webb Canar. 19.  
 — *noctiflora* L. Gaertn. Carp. 130.  
 † — — — Schk. Handb. 122.  
 † — — — Lam. Encycl. 377.  
 — — — Engl. Bot. 5, 291.  
 — — — Fl. dan. 14, 2470.  
 — — — Rehb. Fl. germ. 6, 276.  
 — — — Sturm Flora 1, 3.  
 — *noctura* L. Sibth. Fl. gr. 408.  
 — — — Tenore Fl. nap. 230.  
 — — — Rehb. Fl. germ. 6, 274.  
 † — — — Jordan Obs. 5, 1.  
 — *Notarisii* Ces. Cesati Stirpes ital. x.  
 — *nutans* L. Fl. dan. 2, 242.  
 — — — Engl. Bot. 7, 465.  
 — — — Dreves 4, 114.  
 — — — Schk. Handb. 122.  
 — — — Schrank Fl. monac. 4, 319.  
 — — — Dietr. Fl. bor. 5, 328.  
 — — — Rehb. Fl. germ. 6, 295.  
 — *odoratissima* Led. Ledeb. Ic. 396.  
 — *oppositifolia* Gm. Gmelin Reise 3, 32.  
 — *orchidea* L. fil. Sibth. Fl. gr. 427.  
 — *ornata* Ait. Bot. Mag. 11, 382.  
 — *Otitis* Pers. Engl. Bot. 2, 85.  
 — — — Rehb. Fl. germ. 6, 289.  
 — — — Dietr. Fl. bor. 3, 158.  
 — *paradoxa* L. Jacq. Vind. 3, 84.  
 — — — Rehb. Ic. crit. 3, 253.  
 — — — Rehb. Fl. germ. 6, 296.  
 — *parviflora* Pers. Rochel Banat. 2.  
 — — — Rehb. Fl. germ. 6, 290.  
 — *patens* Peete. Engl. Bot. 2748.  
 — *pelidna* Rehb. Rehb. Ic. crit. 3, 256.  
 — — — Rehb. Fl. germ. 6, 294.  
 — *pendula* L. Bot. Mag. 4, 114.  
 — — — Roemer Fl. europ. 6, 8.  
 — — — Rehb. Fl. germ. 6, 279.

- Silene pennsylvanica* Michx. Bot. Reg. 3, 247.  
 — — — Gray Genera 115.  
 — *petraea* W. et K. W. et Kit. 164.  
 — — — Rehb. Fl. germ. 6, 285.  
 — *pharnacifolia* Fenzl. Russegger Reise 10.  
 — *picta* Desf. DC. Hort. genev. 6.  
 — — — Sweet Fl. G. 92.  
 — — — Rehb. Fl. germ. 6, 282.  
 — *pilosa* Spr. Rehb. Ic. crit. 3, 264.  
 — — — Rehb. Fl. germ. 6, 298.  
 — *procumbens* Murr. Comm. Gott. 7, 2.  
 — *pseudotites* Bess. Rehb. Fl. germ. 6, 289.  
 — *pteropleura* B. et R. Willkomm Ic. Hisp. 1, 40.  
 — *pubescens* Lois. Rehb. Fl. germ. 6, 277<sup>b</sup>.  
 — *pubibunda* Hoffmgg. Rehb. Ic. crit. 3, 879.  
 — — — Rehb. Fl. germ. 6, 269.  
 — *Pumilio* Wulf. Jacq. Fl. austr. 5, 2.  
 — — — Jacq. Collect. 2, 10.  
 — — — Lam. Encycl. 377.  
 — — — Sturm Flora 6, 22.  
 — — — Rehb. Fl. germ. 6, 270.  
 — *purpurea* Kn. et W. Knowles et Westcott 42.  
 — *pusilla* W. et K. W. et Kit. 212.  
 — — — Lodd. Cab. 90.  
 — — — Sweet Fl. G. II. 40.  
 — — — Rehb. Fl. germ. 6, 269.  
 — *quadrifida* L. Jacq. Fl. austr. 2, 120.  
 — — — Rehb. Ic. crit. 9, 875.  
 — — — Rehb. Fl. germ. 6, 269.  
 — *quinquevulnera* L. Engl. Bot. 2, 86.  
 — — — Rehb. Fl. germ. 6, 272.  
 — *ramosissima* Desf. Boissier Esp. 26.  
 — — — Willkomm Ic. Hisp. 1, 39.  
 — *regia* Sims. Bot. Mag. 41, 1724.  
 — — — Sweet Fl. G. II. 313.  
 — *remotiflora* Vis. Visiani Dalm. 53.  
 — *repens* Patr. Ledeb. Ic. 425.  
 — *Requienii* Oth. Willkomm Ic. Hisp. 1, 44.  
 — *reticulata* Desf. Desf. Fl. atl. 99.  
 — *rigidula* Sibth. Sibth. Fl. gr. 430.  
 — *rosulata* Soyer Will. Explor. Alger. 82.  
 — *rubella* L. Delile Egypte 29.  
 — — — Sibth. Fl. gr. 426.  
 — — — var. *Moris* Fl. sard. 14.  
 — — — Rehb. Fl. germ. 6, 284.  
 — *rupestris* L. Fl. dan. 1, 4.  
 — — — Sturm Flora 6, 22.  
 — — — Rehb. Fl. germ. 6, 288.  
 — *saponariaefolia* Schott. Rehb. Fl. germ. 6, 301.  
 — *saxatilis* Sims. Bot. Mag. 18, 689.  
 — *Saxifraga* L. W. et Kit. 163.  
 — — — Lodd. Cab. 454.  
 — — — Rehb. Fl. germ. 6, 285.  
 — *scabrida* Soyer Will. Explor. Alger. 82.  
 — *scabriflora* Brot. Brotero Phytogr. 72.  
 — *Schafta* Gmel. Fischer et M. Sertum petrop. 2.  
 — — — Bot. Reg. 32, 20.  
 — *sedoides* Jacq. Jacq. Collect. 5, 14.  
 — — — Sibth. Fl. gr. 425.  
 — — — Rehb. Fl. germ. 6, 277.  
 — *Seguierii* Rehb. Rehb. Fl. germ. 6, 285.  
 — *sericea* All. Allione Fl. ped. 3, 79.  
 — — — *Moris* Fl. sard. 17.  
 — — — Rehb. Fl. germ. 6, 278.  
 — — — Willkomm Ic. Hisp. 1, 32.  
 — *setacea* Viv. Viviani Lib. 12.  
 — *Siegeri* Baumg. Rehb. Fl. germ. 6, 287.  
 — *silvestris* Schott. Rehb. Fl. germ. 6, 272.  
 † — *simplicicorona* Mut. Mutel Fl. fr. 13.  
 — *speciosa* Paxt. Paxt. Mag. 10, 219.  
 — — — Fl. d. serres 2, 7.  
 — *spergulifolia* M. v. B. Rehb. Fl. germ. 6, 292.

- Silene spinescens* *Sibth.* Sibth. Fl. gr. 431.  
 — *staticifolia* *Sibth.* Sibth. Fl. gr. 434.  
 — *stellata* *Ait.* Torrey New York 16.  
 — *stentoria* *Fenzl.* Russegger Reise 11.  
 — *stylosa* *Led.* Ledeb. Ic. 160.  
 — *succulenta* *Forsk.* Delile Egypte 29.  
 — — var. *Moris* Fl. sard. 18.  
 — *supina* *M. v. B.* Marschall Cent. 3.  
 — — *Rchb.* Ic. crit. 4, 324.  
 — — *Bot. Mag.* 45, 1997.  
 — *tatarica* *Pers.* Diétr. Fl. bor. 5, 291.  
 — — *Rchb.* Fl. germ. 6, 292.  
 — *tejedensis* *Boiss.* Boissier Esp. 25.  
 — *tenerrima* *Presl.* *Rchb.* Fl. germ. 6, 281.  
 — *tenuiflora* *Guss.* Gussone Pl. rar. 36.  
 — *Thorei* *Dufour.* Willkomm Ic. Hisp. 1, 24.  
 — *thymifolia* *Sibth.* Sibth. Fl. gr. 411.  
 — *Tommasinii* *Vis.* Visiani Dalm. 35.  
 — — *Ebel* Montenegro 3.  
 — — *Rchb.* Fl. germ. 6, 277.  
 — *tridentata* *Desf.* Willkomm Ic. Hisp. 1, 36.  
 — *trinervia* *Seb. M.* Sebastiani Fl. rom. 2.  
 — *vallesia* *L.* Allione Fl. ped. 3, 23.  
 — — *Rchb.* Fl. germ. 6, 286.  
 — *velutina* *Pourr.* Willkomm Ic. Hisp. 1, 43.  
 — *vespertina* *Retz.* *Bot. Mag.* 15, 677.  
 — — *Sibth.* Fl. gr. 409.  
 — — *Sweet* Fl. G. 58.  
 — — *Rchb.* Fl. germ. 6, 279.  
 — *vestita* *Soyer Will.* Explor. Alger. 82.  
 — *villosa* *Camb.* var. *nana*, Mem. Mus. 14, 13.  
 — *virginica* *L.* *Bot. Mag.* 61, 3342.  
 — *viridiflora* *L.* *Rchb.* Fl. germ. 6, 293.  
 — *viscosa* *Pers.* *Rchb.* Fl. germ. 6, 291.  
 — *Wallichiana* *Klotzsch.* Prinz Waldem. Him. 30.  
 † *Siler aquilegifolium* *Gaertn.* Gaertn. Carp. 22.  
 — *lancifolium* *Moench.* Hoffm. et Link Fl. port. 109.  
*Siloxerus humifusus* *Lab.* Bill. Nov. Holl. 209.  
*Silphium Asteriscus* *L.* Lam. Encycl. 707.  
 — *laciniatum* *L.* Linné Fasc. pl. ups. 3.  
 — — *Jacq.* Ecl. pl. 90.  
 — *latifolium* *Hill.* Hill Hort. Kew. 2.  
 † — *perfoliatum* *L.* Schk. Handb. 262.  
 — — *Bot. Mag.* 61, 3354.  
 — *terebinthinaceum* *L. fil.* *Jacq.* Vind. 43.  
 — — *Schk.* Handb. 262.  
 † — — *Gaertn.* Carp. 171.  
 † — — *Lam.* Encycl. 707.  
 — — *Bot. Mag.* 63, 3525.  
 † — *Tetragonotheca* *Gaertn.* Gaertn. Carp. 171.  
 † — *trifoliatum* *L.* Schk. Handb. 262.  
 — — *Bot. Mag.* 61, 3355.  
*Silvia Navalium* *Allemão.* Allemão Diss. 1848, x.  
 † *Silybum cernuum* *Gaertn.* Gaertn. Carp. 162.  
 † — *Marianum* *Gaertn.* Gaertn. Carp. 162.  
 — — *Dietr.* Fl. bor. 8, 522.  
 — — *Rchb.* Fl. germ. 15, 882.  
*Simaba bahiensis* *Moric.* Mem. Genev. 7, 9.  
 — — *Moricand* Pl. Am. 9.  
 — *Cedron* *Planch.* Hook. Journal 1850, 11.  
 — *ferruginea* *St. Hil.* St. Hil. Fl. Bras. 14.  
 — *floribunda* *St. Hil.* St. Hil. Pl. rem. 10.  
 — *guianensis* *Aubl.* Aublet Guiana 153.  
 † — — *Mem. Mus.* 12, 27.  
 † — *multiflora* *Juss.* Mem. Mus. 12, 27.  
 — *orinocensis* *H. B. K.* H. B. K. Nov. Gen. 6, 514<sup>a, b</sup>.  
 — *suaveolens* *St. Hil.* Mem. Mus. 10, 18.  
 — — *St. Hil.* Pl. rem. 11.  
 — *trichilioides* *St. Hil.* Mem. Mus. 10, 18.  
 — — *St. Hil.* Pl. rem. 11.  
 — ? *undulata* *Guill.* Guillemin Seneg. 34.  
*Simaruba amara* *Aubl.* Aublet Guiana 331. 332.  
*Simaruba amara* *Aubl.* Hayne 9, 15.  
 — — *Nees* Düsseld. 380.  
 — *excelsa* *DC.* Hayne 9, 16.  
 — — *Nees* Düsseld. 379.  
 † — *officinalis* *DC.* Mem. Mus. 12, 27.  
 — — *Guimpel* et Schl. 240. 241.  
 — *versicolor* *St. Hil.* St. Hil. Pl. usuelles 5.  
*Simethis planifolia* *J. W.* Engl. Bot. 2952.  
*Simira tinctoria* *Aubl.* Aublet Guiana 65.  
*Simmondsia californica* *Nutt.* Hook. Journal 1844, 16.  
*Simonisia Riedeliana* *N. v. E.* Endl. Bras. 7, 23.  
*Sinapidendron gracile* *Webb.* Hook. Niger Fl. 1.  
 — — *Hook.* Ic. pl. 8, 751.  
 — *Vogelii* *Webb.* Hook. Niger Fl. 2.  
 — — *Hook.* Ic. pl. 8, 752.  
*Sinapis alba* *L.* Curt. Lond. 3, 90.  
 — — *Engl.* Bot. 24, 1677.  
 — — *Fl. dan.* 8, 1393.  
 † — — *Gaertn.* Carp. 143.  
 † — — *Lam.* Encycl. 566.  
 † — — *Schk.* Handb. 186.  
 — — *Hayne* 8, 39.  
 — — *Nees* Düsseld. 400.  
 — — *Guimpel* et Schl. 33.  
 — — *Sturm* Flora 2, 8.  
 — — *Dietr.* Fl. bor. 8, 523.  
 — — *Rchb.* Fl. germ. 2, 85.  
 — *Allionii* *Jacq.* *Jacq.* Vind. 168.  
 — — *Delile* Egypte 35.  
 — — *Rchb.* Fl. germ. 2, 88.  
 — *arvensis* *Müller.* Fl. dan. 4, 678.  
 — — *L.* Fl. dan. 5, 753.  
 — — *Curt.* Lond. 3, 111.  
 — — *Engl.* Bot. 25, 1748.  
 † — — *Schk.* Handb. 186.  
 — — *Hayne* 2, 14.  
 — — *Dietr.* Fl. bor. 6, 431.  
 — — *Rchb.* Fl. germ. 2, 86.  
 — *Cheiranthus* *Koch.* *Rchb.* Fl. germ. 2, 91.  
 — — *Engl.* Bot. 2821.  
 — *dissecta* *Lag.* *Moris* Fl. sard. 12.  
 — *erucoides* *L.* *Jacq.* Vind. 170.  
 — *frutescens* *Ait.* Hook. Bot. Misc. 28.  
 — *hispidula* *Schousb.* Schousboe Marocco 4.  
 — *incana* *L.* *Jacq.* Vind. 169.  
 — — *Brotero* Phytogr. 172.  
 — — *Rchb.* Fl. germ. 2, 85.  
 — *integrifolia* *Willd.* Willdenow Hortus 14.  
 — *juncea* *L.* *Jacq.* Vind. 171.  
 — *leptopetala* *DC.* Delessert Ic. 2, 87.  
 — *millefolia* *Jacq.* *Jacq.* Ic. 127.  
 — *nigra* *L.* Fl. dan. 9, 1582.  
 — — *Woodv.* Med. 3, 146.  
 — — *Engl.* Bot. 14, 969.  
 — — *Baxter* Brit. Bot. 5, 336.  
 — — *Desc.* Ant. 6, 430.  
 — — *Sv.* Bot. 83.  
 — — *Hayne* 8, 40.  
 — — *Nees* Düsseld. 401.  
 — — *Guimpel* et Schl. 34.  
 — — *Wagner* 200.  
 — — *Dietr.* Fl. bor. 8, 524.  
 — — *Rchb.* Fl. germ. 2, 88.  
 — *orientalis* *L.* Schk. Handb. 186.  
 — — *Rchb.* Fl. germ. 2, 88.  
 — *philacana* *Delile.* Delile Egypte 33.  
 — *pyrenaica* *L.* Allione Fl. ped. 3, 55.  
 — — *Jacq.* Fl. austr. 3, 262.  
 — — *Jacq.* Vind. 3, 97.  
 — *radicata* *Desf.* Desf. Fl. atl. 167.  
 — *recurvata* *All.* Allione Fl. ped. 3, 87.  
 — *Schkuhriana* *Rchb.* *Rchb.* Fl. germ. 2, 87.

- Sinapis tenuifolia* *R. Br.* Curt. Lond. 2, 17.  
 — — — Sv. Bot. 501.  
 — — — Timoriana *DC.* Delessert Ic. 2, 88.  
*Sinclairia discolor* *H. et A.* Hook. Ic. pl. 5, 451. 452.  
*Singana guianensis* *Aubl.* Aublet Guiana 230.  
 — — — Lam. Encycl. 460.  
*Sinningia guttata* *Ldl.* Bot. Reg. 13, 1112.  
 — — — Paxt. Mag. 2, 4.  
 — — — *Helleri* *N. v. E.* Ann. sc. nat. 6, 12.  
 — — — Bot. Reg. 12, 997.  
 — — — *velutina* *Ldl.* Lodd. Cab. 1398.  
 — — — Bot. Mag. 72, 4212.  
 — — — *villosa* *Ldl.* Bot. Reg. 14, 1134.  
 — — — Lodd. Cab. 1629.  
 — — — *Youngeana* *Paxt.* Paxt. Mag. 7, 51.  
*Sipanea pratensis* *Aubl.* Aublet Guiana 56.  
 — — — Lam. Encycl. 151.  
 — — — *radicans* *Endl.* Endl. Atacta 7.  
*Siparuna guianensis* *Aubl.* Aublet Guiana 333.  
*Siphanthera cordata* *Pohl.* Pohl Bras. 84.  
 — — — Rehb. Exot. 337.  
 — — — *subtilis* *Pohl.* Pohl Bras. 85.  
 — — — *tenera* *Pohl.* Pohl Bras. 85.  
*Siphocampylus amoenus* *Planch.* Fl. d. serres 6, 619.  
 — — — Moore Mag. 1851, p. 273.  
 — — — *betulaefolius* *DC.* Bot. Mag. 69, 3973.  
 — — — Paxt. Mag. 9, 223.  
 — — — *bicolor* *Sweet.* Knowles et Westcott 69.  
 — — — Maund Bot. 3, 139.  
 — — — Paxt. Mag. 4, 195.  
 — — — Sweet Fl. G. II. 389.  
 — — — *canus* *Pohl.* Pohl Bras. 169.  
 — — — *cardiophyllus* *Pohl.* Pohl Bras. 173.  
 — — — *coccineus* *Hook.* Bot. Mag. 71, 4178.  
 — — — Paxt. Mag. 12, 173.  
 — — — Fl. d. serres 2, 29. 7, 648.  
 — — — *corymbiferus* *Pohl.* Pohl Bras. 175.  
 — — — *crenatifolius* *Pohl.* Pohl Bras. 170.  
 — — — *diploserratus* *Pohl.* Pohl Bras. 177.  
 — — — *giganteus* *Cav.* Hook. Ic. pl. 8, 716.  
 — — — *glandulosus* *Hook.* Bot. Mag. 73, 4331.  
 — — — Fl. d. serres 4, 401.  
 — — — *lantaniifolius* *DC.* Delessert Ic. 5, 12.  
 — — — Bot. Mag. 70, 4105.  
 — — — *Lindleyi* *Lem.* Lem. Jard. fl. 142.  
 — — — *longepedunculatus* *Pohl.* Pohl Bras. 172.  
 — — — Bot. Mag. 69, 4015.  
 — — — *macranthus* *Pohl.* Pohl Bras. 168.  
 — — — *manettiaeflorus* *Hook.* Bot. Mag. 74, 4403.  
 — — — Paxt. Mag. 15, 267.  
 — — — *microstomus* *Hook.* Bot. Mag. 73, 4286.  
 — — — Paxt. Fl. G. 44.  
 — — — Fl. d. serres 5, 444.  
 — — — *mollis* *Planch.* Fl. d. serres 6, 549<sup>c</sup>.  
 — — — *nitidus* *Pohl.* Pohl Bras. 174.  
 — — — Annales de Gand 1846, 78.  
 — — — *Orbignyanus* *A. DC.* Bot. Mag. 79, 4713.  
 — — — Fl. d. serres 6, 544.  
 — — — Lem. Jard. fl. 4, 425.  
 — — — *penduliflorus* *Planch.* Fl. d. serres 8, 763.  
 — — — *psilophyllus* *Pohl.* Pohl Bras. 176.  
 — — — *revolutus* *Don.* Maund Bot. 5, 227.  
 — — — *Schlimmianus* *Planch.* Fl. d. serres 6, 549<sup>b</sup>.  
 — — — *Thomesianus* *Moric.* Moricand Pl. Am. 85.  
 — — — *villosulus* *Pohl.* Pohl Bras. 171.  
*Siphonacanthus villosus* *N. v. E.* Endl. Bras. 7, 1.  
*Siphonanthes indica* *L.* Lam. Encycl. 79.  
 † *Siphonia brasiliensis* *Willd.* Jussieu Euphorb. 12.  
 — — — Hayne 14, 5.  
 — — — *Cuchucu* *Rich.* Berliner Jahrbuch 1802, 1.  
 — — — *elastica* *Rich.* Lam. Encycl. 790.  
 † — — — Jussieu Euphorb. 12.

- Siphonia elastica* *Rich.* Woodv. Med. 4, 224.  
 — — — Nees Düssel. 141.  
 — — — Hayne 14, 4.  
*Siphonodon celastrineus* *Griff.* Calcutta Journ. 1844, 14.  
*Siphonostegia chinensis* *Benth.* Hook. Beechey 44.  
 † *Siphonochia Torr. et Gr.* Gray Genera 103.  
 — — — *americana* *Torr. et Gr.* Gray Genera 103.  
*Siponima* (*Ciponima*) *guianensis* *Aubl.* Aubl. Guiana 226.  
*Sirium myrtifolium* *L.* Lam. Encycl. 74.  
 — — — Roxb. Corom. 2.  
 — — — Kerner Hort. 69.  
*Sison alpinum* *Sieb.* Sieber Creta 7.  
 — — — *Ammi* *L.* Jacq. Vind. 200.  
 — — — *Amomum* *L.* Jacq. Vind. 3, 17.  
 — — — Schk. Handb. 69.  
 — — — Engl. Bot. 14, 954.  
 — — — *Baxter* Brit. Bot. 6, 407.  
 — — — *flexuosum* *Ten.* Tenore Fl. nap. 127.  
 — — — *inundatum* *L.* Fl. dan. 1, 89.  
 — — — *segetum* *L.* Jacq. Vind. 134.  
 — — — Engl. Bot. 4, 228.  
 — — — *silvaticum* *Broter.* Brotero Phytogr. 37.  
 — — — Mem. Mosc. 5, 1. 3.  
 — — — *Thomasii* *Ten.* Tenore Fl. nap. 128.  
 † — — — *trifoliatum* *Michx.* Mag. naturf. Fr. 6, 5.  
 — — — *verticillatum* *L.* Lightfoot Fl. scot. 2, 35.  
 † *Sisymbrium* *L.* Gray Genera 64.  
 — — — *acutangulum* *DC.* Rehb. Fl. germ. 2, 79.  
 † — — — Mutel Fl. fr. 1.  
 † — — — *amphibium* *L.* Schk. Handb. 187.  
 — — — Fl. dan. 6, 931.  
 — — — Engl. Bot. 26, 1840.  
 — — — *amplexicaule* *Desf.* Desf. Fl. atl. 153.  
 † — — — *aquaticum* *Schk.* Schk. Handb. 187.  
 — — — Fl. dan. 6, 984.  
 — — — *arabioides* *Hook.* Hook. Bor. Am. 21.  
 — — — *arundanum* *Boiss.* Boissier Esp. 6<sup>a</sup>.  
 — — — *austriacum* *Jacq.* Winterl Index 25.  
 — — — Rehb. Fl. germ. 2, 77.  
 — — — *binerve* *C. A. M.* Jaubert Illustr. 298.  
 — — — *brassicaeforme* *C. A. M.* Ledeb. Ic. 204.  
 — — — *bursifolium* *L.* Vill. Dauph. 39.  
 — — — *canescens* *Nutt.* Gray Genera 64.  
 — — — *catholicum* *L.* Brotero Phytogr. 171.  
 — — — *ceratophyllum* *Desf.* Desf. Fl. atl. 155.  
 — — — *cinereum* *Desf.* Desf. Fl. atl. 157.  
 — — — *Columnae* *Jacq.* Jacq. Fl. austr. 4, 323.  
 — — — Rehb. Fl. germ. 2, 75.  
 — — — *contortuplicatum* *DC.* Delessert Ic. 2, 63.  
 — — — *coronopifolium* *Desf.* Desf. Fl. atl. 154.  
 — — — *curvisiliquum* *Bert.* Novi Comm. Bonon. 6, 10.  
 — — — *dentatum* *All.* Allione Fl. ped. 3, 57.  
 — — — *Erucastrum* *Gouan.* Gouan Illustr. 20.  
 — — — *erysimoides* *Desf.* Desf. Fl. atl. 158.  
 — — — *exacoides* *DC.* Delessert Ic. 2, 63.  
 — — — *halophilum* *Led.* Ledeb. Ic. 270.  
 — — — *heteromallum* *Led.* Ledeb. Ic. 263.  
 — — — *hispanicum* *Jacq.* Jacq. Ic. 124.  
 — — — *humifusum* *Vahl.* Fl. dan. 13, 2297.  
 — — — *humile* *Led.* Ledeb. Ic. 147.  
 — — — *Irio* *L.* Jacq. Fl. austr. 4, 322.  
 — — — Curt. Lond. 3, 92.  
 — — — Engl. Bot. 23, 1631.  
 — — — *Baxter* Brit. Bot. 2, 146.  
 — — — Rehb. Fl. germ. 2, 75.  
 — — — *islandicum* *Müller.* Fl. dan. 3, 409.  
 — — — *juncum* *M. v. B.* Rehb. Fl. germ. 2, 80.  
 — — — *laxiflorum* *Boiss.* Boissier Esp. 6.  
 — — — *lippicense* *Jacq.* Jacq. Ic. 505.  
 — — — *Loeselii* *L.* Jacq. Fl. austr. 4, 324.  
 † — — — Schk. Handb. 187.  
 — — — Rehb. Fl. germ. 2, 76.

- Sisymbrium lyratum* *Burm.* Delessert Ic. 2, 64.  
 — *molle* *Jacq.* Jacq. Ic. 122.  
 — *mollissimum* *Led.* Ledeb. Ic. 262.  
 — *monense* *L.* Lightfoot Fl. scot. 1, 15.  
 — — *Engl. Bot.* 14, 962.  
 — — *Vill. Dauph.* 39.  
 — — *Lam. Encycl.* 565.  
 — *multisiliquosum* *Hoffm.* Rehb. Ic. crit. 3, 247.  
 — — *Rehb. Fl. germ.* 2, 78.  
 — *murale* *L.* Schk. Handb. 187.  
 — — *Engl. Bot.* 16, 1090.  
 — *Nasturtium* *L.* Fl. dan. 4, 690.  
 — — *Woodv. Med.* 3, 144.  
 — — *Engl. Bot.* 12, 855.  
 † — — *Schk. Handb.* 187.  
 — — *Schrank Fl. monac.* 4, 376.  
 — — *Hayne* 5, 32.  
 — — *Nees Düsseld.* 399.  
 — *officinale* *Scop.* Curt. Lond. 1, 55.  
 — — *Sturm Flora* 2, 5.  
 — — *Rchb. Fl. germ.* 2, 72.  
 † — — *Linnaea* 6, 9.  
 † — *palustre* *Leysser.* Schk. Handb. 187.  
 — *pannonicum* *Jacq.* Jacq. Ic. 123.  
 — — *Dietr. Fl. bor.* 6, 428.  
 — — *Rehb. Fl. germ.* 2, 74.  
 — *pendulum* *Desf.* Desf. Fl. atl. 156.  
 — *pinnatifidum* *DC.* Rchb. Fl. germ. 2, 73.  
 — *polyceratium* *L.* Jacq. Vind. 79.  
 — — *Rehb. Fl. germ.* 2, 73.  
 — *primulaefolium* *Thomson.* Hook. Journ. 1852, 10.  
 — *pusillum* *Vill.* Vill. Dauph. 39.  
 — *reticulatum* *Tratt.* Tratt. Archiv 350.  
 † — *silvestre* *L.* Schk. Handb. 187.  
 — — *Engl. Bot.* 33, 2324.  
 — *simplex* *Viv.* Viviani Lib. 16.  
 — *simplicissimum* *Gm.* Gmelin Reise 3, 31.  
 — *Sophia* *L.* Fl. dan. 3, 528.  
 — — *Sv. Bot.* 203.  
 — — *Engl. Bot.* 14, 963.  
 — — *Hayne* 5, 33.  
 — — *Dietr. Fl. bor.* 6, 429.  
 — — *Rehb. Fl. germ.* 2, 74.  
 — *sophioides* *Fisch.* Hook. Bor. Am. 20.  
 — *strictissimum* *L.* Jacq. Fl. austr. 2, 194.  
 — — *Rehb. Fl. germ.* 2, 80.  
 — *supinum* *L.* Rchb. Fl. germ. 2, 72.  
 — *taraxacifolium* *DC.* DC. Icones Gall. 37.  
 — *tenuifolium* *L.* Engl. Bot. 8, 525.  
 — *terrestre* *Sm.* Engl. Bot. 25, 1747.  
 — *Thalianum* *Gaud.* Sturm Flora 3, 11.  
 — *torulosum* *Desf.* Desf. Fl. atl. 159.  
 — — *Sibth. Fl. gr.* 632.  
 — *toxophyllum* *Led.* Ledeb. Ic. 201.  
 † *Sisyrinchium* *L.* Kerner Genera 57.  
 — *alatum* *Hook.* Hook. Ic. pl. 3, 219.  
 — *anceps* *Lam.* Cav. Diss. 190.  
 — — *Lodd. Cab.* 1220.  
 — *Bermudiana* *L.* Cav. Diss. 192.  
 — — *Red. Lil.* 3, 149.  
 — *chilense* *Hook.* Bot. Mag. 54, 2786.  
 — *collinum* *Cav.* Red. Lil. 5, 250.  
 — *convolutum* *NoCCA.* NoCCA Pl. select. 1.  
 — — *Viviani Saggio* 1.  
 — — *Willdenow Hortus* 91.  
 — — *Red. Lil.* 1, 47.  
 — *cyaneum* *Ldl.* Bot. Reg. 13, 1090.  
 — *Douglasii* *A. Dietr.* Fl. d. serres 2, 146.  
 — *elegans* *Willd.* Red. Lil. 3, 171.  
 — *filifolium* *Gaudich.* Hook. Fl. ant. 126.  
 — *gramineum* *Curt.* Bot. Mag. 13, 464.  
 — — *Red. Lil.* 5, 282.

- † *Sisyrinchium gramineum* *Curt.* Lam. Encycl. 569.  
 — *graminifolium* *Ldl.* Bot. Reg. 13, 1067.  
 — — *β. pumilum*, Bot. Reg. 22, 1915.  
 — *grandiflorum* *Cav.* Cav. Diss. 192.  
 — — *Dougl.* Bot. Reg. 16, 1364.  
 — — *Bot. Mag.* 63, 3509.  
 — — *Sweet Fl. G. II.* 388.  
 — *incurvatum* *Gardn.* Hook. Ic. pl. 6, 513.  
 — *iridifolium* *H. B.* Lodd. Cab. 1979.  
 — *iridioides* *Curt.* Bot. Mag. 3, 94.  
 — *junceum* *E. M. Knowles et Westcott* 95.  
 — *laxum* *Sims.* Bot. Mag. 49, 2312.  
 † — *longistylum* *Ch. Lem.* Van Houtte Hort. 5.  
 — — *Fl. d. serres* 3, 255.  
 — *lutescens* *Lodd.* Lodd. Cab. 1870.  
 — *maculatum* *Hook.* Bot. Mag. 59, 3197.  
 — *majale* *Link et Kl.* Link Ic. III. 10.  
 — *micranthum* *Cav.* Cav. Diss. 191.  
 — — *Bot. Mag.* 47, 2116.  
 — *mucronatum* *Michx.* Rehb. Hortus 119.  
 — *narcissoides* *Cav.* Cav. Diss. 191.  
 — — *Bot. Reg.* 15, 1283.  
 — *Nuno Colla.* Mem. Tur. 39, 54.  
 — *odoratissimum* *Ldl.* Bot. Reg. 15, 1283.  
 — *palmifolium* *L.* Cav. Diss. 191.  
 — — *Red. Lil.* 6, 352.  
 — *pedunculatum* *Gill.* Bot. Mag. 57, 2965.  
 — *pumilum* *Hook.* Hook. Fl. ant. 129.  
 — *speciosum* *Hook.* Bot. Mag. 64, 3544.  
 — *spicatum* *Cav.* Cav. Ic. 104.  
 — *striatum* *Sm.* Smith Ic. pict. 9.  
 — — *Red. Lil.* 2, 66.  
 — — *Kerner Hort.* 23.  
 — — *Diet. sc. nat.* 63.  
 — *sulcatum* *Gill.* Hook. Ic. pl. 3, 218.  
 — *tenuifolium* *Willd.* Willdenow Hortus 92.  
 — — *Red. Lil.* 5, 275.  
 — — *Bot. Mag.* 47, 2117. 49, 2313.  
 † *Sitodium cauliflorum* *Gaertn.* Gaertn. Carp. 71. 72.  
 † *Sitobium* *Desv.* Mem. soc. Linn. Par. 6, 11.  
*Sium angustifolium* *L.* Jacq. Fl. austr. 1, 67.  
 — — *Curt. Lond.* 4, 111.  
 — — *Engl. Bot.* 2, 139.  
 — — *Sv. Bot.* 620.  
 — — *Hayne* 1, 39.  
 — *bulbosum* *Thore.* Desvaux Journal 1, 7.  
 — *Falcaria* *L.* Jacq. Fl. austr. 3, 257.  
 † — — *Gaertn. Carp.* 23.  
 — — *Fl. dan.* 10, 1749.  
 — — *Sv. Bot.* 621.  
 — *intermedium* *DC.* Tenore Fl. nap. 218.  
 — *latifolium* *L.* Fl. dan. 2, 246.  
 — — *Lam. Encycl.* 197.  
 — — *Curt. Lond.* 4, 110.  
 — — *Engl. Bot.* 3, 204.  
 — — *Baxter Brit. Bot.* 4, 319.  
 — — *Sv. Bot.* 178.  
 — — *Jacq. Fl. austr.* 1, 66.  
 — — *Hayne* 1, 38.  
 — *Brandt und Ratzeb.* 28.  
 — *Dietr. Fl. bor.* 10, 702.  
 † — — *Nees Gen. X.* x.  
 — *Ninsi* *L.* Rumpf Amb. Auct. 21. fig. 1.  
 — — *Burmann Fl. ind.* 29.  
 — — *Nees Düsseld.* 283.  
 — *nodiflorum* *L.* Fl. dan. 2, 247.  
 — — *Woodv. Med.* 1, 54.  
 — — *Engl. Bot.* 9, 639.  
 — *radiatum* *Viv.* Viviani Lib. 9.  
 — *repens* *L.* Jacq. Fl. austr. 3, 260.  
 — — *Engl. Bot.* 20, 1431.  
 — — *Fl. dan.* 9, 1514.



- Sium repens* L. Gmelin Fl. bad. 1, 5.  
 — *siculum* L. Jacq. Vind. 133.  
 — *Sisarum* L. Kaempfer Amoenit. p. 819.  
 † — — Gaertn. Carp. 23.  
 — — Lam. Encycl. 197.  
 — — Schk. Handb. 69.  
 † — — Nees Gen. X, x.  
 — *verticillatum* Lam. Engl. Bot. 6, 395.  
*Skimmia japonica* Thunb. Kaempfer Japon. 5.  
 † — — Gaertn. Carp. 225.  
 — — Sieb. Japon. 68.  
 — — Bot. Mag. 79, 4719.  
*Skinnera caespitosa* Choisy. Mem. Genev. 6, 6.  
 † *Skinnera excorticata* Forst. Forster Charact. 29.  
 † — — Usteri Annalen 3, 6.  
*Skirrhophorus Cunninghamii* DC. Delessert Ic. 4, 51.  
*Slackia geonomaeformis* Griff. Griffith Palms 234.  
*Sloanea dentata* L. Lam. Encycl. 469.  
 — *jamaicensis* Hook. Hook. Ic. pl. 7, 693—696.  
 — *quadrivalvis* Seem. Seemann Herald 15.  
 — *sinemariensis* Aubl. Aublet Guiana 212.  
*Smecathmannia laevigata* Soland. Bot. Mag. 71, 4194.  
 — *pubescens* Soland. Bot. Mag. 74, 4364.  
 † *Smegmadermos* Rz et P. Ruiz et Pav. Prodr. 31.  
*Smegmathamnium bellidifolium* Fenzl. Rehb. Fl. g. 6, 244.  
 — *luteum* Fenzl. Rehb. Fl. germ. 6, 244.  
*Smelowskia cinerea* Led. Ledeb. Ic. 151.  
 — *integrifolia* Led. Ledeb. Ic. 283.  
 † *Smilacaceae* R. Br. Schnizl. Iconogr. 1, 56.  
*Smilacina borealis* Gawl. Bot. Mag. 29, 1155: 34, 1403.  
 — *canadensis* Pursh. Barton Fl. 2, 70.  
 — *ciliata* Desf. Ann. Mus. 9, 9.  
 — *flexuosa* Bert. Novi Comm. Bonon. 4, 39.  
 — — Hook. Hook. Ic. pl. 6, 529.  
 — *fusca* Wall. Wall. Pl. asiat. 257.  
 — *purpurea* Wall. Wall. Pl. asiat. 144.  
 — *racemosa* Desf. Red. Lil. 4, 230.  
 — — Torrey New York 130.  
 — *stellata* Desf. Red. Lil. 4, 185.  
 — *umbellata* Desf. Ann. Mus. 9, 8.  
 — — Tratt. Archiv 361.  
 — *uniflora* Menz. Hook. Bor. Am. 190.  
 † *Smilax* L. (Radix Sassa-parillae) Archiv d. Pharm. 1847, 1, 2.  
 † — — — Schleiden Sassa-parille 1, 2.  
 — *aspera* L. Schk. Handb. 328.  
 — — — Sibth. Fl. gr. 959.  
 — — — Nouveau Duhamel 1, 53.  
 † — — Lam. Encycl. 817:  
 † — — Spach Suites 108.  
 † — — Nees Gen. 2, 63.  
 † — — Schnizl. Iconogr. 1, 56.  
 — — — Rehb. Fl. germ. 10, 438.  
 — *brasiliensis* Spr. Endl. Bras. 5, 3.  
 — *canariensis* Willd. Webb Canar. 225.  
 — *China* L. Rumpf Amb. Auct. 30.  
 — — — Kaempfer Amoenit. p. 782.  
 — — — Woodv. Med. 1, 63.  
 — — — Nees Düsseld. 45.  
 — *excelsa* L. Gmelin Reise 3, 6.  
 — — *Mirbel*. Nouveau Duhamel 1, 54.  
 — *glauca* Sims. Bot. Mag. 43, 1846.  
 — *glycyphylla* R. Br. Endl. Iconogr. 39.  
 — *herbaeca* L. Schk. Handb. 328.  
 — — — Bot. Mag. 44, 1920.  
 — *irrorata* Mart. Endl. Bras. 5, 2.  
 — *lasiocarpum* Hook. Hook. Bor. Am. 187.  
 — *longifolia* Watson. Watson Dendr. 2, 110.  
 — *maculata* Roxb. Royle Illustr. 94.  
 — — — Wight Ic. pl. Ind. or. 6, 2059.  
 — *medica* Schiede. Guimpel et Schl. 296.  
 — — — Nees Düsseld. Suppl. 97.

- Smilax orbiculata* Lab. Bill. Sertum 23.  
 — *ovalifolia* Roxb. Wight Ic. pl. Ind. or. 3, 809.  
 — *papyracea* Poir. Endl. Bras. 5, 1.  
 † — *peduncularis* Mühlbg. Hook. Bor. Am. 187.  
 — *Pseudochina* L. Desc. Ant. 7, 462.  
 — *purpurata* Forst. Bill. Sertum 22.  
 — *quadrangularis* Willd. Watson Dendr. 2, 109.  
 — *rubens* Watson. Watson Dendr. 2, 108.  
 — *sagittaeifolia* Lodd. Lodd. Cab. 1799.  
 — *Sarsaparilla* L. Woodv. Med. 1, 62.  
 — — — Watson Dendr. 2, 111.  
 — — — Lam. Encycl. 817.  
 — — — Desc. Ant. 7, 461.  
 — — — Guimpel et Schl. 295.  
 — — — Wagner 194.  
 — *syphilitica* H. B. K. Guimpel et Schl. 294.  
 — *vaginata* Decne. Jacquemont Ind. 169.  
 — *Villandia* Ham. Royle Illustr. 94.  
 — *zeylanica* L. Rheede Hort. mal. 7, 31.  
 — — — Rumpf Amb. 5, 161.  
 † — — — Gaertn. Carp. 16.  
 † — — — Lam. Encycl. 817.  
 — — — Wight Ic. pl. Ind. or. 6, 2057. 2058.  
*Smithia blanda* Wall. Wight Spicil. 59.  
 — — — Wight Ic. pl. Ind. or. 3, 986.  
 — *ciliata* Royle. Royle Illustr. 35.  
 — *purpurea* Hook. Bot. Mag. 73, 4283.  
 — *sensitiva* Ait. Rheede Hort. mal. 9, 38.  
 — — — Aiton Hort. Kew. 3, 13.  
 — — — Salisbury Parad. 92.  
 — — — Lam. Encycl. 627.  
 † *Smyrniun integerrimum* L. Mem. Mosc. 5, 1.  
 — *nodiflorum* All. Allione Fl. ped. 3, 72.  
 — *nudicaule* M. v. B. Sprengel Umbellif. 4.  
 † — *Olusatrum* L. Gaertn. Carp. 22.  
 † — — — Lam. Encycl. 204.  
 † — — — Mem. Mosc. 5, 1.  
 — — — Schk. Handb. 76.  
 — — — Engl. Bot. 4, 230.  
 — — — Baxter Brit. Bot. 3, 195.  
 — *perfoliatum* L. Lumnitzer Fl. poson. 1.  
 — — — W. et Kit. 23.  
 — — — Sibth. Fl. gr. 289.  
 † — — — Mag. naturf. Fr. 6, 5.  
*Sobolewska lithophila* M. v. B. Marschall Cent. 59.  
 — — — Delessert Ic. 2, 80.  
 † *Sobralia* Rz et P. Ruiz et Pav. Prodr. 26.  
 — *chlorantha* Hook. Bot. Mag. 78, 4682.  
 — — — Fl. d. serres 8, 840.  
 — *decora* Batem. Bateman Orchid. 26.  
 — *Elisabethae* Schomb. Preuss. Gart. Verein 15, 1, 2.  
 — *Liliastrum* Ldl. Lindley Sertum 29.  
 — *macrantha* Ldl. Bateman Orchid. 37.  
 — — — Bot. Mag. 75, 4446.  
 — — — var. Faxt. Mag. 14, 241.  
 — — — Hart. Parad. 1, 9.  
 — — — Fl. d. serres 7, 669.  
 — — — Annales de Gand 1847, 123.  
 — *rosea* P. et E. Poepp. et Endl. 93.  
 — *sessilis* Ldl. Bot. Reg. 27, 17.  
 — — — Bot. Mag. 77, 4570.  
 — — — Lem. Jard. fl. 104.  
 † *Sobreyra* Rz et P. Ruiz et Pav. Prodr. 23.  
*Sodala decidua* Forsk. Delilo Egypte 26.  
*Soemmeringia semperflorens* Mart. Martius Monogr. 1.  
*Soja hirsuta* DC. Rumpf Amb. 5, 140.  
 — *hispidia* Moench. Kaempfer Amoenit. p. 838.  
 † *Solanaceae* Juss. Dunal Solanum 1, 2, 3.  
 † — — — Naudin Solanées 1.  
 † — — — Endl. Bras. 6, 1—7.  
 † — — — Wight Illustr. 166 bis.  
 † — — — Schnizl. Iconogr. 3, 148.

- † *Solandra Sw.* Swartz Fl. Ind. occ. 9.  
 — *grandiflora Sw.* Svensk Acad. 1787, 11.  
 — — — Linn. Transact. 6, 6.  
 — — — Jacq. Schoenbr. 1, 45.  
 — — — Tratt. Archiv 309.  
 † — — — Ann. Mus. 8, 63.  
 — — — Dict. sc. nat. 35.  
 — — — Bot. Mag. 44, 1874.  
 — — — Rehb. Exot. 134.  
 — *guttata D. Don.* Bot. Reg. 18, 1551.  
 — *herbacea Hort.* Herb. amat. 3, 207.  
 — *laevis Hook.* Bot. Mag. 74, 4345.  
 — — — Fl. d. serres 4, 313, 314.  
 — *lobata Murr.* Comm. Gott. 6, 1.  
 — — — Cav. Cav. Diss. 136.  
 — *longiflora Tuss.* Tussac Ant. 2, 12.  
 — *ternata Cav.* Cav. Diss. 136.  
 — *viridiflora Sims.* Bot. Mag. 45, 1948.  
 — — — Lodd. Cab. 628.  
 — — — Link Ic. I. 47.  
*Solanum aculeatissimum Jacq.* Jacq. Ic. 41.  
 † — — — Endl. Bras 6, 5.  
 † — — — *acuminatum Rz et P.* Ruiz et Pav. Fl. 159.  
 † — — — Endl. Bras. 6, 2.  
 † — — — *acutifolium Rz et P.* Ruiz et Pav. Fl. 162.  
 † — — — *ascendens Sendtn.* Endl. Bras. 6, 1.  
 — — — *aethiopicum L.* Jacq. Vind. 12.  
 † — — — *aggregatum Jacq.* Jacq. Ic. 323.  
 † — — — *agrarium Sendtn.* Endl. Bras. 6, 5.  
 — — — *amazonium Ker.* Lodd. Cab. 352.  
 — — — Horae berol. 9.  
 — — — Bot. Reg. 1, 71.  
 — — — Rehb. Exot. 297.  
 † — — — *anacanthum Sendtn.* Endl. Bras. 6, 7.  
 — — — *anceps Rz et P.* Ruiz et Pav. Fl. 169.  
 — *Anguvi Lam.* Hook. Exot. Fl. 199.  
 — *angulatum Rz et P.* Ruiz et Pav. Fl. 170.  
 — — — Kerner Hort. 304.  
 † — — — *angustiflorum Sendtn.* Endl. Bras. 6, 7.  
 — — — *angustifolium Rz et P.* Ruiz et Pav. Fl. 163.  
 — — — Maund Bot. 4, 190.  
 † — — — *apiculatum Sendtn.* Endl. Bras. 6, 6.  
 † — — — *arenarium Sendtn.* Endl. Bras. 6, 3.  
 † — — — *argenteum Dunal.* Endl. Bras. 6, 4.  
 — — — *aspero-lanatum Rz et P.* Ruiz et Pav. Fl. 174.  
 — — — *asperum Vahl.* Dunal Solanum 7.  
 — — — *astroites Jacq.* Jacq. Ecl. pl. 65.  
 † — — — *aurantiacum Sendtn.* Endl. Bras. 6, 5.  
 — *Balbisii Dunal.* Bot. Mag. 52, 2568.  
 — — — var. *purpurca*, Bot. Mag. 55, 2828.  
 — — — var. *bipinnata*, Bot. Mag. 68, 3954.  
 — — — Maund Bot. 1, 49.  
 — — — Kerner Hort. 798.  
 — *betaceum Cav.* Cav. Ic. 524.  
 — — — Andr. Rep. 8, 511.  
 — *biformifolium Rz et P.* Ruiz et Pav. Fl. 161.  
 — *boerhaaviaefolium Sendtn.* Endl. Bras. 6, 11.  
 — *bombense Jacq.* Jacq. Ecl. pl. 24.  
 — *brancaefolium Jacq.* Jacq. Ecl. pl. 7.  
 — *brevipilum Dunal.* Dunal Solanum 21.  
 † — — — *buddleiaefolium Sendtn.* Endl. Bras. 6, 6.  
 — — — *Caavurana Vell.* Endl. Bras. 6, 8.  
 † — — — *campaniforme R. et Sch.* Endl. Bras. 6, 1.  
 — — — *campanulatum R. Br.* Knowles et Westcott 18.  
 — — — Bot. Mag. 65, 3672.  
 † — — — *capsicoides Mart.* Endl. Bras. 6, 4.  
 — — — *cardiophyllum Ldl.* Journ. Hort. Soc. 3, 71.  
 — — — *carolinense Ldl.* Jacq. Ic. 331.  
 — — — Barton Fl. 1, 23.  
 † — — — Endl. Bras. 6, 5.  
 — — — *cestrifolium Jacq.* Jacq. Ecl. pl. 144.  
 — — — *chenopodioides Lam.* Desc. Ant. 6, 404.

- Solanum chloranthum DC.* DC. Hort. genev. 13.  
 — *ciliatum Lam.* Dunal Solanum 18.  
 — *coagulans Forsk.* Delile Egypte 23.  
 — — — Jacq. Schoenbr. 4, 469.  
 † — — — *coarense Sendtn.* Endl. Bras. 6, 1.  
 — — — *coccineum Jacq.* Jacq. Ic. 43.  
 † — — — *coeruleum Arrab.* Endl. Bras. 6, 1.  
 — — — *Commersonii Poir.* Hortie. Transact. 5, 10.  
 † — — — *concinnum Sendtn.* Endl. Bras. 6, 3.  
 — — — *conicum Rz et P.* Ruiz et Pav. Fl. 172.  
 † — — — *cordifolium Dunal.* Endl. Bras. 6, 7.  
 — — — *coriaceum Dunal.* Dunal Solanum 14.  
 — — — *Hook.* Bot. Mag. 54, 2708.  
 † — — — *cormanthum Arrab.* Endl. Bras. 6, 2.  
 — — — *cornutum Lam.* Ann. Mus. 3, 9.  
 — — — Jacq. Ecl. pl. 104.  
 — — — *corymbosum Jacq.* Jacq. Ic. 40.  
 — — — *crispum Rz et P.* Ruiz et Pav. Fl. 158.  
 — — — Lodd. Cab. 1959.  
 — — — Bot. Reg. 18, 1516.  
 — — — Bot. Mag. 67, 3795.  
 — — — Paxt. Mag. 3, 1.  
 — — — *crotonoides Lam.* Dunal Solanum 13.  
 — — — *cuneifolium Dunal.* Dunal Solanum 22.  
 — — — var. *Miquel Surinam* 39.  
 † — — — Endl. Bras. 6, 7.  
 — — — *cymosum Rz et P.* Ruiz et Pav. Fl. 160.  
 † — — — *decompositiflorum Sendtn.* Endl. Bras. 6, 6.  
 † — — — *deorticans Sendtn.* Endl. Bras. 6, 4.  
 † — — — *decorum Sendtn.* Endl. Bras. 6, 6.  
 — — — *decurrens Balb.* Willdenow Hortus 102.  
 — — — Mem. Tur. 10, 4.  
 — — — Bot. Reg. 2, 140.  
 † — — — Endl. Bras. 6, 7.  
 — — — *demissum Ldl.* Journ. Hort. Soc. 3, 69.  
 † — — — *densiflorum Sendtn.* Endl. Bras. 6, 6.  
 — — — *denticulatum Bl.* Wight Ic. pl. Ind. or. 4, 1397.  
 — — — *dichotomum Rz et P.* Ruiz et Pav. Fl. 166.  
 — — — *diffusum Rz et P.* Ruiz et Pav. Fl. 171.  
 — — — *Dilleni Schult.* Rehb. Ic. crit. 10, 955.  
 — — — *diphyllum L.* Jacq. Ic. 322.  
 † — — — Endl. Bras. 6, 2.  
 † — — — *distichophyllum Sendtn.* Endl. Bras. 6, 3.  
 — — — *Dulcamara L.* Fl. dan. 4, 607.  
 — — — Woodv. Med. 2, 85.  
 — — — Curt. Lond. 2, 5.  
 — — — Engl. Bot. 8, 565.  
 — — — Baxter Brit. Bot. 2, 110.  
 — — — Sv. Bot. 20.  
 — — — Bigelow Med. 18.  
 † — — — *Plée Types* 13.  
 — — — Dreves 2, 60.  
 — — — Hayne 2, 39.  
 — — — Sturm Flora 5, 18.  
 — — — Schrank Fl. monac. 2, 111.  
 — — — Nees Düsseldorf 187.  
 — — — Guimpel Holzgew. 12.  
 — — — Guimpel et Schl. 9.  
 — — — Wagner 46.  
 — — — Dietr. Fl. bor. 2, 134.  
 — — — *Dunalium Gaudich.* Freycinet Voyage 58.  
 — — — *elaegnifolium Cav.* Cav. Ic. 243.  
 † — — — *esculentum Dunal.* Schweizer Denkschr. 5, 2.  
 — — — *etuberosum Ldl.* Bot. Reg. 20, 1712.  
 † — — — *evonymoides Sendtn.* Endl. Bras. 6, 1.  
 — — — *fastigiatum Willd.* Jacq. Ecl. pl. 6.  
 — — — Dunal Solanum 16.  
 † — — — Endl. Bras. 6, 5.  
 — — — *ferox L.* Rheedee Hort. mal. 2, 35.  
 — — — Wight Ic. pl. Ind. or. 4, 1399, 1400.  
 — — — *ferrugineum Jacq.* Jacq. Schoenbr. 3, 334.  
 — — — *filiforme Rz et P.* Ruiz et Pav. Fl. 159.

- Solanum flavum* Kit. Rehb. Ic. crit. 10, 995.  
 † — floribundum *Sendtn.* Endl. Bras. 6, 5.  
 — Fontanesianum *Dunal.* Bot. Reg. 2, 177.  
 — — *Schrank.* Schrank Hort. monac. 18.  
 — fragrans *Hook.* Bot. Mag. 65, 3684.  
 — fructu-tecto *Cav.* Cav. Ic. 309.  
 — fugax *Jacq.* Jacq. Ic. 324.  
 — fuscatum *L.* Jacq. Ic. 42.  
 — giganteum *Jacq.* Jacq. Ic. 328.  
 — — — Bot. Mag. 44, 1921.  
 — — — Jardine Annals 1, 13.  
 — — — Wight Ic. pl. Ind. or. 3, 893.  
 — glandulosum *Rz et P.* Ruiz et Pav. Fl. 167.  
 — glaucescens *Zucc.* Endl. Bras. 6, 14.  
 — glaucum *Dunal.* Belgique hortic. 3, 26.  
 † — glomuliflorum *Sendtn.* Endl. Bras. 6, 3.  
 — gracilipes *Decne.* Jacquemont Ind. 119.  
 † — gracillimum *Sendtn.* Endl. Bras. 6, 3.  
 — grandiflorum *Rz et P.* Ruiz et Pav. Fl. 168.  
 — — — Kerner Hort. 98.  
 † — — — Endl. Bras. 6, 6.  
 — guineense *L.* Burmann Fl. ind. 22.  
 † — hastatum *Sendtn.* Endl. Bras. 6, 5.  
 — havanense *L.* Jacq. Hist. stirp. am. 48.  
 — Herbertianum *Paxt.* Paxt. Mag. 5, 269.  
 — heterandrum *Pursh.* Pursh Fl. 7.  
 — heterodoxum *DC.* Jacq. Ecl. pl. 103.  
 — — — Dunal Solanum 25.  
 — heterotrichum *Dunal.* Dunal Solanum 20.  
 † — hexandrum *Arrab.* Endl. Bras. 6, 5.  
 — hirtum *Vahl.* Vahl Ic. 21.  
 — Humboldtii *Willd.* Willdenow Hortus 27.  
 — humile *Bernh.* Rehb. Ic. crit. 10, 994.  
 — — — Dietr. Fl. bor. 10, 672.  
 — hybridum *Jacq.* Jacq. Vind. 113.  
 — Jacquini *Willd.* Wight Ic. pl. Ind. or. 4, 1401.  
 — jasminoides *Paxt.* Paxt. Mag. 8, 5.  
 — — — Bot. Reg. 33, 33.  
 — igneum *L.* Jacq. Vind. 14.  
 † — inaequale *Arrab.* Endl. Bras. 6, 2.  
 — incanum *Rz et P.* Ruiz et Pav. Fl. 175.  
 — incarcerationum *Rz et P.* Ruiz et Pav. Fl. 176.  
 † — — — Endl. Bras. 6, 5.  
 — incertum *Dunal.* Rheed Hort. mal. 10, 73.  
 — incurvum *Rz et P.* Ruiz et Pav. Fl. 164.  
 — indicum *L.* Rheed Hort. mal. 2, 36.  
 — — — Wight Ic. pl. Ind. or. 2, 346.  
 — insidiosum *Mart.* Endl. Bras. 6, 13.  
 † — intermedium *Sendtn.* Endl. Bras. 6, 1.  
 — Juripeba *Rich.* Dunal Solanum 15.  
 † — — — Endl. Bras. 6, 6.  
 — laciniatum *Rz et P.* Ruiz et Pav. Fl. 177.  
 — — — *Ait.* Bot. Mag. 10, 349.  
 — — — Lodd. Cab. 717.  
 † — lacteum *Arrab.* Endl. Bras. 6, 3.  
 — lanatum *Dunal.* Maund Bot. 2, 58.  
 — lanceaeifolium *Jacq.* Jacq. Ic. 329.  
 † — — — Endl. Bras. 6, 7.  
 — lanceolatum *Rz et P.* Ruiz et Pav. Fl. 164.  
 — — — *Cav.* Cav. Ic. 245.  
 — — — Bot. Mag. 47, 2173.  
 † — Lantana *Sendtn.* Endl. Bras. 6, 3.  
 — laurifolium *L. fil.* Dunal Solanum 8.  
 † — laxiflorum *Sendtn.* Endl. Bras. 6, 1.  
 — lentum *Cav.* Cav. Ic. 308.  
 † — leontopodium *Sendtn.* Endl. Bras. 6, 4.  
 — leprosum *Ortega.* Dunal Solanum 12.  
 — ligustrinum *Lodd.* Lodd. Cab. 1963.  
 — lineatum *Rz et P.* Ruiz et Pav. Fl. 158.  
 — longifolium *Dunal.* Dunal Solanum 9.  
 — lucidum *Moric.* Moricand Pl. Am. 20.  
 — lycioides *L.* Ruiz et Pav. Fl. 177.

- Solanum lycioides* *L.* Jacq. Ic. 46.  
 — — — Bot. Reg. 32, 25.  
 — Lycopersicum *L.* Rumpf Amb. 5, 154.  
 — — — var. Gil et Xvarez 11.  
 — — — Desc. Ant. 6, 405.  
 — lyratum *Thunb.* Thunberg Ic. jap. 42.  
 — macrantherum *Dunal.* H. B. K. Nov. Gen. 3, 195.  
 — — — Bot. Reg. 27, 7.  
 — macranthum *Dunal.* Bot. Mag. 71, 4138.  
 † — macronema *Sendtn.* Endl. Bras. 6, 6.  
 — macrophyllum *Dunal.* Dunal Solanum 17.  
 — mammosum *L.* Desc. Ant. 3, 186.  
 — Manoelii *Moric.* Moricand Pl. Am. 19.  
 — marginatum *L. fil.* Jacq. Ic. 45.  
 — — — Comm. Gott. 6, 4.  
 — — — Bot. Mag. 44, 1928.  
 — Martii *Sendtn.* Endl. Bras. 6, 10.  
 — megalochitum *Mart.* Endl. Bras. 6, 9.  
 † — megalonyx *Sendtn.* Endl. Bras. 6, 6.  
 — Melongena *L.* var. Rheed Hort. mal. 2, 37. 10, 74.  
 — — — Rumpf Amb. 5, 85.  
 — — — Desc. Ant. 3, 187.  
 — — — Wight Illustr. 166.  
 † — mexicanum *M. et S.* Endl. Bras. 6, 5.  
 † — micracanthum *Lam.* Endl. Bras. 6, 7.  
 † — micranthum *Sendtn.* Endl. Bras. 6, 2.  
 — microcarpum *Vahl.* Dunal Solanum 10.  
 — Milleri *Jacq.* Jacq. Ic. 330.  
 — miniatum *Bernh.* Rehb. Ic. crit. 10, 996.  
 — — — Dietr. Fl. bor. 10, 670.  
 — mite *Rz et P.* Ruiz et Pav. Fl. 173.  
 — montanum *L.* Ruiz et Pav. Fl. 160.  
 — multifidum *Rz et P.* Ruiz et Pav. Fl. 171.  
 — — — *Lam.* Lam. Encycl. 115.  
 — myriacanthum *Dunal.* Dunal Solanum 19.  
 — myrtifolium *Lodd.* Lodd. Cab. 1431.  
 — Nava *Webb.* Webb Canar. 174.  
 † — nematopus *Sendtn.* Endl. Bras. 6, 6.  
 — nigrum *L.* Fl. dan. 3, 460.  
 — — — Woody. Med. 2, 84.  
 — — — Curt. Lond. 2, 26.  
 — — — Engl. Bot. 8, 566.  
 — — — Sv. Bot. 61.  
 — — — Desc. Ant. 5, 308.  
 † — — —  $\alpha. \beta. \gamma. \delta.$  Mutel Fl. fr. 39. 40.  
 † — — — Gaertn. Carp. 131.  
 — — — Schk. Handb. 46.  
 — — — Drevs 2, 38.  
 — — — Hayne 2, 40.  
 — — — Sturm Flora 1, 1.  
 — — — Schrank Fl. monac. 4, 328.  
 — — — Nees Düsseld. 188.  
 — — — Brandt und Ratzeb. 19.  
 — — — Rehb. Ic. crit. 10, 953.  
 — — — Dietr. Fl. bor. 2, 84.  
 † — — — Nees Gen. 5, 58.  
 — nitidum *Rz et P.* Ruiz et Pav. Fl. 163.  
 — nodiflorum *Jacq.* Jacq. Ic. 326.  
 † — nudum *Dunal.* Endl. Bras. 6, 2.  
 — nutans *Rz et P.* Ruiz et Pav. Fl. 166.  
 — obliquum *Rz et P.* Ruiz et Pav. Fl. 165.  
 — oblongum *Rz et P.* Ruiz et Pav. Fl. 165.  
 † — — — Endl. Bras. 6, 2.  
 † — ochroneurum *Link.* Endl. Bras. 6, 7.  
 † — odoriferum *Arrab.* Endl. Bras. 6, 4.  
 — oleraceum *Rich.* Rehb. Ic. crit. 10, 993.  
 † — oocarpum *Sendtn.* Endl. Bras. 6, 7.  
 — oppositifolium *Rz et P.* Ruiz et Pav. Fl. 168.  
 † — Orbignianum *Sendtn.* Endl. Bras. 6, 4.  
 — oxycarpum *Schiede.* Schlechtendal Hortus 3.  
 — paludosum *Moric.* Moricand Pl. Am. 20.  
 † — paniculatum *L.* Endl. Bras. 6, 5.

- † *Solanum papillosum* *Sendtn.* Endl. Bras. 6, 3.  
 † — *paratyense* *Arrab.* Endl. Bras. 6, 7.  
 — *parviflorum* *Cav.* Cav. Ic. 236.  
 † — *pauciflorum* *Vahl.* Endl. Bras. 6, 5.  
 † — *pellicum* *Sendtn.* Endl. Bras. 6, 6.  
 — *pendulum* *Rz et P.* Ruiz et Pav. Fl. 174.  
 † — *pensile* *Sendtn.* Endl. Bras. 6, 4.  
 — *peruvianum* *L.* Jacq. Ic. 327.  
 — *phyllanthum* *Cav.* Cav. Ic. 359.  
 — *pinnatifidum* *Rz et P.* Ruiz et Pav. Fl. 170.  
 — *Lam.* Lam. Encycl. 115.  
 — *pinnatum* *Cav.* Cav. Ic. 439.  
 — *platanifolium* *Sims.* Bot. Mag. 53, 2618.  
 † — — Endl. Bras. 6, 5.  
 — *pogogenum* *Moric.* Moricand Pl. Am. 17.  
 † — *Pohlii* *Sendtn.* Endl. Bras. 6, 5.  
 — *polygamum* *Vahl.* Vahl Symbolae 55.  
 — *polytrichum* *Moric.* Moricand Pl. Am. 22.  
 — *pseudolycopersicum* *Jacq.* Jacq. Vind. 11.  
 — *pseudoquina* *St. Hil.* St. Hil. Pl. usuelles 21.  
 — *pteroaulon* *Dum.* Rehb. Ic. crit. 10, 954.  
 — *pubescens* *Rz et P.* Ruiz et Pav. Fl. 169.  
 — *Willd.* Willdenow Phytogr. 3.  
 — — *Wight* Ic. pl. Ind. or. 4, 1402.  
 — *pubigerum* *Dunal.* Dunal Solanum 6.  
 † — *pulchrum* *Dunal.* Endl. Bras. 6, 4.  
 † — *pycnanthemum* *Mart.* Endl. Bras. 6, 6.  
 — *pygmaeum* *Cav.* Cav. Ic. 439.  
 — *pyracantha* *Sm.* Smith Exot. Bot. 64.  
 — *pyracanthum* *Jacq.* Jacq. Schoenbr. 4, 470.  
 — — Bot. Mag. 52, 2547.  
 — *quitense* *H. B. K.* Bot. Mag. 54, 2739.  
 — — Desc. Ant. 5, 377.  
 — *racemosum* *L.* Jacq. Hist. stirp. am. 50.  
 — — Desc. Ant. 5, 378.  
 — *radicans* *L.* Linné Hort. ups. 1, 10.  
 — *Radula* *Vahl.* Miquel Surinam 38.  
 — *reclinatum* *Hort.* Herb. amat. 5, 307.  
 — *reflexum* *Schrank.* Schrank Hort. monac. 81.  
 — *retrofractum* *Vahl.* Dunal Solanum 5.  
 † — *rhytidoandrum* *Sendtn.* Endl. Bras. 6, 6.  
 — *rigescens* *Jacq.* Jacq. Schoenbr. 1, 42.  
 † — *robustum* *Sendtn.* Endl. Bras. 6, 5.  
 — *rostratum* *Dunal.* Bonpland Malm. 56.  
 — — Dunal Solanum 24.  
 — — Jacq. Ecl. pl. 104.  
 — *rubiginosum* *Vahl.* Vahl Ic. 13.  
 — *rubrum* *Mill.* Rehb. Ic. crit. 10, 997.  
 — *Roxb.* *Wight* Ic. pl. Ind. or. 2, 344.  
 † — *rufum* *Sendtn.* Endl. Bras. 6, 6.  
 — *Rumphii* *R. et Sch.* Rumpf Amb. 6, 26. fig. 2.  
 — *runcinatum* *Rz et P.* Sweet Fl. G. II. 177.  
 † — *rupicola* *Sendtn.* Endl. Bras. 6, 7.  
 — *Sagraeanum* *A. Rich.* Ramon Cuba 62.  
 † — *sambuciflorum* *Sendtn.* Endl. Bras. 6, 3.  
 — *saponaceum* *Sims.* Bot. Mag. 53, 2697.  
 † — *sarachoides* *Sendtn.* Endl. Bras. 6, 1.  
 — *scabrum* *Rz et P.* Ruiz et Pav. Fl. 175.  
 — *Jacq.* Jacq. Schoenbr. 3, 333.  
 † — *schizandrum* *Sendtn.* Endl. Bras. 6, 6.  
 † — *Schomburgkii* *Sendtn.* Endl. Bras. 6, 5.  
 † — *Schüchii* *Sendtn.* Endl. Bras. 6, 7.  
 — *Seaforthianum* *Andr.* Andr. Rep. 8, 504.  
 — — Bot. Mag. 45, 1982.  
 — — Lodd. Cab. 971.  
 — — Bot. Reg. 12, 969.  
 — *sericeum* *Rz et P.* Ruiz et Pav. Fl. 161.  
 — *sessile* *Rz et P.* Ruiz et Pav. Fl. 167.  
 — *sodomeum* *L.* Sibth. Fl. gr. 235.  
 † — — Lam. Encycl. 115.  
 — *somniculentum* *Kze.* Fl. d. serres 5, 454.  
 † — *sordidum* *Sendtn.* Endl. Bras. 6, 4.

- Solanum sphaerocarpum* *Moric.* Moricand Pl. Am. 21.  
 — *stagnale* *Moric.* Moricand Pl. Am. 23.  
 † — — Endl. Bras. 6, 5.  
 — *stellatum* *Rz et P.* Ruiz et Pav. Fl. 176.  
 — — *Jacq.* Jacq. Collect. 5, 5.  
 — — Jacq. Ic. 321.  
 — — Kerner Hort. 412.  
 — *stelligerum* *Sm.* Smith Exot. Bot. 88.  
 † — *stenandrum* *Sendtn.* Endl. Bras. 6, 5.  
 — *stoloniferum* *Schlecht.* Preuss. Gart. Verein 9, 2.  
 — *stramoniaeifolium* *Jacq.* Jacq. Ic. 44.  
 † — *subcordatum* *Sendtn.* Endl. Bras. 6, 7.  
 † — *subscandens* *Arrab.* Endl. Bras. 6, 6.  
 † — *subspatulatum* *Sendtn.* Endl. Bras. 6, 4.  
 † — *subumbellatum* *Arrab.* Endl. Bras. 6, 4.  
 † — *surinamense* *Sendtn.* Endl. Bras. 6, 7.  
 † — *Tegore* *Aubl.* Aublet Guiana 84.  
 † — *tenuissimum* *Sendtn.* Endl. Bras. 6, 5.  
 — *ternatum* *Rz et P.* Ruiz et Pav. Fl. 172.  
 † — *thomasiaefolium* *Sendtn.* Endl. Bras. 6, 5.  
 — *Thonningianum* *Jacq.* Jacq. Ecl. pl. 83.  
 — *torvum* *Sw.* Dunal Solanum 23.  
 — — *Wight* Ic. pl. Ind. or. 2, 345.  
 † — — Endl. Bras. 6, 7.  
 † — *toxicarium* *Lam.* Endl. Bras. 6, 7.  
 — *trifoliatum* *L.* Burmann Fl. ind. 22.  
 — *trilobatum* *L.* Burmann Fl. ind. 22.  
 — — *Wight* Ic. pl. Ind. or. 3, 854.  
 — *triquetrum* *Cav.* Cav. Ic. 259.  
 — *triste* *Jacq.* Jacq. Hist. stirp. am. 49.  
 — — Desc. Ant. 3, 185.  
 † — — Endl. Bras. 6, 2.  
 — *Trongum* *Roxb.* Rumpf Amb. 5, 86.  
 — *tuberosum* *L.* Hort. Transact. 5, 11.  
 † — — Mem. Mus. 19, 1. 2. 3.  
 † — — Putsche Monogr. 1—9.  
 ! — — Proc. Hort. Soc. 1838, p. 38. 39.  
 ! — — Journ. Hort. Soc. 1, 1—4.  
 ! — — Novi Comm. Bonon. 3, 10.  
 — *Tweedianum* *Hook.* Bot. Mag. 62, 3385.  
 † — *uncinellum* *Ldl.* Bot. Reg. 26, 15.  
 † — *variabile* *Mart.* Endl. Bras. 6, 5.  
 — *variegatum* *Rz et P.* Ruiz et Pav. Fl. 162.  
 † — *velleum* *Sw.* Endl. Bras. 6, 5.  
 † — *Vellozianum* *Don.* Van Houtte Hortus 5.  
 — *verbascifolium* *L.* Jacq. Vind. 13.  
 — — *Wight* Ic. pl. Ind. or. 4, 1398.  
 † — — *Revcu* hort. 1853, 6.  
 — *Vespertilio* *Ait.* Wendland Hort. herrenh. 21.  
 — *vestitum* *Don.* Maund Bot. 4, 192.  
 † — *villiflorum* *Sendtn.* Endl. Bras. 6, 4.  
 — *villosum* *Lam.* Hayne 2, 41.  
 — — Fl. dan. 11, 1927.  
 — — Dietr. Fl. bor. 10, 671.  
 — *violaceum* *Jacq.* Jacq. Fragm. 132.  
 — *violaeifolium* *Schott.* Endl. Bras. 6, 4. 12.  
 — *virgatum* *Lam.* Dunal Solanum 4.  
 — *virginianum* *Jacq.* Jacq. Ic. 332.  
 — *viridiflorum* *Rz et P.* Ruiz et Pav. Fl. 173.  
 — *Wightii* *N. v. E.* Acta Leop. 18, 1, 18.  
 — — *Wight* Ic. pl. Ind. or. 3, 841.  
 — *xanthocarpum* *Schrad.* Schrad. Serth. hannov. 2.  
 — *Zuccagnianum* *Dunal.* Dunal Solanum 11.  
*Soldanella alpina* *L.* Jacq. Fl. austr. 1, 13.  
 — — Bot. Mag. 2, 49.  
 † — — Gaertn. Carp. 183.  
 — — Lam. Encycl. 99.  
 — — Schk. Handb. 33.  
 — — Roemer Fl. europ. 1, 1.  
 — — Sturm Flora 5, 20.  
 — — var. *Séringe* Mus. helv. 9.

- Soldanella alpina* L. Sweet Fl. G. II. 110.  
 — *Clusii Sims.* Bot. Mag. 47, 2163.  
 — — — Lodd. Cab. 372.  
 — *minima Hoppe.* Sturm Flora 5, 20.  
 — — — Sweet Fl. G. II. 53.  
 — *montana Willd.* Lodd. Cab. 871.  
 — — — Sweet Fl. G. 11.  
 † — — — Nees Gen. 5, 11.  
 — *pusilla Baumg.* Sturm Flora 11, 41.  
 — — — Sweet Fl. G. II. 48.  
 † *Solea Spr.* Gray Genera 81.  
 — *concolor Ging.* Gray Genera 81.  
*Soleirolia corsica Gaudich.* Gaudichaud Bonite 114.  
*Solena gracilis Rudge.* Rudge Pl. Guianac 41.  
 — *latifolia Rudge.* Rudge Pl. Guianac 40.  
*Solenandria cordifolia Pal. B.* Vent. Malm. 69.  
 — — — Tratt. Archiv 82.  
*Solenanthes circinnatus Led.* Ledeb. Ic. 26.  
*Solenidium racemosum Ldl.* Paxt. Fl. G. 102.  
 — — — Lem. Jard. fl. 4, 349.  
*Soleniscia elegans DC.* Delessert Ic. 5, 21.  
*Solenochasma assurgens Fenzl.* Jacq. Ecl. pl. 101.  
*Solenomelus chilensis Miers.* Linn. Transact. 19, 8.  
*Solenostemma Argel Hayne.* Hayne 9, 38.  
 — — — Nees Düsseld. Suppl. 13.  
*Solidago alba Mill.* Hill Hort. Kew. 4.  
 — *alpestris W. et K.* W. et Kit. 208.  
 — *altissima L.* Martyn Hist. 12.  
 — *azorica Hochst.* Seubert Fl. azor. 10.  
 — *canadensis L.* Schk. Handb. 246.  
 — *lanceolata Ait.* Bot. Mag. 52, 2546.  
 — *minuta L.* Schk. Handb. 270.  
 — — — Lodd. Cab. 189.  
 — *neglecta T. et Gr.* Torrey New York 55.  
 — *odora Ait.* Bigelow Med. 20.  
 — *ohioensis Ridd.* Torrey New York 54.  
 — *pygmaea Bert. fl.* Novi Comm. Bonon. 5, 17.  
 — *sempervirens L.* Tratt. Archiv 269.  
 — *stricta Ait.* Torrey New York 53.  
 — *verrucosa Schrad.* Schrader Hort. gott. 6.  
 — *Virgaurea L.* Fl. dan. 4, 663.  
 † — — — Gaertn. Carp. 170.  
 † — — — Lam. Encycl. 680.  
 — — — Woodv. Med. 5, 5.  
 — — — Engl. Bot. 5, 301.  
 — — — Baxter Brit. Bot. 3, 238.  
 — — — Hayne 8, 12.  
 — — — Sturm Flora 3, 9.  
 — — — Dietr. Fl. bor. 12, 833.  
 — — — Rehb. Fl. germ. 16, 911. 913.  
 † — — — Nees Gen. X, x.  
 — *viscosa Schrad.* Schrader Sert. hannov. 6.  
*Soliera pulchella Clos.* Gay Chile 53.  
 † *Soliva Rz et P.* Ruiz et Pav. Prodr. 24.  
*Sollya Drummondii Morr.* Belgique hort. 1854, x.  
 — *heterophylla Ldl.* Bot. Reg. 17, 1466.  
 — — — Bot. Mag. 63, 3523.  
 — — — Lodd. Cab. 1975.  
 — — — Sweet Fl. G. II. 232.  
 — — — Rehb. Exot. 298.  
 — *linearis Ldl.* Bot. Reg. 26, 3.  
 — *salicifolia Marnock.* Marnock Mag. 1839, 11.  
*Sommea Calcitrapa Bory.* Ann. générales 6, 87.  
*Sommeraueria quadrifolia Hoppe.* Rehb. Fl. germ. 5, 204.  
 † *Sonchus L.* Schk. Handb. 217.  
 † — — — Lam. Encycl. 649.  
 — — — Picard Observations 1. (non vidi.)  
 — *abbreviatus Link.* Webb Canar. 134.  
 — *acidus Schousb.* Webb Canar. 134<sup>B</sup>.  
 — *alpinus L.* Fl. dan. 2, 182.  
 — — — Smith Ic. Linn. 21.  
 — — — Roemer Magazin 3, x.

- Sonchus alpinus L.* Sv. Bot. 657.  
 — *arbores DC.* Webb Canar. 126.  
 — *arvensis L.* Fl. dan. 4, 606.  
 — — — Curt. Lond. 2, 65.  
 — — — Engl. Bot. 10, 674.  
 — — — Schrank Fl. monac. 4, 335.  
 † — *asper Gaertn.* Gaertn. Carp. 158.  
 — — — Vill. Fl. dan. 5, 843.  
 — — — Engl. Bot. 2765. 2766.  
 — — — Dietr. Fl. bor. 7, 503.  
 — *azureus Led.* Ledeb. Ic. 496.  
 — *Bourgeauii Sch. Bip.* Webb Canar. 136<sup>B</sup>.  
 † — *canadensis L.* Schk. Handb. 217.  
 — *Candolleanus Jaub.* Jaubert Illustr. 279.  
 — *Cassinianus Jaub.* Jaubert Illustr. 280.  
 — *chondrilloides Sibth.* Sibth. Fl. gr. 791.  
 — *ciliatus Lam.* Wight Ic. pl. Ind. or. 3, 1141.  
 — *coeruleus Sm.* Engl. Bot. 34, 2425.  
 — *congestus DC.* Webb Canar. 133.  
 — *Daltoni Webb.* Hook. Niger Fl. 10.  
 — — — Hook. Ic. pl. 8, 765.  
 — *dentatus Led.* Ledeb. Ic. 87.  
 — *divaricatus Desf.* Ann. Mus. 2, 46.  
 — — — Jaubert Illustr. 278.  
 † — *floridanus L.* Schk. Handb. 217.  
 — *fruticosus L. fil.* L'her. Stirp. 81.  
 — — — Nouveau Duhamel 4, 12.  
 — — — Jacq. Jacq. Ic. 161.  
 — *gibbosus Savi.* Savi Fl. ital. 1, 15.  
 — *glaucescens Jordan.* Jordán Observ. 5, 5.  
 — *gummifer Link.* Webb Canar. 129.  
 — *hispanicus Jacq.* Jacq. Schoenbr. 2, 143.  
 — *Jacquini DC.* Webb Canar. 132.  
 — *leptocephalus DC.* Webb Canar. 127.  
 — *macranthus Poir.* Herb. amat. 5, 312.  
 — *maritimus L.* Allione Fl. ped. 3, 16.  
 — — — Cav. Ic. 51.  
 — *oleraceus L.* Fl. dan. 4, 682.  
 — — — Curt. Lond. 1, 84.  
 — — — Engl. Bot. 12, 843.  
 — — — Baxter Brit. Bot. 2, 147.  
 † — — — Schk. Handb. 256.  
 — — — Hayne 1, 48.  
 — — — Schrank Fl. monac. 1, 17.  
 — — — Dietr. Fl. bor. 7, 502.  
 — *palustris L.* Fl. dan. 7, 1109.  
 — — — Curt. Lond. 3, 67.  
 — — — Engl. Bot. 13, 935.  
 † — — — Gaertn. Carp. 158.  
 † — — — Schk. Handb. 217.  
 — — — Dietr. Fl. bor. 7, 501.  
 — *picroides Lam.* Allione Fl. ped. 3, 16.  
 † — — — Gaertn. Carp. 158.  
 — — — Sibth. Fl. gr. 793.  
 — *pinnatus Ait. β. palmensis,* Webb Canar. 130.  
 — *platylepis Webb.* Webb Canar. 131.  
 — *quercifolius Desf.* Desf. Fl. atl. 213.  
 — *radicatus Ait.* Webb Canar. 128.  
 — *sibiricus L.* Schk. Handb. 217.  
 — *spinous DC.* Webb Canar. 125.  
 † — *tenerimus L.* Schk. Handb. 217.  
 — — — Sibth. Fl. gr. 790.  
 — — — Rehb. Hortus 139.  
 — *tingitanus Lam.* Sibth. Fl. gr. 792.  
 — *torulosus Savi.* Savi Fl. ital. 1, 15.  
 — *Wallichianus DC.* Delessert Ic. 4, 97.  
 — *Webbii Sch. Bip.* Webb Canar. 136.  
 — *Wightianus DC.* Wight Ic. pl. Ind. or. 3, 1142.  
*Sondaria cranganoorensis Dennst.* Rheede Hort. mal. 5, 40.  
*Sonerila angustifolia Roxb.* Wall. Pl. asiat. 102.  
 — *axillaris Wight.* Wight Ic. pl. Ind. or. 3, 1058.  
 — *begoniaefolia Bl.* Korthals Bot. 54.

- †*Sonerila brachyandra* Naud. Ann. sc. nat. III. 16, 18.  
 — *Brunonis* W. et A. Wight Illustr. 94.  
 — — — Wight Ic. pl. Ind. or. 3, 1059.  
 — *elegans* Wight. Wight Spicil. 67<sup>c</sup>.  
 — — — Wight Ic. pl. Ind. or. 3, 995<sup>b</sup>.  
 — *grandiflora* R. Br. Wight Spicil. 67.  
 — — — Wight Ic. pl. Ind. or. 3, 995.  
 † *heterostemon* Naud. Ann. sc. nat. III. 16, 18.  
 — *maculata* Roxb. Rheede Hort. mal. 9, 65.  
 — *orbiculata* Ldl. Journ. Hort. Soc. 8, 57.  
 — *picta* Korth. Korthals Bot. 52.  
 — *scapigera* Hook. Hook. Journal 1848, 23.  
 † *solanoides* Naud. Ann. sc. nat. III. 16, 18.  
 — *speciosa* Zenk. Zenker Pl. ind. 18.  
 — — — Wight Spicil. 67<sup>bis</sup>.  
 — — — Wight Ic. pl. Ind. or. 3, 995<sup>a</sup>.  
 — *squarrosa* Wall. Wall. Pl. asiat. 102.  
 — *stricta* Hook. Bot. Mag. 74, 4394.  
 — *tenera* R. Br. Royle Illustr. 45.  
 — *tenuifolia* Blume. Bennett Java 44.  
 — *versicolor* Wight. Wight Ic. pl. Ind. or. 3, 1057.  
*Sonneratia acidula* L. fil. Rheede Hort. mal. 3, 40.  
 — — — Rumpf Amb. 3, 73—75.  
 — — — Sonnerat Voyage 10. 11.  
 † — — — Lam. Encycl. 420.  
 † — — — Wight Ic. pl. Ind. or. 2, 340.  
 — *apetala* Roxb. Symes Ava 25.  
 — — — Schrader Journal 1800, 2, 7.  
 — *mossambicensis* Klotzsch. Peters Mossamb. 12.  
*Sophora alba* L. Martyn Hist. 42.  
 — — — Comm. Gott. 1, 6.  
 — *alopeuroides* L. Pallas Astr. 87.  
 — — — Ledeb. Ic. 365.  
 — *alpina* Pall. Pallas Astr. 90.  
 † *australis* L. Gaertn. Carp. 149.  
 — — — Bot. Mag. 15, 509.  
 — — — Schk. Handb. 112.  
 — *bifolia* Pall. Pallas Astr. 91.  
 — *capensis* L. Andr. Rep. 5, 347.  
 — — — Dict. sc. nat. 253.  
 — *coerulea* Moench. Trew Pl. rar. 14.  
 — *fabacea* Pall. Pallas Astr. 90.  
 — *galeoides* Pall. Pallas Astr. 88.  
 — *glauca* Lesch. Wight Spicil. 51.  
 — — — Wight Ic. pl. Ind. or. 3, 979.  
 — *heptaphylla* L. Rumpf Amb. 4, 22.  
 — — — Wight Ic. pl. Ind. or. 3, 1155.  
 — *hirsuta* Soland. Roemer Magazin 4, x.  
 — *japonica* L. Jacq. Schoenbr. 3, 353.  
 — — — Andr. Rep. 9, 585.  
 — — — Nouveau Duhamel 3, 21.  
 — *Jaubertii* Spach. Jaubert Illustr. 330.  
 — *juncea* Schrad. Schrader Sert. hannov. 3.  
 — *lupinoides* L. Pallas Astr. 89.  
 — *macrocarpa* Sm. Lodd. Cab. 1125.  
 — *microphylla* Ait. Jacq. Schoenbr. 3, 269.  
 † — — — Lam. Encycl. 325.  
 — *robusta* Roxb. Wight Ic. pl. Ind. or. 1, 245.  
 — *sericea* Andr. Andr. Rep. 7, 440.  
 — *tetraptera* Ait. Meerburg Pl. sel. 19.  
 — — — Bot. Mag. 5, 167.  
 — — — Kerner Hort. 58.  
 — — — Nouveau Duhamel 3, 20.  
 † — — — Lam. Encycl. 325.  
 — — — L. fil. Roemer Magazin 4, x.  
 † *tomentosa* L. Gaertn. Carp. 149.  
 † — — — Lam. Encycl. 325.  
 — — — var. Bot. Mag. 62, 3390.  
 — *velutina* Ldl. Bot. Reg. 14, 1185.  
 † *Sophoreae* DC. (Germinatio.) DC. Legum. 4.  
*Sophonitis cernua* Ldl. Bot. Reg. 13, 1129.  
 — — — Bot. Mag. 65, 3677.

- Sophonitis grandiflora* Ldl. Lindley Sertum 5.  
 — — — Bot. Mag. 65, 3709.  
 — — — Paxt. Mag. 9, 193.  
 — — — Fl. d. serres 1, 19.  
 — — — Hart. Parad. 1, 15.  
*Soramia calinea* Poir. Lam. Encycl. 463.  
 — *guianensis* Aubl. Aublet Guiana 219.  
 — — — Lam. Encycl. 463.  
*Soranthus Meyer* Led. Ledeb. Ic. 82.  
 †*Sorbus* L. Spach Suites 9.  
 — *aucuparia* L. Fl. dan. 6, 1034.  
 — — — Nouveau Duhamel 3, 33.  
 — — — Lam. Encycl. 434.  
 — — — Liboschitz Petersb. 2.  
 — — — Schk. Handb. 133.  
 — — — Hayne 4, 45.  
 — — — Hartig 68.  
 — — — Schrank Fl. monac. 2, 151.  
 — — — Nees Düsseld. 305.  
 — *domestica* L. Jacq. Fl. austr. 5, 447.  
 — — — Nouveau Duhamel 3, 34.  
 — — — Hartig 69.  
 — — — Sturm Flora 9, 34.  
 — *hybrida* L. Linné Fasc. pl. ups. 6.  
 — — — Fl. dan. 2, 302.  
 — — — Sv. Bot. 277.  
 — — — Hartig 71.  
*Sorema lanceolata* Miers. Gaudichaud Bonite 102.  
 — *longifolia* Miers. Gaudichaud Bonite 103.  
 — *paradoxa* Miers. Miers Illustr. 10.  
 †*Sorghum* Pers. Kerner Genera 138.  
 — *Arduini* Jacq. Jacq. Ecl. Gram. 18.  
 † *bicolor* Moench. Hofmeister Embryo 11.  
 — *cernuum* Willd. Host Gram. 303.  
 — — — Rchb. Fl. germ. 7, 80.  
 — *halepense* Pers. Sturm Flora 13, 52.  
 — — — Rchb. Fl. germ. 1, 54.  
 † — — — Nees Gen. 1, 91.  
 † *rubens* Pers. Nees Gen. 1, 91.  
 — *saccharatum* Pers. Desvaux Journal 3, 9.  
 — — — Host Gram. 304.  
 — *vulgare* Pers. Host Gram. 302.  
 — — — Metzger Cereal. 17.  
 — — — Rchb. Fl. germ. 7, 80.  
 † — — — Nees Gen. 1, 91.  
*Soridium Spruceanum* Miers. Transact. Linn. Soc. 21, 7.  
 †*Sorocea* St. Hil. Ann. sc. nat. III. 8, 6.  
 — *amazonica* Miq. Endl. Bras. 12, 34.  
 — *Guilleminiana* Gaudich. Gaudichaud Bonite 74.  
 — — — Endl. Bras. 12, 34.  
 — *Hilarii* Gaudich. Gaudichaud Bonite 71.  
 — *Houlletiana* Gaudich. Gaudichaud Bonite 74.  
 — *macrophylla* Gaudich. Gaudichaud Bonite 73.  
 — *muriculata* Miq. Endl. Bras. 12, 34.  
 — *racemosa* Gaudich. Gaudichaud Bonite 72.  
*Soromanes dentatum* Fée. Fée Fil. 43.  
 — *integrifolium* Fée. Fée Fil. 42.  
 † — *serratifolium* Fée. Fée Fil. 5, 2.  
*Soulamea amara* Lam. Rumpf Amb. 2, 41.  
 — — — Annalen d. Wiener Mus. 1, 16.  
 †*Soulangia axillaris* Ad. Br. Ann. sc. nat. 10, 17.  
 — *rubra* Ldl. Bot. Reg. 18, 1498.  
*Souleyetia freycinetioides* Gaudich. Gaudich. Bonite 19.  
*Souroubea guianensis* Aubl. Aublet Guiana 97.  
*Southwellia nobilis* Salisb. Salisbury Parad. 69.  
 — *Roxburghiana* Spach. Spach Suites 69.  
 — *Tragaacantha* Schott. Bot. Reg. 16, 1353.  
*Sowerbaea juncea* Sm. Linn. Transact. 5, 6.  
 — — — Andr. Rep. 2, 81.  
 — — — Bot. Mag. 28, 1104.  
 — — — Lodd. Cab. 787.  
 — — — Red. Lil. 6, 341.

- Sowerbaea juncea *Sm.* Herb. amat. 4, 252.  
 — — — Tratt. Archiv 70.  
 — — — laxiflora *Ldl.* Bot. Reg. 27, 10.  
 † *Soyeria montana Monnier.* Monnier Essai 2.  
 † *Soymida febrifuga Juss.* Mem. Mus. 19, 22.  
*Spachea elegans Juss.* Delcassert Ic. 3, 31.  
 † — — — ossana *Juss.* Arch. Mus. 3, 8.  
 † — — — parviflora *Juss.* Arch. Mus. 3, 8.  
*Spaendoncea tamarindifolia Desf.* Lam. Encycl. 948.  
*Spananthe paniculata Jacq.* Jacq. Ic. 350.  
 † — — — Ann. gener. 4, 50.  
*Sparattanthelium Amazonum Mart.* Regensb. Denkschr. 3, 11.  
 — — — Botocudorum *Mart.* Regensb. Denkschr. 3, 10, 11.  
 — — — Tupinambazum *Mart.* Regensb. Denkschr. 3, 10.  
 — — — Tupiniquorum *Mart.* Regensb. Denkschr. 3, 10.  
*Spargaxis Ker.* (Var. hortenses.) Fl. d. serres 2, 60.  
 — — — bulbifera *Ker.* Herb. amat. 2, 107.  
 — — — grandiflora *Ker.* Bot. Mag. 20, 779.  
 — — — — Lodd. Cab. 1055.  
 — — — — var.  $\gamma$ . Bot. Reg. 3, 258.  
 — — — — Herb. amat. 2, 106.  
 — — — lineata *Sweet.* Sweet Fl. G. II. 131.  
 — — — orchidiflora *Lodd.* Lodd. Cab. 1099.  
 — — — pendula *Ker.* Bot. Reg. 16, 1360.  
 — — — — Maund Bot. 2, 62.  
 — — — — Lady South Afr. 1.  
 — — — stellaris *Don.* Sweet Fl. G. II. 383.  
 — — — tricolor *Ker.* Bot. Mag. 36, 1482.  
 — — — — Lodd. Cab. 1903.  
 — — — — Rhb. Exot. 31.  
 — — — — Revue hortic. 1853, 23.  
 — — — versicolor *Sweet.* Sweet Fl. G. 160.  
 † *Sparganium L.* Schnizlein Typhaceae 1. 2.  
 — — — affine *Schnizl.* Rhb. Fl. germ. 9, 417.  
 † — — — erectum *L.* Leers Fl. herb. 13.  
 † — — — — Gaertn. Carp. 19.  
 † — — — — Lam. Encycl. 748.  
 — — — — Rhb. Fl. germ. 9, 326.  
 — — — natans *L.* Fl. dan. 2, 260.  
 — — — — Engl. Bot. 4, 273.  
 — — — — Dietr. Fl. bor. 1, 28.  
 — — — — Rhb. Fl. germ. 9, 324.  
 † — — — — Nees Gen. 3, x.  
 — — — ramosum *Sm.* Engl. Bot. 11, 744.  
 — — — — Curt. Lond. 3, 110.  
 — — — — Fl. dan. 8, 1282.  
 — — — — Sv. Bot. 464.  
 — — — — Schk. Handb. 282.  
 — — — — Schrank Fl. monac. 3, 239.  
 — — — — Rhb. Fl. germ. 9, 326.  
 — — — — Dietr. Fl. bor. 1, 26.  
 † — — — — Spach Suites 93.  
 † — — — — Nees Gen. 3, x.  
 † — — — — Jardine Annals II. 1, 9, 10.  
 — — — simplex *Sm.* Engl. Bot. 11, 745.  
 — — — — Fl. dan. 6, 932.  
 — — — — Curt. Lond. 3, 129.  
 — — — — Baxter Brit. Bot. 4, 276.  
 — — — — Sv. Bot. 342.  
 — — — — Schk. Handb. 282.  
 — — — — Dietr. Fl. bor. 1, 27.  
 — — — — Rhb. Fl. germ. 9, 325.  
 † — — — — Nees Gen. 3, x.  
 † *Sparganophorus fasciatus Lam.* Lam. Encycl. 670.  
 — — — *Struchium Pers.* Jacq. Ecl. pl. 131.  
 † — — — *Vaillantii Gaertn.* Gaertn. Carp. 165.  
 — — — — Jacq. Ecl. pl. 131.  
 — — — — verticillatus *Michx.* Michaux Fl. 42.  
*Sparmannia abyssinica Hochst.* Richard Abyssin. 20.  
 — — — africana *L.* Retzius Obs. 5, 3.  
 — — — — Bot. Mag. 15, 516.

- Sparmannia africana L.* Vent. Malm. 78.  
 — — — — Lam. Encycl. 468.  
 — — — — Nouveau Duhamel 5, 39.  
 — — — — Tratt. Archiv 399.  
 — — — — Desc. Ant. 6, 394.  
 † — — — — Spach Suites 98.  
 † — — — — Acad. Brux. 14, x.  
 † — — — — Payer Organogénie 5.  
*Spartina alterniflora Lois.* Engl. Bot. 2812.  
 — — — ciliata *Kth.* Brongniart Coquille 2.  
 — — — cynosuroides *Willd.* Jacq. Ecl. Gram. 27.  
 — — — — Torrey New York 153.  
 † — — — — Münchn. Denkschr. 4, 10.  
 † — — — — Nees Gen. 1, 41.  
 — — — glabra *Mühlenb.* Elliott Carolina 4.  
 — — — polystachya *Mühlenb.* Torrey New York 153.  
 — — — stricta *Roth.* Rhb. Fl. germ. 1, 25.  
 † — — — — Nees Gen. 1, 41.  
 — — — — Baxter Brit. Bot. 3, 203.  
 — — — — versicolor *Fabre.* Ann. sc. nat. III. 13, 3.  
 † *Spartium L.* (Fructus.) Ann. sc. nat. II. 19, 16.  
 — — — acutifolium *Ldl.* Bot. Reg. 23, 1974.  
 — — — aetnense *Biv.* Bot. Mag. 53, 2674.  
 — — — angulatum *L.* Sibth. Fl. gr. 672.  
 — — — arboreum *Desf.* Desf. Fl. atl. 177.  
 — — — biflorum *Desf.* Desf. Fl. atl. 179.  
 — — — decumbens *Jacq.* Jacq. Ic. 355.  
 — — — dispernum *Willd.* Roemer Magazin 4, 2.  
 — — — ferox *Desf.* Desf. Fl. atl. 182.  
 — — — — Bot. Reg. 5, 368.  
 — — — horridum *Sibth.* Sibth. Fl. gr. 674.  
 — — — junceum *L.* Bot. Mag. 3, 85.  
 † — — — — Schk. Handb. 195.  
 — — — — Sibth. Fl. gr. 671.  
 — — — — Acad. Neap. 4, 6, 7, 8.  
 — — — — var. odoratissimum, Sweet Fl. G. II. 390.  
 — — — linifolium *Desf.* Desf. Fl. atl. 181.  
 — — — monospermum *L.* Bot. Mag. 18, 683.  
 — — — multiflorum *Ait.* incarnatum, Lodd. Cab. 1052.  
 — — — parviflorum *Vent.* Vent. Cels 87.  
 — — — patens *L.* Cav. Ic. 176.  
 — — — purgans *L.* Asso Aragon. 10.  
 — — — — Lodd. Cab. 1117.  
 — — — radiatum *L.* Guimpel Holzgew. 115.  
 — — — — Bot. Mag. 48, 2260.  
 — — — ramosissimum *Desf.* Desf. Fl. atl. 178.  
 — — — rigidum *Viv.* Viviani Lib. 17.  
 — — — scoparium *L.* Fl. dan. 2, 313.  
 — — — — Woodv. Med. 3, 150.  
 — — — — Curt. Lond. 2, 24.  
 — — — — Engl. Bot. 19, 1339.  
 — — — — Sv. Bot. 421.  
 — — — — Rousseau Bot. 16.  
 — — — — Baxter Brit. Bot. 1, 77.  
 — — — — Acad. Neap. 4, 3, 4, 5.  
 † — — — — Gaertn. Carp. 153.  
 — — — — Dreves 2, 48.  
 — — — — Schk. Handb. 195.  
 — — — — Hayne 9, 10.  
 — — — — Guimpel Holzgew. 116.  
 — — — sericeum *Vent.* Vent. Choix 17.  
 — — — thebaicum *Delile.* Delile Egypte 37.  
 — — — umbellatum *Desf.* Desf. Fl. atl. 180.  
 — — — villosum *Vahl.* Sibth. Fl. gr. 673.  
 — — — virgatum *Ait.* Bot. Mag. 48, 2265.  
*Spatalanthus speciosus Sweet.* Sweet Fl. G. 300.  
*Spathandra coerulea Guill.* Guillemain Seneg. 71.  
 — — — — Ann. sc. nat. III. 12, 10.  
 † *Spathanthus unilaterialis Desv.* Ann. sc. nat. 13, 4.  
 — — — — Endl. Bras. 8, 18.  
 † *Spathelia simplex L.* Gaertn. Carp. 58.  
 † — — — — Lam. Encycl. 209.

- Spathelia simplex* L. Bot. Reg. 8, 670.  
*Spathicarpa hastifolia* Wilson. Hook. Bot. Misc. 77.  
*Spathiphyllum candicans* P. et E. Poepp. et Endl. 295.  
 — *cannaefolium* Schott. Schott Aroid. 1.  
 — *caudatum* P. et E. Poepp. et Endl. 296.  
 — *Friedrichsthalii* Schott. Schott Aroid. 4.  
 — *Gardneri* Schott. Schott Aroid. 3.  
 — *heliconiaefolium* Schott. Schott Aroid. 5. 6.  
 — *Humboldtii* Schott. Schott Aroid. 2.  
 — *lancaefolium* Schott. Schott Aroid. 3.  
*Spathium monostachyum* Edgew. Calc. Journ. 1843, 16.  
 — *undulatum* Edgew. Calcutta Journal 1843, 15.  
*Spathodea adenophylla* Wall. Wight Illustr. 160—161.  
 — *arcuata* Wight. Wight Ic. pl. Ind. or. 4, 1340.  
 — *campanulata* Pal. B. Pal. B. Fl. d'Oware 27. 28.  
 — — — Paxt. Fl. G. 104.  
 — — — Lem. Jard. fl. 4, 388. 389.  
 — — — Fl. d. serres 8, 830.  
 — *corymbosa* Vent. Vent. Choix 40.  
 — — — Lam. Encycl. 973.  
 — *laevis* Pal. B. Pal. B. Fl. d'Oware 29.  
 — — — Kerner Hort. 368.  
 — — — Bot. Mag. 76, 4537.  
 — — — Lem. Jard. fl. 51.  
 — — — Fl. d. serres 6, 634.  
 † — *nova species*, Wight Illustr. 161 bis.  
 — *pentandra* Hook. Bot. Mag. 65, 3681.  
 — *Rheedii* Wall. Wight Ic. pl. Ind. or. 4, 1339.  
 — *stipulata* Wall. Wall. Pl. asiat. 238.  
*Spathoglottis Fortunei* Ldl. Bot. Reg. 31, 19.  
 — *pubescens* Ldl. Wall. Pl. asiat. 203.  
 — — — Wight Ic. pl. Ind. or. 5, 1739.  
*Spathularia longifolia* St. Hil. Mem. Mus. 11, 24.  
 — — — St. Hil. Pl. rem. 28.  
*Specklinia flexuosa* P. et E. Poepp. et Endl. 90.  
 — *graminea* P. et E. Poepp. et Endl. 89.  
 — *plantaginea* P. et E. Poepp. et Endl. 89.  
*Specularia perfoliata* A. DC. Torrey New York 65.  
 † — *Speculum* A. DC. Schnizl. Iconogr. 125.  
 † — — — Nees Gen. X, x.  
*Spennera ornata* Miq. Miquel Surinam 13.  
 † — *panicularis* Naud. Ann. sc. nat. II, 14, 5.  
 — *rubricaulis* Mart. Mart. Bras. 255.  
 † — *sphaeranthera* Naud. Ann. sc. nat. III, 14, 5.  
 † — *tetraptera* Miq. Miquel Comment. 10.  
*Spergella glabra* Rchb. Rchb. Fl. germ. 5, 202.  
 — *nodosa* Rchb. Rchb. Fl. germ. 5, 203.  
 — *macrocarpa* Rchb. Rchb. Fl. germ. 5, 202.  
 — *Saginella* Rchb. Rchb. Fl. germ. 5, 202.  
 — *saginoides* Rchb. Rchb. Fl. germ. 5, 202.  
 — *subulata* Rchb. Rchb. Fl. germ. 5, 202.  
*Spergula affinis* Hook. Hook. Ic. pl. 3, 266.  
 — *apetala* Lab. Bill. Nov. Holl. 142.  
 † — *arvensis* L. Gaertn. Carp. 130.  
 — — — Fl. dan. 6, 1033.  
 — — — Sv. Bot. 308.  
 — — — Curt. Lond. 2, 84.  
 — — — Engl. Bot. 22, 1535.  
 — — — Baxter Brit. Bot. 5, 388.  
 — — — Lam. Encycl. 392.  
 — — — Schk. Handb. 125.  
 — — — Rchb. Pl. crit. 6, 511.  
 — *caespitosa* Vahl. Fl. dan. 13, 2289.  
 — *japonica* Sw. Neue Schr. naturf. Fr. 3, 1.  
 — *laricina* L. Smith Ic. Linn. 18.  
 — — — Fl. dan. 5, 858.  
 — — — Lam. Encycl. 392.  
 — *maxima* Weihe. Rchb. Pl. crit. 6, 513.  
 — *nodosa* L. Fl. dan. 1, 96.  
 — — — Curt. Lond. 1, 102.  
 — — — Engl. Bot. 10, 694.  
 — — — Schrank Fl. monac. 3, 296.

- Spergula nodosa* L. Dietr. Fl. bor. 5, 346.  
 — *pentandra* L. Engl. Bot. 22, 1536.  
 — — — Lam. Encycl. 392.  
 — — — Fl. dan. 11, 1930.  
 — — — Sturm Flora 3, 12.  
 — *pilifera* DC. Loiseleur Fl. gall. 8.  
 — — — Rchb. Ic. crit. 2, 141.  
 — *saginoides* All. Allione Fl. ped. 3, 64.  
 — — — L. Svensk Acad. 1789, 1.  
 — — — Fl. dan. 9, 1577.  
 — — — Sv. Bot. 765.  
 — — — Engl. Bot. 30, 2105.  
 — — — Rchb. Fl. germ. 5, 202.  
 — *stricta* Sw. Svensk Acad. 1799, 3.  
 — *subulata* Sw. Svensk Acad. 1789, 1.  
 — — — Curt. Lond. 3, 116.  
 — — — Engl. Bot. 16, 1082.  
 — — — Sv. Bot. 708.  
 — *vulgaris* Bön. Rchb. Pl. crit. 6, 512.  
 † *Spergularia* Pers. Gray Genera 108.  
 — *rubra* Pers. Gray Genera 108.  
 — *rupestris* Camb. St. Hil. Fl. Bras. 110.  
*Spermacoece alata* Aubl. Aublet Guiana 22.  
 — *aspera* Aubl. Aublet Guiana 22.  
 — *assurgens* Rz et P. Ruiz et Pav. Fl. 92.  
 — *capitata* Rz et P. Ruiz et Pav. Fl. 91.  
 — *coerulescens* Aubl. Aublet Guiana 19.  
 — *corymbosa* Rz et P. Ruiz et Pav. Fl. 91.  
 — *ferruginea* St. Hil. St. Hil. Pl. usuelles 13.  
 — *gracilis* Rz et P. Ruiz et Pav. Fl. 92.  
 — *hexangularis* Aubl. Aublet Guiana 22.  
 — *hirta* L. Jacq. Ic. 308.  
 — *hispidula* L. Novi Comm. Gott. 3, 6.  
 — *laevis* Roxb. Wight Ic. pl. Ind. or. 1, 193.  
 — *latifolia* Aubl. Aublet Guiana 19.  
 — — — Lam. Encycl. 62.  
 — *longifolia* Aubl. Aublet Guiana 21.  
 — *ocymoides* Burm. Burmann Fl. ind. 13.  
 — *Poaya* St. Hil. St. Hil. Pl. usuelles 12.  
 — *prostrata* Aubl. Aublet Guiana 20.  
 — *psyllioides* H. B. K. H. B. K. Nov. Gen. 3, 278.  
 — *radicans* Aubl. Aublet Guiana 20.  
 — *rubra* Jacq. Jacq. Schoenbr. 3, 256.  
 — *scabra* Willd. Rheed. Hort. mal. 9, 76.  
 — *serrulata* Pal. B. Pal. B. Fl. d'Oware 23.  
 — *strigosa* Banks. Bot. Mag. 38, 1558.  
 — *suffrutescens* Jacq. Jacq. Schoenbr. 3, 322.  
 — *tenuior* L. Rumpf. Amb. 6, 10.  
 † — — — Gaertn. Carp. 23.  
 — — — Lam. Encycl. 62.  
 — — — Schk. Handb. 22.  
 — — — Hook. Beechey 99.  
*Spermadictyon azureum* Wall. Bot. Reg. 15, 1235.  
 — *suaveolens* Roxb. Roxb. Corom. 236.  
 — — — Bot. Reg. 4, 348.  
*Spermxyrum Phyllanthi* Lab. Bill. Nov. Holl. 233.  
 — — — Lam. Encycl. 1000.  
*Spermodon setaceus* Pal. B. Endl. Bras. 3, 8.  
*Sphacele campanulata* Benth. Bot. Reg. 16, 1382.  
 — *Lindleyi* Benth. Bot. Mag. 57, 2993.  
 † *Sphaeralcea* Juss. Gray Genera 127.  
 † — *angustifolia* Spach. Payer Organogénie 6.  
 — *cisplatina* St. Hil. St. Hil. Pl. usuelles 52.  
 — *miniata* Spach. Gray Genera 127.  
 — *nutans* Scheidw. Fl. d. serres 6, 726.  
*Sphaeranthus africanus* L. Burmann Fl. ind. 60.  
 — *hirtus* Willd. Rheed. Hort. mal. 10, 43.  
 — — — Lam. Encycl. 718.  
 — — — Wight Ic. pl. Ind. or. 3, 1094.  
 † — *indicus* L. Gaertn. Carp. 164.  
 — — — Lam. Encycl. 718.  
 † *Sphaerine brevis* Herb. Herbert Amar. 18.



- † *Sphaerine coccinea* *Herb.* Herbert Amar. 16.  
 † — *distichophylla* *Herb.* Herbert Amar. 12.  
 — *nervosa* *Herb.* Herbert Amar. 13.  
 † — *secundifolia* *Herb.* Herbert Amar. 12.  
*Sphaerocarya edulis* *Wall.* Wallich Tentamen 10.  
 — — — *Wight* Ic. pl. Ind. or. 1, 255.  
 † *Sphaerocloa compressa* *Pal. B.* Ann. sc. nat. 13, 5.  
 † *Sphaerocionium Boryanum* *Presl.* Prager Abh. 3, 10.  
 † — *elasticum* *Presl.* Prager Abh. 3, 4.  
 — *glanduliferum* *Presl.* Prager Abh. 6, 12.  
 † — *interruptum* *Presl.* Prager Abh. 3, 10.  
 † *Sphaerogyne latifolia* *Naud.* Ann. sc. nat. III. 16, 24.  
*Sphaerolobium minus* *Lab.* Bill. Nov. Holl. 138.  
 † — — — *Lam.* Encycl. 952.  
 — *vimineum* *Sm.* Bot. Mag. 25, 969.  
 — — — *Lodd.* Cab. 1753.  
*Sphaeromorphaea Russeliana* *DC.* Delessert Ic. 4, 49.  
 † *Sphaerophora gemella* *Bl.* Blume Mus. 1, 36.  
*Sphaerophysa microphylla* *Jaub.* Jaubert Illustr. 64.  
 — *salsula* *DC.* Trautvetter Imagines 33.  
*Sphaeropteris barbata* *Wall.* Wall. Pl. asiat. 48.  
 † — — — *Hook.* Gen. Fil. 22.  
 † — — — *Schott* Gen. Fil. 2.  
*Sphaerostachys Humboldtii* *Miq.* Miquel Illustr. Pip. 68.  
*Sphaerostemma axillare* *Bl.* Blume Java 12, 3.  
 — *elongatum* *Bl.* Blume Java 12, 5.  
 — *propinquum* *Bl.* Bot. Reg. 20, 1688.  
 — — — *Bot. Mag.*-77, 4614.  
 — — — *Lem.* Jard. fl. 201.  
 — *pyrifera* *Bl.* Blume Java 12, 4.  
 † *Sphaerostephanos asplenioides* *Sm.* Hook. Gen. Fil. 24.  
 — — — *Kunze* Fil. 11, 12.  
*Sphaerostigma divaricatum* *Gay.* Gay Chile 22.  
*Sphaerotele coccinea* *Link et Kl.* Link Ic. III. 38.  
 — *peruviana* *Presl.* Presl Reliq. 16.  
 † *Sphallerocarpus Besser.* DC. Ombelliferes 2.  
*Sphenoclea Pongatium* *DC.* Wight Illustr. 138.  
 — *zeylanica* *Gaertn.* Rheede Hort. mal. 11, 24.  
 † — — — *Gaertn.* Carp. 24.  
 † *Sphenodesme barbata* *Schauer.* Wight Illustr. 173 bis.  
 — — — *Wight* Ic. pl. Ind. or. 4, 1474.  
 — *Griffithiana* *Wight.* Wight Ic. pl. Ind. or. 4, 1477.  
 — *Jackiana* *Schauer.* Wight Ic. pl. Ind. or. 4, 1476.  
 — *triflora* *Wight.* Wight Ic. pl. Ind. or. 4, 1478.  
 — *Wallichiana* *Schauer.* Wight Ic. pl. Ind. or. 4, 1475.  
*Sphenogyne crithmifolia* *R. Br.* Bot. Mag. 58, 3042.  
 — *pilifera* *Ker.* Bot. Reg. 7, 604.  
 — *speciosa* *Mauud.* Knowles et Westcott 77.  
 — — — *Paxt.* Mag. 6, 77.  
*Sphenopus divaricatus* *Rehb.* Rehb. Fl. germ. 1, 81.  
 † — *Gouani* *Trin.* Nees Gen. 1, 68.  
*Sphenotoma capitatum* *Ldl.* Bot. Reg. 18, 1515.  
 — *gracile* *R. Br.* Sweet Austr. 44.  
 † *Sphondylium Papaces* *Gaertn.* Gaertn. Carp. 21.  
*Sphyrospermum buxifolium* *P. et E.* Poepp. et Endl. 8.  
 — *myrtifolium* *Hook.* Hook. Ic. pl. 2, 112.  
*Spielmannia africana* *Willd.* Lam. Encycl. 85.  
 — — — *Bot. Mag.* 44, 1899.  
 — *Jasminum Medicus.* Acta palat. 3, 15.  
 † *Spigelia L.* Kerner Genera 58.  
 — *Anthelmia L.* Linné Amoenit. 5, 2, 6.  
 — — — *Lam.* Encycl. 107.  
 — — — *Tussac* Ant. 4, 8.  
 — — — *Desc.* Ant. 1, 61.  
 — — — *Bot. Mag.* 50, 2359.  
 — — — *Ricord-Madianna* Recherches 1.  
 — — — *Nees Düsseld.* 204.  
 — *glabrata* *Mart.* Mart. Bras. 193.  
 — *marilandica L.* Woodv. Med. 1, 69.  
 — — — *Bot. Mag.* 3, 80.  
 † — — — *Gaertn.* Carp. 198.  
 — — — *Schk.* Handb. 37.

- Spigelia marilandica L.* Nees Düsseld. Suppl. 107.  
 — — — *Barton* Med. 31.  
 — — — *Bigelow* Med. 14.  
 — — — *Lodd.* Cab. 930.  
 — — — *Herb. amat.* 4, 254.  
 — — — *Savi* Fl. ital. 1, 25.  
 — *multispica* *Steud.* Miquel Surinam 43.  
 — *pulchella* *Mart.* Mart. Bras. 194.  
 — *pulverulenta* *Mart.* Mart. Bras. 192.  
 — *speciosa* *H. B. K.* H. B. K. Nov. Gen. 3, 226.  
 — — — *Kerner* Hort. 551.  
*Spilanthes Acmella L.* Rumpf Amb. 6, 65.  
 — — — *Annalen d. Pharmacie* 1836, 2.  
 — *alba* *L'her.* L'heritier Stirp. 4.  
 — — — *Lam.* Encycl. 668.  
 — *calva* *DC.* Wight Ic. pl. Ind. or. 3, 1109.  
 — *crocata* *Sims.* Bot. Mag. 39, 1627.  
 — *exasperata* *Jacq.* Jacq. Ic. 584.  
 — *fusca* *Desf.* Revue médicale 1825, x.  
 — *leucantha* *H. B. K.* H. B. K. Nov. Gen. 4, 370.  
 — *oleracea L.* Jacq. Vind. 135.  
 — — — *Gil et Xuares* 16.  
 † — — — *Gaertn.* Carp. 167.  
 † — — — *Lam.* Encycl. 668.  
 — — — *Schk.* Handb. 234.  
 — — — *Revue médicale* 1825, x.  
 — — — *Desc.* Ant. 1, 52.  
 — — — *Annalen d. Pharmacie* 1836, 2.  
 — — — *Wight* Ic. pl. Ind. or. 3, 1109.  
 — — — *Regel* Gartenflora 2, 42.  
 — *salivaria* *Dömb.* Comm. Gott. 6, 1.  
 — *urens* *Jacq.* Jacq. Hist. stirp. am. 194.  
 — — — *Lam.* Encycl. 668.  
 † *Spinacia inermis* *Moench.* Nees Gen. 4, 66.  
 † — *oleracea L.* Gaertn. Carp. 126.  
 — — — *Schk.* Handb. 324.  
 — — — *Lam.* Encycl. 814.  
 † — — — *Nees* Gen. 4, 66.  
 — *tetrandra* *Roxb.* Wight Ic. pl. Ind. or. 3, 818.  
*Spinifex dioicus* *Ham.* Rheede Hort. mal. 12, 75.  
 — *hirsutus* *Lab.* Bill. Nov. Holl. 230, 231.  
 — *squarrosus L.* Rumpf Amb. 6, 2. fig. 2.  
 — — — *Lam.* Encycl. 840.  
*Spiracantha cornifolia* *H. B. K.* H. B. K. Nov. Gen. 4, 313.  
 † *Spiraea L.* Spach Suites 7.  
 — *acutifolia* *Willd.* Guimpel Fr. Holzgew. 9.  
 — *alba* *Duroi.* Watson Dendr. 2, 133.  
 — *alpina* *Pall.* Pallas Fl. ross. 20.  
 — — — *Guimpel* Fr. Holzgew. 8.  
 — *altaica* *Pall.* Pallas Fl. ross. 23.  
 — *amoena* *Spae.* Annales de Gand 1846, 72.  
 — *argentea* *H. B. K.* H. B. K. Nov. Gen. 6, 562.  
 — — — *Diet.* sc. nat. 238.  
 — *ariaefolia* *Sm.* Bot. Reg. 16, 1365.  
 — *Aruncus L.* Pallas Fl. ross. 26.  
 † — — — *Ann. sc. nat.* 1, 15.  
 — *barbata* *Wall.* Jacquemont Ind. 58.  
 — — — *Bot. Reg.* 23, 2011.  
 — *bella* *Sims.* Bot. Mag. 50, 2426.  
 — — — *Lodd.* Cab. 1268.  
 — — — *Savi* Fl. ital. 3, 116.  
 — *betulaefolia* *Pall.* Pallas Fl. ross. 16.  
 — — — *Ann. sc. nat.* 1, 27.  
 — — — *Watson* Dendr. 1, 67.  
 — *callosa* *Ldl.* Fl. d. serres 9, 871.  
 — *cana* *W. et K.* W. et Kit. 227.  
 — *carpinifolia* *Willd.* Guimpel Fr. Holzgew. 7.  
 — — — *Watson* Dendr. 1, 66.  
 — *chamaedrifolia L.* Pallas Fl. ross. 15.  
 — — — *Jacq.* Vind. 140.  
 — — — *Guimpel* Holzgew. 83.  
 — — — *Bot. Reg.* 15, 1222.

- Spiraea corymbosa* *Rafn.* Lodd. Cab. 671.  
 — *crataegifolia* *Link.* Guimpel Fr. Holzgew. 82.  
 — *crenata* *L.* Pallas Fl. ross. 19.  
 — — — Guimpel Fr. Holzgew. 10.  
 — — — Lodd. Cab. 1252.  
 — *cuneifolia* *Wall.* Jacquemont Ind. 57.  
 — *decumbens* *Koch.* Sturm Flora 14, 62.  
 — *Douglasii* *Hook.* Paxt. Mag. 12, 195.  
 — — — *Annales de Gand* 1845, 40.  
 — — — Fl. d. serres 2, 2.  
 — *dumosa* *Nutt.* Stansbury Expedition 4.  
 — *Filipendula* *L.* Fl. dan. 4, 635.  
 — — — Sv. Bot. 154.  
 — — — Engl. Bot. 4, 284.  
 — — — Curt. Lond. 4, 125.  
 — — — Baxter Brit. Bot. 2, 133.  
 — — — Lam. Encycl. 439.  
 † — — — Ann. sc. nat. 1, 16.  
 — — — Sturm Flora 5, 18.  
 — — — Hayne 8, 30.  
 — — — Schrank Fl. monac. 1, 92.  
 — — — Dietr. Fl. bor. 7, 488.  
 — *flabellata* *Bert.* Gussone Pl. rar. 40.  
 — *flexuosa* *Fisch.* Ann. sc. nat. 1, 26.  
 — *Fortunei* *Planch.* Fl. d. serres 9, 871.  
 — *grandiflora* *Sweet.* Lodd. Cab. 1988.  
 — — — *Hook.* Bot. Mag. 80, 4795.  
 — *hypericifolia* *L.* Schk. Handb. 134.  
 † — — — Ann. sc. nat. 1, 15.  
 — — — Ledeb. Ic. 428 — 430.  
 — *kamtschatica* *Pall.* Pallas Fl. ross. 28.  
 — — — var. *himalayensis*, Bot. Reg. 27, 4.  
 † — *laevigata* *L.* Gaertn. Carp. 69.  
 — — — Guimpel Fr. Holzgew. 89.  
 — — — Lam. Encycl. 439.  
 — *lanceolata* *Poir.* Ann. sc. nat. 1, 25.  
 — *Lindleyana* *Wall.* Bot. Reg. 31, 33.  
 — — — Fl. d. serres 2, 44.  
 — *lobata* *Murr.* Jacq. Vind. 88.  
 — *oblongifolia* *W. et K.* W. et Kit. 235.  
 — *obovata* *Willd.* Guimpel Fr. Holzgew. 11.  
 † — *opulifolia* *L.* Gaertn. Carp. 69.  
 † — — — Schk. Handb. 134.  
 † — — — Ann. sc. nat. 1, 17.  
 — *palmata* *Pall.* Pallas Fl. ross. 27.  
 — *prunifolia* *S. et Z.* Sieb. Fl. Japon. 70.  
 — — — Otto Garten-Z. 1847, 1.  
 — — — Fl. d. serres 2, 153, 154.  
 — *pubescens* *Turcz.* Bot. Reg. 33, 38.  
 — *Reevesiana* *Hort.* Bot. Reg. 30, 10.  
 — *salicifolia* *L.* var. *alpestris*, Pallas Fl. ross. 22.  
 — — — var. *major*, Pallas Fl. ross. 21.  
 — — — Guimpel Holzgew. 82.  
 — — — Engl. Bot. 21, 1468.  
 — — — Lam. Encycl. 439.  
 † — *sorbifolia* *L.* Pallas Fl. ross. 24, 25.  
 † — — — Ann. sc. nat. 1, 16.  
 — *stipulata* *Mühlenberg.* Ann. sc. nat. 1, 28.  
 — *thalioides* *Pall.* Pallas Fl. ross. 18.  
 — *Thunbergii* *S. et Z.* Sieb. Fl. Japon. 69.  
 — *tomentosa* *L.* Savi Fl. ital. 3, 107.  
 — *trifoliaia* *L.* Bot. Mag. 14, 489.  
 — — — Nees Düsseld. 306.  
 † — — — Ann. sc. nat. 1, 17.  
 — *trilobata* *L.* Pallas Fl. ross. 17.  
 — — — Guimpel Fr. Holzgew. 12.  
 — — — Lodd. Cab. 1271.  
 — — — Watson Dendr. 1, 68.  
 — *Ulmaria* *L.* Fl. dan. 4, 547.  
 — — — Curt. Lond. 1, 35.  
 — — — Engl. Bot. 14, 960.  
 — — — Sv. Bot. 189.

- Spiraea Ulmaria* *L.* Dreves 1, 33.  
 — — — Sturm Flora 5, 18.  
 — — — Schrank Fl. monac. 4, 384.  
 — — — Hayne 8, 31.  
 — — — Nees Düsseld. 307.  
 — — — Dietr. Fl. bor. 4, 268.  
 † — — — Ann. sc. nat. 1, 16.  
 — *ulmifolia* *Scop.* Scopoli Fl. carn. 1, 22.  
 — — — Sturm Flora 14, 62.  
 — — — Lodd. Cab. 1042.  
 — *vacciniifolia* *Don.* Lodd. Cab. 1403.  
 — — — Bot. Reg. 26, 17.  
*Spiranthera odoratissima* *St. Hil.* Mem. Mus. 10, 22, 23.  
 — — — St. Hil. Pl. rem. 17.  
*Spiranthes aestivalis* *Rich.* Rchb. Ic. crit. 2, 196.  
 — — — Rchb. Fl. germ. 13, 475.  
 — *australis* *Ldl.* Wight Ic. pl. Ind. or. 5, 1724.  
 — — — Rchb. Fl. germ. 13, 476.  
 — *autumnalis* *Rich.* Rivinus Irreg. hexap. 14.  
 — — — Dietr. Fl. bor. 1, 16.  
 — — — Sturm Flora 3, 12.  
 — — — Baxter Brit. Bot. 1, 63.  
 — — — Rchb. Fl. germ. 13, 474.  
 † — — — Nees Gen. 3, x.  
 — *bicolor* *Ldl.* Bot. Reg. 10, 794.  
 — *bracteosa* *Ldl.* Bot. Reg. 23, 1934.  
 — *cernua* *Rich.* Bot. Reg. 10, 823.  
 — — — Linn. Transact. 19, 32.  
 — — — Torrey New York 128, 129.  
 — *decipiens* *Hook.* Hook. Bor. Am. 204.  
 — *diuretica* *Ldl.* Hook. Journal 1841, 12.  
 — *gemmipara* *Ldl.* Rchb. Fl. germ. 13, 477.  
 — *gracilis* *Bigelow.* Hook. Bor. Am. 203.  
 — — — Torrey New York 128, 129.  
 — *grandiflora* *Ldl.* Bot. Reg. 12, 1043.  
 — *inaequilatera* *P. et E.* Poepp. et Endl. 110.  
 — *Lindleyana* *Link et Kl.* Link Ic. III. 11.  
 — *pubida* *Ldl.* Lindley Collect. 30.  
 — — — Bot. Reg. 7, 602.  
 — *Romanzoffiana* *Cham.* Rchb. Fl. germ. 13, 477.  
 † — *speciosa* *Ldl.* Bauer Orchid. 4.  
*Spirolobium australe* *D'Orb.* D'Orbigny Voyage 13.  
*Spirocnema fragrans* *Ldl.* Bot. Reg. 26, 47.  
*Spirosatis* *Aub.* Aubert Orchid. 9, 12.  
*Spitzelia cūpaligera* *Durieu.* Explor. Alger. 48.  
*Spixia Sacramento.* Münchn. Denkschr. 7, 13.  
 † — — — Wiegmann Archiv 7, 7.  
 — *violacea* *Schrank.* Schrank Hort. monac. 80.  
*Splitgerbera japonica* *Miq.* Miquel Commentarii 14.  
 — *macrostachya* *Wight.* Wight Ic. pl. Ind. or. 6, 1977.  
*Spodiopogon angustifolius* *Tr.* Trinius Sp. Gr. 3, 336.  
 † — *sibiricus* *Tr.* Trinius Fund. 17.  
 † *Spondias* *L.* Kerner Genera 76, 77.  
 — *Birrea* *A. Rich.* Guillemain Seneg. 41.  
 — *Cirouella* *Tuss.* Tussac Ant. 3, 8.  
 † — *cytherea* *Sonnerat.* Gaertn. Carp. 103.  
 — — — Tussac Ant. 3, 28.  
 — — — Lam. Encycl. 384.  
 — — — Jacq. Schoenbr. 3, 272.  
 — *mangifera* *Pers.* Rheede Hort. mal. 1, 50.  
 — — — Wight Illustr. 76.  
 — *microcarpa* *A. Rich.* Guillemain Seneg. 40.  
 — *Mombin* *L.* Tussac Ant. 3, 8.  
 — — — Kerner Hort. 403.  
 — — — Dict. sc. nat. 263.  
 — — — Desc. Ant. 5, 336.  
 — *Myrobalanus* *L.* Jacq. Hist. stirp. am. 131.  
 † — — — Gaertn. Carp. 104.  
 — — — Desc. Ant. 6, 397.  
 — *Pseudo-Myrobalanus* *Tuss.* Tussac Ant. 4, 33.  
*Spondylantha aphylla* *Presl.* Presl Reliq. 53.  
*Sponia micrantha* *Decne.* Miquel Surinam 57.

- Sponia velutina* *Planch.* Wight Ic. pl. Ind. or. 6, 1990.  
 — *Wightii* *Planch.* Wight Ic. pl. Ind. or. 6, 1971.  
*Sporobolus caespitosus* *Kth.* Humb. Gram. 125.  
 — *dianthus* *Pal. B.* Jacq. Ecl. Gram. 28.  
 — *durus* *Brongn.* Brongniart Coquille 4.  
 — *Jacquemontii* *Kth.* Humb. Gram. 127.  
 — *pulchellus* *R. Br.* Humb. Gram. 123.  
 — *pyramidalis* *Pal. B.* Pal. B. Fl. d'Oware 80.  
 — *ramosissimus* *Kth.* Humb. Gram. 46.  
 — *robustus* *Kth.* Humb. Gram. 126.  
 — *rupestris* *Kth.* Humb. Gram. 45.  
 — *subtilis* *Kth.* Humb. Gram. 124.  
 † — *tenacissimus* *Pal. B.* Nees Gen. 1, 28.  
*Spraguea umbellata* *Torr.* Smithsonian Contrib. 5, 1.  
*Sprekelia Cybister* *Herb.* Bot. Mag. 67, 3872.  
 — — — var. *brevis*, Bot. Reg. 26, 33.  
 — — — Fl. d. serres 5, 455, 456.  
 — *formosissima* *Herb.* Sweet Fl. G. II. 144.  
 — *glauca* *Ldl.* Bot. Reg. 27, 16.  
 — *ringens* *Morr.* Annales de Gand 1846, 60.  
*Sprengelia incarnata* *Sm.* Svensk Acad. 1794, 8.  
 — — — Smith Tracts 2.  
 — — — Roemer Archiv 3, 2.  
 — — — Andr. Rep. 1, 2.  
 — — — Bot. Mag. 41, 1719.  
 — — — Lodd. Cab. 262.  
 — — — Dict. sc. nat. 73.  
 — — — Herb. amat. 4, 220.  
*Srutanthus cuspidatus* *Don.* Miquel Surinam 61.  
*Staavia glutinosa* *Thunb.* Wendland Coll. 22.  
 — — — Lodd. Cab. 852.  
 — *pinifolia* *Willd.* Münchn. Denkschr. 1, 8.  
 — *radiata* *Thunb.* Wendland Coll. 82.  
 † — — — Ann. sc. nat. 8, 36.  
*Stachygnandrum scandens* *Pal. B.* Pal. B. Fl. d'Oware 7.  
*Stachyopogon pauciflorus* *Klotzsch.* Prinz Wald. Him. 94.  
 — *spicatus* *Klotzsch.* Prinz Waldem. Him. 94.  
*Stachys aethiopia* *L.* Jacq. Observ. 77.  
 — *albicaulis* *Ldl.* Bot. Reg. 18, 1558.  
 — *alpina* *L.* Picot Pyren. 8.  
 — — — Sturm Flora 13, 51.  
 — *ambigua* *Sm.* Engl. Bot. 30, 2089.  
 — — — Rchb. Ic. crit. 3, 222.  
 — — — Sturm Flora 19, 84.  
 — — — Fl. dan. 11, 1877.  
 — *angustifolia* *M. v. B.* Sweet Fl. G. 180.  
 — *annua* *L.* Jacq. Fl. austr. 4, 360.  
 † — — — Schk. Handb. 161.  
 — — — Sturm Flora 19, 84.  
 — — — Dietr. Fl. bor. 11, 781.  
 — — — Engl. Bot. 2669.  
 — *arenaria* *Vahl.* Desf. Fl. atl. 126.  
 — — — Bot. Mag. 45, 1959.  
 — *arvensis* *L.* Fl. dan. 4, 587.  
 — — — Curt. Lond. 1, 113.  
 — — — Engl. Bot. 17, 1154.  
 — — — Sv. Bot. 674.  
 † — — — Mutel Fl. fr. 51.  
 — — — Rchb. Ic. crit. 10, 967.  
 — — — Sturm Flora 19, 84.  
 — — — Dietr. Fl. bor. 8, 510.  
 — *aspera* *Michx.* Lodd. Cab. 1412.  
 — *betonicaefolia* *Desf.* Ann. Mus. 10, 25.  
 — — — Desf. Choix 14.  
 — *biennis* *Roth.* Rchb. Ic. crit. 10, 949.  
 — *canariensis* *Jacq.* Jacq. Ic. 108.  
 — *candida* *Bory.* Bory et Chaub. Morée 19.  
 — *canescens* *Bory.* Bory et Chaub. Morée 18.  
 — *circinata* *L'her.* L'heritier Stirp. 26.  
 — *coccinea* *Jacq.* Jacq. Schoenbr. 3, 284.  
 — — — Bot. Mag. 18, 666.  
 — — — Andr. Rep. 5, 310.

- Stachys coccinea* *Jacq.* Paxt. Mag. 8, 101.  
 — *corsica* *Pers.* Rchb. Ic. crit. 7, 646.  
 — *cretica* *L.* Sibth. Fl. gr. 558.  
 — *Durieu* *Noë.* Explor. Alger. 64.  
 — *fragilis* *Vis.* Visiani Dalm. 16.  
 — *germanica* *L.* Fl. dan. 4, 684.  
 — — — Jacq. Fl. austr. 4, 319.  
 — — — Hoffmann D. Fl. 1791, 10.  
 † — — — Schk. Handb. 161.  
 — — — Engl. Bot. 12, 829.  
 — — — Schrank Fl. monac. 4, 308.  
 — — — Rchb. Ic. crit. 10, 950.  
 — — — Sturm Flora 19, 83.  
 — — — Dietr. Fl. bor. 5, 344.  
 — — — var. *pubescens*, Bot. Reg. 15, 1289.  
 — *glutinosa* *L.* Rivinus Opus ined. 15.  
 — *graeca* *Risso.* Risso Fl. de-Nice 11.  
 — *grandidentata* *Ldl.* Bot. Reg. 13, 1080.  
 — *heraclea* *All.* Allione Fl. ped. 3, 84.  
 — *hirta* *L.* Rivinus Opus ined. 50.  
 — — — Allione Fl. ped. 3, 2.  
 † — — — Mutel Fl. fr. 51.  
 — — — var. Explor. Alger. 65.  
 — *iberica* *M. v. B.* Rchb. Hortus 58.  
 — *inflata* *Benth.* Bot. Reg. 20, 1697.  
 — *inscripta* *Rchb.* Rchb. Hortus 40.  
 — *intermedia* *Ait.* Rchb. Ic. crit. 4, 327.  
 — *italica* *Mill.* Rivinus Opus ined. 42.  
 — *lanata* *Jacq.* Jacq. Ic. 107.  
 — — — Fallas Fl. ross. 3, 9.  
 — *latifolia* *Ait.* Pacho Voyage 98.  
 — *Lindleyi* *Benth.* Bot. Reg. 15, 1226.  
 — *lusitanica* *Brot.* Brotero Phytogr. 109.  
 — *maritima* *L.* Jacq. Vind. 70.  
 — — — Rchb. Ic. crit. 5, 484.  
 — — — Sturm Flora 19, 84.  
 — *marrubifolia* *Viv.* Explor. Alger. 63.  
 — *menthaefolia* *Vis.* Visiani Dalm. 17.  
 — *mollissima* *Willd.* Willdenow Hortus 60.  
 — *nivea* *Lab.* Bill. Syr. 3, 3.  
 — *obliqua* *W. et K.* W. et Kit. 134.  
 — *orientalis* *L.* Sibth. Fl. gr. 560.  
 — *palaestina* *L.* Lam. Encycl. 509.  
 — *palustris* *L.* Fl. dan. 7, 1103.  
 — — — Curt. Lond. 2, 22.  
 — — — Engl. Bot. 24, 1675.  
 — — — Baxter Brit. Bot. 1, 16.  
 — — — Sv. Bot. 431.  
 † — — — Mutel Fl. fr. 51.  
 † — — — Schk. Handb. 161.  
 — — — Hayne 3, 40.  
 — — — Sturm Flora 5, 18.  
 — — — Schrank Fl. monac. 2, 131.  
 — — — Dietr. Fl. bor. 2, 122.  
 † — — — Schnizl. Iconogr. 3, 136.  
 — *Parolinii* *Vis.* Mem. Ist. veneto 1, 4.  
 — *pauciflora* *Vis.* Mem. Ist. veneto 1, 2.  
 — *polystachya* *Ten.* Tenore Fl. nap. 53.  
 — *pubescens* *Ten.* Tenore Fl. nap. 239.  
 — *pumila* *Russell.* Russell Aleppo 10.  
 — *recta* *L.* Jacq. Fl. austr. 4, 359.  
 — — — Schk. Handb. 161.  
 — — — Hayne 4, 12.  
 — — — Schrank Fl. monac. 4, 346.  
 — — — Nees Dusseld. Suppl. 40.  
 — — — Dietr. Fl. bor. 11, 782.  
 — — — Sturm Flora 19, 84.  
 † — — — Nees Gen. 6, 33.  
 — *rugosa* *Ait.* Jacq. Ic. 409.  
 — — — Lam. Lam. Encycl. 509.  
 — *Salviae* *Ldl.* Bot. Reg. 15, 1226.  
 — *salviaefolia* *Ten.* Tenore Fl. nap. 54.

- Stachys salviaefolia* Ten. Sturm Flora 19, 83.  
 — *sibirica* Link. Rehb. Ic. crit. 4, 328.  
 — — Sweet Fl. G. 100.  
 — *Sideritis* L. Nees Düsseld. Suppl. 40.  
 — *silvatica* L. Fl. dan. 7, 1102.  
 — — Curt. Lond. 3, 106.  
 — — Engl. Bot. 6, 416.  
 — — Sv. Bot. 578.  
 † — — Schk. Handb. 161.  
 — — Hayne 4, 11.  
 — — Schrank Fl. monac. 1, 89.  
 — — Dietr. Fl. bor. 2, 123.  
 — — Sturm Flora 19, 84.  
 † — — Nees Gen. 6, 33.  
 † — — Schimper Symphytum 4. 5.  
 — *spinosa* L. Sibth. Fl. gr. 559.  
 — *suberenata* Vis. Visiani Dalm. 16.  
 — *Swainsoni* Benth. Mem. Ist. veneto 1, 3.  
 — *tenuifolia* Pall. Rehb. Hortus 28.  
 — *virgata* Bory. Bory et Chaub. Morée 17.  
*Stachystemon* *vermiculare* Planch. Hook. Journ. 1845, 15.  
*Stachytarpha* *sanguinea* Schauer. Endl. Bras. 10, 34.  
 — *speciosa* Pohl. Endl. Bras. 10, 35.  
*Stachytarpheta* *aristata* Vahl. Bot. Mag. 72, 4211.  
 — — Fl. d. serres 2, 55.  
 — *elatio* Schrad. Schrader Blumenbachia 2.  
 — — Jacq. Ecl. pl. 159.  
 — — Rehb. Hortus 59.  
 — *gibberosa* Rehb. Rehb. Hortus 138.  
 — *hirsuta* Jacq. Jacq. Ecl. pl. 160.  
 — *jamaicensis* Vahl. Bot. Mag. 44, 1860.  
 — — Lodd. Cab. 820.  
 — *mutabilis* Vahl. Bot. Mag. 25, 976.  
 — — Kerner Hort. 267.  
 — — Dict. sc. nat. 39.  
 — — Regel Gartenflora 1854, 90.  
 — *palustris* Jacq. Jacq. Ecl. pl. 159.  
 — *urticifolia* Sims. Bot. Mag. 43, 1848.  
*Stachyurus* *praecox* S. et Z. Sieb. Fl. Japon. 18.  
*Stackhousia* *flava* Hook. Hook. Ic. pl. 3, 269.  
 — *monogyne* Lab. Bill. Nov. Holl. 104.  
 — — Dict. sc. nat. 274.  
 — — Bot. Reg. 22, 1917.  
*Stadmannia* *oppositifolia* Lam. Lam. Encycl. 312.  
 — *Sideroxylum* DC. Rumpf Amb. 3, 65.  
 † *Stachelina* L. Ann. Mus. 16, 5.  
 — *apiculata* Lab. Bill. Syr. 4, 1.  
 — *arborea* Schreb. Schreber Ic. 1.  
 — *arborescens* L. Sibth. Fl. gr. 845.  
 — *boetica* DC. Boissier Esp. 106.  
 — *Chamaepeuce* L. Sibth. Fl. gr. 847.  
 — — Viviani Lib. 23.  
 — *dubia* L. Gerard Fl. gallopr. 6.  
 — — Rehb. Fl. germ. 15, 810.  
 — *fruticosa* L. Jaubert Illustr. 397.  
 — — Rehb. Fl. germ. 15, 810.  
 — *ilicifolia* L. fil. Smith Ic. Linn. 71.  
 — *uniflosculosa* Sibth. Sibth. Fl. gr. 846.  
 † *Stactia* *Chamisso*. Linnaea 3, 3.  
*Stagmaria* *vernaciflua* Jack. Rumpf Amb. 2, 86.  
*Stalagmitis* *cambogioides* Murr. Woodv. Med. 5, 23.  
*Stanhoepa* *aurea* Endl. Hart. Parad. 1, 5.  
 — *Bucephalus* Ldl. Bot. Reg. 31, 24.  
 — *devoniensis* Ldl. Lindley Sertum 1.  
 — *eburnea* Ldl. Bot. Reg. 18, 1529.  
 — — Bot. Mag. 61, 3359.  
 — *ecornuta* Ch. Lem. Fl. d. serres 2, 181.  
 — *grandiflora* Ldl. Maund Bot. 4, 176.  
 — *graveolens* Ldl. Annales de Gand 1846, 54.  
 — — Fl. d. serres 2, 69. 70.  
 — *guttulata* Ldl. Lem. Jard. fl. 3, 309. 310.  
 — *inodora* Lodd. Bot. Reg. 31, 65.

- Stanhoepa insignis* Frost. Bot. Mag. 56, 2948. 2949.  
 — — Bot. Reg. 22, 1837.  
 — — Lodd. Cab. 1985.  
 — — Rehb. Exot. 265.  
 — *maculosa* Kn. et W. Knowles et Westcott 121.  
 — *Martiana* Batem. Bateman Orchid. 27.  
 — — var. *bicolor*, Bot. Reg. 29, 44.  
 — *oculata* Ldl. Bot. Reg. 21, 1800.  
 — *quadricornis* Ldl. Bot. Reg. 24, 5.  
 — *Rueckeri* Ldl. Lem. Jard. fl. 4, 375.  
 — *saccata* Batem. Bateman Orchid. 15.  
 — *tigrina* Batem. Bateman Orchid. 7.  
 — — Bot. Mag. 71, 4197.  
 — — Bot. Reg. 25, 1.  
 — — Hart. Parad. 1, 6.  
 — — nigro-violacea, Ann. de Gand 1845, 21.  
 — — var. *superba*, Fl. d. serres 7, 713—715.  
 — *velata* Morr. Annales de Gand 1847, 153.  
 — *Wardii* Lodd. Lindley Sertum 20.  
 — — Knowles et Westcott 90.  
 † *Stanleya* *Nutt.* Gray Genera 65.  
 — *integrifolia* Torr. Sitgreaves Expedition 1.  
 — *pinnatifida* Nutt. Gray Genera 65.  
*Stannia* *formosa* Karst. Karsten Auswahl 9.  
 — — Fl. d. serres 6, 587.  
 † *Stapelia* L. Jacq. Genit. Asclep. x.  
 † — (Pietro Savi.) Mem. Tur. 38, p. 208.  
 — *acuminata* Mass. Masson Stapelia 17.  
 — *adscendens* Roxb. Roxb. Corom. 30.  
 — — Kerner Hort. 60.  
 — *ambigua* Mass. Masson Stapelia 12.  
 — — Jacquin Stapelia 53. 54.  
 — — Kerner Hort. 372.  
 — *anguinea* Jacq. Jacquin Stapelia 37.  
 — — Lodd. Cab. 828.  
 — *aperta* Mass. Masson Stapelia 37.  
 — *arida* Mass. Masson Stapelia 33.  
 — *articulata* Ait. Masson Stapelia 30.  
 — *Asterias* Mass. Masson Stapelia 14.  
 — — Jacquin Stapelia 47.  
 — — Bot. Mag. 15, 536.  
 — — Lodd. Cab. 453.  
 — — DC. Plantes grasses 166.  
 — *barbata* Mass. Masson Stapelia 7.  
 — — Jacquin Stapelia 2.  
 — — Bot. Mag. 50, 2401.  
 — — Lodd. Cab. 225.  
 — *bufonia* Jacq. Jacquin Stapelia 35. 36. 64.  
 — — Bot. Mag. 40, 1676.  
 — — Lodd. Cab. 332.  
 — *cactiformis* Hook. Bot. Mag. 70, 4127.  
 — — Fl. d. serres 1, 20.  
 — *caespitosa* Mass. Masson Stapelia 29.  
 — — Jacquin Stapelia 11.  
 — — DC. Plantes grasses 148.  
 — *campanulata* Mass. Masson Stapelia 6.  
 — — Jacquin Stapelia 1.  
 — — Bot. Mag. 30, 1227. 40, 1661.  
 — *ciliata* Thunb. Masson Stapelia 1.  
 — *clavigera* Jacq. Jacquin Stapelia 5.  
 — *clypeata* Jacq. Jacquin Stapelia 34.  
 — *comata* Jacq. Jacquin Stapelia 49.  
 — *concinna* Mass. Masson Stapelia 18.  
 — *conspureata* Willd. Jacquin Stapelia 32.  
 — *decora* Mass. Masson Stapelia 26.  
 — *deflexa* Jacq. Jacquin Stapelia 20.  
 — — Bot. Mag. 44, 1890.  
 — — Lodd. Cab. 135.  
 — *depressa* Jacq. Jacquin Stapelia 55.  
 — — Kerner Hort. 828.  
 — *divaricata* Mass. Masson Stapelia 22.  
 — — Jacquin Stapelia 22.

- Stapelia divaricata* *Mass.* Bot. Mag. 25, 1107.  
 — — — Lodd. Cab. 941.  
 — — — *duodecimifida* *Jacq.* Jacquin *Stapelia* 4.  
 — — — *elegans* *Mass.* Masson *Stapelia* 27.  
 — — — Bot. Mag. 29, 1184.  
 — — — Lodd. Cab. 1651.  
 — — — *europaea* *Guss.* Acad. Neap. 4, x.  
 — — — *fissirostris* *Jacq.* Jacquin *Stapelia* 23.  
 — — — Kerner Hort. 434.  
 — — — *fuscata* *Jacq.* Jacquin *Stapelia* 46.  
 — — — *geminata* *Mass.* Masson *Stapelia* 25.  
 — — — Jacquin *Stapelia* 16.  
 — — — Bot. Mag. 32, 1326.  
 — — — Lodd. Cab. 300.  
 — — — *gemmaeflora* *Mass.* Masson *Stapelia* 15.  
 — — — Jacquin *Stapelia* 24.  
 — — — Bot. Mag. 43, 1839.  
 — — — *glanduliflora* *Mass.* Masson *Stapelia* 19.  
 — — — Jacquin *Stapelia* 21.  
 — — — Smith Exot. Bot. 71.  
 — — — *glauca* *Jacq.* Jacquin *Stapelia* 44.  
 — — — Kerner Hort. 487.  
 — — — *Gordoni* *Mass.* Masson *Stapelia* 40.  
 — — — Kerner Hort. 154.  
 — — — *grandiflora* *Mass.* Masson *Stapelia* 11.  
 — — — Jacquin *Stapelia* 59.  
 — — — DC. Plantes grasses 172.  
 — — — Kerner Hort. 69.  
 — — — *Curt.* Bot. Mag. 16, 585.  
 — — — *Gussoniana* *Jacq.* Bot. Reg. 20, 1731.  
 — — — *guttata* *Mass.* Masson *Stapelia* 4.  
 — — — *hamata* *Jacq.* Jacquin *Stapelia* 50.  
 — — — Lodd. Cab. 242.  
 — — — Kerner Hort. 550.  
 — — — *hirsuta* *Jacq.* Jacquin *Stapelia* 25.  
 — — — Kerner Hort. 330.  
 † — — — *hirsuta* *L.* Jacq. Misc. 1, 3.  
 — — — Jacquin *Stapelia* 51. 52.  
 — — — DC. Plantes grasses 160.  
 † — — — Lam. Encycl. 178.  
 — — — Dict. sc. nat. 60.  
 — — — Herb. amat. 2, 126.  
 — — — Hook. Exot. Fl. 230.  
 — — — var. *atra*, Bot. Reg. 9, 756.  
 — — — *hirtella* *Jacq.* Jacquin *Stapelia* 10.  
 — — — *humilis* *Mass.* Masson *Stapelia* 5.  
 — — — *incarnata* *L.* Masson *Stapelia* 34.  
 — — — *irrorata* *Mass.* Masson *Stapelia* 9.  
 — — — Lodd. Cab. 127.  
 — — — *juvencula* *Jacq.* Jacquin *Stapelia* 28.  
 — — — *lenticinosa* *Sims.* Bot. Mag. 15, 506.  
 — — — *lepida* *Jacq.* Jacquin *Stapelia* 43.  
 — — — *maculosa* *Jacq.* Jacquin *Stapelia* 31.  
 — — — Bot. Mag. 43, 1833.  
 — — — Kerner Hort. 797.  
 — — — *marmorata* *Jacq.* Jacquin *Stapelia* 38.  
 — — — *mastodes* *Jacq.* Jacquin *Stapelia* 13.  
 — — — *mixta* *Mass.* Masson *Stapelia* 38.  
 — — — *moschata* *Don.* Lodd. Cab. 1051.  
 — — — *mutabilis* *Jacq.* Jacquin *Stapelia* 29. 30.  
 — — — var. Kerner Hort. 739.  
 — — — *normalis* *Jacq.* Jacquin *Stapelia* 42. 64.  
 — — — Bot. Reg. 9, 755.  
 — — — *ocellata* *Jacq.* Jacquin *Stapelia* 6.  
 — — — *orbicularis* *Donn.* Andr. Rep. 7, 439.  
 — — — Lodd. Cab. 811.  
 — — — Kerner Hort. 474.  
 — — — *pallida* *Wendl.* Wendland Coll. 51.  
 — — — *paniculata* *Willd.* Jacquin *Stapelia* 26.  
 — — — *parviflora* *Mass.* Masson *Stapelia* 35.  
 — — — *patula* *Willd.* Jacquin *Stapelia* 56.  
 — — — *pedunculata* *Mass.* Masson *Stapelia* 21.

- Stapelia pedunculata* *Mass.* Jacquin *Stapelia* 61. 62.  
 — — — Kerner Hort. 501.  
 — — — Rehb. Exot. 302.  
 — — — *Jacq.* Jacquin *Stapelia* 60.  
 — — — *Sims.* Bot. Mag. 21, 793.  
 — — — Jacquin *Stapelia* 63.  
 — — — Kerner Hort. 730.  
 — — — *picta* *Donn.* Bot. Mag. 29, 1169.  
 — — — *pilifera* *L.* Masson *Stapelia* 23.  
 — — — *planiflora* *Jacq.* Jacquin *Stapelia* 40.  
 — — — Lodd. Cab. 191.  
 — — — *pruinosa* *Mass.* Masson *Stapelia* 41.  
 — — — *pulchella* *Mass.* Masson *Stapelia* 36.  
 — — — *pulla* *Mass.* Masson *Stapelia* 31.  
 — — — Bot. Mag. 40, 1648.  
 — — — *pulvinata* *Mass.* Masson *Stapelia* 13.  
 — — — Bot. Mag. 31, 1240.  
 — — — Lodd. Cab. 206.  
 — — — Kerner Hort. 538.  
 — — — Rehb. Exot. 303.  
 — — — *punctata* *Mass.* Masson *Stapelia* 24.  
 — — — *radiata* *Sims.* Bot. Mag. 17, 619.  
 — — — Lodd. Cab. 831.  
 — — — *Jacq.* Jacquin *Stapelia* 12.  
 — — — *ramosa* *Mass.* Masson *Stapelia* 32.  
 — — — *reclinata* *Mass.* Masson *Stapelia* 28.  
 — — — Jacquin *Stapelia* 14.  
 — — — Bot. Mag. 34, 1397.  
 — — — *replicata* *Jacq.* Jacquin *Stapelia* 15.  
 — — — Kerner Hort. 323.  
 — — — *reticulata* *Mass.* Masson *Stapelia* 2.  
 — — — Jacquin *Stapelia* 8.  
 — — — *deformis*, Jacquin *Stapelia* 9.  
 — — — Bot. Mag. 40, 1662.  
 — — — DC. Plantes grasses 167.  
 — — — Kerner Hort. 310.  
 — — — *revoluta* *Mass.* Masson *Stapelia* 10.  
 — — — Bot. Mag. 19, 724.  
 — — — Jacquin *Stapelia* 45.  
 — — — *roriflua* *Jacq.* Jacquin *Stapelia* 19.  
 — — — Kerner Hort. 322.  
 — — — *rufa* *Mass.* Masson *Stapelia* 20.  
 — — — Lodd. Cab. 239.  
 — — — *rugosa* *Jacq.* Jacquin *Stapelia* 41.  
 — — — *Wendl.* Wendland Coll. 52.  
 — — — *serrulata* *Jacq.* Jacquin *Stapelia* 17.  
 — — — *sororia* *Mass.* Masson *Stapelia* 39.  
 — — — Jacquin *Stapelia* 56. 57. 58.  
 — — — Kerner Hort. 89.  
 — — — Kerner Ic. pl. scl. 3.  
 — — — Lodd. Cab. 94.  
 — — — *stellaris* *Jacq.* Jacquin *Stapelia* 48.  
 — — — Lodd. Cab. 1312.  
 — — — Kerner Hort. 612.  
 — — — *stricta* *Sims.* Bot. Mag. 46, 2037.  
 — — — *trifulca* *Jacq.* Jacquin *Stapelia* 33.  
 — — — *tubata* *Jacq.* Jacquin *Stapelia* 3.  
 — — — *umbellata* *Roxb.* Roxb. Corom. 241.  
 — — — Kerner Hort. 463.  
 — — — *uncinata* *Jacq.* Jacquin *Stapelia* 58.  
 — — — *variegata* *L.* Bot. Mag. 1, 26.  
 † — — — Jacq. Misc. 1, 4.  
 — — — Jacquin *Stapelia* 39.  
 — — — DC. Plantes grasses 149.  
 — — — Lam. Encycl. 178.  
 — — — Tratt. Thes. 18.  
 — — — Herb. amat. 2, 125.  
 † — — — Ann. sc. nat. 24, 14.  
 † — — — R. Brown Schriften 5, 3.  
 — — — *venusta* *Mass.* Masson *Stapelia* 3.  
 — — — Jacquin *Stapelia* 7. 64.  
 — — — *verrucosa* *Mass.* Masson *Stapelia* 8.

- Stapelia verrucosa* *Mass.* Jacquin *Stapelia* 18.  
 — — — *Bot. Mag.* 20, 786.  
 — — — *vetula* *Mass.* *Masson Stapelia* 16.  
 — — — Jacquin *Stapelia* 27.  
 — — — *Bot. Mag.* 30, 1234.  
 — — — Lodd. *Cab.* 428.  
 † *Staphydium biserratum* *Naud.* *Ann. sc. nat.* III, 18, 4.  
 † — *octonum* *Naud.* *Ann. sc. nat.* III, 18, 4.  
 † *Staphylea* *L.* *Gray Genera* 172.  
 — — — *Bumalda* *DC.* *Delessert Ic.* 3, 51.  
 — — — *Sieb.* *Fl. Japon.* 95.  
 — — — *heterophylla* *Rz et P.* *Ruiz et Pav.* *Fl.* 253.  
 † — — — *pinnata* *L.* *Gaertn. Carp.* 69.  
 † — — — *Lam. Encycl.* 210.  
 — — — *Engl. Bot.* 22, 1560.  
 — — — *Baxter Brit. Bot.* 3, 198.  
 — — — *Schk. Handb.* 84.  
 — — — *Guimpel Holzgew.* 36.  
 — — — *Rehb. Fl. germ.* 5, 161.  
 — — — *Sturm Flora* 20, 93.  
 † — — — *Hoeven Tijdschr.* 6, 5.  
 † — — — *Schnizl. Iconogr.* 235.  
 † — — — *trifolia* *L.* *Schk. Handb.* 84.  
 — — — *Gray Genera* 172.  
*Statice* *Willd.* *Schnizl. Iconogr.* 117.  
 — — — *acerosa* *Willd.* *Jaubert Illustr.* 94.  
 — — — *acutifolia* *Rehb.* *Rehb. Ic. crit.* 3, 225.  
 — — — *egyptiaca* *Delile.* *Delile Egypte* 25.  
 — — — *Bot. Mag.* 50, 2363.  
 — — — *alliacea* *Cav.* *Cav. Ic.* 109.  
 — — — *Sibth. Fl. gr.* 294.  
 — — — *alpina* *Hoppe.* *Sturm Flora* 13, 51.  
 — — — *androsacea* *Jaub.* *Jaubert Illustr.* 89.  
 — — — *arabica* *Jaub.* *Jaubert Illustr.* 85.  
 — — — *arboorea* *Willd.* *Bot. Mag.* 66, 3776.  
 — — — *Bot. Reg.* 25, 6.  
 — — — *Paxt. Mag.* 4, 217.  
 — — — *Maund Bot.* 1, 47.  
 — — — *arborescens* *Brouss.* *Webb Canar.* 194.  
 — — — *Armeria* *L.* *Fl. dan.* 7, 1092.  
 — — — *Curt. Lond.* 4, 122.  
 — — — *Engl. Bot.* 4, 226.  
 — — — *Jacq. Vind.* 42.  
 — — — *Lam. Encycl.* 219.  
 † — — — *Ann. sc. nat.* 17, 15.  
 † — — — *Mem. Instit.* 1830, 4.  
 — — — *Schk. Handb.* 87.  
 — — — *Dreves* 4, 104.  
 — — — *Sturm Flora* 1, 1.  
 — — — *articulata* *Lois.* *Loiseleur Fl. gall.* 6.  
 † — — — *Mutel Fl. fr.* 56.  
 — — — *Rehb. Ic. crit.* 2, 172.  
 — — — *aurea* *L.* *Rehb. Ic. crit.* 2, 195.  
 — — — *auriculaefolia* *Vahl.* *Rehb. Ic. crit.* 2, 173.  
 † — — — *Mutel Fl. fr.* 56.  
 — — — *axillaris* *Forsk.* *Vahl Symbolae* 9.  
 — — — *bellidifolia* *Sibth.* *Sibth. Fl. gr.* 295.  
 — — — *Besseriana* *Schult.* *Rehb. Ic. crit.* 8, 720.  
 — — — *binervosa* *G. E. Sm.* *Engl. Bot.* 2663.  
 — — — *Bonduelli* *Lest.* *Ann. sc. nat.* III, 16, 17.  
 — — — *Bovei* *Jaub.* *Jaubert Illustr.* 86.  
 — — — *brassicaefolia* *Webb.* *Webb Canar.* 195.  
 — — — *caroliniana* *Walt.* *Bigelow Med.* 25.  
 — — — *caspia* *Willd.* *Rehb. Ic. crit.* 2, 194.  
 — — — *congesta* *Led.* *Ledeb. Ic.* 314.  
 — — — *conspicua* *Sims.* *Bot. Mag.* 39, 1629.  
 — — — *coriaria* *Pall.* *Rehb. Ic. crit.* 3, 291.  
 — — — *cumana* *Ten.* *Tenore Fl. nap.* 223.  
 — — — *cylindrifolia* *Forsk.* *Vahl Symbolae* 10.  
 — — — *decipiens* *Led.* *Ledeb. Ic.* 252.  
 † — — — *densiflora* *Gir.* *Ann. sc. nat.* III, 17, 3.  
 — — — *desertorum* *Trautv.* *Trautvetter Imag.* 11.

- Statice dichotoma* *Cav.* *Cav. Ic.* 50.  
 † — — — *Mutel Fl. fr.* 55.  
 — — — *Rehb. Ic. crit.* 8, 718.  
 — — — *Dickinsonii* *Marn.* *Marnock Mag.* 1841, 8.  
 — — — *diffusa* *Pourr.* *Lam. Encycl.* 219.  
 † — — — *Mutel Fl. fr.* 56<sup>bis</sup>.  
 † — — — *Dodartii* *Gir.* *Ann. sc. nat.* II, 17, 4.  
 † — — — *Dufourii* *Gir.* *Ann. sc. nat.* II, 17, 4.  
 — — — *Durieui* *Gir.* *Explor. Alger.* 68.  
 — — — *Echinus* *L.* *Sibth. Fl. gr.* 300.  
 — — — *echioides* *L.* *Gouan Illustr.* 2.  
 — — — *Sibth. Fl. gr.* 299.  
 — — — *Rehb. Ic. crit.* 2, 162.  
 † — — — *Mutel Fl. fr.* 56.  
 — — — *elongata* *Hoffm.* *Sturm Flora* 1, 1.  
 — — — *eximia* *F. et M.* *Bot. Reg.* 33, 2.  
 — — — *Annales de Gand* 1847, 126.  
 — — — *fasciculata* *Vent.* *Vent. Cels* 38.  
 † — — — *ferulacea* *L.* *Mutel Fl. fr.* 56<sup>bis</sup>.  
 — — — *Fortunei* *Ldl.* *Bot. Reg.* 31, 63.  
 — — — *Fl. d. serres* 2, 28.  
 — — — *frutescens* *Webb.* *Fl. d. serres* 4, 325.  
 — — — *furfuracea* *Lag.* *Rehb. Ic. crit.* 2, 188.  
 † — — — *Mutel Fl. fr.* 55.  
 — — — *globulariaefolia* *Desf.* *Sibth. Fl. gr.* 296.  
 — — — *Hoffm. et Link Fl. port.* 77.  
 — — — *Boissier Esp.* 155.  
 — — — *Rehb. Ic. crit.* 3, 226.  
 † — — — *Mutel Fl. fr.* 55.  
 — — — *glumacea* *Jaub.* *Jaubert Illustr.* 91.  
 — — — *Gmelini* *Willd.* *Rehb. Ic. crit.* 3, 237.  
 — — — *græca* *Poir.* *Jaubert Illustr.* 389.  
 — — — *graminifolia* *Ait.* *Rehb. Ic. crit.* 8, 721.  
 — — — *Trautvetter Imag.* 9.  
 — — — *Hohenackeri* *Jaub.* *Jaubert Illustr.* 92.  
 † — — — *hybrida* *Montagne.* *Mutel Fl. fr.* 55.  
 — — — *imbricata* *Gir.* *Webb Canar.* 192.  
 — — — *Annales de Gand* 1848, 183.  
 — — — *Fl. d. serres* 4, 320, 321.  
 — — — *Karelinii* *Stsch.* *Bull. Mosc.* 1851, 2, 13.  
 — — — *lanceolata* *Link.* *Hoffm. et Link Fl. port.* 78.  
 — — — *Rehb. Ic. crit.* 8, 719.  
 — — — *latifolia* *Sm.* *Comm. Gott.* 12, 1.  
 — — — *lepturoides* *Jaub.* *Jaubert Illustr.* 95.  
 — — — *Limonium* *L.* *Fl. dan.* 2, 315.  
 † — — — *Gaertn. Carp.* 44.  
 — — — *Engl. Bot.* 2, 102.  
 — — — *Baxter Brit. Bot.* 3, 183.  
 — — — *Lam. Encycl.* 219.  
 † — — — *Mutel Fl. fr.* 54.  
 — — — *Rehb. Ic. crit.* 8, 751.  
 † — — — *lychnidifolia* *Gir.* *Ann. sc. nat.* II, 17, 3.  
 — — — *macrophylla* *Brouss.* *Bot. Mag.* 70, 4125.  
 — — — *Bot. Reg.* 31, 7.  
 — — — *Webb Canar.* 193.  
 — — — *macroptera* *Webb.* *Webb Canar.* 196.  
 — — — *macrorrhiza* *Led.* *Ledeb. Ic.* 259.  
 — — — *minuta* *L.* *Rehb. Ic. crit.* 2, 186.  
 † — — — *Mutel Fl. fr.* 55.  
 — — — *monopetala* *L.* *Bot. Reg.* 27, 54.  
 — — — *var. denudata*, *Bot. Reg.* 28, 59.  
 — — — *mucronata* *L.* *L'heritier Stirp.* 13.  
 — — — *Tratt. Thes.* 1.  
 — — — *Oliverii* *Jaub.* *Jaubert Illustr.* 93.  
 — — — *palmaris* *Sibth.* *Sibth. Fl. gr.* 297.  
 — — — *papillata* *Webb.* *Webb Canar.* 189.  
 — — — *pectinata* *Ait.* *Bot. Reg.* 26, 65.  
 — — — *Webb Canar.* 190.  
 — — — *plantaginiflora* *Jaub.* *Jaubert Illustr.* 88.  
 — — — *prolifera* *D'Urv.* *Jaubert Illustr.* 390.  
 — — — *pruinosa* *L.* *Viviani Lib.* 27.  
 — — — *Pseudo-Armeria* *Jacq.* *Paxt. Mag.* 11, 79.

- Statice Pseudo-Limonium *Rehb.* *Rehb. Ic. crit.* 8, 717.  
 † — — — Mutel *Fl. fr.* 55.  
 — — — puberula *Webb.* *Webb Canar.* 191.  
 — — — Bot. *Mag.* 65, 3701.  
 — — — Maund *Bot.* 4, 182.  
 — — — Bot. *Reg.* 17, 1450.  
 — — — pubescens *DC.* *Dreves* 4, 105.  
 — — — *Rehb. Ic. crit.* 2, 187.  
 † — — — Mutel *Fl. fr.* 55.  
 † — — — Nees *Gen.* 5, 4.  
 — — — purpurata *L.* *Jacq. Schoenbr.* 3, 340.  
 — — — rariflora *Drej.* *Engl. Bot.* 2917.  
 — — — reticulata *L.* *Engl. Bot.* 5, 328.  
 — — — *Rehb. Ic. crit.* 2, 193.  
 † — — — Mutel *Fl. fr.* 56.  
 — — — rhytidophylla *Hook.* *Bot. Mag.* 70, 4055.  
 — — — rorida *Sm.* *Sibth. Fl. gr.* 298.  
 — — — rubella *Gm.* *Gmelin Reise* 2, 34.  
 — — — scoparia *Pall.* *Rehb. Ic. crit.* 3, 236.  
 — — — serotina *Rehb.* *Rehb. Ic. crit.* 8, 752.  
 — — — sinuata *L.* *Martyn Hist.* 46.  
 — — — Bot. *Mag.* 2, 71.  
 — — — Sibth. *Fl. gr.* 301.  
 † — — — Mutel *Fl. fr.* 56.  
 — — — sisymbriifolia *Jaub.* *Jaubert Illustr.* 87.  
 — — — Smithii *Ten.* *Tenore Fl. nap.* 223.  
 — — — spatulata *Willd.* *Willdenow Hortus* 63.  
 — — — *Desf.* *Bot. Mag.* 39, 1617.  
 — — — speciosa *L.* *Bot. Mag.* 18, 656.  
 — — — Lodd. *Cab.* 1336.  
 — — — spicata *Willd.* *Jacq. Fragm.* 125.  
 — — — Stocksii *Boiss.* *Wight Illustr.* 178.  
 — — — Hook. *Ic. pl.* 9, 837.  
 — — — Thounii *Viv.* *Viviani Lib.* 11.  
 — — — Tournefortii *Jaub.* *Jaubert Illustr.* 90, 388.  
 — — — tubiflora *Delile.* *Delile. Egypte* 25.  
 — — — undulata *Bory.* *Bory et Chaub. Morée* 10.  
 — — — Willdenowiana *Poir.* *Rehb. Ic. crit.* 2, 163.  
 † — — — Mutel *Fl. fr.* 56.  
 † Stauntonia hexaphylla *Decne.* *Arch. Mus.* 1, 11.  
 — — — Sieb. *Fl. Japon.* 176.  
 Stauracanthus aphyllus *Link.* *Webb Otia* 18.  
 — — — spartioides *Webb.* *Webb Otia* 19.  
 — — — spectabilis *Webb.* *Webb Otia* 20.  
 Staurogynce argentea *Wall.* *Wall. Pl. asiat.* 186.  
 Stechmannia eriobasis *Jaub.* *Jaubert Illustr.* 179.  
 — — — heterophylla *Jaub.* *Jaubert Illustr.* 181.  
 — — — leptoloba *Jaub.* *Jaubert Illustr.* 182.  
 — — — ramosissima *Jaub.* *Jaubert Illustr.* 66.  
 — — — Stachelinae *DC.* *Jaubert Illustr.* 65.  
 † Steenhammera maritima *Rehb.* *Nees Gen.* 6, 64.  
 Steffensia elongata *Kunth.* *Gaudichaud Bonite* 95.  
 † Stegnogramme aspidioides *Bl.* *Hook. Gen. Fil.* 120.  
 Stegnosperma cubense *A. Rich.* *Ramon Cuba* 44<sup>3</sup>.  
 — — — halimifolium *Benth.* *Bentham Sulphur* 12.  
 Steinheiliana radians *Decne.* *Delessert Ic.* 5, 61.  
 † — — — Ann. *sc. nat.* II, 9, 12.  
 Stekhovia scapigera *de Vr.* *De Vriese Goodenov.* 32.  
 † Stelis Swartz. *Schrader Journal* 1799, 2, 2.  
 — — — atropurpurea *Hook.* *Bot. Mag.* 69, 3975.  
 — — — disticha *P. et E.* *Poepp. et Endl.* 81.  
 † — — — foliosa *Hook.* *Jardine Annals* 2, 17.  
 — — — intermedia *P. et E.* *Poepp. et Endl.* 79.  
 — — — lamellata *Ldl.* *Hook. Ic. pl.* 1, 62.  
 — — — micrantha *Sw.* *Smith Exot. Bot.* 75.  
 — — — Hook. *Exot. Fl.* 158.  
 — — — Bot. *Reg.* 11, 935.  
 — — — Lodd. *Cab.* 1011.  
 — — — ophioglossoides *Sw.* *Lodd. Cab.* 442.  
 — — — Bot. *Reg.* 11, 935.  
 — — — pulchella *H. B. K.* *H. B. K. Nov. Gen.* 1, 90.  
 — — — spatulata *P. et E.* *Poepp. et Endl.* 80.

- Stelis tubata *Lodd.* *Lodd. Cab.* 1601.  
 † Stellaria *L.* *Gray Genera* 113.  
 — — — aculeata *Scop.* *Scopoli Fl. carn.* 1, 17.  
 — — — Alsine *Hoffm.* *Hoffmann D. Fl.* 1791, 5.  
 — — — Sturm *Flora* 1, 1.  
 — — — Dietr. *Fl. bor.* 6, 399.  
 — — — arenaria *L.* *Willdenow Hortus* 68.  
 — — — biflora *L.* *Fl. dan.* 1, 12.  
 — — — Svensk *Acad.* 1789, 1.  
 — — — Wulf. *Jacq. Collect.* 1, 18.  
 — — — brachypetala *Led.* *Ledeb. Ic.* 410.  
 — — — brevifolia *Walzh.* *Rehb. Fl. germ.* 5, 225.  
 — — — bulbosa *Wulf.* *Jacq. Ic.* 468.  
 — — — Sturm *Flora* 14, 59.  
 — — — *Rehb. Fl. germ.* 5, 223.  
 — — — cerastoides *L.* *Fl. dan.* 1, 92.  
 — — — Jacq. *Collect.* 1, 19.  
 — — — Smith *Icones Linn.* 15.  
 — — — Engl. *Bot.* 13, 911.  
 — — — Sv. *Bot.* 744.  
 — — — Sturm *Flora* 15, 64.  
 — — — ciliata *Scop.* *Scopoli Fl. carn.* 1, 17.  
 — — — crassifolia *Ehrh.* *Fl. dan.* 12, 2114.  
 — — — Sturm *Flora* 15, 63.  
 — — — Dietr. *Fl. bor.* 5, 360.  
 — — — decipiens *Hook. fil.* *Hook. Ic. pl.* 7, 680.  
 — — — dichotoma *L.* *Smith Icones Linn.* 14.  
 — — — dieranoides *Fenzl.* *Seemann Herald* 3.  
 — — — Dilleniana *Moench.* *Moench Enum. Hass.* 6.  
 — — — *Rehb. Fl. germ.* 5, 224.  
 — — — Edwardsii *R. Br.* *Hook. Bor. Am.* 31.  
 — — — *Fl. dan.* 13, 2290.  
 — — — Fenzliana *Klotzsch.* *Prinz Waldem. Him.* 29.  
 — — — Friesiana *Ser.* *Sturm Flora* 15, 63.  
 — — — glandulifera *Klotzsch.* *Prinz Waldem. Him.* 28.  
 — — — glauca *With.* *Engl. Bot.* 12, 825.  
 — — — *Fl. dan.* 12, 2115.  
 — — — Sturm *Flora* 15, 63.  
 — — — *Rehb. Fl. germ.* 5, 223.  
 — — — graminea *L.* *Fl. dan.* 3, 414. 415. 12, 2116.  
 — — — Engl. *Bot.* 12, 803.  
 — — — Sturm *Flora* 15, 63.  
 — — — *Rehb. Fl. germ.* 5, 224.  
 — — — Dietr. *Fl. bor.* 5, 330.  
 — — — grönlandica *Retz.* *Fl. dan.* 7, 1210.  
 — — — helodes *M. v. B.* *Rehb. Fl. germ.* 5, 225.  
 — — — Holostea *L.* *Fl. dan.* 4, 698.  
 — — — Engl. *Bot.* 8, 511.  
 — — — Curt. *Lond.* 2, 123.  
 † — — — Gaertn. *Carp.* 130.  
 † — — — Lam. *Encycl.* 378.  
 — — — Schk. *Handb.* 122.  
 — — — Dreves 1, 5.  
 — — — Roemer *Fl. europ.* 12, 3.  
 — — — *Rehb. Fl. germ.* 5, 223.  
 — — — Dietr. *Fl. bor.* 5, 332.  
 — — — humifusa *Sw.* *Svensk Acad.* 1789, 6.  
 — — — Retz. *Fl. dan.* 6, 978.  
 — — — imbricata *Led.* *Ledeb. Ic.* 419.  
 — — — laticifolia *Scop.* *Scopoli Fl. carn.* 1, 18.  
 — — — Laxmanni *Led.* *Ledeb. Ic.* 423.  
 — — — longifolia *Fries.* *Sv. Bot.* 506.  
 — — — *Rehb. Fl. germ.* 5, 224.  
 — — — Mühlenberg. *Gray Genera* 113.  
 — — — longissima *Wall.* *Jacquemont Ind.* 31.  
 — — — media *Sm.* *Engl. Bot.* 8, 537.  
 — — — Curt. *Lond.* 2, 89.  
 — — — Sturm *Flora* 1, 1.  
 — — — *Rehb. Fl. germ.* 5, 222.  
 — — — Dietr. *Fl. bor.* 5, 323.  
 — — — Wight *Ic. pl. Ind. or.* 3, 947.  
 — — — mollis *Klotzsch.* *Prinz Waldem. Him.* 29.

- Stellaria neglecta* *Weih.* *Rehb. Fl. germ.* 5, 222.  
 — *nemorum* *L.* *Fl. dan.* 2, 271.  
 — — — *Engl. Bot.* 2, 92.  
 — — — *Baxter Brit. Bot.* 2, 154.  
 — — — *Sturm Flora* 15, 63.  
 — — — *Rehb. Fl. germ.* 5, 222.  
 — *Nuttallii* *Torr. et Gr. Fielding Sertum* 18.  
 — *Pallasiana* *Ser.* *Ledeb. Ic.* 167.  
 — *palustris* *Retz.* *Dietr. Fl. bor.* 5, 329.  
 — *peduncularis* *Led.* *Ledeb. Ic.* 421.  
 — *petraea* *Led.* *Ledeb. Ic.* 401.  
 — *pungens* *Brongn.* *Brongniart Coquille* 78.  
 — *radians* *L.* *Ledeb. Ic.* 413.  
 — *rubra* *Scop.* *Scopoli Fl. carn.* 1, 17.  
 — *rupestris* *Scop.* *Scopoli Fl. carn.* 1, 18.  
 — *Saxifraga* *Bertol.* *Gussone Pl. rar.* 37.  
 — — — *Rehb. Fl. germ.* 5, 225.  
 — *scapigera* *Ait.* *Engl. Bot.* 18, 1269.  
 — *spathulata* *Rehb.* *Rehb. Fl. germ.* 5, 225.  
 — *uliginosa* *Murr.* *Curt. Lond.* 2, 40.  
 — — — *Engl. Bot.* 15, 1074.  
 — — — *Sturm Flora* 1, 1.  
 — *undulata* *Thunb.* *Thunberg Ic. jap.* 26.  
 — *viscida* *M. v. B.* *Sturm Flora* 15, 64.  
 — — — *Rehb. Fl. germ.* 5, 221.
- Stellera Lessertii* *C. A. M.* *Jaubert Illustr.* 301.  
 — *Passerina* *L.* *Gouan Fl. monsp.* 2.  
 — — — *Jacq. Ic.* 68.  
 — — — *Schk. Handb.* 107<sup>a</sup>.  
 † — — — *Gaertn. Carp.* 39.  
 — — — *Lam. Encycl.* 293.  
 — — — *Rehb. Fl. germ.* 11, 550.  
 — *stachyoides* *Schrenk.* *Jaubert Illustr.* 302.
- Stellorhynchis* *Aub.* *Aubert Orchid.* 24.
- Stemmadenia glabra* *Benth.* *Bentham Sulphur* 44.
- Stemmatosiphum nitens* *Pohl.* *Pohl Bras.* 158.  
 — *platyphyllum* *Pohl.* *Pohl Bras.* 157.  
 — *uniflorum* *Pohl.* *Pohl Bras.* 159.
- Stemodia arenaria* *H. B. K.* *H. B. K. Nov. Gen.* 2, 175.  
 — *chilensis* *Benth.* *Bot. Reg.* 17, 1470.  
 — *maritima* *L.* *Lam. Encycl.* 534.  
 — *Menthastrum* *Benth.* *Rheede Hort. mal.* 10, 93.  
 — *parviflora* *Ait.* *Jacq. Ecl. pl.* 149.  
 † — *ruderalis* *Gaertn.* *Gaertn. Carp.* 52.  
 † — — — *Lam. Encycl.* 534.  
 — *trifoliata* *Rehb.* *Rehb. Hortus* 1.  
 — *verticillaris* *Link.* *Rehb. Hortus* 149.  
 — *viscosa* *Roxb.* *Roxb. Corom.* 163.  
 — — — *Wight Ic. pl. Ind. or.* 4, 1408.  
 † — — — *Wight Illustr.* 165<sup>b</sup>.
- Stemona tuberosa* *Lour.* *Fl. d. serres* 2, 22.
- Stemonaacanthus macrophyllus* *N. v. E.* *Bot. Mag.* 75, 4448.  
 — *salviacifolius* *N. v. E.* *Endl. Bras.* 7, 4.
- † *Stemonoporus Gardneri* *Thw.* *Hook. Journal* 1854, 2.  
 † *Stemonurus?* *foetidus* *Wight.* *Wight Spicil.* 23.  
 — ? — — *Wight Ic. pl. Ind. or.* 3, 955.
- † — *secundiflorus* *Bl.* *Blume Mus.* 1, 45.
- Stenactis annua* *N. v. E.* *Dietr. Fl. bor.* 11, 726.  
 — — — *Rehb. Fl. germ.* 16, 912.  
 † — — — *Nees Gen.* X, x.  
 — *speciosa* *Ldl.* *Bot. Reg.* 19, 1577.  
 — — — *Bot. Mag.* 64, 3606.
- Stenandrium Pohlilii* *N. v. E.* *Endl. Bras.* 7, 9.
- Stenanthera pinifolia* *R. Br.* *Lodd. Cab.* 228.  
 — — — *Bot. Reg.* 3, 218.  
 — — — *Rehb. Exot.* 170.
- Stenia pallida* *Ldl.* *Bot. Reg.* 24, 20.
- Stenocarpus Cunninghamsii* *Hook.* *Bot. Mag.* 72, 4263.  
 — — — *Paxt. Mag.* 14, 1.  
 — — — *Annales de Gand* 1847, 120.  
 — — — *Fl. d. serres* 3, 189.  
 — *Forsteri* *R. Br.* *Bill. Sertum* 26.

- Stenocarpus salignus* *R. Br.* *Bot. Reg.* 6, 441.  
*Stenochilus glaber* *R. Br.* *Bot. Mag.* 45, 1942.  
 — — — *Bot. Reg.* 7, 572.  
 — — — *Rehb. Exot.* 103.  
 — — — *Endl. Iconogr.* 92.  
 — *maculatus* *Ker.* *Lodd. Cab.* 805.  
 — — — *Bot. Reg.* 8, 647.  
 — — — *Rehb. Exot.* 104.  
 — *viscosus* *Grah.* *Bot. Mag.* 56, 2930.
- † *Stenochlaena scandens* *J. Sm.* *Hook. Gen. Fil.* 105.  
 † — — — *Fée Fil.* 5, 5.
- Stenocline inuloides* *DC.* *Delessert Ic.* 4, 53.
- Stenocoelium athamantoides* *Led.* *Ledeb. Ic.* 175.
- Stenodon suberosus* *Naud.* *Ann. sc. nat.* III, 2, 3.  
 † — — — *Ann. sc. nat.* III, 12, 12.
- Stenoglossum coriophorum* *H. B. K.* *H. B. K. N. G.* 1, 87.  
 — *subulatum* *Ldl.* *Hook. Ic. pl.* 1, 51.
- † *Stenoloma dumosum* *Fée.* *Fée Fil.* 5, 27.  
 † — *Schlechtendalii* *Fée.* *Fée Fil.* 5, 27<sup>b</sup>.
- † *Stenomesson breviflorum* *Herb.* *Herbert Amar.* 28.  
 † — *coccineum* *Herb.* *Herbert Amar.* 28, 47.  
 † — *croceum* *Herb.* *Herbert Amar.* 28.  
 — — — *Bot. Mag.* 64, 3615.  
 † — *curvidentatum* *Herb.* *Herbert Amar.* 28.  
 — — — *Bot. Mag.* 53, 2640.  
 † — *flavum* *Herb.* *Herbert Amar.* 28.  
 — — — *Bot. Mag.* 53, 2641.  
 — *Hartwegii* *Ldl.* *Bot. Reg.* 30, 42.  
 — *latifolium* *Herb.* *Bot. Mag.* 67, 3803.  
 † — *pauciflorum* *Herb.* *Herbert Amar.* 28.  
 † — *rubrum* *Herb.* *Herbert Amar.* 28.  
 — *vitellinum* *Ldl.* *Bot. Reg.* 29, 2.
- Stenopetalum draboides* *Hook.* *Hook. Ic. pl.* 7, 617.  
 — *incisifolium* *Hook. fil.* *Hook. Ic. pl.* 3, 276.  
 — *lineare* *R. Br.* *Hook. Ic. pl.* 7, 618.  
 — *procumbens* *Hook.* *Hook. Ic. pl.* 7, 610.  
 — *robustum* *Endl.* *Hook. Ic. pl.* 7, 620.
- Stenoptera peruviana* *Presl.* *Presl Reliq.* 14.
- Stenorhynchus cinnabarinum* *Ldl.* *Bot. Reg.* 33, 65.  
 — *laxum* *P. et E.* *Poepp. et Endl.* 109.
- † *Stenosemia aurita* *Presl.* *Hook. Gen. Fil.* 94.  
 † — — — *Fée Fil.* 5, 3.
- Stenosiphonium diantrum* *N. v. E.* *Wight Ic. pl. Ind.*  
 or. 4, 1502.  
 — *Russelianum* *N. v. E.* *Wight Ic. pl. Ind. or.* 3, 873.  
 — — — *Wight Ic. pl. Ind. or.* 4, 1503.
- Stenotaphrum americanum* *Schrank.* *Schrank H. m.* 98.  
 — *lepturoide* *Hensl.* *Jardine Annals* 1, 11.  
 — *madagascariense* *Kth.* *Humb. Gram.* 211.  
 — *subulatum* *Tr.* *Trin. Sp. Gr.* 3, 360.
- † *Stenotheea mariana* *Monn.* *Monnier Essai* 2.
- † *Stephanandra flexuosa* *S. et Z.* *Münchn. Abh.* 3, 4.
- Stephania abyssinica* *Dill. et Rich.* *Richard Abyssin.* 4.  
 — *cleomoides* *Willd.* *Kerner Hort.* 186.
- Stephanophyllum brevifolium* *Pohl.* *Pohl Bras.* 155.  
 — *longifolium* *Pohl.* *Pohl Bras.* 156.
- Stephanopodium peruvianum* *P. et E.* *Poepp. et E.* 246.
- Stephanotis acuminata* *Brongn.* *Delessert Ic.* 3, 82.  
 — *floribunda* *Brongn.* *Bot. Mag.* 70, 4058.  
 — — — *Maund Bot.* 5, 203.  
 — — — *Paxt. Mag.* 11, 29.  
 — — — *Hart. Parad.* 1, 12.  
 — *Thouarsii* *Brongn.* *Delessert Ic.* 3, 83.
- † *Stephanotrichum hispidum* *Naud.* *Ann. sc. nat.* III, 4, 3.
- Sterculia acuminata* *Pal. B.* *Pal. B. Fl. d'Oware* 24.  
 — *alata* *Roxb.* *Roxb. Corom.* 287.  
 — *Balanghas* *L.* *Rheede Hort. mal.* 1, 49.  
 — — — *Cav. Diss.* 144.  
 — — — *Bot. Reg.* 3, 185.  
 — — — *Herb. amat.* 4, 243.  
 † — — — *Dict. sc. nat.* 143.  
 — — — *Wight Illustr.* 30.



- Sterculia Chicha* *St. Hil.* St. Hil. Pl. usuelles 46.  
 — — *Dict. sc. nat.* 142.  
 — *cinerea* *Dill. et Rich.* Richard Abyssin. 16.  
 — *colorata* *Roxb.* Roxb. Corom. 25.  
 — — *Hook. Ic. pl.* 2, 143.  
 — *comosa* *Wall.* Wall. pl. asiat. 127.  
 — *cordifolia* *Cav.* Cav. Diss. 143.  
 — — *Guillemin Seneg.* 15.  
 — *crinita* *Cav.* Cav. Diss. 142.  
 — *foetida* *L.* Rumpf Amb. 3, 107.  
 — — *Cav. Diss.* 141.  
 — — *Lam. Encycl.* 736.  
 — — *Wight Ic. pl. Ind. or. I.* 181, 2, 364.  
 — *guttata* *Roxb.* Rheede Hort. mal. 4, 61.  
 — — *Wight Ic. pl. Ind. or. 2.* 487.  
 — *heterophylla* *Pal. B.* Pal. B. Fl. d'Oware 40.  
 — *lanceolata* *Cav.* Cav. Diss. 143.  
 — — *Bot. Reg.* 15, 1256.  
 — *monosperma* *Vent.* Vent. Malm. 91.  
 — *platanifolia* *L.* Cav. Diss. 145.  
 † — — *Spach Suites* 69.  
 — *populifolia* *Wall.* Wall. Pl. asiat. 3.  
 — *Roxburghiana* *Wall.* Wall. Pl. asiat. 262.  
 — *tomentosa* *Thunb.* Thunberg Ic. jap. 38.  
 — — *Guill.* Guillemin Seneg. 16.  
 — *Tragacantha* *Ldl.* Bot. Reg. 16, 1353.  
 — *urceolata* *DC.* Rumpf Amb. 3, 107<sup>b</sup>.  
 — *urens* *Roxb.* Roxb. Corom. 24.  
 — *versicolor* *Wall.* Wall. Pl. asiat. 59.  
 † *Stereospermum chelonoides* *DC.* Wight Illustr. 161<sup>b</sup>.  
 — — *Wight Ic. pl. Ind. or. 4.* 1341.  
 — *suaveolens* *DC.* Wight Ic. pl. Ind. or. 4, 1342.  
 † *Stereoxylon Rz et P.* Ruiz et Pav. Prodr. 6.  
 — *corymbosum Rz et P.* Ruiz et Pav. Fl. 234.  
 — *cuneifolium Rz et P.* Ruiz et Pav. Fl. 238.  
 — *paniculatum Rz et P.* Ruiz et Pav. Fl. 238.  
 — *patens Rz et P.* Ruiz et Pav. Fl. 234.  
 — *pendulum Rz et P.* Ruiz et Pav. Fl. 237.  
 — *pulverulentum Rz et P.* Ruiz et Pav. Fl. 237.  
 — *resinosum Rz et P.* Ruiz et Pav. Fl. 235.  
 — *revolutum Rz et P.* Ruiz et Pav. Fl. 236.  
 — *rubrum Rz et P.* Ruiz et Pav. Fl. 236.  
 — *serratum Lam.* Dict. sc. nat. 74.  
 — *virgatum Rz et P.* Ruiz et Pav. Fl. 235.  
*Sterigma elichrysfolium* *DC.* Delessert Ic. 2, 84.  
 — *sulfureum* *DC.* Delessert Ic. 2, 83.  
 † *Steripha reniformis* *Gaertn.* Gaertn. Carp. 94.  
 † — — *Lam. Encycl.* 215.  
 † *Steriphoma paradoxum* *Endl.* Flora 1832, 2.  
 — — *Karsten Auswahl* 3.  
 — — *Fl. d. serres* 6, 564, 565.  
*Steris aquatica* *Burm.* Burmann Fl. ind. 39.  
 † *Sternbergia americana* *Hoffmsegg.* Hoffmannsegg Verz. 1824, 1.  
 — *citrina* *Ker.* Herbert Amar. 43.  
 — *colchiciflora* *W. et K.* W. et Kit. 159.  
 — — *Bot. Reg.* 23, 2008.  
 — — *Rehb. Fl. germ.* 9, 372.  
 † — — *Kerner Genera* 206.  
 † — — *Nees Gen.* 3, x.  
 — *dalmatica* *Herb.* Herbert Amar. 47.  
 — *lutea* *Ker.* *Rehb. Fl. germ.* 9, 372, 373.  
*Stuedelia cymosa* *Mart.* Mart. Bras. 169.  
 — *galioides* *Presl.* Presl Symbolae 2.  
 — *racemosa* *Mart.* Mart. Bras. 168.  
*Stevnia alyssoides* *Adams.* Delessert Ic. 2, 20.  
 — *cheiranthoides* *DC.* Delessert Ic. 2, 21.  
 † *Stevensia buxifolia* *Poit.* Gaertn. Carp. 197.  
 — — *Ann. Mus.* 4, 60.  
 — — *Dict. sc. nat.* 101.  
*Stevia brevistarata* *Hook. et A.* Bot. Mag. 66, 3792.  
 — *callosa* *Nutt.* Barton Fl. 2, 46.

- Stevia Eupatoria Willd.* Bot. Mag. 43, 1849.  
 — — *Bot. Reg.* 2, 93.  
 — *fascicularis* *Less.* Bot. Reg. 24, 59.  
 — *glandulifera* *Schlechtid.* Schlechtendal Hortus 8.  
 — *glutinosa* *H. B. K.* H. B. K. Nov. Gen. 4, 353.  
 — *hyssopifolia* *H. Banks.* Bot. Mag. 44, 1861.  
 — — *Cav.* *Rehb. Hortus* 190.  
 — *ivaefolia* *Willd.* Jacq. Fragm. 128.  
 — — *Rehb. Hortus* 187.  
 — *lanceolata* *Lag.* *Rehb. Hortus* 185.  
 — *laxiflora* *DC.* *Rehb. Hortus* 189.  
 — *ovata* *Lag.* Jacq. Fragm. 128.  
 — — *Rehb. Hortus* 184.  
 — *pedata* *Cav.* Cav. Ic. 356.  
 — — *Bot. Mag.* 46, 2040.  
 — *purpurea* *Lag.* Jacq. Fragm. 127.  
 — — *Rehb. Hortus* 186.  
 — *salicifolia* *Cav.* Cav. Ic. 354.  
 — *serrata* *Cav.* Cav. Ic. 355.  
 — — *Rehb. Hortus* 197.  
 — *suaveolens* *Lag.* *Rehb. Hortus* 183.  
 — *subhirsuta* *Lag.* *Rehb. Hortus* 188.  
 — *tomentosa* *H. B. K.* H. B. K. Nov. Gen. 4, 352.  
 — *trachelioides* *DC.* Bot. Mag. 67, 3856.  
 — *viscida* *H. B. K.* H. B. K. Nov. Gen. 4, 351.  
*Stewartia marylandica* *Andr.* Andr. Rep. 6, 397.  
 — *pentagyna* *L'her.* *Rehb. Mag.* 18.  
 — *virginica* *Cav.* Cav. Diss. 159.  
 † — — *Lam. Encycl.* 593.  
 † *Stibasias Douglasii* *Presl.* Vriese Maratt. 4, fig. 24.  
*Stichorchis Aub.* Aubert Orchid. 88.  
*Stiffia chrysantha* *Mik.* Mikan Del. Bras. 1.  
 — — *Bot. Mag.* 75, 4438.  
 — — *Fl. d. serres* 4, 391.  
 — — *Belgique hortie.* 3, 36.  
 † *Stigmaphyllon anomalum* *Juss.* Arch. Mus. 3, 12.  
 — *aristatum* *Ldl.* Bot. Reg. 20, 1659.  
 — *auriculatum* *Juss.* St. Hil. Fl. Bras. 171.  
 † — — *Arch. Mus.* 3, 12.  
 † — *ciliatum* *Juss.* Arch. Mus. 3, 12.  
 — — *Paxt. Mag.* 15, 77.  
 † — *emarginatum* *Juss.* Arch. Mus. 3, 12.  
 — *heterophyllum* *Hook.* Bot. Mag. 69, 4014.  
 — *jatrophaefolium* *Juss.* St. Hil. Fl. Bras. 170.  
 — — *Bot. Reg.* 30, 7.  
 † — — *Arch. Mus.* 3, 12.  
 † — *Lalandianum* *Juss.* Arch. Mus. 3, 12.  
 † — *rotundifolium* *Juss.* Arch. Mus. 3, 12.  
 — *Sagraeanum* *Juss.* Ramon Cuba 28.  
 † — — *Arch. Mus.* 3, 12.  
 † — *strigosum* *Juss.* Arch. Mus. 3, 12.  
 — *tomentosum* *Juss.* St. Hil. Fl. Bras. 171.  
*Stilago Bunias* *L.* Rheede Hort. mal. 4, 56.  
 — — *Rumpf Amb.* 3, 131.  
 — — *Wight Ic. pl. Ind. or. 3.* 819.  
 — *diandra* *Roxb.* Roxb. Corom. 166.  
 — *lanceolaria* *Roxb.* Wight Ic. pl. Ind. or. 3, 766.  
 — *tomentosa* *Roxb.* Wight Ic. pl. Ind. or. 3, 767.  
 768.  
*Stilbe ericoides* *Thunb.* Lam. Encycl. 856.  
 — *myrtifolia* *Poir.* Lam. Encycl. 856.  
 — *Pinastra* *L.* Lam. Encycl. 856.  
 — *vestita* *Berg.* Bergius Cap. 4.  
 — *virgata* *Lam.* Lam. Encycl. 856.  
 † *Stillingia sebifera* *Michx.* Jussieu Euphorb. 16.  
 — *himalayensis* *Klotzsch.* Prinz Waldem. Him. 21.  
 — *laurifolia* *A. Rich.* Ramon Cuba 69.  
*Stilpnogyne bellidioides* *DC.* Delessert Ic. 4, 54.  
 † *Stipa* *L.* Linné Amoenit. 7, 3.  
 † — — *Dumortier Gramin.* 12.  
 — *altaica* *Trin.* Ledeb. Ic. 222.  
 — *arenaria* *Brot.* Brotero Phytogr. 7, 8.

- Stipa arguens* L. Rumpf Amb. 6, 6.  
 — *Aristella* L. Allione Auctuarium 2.  
 — — — Sibth. Fl. gr. 87.  
 — — — Host Gram. 334.  
 — — — Rehb. Fl. germ. 1, 46.  
 — *avenacea* Walt. Elliott Carolina 8.  
 — *barbata* Desf. Desf. Fl. atl. 27.  
 — *bicolor* Vahl. Cav. Ic. 466.  
 — *capillata* L. Host Gram. 205.  
 — — — Sturm Flora 7, 26.  
 — — — Rehb. Fl. germ. 1, 46.  
 — *carágana* Trin. Eichwald Cauc. 40.  
 — *chrysophylla* Em. Desv. Gay Chile 76.  
 — *elegantissima* Lab. Bill. Nov. Holl. 29.  
 — *emines* Cav. Cav. Ic. 467.  
 — *eristachya* H. B. K. H. B. K. Nov. Gen. 1, 41.  
 — *fimbriata* Humb. Kth. Humb. Gram. 43.  
 — *flavescens* Lab. Bill. Nov. Holl. 30.  
 — *humilis* Cav. Cav. Ic. 466.  
 — *Jacquemontii* Jaub. Jaubert Illustr. 339.  
 — *juncea* L. Desf. Fl. atl. 28.  
 — — — Sibth. Fl. gr. 85.  
 — *micrantha* Cav. Cav. Ic. 467.  
 — *orientalis* Trin. Ledeb. Ic. 223.  
 — *paleacea* Vahl. Sibth. Fl. gr. 86.  
 — *panicoides* Lam. Humb. Gram. 122.  
 — *parviflora* Desf. Desf. Fl. atl. 29.  
 † *pennata* L. Lam. Encycl. 41.  
 — — — Engl. Bot. 19, 1356.  
 — — — Knapp Gram. 88.  
 — — — Baxter Brit. Bot. 3, 200.  
 — — — Schk. Handb. 16.  
 — — — Host Gram. 333.  
 — — — Rehb. Fl. germ. 1, 46.  
 † — — — Nees Gen. 1, 26.  
 — *Redowskii* Trin. Ledeb. Ic. 98.  
 — *sibirica* Lam. Ledeb. Ic. 99.  
 — *tenacissima* L. Desf. Fl. atl. 30.  
 † — — — Lam. Encycl. 41.  
 — *tortilis* Desf. Desf. Fl. atl. 31.  
 — — — Brotero Phytogr. 9.  
 — *trichotoma* N. v. E. Humb. Gram. 121.  
 — *virescens* H. B. K. H. B. K. Nov. Gen. 7, 680.  
*Stipularia africana* Pal. B. Pal. B. Fl. d'Oware 75.  
 — — — Lam. Encycl. 926.  
 † *Stipulicida* Michx. Gray Genera 107.  
 — *setacea* Michx. Michaux Fl. 6.  
 — — — Gray Genera 107.  
*Stirlingia anethifolia* Endl. Endl. Iconogr. 23.  
*Stizolobium urens* Pers. Kerner Hort. 287.  
*Stobaea pinnata* Thunb. Bot. Mag. 43, 1788.  
 † *Stoebe aethiopica* L. Gaertn. Carp. 167.  
 † — — — Lam. Encycl. 722.  
*Stoerkia Draco* Crantz. Crantz De duabus Dr. arb. 1.  
*Stomarrhena serratifolia* DC. Delessert Ic. 5, 22.  
 † *Stramonium vulgatum* Gaertn. Gaertn. Carp. 132.  
*Strangweja hyacinthoides* Bert. Mem. Mod. 21, 1.  
*Stranvaesia glaucescens* Ldl. Bot. Reg. 23, 1956.  
*Stratiotes acoroides* L. fil. Rumpf Amb. 6, 75. fig. 2.  
 — *alismioides* L. Smith Exot. Bot. 15.  
 — — — Bergen De Aloide 1.  
 — — — Fl. dan. 2, 337.  
 — — — Engl. Bot. 6, 379.  
 — — — Schk. Handb. 335<sup>a</sup>, 335<sup>b</sup>.  
 — — — Nolte Stratiotes 1.  
 — — — Rehb. Fl. germ. 7, 61.  
 — — — Baxter Brit. Bot. 6, 413.  
 † — — — Gaertn. Carp. 14.  
 † — — — Lam. Encycl. 489.  
 † — — — Mem. Instit. 1811, 6.  
 † — — — Treviranus Symbolae 48—53.  
 † — — — Nees Gen. 3, x.

- Stravadium insigne* Bl. Fl. d. serres 7, 654. 655.  
*Streblanthera oleaeifolia* Rich. Richard Abyssin. 78.  
 † *Streblidia ferruginea* Link. Nees Gen. 2, 6.  
*Strelitzia Ait.* Ker Strelitzia 1—8. (non vidi.)  
 — *augusta* Thunb. Kerner Hort. 769—771.  
 — — — Bot. Mag. 71, 4167. 4168.  
 — — — Fl. d. serres 2, 173. 174.  
 — *gigantea* Ker. Kerner Hort. 589.  
 — *glauca* Rich. Acta Leop. 15. Suppl. 2. 3.  
 — *ovata* Don. Kerner Hort. 493. 708.  
 — *parvifolia* Dryand. *β. juncea*, Bot. Reg. 6, 516.  
 — — — *β. juncea*, Rehb. Exot. 181.  
 — *Reginac* Ait. Aiton Hort. Kew. 1, 2.  
 — — — Bot. Mag. 4, 119. 120.  
 — — — Andr. Rep. 6, 432.  
 — — — Lodd. Cab. 1535.  
 † — — — Lam. Encycl. 148.  
 — — — Red. Lil. 2, 77. 78.  
 — — — Tratt. Thes. 27. 28.  
 — — — Tratt. Archiv 240. 240<sup>a</sup>, 240<sup>b</sup>.  
 — — — Dict. sc. nat. 64. 65.  
 — — — Herb. amat. 3, 199.  
 — — — var. *rutilans*, Annales de Gand 1846, 53.  
 † *Streptachne* R. Br. Dumortier Gramin. 12.  
 — *scabra* H. B. K. H. B. K. Nov. Gen. 1, 40.  
*Streptanthera cuprea* Sweet. Paxt. Mag. 1, 8.  
 — — — Sweet Fl. G. II. 122.  
 — *elegans* Sweet. Sweet Fl. G. 209.  
 — — — Lodd. Cab. 1359.  
 † *Streptanthus* Hook. Gray Genera 60. 61.  
 — *bracteatus* Gray. Gray Genera 60.  
 — *crassicaulis* Torr. et Frem. Stansbury Expedition 1.  
 — *flavescens* Hook. Hook. Ic. pl. 1, 44.  
 — *glandulosus* Hook. Hook. Ic. pl. 1, 40.  
 — *hyacinthoides* Hook. Bot. Mag. 63, 3516.  
 — — — Gray Genera 61.  
 — *obtusifolius* Hook. Bot. Mag. 61, 3317.  
*Streptium asperum* Roxb. Roxb. Corom. 146.  
 † — — — Kerner Genera 154.  
 — — — Hook. Journal 1834, 130.  
*Streptocarpus Rexii* Ldl. Bot. Reg. 14, 1173.  
 † — — — Wight Illustr. 159<sup>bis</sup>.  
 † *Streptocaulon calophyllum* Wight. Wight Illustr. 182.  
 † — *extensum* Wight. Wight Illustr. 182.  
 † — *tomentosum* Wight. Wight Illustr. 182.  
*Streptochoeta spicata* Schrad. Trin. Sp. Gr. 3, 296. 297.  
 † *Streptogyna crinita* Pal. B. Lam. Encycl. 912.  
*Streptolirion volubile* Edgew. Linn. Transact. 20, 2.  
 — — — Wight Ic. pl. Ind. or. 6, 2081.  
*Streptoloma desertorum* Bge. Bunge Reliq. Lehm. 4.  
*Streptopus amplexifolius* DC. Red. Lil. 5, 259.  
 — — — Sturm Flora 11, 41.  
 — — — Dietr. Fl. bor. 1, 38.  
 — — — Rehb. Fl. germ. 10, 431.  
 † — — — Nees Gen. 2, 59.  
 — *distortus* Michx. Hook. Bor. Am. 188.  
 — *roseus* Michx. Michaux Fl. 18.  
 † — — — Hook. Bor. Am. 188.  
 — — — Lodd. Cab. 1603.  
 † *Streptostachys hirsuta* Pal. B. Lam. Encycl. 910.  
 † *Streptostigma viridiflorum* Thw. Hook. Journ. 1854, 9.  
 — *Warszewiczii* Reg. Regel Gartenfl. 1853, 68.  
*Striangis* Aub. Aubert Orchid. 72.  
*Striga euphrasioides* Benth. Wight Ic. pl. Ind. or. 3, 855.  
 — *orobanchoides* Benth. Hook. Companion 19.  
 † — — — Wight Illustr. 165<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1414.  
 — *zangebarica* Klotzsch. Peters Mossamb. 35.  
*Strigilia racemosa* Cav. Cav. Diss. 201.  
 — — — Lam. Encycl. 349.  
*Strobilanthes aspera* Wight. Wight Ic. pl. Ind. or. 4, 1518.

- Strobilanthes auriculata* Wall. Wall. Pl. asiat. 295.  
 — *campanulata* Wight. Wight Ic. pl. Ind. or. 4, 1562.  
 — *ciliata* N. v. E. Wight Ic. pl. Ind. or. 4, 1517.  
 — *Grahamiana* Wight. Wight Ic. pl. Ind. or. 4, 1520.  
 — *lactata* Hook. Bot. Mag. 74, 4366.  
 — — Fl. d. serres 4, 346.  
 — *lurida* Wight. Wight Ic. pl. Ind. or. 4, 1515—  
 1516.  
 — *micrantha* Wight. Wight Ic. pl. Ind. or. 4, 1519.  
 — *Neesiana* Wight. Wight Ic. pl. Ind. or. 4, 1523.  
 — *Perrottetiana* N. v. E. Wight Ic. pl. Ind. or. 4, 1513.  
 — *rugosa* Wight. Wight Ic. pl. Ind. or. 4, 1619.  
 — *Sabiniana* N. v. E. Bot. Reg. 15, 1238.  
 — — Bot. Mag. 63, 3517.  
 — — Maund Bot. 5, 208.  
 — — Hart. Parad. 1, 11.  
 — *scabra* N. v. E. Bot. Reg. 27, 32.  
 — *sessilis* N. v. E. Bot. Mag. 68, 3902.  
 — — Wight Ic. pl. Ind. or. 4, 1511.  
 † — — Wight Illustr. 164 bis.  
 — *sessiloides* Wight. Wight Ic. pl. Ind. or. 4, 1512.  
 — *Wightiana* N. v. E. Wight Ic. pl. Ind. or. 4, 1514.  
*Strobilorrhachis* Blanchetiana Moric. Moric. Pl. Am. 94.  
 — *glabra* Kl. Link Ic. III. 48.  
 — *prismatica* N. v. E. Lem. Jard. fl. 84.  
*Stromanthe sanguinea* Sond. Fl. d. serres 8, 785.  
 — *spectabilis* Lem. Lem. Jard. fl. 4, 401.  
 † *Strombosia javanica* Bl. Blume Mus. 1, 47.  
 † *Strongylocalyx leptostemon* Bl. Blume Mus. 1, 54.  
*Strongyloma axillare* DC. Gay Chile 40.  
*Strophanthus brevicaudatus* Wight. Wight Ic. pl. Ind. or.  
 4, 1302.  
 — *dichotomus* DC. Lodd. Cab. 759.  
 — — var. *chinensis*, Bot. Reg. 6, 469.  
 — — Rehb. Hortus 159.  
 — — Wight Ic. pl. Ind. or. 2, 599.  
 — *divergens* Grac. Maund Bot. 3, 150.  
 — *Griffithii* Wight. Wight Ic. pl. Ind. or. 4, 1300.  
 † *hispidus* DC. Bull. philom. 1811. no. 64.  
 † — — Ann. Mus. 1, 27.  
 — *longicaudatus* Wight. Wight Ic. pl. Ind. or. 4,  
 1299.  
 † — *pendulus* Hook. Gray Western Africa C.  
 — *sarmentosus* DC. Bull. philom. 1811. no. 64.  
 † — — Ann. Mus. 1, 27.  
 — *Wightianus* Wall. Wight Ic. pl. Ind. or. 4, 1301.  
*Struchium africanum* Pal. B. Pal. B. Fl. d'Oware 48.  
 † *Strumaria* Jacq. Herbert Amar. 29. 45.  
 — *angustifolia* Jacq. Jacq. Ic. 359.  
 † — *Bauerana* Herb. Herbert Amar. 29. 45.  
 — *crispa* Gawl. Bot. Mag. 33, 1363.  
 — *filifolia* Jacq. Jacq. Ic. 361.  
 — — Bot. Reg. 6, 440.  
 — *gemma* Gawl. Bot. Mag. 39, 1620.  
 — *linguaefolia* Jacq. Jacq. Ic. 356.  
 — *rubella* Jacq. Jacq. Ic. 358.  
 — *spiralis* Gawl. Bot. Mag. 34, 1383.  
 — *truncata* Jacq. Jacq. Ic. 357.  
 — *undulata* Jacq. Jacq. Ic. 360.  
*Strumpfia maritima* L. Lam. Encycl. 731.  
 — — Desc. Ant. 3, 208.  
*Struthiola ciliata* Lam. Andr. Rep. 2, 139. 3, 149.  
 † — *erecta* L. Gaertn. Carp. 215.  
 † — — Wendland Beob. 2.  
 — — Bot. Mag. 7, 222. 47, 2138.  
 — *imbricata* Andr. Andr. Rep. 2, 133.  
 — — Herb. amat. 3, 184.  
 — *incana* Lodd. Lodd. Cab. 11.  
 — *juniperina* Retz. Lodd. Cab. 75.  
 — *longiflora* Lam. Lam. Encycl. 78.  
 — *ovata* Thunb. Andr. Rep. 2, 119.  
 — — Lodd. Cab. 141.

- Struthiola pubescens* Dryand. Bot. Mag. 30, 1212.  
 — *tomentosa* Andr. Andr. Rep. 5, 334.  
 † — *virgata* L. Wendland Beob. 2.  
 — — Smith Exot. Bot. 46.  
*Struthiopteris germanica* Willd. Wulff Fl. boruss. 1.  
 † — — Hook. Gen. Fil. 69.  
 † *Strychnos* L. Spach Suites 114.  
 — *axillaris* Colebr. Linn. Transact. 12, 15.  
 — *bracchiata* Rz et P. Ruiz et Pav. Fl. 157.  
 — — Kerner Hort. 478.  
 — *colubrina* L. Rheed. Hort. mal. 8, 24.  
 — — Rumpf Amb. 2, 38.  
 — — Wight Ic. pl. Ind. or. 2, 434.  
 — *ligustrina* Bl. Blume Rumphia 25.  
 — *minor* Demst. Rheed. Hort. mal. 7, 5.  
 — *nux vomica* L. Rheed. Hort. mal. 1, 37.  
 — — Woodv. Med. 2, 79.  
 † — — Gaertn. Carp. 179.  
 † — — Lam. Encycl. 119.  
 — — Roxb. Corom. 4.  
 — — Kerner Hort. 92.  
 — — Hayne 1, 17.  
 — — Nees Düssel. 208.  
 — — Guimpel et Schl. 136.  
 — — Spach Suites 114.  
 † — — Schnizl. Iconogr. 131.  
 — *potatorum* L. Roxb. Corom. 5.  
 — — Kerner Hort. 149.  
 — — Wight Illustr. 156.  
 — *Pseudoquina* St. Hil. St. Hil. Pl. usuelles 1.  
 — *Tieuté* Leschen. Ann. Mus. 16, 23.  
 — — Blume Rumphia 24.  
 † — *Titon-cote* Gaertn. Gaertn. Carp. 179.  
 — *toxifera* Schomb. Jardine Annals 7, 12. 13.  
 — — Hook. Ic. pl. 4, 364. 365.  
 — *Unguacha* Rich. Richard Abyssin. 73.  
*Stryphnodendron paniculatum* P. et E. Poepp. et Endl.  
 291.  
 † *Stuartia* Willd. Gray Genera 138. 139.  
 — *Malacodendron* L'her. L'heritier Stirp. 73.  
 — *monadelpha* S. et Z. Sieb. Fl. Japon. 96.  
 — *pentagyna* L'her. L'heritier Stirp. 74.  
 — — Nouveau Duhamel 1, 6.  
 — — Smith Exot. Bot. 110.  
 — — Bot. Mag. 68, 3918.  
 — — Gray Genera 139.  
 — *virginica* Cav. Gray Genera 138.  
*Sturmia Loeselii* Rehb. Rehb. Ic. crit. 10, 956.  
 — — Rehb. Fl. germ. 13, 492.  
 † — — Mutel Fl. fr. 67.  
 † *Sturmia lucida* Gaertn. fl. Gaertn. Carp. 192.  
*Sturmia minima* Hoppe. Sturm Flora 2, 7.  
 † *Styliideae* R. Br. Schnizl. Iconogr. 126.  
*Stylidium adnatum* R. Br. Bot. Mag. 52, 2598.  
 — — Bot. Reg. 11, 914.  
 — — Lodd. Cab. 1132.  
 † — — Schnizl. Iconogr. 126.  
 — *Armeria* Lab. Bill. Nov. Holl. 216.  
 † — — Ann. Mus. 18, 2.  
 — — Lem. Jard. fl. 3, 286.  
 — *Brunonianum* Benth. Bot. Reg. 28, 15.  
 — *calcaratum* R. Br. Bauer Illustr. 15.  
 — *ciliatum* Ldl. Bot. Mag. 68, 3883.  
 — *Drummondii* Don. Maund Bot. 5, 213.  
 — *fasciculatum* R. Br. Bot. Mag. 67, 3816.  
 — — Bot. Reg. 17, 1459.  
 — *fruticosum* R. Br. Lodd. Cab. 171.  
 — — Rehb. Mag. 39.  
 — *glandulosum* Salisb. Salisbury Parad. 77.  
 — — Herb. amat. 4, 250.  
 — *glaucum* R. Br. Bill. Nov. Holl. 214.  
 — *graminifolium* Sw. Mag. naturf. Fr. 1, 1.

- Stylidium graminifolium* Sw. Bill. Nov. Holl. 215.  
 — — — Andr. Rep. 10, 658.  
 — — — Lodd. Cab. 385.  
 — — — Bot. Reg. 1, 90.  
 — — — Bot. Mag. 44, 1918.  
 † — — — Acad. Brux. 11, x.  
 — hirsutum R. Br. Bot. Mag. 59, 3194.  
 — Hookeri Planch. Fl. d. serres 6, 606.  
 — laricifolium Rich. Ann. Mus. 18, 3.  
 — — — Bot. Reg. 7, 550.  
 — — — Dict. sc. nat. 82.  
 — — — Hook. Exot. Fl. 32.  
 — lineare Sw. Mag. naturf. Fr. 1, 1.  
 — mucronifolium Sond. Bot. Mag. 76, 4538.  
 — — — Lem. Jard. fl. 59.  
 — — — Fl. d. serres 6, 606.  
 — pilosum Lab. Bill. Nov. Holl. 213.  
 — — — Bot. Reg. 28, 41.  
 — pygmaeum R. Br. Bauer Illustr. 15.  
 — recurvum Grah. Bot. Mag. 68, 3913.  
 — saxifragoides Ldl. Bot. Mag. 76, 4529.  
 — — — Lem. Jard. fl. 34.  
 — — — Belgique hortic. 1854, x.  
 — scandens R. Br. Bot. Mag. 59, 3136.  
 — — — Paxt. Mag. 15, 149.  
 — tenellum Sw. Mag. naturf. Fr. 1, 2.  
 — tenuifolium R. Br. Bot. Mag. 48, 2249.  
 — — — Lodd. Cab. 524.  
 — — — Link Ic. I. 26.  
 — uliginosum Sw. Mag. naturf. Fr. 1, 2.  
 — umbellatum Poir. Bill. Nov. Holl. 217.  
 — violaceum R. Br. Bauer Illustr. 5.  
*Stylobasium spatulatum* Desf. Mem. Mus. 5, 2.  
 † — — — Lam. Encycl. 1000.  
*Styloceras Kunthianum* Juss. H. B. K. Nov. Gen. 7, 637.  
 † — — — Jussieu Euphorb. 17.  
 — laurifolium H. B. K. H. B. K. Nov. Gen. 7, 638.  
*Stylochaeton hypogeum* Lepr. Ann. sc. nat. II. 2, 5.  
*Stylocoryne corymbosa* Lab. Bill. Sertum 48.  
 — monosperma Wight et Arn. Wight Ic. pl. Ind. or. 1, 317.  
 — racemosa Cav. Cav. Ic. 368.  
 † — — — Gaertn. Carp. 197.  
 — — — Lam. Encycl. 921.  
 — rigida Wight. Wight Ic. pl. Ind. or. 3, 1064.  
 — Webera A. Rich. Rheede Hort. mal. 2, 23.  
 — — — Wight Ic. pl. Ind. or. 1, 309, 2, 584.  
*Stylodiscus trifoliatum* R. Br. Bennett Java 29.  
*Styloglossum nervosum* Breda. Breda Orchid. Javae 7.  
*Stylogyne Martiana* DC. Delessert Ic. 5, 34.  
 † *Stylophorum* Nutt. Gray Genera 48.  
 — diphyllum Nutt. Gray Genera 48.  
*Stylopus vernus* Rafin. Hook. Ic. pl. 3, 286.  
 † *Stylosanthes* Sw. Swartz Fl. Ind. occ. 25.  
 — elatior Sw. Svensk Acad. 1789, 11.  
 — — — Torrey New York 27.  
 — erecta Pal. B. Pal. B. Fl. d'Ware 77.  
 — glutinosa H. B. K. H. B. K. Nov. Gen. 6, 595.  
 — gracilis H. B. K. H. B. K. Nov. Gen. 6, 596.  
 — humilis H. B. K. H. B. K. Nov. Gen. 6, 594.  
 — procumbens Sw. Svensk Acad. 1789, 11.  
 † — — — Lam. Encycl. 627.  
 † — viscosa Sw. Lam. Encycl. 627.  
*Stypandra frutescens* Fl. Cab. Knowles et Westcott 63.  
 — propinqua Cunn. Bot. Mag. 62, 3417.  
*Styphelia abietina* Lab. Bill. Nov. Holl. 68.  
 — amplexicaulis Rudge. Linn. Transact. 8, 8.  
 — collina Lab. Bill. Nov. Holl. 65.  
 — cordata Lab. Bill. Nov. Holl. 63.  
 — cornifolia Rudge. Linn. Transact. 8, 9.  
 — glauca Lab. Bill. Nov. Holl. 61.  
 — Gnidium Vent. Vent. Malm. 23.

- Styphelia laeta* R. Br. Rehb. Hortus 99.  
 — longifolia R. Br. Bot. Reg. 1, 24.  
 — — — Lodd. Cab. 1583.  
 — — — Rehb. Exot. 133.  
 — obovata Lab. Bill. Nov. Holl. 67.  
 — Oxycedrus Lab. Bill. Nov. Holl. 69.  
 — parvifolia Andr. Andr. Rep. 4, 287.  
 — reflexa Rudge. Linn. Transact. 10, 19.  
 — Richei Lab. Bill. Nov. Holl. 60.  
 — serrulata Lab. Bill. Nov. Holl. 62.  
 — trichocarpa Lab. Bill. Nov. Holl. 66.  
 — triflora R. Br. Andr. Rep. 1, 72.  
 — — — Bot. Mag. 32, 1297.  
 — — — Lodd. Cab. 426.  
 — — — Kerner Hort. 539.  
 — — — Rehb. Exot. 299.  
 — tubiflora Sm. Smith New Holl. 14.  
 — — — Lodd. Cab. 1938.  
 — — — Marnock Mag. 1841, 4.  
 — — — Paxt. Mag. 12, 29.  
 — — — Maund Bot. 3, 142.  
 — virgata Lab. Bill. Nov. Holl. 64.  
 — viridiflora R. Br. Sweet Austr. 50.  
 — — — Lodd. Cab. 1223.  
 — viridis Sm. Andr. Rep. 5, 312.  
 † *Styraceae* Baril. Wight Illustr. 151 bis.  
 † *Styrax* L. Kerner Genera 18.  
 — acuminatum Pohl. Pohl Bras. 138.  
 — Benzoin Dryand. Woodv. Med. 2, 102.  
 — — — Nees Düsseld. 210.  
 — — — Wagner 167.  
 — camporum Pohl. Pohl Bras. 136.  
 — chrysasterum Pohl. Pohl Bras. 139.  
 — erymophyllum Pohl. Pohl Bras. 137.  
 — ferrugineum Pohl. Pohl Bras. 135.  
 — floridum Pohl. Pohl Bras. 134.  
 — glabrum Lam. Cav. Diss. 188.  
 — — — Watson Dendr. 1, 40.  
 — grandifolium Ait. Thunberg Styrax 1.  
 — — — Lodd. Cab. 1016.  
 — — — Watson Dendr. 2, 129.  
 — — — Herb. amat. 5, 310.  
 — japonicum S. et Z. Sieb. Fl. Japon. 23.  
 — laevigatum Ait. Bot. Mag. 23, 921.  
 — — — Lodd. Cab. 960.  
 — — — Desc. Ant. 6, 445.  
 — latifolium Pohl. Pohl Bras. 140.  
 — macrophyllum Schott. Pohl Bras. 141.  
 — Obassia S. et Z. Sieb. Fl. Japon. 46.  
 — occidentale Thunb. Thunberg Styrax 1.  
 † officinale L. Gaertn. Carp. 59.  
 † — — — Lam. Encycl. 369.  
 — — — Cav. Diss. 188.  
 — — — Woodv. Med. 2, 101.  
 — — — Sibth. Fl. gr. 375.  
 — — — Andr. Rep. 10, 631.  
 — — — Lodd. Cab. 928.  
 — — — Hayne 11, 23.  
 — — — Nees Düsseld. 209.  
 — — — Guimpel et Schl. 104.  
 — — — Wagner 95.  
 — — — Dict. sc. nat. 67.  
 — — — Spach Suites 136.  
 — parvifolium Pohl. Pohl Bras. 133.  
 — pulverulentum Michx. Watson Dendr. 1, 41.  
 — subcordatum Moric. Moricand Pl. Am. 71.  
 — suberifolium Hook. Hook. Beechey 40.  
 — subpaniculatum Jungh. Vriese Pl. nov. 3.  
 — tomentosum H. B. Humb. Pl. aeq. 101.  
*Suaeda alba* Pall. Pallas Illustr. 45.  
 — altissima Pall. Pallas Illustr. 42.  
 † — — — Ann. sc. nat. 23, 22.

- Suaeda baccifera* *Pall.* Pallas Illustr. 41.  
 — *crassifolia* *Pall.* Pallas Illustr. 46.  
 † — *fruticosa* *Forsk.* Ann. sc. nat. 23, 20.  
 — *hyssopifolia* *Pall.* Pallas Illustr. 36, 37.  
 — *indica* *Moq.* Wight Ic. pl. Ind. or. 5, 1796.  
 — *linifolia* *Pall.* Pallas Illustr. 40.  
 † — *maxima* *Moq.* Ann. sc. nat. 23, 19.  
 — *microphylla* *Pall.* Pallas Illustr. 44.  
 — *monoica* *Forsk.* Wight Ic. pl. Ind. or. 5, 1792.  
 — *muricata* *Pall.* Pallas Illustr. 35.  
 — *physophora* *Pall.* Pallas Illustr. 43.  
 — *prostrata* *Pall.* Pallas Illustr. 47.  
 — *salsa* *Pall.* Pallas Illustr. 39.  
 — *sedifolia* *Pall.* Pallas Illustr. 32, 33, 34.  
 † — *setigera* *Moq.* Ann. sc. nat. 23, 21.  
 — *Sieversiana* *Pall.* Pallas Illustr. 38.  
*Suardia picta* *Schrank.* Schrank Hort. monac. 58.  
 † *Subularia* *L.* Gray Genera 71.  
 — *aquatica* *L.* Fl. dan. 1, 35.  
 — — — Curt. Lond. 4, 135.  
 — — — Engl. Bot. 11, 732.  
 — — — Lam. Encycl. 556.  
 — — — Baxter Brit. Bot. 6, 428.  
 — — — Gray Genera 71.  
 — — — Schk. Handb. 180.  
 — — — Sturm Flora 3, 9.  
 — — — Rehb. Fl. germ. 2, 12.  
 — *repens* *Dill.* Fl. dan. 1, 170.  
*Succisa alpina* *Moench.* Rehb. Fl. germ. 12, 703.  
 — *australis* *Wulf.* Rehb. Fl. germ. 12, 697.  
 — *centauroides* *Spr.* Rehb. Fl. germ. 12, 701.  
 — *cretacea* *M. v. B.* Rehb. Fl. germ. 12, 701.  
 — *leucantha* *Spr.* Rehb. Fl. germ. 12, 700.  
 — *pratensis* *Moench.* Dietr. Fl. bor. 9, 618.  
 — — — Rehb. Fl. germ. 12, 698.  
 † — — — Nees Gen. X, x.  
 — *transsilvanica* *Spr.* Rehb. Fl. germ. 12, 699.  
 — *uralensis* *Murr.* Rehb. Fl. germ. 12, 702.  
 † *Succowia balearica* *Med.* Medikus Gattungen 1.  
 † — *echinata* *Moench.* Desvaux Journal 5, 25.  
*Suchtelinia acanthocarpa* *Karel.* Bull. Mosc. 1841, 2.  
*Suffrenia filiformis* *Bell.* Mem. Tur. 7, 1.  
 — — — Cesati Stirpes ital. x.  
*Sullivantia Ohionis* *Torr. et Gr.* Gray Chloris 6.  
 † *Sumac* *DC.* Gray Genera 159.  
 † *Sunipia* *Ldl.* Lindley Orchid. scel. 25.  
 — *bicolor* *Ldl.* Lindley Sertum Frontisp. x.  
 — *scariosa* *Ldl.* Lindley Sertum Frontisp. x.  
*Superbangis* *Aub.* Aubert Orchid. 62, 63, 64.  
 † *Suprigo glauca* *Gaertn.* Gaertn. Carp. 166.  
*Suriana maritima* *L.* Lam. Encycl. 389.  
*Sussea conoidea* *Gaudich.* Gaudichaud Bonite 24.  
 † — *lagenaeformis* *Gaudich.* Gaudichaud Bonite 25.  
 † — *microcarpa* *Gaudich.* Gaudichaud Bonite 25.  
 — *microstigma* *Gaudich.* Gaudichaud Bonite 38.  
*Sutera glandulosa* *Roth.* Wight Ic. pl. Ind. or. 3, 856.  
*Sutherlandia frutescens* *R. Br.* var. *obcordata*, Marnock  
 Mag. 1839, 7.  
 † — — — Hofmeister Embryo 5.  
 — *microphylla* *Burch.* Delessert Ic. 3, 71.  
*Suttonia divaricata* *Hook.* Hook. Fl. ant. 34.  
 — *nummularia* *Hook. fil.* Hook. New Zealand 45.  
 — *salicina* *Hook. fil.* Hook. New Zealand 44.  
 † *Svitrania pulchra* *Cham.* Ann. sc. nat. III. 16, 25.  
*Swainsonia albiflora* *Lodd.* Lodd. Cab. 1642.  
 — *coronillaefolia* *Salisb.* Salisbury Parad. 28.  
 — — — Bot. Mag. 41, 1725.  
 — — — Paxt. Mag. 15, 223.  
 — — — Herb. amat. 3, 164.  
 — *Froebelii* *Regel.* Regel Gartenflora 1854, 89.  
 — *galegifolia* *R. Br.* var. *albiflora*, Bot. Reg. 12,  
 994.

- Swainsonia galegifolia* *R. Br.* Herb. amat. 3, 181.  
 — *Greyana* *Ldl.* Bot. Reg. 32, 66.  
 — — — Bot. Mag. 74, 4416.  
 — *Osbornii* *Moore.* Lem. Jard. fl. 3, 304.  
*Swammerdamia antennaria* *DC.* Journ. Hort. Soc. 4, 77.  
 — *glomerata* *Decne.* Raoul Nouv. Zel. 16.  
*Swartzia brachystachya* *DC.* Delessert Ic. 3, 74.  
 — *calophylla* *P. et E.* Poepp. et Endl. 267.  
 — *multijuga* *A. Rich.* Ramon Cuba 42.  
 — *ohnacea* *DC.* DC. Legum. 58.  
 — *parviflora* *DC.* DC. Legum. 60.  
 † — — — Schnizl. Iconogr. 276.  
 — *tomentosa* *DC.* DC. Legum. 59.  
 † *Swartziae* *DC.* Schnizl. Iconogr. 276.  
*Swertia alternifolia* *Royle.* Royle Illustr. 67.  
 — *angustifolia* *Don.* Wall. Pl. asiat. 204.  
 — *carinthiaca* *Wulf.* Jacq. Misc. 2, 6.  
 — — — Sturm Flora 6, 22.  
 — *coerulea* *Royle.* Royle Illustr. 67.  
 — *corniculata* *L.* Pallas Fl. ross. 90.  
 — *corymbosa* *Wight.* Fielding Sertum 71.  
 — *dichotoma* *L.* Pallas Fl. ross. 91.  
 — *obtusa* *Led.* Rehb. Ic. crit. 5, 419.  
 — *paniculata* *Wall.* Wall. Pl. asiat. 205.  
 — *parnassifolia* *Lab.* Bill. Nov. Holl. 97.  
 † — *perennis* *L.* Gaertn. Carp. 114.  
 — — — Lam. Encycl. 109.  
 — — — Jacq. Fl. austr. 3, 243.  
 — — — Schk. Handb. 58.  
 — — — Engl. Bot. 21, 1441.  
 — — — Baxter Brit. Bot. 6, 498.  
 — — — Fl. dan. 12, 2047.  
 — — — Rehb. Ic. crit. 9, 837, 838.  
 — — — Dietr. Fl. bor. 9, 577.  
 † — — — Nees Gen. X, x.  
 — *persica* *Griseb.* Jaubert Illustr. 235.  
 — *punctata* *Baumg.* Rehb. Ic. crit. 3, 290.  
 — *Quartiniana* *Rich.* Richard Abyssin. 74.  
 — *rotata* *L.* Pallas Fl. ross. 89.  
 — *tetrapetala* *Pall.* Pallas Fl. ross. 90.  
 — *umbellata* *Rz et P.* Ruiz et Pav. Fl. 242.  
*Swietenia chloroxylon* *Roxb.* Roxb. Corom. 64.  
 — *febrifuga* *Roxb.* Roxb. Corom. 17.  
 — — — Hayne 1, 20.  
 — *humilis* *Zucc.* Münchn. Abh. 2, 7<sup>a</sup>, 7<sup>b</sup>.  
 † — *Mahagoni* *L.* Gaertn. Carp. 96.  
 — — — Cav. Diss. 209.  
 — — — Woodv. Med. 3, 220.  
 — — — Hayne 1, 19.  
 — — — Tussac Ant. 4, 23.  
 — — — Desc. Ant. 2, 99.  
 — — — Dict. sc. nat. 170.  
 † — — — Mem. Mus. 19, 22.  
 † — — — Spach Suites 21.  
 — — — Hook. Bot. Misc. 16, 17.  
 — *senegalensis* *Desr.* Desc. Ant. 6, 416.  
 — *Soymida* *Duncan.* Roxb. Corom. 17.  
*Syagrus cocoides* *Mart.* Mart. Palm. 89, 90.  
*Syama lata* *Jones.* Rhedo Hort. mal. 7, 43.  
*Sychnium ramosum* *Desv.* Mem. soc. Linn. Par. 4, 12.  
*Sycomoruscus capensis* *Hook.* Hook. Journal 1848, 3.  
 — *guineensis* *Miq.* Hook. Journal 1848, 14.  
 — *panifica* *Hook.* Hook. Journal 1848, 3.  
 — *Thonningiana* *Miq.* Hook. Journal 1848, 14.  
*Sylvalismis* *Aub.* Aubert Orchid. 36.  
 † *Symphachne xyrioides* *Pal. B.* Ann. sc. nat. 13, 5.  
*Symphorema involucreatum* *Roxb.* Roxb. Corom. 186.  
 — — — Wight Ic. pl. Ind. or. 2, 362.  
 † — *polyandrum* *Wight.* Wight Illustr. 173<sup>bis</sup>.  
 — — — Wight Ic. pl. Ind. or. 2, 363.  
*Symphoria racemosa* *Pursh.* Barton Fl. 1, 19.  
 — — — Bot. Mag. 48, 2211.

- Symphoria racemosa* Pursh. Lodd. Cab. 230.  
 — — — Watson Dendr. 1, 7.  
 — — — Savi Fl. ital. 3, 102.  
*Symphoricarpus glaucescens* H. B. K. H. B. K. Nov. Gen. 3, 295.  
 — — — montanus H. B. K. H. B. K. Nov. Gen. 3, 296.  
 — — — Maund Bot. 1, 20.  
 — — — racemosus Michx. Guimpel Fr. Holzgew. 134.  
 — — — Dict. sc. nat. 106.  
 — — — vulgaris Michx. Guimpel Fr. Holzgew. 133.  
*Symphyantra cretica* DC. DC. Campanulacées 8.  
 — — — pendula DC. Sweet Fl. G. II. 66.  
*Symphyonema montanum* R. Br. Rchb. Hortus 107.  
 — — — Endl. Iconogr. 12.  
*Symphysia martinicensis* Presl. Presl Symphysis 1.  
 — — — Delessert Ic. 5, 18.  
 † *Symphytum* L. Kerner Genera 65.  
 † — — Schimper Symphytum 4.  
 — — — asperinum M. v. B. Bot. Mag. 24, 929.  
 — — — Jacq. Ecl. pl. 118.  
 — — — Savi Fl. ital. 1, 39.  
 — — — Brochum Bory. Bory et Chaub. Morée 7.  
 — — — bulbosum Schimp. Flora 1826, 2.  
 — — — Schimper Symphytum 2.  
 — — — Rchb. Ic. crit. 3, 220.  
 — — — bullatum Hornem. Jacq. Ecl. pl. 81.  
 — — — Lodd. Cab. 1862.  
 — — — caucasicum M. v. B. Bot. Mag. 59, 3188.  
 — — — Sweet Fl. G. II. 294.  
 — — — cordatum W. et K. W. et Kit. 7.  
 — — — Rchb. Ic. crit. 3, 240.  
 — — — filipendulum Bisch. Flora 1826, 1. 2.  
 † — — officinale L. Gaertn. Carp. 67.  
 † — — — Lam. Encycl. 93.  
 — — — Fl. dan. 4, 664. 9, 1569.  
 — — — Woodv. Med. 2, 108.  
 — — — Curt. Lond. 2, 30.  
 — — — Engl. Bot. 12, 817.  
 — — — Sv. Bot. 418.  
 — — — Baxter Brit. Bot. 2, 101.  
 — — — Spach Suites 74.  
 — — — β. Sweet Fl. G. II. 304.  
 — — — Schk. Handb. 30.  
 — — — Dreves 1, 30.  
 — — — Hayne 3, 37.  
 — — — Sturm Flora 5, 17.  
 — — — Schrank Fl. monac. 1, 93.  
 — — — Dietr. Fl. bor. 2, 93.  
 — — — Nees Düssel. 184.  
 — — — Wagner 4.  
 † — — — Schrader Asperif. 1.  
 † — — — Nees Gen. 6, 68.  
 — — — orientale L. Jacq. Ecl. pl. 82.  
 — — — Bot. Mag. 44, 1912.  
 — — — ottomanum Friv. Acta Acad. hung. 1837, 3.  
 — — — regium Gm. Gmelin Reise 3, 36.  
 — — — secundum Gm. Gmelin Reise 3, 36.  
 — — — tauricum Willd. Neue Schr. naturf. Fr. 2, 6.  
 — — — Bot. Mag. 43, 1787.  
 — — — Rchb. Ic. crit. 3, 260.  
 — — — tuberosum Jacq. Jacq. Fl. austr. 3, 225.  
 — — — Jacq. Obs. 63.  
 — — — Engl. Bot. 21, 1502.  
 — — — Schrank Fl. monac. 1, 73.  
 — — — Schimper Symphytum 3.  
 — — — Dietr. Fl. bor. 10, 675.  
 — — — Zeyheri Schimp. Schimper Symphytum 1.  
*Symplocarpus foetidus* Salisb. Barton Med. 10.  
 — — — β. angustispatha, Barton Med. 11.  
 — — — Bot. Mag. 60, 3224.  
 — — — Sweet Fl. G. 57.  
 — — — Rchb. Exot. 1.

- Symplocos Altstonia Willd.* Humb. Pl. aeq. 51.  
 — — — cernua H. B. Humb. Pl. aeq. 53.  
 — — — Ciponima L'her. Lam. Encycl. 455.  
 — — — coccinea H. B. Humb. Pl. aeq. 52.  
 — — — Fl. d. serres 2, 68.  
 — — — foliosa Wight. Wight Ic. pl. Ind. or. 4, 1234.  
 — — — Gardneriana Wight. Wight Spicil. 144.  
 — — — — Wight Ic. pl. Ind. or. 4, 1231.  
 — — — laxiflora Benth. Linn. Transact. 18, 18.  
 — — — lucida S. et Z. Sieb. Fl. Japon. 24.  
 — — — martinicensis L. Swartz Observ. 7.  
 † — — — Gaertn. Carp. 209.  
 — — — — Lam. Encycl. 455.  
 — — — microphylla Wight. Wight Spicil. 145.  
 — — — — Wight Ic. pl. Ind. or. 4, 1232.  
 — — — monantha Wight. Wight Ic. pl. Ind. or. 4, 1236.  
 — — — nervosa DC. Wight Ic. pl. Ind. or. 4, 1235.  
 — — — obtusa Wall. Wight Spicil. 146.  
 — — — — Wight Ic. pl. Ind. or. 4, 1233.  
 † — — — Wight Illustr. 151<sup>b</sup>.  
 — — — pendula Wight. Wight Ic. pl. Ind. or. 4, 1237.  
 — — — pulchra Wight. Wight Spicil. 143.  
 — — — — Wight Ic. pl. Ind. or. 4, 1230.  
 — — — rufescens H. B. Humb. Pl. aeq. 55.  
 — — — serrulata H. B. Humb. Pl. aeq. 54.  
 — — — sinica Ker. Bot. Reg. 9, 710.  
 — — — spicata Roxb. Wight Illustr. 150.  
*Synaecia diversifolia* Miq. Hook. Journal 1848, 9.  
 — — — falcata Miq. Hook. Journal 1848, 11.  
 † *Synammia triloba* Presl. Hook. Gen. Fil. 110.  
 † *Synanthereae* DC. Dict. sc. nat. 83—85.  
*Synaphea dilatata* R. Br. Flinders Voyage 7.  
 — — — Lam. Encycl. 914.  
 — — — Endl. Iconogr. 32.  
 † *Synaphlebum recurvatum* Bl. Hook. Gen. Fil. 101.  
 † *Syncarpha* DC. Ann. Mus. 16, 5.  
*Syncarpia laurifolia* Ten. Mem. Mod. 22, 1.  
 † *Synedrella nodiflora* Gaertn. Gaertn. Carp. 171.  
 — — — Hook. Exot. Fl. 60.  
*Syngamma alismaefolia* Sm. Hook. Journal 1845, 7. 8.  
 — — — pinnata Sm. Hook. Journal 1845, 7. 8.  
 — — — vittaeformis Sm. Hook. Journal 1845, 7. 8.  
 † — — — Fée Fil. 5, 15.  
*Synetia variegata* Sweet. Sweet Fl. G. 150.  
 † *Synoum glandulosum* Juss. Mem. Mus. 19, 15.  
 † *Syntherisma ciliatè* Schrad. Schrader Fl. germ. 3.  
 † — — glabrum Schrad. Schrader Fl. germ. 3.  
 † *Synzyganthera Rz et P.* Ruiz et Pav. Prodr. 30.  
*Syrenia angustifolia* Ehrh. Rchb. Fl. germ. 2, 71.  
 — — — cuspidata M. v. B. Rchb. Fl. germ. 2, 71.  
*Syrenopsis stylosa* Jaub. Jaubert Illustr. 3.  
*Syringa capitata* Gm. Gmelin Reise 3, 32.  
 — — — Emodi Wall. Royle Illustr. 65.  
 — — — Bot. Reg. 31, 6.  
 — — — Josikaea Jacq. Jacq. Ecl. pl. 167.  
 — — — Rchb. Ic. crit. 8, 780.  
 — — — Bot. Mag. 60, 3278.  
 — — — Bot. Reg. 20, 1733.  
 — — — — Maund Bot. 1, 24.  
 — — — persica L. Bot. Mag. 14, 486.  
 — — — var. laciniata, Lodd. Cab. 1107.  
 — — — suspensa Thunb. Thunberg Fl. jap. 3.  
 † — — — vulgaris L. Gaertn. Carp. 49.  
 — — — Bot. Mag. 6, 183.  
 — — — Schk. Handb. 2<sup>a</sup>.  
 — — — Sturm Flora 1, 2.  
 — — — Dreves 5, 138.  
 — — — Schrank Fl. monac. 3, 233.  
 — — — Nees Düssel. 214.  
 † — — — Plée Types 3.  
 † — — — (Folium.) Mem. Instit. 1850, 13.  
 — — — var. Belgique hort. 1853, 11.

- Syringodea hirta* Don. Knowles et Westcott 39.  
*Syzygium areolatum* DC. Mem. Genev. 9, 18.  
 — caryophyllum Gaertn. Rheede Hort. mal. 5, 27.  
 † — — Gaertn. Carp. 33.  
 — cordifolium Klotzsch. Peters Mossamb. 11.  
 — fruticosum DC. Mem. Genev. 9, 19.  
 — guineense DC. Guillemain Seneg. 72.  
 — Jambolanum DC. Rheede Hort. mal. 5, 29.  
 — — Rumpf Amb. 1, 42.  
 — lanceolatum W. et A. Wight Ic. pl. Ind. or. 2, 530.  
 † — lucidum Gaertn. Gaertn. Carp. 33.  
 † — Makul Gaertn. Gaertn. Carp. 33.  
 — nervosum DC. Mem. Genev. 9, 16.  
 — — Wight Ic. pl. Ind. or. 2, 552.  
 — oblatum Wall. Wight Ic. pl. Ind. or. 2, 622.  
 † — paniculatum Gaertn. Gaertn. Carp. 33.  
 — rubicundum W. et A. Wight Ic. pl. Ind. or. 2, 538.  
 — salicifolium Grah. Wight Ic. pl. Ind. or. 2, 539.  
 — venosum DC. Mem. Genev. 9, 17.  
 — zeylanicum DC. Rheede Hort. mal. 5, 20.  
 — — Wight Ic. pl. Ind. or. 1, 73.  
 † *Tabernaemontana africana* Hook. Gray Western Afr. B.  
 — alternifolia L. Rheede Hort. mal. 1, 46.  
 — amygdalifolia Jacq. Bot. Reg. 4, 338.  
 — arcuata Rz et P. Ruiz et Pav. Fl. 143.  
 — — Kerner Hort. 630.  
 — bovina Lour. Rumpf Amb. 4, 67.  
 — citrifolia L. Jacq. Hist. stirp. am. 40.  
 † — — Lam. Encycl. 170.  
 — — Desc. Ant. 1, 9.  
 — coronaria Willd. Rheede Hort. mal. 2, 54, 55.  
 — — Lodd. Cab. 406.  
 — — Bot. Reg. 13, 1064.  
 — — Wight Ic. pl. Ind. or. 2, 477.  
 — coronata Paxt. Paxt. Mag. 16, 354.  
 — crispa Roxb. Wight Ic. pl. Ind. or. 2, 470.  
 — densiflora Wall. Bot. Reg. 15, 1273.  
 — dichotoma Roxb. Bot. Reg. 27, 53.  
 — — Wight Ic. pl. Ind. or. 2, 433.  
 — divaricata R. Br. Rumpf Amb. 4, 39.  
 — echinata Aubl. Aublet Guiana 103.  
 — grandiflora L. Jacq. Hist. stirp. am. 41.  
 — — Lam. Encycl. 170.  
 † — — Gray Western Africa B.  
 — gratissima Ldl. Bot. Reg. 13, 1084.  
 — heterophylla Vahl. Vahl Ic. 14.  
 — laurifolia L. Bot. Reg. 9, 716.  
 — longiflora Benth. Bot. Mag. 75, 4484.  
 — — Fl. d. serres 5, 534.  
 — orientalis R. Br. var. Rheede Hort. mal. 6, 48.  
 — parviflora Roxb. Wight Ic. pl. Ind. or. 2, 393.  
 — persicariaefolia Jacq. Jacq. Ic. 320.  
 — recurva Roxb. Wight Ic. pl. Ind. or. 2, 476.  
 — Sananho Rz et P. Ruiz et Pav. Fl. 144.  
 — undulata Vahl. Vahl Ic. 6.  
 † *Tacca* Forst. Forster Charact. 35.  
 — dubia R. et Sch. Rumpf Amb. 5, 113.  
 — integrifolia Ker. Bot. Mag. 36, 1488.  
 — — Roxb. Corom. 257.  
 † — — Schnizl. Iconogr. 1, 58.  
 — palmata Bl. Rumpf Amb. 5, 115.  
 — pinnatifida L. fil. Rumpf Amb. 5, 112, 114.  
 † — — Gaertn. Carp. 14.  
 — — Lam. Encycl. 232.  
 — — Lodd. Cab. 692.  
 † — — Treviranus Symbolae 54, 55.  
 † — — Schnizl. Iconogr. 1, 58.  
 † *Taccaceae* Ldl. Schnizl. Iconogr. 1, 59.  
*Tachia guianensis* Aubl. Aublet Guiana 29.  
 — — Lam. Encycl. 80.  
 — — Mart. Bras. 189.

- Tachibota guianensis* Aubl. Aublet Guiana 112.  
 † — — Gaertn. Carp. 224.  
 — — Lam. Encycl. 208.  
*Tachigalia angustifolia* Mig. Miquel Surinam 3.  
 — paniculata Aubl. Aublet Guiana 143.  
 — — Lam. Encycl. 339.  
 — polyphylla P. et E. Poepp. et Endl. 265.  
 — trigona Aubl. Aublet Guiana 143.  
*Tacsonia adulterina* Juss. Kerner Hort. 284.  
 — candida P. et E. Poepp. et Endl. 180.  
 — lanata Juss. Ann. Mus. 6, 59.  
 — manicata Juss. Ann. Mus. 6, 59.  
 — — Paxt. Fl. G. 26.  
 — mollissima H. B. K. Bot. Mag. 71, 4187.  
 — — Bot. Reg. 32, 11.  
 — — Paxt. Mag. 13, 25.  
 — — Fl. d. serres 2, 14.  
 — peduncularis Juss. Kerner Hort. 777.  
 — pinnatistipula Juss. Bot. Reg. 18, 1536.  
 — — Kerner Hort. 607.  
 — — Bot. Mag. 70, 4062.  
 — — Maund Bot. 4, 171.  
 — — Sweet Fl. G. II. 156.  
 — sanguinea DC. Bot. Mag. 78, 4674.  
 — — Fl. d. serres 8, 803.  
 — — Lem. Jard. fl. 4, 357.  
 — spinosa P. et E. Poepp. et Endl. 181.  
 — trifoliata Juss. Kerner Hort. 622.  
 — trinervia Juss. Ann. Mus. 6, 58.  
 — tripartita Juss. Ann. Mus. 6, 60.  
*Taeniophyllum Jerdonianum* Wight. Wight Ic. pl. Ind. or. 5, 1756.  
 † *Taeniopteris Forbesii* Hook. Hook. Gen. Fil. 76.  
 † *Taenitis blechnoides* Sw. Hook. Gen. Fil. 77.  
 † — — Schott Gen. Fil. 8.  
 — — Blume Java 6, 28, 29.  
 — furcata Willd. Hook. Ic. Fil. 1, 7.  
 — graminifolia Hook. Hook. Exot. Fl. 77.  
 — interrupta H. et Gr. Hook. Ic. Fil. 1, 63.  
 — obtusa Hook. Hook. Ic. pl. 10, 994.  
 — pteroides Sw. Schk. Fil. 6<sup>b</sup>.  
 † *Tafalla* Rz et P. Ruiz et Pav. Prodr. 29.  
*Tagetes coronopifolia* Willd. Jacq. Ecl. pl. 80.  
 — corymbosa Sweet. Sweet Fl. G. 151.  
 — — Bot. Mag. 67, 3830.  
 † — erecta L. Schk. Handb. 251.  
 † — — Lam. Encycl. 684.  
 † — — Ann. sc. nat. III. 18, 17.  
 — Feuillei Colla. Mem. Tur. 38, 30.  
 — florida Sweet. Sweet Fl. G. II. 35.  
 — glandulifera Schrank. Schrank Hort. monac. 54.  
 — lucida Cav. Cav. Ic. 264.  
 — — Andr. Rep. 5, 359.  
 — — Bot. Mag. 20, 740.  
 † — major Gaertn. Gaertn. Carp. 172.  
 — micrantha Cav. Cav. Ic. 352.  
 — papposa Vent. Vent. Cels 36.  
 — patula L. Bot. Mag. 5, 150.  
 — — Schk. Handb. 251.  
 — tenuifolia Cav. Cav. Ic. 169.  
 — — Bot. Mag. 46, 2045.  
 — — Sweet Fl. G. 141.  
 — zypaquirensis H. B. Humb. Pl. aeq. 73.  
 † *Tainia speciosa* Bl. Blume Tabellen 48.  
*Talauma Candollii* Bl. Blume Java 9, 9, 12.  
 — — Bot. Mag. 72, 4251.  
 — — Bot. Reg. 20, 1709.  
 — fragrantissima Hook. Hook. Ic. pl. 3, 208—212.  
 — macrocarpa Zucc. Münchn. Abh. 2, 1, 2.  
 — mutabilis Bl. Blume Java 9, 10, 11, 12.  
 — ovata St. Hil. St. Hil. Fl. Bras. 4.  
 † — pumila Bl. Blume Java 9, 12.

- Talauma Sellowiana *St. Hil.* St. Hil. Fl. Bras. 4.  
 Taligalea campestris *Aubl.* Aublet Guiana 252.  
 † — — — Lam. Encycl. 543.  
 † Talinopsis frutescens *Gray.* Smiths. Contrib. 3, 3.  
 † Talinum *Adanson.* Ruiz et Pav. Prodr. 10.  
 † — — — Gray Genera 98.  
 — — — *Anacampseros Willd.* DC. Plantes grasses 3.  
 — ciliatum *Rz et P.* Hook. Exot. Fl. 82.  
 — diffusum *Colla.* Mem. Tur. 37, 16.  
 — Menziesii *Hook.* Hook. Bor. Am. 70.  
 — minimum *Colla.* Mem. Tur. 37, 14.  
 † — paniculatum *Gaertn.* Gaertn. Carp. 128.  
 — patens *Willd.* DC. Plantes grasses 173.  
 — — — *Andr. Rep.* 4, 253.  
 — reflexum *Cav.* Ic. 1.  
 — — — Bot. Mag. 37, 1543.  
 — — — Lam. Encycl. 402.  
 — teretifolium *Pursh.* Bot. Reg. 29, 1.  
 — — — Darlington Fl. cestr. 3.  
 — — — Lodd. Cab. 819.  
 — — — Gray Genera 98.  
 Talisia guianensis *Aubl.* Aublet Guiana 136.  
 — — — Lam. Encycl. 310.  
 Tamara hemisphaerica *Ham.* Rheede Hort. mal. 9, 79.  
 Tamarindus indica *L.* Rheede Hort. mal. 1, 23.  
 — — — Rumpf Amb. 2, 23.  
 — — — Jacq. Hist. stirp. am. 13.  
 — — — *Woodv. Med.* 3, 161.  
 — — — Lam. Encycl. 25.  
 — — — Tussac Ant. 3, 35.  
 — — — Desc. Ant. 2, 120.  
 — — — Lem. Jard. fl. 133.  
 — — — Hayne 10, 41.  
 — — — Nees Düsseld. 341.  
 — — — Guimpel et Schl. 44.  
 — — — Wagner 41.  
 † — occidentalis *Gaertn.* Gaertn. Carp. 146.  
 — officinalis *Hook.* Bot. Mag. 77, 4563.  
 † Tamariscineae *Link.* Payer Organogénie 2.  
 † Tamarix anglica *Webb.* Hook. Journal 1841, 15.  
 — angustifolia *Led.* Eichwald Cauc. 8.  
 — articulata *Vahl.* Vahl Symb. 32.  
 — canariensis *Willd.* Webb Canar. 25.  
 — chinensis *Lour.* Sieb. Fl. Japon. 71.  
 — cupressiformis *Led.* Ledeb. Ic. 253.  
 — decandra *Pall.* Pallas Fl. ross. 80.  
 — elongata *Led.* Ledeb. Ic. 254.  
 — ericoides *Willd.* Neue Schr. naturf. Fr. 4, 4.  
 — gallica *L.* Sibth. Fl. gr. 291.  
 — — — Lam. Encycl. 213.  
 — — — mannifera, Ehrenberg Symb. 1.  
 — — — fructifera, Ehrenberg Symb. 2.  
 — — — Guimpel Holzgew. 37.  
 — — — Engl. Bot. 19, 1318.  
 — — — Baxter Brit. Bot. 6, 481.  
 — — — Hook. Journal 1841, 15.  
 — — — Wight Illustr. 24.  
 † — germanica *L.* Fl. dan. 2, 234.  
 — — — Sv. Bot. 670.  
 † — — — Gaertn. Carp. 61.  
 — — — Schk. Handb. 85.  
 — — — Guimpel Holzgew. 38.  
 — — — Lam. Encycl. 213.  
 — — — Diet. sc. nat. 234.  
 — parviflora *DC.* Fl. d. serres 9, 898.  
 — pentandra *Pall.* Pallas Fl. ross. 79.  
 — ramosissima *Led.* Ledeb. Ic. 256.  
 — tetrandra *Pall.* Fl. d. serres 9, 898.  
 † — — — Payer Organogénie 2.  
 † Tamonea mutica *Pers.* Gaertn. Carp. 213.  
 — spicata *Aubl.* Aublet Guiana 268.  
 † — — — Lam. Encycl. 542.

- † Tamonea spinosa *Sw.* Gaertn. Carp. 213.  
 Tampoa guianensis *Aubl.* Aublet Guiana 388.  
 Tamus communis *L.* Engl. Bot. 2, 91.  
 — — — Baxter Brit. Bot. 4, 291.  
 — — — Desc. Ant. 8, 536.  
 — — — Schk. Handb. 327.  
 — — — Rchb. Fl. germ. 10, 439.  
 † — — — Lam. Encycl. 817.  
 † — — — Ann. sc. nat. II, 9, 13.  
 † — — — Nees Gen. 3, x.  
 † — — — Schnizl. Iconogr. 1, 57.  
 — cretica *L.* Sibth. Fl. gr. 958.  
 — edulis *Lowe.* Webb Canar. 223.  
 — alephantipes *L'her.* Bot. Mag. 33, 1347.  
 — — — Kerner Hort. 625.  
 Tanacetum Achilleae *Sch. Bip.* Rchb. Fl. germ. 16, 994.  
 — aegyptiacum *Juss.* Jacq. Vind. 3, 88.  
 — alpinum *Sch. Bip.* Rchb. Fl. germ. 16, 990.  
 — angulatum *Willd.* Willdenow Achillea 2.  
 — annuum *L.* Rchb. Fl. germ. 16, 994.  
 — argenteum *Willd.* Willdenow Achillea 2.  
 — atratum *Sch. Bip.* Rchb. Fl. germ. 16, 990. 991.  
 — Audiberti *Requien.* Moris Fl. sard. 83.  
 — Balsamita *L.* Schk. Handb. 240.  
 — — — Rchb. Fl. germ. 16, 995.  
 — ceratophylloides *Sch. Bip.* Rchb. Fl. germ. 16, 991.  
 † — chrysanthemoides *Gaertn.* Gaertn. Carp. 165.  
 — cinerariaefolium *Sch. Bip.* Rchb. Fl. germ. 16, 993. 994.  
 — corymbosum *Sch. Bip.* Rchb. Fl. germ. 16, 993.  
 — discoideum *Rchb. fil.* Rchb. Fl. germ. 16, 988.  
 — flabelliforme *L'her.* L'heritier Sertum 27.  
 — — — Bot. Mag. 6, 212.  
 — — — Lam. Encycl. 696.  
 — fruticosum *Led.* Ledeb. Ic. 38.  
 — globiferum *DC.* Delessert Ic. 4, 48.  
 — graminifolium *Rchb. fil.* Rchb. Fl. germ. 16, 991.  
 — incanum *L.* Ann. Mus. 11, 21.  
 — — — Desf. Choix 36.  
 — Leucanthemum *Sch. Bip.* Rchb. Fl. germ. 16, 987. 988. 990.  
 — macrophyllum *Sch. Bip.* Rchb. Fl. germ. 16, 995.  
 — pallens *Sch. Bip.* Rchb. Fl. germ. 16, 989.  
 — Parthenium *Sch. Bip.* Rchb. Fl. germ. 16, 992.  
 — serotinum *Sch. Bip.* Rchb. Fl. germ. 16, 992.  
 — suaveolens *Hook.* Hook. Bor. Am. 110.  
 — tenuifolium *Camb.* Jacquemont Ind. 97.  
 — uliginosum *Sibth.* Sibth. Fl. gr. 855.  
 — vulgare *L.* Fl. dan. 5, 871.  
 — — — Sv. Bot. 81.  
 — — — *Woodv. Med.* 1, 27.  
 — — — Engl. Bot. 18, 1229.  
 — — — Baxter Brit. Bot. 1, 24.  
 † — — — Gaertn. Carp. 165.  
 † — — — Lam. Encycl. 696.  
 — — — Hayne 2, 6.  
 — — — Nees Düsseld. 236.  
 — — — Guimpel et Schl. 214.  
 — — — Wagner 35.  
 — — — Dietr. Fl. bor. 10, 666.  
 — — — Rchb. Fl. germ. 16, 996.  
 — Waldsteinii *Sch. Bip.* Rchb. Fl. germ. 16, 989.  
 † Tanacetum *Sw.* Swartz Fl. Ind. occ. 20.  
 — parasiticum *Sw.* Jacq. Schoenbr. 1, 115.  
 — pinnatum *Willd.* Kerner Hort. 325.  
 Tanghinia Manghas *Don.* Knowles et Westcott 78.  
 — Odollam *Don.* Wight Ic. pl. Ind. or. 2, 441.  
 — veneniflua *Poir.* Knowles et Westcott 67.  
 — — — Hook. Bot. Misc. 110.  
 Tanibouca guianensis *Aubl.* Aublet Guiana 178.  
 † — — — Lam. Encycl. 848.



- Taonabo dentata *Aubl.* Aublet Guiana 227.  
 — punctata *Aubl.* Aublet Guiana 228.  
 †Tapanhuacanga *Vandelli.* Roemer Scriptores 6.  
 Tapeinaegle humilis *Herb.* Bot. Reg. 33, 22.  
 Tapeinia magellanica *Juss.* Hook. Fl. ant. 129.  
 Taphrospermum altaicum *C. A. M.* Ledeb. Ic. 320.  
 Tapina barbata *Mart.* Mart. Bras. 225.  
 — pusilla *Mart.* Mart. Bras. 225.  
 — villosa *Gardn.* Hook. Ic. pl. 5, 469.  
 Tapirira guianensis *Aubl.* Aublet Guiana 186.  
 † — — — Lam. Encycl. 386.  
 Tapogomea alba *Aubl.* Aublet Guiana 62.  
 — Carapichea *Lam.* Lam. Encycl. 152.  
 — glabra *Aubl.* Aublet Guiana 63.  
 — purpurea *Aubl.* Aublet-Guiana 62.  
 — tomentosa *Aubl.* Aublet Guiana 61.  
 — — — Lam. Encycl. 152.  
 — violacea *Aubl.* Aublet Guiana 60.  
 — — — Lam. Encycl. 152.  
 Tapura ciliata *Gardn.* Hook. Ic. pl. 5, 466.  
 — guianensis *Aubl.* Aublet Guiana 48.  
 † — — — Lam. Encycl. 122.  
 Taraijo *Kaempf.* Kaempfer Japon. 32.  
 Taralea oppositifolia *Aubl.* Aublet Guiana 298.  
 Taraxacum caulescens *Moris.* Mem. Tur. 37, 24.  
 † — dens leonis *Desf.* Lam. Encycl. 653.  
 † — — — Monnier Essai 3.  
 — laevigatum *DC.* Hook. Fl. ant. 112.  
 — officinale *Wigg.* var.  $\gamma$ .  $\delta$ .  $\epsilon$ . Sturm Flora II, 41.  
 — — — Dietr. Fl. bor. 2, 93.  
 — phymatocarpum *Vahl.* Fl. dan. 13, 2298.  
 †Tarchonanthus camphoratus *L.* Gaertn. Carp. 166.  
 † — — — Lam. Encycl. 671.  
 — — — Lodd. Cab. 382.  
 †Tarenna zeylanica *Gaertn.* Gaertn. Carp. 28.  
 Tariri guianensis *Aubl.* Aublet Guiana 390.  
 Tarrietta javanica *Bl.* Blume Rumphia 172 c.  
 Tasmania aromatica *R. Br.* Delessert Ic. 1, 84.  
 — — — Bot. Reg. 31, 43.  
 Tassadia Decaisneana *Miq.* Linnaea 18, 2.  
 Tauscheria desertorum *Led.* Ledeb. Ic. 139.  
 — — — Royle Illustr. 17.  
 Taverniera cuneifolia *Arn.* Wight Ic. pl. Ind. or. 3, 1055.  
 — ephedroidea *Jaub.* Jaubert Illustr. 62.  
 — gonoclada *Jaub.* Jaubert Illustr. 61.  
 — nummularia *DC.* DC. Legum. 52.  
 Taxanthea incana *Sweet.* Sweet Fl. G. 272.  
 — speciosa *Willd.* Sweet Fl. G. 105.  
 — tatarica *Sweet.* Sweet Fl. G. 37.  
 †Taxineae *Rich.* Schnizl. Iconogr. 2, 78.  
 †Taxodium distichum *Rich.* Richard Conif. 10.  
 — — — Lambert Pinus 2, 53, 3, 28, 29.  
 — — — Pinetum Woburnense 60.  
 — sempervirens *Don.* Lambert Pinus 2, 48.  
 — — — Hook. Ic. pl. 4, 379.  
 Taxus baccata *L.* Fl. dan. 7, 1240.  
 — — — Engl. Bot. 11, 746.  
 — — — Baxter Brit. Bot. 3, 222.  
 — — — Sv. Bot. 265.  
 — — — Nouveau Duhamel 1, 19.  
 — — — Dict. sc. nat. 306.  
 — — — Spach Suites 132.  
 — — — Schk. Handb. 339.  
 — — — Sturm Flora 4, 14.  
 — — — Hartig 9.  
 — — — Nees Düssel. 88.  
 — — — Brandt und Ratzeb. 46.  
 — — — Rchb. Fl. germ. 11, 538.  
 — — — Gaertn. Carp. 91.  
 † — — — Richard Conif. 2, 23.  
 † — — — Lam. Encycl. 829.  
 † — — — Ann. sc. nat. II, 20, 11.  
 †Taxus baccata *L.* Nees Gen. 4, 14.  
 † — — — Schnizl. Iconogr. 2, 78.  
 † — — — Hofmeister Untersuchungen 31.  
 † — canadensis *Hort.* Hofmeister Untersuchungen 32.  
 — Harringtonia *Knicht.* Pinetum Woburnense 66.  
 — macrophylla *Thunb.* Kaempfer Japon. 24.  
 † — nucifera *L.* Gaertn. Carp. 91.  
 † — — — Richard Conif. 2.  
 † — — — Lam. Encycl. 829.  
 — — — Wallich Tentamen 44.  
 — — — Wallichiana *Zucc.* Münch. Abh. 3, 5.  
 †Tectlea *Delile.* Ann. sc. nat. II, 20, 1.  
 — nobilis *Delile.* Ferret Abyssin. 7.  
 — — — Richard Abyssin. 28.  
 Tecoma australis *R. Br.* Maund Bot. I, 8.  
 — capensis *Ldl.* Bot. Reg. 13, 1117.  
 — — — Lodd. Cab. 1672.  
 — — — Rchb. Exot. 296.  
 † — — — Wight Illustr. 161 b.  
 — grandiflora *Sweet.* Herb. amat. 5, 286.  
 — — — Spach Suites 70.  
 — jasminoides *Ldl.* Bot. Reg. 23, 2002.  
 — — — Paxt. Mag. 6, 199.  
 — — — Bot. Mag. 69, 4004.  
 † — — — Wight Illustr. 161 b.  
 — radicans *Mirb.* Nouveau Duhamel 2, 3.  
 † — — — Ann. sc. nat. III, 8, 12—13.  
 — stans *Juss.* Bot. Mag. 59, 3191.  
 Tecophilaea violaeiflora *Colla.* Mem. Tur. 39, 55.  
 † — — — Herbert Amar. 24.  
 Tectona grandis *L.* Rheede Hort. mal. 4, 27.  
 — — — Rumpf Amb. 3, 18.  
 — — — Roxb. Corom. 6.  
 † — — — Gaertn. Carp. 57.  
 — Hamiltoniana *Wall.* Wall. Pl. asiat. 294.  
 Teedia lucida *Rudolph.* Bot. Reg. 3, 209.  
 — — — Rchb. Mag. 16.  
 — pubescens *Burch.* Bot. Reg. 3, 214.  
 Teesdalia Iberis *DC.* Dietr. Fl. bor. 10, 676.  
 — Lepidium *DC.* Gussone Pl. rar. 46.  
 — — — Rchb. Ic. crit. 4, 398.  
 — — — Rchb. Fl. germ. 2, 6.  
 — nudicaulis *R. Br.* Curt. Lond. 2, 42.  
 — — — Baxter Brit. Bot. 6, 423.  
 — — — Sturm Flora 3, 11.  
 — — — Rchb. Fl. germ. 2, 6.  
 † — — — Nees Gen. X, x.  
 — petraea *Rchb.* Rchb. Fl. germ. 2, 6.  
 Teganium procumbens *Schmid.* Schmidel Icones 18.  
 Telekia speciosa *Baumg.* Bot. Mag. 63, 3466.  
 — — — Rchb. Ic. crit. 4, 350.  
 — — — Rchb. Fl. germ. 16, 937.  
 † — — — Nees Gen. X, x.  
 — speciosissima *Less.* Rchb. Fl. germ. 16, 938.  
 Telephium glandulosum *Bert.* Novi Comm. Bon. 5, 41.  
 † — Imperati *L.* Gaertn. Carp. 129.  
 — — — Schk. Handb. 85.  
 — — — Lam. Encycl. 213.  
 Telfairia pedata *Hook.* Hook. Bot. Misc. 81—82.  
 — — — Bot. Mag. 54, 2751, 2752.  
 — — — Fl. d. serres 9, 933.  
 Telinc ramosissima *Webb.* Webb Canar. 41 B.  
 — rosmarinifolia *Webb.* Webb Canar. 44.  
 Teliostachya cataractae *N. v. E.* Endl. Bras. 7, 8.  
 Telipogon angustifolius *H. B. K.* H. B. K. N. G. 1, 75.  
 — — — Lam. Encycl. 989.  
 — astroglossus *Rchb. fil.* Rchb. Xenia 1, 7.  
 Tellima grandiflora *Dougl.* Bot. Reg. 14, 1178.  
 † — — — Hook. Journal 1849, 5.  
 — parviflora *Hook.* Hook. Bor. Am. 78.  
 Telmissa sedoides *FzL.* Russegger Reise 16.  
 Telopea speciosissima *R. Br.* Maund Bot. 2, 71.

- Telepea speciosissima* R. Br. Paxt. Mag. 5, 73.  
 — — — Hart. Parad. 1, 3.  
 †*Teloxys aristata* Moq. Ann. sc. nat. II. 1, 10.  
*Temminckia macrophylla* de Vr. De Vriese Goodenov. 1.  
 — *mollis* de Vr. De Vriese Goodenov. 2.  
 †*Templetonia* R. Br. Kerner Genera 126.  
 — *glauca* Sims. Lodd. Cab. 644.  
 — — — Bot. Mag. 46, 2088.  
 — — — Bot. Reg. 10, 859.  
 — — — Rchb. Exot. 123.  
 — *retusa* R. Br. Lodd. Cab. 526.  
 — — — Bot. Mag. 49, 2334.  
 — — — Bot. Reg. 5, 383.  
 — — — Rchb. Mag. 86.  
*Tenageia sphaerocarpa* Rchb. Rchb. Fl. germ. 9, 416.  
 — *Vaillantii* Rchb. Rchb. Fl. germ. 9, 416.  
 †*Tenorea* Bert. Rendiconto Acad. Neap. 1844, 8.  
*Tenoria canariensis* Spr. Sprengel Umb. 6.  
 † — *coriacea* Spr. Sprengel Umb. Prodr. 1.  
 †*Tepesia dubia* Gaertn. Gaertn. Carp. 192.  
*Tephrosia apollinea* DC. Berl. Jahrbuch 1836, 1.  
 — — — Annalen d. Pharm. 1836, 1.  
 — *coccinea* Wall. Wall. Pl. asiat. 60.  
 — *gracilipes* Guill. Guillemin Seneg. 49.  
 — *grandiflora* Pers. Bot. Reg. 9, 769.  
 — *gynothrix* Miq. Miquel Surinam 6.  
 — *incana* Grah. Wight Ic. pl. Ind. or. 2, 371.  
 — *leucantha* H. B. K. H. B. K. Nov. Gen. 6, 577.  
 — *moschata* Tuss. Tussac Ant. 2, 6.  
 — *nitens* Benth. Seemann Herald 19.  
 — *oroboides* H. B. K. H. B. K. Nov. Gen. 6, 578-579.  
 — *Petersiana* Klotzsch. Peters Mossamb. 9.  
 — *purpurea* W. et A. Rheed. Hort. mal. 1, 55.  
 — ? *Rheedii* DC. Rheed. Hort. mal. 9, 22.  
 — *senticosa* Pers. Wight Ic. pl. Ind. or. 2, 370.  
 — *spinosa* Pers. Wight Ic. pl. Ind. or. 2, 372.  
 — *suberosa* DC. Hook. Ic. pl. 2, 120.  
 — — — Wight Illustr. 82.  
 — *tinctoria* L. Wight Ic. pl. Ind. or. 2, 388.  
 — *toxicaria* Pers. Tussac Ant. 1, 20.  
 — — — Desc. Ant. 3, 183.  
 †*Teramnus* Sw. Swartz Fl. Ind. occ. 25.  
 †*Terme* Gaertn. Gaertn. Carp. 180.  
*Terminalia angustifolia* Jacq. Jacq. Vind. 3, 100.  
 — *australis* St. Hil. St. Hil. Fl. Bras. 128.  
 — *avicennioides* Guill. Guillemin Seneg. 64.  
 — *Bellerica* Roxb. Rheed. Hort. mal. 4, 10.  
 — — — Roxb. Corom. 198.  
 — — — Kerner Hort. 544.  
 — — — Wight Illustr. 91.  
 — *Catappa* L. Rheed. Hort. mal. 4, 3. 4.  
 — — — Rumpf Amb. 1, 68.  
 — — — Jacq. Ic. 197.  
 — — — Lam. Encycl. 848.  
 — — — Dict. sc. nat. 8.  
 — — — Desc. Ant. 4, 279.  
 — — — Bot. Mag. 57, 3004.  
 — — — Wight Ic. pl. Ind. or. 1, 172.  
 — *chebula* Retz. Roxb. Corom. 197.  
 — *fagifolia* Mart. Mart. Bras. 27.  
 — *glabrata* Forst. Sprengel Antiq. 2.  
 — *macroptera* Guill. Guillemin Seneg. 63.  
 † — *mauritanica* Lam. Lam. Encycl. 848.  
 — *procera* Roxb. Roxb. Corom. 224.  
 — — — Kerner Hort. 585.  
 — *tomentosa* W. et Arn. Wight Ic. pl. Ind. or. 1, 195.  
 †*Terminalis angustifolia* Med. Medikus Theodora 2.  
*Terniola longipes* Tul. Arch. Mus. 6, 13.  
 — *pulchella* Tul. Arch. Mus. 6, 13.  
 — *zeylanica* Tul. Arch. Mus. 6, 13.  
 †*Ternstroemia* L. Ruiz et Pav. Prodr. 21.  
 — *brasiliensis* Camb. St. Hil. Fl. Bras. 59.

- Ternstroemia brevipes* DC. Colla Hort. Rip. 38.  
 — *clusiaefolia* H. B. K. H. B. K. Nov. Gen. 5, 463.  
 — *elliptica* Vahl. Dict. sc. nat. 151.  
 — *japonica* Thunb. Sieb. Fl. Japon. 80.  
 — *lineata* DC. Mem. Genev. 1, 1.  
 — *obovalis* A. Rich. Ramon Cuba 25.  
 — *Pavoniana* Moric. Mem. Genev. 7, 13.  
 — — — Moricand Pl. Arn. 13.  
 — *Ruiziana* Moric. Mem. Genev. 7, 12.  
 — — — Moricand Pl. Arn. 12.  
 †*Ternstroemiaceae* DC. Schnizl. Iconogr. 215.  
 †*Terprnanthus* N. et M. Acta Leop. 11. 1, 19.  
 — *jasminodorus* N. et M. Acta Leop. 11. 1, 31.  
 †*Terpnophyllum zeylanicum* Thw. Hook. Journ. 1854, 2.  
*Terranea Fernandezii* Colla. Mem. Tur. 38, 23.  
*Tertria Chamaebuxus* Schr. Schrank Fl. monac. 3, 249.  
 †*Tessaria* Rz et P. Ruiz et Pav. Prodr. 24.  
 — *banksiaefolia* Brongn. Brongniart Coquille 64.  
 — *borealis* Torr. Sitgreaves Expedition 5.  
*Testudinaria clephantipes* Burch. Bot. Reg. 11, 921.  
*Tetilla hydrocotylaeformis* DC. Delessert Ic. 3, 77.  
 — — — Poepp. et Endl. 19.  
*Tetracarpaea tasmanica* Hook. Hook. Ic. pl. 3, 264.  
*Tetracera Euryandra* Vahl. Bill. Sertum 55.  
 — — — Delessert Ic. 1, 70.  
 † — — — Lam. Encycl. 483.  
 — *malabarica* Lam. Lam. Encycl. 485.  
 — *multiflora* DC. Delessert Ic. 1, 69.  
 — *oblongata* DC. Delessert Ic. 1, 67.  
 — *ovalifolia* DC. Delessert Ic. 1, 68.  
 — *Poeppigiana* Schlecht. Ramon Cuba 4.  
 — *Rheedii* DC. Rheed. Hort. mal. 5, 8.  
 — — — Wight Ic. pl. Ind. or. 1, 70.  
 — *rugosa* Guill. Guillemin Seneg. 1.  
 — *surinamensis* Miq. Miquel Surinam 33.  
 † — *volubilis* L. Gaertn. Carp. 69.  
 † — — — Lam. Encycl. 485.  
*Tetracme quadricornis* Bge. Goebel Reise 4.  
 — — — Trautvetter Imag. 21.  
*Tetracrypta cinnamomoides* Gardn. Hook. Journ. 1853, 5.  
*Tetradenia lanuginosa* N. v. E. Wall. Pl. asiat. 176.  
 †*Tetradiclis Steven.* Linnaea 14, 1.  
 — *salsa* Steven. Linnaea 15, 2.  
*Tetradymia canescens* DC. Delessert Ic. 4, 60.  
 †*Tetragamestus modestus* Rchb. fil. Rchb. Xenia 1, 19.  
 †*Tetragastris ossea* Gaertn. Gaertn. Carp. 109.  
 †*Tetragonia cornuta* Gaertn. Gaertn. Carp. 179.  
 — *crystallina* L'her. L'her. Stirp. 39.  
 — — — DC. Plantes grasses 34.  
 — *decumbens* Mill. DC. Plantes grasses 23.  
 — *echinata* Ait. DC. Plantes grasses 113.  
 — *expansa* Ait. Comm. Gott. 6, 5.  
 — — — DC. Plantes grasses 114.  
 — — — Bot. Mag. 50, 2362.  
 † — — — Ann. sc. nat. III. 18, 13.  
 † — *fruticosa* L. Gaertn. Carp. 127.  
 † — — — Lam. Encycl. 437.  
 — *halimifolia* Roth. Roth Abhandl. 8.  
*Tetragonolobus conjugatus* Ser. Delessert Ic. 3, 66.  
 — *siliquosus* Roth. Schrank Fl. monac. 1, 1.  
 — — — Dietr. Fl. bor. 7, 487.  
*Tetrameles Grahamiana* Wight. Wight Ic. pl. 6, 1956.  
 — *nudiflora* R. Br. Bennett Java 17.  
 †*Tetrameris trivalvis* Naud. Ann. sc. nat. III. 14, 4.  
 † — *viscidula* Naud. Ann. sc. nat. III. 14, 4.  
*Tetramerium jasminoides* H. B. K. H. B. K. Nov. Gen. 3, 287.  
 — *nervosum* N. v. E. Benth. Sulphur 48.  
 † — *odoratissimum* Gaertn. Gaertn. Carp. 196.  
*Tetranema mexicanum* Benth. Bot. Reg. 29, 52.  
 — — — Bot. Mag. 70, 4070.  
*Tetranthera angustifolia* Bl. Rumpf Amb. Auct. 27. fig. 1.

- Tetranthera apetala* Roxb. Roxb. Corom. 147.  
 † — — Gaertn. Carp. 222.  
 — japonica Spr. Sieb. Fl. Japon. 87. 100.  
 — lanuginosa Wall. Rheede Hort. mal. 5, 9.  
 — laurifolia Jacq. Jacq. Schoenbr. 1, 113.  
 — — Bot. Reg. 11, 893.  
 — ligustrina N. v. E. Wight Ic. pl. Ind. or. 5, 1835.  
 — monopetala Roxb. Roxb. Corom. 148.  
 — Panamanja Ham. Wight Ic. pl. Ind. or. 5, 1836.  
 — Pichurim Spr. Berl. Jahrbuch 1821, 3.  
 — tomentosa Roxb. Wight Ic. pl. Ind. or. 5, 1834.  
 † *Tetranthus* Sw. Swartz Fl. ind. occ. 27.  
 — hirsutus Spr. Delessert Ic. 4, 27.  
*Tetrapthaeca australis* Deccne. Raoul Nouv. Zel. 27.  
*Tetrapogon villosus* Desf. Desf. Fl. atl. 255.  
*Tetrapoma pyriforme* Seem. Seemann Herald 2.  
*Tetrapteris acutifolia* Cav. Cav. Diss. 261.  
 — buxifolia Cav. Cav. Diss. 262.  
 † — — Arch. Mus. 3, 18.  
 — chamaecerasifolia Juss. St. Hil. Fl. Bras. 162.  
 — citrifolia Pers. Lam. Encycl. 332.  
 — inaequalis Cav. Cav. Diss. 260.  
 — mucronata Cav. Cav. Diss. 262.  
 † — — Arch. Mus. 3, 18.  
 — rotundifolia Juss. St. Hil. Fl. Bras. 161.  
 † — — Arch. Mus. 3, 18.  
 † — styloptera Juss. Arch. Mus. 3, 18.  
 † — trinitensis Juss. Arch. Mus. 3, 18.  
 † — Turneræ Juss. Arch. Mus. 3, 18.  
*Tetrapterygium stylophorum* Jaub. Jaubert Illustr. 50.  
 † *Tetratea* Smith. Bot. Zeitung 1854, 10.  
 — ciliata Ldl. Hook. Ic. pl. 3, 268.  
 — ericaefolia Sm. Smith Exot. Bot. 20.  
 — — Linn. Transact. 8, 11.  
 — glandulosa Sm. Smith Exot. Bot. 21.  
 — — Bill. Nov. Holl. 123.  
 — — Linn. Transact. 8, 10.  
 — — Diet. sc. nat. 175.  
 — hirsuta Ldl. Bot. Reg. 30, 67.  
 — — Paxt. Mag. 13, 53.  
 — — Ann. sc. nat. III. 15, 20.  
 † — — Payer Organogénie 30.  
 — juncea Sm. Smith New Holl. 2.  
 — — Rehb. Hortus 78.  
 — pilosa Lab. Bill. Nov. Holl. 122.  
 — thymifolia Sm. Smith Exot. Bot. 22.  
 — verticillata Paxt. Paxt. Mag. 13, 171.  
*Tetrathylacium* P. et E. Poepp. et Endl. 240.  
*Tetratome triflora* P. et E. Poepp. et Endl. 163.  
*Tetrazygia elaeagnoides* Sw. Bot. Mag. 74, 4383.  
 — Fadyeni Hook. Hook. Journal 1849, 12.  
*Tetroncium magellanicum* Willd. Hook. Fl. ant. 128.  
 — — Hook. Ic. pl. 6, 534.  
*Tetrochidium rubrivenium* P. et E. Poepp. et Endl. 227.  
*Teucridium parvifolium* Hook. fl. Hook. New Zeal. 49.  
*Teucrium abutiloides* L'her. Jacq. Schoenbr. 3, 358.  
 — — Knowles et Westcott 28.  
 — alpestre Sibth. Sibth. Fl. gr. 538.  
 — Arduini L. Sibth. Fl. gr. 531.  
 — arenarium Gmel. Gmelin Reise 1, 26.  
 — asiaticum L. Acta palat. 3, 10.  
 — — Jacq. Vind. 3, 41.  
 † — — Schk. Handb. 155.  
 — aureum Cav. Cav. Ic. 117.  
 — betonicum L'her. L'her. Stîrp. 40.  
 — — Bot. Mag. 28, 1114.  
 — bicolor Sm. Bot. Reg. 15, 1255.  
 — Botrys L. Hoffmann D. Fl. 1791, 9.  
 — — Schrank Fl. monac. 3, 226.  
 — — Dietr. Fl. bor. 5, 353.  
 † — — Nees Gen. 6, 45.  
 — bracteatum Desf. Desf. Fl. atl. 120.

- Teucrium brevifolium* Schreb. Sibth. Fl. gr. 528.  
 — capitatum L. Cav. Ic. 119.  
 — — Sibth. Fl. gr. 536.  
 — — lusitanicum, Brotero Phytogr. 105.  
 — Chamaedrys L. Rivinus Opus ined. 10.  
 — — Woodv. Med. 2, 130.  
 — — Engl. Bot. 10, 680.  
 † — — Lam. Encycl. 501.  
 † — — Schk. Handb. 155.  
 — — Schrank Fl. monac. 2, 174.  
 — — Hayne 8, 4.  
 — — Nees Düsseld. 167.  
 — — Dietr. Fl. bor. 3, 155.  
 † — — Nees Gen. 6, 45.  
 — Chamaepitys L. Gmelin Reise 1, 26.  
 — — Fl. dan. 5, 733.  
 — cinereum Boiss. Boissier Esp. 151.  
 — compactum Clem. Boissier Esp. 150.  
 — creticum L. Sibth. Fl. gr. 529.  
 — cubense L. Jacq. Hist. stirp. am. 164. — 183  
 — — Jacq. Observ. 30.  
 — cuneifolium Sibth. Sibth. Fl. gr. 537.  
 — flavum L. Sibth. Fl. gr. 533.  
 † — — Schk. Handb. 155.  
 — fragile Boiss. Boissier Esp. 149.  
 — fruticans L. Rivinus Opus ined. 8.  
 — — Sibth. Fl. gr. 527.  
 † — — Lam. Encycl. 501.  
 — Haenseleri Boiss. Boissier Esp. 152.  
 — heterophyllum Cav. Cav. Ic. 577.  
 † — hyrcanicum L. Schk. Handb. 155.  
 — — Bot. Mag. 45, 2013.  
 — inflatum Sw. Desc. Ant. 3, 223.  
 — Iva L. Cav. Ic. 120.  
 — laevigatum Vahl. Rehb. Hortus 228.  
 — lanuginosum Lk et H. Hoffm. et Link Fl. port. 1.  
 — — Brotero Phytogr. 107.  
 — latifolium L. Bot. Mag. 7, 245.  
 — Laxmanni L. W. et Kit. 69.  
 — — Piller Iter 1.  
 — Libanitis Cav. Cav. Ic. 118.  
 — lucidum L. Sibth. Fl. gr. 532.  
 — lusitanicum Lk et H. Hoffm. et Link Fl. port. 3.  
 — — Brotero Phytogr. 104. 106.  
 — Marum L. Woody. Med. 2, 115.  
 — — Hayne 8, 2.  
 — — Nees Düsseld. 169.  
 — — Guimpel et Schl. 162.  
 — massiliense L. Acta palat. 3, 11.  
 — — Gerard Fl. gallopr. 11.  
 — — Jacq. Vind. 94.  
 — microphyllum Desf. Ann. Mus. 10, 22.  
 — — Desf. Choix 11.  
 — montanum L. Sibth. Fl. gr. 534.  
 — orchideum Ldl. Bot. Reg. 15, 1255.  
 — orientale L. Schreber Unilabiat. x.  
 — — Jacq. Ecl. pl. 73.  
 — — Bot. Mag. 31, 1279.  
 — — Lodd. Cab. 1871.  
 — Polium L. Hayne 8, 5.  
 — — Sibth. Fl. gr. 535.  
 † — — Lam. Encycl. 501.  
 — polycephalon Med. Acta palat. 3, 13.  
 — Pseudo-scorodonia Desf. Desf. Fl. atl. 119.  
 — purpurascens Med. Acta palat. 3, 12.  
 — pyrenaicum L. Lodd. Cab. 1387.  
 — quadratum Schreb. Sibth. Fl. gr. 530.  
 — ramosissimum Desf. Desf. Fl. atl. 118.  
 — resupinatum Desf. Desf. Fl. atl. 117.  
 — salicifolium L. Schreber Ic. 9.  
 — Salviastrum Lk et H. Hoffm. et Link Fl. port. 2.  
 — — Brotero Phytogr. 106.

- Teucrium saxatile* Cav. Cav. Ic. 121.  
 — *Scordium* L. Woodv. Med. 2, 116.  
 — — — Engl. Bot. 12, 828.  
 — — — Fl. dan. 4, 593.  
 — — — Sv. Bot. 255.  
 † — — — Schk. Handb. 155.  
 — — — Hayne 8, 3.  
 — — — Nees Düsseld. 168.  
 — — — Guimpel et Schl. 163.  
 — — — Wagner 213.  
 — — — Dietr. Fl. bor. 2, 76.  
 — *Scorodonia* L. Fl. dan. 3, 485.  
 — — — Curt. Lond. 2, 130.  
 — — — Engl. Bot. 22, 1543.  
 — — — Baxter Brit. Bot. 1, 22.  
 — — — Dreves 2, 54.  
 † — — — Schk. Handb. 155.  
 — — — Dietr. Fl. bor. 4, 229.  
 — *spinosum* L. Sibth. Fl. gr. 539.  
 — *supinum* L. Jacq. Fl. austr. 5, 417.  
 † — *tomentosum* Heyne. Wight Illustr. 176<sup>b</sup>.  
 — — — Wight Ic. pl. Ind. or. 4, 1458.  
 — *verticillatum* Cav. Cav. Ic. 198.  
 — *virginicum* L. Schk. Handb. 155.  
*Texiera glastifolia* Jaub. Jaubert Illustr. 1.  
 † *Thalia* L. Linnaea 6, 3, 4, 5.  
 — *cannaeformis* Willd. Symes Ava 21.  
 — *dealbata* Fraser. Soverby Plate 1.  
 — — — Bot. Mag. 41, 1690.  
 — — — Roscoe Scit. 46.  
 — *geniculata* L. Roscoe Scit. 45.  
 — *hexantha* P. et E. Poepp. et Endl. 132.  
 — *sanguinea* Lem. Lem. Jard. fl. 3, 268.  
 — *unilateralis* P. et E. Poepp. et Endl. 133.  
 † *Thalictrum* L. Gray Genera 6.  
 — *acaule* Camb. Jacquemont Ind. 1.  
 — *acutibotum* DC. Delessert Ic. 1, 10.  
 — *alpinum* L. Lightfoot Fl. scot. 1, 13.  
 — — — Fl. dan. 1, 11.  
 — — — Engl. Bot. 4, 262.  
 — — — Bot. Mag. 48, 2237.  
 — — — Sv. Bot. 655.  
 — — — Sturm Flora 13, 51.  
 — — — Rchb. Fl. germ. 3, 26.  
 — *anemonoides* Michx. Sweet Fl. G. II. 150.  
 — — — Gray Genera 6.  
 — *angustifolium* L. Jacq. Vind. 3, 43.  
 — — — Rchb. Fl. germ. 3, 41, 42.  
 — *appendiculatum* Led. Ledeb. Ic. 164.  
 — *aquilegifolium* L. Jacq. Fl. austr. 4, 318.  
 — — — Schrank Fl. monac. 3, 273.  
 — — — Sturm Flora 11, 44.  
 — — — Rchb. Fl. germ. 3, 36.  
 — — — Bot. Mag. 43, 1818, 46, 2025.  
 — *atropurpureum* Jacq. Jacq. Vind. 3, 61.  
 — *Bauhini* Crtz. Rchb. Fl. germ. 3, 40.  
 — *capillare* Rchb. Rchb. Fl. germ. 3, 36.  
 — *clavatum* DC. Delessert Ic. 1, 6.  
 — *Cornuti* L. Hook. Bor. Am. 2.  
 — *cystocarpum* Wall. Wall. Pl. asiat. 129.  
 — *Dalzellii* Hook. Hook. Ic. pl. 9, 868.  
 — *densiflorum* H. B. K. H. B. K. Nov. Gen. 5, 426.  
 — *dioticum* L. Delessert Ic. 1, 8.  
 — *elatum* Jacq. Jacq. Vind. 3, 95.  
 — — — Rchb. Fl. germ. 3, 35.  
 — *exaltatum* C. A. M. Ledeb. Ic. 158.  
 — *flavum* L. Fl. dan. 6, 939.  
 — — — Sv. Bot. 328.  
 — — — Engl. Bot. 6, 367.  
 — — — Baxter Brit. Bot. 4, 254.  
 † — — — Lam. Encycl. 497.  
 — — — Rchb. Fl. germ. 3, 44.

- Thalictrum flavum* L. Dietr. Fl. bor. 11, 730.  
 — — — Gaud. Rchb. Fl. germ. 3, 43.  
 — *flexuosum* Bernh. Rchb. Fl. germ. 3, 28.  
 — *foetidum* L. W. et Kit. 174.  
 — — — Rchb. Fl. germ. 3, 26.  
 — *galioides* Nestl. Delessert Ic. 1, 11.  
 — — — Rchb. Fl. germ. 3, 37.  
 — *glaucescens* Willd. Rchb. Fl. germ. 3, 29.  
 — *glaucum* Desf. Schrader Hort. gott. 8.  
 — — — Rchb. Fl. germ. 3, 46.  
 — *glyphocarpum* W. et Arn. Wight Ic. pl. ind. or. 1, 48.  
 — *heterophyllum* Lej. Rchb. Fl. germ. 3, 42.  
 — *isopyroides* Led. Ledeb. Ic. 397.  
 — *laserpitifolium* Willd. Rchb. Fl. germ. 3, 39.  
 — *longistylum* DC. Delessert Ic. 1, 7.  
 — *lucidum* L. Rchb. Fl. germ. 3, 38.  
 — *majus* Jacq. Jacq. Fl. austr. 5, 420.  
 — — — Engl. Bot. 9, 611.  
 — — — Rchb. Fl. germ. 3, 30.  
 — *medium* Jacq. Jacq. Vind. 3, 96.  
 — — — Rchb. Fl. germ. 3, 33.  
 — *minus* L. Fl. dan. (2, 244.) 5, 732.  
 — — — Engl. Bot. 1, 11.  
 — — — Jacq. Fl. austr. 5, 419.  
 — — — Schk. Handb. 151.  
 — — — Lam. Encycl. 497.  
 — — — Rchb. Fl. germ. 3, 27.  
 — *Morisoni* Gm. Rchb. Fl. germ. 3, 45.  
 — *nigricans* Jacq. Jacq. Fl. austr. 5, 421.  
 — — — Rchb. Fl. germ. 3, 43.  
 — *nutans* Desf. Rchb. Fl. germ. 3, 31.  
 — *petaloideum* L. Delessert Ic. 1, 9.  
 — — — Lodd. Cab. 891.  
 — *rhyneocarpum* Dill. et Rich. Richard Abyssin. 2.  
 — *rotundifolium* DC. Wall. Pl. asiat. 264.  
 — *saxatile* Schleich. Rchb. Fl. germ. 3, 34.  
 — — — Rchb. Ic. crit. 5, 410.  
 † — *sibiricum* L. Gaertn. Carp. 74.  
 † — — — Lam. Encycl. 497.  
 — *simplex* L. Fl. dan. 2, 244.  
 — — — Rchb. Fl. germ. 3, 32.  
 — *speciosum* Mill. Trew Pl. rar. 22.  
 — — — Poir. Rchb. Fl. germ. 3, 46.  
 — *Thunbergii* DC. Delessert Ic. 1, 12.  
 † *Thamnea uniflora* Soland. Ann. sc. nat. 8, 38.  
*Thamnochorus fruticosus* Berg. Bergius Cap. 5.  
*Thapsia Asclepium* L. Sibth. Fl. gr. 286.  
 — *garganica* L. Gouan Illustr. 10.  
 — — — Sibth. Fl. gr. 287.  
 † — *minor* Link. Mag. naturf. Fr. 6, 5.  
 — *polygama* Desf. Desf. Fl. atl. 75.  
 † — *villosa* L. Gaertn. Carp. 21.  
 † — — — Lam. Encycl. 206.  
 — — — Schk. Handb. 75.  
*Thapsium atropurpureum* Nutt. Torrey New York 34.  
*Thaumuria cretica* Gaudich. Gaudichaud Bonite 98.  
*Thea Bohea* L. Linné Amoenit. 7, 4.  
 — — — Lodd. Cab. 226.  
 — — — Bot. Mag. 25, 998.  
 — — — Nouveau Duhamel 2, 6.  
 — — — Lam. Encycl. 474.  
 — — — Dict. sc. nat. 153.  
 — — — Herb. amat. 4, 255.  
 — — — Spach Suites 27.  
 — — — Hayne 7, 28.  
 — — — Nees Düsseld. 425.  
 — *stricta* Hayne. Hayne 7, 27.  
 — — — Nees Düsseld. 426.  
 — *viridis* L. Kaempfer Amoenit. p. 606.  
 — — — Lettsom Monogr. 1.  
 † — — — Gaertn. Carp. 95.

- †*Thea viridis* *L.* Roemer Archiv I. 3, 3.  
 — — — Woodv. Med. 4, 225.  
 — — — Lodd. Cab. 227.  
 — — — var. *latifolia*, Lodd. Cab. 1828.  
 — — — Bot. Mag. 59, 3148.  
 — — — Lam. Encycl. 474.  
 — — — Hayne 7, 29.  
 — — — Nees Dusseld. 424.  
 — — — Marquis Traité 1—10.  
 — — — Spach Suites 27.  
 — — — Houssaye Monographie x.  
 † — — — Griffith Report 1. 2.  
 † — — — (Folium.) Mem. Instit. 1850, 6. 7.  
 — — — var. *floribunda*, Regel Gartenfl. 1854, 81.  
*Theka grandis* *Lam.* Lam. Encycl. 136.  
*Thelychiton argyropus* *Endl.* Endl. Iconogr. 29.  
*Thelygonum Cynocrambe* *L.* Schk. Handb. 299.  
 — — — Lam. Encycl. 777.  
 — — — Ann. sc. nat. 19, 13.  
 — — — Sibth. Fl. gr. 941.  
 † — — — Nees Gen. 4, 69.  
 †*Thelymitra* *Forst.* Forster Charact. 49.  
 † — — — Svensk Acad. 1800, 3.  
 † — — — Schrader Neues Journal 1, 1.  
 — — — *ixioides* *Sw.* Smith Exot. Bot. 29.  
 — — — *villosa* *Ldl.* Lindley Swan River 8.  
*Thenardia floribunda* *H. B. K.* H. B. K. N. G. 3, 240.  
 †*Theobroma* *L.* Kerner Genera 131—133.  
 — — — *bicolor* *H. B.* Humb. Pl. aeq. 30. 30<sup>b</sup>.  
 — — — Hayne 9, 36. 37.  
 — — — Kerner Hort. 763. 764.  
 — — — *Cacao* *L.* Sonnerat Voyage 61. 62.  
 † — — — Lam. Encycl. 635.  
 — — — Hayne 9, 35.  
 — — — Guimpel et Schl. 75.  
 — — — Lodd. Cab. 545.  
 — — — Desc. Ant. 4, 266.  
 — — — Nees Dusseld. 417.  
 — — — Wagner 227.  
 — — — Gallais Monogr. 1. 2.  
 — — — Spach Suites 25.  
 † — — — *Guazuma* *L.* Houstoun Reliq. 14.  
 — — — Desc. Ant. 2, 85.  
 † — — — *guianensis* *Willd.* Lam. Encycl. 635.  
*Theodora speciosa* *Med.* Medikus Theodora 1.  
*Theophrasta americana* *L.* Lam. Encycl. 119.  
 — — — Desc. Ant. 5, 347.  
 — — — *Jussieui* *Ldl.* Lindley Collect. 26.  
 — — — *Vriesei* *Hort.* Spaarnberg. 2.  
 — — — Bot. Mag. 72, 4239.  
 † — — — *latifolia* *Willd.* (Folium radicans.) Annales d'hortic. 1840, x.  
 — — — *longifolia* *Jacq.* Jacq. Schoenbr. 1, 116.  
 — — — *pinnata* *Jacq.* Jacq. Fragm. 64—66.  
*Theresa valdiviana* *Clos.* Gay Chile 54.  
*Thermopsis barbata* *Royle.* Royle Illustr. 32.  
 — — — *caroliniana* *Curt.* Gray Chloris 7.  
 — — — *fabacea* *DC.* Lodd. Cab. 1856.  
 — — — Bot. Mag. 64, 3611.  
 — — — Bot. Reg. 15, 1272.  
 — — — *fraxinifolia* *Curt.* Gray Chloris 8.  
 — — — *inflata* *Camb.* Jacquemont Ind. 39.  
 — — — *laburnifolia* *Don.* Lodd. Cab. 1095.  
 — — — *lanecolata* *R. Br.* Delessert Ic. 3, 60.  
 — — — *mollis* *Curt.* Gray Chloris 9.  
 — — — *rhubifolia* *Nutt.* Hook. Bor. Am. 47.  
 †*Thesium* *L.* Ann. sc. nat. II. 13, 11.  
 † — — — (Radix.) Ann. sc. nat. III. 7, 8.  
 † — — — (Radix.) Hook. Journal 1847, 4.  
 † — — — (Reissek.) Linnæa 17, 19.  
 — — — *alpinum* *L.* Gerard Fl. gallopr. 17.  
 — — — Jacq. Fl. austr. 5, 416.

- †*Thesium alpinum* *L.* Gaertn. Carp. 86.  
 — — — Lam. Encycl. 142.  
 † — — — Schrader Journal 1800. 1, 6.  
 — — — Sv. Bot. 611.  
 — — — Dreves 4, 121.  
 — — — Sturm Flora 3, 11.  
 — — — Schrank Fl. monac. 3, 228.  
 — — — Rehb. Fl. germ. 11, 541.  
 † — — — Schnizl. Iconogr. 2, 108.  
 — — — *ambiguum* *Ten.* Tenore Fl. nap. 220.  
 — — — *aureum* *Jaub.* Jaubert Illustr. 300.  
 — — — *divaricatum* *Jan.* Rehb. Ic. crit. 5, 456.  
 — — — Rehb. Fl. germ. 11, 543.  
 — — — *drupaceum* *Lab.* Bill. Nov. Holl. 93.  
 — — — *ebracteatum* *Hayne.* Schrader Journ. 1800. 1, 7.  
 — — — Dreves 4, 122.  
 — — — Rehb. Ic. crit. 5, 457.  
 — — — Rehb. Fl. germ. 11, 545.  
 — — — Dietr. Fl. bor. 6, 416.  
 — — — *elegans* *Rochel.* Rochel Banat. 4.  
 — — — Rehb. Hortus 19.  
 — — — Rehb. Fl. germ. 11, 547.  
 — — — *humifusum* *DC.* Rehb. Fl. germ. 11, 542.  
 — — — *humile* *Vahl.* Gussone Pl. rar. 20.  
 — — — Rehb. Ic. crit. 8, 705.  
 — — — Rehb. Fl. germ. 11, 542.  
 — — — *intermedium* *Bert.* Gussone Pl. rar. 20.  
 — — — *Linophyllum* *L.* Relhan Fl. cant. 1.  
 — — — Engl. Bot. 4, 247.  
 — — — Baxter Brit. Bot. 4, 263.  
 † — — — Mutel Fl. fr. 59.  
 — — — Lam. Encycl. 142.  
 — — — Schk. Handb. 51.  
 — — — Schrader Journal 1800. 1, 6.  
 — — — Dreves 4, 119.  
 — — — Rehb. Ic. crit. 5, 453.  
 — — — Rehb. Fl. germ. 11, 546.  
 — — — Dietr. Fl. bor. 6, 415.  
 — — — *montanum* *Ehrh.* Rehb. Ic. crit. 5, 452.  
 — — — Rehb. Fl. germ. 11, 546.  
 † — — — Schnizl. Iconogr. 2, 108.  
 † — — — Flora 1853, 7.  
 — — — *multicaule* *Led.* Ledeb. Ic. 237.  
 — — — *pratense* *Ehrh.* Fl. dan. 7, 1205.  
 — — — Rehb. Ic. crit. 5, 455.  
 — — — Rehb. Fl. germ. 11, 544.  
 † — — — Mutel Fl. fr. 59.  
 † — — — Nees Gen. 4, 48.  
 — — — *ramosum* *Hayne.* Schrader Journal 1800. 1, 7.  
 — — — Dreves 4, 120.  
 — — — Rehb. Ic. crit. 5, 454.  
 — — — Rehb. Fl. germ. 11, 543.  
 — — — *refractum* *C. A. M.* Acad. Pet. 6, 13.  
 — — — *repens* *Led.* Ledeb. Ic. 233.  
 — — — *rostratum* *Koch.* Rehb. Ic. crit. 5, 458.  
 — — — Rehb. Fl. germ. 11, 545.  
 — — — *rupestre* *Led.* Ledeb. Ic. 241.  
 — — — *stelleroides* *Jaub.* Jaubert Illustr. 104.  
 — — — *tenuifolium* *Saut.* Rehb. Fl. germ. 11, 544.  
 — — — *Wightianum* *Wall.* Wight Ic. pl. Ind. or. 5, 1852.  
*Thespesia populnea* *Correa.* Rheede Hort. mal. 1, 29.  
 † — — — Ann. Mus. 9, 25.  
 — — — Wight Ic. pl. Ind. or. 1, 8.  
*Thespis divaricata* *DC.* Delessert Ic. 4, 20.  
*Thevenotia persica* *DC.* Delessert Ic. 4, 72.  
 — — — Belanger Ind. or. x.  
*Thevetia plumeriaefolia* *Benth.* Benth. Sulphur 43.  
*Thibandia acuminata* *Hook.* Hook. Ic. pl. 2, 111.  
 — — — *angustifolia* *Hook.* Hook. Ic. pl. 2, 110.  
 — — — *cordifolia* *H. B. K.* H. B. K. Nov. Gen. 3, 255.  
 — — — *cubensis* *A. Rich.* Ramon Cuba 51.  
 — — — *elliptica* *Rz et P.* Hook. Ic. pl. 2, 108.

- Thibaudia floribunda* *H. B. K.* *H. B. K. Nov. Gen.* 3, 254.  
 — *macrantha* *Hook.* *Bot. Mag.* 77, 4566.  
 — — — *Lem. Jard. fl.* 95.  
 — — — *Fl. d. serres* 6, 646.  
 — — — *Moore Mag.* 1851, p. 116.  
 † — *microphylla* *Ldl.* *Fl. d. serres* 4, 332.  
 — *pichincensis* *Benth.* var. *glabra*, *Bot. Mag.* 73, 4344.  
 — *pulcherrima* *Wall.* *Bot. Mag.* 73, 4303.  
 — — — *Fl. d. serres* 3, 243, 244.  
 — *Quereme* *H. B. K.* *H. B. K. Nov. Gen.* 3, 256.  
 — *secundiflora* *P. et E.* *Poepp. et Endl.* 9.  
 — *variegata* *Wall.* *Royle Illustr.* 63<sup>a</sup> or 79.  
*Thiebaudia nervosa* *Colla.* *Mem. soc. Linn. Par.* 3, 4.  
 † *Thismia Brunonis* *Griff.* *Linn. Transact.* 19, 39, 20, 15.  
*Thlaspi alliaceum* *L.* *Jacq. Ic.* 121.  
 — — — *Sturm Flora* 15, 65.  
 — — — *Rechb. Ic. crit.* 8, 785.  
 — — — *Rechb. Fl. germ.* 2, 5.  
 — *alpestre* *L.* *Engl. Bot.* 2, 81.  
 — — — *Gmelin Fl. bad.* 3, 1.  
 — — — *Sturm Flora* 15, 65.  
 — — — *Rechb. Fl. germ.* 2, 5.  
 — *alpinum* *Crantz.* *Crantz Crucif.* 3.  
 — — — *Jacq.* *Jacq. Fl. austr.* 3, 238.  
 — — — *Sturm Flora* 13, 51, 15, 65.  
 — — — *Rechb. Fl. germ.* 2, 5.  
 — *arvense* *L.* *Fl. dan.* 5, 793.  
 † — — — *Gaertn. Carp.* 141.  
 — — — *Lam. Encycl.* 557.  
 — — — *Curt. Lond.* 1, 129.  
 — — — *Engl. Bot.* 24, 1659.  
 † — — — *Schk. Handb.* 180.  
 — — — *Sv. Bot.* 214.  
 — — — *Liboschitz Petersb.* 9.  
 † — — — *Spach Suites* 54.  
 — — — *Rechb. Fl. germ.* 2, 5.  
 — — — *Dietr. Fl. bor.* 12, 825.  
 † — — — *Nees Gen.* X, x.  
 — *brachypetalum* *Jord.* *Jordan Obs.* 3, 1.  
 † — *brevistylum* *Jord.* *Jordan Obs.* 3, 1<sup>b</sup>.  
 † — *Bursa pastoris* *L.* *Gaertn. Carp.* 141.  
 — — — *Curt. Lond.* 2, 92.  
 — — — *Engl. Bot.* 21, 1485.  
 — — — *Lam. Encycl.* 557.  
 — — — *Rousseau Bot.* 13.  
 — — — *Fl. dan.* 5, 729.  
 — — — *Sv. Bot.* 273.  
 † — — — *Schk. Handb.* 180.  
 — *campestre* *L.* *Fl. dan.* 7, 1221.  
 — — — *Engl. Bot.* 20, 1385.  
 † — — — *Schk. Handb.* 180.  
 — *carneum* *Russell.* *Russell Aleppo* 11.  
 — *cepeaeifolium* *Koch.* *Rechb. Fl. germ.* 2, 6.  
 — *ceratocarpon* *Murr.* *Nov. Comm. Gott.* 5, 1.  
 — *cochleariforme* *DC.* *Delessert Ic.* 2, 52.  
 — *cordatum* *Desf.* *Ann. Mus.* 11, 39.  
 — — — *Desf. Choix* 52.  
 — *corymbosum* *Gay.* *Rechb. Fl. germ.* 2, 6.  
 — *Gaudinianum* *Jord.* *Jordan Obs.* 3, 1<sup>b</sup>.  
 † — *hirtum* *L.* *Medikus Gattungen* 2.  
 — — — *Engl. Bot.* 26, 1803.  
 — *latifolium* *M. v. B.* *Delessert Ic.* 2, 51.  
 — *minimum* *Ard.* *Arduino Anim.* 2, 15.  
 — *montanum* *L.* *Jacq. Fl. austr.* 3, 237.  
 — — — *Sturm Flora* 15, 65.  
 † — — — *Schk. Handb.* 180.  
 — — — *Rechb. Fl. germ.* 2, 5.  
 † — — — *Jordan Obs.* 3, 1<sup>b</sup>.  
 — *occitanicum* *Jord.* *Jordan Obs.* 3, 1<sup>b</sup>.  
 — *perfoliatum* *L.* *Jacq. Fl. austr.* 4, 337.  
 — — — *Curt. Lond.* 4, 46.  
*Thlaspi perfoliatum* *L.* *Engl. Bot.* 33, 2354.  
 — — — *Baxter Brit. Bot.* 3, 240.  
 — — — *Sturm Flora* 15, 65.  
 — — — *Rechb. Fl. germ.* 2, 5.  
 — — — *Dietr. Fl. bor.* 7, 451.  
 † — — — *Jordan Obs.* 3, 1<sup>b</sup>.  
 — *praecox* *Wulf.* *Jacq. Collect.* 2, 9.  
 — — — *Sturm Flora* 15, 65.  
 — — — *Rechb. Fl. germ.* 2, 5.  
 † — — — *Jordan Obs.* 3, 1<sup>b</sup>.  
 — *procumbens* *Wallr.* *Wallroth Schedulae* 3.  
 — *Prolongi* *Boiss.* *Boissier Esp.* 14<sup>a</sup>.  
 — *rivale* *Presl.* *Moris Fl. sard.* 9.  
 — *rotundifolium* *Gaud.* *Sturm Flora* 5, 20.  
 — — — *Rechb. Fl. germ.* 2, 6.  
 † — *saxatile* *L.* *Medikus Gattungen* 2.  
 — — — *Jacq. Fl. austr.* 3, 236.  
 † — — — *Schk. Handb.* 180.  
 — *silvestre* *Jord.* *Jordan Obs.* 3, 1.  
 — *stylosum* *Ten.* *Rechb. Fl. germ.* 2, 6.  
 — *sylvium* *Gaud.* *Rechb. Fl. germ.* 2, 6.  
 † — — — *Jordan Obs.* 3, 1<sup>b</sup>.  
 — *virens* *Jord.* *Jordan Obs.* 3, 1<sup>b</sup>.  
 † *Thlaspidium* *Med.* *Medikus Gattungen* 1.  
*Thoa edulis* *Willd.* *Rumpf Amb.* 5, 8.  
 — *urens* *Aubl.* *Aublet Guiana* 336.  
 — — — *Lam. Encycl.* 784.  
*Thomasia foliosa* *Gay.* *Mem. Mus.* 7, 22.  
 † — *purpurea* *Gay.* *Mem. Mus.* 7, 21.  
 † — *solanacea* *Gay.* *Mem. Mus.* 7, 21.  
 — — — *Dict. sc. nat.* 141.  
 — *stipulacea* *Ldl.* *Bot. Mag.* 70, 4111.  
*Thomsonia napalensis* *Wall.* *Wall. Pl. asiat.* 99.  
*Thonningia sanguinea* *Vahl.* *Skrifter nat. Selsk.* 1810, 6.  
 † *Thottea grandiflora* *Griff.* *Linn. Transact.* 19, 36.  
*Thouarea sarmentosa* *Pers.* *Humb. Gram.* 35.  
*Thouinia decandra* *H. B.* *Humb. Pl. aeq.* 56.  
 — — — *Lam. Encycl.* 943.  
 — *dioica* *N. et M.* *Acta Leop.* 12, 1, 4.  
 — *pinnata* *Turp.* *Ann. Mus.* 5, 26.  
 — *simplicifolia* *Poit.* *Ann. Mus.* 3, 6.  
 — — — *Dict. sc. nat.* 171.  
 — *spectabilis* *Sm.* *Smith Icones Linn.* 7.  
 — *trifoliata* *Poit.* *Ann. Mus.* 5, 27.  
 † — — — *Mem. Mus.* 18, 1.  
*Thrasya hirsuta* *N. v. E.* *Humb. Gram.* 102.  
 — *paspaloides* *H. B. K.* *H. B. K. Nov. Gen.* 1, 39.  
 † — — — *Lam. Encycl.* 909.  
 † *Thrinax* *L. fil.* *Swartz Fl. Ind. occ.* 13.  
 — *argentea* *Mart.* *Mart. Palm.* 163.  
 — *brasiliensis* *Mart.* *Mart. Palm.* 104.  
 — *Chuco* *Mart.* *D'Orbigny Voyage* 8, 25.  
 — *multiflora* *Mart.* *Mart. Palm.* 103, 163.  
*Thrinicia hirta* *Roth.* *Curt. Lond.* 3, 73.  
 — — — *Baxter Brit. Bot.* 5, 323.  
 — — — *Rechb. Ic. crit.* 8, 749.  
 † — — — *Mutel Fl. fr.* 35.  
 — — — *Dietr. Fl. bor.* 9, 637.  
 — *hispidia* *Roth.* *Rechb. Ic. crit.* 8, 748.  
 † — — — *Mutel Fl. fr.* 35.  
 — *Leysseri* *Wallr.* *Rechb. Ic. crit.* 8, 747.  
 — *psilocalyx* *Lag.* *Rechb. Ic. crit.* 8, 749.  
 — *nudicaulis* *Lowe.* *Seubert Fl. azor.* 12.  
*Thryallis brachystachys* *Ldl.* *Bot. Reg.* 14, 1162.  
 † — — — *Arch. Mus.* 3, 10.  
 — *latifolia* *Mart.* *Mart. Bras.* 231.  
 † — — — *Arch. Mus.* 3, 10.  
 — *longifolia* *Mart.* *Mart. Bras.* 230.  
 † *Thryocephalon* *Forst.* *Forster Char.* 65.  
*Thryptomene micrantha* *Hook. fil.* *Hook. Journ.* 1853, 8.  
*Thuja andina* *P. et E.* *Poepp. et Endl.* 220.  
 — *articulata* *Vahl.* *Vahl Symbolae* 48.

- Thuja articulata* *Vahl*. Berl. Jahrbuch 1801, 2.  
 — — — *Desf.* Fl. atl. 252.  
 — — — *Nouveau Duhamel* 3, 5.  
 — — — *Nees Düssel.* 85.  
 — — — *Guimpel et Schl.* 204.  
 — — — *Lodd.* Cab. 844.  
 — *chilensis* *Hook.* *Hook. Journal* 1843, 4.  
 — *dolabrata* *L.* *Lambert Pinus* 2, app. 1.  
 — *Doniana* *Hook.* *Hook. Journal* 1842, 18.  
 — *filiformis* *Lodd.* *Bot. Reg.* 28, 20.  
 † — *gigantea* *Decne.* Fl. d. serres 9, 934<sup>b</sup>.  
 — *javanica* *Burm.* *Burm. Fl. ind.* 64.  
 — *occidentalis* *L.* *Michaux Arb.* 3, 3.  
 — — — *Schk.* *Handb.* 309.  
 — — — *Nouveau Duhamel* 3, 4.  
 — — — *Watson Dendr.* 2, 150.  
 — — — *Gaertn. Carp.* 91.  
 † — — — *Richard Conif.* 7.  
 † — — — *Lam. Encycl.* 787.  
 † — — — *Ann. sc. nat. II.* 20, 10.  
 † — — — *Nees Gen.* 4, 11.  
 — *orientalis* *L.* *Schk.* *Handb.* 309.  
 — — — *Watson Dendr.* 2, 149.  
 — — — *Sieb.* Fl. Japon. 118.  
 † — — — *Lam. Encycl.* 787.  
 † — — — *Gaertn. Carp.* 91.  
 † — — — *Richard Conif.* 7, 23.  
 † — — — *Ann. sc. nat. II.* 20, 10.  
 † — — — *Ann. sc. nat. III.* 11, 6.  
 † — — — *Hofmeister Untersuchungen* 33.  
 † — — — *Nees Gen.* 4, 11.  
 — *pendula* *Don.* *Pinetum Woburnense* 63.  
 — — — *Lambert Pinus* 2, 0.  
 — — — *Sieb.* Fl. Japon. 117.  
 — *pyramidalis* *Ten.* *Acad. Neap.* 3, 2.  
 † — *sphaeroidalis* *Rich.* *Richard Conif.* 8.  
 — *tetragona* *Hook.* *Hook. Journal* 1844, 4.  
*Thujaecarpus juniperinus* *Trautv.* *Trautvetter Imag.* 6.  
*Thujopsis dolabrata* *S. et Z.* *Sieb.* Fl. Japon. 119—120.  
 † *Thunbergia* *L.*, *Kerner Genera* 38.  
 — *alata* *Sims.* *Bot. Mag.* 52, 2591.  
 — — — *Bot. Mag.* 63, 3512.  
 — — — *Lodd.* Cab. 1045.  
 — — — *Hook.* *Exot. Fl.* 177.  
 — — — *Maund Bot.* 5, 238.  
 — — — *Paxt. Mag.* 2, 3, 28.  
 — — — *var. alba*, *Sweet Fl. G. II.* 392.  
 — — — *var. Doddsii*, *Annal. de Gand* 1848, 229.  
 — — — *var. Doddsii*, Fl. d. serres 4, 415.  
 — — — *Kerner Hort.* 801.  
 — — — *Rchb.* *Exot.* 168.  
 — *angulata* *H. et B.* *Hook.* *Exot. Fl.* 166.  
 — — — *Lodd.* Cab. 1044.  
 — *aurantiaca* *Paxt.* *Paxt. Mag.* 6, 269.  
 † — *capensis* *L. fil.* *Gaertn. Carp.* 183.  
 — — — *Lam. Encycl.* 549.  
 — — — *Lodd.* Cab. 1529.  
 — *chrysops* *Hook.* *Bot. Mag.* 70, 4119.  
 — — — *Paxt. Mag.* 11, 221.  
 — — — Fl. d. serres 1, 5.  
 — *coccinea* *Wall.* *Wallich Tentamen* 37.  
 — — — *Hook.* *Exot. Fl.* 195.  
 — — — *Lodd.* Cab. 1195.  
 — *cordata* *Colla.* *Colla Hort. Rip.* 21.  
 — *Doddsii* *Hort.* *Paxt. Mag.* 15, 221.  
 —? *fastuosa* *Van H.* *Van Houtte Hortus* 2.  
 — *fragrans* *Roxb.* *Roxb. Corom.* 67.  
 — — — *Lam. Encycl.* 549.  
 — — — *Kerner Hort.* 74.  
 — — — *Bot. Mag.* 44, 1881.  
 — — — *Andr. Rep.* 2, 123.  
 — — — *Lodd.* Cab. 1913.

- Thunbergia fragrans* *Roxb.* *Herb. amat.* 4, 226.  
 — *grandiflora* *Roxb.* *Lodd. Cab.* 324.  
 — — — *Bot. Mag.* 50, 2366.  
 — — — *Bot. Reg.* 6, 495.  
 — — — *Maund Bot.* 2, 76.  
 — — — *Paxt. Mag.* 7, 221.  
 — — — *Rchb.* *Exot.* 169.  
 — — — *Wight Ic. pl. Ind. or.* 3, 872.  
 — *Hawtayneana* *Wall.* *Wall. Pl. asiat.* 164.  
 — — — *Paxt. Mag.* 6, 147.  
 † — *javanica* *Gaertn.* *Gaertn. Carp.* 183.  
*Thymbra ciliata* *Desf.* *Desf. Fl. atl.* 122.  
 — *spicata* *L.* *Sibth. Fl. gr.* 546.  
 — — — *Lam. Encycl.* 512.  
*Thymelaea Cncorum* *All.* *Rchb. Fl. germ.* 11, 551.  
 — *dioica* *All.* *Rchb. Fl. germ.* 11, 551.  
 † — *Mezereum* *All.* *Gaertn. Carp.* 39.  
 † — *Tartouira* *All.* *Rchb. Fl. germ.* 11, 552.  
 † *Thymelina simplex* *Hoffm.* *Hoffmannsegg Verz.* 1824, 1.  
*Thymophylla Greggii* *Gray.* *Smiths. Contrib.* 3, 7.  
*Thymopsis aspera* *Jaub.* *Jaubert Illustr.* 37.  
 † *Thymus* *L.* *Schk.* *Handb.* 164.  
 — *acicularis* *W. et K.* *W. et Kit.* 147.  
 — *acinoides* *Ten.* *Tenore Fl. nap.* 155.  
 — *Acinos* *L.* Fl. dan. 5, 814.  
 — — — *var. villosus*, Fl. dan. 11, 1822.  
 — — — *Engl. Bot.* 6, 411.  
 — — — *Curt. Lond.* 1, 107.  
 — — — *Schrank Fl. monac.* 3, 241.  
 — *albicans* *Link et H.* *Hoffm. et Link Fl. port.* 11.  
 — — — *Brotero Phytogr.* 116.  
 — *alpinus* *L.* *Pinac. Fl. austr.* 1, 97.  
 — — — *Sturm Flora* 13, 51.  
 — — — *Bot. Mag.* 47, 2153.  
 — *angustifolius* *Pers.* *Nees Düssel.* 180.  
 — *azoricus* *Lodd.* *Lodd. Cab.* 1530.  
 — *bracteosus* *Vis.* *Visiani Dalm.* 20.  
 — *Broussonetii* *Boiss.* *Boissier Esp.* 141.  
 — *caespitius* *Brot.* *Brotero Phytogr.* 11.  
 — — — *Hoffm. et Link Fl. port.* 18.  
 — *Calamintha* *Scop.* *Engl. Bot.* 24, 1676.  
 — *capitellatus* *Lk et H.* *Hoffm. et Link Fl. port.* 12.  
 — — — *Brotero Phytogr.* 117.  
 — *carnosus* *Boiss.* *Boissier Esp.* 139.  
 — *cephalotes* *L.* *Hoffm. et Link Fl. port.* 13.  
 — — — *Brotero Phytogr.* 118.  
 — *Chamaedrys* *Fries.* Fl. dan. 13, 2237.  
 — *citriodorus* *Schreber.* *Dietr. Fl. bor.* 5, 339.  
 — *corsicus* *Pers.* *Loiseleur Fl. gall.* 9.  
 — *creticus* *Brot.* *Brotero Phytogr.* 12.  
 — *debilis* *Led.* *Ledeb. Ic.* 438.  
 — *exiguus* *Sm.* *Sibth. Fl. gr.* 575.  
 — *exserens* *Ehrh.* *Dietr. Fl. bor.* 5, 337.  
 — *glabratus* *Link et H.* *Hoffm. et Link Fl. port.* 15.  
 — — — *Brotero Phytogr.* 120.  
 — *granatensis* *Boiss.* *Boissier Esp.* 140.  
 — *grandiflorus* *Sims.* *Bot. Mag.* 25, 997.  
 — *graveolens* *Sibth.* *Sibth. Fl. gr.* 576.  
 — — *M. v. B.* *Marschall Cent.* 38.  
 — *herba barona* *Lois.* *Loiseleur Fl. gall.* 9.  
 — *hirtus* *Viv.* *Viviani Lib.* 14.  
 — — *Willd.* *Boissier Esp.* 138.  
 — *incanus* *Sm.* *Sibth. Fl. gr.* 577.  
 — *inodorus* *Desf.* *Desf. Fl. atl.* 129.  
 — *lanccolatus* *Desf.* *Desf. Fl. atl.* 128.  
 — *lanuginosus* *Schk.* *Dietr. Fl. bor.* 5, 340.  
 — *latifolius* *Noé.* *Explor. Alger.* 66.  
 — *longiflorus* *Boiss.* *Boissier Esp.* 142.  
 — *lusitanicus* *Boiss.* *Boissier Esp.* 139.  
 — *Mastichina* *L.* *Schk. Handb.* 164.  
 — *membranaceus* *Boiss.* *Boissier Esp.* 143.  
 — *micranthus* *Brot.* *Brotero Phytogr.* 13.

- Thymus Monardi *Noë*. Explor. Alger. 66.  
 — montanus *W. et K.* W. et Kit. 71.  
 — Nepeta *Sm.* Engl. Bot. 20, 1414.  
 — — Curt. Lond. 1, 96.  
 — numulariaefolius *Lois.* Loiseleur Fl. gall. 9.  
 — numularius *M. v. B.* Bot. Mag. 53, 2666.  
 — origanoides *Webb.* Webb Canar. 152.  
 — pallescens *Noë*. Explor. Alger. 66.  
 — pannonicus *All.* Sturm Flora 16, 70.  
 — — Dietr. Fl. bor. 5, 341.  
 — patavinus *Jacq.* Jacq. Observ. 87.  
 — — Lodd. Cab. 499.  
 — Piperella *L.* Allione Fl. ped. 3, 37.  
 — — W. et Kit. 156.  
 — punctatus *Vis.* Mem. Ist. ven. 1, 2.  
 — Serpyllum *L.* Fl. dan. 7, 1165.  
 — — Sv. Bot. 320.  
 — — Lam. Encycl. 512.  
 — — Woodv. Med. 2, 126.  
 — — Curt. Lond. 3, 50.  
 — — Engl. Bot. 22, 1514.  
 — — Baxter Brit. Bot. 2, 127.  
 — — Sturm Flora 2, 5, 16, 70.  
 — — Schrank Fl. monac. 4, 342.  
 — — Hayne II, 1.  
 — — Nees Düsseld. 180.  
 — — Guimpel et Schl. 115.  
 — — Wagner 19.  
 — — Dietr. Fl. bor. 5, 338.  
 † — — Nees Gen. 6, 16.  
 — silvestris *Lk et H.* Hoffm. et Link Fl. port. 16.  
 — — Brotero Phytogr. 121.  
 — striatus *Vahl.* Munby Fl. d'Algérie 4.  
 — subcordatus *Vis.* Visiani Dalm. 19.  
 — tenuifolius *Mill.* Boissier Esp. 137.  
 — Tragoriganum *L.* Rivinus Opus ined. 22.  
 — variabilis *Lk et H.* Hoffm. et Link Fl. port. 17.  
 — — Brotero Phytogr. 122.  
 — villosus *L.* Hoffm. et Link Fl. port. 14.  
 — — Brotero Phytogr. 119.  
 — — Sibth. Fl. gr. 578.  
 — virgatus *Ten.* Tenore Fl. nap. 155.  
 — vulgaris *L.* Woodv. Med. 2, 125.  
 — — Hayne II, 2.  
 — — Nees Düsseld. 181.  
 — — Guimpel et Schl. 116.  
 — Zygis *L.* Viviani Fl. ital. 8.  
 — — Sibth. Fl. gr. 574.  
 Thysanacanthus barlerioides *N. v. E.* Endl. Bras. 7, 13.  
 — bracteolatus *N. v. E.* Bot. Mag. 75, 4441.  
 — embelioides *DC.* Delessert Ic. 5, 48.  
 — lilacinus *N. v. E.* Paxt. Fl. G. 53.  
 — — Lem. Jard. fl. 165.  
 — ramosissimus *Moric.* Moricand Pl. Am. 96.  
 — rutilans *Planch.* Fl. d. serres 7, 732.  
 — strictus *N. v. E.* Bot. Mag. 74, 4378.  
 † Thysansine Hypocistis *Gleditsch.* Mem. Ac. Berl. 1764, x.  
 Thyrsopteris elegans *Kze.* Kunze Fil. 1.  
 † — — Hook. Gen. Fil. 44.  
 Thysanachne scoparia *Presl.* Presl Symbolae 6.  
 Thysanocarpus curvipes *Hook.* Hook. Bor. Am. 18.  
 — pusillus *Hook.* Hook. Ic. pl. I, 42.  
 Thysanotus intricatus *Ldl.* Bot. Reg. 26, 4.  
 — — Paxt. Mag. 6, 243.  
 — isantherus *R. Br.* Bot. Reg. 8, 655.  
 — junceus *R. Br.* Bot. Reg. 8, 656.  
 — — Bot. Mag. 49, 2351.  
 — — Lodd. Cab. 1986.  
 — proliferus *Ldl.* Bot. Reg. 24, 8.  
 — — Maund Bot. 4, 187.  
 — — Paxt. Mag. 7, 29.  
 — — Lem. Jard. fl. 4, 406.

- Thysanotus tenuis *Ldl.* Bot. Reg. 24, 50.  
 — — — Lem. Jard. fl. 4, 402.  
 Thysanantha subulata *Hook.* Hook. Ic. pl. 6, 590.  
 Tiarella biternata *Vent.* Vent. Malm. 54.  
 — cordifolia *L.* Bot. Mag. 38, 1589.  
 — — Lam. Encycl. 373.  
 — laciniata *Hook.* Hook. Bor. Am. 77.  
 — unifoliata *Hook.* Hook. Bor. Am. 81.  
 Tiaridium elongatum *Lehm.* Lehmann Asperif. 6.  
 † — — — Linnæa 4, 5.  
 † — indicum *Lehm.* Linnæa 4, 5.  
 — — — Wight Illustr. 171.  
 — velutinum? *Lehm.* Rheede Hort. mal. 10, 48.  
 Tibouchina aspera *Aubl.* Aublet Guiana 177.  
 † Ticanto Nuja *Med.* Medikus Theodora 3.  
 Ticorea febrifuga *St. Hil.* St. Hil. Pl. usuelles 16.  
 — foetida *Aubl.* Aublet Guiana 277.  
 — — — Cav. Diss. 206.  
 † — jasminiflora *St. Hil.* Mem. Mus. 10, 20.  
 † — — — St. Hil. Pl. rem. 14.  
 — longiflora *DC.* Mem. Mus. 9, 9.  
 † — — — Mem. Mus. 12, 23.  
 — nitida *Presl.* Presl Symbolae 17.  
 — pedicellata *DC.* Mem. Mus. 9, 8.  
 Tiedemannia teretifolia *DC.* DC. Umbellifères 12.  
 Tigarea aspera *Aubl.* Aublet Guiana 350.  
 — — — Lam. Encycl. 826.  
 — — — Desc. Ant. 7, 459.  
 — dentata *Aubl.* Aublet Guiana 351.  
 — tridentata *Pursh.* Pursh Fl. 15.  
 Tigilium Klotzschianum *Wight.* Wight Ic. pl. 5, 1914.  
 † Tigridia *Juss.* Kerner Genera 3.  
 — coelestis *Hort.* Fl. d. serres 4, 395.  
 — conchiflora *Sweet.* Sweet Fl. G. 128.  
 — — — Paxt. Mag. 14, 53.  
 — — — Annales de Gand 1847, 145.  
 — — — Fl. d. serres 9, 908—910.  
 — Herbertiana *Herb.* Bot. Reg. 13, 1090.  
 — — — Bot. Mag. 52, 2599.  
 — lutea *Link et Kl.* Link Ic. III. 33.  
 — Pavonia *Pers.* Red. Lil. 1, 6.  
 — — — Tratt. Thes. 80.  
 — — — Tratt. Archiv 301. 301<sup>a</sup>.  
 — — — Herb. amat. 1, 29.  
 — — — Lodd. Cab. 1424.  
 — — — var. speciosa, Fl. d. serres 9, 908—910.  
 — pavonia - conchiflora *Morr.* Annales de Gand 1847, 145.  
 — violacea *Schiede.* Link Ic. III. 20.  
 † Tilia *L.* Ann. sc. nat. II. 2, 15.  
 † — — (Inflorescentia.) Ann. sc. nat. III. 5, 10.  
 † — — — Ann. sc. nat. III. 8, 21, 22.  
 † — — — Ann. sc. nat. III. 19, 3, 4.  
 † — — Gray Genera 136.  
 — alba *Michx.* Michaux Arb. 3, 2.  
 — — *W. et K.* W. et Kit. 3.  
 — — — Willd. Jacq. Schoenbr. 3, 283.  
 — — — Watson Dendr. 1, 71.  
 — — — Dict. sc. nat. 147.  
 — americana *L.* Michaux Arb. 3, 1.  
 — — — Watson Dendr. 2, 134.  
 — — — Gray Genera 136.  
 † — — Payer Organogénie 4.  
 — apiculata *Court.* Acad. Brux. 9, 4.  
 — argentea *Desf.* Rchb. Fl. germ. 6, 324.  
 — bicuspidata *Court.* Acad. Brux. 9, 3.  
 — corallina *Sm.* Acad. Brux. 9, 4.  
 — — — Rchb. Fl. germ. 6, 323.  
 — corylifolia *Host.* Rchb. Fl. germ. 6, 319.  
 — cucullata *Jacq.* Jacq. Fragm. 11.  
 — europaea *L.* Fl. dan. 4, 553.  
 — — — Engl. Bot. 9, 610.



- Tilia europaea* L. Baxter Brit. Bot. 4, 293.  
 — — — Sv. Bot. 40.  
 † — — — Gaertn. Carp. 113.  
 — — —  $\alpha$ .  $\beta$ .  $\gamma$ . Hartig 100 — 102.  
 — — — Schrank Fl. monac. 1, 14.  
 — — — Curt. Lond. 5, 190.  
 — — — Nees Düsseld. 427.  
 — — — Wagner 87.  
 — floribunda A. Br. Rehb. Fl. germ. 6, 314.  
 — glabra Vent. Guimpel Fr. Holzgew. 45.  
 — — — Mem. Instit. 4, 2.  
 † — grandifolia Ehrh. Schk. Handb. 141.  
 — — — Engl. Bot. 2720.  
 — — — Dietr. Fl. bor. 12, 831.  
 — heterophylla Vent. Mem. Instit. 4, 5.  
 — intermedia DC. Rehb. Fl. germ. 6, 313.  
 — latebracteata Host. Rehb. Fl. germ. 6, 320.  
 — macropoda Court. Acad. Brux. 9, 1.  
 — microphylla Vent. Mem. Instit. 4, 1.  
 — mutabilis Host. Rehb. Fl. germ. 6, 320.  
 — obliqua Host. Rehb. Fl. germ. 6, 322.  
 — — — Court. Acad. Brux. 9, 3.  
 — oblongata Court. Acad. Brux. 9, 2.  
 — pallida Wierzb. Rehb. Fl. germ. 6, 315.  
 — parvifolia Ehrh. Engl. Bot. 24, 1705.  
 — — — Schk. Handb. 141.  
 — — — Hayne 3, 46.  
 — — — Acad. Brux. 9, 1.  
 — — — Rehb. Fl. germ. 6, 311. 312. 314.  
 — pauciflora Hayne. Hayne 3, 48.  
 — platyphyllos Scop. Nouveau Duhamel 1, 50.  
 † — — — Lam. Encycl. 467.  
 — — — Mem. Instit. 4, 1.  
 † — — — Ann. sc. nat. III. 19, 4.  
 — — — Rehb. Fl. germ. 6, 316 — 318.  
 — platyptera Court. Acad. Brux. 9, 1.  
 — praecox Host. Rehb. Fl. germ. 6, 321.  
 — pubescens Ait. Michaux Arb. 3, 3.  
 — — — Nouveau Duhamel 1, 51.  
 — — — Mem. Instit. 4, 3.  
 — — — Watson Dendr. 2, 135.  
 — pyramidalis Host. Rehb. Fl. germ. 6, 323.  
 — rotundifolia Vent. Mem. Instit. 4, 4.  
 — — — Nouveau Duhamel 1, 52.  
 — tenuifolia Host. Rehb. Fl. germ. 6, 321.  
 — vitifolia Host. Rehb. Fl. germ. 6, 319.  
 — vulgaris Hayne. Hayne 3, 47.  
 — — — Acad. Brux. 9, 2.  
 — — — Dietr. Fl. bor. 12, 832.  
 † Tiliaceae Juss. Payer Organogénie 4. 5.  
*Tillaea aquatica* L. Lam. Encycl. 90.  
 — — — Usteri Annalen 2, 3. 12, 1.  
 — — — Sv. Bot. 724.  
 — — — Gmelin Fl. bad. 1, 1.  
 — connata Rz et P. Ruiz et Pav. Fl. 106.  
 — — — Ives Description 1817, x.  
 — macrantha J. Hook. Hook. Ic. pl. 4, 310.  
 — moschata DC. Hook. Ic. pl. 6, 535.  
 † — muscosa L. Gaertn. Carp. 112.  
 — — — Lam. Encycl. 90.  
 — — — DC. Plantes grasses 73.  
 — — — Engl. Bot. 2, 116.  
 — — — Baxter Brit. Bot. 5, 380.  
 — — — Rehb. Ic. crit. 2, 191.  
 — prostrata Schk. Fl. dan. 9, 1510.  
 — verticillaris DC. Hook. Ic. pl. 3, 295.  
 † Tillandsia L. Schnizl. Iconogr. 1, 65.  
 — acaulis Ldl. Bot. Reg. 14, 1157.  
 — aloifolia Hook. Hook. Exot. Fl. 205.  
 — — — Kerner Hort. 822.  
 — amoena Lodd. Lodd. Cab. 76.  
 — anceps Lodd. Lodd. Cab. 771.

- Tillandsia azurea* Presl. Presl Reliq. 24.  
 — bicolor Brongn. Brongniart Coquille 36.  
 — — — Schnizl. Iconogr. 1, 65.  
 — biflora Rz et P. Ruiz et Pav. Fl. 268.  
 — bromeliaefolia Rudge. Rudge Fl. Guianae 50.  
 — bulbosa Hook. Hook. Exot. Fl. 173.  
 — — — var. Bot. Mag. 73, 4288.  
 — — — Annales de Gand 1847, 142.  
 — — — Fl. d. serres 3, 221.  
 — capillaris Rz et P. Ruiz et Pav. Fl. 271.  
 — dianthoidea Ten. Acad. Neap. 5, 1.  
 — flexuosa Sw. Kerner Hort. 388.  
 — — —  $\gamma$ . pallida, Bot. Reg. 9, 749.  
 — havanensis Jacq. Jacq. Hist. stirp. am. 94.  
 — Kunthiana Gaudich. Gaudichaud Bonite 53.  
 — lingulata L. Jacq. Hist. stirp. am. 92.  
 — — — Kerner Hort. 274.  
 — maculata Rz et P. Ruiz et Pav. Fl. 267.  
 — — — Kerner Hort. 515.  
 — nitida Hook. Hook. Exot. Fl. 218.  
 — parviflora Rz et P. Ruiz et Pav. Fl. 269.  
 — psittacina Hook. Bot. Mag. 55, 2841.  
 — — — Rehb. Exot. 187.  
 — pulchra Hook. Hook. Exot. Fl. 154.  
 — purpurea Rz et P. Ruiz et Pav. Fl. 270.  
 — recurvata Rz et P. Ruiz et Pav. Fl. 271.  
 — rosea Ldl. Bot. Reg. 16, 1357.  
 — rubida Ldl. Bot. Reg. 28, 63.  
 — rubra Rz et P. Ruiz et Pav. Fl. 266.  
 † — serrata L. Lam. Encycl. 224.  
 — sessiliflora Rz et P. Ruiz et Pav. Fl. 271.  
 — setacea Sw. Bot. Mag. 60, 3275.  
 — splendens Brongn. Fl. d. serres 2, 43.  
 — stricta Soland. Bot. Mag. 37, 1529.  
 — — — Bot. Reg. 16, 1338.  
 — — — Paxt. Mag. 15, 125.  
 — — — Rehb. Exot. 41.  
 — tenuifolia Jacq. Jacq. Hist. stirp. am. 93.  
 — tetrantha Rz et P. Ruiz et Pav. Fl. 265.  
 — usneoides L. Lam. Encycl. 224.  
 — virescens Rz et P. Ruiz et Pav. Fl. 270.  
 — vitellina Link et Kl. Link Ic. III. 40.  
 — xiphioides Ker. Bot. Reg. 2, 105.  
*Timaeosia cerastoides* Klotzsch. Prinz Waldem. Him. 33.  
*Timonius Rumphii* DC. Rumpf Amb. 3, 140.  
*Tithonia ovata* Hook. Bot. Mag. 68, 3901.  
 — tagetiflora Desf. Ann. Mus. 1, 4.  
 † — — — Lam. Encycl. 708.  
 — — — Bot. Reg. 7, 591.  
 — tubaeformis Cass. Bot. Reg. 18, 1519.  
 † Tithymalus Peplus Gaertn. Gaertn. Carp. 107.  
 — pilosus L. Scopoli Fl. carn. 1, 21.  
 — Seguieri Scop. Scopoli Fl. carn. 1, 20.  
 † Tittmannia lateriflora Ad. Br. Ann. sc. nat. 8, 38.  
 — viscosa Rehb. Rehb. Hortus 38.  
*Tmesipteris tannensis* Lab. Bill. Nov. Holl. 252.  
 — — — Schk. Fil. 165<sup>b</sup>.  
 — — — Dict. sc. nat. 80.  
 † — truncata Bernh. Hook. Gen. Fil. 86.  
*Tococa bullifera* Mart. Mart. Bras. 277.  
 — formicaria Mart. Mart. Bras. 278.  
 — guianensis Aubl. Aublet Guiana 174.  
 † — macroptera Naud. Ann. sc. nat. III. 18, 3.  
 — macrosperma Mart. Mart. Bras. 279.  
 † — Weddellii Naud. Ann. sc. nat. III. 18, 3.  
*Tocoyena foetida* P. et E. Poepp. et Endl. 229.  
 — hirsuta Moric. Moricand Pl. Am. 56.  
 † — latifolia Lam. Lam. Encycl. 163.  
 — longiflora Aubl. Aublet Guiana 50.  
 † — — — Gaertn. Carp. 190.  
 † — — — Lam. Encycl. 163.  
 † Toddalia aculeata Pers. Mem. Mus. 12, 26.

- Toddalia aculeata* Pers. Wight Illustr. 66.  
 — asiatica Lam. Rheede Hort. mal. 5, 41.  
 — — Lam. Encycl. 139.  
 — nitida Lam. Lam. Encycl. 139.  
 † *Todea Willd.* Kaulfuss Enumeratio 1.  
 — africana Willd. Willdenow Farnk. 3.  
 † — — Svensk Acad. 1804, 5.  
 † — — Hook. Gen. Fil. 46.  
 — Fraseri Hook. Hook. Ic. Fil. 1, 101.  
 † — hymenophylloides Rich. Hook. Gen. Fil. 46.  
 — pellucida Carm. Hook. Ic. pl. 1, 8.  
 — rivularis Sieb. Kunze Analecta 4.  
*Tofieldia alpina* Sternb. et H. Regensb. Denkschr. 1, 2.  
 — anthericoides Schrk. Schrank Fl. monac. 3, 210.  
 — borealis Wahlenb. Sv. Bot. 482.  
 — — — Sturm Flora 18, 78.  
 — — — Rchb. Fl. germ. 10, 420.  
 — — — Sturm Flora 18, 78.  
 — — — Dietr. Fl. bor. 1, 29.  
 — — — Rchb. Fl. germ. 10, 420.  
 † — — — Nees Gen. 2, 31.  
 — coccinea Richardson. Hook. Beechey 29<sup>b</sup>.  
 — glacialis Gaud. Sturm Flora 18, 78.  
 — glutinosa Sm. Linn. Transact. 12, 8.  
 — — Pursh. Hook. Bor. Am. 191.  
 — palustris Huds. Curt. Lond. 4, 100.  
 — — — Engl. Bot. 8, 536.  
 — — — Baxter Brit. Bot. 3, 227.  
 — — — Red. Lil. 5, 256.  
 — — — Regensb. Denkschr. 1, 2.  
 — — — var. Flora 1821, 1.  
 — pubens Dryand. Bot. Mag. 67, 3859.  
 — pubescens Pers. Red. Lil. 6, 324.  
 — sessiliflora Hook. Hook. Ic. pl. 7, 691.  
 — stenopetala Sm. Linn. Transact. 12, 8.  
*Tolpis Gaertn.* Bivona Monografia 1—5. (non vidi.)  
 † — barbata Gaertn. Gaertn. Carp. 160.  
 † — — Lam. Encycl. 651.  
 — crinita Lowe. Transact. Cambr. Soc. 4, 2.  
 — fruticosa Schrank. Schrank Hort. monac. 46.  
 — grandiflora Ten. Tenore Fl. nap. 186.  
 — lagopoda Chr. Smith. Webb Canar. 120.  
 — nobilis Hochst. Seubert Fl. azor. 11.  
 — quadriaristata Biv. Sibth. Fl. gr. 810.  
 — Webbii Sch. Bip. Webb Canar. 122.  
*Toluifera Balsamum* Mill. Woodv. Med. 3, 215.  
*Tomex dubia* Jacq. Jacq. Vind. 191.  
 — glabra Forsk. Ehrenberg Symbolae 3.  
 — japonica Thunb. Thunberg Ic. jap. 27.  
*Tonabea dentata* Juss. Lam. Encycl. 456.  
 — punctata Juss. Lam. Encycl. 456.  
*Tonina fluviatilis* Aubl. Aublet Guiana 330.  
 † — — — Ann. sc. nat. 13, 5.  
 † — — — Lam. Encycl. 772.  
 — — — Acta Leop. 17, 1, 4.  
*Tontanea guianensis* Aubl. Aublet Guiana 42.  
 — — — Lam. Encycl. 64.  
*Tontelea scandens* Aubl. Aublet Guiana 10.  
 — — — Lam. Encycl. 26.  
*Topobea parasitica* Aubl. Aublet Guiana 189.  
 † — stephanochaeta Naud. Ann. sc. nat. III, 18, 6.  
 † *Tordylium aegyptiacum* Lam. Lam. Encycl. 193.  
 — Anthriscus L. Fl. dan. 6, 919.  
 — — — Jacq. Fl. austr. 3, 261.  
 — apulum L. Jacq. Vind. 53.  
 — Aucheri Jaub. Jaubert Illustr. 237.  
 — humile Desf. Desf. Fl. atl. 58.  
 — maximum L. Curt. Lond. 5, 200.  
 — — — Engl. Bot. 17, 1173.  
 — — — Baxter Brit. Bot. 6, 443.  
 — — — Jacq. Fl. austr. 2, 142.

- Tordylium maximum* L. Dietr. Fl. bor. 11, 746.  
 — nodosum L. Jacq. Fl. austr. 5, 24.  
 — officinale L. Schk. Handb. 60.  
 — — — Sibth. Fl. gr. 267.  
 — — — Engl. Bot. 34, 2440.  
 — — — Portenschlag Dalm. 3.  
 — peregrinum L. Brotero Phytogr. 40.  
 — siifolium Scop. Scopoli Fl. carn. 1, 8.  
 — syriacum L. Jacq. Vind. 54.  
 † — — — Gaertn. Carp. 21.  
 † — — — Lam. Encycl. 193.  
 † *Torenia asiatica* L. Gaertn. Carp. 184.  
 † — — — Lam. Encycl. 523.  
 — — — Bot. Mag. 72, 4249.  
 — — — var. Paxt. Mag. 15, 197.  
 — — — Fl. d. serres 2, 157.  
 — — — Wight Ic. pl. Ind. or. 3, 862.  
 — colorans Morr. Annales de Gand 1846, 94.  
 — concolor Ldl. Bot. Reg. 32, 62.  
 — cordifolia Roxb. Roxb. Corom. 161.  
 — — — Bot. Mag. 66, 3715.  
 — edentula Benth. Bot. Mag. 72, 4229.  
 — hians Roxb. Rheede Hort. mal. 9, 53.  
 — hirsuta Lam. Lam. Encycl. 523.  
 — longiflora Morr. Annales de Gand 1846, 94.  
 — minuta Bl. Rheede Hort. mal. 10, 50.  
 — scabra Grah. Bot. Mag. 58, 3104.  
 — — — Lodd. Cab. 1990.  
 — — — Paxt. Mag. 9, 53.  
 ! — — — Morren Fuchsia 4.  
 † *Torilis Anthriscus* Gaertn. Gaertn. Carp. 20.  
 — — — Sv. Bot. 759.  
 — — — Baxter Brit. Bot. 5, 347.  
 — — — Dietr. Fl. bor. 10, 700.  
 ! — — — Engelmann Anthol. 5.  
 — helvetica Gmel. Dietr. Fl. bor. 11, 752.  
 — — — Sturm Flora 20, 93.  
 † — macrocarpa Gaertn. Gaertn. Carp. 20.  
 † — nodosa Gaertn. Gaertn. Carp. 20.  
 † — — — Comm. Gott. rec. 2, 1.  
*Tormentilla erecta* L. Fl. dan. 4, 589.  
 — — — Woodv. Med. 3, 182.  
 — — — Sv. Bot. 19.  
 — — — Liboschitz Petersb. 10.  
 — — — Lam. Encycl. 444.  
 — — — Schk. Handb. 136.  
 — — — Hayne 2, 48.  
 — — — Sturm Flora 9, 34.  
 — — — Nees Düsseldorf. 308.  
 — — — Guimpel et Schl. 91.  
 — — — Wagner 186.  
 — — — Dietr. Fl. bor. 3, 173.  
 — officinalis Curt. Curt. Lond. 3, 13.  
 — — — Engl. Bot. 12, 863.  
 — — — Baxter Brit. Bot. 5, 341.  
 — reptans L. Fl. dan. 7, 1217.  
 — — — Engl. Bot. 12, 864.  
 — — — Dietr. Fl. bor. 3, 172.  
*Tornasina ebenifera* Bert. Novi Comm. Bon. 9, 32, 33.  
*Torreyia Myristica* Hook. Bot. Mag. 80, 4780.  
 — taxifolia Arn. Hook. Ic. pl. 3, 232, 233.  
*Touchardia latifolia* Gaudich. Gaudichaud Bonite 94.  
*Touchiroa aromatica* Aubl. Aublet Guiana 148.  
 — — — Lam. Encycl. 339.  
*Toulicia guianensis* Aubl. Aublet Guiana 140.  
 — — — Lam. Encycl. 317.  
*Tounatea guianensis* Aubl. Aublet Guiana 218.  
 — — — Lam. Encycl. 462.  
*Tournefortia angustiflora* Ruz et Pav. Fl. 151.  
 — argentea R. et Sch. Rumpf Amb. 4, 55.  
 † — cymosa L. Gaertn. Carp. 76.  
 — — — Jacq. Ic. 31.

- Tournefortia fruticosa* R. Br. Bot. Reg. 6, 464.  
 — *fuliginosa* H. B. K. H. B. K. Nov. Gen. 3, 203.  
 — *heliotropioides* Hook. Bot. Mag. 58, 3096.  
 — *hirsutissima* Sw. Desc. Ant. 4, 253.  
 — *incana* Lam. Lam. Encycl. 95.  
 — *laurifolia* Vent. Vent. Choix 2.  
 — *longifolia* Rz et P. Ruiz et Pav. Fl. 150.  
 — *mutabilis* Vent. Vent. Choix 3.  
 — *polystachya* Rz et P. Ruiz et Pav. Fl. 149.  
 † *punctata* Lem. Lem. Jard. fl. 4, p. 80.  
 — *reticulosa* Wight. Wight Ic. pl. Ind. or. 4, 1386.  
 — *syringaeifolia* Vahl. Miquel Surinam 41.  
 — *umbellata* H. B. K. H. B. K. Nov. Gen. 3, 202.  
 — *undulata* Rz et P. Ruiz et Pav. Fl. 149.  
 — *velutina* H. B. K. H. B. K. Nov. Gen. 3, 201.  
 — *virgata* Rz et P. Ruiz et Pav. Fl. 150.  
 — *volubilis* L. Ruiz et Pav. Fl. 148.  
 † — — Gaertn. Carp. 76.  
 † — — Lam. Encycl. 95.  
 — *zeylanica* Wight. Wight Illustr. 170.  
*Touroulia guianensis* Aubl. Aublet Guiana 194.  
 † — — Lam. Encycl. 424.  
*Touretia lappacea* Willd. Lam. Encycl. 527.  
 — — Bot. Mag. 66, 3749.  
 — — Fl. d. serres 7, 664.  
 — — Belgique hortic. 3, 26.  
 † *Tovaria* Rz et P. Ruiz et Pav. Prodr. 8.  
 — *pendula* Rz et P. Ruiz et Pav. Fl. 306.  
 — — Hook. Ic. pl. 7, 664.  
*Tovomita foliosa* Presl. Presl Symbolae 66.  
 — *guianensis* Aubl. Aublet Guiana 364.  
 — *paniculata* St. Hil. St. Hil. Fl. Bras. 64.  
*Townsendia sericea* Rich. Hook. Bor. Am. 119.  
*Toxicodendrum capense* Thunb. Svensk Acad. 1796, 7.  
 † — *Cobbe* Gaertn. Gaertn. Carp. 44.  
*Toxocarpus Kleinii* W. et A. Wight Ic. pl. Ind. or. 3, 886.  
*Toxostigma purpurascens* Rich. Richard Abyssin. 77.  
 † *Tozzia alpina* L. Gaertn. Carp. 198.  
 — — Jacq. Fl. austr. 2, 165.  
 — — Schk. Handb. 171.  
 — — Lam. Encycl. 522.  
 — — Sturm Flora 8, 30.  
 † — — Nees Gen. 5, 48.  
 † *Trachelium coeruleum* L. Gaertn. Carp. 31.  
 † — — Lam. Encycl. 126.  
 — — Schk. Handb. 40.  
 — — Bot. Reg. 1, 72.  
*Trachelospermum jasminoides* Ch. Lem. Lem. Jard. fl. 61.  
 — — Fl. d. serres 6, 615.  
*Trachydium Roylei* Ldl. Jacquemont Ind. 79.  
*Trachylobium Gaertnerianum* Hayne. Hayne 11, 19.  
 — *Hornemannianum* Hayne. Hayne 11, 18.  
 — — Nees Düsseld. Suppl. 114.  
 — *Martianum* Hayne. Hayne 11, 17.  
 — — Nees Düsseld. Suppl. 114.  
 — *mossambicense* Klotzsch. Peters Mossamb. 2.  
*Trachymene coerulea* Griseb. Bot. Reg. 15, 1225.  
 — *incisa* Rudge. Linn. Transact. 10, 21.  
 — — Lam. Encycl. 935.  
 — *lanceolata* Rudge. Bot. Mag. 61, 3334.  
*Trachynia distachya* Link. Rehb. Fl. germ. 1, 14.  
*Trachystemon orientale* D. Don. Jaubert Illustr. 419.  
 † *Tradescantia* L. Kerner Genera 203.  
 — *axillaris* L. Roxb. Corom. 107.  
 — *caricifolia* Hook. Bot. Mag. 64, 3546.  
 — *cirrifer* Mart. Martius Auswahl 7.  
 — *crassifolia* Cav. Cav. Ic. 75.  
 — — Bot. Mag. 39, 1598.  
 — — Salisbury Parad. 59.  
 — *crassula* Link. Link Ic. II. 7.  
 — — Bot. Mag. 56, 2935.  
 — — Lodd. Cab. 1560.

- Tradescantia cristata* L. Jacq. Vind. 137.  
 — — Bot. Mag. 35, 1435.  
 — — Lodd. Cab. 639.  
 — *discolor* L'her. L'heritier Sertum 12.  
 — — Smith Ic. pict. 10.  
 — — Bot. Mag. 30, 1192.  
 — — Red. Lil. 3, 168.  
 — — Lam. Encycl. 226.  
 — — Kerner Hort. 59.  
 — *elata* Lodd. Lodd. Cab. 1513.  
 — *elegans* F. et M. Hook. Ic. pl. 1, 39.  
 — *erecta* Jacq. Jacq. Ic. 354.  
 — — Cav. Ic. 74.  
 — — Red. Lil. 4, 239.  
 — — Bot. Mag. 33, 1310.  
 — *fusca* Lodd. Lodd. Cab. 374.  
 — — Bot. Mag. 49, 2330.  
 — — Bot. Reg. 6, 482.  
 — *geniculata* L. Jacq. Hist. stirp. am. 95.  
 — *gracilis* H. B. K. H. B. K. Nov. Gen. 7, 672.  
 — — Hook. Ic. pl. 7, 654.  
 — *hirsuta* H. B. K. Hook. Ic. pl. 7, 665.  
 — *iridescens* Ldl. Bot. Reg. 26, 34.  
 — — Schlechtendal Hortus hal. 11.  
 — *latifolia* Rz et P. Ruiz et Pav. Fl. 272.  
 — — Lodd. Cab. 1300.  
 — *multiflora* Jacq. Jacq. Ic. 355.  
 — *paniculata* Roxb. Roxb. Corom. 109.  
 — *parviflora* Rz et P. Ruiz et Pav. Fl. 272.  
 — *pilosa* Lehm. Acta Leop. 14, 2, 48.  
 — — Bot. Mag. 61, 3291.  
 — *pulchella* H. B. K. H. B. K. Nov. Gen. 7, 673.  
 — *rosea* Michx. Ventenat Cels 24.  
 — — Red. Lil. 2, 94.  
 — — Lodd. Cab. 370.  
 — — Sweet Fl. G. 183.  
 — *spicata* Kn. et W. Knowles et Westcott 124.  
 — *subaspera* Gawl. Bot. Mag. 39, 1597.  
 — *tuberosa* Roxb. Roxb. Corom. 108.  
 — *tumida* Ldl. Bot. Reg. 26, 42.  
 — *undata* Willd. Bot. Reg. 17, 1403.  
 — *undulata* Vahl. Skrifter nat. Selsk. 1793, 3.  
 † — *virginica* L. Gaertn. Carp. 15.  
 — — Lam. Encycl. 226.  
 — — Schk. Handb. 88.  
 — — Bot. Mag. 3, 105, 63, 3501.  
 — — *β. pilosa* Willd. Bot. Reg. 13, 1055.  
 — — Barton Fl. 2, 41.  
 — — Dict. sc. nat. 38.  
 † — — Mem. Instit. 1830, 6.  
 † — — Spach Suites 75.  
 † — — Bull. Mosc. 1843, 1, 2.  
 † — — Hofmeister Embryo 14.  
 † *Traganthus Klotzsch*. Wiegmann Archiv 7, 9.  
*Traganum nudatum* Delile. Delile Egypte 22.  
 † *Tragia cannabina* L. fil. Jussieu Euphorb. 15.  
 — *Chamaelea* L. Rheede Hort. mal. 2, 34.  
 — *colorata*? Lam. Rheede Hort. mal. 12, 30.  
 — *corniculata* Vahl. Vahl Eclogae 19.  
 — *involverata* L. Rheede Hort. mal. 2, 39.  
 — — Jacq. Ic. 190.  
 — *Mercurialis* L. Rheede Hort. mal. 10, 82, 83.  
 — — Rumpf Amb. 6, 20, fig. 2.  
 — *nepetaefolia* Cav. Cav. Ic. 557.  
 — *pedunculata* Pal. B. Pal. B. Fl. d'Oware 54.  
 — *Serra* P. et E. Poepp. et Endl. 223.  
 — *subhastata* P. et E. Poepp. et Endl. 223.  
 — *virgata* Lam. Lam. Encycl. 754.  
 — *volubilis* L. Rumpf Amb. 5, 9.  
 — — Trew Pl. rar. 15.  
 † — — Lam. Encycl. 754.  
 † — — Jussieu Euphorb. 15.

- Tragoceros zinniioides *H. B. K.* *H. B. K. Nov. Gen.* 4, 385.
- Tragopogon calyculatus *Jacq.* *Jacq. Vind.* 106.
- capensis *Jacq.* *Jacq. Ic.* 575.
- crocifolius *L.* *Sibth. Fl. gr.* 779.
- † — Dalechampii *L.* *Gaertn. Carp.* 159.
- criospermus *Ten.* *Tenore Fl. nap.* 186.
- floccosus *W. et K.* *W. et Kit.* 112.
- major *L.* *Jacq. Fl. austr.* 1, 29.
- † — — — *Schk. Handb.* 214.
- † — — — *Lam. Encycl.* 646.
- mutabilis *Jacq.* *Jacq. Ic.* 157.
- ! — orientalis *L.* *Hamburger Symbolae* 2.
- † — picroides *L.* *Gaertn. Carp.* 159.
- † — — — *Schk. Handb.* 214.
- † — — — *Lam. Encycl.* 646.
- porrifolius *L.* *Fl. dan.* 5, 797.
- — — *Jacq. Ic.* 159.
- — — *Schk. Handb.* 214.
- — — *Engl. Bot.* 9, 638.
- pratensis *L.* *Fl. dan.* 6; 906.
- † — — — *Gaertn. Carp.* 159.
- † — — — *Lam. Encycl.* 646.
- † — — — *Schk. Handb.* 214.
- — — *Schrank Fl. monac.* 1, 44.
- — — *Dietr. Fl. bor.* 12, 838.
- — — *Engl. Bot.* 7, 434.
- — — *Sv. Bot.* 146.
- — — *Baxter Brit. Bot.* 5, 390.
- † — — — var. longirostris, *Ebel Montenegro* 1.
- ruber *Gm.* *Ledeb. Ic.* 30.
- undulatus *Jacq.* *Jacq. Ic.* 158.
- Tragopyrum laetevirens *Led.* *Ledeb. Ic.* 422.
- pungens *Led.* *Ledeb. Ic.* 426.
- † *Tragus Haller.* *Dumortier Gramin.* 14.
- † — pinnatus *Mart.* *Münchn. Denkschr.* 4, 11.
- racemosus *Desf.* *Sturm Flora* 9, 34.
- † — — — *Nees Gen.* 1, 23.
- † *Trapa bicornis L. fil.* *Gaertn. Carp.* 95.
- — — *Icones plantarum Chinae* 22.
- bispinosa *Roxb.* *Rhede Hort. mal.* 11, 33.
- — — *Roxb. Corom.* 234.
- † — natans *L.* *Gaertn. Carp.* 26.
- † — — — *Lam. Encycl.* 75.
- — — *Schk. Handb.* 25.
- — — *Sturm Flora* 8, 30.
- — — *Flora 1818*, 2.
- — — *Bot. Reg.* 3, 259.
- — — *Dict. sc. nat.* 219.
- † — — — *Ann. Mus.* 16, 19.
- † — — — *Trevianus Symbolae* 18 — 25.
- † — — — *Nees Gen.* 4, 5.
- † — — — *Ann. sc. nat.* III, 9, 12 — 15.
- Trattinickia burseraefolia *Mart.* *Mart. Bras.* 239.
- † *Trautvetteria F. et M.* *Gray Genera* 7.
- palmata *F. et M.* *Gray Genera* 7.
- † *Treacoris madagascariensis Juss.* *Jussieu Euphorb.* 1.
- Trechonaetes laciniata *Miers.* *Miers Illustr.* 7.
- † *Treculia Decne.* *Ann. sc. nat.* III, 8, 3.
- Tremandra verticillata *Hügel.* *Hart. Parad.* 1, 14.
- † — — — *Ann. sc. nat.* III, 15, 19, 20.
- † — — — *Payer Organogénie* 29, 30.
- † *Tremandreae R. Br.* *Payer Organogénie* 29, 30.
- Trembleya phlogiformis *DC.* *Mart. Bras.* 250.
- rosmarinoides *DC.* *Mart. Bras.* 249.
- Trepocarpus Aethusae *Nutt.* *DC. Umbelliferae* 14.
- Trevesia palmata *Vis.* *Mem. Tur.* 4, (1842.) 0.
- Trevirana candida *Decne.* *Fl. d. serres* 4, 420.
- longiflora *Regel.* hybrida, *Regel Gartenflora* 1852, 2, 13, 1854; 92.
- maculata *P. et E.* *Poepp. et Endl.* 207.
- reticulata *Regel.* hybrida, *Regel Gartenfl.* 1854, 92.

- Trevirana tenerrima *P. et E.* *Poepp. et Endl.* 207.
- urticaefolia *P. et E.* *Poepp. et Endl.* 207.
- Trevoa quinquenervia *Gill.* *Hook. Bot. Misc.* 45
- Trewia macrostachya *Klotzsch.* *Prinz Waldem. Him.* 23.
- nudiflora *L.* *Rhede Hort. mal.* 1, 42.
- † — — — *Lam. Encycl.* 466.
- † — — — *Wight Ic. pl. Ind. or.* 5, 1870, 1871.
- Triadenia microphylla *Spach.* *Ann. sc. nat.* II, 5, 4.
- † — — — *Spach Suites* 119.
- Russeggeri *Fenzl.* *Russegger Reise* 13.
- † — Sieberi *Spach.* *Ann. sc. nat.* II, 5, 5.
- † — thymifolia *Spach.* *Ann. sc. nat.* II, 5, 5.
- † — Webbii *Spach.* *Ann. sc. nat.* II, 5, 5.
- † — — — *Spach Suites* 119.
- Triaina racemosa *H. B. K.* *H. B. K. Nov. Gen.* 1, 61.
- Triangis *Aub.* *Aubert Orchid.* 49.
- Trianthema decandra *L.* *Wight Ic. pl. Ind. or.* 1, 296.
- monogyna *L.* *DC. Plantes grasses* 109.
- — — *Lam. Encycl.* 375.
- † — — — *Ann. sc. nat.* III, 18, 12.
- obcordata *Roxb.* *Wight Ic. pl. Ind. or.* 1, 288.
- † — pentandra *L.* *Gaertn. Carp.* 128.
- † — — — *Lam. Encycl.* 375.
- sedifolia *Vis.* *Visiani Aeg.* 3.
- Trias oblonga *Ldl.* *Wall. Pl. asiat.* 70.
- † *Triaspis flabellaria Juss.* *Arch. Mus.* 3, 17.
- † — hypericoides *Juss.* *Arch. Mus.* 3, 17.
- † — mozambica *Juss.* *Arch. Mus.* 3, 17.
- odorata *Juss.* *Delessert Ic.* 3, 36.
- † — — — *Arch. Mus.* 3, 17.
- † *Triathra juncea Pal. B.* *Lam. Encycl.* 910.
- Tribonanthes australis *Endl.* *Endl. Iconogr.* 109.
- Tribrachia pendula *Ldl.* *Bot. Reg.* 12, 963.
- reptans *Ldl.* *Lindley Collect.* 41.
- † *Tribulus L.* *Gray Genera* 145.
- † — alatus *Delile.* *Viviani Aeg.* 2.
- † — bimucronatus *Viv.* *Viviani Aeg.* 2.
- cistoides *L.* *Jacq. Schoenbr.* 1, 103.
- — — *Bot. Reg.* 10, 791.
- — — *Dict. sc. nat.* 123.
- — — *Gray Genera* 145.
- lanuginosus *L.* *Wight Ic. pl. Ind. or.* 1, 98.
- † — longipetalus *Viv.* *Viviani Aeg.* 2.
- maximus *L.* *Jacq. Ic.* 462.
- — — *Lam. Encycl.* 346.
- — — *Desc. Ant.* 4, 250.
- † — terrestris *L.* *Gaertn. Carp.* 69.
- — — *Schk. Handb.* 115.
- — — *Sibth. Fl. gr.* 372.
- — — *Lam. Encycl.* 346.
- — — *Rchb. Fl. germ.* 5, 161.
- † — — — *Mem. Mus.* 12, 14.
- † — — — *Viviani Aeg.* 2.
- † — — — *Payer Organogénie* 14.
- † *Tricera Sw.* *Swartz Fl. Ind. occ.* 7.
- cubana *A. Rich.* *Ramon Cuba* 71.
- † — laevigata *Sw.* *Jussieu Euphorb.* 1.
- Tricerastes glomerata *Presl.* *Presl Reliq.* 64.
- Triceratia bryonioides *A. Rich.* *Ramon Cuba* 44<sup>2</sup>.
- Trichantha major *Hook.* *Hook. Ic. pl.* 7, 667.
- minor *Hook.* *Hook. Ic. pl.* 7, 666.
- Trichaurus ericoides *Arn.* *Wight Illustr.* 24.
- — — *Jacquemont Ind.* 70.
- — — *Wight Ic. pl. Ind. or.* 1, 22.
- Trichilia bijuga *Lab.* *Bill. Sertum* 54.
- elegans *Juss.* *St. Hil. Fl. Bras.* 98.
- † — hirta *L.* *Gaertn. Carp.* 95.
- minor *A. Rich.* *Ramon Cuba* 33.
- odorata *Andr.* *Andr. Rep.* 10, 637.
- — — *Hook. Exot. Fl.* 128.
- † — pallida *Sw.* *Mem. Mus.* 19, 18.
- Prieuriana *Juss.* *Guillemin Seneg.* 30.

- Trichilia pteleaefolia* Juss. St. Hil. Fl. Bras. 99.  
 — spondioides Jacq. Jacq. Schoenbr. 1, 102.  
 † — — — Mem. Mus. 19, 18.  
 — — — Dict. sc. nat. 168, 169.  
 — trifolia L. Jacq. Hist. stirp. am. 123.  
 † — — — Gaertn. Carp. 95.  
 — — — Desc. Ant. 8, 578.  
*Trichinium alopecuroideum* Ldl. Bot. Reg. 25, 28.  
 — Manglesii Ldl. Fielding Sertum 52.  
 — obovatum Gaudich. Freycinet Voyage 49.  
 — remotiflorum Hook. Hook. Ic. pl. 6, 596.  
 — spectabile Ldl. Fielding Sertum 53.  
*Trichocentrum fuscum* Ldl. Bot. Reg. 23, 1951.  
 — — — Bot. Mag. 69, 3969.  
 — pulchrum P. et E. Poepp. et Endl. 115.  
 † *Trichocephalus stipularis* Ad. Br. Ann. sc. nat. 10, 17.  
*Trichoceros parviflorus* H. B. K. H. B. K. Nov. Gen. 1, 76.  
 — — — Lam. Encycl. 989.  
 — — — Rehb. Xenia 1, 9.  
 † — platyceros Rehb. fil. Rehb. Xenia 1, 9.  
*Trichocrepis bifida* Vis. Visiani Stirp. dalm. 7.  
 † — — — Visiani Dalm. 50.  
*Trichodesma indicum* R. Br. Wight Illustr. 172.  
*Trichodium algidum* Wahlenb. Sv. Bot. 545.  
 † — alpinum Schrad. Schrader Fl. germ. 3.  
 — — — Liljeb. Sv. Bot. 545.  
 † — caninum Schrad. Schrader Fl. germ. 3.  
 — — — Fl. dan. 9, 1443.  
 — laxiflorum Michx. Michaux Fl. 8.  
 † — — — Lam. Encycl. 908.  
 — perennans Ell. Elliott Carolina 5.  
 † — procumbens Poir. Lam. Encycl. 908.  
 † — rupestre Schrad. Schrader Fl. germ. 3.  
 † *Trichoglottis retusa* Bl. Blume Orchid. 8.  
*Tricholepis Candolleana* Wight. Hook. Companion 4.  
 † — — — Wight Illustr. 134.  
 — furcata DC. Delessert Ic. 4, 74.  
 — glaberrimum DC. Jacquemont Ind. 106.  
 — lanuginosa Klotzsch. Prinz Waldem. Him. 81.  
 — procumbens Wight. Wight Ic. pl. Ind. or. 3, 1139.  
 † *Trichomanes achilleifolium* Willd. Prager Abh. 3, 3.  
 — alatum R. Br. Curt. Lond. 4, 53.  
 — — — Sw. Hook. Ic. Fil. 1, 11.  
 † — — — Hook. Gen. Fil. 31.  
 — — — Bory. Bory Coquille 38.  
 — anceps Hook. Hook. Sp. Fil. 40.  
 — angustatum Carm. Hook. Ic. Fil. 2, 166.  
 — angustissimum Presl. Prager Abh. 6, 8.  
 — Ankersii Parker. Hook. Ic. Fil. 2, 201.  
 — apodum Hook. Hook. Ic. Fil. 1, 117.  
 — asplenioides Sw. Hedwig Fil. 11.  
 — — — Presl. Kunze Fil. 89.  
 — attenuatum Hook. Hook. Sp. Fil. 39.  
 — Bancroftii Hook. Hook. Ic. Fil. 2, 204.  
 — Belangeri Bory. Belanger Ind. or. 8.  
 — bicornis Hook. Hook. Ic. pl. 10, 982.  
 † — bifidum Vent. Prager Abh. 3, 4.  
 — bilabiatum N. et Bl. Acta Leop. 11, 1, 13.  
 — Bojeri Hook. Hook. Ic. Fil. 2, 155.  
 — Boryanum Kze. Kunze Fil. 97.  
 — brasiliense Desv. Mem. soc. Linn. Par. 6, 7.  
 — brevisetum Sm. Newman p. 305.  
 — caespitosum Hook. Hook. Sp. Fil. 40.  
 — canariense L. Jacq. Ic. 200.  
 † — capillatum Taschn. Taschen Trichomanes 1, 2.  
 — chinense L. Osbeck Reise 6.  
 — ciliatum Sw. Hedwig Fil. 10.  
 — clavatum Sw. Hedwig Fil. 9.  
 — Colensoi Hook. fil. Hook. Ic. pl. 10, 979.  
 — coriaceum Kze. Kunze Analecta 29.  
 — crinitum Sw. Hedwig Fil. 1.

- Trichomanes crispum* L. Hedwig Fil. 4.  
 — — — Hook. Ic. Fil. 1, 12.  
 — daucoides Presl. Prager Abh. 6, 7.  
 — demissum Forst. Hedwig Fil. 13.  
 — elegans Rudge. Rudge Pl. Guianae 35.  
 — — — Hook. Exot. Fl. 52.  
 — — — Hook. Gen. Fil. 108.  
 — elongatum Cunn. Hook. Ic. pl. 8, 701.  
 — emarginatum Presl. Prager Abh. 6, 5.  
 — Endlicherianum Presl. Prager Abh. 6, 5.  
 — erosum Pal. B. Pal. B. Fl. d'Oware 109.  
 — exsectum Kze. Kunze Analecta 29.  
 — floribundum H. B. Hook. Ic. Fil. 1, 9.  
 — fragile Sw. Hedwig Fil. 18.  
 — fucoides Sw. Hedwig Fil. 8.  
 — giganteum Bory. Hook. Ic. pl. 8, 702.  
 — glauco-fuscum Hook. Hook. Sp. Fil. 40.  
 † — Haenkeanum Presl. Prager Abh. 3, 3.  
 — heterophyllum Willd. Kunze Fil. 109.  
 — hirsutum L. Hedwig Fil. 12.  
 — holopterum Kze. Kunze Fil. 77.  
 — Hostmannianum Kze. Kunze Fil. 110.  
 — humile Forst. Hedwig Fil. 15.  
 — — — Hook. Ic. Fil. 1, 95.  
 — hymenoides Hedw. Hedwig Fil. 3.  
 — javanicum Bl. Hook. Ic. Fil. 2, 240.  
 — incisum Kaulf. Bory Coquille 38.  
 — intramarginale Hook. Hook. Ic. Fil. 2, 211.  
 — Krausii Hook. Hook. Ic. Fil. 2, 149.  
 — Kunzeanum Hook. Hook. Sp. Fil. 39.  
 — Lambertianum Hook. Hook. Sp. Fil. 41.  
 — lanceum Willd. Hook. Ic. Fil. 1, 33.  
 — Lindenii Presl. Prager Abh. 6, 6.  
 — lucens Sw. Hedwig Fil. 5.  
 — — — Hook. Ic. Fil. 1, 10.  
 — — — Hook. Sp. Fil. 41.  
 — macrocladum Kze. Kunze Fil. 130.  
 — mandiocanum Raddi. Raddi Fil. 79.  
 — meifolium Willd. Kaulfuss Enum. 2.  
 — melanorrhizon Hook. Hook. Ic. pl. 8, 705.  
 — membranaceum L. Hook. Exot. Fl. 76.  
 — — — Kunze Fil. 88.  
 † — minutulum Gaudich. Freycinet Voyage 12.  
 — montanum Hook. Hook. Ic. pl. 2, 187.  
 — muscoides Sw. Hook. Ic. Fil. 2, 179.  
 — parvulum Poir. Hook. Sp. Fil. 39.  
 — pedicellatum Desv. Mem. soc. Linn. Par. 6, 10.  
 — pellucens Kze. Kunze Fil. 68.  
 — Petersii A. Gray. Hook. Ic. pl. 10, 986.  
 — pilosum Raddi. Raddi Fil. 79.  
 — — — Mart. Mart. Crypt. bras. 68.  
 — pinnatum Sw. Hedwig Fil. 4.  
 — Pluma Hook. Hook. Ic. pl. 10, 997.  
 † — plumosum Kze. Prager Abh. 3, 2.  
 — polyanthos Sw. Hedwig Fil. 12.  
 — — — Hook. Hook. Ic. pl. 8, 703.  
 — proliferum Bl. Hook. Sp. Fil. 39.  
 — punctatum Poir. Hook. Ic. Fil. 2, 236.  
 — pusillum Sw. Hedwig Fil. 3.  
 — pyxidiferum L. Hedwig Fil. 3.  
 — — — Schk. Fil. 134.  
 — — — Lam. Encycl. 871.  
 — — — Hook. Ic. Fil. 2, 206.  
 — quercifolium Desv. Dict. sc. nat. 89.  
 — — — Hook. Ic. Fil. 1, 115.  
 † — radicans Sw. Prager Abh. 3, 2.  
 — — — Hook. Ic. Fil. 2, 218.  
 — reniforme Forst. Hedwig Fil. 16.  
 — — — Schk. Fil. 134.  
 — — — Hook. Ic. Fil. 1, 31.  
 — reptans Sw. Hedwig Fil. 3.  
 — — — Hook. Ic. Fil. 1, 32.

- Trichomanes rigidum* Sw. Hedwig Fil. 2.  
 — *sanguinolentum* Forst. Hedwig Fil. 14.  
 — *scandens* L. Hedwig Fil. 6.  
 † — — — Prager Abh. 3, 3.  
 † — *Schmidianum* Zenk. Taschenr. Trichomanes 1. 2.  
 — *sericeum* Sw. Hedwig Fil. 7.  
 — *sinuosum* Rich. Lam. Encycl. 871.  
 — — — Hook. Ic. Fil. 1, 13.  
 — — — Kunze Fil. 77.  
 — *Smithii* Hook. Hook. Ic. pl. 8, 704.  
 — *speciosum* Willd. Newman p. 305.  
 — — — var. *Andrewsii*, Newman p. 315.  
 — *sphenoides* Kze. Kunze Fil. 88.  
 — *spicisorum* Desv. Mag. naturf. Fr. 5, 7, fig. 7.  
 — *Spruceanum* Hook. Hook. Ic. pl. 19, 981.  
 — *strictum* Menzies. Hook. Ic. Fil. 2, 122.  
 — *tamarisciforme* Jacq. Jacq. Collect. 3, 21.  
 — *tenellum* Hedw. Hedwig Fil. 3.  
 — *trichoideum* Sw. Hook. Ic. Fil. 2, 199.  
 — *trigonum* Desv. Mem. soc. Linn. Par. 6, 9.  
 — *tunbridgense* L. Hedwig Fil. 17.  
 — — — Fl. dan. 6, 954.  
 — *undulatum* Sw. Hedwig Fil. 11, 19.  
 — *venosum* R. Br. Hook. Ic. Fil. 1, 78.  
 — *Vittaria* DC. Hook. Journal 1842, 5.  
*Trichonema Bulbocodium* Ker. Baxter Brit. Bot. 3, 202.  
 — — — Rchb. Fl. germ. 9, 354.  
 † — — — Nees Gen. 3, x.  
 — *caulescens* Ker. Bot. Mag. 34, 1392.  
 — *Columnae* Seb. et Mauri. Rchb. Fl. germ. 9, 354.  
 — *cruciatum* Ker. Bot. Mag. 16, 575.  
 — — — Lodd. Cab. 1370.  
 — *grandiscapum* Webb. Webb Canar. 222.  
 — *pubicum* Ker. Bot. Mag. 31, 1244.  
 — *pylium* Herb. Bot. Reg. 33, 40.  
 — *roseum* Ker. Bot. Mag. 30, 1225.  
 — *speciosum* Ker. Bot. Mag. 36, 1476.  
 — — — Rchb. Exot. 26.  
 — *subpalustre* Herb. Bot. Reg. 33, 40.  
*Trichopetalum gracile* Ldl. Bot. Reg. 18, 1535.  
*Trichophila tortilis* Ldl. Bot. Mag. 66, 3739.  
*Trichoporum cyperinum* Pers. Elliott Carolina 3.  
*Trichopilia alba* Wendl. fil. Regel Gartenfl. 1854, 78.  
 — *coccinea* Warscz. Paxt. Fl. G. 54.  
 — *hymenantha* Rchb. fil. Rchb. Xenia 1, 7.  
 — *marginata* Henfr. Moore Mag. 1851, p. 185.  
 — — — Lem. Jard. fl. 184.  
 — *suavis* Ldl. Paxt. Fl. G. 11.  
 — — — Bot. Mag. 78, 4654.  
 — — — Fl. d. serres 8, 761.  
 — — — Lem. Jard. fl. 3, 277.  
 — *tortilis* Ldl. Knowles et Westcott 101.  
 — — — Bot. Reg. 22, 1863.  
 — — — Maund Bot. 3, 122.  
 † *Trichopteris excelsa* Presl. Schott Gen. Fil. 1.  
 † — — — Hook. Gen. Fil. 34.  
 — — — D'Orbigny Dict. x.  
 † *Trichopus zeylanicus* Gaertn. Gaertn. Carp. 14.  
*Trichosanthes amara* L. Desc. Ant. 1, 45.  
 — — — Spach Suites 49.  
 — *anguina* L. Bot. Mag. 19, 722.  
 — — — Lam. Encycl. 794.  
 — *chinensis* Ser. Icones pl. Chinae 13.  
 — *colubrina* Jacq. Jacq. Ecl. pl. 128.  
 — — — Bot. Reg. 32, 18.  
 — — — Fl. d. serres 4, 305.  
 — *corniculata* Lam. Desc. Ant. 8, 538.  
 — *cucumerina* L. Rheede Hort. mal. 8, 15.  
 — *cuspidata* Lam. Rheede Hort. mal. 8, 16.  
 — *foetidissima* Jacq. Jacq. Ic. 624.  
 — *nervifolia* L. Rheede Hort. mal. 8, 17.  
 — *palmata* Roxb. Wight Illustr. 104, 105.  
*Trichosanthes tuberosa* Willd. Bot. Mag. 53, 2703.  
*Trichoseris alpina* P. et E. Poepp. et Endl. 263.  
 † *Trichosia pauciflora* Bl. Blume Tabellen 11.  
*Trichosma suavis* Ldl. Bot. Reg. 28, 21.  
*Trichospira menthoides* H. B. K. H. B. K. Nov. Gen. 4, 312.  
 † *Trichostema brachiata* Lam. Lam. Encycl. 515.  
 — *dichotoma* L. Barton Fl. 3, 93.  
*Trichothalamus lignosus* Lehm. Acta Leop. 10, 2, 49.  
*Tricomaria Ursillo* Hook. Hook. Bot. Misc. 101.  
 † — — — Arch. Mus. 3, 15.  
*Tricoryne elatior* R. Br. Bauer Illustr. 11.  
 — — — Endl. Iconogr. 61.  
*Tricratus admirabilis* L'her. L'heritier Monogr. x.  
 † *Tricuspidaria* Rz et P. Ruiz et Pav. Prodr. 36.  
*Tricuspis seslerioides* Torr. Torrey New York 156.  
*Tricycla spinosa* Cav. Annales de hist. nat. 5, 40.  
 — — — Cav. Ic. 598.  
*Tricyrtis elegans* Wall. Wallich Tentamen 46.  
 † *Tridesmis Billardieri* Spach. Ann. sc. nat. II, 5, 6.  
 — — — *formosa* Korth. Korthals Bot. 37.  
 † *Tridia frankenioides* Korth. Hoeven Tijdschr. 3, 1.  
*Trientalis americana* Pursh. Barton Fl. 2, 48.  
 — *europaea* L. Fl. dan. 1, 84.  
 † — — — Gaertn. Carp. 50.  
 † — — — Lam. Encycl. 275.  
 — — — Stephan Ic. pl. mosq. 8.  
 — — — Drevs 2, 65.  
 — — — Schk. Handb. 103.  
 — — — Curt. Lond. 5, 159.  
 — — — Engl. Bot. 1, 15.  
 — — — Roemer Fl. europ. 1, 3.  
 — — — Sturm Flora 5, 17.  
 — — — Lodd. Cab. 105.  
 — — — Kroker Fl. sil. 4, 5.  
 — — — Sv. Bot. 591.  
 — — — Baxter Brit. Bot. 5, 343.  
 — — — Diatr. Fl. bor. 10, 651.  
 † — — — Nees Gen. 5, 17.  
 † *Trifolium* L. Gaertn. Carp. 153.  
 † — — — Schk. Handb. 210.  
 † — — — Lam. Encycl. 613.  
 † — — — Ekart Flora von Franken 1. 2.  
 — *affine* Presl. Presl Symbolae 34.  
 — *agrarium* L. Fl. dan. 4, 558.  
 † — — — Schk. Handb. 210.  
 — — — Sturm Flora 4, 16.  
 — — — Diatr. Fl. bor. 6, 369.  
 — *alpestre* L. Fl. dan. 4, 662.  
 — — — Jacq. Observ. 64.  
 — — — Jacq. Fl. austr. 5, 433.  
 † — — — Schk. Handb. 210.  
 — — — Sturm Flora 4, 15.  
 — — — Schrank Fl. monac. 3, 255.  
 — — — Bot. Mag. 54, 2779.  
 — *alpinum* L. Sturm Flora 4, 15.  
 — *altissimum* Dougl. Hook. Bor. Am. 48.  
 — *amabile* H. B. K. H. B. K. Nov. Gen. 6, 593.  
 — *amplectens* Torr. et Gr. Hook. Beechey 78.  
 — *angulatum* W. et K. W. et Kit. 27.  
 — *angustifolium* L. Sturm Flora 4, 16.  
 — — — Sibth. Fl. gr. 749.  
 — *anomalum* Schrank. Schrank Hort. monac. 47.  
 — — — Bory. Bory et Chaub. Morée 26.  
 — *armenium* Willd. Jaubert Illustr. 139.  
 — *arrectisetum* Brot. Brotero Phytogr. 63.  
 — *arvensis* L. Fl. dan. 5, 724.  
 — — — Curt. Lond. 2, 77.  
 — — — Engl. Bot. 14, 944.  
 † — — — Gaertn. Carp. 153.  
 — — — Sturm Flora 4, 16.  
 — — — Diatr. Fl. bor. 6, 366.

- † *Trifolium aureum* Schk. Schk. Handb. 210.  
 — *badium* Schreb. Sturm Flora 4, 16.  
 — *bejariense* Moric. Mem. Genev. 6, 2.  
 — — Moricand Pl. Am. 2.  
 † — *bengalense* Gaertn. Gaertn. Carp. 153.  
 — *Bocconi* Guss. Engl. Bot. 2868.  
 — *brutium* Ten. Tenore Fl. nap. 177.  
 — *caespitosum* Sturm. Sturm Flora 8, 32.  
 — *campestre* Schreb. Sturm Flora 4, 16.  
 — *canescens* Willd. Bot. Mag. 29, 1168.  
 — — Jaubert Illustr. 140.  
 — *cernuum* Brot. Brotero Phytogr. 62.  
 — *Cherleri* L. Sibth. Fl. gr. 745.  
 — — Moris Fl. sard. 61.  
 — *ciliatum* Nutt. Journ. Ac. Philad. II, 1, 23.  
 † — *clypeatum* L. Gaertn. Carp. 153.  
 — — Sibth. Fl. gr. 751.  
 — *coeruleum* Willd. Bot. Mag. 49, 2283.  
 — *comosum* Lab. Bill. Syr. 5, 10.  
 — *cyathiferum* Ldl. Hook. Bor. Am. 50.  
 — *dalmaticum* Vis. Visiani Dalm. 45.  
 — *dasyurum* Presl. Presl Symbolae 33.  
 — *dentatum* W. et K. W. et Kit. 42.  
 — *denudatum* Nutt. Journ. Ac. Philad. II, 1, 24.  
 — *depauperatum* Desv. Desvaux Journ. 6, 32.  
 — *diffusum* Ehrh. Winterl Index 6.  
 — — W. et Kit. 50.  
 — *elegans* Savi. Savi Fl. pisana 1.  
 — *expansum* W. et K. W. et Kit. 237.  
 — *filiforme* L. Curt. Lond. 3, 112.  
 — — Engl. Bot. 18, 1257.  
 — — Fl. dan. 10, 1707.  
 — — Sturm Flora 4, 16.  
 — — Diétr. Fl. bor. 6, 371.  
 — *fmbratum* Ldl. Bot. Reg. 13, 1070.  
 — — Lodd. Cab. 1421.  
 — *flexuosum* Jacq. Jacq. Fl. austr. 4, 386.  
 † — — Schk. Handb. 210.  
 — — Schrank Fl. monac. 3, 288.  
 — *fragiferum* L. Fl. dan. 6, 1042.  
 — — Curt. Lond. 2, 122.  
 — — Engl. Bot. 15, 1050.  
 — — Sv. Bot. 714.  
 — — Sturm Flora 4, 16.  
 — — Diétr. Fl. bor. 6, 367.  
 — *fucatum* Ldl. Bot. Reg. 22, 1883.  
 — *globosum* L. Sibth. Fl. gr. 744.  
 — *glomeratum* L. Curt. Lond. 2, 47.  
 — — Engl. Bot. 15, 1063.  
 † — — Gaertn. Carp. 153.  
 — *grandiflorum* Led. Ledeb. Ic. 96.  
 — *guianense* Aubl. Aublet Guiana 309.  
 — *heterophyllum* Tratt. Tratt. Archiv 22.  
 — *hispidum* Desf. Desf. Fl. atl. 209.  
 — *hybridum* L. Sturm Flora 4, 15.  
 — — Diétr. Fl. bor. 10, 692.  
 — — Fl. dan. 10, 1706.  
 — — Sv. Bot. 129.  
 — — Bot. Mag. 65, 3702.  
 † — *incarnatum* L. Gaertn. Carp. 153.  
 † — — Schk. Handb. 210.  
 — — Sturm Flora 4, 16.  
 — — Bot. Mag. 10, 328.  
 — — Engl. Bot. 2950.  
 — — Sibth. Fl. gr. 748.  
 — *involutatum* Willd. Humb. Mimos. 53.  
 — *isthmocarpon* Brot. Brotero Phytogr. 61.  
 — *Kochianum* Hayne. Hayne 2, 34.  
 — *laevigatum* Desf. Desf. Fl. atl. 208.  
 — *lappaceum* L. Sibth. Fl. gr. 746.  
 — — Moris Fl. sard. 62.  
 — *latinum* Seb. Sebastiani Pl. rom. 1, 1.

- Trifolium latinum* Seb. Sebastiani Fl. rom. 6.  
 — *leucanthum* M. v. B. Moris Fl. sard. 62.  
 — *Lupinaster* L. Bot. Mag. 22, 879.  
 — *longestipulatum* Ebel. Ebel Montenegro 4.  
 — *macrocalyx* Hook. Hook. Ic. pl. 3, 275.  
 — *macrorrhizum* W. et K. W. et Kit. 26.  
 — *maritimum* Huds. Curt. Lond. 4, 57.  
 — — Engl. Bot. 4, 220.  
 — *mauritanicum* Willd. Sibth. Fl. gr. 742.  
 — *medium* L. Engl. Bot. 3, 190.  
 — — Fl. dan. 8, 1273.  
 — — Sv. Bot. 460.  
 — — Sturm Flora 4, 15.  
 — — Diétr. Fl. bor. 10, 693.  
 — *Melilotus* L. Nees Düsseld. 325.  
 — *messanense* L. Sibth. Fl. gr. 741.  
 — *micanthum* Viv. Viviani Lib. 19.  
 — *microdon* H. et A. Hook. Beechey 79.  
 — *minus* Sm. Engl. Bot. 18, 1256.  
 — *montanum* L. Fl. dan. 7, 1172.  
 — — Sturm Flora 4, 15.  
 — — Schrank Fl. monac. 2, 177.  
 — — Diétr. Fl. bor. 11, 763.  
 † — — Denkschr. d. Wiener Ak. 1, 3.  
 — *mutabile* Portsch. Portenschlag Dalm. 12.  
 — *nigrescens* Viv. Viviani Fl. ital. 13.  
 — *noricum* Wulf. Sturm Flora 4, 16.  
 — *obscurum* Savi. Savi Trifolium x.  
 — *obtusiflorum* H. et A. Hook. Ic. pl. 3, 281.  
 — *ochroleucum* L. Jacq. Fl. austr. 1, 40.  
 — — Curt. Lond. 2, 81.  
 — — Engl. Bot. 17, 1224.  
 — — Sturm Flora 4, 15.  
 — — Diétr. Fl. bor. 6, 365.  
 — *officinale* Sm. Engl. Bot. 19, 1340.  
 — — Sv. Bot. 69.  
 — — Hayne 2, 31.  
 — *olympicum* Hornem. Bot. Mag. 54, 2790.  
 — *ornithopodioides* L. Fl. dan. 3, 368.  
 — — Engl. Bot. 15, 1047.  
 — *pallescens* Schreb. Sturm Flora 4, 15, 8, 32.  
 — *pallidum* W. et K. W. et Kit. 36.  
 — *palustre* W. et K. W. et Kit. 266.  
 — *pannonicum* L. Allione Fl. ped. 3, 42.  
 — — Jacq. Observ. 42.  
 — — Sturm Flora 4, 15.  
 — *parviflorum* Ehrh. Winterl Index 19.  
 — — W. et Kit. 252.  
 — — Sturm Flora 4, 15.  
 — *patens* Schreb. Sturm Flora 4, 16.  
 — *Petitpierreanum* Hayne. Hayne 2, 33.  
 — *phleoides* Pourr. Moris Fl. sard. 60.  
 — *Pignantii* Fauch. Bory Morée 26.  
 — *plumosum* Dougl. Hook. Bor. Am. 49.  
 — *practutianum* Guss. Gussone Pl. rar. 51.  
 — *pratense* L. Fl. dan. 6, 989.  
 † — — (Folia.) Schmidt Sammlung 3.  
 — — Rousseau Bot. 20.  
 — — Engl. Bot. 25, 1770.  
 — — Baxter Brit. Bot. 4, 283.  
 — — Sv. Bot. 268.  
 † — — Schk. Handb. 210.  
 — — Dreves 3, 81.  
 — — Sturm Flora 4, 15.  
 — —  $\gamma$ . nivale, Sturm Flora 8, 32.  
 — — Diétr. Fl. bor. 6, 364.  
 — *procerum* Roch. Rockel Banat. 14.  
 — *procumbens* L. Fl. dan. 5, 796.  
 — — Curt. Lond. 3, 37.  
 — — Engl. Bot. 14, 945.  
 — — Sturm Flora 4, 15, 16.  
 — — Diétr. Fl. bor. 6, 370.

- Trifolium purpureum* *Lois.* Loiseleur Fl. gall. 14.  
 — *reclinatum* *W. et K.* W. et Kit. 269.  
 — *recurvum* *W. et K.* W. et Kit. 165.  
 — *reflexum* *L.* Bot. Mag. 63, 3471.  
 — *repens* *L.* Fl. dan. 6, 990.  
 — — Sv. Bot. 344.  
 — — Curt. Lond. 2, 135.  
 — — Engl. Bot. 25, 1769.  
 — — Sturm Flora 4, 15.  
 — — Schrank Fl. monac. 2, 181.  
 — — Dietr. Fl. bor. 6, 368.  
 ! — — Hoeven Tijdschr. 6, 5.  
 ! — — Schimper Symphytum 5. 6.  
 ! — — Flora 1842, 1.  
 ! — — Linnaea 15, 1.  
 ! — — Denkschr. d. Wiener Ak. 1, 3.  
 † — *resupinatum* *L.* Gaertn. Carp. 153.  
 — — Sturm Flora 4, 16.  
 — — Engl. Bot. 2789.  
 — *rigidum* *Savi.* Savi Fl. pisana 1.  
 — *rotundifolium* *Sm.* Sibth. Fl. gr. 747.  
 — *rubens* *L.* Jacq. Fl. austr. 4, 385.  
 † — — Schk. Handb. 210.  
 — — Sturm Flora 4, 15.  
 — — Dietr. Fl. bor. 6, 363.  
 — *rupestre* *Ten.* Tenore Fl. nap. 177.  
 — *saxatile* *All.* Allione Fl. ped. 3, 59.  
 — *scabrum* *L.* Curt. Lond. 1, 27.  
 — — Engl. Bot. 13, 903.  
 — — Sturm Flora 4, 16.  
 — *Sebastiani* *Savi.* Sebastiani Rom. pl. 2, 4.  
 — — Sebastiani Fl. rom. 5.  
 — *semiglabrum* *Brot.* Brotero Phytogr. 63.  
 — *spadiceum* *L.* Bot. Mag. 16, 557.  
 — — Sturm Flora 4, 16.  
 — *speciosum* *Willd.* Sibth. Fl. gr. 754.  
 — — Bory Morée 27.  
 — — Rchb. Hortus 7.  
 — *sphaerocephalum* *Desf.* Desf. Fl. atl. 209.  
 — *spicatum* *Sm.* Sibth. Fl. gr. 743.  
 † — *spumosum* *L.* Gaertn. Carp. 153.  
 — — Sibth. Fl. gr. 753.  
 — — Moris Fl. sard. 63.  
 — *squarrosium* *L.* Savi Trifolium x.  
 † — *stellatum* *L.* Gaertn. Carp. 153.  
 — — Curt. Lond. 4, 95.  
 — — Engl. Bot. 22, 1545.  
 — — Sibth. Fl. gr. 750.  
 — — Sturm Flora 4, 16.  
 — *striatum* *L.* Fl. dan. 7, 1171.  
 — — Waldst. et Kit. 25.  
 — — Engl. Bot. 26, 1843.  
 — — Sv. Bot. 616.  
 — —  $\alpha$ .  $\beta$ . Sturm Flora 4, 16.  
 — *strictum* *L.* W. et Kit. 37.  
 — — Engl. Bot. 2949.  
 — — *Sturm.* Sturm Flora 4, 15.  
 — *suaveolens* *Willd.* Willdenow Hortus 108.  
 — *subterraneum* *L.* Curt. Lond. 1, 103.  
 — — Engl. Bot. 15, 1048.  
 — *succinctum* *Vis.* Visiani Dalm. 44.  
 — *suffocatum* *L.* Jacq. Vind. 60.  
 — — Brotero Phytogr. 64.  
 — — Engl. Bot. 15, 1049.  
 — *supinum* *Savi.* Savi Trifolium x.  
 — *tenuiflorum* *Ten.* Tenore Fl. nap. 177.  
 — *tenuifolium* *Ten.* Tenore Fl. nap. 177.  
 — *Thalii* *Vill.* Vill. Dauph. 41.  
 — *tomentosum* *L.* Moris Fl. sard. 64.  
 — *triaristatum* *Bert.* Mem. Tur. 37, 4.  
 — *uniflorum* *L.* Sibth. Fl. gr. 752.  
 — — Lodd. Cab. 1882.

- Trifolium uniflorum* *L.* Sweet Fl. G. II. 200.  
 — *vesiculosum* *Savi.* Santi Viaggi 3, 8.  
 — — — Loiseleur Fl. gall. 15.  
 — — — Bot. Reg. 17, 1408.  
 — *vulgare* *Hayne.* Hayne 2, 32.  
 — *Wormskioldii* *Lehm.* Acta Leop. 14, 2, 45.  
*Triglochin Barrelieri* *Lois.* Rchb. Fl. germ. 7, 51<sup>b</sup>.  
 — *bulbosum* *L.* Jacq. Ic. 454.  
 — — — Bot. Mag. 35, 1445.  
 — — — Lodd. Cab. 1151.  
 —? *calcaratum* *Hook.* Hook. Ic. pl. 5, 416.  
 — *Calcitrapa* *Hook.* Hook. Ic. pl. 8, 731.  
 — *centrocarpum* *Hook.* Hook. Ic. pl. 8, 728.  
 — *filifolium* *Hook.* Hook. Ic. pl. 6, 579.  
 — *laxiflorum* *Guss.* Rchb. Fl. germ. 7, 51<sup>b</sup>.  
 — *maritimum* *L.* Svensk Acad. 1742, 6.  
 — — — Fl. dan. 2, 306.  
 † — — — Gaertn. Carp. 84.  
 † — — — Lam. Encycl. 270.  
 — — — Curt. Lond. 4, 99.  
 — — — Engl. Bot. 4, 255.  
 — — — Sv. Bot. 112.  
 — — — Sturm Flora 18, 78.  
 — — — Dietr. Fl. bor. 1, 50.  
 — — — Rchb. Fl. germ. 7, 52.  
 † — — — Nees Gen. 2, 23.  
 † — — — Schnizl. Iconogr. 1, 49.  
 — *montevidense* *Spr.* Endl. Bras. 8, 12.  
 — *palustre* *L.* Svensk Acad. 1742, 6.  
 — — — Fl. dan. 3, 490.  
 — — — Sv. Bot. 111.  
 — — — Curt. Lond. 4, 98.  
 — — — Engl. Bot. 6, 366.  
 — — — Baxter Brit. Bot. 1, 60.  
 — — — Lam. Encycl. 270.  
 — — — Schk. Handb. 102.  
 — — — Sturm Flora 4, 13.  
 — — — Dietr. Fl. bor. 1, 49.  
 — — — Rchb. Fl. germ. 7, 51.  
 † — — — Nees Gen. 2, 23.  
 † — — — Schnizl. Iconogr. 1, 49.  
*Trigonella anguinea* *Delile.* Delile Egypte 38.  
 — *arguta* *Vis.* Visiani Aeg. 8.  
 — *Besseriana* *DC.* Rchb. Ic. crit. 4, 344.  
 — *brachycarpa* *Moris.* Mem. Tur. 36, 8.  
 — *cachemiriana* *Camb.* Jacquemont Ind. 41.  
 — *calliceras* *Fisch.* DC. Hortus genev. 16.  
 — — — Rchb. Hortus 12.  
 — *coerulea* *DC.* Rchb. Ic. crit. 4, 343.  
 — *corniculata* *L.* Sibth. Fl. gr. 761.  
 — — — Wight Ic. pl. Ind. or. 2, 384.  
 — *dura* *Vis.* Visiani Aeg. 7.  
 — *elatiar* *DC.* Sibth. Fl. gr. 762.  
 — *Foenum graecum* *L.* Woodv. Med. 3, 154.  
 — — — Sibth. Fl. gr. 766.  
 † — — — Gaertn. Carp. 152.  
 † — — — Schk. Handb. 211.  
 † — — — Lam. Encycl. 611.  
 — — — Hayne 8, 41.  
 — — — Guimpel et Schl. 243.  
 — — — Nees Düsseld. 324.  
 — — — Wagner 209.  
 — *hamosa* *L.* Sibth. Fl. gr. 764.  
 — *hybrida* *Pourr.* DC. Ic. pl. Galliae 29.  
 — *incisa* *Royle.* Jacquemont Ind. 42.  
 — *maritima* *Delile.* Moris Fl. sard. 55.  
 — *monspeliaca* *L.* W. et Kit. 142.  
 — — — Sibth. Fl. gr. 765.  
 — *nervosa* *Klotzsch.* Prinz Waldem. Him. 1.  
 — *ornithopoides* *Lam.* Curt. Lond. 1, 58.  
 — *ovalis* *Boiss.* Boissier Esp. 51.  
 — *petiolaris* *Viv.* Viviani Lib. 18.



- Trigonella pinnatifida Cav. Cav. Ic. 38.  
 — platycarpus L. Rehb. Ic. crit. 6, 577.  
 — polycerata L. Schk. Handb. 211.  
 — prostrata DC. Moris Fl. sard. 54.  
 — ruthenica L. Lodd. Cab. 1391.  
 — spicata Sibth. Sibth. Fl. gr. 763.  
 † — spinosa L. Gaertn. Carp. 152.  
 — — — Lam. Encycl. 611.  
 — striata L. Schk. Handb. 211.  
 Trigonion crotonoides Camb. St. Hil. Fl. Bras. 105.  
 — laevis Aubl. Aublet Guiana 150.  
 † — mollis Mart. Mem. Mus. 17, 31.  
 — villosa Aubl. Aublet Guiana 149.  
 — — — Lam. Encycl. 347.  
 Trigonidium obtusum Ldl. Bot. Reg. 23, 1923.  
 Trigonostemon heteranthum Wight. Wight Ic. pl. 5, 1890.  
 Triguera ambrosiaca Cav. Cav. Diss. 11. et A.  
 — — — Lam. Encycl. 114.  
 Trilepis Lhotzkyana N. v. E. Endl. Bras. 3, 29.  
 † Trillium L. Kerner Genera 193.  
 — cernuum L. Smith Spicil. 4.  
 — — — Bot. Mag. 24, 954.  
 — — — Barton Fl. 2, 40.  
 — discolor Wray. Bot. Mag. 58, 3097.  
 — erectum L. Lam. Encycl. 267.  
 — — — Bot. Mag. 14, 470.  
 — — — album, Bot. Mag. 26, 1027.  
 — — — viridiflorum, Bot. Mag. 60, 3250.  
 — — — Lodd. Cab. 1838. 1850.  
 — erythrocarpum Michx. Bot. Mag. 22, 855.  
 — — — Bot. Mag. 57, 3002.  
 — — — Lodd. Cab. 1232.  
 — — — Sweet Fl. G. 212.  
 — — — Rehb. Exot. 86.  
 — foetidum Salisb. Salisbury Parad. 35.  
 — — — Kerner Hort. 371.  
 — Govanianum Wall. Royle Illustr. 93.  
 — grandiflorum Salisb. Salisbury Parad. 1.  
 — — — Lodd. Cab. 1349.  
 — latifolium Rafn. Rafinesque Med. 91.  
 — nervosum Ell. Lodd. Cab. 1860.  
 — obovatum Pursh. Rehb. Hortus 29.  
 — pendulum Willd. Willdenow Hortus 35.  
 — petiolatum Pursh. Hook. Bor. Am. 192.  
 — rhomboideum Michx. Red. Lil. 3, 134.  
 — — — Maund Bot. 3, 138.  
 — — — Dict. sc. nat. 48.  
 — sessile L. Bot. Mag. 2, 40.  
 — — — Red. Lil. 3, 133.  
 — — — Lam. Encycl. 267.  
 — — — Lodd. Cab. 875.  
 — — — Herb. amat. 1, 13.  
 — — — Rehb. Exot. 87.  
 Trineuron spatulatum Hook. Hook. Fl. ant. 17.  
 Trinia glaberrima Hoffm. Baxter Brit. Bot. 6, 468.  
 — glauca Rehb. Rehb. Pl. crit. 5, 442.  
 — scesoloides Led. Ledeb. Ic. 8.  
 † — vulgaris DC. Nees Gen. X, x.  
 † Triodia R. Br. Dumortier Gramin. 5.  
 — avenacea H. B. K. H. B. K. Nov. Gen. 1, 48.  
 — cuprea Jacq. Jacq. Ecl. Gram. 16.  
 — decumbens Pal. B. Baxter Brit. Bot. 6, 488.  
 — — — Sturm Flora 19, 86.  
 — — — Rehb. Fl. germ. 1, 71.  
 † — — — Nees Gen. 1, 51.  
 — kerguelensis Hook. Hook. Fl. ant. 138.  
 — pulchella H. B. K. H. B. K. Nov. Gen. 1, 47.  
 † Triolena scorpioides Naud. Ann. sc. nat. II. 16, 18.  
 † Triopteris bifurca Gaertn. Gaertn. Carp. 116.  
 † — Hiraea Gaertn. Gaertn. Carp. 116.  
 † — jamaicensis L. Gaertn. Carp. 116.  
 — indica Willd. Roxb. Corom. 160.

- Triopteris lucida H. B. K. H. B. K. Nov. Gen. 5, 451.  
 — ovata Cav. Cav. Diss. 259.  
 — — — Lam. Encycl. 382.  
 † — — — Arch. Mus. 3, 18.  
 † Triosteum perfoliatum L. Gaertn. Carp. 26.  
 — — — Lam. Encycl. 150.  
 — — — Schk. Handb. 41.  
 — — — Barton Med. 4.  
 — — — Bigelow Med. 9.  
 — — — Sweet Fl. G. II. 45.  
 † Tripetaleia paniculata Sieb. et Zucc. Münchn. Abh. 3, 3.  
 Triphasia aurantiola Risso. Risso Orangers 108.  
 Triphyllocynis Aub. Aubert Orchid. 14.  
 Triplandron lineatum Benth. Bentham Sulphur 28.  
 Triplaris americana L. Aublet Guiana 347.  
 — — — Rottboell Surinam 3.  
 — — — Lam. Encycl. 825.  
 — — — Proc. Bot. Soc. Lond. 1839, 2.  
 † Triplasis americana Pal. B. Lam. Encycl. 912.  
 Triplateia diffusa Barlt. Presl Reliq. 50.  
 Triplostegia glandulosa Wall. DC. Valerianées 5.  
 Tripogon capillatus Jaub. Jaubert Illustr. 332.  
 — festucoides Jaub. Jaubert Illustr. 333.  
 † Tripolium vulgare N. v. E. Nees Gen. X, x.  
 — — — Dict. Fl. bor. 8, 556.  
 † Tripsacum L. Linné Amoenit. 7, 2.  
 † — dactyloides L. Lam. Encycl. 750.  
 — hermaphroditum L. Linné Hort. ups. 1, 9.  
 † — — — Gaertn. Carp. 1.  
 — — — Schk. Handb. 284.  
 † — — — Lam. Encycl. 750.  
 — monostachyum Willd. Willdenow Hortus 1.  
 Tripterella capitata Michx. Michaux Fl. 3.  
 † Triptilion Rz et P. Ruiz et Pav. Prodr. 22.  
 — Achilleae DC. Delessert Ic. 4, 83.  
 — Benaventii Remy. Gay Chile 39.  
 — capillatum DC. Delessert Ic. 4, 83.  
 — cordifolium Lag. Bot. Reg. 10, 853.  
 — spinosum DC. Maund Bot. 5, 224.  
 — — — Bot. Reg. 27, 22.  
 — — — Paxt. Mag. 10, 269.  
 † — — — Ann. Mus. 19, 3.  
 † Trischidium vestitum Tul. Ann. sc. nat. II. 20, 4.  
 Trisetaria linearis Forsk. Delile Egypte 12.  
 † Trisetum Pers. Dumortier Gramin. 8.  
 — antarcticum Trin. Hook. New Zealand 68.  
 — arenarium Lab. Bill. Syr. 5, 7.  
 — aureum Ten. Tenore Fl. nap. 107.  
 — Berteroanum Kth. Humb. Gram. 142.  
 — glaciale Boiss. Boissier Esp. 175.  
 — molle Kth. Torrey New York 154.  
 † — pratense Pers. Nees Gen. 1, 46.  
 — toluccense Kth. Humb. Gram. 60.  
 — velutinum Boiss. Boissier Esp. 174.  
 † Trismeria argentea Fée. Fée Fil. 5, 14.  
 † — aurea Fée. Fée Fil. 5, 14.  
 Tristachya chrysothrix N. v. E. Humb. Gram. 141.  
 — leiostachya N. v. E. Humb. Gram. 140.  
 Tristagma dimorphopetalum Gay. Gay Chile 69 bis.  
 — nivale P. et E. Poepp. et Endl. 140.  
 Tristania macrophylla Cunn. Bot. Reg. 22, 1839.  
 — neriifolia R. Br. Bonpland Malm. 30.  
 — — — Lodd. Cab. 157.  
 — — — Dict. sc. nat. 225.  
 — — — Herb. amat. 3, 194.  
 — — — Rehb. Mag. 17.  
 — obovata R. Br. Bennett Java 27.  
 Tristegis glutinosa N. v. E. Horae berolin. 7.  
 † Tristellateia madagascariensis Poir. Arch. Mus. 3, 16.  
 Tristemma hirtum Pal. B. Pal. B. Fl. d'Oware 57.  
 † — mauritianum Juss. Lam. Encycl. 956.  
 † — Schumacheri Guill. Ann. sc. nat. III. 13, 6.

- Tristemma virusanum *Commer.* Vent. Choix 35.  
 † — virusanum *DC.* Ann. sc. nat. III. 13, 5.  
 Tristicha bryoides *Gardn.* Wight Ic. pl. Ind. or. 5, 1920.  
 — hypnoides *Tul.* Arch. Mus. 6, 10.  
 Tritelia grandiflora *Ldl.* Hook. Bor. Am. 198.  
 — laxa *Benth.* Hort. Transact. 8, 15.  
 — — — Bot. Reg. 20, 1685.  
 — porrifolia *P. et E.* Poepp. et Endl. 139.  
 — uniflora *Ldl.* Bot. Reg. 23, 1921.  
 — — — Annales de Gand 1846, 67.  
 Trithrinax brasiliensis *Mart.* D'Orbigny Voyage 10. 25.  
 † Triticum *L.* Linné Amoenit. 7, 2.  
 † — — Desvaux Journal 3, 3.  
 † — — Dumortier Gramin. 2.  
 † — — Ann. Mus. 17, 7.  
 † — — Flora 1820, 2.  
 — acutum *DC.* Fl. dan. 12, 1986.  
 † aestivum *L.* N. Comm. Gott. 5, x.  
 † album *Gaertn.* Gaertn. Carp. 81.  
 — amyleum *Ser.* Metzger Cer. 7. 8.  
 — — — Guimpel et Schl. 247.  
 — atratum *Host.* Host Gram. 308.  
 — bicornis *Forsk.* Delile Egypte 15.  
 — biunciale *Vill.* Viviani Fl. ital. 24.  
 — caninum *Schrad.* Host Gram. 125.  
 — — — Engl. Bot. 20, 1372.  
 — — — Knapp Gram. 112.  
 — — — Fl. dan. 9, 1447.  
 — — — var. *Gmelini*, Ledeb. Ic. 246.  
 — compactum *Host.* Host Gram. 307.  
 — — — Tratt. Archiv 316. 316<sup>a</sup>.  
 — compositum *Host.* Host Gram. 227.  
 — — — Tratt. Archiv 314. 314<sup>a</sup>.  
 — cristatum *Schreb.* Schreber Gräser 23.  
 — — — Host Gram. 124.  
 — — — Engl. Bot. 32, 2267.  
 — dasyanthum *Spr.* Humb. Gram. 90.  
 — — — Rehb. Ic. crit. 5, 414.  
 — desertorum *Led.* Ledeb. Ic. 246.  
 — durum *Desf.* Metzger Cer. 4.  
 — elongatum *Host.* Host Gram. 123.  
 — farectum *Viv.* Viviani Fl. ital. 26.  
 — geniculatum *Led.* Ledeb. Ic. 247.  
 — glaucum *Host.* Host Gram. 310.  
 — Halleri *Willd.* Viviani Fl. ital. 26.  
 — hispanicum *Reichard.* Viviani Fl. ital. 23.  
 — hordeiforme *Host.* Host Gram. 305.  
 — — — Tratt. Archiv 313. 313<sup>a</sup>.  
 † — hybernium *L.* Gaertn. Carp. 81.  
 — — — Woodv. Med. 5, 29.  
 — junceum *L.* Sibth. Fl. gr. 99.  
 — — — Fl. dan. 6, 916.  
 — — — Sv. Bot. 269.  
 — — — Engl. Bot. 12, 814.  
 — — — Knapp Gram. 113.  
 — — — Host Gram. 122. 233.  
 — litorale *Host.* Host Gram. 309.  
 — littoreum *Schum.* Brotero Phytogr. 97.  
 — — — Fl. dan. 11, 1863.  
 — loliaceum *Sm.* Engl. Bot. 4, 221.  
 — — — Knapp Gram. 114.  
 — — — Roemer Fl. europ. 10, 2.  
 — longearistatum *Boiss.* Jaubert Illustr. 199.  
 — maritimum *Cir.* Cirillo Pl. rar. 2, 2.  
 † — monococcum *L.* Gaertn. Carp. 81.  
 — — — Host Gram. 232.  
 — — — Tratt. Archiv 317.  
 — — — Metzger Cer. 17.  
 † — — Spach Suites 128.  
 — Nardus *DC.* Jacq. Eclogae Gram. 35.  
 — panormitanum *Boiss.* var. hispanicum, Boissier  
 Esp. 181.

- Triticum polonicum *L.* Host Gram. 231.  
 — — — Tratt. Archiv 318. 318<sup>a</sup>.  
 — — — Metzger Cer. 5: 6.  
 — ramosum *Led.* Ledeb. Ic. 245.  
 — repens *L.* Schreber Gräser 26.  
 — — — Fl. dan. 5, 748.  
 — — — Engl. Bot. 13, 909.  
 — — — Schk. Handb. 20.  
 — — — Host Gram. 121.  
 — — — Knapp Gram. 111.  
 — — — Guimpel et Schl. 22.  
 — — — Sv. Bot. 38.  
 — — — Wagner 187.  
 — — — Nees Düsseld. 32.  
 — — — Baxter Brit. Bot. 2, 112.  
 † — sativum *Lam.* Lam. Encycl. 49.  
 — — — var. turgidum, Delile Egypte 14.  
 — — — var. pyramidale, Delile Egypte 14.  
 — Spelta *L.* Host Gram. 230.  
 — — — Tratt. Archiv 315. 315<sup>a</sup>.  
 — — — Metzger Cer. 6.  
 — — — Nees Düsseld. 31.  
 — — — Guimpel et Schl. 246.  
 — tenellum *Host.* Host Gram. 126.  
 — — — *Viv.* Viviani Fl. ital. 25.  
 — turgidum *L.* Host Gram. 228.  
 — — — Metzger Cer. 23.  
 — — — Guimpel et Schl. 245.  
 — unilaterale *L.* Host Gram. 127.  
 — — — Viviani Fl. ital. 23.  
 — villosum *Host.* Host Gram. 306.  
 — — — *M. v. B.* Rehb. Fl. germ. 1, 24.  
 — violaceum *Hornem.* Fl. dan. 12, 2044.  
 — vulgare *Vill.* Host Gram. 226.  
 — — — Tratt. Archiv 312. 312<sup>a</sup>.  
 — — — Metzger Cer. 1. 2.  
 — — — Nees Düsseld. 31.  
 — — — Guimpel et Schl. 244.  
 — — — Wagner 159.  
 † — — — Nees Gen. 1, 79.  
 — Zea *Host.* Host Gram. 229.  
 Tritoma Burchellii *Herb.* Bot. Reg. 21, 1745.  
 — media *Ker.* Red. Lil. 3, 161.  
 — — — Herb. amat. 1, 57.  
 — pumila *Ker.* Bot. Mag. 20, 764.  
 — — — Lodd. Cab. 444.  
 — Uvaria *Ker.* Bot. Mag. 20, 758.  
 — — — Red. Lil. 5, 291.  
 Tritonia aurea *Pappe.* Bot. Mag. 73, 4335.  
 — — — Bot. Reg. 33, 61.  
 — — — Paxt. Mag. 15, 3.  
 — capensis *Ker.* Bot. Mag. 17, 618. 37, 1531.  
 — crispa *Ker.* Bot. Mag. 18, 678.  
 — deusta *Ker.* Bot. Mag. 17, 622.  
 — — — Kerner Hort. 276.  
 — fenestrata *Ker.* Bot. Mag. 19, 704.  
 — flava *Ker.* Bot. Reg. 9, 747.  
 — fucata *Ldl.* Bot. Reg. 24, 35.  
 — longiflora *Ker.* Bot. Mag. 37, 1502.  
 — media *Ker.* Bot. Mag. 20, 744.  
 — miniata *Ker.* Bot. Mag. 17, 609.  
 — odorata *Ldl.* Lodd. Cab. 1820.  
 — refracta *Ker.* Bot. Reg. 2, 135.  
 — rochensis *Ker.* Bot. Mag. 37, 1503.  
 — squalida *Ker.* Bot. Mag. 16, 581.  
 — tenuiflora *Ker.* Lodd. Cab. 1078.  
 — viridis *Ker.* Bot. Mag. 31, 1275.  
 Triumphetta angulata *Lam.* Wight Ic. pl. Ind. or. 2, 320.  
 — annua *L.* Bot. Mag. 49, 2296.  
 — cordifolia *A. Rich.* Guillemin Seneg. 18.  
 — Fabreana *Gaudich.* Freycinet Voyage 102.  
 — grandiflora *Vahl.* Vahl Ic. 30.

- Triumphetta grossulariacifolia *A. Rich.* Ramon Cuba 22.  
 — heterophylla *Lam.* Desc. Ant. 2, 102.  
 — Lappula *L.* Lam. Encycl. 400.  
 — — Desc. Ant. 2, 101.  
 — longicoma *St. Hil.* St. Hil. Fl. Bras. 56.  
 — micropetala *Ldl.* Bot. Reg. 13, 1058.  
 — mollissima *H. B. K.* H. B. K. Nov. Gen. 5, 488.  
 — nemoralis *St. Hil.* St. Hil. Fl. Bras. 56.  
 — oblongata *Link.* DC. Hortus genev. 17.  
 — pentandra *A. Rich.* Guillemin Seneg. 19.  
 † — Plumieri *Lam.* Gaertn. Carp. 111.  
 — rhomboidea *Jacq.* Jacq. Hist. stirp. am. 134.  
 — — *Ldl.* Lindley Collect. 29.  
 — semitriloba *L.* Jacq. Hist. stirp. am. 133.  
 — — — Jacq. Vind. 3, 76.  
 Triuris hyalina *Miers.* Linn. Transact. 19, 7.  
 † Trixago latifolia *Rehb.* Nees Gen. 5, 44.  
 † — viscosa *Rehb.* Nees Gen. 5, 44.  
 † Trixis *Sw.* Swartz Fl. Ind. occ. 26.  
 — auriculata *Hook.* Bot. Mag. 54, 2765.  
 — obvallata *Hook.* Hook. Beechey 65.  
 † — palustris *Gaertn.* Gaertn. Carp. 24.  
 — senecioides *Hook.* Hook. Exot. Fl. 101.  
 Trizeuxis falcata *Ldl.* Lindley Collect. 2.  
 — — — Hook. Exot. Fl. 126.  
 — — — Lodd. Cab. 975.  
 Trochetia grandiflora *Ldl.* Bot. Reg. 30, 21.  
 — triflora *DC.* Mem. Mus. 10, 8.  
 — — — Dict. sc. nat. 145.  
 — uniflora *DC.* Mem. Mus. 10, 7.  
 Trochocarpa laurina *R. Br.* Bot. Mag. 61, 3324.  
 Trochodendron aralioides *S. et Z.* Sieb. Fl. Jap. 39—40.  
 † Trochopteris elegans *Gardn.* Hook. Gen. Fl. 104.  
 — — — Hook. Journal 1842, 4.  
 † Trochostigma *Sieb. et Zucc.* Münchn. Abh. 3, 2.  
 † Trollius *L.* Kerner Genera 98.  
 † — — — Gray Genera 11.  
 — acaulis *Ldl.* Bot. Reg. 29, 32.  
 — americanus *Mühlenb.* Bot. Mag. 45, 1988.  
 — — — Lodd. Cab. 56.  
 — asiaticus *L.* Bot. Mag. 7, 235.  
 — — — Herb. amat. 2, 88.  
 — caucasicus *Led.* Ledeb. Ic. 345.  
 — europaeus *L.* Fl. dan. 1, 133.  
 † — — — Gaertn. Carp. 118.  
 † — — — Lam. Encycl. 499.  
 — — — Herb. amat. 1, 69.  
 — — — Engl. Bot. 1, 28.  
 — — — Sv. Bot. 383.  
 — — — Baxter Brit. Bot. 4, 241.  
 — — — Dreves 5, 136.  
 — — — Hayne 1, 12.  
 — — — Schk. Handb. 153.  
 — — — Sturm Flora 2, 5.  
 — — — Schrank Fl. monac. 1, 50.  
 — — — Dietr. Fl. bor. 6, 406.  
 — — — Rehb. Fl. germ. 4, 102.  
 — laxis *Salisb.* Gray Genera 11.  
 — — — Torrey New York 3.  
 — Ledebourii *Rehb.* Rehb. Ic. crit. 3, 272.  
 — medius *Wender.* Wenderoth Analecten 1.  
 — patulus *Salisb.* var. *a.* Delessert Ic. 1, 44.  
 Trommsdorffia aurata *Mart.* Mart. Bras. 139, 145.  
 † Tropaeolaceae *Juss.* Payer Organogénie 16.  
 † Tropaeolum *L.* Kerner Genera 54.  
 † — — — Acad. Brux. 13, 1.  
 † — — — Ann. sc. nat. III. 18, 17.  
 — aduncum *DC.* Bot. Reg. 9, 718, 10, 790.  
 — albiflorum *Ch. Lem.* Fl. d. serres 3, 241.  
 — azureum *Miers.* Mem. Tur. 37, 2.  
 — — — Bot. Mag. 69, 3985.  
 — — — Bot. Reg. 28, 65.

- Tropaeolum azureum *Miers.* Paxt. Mag. 9, 247.  
 — — — Hart. Parad. 1, 15.  
 — — — Annales de Gand 1845, 22.  
 — — — Fl. d. serres 2, 46.  
 — bicolorum *Rz et P.* Ruiz et Pav. Fl. 313.  
 — brachyceras *Hook. et Arn.* Bot. Mag. 67, 3851.  
 — — — Bot. Reg. 23, 1926.  
 — — — Poepp. et Endl. 36.  
 — — — Paxt. Mag. 4, 55.  
 — — — Fl. d. serres 4, 368.  
 — — — Sweet Fl. G. II. 370.  
 — Bridgesii *Gardn.* Fielding Sertum 39.  
 — cirrhipes *Hook.* Hook. Ic. pl. 5, 411.  
 — crenatiflorum *Hook.* Bot. Mag. 72, 4245.  
 — — — Annales de Gand 1848, 207.  
 — — — Fl. d. serres 2, 166.  
 — Deckerianum *Mor. et Karst.* Karsten Ausw. 12.  
 — — — Fl. d. serres 5, 490.  
 — — — Belgique hortie. 2, 43.  
 — dipetalum *Rz et P.* Ruiz et Pav. Fl. 313.  
 — — — Kerner Hort. 252.  
 — — — Annales de Gand 1846, 57.  
 — edule *Rz et P.* Maund Bot. 5, 248.  
 — — — Paxt. Mag. 9, 127.  
 — — — Annales de Gand 1846, 98.  
 — Fintelmanni *Wagener.* Regel Gartenfl. 2, 58.  
 — Jarrattii *Paxt.* Paxt. Mag. 5, 29.  
 — Lobbianum *Veitch.* Bot. Mag. 70, 4097.  
 — — — Paxt. Mag. 11, 271.  
 — — — Fl. d. serres 2, 3.  
 — — — var. splendens, Ann. de Gand 1848, 207.  
 — majus *L.* Bot. Mag. 1, 23.  
 — — — Woodv. Med. 3, 218.  
 — — — Dict. sc. nat. 133.  
 — — — var. Bot. Mag. 62, 3375.  
 — — — var. Sweet Fl. G. II. 204.  
 — — — var. Paxt. Mag. 1, 176, 2, 193.  
 † — — — Gaertn. Carp. 79.  
 † — — — Lam. Encycl. 277.  
 † — — — Acta Leop. 13, 2, 41.  
 † — — — Ann. Mus. 18, 24.  
 † — — — Acad. Brux. 13, 1.  
 † — — — Linn. Transact. 19, 16.  
 † — — — Hook. Journal 1843, 21, 22.  
 † — — — Hofmeister Embryo 5.  
 † — — — Ann. sc. nat. III. 18, 17.  
 † — — — Payer Organogénie 16.  
 — minus *L.* Bot. Mag. 3, 98.  
 — — — Schk. Handb. 105.  
 — Moritzianum *Klotzsch.* Link Ic. III. 17.  
 — — — Bot. Mag. 67, 3844.  
 — — — Paxt. Mag. 8, 199.  
 — — — Maund Bot. 5, 221.  
 — oxalanthum *Morr.* Annales de Gand 1848, 207.  
 — pentaphyllum *Lam.* Lam. Encycl. 277.  
 — — — St. Hil. Pl. usuelles 41.  
 — — — Lodd. Cab. 1989.  
 — — — Bot. Reg. 18, 1547.  
 — — — Bot. Mag. 59, 3190.  
 — peregrinum *L.* Lam. Encycl. 277.  
 — — — Jacq. Schoenbr. 1, 98.  
 — — — Andr. Rep. 9, 597.  
 — — — Bot. Mag. 33, 1351.  
 — — — Bot. Reg. 9, 718, 10, 790.  
 — — — Savi Fl. ital. 2, 56.  
 — — — Hart. Parad. 1, 6.  
 — — — Sweet Fl. G. II. 134.  
 — pinnatum *Ait.* Andr. Rep. 8, 535.  
 — polyphyllum *Cav.* Cav. Ic. 395.  
 — — — Poepp. et Endl. 37.  
 — — — Bot. Mag. 69, 4042.  
 — — — Paxt. Mag. 10, 175.



- Tulipa suaveolens* Roth. Bot. Mag. 22, 839. 50, 2388.  
 — — — Tratt. Archiv 28.  
 — — — Herb. amat. 2, 98.  
 — — — Spach Suites 92.  
 — tricolor Ledeb. Ledeb. Ic. 135.  
 — — — Bot. Mag. 68, 3887.  
 — turcica Roth. Sweet Fl. G. 186.  
 †*Tulipeae* DC. Schnizl. Iconogr. 1, 55.  
*Tullia pycnanthemoides* Leaveno. Silliman Journal 20, 5.  
*Tulocarpus mexicanus* Hook. Hook. Beechey 63.  
*Tunica brachypetala* Jaub. Jaubert Illustr. 5.  
 — rigida Rehb. Rehb. Fl. germ. 6, 246.  
 — Saxifraga Koch. Rehb. Fl. germ. 6, 246.  
 — — Scop. Rehb. Fl. germ. 6, 247.  
*Tupa blanda* Don. Sweet Fl. G. II. 308.  
 — crassicaulis Hook. Bot. Mag. 76, 4505.  
 — — — Lem. Jard. fl. 107.  
 — Feuillei Don. Bot. Reg. 19, 1612.  
 — persicaefolia DC. Delessert Ic. 5, 11.  
 — salicifolia Sweet. Bot. Reg. 12, 973.  
 — Schimperii Hochst. Richard Abyssin. 63.  
*Tupeia* Cham. et Sch. Korthals Tupeia x. (non vidi.)  
 — antarctica Cham. Hook. New Zealand 26.  
 — Reinwardtiana Blume. Blume Java 8, 28.  
 — umbellata Bl. Blume Java 8, 27.  
*Tupistra nutans* Wall. Bot. Reg. 15, 1223.  
 — — — Bot. Mag. 58, 3054.  
 — squalida Ker. Bot. Reg. 9, 704.  
 — — — Bot. Mag. 40, 1655.  
 — — — Lodd. Cab. 515.  
 — — — Hoeven Tijdschr. 1, 3.  
*Turczaninovia fastigiata* DC. DC. Composées 4.  
*Turgenia latifolia* Hoffm. Dietr. Fl. bor. 11, 751.  
*Turnera angustifolia* Mill. Bot. Mag. 8, 281.  
 — chamaedrifolia St. Hil. St. Hil. Fl. Bras. 122.  
 — dichotoma Gardn. Hook. Ic. pl. 6, 522.  
 — elegans Otto. Knowles et Westcott 2.  
 — frutescens Aubl. Aublet Guiana 113.  
 — genistoides St. Hil. St. Hil. Fl. Bras. 121.  
 — guianensis Aubl. Aublet Guiana 114.  
 — hermannioides St. Hil. St. Hil. Fl. Bras. 120.  
 — lutescens St. Hil. St. Hil. Fl. Bras. 119.  
 — racemosa Jacq. Jacq. Vind. 3, 94.  
 — rosea St. Hil. St. Hil. Fl. Bras. 123.  
 — rupestris Aubl. Aublet Guiana 113.  
 — sidaefolia St. Hil. St. Hil. Fl. Bras. 124.  
 — trioniflora Sims. Bot. Mag. 47, 2106.  
 — ulmifolia L. Linné Hort. Cliff. 10.  
 — — — Martyn Hist. 47.  
 † — — — Gaertn. Carp. 76.  
 † — — — Lam. Encycl. 212.  
 — — — Dict. sc. nat. 214.  
 — — — Desc. Ant. 4, 302.  
 — — — Bot. Mag. 71, 4137.  
*Turpinia laurifolia* H. B. Humb. Pl. aeq. 33.  
 — nepalensis Wall. Wight Spicil. 44.  
 — — — Wight Ic. pl. Ind. or. 3, 972.  
 — paniculata Vent. Vent. Choix 31.  
 — — — Dict. sc. nat. 273.  
*Turraea abyssinica* Hochst. Richard Abyssin. 25.  
 — glabra Cav. Cav. Diss. 204.  
 — lanceolata Cav. Cav. Diss. 205.  
 — lobata Ldl. Bot. Reg. 30, 4.  
 — maculata Sm. Smith Ic. Linn. 11.  
 — — — Lam. Encycl. 351.  
 † — — — Mem. Mus. 19, 12.  
 — pinnata Wall. Wall. Pl. asiat. 119.  
 — ? — — — Bot. Reg. 17, 1413.  
 — pubescens Hellen. Svensk Acad. 1788, 10.  
 — rigida Vent. Vent. Choix 48.  
 — sericea Sm. Smith Ic. Linn. 12.  
 — — — Kerner Hort. 278.

- Turraea tomentosa* Cav. Cav. Diss. 205.  
 — villosa Bennett. Wight Ic. pl. Ind. or. 4, 1593.  
 — virens L. Svensk Acad. 1788, 10.  
 — — — Smith Ic. Linn. 10.  
 — — — Lam. Encycl. 351.  
 †*Turritis* L. Gray Genera 59.  
 — alpina L. Brauno Fl. 2, 2.  
 — — — Engl. Bot. 25, 1746.  
 — bellidifolia All. Allione Fl. ped. 3, 18. 40.  
 — coerulea All. Allione Fl. ped. 3, 40.  
 — glabra L. Fl. dan. 5, 809.  
 — — — Curt. Lond. 3, 99.  
 — — — Engl. Bot. 11, 777.  
 — — — Baxter Brit. Bot. 6, 430.  
 — — — Sv. Bot. 399.  
 † — — — Gaertn. Carp. 143.  
 † — — — Schk. Handb. 185.  
 — — — Sturm Flora 11, 43.  
 — — — Dietr. Fl. bor. 10, 687.  
 — — — Rehb. Fl. germ. 2, 44.  
 — hirsuta L. Jacq. Ic. 126.  
 — — — Schk. Handb. 185.  
 — — — Fl. dan. 6, 1040.  
 — — — Engl. Bot. 9, 587.  
 — mollis Hook. Fl. dan. 13, 2296.  
 — patula Ehrh. W. et Kit. 59.  
 — pubescens Desf. Desf. Fl. atl. 163.  
 — Raji Vill. Vill. Dauph. 38.  
 — sagittata Jahn. Schrank Hort. monac. 99.  
 — stricta Grah. Gray Genera 59.  
*Tussilago alba* L. Fl. dan. 3, 524.  
 † — — — Schk. Handb. 242.  
 — — — Sturm Flora 6, 21.  
 — alpina L. Jacq. Fl. austr. 3, 246.  
 — — — Bot. Mag. 3, 84.  
 — — — Schk. Handb. 242.  
 — — — Lodd. Cab. 1618.  
 — Anandria L. Linné Hort. ups. 3.  
 — — — Linné Amoenit. 1, 11.  
 — discolor Jacq. Jacq. Fl. austr. 3, 247.  
 — Farfara L. Fl. dan. 4, 595.  
 — — — Woodv. Med. 1, 18.  
 — — — Curt. Lond. 3, 6.  
 — — — Engl. Bot. 6, 429.  
 — — — Baxter Brit. Bot. 2, 91.  
 — — — Sv. Bot. 2.  
 † — — — Gaertn. Carp. 170.  
 — — — Dreves 2, 49.  
 † — — — Schk. Handb. 242.  
 † — — — Lam. Encycl. 674.  
 — — — Hayne 2, 16.  
 — — — Sturm Flora 1, 2.  
 — — — Schrank Fl. monac. 4, 318.  
 — — — Nees Düsseld. 235.  
 — — — Guimpel et Schl. 25.  
 — — — Wagner 71, 72.  
 — — — Dietr. Fl. bor. 8, 544.  
 † — — — Nees Gen. X, x.  
 † — — — Flora 1853, 7.  
 — — — Rehb. Fl. germ. 16, 904.  
 — fragrans Vill. Act. soc. hist. nat. Par. 12.  
 — — — Reich Magazin 21.  
 † — — — Lam. Encycl. 674.  
 — — — Bot. Mag. 34, 1388.  
 — — — Savi Fl. ital. 1, 19.  
 — frigida L. Fl. dan. 1, 61.  
 — — — Sv. Bot. 680.  
 — — — Rafinesque Med. 92.  
 — hybrida L. Schk. Handb. 242.  
 — — — Engl. Bot. 6, 430.  
 † — — — Lam. Encycl. 674.  
 — japonica L. Kaempfer Japon. 27. 28.

- Tussilago laevigata* *Led.* Ledeb. Ic. 341.  
 — *lyrata* *Pers.* Lam. Encycl. 674.  
 — *nivea* *Hoppe.* Sturm Flora 6, 21.  
 — — — *Schrank* Fl. monac. 1, 54.  
 — *oblongifolia* *Bert.* Novi Comm. Bonon. 8, 32.  
 — *palmata* *Ait.* Aiton Hort. Kew. 3, 11.  
 — *paradoxa* *Retz.* Retzius Obs. 2, 3.  
 — — — *Sturm* Flora 6, 21.  
 — *Petasites* *L.* Fl. dan. 5, 842.  
 — — — *Sv. Bot.* 224.  
 — — — *Curt. Lond.* 3, 1, 4, 129.  
 — — — *Engl. Bot.* 6, 431.  
 † — — — *Lam. Encycl.* 674.  
 † — — — *Schk. Handb.* 242.  
 — — — *Sturm* Flora 2, 7.  
 — — — *Hayne* 2, 17, 18.  
 — — — *Nees Düsseld.* 238.  
 — *ramosa* *Hoppe.* Sturm Flora 6, 21.  
 — *silvestris* *Jacq.* Jacq. Fl. austr. 5, 12.  
 — *spuria* *Retz.* Retzius Obs. 1, 2.  
 — — — *Dreves* 5, 137.  
 — — — *Sturm* Flora 6, 21.  
 — — — *Fl. dan.* 11, 1828.  
*Tweedia coerulea* *Don.* Maund Bot. 2, 55.  
 — — — *Paxt. Mag.* 6, 125.  
 — — — *Sweet* Fl. G. II. 407.  
 — *pubescens* *Hort.* Fl. d. serres 4, 347.  
 — *versicolor* *Hook.* Bot. Mag. 65, 3630.  
*Tydaea Warscewiczii* *Regel.* Regel Gartenfl. 1854, 79.  
*Tyloma glabratum* *DC.* Gay Chile 35.  
*Tylochilus flavus* *N. v. E.* Preuss. Garten-Verein 8, 3.  
*Tylophora asthmatica* *Wight et Arn.* Wight Ic. pl. Ind. or. 4, 1277.  
 — *carnea* *Wall.* Wight Ic. pl. Ind. or. 4, 351.  
 † — *cuspidata* *Zipp.* Ann. sc. nat. II. 9, 10.  
 — *exilis* *Colebr.* Linn. Transact. 12, 16.  
 — *fasciculata* *Ham.* Wight Ic. pl. Ind. or. 3, 848.  
 — *heterophylla* *Rich.* Richard Abyssin. 71.  
 — *Iphia* *Decne.* Delessert Ic. 5, 82.  
 — — — *Wight Ic. pl. Ind. or. 4,* 1276.  
 † — — — *Wight Illustr.* 155<sup>bis</sup>.  
 — *mollissima* *W. et A.* Wight Ic. pl. Ind. or. 4, 1275.  
 — *parviflora* *W. et A.* Wight Ic. pl. Ind. or. 4, 1274.  
 — *tenuissima* *W. et A.* Wight Ic. pl. Ind. or. 2, 588.  
*Tympananthe suberosa* *Hassk.* Fl. d. serres 8, 770.  
 — — — *Belgique hort.* 2, 11.  
 † *Typha* *L.* Siebenbürger Verhandl. II. 1, 2.  
 — *angustifolia* *L.* Fl. dan. 5, 815.  
 — — — *Sv. Bot.* 234.  
 — — — *Curt. Lond.* 3, 94.  
 — — — *Engl. Bot.* 21, 1456.  
 — — — *Baxter Brit. Bot.* 5, 377.  
 † — — — *Lam. Encycl.* 748.  
 — — — *Dict. sc. nat.* 9.  
 — — — *Schk. Handb.* 281.  
 — — — *Rchb. Fl. germ.* 9, 321.  
 — *gracilis* *Suhr.* Rchb. Fl. germ. 9, 320.  
 † — *latifolia* *L.* Gaertn. Carp. 2.  
 — — — *Fl. dan.* 4, 645.  
 — — — *Curt. Lond.* 3, 93.  
 — — — *Engl. Bot.* 21, 1455.  
 — — — *Sv. Bot.* 520.  
 — — — *Schk. Handb.* 281.  
 † — — — *Lam. Encycl.* 748.  
 † — — — *Guillemin Archiv* 1, 5.  
 † — — — *Spach Suites* 93.  
 † — — — *Nees Gen.* 3, x.  
 — — — *Rchb. Fl. germ.* 9, 323.  
 — *macranthelia* *Webb.* Webb Canar. 218.  
 — *minima* *Funk.* Pollini Fl. ver. 3, 1.  
 — — — *Rchb. Fl. germ.* 9, 319.  
 — *minor* *Sm.* Engl. Bot. 21, 1437.

- Typha nana* *Avé-Lall.* Avé-Lallemant 23.  
 — — — *Rchb. Fl. germ.* 9, 319.  
 — *Shuttleworthii* *Koch.* Rchb. Fl. germ. 9, 322.  
 † *Typhaceae* *DC.* Schnizl. Iconogr. 1, 2.  
 † — — *Schnizl. Iconogr.* 1, 73.  
*Typhonium cuspidatum* *Decne.* Blume Rumphia 30.  
 † — *divaricatum* *Schott.* Blume Rumphia 36.  
 — — — *Wight Ic. pl. Ind. or.* 3, 790.  
*Tyrinnus leucographus* *Cass.* Rchb. Fl. germ. 15, 881.  
*Udora canadensis* *Nutt.* Torrey New York 125.  
 — *lithuanica* *Bess.* Rchb. Fl. germ. 7, 59.  
 — *pomeranica* *Rchb.* Rchb. Fl. germ. 7, 59.  
 — *verticillata* *Nutt.* Rchb. Fl. germ. 7, 59.  
*Ugena dichotoma* *Cav.* Anales de hist. nat. 4, 37.  
 — — — *Cav. Ic.* 594.  
 — *macrostachya* *Cav.* Anales de hist. nat. 4, 37.  
 — — — *Cav. Ic.* 594.  
 — *microphylla* *Cav.* Anales de hist. nat. 4, 38.  
 — — — *Cav. Ic.* 595.  
 — *polymorpha* *Cav.* Anales de hist. nat. 4, 38.  
 — — — *Cav. Ic.* 595.  
 — *semihastata* *Cav.* Anales de hist. nat. 4, 37.  
 — — — *Cav. Ic.* 594.  
*Ulex africanus* *Webb.* Webb Otia 29.  
 — *argenteus* *Welw.* Webb Otia 38.  
 — *bacticus* *Boiss.* Webb Otia 30.  
 — *Bourgaeanus* *Webb.* Webb Otia 31.  
 — *canthocladus* *Webb.* var. Webb Otia 35.  
 — *densus* *Welw.* Webb Otia 37.  
 — *erinaceus* *Welw.* Webb Otia 38.  
 † — *europaeus* *L.* Gaertn. Carp. 151.  
 — — — *Fl. dan.* 4, 608.  
 — — — *Engl. Bot.* 11, 742.  
 — — — *Schk. Handb.* 196.  
 — — — *Nouveau Duhamel* 1, 59.  
 — — — *Lam. Encycl.* 621.  
 — — — *Guimpel Holzger.* 123.  
 — — — *Baxter Brit. Bot.* 2, 93.  
 † — — — *Ann. sc. nat. III.* 11, 9.  
 — *Gallii* *Planch.* Ann. sc. nat. III. 11, 9.  
 — — — *Fl. d. serres* 5, 441<sup>b</sup>.  
 — *genistoides* *Brot.* Bot. Reg. 17, 1452.  
 — *iantocladus* *Webb.* Webb Otia 33.  
 — *Jussiaei* *Webb.* Webb Otia 36.  
 — *nanus* *Sm.* Engl. Bot. 11, 743.  
 † — — — *Ann. sc. nat. III.* 11, 9.  
 — *opistholepis* *Webb.* Webb Otia 36<sup>a</sup>.  
 — *parviflorus* *Pourr.* Webb Otia 29.  
 — *provincialis* *Lois.* Desvaux Journal 2, 13.  
 — — — *Loiseleur Notice* 6.  
 — *scaber* *Kunze.* Webb Otia 32.  
 — *Welwitschianus* *Planch.* Webb Otia 34.  
 — *Willkommii* *Webb.* var. Webb Otia 35.  
*Ullucus tuberosus* *Lozano.* Bot. Mag. 77, 4617.  
 — — — *Bull. Mosc.* 1851. 2, 14.  
 — — — *Lem. Jard. fl.* 221.  
 — — — *Rendic. Ac. Ncap.* 1853, x.  
 — — — *Belgique hort.* 2, 52.  
 † *Ulmaceae* *Mirb.* Schnizl. Iconogr. 2, 90.  
*Ulmaria rubra* *Hill.* Hill Hort. Kew. 7.  
*Ulmus alata* *Michx.* Michaux Arb. 3, 5.  
 † — *americana* *L.* Gaertn. Carp. 49.  
 — — — *Michaux Arb.* 3, 4.  
 — *campestris* *L.* Fl. dan. 4, 632.  
 — — — *Schk. Handb.* 57<sup>a</sup>.  
 † — — — *Lam. Encycl.* 185.  
 — — — *Nouveau Duhamel* 2, 42.  
 — — — *Dict. sc. nat.* 281.  
 — — — *Woodv. Med.* 4, 242.  
 — — — *Engl. Bot.* 27, 1886.  
 — — — *Sv. Bot.* 13.  
 — — — *Hayne* 3, 15.

- Ulmus campestris* L. Hartig 55.  
 — — — Guimpel et Schl. 26.  
 — — — Nees Düsseld. 104.  
 — — — Wagner 93. 94.  
 — — — Rehb. Fl. germ. 12, 661.  
 † — — — Spach Suites 97.  
 † — — — Nees Gen. 4, 34.  
 † — — — Schnizl. Iconogr. 2, 90.  
 — chinensis Desf. Dict. sc. nat. 282.  
 — ciliata Ehrh. Rehb. Fl. germ. 12, 666.  
 — corylifolia Host. Rehb. Fl. germ. 12, 666.  
 — effusa Willd. Hayne 3, 17.  
 — — — Hartig 57.  
 — — — Guimpel et Schl. 27.  
 — — — Nees Düsseld. 103.  
 — — — Rehb. Fl. germ. 12, 666.  
 † — — — Nees Gen. 4, 34.  
 † — — — Schnizl. Iconogr. 2, 90.  
 — excelsa Borkh. Rehb. Fl. germ. 12, 665.  
 — glabra Mill. Engl. Bot. 32, 2248.  
 — — — Rehb. Fl. germ. 12, 664.  
 — integrifolia Roxb. Roxb. Corom. 78.  
 — lanceaefolia Wall. Wall. Pl. asiat. 200.  
 — major Sm. Engl. Bot. 36, 2542.  
 — — — Rehb. Fl. germ. 12, 665.  
 — — — Belgique hortic. 2, 19.  
 — minor Mill. Rehb. Fl. germ. 12, 660.  
 — montana Sm. Engl. Bot. 27, 1887.  
 — — — Baxter Brit. Bot. 5, 386.  
 — — — Rehb. Fl. germ. 12, 662.  
 — — — Belgique hortic. 2, 20.  
 — octandra Schk. Schk. Handb. 57<sup>b</sup>.  
 — parvifolia Jacq. Jacq. Schoenbr. 3, 262.  
 — — — Dict. sc. nat. 282.  
 — pumila Pall. Pallas Fl. ross. 48.  
 — racemosa Thomas. Silliman Journal 19, 4.  
 — — — Torrey New York 96.  
 — rubra Michx. Michaux Arb. 3, 6.  
 † — — — Ann. sc. nat. III. 19, 4. 7.  
 — suberosa Ehrh. Hayne 3, 16.  
 — — — Hartig 56.  
 — — — Engl. Bot. 31, 2161.  
 — — — Rehb. Fl. germ. 12, 663.  
 † — — — Nees Gen. 4, 34.  
 — tetrandra Schk. Schk. Handb. 57<sup>b</sup>.  
 — virgata Roxb. Wall. Pl. asiat. 290.  
*Umbelliferae* Juss. Crantz Classis Umb. 1 — 6.  
 † — — — Schk. Handb. 79. 80.  
 † — — — Hoffmann Genera Umb. 1<sup>a</sup>. 1<sup>b</sup>.  
 † — — — DC. Ombellif. 19.  
 † — — — Acta Leop. 12. 1, 9 — 11.  
 † — — — Gaudin Fl. helv. 2, 3 — 9.  
 † — — — Hegetschweiler Flora 7.  
 † — — — Schimper Symphytum 6.  
 † — — — Mutel Fl. fr. 20 — 25.  
 † — — — Hook. et Arnott Britt. Fl. 1. 2. 3.  
 † — — — Cosson Atlas 13.  
 † — — — Wight Illustr. 117.  
*Umbilicus Heylandianus* Webb. Webb Canar. 26.  
 — luteus Decne. Jacquemont Ind. 73.  
 — malacophyllus DC. Bot. Mag. 70, 4098.  
 — pendulinus DC. DC. Plantae grasses 162.  
 — radicans Klotzsch. Prinz Waldem. Him. 44.  
 — sedoides DC. DC. Crassulacées 4.  
 — Sempervivum DC. Knowles et Westcott 116.  
*Unanuea febrifuga* Rz et P. Ruiz et Pay. Ined. x.  
*Uncaria acida* Roxb. Rumpf Amb. 5, 34.  
 — africana G. Don. Hook. Niger Fl. 42.  
 — — — Hook. Ic. pl. 8, 781.  
 † — attenuata Korth. Korthals Bot. 34.  
 — Gambir Hunt. Korthals Bot. 34.  
 — Hallii Korth. Korthals Bot. 33.

- Uncaria inermis* Willd. Usteri Delectus 2, 3.  
 — pilosa Roxb. Wall. Pl. asiat. 170.  
 — sclerophylla Roxb. Delessert Ic. 3, 81.  
 † *Uncinia* Pers. Wiegmann Archiv 2, 6.  
 — ferruginea Boott. Hook. New Zealand 64.  
 — Hookeri Boott. Hook. Fl. ant. 51.  
 — Kingii Boott. Hook. Fl. ant. 145.  
 — leptostachya Decne. Raoul Nouv. Zel. 5.  
 — longifolia Kth. Gay Chile 72.  
 — rubra Boott. Hook. New Zealand 64.  
 — rupestris Decne. Raoul Nouv. Zel. 5.  
 — tenuis Poepp. Kunze Car. 21.  
*Ungeria floribunda* Sch. et E. Schott et Endl. Meletem. 4.  
 † *Ungnadia* Endl. Gray Genera 178. 179.  
 — speciosa Endl. Endlicher Acta 36.  
 — — — Gray Genera 178. 179.  
 † *Uniola* L. Linné Amoenit. 7, 3.  
 — distichophylla Lab. Bill. Nov. Holl. 24.  
 — gracilis Michx. Humb. Gram. 72.  
 — lappacea Trin. Trinius Sp. Gr. 3, 298.  
 — latifolia Michx. Elliott Carolina 10.  
 — — — Dict. sc. nat. 21.  
 — spicata Willd. Trinius Sp. Gr. 3, 299.  
 — stricta Torr. Marey Exploration 20.  
 — thalassica Trin. Trinius Sp. Gr. 3, 300.  
*Unisema deltifolia* Rafin. Rafinesque Med. 93.  
*Unona acutiflora* Dun. Dunal Anon. 22.  
 — crassipetala Dun. Dunal Anon. 24.  
 — dasymaschala Bl. Blume Java 1, 27.  
 — discolor Vahl. Vahl Symbolae 36.  
 — — — var.  $\beta$ . Blume Java 1, 26. 31.  
 — fulgens Lab. Bill. Sertum 56.  
 — hamata Dun. Icones plantarum Chinae 16.  
 — leptopetala DC. Delessert Ic. 1, 88.  
 — Lessertiana Dun. Dunal Anon. 26.  
 — longiflora Dun. Roxb. Corom. 290.  
 — — — Kerner Hort. 690.  
 — lucida DC. Delessert Ic. 1, 89.  
 — nitidissima Dun. Dunal Anon. 23.  
 — penduliflora Dun. Dunal Anon. 28.  
 — uncaea Dun. Dunal Anon. 27.  
 — uncinata Dun. Dunal Anon. 12. 12<sup>a</sup>.  
 — undulata Dun. Wall. Pl. asiat. 265.  
 — violacea Dun. Dunal Anon. 25.  
 — xylopioides Dun. Dunal Anon. 21.  
*Unxia anemonifolia* H. B. K. H. B. K. Nov. Gen. 4, 402.  
 — anthemifolia Colla. Mem. Tur. 38, 32.  
 — camphorata L. fil. Miquel Surinam 56.  
 — — — Lam. Encycl. 699.  
 — digyna Steetz. Seemann Herald 30.  
 — pratensis H. B. K. H. B. K. Nov. Gen. 4, 401.  
*Urachne grandiflora* Trin. Ledeb. Ic. 221.  
*Uralepis cuprea* Kth. Humb. Gram. 68.  
 — purpurea Nutt. Humb. Gram. 67.  
 † *Urania Splitg.* Het Institut 1843, 1. 2.  
 — guianensis Rich. Acta Leop. 15. Suppl. 6. 7.  
 — Ravenala Rich. Acta Leop. 15. Suppl. 4. 5.  
 † *Uranthera variabilis* Naud. Ann. sc. nat. III. 3, 7.  
*Uraría alopecuroides* Wight. Wight Ic. pl. Ind. or. 1, 290.  
 — cordifolia Wall. Wall. Pl. asiat. 37.  
 — crinita Desv. var. macrostachya, Wall. Pl. asiat. 110.  
 — hamosa Wall. Wight Ic. pl. Ind. or. 1, 284.  
 — lagopoides DC. Royle Illustr. 33.  
 — — — Wight Ic. pl. Ind. or. 1, 289.  
 — picta Desv. Wight Ic. pl. Ind. or. 2, 411.  
 † *Urceola Vandelli.* Roemer Scriptoris 6.  
 — clastica Roxb. Asiat. Researches 5, 6.  
 — — — Wight Ic. pl. Ind. or. 2, 473.  
*Urceolana fulva* Herb. Herbert Amar. 26.  
 — lobata L. Rumpf Amb. 6, 25. fig. 2.  
 † *Urena lobata* L. Gaertn. Carp. 135.

- † *Urena lobata* *L.* Lam. Encycl. 583.  
 — — — Cav. Diss. 185.  
 — — — St. Hil. Pl. usuelles 56.  
 — — — Desc. Ant. 4, 271.  
 — — — Bot. Mag. 58, 3043.  
 † — — — Payer Organogénie 7.  
 — — — multifida *Cav.* Cav. Diss. 184.  
 — — — reticulata *Cav.* Cav. Diss. 183.  
 — — — Sieberi *Colla.* Colla Hort. Rip. 39.  
 — — — sinuata *L.* Rheede Hort. mal. 10, 2.  
 — — — Cav. Diss. 185.  
 — — — Lam. Encycl. 583.  
 — — — speciosa *Wall.* Wall. Pl. asiat. 26.  
 — — — stellipila *Lem.* Lem. Jard. f. 3, 281.  
 — — — subtriloba *Schrank.* Schrank Hort. monac. 79.  
 — — — tricuspis *Cav.* Cav. Diss. 183.  
 — — — viminea *Cav.* Cav. Diss. 184.  
*Urera* *Gaudichaudiana* *Hensl.* Jardine Annals I, 12.  
 — — — subpeltata *Miq.* Endl. Bras. 12, 66.  
*Urginea* *anthericoides* *Steinh.* Explor. Alger. 45.  
 — — — congesta *Wight.* Wight Ic. pl. Ind. or. 6, 2064.  
 — — — coromandelina *Wight.* Wight Ic. pl. Ind. or. 6, 2064.  
 — — — fugax *Steinh.* Ann. sc. nat. II, I, 14.  
 † — — — Nees Gen. 2, 47.  
 — — — indica *Kunth.* Wight Ic. pl. Ind. or. 6, 2063.  
 — — — Scilla *Steinh.* Ann. sc. nat. II, I, 14.  
 † — — — Nees Gen. 2, 47.  
*Urochloa* *cimicina* *Kth.* Humb. Gram. 103.  
 — — — panicoides *Pal. B.* Humb. Gram. 14.  
 — — — Trinius Sp. Gr. 2, 183.  
 † *Urodesmium* *huberioides* *Naud.* Ann. sc. nat. III, 16, 25.  
 † *Uropedium* *Lindenii* *Ad. Br.* Ann. sc. nat. III, 13, 2.  
 — — — Rchb. Xenia I, 15.  
 — — — Belgique hort. 1854, x.  
 — — — Pescatorea I, 4.  
*Uropetalum* *glaucum* *Burch.* Bot. Reg. 2, 156.  
 — — — longifolium *Ldl.* Bot. Reg. 12, 974.  
 † — — — serotinum *Ker.* Nees Gen. 2, 44.  
 — — — Rchb. Fl. germ. 10, 459.  
*Urospatha* *affinis* *Schott.* Schott Aroideae 8.  
 — — — caudata *Schott.* Schott Aroideae 9.  
 — — — Friedrichsthaliana *Schott.* Schott Aroideae 7.  
 — — — Poeppigiana *Schott.* Schott Aroideae 10.  
 † *Urostigma* *Gasp.* Rendiconto Acad. Neap. 1844, 7.  
 — — — acrocarpum *Miq.* Hook. Journal 1847, 22.  
 — — — bengalense *Gasp.* Wight Ic. pl. Ind. or. 6, 1989.  
 — — — calyptroceras *Miq.* Endl. Bras. 12, 27.  
 — — — cestriofolium *Miq.* Endl. Bras. 12, 28.  
 — — — dasycarpum *Miq.* Hook. Journal 1847, 23.  
 — — — elegans *Miq.* Hook. Journal 1848, 13.  
 — — — euomphalum *Miq.* Endl. Bras. 12, 31.  
 — — — eximium *Miq.* Endl. Bras. 12, 27.  
 — — — Gardnerianum *Miq.* Endl. Bras. 12, 27.  
 — — — geminum *Miq.* Endl. Bras. 12, 28.  
 — — — hirsutum *Miq.* var. fuliginea, Endl. Bras. 12, 30.  
 — — — leucostictum *Miq.* Endl. Bras. 12, 27.  
 — — — Oerstedianum *Miq.* Seemann Herald 36.  
 — — — organense *Miq.* Endl. Bras. 12, 31.  
 — — — ottoniaefolium *Miq.* Hook. Journal 1848, 13.  
 — — — paraense *Miq.* Endl. Bras. 12, 28.  
 — — — Pohlianum *Miq.* Endl. Bras. 12, 30.  
 — — — populneum *Miq.* Hook. Journal 1847, 21.  
 — — — puberulum *Miq.* Hook. Journal 1847, 23.  
 — — — religiosum *Miq.* Wight Ic. pl. Ind. or. 6, 1967.  
 — — — rubicundum *Miq.* Hook. Journal 1848, 12.  
 — — — sapidum *Lieb.* Seemann Herald 35.  
 — — — Schimper *Miq.* Hook. Journal 1847, 22.  
 — — — subtriplinervium *Miq.* Endl. Bras. 12, 29.  
 — — — Thonningii *Miq.* Hook. Journal 1848, 13.  
 — — — Tweedianum *Miq.* Hook. Journal 1847, 21.  
 — — — Vogelii *Miq.* Hook. Journal 1848, 12.

- Ursinia* *anthemoides* *Poir.* Lam. Encycl. 716.  
 † — — — paradoxa *Gaertn.* Gaertn. Carp. 174.  
 † — — — Lam. Encycl. 716.  
 — — — pilifera *Poir.* Lam. Encycl. 716.  
 † *Urtica* *L.* Slevogt Diss. Urtica 1.  
 — — — acerifolia *Zenk.* Zenker Fl. ind. 3 — 4.  
 — — — aestuans *L.* Jacq. Schoenbr. 3, 388.  
 — — — alienata *Roxb.* Wight Ic. pl. Ind. or. 2, 693.  
 — — — arborea *L.* L'her. Stirp. 20.  
 — — — azorica *Hochst.* Seubert Fl. azor. 7.  
 — — — baccifera *L.* Jacq. Schoenbr. 3, 387.  
 — — — Andr. Rep. 7, 454.  
 — — — Desc. Ant. 6, 433.  
 — — — canadensis *L.* Schk. Handb. 289.  
 — — — caracasana *Jacq.* Jacq. Schoenbr. 3, 386.  
 — — — caravellana *Schrank.* Schrank Hort. monac. 82.  
 — — — caudata *Vahl.* Brotero Phytogr. 151.  
 — — — crenulata *Roxb.* Wight Ic. pl. Ind. or. 2, 686.  
 — — — decumana *Rumph.* Wight Ic. pl. Ind. or. 2, 689.  
 — — — dioica *L.* Fl. dan. 5, 746.  
 — — — Curt. Lond. 1, 59.  
 — — — Woodv. Med. 4, 241.  
 — — — Engl. Bot. 25, 1750.  
 — — — Baxter Brit. Bot. 4, 298.  
 — — — Sv. Bot. 68.  
 † — — — Gaertn. Carp. 119.  
 † — — — Schk. Handb. 289.  
 † — — — Lam. Encycl. 761.  
 — — — Wagner 201. 202.  
 — — — Dietr. Fl. bor. 10, 691.  
 — — — Rchb. Fl. germ. 12, 654.  
 † — — — Nees Gen. 4, 28.  
 † — — — Schnizl. Iconogr. 2, 94.  
 † — — — divaricata *L.* Jacq. Fragm. 33.  
 — — — Dodartii *L.* Rchb. Fl. germ. 12, 653.  
 — — — fruticosa *Roxb.* Wight Ic. pl. Ind. or. 2, 694.  
 — — — hernarioides *Sw.* Svensk Acad. 1787, 2. fig. 1.  
 — — — heterophylla *Vahl.* Rheede Hort. mal. 2, 41.  
 — — — DC. Hortus gen. 23.  
 — — — Roxb. Wight Ic. pl. Ind. or. 2, 687.  
 — — — interrupta *L.* Rheede Hort. mal. 2, 40.  
 — — — Rumpf Amb. 6, 20.  
 — — — Roxb., Wight Ic. pl. Ind. or. 2, 692.  
 — — — involucrata *Sims.* Bot. Mag. 51, 2481.  
 — — — Roxb. Wight Ic. pl. Ind. or. 2, 685.  
 — — — lappulacea *Sw.* Svensk Acad. 1787, 2. fig. 2.  
 — — — membranacea *Poir.* Rchb. Fl. germ. 12, 652.  
 — — — morifolia *Poir.* Webb Canar. 211.  
 — — — nana *Hook.* Hook. Journal 1834, 132.  
 — — — naucleiflora *Roxb.* Wight Ic. pl. Ind. or. 2, 684.  
 — — — nivea *L.* Rumpf Amb. 5, 79.  
 — — — Jacq. Vind. 166.  
 — — — Gil et Xarez 7.  
 — — — nummulariaefolia *Sw.* Svensk Acad. 1787, 1. fig. 2.  
 — — — parviflora *Roxb.* Wight Ic. pl. Ind. or. 2, 690.  
 — — — pellucida *Lab.* Bill. Scrtum 80.  
 — — — pentandra *Roxb.* Wight Ic. pl. Ind. or. 2, 696.  
 — — — pilulifera *L.* Engl. Bot. 3, 148.  
 † — — — Lam. Encycl. 761.  
 † — — — Schk. Handb. 289.  
 — — — Rchb. Fl. germ. 12, 653.  
 † — — — Nees Gen. 4, 28.  
 † — — — Schnizl. Iconogr. 2, 94.  
 — — — pubescens *Led.* Eichwald Cauc. 39.  
 — — — pulcherrima *Roxb.* Wight Ic. pl. Ind. or. 2, 683.  
 — — — repens *Sw.* Svensk Acad. 1787, 1. fig. 1.  
 — — — reticulata *Sw.* Bot. Mag. 52, 2567.  
 — — — scabrella *Roxb.* Wight Ic. pl. Ind. or. 2, 691.  
 — — — stachyoides *Webb.* Webb Canar. 210.  
 — — — tenacissima *Roxb.* Wight Ic. pl. Ind. or. 2, 688.  
 — — — tuberosa *Roxb.* Wight Ic. pl. Ind. or. 2, 697.



- Urtica urens* L. Curt. Lond. 2, 4.  
 — — — Engl. Bot. 18, 1236.  
 — — — Fl. dan. 5, 739.  
 — — — Sv. Bot. 206.  
 — — — Dietr. Fl. bor. 10, 690.  
 — — — Rchb. Fl. germ. 12, 652.  
 — — — Endl. Bras. 12, 67.  
 — — — *vesicaria* Roxb. Wight Ic. pl. Ind. or. 2, 695.  
 † *Urticaceae* Endl. Schnizl. Iconogr. 2, 94.  
*Urvillea ferruginea* Ldl. Bot. Reg. 13, 1077.  
 — *glabra* St. Hil. St. Hil. Fl. Bras. 74.  
 — *ulmacea* H. B. K. H. B. K. Nov. Gen. 5, 440.  
*Usteria guineensis* Willd. Schriften naturf. Fr. 10, 2.  
 † — — — Konig Annals 1, 7.  
 — — — Hook. Niger Fl. 45.  
 — — — Hook. Ic. pl. 8, 795.  
*Usteria racemosa* Dennst. Rheede Hort. mal. 5, 5.  
*Usteria scandens* Cav. Cav. Ic. 116.  
 — — — Andr. Rep. 1, 63.  
 — — — Herb. amat. 4, 279.  
 † *Usteria volubilis* Afz. Arzelius Gen. guin. x.  
*Usubis triphylla* Burm. Burmann Fl. ind. 32.  
*Utricularia affinis* Wight. Wight Ic. pl. Ind. or. 4, 1580.  
 — *alpina* L. Hook. Exot. Fl. 198.  
 — *aphylla* Rz et P. Ruiz et Pav. Fl. 31.  
 — *arcuata* Wight. Wight Ic. pl. Ind. or. 4, 1571.  
 — *bifida* L. Osbeck Reise 3.  
 — — — Wight Ic. pl. Ind. or. 4, 1584.  
 — *brachypoda* Wight. Wight Ic. pl. Ind. or. 4, 1578.  
 — *coerulea* L. Wight Ic. pl. Ind. or. 4, 1583.  
 — *conferta* Wight. Wight Ic. pl. Ind. or. 4, 1575.  
 — *diantha* R. et Sch. Wight Ic. pl. Ind. or. 4, 1569.  
 — *dichotoma* Lab. Bill. Nov. Holl. 8.  
 — *fasciculata* Roxb. Wight Ic. pl. Ind. or. 4, 1568.  
 — *Fockeana* Mig. Miquel Surinam 40.  
 — *geminiloba* Benj. Endl. Bras. 9, 20.  
 — *globulariaefolia* Mart. Endl. Bras. 9, 21. 22.  
 — *glochidiata* Wight. Wight Ic. pl. Ind. or. 4, 1581.  
 — *Griffithii* Wight. Wight Ic. pl. Ind. or. 4, 1576.  
 — *Humboldtii* Schomb. Preuss. Gart. Verein 15, 3.  
 — — — Annales de Gand 1845, 34.  
 — *humilis* Vahl. Wight Ic. pl. Ind. or. 4, 1572.  
 — *inflexa* Forsk. Delile Egypte 4.  
 — *intermedia* Hayne. Schrader Journal 1800. 1, 5.  
 — — — Dreves 3, 89.  
 — — — Sturm Flora 5, 17.  
 — — — Fl. dan. 8, 1262.  
 — — — Engl. Bot. 35, 2489.  
 — — — Cosson Atlas 18<sup>b</sup>.  
 † — — — Nees Gen. 5, 25.  
 † *macrolepis* Wight. Wight Ic. pl. Ind. or. 4, 1580.  
 — *media* Wahlenb. Sv. Bot. 561.  
 — *minor* L. Schmidel Ic. 21.  
 — — — Fl. dan. 1, 128.  
 — — — Lam. Encycl. 14.  
 † — — — Schrader Journal 1800. 1, 6.  
 — — — Engl. Bot. 4, 254.  
 — — — Sv. Bot. 585.  
 — — — Dreves 3, 90.  
 — — — Sturm Flora 5, 17.  
 † — — — Nees Gen. 5, 25.  
 — — — Cosson Atlas 18<sup>b</sup>.  
 — *montana* Jacq. Jacq. Hist. stirp. am. 8.  
 — *neglecta* Lehm. Fl. dan. 12, 1981.  
 — *nelumbifolia* Gardn. Hook. Ic. pl. 6, 505. 506.  
 — *nervosa* Weber. Endl. Bras. 9, 21. 22.  
 — *nivea* Vahl. Wight Ic. pl. Ind. or. 4, 1582.  
 — *palatina* Weber. Endl. Bras. 9, 20. 22.  
 — *pedicellata* Wight. Wight Ic. pl. Ind. or. 5, 1578.  
 — *punctata* Wall. Wight Ic. pl. Ind. or. 4, 1570.  
 — *racemosa* Wall. Wight Ic. pl. Ind. or. 4, 1584.  
 — *reticulata* Sm. Rheede Hort. mal. 9, 70.

- Utricularia reticulata* Sm. Smith Exot. Bot. 119.  
 — — — Wight Illustr. 143.  
 — — — Wight Ic. pl. Ind. or. 4, 1571.  
 — *Smithiana* Wight. Wight Ic. pl. Ind. or. 4, 1577.  
 — *squamosa* Wight. Wight Ic. pl. Ind. or. 4, 1579.  
 — *stellaris* L. fil. Roxb. Corom. 180.  
 — — — Wight Illustr. in Hook. 27.  
 — — — Wight Ic. pl. Ind. or. 4, 1567.  
 — *tenuis* Cav. Cav. Ic. 440.  
 — *uliginoides* Wight. Wight Ic. pl. Ind. or. 4, 1573.  
 — *uliginosa* Vahl. Wight Ic. pl. Ind. or. 4, 1574.  
 — *unifolia* Rz et P. Ruiz et Pav. Fl. 31.  
 — *vulgaris* L. Gmelin Reise 2, 32.  
 — — — Schmidel Ic. 21.  
 — — — Fl. dan. 1, 138.  
 — — — Lam. Encycl. 14.  
 — — — Engl. Bot. 4, 253.  
 † — — — Schrader Journal 1800. 1, 6.  
 † — — — Gaertn. Carp. 198.  
 — — — Schk. Handb. 3.  
 — — — Dreves 3, 88.  
 — — — Sturm Flora 4, 13.  
 — — — Sv. Bot. 572.  
 — — — Dict. sc. nat. 27.  
 — — — Baxter Brit. Bot. 5, 349.  
 — — — Cosson Atlas 18<sup>b</sup>.  
 † — — — Nees Gen. 5, 25.  
 — *Wallichiana* Wight. Wight Ic. pl. Ind. or. 4, 1572.  
*Uvaria argentea* Bl. Blume Java 1, 6. 13.  
 — *aurita* Bl. Blume Java 1, 2.  
 † — *brasiliensis* Vell. Endl. Bras. 2, 13.  
 — *Burahol* Bl. Blume Java 1, 23. 25.  
 — *cerasoides* Roxb. Roxb. Corom. 33.  
 — — — Kerner Hort. 116.  
 — *Chamae* Pal. B. Pal. B. Fl. d'Oware 83.  
 — — — Guillemin Seneg. 3.  
 — *dulcis* Dunal. Dunal Anon. 13.  
 † — *Gaertneri* DC. Lam. Encycl. 495.  
 — *grandiflora* Roxb. Wall. Pl. asiat. 121.  
 — *Hasseltii* Bl. Blume Java 1, 21.  
 — *heterocarpa* Bl. Blume Java 1, 17.  
 — *Heyneana* W. et A. Rheede Hort. mal. 5, 17.  
 — *hirsuta* Bl. Blume Java 1, 5.  
 — *humilis* Bl. Blume Java 1, 11.  
 — *javana* Dunal. Dunal Anon. 14.  
 — — — Blume Java 1, 3. 13.  
 — *latifolia* A. DC. Blume Java 1, 15. 25.  
 — *litoralis* Bl. Blume Java 1, 7.  
 — *lutea* Roxb. Roxb. Corom. 36.  
 — *macrophylla* Wall. Wall. Pl. asiat. 122.  
 † — *monilifera* Gaertn. Gaertn. Carp. 144.  
 † — — — Lam. Encycl. 495.  
 — *monopetala* Rich. Guillemin Seneg. 2.  
 — *montana* Bl. Blume Java 1, 20.  
 — *Narum* W. et A. Rheede Hort. mal. 2, 10.  
 — — — Wight Illustr. 6.  
 — *obtusa* Bl. Blume Java 1, 10. 14.  
 † — *odorata* L. Lam. Encycl. 495.  
 — — — Blume Java 1, 9. 14.  
 — *ovalifolia* Bl. Blume Java 1, 8. 14.  
 — *parviflora* Rich. Guillemin Seneg. 3.  
 — *polypyrena* Bl. Blume Java 1, 12. 14.  
 — *purpurea* Bl. Blume Java 1, 1. 13.  
 — *reticulata* Bl. Blume Java 1, 24.  
 — *rufa* Bl. Blume Java 1, 4. 13.  
 — *rugosa* Bl. Blume Java 1, 22.  
 — *sphaerocarpa* Bl. Blume Java 1, 16.  
 — *suberosa* Roxb. Roxb. Corom. 34.  
 — *tomentosa* Roxb. Roxb. Corom. 35.  
 — *trichomella* Bl. Blume Java 1, 18.  
 † — *trifoliata* Gaertn. Gaertn. Carp. 114.  
 — *virgata* Bl. Blume Java 1, 19. 25.

- Uvaria Vogelii* Hook. *fil.* Hook. Niger Fl. 17.  
 — — — Hook. Ic. pl. 8, 767.  
 — *zeylanica* L. Rumpf Amb. 2, 65. 66. 5, 42.  
 † — — — Gaertn. Carp. 114.  
 † — — — Lam. Encycl. 495.  
 — — — Desc. Ant. 6, 428.  
*Uvularia amplexifolia* L. Fl. dan. 9, 1515.  
 — — — Schk. Handb. 93.  
 — — — W. et Kit. 167.  
 — — — Lam. Encycl. 247.  
 — *chinensis* Gawl. Bot. Mag. 23, 916.  
 — — — Herb. amat. 4, 248.  
 — *cirrhusa* Thunb. Thunberg Ic. jap. 11.  
 — *flava* Sm. Smith Exot. Bot. 50.  
 — *grandiflora* Sm. Smith Exot. Bot. 51.  
 — — — Bot. Mag. 28, 1112.  
 — — — Schnizl. Iconogr. 1, 55 d.  
 — *lanuginosa* Pers. Bot. Mag. 36, 1490.  
 — *Leschenaultiana* Wall. Royle Illustr. 96.  
 — *perfoliata* L. Red. Lil. 4, 184.  
 — — — Lam. Encycl. 247.  
 — — — Smith Exot. Bot. 49.  
 — — — Bot. Mag. 24, 955.  
 — — — Barton Fl. 1, 32.  
 — *puberula* Michx. Lodd. Cab. 1260.  
 — — — Sweet Fl. G. II. 21.  
 — *rosea* Pers. Bot. Mag. 36, 1489.  
 — *sessilifolia* L. Smith Exot. Bot. 52.  
 — — — Bot. Mag. 34, 1402.  
 — — — Lodd. Cab. 1262.  
 — — — Barton Fl. 2, 55.  
 — *Smithii* Hook. Hook. Bor. Am. 189.  
 — *umbellata* Wall. Wall. Pl. asiat. 269.  
*Uwarowia chrysanthemifolia* Bge. Acad. Pet. 6, x.  
*Vaccaria grandiflora* Jaub. Jaubert Illustr. 231.  
 — *pyramidata* G. M. et Sch. Rehb. Fl. germ. 6, 245.  
*Vaccinium acuminatum* H. B. K. H. B. K. Nov. Gen. 3, 249.  
 — *affine* Wight. Wight Ic. pl. Ind. or. 4, 1190.  
 — *albiflorum* Hook. Bot. Mag. 62, 3428.  
 — *amoenum* Ait. Bot. Reg. 5, 400.  
 — — — Andr. Rep. 2, 138.  
 — — — Lodd. Cab. 774.  
 — — — Nouveau Duhamel 2, 31.  
 — *arboresum* Michx. Lodd. Cab. 1885.  
 — *Arctostaphylos* L. Andr. Rep. 1, 30.  
 — — — Bot. Mag. 25, 974.  
 — *buxifolium* Salisb. Salisbury Parad. 4.  
 — — — Bot. Mag. 24, 928.  
 — — — Lodd. Cab. 648.  
 — — — Hook. *fil.* Hook. Ic. pl. 9, 891.  
 — *caespitosum* Michx. Hook. Bor. Am. 126.  
 — — — Bot. Mag. 62, 3429.  
 — *canadense* Rich. Bot. Mag. 62, 3446.  
 — *cereum* Forst. Hook. Ic. pl. 1, 87.  
 — *confertum* H. B. K. H. B. K. Nov. Gen. 3, 250.  
 — *coriaceum* Hook. *fil.* Hook. Ic. pl. 9, 892.  
 — *corymbosum* L. Wangenheim Beitr. 30.  
 — — — Watson Dendr. 2, 123.  
 — — — Bot. Mag. 62, 3433.  
 — *crassifolium* Andr. Andr. Rep. 2, 105.  
 — — — Bot. Mag. 29, 1152.  
 — *diffusum* Ait. Bot. Mag. 39, 1607.  
 — *Donnianum* Wight. Wight Ic. pl. Ind. or. 4, 1191.  
 — *dumosum* Andr. Andr. Rep. 2, 112.  
 — — — Bot. Mag. 28, 1106.  
 — — — var. *humile*, Watson Dendr. 1, 32.  
 † — *Dunalianum* Wight. Wight Illustr. 141.  
 — — — Wight Ic. pl. Ind. or. 4, 1194.  
 — *elongatum* Wats. Watson Dendr. 2, 125.  
 — *emirne* Hook. Hook. Ic. pl. 2, 131.  
 — *empetrifolium* H. B. K. H. B. K. Nov. Gen. 3, 248.

- Vaccinium erythrinum* Hook. Bot. Mag. 78, 4688.  
 — — — Lem. Jard. fl. 4, 364.  
 — *floribundum* H. B. K. H. B. K. Nov. Gen. 3, 251.  
 — *Forbesii* Hook. Hook. Ic. pl. 4, 345.  
 — *formosum* Andr. Andr. Rep. 2, 97.  
 — *frondosum* L. Andr. Rep. 2, 140.  
 — *fuscatum* Pursh. Bot. Reg. 4, 302.  
 — *geminiflorum* H. B. K. H. B. K. Nov. Gen. 3, 252.  
 — *gilvum* Meerb. Meerburg Pl. sel. 18.  
 — *glabrum* Wats. Watson Dendr. 2, 125.  
 — *grandiflorum* Wats. Watson Dendr. 2, 125.  
 † — *Griffithianum* Wight. Wight Illustr. 141.  
 — — — Wight Ic. pl. Ind. or. 4, 1192.  
 — *hirsutum* Wight. Wight Ic. pl. Ind. or. 4, 1182.  
 — *hispidulum* L. Wangenheim Beitr. 30.  
 — — — Michaux Fl. 23.  
 — *javanicum* Hook. Hook. Ic. pl. 8, 740.  
 — *Imrayi* Hook. Hook. Ic. pl. 3, 292.  
 — *intermedium* Ruthe. Ruthe Fl. Brand. 1.  
 — — — Guimpel et Kl. 7.  
 — *ledifolium* Pohl. Pohl Bras. 123.  
 — *Leschenaultii* Wight. Wight Spicil. 128.  
 † — — — Wight Illustr. 141.  
 — — — Wight Ic. pl. Ind. or. 4, 1188.  
 † — *leucostomum* Ldl. Fl. d. serres 4, 332.  
 — *macrocarpum* Ait. Aiton Hort. Kew. 2, 7.  
 — — — Lam. Encycl. 286.  
 — — — Bot. Mag. 52, 2586.  
 — *maderense* Link. Guimpel Fr. Holzgew. 33.  
 — *Malacca* Wight. Wight Ic. pl. Ind. or. 4, 1186.  
 — *marianum* Wats. Watson Dendr. 2, 124.  
 — *meridionale* Sw. Swartz Ic. Ind. occ. 12.  
 — *minutiflorum* Wats. Watson Dendr. 2, 125.  
 — *montanum* Pohl. Pohl Bras. 125.  
 — *musciicola* Hook. Hook. Ic. pl. 8, 717.  
 — *myrtilloides* Michx. Bot. Mag. 62, 3447.  
 † — *Myrtilus* L. Gaertn. Carp. 28.  
 — — — Fl. dan. 6, 974.  
 — — — Engl. Bot. 7, 456.  
 — — — Lam. Encycl. 286.  
 — — — Nouveau Duhamel 2, 29.  
 — — — Dict. sc. nat. 69.  
 — — — Sv. Bot. 163.  
 — — — Liboschitz Petersb. 38.  
 — — — Schk. Handb. 107 a.  
 — — — Dreves 4, 113.  
 — — — Schrank Fl. monac. 3, 267.  
 — — — Guimpel Holzgew. 41.  
 — — — Nees Düsseldorf. 219.  
 — — — Guimpel et Kl. 6.  
 — — — Dietr. Fl. bor. 8, 543.  
 — *neilgherrense* Wight. Wight Spicil. 129.  
 — — — Wight Ic. pl. Ind. or. 4, 1189.  
 — *nitidum* Andr. Andr. Rep. 7, 480.  
 — — — Bot. Mag. 38, 1550.  
 — *obovatum* Wight. Wight Ic. pl. Ind. or. 4, 1193.  
 † — *odontoceram* Wight. Wight Illustr. 141.  
 — — — Wight Ic. pl. Ind. or. 4, 1187.  
 — *orientale* Sw. Weber und Mohr Beitr. 2.  
 — *ovalifolium* Sm. Hook. Bor. Am. 127.  
 — *ovatum* Pursh. Lodd. Cab. 1605.  
 — — — Bot. Reg. 16, 1354.  
 — — — Bot. Mag. 79, 4732.  
 — — — Lem. Jard. fl. 4, 424.  
 — *Oxycoccus* L. Fl. dan. 1, 80.  
 — — — Engl. Bot. 5, 319.  
 — — — Lam. Encycl. 286.  
 — — — Sv. Bot. 12.  
 — — — Schk. Handb. 107 a.  
 — — — Guimpel Holzgew. 44.  
 — *parviflorum* Andr. Andr. Rep. 2, 125.  
 — *parvifolium* Sm. Hook. Bor. Am. 128.

- Vaccinium penduliflorum* Gaudich. Freycinet Voyage 68.  
 — *pennsylvanicum* Lam. Bot. Mag. 62, 3434.  
 — *praestans* Lamb. Linn. Transact. 10, 9.  
 — *pubescens* Wormsk. Fl. dan. 9, 1516.  
 — *resinosum* Ait. Bot. Mag. 32, 1288.  
 — *Rollissoni* Hook. Bot. Mag. 77, 4612.  
 — — Lem. Jard. fl. 215.  
 — *rotundifolium* Wight. Wight Illustr. 139.  
 — *scabrum* Pohl. Pohl Bras. 124.  
 — *secundiflorum* Hook. Hook. Ic. pl. 2, 134.  
 † — *serpens* Wight. Wight Illustr. 141.  
 — — Wight Ic. pl. Ind. or. 4, 1183.  
 — *serratum* Wight. Wight Ic. pl. Ind. or. 4, 1184.  
 — *stamineum* L. var.  $\beta$ . H. B. K. Nov. Gen. 3, 253.  
 — — Andr. Andr. Rep. 4, 263.  
 — *tenellum* Ait. Watson Dendr. 1, 35.  
 — — Guimpel Fr. Holzgew. 34.  
 — *uliginosum* L. Fl. dan. 2, 231.  
 — — Sv. Bot. 331.  
 — — Engl. Bot. 9, 581.  
 — — var. Fl. dan. 14, 2469.  
 — — Sturm Flora 3, 12.  
 — — Guimpel Holzgew. 42.  
 † — *venosum* Wight. Wight Illustr. 141.  
 — — Wight Ic. pl. Ind. or. 4, 1185.  
 — *verticillatum* Wight. Wight Ic. pl. Ind. or. 4, 1181.  
 — *virgatum* Ait. Andr. Rep. 3, 181.  
 — — Watson Dendr. 1, 33, 34.  
 — — Bot. Mag. 63, 3522.  
 — *Vitis idaea* L. Fl. dan. 1, 40.  
 — — Sv. Bot. 116.  
 — — Nouveau Duhamel 2, 30.  
 — — Lam. Encycl. 286.  
 — — Liboschitz Petersb. 39.  
 — — Engl. Bot. 9, 598.  
 — — majus, Lodd. Cab. 616.  
 — — minus, Lodd. Cab. 1023.  
 — — Baxter Brit. Bot. 5, 383.  
 — — Dreves 2, 63.  
 — — Hayne 4, 19.  
 — — Guimpel Holzgew. 43.  
 — — Guimpel et Kl. 8.  
 — — Schrank Fl. monac. 3, 205.  
 — — Nees Düsseld. 220.  
 — — Dietr. Fl. bor. 5, 350.  
 † — *Wallichianum* Wight. Wight Illustr. 141.  
 — — Wight Ic. pl. Ind. or. 4, 1180.  
*Vachellia Farnesiana* Wight et Arn. Wight Ic. pl. Ind. or. 1, 300.  
 † *Vagaria parviflora* Herb. Herbert Amar. 33.  
 † *Vaginularia trichoidea* Fée. Fée Fil. 5, 9.  
*Vahea gummifera* Poir. Lam. Encycl. 169.  
 — *madagascariensis* Bojer. Acta Leop. 22, 2, 40, 41.  
*Vahlia capensis* Thunb. Thunberg Diss. 1, 2.  
 — — Lam. Encycl. 183.  
 — *oldenlandioides* Roxb. Wight Illustr. 115.  
 — — Wight Ic. pl. Ind. or. 2, 562.  
 — *viscosa* Roxb. Wight Ic. pl. Ind. or. 2, 563.  
 — *Weldeni* Rehb. Rehb. Hortus 91.  
*Vaillantia Aparines* L. Schk. Handb. 345.  
 — *articulata* L. Lam. Encycl. 843.  
 — *Cruciata* L. Sturm Flora 2, 7.  
 — — Schrank Fl. monac. 2, 171.  
 — — Lam. Encycl. 843.  
 — *cucullaria* L. Lam. Encycl. 843.  
 — *glabra* L. Schk. Handb. 345.  
 — — W. et Kit. 32.  
 — — var. Rochel Banat. 9.  
 — *hispida* L. Schk. Handb. 345.  
 — — Sibth. Fl. gr. 138.  
 — — Webb Canar. 79.  
 — *muralis* L. Sibth. Fl. gr. 137.

- Vaillantia muralis* L. Tratt. Thes. 36.  
 † — — Wight Illustr. 128<sup>bis</sup>.  
 † — — Nees Gen. X, x.  
 — *pedemontana* W. et K. W. et Kit. 33.  
 — — Bell. Mem. Tur. 5, 7.  
 — *taurica* Pall. Lodd. Cab. 1018.  
 — — Bot. Mag. 53, 2670.  
 † *Valdesia* Rz et P. Ruiz et Pav. Prodr. 11.  
*Valdivia Gayana* Remy. Gay Chile 29.  
 † *Valentinia* Sw. Swartz Fl. ind. occ. 14.  
*Valenzuela trinervis* Camb. N. Ann. Mus. 3, 14.  
 † *Valeriana* L. Abh. naturf. Ges. Halle-1853, 1—4.  
 — *alliariefolia* Vahl. Jaubert Illustr. 9.  
 — *angustifolia* Cav. Cav. Ic. 353.  
 — — Sibth. Fl. gr. 29.  
 — — Tausch. Rehb. Fl. germ. 12, 728.  
 — *Arnottiana* Wight. Wight Ic. pl. Ind. or. 3, 1045  
 — — 1046.  
 — *Berteri* Colla. Mem. Tur. 38, 21.  
 — *Brunoniana* W. et A. Wight Ic. pl. Ind. or. 3, 1043.  
 — *Calciropa* L. Rivinus Opus ined. 2.  
 — — Sibth. Fl. gr. 30.  
 — *capitata* Pall. Ledeb. Ic. 346.  
 — — Trautvetter Imag. 39.  
 — *carnosa* Sm. Smith Ic. Linn. 52.  
 — *celtica* L. Jacquin Collect. 1, 1.  
 — — Sturm Flora 11, 44.  
 — — Hayne 9, 28.  
 — — Nees Düsseld. Suppl. 59.  
 — — Wagner 137.  
 — — Rehb. Fl. germ. 12, 719.  
 — *ceratophylla* H. B. K. H. B. K. Nov. Gen. 3, 276.  
 — *chacrophyloides* Sm. Smith Ic. Linn. 53.  
 — *chinensis* L. Burmann Fl. ind. 6.  
 — *coarctata* Rz et P. Ruiz et Pav. Fl. 68.  
 — *connata* Rz et P. Ruiz et Pav. Fl. 67.  
 — *Cornucopiae* L. Sibth. Fl. gr. 32.  
 — — Bot. Reg. 2, 155.  
 — *crassifolia* H. B. K. H. B. K. Nov. Gen. 3, 274.  
 — *decussata* Rz et P. Ruiz et Pav. Fl. 70.  
 — *dentata* Willd. Engl. Bot. 20, 1370.  
 — *dioica* L. Fl. dan. 4, 687.  
 — — Curt. Lond. 4, 34.  
 — — Engl. Bot. 9, 628.  
 — — Dict. sc. nat. 97.  
 — — Hayne 3, 31.  
 — — Sturm Flora 3, 9.  
 — — Schrank Fl. monac. 2, 127.  
 — — Rehb. Fl. crit. 1, 59.  
 — — Rehb. Fl. germ. 12, 724.  
 — — Dietr. Fl. bor. 6, 402.  
 — — Schmisz. Iconogr. 3, 118.  
 † — — Nees Gen. X, x.  
 — *Dioscoridis* Sm. Sibth. Fl. gr. 33.  
 — — Hayne 9, 29.  
 — *dubia* Led. Ledeb. Ic. 350.  
 — *clongata* L. Jacq. En. vind. 1.  
 — — Jacq. Fl. austr. 3, 219.  
 — — Sturm Flora 13, 54.  
 — — Rehb. Fl. germ. 12, 720.  
 — *glauca* P. et E. Poepp. et Endl. 219.  
 — *globiflora* Rz et P. Ruiz et Pav. Fl. 65.  
 — *globulariaefolia* Ram. Rehb. Fl. germ. 21, 723.  
 — *Hardwickii* Wall. Wall. Pl. asiat. 263.  
 — *heterophylla* Lois. Loiseleur Fl. gall. 2.  
 † — *Hookeri* Shuttl. Flora 1837, 2.  
 — *Hookeriana* W. et A. Wight Illustr. 129.  
 — *Hoppii* Rehb. Rehb. Fl. germ. 12, 722.  
 — *hyalinorrhiza* Rz et P. Ruiz et Pav. Fl. 67.  
 — *Jatamansi* Jones. Lambert Cinchona x.  
 — — Berl. Jahrbuch 1823, 1.  
 — — Hayne 9, 27.

- Valeriana interrupta* *Rz et P.* Ruiz et Pav. Fl. 67.  
 — *laciniata* *Rz et P.* Ruiz et Pav. Fl. 69.  
 — *laxiflora* *DC.* Poepp. et Endl. 218.  
 — *Leschenaultii* *DC.* Wight Ic. pl. Ind. or. 3, 1044.  
 — *léucocarpa* *DC.* Poepp. et Endl. 216.  
 — *Locusta* *L.* Lam. Encycl. 24.  
 — — — Engl. Bot. 12, 811.  
 — — — Sv. Bot. 232.  
 — *macrorrhiza* *P. et E.* Poepp. et Endl. 214.  
 — *magellanica* *Homb.* Richard Astrolabe 16.  
 — *microphylla* *H. B. K.* H. B. K. Nov. Gen. 3, 273.  
 — *montana* *L.* Jacq. Fl. austr. 3, 269.  
 — — — Lodd. Cab. 317.  
 — — — Bot. Mag. 43, 1825.  
 — — — var. *parviflora*, Avé-Lallemant 1.  
 — — — Rchb. Fl. germ. 12, 721.  
 — — — Schweizer Denkschr. 5, 6.  
 † — *oblongifolia* *Rz et P.* Ruiz et Pav. Fl. 65.  
 — *officinalis* *L.* Fl. dan. 4, 570.  
 — — — Woodv. Med. 1, 32.  
 — — — Curt. Lond. 3, 135.  
 — — — Engl. Bot. 10, 698.  
 — — — Lam. Encycl. 24.  
 — — — Spach Suites 104.  
 — — — Sv. Bot. 25.  
 — — — var. *simplicifolia*, Ledeb. Ic. 363.  
 — — — Schk. Handb. 5<sup>a</sup>.  
 — — — Hayne 3, 32.  
 — — — Schrank Fl. monac. 2, 178.  
 — — — Sturm Flora 3, 9.  
 — — — Nees Düsseld. 253.  
 — — — Guimpel et Schl. 4.  
 — — — Wagner 20.  
 — — — Dietr. Fl. bor. 4, 266.  
 — — — Rchb. Fl. germ. 12, 727.  
 † — — — Nees Gen. X, x.  
 † — — — Schnizl. Iconogr. 3, 118.  
 — *olitoria* *L.* Fl. dan. 5, 738.  
 — — — Sturm Flora 1, 2.  
 — *paniculata* *Rz et P.* Ruiz et Pav. Fl. 70.  
 — — — Desc. Ant. 5, 354.  
 — *pauciflora* *Michx.* Hook. Bor. Am. 101.  
 † — — — Flora 1837, 2.  
 — *Pavonii* *P. et E.* Poepp. et Endl. 215.  
 — *petrophila* *Bunge.* Ledeb. Ic. 19.  
 — *Phu* *L.* Hayne 3, 33.  
 — — — Nees Düsseld. Suppl. 57, 58.  
 — — — Rchb. Fl. germ. 12, 725.  
 — *pilosa* *Rz et P.* Ruiz et Pav. Fl. 66.  
 — *pinnatifida* *Rz et P.* Ruiz et Pav. Fl. 69.  
 — *polystachya* *Sm.* Smith Ic. Linn. 51.  
 — *pyrenaica* *L.* Engl. Bot. 23, 1591.  
 — *pyrolaeifolia* *Decne.* Jacquemont Ind. 93.  
 — *rigida* *Rz et P.* Ruiz et Pav. Fl. 65.  
 — *rotundifolia* *Sibth.* Sibth. Fl. gr. 31.  
 — *Roylei* *Klotzsch.* Prinz Waldem. Him. 85.  
 — *rubra* *L. β.* Rivinus Opus ined. 1.  
 † — — — Gaertn. Carp. 86.  
 — — — Lam. Encycl. 24.  
 — — — Engl. Bot. 22, 1531.  
 — — — Baxter Brit. Bot. 2, 90.  
 — *rupicola* *Lag.* Poepp. et Endl. 217.  
 — *ruthenica* *Willd.* Bot. Mag. 49, 2325.  
 — *saliunca* *All.* Allione Fl. ped. 3, 70.  
 — — — Rchb. Fl. germ. 12, 719.  
 — *sambucifolia* *Mik.* Rchb. Fl. germ. 12, 726.  
 — *sanguisorbaefolia* *Cav.* Cav. Ic. 456.  
 — *saxatilis* *L.* Jacq. Fl. austr. 3, 267.  
 — — — Rchb. Fl. germ. 12, 720.  
 — *sedoides* *D'Urv.* Richard Astrolabe 16.  
 — *serrata* *Rz et P.* Ruiz et Pav. Fl. 68.  
 — *sibirica* *L.* Lam. Encycl. 24.

- Valeriana sibirica* *L.* Bot. Mag. 19, 714.  
 — *silvatica* *Banks.* Torrey New York 45.  
 — *sisymbrifolia* *Vahl.* Ann. Mus. 11, 28.  
 — — — Desf. Choix 41.  
 — *spatulata* *Rz et P.* Ruiz et Pav. Fl. 68.  
 — *supina* *L.* Jacq. Misc. 2, 17.  
 — — — Arduino Anim. 2, 3.  
 — — — Roemer Fl. europ. 3, 5.  
 — — — Sturm Flora 6, 24.  
 — — — Rchb. Fl. germ. 12, 719.  
 — *tenuifolia* *Rz et P.* Ruiz et Pav. Fl. 65.  
 — *tripteris* *L.* Jacq. Fl. austr. 3, 268.  
 — — — Sturm Flora 11, 44.  
 — — — Schrank Fl. monac. 4, 385.  
 — — — Zollikofer Alpenfl. 2.  
 — — — Rchb. Fl. germ. 12, 722.  
 — *tuberosa* *L.* Sturm Flora 13, 54.  
 — — — Rchb. Fl. germ. 12, 723.  
 — *urticaefolia* *H. B. K.* H. B. K. Nov. Gen. 3, 275.  
 — *vesicaria* *Willd.* Sibth. Fl. gr. 34.  
 — *villosa* *Thunb.* Thunberg Fl. jap. 6.  
 — *virgata* *Rz et P.* Ruiz et Pav. Fl. 66.  
 — *Wallichii* *DC.* DC. Valerianées 4.  
 † *Valerianella* *Moench.* Schnizl. Iconogr. 3, 118.  
 † — *Auricula* *DC.* Betcke Monogr. 1.  
 † — — — DC. Valerianées 3.  
 † — — — Guillemain Arch. 2, 20.  
 † — — — Mutel Fl. fr. 25.  
 † — — — Cosson Atlas 24.  
 † — — — Nees Gen. X, x.  
 — — — Dietr. Fl. bor. 6, 412.  
 — — — Rchb. Fl. germ. 12, 709.  
 — *campanulata* *Presl.* Rchb. Fl. germ. 12, 713.  
 † — *carinata* *Lois.* Betcke Monogr. 1.  
 † — — — DC. Valerianées 3.  
 † — — — Guillemain Arch. 2, 20.  
 † — — — Mutel Fl. fr. 25.  
 † — — — Cosson Atlas 24.  
 † — — — Nees Gen. X, x.  
 — — — Rchb. Fl. germ. 12, 708.  
 † — *coronata* *DC.* Betcke Monogr. 1.  
 † — — — Guillemain Arch. 2, 20.  
 † — — — Mutel Fl. fr. 26.  
 † — — — Cosson Atlas 24.  
 — — — Nees Gen. X, x.  
 — — — Rchb. Fl. germ. 12, 715.  
 — *congesta* *Ldl.* Bot. Reg. 13, 1094.  
 † — *costata* *Stev.* Betcke Monogr. 1.  
 † — *dentata* *Koch et Ziz.* Betcke Monogr. 1.  
 † — — — Guillemain Arch. 2, 20.  
 † — — — Cosson Atlas 24.  
 — — — Rchb. Fl. germ. 12, 710.  
 † — *discoidea* *Lois.* Guillemain Arch. 2, 20.  
 † — — — Betcke Monogr. 1.  
 † — *echinata* *DC.* Betcke Monogr. 1.  
 † — — — Guillemain Arch. 2, 20.  
 † — — — Mutel Fl. fr. 26.  
 — — — Rchb. Fl. germ. 12, 714.  
 — *criocarpa* *Desv.* Loiseleur Notice 3.  
 † — — — Betcke Monogr. 1.  
 † — — — DC. Valerianées 3.  
 † — — — Guillemain Arch. 2, 20.  
 † — — — Mutel Fl. fr. 25.  
 † — — — Cosson Atlas 24.  
 — — — Rchb. Fl. germ. 12, 712, 713.  
 — *criosperma* *Lois.* Loiseleur Notice 3.  
 — — — Desvaux Journal 2, 11.  
 † — *gibbosa* *DC.* DC. Valerianées 3.  
 † — *hamata* *DC.* DC. Valerianées 3.  
 — — — Rchb. Fl. germ. 12, 715.  
 † — *lasiocephala* *Betcke.* Betcke Monogr. 1.  
 † — *Locusta* *L.* Betcke Monogr. 1.

- † *Valerianella membranacea* *Lois.* Mutel Fl. fr. 26.  
 † — *microcarpa* *Lois.* Betcke Monogr. 1.  
 † — — — *Guillemin* Arch. 2, 20.  
 † — — — Mutel Fl. fr. 25.  
 — — — *Rehb.* Fl. germ. 12, 709.  
 † — *Morisonii* *DC.* Mutel Fl. fr. 25.  
 † — — — *Nees* Gen. X, x.  
 — — — *olitoria* *Moench.* Curt. Lond. 1, 65.  
 — — — *Sturm* Flora 1, 2.  
 — — — *Rehb.* Fl. germ. 12, 708.  
 † — — — *DC.* *Valerianées* 3.  
 † — — — *Guillemin* Arch. 2, 20.  
 † — — — Mutel Fl. fr. 25.  
 † — — — *Cosson* Atlas 24.  
 † — — — *Nees* Gen. X, x.  
 † — — *platyloba* *Duf.* *DC.* *Valerianées* 3.  
 — — — *puberula* *DC.* *Rehb.* Fl. germ. 12, 709. 713.  
 † — — — *pumila* *DC.* Betcke Monogr. 1.  
 † — — — *Guillemin* Arch. 2, 20.  
 — — — *Rehb.* Fl. germ. 12, 711.  
 † — — *radiata* *Michx.* Betcke Monogr. 1.  
 † — — — *Flora* 1837, 1.  
 † — — *tridentata* *Stev.* Betcke Monogr. 1.  
 † — — — Mutel Fl. fr. 25.  
 — — — *Rehb.* Fl. germ. 12, 711.  
 † — — *triquetra* *Hochst.* *Flora* 1837, 1.  
 † — — *truncata* *Rehb.* Betcke Monogr. 1.  
 † — — *turgida* *Stev.* Betcke Monogr. 1.  
 † — — *uncinata* *M. v. B.* *DC.* *Valerianées* 3.  
 † — — — Betcke Monogr. 1.  
 † — — *vesicaria* *Moench.* *DC.* *Valerianées* 3.  
 † — — — *Guillemin* Arch. 2, 20.  
 † — — — Betcke Monogr. 1.  
 † — — — Mutel Fl. fr. 26.  
 — — — *Rehb.* Fl. germ. 12, 716.  
 † *Vallisneria dichotoma* *Wall.* Wight Illustr. 154 bis.  
 — — — Wight Ic. pl. Ind. or. 2, 438.  
 — — — *Pergularia* *R. Br.* Hook. Ic. pl. 2, 153.  
 — — — Wight Ic. pl. Ind. or. 2, 429.  
 † *Vallea Mutis.* Ruiz et Pav. Prodr. 14.  
 — — — *stipularis* *Mutis.* H. B. K. Nov. Gen. 5, 489.  
 † *Vallesia Rz et P.* Ruiz et Pav. Prodr. 5.  
 — — — *chiococcoides* *H. B. K.* H. B. K. Nov. Gen. 3, 241.  
 — — — *dichotoma* *Rz et P.* Ruiz et Pav. Fl. 151.  
*Vallisneria alternifolia* *Roxb.* Wight Illustr. in Hook. 11.  
 — — — *octandra* *Roxb.* *Roxb.* *Corom.* 165.  
 — — — *spiralis* *L.* Jacq. Ecl. pl. 1.  
 — — — *Tratt.* Thes. 32.  
 — — — Mem. Institut. 1811, 3.  
 — — — *Lam.* *Encycl.* 799.  
 — — — *Dict. sc. nat.* 78. 79.  
 — — — *Spach* *Suites* 111.  
 — — — Wight Illustr. in Hook. 23. 24.  
 — — — *Rehb.* Fl. germ. 7, 60.  
 † — — — *Treviranus* *Symbolae* 41 — 44.  
 † — — — *Nees* Gen. 3, x.  
 † — — — *Schnizl.* *Iconogr.* 1, 59.  
 † *Vallota purpurea* *Herb.* *Herbert* *Amar.* 1. 33.  
 — — — *Bot. Reg.* 7, 552.  
*Valoradia plumbaginoides* *Boiss.* *Bot. Mag.* 76, 4487.  
*Vanda Batemanni* *Ldl.* *Bot. Reg.* 32, 59.  
 — — — *coerulea* *Griff.* *Paxt.* Fl. G. 36.  
 — — — *Lem.* *Jard.* fl. 102.  
 — — — Fl. d. serres 6, 609.  
 — — — *Rehb.* *Xenia* 1, 5.  
 — — — *cristata* *Ldl.* *Lindley* *Sertum* *Frontisp.* x.  
 — — — *Bot. Reg.* 28, 48.  
 — — — *Bot. Mag.* 73, 4304.  
 — — — *furva* *Ldl.* *Rumpf* *Amb.* 6, 46. fig. 1.  
 — — — *Blume* *Rumphia* 192. 197.  
 — — — *insignis* *Bl.* *Blume* *Rumphia* 192. 197.  
 — — — *multiflora* *Ldl.* *Lindley* *Collect.* 38.

- Vanda parviflora* *Wight.* Wight Ic. pl. Ind. or. 5, 1669.  
 — — — *pauciflora* *Breda.* *Breda* *Orchid.* *Javae* 13.  
 — — — *pulchella* *Wight.* Wight Ic. pl. Ind. or. 5, 1671.  
 — — — *recurva* *Hook.* *Hook.* *Exot.* Fl. 187.  
 — — — *rostrata* *Lodd.* *Lodd.* *Cab.* 1008.  
 — — — *Roxburghii* *R. Br.* *Bot. Mag.* 48, 2245.  
 — — — *Bot. Reg.* 6, 506.  
 — — — var. *unicolor.* *Bot. Mag.* 62, 3416.  
 — — — *Rehb.* *Exot.* 121.  
 — — — Fl. d. serres 2, 11.  
 — — — Wight Ic. pl. Ind. or. 3, 916.  
 — — — *spathulata* *Spr.* *Rheede* *Hort.* mal. 12, 3.  
 — — — Wight Ic. pl. Ind. or. 3, 915.  
 † — — — *suaveolens* *Bl.* *Blume* *Mus.* 1, 17.  
 — — — *suavis* *Ldl.* *Rehb.* *Xenia* 1, 12.  
 — — — *teres* *Ldl.* *Bot. Reg.* 21, 1809.  
 — — — *Paxt.* *Mag.* 5, 193.  
 — — — *Bot. Mag.* 70, 4114.  
 — — — *teretifolia* *Ldl.* *Lindley* *Collect.* 6.  
 — — — *Bot. Reg.* 8, 676.  
 — — — *tessellata* *Lodd.* *Paxt.* *Mag.* 7, 265.  
 — ? *trichorhiza* *Hook.* *Hook.* *Exot.* Fl. 72.  
 — — — *tricolor* *Ldl.* *Paxt.* Fl. G. 42.  
 — — — *Lem.* *Jard.* fl. 136.  
 — — — *Bot. Mag.* 75, 4432.  
 — — — Fl. d. serres 6, 641.  
 — — — *violacea* *Ldl.* *Bot. Reg.* 33, 30.  
 — — — *Wightiana?* *Ldl.* Wight Ic. pl. Ind. or. 5, 1670.  
*Vandellia crustacea* *Benth.* *Rheede* *Hort.* mal. 9, 58.  
 — — — Wight Ic. pl. Ind. or. 3, 863.  
 † — — — *diffusa* *L.* *Gaertn.* *Carp.* 184.  
 — — — *Lam.* *Encycl.* 522.  
 — — — *Transact. med. bot. soc.* 1829, 1.  
 — — — *hirsuta* *Ham.* *Jacq.* *Ecl.* pl. 150.  
*Vangueria Commersonii* *Desf.* *Jacq.* *Schoenbr.* 1, 44.  
 † — — — *cymosa* *Gaertn.* *Gaertn.* *Carp.* 193.  
 — — — *edulis* *Vahl.* *Lam.* *Encycl.* 159.  
 — — — *velutina* *Hook.* *Bot. Mag.* 57, 3014.  
 † *Vanilla Sw.* *Schrader* *Journal* 1799, 2, 1.  
 † — — — *albida* *Bl.* *Blume* *Tabellen* 34.  
 — — — *Blume* *Rumphia* 67.  
 — — — *angustifolia* *Sw.* *Kaempfer* *Amoenit.* p. 869.  
 — — — *aphylla* *Bl.* *Blume* *Rumphia* 68.  
 — — — Wight Ic. pl. Ind. or. 3, 931.  
 — — — *aromatica* *Sw.* *Dict. sc. nat.* 76.  
 — — — *Desc.* *Ant.* 7, 479.  
 — — — *Nees* *Düsseld.* 74. 75.  
 — — — *Guimpel* *et* *Schl.* 262.  
 — — — *Spach* *Suites* 118.  
 — — — *planifolia* *Andr.* *Andr.* *Rep.* 8, 538.  
 † — — — *Bauer* *Orchid.* (*Genera.*) 10. 11.  
 — — — *Lodd.* *Cab.* 733.  
 — — — *Blume* *Rumphia* 68.  
 — — — *Hayne* 14, 22.  
 — — — *Visiani* *Memoria* 1.  
 — — — *Walkeria* *Wight.* Wight Ic. pl. Ind. or. 3, 932.  
*Vantanea guianensis* *Aubl.* *Anblet* *Guiana* 229.  
 — — — *Lam.* *Encycl.* 471.  
 † — — — *Abh. Ac. Berl.* 1832, 2.  
 — — — *parviflora* *Lam.* *Journ. hist. nat.* Par. 1, 7.  
 † *Vareca zeylanica* *Gaertn.* *Gaertn.* *Carp.* 60.  
*Vargasia caracasana* *DC.* *Delessert* *IC.* 4, 47.  
*Variophyllis Aub.* *Aubert* *Orchid.* 107. 108.  
*Varronia alba* *Jacq.* *Desc.* *Ant.* 7, 529.  
 — — — *bullata* *L.* *Jacq.* *Hist. stirp.* am. 43.  
 — — — *calyptrata* *DC.* *Delessert* *IC.* 5, 97.  
 — — — *crenata* *Desv.* *Ruiz et Pav.* Fl. 146.  
 — — — *dichotoma* *Rz et P.* *Ruiz et Pav.* Fl. 146.  
 — — — *ferruginea* *Lam.* *Desvaux* *Journal* 1, 9.  
 — — — *globosa* *Lam.* *Lam.* *Encycl.* 95.  
 — — — *integrifolia* *Desv.* *Desvaux* *Journal* 1, 10.  
 — — — *macrostachya* *Rz et P.* *Ruiz et Pav.* Fl. 147.

- Varronia martinicensis* Jacq. Jacq. Hist. stirp. am. 42.  
 † — — — Gaertn. Carp. 212.  
 — monosperma Jacq. Jacq. Schoenbr. 1, 39.  
 — obliqua Rz et P. Ruiz et Pav. Fl. 147.  
*Vatairea guianensis* Aubl. Aublet Guiana 302.  
 — — — Desc. Ant. 6, 444.  
*Vateria indica* L. Rheede Hort. mal. 4, 15.  
 — — — Roxb. Corom. 288.  
 — — — Jacq. Ic. 130.  
 † — — — Gaertn. Carp. 189.  
 — — — Lam. Encycl. 475.  
 — — — Hayne 11, 5.  
 — — — Wight Illustr. 36.  
 — Roxburghiana Wight. Wight Ic. pl. Ind. or. 1, 26.  
*Vatica chinensis* L. Smith Ic. Linn. 36.  
 — — — Lam. Encycl. 397.  
 — laccifera Wight et Arn. Wight Ic. pl. Ind. or. 1, 164.  
 — Tumbugaia W. et A. Wight Ic. pl. Ind. or. 1, 27.  
*Vauquelinia corymbosa* H. B. Humb. Pl. aeq. 40.  
 † — — — Lam. Encycl. 962.  
*Vavanga edulis* Vahl. Skriffter nat. Selsk. 1792, 7.  
 † *Velaea* DC. DC. Umbellifères 2.  
 † *Velaga globosa* Gaertn. Gaertn. Carp. 133.  
 † — xylocarpa Gaertn. Gaertn. Carp. 133.  
*Velasquezia melanodendron* Bert. N. Comm. Bon. 4, 46.  
*Velesia quadridentata* Sibth. Sibth. Fl. gr. 391.  
 † — rigida L. Gaertn. Carp. 129.  
 — — — Lam. Encycl. 186.  
 — — — Sibth. Fl. gr. 390.  
 — — — Rchb. Fl. germ. 6, 246.  
*Vella annua* L. Trew Pl. rar. 7.  
 † — — — Medikus Gattungen 2.  
 † — — — Gaertn. Carp. 141.  
 — — — Lam. Encycl. 555.  
 — — — Schk. Handb. 178.  
 — — — Engl. Bot. 21, 1442.  
 — — — Baxter Brit. Bot. 6, 420.  
 — Pseudocytisus L. Cav. Ic. 42.  
 — — — Lam. Encycl. 555.  
 — — — Bot. Reg. 4, 293.  
 — spinosa Boiss. Boissier Esp. 10.  
*Velleia lyrata* R. Br. Hook. Exot. Fl. 24.  
 — — — Bot. Reg. 7, 551.  
 — — — Guillemain Austr. 4.  
 — macrocalyx de Vr. De Vriese Goodenov. 34.  
 — paradoxa R. Br. Bot. Reg. 12, 971.  
 † — spathulata R. Br. Ann. Mus. 18, 1.  
 — trinervis Lab. Bill. Nov. Holl. 77.  
 † *Vellosia Vandelli*. Roemer Scriptores 6.  
 — abietina Mart. Mart. Bras. 6.  
 — albiflora Pohl. Pohl Bras. 96.  
 — aloefolia Mart. Mart. Bras. 7.  
 † — — — Gaudichaud Bonite 127.  
 — — — Kerner Hort. 682.  
 — asperula Mart. Mart. Bras. 8.  
 — — — Rchb. Exot. 80.  
 — brevifolia Seubert. Endl. Bras. 8, 10.  
 — candida Mik. Mikan Del. Bras. 7.  
 † — — — Gaudichaud Bonite 128.  
 — caruncularis Mart. Endl. Bras. 8, 8.  
 — compacta Mart. Endl. Bras. 8, 10.  
 — glauca Pohl. Pohl Bras. 100.  
 — gracilis Seubert. Endl. Bras. 8, 9.  
 — graminea Pohl. Pohl Bras. 93.  
 — — — Endl. Bras. 8, 9.  
 † — hemisphaerica Seubert. Endl. Bras. 8, 9.  
 — minima Pohl. Pohl Bras. 94.  
 — phalocarpa Pohl. Pohl Bras. 98.  
 — — — Rchb. Exot. 81.  
 — plicata Mart. Mart. Bras. 9.  
 † — — — Gaudichaud Bonite 128.  
 — pusilla Pohl. Pohl Bras. 97.

- Vellosia squamata* Pohl. Pohl Bras. 99.  
 — — — Rchb. Exot. 257.  
 — sulphurea Pohl. Pohl Bras. 95.  
 † *Velloisiae* Don. Schnitz. Iconogr. 1, 62.  
*Velpeaulia alibrevioides* Gaudich. Gaudich. Bonite 109.  
*Veltheimia abyssinica* Red. Red. Lil. 4, 186.  
 — capensis Red. Red. Lil. 4, 193.  
 — glauca Jacq. Jacq. Schoenbr. 1, 77.  
 — — — Red. Lil. 8, 440.  
 — — — Wendland Coll. 78.  
 — — — Bot. Mag. 27, 1091.  
 — — — var. purpurea, Bot. Mag. 62, 3456.  
 — Uvaria Willd. Jacq. Fragm. 4.  
 — — — Kerner Hort. 311.  
 — viridifolia Jacq. Jacq. Schoenbr. 1, 78.  
 — — — Lodd. Cab. 1245.  
 — — — Herb. amat. 2, 96.  
 — — — Savi Fl. ital. 2, 44.  
 † *Venana madagascariensis* Lam. Lam. Encycl. 131.  
 † *Ventenatia bromoides* Koel. Nees Gen. 1, 47.  
 — glauca Pal. B. Pal. B. Fl. d'Oware 17.  
 — — — Lam. Encycl. 965.  
 — — — Kerner Hort. 189.  
 — — — Rchb. Exot. 252.  
 — humifusa Cav. Cav. Ic. 348.  
 — major Sm. Smith Exot. Bot. 66.  
 — minor Sm. Smith Exot. Bot. 67.  
 — procumbens Cav. Cav. Ic. 349.  
*Ventilago maderaspatana* Gaertn. Rumpf Amb. 5, 2.  
 † — — — Gaertn. Carp. 49.  
 — — — Roxb. Corom. 76.  
 † — — — Ann. sc. nat. 10, 12.  
 — — — Wight Ic. pl. Ind. or. 1, 163.  
 † *Veprecella macrophylla* Naud. Ann. sc. nat. III. 15, 15.  
 † — nigrescens Naud. Ann. sc. nat. III. 15, 15.  
 † *Vepris inermis* Commers. Mem. Mus. 12, 26.  
 † *Veratrum album* L. Gaertn. Carp. 18.  
 † — — — Lam. Encycl. 843.  
 — — — Jacq. Fl. austr. 4, 335.  
 — — — Fl. dan. 7, 1120.  
 — — — Schk. Handb. 341.  
 — — — Woodv. Med. 4, 257.  
 — — — Red. Lil. 8, 447.  
 — — — Nees Düsseld. 46.  
 — — — Brandt und Ratzeb. 5.  
 — — — Guimpel et Schl. 102.  
 — — — Hayne 13, 26.  
 — — — Rchb. Fl. germ. 10, 422.  
 — Dubouzeti Hombr. Richard Astrolabe 4.  
 — Hoffmeisteri Klotzsch. Prinz Waldem. Him. 96.  
 — Lobelianum Bernh. Nees Düsseld. 47.  
 — luteum L. Linné Amoenit. 3, 1.  
 — nigrum L. Jacq. Fl. austr. 4, 336.  
 — — — Schk. Handb. 341.  
 — — — Bot. Mag. 24, 963.  
 — — — Red. Lil. 7, 416.  
 — — — Rchb. Fl. germ. 10, 423.  
 † — — — Nees Gen. 2, 32.  
 — officinale Schlechtd. et Cham. Guimpel et Schl. 97.  
 — — — Nees Düsseld. Suppl. 98.  
 — — — Hayne 13, 27.  
 — Sabadilla Retz. Mem. soc. Linn. Par. 3, 6.  
 — — — Dict. sc. nat. 46.  
 — — — Desc. Ant. 3, 195.  
 — — — Nees Düsseld. 48.  
 — — — Wagner 244.  
 — viride Aiz. Schk. Handb. 341.  
 — — — Bigelow Med. 33.  
 † *Verbascum ambiguum* Lej. Nees Gen. 5, 27.  
 — angustifolium Ten. Tenore Fl. nap. 122.  
 — argenteum Ten. Tenore Fl. nap. 215.  
 — argyrostachyon Ten. Tenore Fl. nap. 215.

- Verbascum auriculatum* Sm. Sibth. Fl. gr. 225.  
 — *australe* Schrad. Schrader *Verbascum* 2.  
 — *banaticum* Schrad. Rochel Banat. 18.  
 — *betonicaefolium* Desf. Ann. Mus. 11, 4.  
 — — Desf. Choix 23.  
 — *bipinnatifidum* Sims. Bot. Mag. 43, 1777.  
 — *Blattaria* L. var. Rivinus Opus ined. 79.  
 — — Engl. Bot. 6, 393.  
 — *blattarioides* Lam. Brotero Phytogr. 154.  
 — — Hoffm. et Link Fl. port. 28.  
 — *ceratophyllum* Schrad. Schrader *Verbascum* 6.  
 — *Chaixii* Vill. Vill. Dauph. 13.  
 — *collinum* Schrad. Schrader *Verbascum* 5.  
 — — Fl. dan. 11, 1811.  
 — *commutatum* Ten. Tenore Fl. nap. 217.  
 — *condensatum* Schrad. Schrader *Verbascum* 3.  
 — *crassifolium* Lk et H. Hoffm. et Link Fl. port. 26.  
 — — Brotero Phytogr. 152.  
 — *cupreum* Sims. Bot. Mag. 30, 1226.  
 — — Rchb. Exot. 124.  
 — *cuspidatum* Schrad. Schrader *Verbascum* 1.  
 — — Fl. dan. 11, 1810.  
 — *densiflorum* Poll. Pollini Fl. ver. 3, 3.  
 — *ferrugineum* Andr. Andr. Rep. 3, 162.  
 — *floccosum* W. et K. W. et Kit. 79.  
 — *formosum* Fisch. Schrank Hort. monac. 22.  
 — — Bot. Reg. 7, 558.  
 — *garganicum* Ten. Tenore Fl. nap. 216.  
 — *grandiflorum* Schrad. Schrader Hort. gott. 13.  
 — *hyoserifolium* Schrad. Schrader *Verbascum* 8.  
 — *lanatum* Schrad. Schrader *Verbascum* 7.  
 — *longifolium* Ten. Tenore Fl. nap. 21.  
 — *Lychnitis* L. Rivinus Opus ined. 82.  
 — — Fl. dan. 4, 586.  
 — — Engl. Bot. 1, 58.  
 — — var. Rochel Banat. 20.  
 — — Dietr. Fl. bor. 5, 335.  
 — *macranthum* Lk et H. Hoffm. et Link Fl. port. 27.  
 — — Brotero Phytogr. 153.  
 — *macrurum* Ten. Tenore Fl. nap. 214.  
 — *magellense* Ten. Tenore Fl. nap. 217.  
 — *monspessulanum* Pers. Schrader *Verbascum* 7.  
 — *montanum* Schrad. Schrader Hort. gott. 12.  
 — *Myconi* L. Bot. Mag. 7, 236.  
 — *nemorosum* Schrad. Schrader *Verbascum* 1.  
 — *nigrum* L. Rivinus Opus ined. 84.  
 — — Fl. dan. 7, 1088.  
 — — Curt. Lond. 4, 103.  
 — — Engl. Bot. 1, 59.  
 — — Sv. Bot. 590.  
 — — Baxter Brit. Bot. 2, 85.  
 — — Schrank Fl. monac. 1, 69.  
 — — Dietr. Fl. bor. 2, 137.  
 † — — Nees Gen. 5, 27.  
 — *nivcum* Ten. Tenore Fl. nap. 22.  
 — *orientale* M. v. B. Rochel Banat. 19.  
 — *ovalifolium* Donn. Bot. Mag. 26, 1037.  
 — *ovatum* Schrad. Schrader Hort. gott. 15.  
 — *phlomoides* L. Moench Enum. Hass. 4.  
 — — Sibth. Fl. gr. 224.  
 † — — Hegetschw. Reisen 1. 2.  
 — — Hayne 12, 40.  
 — — Wagner 128.  
 — *phoeniceum* L. Jacq. Fl. austr. 2, 125.  
 † — — Gaertn. Carp. 55.  
 † — — Lam. Encycl. 117.  
 — — Bot. Mag. 23, 885.  
 — — Lodd. Cab. 637.  
 — — Schrank Fl. monac. 1, 65.  
 — *pinnatifidum* L. Sibth. Fl. gr. 228.  
 — *plicatum* Sm. Sibth. Fl. gr. 226.  
 — *pulverulentum* Curt. Engl. Bot. 7, 487.

- Verbascum puniceum* Schrad. Schrader Hort. gott. 14.  
 — *pyramidatum* Willd. Sweet Fl. G. 31.  
 — *ramigerum* Link. Schrader *Verbascum* 4.  
 — *rotundifolium* Ten. Tenore Fl. nap. 23.  
 — *rubiginosum* W. et K. W. et Kit. 197.  
 — *samniticum* Ten. Tenore Fl. nap. 216.  
 — *Schottianum* Schrad. Schrader *Verbascum* 8.  
 — *simplex* Lab. Bill. Syr. 4, 5.  
 — *sinuatum* L. Sibth. Fl. gr. 227.  
 — — Marschall Cent. 72.  
 — *speciosum* Schrad. Schrader Hort. gott. 16.  
 — — Rochel Banat. 20.  
 — — Rchb. Ic. crit. 10, 998.  
 — *spinosum* L. Sibth. Fl. gr. 229.  
 — — Sieber Creta 7.  
 — *syriacum* Schrad. Schrader *Verbascum* 6.  
 — *tauricum* Hort. Bot. Mag. 67, 3799.  
 — *thapsiforme* Schrad. Rivinus Opus ined. 81.  
 — — Hayne 12, 39.  
 — — Guimpel et Schl. 153.  
 — — Nees Düsseld. 159.  
 — — Dietr. Fl. bor. 4, 261.  
 — *thapsoides* L. Schrader *Verbascum* 5.  
 — — Schrank Fl. monac. 2, 142.  
 — *Thapsus* L. Fl. dan. 4, 631.  
 — — Schk. Handb. 42.  
 † — — Lam. Encycl. 117.  
 — — Woodv. Med. 2, 75.  
 — — Engl. Bot. 8, 549.  
 — — Sv. Bot. 79.  
 — — Nees Düsseld. 158<sup>a, b</sup>.  
 — — Hayne 12, 38.  
 — — Guimpel et Schl. 152.  
 — — Wagner 9.  
 † — — Nees Gen. 5, 27.  
 — *undulatum* Lam. Jaubert Illustr. 408.  
 — *viminale* Guss. Gussone Pl. rar. 21.  
 — *virgatum* With. Engl. Bot. 8, 550.  
 — — Roemer Fl. europ. 12, 2.  
 † — — Wight Illustr. 165<sup>bis</sup>.  
 — — Wight Ic. pl. Ind. or. 4, 1404—1405.  
*Verbena alata* Cham. Sweet Fl. G. II. 41.  
 — *amoena* Paxt. Paxt. Mag. 7, 3.  
 — *aphylla* Hook. Hook. Bot. Misc. 46.  
 — *aristata* Vahl. Vahl Ic. 11.  
 — *Aubleitia* L. Svensk Acad. 1773, 5.  
 — — Jacq. Vind. 176.  
 — — Bot. Mag. 9, 308.  
 — — Bot. Reg. 4, 294.  
 — — var. Drummondii, Bot. Reg. 23, 1925.  
 † — — Spach Suites 84.  
 † — *bonariensis* L. Gaertn. Carp. 66.  
 † — — Lam. Encycl. 17.  
 — *bracteosa* Michx. Bot. Mag. 56, 2910.  
 — *canescens* H. B. K. H. B. K. Nov. Gen. 2, 136.  
 — *chamaedrifolia* Juss. Maund Bot. 3, 129.  
 — — Bot. Mag. 61, 3333.  
 — — Sweet Fl. G. II. 9.  
 — — var. Fl. d. serres 8, 794.  
 — *clavata* Rz et P. Ruiz et Pav. Fl. 33.  
 — *corymbosa* Rz et P. Ruiz et Pav. Fl. 33.  
 — *cuneifolia* Rz et P. Ruiz et Pav. Fl. 32.  
 † — *curassavica* L. Houston Reliq. 2.  
 — *dichotoma* Rz et P. Ruiz et Pav. Fl. 34.  
 — *erinacea* Gill. Hook. Bot. Misc. 48.  
 — *erinoides* Lam. Sweet Fl. G. II. 347.  
 — *globulifera* L'her. L'heritier Stirp. 12.  
 — *hastata* L. Rivinus Opus ined. 40.  
 — *hispida* Rz et P. Ruiz et Pav. Fl. 34.  
 — *jamaicensis* L. Jacq. Observ. 85.  
 — — St. Hil. Pl. usuelles 39.  
 — *javanica* Burn. Burmann Fl. ind. 6.

- Verbena incisa* Hook. Bot. Mag. 65, 3628.  
 — *indica* Jacq. Jacq. Observ. 86.  
 — *inflata* H. B. K. H. B. K. Nov. Gen. 2, 135.  
 — *Lamberti* Sims. Bot. Mag. 48, 2200.  
 — — var.  $\beta$ . Sweet Fl. G. II. 363.  
 — *lappulacea* L. Jacq. Observ. 24.  
 — — Jacq. Hist. stirp. am. 9.  
 — *lasiolepis* Link. Rchb. Hortus 64.  
 — *litoralis* H. B. K. H. B. K. Nov. Gen. 2, 137.  
 — *Melindres* Gillies. Lodd. Cab. 1514.  
 — — Bot. Reg. 14, 1184.  
 — — Paxt. Mag. 1, 173.  
 — — Spach Suites 84.  
 — *microphylla* H. B. K. H. B. K. Nov. Gen. 2, 133.  
 — *multifida* R. et P. Ruiz et Pav. Fl. 33.  
 — — var. *contracta*, Bot. Reg. 21, 1766.  
 — *mutabilis* Jacq. Jacq. Ic. 207.  
 — — Vent. Malm. 36.  
 — — Dict. sc. nat. 39.  
 — — Andr. Rep. 7, 535.  
 — *nodiflora* L. Sibth. Fl. gr. 553.  
 — *Obletia* Med. Acta palat. 3, 7.  
 — *officinalis* L. Fl. dan. 4, 628.  
 † — — Lam. Encycl. 17.  
 — — Woodv. Med. 2, 133.  
 — — Curt. Lond. 3, 43.  
 — — Engl. Bot. 11, 767.  
 — — Baxter Brit. Bot. 1, 26.  
 — — Sv. Bot. 182.  
 — — Hoffmann D. Fl. 1791, 2.  
 — — Dreves 2, 45.  
 — — Schk. Handb. 3.  
 — — Hayne 5, 42.  
 — — Sturm Flora 1, 3.  
 — — Schrank Fl. monac. 2, 135.  
 — — Dietr. Fl. bor. 2, 120.  
 † — — Nees Gen. 6, 50.  
 — *paniculata* Lam. Bot. Reg. 13, 1102.  
 — *prismatica* L. Jacq. Ic. 208.  
 — *prostrata* Savi. Mem. Mod. 9, x.  
 — *pseudogervao* St. Hil. St. Hil. Pl. usuelles 40.  
 — *pulchella* Sweet. Sweet Fl. G. 295.  
 — — Lodd. Cab. 1550.  
 — *rugosa* Don. Sweet Fl. G. II. 318.  
 — *scoparia* Gill. Hook. Bot. Misc. 47.  
 — *sororia* Don. Sweet Fl. G. 202.  
 — *squamosa* Jacq. Jacq. Schoenbr. 1, 5.  
 — *stricta* Vent. Vent. Cels 53.  
 — — Bot. Mag. 45, 1976.  
 — *sulphurea* Don. Bot. Reg. 21, 1748.  
 — — Sweet Fl. G. II. 221.  
 — *supina* L. Rivinus Opus ined. 39.  
 — — Sibth. Fl. gr. 554.  
 — *teucrioides* Gill. Bot. Mag. 65, 3694.  
 — — Paxt. Mag. 5, 243.  
 — *trifida* H. B. K. H. B. K. Nov. Gen. 2, 134.  
 — *triphylla* L'her. L'heritier Stirp. 11.  
 — — Bot. Mag. 11, 367.  
 — — Nouveau Duhamel 4, 6.  
 — *Tweediana* Niven. Bot. Mag. 63, 3541.  
 — — Maund Bot. 2, 60.  
 — — Paxt. Mag. 4, 5.  
 — — Sweet Fl. G. II. 391.  
 — *venosa* Gill. Bot. Mag. 59, 3127.  
 — — Sweet Fl. G. II. 207.  
 — *virgata* R. et P. Ruiz et Pav. Fl. 32.  
 Verbenacea? Icones plantarum Chinae 1.  
 † Verbenaceae R. Br. Wight Illustr. 173 bis.  
 † Verbesina alata L. Gaertn. Carp. 171.  
 † — — Lam. Encycl. 686.  
 — — Schk. Handb. 256.  
 — — Bot. Mag. 41, 1716.

- Verbesina atriplicifolia* Desf. Colla Hort. Rip. 31.  
 — *bupthalmoides* Link. Link Ic. I. 49.  
 — *calendulea* L. Lam. Encycl. 686.  
 — *conyzoides* Trew. Trew Pl. rar. 6.  
 — *dichotoma* Murr. Comm. Gott. 2, 4.  
 — *gigantea* Jacq. Jacq. Ic. 175.  
 — *mutica* Sw. Swartz Observ. 8.  
 — — Lam. Encycl. 686.  
 † — *nodiflora* L. Lam. Encycl. 686.  
 — *pinnatifida* Cav. Cav. Ic. 100.  
 — — Jacq. Schoenbr. 3, 305.  
 — *populifolia* Hill. Hill Hort. Kew. 1.  
 — *sativa* Roxb. Bot. Mag. 26, 1017.  
 — *serrata* Cav. Cav. Ic. 214.  
 — *virgata* Cav. Cav. Ic. 275.  
*Verea* autiflora Andr. Andr. Rep. 9, 560.  
 — *crenata* Andr. Andr. Rep. 1, 21.  
*Verhuellia brasiliensis* Miq. Miquel Illustr. Piper. 1.  
 — *elegans* Miq. Miquel Illustr. Piper. 1.  
 † *Vernifuga* R. et P. Ruiz et Pav. Prodr. 24.  
 † *Vernonia* Schreb. Swartz Fl. Ind. occ. 26.  
 † — — Kerner Genera 79.  
 — *acutifolia* Hook. Bot. Mag. 58, 3062.  
 — *anthelmintica* Willd. Rheede Hort. mal. 2, 24.  
 — *argyrophylla* Less. Fielding Sertum 50.  
 — *arkansana* Torr. Sitgreaves Expedition 2.  
 — *asterotricha* P. et E. Poepp. et Endl. 247.  
 — *atriplicifolia* J. et Sp. Jaubert Illustr. 359.  
 — *axilliflora* Mart. Lodd. Cab. 1690.  
 — — Bot. Reg. 17, 1464.  
 — *Bottae* J. et Sp. Jaubert Illustr. 358.  
 — *canescens* H. B. K. H. B. K. Nov. Gen. 4, 317.  
 — *cinerea* Link. Link Ic. I. 55.  
 — *cinerea* Less. Rheede Hort. mal. 10, 64.  
 † — — Wight Illustr. 134.  
 — *conyzoides* DC. Wight Ic. pl. Ind. or. 3, 829.  
 — — Wight Ic. pl. Ind. or. 3, 1076.  
 — *dendigulensis* DC. Wight Ic. pl. Ind. or. 3, 829.  
 — *flexuosa* Sims. Lodd. Cab. 1680.  
 — — Bot. Mag. 51, 2477.  
 — *macrocephala* Rich. Richard Abyssin. 57.  
 — *neilgherrensis* DC. Wight Ic. pl. Ind. or. 3, 1078.  
 — *odoratissima* H. B. K. H. B. K. Nov. Gen. 4, 318.  
 — *pandurata* Jacq. Jacq. Ecl. pl. 120.  
 — *pectiniformis* DC. Rheede Hort. mal. 10, 62.  
 — — Wight Spicil. 103.  
 — — Wight Ic. pl. Ind. or. 3, 1077.  
 — *rubricaulis* H. B. Humb. Pl. aeq. 99.  
 — *salviaefolia* Wight. Wight Ic. pl. Ind. or. 3, 1079.  
 — *sericea* Rich.  $\beta$ . purpurascens, Bot. Reg. 7, 522.  
 — *serratuloides* H. B. K. H. B. K. Nov. Gen. 4, 316.  
 — *tomentosa* N. v. E. Nees Amoenit. bonn. 5.  
 † *Veronica* L. Ann. sc. nat. 8, 26.  
 — *acinifolia* L. Sturm Flora 14, 58.  
 — — Cosson Atlas 16.  
 — *agrestis* L. Fl. dan. 3, 449.  
 — — Fl. dan. 13, 2221.  
 — — Curt. Lond. 2, 91.  
 — — Engl. Bot. 11, 789.  
 — — Engl. Bot. 2603.  
 — — var. *byzantina*, Sibth. Fl. gr. 8.  
 — — Sturm Flora 14, 58.  
 — — Rchb. Ic. crit. 3, 277.  
 — — Dietr. Fl. bor. 5, 332.  
 † — —  $\alpha$ .  $\beta$ .  $\gamma$ . Mutel Fl. fr. 45.  
 † — — Cosson Atlas 16.  
 † — — Flora 1851, 2.  
 — *alpina* L. Linné Fl. lapp. 9.  
 — — Fl. dan. 1, 16.  
 — — var. *corymbosa*, Fl. dan. 11, 1921.  
 — — Curt. Lond. 5, 208.  
 — — Engl. Bot. 7, 484.



- Veronica alpina* L. Sv. Bot. 721.  
 — — — Krock. Fl. sil. 1, 3.  
 — — — Sturm Flora 13, 56.  
 — — — var.  $\alpha$ .  $\beta$ . Rochel Banat. 21.  
 — — — var. Wormskioldii, Bot. Mag. 57, 2975.  
 — amoena Stev. Marshall Cent. 18.  
 — Anagallis L. Rivinus Opus ined. 77.  
 — — — Fl. dan. 6, 903.  
 — — — Curt. Lond. 2, 67.  
 — — — Engl. Bot. 11, 781.  
 — — — Hayne 4, 1.  
 † — — — Cosson Atlas 17.  
 — anagaloides Guss. Gussone Pl. rar. 3.  
 — Andersonii Hort. Lem. Jard. fl. 103.  
 — — — Paxt. Fl. G. 38.  
 — — — Fl. d. serres 7, 658.  
 — angustifolia Bernh. Bernh. Ehrenpreis x.  
 — aphylla L. Sturm Flora 13, 56.  
 — arbustulosa Hffgg. Rehb. Ic. crit. 10, 904.  
 — arvensis L. Fl. dan. 3, 515.  
 — — — Curt. Lond. 1, 57.  
 — — — Engl. Bot. 11, 734.  
 — — — Dreves 3, 83.  
 — — — Sturm Flora 14, 58.  
 — — — Dietr. Fl. bor. 5, 333.  
 — — — Cosson Atlas 16.  
 — aspera Schrad. Schrader Veronica 2.  
 — australis Schrad. Schrader Veronica 2.  
 — austriaca L. Sturm Flora 14, 58.  
 — Beccabunga L. Fl. dan. 3, 511.  
 — — — Woodv. Med. 2, 132.  
 — — — Curt. Lond. 1, 44.  
 — — — Engl. Bot. 10, 635.  
 — — — Sv. Bot. 127.  
 — — — Sturm Flora 3, 12.  
 — — — Hayne 4, 2.  
 — — — Schrank Fl. monac. 3, 286.  
 — — — Dietr. Fl. bor. 5, 334.  
 † — — — Cosson Atlas 17.  
 — Bellardi All. Allione Fl. ped. 3, 85.  
 — bellidioides L. Krock. Fl. sil. 1, 2.  
 — — — Sturm Flora 14, 58.  
 — Benthami Hook. Hook. Fl. ant. 39—40.  
 — Bidwilli Hook. Hook. Ic. pl. 9, 814.  
 — biloba Vahl. Rehb. Ic. crit. 7, 645.  
 — brevifolia M. v. B. Rivinus Opus ined. 75.  
 — Buxbaumii Ten. Tenore Fl. nap. 1.  
 — — — Engl. Bot. 2769.  
 — — — Fl. dan. 12, 1982.  
 — — — Hagenbach Fl. basil. 2.  
 — — — Sturm Flora 13, 56.  
 — — — Rehb. Ic. crit. 3, 268.  
 † — — — Nees Gen. 5, 38.  
 † — — — Cosson Atlas 16.  
 — cartilaginea Led. Ledeb. Ic. 210.  
 — caucasica M. v. B. Lodd. Cab. 1369.  
 — chamaedryoides Bory. Bory et Chaubard Morée 1.  
 — Chamaedrys L. Fl. dan. 3, 448.  
 † — — — Lam. Encycl. 13.  
 — — — Curt. Lond. 1, 99.  
 — — — Engl. Bot. 9, 623.  
 — — — Lodd. Cab. 53.  
 — — — Baxter Brit. Bot. 1, 50.  
 — — — Sv. Bot. 239.  
 — — — Liboschitz Petersb. 24.  
 — — — Dreves 1, 3.  
 — — — Hayne 4, 4.  
 — — — Schrank Fl. monac. 3, 265.  
 — — — Sturm Flora 14, 58.  
 — — — Dietr. Fl. bor. 2, 82.  
 † — — — Cosson Atlas 17.  
 — ciliaris Hoffm. Comm. Gott. 15, 5.

- † *Veronica complicata* Hoffm. Hoffmann Phyt. Bl. 5.  
 — — — Comm. Gott. 15, 8.  
 † — crenulata Hoffm. Hoffmann Phyt. Bl. 5.  
 — — — Comm. Gott. 15, 9.  
 — — — Dietr. Fl. bor. 12, 795.  
 — crista galli Stev. Linn. Transact. 11, 31.  
 — cristata Bernh. Bernh. Ehrenpreis x.  
 — cymbalaria Sibth. Sibth. Fl. gr. 9.  
 — cymbalariaefolia Gm. Viviani Fl. ital. 16.  
 — Dabneyi Hochst. Seubert Fl. azor. 8.  
 — decussata Ait. Bot. Mag. 7, 242.  
 — — — Richard Astrolabe 9.  
 † — — — Ann. sc. nat. 5, 2.  
 — densiflora Led. Ledeb. Ic. 125.  
 — dentata Schmidt. Sturm Flora 14, 58.  
 — depauperata W. et K. W. et Kit. 245.  
 — Derwentia Andr. Andr. Rep. 8, 531.  
 — didyma Ten. Sturm Flora 14, 58.  
 — diffusa Hook. fl. Hook. Ic. pl. 7, 645.  
 — digitata Vahl. Rehb. Pl. crit. 1, 36.  
 † — — — Mutel Fl. fr. 45.  
 — diosmaefolia Cunn. Knowles et Westcott 106.  
 — filiformis Sm. Rehb. Ic. crit. 7, 644.  
 † — — — Mutel Fl. fr. 45.  
 — — — Johnston Fl. of Berwick 1, 1.  
 — finaustriana Hombr. Richard Astrolabe 9.  
 — foliosa W. et K. W. et Kit. 102.  
 — — — Schrader Veronica 2.  
 — formosa R. Br. Lem. Jard. fl. 3.  
 — — — Paxt. Fl. G. 95.  
 — — — Bot. Mag. 76, 4512.  
 — frutescens Desc. Desc. Ant. 8, 582.  
 — fruticulosa L. Jacq. Collect. 4, 5.  
 — — — Fl. dan. 2, 342.  
 — — — Engl. Bot. 15, 1028.  
 — — — Sturm Flora 13, 56.  
 — — — Rehb. Ic. crit. 10, 905.  
 † — — — Mutel Fl. fr. 46.  
 — gentianoides Vahl. Sibth. Fl. gr. 5.  
 — — — Vent. Malm. 86.  
 — — — Bot. Mag. 25, 1002.  
 — glabra Ehrh. Schrader Veronica 1.  
 — glauca Sibth. Sibth. Fl. gr. 7.  
 — hederacfolia L. Fl. dan. 3, 428.  
 — — — Curt. Lond. 3, 34.  
 — — — Engl. Bot. 11, 784.  
 — — — Viviani Fl. ital. 16.  
 — — — Sturm Flora 13, 56.  
 — — — Dietr. Fl. bor. 2, 98.  
 † — — — Cosson Atlas 16.  
 — heterophylla Salisb. Salisbury Ic. rar. 4.  
 — hirsuta Hopk. Engl. Bot. 2673.  
 — hybrida L. Schrader Journal 1799. 1, 3.  
 — — — Engl. Bot. 10, 673.  
 — incana L. Comm. Gott. 15, 6.  
 — — W. et K. W. et Kit. 244.  
 — incisa Ait. Lodd. Cab. 1397.  
 — labiata R. Br. Bot. Mag. 40, 1660. 63, 3461.  
 — latifolia L. Sturm Flora 14, 58.  
 — — — Dietr. Fl. bor. 4, 264.  
 — — — var. heterophylla, Rochel Banat. 21.  
 — — — Sweet Fl. G. 23.  
 — Lavaudiana Decne. Raoul Nouv. Zel. 10.  
 — leucantha Helm. Mem. Mosc. 2, 8.  
 — Lindleyana Paxt. Paxt. Mag. 12, 247.  
 — — — Fl. d. serres 2, 17.  
 — longifolia L. Baumgarten Fl. lips. 1.  
 † — — — Hoffmann Phyt. Bl. 5.  
 — — — Comm. Gott. 15, 4.  
 — — — Schrader Veronica 2.  
 — — — Dietr. Fl. bor. 8, 573.  
 — lusitana Brotero. Brotero Phytogr. 85.

- Veronica luxurians* Led. Ledeb. Ic. 211.  
 — *macrostemon* Led. Ledeb. Ic. 127.  
 — *marilandica* L. Comm. Gott. 5, 3.  
 — *maritima* L. Fl. dan. 3, 374.  
 — — — Schrader *Veronica* 1.  
 — — — Comm. Gott. 15, 3.  
 — — — Rehb. Pl. crit. 1, 35.  
 † — *maxima* Stev. Mem. Mosc. 2, 11.  
 — *media* Schrad. Schrader *Veronica* 1.  
 — — — Sv. Bot. 560.  
 — *Michauxii* Lam. Jaubert Illustr. 424.  
 — *micrantha* H. et Lk. Hoffm. et Link Fl. port. 57.  
 — *montana* L. Hoffmann D. Fl. 1791, 1.  
 — — — Sturm Flora 14, 58.  
 — — — Fl. dan. 7, 1201.  
 — — — Curt. Lond. 3, 61.  
 — — — Engl. Bot. 11, 766.  
 † — — — Cosson Atlas 17.  
 — *multifida* L. Jacq. Fl. austr. 4, 329.  
 — — — Bot. Mag. 40, 1679.  
 — *neglecta* Vahl. Sweet Fl. G. 55.  
 — *nitida* Ehrh. Comm. Gott. 15, 2.  
 — *nivea* Hook. fil. Hook. Ic. pl. 7, 640.  
 — *nodiflora* L. Burmann Fl. ind. 6.  
 — *numularia* Gouan. Gouan Illustr. 1.  
 — *odora* Hook. Hook. Fl. ant. 41.  
 † — *officinalis* L. Gaertn. Carp. 54.  
 † — — — Lam. Encycl. 13.  
 — — — Fl. dan. 2, 248.  
 — — — Woodv. Med. 2, 133.  
 — — — Curt. Lond. 3, 19.  
 — — — Engl. Bot. 11, 765.  
 — — — Sv. Bot. 159.  
 † — — — var. Mutel Fl. fr. 46.  
 — — — Cosson Atlas 17.  
 — — — Schk. Handb. 3.  
 — — — Sturm Flora 14, 58.  
 — — — Schrank Fl. monac. 4, 317.  
 — — — Hayne 4, 3.  
 — — — Nees Düsseld. 157.  
 — — — Guimpel et Schl. 59.  
 — — — Wagner 217.  
 — — — var. *Tournefortii*, Rehb. Ic. crit. 8, 783.  
 — — — Dietr. Fl. bor. 4, 262.  
 — *opaca* Fries. Sturm Flora 14, 58.  
 — — — Rehb. Ic. crit. 3, 278.  
 — — — Flora 1851, 14.  
 † — *orchidea* Crantz. Bot. Mag. 48, 2210.  
 — — — Rochel Banat. 21.  
 — *orientalis* Ait. Lodd. Cab. 419.  
 — *Orsiniana* Ten. Tenore Fl. nap. 203.  
 — *panormitana* Parl. Parl. Ic. pl. rar. pan. 1.  
 — *pedunculata* Lab. Bill. Syr. 5, 5.  
 — *peregrina* L. Fl. dan. 3, 407.  
 — — — Rehb. Pl. crit. 1, 36.  
 † — — — Mutel Fl. fr. 46.  
 — — — Cosson Atlas 16.  
 — *perfoliata* R. Br. Bot. Reg. 23, 1930.  
 — — — Bot. Mag. 44, 1936.  
 — — — Lodd. Cab. 781.  
 — *petraea* Baumg. Rochel Banat. 21.  
 — *pinnata* Ait. Comm. Gott. 15, 10.  
 — *plicata* Pohl. Pohl Tentamen Fl. boh. 1.  
 — *polita* Fries. Sturm Flora 14, 58.  
 — — — Rehb. Ic. crit. 3, 246.  
 † — — — Flora 1851, 14.  
 — *Ponae* Gouan. Gouan Illustr. 1.  
 — *praecox* All. Allione Auct. 1.  
 — — — Sturm Flora 14, 58.  
 — — — Hagenbach Fl. basil. 1.  
 — — — Cosson Atlas 16.  
 — — — Dietr. Fl. bor. 11, 784.

- Veronica prostrata* L. Moench Enum. Hass. 1.  
 — — — Sturm Flora 14, 58.  
 — — — Dietr. Fl. bor. 4, 263.  
 — — — var. Bot. Mag. 65, 3683.  
 † — — — Nees Gen. 5, 38.  
 — *pseudochamaedrys* Jacq. Jacq. Fl. austr. 1, 60.  
 — *pulchella* Bastard. Gussone Fl. sic. 5.  
 — *pumila* All. Allione Fl. ped. 3, 22.  
 — *pygmaea* Schrank. Schrank Primit. sal. 1.  
 — *pyrenaica* All. Allione Fl. ped. 3, 46.  
 — — — Rehb. Ic. crit. 8, 782.  
 — *repens* DC. Loiseleur Fl. gall. 1.  
 — *romana* All. Allione Fl. ped. 3, 85.  
 — — — Pohl Tentamen Fl. boh. 1.  
 — *rotundifolia* Schrank. Schrank Primit. sal. 1.  
 — *rubicunda* Led. Ledeb. Ic. 208.  
 — *salicifolia* Forst. Annalen d. Wien. Mus. 1, 14.  
 — — — Bot. Reg. 32, 5.  
 — *saturejoides* Vis. Visiani Dalm. 33.  
 — *saxatilis* L. Engl. Bot. 15, 1027.  
 — — — Lodd. Cab. 704.  
 — — — Sv. Bot. 347.  
 † — — — Mutel Fl. fr. 46.  
 — — — Sturm Flora 13, 56.  
 — — — Rehb. Ic. crit. 10, 903.  
 — — — Zollik. Alpenflora 1.  
 — *scutellata* L. Fl. dan. 2, 209.  
 — — — var.  $\beta$ . Fl. dan. 9, 1561.  
 — — — Curt. Lond. 3, 18.  
 — — — Engl. Bot. 11, 782.  
 — — — Sturm Flora 14, 58.  
 — — — Dietr. Fl. bor. 4, 265.  
 † — — — Cosson Atlas 17.  
 — *serpyllifolia* L. Fl. dan. 3, 492.  
 — — — Curt. Lond. 2, 56.  
 — — — Engl. Bot. 15, 1075.  
 — — — Sturm Flora 14, 58.  
 — — — Dietr. Fl. bor. 6, 400.  
 — — — Cosson Atlas 16.  
 — *sessiliflora* Led. Ledeb. 126.  
 † — *simensis* Fresen. Flora 1851, 14.  
 — *speciosa* Cunn. Bot. Mag. 70, 4075.  
 — — — Fl. d. serres 1, 17.  
 — — — Paxt. Mag. 10, 247.  
 — — — rubra Hort. Fl. d. serres 3, 197.  
 — *spicata* L. Rivinus Opus ined. 76.  
 — — — Fl. dan. 1, 52.  
 — — — Engl. Bot. 1, 2.  
 — — — Schrank Fl. monac. 2, 193.  
 — — — Dietr. Fl. bor. 8, 515.  
 † — — — Cosson Atlas 17.  
 — *spuria* L. Gmelin Reise 1, 39.  
 — — — Schrader *Veronica* 2.  
 — — — Sprengel Fl. hal. 1.  
 — *subincana* Hoffm. Comm. Gott. 15, 7.  
 — *succulenta* All. Allione Fl. ped. 3, 22.  
 — *taurica* Willd. Lodd. Cab. 911.  
 — *tenella* All. Allione Fl. ped. 3, 22.  
 — *tenuifolia* Asso. Asso Aragon. 1.  
 — *tenuis* Led. Ledeb. Ic. 217.  
 — *tetragona* Hook. Hook. Ic. pl. 6, 580.  
 — *Teucrium* L. Schrank Fl. monac. 1, 83.  
 — — — Lodd. Cab. 425.  
 † — — — Cosson Atlas 17.  
 — *thymifolia* Sibth. Sibth. Fl. gr. 6.  
 — *triphyllos* L. Fl. dan. 4, 627.  
 — — — Sibth. Fl. gr. 10.  
 — — — Curt. Lond. 2, 111.  
 — — — Engl. Bot. 1, 26.  
 — — — Sturm Flora 2, 8.  
 — — — Dietr. Fl. bor. 2, 99.  
 — — — Cosson Atlas 16.

- Veronica umbrosa* *M. v. B.* Marschall Cent. 7.  
 — *urticaefolia* *L.* Jacq. Fl. austr. 1, 59.  
 — — — Schrank Fl. monac. 1, 11.  
 — — — Sturm Flora 14, 58.  
 — *Verbenac* *Hort.* Linné Amoenit. 3, 2.  
 — *verna* *L.* Fl. dan. 2, 252.  
 — — — Engl. Bot. 1, 25.  
 — — — Sturm Flora 5, 13.  
 — — — Dietr. Fl. bor. 6, 401.  
 — — — Cosson Atlas 16.  
 — *villosa* *Schrad.* Schrader Veronica 1.  
 — *virginica* *L.* Rivinus Opus ined. 76.  
 — — — Comm. Gott. 15, 1.  
 † — — — Hoffmann Phyt. Bl. 5.  
 † *Verrucularia glaucophylla* *Juss.* Arch. Mus. 3, 7.  
 † *Vorticillaria Rz et P.* Ruiz et Pav. Prodr. 15.  
 † *Verticordia DC.* Acta Leop. 19. Suppl. II. 4.  
 — *grandiflora* *Endl.* Hook. Journ. 1840, 14.  
 — *insignis* *Ldl.* Lindley Swan River 2.  
 † *Vesicaria Lam.* Gray Genera 70.  
 — *arctica* *Rich.* Bot. Mag. 56, 2882.  
 — *didymocarpa* *Hook.* Hook. Bor. Am. 16.  
 — *Engelmanni* *Gray.* Gray Genera 70.  
 — *Geyeri* *Hook.* Hook. Journal 1847, 5.  
 — *gracilis* *Hook.* Bot. Mag. 63, 3533.  
 — *grandiflora* *Hook.* Bot. Mag. 63, 3464.  
 — — — Sweet Fl. G. II. 404.  
 — *microcarpa* *Vis.* Visiani Dalm. 32.  
 † *reticulata* *Lam.* Lam. Encycl. 559.  
 — *sinuata* *Poir.* Sturm Flora 12, 48.  
 † *utriculata* *Lam.* Lam. Encycl. 559.  
 — — — Sturm Flora 12, 48.  
 — — — Sibth. Fl. gr. 627.  
 — — — Rchb. Fl. germ. 2, 22.  
 — *vestita* *Desv.* Delessert Ic. 2, 35.  
*Vestia lycioides* *Willd.* Bot. Mag. 50, 2412.  
 — — — Bot. Reg. 4, 299.  
 — — — Miers Illustr. 21.  
*Viborgia fusca* *Thumb.* Delessert Ic. 3, 64.  
*Viburnum acerifolium* *L.* Vent. Cels 72.  
 — — — Guimpel Fr. Holzgew. 104.  
 — — — Watson Dendr. 2, 118.  
 — *acuminatum* *Wall.* Wight Spicil. 89.  
 — — — Wight Ic. pl. Ind. or. 3, 1021.  
 — *capitellatum* *W. et A.* Wight Ic. pl. Ind. or. 3, 1022.  
 — *cotinifolium* *Don.* Bot. Reg. 19, 1650.  
 † — — — Wight Illustr. 121.  
 — *dentatum* *L.* Guimpel Fr. Holzgew. 103.  
 — — — Watson Dendr. 1, 25.  
 — — — Jacq. Vind. 36.  
 — *erubescens* *Wall.* Wall. Pl. asiat. 134.  
 — *foetens* *Decne.* Jacquemont Ind. 84.  
 — *foetidum* *Wall.* Wall. Pl. asiat. 61.  
 — *hebanthum* *W. et A.* Wight Ic. pl. Ind. or. 3, 1023.  
 — *lanceolatum* *Hill.* Hill Hort. Kew. 19.  
 — *Lantana* *L.* Jacq. Fl. austr. 4, 341.  
 † — — — Schk. Handb. 81.  
 — — — Guimpel Holzgew. 32.  
 — — — Engl. Bot. 5, 331.  
 — — — Baxter Brit. Bot. 2, 128.  
 — — — Schrank Fl. monac. 2, 106.  
 — *lantanoideis* *Michx.* Lodd. Cab. 1570.  
 — *Lentago* *L.* Moench Weissenstein 8.  
 — — — Guimpel Fr. Holzgew. 102.  
 — — — Watson Dendr. 1, 21.  
 — *macrocephalum* *Fortune.* Bot. Reg. 33, 43.  
 — — — Fl. d. serres 3, 263, 264.  
 — *nudum* *L.* Watson Dendr. 1, 20.  
 — — — Bot. Mag. 49, 2281.  
 — *obovatum* *Wall.* Lodd. Cab. 1476.  
 — *odoratissimum* *Ker.* Bot. Reg. 6, 456.  
 † *Opulus* *L.* Gaertn. Carp. 27.

- † *Viburnum Opulus* *L.* Lam. Encycl. 211.  
 — — — Fl. dan. 4, 661.  
 — — — Schk. Handb. 81.  
 — — — Nouveau Duhamel 2, 39.  
 — — — Engl. Bot. 5, 332.  
 — — — Schrank Fl. monac. 1, 68.  
 — — — Sv. Bot. 337.  
 — — — Guimpel Holzgew. 31.  
 — — — Sturm Flora 7, 27.  
 † — — — Nees Gen. X, x.  
 — *Oxycoccus* *Pursh.* Guimpel Fr. Holzgew. 20.  
 — — — Lodd. Cab. 1123.  
 — *plicatum* *Thumb.* Sieb. Fl. Japon. 37.  
 — — — Bot. Reg. 33, 51.  
 — — — Paxt. Fl. G. 29.  
 — — — Lem. Jard. fl. 88.  
 — — — Fl. d. serres 3, 278.  
 — *prunifolium* *L.* Nouveau Duhamel 2, 38.  
 — — — Guimpel Fr. Holzgew. 101.  
 — — — Watson Dendr. 1, 23.  
 — *pubescens* *Pursh.* Torrey New York 43.  
 — *pyrifolium* *Lam.* Watson Dendr. 1, 22.  
 — *rigidum* *Vent.* Vent. Malm. 98.  
 — *rugosum* *Pers.* Lodd. Cab. 859.  
 — — — Bot. Reg. 5, 376.  
 — — — Bot. Mag. 46, 2082.  
 — *sinense* *Colla.* Mem. Tur. 31, 16.  
 — *squamatum* *Mühlenb.* Watson Dendr. 1, 24.  
 — *stellulatum* *Wall.* Wall. Pl. asiat. 169.  
 — *Tinus* *L.* Bot. Mag. 2, 38.  
 † — — — Schk. Handb. 81.  
 — — — Nouveau Duhamel 2, 37.  
 — *tomentosum* *Thumb.* Sieb. Fl. Japon. 38.  
 — *Wightianum* *Wall.* Wight Spicil. 90.  
 — — — Wight Ic. pl. Ind. or. 3, 1024.  
*Vicentia acuminata* *Allemão.* Allemão Diss. 1844, x.  
*Vicia amoena* *DC.* Ledeb. Ic. 481.  
 — *andicola* *H. B. K.* H. B. K. Nov. Gen. 6, 582.  
 — *angustifolia* *Roth.* Schk. Handb. 201.  
 — — — *α. β.* Sturm Flora 8, 31, 32.  
 — — — Dietr. Fl. bor. 12, 814.  
 — — — *Sibth.* Engl. Bot. 2614.  
 — *argentea* *Lapeyr.* Bot. Mag. 56, 2946.  
 — *atropurpurea* *Desf.* Vent. Cels 84.  
 — — — Bot. Reg. 11, 871.  
 † *Aucherii* *Jaub.* Jaubert Illustr. 41.  
 † *biennis* *L.* Gaertn. Carp. 151.  
 † — — — Lam. Encycl. 634.  
 — *biflora* *Desf.* Desf. Fl. atl. 197.  
 — — — Webb Canar. 65<sup>B</sup>.  
 — *bithynica* *L.* Allione Fl. ped. 3, 26.  
 — — — Jacq. Vind. 147.  
 — — — Engl. Bot. 26, 1842.  
 — — — Sturm Flora 8, 32.  
 — *Bobartii* *Forst.* Engl. Bot. 2708.  
 — *canescens* *Lab.* Bill. Syr. 1, 7.  
 — *cassubica* *L.* Fl. dan. 1, 98.  
 — — — Fl. dan. 8, 1395.  
 — — — Sturm Flora 8, 31.  
 — — — Dietr. Fl. bor. 9, 644.  
 — *ciliaris* *Sibth.* Sibth. Fl. gr. 700.  
 — *Clymenum* *Gm.* Gmelin Reise 3, 33.  
 — *cordata* *Wulf.* Sturm Flora 8, 32.  
 — *costata* *Led.* Ledeb. Ic. 108.  
 — *Cracca* *L.* Fl. dan. 5, 804.  
 — — — Curt. Lond. 1, 88.  
 — — — Engl. Bot. 17, 1168.  
 — — — Sv. Bot. 166.  
 — — — Sturm Flora 8, 31.  
 — — — Schrank Fl. monac. 3, 201.  
 — — — Dietr. Fl. bor. 9, 646.  
 † — — — Cosson Atlas 11.

- Vicia dasycarpa* Ten. Tenore Fl. nap. 244.  
 — *dumetorum* L. Fl. dan. 9, 1464.  
 — — — Sprengel Fl. hal. 7.  
 — — — Sturm Flora 8, 31.  
 — *Ervillea* Willd. Sturm Flora 8, 32.  
 — *exstipulata* Gm. Gmelin Reise 3, 33.  
 — *Faba* L. Sturm Flora 8, 32.  
 — — — Hayne 11, 48.  
 — *filicaulis* Webb. Webb Canar. 65 C.  
 — *galegifolia* Andr. Andr. Rep. 5, 319.  
 — *Gerardi* Jacq. Gerard Fl. gallopr. 19.  
 — — — Jacq. Fl. austr. 2, 229.  
 — *glauca* Presl. Moris Fl. sard. 69.  
 — *gracilis* Lois. Loiseleur Fl. gall. 12.  
 — — — Engl. Bot. 2904.  
 — *grandiflora* Scop. Scopoli Fl. carn. 2, 42.  
 — — —  $\alpha$ .  $\beta$ . Sturm Flora 8, 31. 32.  
 — *hirsuta* Koch. Sturm Flora 8, 32.  
 — *humilis* H. B. K. H. B. K. Nov. Gen. 6, 581.  
 — *hybrida* L. Jacq. Vind. 146.  
 † — — — Gaertn. Carp. 151.  
 † — — — Lam. Encycl. 634.  
 — — — Engl. Bot. 7, 482.  
 — — — Sturm Flora 8, 32.  
 — *intermedia* Viv. Viviani Lib. 19.  
 — *laevigata* Sm. Engl. Bot. 7, 483.  
 — *lathyroides* All. Allione Fl. ped. 3, 59.  
 — — — L. Jacq. Misc. 2, 18.  
 — — — Pl. dan. 1, 58.  
 — — — Engl. Bot. 1, 30.  
 — — — Roemer Fl. europ. 3, 6.  
 — — — Sturm Flora 8, 31.  
 — — — Dietr. Fl. bor. 12, 813.  
 — *laxiflora* Brot. Brotero Phytogr. 52.  
 — *leucantha* Biv. Moris Fl. sard. 70.  
 — *lilacina* Led. Ledeb. Ic. 366.  
 — *lutea* L. Curt. Lond. 4, 74.  
 — — — Engl. Bot. 7, 481.  
 — — — Sturm Flora 8, 31.  
 — *megalotropis* Led. Ledeb. Ic. 368.  
 — *melanops* Sibth. Sibth. Fl. gr. 701.  
 — *monantha* Koch. Sturm Flora 8, 32.  
 — *multicaulis* Led. Ledeb. Ic. 50.  
 † — *nodosa* Gaertn. Gaertn. Carp. 151.  
 † — — — Lam. Encycl. 634.  
 — *ochroleuca* Ten. Tenore Fl. nap. 174.  
 — *onobrychioides* L. Allione Fl. ped. 3, 42.  
 — — — Bot. Mag. 48, 2206.  
 — — — Sturm Flora 8, 31.  
 — *oroboides* Wulf. W. et Kit. 242.  
 — — — Sturm Flora 8, 31.  
 — *pannonica* Jacq. Jacq. Fl. austr. 1, 34.  
 — — — Sturm Flora 8, 31.  
 — *pellucida* Jacq. Jacq. Schoenbr. 2, 222.  
 — *peregrina* L. Sturm Flora 8, 32.  
 — *pimpinelloides* Mauri. Mauri Rom. pl. XIII. 1.  
 † — *pisiformis* L. Gaertn. Carp. 151.  
 — — — Jacq. Fl. austr. 4, 364.  
 † — — — Lam. Encycl. 634.  
 — — — Sv. Bot. 608.  
 — — — Sturm Flora 8, 31.  
 — — — Dietr. Fl. bor. 8, 517.  
 — *platycarpus* Roth. Roth Abhandl. 1. 2.  
 — *polyphylla* Sibth. Sibth. Fl. gr. 699.  
 — — — Desf. W. et Kit. 254.  
 — *polysperma* Ten. Tenore Fl. nap. 173.  
 — — — Sweet Fl. G. II. 274.  
 — *pulchella* H. B. K. H. B. K. Nov. Gen. 6, 583.  
 — *pyrenaica* Pourr. DC. Icones Galliae 33.  
 — *sativa* L. Fl. dan. 3, 522.  
 † — — — Gaertn. Carp. 151.  
 † — — — Lam. Encycl. 634.

- Vicia sativa* L. Engl. Bot. 5, 334.  
 — — — Schrank Fl. monac. 3, 264.  
 — — — Sv. Bot. 230.  
 — — — Sturm Flora 8, 31.  
 — *segetalis* Thuill. Sturm Flora 8, 32.  
 — *sepium* L. Fl. dan. 4, 699.  
 — — — Engl. Bot. 22, 1515.  
 — — — Sv. Bot. 326.  
 — — — Sturm Flora 8, 31.  
 — — — Schrank Fl. monac. 2, 162.  
 — *serratifolia* Jacq. Jacq. Fl. austr. 5, 8.  
 — — — Sturm Flora 8, 32.  
 — *silvatica* L. Fl. dan. 2, 277.  
 — — — Engl. Bot. 2, 79.  
 — — — Baxter Brit. Bot. 3, 173.  
 — — — Sv. Bot. 136.  
 — — — Sturm Flora 8, 31.  
 — — — Dietr. Fl. bor. 9, 643.  
 — *sordida* W. et K. W. et Kit. 133.  
 — — — Sturm Flora 8, 31.  
 — *tenuifolia* Roth. Bot. Mag. 47, 2141.  
 — — — Sturm Flora 8, 31.  
 — — — Dietr. Fl. bor. 8, 518.  
 — — — Fl. dan. 13, 2177.  
 † — — — Cosson Atlas 11.  
 — *tetrasperma* Koch. Sturm Flora 8, 32.  
 — *tricolor* Seb. M. Sebastiani Fl. rom. 4.  
 — *triflora* Ten. Tenore Fl. nap. 172.  
 — *variegata* Willd. Desf. Choix 65.  
 — — — Ann. Mus. 12, 12.  
 — *vestita* Boiss. Boissier Esp. 57.  
 — *villosa* Roth. Sturm Flora 8, 31.  
 — — — Dietr. Fl. bor. 9, 645.  
 † — — — Cosson Atlas 11.  
 † *Vicieae* DC. (Germinatio.) DC. Legum. 15.  
*Vicia indica* DC. Wight Ic. pl. Ind. or. 3, 1148.  
*Victoria regia* Ldl. (regalis Schomb.) Jardine Magazine Nov. 1837, 12.  
 — — — Lindley Victoria 1837, 1.  
 — — — (regina Schomb.) Proceedings Bot. Soc. of London 1839, 5. 6.  
 — — — (regalis Schomb.) Marnock Mag. 1839, 8.  
 — — — Schomburgk Views of Guiana, 1841. Title.  
 — — — Bot. Mag. 73, 4275—4278.  
 — — — Hooker Description 1847, 1—4.  
 — — — Flore des serres 3, 200—205.  
 — — — London Illustr. News 1848 or 1849, x. x.  
 — — — Flore des serres 5, 521 $\epsilon$ . 521 $\delta$ .  
 — — — Flore des serres 6, 595—604.  
 — — — 7, p. 50—52.  
 — — — Van Houtte et Planchon Victoria 1—6.  
 — — — Moore Magazine 1850, p. 225.  
 — — — Hooker Victoria regia 1851, 1—4.  
 — — — Lawson Water-Lily 1851, 1. 2.  
 — — — Loescher Königl. Wasserlilie 1851, 1. 2. 3.  
 — — — Kemp Parks of London 1851, x.  
 — — — Otto Gartenzeitung 1851, p. 385.  
 — — — Hochstetter Victoria regia 1852, 1.  
 — — — Borsig und Dümmler Tab. sing. 1852, x.  
 — — — Caspary Monographie x.  
 † — — — Caspary Monographie 1—16.  
*Victoriperrea impavida* Hombr. Richard Astrolabe 1.  
*Vieria laevigata* Webb. Webb Canar. 84.  
*Vieusseuxia fugax* Dela Roche. Dela Roche Descr. ined. x.  
 — *glaucopsis* DC. Red. Lil. 1, 42.  
 — — — Ann. Mus. 2, 42.  
 — — — Herb. amat. 1, 1.  
 — — — Lodd. Cab. 1744.  
 — — — Fl. d. serres 4, 423.  
 — *iridioides* DC. Red. Lil. 6, 340.

- Vieusseuxia spiralis* *Dela Roche*. *Dela Roche* Descr. 5.  
*Vigna hirta* *Hook.* *Hook. Ic.* pl. 7, 637.  
 — *tuberosa* *Rich.* *Richard* Abyssin. 42.  
 † *Vigna acuta* *Rchb.* *Nees* Gen. 2, 2.  
 — *arenaria* *Rchb.* *Rchb. Fl. germ.* 8, 209.  
 — *argyroglochis* *Rchb.* *Rchb. Fl. germ.* 8, 211.  
 — *axillaris* *Rchb.* *Rchb. Fl. germ.* 8, 219.  
 — *Boeninghausiana* *Weihe.* *Rchb. Fl. g.* 8, 219.  
 — *brizoides* *Rchb.* *Rchb. Fl. germ.* 8, 207.  
 — *canescens* *Rchb.* *Rchb. Fl. germ.* 8, 206.  
 — *chordorrhiza* *Rchb.* *Rchb. Fl. germ.* 8, 200.  
 — *curvula* *Rchb.* *Rchb. Fl. germ.* 8, 201.  
 † *cyperoides* *Rchb.* *Nees* Gen. 2, 2.  
 — *divisa* *Rchb.* *Rchb. Fl. germ.* 8, 205.  
 — *foetida* *Rchb.* *Rchb. Fl. germ.* 8, 199.  
 — *Gaudiniana* *Rchb.* *Rchb. Fl. germ.* 8, 202.  
 — *Gebhardi* *Rchb.* *Rchb. Fl. germ.* 8, 206.  
 — *Heleonastes* *Rchb.* *Rchb. Fl. germ.* 8, 204.  
 — *incurva* *Rchb.* *Rchb. Fl. germ.* 8, 199.  
 — *intermedia* *Rchb.* *Rchb. Fl. germ.* 8, 210.  
 — *lagopina* *Rchb.* *Rchb. Fl. germ.* 8, 204.  
 — *leiorrhyncha* *Rchb.* *Rchb. Fl. germ.* 8, 221.  
 — *leporina* *Rchb.* *Rchb. Fl. germ.* 8, 211.  
 — *liolicea* *Rchb.* *Rchb. Fl. germ.* 8, 214.  
 — *microstachya* *Rchb.* *Rchb. Fl. germ.* 8, 202.  
 — *mucronata* *Rchb.* *Rchb. Fl. germ.* 8, 201.  
 — *muricata* *Rchb.* *Rchb. Fl. germ.* 8, 215.  
 † — — *Nees* Gen. 2, 2.  
 — *Ohmülleriana* *Rchb.* *Rchb. Fl. germ.* 8, 213.  
 — *paniculata* *Rchb.* *Rchb. Fl. germ.* 8, 223.  
 — *paradoxa* *Rchb.* *Rchb. Fl. germ.* 8, 222.  
 — *pseudo-arenaria* *Rchb.* *Rchb. Fl. germ.* 8, 208.  
 † *pulicaris* *Rchb.* *Nees* Gen. 2, 2.  
 — *remota* *Rchb.* *Rchb. Fl. germ.* 8, 212.  
 — *Schreberi* *Rchb.* *Rchb. Fl. germ.* 8, 207.  
 — *stellulata* *Rchb.* *Rchb. Fl. germ.* 8, 214.  
 — *stenophylla* *Rchb.* *Rchb. Fl. germ.* 8, 200.  
 — *teretiusecula* *Rchb.* *Rchb. Fl. germ.* 8, 222.  
 — *tripartita* *Rchb.* *Rchb. Fl. germ.* 8, 205.  
*Viguiera helianthoides* *H. B. K.* *H. B. K. N. G.* 4, 379.  
*Vilfa acuminata* *Tr.* *Trinius* Sp. Gr. 3, 348.  
 — *aenea* *Tr.* *Trinius* Sp. Gr. 1, 23.  
 — *algida* *Tr.* *Trinius* Sp. Gr. 1, 83.  
 — *arundinacea* *Tr.* *Trinius* Sp. Gr. 1, 55.  
 — *atrorubens* *H. B. K.* *H. B. K. Nov. Gen.* 7, 685.  
 — *capensis* *Pal. B.* *Trinius* Sp. Gr. 1, 56.  
 — *commutata* *Tr.* *Trinius* Sp. Gr. 1, 10.  
 — *coromandelina* *Pal. B.* *Trinius* Sp. Gr. 1, 11.  
 — *depauperata* *Torr.* *Hook. Bor. Am.* 236.  
 — *domingensis* *Tr.* *Trinius* Sp. Gr. 1, 24.  
 — *juncea* *Tr.* *Trinius* Sp. Gr. 1, 57.  
 — *monandra* *Tr.* *Trinius* Sp. Gr. 1, 84.  
 — *pilifera* *Tr.* *Trinius* Sp. Gr. 1, 58.  
 — *pungens* *Pal. B.* *Trinius* Sp. Gr. 1, 47.  
 † — — *Nees* Gen. 1, 28.  
 — *ramulosa* *H. B. K.* *H. B. K. Nov. Gen.* 7, 684.  
 — *rigens* *Tr.* *Trinius* Sp. Gr. 3, 250.  
 — *rupestris* *Tr.* *Trinius* Sp. Gr. 1, 59.  
 — *serotina* *Tr.* *Trinius* Sp. Gr. 3, 251.  
 — *spicata* *Pal. B.* *Trinius* Sp. Gr. 1, 12.  
 — *tenacissima* *Kth.* *Trinius* Sp. Gr. 1, 59. 60.  
 — *villosa* *Rchb.* *Trinius* Sp. Gr. 3, 252.  
 — *virginica* *Pal. B.* *Trinius* Sp. Gr. 1, 48.  
*Villaresia mucronata* *Rz et P.* *Ruiz et Pav. Fl.* 231.  
 † — — *Ann. sc. nat.* 25, 3.  
*Villarsia aquatica* *Bosc.* *Bull. philom.* 1797. no. 16.  
 — *chilensis* *Lodd.* *Lodd. Cab.* 1994.  
 — *cristata* *Spr.* *Rheede Hort. mal.* 11, 29.  
 — — *Hook. Journal* 1834, 123.  
 — *excelsa* *Lois.* *Herb. amat.* 5, 292.  
 — *indica* *Vent.* *Rheede Hort. mal.* 11, 28.  
 — — *Rumpf Amb.* 6, 72. fig. 3.  
*Villarsia indica* *Vent.* *Wight Illustr.* in *Hook.* 30.  
 — *involutrata* *Hook.* *Hook. Ic.* pl. 8, 725.  
 — *macrophylla* *Roth.* *Wight Illustr.* in *Hook.* 30.  
 — *nymphaeoides* *Vent.* *Curt. Lond.* 5, 164.  
 — — — *Baxter Brit. Bot.* 3, 161.  
 — — — *Sturm Flora* 4, 13.  
 — — — *Dietr. Fl. bor.* 9, 578.  
 — *ovata* *Vent.* *Vent. Choix* 9.  
 — — — *Lam. Encycl.* 929.  
 — *pumila* *Griseb.* *Hook. Bor. Am.* 157.  
 — *reniformis* *R. Br.* *Bot. Reg.* 18, 1533.  
*Villebrunea crenulata* *Gaudich.* *Gaudichaud Bonite* 92.  
 — *integrifolia* *Gaudich.* *Gaudichaud Bonite* 91.  
 † *Villemetia lanata* *Moq. T.* *Ann. sc. nat.* II, 1, 9.  
*Villosagastria* *Aub.* *Aubert Orchid.* 32.  
*Viminaria denudata* *Sm.* *Smith Exot. Bot.* 27.  
 — — — *Bot. Mag.* 29, 1190.  
 — — — *Rchb. Mag.* 92.  
 — — — *Paxt. Mag.* 14, 123.  
*Vinca Bottae* *Jaub.* *Jaubert Illustr.* 186.  
 — *Guilelmi Waldemarii* *Klotzsch.* *Prinz Waldem.*  
*Him.* 70.  
 — *herbacea* *Kit.* *Winterl Index* 20.  
 — — — *W. et Kit.* 9.  
 — — — *Bot. Mag.* 45, 2002.  
 — — — *Bot. Reg.* 4, 301.  
 — *libanotica* *Zucc.* *Münchn. Abh.* 3, 8.  
 † *major* *L.* *Lam. Encycl.* 172.  
 — — — *Nouveau Duhamel* 1, 14.  
 — — — *Curt. Lond.* 3, 83.  
 — — — *Engl. Bot.* 8, 514.  
 — — — *Baxter Brit. Bot.* 2, 158.  
 † — — — *Nees* Gen. X, x.  
 — *media* *Link et H.* *Hoffm. et Link Fl. port.* 70.  
 — *minor* *L.* *Schk. Handb.* 51.  
 — — — *Lam. Encycl.* 172.  
 — — — *Curt. Lond.* 3, 81.  
 — — — *Engl. Bot.* 13, 917.  
 — — — *Guimpel Holzgew.* 26.  
 — — — *Liboschitz Petersb.* 15.  
 — — — *Schränk Fl. monac.* 2, 121.  
 — — — *Fl. dan.* 11, 1813.  
 † — — — *Nees* Gen. X, x.  
 † — — — *Plée* Types 28.  
 — *pusilla* *Murr.* *N. Comm. Gott.* 3, 2.  
 — *rosea* *L.* *Bot. Mag.* 7, 248.  
 † — — — *Gaertn. Carp.* 117.  
*Vincentia triflora* *Bojer.* *Hook. Bot. Misc.* 62.  
*Vincetoxicum Arnottianum* *Wight.* *Wight Ic.* pl. 4, 1614.  
 † — *officinale* *Moench.* *Nees* Gen. X, x.  
 — *purpurascens* *Morr.* *Journ. Hort. Soc.* 7, 285.  
*Vinsonia drupacea* *Gaudich.* *Gaudichaud Bonite* 31.  
 † — *elegans* *Gaudich.* *Gaudichaud Bonite* 17.  
 † — *humilis* *Gaudich.* *Gaudichaud Bonite* 17.  
 † — *lucida* *Gaudich.* *Gaudichaud Bonite* 17.  
 † — *palustris* *Gaudich.* *Gaudichaud Bonite* 17.  
 — *Pervilleana* *Gaudich.* *Gaudichaud Bonite* 31.  
 † — *purpurascens* *Gaudich.* *Gaudichaud Bonite* 17.  
 — *stephanocarpa* *Gaudich.* *Gaudichaud Bonite* 23.  
 † — *sylvestris* *Gaudich.* *Gaudichaud Bonite* 17.  
 — *utilis* *Gaudich.* *Gaudichaud Bonite* 17. 23. 129.  
 † *Viola* *L.* (*Gingins.*) *Mem. Genev.* 2, 1.  
 † — — *Jardine Annals* 10, 7.  
 † — — *Gray Genera* 80.  
 — *acaulis* *All.* *Allione Stirp. Descr.* 5.  
 — *agrestis* *Jord.* *Jordan Observ.* 2, 2.  
 — *alba* *Bess.* *Sturm Flora* 20, 89.  
 — *Allionii* *Pio.* *Pio Monogr.* 1.  
 — — — *Rchb. Pl. crit.* 1, 72. 73.  
 — — — *Rchb. Fl. germ.* 3, 9.  
 — — — *Mem. Strassb.* 3, 1.  
 † — — — *Mutel Fl. fr.* 7.

- Viola alpina* Jacq. Jacq. Observ. 11.  
 — — — Jacq. Fl. austr. 3, 242.  
 — — — Tratt. Archiv 142.  
 — — — Sturm Flora 6, 22.  
 — — — Rchb. Fl. germ. 3, 18.  
 — — — altaica Ker. Bot. Mag. 43, 1776.  
 — — — Bot. Reg. 1, 54.  
 † — — — Payer Organogénie 37.  
 — — — ambigua W. et K. W. et Kit. 190.  
 — — — Rchb. Fl. germ. 3, 7.  
 — — — Sturm Flora 20, 89.  
 — — — angustifolia Roth. Fl. dan. 8, 1340.  
 — — — arvensis Murr. Engl. Bot. 2712.  
 — — — Fl. dan. 10, 1748.  
 — — — Wagner 66.  
 — — — Asterias Hook. Hook. Bot. Misc. 99.  
 — — — balsaminoides Gardn. Hook. Ic. pl. 3, 217.  
 — — — bannatica Kit. Rchb. Fl. germ. 3, 22.  
 — — — biflora L. Fl. dan. 1, 46.  
 — — — Bot. Mag. 46, 2089.  
 — — — Sv. Bot. 753.  
 — — — Rchb. Fl. germ. 3, 1.  
 — — — blanda Willd. Willdenow Hortus 24.  
 — — — Rchb. Pl. crit. 1, 51.  
 — — — calcarata L. Villars Cat. Strasb. 5.  
 — — — β. flava, Sturm Flora 6, 22.  
 — — — Rchb. Ic. crit. 3, 269.  
 — — — Rchb. Fl. germ. 3, 18.  
 — — — Calceolaria L. Desc. Ant. 2, 213.  
 — — — campestris M. v. B. Rchb. Pl. crit. 1, 43.  
 — — — canadensis L. Rchb. Pl. crit. 1, 54.  
 — — — Sweet Fl. G. II. 62.  
 — — — canina L. Curt. Lond. 3, 30.  
 — — — Engl. Bot. 9, 620.  
 — — — Hayne 3, 3.  
 — — — Fl. dan. 9, 1453.  
 — — — Sv. Bot. 290.  
 — — — Sturm Flora 3, 11.  
 — — — Schrank Fl. monac. 2, 176.  
 — — — Rchb. Pl. crit. 1, 74, 75.  
 † — — — Rchb. Pl. crit. 7, 601.  
 — — — Rchb. Fl. germ. 3, 10, 11.  
 — — — Baxter Brit. Bot. 1, 4.  
 † — — — Mutel Fl. fr. 7.  
 † — — — var. lucorum, Mutel Fl. fr. 7.  
 — — — cenisia All. Allione Fl. ped. 3, 22.  
 — — — Rchb. Fl. germ. 3, 19.  
 — — — cheiranthifolia H. B. Humb. Pl. aeq. 32.  
 — — — chrysantha Schrad. Rchb. Hortus 114.  
 — — — Rchb. Fl. germ. 3, 20.  
 — — — Hook. Hook. Ic. pl. 1, 49.  
 — — — collina Bess. Rchb. Pl. crit. 1, 44.  
 — — — Rchb. Fl. germ. 3, 7.  
 — — — Sturm Flora 20, 89.  
 — — — Comollia Massara. Cesati Stirpes ital. x.  
 — — — concolor Forst. Linn. Transact. 6, 28.  
 — — — congesta Gill. Hook. Bot. Misc. 97.  
 — — — conspersa Rchb. Rchb. Pl. crit. 1, 52.  
 — — — cordata Walt. Rchb. Pl. crit. 1, 45.  
 — — — cornuta L. Villars Cat. Strasb. 5.  
 — — — Bot. Mag. 21, 791.  
 — — — Rchb. Ic. crit. 3, 267.  
 — — — Rchb. Fl. germ. 3, 20.  
 † — — — Mutel Fl. fr. 9.  
 — — — Cotyledon Ging. Poepp. et Endl. 166.  
 — — — Hook. Ic. pl. 1, 13.  
 — — — crassifolia Fenzl. Russegger Reise 14.  
 — — — cucullata Soland. Bot. Mag. 43, 1795.  
 — — — Sweet Fl. G. II. 298.  
 — — — Curtisii E. F. Engl. Bot. 2693.  
 — — — debilis Pursh. Lodd. Cab. 1378.  
 — — — declinata W. et K. W. et Kit. 223.

- Viola declinata* W. et K. Rchb. Fl. germ. 3, 20.  
 — — — Dehnhardtii Ten. Tenore Fl. nap. 219.  
 — — — dentata Pursh. Lodd. Cab. 1485.  
 — — — dissecta Led. Ledeb. Ic. 232.  
 — — — elatior Fries. Mem. Strassb. 3, 2, 3.  
 — — — epipsila Ledeb. Rchb. Pl. crit. 1, 51.  
 — — — Sturm Flora 20, 89.  
 — — — ericetorum Schrad. Hayne 3, 3.  
 — — — var. Mem. Strassb. 3, 1.  
 — — — eriocarpa Lewis. Sweet Fl. G. 102.  
 — — — fiabellifolia Lodd. Lodd. Cab. 777.  
 — — — flavicornis Sm. Engl. Bot. 2736.  
 — — — glacialis P. et E. Poepp. et Endl. 165.  
 — — — glandulifera Hook. Hook. Ic. pl. 1, 67.  
 — — — gracilescens Jord. Jordan Observ. 2, 2.  
 — — — gracilis Sibth. Sibth. Fl. gr. 222.  
 — — — gracillima St. Hil. Mem. Mus. 11, 22.  
 — — — St. Hil. Pl. remarq. 26.  
 — — — grandiflora L. Villars Cat. Strasb. 5.  
 — — — hederacea Lab. Bill. Nov. Holl. 91.  
 — — — Hook. Exot. Fl. 225.  
 — — — Lodd. Cab. 1133.  
 — — — Rchb. Hortus 110.  
 — — — hirta L. Fl. dan. 4, 618.  
 — — — Curt. Lond. 3, 95.  
 — — — Engl. Bot. 13, 894.  
 — — — Sv. Bot. 543.  
 — — — Hayne 3, 1.  
 — — — Sturm Flora 3, 11, 20, 89.  
 — — — Schrank Fl. monac. 1, 45.  
 — — — var. fraterna, Rchb. Pl. crit. 1, 44.  
 — — — Rchb. Fl. germ. 3, 3—6.  
 — — — Dietr. Fl. bor. 5, 358.  
 † — — — Mutel Fl. fr. 7.  
 — — — Hookeriana H. B. K. H. B. K. Nov. Gen. 5, 492.  
 — — — humilis H. B. K. H. B. K. Nov. Gen. 5, 492.  
 — — — Hybanthus Aubl. Aublet Guiana 319.  
 — — — imberbis Led. Ledeb. Ic. 236.  
 — — — intermedia Kirschl. Mem. Strassb. 3, 1.  
 — — — Ipecacuanha L. Roemer Scriptorum 3.  
 — — — Desc. Ant. 2, 121.  
 — — — Itoubou Aubl. Aublet Guiana 318.  
 — — — Kochii Kirschl. Mem. Strassb. 3, 2.  
 — — — kunawurensis Royle. Royle Illustr. 18.  
 — — — lactea Sm. Engl. Bot. 7, 445.  
 — — — Rchb. Pl. crit. 1, 99.  
 — — — Rchb. Fl. germ. 3, 16.  
 † — — — Mutel Fl. fr. 9.  
 — — — Dietr. Fl. bor. 5, 356.  
 — — — lamiifolia Thore. Mem. Strassb. 3, 3.  
 — — — lanceolata L. Lodd. Cab. 211.  
 — — — Sweet Fl. G. 174.  
 — — — Rchb. Pl. crit. 1, 52.  
 † — — — lancifolia Thore. Mutel Fl. fr. 9.  
 — — — Rchb. Pl. crit. 1, 96.  
 — — — Rchb. Fl. germ. 3, 15.  
 † — — — livida Kit. Mutel Fl. fr. 7.  
 — — — lusitana Brot. Brotero Phytogr. 17.  
 — — — lutea Sm. Engl. Bot. 11, 721.  
 — — — Tratt. Archiv 1.  
 † — — — Mutel Fl. fr. 10.  
 — — — Rchb. Ic. crit. 2, 171.  
 — — — Rchb. Fl. germ. 3, 23.  
 — — — macroceras Led. Ledeb. Ic. 219.  
 — — — maculata Cav. Cav. Ic. 530.  
 — — — Hook. Ic. pl. 5, 499.  
 — — — madonia Presl. Rchb. Ic. crit. 3, 269.  
 — — — magellanica Forst. Comm. Gott. 9, 8.  
 — — — microceras Rupr. Ruprecht Fl. Samojed. 1.  
 — — — mirabilis L. Fl. dan. 6, 1045.  
 — — — Krocker Fl. sil. 4, 3.

- Viola mirabilis* L. Rchb. Fl. germ. 3, 13.  
 — — — Schrank Fl. monac. 3, 274.  
 — — — Dietr. Fl. bor. 11, 725.  
 — — — *montana* L. Fl. dan. 8, 1329.  
 — — — Sv. Bot. 682.  
 — — — Bot. Mag. 39, 1595.  
 — — — Rchb. Pl. crit. 1, 98.  
 † — — — Mutel Fl. fr. 8.  
 — — — *nemausensis* Jord. Jordan Observ. 2, 1.  
 — — — *memoralis* Kütz. Linnæa 7, 4.  
 — — — *nevadensis* Boiss. Boissier Esp. 18.  
 — — — *nummulariaefolia* All. Allione Fl. ped. 3, 9.  
 — — — Rchb. Pl. crit. 1, 71.  
 — — — Rchb. Fl. germ. 3, 18.  
 † — — — Mutel Fl. fr. 9.  
 — — — *Nuttallii* Pursh. Hook. Bor. Am. 26.  
 — — — *obliqua* Hill. Hill Hortus Kew. 12.  
 — — — *odorata* L. Fl. dan. 2, 309.  
 — — — Woody. Med. 2, 89.  
 — — — Curt. Lond. 1, 3.  
 — — — Engl. Bot. 9, 619.  
 — — — Sv. Bot. 8.  
 — — — Dreves 1, 7.  
 — — — Hayne 2, 2.  
 — — — Sturm Flora 3, 11, 20, 89.  
 — — — Schrank Fl. monac. 4, 362.  
 — — — Nees Düsseld. 384.  
 — — — Guimpel et Schl. 28.  
 — — — Wagner 55.  
 — — — Dietr. Fl. bor. 2, 96.  
 — — — Rchb. Fl. germ. 3, 6, 8.  
 — — — var. *Steveni* Bess. Sturm Flora 20, 89.  
 † — — — Plée Types 8.  
 † — — — Payer Organogénie 37.  
 † — — — Schweizer Denkschr. 5, 1.  
 — — — *odorato-hirta* Rchb. Rchb. Fl. germ. 3, 7.  
 — — — *orchidiflora* Rudge. Rudge Pl. Guianæ 10.  
 — — — *palescens* Jord. Jordan Observ. 2, 1.  
 — — — *palmaensis* Maund. Knowles et Westcott 86.  
 — — — *palmata* L. Bot. Mag. 15, 535.  
 — — — Tratt. Archiv 302.  
 — — — Rchb. Pl. crit. 1, 41, 42.  
 — — — *palustris* L. Fl. dan. 1, 83.  
 — — — Curt. Lond. 1, 46.  
 — — — Engl. Bot. 7, 444.  
 — — — Abbot Fl. bedf. 3.  
 — — — Sturm Flora 3, 11.  
 — — — Dietr. Fl. bor. 5, 359.  
 — — — Rchb. Fl. germ. 3, 2.  
 — — — *pedata* L. Bot. Mag. 3, 89.  
 — — — Andr. Rep. 3, 153.  
 — — — Lodd. Cab. 536.  
 — — — var. Tratt. Archiv 365, 366.  
 — — — Dict. sc. nat. 188.  
 — — — Sweet Fl. G. 69.  
 — — — var. *flabellata*, Sweet Fl. G. II. 247.  
 — — — *pentadactyla* Fzl. Russegger Reise 14.  
 — — — *persicifolia* Roth. Schk. Handb. 269.  
 — — — Rchb. Pl. crit. 1, 100.  
 — — — Rchb. Fl. germ. 3, 17.  
 — — — Dietr. Fl. bor. 5, 357.  
 † — — — Mutel Fl. fr. 9.  
 — — — *philippica* Cav. Cav. Ic. 529.  
 † — — — *pinnata* L. Mutel Fl. fr. 7.  
 — — — Rchb. Pl. crit. 1, 41.  
 — — — Rchb. Fl. germ. 3, 1.  
 — — — Sturm Flora 20, 89.  
 — — — Ledeb. Ic. 220.  
 — — — *pinnatifida* All. Miscellanea Taur. 3, 5.  
 — — — *polygalæifolia* Poir. Desc. Ant. 2, 122.  
 — — — *Portalesia* Gay. Gay Chile 6.  
 — — — *praemorsa* Dougl. Bot. Reg. 15, 1254.

- Viola pratensis* M. et K. Rchb. Fl. germ. 3, 17.  
 — — — Mutel Fl. fr. Suppl. 1.  
 — — — var. Mem. Strassb. 3, 3.  
 — — — *primulifolia* L. Rchb. Pl. crit. 1, 45.  
 — — — *pubescens* Ait. Sweet Fl. G. 223.  
 — — — Lodd. Cab. 1249.  
 — — —  $\beta$ . *criocarpa*, Bot. Reg. 5, 390.  
 — — — Rchb. Pl. crit. 1, 53.  
 — — — *pumila* Vill. var. Villars Cat. Strassb. 5.  
 — — — Mutel Fl. fr. Suppl. 1.  
 — — — *pyrenaica* Ram. Rchb. Fl. germ. 3, 2.  
 — — — *pyrolæifolia* Poir. Fl. d. serres 7, 665.  
 — — — *Reichenbachii* Kirschl. var. Mem. Strassb. 3, 2.  
 — — — *reniformis* Wall. Royle Illustr. 18.  
 — — — *Riviniana* Rchb. Rchb. Pl. crit. 1, 95, 7, 601.  
 — — — Rchb. Fl. germ. 3, 12.  
 † — — — Mutel Fl. fr. 8.  
 — — — *rostrata* Nutt. Rchb. Hortus 131.  
 — — — *rosulata* P. et E. Poepp. et Endl. 166.  
 — — — *rothomagensis* Thuill. Bot. Mag. 36, 1498.  
 — — — Sweet Brit. Bot. 1, 2.  
 — — — Rchb. Fl. germ. 3, 22.  
 — — — *rotundifolia* Michx. Rchb. Hortus 124.  
 — — — *rubella* Cav. Cav. Ic. 531.  
 — — — *rupestris* Schm. Rchb. Pl. crit. 1, 71.  
 — — — Rchb. Fl. germ. 3, 9.  
 — — — *Ruppii* All. Allione Fl. ped. 3, 26.  
 — — — Lodd. Cab. 686.  
 — — — Rchb. Pl. crit. 1, 97.  
 — — — Rchb. Fl. germ. 3, 14.  
 † — — — Mutel Fl. fr. 9.  
 — — — *sagittata* Ait. Rchb. Pl. crit. 1, 42.  
 — — — Lodd. Cab. 1471.  
 — — — Gray Genera 80.  
 — — — *scandens* H. B. K. H. B. K. Nov. Gen. 5, 493.  
 — — — *sciaphila* Koch. Sturm Flora 20, 89.  
 — — — *segetalis* Jord. Jordan Observ. 2, 1.  
 — — — *serpens* Wall. Royle Illustr. 18.  
 — — — *silvatica* Kirschl. var. Mem. Strassb. 3, 1.  
 — — — *silvestris* Lam. Sturm Flora 3, 11.  
 — — — Rchb. Pl. crit. 1, 94.  
 — — — Rchb. Pl. crit. 7, 601.  
 — — — Rchb. Fl. germ. 3, 12.  
 † — — — Mutel Fl. fr. 8.  
 — — — *sororia* Willd. Willdenow Hortus 72.  
 — — — Rchb. Pl. crit. 1, 44.  
 — — — *stagnina* Kit. Gmelin Fl. bad. 4, 10.  
 — — — Mem. Strassb. 3, 2, 3.  
 — — — *stipularis* Cav. Cav. Ic. 531.  
 — — — *striata* Ait. Rchb. Pl. crit. 1, 54.  
 — — — Torrey New York 8.  
 — — — *stricta* Hornem. Fl. dan. 11, 1812.  
 — — — *suavis* M. v. B. Rchb. Ic. crit. 5, 465.  
 — — — Rchb. Fl. germ. 3, 8.  
 — — — Dietr. Fl. bor. 6, 397.  
 — — — Sturm Flora 20, 89.  
 — — — Sweet Fl. G. II. 126.  
 — — — *Toydea* Berth. Mem. soc. Linn. Par. 5, 7.  
 — — — *tricolor* L. Fl. dan. 4, 623.  
 † — — — Gaertn. Carp. 112.  
 † — — — Lam. Encycl. 725.  
 — — — Woody. Med. 2, 90.  
 — — — Curt. Lond. 1, 100.  
 — — — Engl. Bot. 18, 1287.  
 — — — Sv. Bot. 44.  
 — — —  $\alpha$ .  $\beta$ . Hayne 3, 4, 6.  
 — — — Sturm Flora 3, 11.  
 — — — Schrank Fl. monac. 1, 51.  
 — — — Nees Düsseld. 385.  
 — — — Guimpel et Schl. 29.  
 — — — Wagner 66.  
 — — — Rchb. Fl. germ. 3, 21.

- Viola tricolor* L. Dietr. Fl. bor. 2, 95.  
 — — — var. *Annales de Gand* 1845, 11, 12.  
 — — — var. Fl. d. serres 7, 727.  
 — — — *uliginosa* Schrad. Rchb. Pl. crit. 1, 52.  
 — — — Rchb. Fl. germ. 3, 2.  
 — — — Sturm Flora 20, 89.  
 — — — Dietr. Fl. bor. 11, 788.  
 — — — *umbrosa* Hartm. Rchb. Fl. germ. 3, 3.  
 — — — *uniflora* L. Rchb. Pl. crit. 1, 53.  
 — — — *Valderia* All. Allione Fl. ped. 3, 24.  
 — — — Rchb. Fl. germ. 3, 19.  
 — — — *variegata* Fisch. Regel Gartenflora 1852, 20.  
 — — — *verticillata* Ort. Schrader Journal 1800, 2, 6.  
 — — — *viviariensis* Jord. Jordar Observ. 1, 2.  
 — — — *volcanica* Gill. Hook. Bot. Misc. 98.  
 — — — *Walkeri* Wight. Wight Illustr. 18.  
 — — — *Wightiana* Wall. Wight Spicil. 11.  
 — — — Wight Ic. pl. Ind. or. 3, 943.  
 — — — *Zoysii* Jacq. Jacq. Collect. 4, 11.  
 — — — Sturm Flora 6, 22.
- † *Violarieae* DC. Mem. Genév. 2, 1, 2.  
 † — — — Payer Organogénie 37.
- Viraya podolepis* Gaudich. Freycinet Voyage 89.
- † *Vireca hastilis* Gaertn. Gaertn. Carp. 159.
- † *Virecta virens* Gaertn. Gaertn. Carp. 184.
- Virga aurea marylandica* Mart. Martyn Hist. 11.
- Virgilia aurea* Lam. Lam. Encycl. 326.  
 — — — Wight Illustr. 81.  
 — — — *capensis* Lam. Lam. Encycl. 326.  
 — — — Bot. Mag. 38, 1590.  
 — — — *helioides* L'her. L'heritier Monogr. 1, 2.  
 — — — Smith Exot. Bot. 37.  
 — — — *intrusa* Dryand. Bot. Mag. 53, 2617.  
 — — — *lutea* Michx. Michaux Arb. 3, 3.  
 — — — Herb. amat. 3, 197.  
 — — — *secundiflora* Cav. Cav. Ic. 401.  
 — — — *silvatica* DC. Delessert Ic. 3, 59.
- † *Virgularia* Rz et P. Ruiz et Pav. Prodr. 19.  
 — — — *alpestris* Mart. Mart. Bras. 205.  
 — — — *campestris* Mart. Mart. Bras. 203.  
 — — — *montana* Mart. Mart. Bras. 204.  
 — — — *sebifera* Aubl. Aublet Guiana 345.
- Viscago stellata* Rchb. Rchb. Mag. 27.
- Viscaria oculata* Ldl. Bot. Reg. 29, 53.  
 — — — Bot. Mag. 70, 4075.  
 — — — Paxt. Mag. 11, 269.  
 — — — Lem. Jard. fl. 4, 419.
- Viscoides pendulum* Jacq. Jacq. Hist. stirp. am. 73.
- Viscum album* L. Woody. Med. 1, 34.  
 — — — Engl. Bot. 21, 1470.  
 — — — Baxter Brit. Bot. 1, 40.  
 — — — Nouveau Duhamel 1, 26.  
 — — — Fl. dan. 10, 1657.  
 — — — Schk. Handb. 320.  
 — — — Hayne 4, 24.  
 — — — Sturm Flora 2, 8.  
 — — — Guimpel Holzgew. 198.  
 — — — Schrank Fl. monac. 4, 357.  
 — — — Nees Düsseld. 266.  
 — — — Guimpel et Schl. 60.  
 — — — Gaertn. Carp. 27.  
 — — — Lam. Encycl. 807.  
 — — — (Jussieu.) Ann. Mus. 12, 27.  
 — — — (Decaisne.) Acad. Brux. 13, 1, 2, 3.  
 — — — (Griffith.) Ann. sc. nat. II, 11, 3.  
 — — — (Griffith.) Linn. Transact. 18, 10, 11.  
 — — — Linn. Transact. 19, 21.  
 — — — (Decaisne.) Ann. sc. nat. II, 13, 11.  
 — — — Nees Gen. X, x.  
 — — — Schnizl. Iconogr. 166.  
 — — — Schacht Beiträge p. 174.  
 — — — *compressum* Poir. Blume Java 8, 26.

- Viscum falcatum* Cham. et Schl. Hook. Ic. pl. 4, 368.  
 — — — *incanum* Hook. Hook. Ic. pl. 1, 73.  
 — — — *macrostachyon* Jacq. Jacq. Collect. 2, 5.  
 — — — *moniliforme* Bl. Blume Java 8, 25.  
 — — — Wight Spicil. 87.  
 — — — Wight Ic. pl. Ind. or. 3, 1018.  
 — — — var. *coralloides*; Wight Ic. pl. 3, 1019.  
 — — — *opuntioides* L. Desc. Ant. 5, 358.  
 — — — *orbiculatum* Wight. Wight Spicil. 86.  
 — — — Wight Ic. pl. Ind. or. 3, 1016.  
 — — — *orientale* Willd. Blume Java 8, 24, 25.  
 † — — — Wight Illustr. 122.  
 — — — *ramosissimum* Wall. Wight Ic. pl. Ind. or. 3, 1017.
- Visenia umbellata* Bl. Wight Ic. pl. Ind. or. 2, 509.
- Visiania robusta* DC. Delessert Ic. 5, 44.  
 — — — Wight Spicil. 147.  
 — — — Wight Ic. pl. Ind. or. 4, 1242.
- † *Vismia* Vand. Ruiz et Pav. Prodr. 22.  
 † — — — Roemer Scriptoros 7.  
 — — — *brasiliensis* Choisy. Choisy Hyperic. 2.  
 — — — *dealbata* H. B. K. H. B. K. Nov. Gen. 5, 454.  
 — — — *glabra* Rz et P. Lodd. Cab. 1752.  
 — — — *guineensis* Choisy. Guillemain Seneg. 23.  
 — — — *longifolia* St. Hil. St. Hil. Fl. Bras. 68.  
 — — — *rufescens* Pers. Choisy Hyperic. 1.
- † *Visnaga daucoides* Gaertn. Gaertn. Carp. 21.
- Visnea Mocanera* L. fil. Bory des fortunées 7.  
 — — — Annales générales 1, 5.  
 — — — Colla Hort. Rip. 32.  
 † — — — Webb Canar. 69<sup>B</sup>.  
 — — — Hook. Ic. pl. 3, 253.
- † *Vitellaria paradoxa* Gaertn. Gaertn. Carp. 205.
- Vitex Agnus Castus* L. Woody. Med. 2, 137.  
 — — — Schk. Handb. 177.  
 — — — Sibth. Fl. gr. 609.  
 † — — — Gaertn. Carp. 56.  
 † — — — Lam. Encycl. 541.  
 † — — — Nees Gen. 6, 51.  
 — — — *alata* Roxb. Rheede Hort. mal. 5, 1.  
 — — — *altissima* L. fil. Wight Ic. pl. Ind. or. 4, 1466.  
 — — — *capitata* Vahl. Vahl Eclogae 18.  
 — — — *Cofassus* Bl. Rumpf Amb. 3, 14.  
 — — — *heterophylla* Roxb. Wall. Pl. asiat. 226.  
 — — — *ilicifolia* A. Rich. Ramon Cuba 64.  
 — — — *incisa* Lam. Lam. Encycl. 541.  
 — — — *latifolia* Lam. Rheede Hort. mal. 5, 2.  
 — — — *leucoxylon* Roxb. Rheede Hort. mal. 4, 36.  
 — — — Wight Ic. pl. Ind. or. 4, 1467.  
 — — — *littoralis* Cunn. Hook. Ic. pl. 5, 419, 420.  
 — — — *Lourei* H. et Arn. Hook. Beechey 48.  
 — — — *Negundo* L. Rheede Hort. mal. 2, 12.  
 — — — Rumpf Amb. 4, 19.  
 — — — Bot. Mag. 11, 364.  
 — — — Wight Ic. pl. Ind. or. 2, 519.  
 — — — *ovata* Thunb. Hook. Beechey 47.  
 — — — *pinnata* L. Burmann Fl. ind. 43.  
 — — — *pubescens* Roxb. Wight Ic. pl. Ind. or. 4, 1465.  
 — — — *sinuata* Med. Acta palatina 4, 8.  
 — — — *triflora* Vahl. Endl. Bras. 10, 49.  
 — — — *trifolia* L. Rheede Hort. mal. 2, 11.  
 — — — Rumpf Amb. 4, 18.  
 — — — Bot. Mag. 47, 2187.
- † *Vitis* L. Gray Genera 161.  
 — — — *angustifolia* Wall. Wight Ic. pl. Ind. or. 1, 176.  
 — — — *arborea* Mill. Jacq. Schoenbr. 4, 428.  
 — — — *carnosa* Wall. Rheede Hort. mal. 7, 9.  
 — — — Hook. Companion 8.  
 — — — Wight Ic. pl. Ind. or. 1, 171.  
 — — — *eriodclada* W. et A. Rheede Hort. mal. 7, 7.  
 — — — *incisa* Jacq. Jacq. Schoenbr. 4, 427.  
 — — — *indica* L. Rheede Hort. mal. 7, 6.  
 — — — Rumpf Amb. 5, 167.



- Vitis Labrusca* L. Jacq. Schoenbr. 4, 426.  
 — — — Desc. Ant. 5, 310.  
 — — — Gray Genera 161.  
 — laciniosa L. Schmidel Ic. 8.  
 — lanata Roxb. Jacquemont Ind. 36.  
 — lanceolaria Wall. Wight Ic. pl. Ind. or. 1, 28, 177.  
 — latifolia Dennst. Rheede Hort. mal. 7, 11.  
 — muricata Willd. Rheede Hort. mal. 7, 8.  
 — — — Wight Ic. pl. Ind. or. 3, 740.  
 — neilgherrensis Wight. Wight Spicil. 36.  
 — — — Wight Ic. pl. Ind. or. 3, 963.  
 — pallida W. et A. Wight Ic. pl. Ind. or. 1, 50.  
 — pedata W. et A. Rheede Hort. mal. 7, 10.  
 — pentaphylla Guill. Guillemin Seneg. 33.  
 — quadrangularis W. et A. Rheede Hort. mal. 7, 41.  
 — — — Wight Ic. pl. Ind. or. 1, 51.  
 — repens W. et A. Rheede Hort. mal. 7, 48.  
 — Rheedii W. et A. Rheede Hort. mal. 7, 45.  
 — riparia Michx. Bot. Mag. 50, 2429.  
 — — — Watson Dendr. 1, 13.  
 — setosa Wall. Wight Ic. pl. Ind. or. 1, 170.  
 — tomentosa Heyne. Wight Illustr. 57.  
 — trifolia L. Rumpf Amb. 5, 166.  
 — — — Burmann Fl. ind. 24.  
 † — vinifera L. Gaertn. Carp. 106.  
 — — — Schmidel Ic. 7.  
 — — — Jacq. Ic. 50.  
 — — — Woodv. Med. 1, 57.  
 — — — Lam. Encycl. 145.  
 — — — Sibth. Fl. gr. 242.  
 — — — Dict. sc. nat. 160.  
 — — — Schk. Handb. 49.  
 — — — Hayne 10, 40.  
 — — — Nees Düsseld. 367, 368.  
 — — — Guimpel et Schl. 140, 141.  
 — — — Wagner 153, 154.  
 — — — Babo und Metzger 1—54.  
 † — — — Morren Dodonaea 2, 3, 4.  
 † — — — Payer Organogénie 34.  
 — — — vulpina L. Jacq. Schoenbr. 4, 425.  
*Vitmannia africana* W. et A. Wight Ic. pl. Ind. or. 2, 490.  
 — elliptica Vahl. Vahl Symbolae 60.  
*Vittaria acrostichoides* Hook. Hook. Ic. Fil. 2, 186.  
 — amboinensis Fée. Fée Fil. 3, 1.  
 — angustifolia Bl. Fée Fil. 3, 1.  
 — anodontolepis Fée. Fée Fil. 3, 4.  
 † — bisulcata Kze. Fée Fil. 5, 8.  
 — costata Kze. Kunze Anallecta 18.  
 † — curvidentata C. Müll. Bot. Zeitung 1854, 13.  
 † — Deppeana C. Müll. Bot. Zeitung 1854, 13.  
 † — dimorpha C. Müll. Bot. Zeitung 1854, 13.  
 — ensiformis Sw. N. Schr. naturf. Fr. 2, 7.  
 — — — Schk. Fil. 101<sup>b</sup>.  
 — falcata Fée. Fée Fil. 3, 4.  
 — filifolia Fée. Fée Fil. 3, 3.  
 † — — — Bot. Zeitung 1854, 13.  
 — Gardneriana Fée. Fée Fil. 3, 3.  
 — isoctifolia Bory. Fée Fil. 3, 2.  
 — lanceolata Sw. N. Schr. naturf. Fr. 2, 7.  
 — — — Schk. Fil. 101<sup>b</sup>.  
 — lineata Sm. Schk. Fil. 101<sup>b</sup>.  
 — — — Calcutta Journal 1844, 33.  
 † — — — var. Fée Fil. 3, 3.  
 † — longidentata C. Müll. Bot. Zeitung 1854, 13.  
 — loricea Fée. Fée Fil. 3, 1.  
 — minor Fée. Fée Fil. 3, 4.  
 — owariensis Fée. Fée Fil. 3, 3.  
 † — pachydietyon C. Müll. Bot. Zeitung 1854, 13.  
 — plantaginea Bory. Hook. Ic. Fil. 2, 187.  
 † — — — Fée Fil. 3, 3.  
 † — rigida Kaulf. Hook. Gen. Fil. 63.  
 † — — — Fée Fil. 3, 3.  
 † *Vittaria Ruiziana* Fée. Fée Fil. 3, 3.  
 — stipitata Kze. Kunze Anallecta 18.  
 † — — — Fée Fil. 3, 3.  
 — tenera Fée. Fée Fil. 3, 2.  
 — zeylanica Fée. Fée Fil. 3, 1.  
 — zosteracfolia Bory. Fée Fil. 3, 2.  
*Viviania crenata* Hook. Delessert Ic. 3, 41.  
 — marifolia Cav. Anales de hist. nat. 7, 49.  
 — psychotrioides Colla. Mem. soc. Linn. Par. 4, 2.  
 — spinescens Presl. Presl Symbolae 55.  
 — tenuicaulis Burn. Gay Chile 11.  
 † *Vochya* Vand. Roemer Scriptorae 6.  
*Vochysia acuminata* Bong. Acad. Petersb. 5, 3.  
 — alpestris Mart. Mart. Bras. 87.  
 — cinnamomea Pohl. Pohl Bras. 120.  
 — cuneata Pohl. Pohl Bras. 117.  
 — divergens Pohl. Pohl Bras. 111.  
 — elliptica Mart. Mart. Bras. 84.  
 — elongata Pohl. Pohl Bras. 116.  
 — ferruginea DC. Mart. Bras. 92.  
 — floribunda Mart. Mart. Bras. 91.  
 — grandis Mart. Mart. Bras. 88.  
 — guianensis Aubl. Aublet Guiana 6.  
 — — — Lam. Encycl. 11.  
 — Haenkeana Mart. Mart. Bras. 89.  
 — herbacea Pohl. Pohl Bras. 118.  
 — lucida Presl. Presl Symbolae 59.  
 — micrantha Pohl. Pohl Bras. 112.  
 — pruinosa Pohl. Pohl Bras. 114.  
 — pumila Pohl. Pohl Bras. 113.  
 — pygmaea Bong. Acad. Petersb. 5, 4.  
 — pyramidalis Mart. Mart. Bras. 90.  
 — rotundifolia Mart. Mart. Bras. 83.  
 — — — Spach Suites 33.  
 — rufa Mart. Mart. Bras. 86.  
 — sericea Pohl. Pohl Bras. 119.  
 — — — Rehb. Exot. 331.  
 — thyrsoides Pohl. Pohl Bras. 115.  
 — Tucanorum Mart. Mart. Bras. 85.  
*Vogelia africana* Lam. Lam. Encycl. 149.  
 — indica Gibson. Wight Ic. pl. Ind. or. 3, 1075.  
 † — sagittata Med. Medikus Gattungen 1.  
*Vohiria aphylla* Pers. Hook. Bot. Misc. 25.  
 — rosea Aubl. Lam. Encycl. 109.  
 — tenera Gill. Hook. Bot. Misc. 25.  
*Volkameria Acerbiana* Vis. Visiani Aeg. 4.  
 † — aculeata L. Houston Reliq. 13.  
 † — — — Gaertn. Carp. 56.  
 — — — Jacq. Hist. stirp. am. 177.  
 — — — Lam. Encycl. 544.  
 — alternifolia Burm. Burmann Fl. ind. 44.  
 — angustifolia Andr. Andr. Rep. 9, 554.  
 — — — Lam. Lam. Encycl. 544.  
 — fragrans Vent. Vent. Malm. 70.  
 — — — Kerner Hort. 196.  
 — japonica Thunb. Kaempfer Amoenit. p. 860.  
 — incermis L. Rumpf Amb. 5, 46.  
 — — — Jacq. Collect. 5, 4.  
 — — — Kerner Hort. 111.  
 — Kaempferi Jacq. Kaempfer Japon. 58.  
 — — — Jacq. Ic. 500.  
 — — — Kerner Hort. 112.  
 — ligustrina Jacq. Jacq. Collect. 5, 5, 15.  
 — — — Herb. amat. 5, 341.  
 — multiflora Burm. Burmann Fl. ind. 45.  
 — tomentosa Vent. Vent. Malm. 84.  
*Volkmannia japonica* Jacq. Jacq. Schoenbr. 3, 338.  
*Volucrepis* Aub. Aubert Orchid. 80.  
*Votomita guianensis* Aubl. Aublet Guiana 35.  
*Vouacapoua americana* Aubl. Aublet Guiana 373.  
*Vouapa bifolia* Aubl. Aublet Guiana 7.  
 — — — Lam. Encycl. 26.

- † *Vouapa bifolia* *Aubl.* Abh. Acad. Berl. 1832, 2.  
 — *phaseolocarpa* *Hayne.* Hayne 11, 20.  
 — — — *Nees* Düssel. Suppl. 114.  
 — *Simira* *Aubl.* Aublet Guiana 8.  
*Vouarana guianensis* *Aubl.* Aublet Guiana 374.  
*Voyara montana* *Aubl.* Aublet Guiana 383.  
*Voyra coerulea* *Aubl.* Aublet Guiana 83.  
 — *rosea* *Aubl.* Aublet Guiana 83.  
*Voyria aurantiaca* *Splittg.* Hoeven Tijdschr. 7, 1.  
 — *clavata* *Splittg.* Hoeven Tijdschr. 7, 1.  
 — *corymbosa* *Splittg.* Hoeven Tijdschr. 7, 2.  
 — *nuda* *Splittg.* Hoeven Tijdschr. 7, 1.  
 — *spathacea* *Griseb.* Hoeven Tijdschr. 7, 2.  
*Vriesia conferta* *Gaudich.* Gaudichaud Bonite 65.  
 — *gigantea* *Gaudich.* Gaudichaud Bonite 70.  
 — *glaucophylla* *Hook.* Bot. Mag. 74, 4415.  
 — — — *Fl. d. serres* 5, 432.  
 — *gracilis* *Gaudich.* Gaudichaud Bonite 67.  
 — *incurvata* *Gaudich.* Gaudichaud Bonite 68.  
 — *platynema* *Gaudich.* Gaudichaud Bonite 66.  
 — *psittacina* *Ldl.* Bot. Reg. 29, 10.  
 — — — *Annales d'hortic.* 1852, x.  
 — *recurvata* *Gaudich.* Gaudichaud Bonite 69.  
 — *speciosa* *Hook.* Bot. Mag. 74, 4382.  
 — — — *Moore* Mag. 1850, p. 217.  
*Vucinia brevicaulis* *Aub.* Aubert Thouars Mel. 6.  
 — *gracilis* *Aub.* Aubert Thouars Mel. 5.  
† *Vulpia Gmel.* Dumortier Gramin. 3.  
 — *bromoides* *Link.* Rehb. Fl. germ. 1, 60.  
 — *ligustica* *Rehb.* Rehb. Fl. germ. 1, 60.  
† *Myurus* *Gm.* Nees Gen. 1, 71.  
 — — — *Rehb.* Fl. germ. 1, 60.  
 — *pseudomyurus* *Rehb.* Rehb. Fl. germ. 1, 60.  
 — *uniglumis* *Rehb.* Rehb. Fl. germ. 1, 60.  
*Wachendorfia brevifolia* *Sol.* Bot. Mag. 29, 1166.  
 — *hirsuta* *Thunb.* Bot. Mag. 17, 614.  
 — *orinocensis* *H. B. K.* H. B. K. Nov. Gen. 7, 698.  
 — *paniculata* *L.* Burmann Wachendorfia 1.  
 — — — *Smith* Ic. pict. 5.  
† — — — *Lam. Encycl.* 34.  
 — — — *Bot. Mag.* 17, 616. 53, 2610.  
 — — — *Kerner* Hort. 43.  
 — *thyrsiflora* *L.* Burmann Wachendorfia 1.  
† — — — *Gaertn.* Carp. 15.  
† — — — *Lam. Encycl.* 34.  
 — — — *Red. Lil.* 2, 93.  
 — — — *Bot. Mag.* 27, 1060.  
 — — — *Dict. sc. nat.* 59.  
 — — — *Herb. amat.* 2, 93.  
 — *villosa* *Andr.* Andr. Rep. 6, 398.  
*Wagatea spicata* *Dalz.* Wight Ic. pl. Ind. or. 6, 1995.  
*Wahlbomia indica* *Thunb.* Svensk Acad. 1790, 9.  
 — — — *Lam. Encycl.* 485.  
*Wahlenbergia agrestis* *DC.* Wight Spicif. 123.  
 — — — *Wight* Ic. pl. Ind. or. 4, 1175.  
 — *albomarginata* *Hook.* Hook. Ic. pl. 9, 818.  
 — *androsacea* *DC.* DC. Campanulacées 19.  
 — *Berteroi* *Hook.* Hook. Journal 1834, 137.  
 — *capensis* *DC.* DC. Campanulacées 18.  
 — *denticulata* *DC.* DC. Campanulacées 16.  
 — *exilis* *DC.* DC. Campanulacées 16.  
 — *flaccida* *Presl.* Presl Symbolae 18.  
 — *foliosa* *DC.* DC. Campanulacées 14.  
 — *hederacea* *DC.* Rehb. Ic. crit. 5, 480.  
† — — — *Nees* Gen. X, x.  
 — *indica* *DC.* Wight Spicif. 124.  
 — — — *Wight* Ic. pl. Ind. or. 4, 1176.  
 — *lobelioides* *DC.* DC. Campanulacées 17.  
 — *peritifolia* *W. et A.* Wight Ic. pl. Ind. or. 3, 842.  
 — *procumbens* *DC.* DC. Campanulacées 15.  
 — *repens* *Schrad.* Rehb. Hortus 165.  
*Waillesia picta* *Ldl.* Paxf. Mag. 16, 321.

- Waitzia corymbosa* *Wendl.* Wendland Coll. 42.  
*Waldemaria argentea* *Klotzsch.* Prinz Wald. Him. 54, 55.  
*Waldheimia tridactylites* *Kar. et Kir.* Jubilaeum Fischer 1.  
*Waldschmidtia nymphoides* *Wigg.* Dreyes 3, 78.  
† *Waldsteinia Willd.* Nestler Potentilla 1.  
 — *geoides* *Willd.* N. Schr. naturf. Fr. 2, 4.  
 — — — *W. et Kit.* 77.  
 — — — *Tratt.* Archiv 14.  
 — — — *Lodd.* Cab. 492.  
 — — — *Bot. Mag.* 52, 2595.  
 — *trifolia* *Rochel.* Linnaea 13, 6.  
† *Wallenia Sw.* Swartz Fl. ind. occ. 6.  
 — *angularis* *Jacq.* Jacq. Schoenbr. 1, 30.  
 — *laxiflora* *Mart.* Mart. Bras. 237.  
*Wallichia caryotoides* *Roxb.* Roxb. Corom. 295.  
 — *densiflora* *Mart.* Bot. Mag. 77, 4584.  
 — — — *Lem. Jard.* fl. 233—234.  
 — — — *Fl. d. serres* 7, 687.  
 — *spectabilis* *DC.* Mem. Mus. 10, 6.  
† *Wallrothia tenuifolia* *DC.* DC. Umbellifères 1.  
*Walsura Piscidia* *Roxb.* Wight Illustr. 53.  
*Waltheria arborescens* *Cav.* Cav. Diss. 170.  
 — — — *Lam. Encycl.* 570.  
 — *Douradinha* *St. Hil.* St. Hil. Pl. usuelles 36.  
 — *elliptica* *Cav.* Cav. Diss. 171.  
 — *ferruginea* *St. Hil.* St. Hil. Fl. Bras. 30.  
 — *laevis* *Wolf.* Schrank Hort. monac. 55.  
 — *longifolia* *DC.* Delessert Ic. 3, 24.  
 — *microphylla* *Cav.* Cav. Diss. 170.  
 — *ovata* *Cav.* Cav. Diss. 171.  
 — — — *Lam. Encycl.* 570.  
† *Wal-tiedde Gaertn.* Gaertn. Carp. 180.  
† *Warea Nutt.* Gray Genera 66.  
 — *cuneifolia* *Nutt.* Gray Genera 66.  
*Waria zeylanica* *Aubl.* Aublet Guiana 243.  
*Warrea cyanea* *Ldl.* Bot. Reg. 31, 28.  
 — — — *Fl. d. serres* 1, 51.  
 — *Lindeniana* *Hort.* Moore Mag. 1850, p. 177.  
 — *quadrata* *Ldl.* Bot. Mag. 80, 4766.  
† — *tricolor* *Ldl.* Rehb. Xenia 1, 24.  
*Warszewicella marginata* *Rehb.* Pescatorea 1, 5.  
† — — — *Rehb.* Xenia 1, 23.  
 — *velata* *Rehb.* Rehb. Xenia 1, 23.  
*Watsonia aletroides* *Gawl.* Bot. Mag. 15, 533.  
 — *brevifolia* *Gawl.* Bot. Mag. 17, 601.  
 — *compacta* *Lodd.* Lodd. Cab. 1577.  
 — *humilis* *Mill.* Bot. Mag. 17, 631. 30, 1195.  
 — *iridifolia* *Gawl.* var. *fulgens*, Bot. Mag. 17, 600.  
 — — — *var. fulgens*, Kerner Hort. 419.  
 — *marginata* *Gawl.* Bot. Mag. 17, 608. 37, 1530.  
 — — — *Rehb.* Exot. 75.  
 — *Meriana* *Gawl.* Bot. Mag. 30, 1194.  
 — — — *Kerner* Hort. 193.  
 — *plantaginea* *Gawl.* Bot. Mag. 16, 553.  
 — *praecox* *Pers.* Kerner Hort. 256.  
 — *rosea* *Gawl.* Bot. Mag. 27, 1072.  
 — *roseo-alba* *Gawl.* Bot. Mag. 15, 537. 30, 1193.  
 — — — *Kerner* Hort. 168.  
 — *strictiflora* *Gawl.* Bot. Mag. 34, 1406.  
 — *tubulosa* *Pers.* Kerner Hort. 218.  
*Webbia aristata* *DC.* Delessert Ic. 4, 3.  
 — *canariensis* *Webb.* Webb Canar. 4<sup>c</sup>.  
 — *floribunda* *Spach.* Webb Canar. 4<sup>b</sup>.  
 — *platysepala* *Spach.* Webb Canar. 4<sup>d</sup>.  
† *Webera corymbosa* *Willd.* Gaertn. Carp. 192.  
 — — — *Bot. Reg.* 2, 119.  
 — — — *Wight* Ic. pl. Ind. or. 2, 584.  
*Weddellina squamulosa* *Tul.* Arch. Mus. 6, 13.  
*Wedelia africana* *Pal. B.* Pal. B. Fl. d'Oware 69.  
 — ? *aurea* *Don.* Bot. Mag. 62, 3384.  
 — *calendulacea* *Less.* Rheede Hort. mal. 10, 42.  
 — — — *Hook.* Companion 5.

- Wedelia calendulacea* Less. Wight Ic. pl. Ind. or. 3, 1107.  
 — *helianthoides* H. B. K. H. B. K. Nov. Gen. 4, 372.  
 — *hispidia* H. B. K. H. B. K. Nov. Gen. 4, 371.  
 — — Bot. Reg. 7, 543.  
 — *radiosa* Ker. Bot. Reg. 8, 610.  
 — *urticaefolia* DC. Wight Ic. pl. Ind. or. 3, 1106.  
*Weigelia amabilis* Planch. Fl. d. serres 8, 855.  
 — *japonica* Thunb. Thunberg Fl. jap. 16.  
 — — Svensk Acad. 1780, 5.  
 — — Lam. Encycl. 105.  
 — *rosea* Ldl. Journal Hort. Soc. 1, 6.  
 — — Paxt. Mag. 14, 247.  
 — — Bot. Mag. 74, 4396.  
 — — Fl. d. serres 3, 211.  
*Weinmannia Balbisiaana* H. B. K. H. B. K. Nov. Gen. 6, 520.  
 — *biglandulosa* Cunn. Hook. Ic. pl. 4, 301.  
 — *fagaroides* H. B. K. H. B. K. Nov. Gen. 6, 524.  
 † *glabra* L. fil. Gaertn. Carp. 225.  
 — — Lam. Encycl. 313.  
 — *heterophylla* H. B. K. H. B. K. Nov. Gen. 6, 522.  
 — *macrophylla* H. B. K. H. B. K. Nov. Gen. 6, 521.  
 — *microphylla* H. B. K. H. B. K. Nov. Gen. 6, 523.  
 — *ovata* Cav. Cav. Ic. 566.  
 — *paniculata* Cav. Cav. Ic. 565.  
 — *pubescens* Kth. Dict. sc. nat. 198.  
 — *tomentosa* H. B. K. H. B. K. Nov. Gen. 6, 525.  
 — *trichosperma* Cav. Cav. Ic. 567.  
 — *trifoliata* Lam. Lam. Encycl. 313.  
 — *venosa* Kn. et W. Knowles et Westcott 65.  
*Weldenia candida* Schult. Flora 1829, 1.  
*Wellingtonia gigantea* Ldl. Veitch Tab. sing. x.  
 — — Fl. d. serres 9, 892—893. 903.  
 — — Bot. Mag. 80, 4777. 4778.  
*Wendlandia Kotschyi* Boiss. Jaubert Illustr. 202.  
 — *Notoniana* Wall. ? Rheede Hort. mal. 4, 28.  
 — — Wight Spicil. 95.  
 — — Wight Ic. pl. Ind. or. 3, 1033.  
 — *populifolia* Willd. Wendland Hort. herrenh. 16.  
*Wensea pyramidata* Wendl. Wendland Coll. 84.  
 † *Werneria* H. B. K. Kerner Genera 78.  
 — *disticha* H. B. K. H. B. K. Nov. Gen. 4, 369.  
 — *graminifolia* H. B. K. H. B. K. Nov. Gen. 4, 368.  
 — *pinnatifida* J. Remy. Gay Chile 47.  
 — *pumila* H. B. K. H. B. K. Nov. Gen. 4, 368.  
 — *rhizoma* J. Remy. Gay Chile 47.  
*Westringia cinerea* R. Br. Bot. Mag. 61, 3307.  
 — *Dampieri* R. Br. Bot. Mag. 61, 3308.  
 — *eremicola* Cunn. Bot. Reg. 18, 1481.  
 — — Bot. Mag. 62, 3438.  
 — *longifolia* R. Br. Bot. Reg. 18, 1481.  
 — — Lodd. Cab. 1890.  
 — *rosmariniformis* Sm. Svensk Acad. 1797, 8.  
 — — Smith Tracts 3.  
 — — Roemer Archiv III. 2.  
 — — Andr. Rep. 3, 214.  
*Wettinia augusta* P. et E. Poepp. et Endl. 153. 154.  
 † — — Gaudichaud Bonite 15.  
*Whitfieldia lateritia* Hook. Bot. Mag. 71, 4155.  
 — — Paxt. Mag. 12, 147.  
 — — Annales de Gand 1846, 55.  
 — — Fl. d. serres 1, 32.  
*Whitlavia grandiflora* Harv. Bot. Mag. 80, 4813.  
*Whitleya stramonifolia* Sweet. Sweet Fl. G. 125.  
 † *Wibelia pinnata* Bernh. Fée Fil. 5, 27<sup>b</sup>.  
*Wiborgia fusca* Thunb. Delessert Ic. 3, 64.  
 — *urticaefolia* H. B. K. H. B. K. Nov. Gen. 4, 389.  
*Wiedemannia multifida* Benth. Jaubert Illustr. 272.  
 — *orientalis* Fisch. et M. Jard. Petersb. 4.  
 — — Sertum petropol. 9.  
 — — Jaubert Illustr. 271.  
*Wiegmannia glauca* M. et E. Acta Leop. 19. Suppl. 9.

- Wierzbickia laricifolia* Rehb. Rehb. Fl. germ. 5, 212.  
 — *macrocarpa* Rehb. Rehb. Fl. germ. 5, 211.  
 — *striata* Rehb. Rehb. Fl. germ. 5, 211.  
*Wigandia holkonica* Hook. Hook. Beechey 88.  
 — *caracasana* H. B. K. Bot. Reg. 23, 1966.  
 — — Bot. Mag. 77, 4575.  
 — — Lem. Jard. fl. 132.  
 — — Fl. d. serres 8, 755.  
*Wightia gigantea* Wall. Wall. Pl. asiat. 81.  
*Wikstroemia australis* Endl. Endl. Iconogr. 22.  
 — *glandulosa* Spr. Svensk Acad. 1821, 3.  
 — *salicifolia* Decne. Jacquemont Ind. 149.  
*Willdenowia compressa* Thunb. Svensk Acad. 1790, 2.  
 — *glandulosa* Cav. Cav. Ic. 89.  
 † — — Lam. Encycl. 685.  
 — *striata* Thunb. Svensk Acad. 1790, 2.  
 — *teres* Thunb. Svensk Acad. 1790, 2.  
 † *Willemetia africana* Ad. Br. Ann. sc. nat. 10, 16.  
 † — *hieracioides* Neck. Monnier Essai 3.  
 † — *lanata* Moq. Ann. sc. nat. II. 1, 9.  
*Willughbeia edulis* Roxb. Roxb. Corom. 280.  
 — *martabanica* Wall. Wall. Pl. asiat. 272.  
*Wilsonia glaberrima* Gill. Hook. Bot. Misc. 49.  
 — *rotundifolia* Hook. Hook. Ic. pl. 5, 410.  
*Wimmeria concolor* Cham. et Schk. Hook. Ic. pl. 4, 356.  
*Winchia calophylla* DC. Delessert Ic. 5, 46.  
*Winterana aromatica* Sol. Med. Observ. 5, 1.  
 — — Woodv. Med. 4, 226.  
 — — Comm. Gott. 9, 7.  
 — — Nees Düsseld. 370.  
 — *Canella* L. Lam. Encycl. 399.  
 — — Desc. Anf. 8, 568.  
 — *granatensis* H. B. Humb. Pl. aeq. 58.  
*Winterlia aromatica* Dennst. Rheede Hort. mal. 2, 9.  
*Wislizenia refracta* Gray. Smiths. Contrib. 3, 2.  
*Wissadula scabra* Presl. Presl Reliq. 69.  
*Wistaria brachybotrys* S. et Z. Sieb. Fl. Japon. 45.  
 — — Annales de Gand 1847, 111.  
 — — Fl. d. serres 9, 880.  
 — *chinensis* DC. Sieb. Fl. Japon. 44.  
 — — Bot. Reg. 8, 650.  
 — — Sweet Fl. G. 211.  
 — — Rehb. Exot. 227.  
 — *consequana* Loud. Paxt. Mag. 7, 127.  
 — *frutescens* Sweet. Sweet Fl. G. II. 104.  
 — *japonica* S. et Z. Sieb. Fl. Japon. 43.  
*Withania aristata* Pauq. Webb Canar. 175.  
*Witheringia diploconos* Mart. Mart. Bras. 229.  
 — *divaricata* Mart. Mart. Bras. 228.  
 — *montana* Dun. Lodd. Cab. 1292.  
 — — Bot. Mag. 54, 2768.  
 — *pieta* Mart. Mart. Bras. 227.  
 — *purpurea* Lodd. Lodd. Cab. 1892.  
 — *solanacea* L'her. L'heritier Sertum 1.  
 — — Lam. Encycl. 82.  
*Witsenia corymbosa* Gawler. Smith Exot. Bot. 68.  
 — — Bot. Mag. 23, 895.  
 — — Lodd. Cab. 254.  
 — — Red. Lil. 8, 453.  
 — — Herb. amat. 4, 235.  
 — — Rehb. Exot. 24.  
 — — Maund Bot. 5, 202.  
 — — Paxt. Mag. 3, 269.  
 — *maura* Thunb. Thunberg Diss. 1, 2.  
 — — Lam. Encycl. 30.  
 — — Red. Lil. 5, 245. 8, 463.  
 — — Bot. Reg. 1, 5.  
 — — Maund Bot. 3, 125.  
 — — Fl. d. serres 2, 72.  
 — — Paxt. Mag. 8, 221.  
 — — Rehb. Exot. 23.  
*Wittelsbachia insignis* Mart. Mart. Bras. 55.

- Wittelsbachia insignis* Mart. *Rchb. Exot.* 352.  
*Wolfia spectabilis* *Dennst.* *Rheede Hort. mal.* 11, 36.  
*Wolfia brasiliensis* *Wedd.* *Ann. sc. nat.* III, 12, 8.  
*Wollastonia biflora* DC. *Rheede Hort. mal.* 10, 40.  
— — — *Wight Ic. pl. Ind. or.* 3, 1108.  
*Wollastonia Forsteriana* DC. *Endl. Iconogr.* 88.  
— *glabrata* DC. *DC. Composées* 7.  
*Woodfordia floribunda* *Salisb.* *Salisbury Parad.* 42.  
*Woodsia alpina* *Newm.* *Newman p.* 143, 147.  
— *elongata* *Hook.* *Hook. Sp. Fil.* 21.  
— *glabella* *R. Br.* *Hook. Bor. Am.* 237.  
— *guatemalensis* *Hook.* *Hook. Sp. Fil.* 21.  
† *hyperboraea* *R. Br.* *Linn. Transact.* 11, 11.  
— — — *Hook. Gen. Fil.* 119.  
— — — *Kunze Analecta* 27.  
— — — *Newman p.* 143, 147.  
— — — *Johnson Ferns* 6.  
— *ilvensis* *R. Br.* *Engl. Bot.* 2616.  
— — — *Newman p.* 136, 137.  
— — — *Johnson Ferns* 5.  
— — — *var. γ. Bab.* *Newman p.* 143, 147.  
— *incisa* *Gill.* *Hook. Ic. Fil.* 2, 191.  
— *Perriniana* *H. et Gr.* *Hook. Ic. Fil.* 1, 68.  
— *peruviana* *Hook.* *Hook. Sp. Fil.* 21.  
— *pubescens* *Spr.* *Acta Leop.* 10, 1, 16.  
*Woodwardia floridana* *Sw.* *Schk. Fil.* 111.  
† — *lunulata* *Fée.* *Fée Fil.* 5, 17.  
— *prolifera* *Hook.* *Hook. Beechey* 57.  
— *radicans* *Sw.* *Schk. Fil.* 112.  
† — — — *Hook. Gen. Fil.* 17.  
† — — — *Fée Fil.* 5, 17.  
— *stans* *Sw.* *Schk. Fil.* 113.  
*Wormia apetalata* *Gaudich.* *Freyinet Voyage* 99.  
— *madagascariensis* DC. *Delessert Ic.* 1, 82.  
*Wormskiodia glandulifera* *Klotzsch.* *Peters Mossamb.* 26.  
— *heterophylla* *Thom.* *Guillemin Seneg.* 11.  
*Wrightia coalita* *Ham.* *Rheede Hort. mal.* 9, 3, 4.  
— *coccinea* *Sims.* *Bot. Mag.* 53, 2696.  
— — — *Rchb. Exot.* 125.  
— — — *Wight Ic. pl. Ind. or.* 2, 442.  
— *mollissima* *Wall.* *Wall. Pl. asiat.* 146.  
— — — *Wight Illustr.* 154.  
— *pubescens* *R. Br.* *Lodd. Cab.* 1929.  
— *Rothii* *G. Don.* *Wight Ic. pl. Ind. or.* 4, 1319.  
— *tinctoria* *R. Br.* *Bot. Reg.* 11, 933.  
— — — *Wight Ic. pl. Ind. or.* 2, 444.  
† — — — *Wight Illustr.* 154<sup>b</sup>.  
— *tomentosa* *G. Don.* *Wight Ic. pl. Ind. or.* 2, 443.  
— *Wallichii* DC. *Wight Ic. pl. Ind. or.* 4, 1296.  
*Wuerthia elegans* *Regel.* *Regel Gartenflora* 2, 46.  
*Wulfenia carinthiaca* *Jacq.* *Jacq. Ic.* 2.  
† — — — *Jacq. Misc.* 2, 8.  
— — — *Reiner Reisen* 1, 1, 2.  
— — — *Sturm Flora* 14, 59.  
— — — *Bot. Mag.* 51, 2500.  
— — — *Sweet Fl. G.* 66.  
† — — — *Nees Gen.* 5, 40.  
— *obliqua* *Wall.* *Wallich Tentamen* 35.  
— *reniformis* *Benth.* *Hook. Bor. Am.* 161.  
*Wulfia maculata* DC. *Bot. Reg.* 8, 662.  
*Wurmbea bullata* *Willd.* *Willdenow Hortus* 8.  
— *campanulata* *Willd.* *Lam. Encycl.* 270.  
— *capensis* *Thunb.* *Thunberg Diss.* 1, 1.  
— — — *var. β.* *Andr. Rep.* 4, 221.  
— *longiflora* *Willd.* *Lam. Encycl.* 270.  
*Wyderia portoricensis* DC. *DC. Umbellifères* 7.  
*Wylia radians* *Schult.* *Hoffmann Genera Umb.* 2.  
*Xanthisma texana* *Torr.* *Marcy Exploration* 10.  
† *Xanthium* *L.* *Hook. et Arnott Brit. Fl.* 5.  
— *echinatum* *Murr.* *Comm. Gott.* 6, 4.  
— — — *Nocca et Balb. Fl. tic.* 17.  
— *indicum* *Roxb.* *Wight Ic. pl. Ind. or.* 3, 1104.  
*Xanthium italicum* *Moretti.* *Rchb. Ic. crit.* 4, 323.  
— *orientale* *L.* *Linné Hort. ups.* 2, 17.  
— — — *Cav. Ic.* 221.  
† — — — *Gaertn. Carp.* 164.  
† — — — *Lam. Encycl.* 765.  
— — — *Schk. Handb.* 291.  
† — *spinosum* *L.* *Gaertn. Carp.* 164.  
† — — — *Lam. Encycl.* 765.  
† — *strumarium* *L.* *Gaertn. Carp.* 164.  
† — — — *Lam. Encycl.* 765.  
— — — *Fl. dan.* 6, 970.  
— — — *Engl. Bot.* 36, 2544.  
— — — *Baxter Brit. Bot.* 6, 461.  
— — — *Schk. Handb.* 291.  
— — — *Dietr. Fl. bor.* 11, 764.  
† — — — *Nees Gen. X.* x.  
*Xanthochrysum filifolium* *Turcz.* *Bull. Mosc.* 1851, 4.  
*Xanthochrysum dulcis* *Roxb.* *Roxb. Corom.* 270.  
— — — *Bot. Mag.* 58, 3088.  
† — — — *Kerner Genera* 177.  
— — — *Wight Ic. pl. Ind. or.* 1, 192.  
— *pictorius* *Roxb.* *Roxb. Corom.* 196.  
— — — *Pruss. Garten-Verein* 14, 3.  
*Xanthocoma humilis* *H. B. K.* *H. B. K. Nov. Gen.* 4, 412.  
*Xantholinum campanulatum* *Rchb.* *Rchb. Fl. germ.* 6, 340.  
— *capitatum* *Rchb.* *Rchb. Fl. germ.* 6, 341.  
— *flavum* *Rchb.* *Rchb. Fl. germ.* 6, 341.  
— *nodiflorum* *Rchb.* *Rchb. Fl. germ.* 6, 340.  
*Xanthophyllum angustifolium* *Wight.* *Wight Illustr.* 23.  
— *flavescens* *Roxb.* *Rheede Hort. mal.* 4, 23.  
— — — *Roxb. Corom.* 284.  
— *virens* *Roxb.* *Roxb. Corom.* 284.  
† *Xanthorrhiza* *L'her.* *Gray Genera* 17.  
— *apiifolia* *L'her.* *L'heritier Stirp.* 38.  
— — — *Bot. Mag.* 42, 1736.  
— — — *Nouveau Duhamel* 3, 37.  
— — — *Guimpel Fr. Holzgew.* 129.  
— — — *Barton Med.* 46.  
— — — *Lam. Encycl.* 854.  
— — — *Gray Genera* 17.  
† *Xanthorrhoea hastilis* *R. Br.* *Schnizl. Iconogr.* 1, 55<sup>d</sup>.  
— — — *Bot. Mag.* 79, 4722.  
— — — *Belgique hort.* 1853, 14.  
— — — *Fl. d. serres* 9, 868.  
*Xanthosia ciliata* *Hook.* *Hook. Ic. pl.* 8, 726.  
— *dissecta* *J. Hook.* *Hook. Ic. pl.* 4, 302.  
— *pilosa* *Rudge.* *Linn. Transact.* 10, 22.  
— — — *Lam. Encycl.* 933.  
— *rotundifolia* DC. *Bot. Mag.* 64, 3582.  
*Xanthosoma pubescens* *P. et E.* *Poepp. et Endl.* 299.  
† *Xanthoxyleae* *N. v. E.* *Payer Organogénie* 24.  
† *Xanthoxylum* *L.* *Gray Genera* 156.  
† — *album* *Vahl.* *Vahl Eclogae* 27.  
— *americanum* *Mill.* *Gray Genera* 156.  
— *armatum* DC. *Rumpf Amb.* 2, 42.  
— *aromaticum* *Willd.* *Jacq. Ecl. pl.* 70.  
— *bombacifolium* *A. Rich.* *Ramon Cuba* 35.  
† — *caribaeum* *Gaertn.* *Gaertn. Carp.* 68.  
† — — — *Lam. Encycl.* 811.  
— — — *Desc. Ant.* 2, 98.  
† — *carolinianum* *Gaertn.* *Gaertn. Carp.* 68.  
† — — — *Lam. Encycl.* 811.  
† — *Clava Herculis* *L.* *Lam. Encycl.* 811.  
— *coriaceum* *A. Rich.* *Ramon Cuba* 34.  
— *floribundum* *Wall.* *Wall. Pl. asiat.* 232.  
— *fraxineum* *Willd.* *Schk. Handb.* 323<sup>a, b</sup>.  
† — — — *Mem. Mus.* 12, 25.  
— — — *Bigelow Med.* 59.  
† — — — *Spach Suites* 13.  
† — *heterophyllum* DC. *Mem. Mus.* 12, 25.  
— *hiemale* *St. Hil.* *St. Hil. Pl. usuelles* 37.

- Xanthoxylum Mayu *Colla*. Mem. Tur. 37, 5.  
 † — monogynum *St. Hil.* Mem. Mus. 10, 24.  
 † — — *St. Hil.* Pl. rem. 19.  
 — nitidum *DC.* Bot. Mag. 52, 2558.  
 — Rhetsa *DC.* Rheedé Hort. mal. 5, 34.  
 — sorbifolium *St. Hil.* St. Hil. Fl. Bras. 15.  
 † — tricarpum *Michx.* Mem. Mus. 12, 25.  
 — — triphyllum *Juss.* Wight Ic. pl. Ind. or. 1, 204.  
 Xenopoma obovatum *Willd.* Colla Hort. Rip. 25.  
 † Xeranthemum *L. Gay.* Mem. Mosc. 10, 12.  
 — — annuum *L.* Gmelin Reise 1, 20.  
 — — — *Jacq.* Fl. austr. 4, 388.  
 — — — *Schk.* Handb. 243.  
 — — — *Rehb.* Ic. crit. 7, 641.  
 † — — — *Gaertn.* Carp. 165.  
 † — — — Mem. hist. nat. Par. 3, 7.  
 † — — — *Lam.* Encycl. 692.  
 † — — — *Mutel* Fl. fr. 30.  
 — — — argenteum *Thunb.* Andr. Rep. 5, 327.  
 — — — bracteatum *Vent.* Vent. Malm. 2.  
 — — — — *Andr.* Rep. 6, 375.  
 — — — caespitosum *Aub.* Aubert Thouars Mel. 8.  
 — — — canescens *L.* Bot. Mag. 12, 420.  
 † — — — cylindriaceum *Sm.* Mem. hist. nat. Par. 3, 7.  
 † — — — — *Mutel* Fl. fr. 31.  
 — — — — *Rehb.* Ic. crit. 7, 639.  
 — — — — *Rehb.* Fl. germ. 15, 738.  
 — — — erectum *Presl.* *Rehb.* Fl. germ. 12, 737.  
 — — — fasciculatum *Andr.* Andr. Rep. 4, 242, 279.  
 — — — — 10, 650.  
 — — — fragrans *Andr.* Andr. Rep. 9, 561.  
 — — — frigidum *Lab.* Bill. Syr. 2, 4.  
 — — — fulgidum *L.* *Jacq.* Ic. 173.  
 — — — — *Bot. Mag.* 12, 414.  
 — — — — *Savi* Fl. ital. 1, 40.  
 — — — herbaceum *Andr.* Andr. Rep. 7, 487.  
 — — — humile *Andr.* Andr. Rep. 10, 652.  
 † — — — inapertum *Willd.* Mem. hist. nat. Par. 3, 7.  
 — — — — *Rehb.* Ic. crit. 7, 640.  
 † — — — — *Mutel* Fl. fr. 31.  
 — — — — proliferum *L.* Andr. Rep. 6, 374.  
 — — — — pungens *Lam.* Lam. Encycl. 692.  
 — — — — radiatum *Lam.* *Rehb.* Fl. germ. 15, 737.  
 — — — — rigidum *Andr.* Andr. Rep. 6, 387.  
 — — — — sesamoides *L.* Bot. Mag. 12, 425.  
 — — — — var. sulphureum, Bot. Mag. 20, 763.  
 — — — speciosissimum *L.* Andr. Rep. 1, 51.  
 — — — spirale *Andr.* Andr. Rep. 4, 262.  
 — — — squamosum *Thunb.* *Jacq.* Collect. 3, 20.  
 — — — variegatum *Andr.* Andr. Rep. 6, 384.  
 — — — — *Bot. Mag.* 20, 776.  
 Xerocarpus hirsutus *Guill.* Guillemín Seneg. 44.  
 Xeropetalum multiflorum *Endl.* Endl. Iconogr. 118.  
 Xerophyllum setifolium *Michx.* Bot. Reg. 19, 1613.  
 Xerophyta pinifolia *Lam.* Lam. Encycl. 225.  
 Xerotes arenaria *R. Br.* Schnizl. Iconogr. 1, 51<sup>b</sup>.  
 — — filamentosa *Brongn.* Brongniart Coquille 35.  
 — — glauca *R. Br.* Schnizl. Iconogr. 1, 51<sup>b</sup>.  
 — — longifolia *R. Br.* Bot. Reg. 25, 3.  
 — — rigida *R. Br.* Lodd. Cab. 798.  
 † Xerotideae *Endl.* Schnizl. Iconogr. 1, 51<sup>b</sup>.  
 Ximenesia encelioides *Cav.* Cav. Ic. 178.  
 — — heterophylla *H. B. K.* H. B. K. Nov. Gen. 4, 380.  
 Ximения aculeata *Tuss.* Tussac Ant. 3, 30.  
 — — americana *L.* *Jacq.* Hist. stirp. am. 107.  
 — — — — *Lam.* Encycl. 297.  
 — — — — *Desc.* Ant. 2, 132.  
 — — — elliptica *Forst.* Bill. Sertum 37.  
 — — — parviflora *Benth.* Hook. Ic. pl. 4, 350.  
 † Xiphidium *Aubl.* Swartz Fl. Ind. oec. 2.  
 — — — coeruleum *Aubl.* Aublet Guiana 11.  
 — — — — *Lam.* Encycl. 36.

- Xiphium pseudo-Acorus *Schrk.* Schrank Fl. monac. 1, 99.  
 Xiphocarpus martinicensis *Presl.* Presl Symbolae 7.  
 Xiphochaeta aquatica *P. et E.* Poepp. et Endl. 250.  
 Xiphocoma dasycarpa *Stev.* Bull. Mosc. 1852. 1, 7.  
 Xiphocoma heterophylla *Stev.* Bull. Mosc. 1852. 1, 7.  
 † — — leptalea *Stev.* Bull. Mosc. 1852. 1, 7.  
 † — — orientalis *Stev.* Bull. Mosc. 1852. 1, 7.  
 — — — tenuifolia *Stev.* Bull. Mosc. 1852. 1, 7.  
 † Xiphopteris serrulata *Kaulf.* Fée Fil. 5, 10.  
 † Xiphosium acuminatum *Griff.* Calcutta Journ. 1845, 25.  
 Xolantha racemosa *Rafin.* Rafinesque Caratteri 18.  
 † Xuarezia *Rz et P.* Ruiz et Pav. Prodr. 4.  
 — — biflora *Rz et P.* Ruiz et Pav. Fl. 123.  
 — — — — *Lam.* Encycl. 524.  
 Xylobium squalens *Ldl.* Bot. Reg. 9, 732.  
 † Xylocarpus Granatum *Koen.* Mem. Mus. 19, 20.  
 Xylomelum occidentale *R. Br.* Hook. Ic. pl. 5, 446.  
 — — — pyriforme *R. Br.* *Rehb.* Hort. 90.  
 — — — — *Endl.* Iconogr. 47, 48.  
 † Xylophylla *L.* Swartz Observ. 10.  
 — — — angustifolia *Sw.* Lodd. Cab. 577.  
 — — — elongata *Jacq.* *Jacq.* Schoenbr. 3, 348.  
 — — — — *Lodd.* Cab. 1091.  
 — — — falcata *Ait.* Andr. Rep. 5, 331.  
 — — — — *Herb. amat.* 4, 280.  
 — — — — *Bot. Reg.* 5, 373.  
 † — — — latifolia *L.* *Gaertn.* Carp. 108.  
 † — — — — *Lam.* Encycl. 855.  
 — — — — *Bot. Mag.* 26, 1021.  
 † — — — — *Jussieu* Euphorb. 5.  
 — — — longifolia *L.* Rumpf Amb. Auct. 12.  
 — — — montana *Sw.* Bot. Mag. 53, 2652.  
 Xylopia acuminata *Dunal.* Dunal Anon. 16.  
 — — barbata *Mart.* Endl. Bras. 2, 13.  
 — — cubensis *A. Rich.* Ramon Cuba 6.  
 — — frutescens *Aubl.* Aublet Guiana 242.  
 — — — — *Lam.* Encycl. 495.  
 † — — — — *Endl.* Bras. 2, 13.  
 † — — — *Gaertn.* *Gaertn.* Carp. 69.  
 — — — glabra *L.* Dunal Auon. 19.  
 — — — grandiflora *St. Hil.* St. Hil. Fl. Bras. 8.  
 — — — ligustrifolia *Dun.* Dunal Anon. 18.  
 † — — muricata *L.* Lam. Encycl. 495.  
 — — — nitida *Dun.* Dunal Anon. 20.  
 — — — obtusifolia *A. Rich.* Ramon Cuba 7.  
 — — — prinoides *Dun.* Dunal Anon. 15.  
 — — — salicifolia *H. B.* Dunal Anon. 17.  
 — — — sericea *St. Hil.* St. Hil. Pl. usuelles 33.  
 — — — undulata *Pal. B.* Pal. B. Fl. d'Oware 16.  
 — — — — *Rehb.* Exot. 167.  
 † Xylosma suaveolens *Forst.* Lam. Encycl. 827.  
 Xylosteum asperifolium *Decne.* Jacquemont Ind. 85.  
 — — — campaniformum *Lodd.* Lodd. Cab. 1361.  
 — — — — mexicanum *H. B. K.* H. B. K. Nov. Gen. 3, 297.  
 — — — — — *Kerner* Hort. 608.  
 — — — purpurascens *Decne.* Jacquemont Ind. 87.  
 — — — spinosum *Decne.* Jacquemont Ind. 86.  
 † Xyrideae *Kth.* Schnizl. Iconogr. 1, 47.  
 Xyris altissima *Lodd.* Lodd. Cab. 1900.  
 — — — americana *Aubl.* Aublet Guiana 14.  
 — — — canadensis *Schnizl.* Iconogr. 1, 47.  
 — — — coerulea *Lam.* Lam. Encycl. 36.  
 — — — elongata *Rudge.* Linn. Transact. 10, 15.  
 — — — indica *L.* Rheedé Hort. mal. 9, 71.  
 † — — — — *Gaertn.* Carp. 15.  
 — — — — *Lam.* Encycl. 36.  
 — — — operculata *Lab.* Bill. Nov. Holl. 10.  
 — — — — — *Bot. Mag.* 29, 1158.  
 — — — — — *Lodd.* Cab. 205.  
 — — — — — *Endl.* Iconogr. 13.  
 — — — — — *Dict. sc. nat.* 60.

- Xyris pauciflora* Willd. Willdenow Phytogr. 1.  
 — subulata *Rz et P.* Ruiz et Pav. Fl. 71.  
 † *Xystidium maritimum* Trin. Trinius Fund. 2.  
*Yermoloffia hispida* Bel. Belanger Ind. or. x.  
 — insignis Bel. Belanger Ind. or. x.  
*Youngia napifolia* DC. Wight Ic. pl. Ind. or. 3, 1147.  
*Yucca acuminata* Sweet. Sweet Fl. G. 195.  
 — aloifolia L. DC. Plantae grasses 20.  
 — — Red. Lil. 7, 401. 402.  
 — — Tussac Ant. 2, 29.  
 — — Bot. Mag. 41, 1700.  
 — — Kerner Hort. 145.  
 — — Paxt. Mag. 3, 25.  
 — angustifolia Pursh. Bot. Mag. 48, 2236.  
 † — Draconis L. Gaertn. Carp. 85.  
 † — — Lam. Encycl. 243.  
 — — Bot. Reg. 22, 1894.  
 — filamentosa L. Bot. Mag. 23, 900.  
 — — Red. Lil. 5, 277. 278.  
 — — Herb. amat. 4, 258.  
 — flaccida Haw. Bot. Reg. 22, 1895.  
 — glauca Noisette. Bot. Mag. 53, 2662.  
 — glaucescens Haw. Sweet Fl. G. 53.  
 — gloriosa L. Bot. Mag. 31, 1260.  
 — — Andr. Rep. 7, 473.  
 — — Red. Lil. 6, 326. 327.  
 — — Nouveau Duhamel 3, 35.  
 — puberula Haw. Sweet Fl. G. 251.  
 — recurvifolia Salisb. Salisbury Parad. 31.  
 — stricta Sims. Bot. Mag. 48, 2222.  
 — — Rchb. Exot. 201.  
 — superba Haw. Bot. Reg. 20, 1690.  
 † *Zacintha verrucosa* Gaertn. Gaertn. Carp. 157.  
 — — Sibth. Fl. gr. 820.  
*Zahlbrucknera paradoxa* Rchb. Sturm Flora 9, 33.  
*Zalacca affinis* Griff. Griffith Palms 176<sup>a, b, c</sup>.  
 † — — Mart. Palm. Z<sup>21</sup>.  
 — Blumeana Mart. Mart. Palm. 123.  
 — conferta Griff. Griffith Palms 180<sup>a, b, c</sup>.  
 — — Mart. Palm. 173. 174.  
 — edulis Bl. Blume Rumphia 161.  
 — — Griffith Palms 175.  
 — glabrescens Griff. Griffith Palms 179.  
 — macrostachya Griff. Griffith Palms 178<sup>a, b, c</sup>.  
 † — — Mart. Palm. Z<sup>21</sup>.  
 — Rumphii Wall. Wall. Pl. asiat. 222—224.  
 — secunda Griff. Griffith Palms 177.  
 — Wallichiana Mart. Mart. Palm. 118. 119. 136.  
*Zaleja decandra* Burm. Burmann Fl. ind. 31.  
 † *Zamia* L. Richard Conif. 27. 28.  
 — angustifolia Jacq. Jacq. Ic. 636.  
 — Beeldsnijderiana Beeldschm. Beeldsnyder Catalogue 1.  
 — Brongniartii Wedd. Ann. sc. nat. III. 13, 4.  
 — cycadifolia Jacq. Jacq. Fragm. 25. 26.  
 — — Kerner Hort. 169.  
 — — Flora 1825, 2.  
 — debilis Ait. Lodd. Cab. 155.  
 — — Miquel Monogr. Cycad. 8.  
 † — Fischeri Miq. Linnaea 19, 7.  
 — furfuracea Ait. Bot. Mag. 45, 1969.  
 — horrida Jacq. Jacq. Fragm. 27. 28.  
 — — Kerner Hort. 734. 735.  
 — integrifolia Ait. Jacq. Ic. 635.  
 — — Bot. Mag. 43, 1851.  
 — — Kerner Hort. 113.  
 † — — Lam. Encycl. 892.  
 † — — Arch. Mus. 1, 34.  
 — Kickxii Miq. Miquel Monogr. Cycad. 8.  
 — lanuginosa Jacq. Jacq. Fragm. 30. 31.  
 † — latifolia Lodd. Linnaea 19, 7.  
 — Lindleyi Warsz. Otto Garten-Zeitung 1851, 1.  
 † *Zamia Loddigesii* Miq. Linnaea 19, 7.  
 — longifolia Jacq. Jacq. Fragm. 29.  
 — — Kerner Hort. 385.  
 — media Jacq. Jacq. Schoenbr. 3, 397. 398.  
 — — Bot. Mag. 43, 1838.  
 — media Jacq. Rchb. Exot. 253.  
 — muricata Willd. Miquel Monogr. Cycad. 7.  
 — — Vriese Descriptions 4. 5.  
 † — pumila L. Annales de Fromont 1829, 2.  
 — — (mas.) Bot. Mag. 45, 2006.  
 — pygmaea Sims. Lodd. Cab. 113.  
 — — Bot. Mag. 42, 1741.  
 — Skinneri Warsz. Otto Garten-Zeitung 1851, 1.  
 † — tenuis Willd. Linnaea 19, 6.  
 † — villosa Gaertn. Gaertn. Carp. 3.  
 † *Zannichellia* L. Ann. sc. nat. II. 3, 1.  
 † — dentata Willd. Ann. sc. nat. II. 9, 3.  
 — gibberosa Rchb. Rchb. Ic. crit. 8, 759.  
 — — Rchb. Fl. germ. 7, 16.  
 — major Bönn. Rchb. Ic. crit. 8, 758.  
 — — Rchb. Fl. germ. 7, 16.  
 † — — Nees Gen. 3, x.  
 — palustris L. Fl. dan. 1, 67.  
 — — Engl. Bot. 26, 1844.  
 — — Sv. Bot. 630.  
 — — Schk. Handb. 280.  
 — — Baxter Brit. Bot. 3, 164.  
 † — — Gaertn. Carp. 19.  
 † — — Lam. Encycl. 741.  
 † — — Mutel Fl. fr. 63.  
 † — — Ann. sc. nat. II. 9, 3. 4.  
 — pedunculata Rchb. Rchb. Ic. crit. 8, 760.  
 — — Rchb. Fl. germ. 7, 16.  
 † — — Mutel Fl. fr. 63.  
 — polycarpa Nolte. Rchb. Ic. crit. 8, 757.  
 — — Rchb. Fl. germ. 7, 16.  
 † — — Mutel Fl. fr. 63.  
 — repens Bönn. Rchb. Ic. crit. 8, 756.  
 — — Rchb. Fl. germ. 7, 16.  
 † — — Nees Gen. 3, x.  
 † — vaginalis Del. Treviranus Symbolae 45—47.  
*Zanonia indica* L. Rheede Hort. mal. 8, 47—49.  
 † — — Gaertn. Carp. 15.  
 † — — Lam. Encycl. 816.  
 — — Wight Illustr. 103.  
 — sarcophylla Wall. Wall. Pl. asiat. 123.  
 † — — Schnizl. Iconogr. 201.  
*Zapania Echinus* N. v. E. Acta Leop. 11. 1, 5.  
 † — javanica Poir. Lam. Encycl. 17.  
 — — Desc. Ant. 6, 392.  
 † — mexicana Poir. Lam. Encycl. 17.  
 — nodiflora Poir. Rheede Hort. mal. 10, 47.  
 † — — Lam. Encycl. 17.  
 — — var. rosea, Sweet Fl. G. II. 225.  
*Zauschneria californica* Presl. Presl Reliq. 52.  
 — — Bot. Mag. 76, 4493.  
 — — Annales de Gand 1848, 224.  
 — — Fl. d. serres 4, 404.  
 — — Paxt. Mag. 15, 195.  
*Zea hirta* Bonaf. Ann. sc. nat. 17, 8.  
 — Mays L. Schk. Handb. 283.  
 — — Burger Abhandlung 1—4.  
 — — Cobbet Cobbets Corn 1. 2.  
 — — Nees Düsseld. Suppl. 73. 74.  
 — — Duchesne Traité du Mais 1—3.  
 — — Bonafous Traité 1—19.  
 — — Dict. sc. nat. 23. 24.  
 — — Desc. Ant. 8, 544.  
 — — Browne Indian Corn 1.  
 † — — Linné Amoenit. 7, 2.  
 † — — Lam. Encycl. 749.  
 † — — Ann. Mus. 17, 6.

- †Zea Mays *L.* Ann. sc. nat. II. 11, 9.  
 † — — — Spach Suites 128.  
 † — — — Nees Gen. 1, 3, 4.  
 † — — — Hofmeister Embryo 11.  
 ! — — — Imhof Morbus 1.  
*Zehneria Baueriana* ♂ ♀ *Endl.* Endl. Iconogr. 116. 117.  
 † — *Hookeriana* *Wight.* Wight Illustr. 105 bis.  
*Zenkeria elegans* *Trin.* Linnaea 11, 3.  
*Zenobia speciosa* *Don.* Sweet Fl. G. II. 330.  
 †*Zephyranthes* *Herb.* Herbert Amar. 34. 36.  
 — *Atamasco* *Herb.* Lodd. Cab. 1899.  
 † — *candida* *Herb.* Herbert Amar. 24.  
 — — — *Bury* Hexandr. plants 25.  
 — — — *Bot. Mag.* 53, 2607.  
 — — — *Lodd.* Cab. 1419.  
 — *carinata* *Herb.* *Bury* Hexandr. plants 13.  
 — — — *Bot. Reg.* 11, 902.  
 — — — *Bot. Mag.* 52, 2594.  
 — — — *Sweet* Fl. G. II. 4.  
 † — *Commersoniana* *Herb.* Herbert Amar. 29.  
 — *Drummondii* *Don.* Sweet Fl. G. II. 328.  
 † — *gracilis* *Herb.* Herbert Amar. 29.  
 † — *Grahamiana* *Herb.* Herbert Amar. 29.  
 — *grandiflora* *Ldl.* *Bot. Reg.* 11, 902.  
 — *Lindleyana* *Herb.* Herbert Amar. 35.  
 — *mesochloa* *Herb.* *Bot. Reg.* 16, 1361.  
 — *minima* *Herb.* Herbert Amar. 24.  
 — *rosea* *Ldl.* *Bury* Hexandr. plants 13.  
 — — — *Bot. Reg.* 10, 821.  
 — — — *Bot. Mag.* 52, 2537.  
 — *Spofforthiana* *Herb.* *Bot. Reg.* 21, 1746.  
 — *striata* *Herb.* *Bot. Mag.* 52, 2593.  
 — *tubispatha* *Herb.* *Bury* Hexandr. plants 25.  
 — *verecunda* *Herb.* *Bot. Mag.* 52, 2583.  
 †*Zerna sterilis* *Panz.* Münchn. Denkschr. 4, 11.  
*Zerumbet speciosum* *Schrad. et W.* Jacq. Fragm. 68.  
 — — — *Wendland* Sert. hannov. 19.  
 † *Zingiber* *Schrad. et W.* Ann. sc. nat. II. 15, 21.  
*Zetocapnia geminiflora* *Link.* Link Iconogr. II. 18.  
*Zeuxine bracteata* *Wight.* Wight Ic. pl. Ind. or. 5, 1724 bis.  
 — *brevifolia* *Wight.* Wight Ic. pl. Ind. or. 5, 1725.  
 — *robusta* *Wight.* Wight Ic. pl. Ind. or. 5, 1726.  
*Zeyheria montana* *Mart.* Mart. Bras. 159.  
*Zichya coccinea* *Mart.* Maund Bot. 3, 120.  
 — *dilatata* *Benth.* *Bot. Reg.* 18, 1526.  
 — *glabrata* *Benth.* *Bot. Reg.* 22, 1838.  
 — — — *Bot. Mag.* 68, 3956.  
 — *inophylla* *Benth.* *Bot. Reg.* 17, 1421.  
 — *Molly Hügel.* Hügel Archiv 1.  
 — *pannosa* *Paxt.* Paxt. Mag. 8, 147.  
 — *tricolor* *Ldl.* *Bot. Reg.* 25, 82.  
 — *villosa* *Ldl.* *Bot. Reg.* 28, 68.  
 — — — *Lem. Jard. fl.* 4, 417.  
*Zicria hirsuta* *DC.* Delessert Ic. 3, 50.  
 — *laevigata* *Sm.* Delessert Ic. 3, 49.  
 — — — *Maund* Bot. 4, 185.  
 — — — *Paxt. Mag.* 9, 77.  
 † — — — *Mem. Mus.* 12, 22.  
 † — — — *Spach* Suites 13.  
 — *lanceolata* *R. Br.* Lodd. Cab. 878.  
 — *macrophylla* *Bonpl.* Delessert Ic. 3, 48.  
 — — — *Bot. Mag.* 75, 4451.  
 — *pilosa* *Rudge.* Linn. Transact. 10, 17.  
 — — — *Lam. Encycl.* 915.  
 — *Smithii* *Andr.* Andr. Rep. 9, 606.  
 — — — *Bot. Mag.* 34, 1395.  
 — — — *Bonpland* Malm. 24.  
 — *trifoliata* *Bonpl.* Herb. amat. 3, 190.  
*Zietenia orientalis* *Gled.* Mem. Acad. Berl. 1766, 1. 2.  
 — — — *Jaubert* Illustr. 399.  
*Zigadenus glaberrimus* *Michx.* Michaux Fl. 22.  
 — — — *Red.* Lil. 8, 461.

- Zigadenus glaucus* *Gray.* Bot. Reg. 24, 67.  
*Zingiber barbatum* *Wall.* Wall. Pl. asiat. 55.  
 — *capitatum* *Roxb.* Roscoe Scitam. 90.  
 — *Cassumunar* *Roxb.* Rumpf Amb. 5, 65. fig. 2.  
 — — — *Roscoe* Scitam. 85.  
 — — — *Bot. Mag.* 35, 1426.  
 — — — *Rehb.* Exot. 70.  
 — — — *Nees* Düsseld. 63.  
 — *chrysanthum* *Rosc.* Roscoe Scitam. 86.  
 — *Cliffordiae* *Andr.* Andr. Rep. 9, 555.  
 — *elatum* *Roxb.* Roscoe Scitam. 91.  
 † — *Ensal* *Gaertn.* Gaertn. Carp. 12.  
 — *gramineum* *Bl.* Rumpf Amb. 5, 66. fig. 2.  
 — *ligulatum* *Roxb.* Roxb. Corom. 253.  
 † — — — *Ann. sc. nat. II.* 15, 19.  
 † — *Melegueta* *Gaertn.* Gaertn. Carp. 12.  
 † — *minus* *Gaertn.* Gaertn. Carp. 12.  
 † — *nigrum* *Gaertn.* Gaertn. Carp. 12.  
 — *officinale* *Roscoe.* Rheede Hort. mal. 11, 12.  
 — — — *Roscoe* Scitam. 83.  
 — — — *Guimpel et Schl.* 257.  
 — — — *Wagner* 119. 120.  
 — *roscum* *Roscoe.* Roscoe Scitam. 87.  
 — *rubens* *Roxb.* Roscoe Scitam. 68.  
 † — *silvestre* *Gaertn.* Gaertn. Carp. 12.  
 — *squarrosam* *Roxb.* Roscoe Scitam. 89.  
 — ? — *Wight* Ic. pl. Ind. or. 6, 2004.  
 — *Zerumbel* *Roscoe.* Rheede Hort. mal. 11, 13.  
 — — — *Roscoe* Scitam. 84.  
 — — — *Smith* Exot. Bot. 112.  
 — — — *Bot. Mag.* 45, 2000.  
 — — — *Wight* Ic. pl. Ind. or. 6, 2003.  
*Zinnia anomala* *Gray.* Smiths. Contrib. 3, 10.  
 — *elegans* *Jacq.* Jacq. Ic. 589.  
 — — — *Zinn* Catal. Gott. 1.  
 † — — — *Schk.* Handb. 252.  
 — — — *Bot. Mag.* 15, 527.  
 — — — *Kerner* Hort. 34.  
 — — — *Herb. amat.* 1, 15.  
 — *hybrida* *Sims.* *Bot. Mag.* 47, 2123.  
 † — *lutea* *Gaertn.* Gaertn. Carp. 172.  
 — *multiflora* *L.* Linné Hort. ups. 2, 12.  
 — — — *Jacq.* Observ. 40.  
 — — — *Bot. Mag.* 5, 149.  
 † — — — *Lam. Encycl.* 685.  
 † — *pauciflora* *L.* Lam. Encycl. 685.  
 — *revoluta* *Cav.* Cav. Ic. 251.  
 — — — *Herb. amat.* 1, 34.  
 — *tenuiflora* *Jacq.* Jacq. Ic. 590.  
 — — — *Bot. Mag.* 16, 555.  
 — *verticillata* *Andr.* Andr. Rep. 3, 189.  
 — — — *Schk.* Handb. 252.  
 — *violacea* *Cav.* Cav. Ic. 81.  
 — — — *Andr. Rep.* 1, 55.  
 — — — *Bot. Reg.* 15, 1294.  
 — — — *Paxt. Mag.* 1, 223.  
 †*Zippelia begoniaefolia* *Bl.* Miquel Illustr. Pip. 92.  
 — *lappacea* *R. Br.* Bennett Java 16.  
 †*Zizania* *L.* Linné Gramin. 1.  
 † — — — *Linné* Amoenit. 7, 2.  
 — *aquatica* *L.* Linn. Transact. 7, 13.  
 † — *palustris* *L.* Gaertn. Carp. 82.  
 — — — *Schreber* Gräser 29.  
 — — — *Schk.* Handb. 295.  
 — — — *Lam. Encycl.* 768.  
 — *torrestris* *L.* Rheede Hort. mal. 12, 60.  
*Zizia cordata* *Koch.* Torrey New York 33.  
*Ziziphora capitata* *L.* Rivinus Opus ined. 21.  
 † — — — *Gaertn.* Carp. 66.  
 — — — *Lam. Encycl.* 18.  
 — — — *Sibth.* Fl. gr. 13.  
 — — — *Petersb.* 2, 10.

- Ziziphora clinopodioides* *M. v. B.* Petersb. 2, 11.  
 — *compacta* *Friv.* Acta Acad. hung. 1840, 4.  
 — *hispanica* *L.* Lam. Encycl. 18.  
 — *pungens* *Bunge.* Ledeb. Ic. 124.  
 — *Puschkini* *Adams.* Bot. Mag. 27, 1093.  
 — *serpyllacea* *M. v. B.* Bot. Mag. 23, 906.  
 — — Petersb. 2, 12.  
 — *tenuior* *L.* Lam. Encycl. 18.  
 † *Zizyphus* *L.* Gray Genera 163.  
 — *Baclei* *DC.* Guillemain Seneg. 37.  
 — *glabrata* *Heyne.* Wight Ic. pl. Ind. or. 1, 282.  
 — *Iguanea* *Lam.* Desc. Ant. 7, 492.  
 — *Jujuba* *Lam.* Rheede Hort. mal. 4, 41.  
 — — — Hook. Journal 1834, 140.  
 — — — Wight Ic. pl. Ind. or. 1, 99.  
 † *Lotus* *Lam.* Lam. Encycl. 185.  
 — — — Sprengel Geschichte d. Bot. 3.  
 — *obtusifolia* *Gray.* Gray Genera 163.  
 — *Paliurus* *Willd.* Bot. Mag. 44, 1893.  
 — *rugosa* *Lam.* Wight Ic. pl. Ind. or. 2, 339.  
 † — — — *Gaertn.* Gaertn. Carp. 43.  
 — — — Nouveau Duhamel 3, 16.  
 † — *vulgaris* *Lam.* Lam. Encycl. 185.  
 — — — Sibth. Fl. gr. 241.  
 — — — Guimpel Fr. Holzgew. 118.  
 — — — Hayne 10, 43.  
 — — — Nees Düssel. 360.  
 — — — Gallezio Pomona 2, x.  
 — — — Desc. Ant. 4, 276.  
 † — — — Spach Suites 15.  
 † — — — Ann. sc. nat. 10, 12.  
*Zoegea aleppica* *Jacq.* Jacq. Ic. 177.  
 — *Leptaurea* *L.* L'heritier Stürp. 29.  
*Zollernia falcata* *N. et M.* Acta Leop. 13. 2. D.  
 — — — Schnizl. Iconogr. 276.  
 — *splendens* *N. et M.* Acta Leop. 13. 2. C.  
*Zollikoferia chondrilloides* *DC.* DC. Composées 18.  
*Zornia diphylla* *Pers.* Rheede Hort. mal. 9, 82.  
 — *flemmingioides* *Moric.* Moricand Pl. Am. 76.  
 — *Gardneriana* *Moric.* Moricand Pl. Am. 77.  
 — *sericea* *Moric.* Moricand Pl. Am. 75.  
 — *tenuifolia* *Moric.* Moricand Pl. Am. 79.  
 — *tetraphylla* *Michx.* Michaux Fl. 41.  
 — *virgata* *Moric.* Moricand Pl. Am. 78.  
 — *zeylonensis* *Pers.* Rheede Hort. mal. 9, 83.  
*Zosima orientalis* *Hoffm.* Hoffmann Genera Umb. 4.  
*Zostera bullata* *Delile.* Delile Egypte 53.  
 — — — Ehrenberg Symbolae 5.  
 — *ciliata* *Forsk.* Ehrenberg Symbolae 6.  
 — *marina* *L.* Linné Westgothische Reise 4.  
 — — — Fl. dan. 1, 15.  
 — — — var.  $\beta$ . Fl. dan. 9, 1501.  
 — — — Curt. Lond. 4, 35.  
 — — — Engl. Bot. 7, 467.  
 — — — Sv. Bot. 186.  
 — — — Baxter Brit. Bot. 6, 456.  
 † — — — Lam. Encycl. 737.  
 — — — Dict. sc. nat. 4.  
 — — — Schk. Handb. 279.  
 — — — Rehb. Fl. germ. 7, 3. 4.

- † *Zostera marina* *L.* Nees Gen. 3, x.  
 † — *maritima* *Gaertn.* Gaertn. Carp. 19.  
 — *nana* *Roth.* Rehb. Fl. germ. 7, 2.  
 — — — Engl. Bot. 2931.  
 — *Noltii* *Hornem.* Fl. dan. 12, 2041.  
 † — — — Nees Gen. 3, x.  
 — *oceanica* *L.* Cavolini Monographic 1.  
 — — — Usteri Annalen 7, 4.  
 — — — König Annals 2, 6.  
 † *Zosterostylis Arachnites* *Bl.* Blume Tabellen 32.  
 — *Walkeræ* *Wight.* Wight Ic. pl. Ind. or. 5, 1748.  
*Zozimia anethifolia* *DC.* Jaubert Illustr. 238.  
*Zuccagnia punctata* *Cav.* Cav. Ic. 403.  
*Zuelia lactioides* *A. Rich.* Ramon Cuba 12.  
*Zurloa splendens* *Ten.* Acad. Neap. 6, (1852.) x.  
*Zygia Petersiana* *Bolle.* Peters Mossamb. 1.  
*Zygopetalum africanum* *Hook.* Bot. Mag. 67, 3812.  
 — *cochleare* *Ldl.* Bot. Reg. 22, 1857.  
 — — — Bot. Mag. 64, 3585.  
 — *crinitum* *Lodd.* Lodd. Cab. 1687.  
 — *Mackaii* *Hook.* Bot. Mag. 54, 2748.  
 — — — Lodd. Cab. 1664.  
 — — — Paxt. Mag. 3, 97.  
 — — — var. *crinitum*, Bot. Mag. 62, 3402.  
 — — —  $\beta$ . *crinitum*, Hart. Parad. 1, 3.  
 — *maxillare* *Roxb.* Bot. Mag. 65, 3686.  
 — — — Maund Bot. 3, 111.  
 — — — Paxt. Mag. 4, 271.  
 — — — Lodd. Cab. 1776.  
 — — — Hart. Parad. 1, 2.  
 — *Murrayanum* *Gardn.* Bot. Mag. 65, 3674.  
 — *rostratum* *Hook.* Bot. Mag. 55, 2819.  
 — *stenochilum* *Lindl.* Lodd. Cab. 1923.  
 † *Zygophylleae* *Rehb.* Payer Organogénie 14. 22. 23.  
*Zygophyllum album* *L.* Linné Hort. ups. 1, 6.  
 — — — Sibth. Fl. gr. 371.  
 — — — DC. Plantes grasses 154.  
 — *arborescens* *Jacq.* Jacq. Hist. stirp. am. 124.  
 — *decumbens* *Delile.* Delile Egypte 27.  
 — *Eichwaldii* *C. A. M.* Eichwald Caucasus 14.  
 — *Fabago* *L.* Gmelin Reise 2, 28.  
 † — — — Gaertn. Carp. 112.  
 — — — Lam. Encycl. 345.  
 † — — — Mem. Mus. 12, 15.  
 † — — — Spach Suites 13.  
 — *foetidum* *Schrad.* Schrader Sertum hannov. 9.  
 † — — — Payer Organogénie 14.  
 — *Fontanesii* *Webb.* Webb Canar. 1.  
 — *fruticosum* *DC.* Delessert Ic. 2, 42.  
 — *furcatum* *C. A. M.* Ledeb. Ic. 373.  
 — *insuave* *Curt.* Bot. Mag. 11, 372.  
 — *Lehmanni* *Bge.* Bunge Reliq. Lehmann. 10.  
 — *macropterum* *C. A. M.* Ledeb. Ic. 140.  
 — *Melongena* *Bge.* Ledeb. Ic. 218.  
 — *pterocarpum* *Bge.* Ledeb. Ic. 382.  
 — *retrofractum* *Thunb.* Jacq. Schoenbr. 3, 354.  
 — *sessilifolium* *L.* Bot. Mag. 47, 2184.  
 — *simplex* *L.* Lam. Encycl. 345.  
 — *subtrijugum* *C. A. M.* Ledeb. Ic. 383.  
*Zymum tristellatum* *Noronha.* Aubert Iles d'Afrique 23.



ICONUM BOTANICARUM

INDEX

LOCUPLETISSIMUS.

---

PARS ALTERA.

---

VERZEICHNISS DER ABBILDUNGEN  
SICHTBAR BLÜHENDER  
PFLANZEN UND FARNKRÄUTER

AUS DER BOTANISCHEN UND GARTENLITERATUR

DES XVIII. UND XIX. JAHRHUNDERTS

IN ALPHABETISCHER FOLGE ZUSAMMENGESTELLT

VON

**DR. G. A. PRITZEL.**

---

ZWEITE BIS ZU ENDE DES JAHRES 1865 FORTGEFÜHRTE AUSGABE.  
ZWEITER THEIL.

---

BERLIN

NICOLAISCHE VERLAGSBUCHHANDLUNG.

(A. EFFERT & L. LINDTNER.)

1866.



V 127

## VORWORT.

---

Das vielseitig kundgegebene Verlangen der Botaniker den Index iconum botanicarum bis auf die neueste Zeit fortgeführt zu sehen, hat mich bestimmt, mich dieser mühseligen und zeitraubenden Arbeit in der Hoffnung zu unterziehen, dadurch den mit Bestimmung der Pflanzen oder mit monographischen Arbeiten Beschäftigten einen wesentlichen Dienst zu erweisen. Die Einrichtung dieses zweiten Theils, den ich nunmehr der Oeffentlichkeit übergebe, weicht von dem als zweckmässig erprobten Plane des Hauptwerkes in keiner Weise ab; er umfaßt, aufer einer Anzahl früher übergangener wichtiger älterer Werke, die Nachweisung der in den botanischen Kupferwerken der letzten zwölf Jahre, in zahlreichen kleinen Abhandlungen und in etwa zweihundert Zeit- und Gesellschaftsschriften, die sämmtlich bis zum Schluß des Jahres 1865 excerpt sind, niedergelegten Abbildungen.

Berlin, am 1. August 1866.

GEORG PRITZEL.

44

# ÜBERSICHT

## DER VORZÜGLICHSTEN CITIRTEN WERKE.

(Mit Uebergang aller Zeitschriften und Abhandlungen gelehrter Gesellschaften, welche durchgängig bis zu Ende des Jahres 1865 aufgenommen worden sind.)

- Agardh Syst. = Jac. Georg Agardh, Theoria systematis plantarum. Lundae 1858. 8°. (28 lithographirte Tafeln mit 315 Arten.)
- Ammann Ruth. = Io. Ammann, Stirpium rariorum in imperio rutheno icones et descriptiones. Petropoli 1739. 4°. (35 Tafeln.)
- Antoine Cupress. = Antoine, Die Kupressinengattungen Arceuthos, Juniperus und Sabina. Wien 1857—1864. folio. (92 photographirte Tafeln mit 52 Arten.)
- Baillon Euph. = Baillon, Etude générale du groupe des Euphorbiacées. Paris 1858. gr. 8°. (27 Tafeln mit Blütenanalysen von 144 Gattungen.)
- Baillon Adansonia = Adansonia, Recueil périodique d'observations botaniques, rédigé par H. Baillon. Tome 1—4. Paris 1860—1864. 8°. (48 Tafeln mit vielen analytischen Darstellungen.)
- Bateman Monograph = James Bateman, A Monograph of Odontoglossum. Part 1—3. London 1864—1865. folio. (15 colorirte Tafeln.)
- Berg Darstellung = O. C. Berg, Darstellung und Beschreibung sämtlicher in der Pharmacopaea borussica aufgeführten officiellen Gewächse. Band 1—4. Leipzig 1858—1863. 4°. (204 colorirten Tafeln.)
- Blume Orchid. = Blume, Flora Javae. Series nova. Tomus I: Orchideae. Lugd. Bat. 1858. folio. (66 col. Tafeln, 178 Arten enthaltend.)
- Blume Mus. = Blume, Museum botanicum Lugduno-Batavum. Tomus II. Lugd. Bat. 1856. 8°. (72 Arten auf 31 Tafeln.)
- Boott Carex = Illustrations of the genus Carex. By Francis Boott. Part I. II. III. London, W. Pamplin. 1858—1862. folio. 310 tab. nigr. (280 Arten.)
- Browne Jamaica = The civil and natural history of Jamaica, by Patrick Browne. Ed. II. with Linnean indexes. London 1789. folio. (38 tab. bot. mit 80 Arten.)
- Bruce Travels = Selects specimens of natural history, collected in Travels to discover the source of the Nile, by James Bruce. Vol. V. Edinburg 1790. 4°. (24 Taf. mit 18 Arten.)
- Bureau Bign. = Edouard Bureau, Monographie des Bignoniacées. Paris 1864. 4°. (31 Kupfertafeln mit analytischen Darstellungen von 31 Gattungen.)
- Burmans Thes. zeyl. = Joh. Burmann, Thesaurus zeylanicus, exhibens plantas in insula Zeylana nascentes. Amstelodami 1737. 4°. tab. 1—110. (117 Arten.)
- Burmans Pl. afr. = Joh. Burmann, Rariorum africanarum plantarum Decas 1—10. Amstelodami 1738—1739. 4°. tab. 1—100. (136 Arten.)
- Castelnau Expédition = Weddell, Chloris andina. Vol. 1. 2. Paris 1855—1857. 4°. c. 91 tab. nigr. sign. 1—90, 27\*. (200 Arten.)
- Chatin Anatomie = G. A. Chatin, Anatomie comparée des végétaux. Livr. 1—12. Paris 1856—1861. 8°. (123 Tafeln mit 145 Arten.)
- Cornuti Canad. = Canadensium aliarumque plantarum historia. Parisiis 1635. 4°. (48 Arten.)
- Dietrich Flora univ. = D. Dietrich, Flora universalis. Neue Reise. Heft 1. Jena 1861. folio. (10 colorirte Tafeln mit 17 Arten.)
- Dillenius Elth. = Horti Elthamensis plantarum rariorum Icones et nomina a Joh. Jac. Dillenio descriptarum Tomus I. II. Lugd. Bat. 1774. folio. (324 tab. nigr. mit 360 Arten.)
- Emory Notes = Notes of a military reconnoissance from Fort Leavenworth in Missouri to San Diego in California, by W. H. Emory. Washington 1848. 8°. (12 tab. bot. zu einem von Torrey bearbeiteten Appendix gehörig und 5 Tafeln mit Cacteen.)
- Endl. Bras. = Flora brasiliensis. Ediderunt Endlicher, de Martius et Fenzl. Fasc. 13—19. Lipsiae 1854—1865. Folio. (Ueber 1000 Arten.)
- Engelm. Boundary = Report on the United States and Mexican Boundary Survey, under the order of W. H. Emory. Vol. II: (Cactaceae of the Boundary, by George Engelmann. Washington 1859. 4°. (75 tab. nigr. mit Analysen, 64 Arten enthaltend.)
- English Botany Suppl. = Supplement to the English Botany. Vol. V. tab. col. 2961—2995. London 1863—1855. 8°.
- Eugenies Resa = Kgl. Svenska Fregatten Eugenies Resa omkring Jorden, 1851—1853. Botanik, af Prof. Andersson. Fasc. 1. 2. Stockholm 1857. 1861. 4°. (46 Arten.)
- Expl. Missis. = Reports in Explorations for a Railroad route from the Mississippi River to the Pacific Ocean. Vol. 1—10. Washington 1855—1859. 4°. (In Band 1. 2. 4. 5. 6. 7. sind 160 Arten enthalten.)
- Fée Fil. novae = Fée, Iconographie des espèces nouvelles décrites dans le Genera Filicum. Mémoires 6—8. Paris 1854—1857. 4°. tab. 1—27. (102 Arten.)
- Feuillée = Journal des observations physiques, mathématiques et botaniques, faites sur les côtes orientales de l'Amérique meridionale et dans les Indes occidentales depuis 1707—1712. Tome II et III. Paris 1714. 4°. (Jeder Band mit 50 Tafeln, welche zu etwa  $\frac{1}{2}$  bestimmt und citirt sind.)
- Fischer Sert. petrop. = Fischer et Meyer, Sertum petropolitanum. Fasc. II: tab. col. 11—20. Petropoli 1852. folio.

- Frémont Report = Report of the Exploring Expedition to the Rocky Mountains in the year 1842. Washington 1845. 8°. (Botany by Torrey and Frémont, c. 4 tab.)
- Gasparrini Ric. = Gasparrini, Ricerche sulla natura dei succiatori delle radici 1856. 4°. (11 Tafeln mit 22 Arten.)
- Gleichen Untersuchungen = Fr. W. von Gleichen, das Neueste aus dem Reiche der Pflanzen, oder mikroskopische Untersuchungen und Beobachtungen der geheimen Zeugungstheile der Pflanzen. Nürnberg 1764. folio. 51 tab. col. (32 Arten.)
- Gleichen Entdeckungen = W. Fr. von Gleichen, genannt Russwurm, Auserlesene mikroskopische Entdeckungen. Mit 84 col. Tafeln. Nürnberg 1781. 4°. (32 Arten.)
- Gray Expl. Exp. = United States Exploring Expedition, during the years 1838—1842, under the command of Charles Wilkes. Botany. Phanerogamia. Vol. I. by Asa Gray. Atlas. Philadelphia 1856. folio. (100 schwarze Kupfertafeln mit Analysen, sign. 1—100, enthalten 127 Arten.)
- Griffith Pl. asiat. = Griffith, Posthumous Papers. Icones plantarum asiaticarum. Part 1—3. Calcutta 1847—1851. 4°. (Schwarze und colorirte lith. Tafeln. sign. 1—174, 243—359 mit vielen Analysen. Die dazwischen liegenden Tafeln sind bereits citirt im 1. Theil als Griffith Palms. = 263 Arten.)
- Gunner Flora norv. = Gunner, Flora norvegica. Vol. 1. 2. Nidrosiae 1766—1772. folio. (19 Arten.)
- Guss. Fl. Inar. = Gussone, Enumeratio plantarum insulae Inarime. Neapoli 1854. 8°. (20 tab. nigr. = 32 Arten.)
- Harvey Thes. cap. = Harvey, Thesaurus capensis. Vol. 1. 2. Dublin 1860—1864. 8°. (tab. nigr. lith. 1—200.)
- Hooker British Ferns = W. J. Hooker, The British Ferns. London 1861. 8°. (66 col. lith. Tafeln von Walter Fitch gezeichnet.)
- Hooker Garden Ferns = W. J. Hooker, Garden Ferns. London 1862. 8°. (64 col. lith. Tafeln von Walter Fitch gezeichnet.)
- Hooker Second Century = A Second Century of Ferns. London 1861. 8°. (100 Tafeln.)
- Hook. Fil. exot. = W. J. Hooker, Filices exoticae. London 1859. 4°. (100 col. lith. Tafeln von Walter Fitch. 100 Arten.)
- Hook Himal. = Joseph Dalton Hooker, Illustrations of Himalayan plants. London 1855. folio. (24 vortreffliche von Walter Fitch gezeichnete col. Tafeln mit 24 Arten.)
- Hook. New Zeal. = Joseph Dalton Hooker, The Botany of the Antarctic Voyage. II. Flora of New Zealand. Vol. 1. 2. London 1853—1855. 4°. (130 col. lith. Tafeln mit Analysen; Tafel 83—130 enthalten niedre Kryptogamen. 92 Arten.)
- Hook. Fl. Tasm. = J. D. Hooker, The Botany of the antarctic Voyage. Part. III: Flora Tasmaniae. Vol. 1. 2. London 1860. 4°. (200 col. lith. Tafeln mit Analysen; tab. 171—200 enthalten niedre Kryptogamen; 265 Arten.)
- Howard Quinologia = Illustrations of the Nueva Quinologia of Pavon, with coloured plates by Walter Fitch, and Observations on the barks described, by John Eliot Howard. London (1859—) 1862. folio. (27 tab. col.)
- Jaub. Illustr. = Jaubert et Spach, Illustrationes plantarum orientaliarum. Vol. V. tab. 401—500. Paris 1853—1857. 4°. (Etwa 100 Arten.)
- Johnson Ferns = Johnson and Sowerby, The Ferns of Great Britain. London 1855—1856. 8°. (80 colorirte Tafeln, sign. 1—49, und Fern Allies 1—31.)
- Karsten Fl. Col. = Hermann Karsten, Florae Columbiae terrarumque adiacentium specimina selecta. Vol. 1. 2. Berol. 1858—1866. folio. (175 col. Tafeln; Tafel 176—179, 181—200 sind noch nicht citirt.)
- Kotschy Pl. Pinn. = Theodor Kotschy, Plantae Tinneanae. Viennae 1866. folio. (25 col. Tafeln, welche mein am 11. Juni 1866 verstorbener Freund vor ihrer Herausgabe mir freundlichst mittheilte.)
- Lange Pl. Hisp. = Johann Lange, Descriptio iconibus illustrata plantarum novarum vel minus cognitarum praecipue e Flora hispanica. Fasc. 1. Havniae 1864. folio. (24 col. Tafeln mit 28 Arten.)
- L'her. Stirp. = L'heritier, Stirpes novae aut minus cognitae. Fasc. VII—IX. folio. (40 unedirte Tafeln aus dem Moretti'schen Exemplar; sign. 85—124. Ein Verzeichniß dieser Tafeln findet sich in dem Exemplar der Königl. Bibliothek in Berlin. 37 Arten.)
- Lowe Ferns = E. J. Lowe, Ferns, british and exotic. Vol. 1—8. London 1856—1860. 8°. (475 col. lith. Tafeln mit 520 Arten.)
- Lowe New Ferns = E. J. Lowe, The natural history of new and rare ferns. London 1862. 8°. (72 col. Tafeln.)
- Marcy Red River = Exploration of the Red River of Louisiana, by R. B. Marcy. Washington 1853. 8°. (Botanical Appendix by John Torrey. 20 Taf.)
- Mettenius Fil. = Mettenius, Felices horti botanici lipsiensis. Leipzig 1856. folio. (30 lithogr. Tafeln mit Analysen von 180 Arten.)
- Middendorf Reise 2 = Dr. A. Th. v. Middendorff, Reise in den äußersten Norden und Osten Sibiriens. Band I. Theil 2: Botanik, von E. R. v. Trautvetter und C. A. Meyer. St. Petersburg 1856. 4°. (32 Tafeln, sign. 1—31 mit 17 Arten. Tafel 9—18 enthalten Algen.)
- Miers Illustr. = Miers, Illustration of South American plants. Vol. I. II. London 1846—1858. 4°. (87 schwarze lithographirte Tafeln mit vorzüglichen Analysen, etwa 200 Arten darstellend.)
- Miquel Flora = Miquel, Flora Indiae batavae. Vol. 1—3 et Supplementum. Amsterdam 1835—1860. 8°. (45 Tafeln mit 76 Arten.)
- Miquel Annales = Miquel, Annales Musei botanici Lugduno-Batavi. Vol. 1. 2. Amstelodami 1853—1865. folio. (14 col. Tafeln.)
- Müller Fragments = Ferdinand Müller, Fragmenta phytographiae Australiae. Vol. 1. 2. 3. 4. Melbourne 1858—1864. 8°. (34 schwarze lith. Tafeln.)
- Müller Plants of Victoria = Ferdinand Müller, The Plants indigenous to the Colony of Victoria. Vol. 1. 2. Melbourne 1860—1865. 4°. (99 schwarze lith. Tafeln, sign. 1—71 und 1—18, 89 Arten darstellend.)
- Müller Chatham Islands = Ferdinand Müller, The vegetation of the Chatham Islands. Melbourne 1864. 8°. (7 schwarze lith. Tafeln.)
- Murray Pines = Andrew Murray, The Pines and Firs of Japan. London 1863. 8°. (18 Arten in Holzschnitt dargestellt.)
- Nees Sammlung = Sammlung schönblühender Gewächse des Königl. botanischen Gartens in Bonn, herausgegeben von Fr. Th. Nees v. Elsenbeck und Sinning. Düsseldorf 1832. folio. (100 col. lith. Tafeln.)
- Nuttall Sylva = Thomas Nuttall, The North-American Sylva. Vol. 1—3. Philadelphia 1854. 8°. (c. 121 tab. col.)

- Oerst. Am. centr. = Oersted, Amérique centrale. Livr. 1. Copenhague 1863. folio. tab. 1—18. (36 Arten.)
- Payer Organogénie = J. B. Payer, Traité d'organogénie comparée de la fleur. Paris (1854—) 1857. 8°. (154 schwarze Kupfertafeln, Analysen der Blütenentwicklung darstellend; etwa 400 Arten.)
- Pescatorea 1, 1—48. = Pescatorea. Iconographie des Orchidées par J. Linden. Vol. I. Bruxelles (1854—) 1860. folio. tab. pulch. col. 1—48. (48 Arten.)
- Peters Mossamb. = Wilhelm Peters, Naturwissenschaftliche Reise nach Mossambique. Botanik. Berlin 1862—1864. 4°. (60 Tafeln, von denen Tafel 1—48 bereits im ersten Theile aufgenommen sind.)
- Philippi Reise = Rud. Amandus Philippi, Reise durch die Wüste Atacama. Halle 1860. 4°. c. 6 tab. bot. (26 Arten.)
- Pinetum brit. = Pinetum britannicum, edited by Peter Lawson. Fasc. 1—18. Edinburgh 1863—1866. folio. (18 colorirte Tafeln.)
- Poiteau Fl. par. = Poiteau et Turpin, Flore parisienne. Paris 1808—1813. 4°. 48 tab. col. sign. 1—75. (48 Arten.)
- Ramon Cuba = Ramon de la Sagra, Historia física, política y natural de la isla de Cuba. Fasc. 80—98. Paris 1855—1858. 4°. (23 col. Tafeln, welche den Schluss des Werkes bilden.)
- Rchb. Fl. germ. = Gustav Reichenbach, Icones Florae germanicae. Vol. 16—21, oder Taf. 1012—1991. Lipsiae 1855—1865. 4°. (Tafeln mit der Signatur 1441—1450 existiren nicht.)
- Rchb. Xenia 1, = Reichenbach, Xenia orchidacea. Vol. I. Lipsiae (1854—) 1858. 4°. Vol. II, 1—4. (1862. 140 schön gezeichnete zum Theil colorirte Tafeln. 264 Arten.)
- Salm Monogr. = Salm, Monographie des genres Aloe et Mesembriantemum. Fasc. 6. 7. Düsseldorf 1854. 1863. 4°. (67 Tafeln.)
- Schnizl. Iconogr. = Schnizlein, Iconographia familiarum naturalium regni vegetabilis. Bonn 1843—1864. 4°. (Fasc. 1—18, mit den Tafeln 1—276, zum großen Theil schon im ersten Theile citirt.)
- Schott Aroid. = Schott, Aroideae. Fasc. II—VI. tab. nigr. 11—60. Vindobonae 1853—1857. folio. (48 Arten.)
- Schott Ic. Aroid. = Schott, Icones Aroidearum. Fasc. 1—4. Vindobonae 1857—1859. folio. (40 schöne colorirte Tafeln mit 11 Arten.)
- Seemann Herald = Berthold Seemann, The Botany of the voyage of H. M. S. Herald. Part 1—10. London 1852—1857. 4°. (100 schwarze Tafeln mit 94 Arten.)
- Seemann Flora vit. = Berthold Seemann, Flora vitiensis. Part 1. 2. 3. London 1865. 4°. (30 col. Tafeln.)
- Sonnerat Ind. = Sonnerat, Voyage aux Indes orientales et à la Chine. Vol. 4. Paris 1806. 4°. c. tab. bot. 123—140.
- Stansbury Expedition = Howard Stansbury, An expedition to the valley of the Great Salt Lake of Utah. London 1852. 8°. (Botanical Appendix by John Torrey, with 9 plates.)
- Tchichatscheff Asie mineure = P. de Tchichatscheff, Asie mineure. Botanique: Atlas de 44 planches. Paris 1860. 4°. (45 Arten.)
- Torrey Mex. Boundary = Report on the United States and Mexican Boundary Survey, under the order of W. H. Emory. (Vol. II: Botany of the boundary, by John Torrey.) Washington 1859. 4°. (61 schwarze Tafeln mit 63 Arten.)
- Vriese Orchid. = de Vriese, Illustrations d'Orchidées des Indes orientales néerlandaises. La Haye 1854. gr. folio. (18 colorirte Tafeln.)
- Vriese Plantae Ind. = W. H. de Vriese, Plantae Indiae batavae orientalis, quas in itinere . . . 1815—1822 exploravit C. G. C. Reinwardt. Fasc. 1. 2. Leyden 1857—1858. 4°. (8 Tafeln mit 5 Arten.)
- Warner Select Orch. = Robert Warner, Select Orchidaceous Plants. Part 1—8. London 1862. folio. (40 tab. col.)
- Wawra Reise = Heinrich Wawra, Botanische Ergebnisse der Reise Sr. Maj. des Kaisers von Mexico, Maximilian I. nach Brasilien. Wien 1866. folio. (104 Tafeln, von denen 1—32 colorirt sind.)
- Wilkes Expl. Exp. = United States Exploring Expedition under the command of Charles Wilkes. Atlas: Filices, by William D. Brackenridge. Philadelphia 1855. folio. (46 Tafeln mit 70 Arten.)
- Willkomm Ic. Hisp. = Willkomm, Icones et descriptiones plantarum Hispaniae. Tomus 1. 2. (Fasc. 1—18.) Lipsiae 1852—1861. 4°. (158 col. Tafeln mit 224 Arten.)
- Zanoni Hist. = Jacobi Zanonii Rariorum stirpium historia ex parte olim edita, nunc 100 plus tabulis aucta a Caj. Montio. Bononiae 1742. folio. (185 Tafeln, von denen 60 bestimmt und citirt sind.)





- A**bbevillea Klotzschiana *Berg.* Endl. Bras. 18, 48.  
Abelia chinensis *R. Br.* Abel Narrative 2.  
— uniflora *R. Br.* Lemaire Jardin fleuriste 4, 380.  
— — — Belgique horticole 3, 51.  
— — — Fl. d. serres 8, 824.  
† Abelmoschus *Med.* Payer Organogénie 6.  
Abies alba *Poir.* Nouveau Duhamel 5, 81.  
— — — Berg Darstellung 3, 17<sup>d</sup>.  
† — Alcocquiiana *Ldl.* Murray Pines 9.  
— balsamea *Ait.* Nouveau Duhamel 5, 83.  
— bracteata *Don.* Bot. Mag. 79, 4740.  
— — — Fl. d. serres 9, 899.  
! — Brunoniana. Ann. sc. nat. IV. 16, 13.  
— canadensis *Poir.* Nouveau Duhamel 5, 83.  
— Cedrus *Poir.* Nouveau Duhamel 5, 78.  
— cilicica *Carr.* Revue horticole 1856, 14.  
— Douglasii *Ldl.* Expl. Missis. 6, 8.  
— — — Belgique horticole 3, 39.  
† — firma *S. et Z.* Murray Pines 8.  
† — Fortunei *Murr.* Murray Pines 7.  
— Hookeriana *Murr.* Pinetum britannicum 4.  
— jezoensis *S. et Z.* Murray Pines 11.  
— — — Fl. d. serres 9, 858.  
† — Kaempferi *Ldl.* Murray Pines 16.  
— Larix *Poir.* Nouveau Duhamel 5, 79.  
— Menziesii *Dougl.* Expl. Missis. 6, 9.  
— microcarpa *Poir.* Nouveau Duhamel 5, 79.  
† — microsperma *Ldl.* Murray Pines 10.  
— nigra *Poir.* Nouveau Duhamel 5, 81.  
— Pattoniana *Balf.* Pinetum britannicum 4.  
— pectinata *DC.* Nouveau Duhamel 5, 82.  
† — — — Schacht Baum 1.  
† — — — Pringsheim Jahrbücher 1, 13.  
— Pinsapo *Boiss.* Fl. d. serres 14, 1437—1438.  
† — polita *S. et Z.* Murray Pines 12.  
† — taxifolia *Desf.* Spach Suites 90.  
† — Tsuja *S. et Z.* Murray Pines 13.  
† — Veitchi *Ldl.* Murray Pines 6.  
— vulgaris *Poir.* Nouveau Duhamel 5, 80.  
— Williamsonii *Newb.* Expl. Missis. 6, 7.  
Abobra viridiflora *Naud.* Ann. sc. nat. IV. 16, 4.  
— — — Revue horticole 1862, 111.  
Abolboda brasiliensis *Kth.* Endl. Bras. 15, 30.  
— Poarchon *Seub.* Endl. Bras. 15, 30.  
— Poeppigii *Kth.* Endl. Bras. 15, 30.  
Abronia crux-Maltae *Kellog.* Proc. Calif. Acad. 2, 72.  
— cycloptera *Torr.* Marey Explor. 18.  
— umbellata *Lam.* Fl. d. serres 11, 1095.  
Abuta Candollei *Tri. et Pl.* Endl. Bras. 38, 40.  
— concolor *Poepp.* Endl. Bras. 38, 42.  
— Grisebachii *Tri. et Pl.* Endl. Bras. 38, 40.  
— guyanensis *Eichl.* Endl. Bras. 38, 42.  
— Imene *Eichl.* Endl. Bras. 38, 41.  
— panurensis *Eichl.* Endl. Bras. 38, 42.  
— rufescens *Aubl.* Endl. Bras. 38, 39.  
Abuta Selloana *Eichl.* Endl. Bras. 38, 41.  
Abutilon Andersonianum *Garcke.* Eugenies Resa 15.  
— — — insigne *Planch.* Bot. Mag. 81, 4840.  
— — — Belgique horticole 5, 17.  
— paeoniaeflorum *Ch. Lem.* Fl. d. serres 2, 170.  
— planiflorum *C. Koch.* Otto Garten-Z. 1857, 3.  
— vexillarium *Ed. Morr.* Belgique hortic. 1864, 16.  
† Acacia albida *Savi.* Giorn. Lett. 21, 1.  
— — — arabica *Willd.* Vialla Montenegro 2, 1.  
— — — Spach Suites 1.  
— campylacantha *Hochst.* Schweinf. Pl. nilot. 1.  
— capensis *Burch.* Burchell Travels 1, 189.  
— Catechu *Willd.* Berg Darstellung 1, 6<sup>e</sup>.  
— Ceratonia *Willd.* Plumier Jc. Burm. 8.  
— cygnorum *Benth.* Lem. Jard. fl. 3, 322.  
— decurrens *Willd.* Nees Sammlung 18.  
— discolor *Willd.* Revue hortic. 1853, 9.  
— Drummondii *Benth.* Bot. Mag. 86, 5191.  
— — — Lem. Jard. fl. 4, 378.  
— Gunnii *Benth.* Hook. Fl. Tasm. 18.  
— ignorata *C. Koch.* Otto Garten-Z. 1858, 5.  
— latisiliqua *Willd.* Plumier Jc. Burm. 6.  
— longifolia *Willd.* Nees Sammlung 27.  
— marginata *R. Br.* Lem. Jard. fl. 4, p. 75.  
— — — var. brevifolia, Regel Gartenflora 2, 57.  
— Mitchellii *Benth.* Müller Plants of Victoria  
Suppl. 12.  
— multifoliolata *Bert.* Mem. Bon. 6, 4.  
— muricata *Willd.* Plumier Jc. Burm. 11.  
— ovoidea *Benth.* Hook. Fl. Tasm. 20.  
— — — Dietrich Fl. naiv. 8.  
† — portoricensis *Willd.* Zanoni Hist. 121, 122.  
— pravissima *F. M.* Müller Plants of Victoria  
2, 24.  
† — Raddiana *Savi.* Giorn. Lett. 21, 1.  
— Richii *Gray.* Gray Expl. Exp. 53.  
— rupicola *F. M.* Dietrich Fl. univ. 8.  
— Seyal *Delile.* Berg Darstellung 1, 6<sup>d</sup>.  
— squamata *Morr.* Ann. de Gand 1847, 134.  
— Stuartiana *F. M.* Hook. Fl. Tasm. 19.  
— tamarindifolia *Willd.* Plumier Jc. Burm. 7.  
† — tenerrima *Jungh.* Miquel Fl. 1.  
Acaena argentea *R. et P.* Feuillée 3, 41.  
— cylindrostachya *R. et P.* Castelnau Exped. 76.  
— pinnatifida *R. et P.* Torrey Mex. Boundary 19.  
† Acalypha *L.* Jussieu Euph. 14.  
† — — — Baillon Euph. 20.  
— corensis *Jacq.* Jacq. Hist. Stürp. am. 241.  
— diffusa *And.* Eugenies Resa 14.  
— hispida *Burm.* Burmann Fl. ind. 61.  
— monostachya *Cav.* Anales de hist. nat. 2, 21.  
— pilosa *Cav.* Anales de hist. nat. 2, 21.  
— sericea *And.* Eugenies Resa 14.  
— spicata *And.* Eugenies Resa 14.  
— spiciflora *Burm.* Burmann Fl. ind. 61.

- Acalypha velutina* Hook. Eugenic Resa 14.  
 — *villosa* L. fil. Jacq. Hist. stirp. am. 240.  
 — *virgata* L. Browne Jamaica 36.  
 — *virginica* L. Browne Jamaica 36.  
 † *Acanthaceae* R. Br. Vidensk. Meddelelser 1844, 3—5.  
 † — — Payer Organogénie 121.  
 † — — Abh. Senck. 1, 7.  
 † — — Schnizl. Iconogr. 3, 150.  
*Acanthochiton Wightii* Torr. Sitgreaves Exped. 13.  
 † *Acantholimon diapensioides* Boiss. Linn. Transact. 22, 51.  
 — *glumaceum* Boiss. Moore Mag. 1850. 2, p. 161.  
 — *Tschichatscheffii* F. et M. Tschichatscheff Asia mineure 36.  
 — *venustum* Boiss. Tschichatscheff Asia mineure 37.  
*Acanthonema strigosum* Hook. Bot. Mag. 88, 5339.  
*Acanthophippium javanicum* Blume. Blume Orchid. 49.  
 † *ringiflorum* Gr. Griffith Pl. asiat. 325.  
 † *Acanthophyllum laxiflorum* Boiss. Linn. Transact. 22, 51.  
 † — *spinosum* C. A. M. Linn. Transact. 22, 50.  
*Acanthospermum brasilium* Schrank. Schrank Hort. monac. 53.  
*Acanthus ciliaris* Burm. Burmann Fl. ind. 72.  
 — *hirsutus* Boiss. Tschichatscheff Asia mineure 20.  
 — *longifolius* Host. Rchb. Fl. germ. 20, 1814.  
 — *mollis* L. Rchb. Fl. germ. 20, 1811.  
 — — Berg Charakt. 316.  
 † — — Payer Organogénie 121.  
 † — — Schnizl. Iconogr. 3, 150.  
 — *montanus* T. And. Bot. Mag. 91, 5516.  
 — *polystachyus* Del. Caillaud Voyage 62.  
 — *spinosissimus* Pers. Rivinus Opus ined. 73.  
 — — Rchb. Fl. germ. 20, 1815.  
 † — *spinosus* L. Abh. Leipz. 6, 24.  
 — *spinulosus* Host. Rchb. Fl. germ. 20, 1812. 1813.  
*Acarphaea artemisiaefolia* Harv. Torrey Mex. Bot. Gard. 32.  
 † *Accia St. Hil.* Baillon Euph. 13.  
*Acelidanthus anticoleoides* Tr. et M. Middendorff Reise 2, 28.  
 † *Acer* L. Bot. Zeitung 1861, 11.  
 † — *campestre* L. Schnizl. Iconogr. 227.  
 — *Negundo* L. Nouveau Duhamel 4, 7.  
 — — Watson Dendr. 2, 172.  
 — *Opalus Ait.* Watson Dendr. 2, 171.  
 † — *opulifolium* L. Agardh Syst. 21.  
 — *palmatum* Host. Fl. d. serres 12, 1273.  
 — *platanoides* L. Berg Charakt. 561.  
 † — — Agardh Syst. 21.  
 — *polymorphum foliis dissectis variegatis.* Fl. d. serres 15, 1566.  
 † — *Pseudoplatanus* L. Spach Suites 18.  
 † — — Payer Organogénie 27.  
 — — Illustration horticole 1864, 411.  
 — *reticulatum* Champ. Seemann Herald 80.  
 — *rubrum* Wats. Watson Dendr. 2, 169.  
 — *saccharinum* L. Nouveau Duhamel 4, 8.  
 — *septemlobum* Thunb. Fl. d. serres 14, 1498.  
 — *striatum* Lam. Watson Dendr. 2, 170.  
 — *tataricum* L. Nouveau Duhamel 4, 9.  
 — — Watson Dendr. 2, 160.  
 † — — Payer Organogénie 27.  
 — *ukurunduense* Tr. et M. Middendorff Reise 2, 20.  
*Aceras hircina* Ldl. Rivinus Irreg. hexap. 20.  
 † *Acerineae* DC. Payer Organogénie 27.  
 † — — Schnizl. Iconogr. 227.  
 † *Achasma macrocheilos* Gr. Griffith Pl. asiat. 357.  
 † *Achasma megalocheilos* Gr. Griffith Pl. asiat. 355.  
 † — *metriocheilos* Gr. Griffith Pl. asiat. 356.

- Achillea abrotanoides* Vis. Rchb. Fl. germ. 16, 1023.  
 — *Ageratum* L. Rchb. Fl. germ. 16, 1013.  
 — *alpina* L. Rchb. Fl. germ. 16, 1015.  
 — *atrata* L. Rchb. Fl. germ. 16, 1020.  
*Achillea Chamaecyparissus* Rchb. fl. Rchb. Fl. germ. 16, 1012.  
 — *chamaemelifolia* Pourr. Rchb. Fl. germ. 16, 1023.  
 — *Clavennae* L. Rchb. Fl. germ. 16, 1016.  
 — *Clusiana* Tausch. Rchb. Fl. germ. 16, 1120.  
 — *compacta* Willd. Rchb. Fl. germ. 16, 1022.  
 — *corymbifera* Gm. Gmelin Reise 1, 25.  
 — *crithmifolia* W. K. Rchb. Fl. germ. 16, 1023.  
 — *cuneatiloba* Buhse. Mem. Mosc. 18, 10.  
 — *distans* W. K. Rchb. Fl. germ. 16, 1025.  
 — *helvetica* Schleich. Rchb. Fl. germ. 16, 1016.  
 — *herba rota* All. Rchb. Fl. germ. 16, 1016.  
 — *hispanica* Schrank. Schrank Hort. monac. 70.  
 — *hybrida* Gaud. Rchb. Fl. germ. 16, 1021.  
 — *lanata* Spr. Rchb. Fl. germ. 16, 1028.  
 — *leptophylla* M. v. B. Schrank Hort. monac. 78.  
 — *ligustica* All. Rchb. Fl. germ. 16, 1023.  
 — *lingulata* W. K. Rchb. Fl. germ. 16, 1015.  
 — *macrophylla* L. Piller Iter 11.  
 — — Rchb. Fl. germ. 16, 1017.  
 — *Millefolium* L. Gleichen Entdeckungen 11. 12.  
 — — Rchb. Fl. germ. 16, 1026.  
 — — Berg Darstellung 3, 19°.  
 — *Morisiana* Rchb. fl. Rchb. Fl. germ. 16, 1019.  
 — *moschata* Wulf. Rchb. Fl. germ. 16, 1019.  
 — *nana* L. Rchb. Fl. germ. 16, 1021.  
 — *nobilis* L. Rchb. Fl. germ. 16, 1024.  
 — *odorata* L. Rchb. Fl. germ. 16, 1024.  
 — *pectinata* Willd. Rchb. Fl. germ. 16, 1013. 1041.  
 — *pseudotanacetifolia* Wierzb. Rchb. Fl. germ. 16, 1027.  
 — *Pfarmica* L. Rchb. Fl. germ. 16, 1014.  
 — — var. *cartilaginea*, Rchb. Fl. germ. 16, 1014.  
 — — — var. *lasiocephala*, Rchb. Fl. germ. 16, 1014.  
 — *setacea* W. K. Rchb. Fl. germ. 16, 1028.  
 — *tanacetifolia* All. Rchb. Fl. germ. 16, 1027.  
 — *Thomasiana* Hall. Rchb. Fl. germ. 16, 1017.  
 — *tomentosa* L. Gmelin Reise 1, 25.  
 — — Rchb. Fl. germ. 16, 1022.  
 — *valesiaca* Suter. Rchb. Fl. germ. 16, 1018.  
 — *viridis* Rchb. fl. Rchb. Fl. germ. 16, 1012.  
 † *Achimenes* R. Br. Hofmeister Embryo 5.  
 — *amabilis* Decne. Fl. d. serres 12, 1192.  
 — *atrosanguinea* Morr. Annales de Gand 1846, 91.  
 — *cupreata* Hook. Annales de Gand 1847, 156.  
 — *foliosa* Morr. Annales de Gand 1846, 91.  
 — *Georgina* Hort. Belgique horticole 1860, 5.  
 — *heterophylla* DC. Bot. Mag. 81, 4871.  
 — *longiflora* Benth. Moore Mag. 1850. 2, p. 201.  
 † — *DC.* Linnaea 1853, 1.  
 † — — Agardh Syst. 8.  
 — *purpurea* Ldl. Journ. Hort. Soc. 2, 4.  
 — *rosea* Ldl. var. *formosa*, Annales de Gand 1847, 113.  
 — *Skinneri* Ldl. Journ. Hort. Soc. 2, 4.  
 — (var. *hortenses*) Regel Gartenf. 4, 118.  
 — Fl. d. serres 13, 1291.  
*Achras mammosa* L. Jacq. Hist. stirp. amer. 59.  
 — *salicifolia* L. Browne Jamaica 17.  
 — *Sapota* L. Browne Jamaica 19.  
 — — Jacq. Hist. stirp. amer. 60.  
 — — Spach Suites 137.  
 † — — Agardh Syst. 10.  
 † *Achudemia javanica* Bl. Blume Mus. 2, 20.  
 — — Arch. Mus. 9, 9.  
*Achyranthes corymbosa* L. Burmann Thes. zeyl. 65.

- Achyranthes lappacea* L. Burmann Thes. zeyl. 18.  
— *Verschaffeltii* Hort. Illustration hortic. 1864, 409.
- † *Achyrophorus Scop.* Berg Charakt. 369.  
— *acaulis* Remy. Castelnau Exped. 41.  
— *quitensis* Sch. Bip. Castelnau Exped. 41.  
— *stenocephalus* A. Gray. Castelnau Exped. 41.  
— *taraxacoides* Walp. Castelnau Exped. 41.
- Acianthus caudatus* R. Br. Hook. Fl. Tasm. 119.  
— *exsertus* R. Br. Hook. Fl. Tasm. 119.
- Acicalyptus myrtilloides* Gray. Gray Expl. Exp. 67.
- † *Acicarpa sacchariflora* Raddi. Raddi Agrost. bras. 1.
- † *Acidoton Sw.* Baillon Euph. 19.
- † *Acineta cryptodonta* Rehb. Rehb. Xenia 1, 70.  
† — *erythroantha* Rehb. Rehb. Xenia 1, 70.  
— *Humboldtii* Ldl. Fl. d. serres 10, 992.  
† — *sella turcica* Rehb. Rehb. Xenia 1, 70.
- Acinos acuminatus* Friv. Acta Acad. hung. 1840, 1.  
— *erectus* Friv. Acta Acad. hung. 1840, 2.
- Acleisanthes longiflora* Gray. Torrey Mex. Boundary 46.
- Acmella caulirrhiza* Del. Cailliaud Voyage 64.
- Acmena floribunda* DC. Bot. Mag. 90, 3480.
- † *Aconitum L.* Hegetschweiler Reisen 3—6.  
† — — (Radix.) Bonplandia 1856, p. 200.  
† — — Berg Charakt. 628.  
† — — Payer Organogénie 55.  
† — *biflorum* Fisch. Bull. Mosc. 1861, 3.  
† — *Fischeri* Rehb. Bull. Mosc. 1861, 3.  
† — *kamschaticum* Willd. Bull. Mosc. 1861, 3.  
† — *Kusnetzovii* Rehb. Bull. Mosc. 1861, 3.  
† — *macrorhynchum* Turcz. Bull. Mosc. 1861, 3. 4.  
— *Napellus* L. Berg Darstellung 4, 28<sup>f</sup>.  
— Bull. Mosc. 1861, 3.  
— *pauciflorum* Bert. Mem. Bon. II. 2, 6.  
† — *Raddeanum* Reg. Bull. Mosc. 1861, 3. 4.  
— *Stoerckeanum* Rehb. Berg Darstellug 4, 28<sup>e</sup>.  
† — *variegatum* L. Bull. Mosc. 1861, 3.  
— *volubile* Pall. Bull. Mosc. 1861, 3.  
— *villosum* Bull. Mosc. 1861, 3.
- Acontias helleborifolius* Schott. Rivinus Opus ined. 99.
- † *Acorus L.* Griffith Pl. asiat. 162.  
† — *Calamus* L. Cleyer Fl. jap. 37.  
† — — Spach Suites 94.  
† — — Payer Organogénie 139.  
† — — Agardh Syst. 2.  
† — — Berg Charakt. 91.  
— — — Berg Darstellung 1, 8<sup>e</sup>.  
— *gramineus* Ait. Villars Cat. Strassb. 1.
- Acourtia formosa* Don. Seemann Herald 56.  
— *macrocephala* Sch. Bip. Seemann Herald 55.  
— *Seemanni* Sch. Bip. Seemann Herald 54.
- Acrandra laurifolia* Berg. Vellozo 5, 53.  
— — Endl. Bras. 18, 52.  
— *Sellowinna* Berg. Endl. Bras. 18, 51.
- Acridocarpus natalitius* A. Juss. Hawey Thes. cap. 19.
- † *Acriopsis Reinw.* Griffith Pl. asiat. 318.
- Acroclinium roseum* Hook. Bot. Mag. 80, 4801.  
— — Fl. d. serres 9, 963.  
— — Belgique horticole 5, 7.
- Acrocomia lasiospatha* Mart. Wallace Palms 37.
- † *Acrolobus parvifolius* Kl. Abh. Acad. Berl. 1856, 3.  
— *Schönleinii* Kl. Abh. Acad. Berl. 1856, 3.
- Acronychia heterophylla* Gray. Gray Expl. Exp. 32.  
— *petiolaris* Gray. Gray Expl. Exp. 33.  
— *retusa* Gray. Gray Expl. Exp. 34.  
— *Richii* Gray. Gray Expl. Exp. 33.
- Acropera armeniaca* Ldl. Bot. Mag. 91, 5501.
- Acrostichum alienum* Sw. Lowe Ferns 7, 60.  
— *attenuatum* Fée. Mem. Strafsb. 4, 1.  
— — — Fée Fil. novae 1.  
— *aureonitens* Hook. Hook. Jc. pl. 10, 933.  
— *aureum* L. Lowe Ferns 7, 42.

- Acrostichum auritum* Sw. Lowe Ferns 7, 52. 53.  
† — *axillare* Cav. Mettenius Fil. 1.  
— — — Abh. Leipz. 9, 9.  
— *bifurcatum* Sw. Hooker Second Century 91.  
— *brevipes* Kze. Lowe Ferns 7, 55.  
† — — — Abh. Leipz. 9, 8.  
— *catanense* Cos. Atti Gioen. 2, 1.  
— *caulolepia* Karst. Karsten Fl. Col. 1, 60.  
— *cochlearifolium* Fée. Fée Fil. novae 1.  
— *conforme* Sw. Lowe Ferns 7, 44.  
— *crassinerve* Kze. Lowe Ferns 7, 57.  
— *crinitum* Sw. Hook. Fil. exot. 6.  
— — — Fl. d. serres 9, 936—37.  
— *crispatum* Fée. Mem. Strafsb. 4, 1.  
— — — Fée Fil. novae 1.  
— — — Lowe Ferns.  
— *cuspidatum* Willd. Lowe Ferns 7, 56.  
— *deorsum* Karst. Karsten Fl. Col. 1, 59.  
— *digitatum* L. Linné Amoenit. 1, 12.  
— *dimorphum* Hook. et Gr. Hooker Second Century 90.  
— *emarginatum* Buch. Calcutta Journal 1844, 27.  
— *Engelii* Karst. Karsten Fl. Col. 1, 59.  
— *Feei* Bory. Hooker Second Century 92.  
— *flagelliferum* Wall. Lowe Ferns 7, 43.  
— *frigidum* Linden. Lowe Ferns 7, 47.  
— *Gardnerianum* Kze. Lowe Ferns 7, 58.  
— *heterophyllum* L. Linné Amoenit. 1, 12.  
— *hyperboraeanum* Liljebl. Svensk Acad. 1793, 8.  
— *Karstenianum* Kze. Mettenius Fil. 1.  
— *latifolium* Sw. Hook. Fil. exot. 42.  
— *laurifolium* Aub. Lowe Ferns 7, 59.  
— *lepidotum* Willd. Karsten Fl. Col. 1, 60.  
— *Lindigii* Karst. Karsten Fl. Col. 3.  
† — *Lingua* Raddi. Abh. Leipz. 9, 7.  
— *Linnaeanum* Hook. Hooker Second Century 26.  
— *longifolium* Jacq. Lowe Ferns 7, 51.  
— *melanopus* Kze. Mettenius Fil. 1.  
— — — Lowe Ferns 7, 59.  
— *Meyerianum* Hook. Hook. Garden Ferns 16.  
— *microphyllum* Bert. Mem. Bon. 9, 4.  
— *nicotianaeifolium* Sw. Lowe Ferns 7, 50.  
— — — Hook. Garden Ferns 26.  
— *pectinatum* L. Linné Amoenit. 1, 18.  
— *piloselloides* Pr. Hook. Fil. exot. 29.  
— *praestantissimum* Bory. Hook. Garden Ferns 58.  
— *quercifolium* Retz. Lowe Ferns 7, 49.  
— *rupestre* Karst. Karsten Fl. Col. 1, 59.  
— *scopolendrifolium* Raddi. Lowe Ferns 7, 45.  
— *siliquosum* L. Linné Amoenit. 1, 12.  
— *squamosum* Schk. Lowe Ferns 7, 48.  
— *tricuspe* Hook. Hook. Sp. Fil. 5, 304.  
— *truncicola* Karst. Karsten Fl. Col. 1, 60.  
— *villosum* Sw. Lowe Ferns 7, 54.  
— *virens* Wall. Hooker Second Century 88.  
— *yapurense* Mart. Hook. Garden Ferns 57.
- Acotrema dissectum* Thw. Hook. Journ. 1856, 4.  
— *Thwaitesii* Hook. Hook. Journ. 1856, 4.  
— *Walkerii* Wight. Bot. Mag. 88, 5353.
- Actaea racemosa* L. Dillenius Elth. 67.  
— — — Regel Gartenfl. 1864, 443.  
— *spicata* L. Cornuti Canad. p. 77.  
† — — — Payer Organogénie 58.  
† — — — Agardh Syst. 5.  
— — — Berg Charakt. 629.  
! — — — Museum Senck. 2, 4.
- Actephila Bl.* Baillon Euph. 26.
- Actinopteris radiata* Link. Hooker Jc. 10, 975.  
— — — Madras Journal 1855, 5.
- Actinolepis multicaulis* DC. Torrey Mex. Boundary 33.
- Actinomeris alternifolia* DC. Zanoni Hist. 58.
- † *Actinostemon Mart.* Baillon Euph. 5.

- Ada aurantiaca *Ldl.* Bot. Mag. 90, 5435.  
 †Adamia cyanea *Wall.* Agardh Syst. 12.  
 — versicolor *Fort.* Belgique horticole 5, 1.  
 Adansonia digitata *L.* Belgique horticole 9, 6—8.  
 — Gregorii *Müll.* Bennett Australasia 5.  
 Adelaster albivenis *Ldl.* Illustration horticole 1862, 320.  
 †Adelia Bernardia *L.* Jussieu Euphorb. 9.  
 — caperoniaefolia *Baill.* Baillon Adansonia 4, 11.  
 — hirsutissima *Baill.* Baillon Adansonia 4, 10.  
 — Ricinella *L.* Brown Jamaica 36.  
 Adenium arboreum *Ehrenb.* Ehrenberg Symb. 4.  
 — namaquanum *Wyl.* Harvey Thes. Cap. 2, 117.  
 — obesum *R. et Sch.* Bot. Mag. 89, 5418.  
 †Adenocalymna nitidum *Mart.* Bureau Bign. 5.  
 †Adenocline *Turcz.* Baillon Euph. 9.  
 †Adenogyne *Kl.* Baillon Euph. 5.  
 †Adenopeltis *Bert.* Baillon Euph. 7.  
 †Adenophora liliifolia *Led.* Rchb. Fl. germ. 19, 1618.  
 † — suaveolens *M. et F.* Nees Gen. 28, 12.  
 †Adenostemma *Forst.* Griffith Pl. asiat. 46.  
 — Berterii *DC.* Mem. Tur. 1854, 4.  
 Adenostephanus bahiensis *Meisn.* Endl. Bras. 14, 36.  
 — incana *Kl.* Endl. Bras. 14, 34.  
 — organensis *Endl.* Endl. Bras. 14, 35.  
 Adenostoma sparsifolia *Torr.* Torrey Mex. Boundary 20.  
 Adenostyles albifrons *Rchb.* Rchb. Fl. germ. 16, 893.  
 — alpina *Bl. et F.* Rchb. Fl. germ. 16, 893.  
 — leucophylla *Rchb.* Rchb. Fl. germ. 16, 894.  
 Adenostylium dubium *Rchb. fil.* Rchb. Fl. germ. 16, 895.  
 †Adenothola bicolor *V. H.* Hortus Vanhoutteanus 5.  
 Adesmia muricata *DC.* Endl. Bras. 24, 11.  
 — — — var. dentata, Endl. Bras. 24, 11.  
 Adhatoda cydoniaefolia *N. v. E.* Bot. Mag. 83, 4962.  
 — — — Fl. d. serres 12, 1222.  
 †Adiantum *L.* Griffith Pl. asiat. 133, 138.  
 — affine *Willd.* Lowe Ferns 3, 7.  
 — asarifolium *Willd.* Hook. Fil. exot. 11.  
 — assimile *Sw.* Lowe Ferns 3, 8.  
 — Capillus Veneris *L.* Johnson Ferns 40.  
 — — — Lowe Ferns 3, 15.  
 — — — Hook. British Ferns 41.  
 — caudatum *Roxb.* Calcutta Journal 1844, 34.  
 — — — Lowe Ferns 3, 2.  
 — — — Burmann Thes. zeyl. 5.  
 — concinnum *Hook.* Lowe Ferns 3, 1.  
 — cristatum *L.* Lowe Ferns 3, 22.  
 — cultratum *J. Sm.* Lowe Ferns 3, 21.  
 — cuneatum *Kaulf.* Lowe Ferns 3, 5.  
 — Cunninghamsii *Hook.* Lowe Ferns 3, 12.  
 — curvatum *Kaulf.* Lowe Ferns 3, 6.  
 — Feei *Th. Morre.* Fée Fil. novae 24.  
 — Flagellum *Fée.* Fée Fil. novae 2.  
 — flexuosum *Hook.* Hooker Second Century 61.  
 — formosum *R. Br.* Lowe Ferns 3, 11.  
 — fragile *Sw.* Hook. Jc. pl. 10, 965.  
 — fulvum *Raoul.* Lowe Ferns 3, 19.  
 — glaucophyllum *Hook.* Hook. Jc. pl. 10, 961.  
 — gracile *Fée.* Fée Fil. novae 11.  
 — gratum *Fée.* Fée Fil. novae 12.  
 — hispidulum *Sw.* Lowe Ferns 3, 13.  
 — intermedium *Sw.* Lowe Ferns 3, 20.  
 — Jordani *C. Müll.* Bot. Zeitung 1864, 4.  
 — lucidum *Hook.* Lowe Ferns 3, 4.  
 — lunulatum *Willd.* Lowe Ferns 3, 8.  
 — macrophyllum *Sw.* Hook. Fil. exot. 55.  
 — — — Lowe Ferns 3, 4.  
 — monochlamys *Eaton.* Hooker Second Century 50.  
 — nigrescens *Fée.* Fée Fil. novae 11.  
 — obliquum *Willd.* Lowe Ferns 3, 13.  
 — — — Karsten Fl. Col. 1, 92.  
 — Parishii *Hook.* Hook. Fil. exot. 51.

- Adiantum Parishii *Hook.* Hook. Spec. Fil. 3, 142.  
 — parvifolium *Fée.* Fée Fil. novae 23.  
 — pedatum *L.* Cornuti Canad. p. 6.  
 — — — Lowe Ferns 3, 14.  
 — platyphyllum *Sw.* Svensk Acad. 1817, 3.  
 — — — Hooker Garden Ferns 12.  
 — pseudocapillus *Fée.* Fée Fil. novae 12.  
 — pubescens *Schk.* Lowe Ferns 3, 9.  
 — pulverulentum *L.* Lowe Ferns 3, 17.  
 — reniforme *L.* Hook. Fil. exot. 8.  
 — — — Lowe Ferns 3, 2.  
 — sulphureum *Kaulf.* Lowe New Ferns 61.  
 — tenerum *Sw.* Lowe Ferns 3, 10.  
 — trapeziforme *L.* Lowe Ferns 3, 3.  
 — truncatum *L.* Burm. Fl. ind. 66.  
 — varium *Hook.* Lowe Ferns 3, 18.  
 — Wilfsianum *Hook.* Lowe New Ferns 29.  
 — Wilsoni *Hook.* Hook. Fil. exot. 14.  
 — — — Lowe Ferns 3, 16.  
 Adonis amurensis *Reg.* Bull. Mosc. 1861, 2.  
 — pyrenaica *Reg.* Bull. Mosc. 1681, 2.  
 † — autumnalis *L.* Abh. Acad. Berl. 1859, 6.  
 † — vernalis *L.* (Radix) Berg Darstellung 1, 2f.  
 — — — Berg Charakt. 619.  
 Adoxa Moschatellina *L.* Rchb. Fl. germ. 17, 1172.  
 † — — — Payer Organogénie 86.  
 † — — — Agardh Syst. 5.  
 — — — Berg Charakt. 352.  
 †Adriania *Gand.* Baillon Euph. 18.  
 Aechmea discolor *Morr.* Annales de Gand 1846, 65.  
 — — — Moore Mag. 1850, p. 121.  
 — distichantha *Lem.* Bot. Mag. 90, 5447.  
 — fulgens *A. Br.* Annales de Gand 1845, 28.  
 — Melinonii *Makoy.* Bot. Mag. 87, 5235.  
 — mucroniflora *Hook.* Bot. Mag. 81, 4832.  
 Aedemone mirabilis *Kotschy.* Oestr. bot. Zeitschrift 1858, 1.  
 † — — — Bot. Zeitung 1859, 6.  
 †Aegiceraceae *Bl.* Schnizl. Iconogr. 157.  
 †Aegiceras majus *Gaertn.* Schnizl. Iconogr. 157.  
 †Aegilops *L.* Linné Amoenit. 7, 2.  
 † — — — Ann. sc. nat. V. 2, 11.  
 — — — Notarisii *Clém.* Mem. Tur. 1857, 5.  
 † — ovata *L.* (hybrida!) Mém. Montpellier 1852, 1.  
 † — — — (hybrida!) Jordan Nouveau Mém. 1.  
 † — — — (hybrida!) Regel Gartenfl. 6, 197.  
 † — — — (hybrida!) Pringsheim Jahrb. 1, 30.  
 † — speltaeformis *Jord.* Ann. soc. Linn. Lyon 1857, 1.  
 † — — — Jordan Nouveau Mém. 1.  
 — — — triaristata *Willd.* Mém. Montpellier 1852, 2.  
 — — — triticoides *Reg.* Mém. Montpellier 1852, 1. 2. 3.  
 †Aeginetia *L.* Griffith Pl. asiat. 62.  
 † — indica *Roxb.* Chatin Anatomie 25.  
 — longiflora *Cav.* Annales de hist. nat. 3, 28.  
 — multiflora *Cav.* Annales de hist. nat. 3, 28.  
 Aegle sepiaria *DC.* Kaempfer Amoenit. p. 803.  
 †Aegopodium Podagraria *L.* Leighton Flora 7.  
 — — — Berg Charakt. 421.  
 — — — Rchb. Fl. germ. 21, 1861.  
 †Aegotoxicum *R. et P.* Baillon Euph. 27.  
 Aeluropus laevis *Trin.* Hamel, Araratsche Cochenille 1.  
 Aerides affine *Ldl.* Regel Gartenfl. 8, 267.  
 — — — Warner Sedect Orch. 21.  
 — Arachnites *Sw.* Kaempfer Amoenit. p. 869.  
 † — carnosum *Gr.* Griffith Pl. asiat. 338.  
 — crispum *Ldl.* Illustr. hort. 1857, 123.  
 — — — Belgique horticole 1860, 23.  
 — cylindricum *Ldl.* Bct. Mag. 83, 4982.  
 — decumbens *Gr.* Griffith. Pl. asiat. 320.  
 — falcatum *Ldl.* Rchb. Xenia 1, 92.  
 — guttatum *Roxb.* Regel Gartenflora 1863, 415.  
 — maculosum *Ldl.* Pescatorea 1, 33.

- Aerides maculosum* Ldl. var. *Schroederi*, Moore Mag. 1850. 2, p. 121.  
 — *nobile* Warn. Warner Select Orch. 11.  
 — *odoratum* Lour. Regel Gartenfl. 8, 273.  
 — *Reichenbachii* Ldl. Rchb. Xenia 2, 104.  
 — — *Lind.* Warzer Select Orch. 11.  
 — *Wightianum* Ldl. Bot. Mag. 85, 5138.  
 — — Fl. d. serres 14, 1452.  
 — *Williamsii* Warn. Warner Select Orch. 21.  
*Aeschynanthus Boschianus* de Vr. Ann. de Gand 1845, 39.  
 — *cordifolius* Hook. Bot. Mag. 85, 5131.  
 — — Journal d'hortic. 3, 21.  
 — — Fl. d. serres 14, 1431.  
 — *fulgens* Wall. Bot. Mag. 82, 4891.  
 — *Horsfieldii* R. Br. Regel Gartenfl. 9, 297.  
 — *javanicus* Hook. Miquel Flora 35.  
 — *Peelii* Hook. fil. Hook. Himal. 17.  
 — *speciosus* Hook. Annales de Gand 1847, 163.  
 — *tricolor* Hook. Bot. Mag. 84, 5031.  
 — — Journal d'hortic. 2, 9.  
 — — Belgique horticole 8, 60.  
 — — Illustr. hort. 1858, 169.  
 — — Fl. d. serres 13, 1234.  
 — — L'horticulteur fr. 1859, 5.  
 † — *volubilis* Jack. Calcutta Journal 1844, 15.  
 † *Aeschynomene* L. Bot. Zeitung 1856, 10.  
 — *falcata* DC. Endl. Bras. 24, 14.  
 — *hispida* Willd. Barton Fl. 1, 29.  
 — *Hystrix* Poir. Endl. Bras. 24, 15.  
 — *Martii* Benth. Endl. Bras. 24, 13.  
 — *Selloi* Vog. Endl. Bras. 24, 12.  
 — *sensitiva* Sw. Plumier Jc. Burm. 149.  
 — *Sesban* L. Burmann Thes. zeyl. 41.  
 † *Aesculus* L. Mem. Tur. 1854, 1. 4.  
 † — *Schnizl.* Iconogr. 230.  
 — *californica* Nutt. Expl. Missis. 6, p. 20.  
 — — Bot. Mag. 84, 5077.  
 — — Belgique horticole 9, 8.  
 — — Fl. d. serres 13, 1312.  
 — *carnea* Wats. Watson Dendr. 2, 121.  
 — *flava* Ait. Watson Dendr. 2, 163.  
 — *Hippocastanum* L. Nouveau Duhamel 2, 13. 14.  
 † — — Gleichen Entdeckungen 71. 72.  
 † — — Agardh Syst. 20.  
 — — Berg Charakt. 560.  
 — — Belgique horticole 1853, 25.  
 — *indica* Jacquem. Bot. Mag. 85, 5117.  
 — — Fl. d. serres 13, 1358.  
 — *Pavia* L. Watson Dendr. 2, 164.  
 — — var. *sublaciniata*, Watson Dendr. 2, 120.  
 ! — — Goethe Atlas 5.  
*Aetheorrhiza bulbosa* Cass. Colonna Phytobasanos 4.  
 — — Rchb. Fl. germ. 19, 1433.  
*Aethionema corydifolium* DC. Belg. hort. 1864, 10.  
 † — *saxatile* R. Br. Atti Acc. Neap. 1863, 4.  
 † *Aethusa Cynapium* L. Leighton Flora 7.  
 — — Rchb. Fl. germ. 21, 1901.  
*Afonsea comosa* Benth. Hook. Lond. Journ. 1846, 1.  
*Azelia bijuga* Gray. Gray Expl. Exp. 51.  
*Agalma rugosum* Miq. Miquel Flora 11.  
*Agalmyla staminea* Bl. Annales de Gand 1848, 37.  
 † *Agapanthus umbellatus* L. Hofmeister Embro 13.  
 — — Nees Sammlung 30.  
*Agapetes buxifolia* Nutt. Bot. Mag. 83, 5012.  
*Agassizia limensis* Chav. Chavannes Antirrh. 11.  
*Agatheae coelestis* Cass. Illustrat. horticole 1861, 296.  
 — *violaris* Gray. Gray Expl. Exp. 7.  
*Agathophyllum aromaticum* Willd. Sonnerat Ind. 127.  
*Agathosma Owanii* Harv. Harvey Thes. cap. 2, 165.  
*Agati tomentosa* Nutt. Gray Expl. Exp. 46.  
*Agave americana* L. Aldinus Hort. Farn. 94—96.  
 — — Dillenius Elth. 19.

- Agave americana* L. Revue horticole 1862, 291.  
 — — var. *variegata*, Marnock Mag. 1840, 11.  
 — *Celsii* Hook. Bot. Mag. 82, 4934.  
 — — Revue horticole 1861, 336.  
 — *densiflora* Hook. Bot. Mag. 83, 5006.  
 — — Regel Gartenflora 1863, 410.  
 — *filifera* Salm. Illustration horticole 1860, 243.  
 — *geminiflora* Desf. Spin Supplement 1.  
 — *glaucescens* Ait. Bot. Mag. 88, 5333.  
 — *Jacquiniana* Schult. Bot. Mag. 85, 5097.  
 — — Belgique horticole 9, 25.  
 — *maculosa* Hook. Bot. Mag. 85, 5122.  
 — *Saundersii* Hook. Bot. Mag. 91, 5493.  
 — *schidigera* Ch. Lem. Illustration horticole 1862, 330.  
 — *striata* Zucc. Bot. Mag. 82, 4950.  
 — *vivipara* C. Commelyn Praeludia 15.  
 — *yuccaeifolia* Red. Bot. Mag. 86, 5213.  
*Ageratum altissimum* L. Cornuti Canad. p. 21.  
 — *coeruleum* Desf. Spach Suites 151.  
 — *suffruticosum* Reg. Regel Gartenfl. 3, 108.  
 † *Aglaomorpha Meyeniana* Schott. Mettenius Fil. 25.  
*Aglaonema marantaeifolium* Bl. Bot. Mag. 91, 5500.  
 † *Agrimonia Eupatoria* L. Payer Organogénie 101.  
 † — — Bot. Zeitung 1862, 1.  
 — *incisa* Torr. et Gr. Mem. Bonon. 2, 44.  
 — *odorata* Willd. English Botany Suppl. 2982.  
*Agropyrum repens* Beauv. Berg Darstellung 40, 27.  
 † *Agrostemma Githago* L. Nees Gen. 31, 6.  
 † — — Mem. Mus. 2, 4.  
 † — — Hofmeister Embryo 2.  
 † *Agrosticula muralis* Raddi. Raddi Agrost. bras. 1.  
*Agrostophyllum Khasyanum* Griff. Calcutta Journal 1844, 19.  
 † *Agrostis* L. Linné Amoenit. 7, 3.  
 — *aequata* N. v. E. Hook. Fl. Tasm. 159.  
 — *alba* L. Brisman Monog. 1.  
 — *contracta* Mill. Hook. Fl. Tasm. 161.  
 — *koelerioides* Em. Desv. Gay Chile 77.  
 — *leptotricha* Em. Desv. Gay Chile 76.  
 — *montana* R. Br. Hook. Fl. Tasm. 160.  
 — *parviflora* R. Br. Hook. Fl. Tasm. 158.  
 — *pisidica* Boiss. Tschichatscheff Asie mineure 43.  
 — *scabra* R. Br. Hook. Fl. Tasm. 160.  
 — *sesquiflora* Em. Desv. Gay Chile 77.  
 — *venusta* Trin. Hook. Fl. Tasm. 159.  
 † *Agyncea* L. Baillon Euph. 24.  
 — *coccinea* Buchan. Symes Ava 27.  
 † — *impubes* L. Jussieu Euph. 6.  
*Ailantus glandulosa* L. Nouveau Duhamel 1, 35.  
 — — Watson Dendr. 2, 104.  
 † — — Payer Organogénie 24.  
*Aillya umbellata* de Vr. De Vriese Goodenov. 13.  
 † *Aira* L. Linné Amoenit. 7, 3.  
 † — — Griffith Pl. asiat. 141. 146. 155. 167.  
*Aira capillaris* Guss. Guss. Fl. Inar. 20.  
 — *corsica* Guss. Guss. Fl. Inar. 20.  
 — *Cupaniana* Guss. Guss. Fl. Inar. 20.  
*Ajuga* *Chamaepitys* Schreb. Rchb. Fl. germ. 18, 1235.  
 — *chia* Schreb. Rchb. Fl. germ. 18, 1235.  
 — *genevensis* L. Rchb. Fl. germ. 18, 1234.  
 — *Jva* Schreb. Rchb. Fl. germ. 18, 1235.  
 — *orientalis* L. Dillenius Elth. 53.  
 — *pyramidalis* L. Rchb. Fl. germ. 18, 1234.  
 — *reptans* L. Rchb. Fl. germ. 18, 1234.  
 † — — Abh. Leipz. 6, 21.  
 — *pseudo-Iva* Rob. Rchb. Fl. germ. 18, 1235.  
 — *salicifolia* Schreb. Acta Acad. hung. 1837, 5.  
 † *Aizoon* L. Agardh Syst. 25.  
 — *canariense* L. Forskal Icones 14.  
 — *hispanicum* L. Dillenius Elth. 117.  
*Akebia quinata* Decne. Revue horticole 1853, 8.

- Akebia quinata* *Decne.* Bot. Mag. 81, 4864.  
 — — — Fl. d. serres 10, 1000.  
 † — — — Agardh Syst. 5.  
*Alberta magna* *E. M. Harvey* Thes. cap. 45.  
*Albizia anthelminthica* *Brongn.* Ann. sc. nat. IV. 14, 14.  
*Albúca Gardeni* *Hook.* Bot. Mag. 81, 4842.  
 — *spiralis* *L. fil.* Svensk Acad. 1786, 2.  
 † *Alcea* *L.* (Pollen.) Mém. prés. Pet. 3, 9, 13.  
*Alchemilla conjuncta* *Bab.* English Botany Suppl. 2983.  
 — *polylepis* *Wedd.* Castelnau Exped. 75.  
 † — *sibbaldiaefolia* *Kth.* Spach Suites 5.  
 — *stematophylla* *Wedd.* Castelnau Exped. 75.  
 — *vulgaris* *L.* Abbot Fl. bedf. 1.  
 † — — — Payer Organogénie 101.  
 — — — Berg Charakt. 481.  
 † *Alchornea* *Sol.* Baillon Euph. 20.  
 † — *latifolia* *Sw.* Jussieu Euph. 13.  
 † *Aldrovanda vesiculosa* *L.* Bot. Zeitung 1859, 4. 5.  
 † — — — Bot. Zeitung 1862, 7.  
*Alectra brasiliensis* *Benth.* Endl. Bras. 30, 47.  
*Alectorolophus angustifolius* *Rchb.* Fl. germ. 20, 1740.  
 — *minor* *Ehrh.* Rchb. Fl. germ. 20, 1738.  
 — *major* *Ehrh.* Rchb. Fl. germ. 20, 1739.  
*Alepyrum monogynum* *Hook. fil.* Hook. Fl. Tasm. 138.  
 — *pallidum* *Hook. fil.* Hook. New Zeal. 62.  
*Aletris capensis* *L.* Svensk Acad. 1770, 5.  
 † *Aleurites* *Forst.* Jussieu Euph. 12.  
 † — — — Baillon Euph. 11, 12.  
 † *Algernonia* *Baill.* Baillon Euph. 2.  
*Alhagi mannifera* *Desv.* Jaubert Illustr. 401.  
 — *Maurorum* *Tournef.* Spach Suites 4.  
*Alisma californica* *Torr.* Expl. Missis. 4, 21.  
 — *cordifolium* *L.* Plumier Je. Burm. 234.  
 — *natans* *L.* Lorey Flore de Côte d'or 5.  
 — — — var. *terrestre*, Lorey Flore de Côte d'or 5.  
 † — — — Chatin Anatomie 13.  
 † — *Plantago* *L.* Regensb. Denkschr. 2, 1.  
 † — — — Flora 1857, 9.  
 † — — — Denkschr. d. Wiener Ak. 13, 1. 2.  
 † — — — Agardh Syst. 3.  
 † — — — Payer Organogénie 141.  
 — — — Atti Acad. Lucca 13, 2.  
 † — — — Abh. Leipz. 7, 2.  
 † — *ranunculoides* *L.* Chatin Anatomie 14.  
 † *Alismaceae* *DC.* Payer Organogénie 141.  
*Alkanna tinctoria* *Tausch.* Rchb. Fl. germ. 18, 1316.  
 — — — Berg Darstellung 3, 24.  
*Allaeanthus zeylanicus* *Thw.* Hook. Journ. 1854, 9.  
*Allamanda angustifolia* *Pohl.* Endl. Bras. 26, 1. 2.  
 — *cathartica* *L.* Endl. Bras. 26, 1.  
 — *Martii* *Müll.* Endl. Bras. 26, 1.  
 — *neriifolia* *Ad. Br.* Fl. d. serres 9, 905.  
 — — — Revue horticole 1859, p. 372.  
 — — — L'horticulteur fr. 1861, 17.  
 — *puberula* *A. DC.* Endl. Bras. 26, 2.  
 † *Allantodia* *Wall.* Griffith Pl. asiat. 130.  
*Alliaria officinalis* *Andrzj.* Berg Ckarakt. 604.  
*Allium acutiflorum* *Lois.* Mem. Mod. 25, 4.  
 — *album* *Santi.* Santi Viaggi 1, 7.  
 — *Ampeloprasum* *L.* Mem. Mod. 25, 3.  
 — — — Guss. Fl. Inar. 16.  
 † — — — Gasparrini Ric. 4.  
 — *anceps* *Kellogg.* Proc. Calif. Acad. 2, 110.  
 — *attenuifolium* *Kellogg.* Proc. Calif. Acad. 2, 111.  
 — *carneum* *Bertol.* Santi Viaggi 3, 6.  
 — *circinnatum* *Sieb.* Sieber Creta 6.  
 — *commutatum* *Guss.* Guss. Fl. Inar. 17.  
 — *Gasparrinii* *Guss.* Guss. Fl. Inar. 16.  
 — *ligusticum* *de Not.* Mem. Mod. 25, 6.  
 — *narcissiflorum* *Vill.* Schw. Zeitschrift f. G. 5, p. 125.

- Allium neapolitanum* *Cir.* Jaub. Illustr. 412.  
 † — — — Gasparrini Ric. 7.  
 — *obtusifolium* *KL.* Prinz Waldemar Him. 95.  
 — *odorum* *L.* Abh. Leipz. 7, 19.  
 — *oleraceum* *L.* Mem. Mod. 25, 5.  
 — *Scorodoprasum* *L.* Rupp. Fl. jen. 2.  
 — *triquetrum* *L.* English Botany Suppl. 2963.  
 — *unifolium* *Kellogg.* Proc. Calif. Acad. 2, 114.  
 — *Victorialis* *L.* Abh. Leipz. 7, 19.  
 — *Webbii* *Clem.* Mem. Tur. 1857, 8.  
 † *Alloplectus capitatus* *Hook.* Linnæa 1853, 2.  
 † — *circinatus* *Mart.* Linnæa 1853, 2.  
 † — *concolor* *Hook.* Linnæa 1853, 2.  
 — *cristatus* *Mart.* Plumier Je. Burm. 50.  
 — *dichrus* *DC.* Endl. Bras. 36, 66.  
 — *Schlimmii* *Planch.* Fl. d. serres 8, 827.  
 — *villosus* *Hnst.* Endl. Bras. 36, 66.  
*Allosurus calomelanos* *Presl.* Bot. Mag. 80, 4769.  
 — *crispus* *Bernh.* Acta Leop. 26, 38.  
 — — — Johnson Ferns 39.  
 — — — Lowe Ferns 3, 34.  
 — *flexuosus* *Kaulf.* Bot. Mag. 80, 4762.  
 † *Almeidea rubra* *St. Hil.* Agardh Syst. 19.  
 † *Alnus* *L.* Schacht Lehrbuch 2, 9.  
 † — *acuminata* *H. B. K.* Mem. Mosc. 19, 15. 16.  
 † — *arguta* *v. Schl.* Mem. Mosc. 19, 15.  
 † — *castanifolia* *Murb.* Mem. Mosc. 19, 6.  
 † — *cordifolia* *Ten.* Mem. Mosc. 19, 11. 16.  
 † — *firma* *S. et Z.* Mem. Mosc. 19, 15.  
 † — *glutinosa* *Willd.* Nouveau Duhamel 2, 64.  
 † — — — Mem. Mosc. 19, 11. 14. 15. 17.  
 — — — var. *acerifolia*, Gleditsch Hinterl. Abh. 1.  
 — — — var. *imperialis asplenifolia*, Illustration horticole 1859, p. 97.  
 † — *japonica* *S. et Z.* Mem. Mosc. 19, 15.  
 † — *incana* *Willd.* Mem. Mosc. 19, 16. 17.  
 † — *Lindeni* *Reg.* Mem. Mosc. 19, 15. 16.  
 † — *nepalensis* *Don.* Mem. Mosc. 19, 16.  
 † — *nitida* *Spach.* Mem. Mosc. 19, 14.  
 † — *oblongata* *Willd.* Mem. Mosc. 19, 6.  
 † — *orientalis* *Decne.* Mem. Mosc. 19, 17.  
 † — *viridis* *DC.* Mem. Mosc. 19, 14.  
*Alocasia Lowii* *Hook.* Bot. Mag. 89, 5376.  
 — — — var. *picta*, Bot. Mag. 91, 5497.  
 — *macrorrhiza* *Schott.* Illustration horticole 1861, 305.  
 — *metallica* *Schott.* Otto Garten-Z. 1857, 7.  
 — — — Bot. Mag. 86, 5190.  
 — — — Illustration horticole 1861, 283.  
 — *zebrina* *Veitch.* Fl. d. serres 15, 1541—1542.  
 † *Aloe* *L.* Mem. Tur. 1855, 1.  
 — *acinacifolia* *Jacq.* Salm Monogr. §. 29, 11.  
 — *albicans* *Haw.* Salm Monogr. §. 5, 1.  
 — *albocincta* *Haw.* Bot. Mag. 86, 5210.  
 — *arachnoidea* *Mill.* Commelyn Praeludia 27.  
 † — *atrovirens* *DC.* Payer Organogénie 135.  
 — *candicans* *Haw.* Salm Monogr. §. 29, 13.  
 — *carinata* *Mill.* Salm Monogr. §. 29, 20.  
 — *congesta* *Salm.* Salm Monogr. §. 2, 1.  
 — *depressa* *Haw.* Salm Monogr. §. 16, 3.  
 — *distans* *Haw.* Salm Monogr. §. 24, 1.  
 — *disticha* *L.* Dillenius Elth. 18.  
 — *grandidentata* *Salm.* Salm Monogr. §. 23, 4.  
 — *latifolia* *Haw.* Salm Monogr. §. 23, 3.  
 — *microstigma* *Salm.* Salm Monogr. §. 26, 4.  
 — *mitraeformis* *Willd.* Salm Monogr. §. 24, 4.  
 — *perfoliata* *L.* Dillenius Elth. 14. 15. 17.  
 — *picta* *Thunb.* Salm Monogr. §. 23, 2.  
 — *pumila* *L.* Dillenius Elth. 16.  
 — *socotrina* *Lam.* Durand Voyage 39.  
 — — — Berg Darstellung 1, 4.  
 — *spiralis* *L.* Dillenius Elth. 13.

- Aloe subalbicans* Salm. Salm Monogr. §. 6, 1.  
 — *vicosa* L. Dillenius Elth. 13.  
 — — Commelyn Praeludia 31.  
 — *xanthacantha* Willd. Salm Monogr. §. 24, 3.  
*Alonsoa Warczewiczii* Reg. Regel Gartenfl. 1854, 91.  
 † *Alopecurus* L. Linné Amoenit. 7, 2.  
 † — — Griffith Pl. asiat. 142, 143.  
 † — — (Pollen.) Mém. prés. Petersb. 3, 6.  
*Alphitonia franguloides* Gray. Gray Expl. Exp. 22.  
 — *zizyphoides* Gray. Gray Expl. Exp. 22.  
*Alpinia calcarata* Roxb. Belgique horticole 7, 26.  
 — *conchigera* Gr. Griffith Pl. asiat. 354.  
 — *mutica* Roxb. Belgique horticole 7, 21.  
 † — *nutans* Rosc. Payer Organogénie 144.  
 — — — Nees Sammlung 25.  
 — — — Revue horticole 1861, 51.  
 — *racemosa* L. Plumier Jc. Burm. 20.  
 — *viridiflora* Griff. Griffith Pl. asiat. 353.  
*Alsine campestris* Fenzl. Willkomm Jc. Hisp. 1, 70.  
 — *cerastifolia* Fenzl. Willkomm Jc. Hisp. 1, 67.  
 — *dichotoma* Fenzl. Willkomm Jc. Hisp. 1, 69.  
 — *Funkii* Jord. Willkomm Jc. Hisp. 1, 70.  
 — *Jacquinii* Koch. Willkomm Jc. Hisp. 1, 70.  
 — *macrocarpa* Pursh. varietates, Bull. Mosc. 1862, 6.  
 — *Michauxii* Rgl. Bull. Mosc. 1862, 6.  
 — *montana* Fenzl. Willkomm Jc. Hisp. 1, 70.  
 — *mucronata* L. Willkomm Jc. Hisp. 1, 68.  
 — *petraea* Jord. Willkomm Jc. Hisp. 1, 68.  
 — *procumbens* Fenzl. Willkomm Jc. Hisp. 1, 67.  
 — *striata* Gren. Mém. soc. Doubs 1841, 1.  
 — *tenuifolia* L. Willkomm Jc. Hisp. 1, 69.  
 † *Alsineae* DC. Schnizl. Jc. 207.  
 † *Alsobia punctata* Hanst. Linnaea 1853, 2.  
 † *Alsophila* R. Br. Vriese Maratt. 9.  
 † — — Griffith Pl. asiat. 130.  
 † — — Acta Leop. 28, 1, 2.  
 † — *australis* R. Br. Lowe Ferns 8, 63.  
 — *capensis* J. Sm. Lowe Ferns 8, 62.  
 — *Colensoi* Hook. fil. Hook. New Zealand 73.  
 — *ferox* Presl. Lowe Ferns 8, 65.  
 — *frigida* Karst. Karsten Fl. Col. 1, 30.  
 — *guianensis* Hort. Regel Gartenfl. 9, 288.  
 — *lunulata* R. Br. Wilkes Expl. Exp. 39.  
 † — *Haenkei* Pr. Abh. Leipzig 9, 5.  
 — *podophylla* Hook. Hooker Second Century 66.  
 — *pruinata* Kaulf. Lowe Ferns 8, 66.  
 — *radens* Kaulf. Lowe Ferns 8, 64.  
 — *samoensis* Brack. Wilkes Expl. Exp. 40.  
 — *tahitensis* Brack. Wilkes Expl. Exp. 40.  
 — *truncata* Brack. Wilkes Expl. Exp. 41.  
*Astroemeria argento-vittata* Lem. Fl. d. serres 14, 1424.  
 — — — Illustration horticole 1859, 192.  
 — *Caldasii* H. B. K. Bot. Mag. 90, 5442.  
 — *foliosa* Mart. Endl. Bras. 15, 20.  
 — *haemantha* R. et P. var. Regel Gartenfl. 8, 264.  
 — *Ligtu* L. Feuillée 2, 4.  
 — *longistaminea* Mart. Endl. Bras. 15, 20.  
 — *monticola* Mart. Endl. Bras. 15, 21.  
 — *odorata* Morel, violacea, Revue horticole 1853, 11.  
 — *pelegrina* L. Feuillée 2, 5.  
 — — — Linné Amoen. 6, 3.  
 — — — Spach Suites 107.  
 — *plantaginea* Mart. Endl. Bras. 15, 21.  
 — *pulchella* Hook. Kerner Hort. 842.  
 — *rubra* Morel. Revue horticole 1853, 11.  
 — *Salsilla* L. Feuillée 2, 6.  
 † — *versicolor* R. et P. Payer Organogénie 138.  
 † *Alternanthera* Forsk. Bot. Zeitung 1860, 12.  
 — *frutescens* R. Br. Plumier Jc. Burm. 21.  
 — *radicata* Hook. Eugénies Resa 3.  
 — *tenella* Colla. Payer Organogénie 74.  
*Althaea officinalis* L. Berg Darstellung 3, 21<sup>f</sup>.

- Athenia filiformis* Petit. Ann. sc. nat. V, 2, 15, 16.  
*Alyssum lepidotum* Boiss. Tchichatschew Asie mineure 17.  
 — *Mülleri* Buhse. Mem. Mosc. 18, 4.  
 — *saxatile* L. Goldfuss Muggendorf 3.  
 — *vernale* Hornem. Schrank Hort. monac. 96.  
 † *Amanoa bracteata* Rich. Jussieu Euphorb. 2.  
 † — — — Baillon Euph. 26.  
 † *Amarantus* L. Bot. Zeitung 1860, 12.  
 † — *L. Payer* Organogénie 74.  
 — *sclerantoides* Ands. Eugénies Resa 2.  
*Amaroria soulameoides* Gray. Gray Expl. Exp. 40.  
 † *Amaryllidea* Griffith Pl. asiat. 273.  
 † *Amaryllideae* R. Br. Ann. sc. nat. IV, 2, 2.  
 † — — Payer Organogénie 138.  
 † — — Irmisch Beiträge 1860, 1—12.  
*Amaryllis Acramanii pulcherrima* Hort. Moore Mag. 1850, 2, p. 5.  
 — *aurea* R. et P. Feuillée 3, 20.  
 — *Belladonna* L. var. Kern. Hort. 765.  
 — — — var. *purpurascens*, Fl. d. serres 9, 911.  
 — — — var. *rubra*, Fl. d. serres 14, 1415.  
 — — — var. *Illustr.* hort. 1859, 228.  
 † — — — Abh. Acad. Berl. 1859, 6.  
 — *bicolor* R. et P. Feuillée 3, 21.  
 — *capensis* L. Cornuti Canad. p. 163.  
 — *chilensis* L'her. Feuillée 3, 21.  
 — *falcata* Ait. Kerner Hort. 840.  
 — *formosissima* L. Svensk Acad. 1742, 6.  
 — — — Dillenius Elth. 162.  
 † — — — Irmisch Amaryllideae 3.  
 — *hybrida* Heddewigii. Regel Gartenfl. 1862, 380.  
 — *longifolia* Ait. Kerner Hort. 839.  
 — *Lowii* Hort. Annales de Gand 1846, 62.  
 — *marmorata* Hort. Annales de Gand 1845, 16.  
 — *procera* Duch. Journ. soc. d'hort. Par. 1863, 425.  
 — *radiata* L'Heritier. Belgique horticole 1860, 9.  
 — *reticulata* L'her. Annales de Gand 1847, 136.  
 — *sarniensis* L. Cornuti Canad. p. 158.  
 — — — Fl. d. serres 11, 1096.  
 — *Schrammii* Wendsch. Regel Gartenfl. 1854, 97.  
 — *smaragdina* Hort. Annales de Gand 1845, 15.  
 — *solandraeflora* Ldl. Otto Gard-Z. 1856, 9.  
 — — — Fl. d. serres 11, 1081—1082.  
 — *Symonii* Hort. Journ. d'hortic. 3, 20.  
 — *Thunii* Wendsch. Regel Gartenfl. 1854, 97.  
 — *tubiflora* L'her. Feuillée 3, 20.  
 — *unguiculata* Mart. Annales de Gand 1847, 148.  
 † *Amasonia erecta* L. Baillon Adansonia 2, 5.  
*Amelania laxa* Müll. Endl. Bras. 26, 4.  
 — *tenuiflora* Müll. Endl. Bras. 26, 3.  
*Amblyrium pudicum* Rafin. Stansbury Expedition 9.  
*Amblygyna urceolata* Ands. Eugénies Resa 2.  
*Amblyanthera fluminensis* Müll. Endl. Bras. 26, 45.  
 — *funiformis* Müll. Endl. Bras. 26, 44.  
 † — *hispida* Müll. Endl. Bras. 26, 44.  
*Ambora leptophylla* Tul. Arch. Mus. 8, 25.  
 — *purpurea* Tul. Arch. Mus. 8, 26.  
 — *religiosa* Tul. Arch. Mus. 8, 27.  
 — *Tambourissa* Juss. Sounerat Ind. 134.  
 † *Ambraria glabra* Cruse. Cruse Rub. cap. 1.  
 † — *hirta* Cruse. Cruse Rub. cap. 1.  
*Ambrosia maritima* L. Rchb. Fl. germ. 19, 1577.  
 † — — — Payer Organogénie 129.  
 † *Ambrosinia Bassii* Murr. Schott Aroideae 11.  
 † *Ameletia indica* DC. Mém. prés. Pet. 4, 1.  
 † — — — Blume Mus. 2, 47.  
*Amellus umbellatus* L. Browne Jamaica 33.  
 † *Amherstia nobilis* Wall. Griffith Pl. asiat. 17—19.  
*Ammannia baccifera* L. Burm. Fl. ind. 15.  
 † — *indica* DC. Blume Mus. 2, 46.

- † *Ammannia pentandra* Roxb. Blume Mus. 2, 46.  
*Ammi majus* L. Berg Charakt. 414.  
 — — — Rchb. Fl. germ. 21, 1864.  
*Ammobroma Sonorae* Torr. Ann. Lyc. New York 8, 1.  
 † *Amomum* L. (Fructus.) Bonplandia 1855, p. 128—131.  
 — *aculeatum* Roxb. Asiat. Res. 10, 6.  
 — *Clusii* Sm. Bot. Mag. 87, 5250.  
 — *Danielli* Hook. fil. Bot. Mag. 80, 4764.  
 — *racemosum* Lam. Sonnerat Ind. 136. 137.  
 — *Zedoaria* L. Berl. Jahrb. 1797, 1.  
 — *Zingiber* L. Spach Suites 101.  
 — — — Belgique horticole 9, 20.  
 † *Amoreuxia Schiedeana* Gray. Smiths. Contrib. 5, 14.  
*Amorpha fruticosa* L. Nouveau Duhamel 3, 36.  
*Amorphophallus aconiensis* V. H. Hortus Vanhoutteanus 2.  
 — *dubius* Bl. Bot. Mag. 86, 5187.  
 — *mossambicensis* Kl. Peters Mossambique 56.  
 — *Wallisii* Reg. Regel Gartenfl. 1862, 350.  
 † *Ampelideae* DC. Payer Organogénie 34.  
*Ampelopsis hederacea* DC. Cornuti Canad. p. 100.  
 † — — — Agardh Syst. 21.  
 † *Amperea* A. Juss. Jussieu Euph. 10.  
 † — — — Baillon Euph. 14.  
*Amphiblemma cynosum* Naud. Bot. Mag. 90, 5473.  
 † *Amphicomis arguta* Ldl. Bureau Bign. 24.  
 — *Emodi* Ldl. Bot. Mag. 81, 4890.  
 — — — Belgique horticole 6, 17.  
 — — — Fl. d. serres 11, 1109.  
 — — — L'horticulteur français 1860, 15.  
 † *Amphilophium molle* Cham. Bureau Bign. 12.  
 — *paniculatum* H. B. K. Plumier Jc. Burm. 56.  
*Amphipappus Fremontii* Torr. Smiths. Contrib. 5, 9.  
*Amphithalea Williamsoni* Harv. Harv. Thes. cap. 2, 184.  
*Amphochaeta exaltata* And. Eugenies Resa 1.  
*Amsonia latifolia* Mich. Nees Sammlung 90.  
 † *salicifolia* Pursh. Agardh Syst. 6.  
 † *Amygdaleae* Baril. Schnizl. Jc. 275.  
*Amygdalopsis Lindleyi* Carr. Fl. d. serres 15, 1532.  
 — — — Revue horticole 1862, 91.  
*Amygdalus arabica* Oliv. Olivier Voyage 47.  
 — *camelliaeflora* Hort. Belgique horticole 8, 21. 42.  
 — — — Fl. d. serres 13, 1299.  
 — *communis* L. Nouveau Duhamel 4, 29.  
 — — — Berg Darstellung 1, 4<sup>d</sup>.  
 ! — — — Goethe Atlas 4.  
 † — — — Abh. Acad. Berl. 1859, 4.  
 † — — — Bot. Zeitung 1856, 9.  
 † — — — Ann. sc. nat. IV. 4, 16.  
 — *nana* L. Ammann Ruth. 30.  
 — — — Nouveau Duhamel 4, 30.  
 † — *persica* L. Gleichen Untersuchungen 12.  
 — — — var. *japonica stellata*, Sieb. Fl. Jard. 1859, 6.  
 — — — Belgique horticole 8, 91.  
 — — — Fl. d. serres 10, 969. 13, 1299. 1300. 1319.  
 — — — Illustration horticole 1858, 165.  
 — *rosaeiflora* Ch. Lem. Illustration horticole 1859, 204.  
*Amyris elemifera* L. Plumier Jc. Burm. 100.  
 — *gileadensis* L. Bruce Travels 5, 2. 3.  
 — — — Berl. Jahrb. 1795, 1.  
 — *pinnata* Hb. Bpl. Kth. Berg Charakt. 543.  
 — — — Karsten Fl. Col. 2, 158.  
 — *silvatica* Jacq. Karsten Fl. Col. 2, 158.  
 — *simplicifolia* Karst. Karsten Fl. Col. 2, 158.  
 † *Anabaena tannoides* Juss. Jussieu Euph. 15.  
 † *Anabaseae* Bunge. Acad. Pet. VII. 4, 1—3.  
*Anabasis aphylla* L. Forskal Icones 8.  
 — *aretioides* Moq. Bull. soc. bot. 9, 2.  
*Anacamptis pyramidalis* Rich. Rivinus Irreg. hexap. 14.  
 — — — Regel Gartenfl. 5, 147.  
*Anacardiaceae* R. Br. Schnizl. Iconogr. 245.  
 — — — Payer Organogénie 19, 20.  
*Anacardium occidentale* L. Berg Charakt. 535.  
 † *Anacharis Alsinastrum* Bab. Bot. Zeitung 1858, 9.  
 — — — Engl. Bot. Suppl. 2993.  
 † — *canadensis* Planch. Chatin Anatomie 10.  
 † — *chilensis* Planch. Chatin Anatomie 10.  
 — *pomeranica* Rchb. Reclam Kosmos I. p. 128.  
*Anacyclus clavatus* Pers. Rchb. Fl. germ. 16, 999.  
 — *officinarius* Hayne. Berg Darstellung 4, 34<sup>e</sup>.  
 — *Pyrethrum* DC. Rchb. Fl. germ. 16, 999.  
 — *radiatus* Lois. Rchb. Fl. germ. 16, 999.  
 — *valentinus* L. Rchb. Fl. germ. 16, 999.  
 † *Anadenia Manglesii* Grah. Payer Organogénie 97.  
*Anagallis alternifolia* Cav. Feuillée 3, 26.  
 — *aryensis* L. Rchb. Fl. germ. 17, 1082.  
 — — — Berg Charakt. 321.  
 † — — — Spach Suites 89.  
 ! — — — Baillon Adansonia 4, 7.  
 — *Huttoni* Harv. Harvey Thes. cap. 4.  
 — — — Proc. Dublin Assoc. 1, 16.  
 — — — Nat. Hist. Review 6, 4.  
 † — *latifolia* L. Endl. Bas. 16, 23.  
 † — — — Mém. Mus. 2, 4.  
 † — *Monelli* L. Mém. Mus. 2, 4.  
 — *tenella* L. Rchb. Fl. germ. 17, 1082.  
 † — — — Endl. Bras. 16, 23.  
*Anagyris foetida* L. Nouveau Duhamel 5, 42.  
*Anamirta Cocculus* W. et A. Archiv d. Pharm. 1835, 1.  
*Ananas bracteatus* Ldl. Bot. Mag. 84, 5025.  
*Anarrhinum abyssinicum* Jaub. Jaub. Ill. 447—449.  
 — *arabicum* Jaub. Jaub. Illustr. 446.  
 — *bellidifolium* Desf. Chavannes Antirrh. 10.  
 — — — Rchb. Fl. germ. 20, 1678.  
 — *orientale* Jaub. Jaub. Illustr. 450.  
 — *pubescens* Fres. Jaub. Illustr. 451.  
*Anastatica hierochuntica* L. Zanoni Hist. 125.  
*Anaxeton arborescens* Gaertn. Burmann Pl. afr. 79.  
*Anchomanes Hookeri* Schott. Bot. Mag. 89, 5394.  
 † *Anchusa* L. Schnizl. Iconogr. 143.  
 — *aegyptiaca* DC. Jaub. Illustr. 418.  
 — *arvensis* M. v. B. Rchb. Fl. germ. 18, 1310.  
 — *hybrida* Ten. Rchb. Fl. germ. 18, 1307.  
 — *italica* Retz. Rchb. Fl. germ. 18, 1307.  
 † — — — Ann. sc. nat. V. 2, 4. 5.  
 — *microcalyx* Vis. Rchb. Fl. germ. 18, 1308.  
 — *ochroleuca* M. v. B. Schrank Hort. monac. 6.  
 — — — Rchb. Fl. germ. 18, 1308.  
 — *officinalis* L. Rchb. Fl. germ. 18, 1309.  
 — — — Berg Charakt. 286.  
 — *orientalis* L. Dillenius Elth. 52.  
 — — *Rchb. fil.* Rchb. Fl. germ. 18, 1310.  
 — *procera* Bess. Rchb. Fl. germ. 18, 1308.  
 — *undulata* L. Rchb. Fl. germ. 18, 1307.  
 — *variegata* Lehm. Rchb. Fl. germ. 18, 1310.  
 † — *versicolor* M. v. B. Treviranus Symb. 26—31.  
*Ancistrocladeae* Planch. Schnizl. Iconogr. 213\*\*.  
 † *Anda* Marcg. Baillon Euph. 12.  
 † — *Gomesii* Juss. Jussieu Euph. 12.  
 † *Andira* Lam. Berg Charakt. 521.  
*Andrachne telephoides* L. Dillenius Elth. 282.  
 † — — — Jussieu Euph. 6.  
 † — — — Baillon Euph. 27.  
*Andrewsia paniculata* Bart. Barton Flora 2, 53.  
 † *Andromeda* L. Nees Gen. 28, 16.  
 — *acuminata* Ait. integra, Nouveau Duhamel 1, 30.  
 — *arborea* L. Barton Flora 1, 30.  
 — *axillaris* Ait. Nouveau Duhamel 1, 39.  
 — *calyculata* L. var. Nouveau Duhamel 1, 41.  
 — *formosa* Wall. Illustration horticole 1858, 162.



- Andromeda mariana* L. Nouveau Duhamel 1, 37.  
 — *marginata* Mirb. Nouveau Duhamel 1, 40.  
 — *polifolia* L. media. Nouveau Duhamel 1, 38.  
 † — — Nees Gen. X, x.  
 — — — Berg Charakt. 330.  
 — — — Rehb. Fl. germ. 17, 1161.  
 — *pulverulenta* Bartr. Bartram Travels 8.  
*Andromedeae* DC. Schnizl. Iconogr. 161°.  
*Andromycia cubensis* A. Rich. Ramon Cuba 89.  
*Androphoranthus glandulosus* Karst. Karsten Fl. Col. 2, 108.  
 † *Andropogon* L. Linné Amoenit. 7, 3.  
 — *attenuatus* Bert. Mem. Bon. 10, 6.  
 † — *Jwarancusa* Roxb. Berg Charakt. 79.  
 † — *muricatus* Retz. Griffith Pl. asiat. 155.  
*Androsace alpina* Lam. Rehb. Fl. germ. 17, 1114.  
 — *arachnoidea* Schott. Rehb. Fl. germ. 17, 1102.  
 — *carinata* Torr. Ann. Lyc. 1, 3.  
 — *carnea* L. Rehb. Fl. germ. 17, 1112.  
 — *Chamaejasme* Host. Rehb. Fl. germ. 17, 1112.  
 — *Charpentieri* Heer. Heer Gränzen 1.  
 — — — Rehb. Fl. germ. 17, 1114.  
 — *elongata* L. Rehb. Fl. germ. 17, 1110.  
 — *filiformis* Retz. Rehb. Fl. germ. 17, 1110.  
 — *Hausmanni* Leib. Flora 1855, 10.  
 — — — Rehb. Fl. germ. 17, 1115.  
 — *Heerii* Koch. Rehb. Fl. germ. 17, 1114.  
 — *helvetica* Gaud. Rehb. Fl. germ. 17, 1113.  
 — *Hookeriana* Klutt. Linnæa 32, 3.  
 — *imbricata* Lam. Rehb. Fl. germ. 17, 1113.  
 — *lactea* L. Rehb. Fl. germ. 17, 1111.  
 — *lanuginosa* Wall. Annales de Gand 1847, 149.  
 — *maxima* L. Rehb. Fl. germ. 17, 1111.  
 — *obtusifolia* All. Rehb. Fl. germ. 17, 1111.  
 — *Pacheri* Leib. Flora 1855, 9.  
 — *pedemontana* Rehb. fil. Rehb. Fl. germ. 17, 1200.  
 — *pubescens* DC. Rehb. Fl. germ. 17, 1113.  
 — *septentrionalis* L. Rehb. Fl. germ. 17, 1110.  
 — *telephioides* L. Forskål Icones 17.  
 — *villosa* L. Rehb. Fl. germ. 17, 1112.  
 — *Vitaliana* Lap. Rehb. Fl. germ. 17, 1116.  
 — *Wulfeniana* Sieb. Rehb. Fl. germ. 17, 1115.  
 † *Androsænum hircinum* Spach. Payer Organogénie 1.  
 † *Androscepia* Brongn. Nova Acta Ups. 2, 3.  
*Andryala lanata* L. Dillenius Elth. 150.  
 — *ragusina* L. Rehb. Fl. germ. 19, 1425.  
 — *sinuata* L. Rehb. Fl. germ. 19, 1426.  
 — *tenuifolia* DC. Rehb. Fl. germ. 19, 1426.  
*Aneimia adiantifolia* Sw. Lowe New Ferns 32.  
 — *aurita* Sw. Hook. Jc. pl. 10, 903.  
 — *collina* Raddi. Hook. Fil. exot. 1.  
 — *dichotoma* Gardn. Endl. Bras. 23, 16.  
 — *elegans* Pr. Endl. Bras. 23, 16.  
 — *flexuosa* Sw. Hook. Fil. exot. 30.  
 — *fulva* Cav. Hook. Fil. exot. 26.  
 — *mandioccana* Raddi. Hook. Garden Ferns 36.  
 — *mexicana* Klotzsch. Hook. Jc. pl. 10, 988.  
 — — — Hooker Second Century 65.  
 — *Millefolium* Gardn. Endl. Bras. 23, 16.  
 — *teruifolia* Pr. Endl. Bras. 23, 16.  
 — *Tweediana* Hook. Hook. Jc. pl. 10, 906.  
 — *Wightiana* Gardn. Calcutta Journal 1847, 1.  
*Anemidietyon phyllitides* J. Sm. Lowe Ferns 8, 71.  
*Anemiopsis californica* Nutt. Bot. Mag. 88, 5292.  
 † — — — Payer Organogénie 90.  
 † *Anemone* L. Bot. Zeitung 1856, 1.  
 — *angulosa* Lam. Bot. Mag. 91, 5518.  
 † — *appenina* L. Gasparrini Ric. 5.  
 — — — Regel Gartenflora 1863, 419.  
 — *caffra* E. et Z. Harvey Thes. cap. 7.  
 — *capensis* Lam. Burmann Pl. afr. 52.

- Anemone caroliniana* Walt. Marcy Red River 1.  
 — *decapetala* L. Endl. Bras. 38, 35.  
 — *Hackelii* Pohl. Bot. Notiser 1855, 1.  
 — *japonica* S. et Z. Cleyer Fl. jap. 57.  
 — — — Annales de Gand 1847, 108.  
 — — — *hybrida*, Moore Mag. 1850, p. 17.  
 — *integrifolia* H. B. K. Castelnau Exped. 83.  
 † — *memorosa* L. Vaupell Untersuchungen 2.  
 † — — — Vidensk. Meddelelser 1854, 2.  
 — *Nuttalliana* DC. Journ. Acad. Philad. 5, 8.  
 — *patens* L. Bot. Notiser 1855, 1.  
 — *pavonina* Lam. Revue horticole 1856, 16.  
 — *pratensis* L. Berg Darstellung 2, 114.  
 † — — — Museum Senck. 2, 4.  
 † — *Raddeana* Reg. Bull. Mosc. 1861, 1.  
 — *Sellowii* Pritz. Endl. Bras. 38, 34.  
 — *udensis* Tr. et M. Middendorff Reise 2, 26.  
 — — — Bull. Mosc. 1861, 1.  
 † *Anemopaegma laeve* DC. Bureau Bign. 10.  
*Anethum graveolens* L. Berg Charakt. 435.  
*Angelica atropurpurea* L. Cornuti Canad. p. 199.  
 — *lucida* L. Cornuti Canad. p. 197.  
 — *pyrenaica* Spr. Rehb. Fl. germ. 21, 1938.  
 † — *silvestris* L. Leighton Flora 6.  
 — — — Berg Charakt. 431.  
 — — — Rehb. Fl. germ. 21, 1936, 1937.  
*Angelonia grandiflora* Morr. Annales de Gand 1847, 119.  
 — *integerrima* Spr. Endl. Bras. 30, 39.  
 — *micrantha* Benth. Endl. Bras. 30, 39.  
 † *Angiopteris Hoffm.* Vriese Maratt. 1—8.  
 † — *ankolana* Vr. Vriese Maratt. 3, Fig. 9, 4, Fig. 9.  
 † — *Brongniartiana* Vr. Vriese Maratt. 3, Fig. 5, 4, Fig. 5.  
 † — *cochinchinensis* Vr. Vriese Maratt. 3, Fig. 22, 4, Fig. 22.  
 † — *commutata* Presl. Vriese Maratt. 3, Fig. 1, 4, Fig. 1.  
 † — *crassipes* Wall. Vriese Maratt. 3, Fig. 12, 4, Fig. 12.  
 † — *cuspidata* Vr. Vriese Maratt. 3, Fig. 7, 4, Fig. 7.  
 † — *Dregeana* Vr. Vriese Maratt. 3, Fig. 8, 4, Fig. 8.  
 † — *Durvilleana* Vr. Vriese Maratt. 3, Fig. 11, 4, Fig. 11.  
 † — *evecta* Hoffm. Vriese Maratt. 3, Fig. 10, 4, Fig. 10.  
 — — — Hook. Fil. exot. 75.  
 — — — Lowe Ferns 8, 75.  
 † — — — Abh. Leipz. 9, 1—4.  
 † — *Gaudichaudiana* Vr. Vriese Maratt. 3, Fig. 13, 4, Fig. 13.  
 † — *Leschenaultiana* Vr. Vriese Maratt. 3, Fig. 14, 4, Fig. 14.  
 † — *longifolia* Gr. et H. Vriese Maratt. 3, Fig. 2, 4, Fig. 2.  
 † — *plagiocarpa* Vr. Vriese Maratt. 3, Fig. 15, 4, Fig. 15.  
 † — *punctata* Vr. Vriese Maratt. 3, Fig. 3, 4, Fig. 3.  
 † — *repandula* Vr. Vriese Maratt. 3, Fig. 4, 4, Fig. 4.  
 — *Teysmanniana* Vr. Vriese Maratt. 1, 2.  
 — — — Lowe Ferns 8, 76.  
 † — *uncinata* Vr. Vriese Maratt. 3, Fig. 6.  
 † *Angostyles Benth.* Baillon Euph. 9.  
*Angraecum arcuatum* Ldl. Harvey Thes. Cap. 2, 107.  
 — *bicaudatum* Ldl. Harvey Thes. Cap. 2, 108.  
 — *Brongniartianum* Rehb. fil. Pescatorea 1, 15.  
 — *eburneum* Aub. Th. Bot. Mag. 80, 4761.  
 — — — var. *virens*, Bot. Mag. 86, 5170.  
 † — *maculatum* Ldl. Ann. sc. nat. IV, 5, 3—7.  
 — *pertusum* Ldl. Bot. Mag. 80, 4782.  
 — *sesquipedale* Aub. Bot. Mag. 85, 5113.  
 — — — Warner Select Orch. 31.

- Angraecum sesquipedale* *Aub.* Fl. d. serres 14, 1413—1414.
- Anguloa Clowesii* *Ldl.* *Pescatorea* 1, 17.  
 — — — *Warner Select Orch.* 33.  
 — *Ruckeri* *Ldl.* *Bot. Mag.* 89, 5384.  
 — — — *Regel Gartenfl.* 3, 106.  
 — *uniflora* *Rz. et P.* *Bot. Mag.* 80, 4807.
- Anguria pedata* *L.* *Plumier Jc. Burm.* 23.  
 — *pedatisecta* *N. v. E.* *Feuillee* 2, 41.  
 — *trilobata* *L.* *Plumier Jc. Burm.* 22.  
 — *Warscewczii* *Hort.* *Bot. Mag.* 88, 5304.
- Anigozanthus rufus* *Lab.* *Labill. Relation* 22.
- Anisocoma acaulis* *T. et Gr.* *Boston Journal* 5, 13.
- Anisodus luridus* *Link.* *Miers Illustr.* 78.
- Anisobolus Cururu* *Müll.* *Endl. Bras.* 26, 34.  
 — *hebecarpus* *Müll.* *Endl. Bras.* 26, 33.
- † *Anisonema A. Juss.* *Baillon Euph.* 23.  
 † — *reticulatum* *Juss.* *Jussieu Euph.* 4.
- Anisophyllea Griffithii* *D. Oliv.* *Linn. Transact.* 23, 48.
- † *Anisoptera polyandra* *Bl.* *Blume Mus.* 2, 6.
- † *Anisostichus capreolata* *Bur.* *Bureau Bign.* 6.
- Anoectochilus neglectus* *Bl.* *Blume Orchid.* 12<sup>b</sup>.  
 † — *regalis* *Bl.* *Blume Orchid.* 17.  
 — — — *Reinwardtii* *Bl.* *Blume Orchid.* 12<sup>b</sup>.  
 — — — *Belgique horticole* 1861, 18.  
 — *Roxburghii* *Bl.* *Blume Orchid.* 12<sup>b</sup>.  
 — — — *Belgique horticole* 1861, 18.  
 — *setaceus* *Bl.* *Blume Orchid.* 12, 17.  
 — — — *Belgique horticole* 1861, 18.  
 — — — *var. inornatus*, *Bot. Mag.* 86, 5208.
- Anomochloa marantoides* *Brongn.* *Bot. Mag.* 88, 5331.
- Anomospermum grandifolium* *Eichl.* *Endl. Bras.* 38, 37.  
 — *japurense* *Eichl.* *Endl. Bras.* 38, 37.  
 — *reticulatum* *Eichl.* *Endl. Bras.* 38, 37.  
 — *Schomburgkii* *Miers.* *Endl. Bras.* 38, 38.
- † *Anona* *L.* (*Pollen.*) *Mém. pres. Petersb.* 3, 4.  
 — *asiatica* *L.* *Plumier Jc. Burm.* 143.  
 — *Cheirimolia* *Mill.* *Feuillee* 3, 17.  
 — *glabra* *Forsk.* *Forskal Icones* 15.  
 — *grandiflora* *Bartr.* *Bartram Travels* 2.  
 — *muricata* *L.* *Plumier Jc. Burm.* 143.  
 — *pygmaea* *Bartr.* *Bartram Travels* 1.  
 † — *silvatica* *St. Hil.* *Linn. Transact.* 22, 19.  
 — *squamosa* *L.* *Spach Suites* 61.  
 — — — *Schacht Madeira* 3.  
 — *triloba* *L.* *Nouveau Duhamel* 2, 25.
- Anoplangium Biebersteinii* *Fisch.* *Bull. Mosc.* 1852, 1, 1.
- † — — — *Chatin Anatomie* 20.  
 † — *uniflorus* *Endl.* *Chatin Anatomie* 19.
- Ansellia africana* *Ldl.* *Bot. Mag.* 83, 4965.  
 — — — *Regel Gartenfl.* 3, 93.
- Anstrutheria ceylanica* *Gardn.* *Calcutta Journal* 1846, 4.
- Antennaria carpatica* *Bl. et F.* *Rchb. Fl. germ.* 16, 951.  
 — — — *dioica* *Gaertn.* *Rchb. Fl. germ.* 16, 951.  
 — — — *Berg Charakt.* 385.  
 — *linearifolia* *Wedd.* *Castelnau Exped.* 24.  
 — *nubigena* *F. M.* *Müller Plants of Victoria* 2, 45.
- † *Anthemis* *L.* *Zool. bot. Verein* 1852, 59.  
 — *alpina* *L.* *Rchb. Fl. germ.* 16, 1002.  
 — *arvensis* *L.* *Rchb. Fl. germ.* 16, 1004.  
 — *austriaca* *Jacq.* *Rchb. Fl. germ.* 16, 1009.  
 — *Barrelieri* *Ten.* *Rchb. Fl. germ.* 16, 1002.  
 — *brachycentros* *Gay.* *Rchb. Fl. germ.* 16, 1008.  
 — *chia* *L.* *Rchb. Fl. germ.* 16, 1007.  
 — *Cossoniana* *Rchb. fl.* *Rchb. Fl. germ.* 16, 1010.  
 — *Cota* *L.* *Rchb. Fl. germ.* 16, 1008.  
 — *Cotula* *L.* *Rchb. Fl. germ.* 16, 1000.  
 — — — *Berg Charakt.* 389.  
 — *fuscata* *Brot.* *Rchb. Fl. germ.* 16, 1000.  
 — *incrassata* *Lois.* *Rchb. Fl. germ.* 16, 1005.  
 — *macrantha* *Heuff.* *Rchb. Fl. germ.* 16, 1011.
- Anthemis maritima* *L.* *Rchb. Fl. germ.* 16, 1011.  
 — *mixta* *L.* *Rchb. Fl. germ.* 16, 1001.  
 — *montana* *L.* *Rchb. Fl. germ.* 16, 1003.  
 — — — *Colonna Phytobasanos* 33.  
 — *mucronulata* *Bertol.* *Rchb. Fl. germ.* 16, 1002.  
 — *nobilis* *L.* *Rchb. Fl. germ.* 16, 1001.  
 — — — *Berg Darstellung* 323<sup>o</sup>.  
 — — — *Berg Charakt.* 388.  
 — *peregrina* *L.* *Rchb. Fl. germ.* 16, 1007.  
 — *reflectens* *Rchb.* *Rchb. Fl. germ.* 16, 1006.  
 — *rigescens* *Willd.* *Rchb. Fl. germ.* 16, 1009.  
 — *ruthenica* *M. v. B.* *Rchb. Fl. germ.* 16, 1005.  
 — *secundiramea* *Biv.* *Rchb. Fl. germ.* 16, 1006.  
 — *Sismondacaea* *Clem.* *Mem. Tur.* 1857, 6.  
 — *styriaca* *Vest.* *Rchb. Fl. germ.* 16, 1003.  
 — *tinctoria* *L.* *Rchb. Fl. germ.* 16, 1010.
- Anthericum alceoides* *L.* *Dillenius Elth.* 232.  
 — *eccremorhizum* *R. et P.* *Feuillee* 3, 21.  
 — *frutescens* *L.* *Dillenius Elth.* 231.
- Antherylum Rohni* *Vahl.* *Skrivter nat. Selsk.* 1792, 8.
- † *Anthistiria* *L.* *Nova Acta Ups.* 2, 3.  
 — *australis* *Br.* *Hook. Fl. Tasm.* 156.
- † *Anthoboleae* *Endl.* *Schnitzl. Iconogr.* 105.  
 † *Anthobolus buxifolius* *R. Br.* *Chatin Anatomie* 72.  
 † — *triqueter* *R. Br.* *Chatin Anatomie* 72.
- Anthoceras tasmanica* *Hook. fil.* *Hook. Fl. Tasm.* 92.
- Anthocercis ganistoidea* *Miers.* *Miers Illustr.* 83.  
 — *gracilis* *Benth.* *Miers Illustr.* 83.  
 — *ilicifolia* *Hook.* *Miers Illustr.* 83.  
 — *litorea* *Lab.* *Miers Illustr.* 83.  
 — *viscosa* *R. Br.* *Miers Illustr.* 82.
- † — — — *Agardh Syst.* 27.
- Anthochytrium alpinum* *Rchb. fil.* *Rchb. Fl. germ.* 19, 1432.  
*Anthodendron ponticum* *Rchb.* *Rchb. Fl. germ.* 17, 1159.
- Anthogonium* . . . *Griffith Pl. asiat.* 345.  
*Antholoma montana* *Lab.* *Labill. Relation* 41.  
 — — — *Baillon Adansonia* 2, 1.
- Antholyza aethiopica* *L.* *Cornuti Canad.* p. 79.
- Anthophyllum Brookei* *Hook.* *Hooker Second Century* 79.
- † *Anthostema senegalense* *Juss.* *Jussieu Euph.* 18.  
 † — — — *Baillon Euph.* 5.
- Anthotium humile* *R. Br.* *De Vriese Goodenov.* 37.
- Anthotroche pannosa* *Endl.* *Miers Illustr.* 86.
- † *Anthoxanthum* *L.* *Linné Amoenit.* 7, 3.  
 — *amarum* *Brot.* *Schrank Hort. monac.* 73.  
 — *odoratum* *L.* *Poiteau Fl. par.* 39.  
 † — — — *Berg Charakt.* 69.
- † *Anthriscus* *Hoffm.* *Berg Charakt.* 448.  
 † — *silvestris* *Koch.* *Leighton Flora* 8.  
 † — *vulgaris* *Pers.* *Leighton Flora* 8.
- Anthurium crassinervium* *Schott.* *Schott Ic. Aroid.* 11—14.  
 † — *Harrisii* *Sweet.* *Agardh Syst.* 2.  
 — *Hookeri* *Kunth.* *Schott Ic. Aroid.* 15—17.  
 — *Hügelii* *Schott.* *Schott Ic. Aroid.* 18—20.  
 — *leuconeurum* *Ch. Lem.* *Illustration horticole* 1862, 314.
- † — *palmatifidum* *V. H.* *Hortus Vanhoutteanus* 5.  
 — *Scherzerianum* *Schott.* *Bot. Mag.* 88, 5319.
- Anthyllis Barba Jovis* *L.* *Nouveau Duhamel* 2, 67.  
 — *bidentata* *Munby.* *Munby Fl. d'Algérie* 5.
- Antiaris Bennetii* *Seem.* *Bonplandia* 1862, 7.  
 † — *innoxia* *Bl.* *Blume Mus.* 2, 29.  
 — *macrophylla* *R. Br.* *Flinders Voyage* 5.  
 — *toxicaria* *Lesch.* *Spach Suites* 148.  
 — — — *Siebold Fl. Jard.* 1859, 5.
- † *Antidaphne viscosa* *Pöpp.* *Chatin Anatomie* 78.
- Antidesma alexiteria* *L.* *Burmann Thes. zeyl.* 10.  
 — *heterophyllum* *Bl.* *Miquel Flora* 25.

- Antidesma montanum* Bl. Miquel Flora 25.  
 — natalense Harv. Harvey Thes. cap. 2, 169.  
 — salacense Zoll. Miquel Flora 26.  
 — tomentosum Bl. Miquel Flora 26.  
 † *Antirrhinum* L. Chavannes Antirrh. 3.  
 ! — — Chavannes Antirrh. 9.  
 † — — Mem. Tur. 1855, 1, 3.  
 — *Asarina* L. Rivinus Opus ined. 70.  
 — *cornutum* Benth. Expl. Missis. 5, 10.  
 — *Coulterianum* Benth. Expl. Missis. 5, 11.  
 — *latifolium* DC. Rchb. Fl. germ. 20, 1679.  
 — *majus* L. Rchb. Fl. germ. 20, 1678, 1679.  
 ! — — Museum Senck. 2, 4.  
 ! — — Hortus Vanhoutteanus 5.  
 — *molle* L. Regel Gartenfl. 2, 49.  
 — *Orontium* L. Rivinus Opus ined. 68.  
 — — —  $\gamma$  grandiflorum, Chavannes Antirrh. 4.  
 — — — Rchb. Fl. germ. 20, 1678.  
 — *siculum* Ueria. Rivinus Opus ined. 68.  
 — *tortuosum* Bosc. Rivinus Opus ined. 69.  
 — *triphyllyum* L. Rivinus Opus ined. 70.  
 † *Antrophyum* Kaulf. Griffith Pl. asiat. 135.  
 — Féci Schaffn. Fée Fil. novae 22.  
 — Galeottii Fée. Hooker Second Century 70.  
*Antrospermum Kraussii* C. H. Schultz. Regel Gartenfl. 1861, 335.  
*Anvillea Garcini* DC. Zanoni Hist. 21.  
 † *Aparisthium* Endl. Baillon Euph. 31.  
*Apera arundinacea* Hook. fil. Hook. New Zeal. 67.  
*Aphanactis Jamesoniana* Wedd. Castelnau Exped. 37.  
*Aphanostephus ramosissimus* DC. Marcy Exploration 9.  
*Aphantochaeta exilis* Torr. Expl. Missis. 4, 11.  
*Aphelandra aurantiaca* Ldl. L'horticulteur fr. 1862, 5.  
 — *Liboniana* N. v. E. Bot. Mag. 90, 5463.  
 — *ornata* Th. And. Seemann Journal 2, 22.  
 — *Porteana* Morel. Fl. d. serres 10, 984.  
 — *pulcherrima* Kth. Nees Sammlung 67.  
 — *squarrosa* N. v. E. Fl. d. serres 9, 889.  
 — *variiegata* Morel. Bot. Mag. 82, 4899.  
 — — — Fl. d. serres 10, 981.  
*Aphelia Gunnii* Hook. fil. Hook. Fl. Tasm. 138.  
 † *Aphyllantheae* Endl. Payer Organogénie 137.  
 † *Aphyllanthes monspeliensis* L. Payer Organogénie 137.  
 † — — — Agardh Syst. 1.  
*Aphyllocladus spartioides* Wedd. Castelnau Exped. 3.  
*Aphyllorchis pallida* Bl. Blume Orchid. 13, 17.  
*Aphyteia* L. Linné Amoenit. 8, 7.  
*Apiastrum angustifolium* Nutt. Torrey Mex. Boundary 29.  
*Apinagra divaricata* Tul. Endl. Bras. 13, 75.  
 — *Riedelii* Tul. Endl. Bras. 13, 75.  
*Apium crassipes* Rchb. fil. Rchb. Fl. germ. 21, 1854.  
 — *graveolens* L. Berg Cnarakt. 419.  
 — — — Rchb. Fl. germ. 21, 1854.  
 — *inundatum* Rchb. fil. Rchb. Fl. germ. 21, 1855.  
 — *nodiflorum* Rchb. fil. Rchb. Fl. germ. 21, 1856.  
 — *repens* Rchb. fil. Rchb. Fl. germ. 21, 1855.  
*Aploxys gossypina* DC. Fl. d. serres 15, 1590—1591.  
 — *involuta* Kar. et Kir. Jubiläum Fischer 2.  
 † *Apluda* L. Linné Amoenit. 7, 3.  
 † — — — Ófv. Sv. Acad. 1855, 5.  
 — *Zeugites* L. Browne Jamaica 4.  
 † *Apocynae* R. Br. Payer Organogénie 116.  
 † — — — Schnizl. Iconogr. 132.  
 † *Apocynum cannabinum* L. Payer Organogénie 116.  
 † — *cristatum* Gr. Griffith Pl. asiat. 58.  
 — *venetum* L. Rchb. Fl. germ. 17, 1065, 1199.  
 1201.  
 † *Apodanthes Flacourtii* Karst. Acta Leop. 26, 65.  
 † *Apodytes Benthamiana* Wight. Calcutta Journ. 1847, 2.  
 † *Aponogeton distachyum* Thunb. Agardh Syst. 3.

- Aponogeton monostachyum* Roxb. Calcutta Journal 1843, 16.  
 — *undulatum* Roxb. Calcutta Journal 1843, 15.  
 † *Aporum Jenkinsii* Griff. Calcutta Journal 1845, 25.  
 † — *micranthum* Griff. Calcutta Journal 1844, 17.  
*Aposeris foetida* Less. Rchb. Fl. germ. 19, 1354.  
 † *Apostasia* Bl. Griffith Pl. asiat. 282.  
 † *Appendicula callosa* Bl. Calcutta Journal 1845, 26.  
 — *Kuhlii* Rchb. fil. Rchb. Xenia. 2, 138.  
 — *Lewisii* Griff. Calcutta Journal 1844, 19.  
 † — — — Griffith Pl. asiat. 337.  
 — *purpurascens* Bl. Vriese Orch. 12.  
 — *rhodiola* Rchb. fil. Rchb. Xenia 2, 138.  
 † — *stipulata* Griff. Griffith Pl. asiat. 335.  
 — *teres* Griff. Griffith Pl. asiat. 332.  
 — *torta* Bl. Rchb. Xenia 2, 138.  
*Apteranthes Gussonianiana* Mik. Bot. Mag. 84, 5087.  
*Apteria setacea* Nutt. Journal Ac. Philad. 7, 9.  
*Aquilaria ovata* Cav. Berliner Jahrb. 1796, 2.  
 † *Aquilegia* L. Mem. Tur. 1855, 1.  
 ! — — — Linn. Transact. 23, 34.  
 — *bicolor* Ehrh. Schrank Hort. monac. 7.  
 — *blanda* (hybrida) Ch. Lem. Illustration horticole 1857, 146.  
 — *caerulea* James. Bot. Mag. 90, 5477.  
 — *canadensis* L. Cornuti Canad. 11, 60.  
 — *eximia* Van Houtte. Belgique horticole 7, 52.  
 — — — Fl. d. serres 12, 1188.  
 — *glandulosa* Fisch. Regel Gartenfl. 9, 289.  
 — *jucunda* Fisch et Lall. var. macroceras, Annales de Gand 1847, 150.  
 — *kanaoriensis* Jacq. Lem. Jard. fl. 4, 366.  
 — — — Belgique horticole 7, 52.  
 — *sibirica* Lam. Regel Gartenfl. 9, 289.  
 — *spectabilis* Ch. Lem. Illustr. horticole 1864, 403.  
 — *truncata* F. et M. Sertum petrop. 11.  
 — *vulgaris* L. Colonna Phytobasanos 1.  
 — — — Berg Charakt. 626.  
 ! — — — Goethe Atlas 4.  
 ! — — — Atti Acad. Lucca 17, 1.  
 † — — — Payer Organogénie 54.  
 — — — var. caryophylloides, Belgique horticole 1861, 5.  
 ! *Arabis alpina* L. Seringe Bulletin 2.  
 — *caucasica* Willd. Schrank Hort. monac. 24.  
 — *japonica* Rgl. et Herd. Regel Gartenfl. 1863, 414.  
 — *nudicaulis* L. Linné Amoenit. 2, 4.  
 — *petraea* Lam. typica grandiflora, Bull. Mosc. 1861, 5.  
 — — — kamschatica, Bull. Mosc. 1861, 5.  
*Arachis glabrata* Benth. Endl. Bras. 24, 23.  
 — *hypogaea* L. Annales soc. d'hortic. Par. 1854, 1.  
 — — — Endl. Bras. 24, 23.  
 † — — — Mem. Tur. 1855, 4.  
*Arachnanthe moschifera* Bl. Vriese Orchid. 10.  
*Arachnothrix rosea* Planch. Journal d'hortic. 3, 5.  
 † *Aralia* L. Griffith Pl. asiat. 59.  
 † — *edulis* Sieb. et Z. Payer Organogénie 89.  
 — *japonica* Thunb. Sieb. Fl. Jard. 1, 2, 1860, 7.  
 — *Mitsoe* Sieb. et Z. Sieb. Fl. Jard. 1, 10.  
 — *nudicaulis* L. Berg Charakt. 453.  
 — *papyrifera* Hook. Bennett Australasia 6.  
 — — — Bot. Mag. 82, 4897.  
 — — — Fl. d. serres 12, 1201.  
 — *pentaphylla* Thunb. Sieb. Fl. Jard. 1, 9.  
 — *racemosa* L. Regel Gartenfl. 1864, 432.  
 — *spinosa* L. Plumier Jc. Burm. 31.  
 — *vitiensis* Gray. Gray Expl. Exp. 89.  
 † *Araliaceae* Juss. Schnizl. Iconogr. 163.  
*Aralidium pinnatifidum* Miq. Miquel Flora 13.  
*Araucaria brasiliana* Rich. Endl. Bras. 35, 110—112.

- † *Araucaria brasiliensis* Don. Schacht Lehrbuch 2, 10.  
— — — Flora 1862, 2, 3.  
— — — *columinaris* Hook. Lem. Jard. fl. 4, 393, 394.  
† — — — *Cuninghamii* Ait. Schnizl. Iconogr. 77.  
— — — *imbricata* Pav. Fl. d. serres 15, 1577—1580.  
— — — *Ridolfiana* Savi. Atti della riunione in Firenze 1.  
*Arauca albens* Don. Revue horticole 1857, p. 88.  
— — — *angustifolia* Decne. Bot. Mag. 90, 5481.  
† *Arbutus* L. Nees Genera 30, 9.  
— — — *Andrachne* L. Nouveau Duhamel 1, 22.  
— — — *Menziesii* Pursh. Expl. Missis. 6, p. 23.  
— — — Nuttall Sylva 3, 95.  
— — — *Unedo* L. Nouveau Duhamel 1, 21.  
— — — — — Risso Hist. nat. 2, 1.  
— — — — — Rechb. Fl. germ. 17, 1167.  
† — — — — — Payer Organogénie 118.  
*Arceuthobium drupacea* Ant. Antoine Cupress. 1—5.  
† *Arceutobium Oxycedri* M. v. B. Chatin Anatomie 77.  
*Archangelica officinalis* Hoffm. Rechb. Fl. germ. 21, 1940.  
— — — — — 1942.  
— — — — — Berg Darstellung 4, 27°.  
*Archeria eriocarpa* Hook. Hook. Fl. Tasm. 80.  
— — — *hirtella* Hook. Hook. Fl. Tasm. 81.  
— — — *serpyllifolia* Hook. Hook. Fl. Tasm. 90.  
† *Arctocalyx Endlicherianus* Fenzl. Linnea 1853, 1.  
*Arctomecon californicum* Torr. Fremont Report 1845, 2.  
*Arctopus echinatus* L. Burmann Pl. afr. 1.  
*Arctostaphylos alpina* Spr. Rechb. Fl. germ. 17, 1167.  
— — — *glauca* Ldl. Expl. Missis. 6, 3.  
— — — *pungens* Torr. Emory Notes 7.  
— — — *uva ursi* Spr. Giobert Monogr. 1, 2.  
— — — — — Rechb. Fl. germ. 17, 1167.  
— — — — — Berg Darstellung 3, 20°.  
† — — — — — Agardh Syst. 9.  
*Arctotis acaulis* L. Commelyn Rar. 35.  
— — — — — Fl. d. serres 11, 1104.  
— — — *Dregei* Turcz. Dietrich Fl. univ. 6.  
† *Ardisia compressa* Oerst. Vidensk. Meddelelser 1861, 1, 2.  
† — — — *crispa* Oerst. Vidensk. Meddelelser 1861, 1, 2.  
† — — — *fusca* Oerst. Vidensk. Meddelelser 1861, 1, 2.  
† — — — *glanduloso-marginata* Oerst. Vidensk. Meddelelser 1861, 1, 2.  
† — — — *Liebmannii* Oerst. Vidensk. Meddelelser 1861, 1, 2.  
† — — — *nigrescens* Oerst. Vidensk. Meddelelser 1861, 1, 2.  
† — — — *nigropunctata* Oerst. Vidensk. Meddel. 1861, 1, 2.  
† — — — *Opegrapha* Oerst. Vidensk. Meddelelser 1861, 1, 2.  
† — — — *pellucida* Oerst. Vidensk. Meddelelser 1861, 1, 2.  
† — — — *ramiflora* Oerst. Vidensk. Meddelelser 1861, 1, 2.  
† — — — *revoluta* Kth. Vidensk. Meddelelser 1861, 1, 2.  
— — — *ambigua* Mart. Endl. Bras. 16, 31.  
— — — *cauliflora* Mart. Endl. Bras. 16, 35.  
† — — — *crenata* Curt. Schnizl. Iconogr. 157.  
† — — — — — Agardh Syst. 10.  
— — — *gracilis* Miq. Endl. Bras. 16, 33.  
— — — *japonica* Bl. Schnizl. Iconogr. 157.  
† — — — — — Abh. Acad. Berl. 1859, 5.  
— — — *latipes* Mart. Endl. Bras. 16, 34.  
— — — *leptantha* Miq. Endl. Bras. 16, 32.  
— — — *Martiana* Miq. Endl. Bras. 16, 30.  
— — — *Pickeringii* Nutt. Nuttall Sylva 3, 102.  
† — — — *polytoxa* A. Br. Abh. Acad. Berl. 1859, 5.  
— — — *semicrenata* Mart. Endl. Bras. 16, 28.  
— — — — — var. *angustifolia*, Endl. Bras. 16, 29.  
— — — — — *angustissima*, Endl. Bras. 16, 29.  
— — — — — *integerrima*, Endl. Bras. 16, 29.  
— — — *serrulata* Sw. Plumier Jc. Burm. 80.  
*Ardisiandra sibthorpioides* Hook. Journ. Linn. Soc. 7, 1.  
*Areca alba* Bory. Illustration horticole 1863, 385.  
† — — — *Catechu* L. Berg Charakt. 102—103.  
— — — *curvata* Gr. Griffith Pl. asiat. 248.  
— — — *Nibung* Mart. Sieb. Fl. Jard. 1860, 8.  
— — — *pumila* Mart. Sieb. Fl. Jard. 1859, 12.

- Areca sapida* Sol. Bot. Mag. 85, 5319.  
— — — — — Fl. d. serres 14, 1439.  
† *Arcemonia agrimonoides* DC. Payer Organogénie 101.  
*Arenaria algarbiensis* Webw. Willkomm Jc. Hisp. 1, 61.  
— — — *aphenantha* Wedd. Castelnau Exped. 88.  
— — — *capillaris* Poir. varietates, Bull. Mosc. 1862, 1.  
— — — *cinerea* DC. Willkomm Jc. Hisp. 1, 64.  
— — — *conimbricensis* Brot. Willkomm Jc. Hisp. 1, 61.  
— — — *controversa* Boiss. Willkomm Jc. Hisp. 1, 61.  
— — — *emarginata* Brot. Willkomm Jc. Hisp. 1, 62.  
— — — *glutinosa* Boiss. Tchichatschewf Asie mineure 14.  
— — — *hispida* L. Willkomm Jc. Hisp. 1, 65.  
— — — *leptoclados* Guss. English Botany Suppl. 2072.  
— — — *ligericina* Lec. Willkomm Jc. Hisp. 1, 66.  
— — — *Lloydii* Jord. Willkomm Jc. Hisp. 1, 63.  
— — — *modesta* Duf. Willkomm Jc. Hisp. 1, 62.  
— — — *nevadensis* Boiss. Willkomm Jc. Hisp. 1, 62.  
— — — *nonvegica* L. Gunner Flora norv. 2, 9.  
— — — *obtusiflora* Kze. Willkomm Jc. Hisp. 1, 61.  
— — — *racemosa* Willk. Willkomm Jc. Hisp. 1, 65.  
— — — *Redowskii* Cham. Bull. Mosc. 1862, 2.  
— — — *saxifraga* Friv. Acta Acad. hung. 1840, 5.  
— — — *serpyllifolia* L. Willkomm Jc. Hisp. 1, 63.  
— — — *spatulata* Desf. Willkomm Jc. Hisp. 1, 60.  
— — — *tomentosa* Willk. Willkomm Jc. Hisp. 1, 65.  
— — — *triandra* Schrank. Schrank Hort. monac. 30.  
— — — *trichocalycina* Ten. Tenore Peregr. 1834, 1.  
— — — *Tschuktschorum* Rgl. Bull. Mosc. 1862, 2.  
— — — *valentina* Boiss. Willkomm Jc. Hisp. 1, 65.  
*Arenga saccharifera* Lab. Mem. Instit. 4, 6, 7.  
† *Arethusa* L. Svensk Acad. 1800, 3.  
† — — — *biplumata* L. Weber Archiv 2.  
† — — — *cristata* Gr. Griffith Pl. asiat. 343, 344.  
*Aretia alpina* L. Hegetschw. Reisen 1.  
— — — *helvetica* Schk. Hegetschw. Reisen 1.  
— — — *intermedia* Heg. Hegetschw. Reisen 1.  
— — — *tomentosa* Schleich. Hegetschw. Reisen 1.  
† — — — *Vitaliana* L. Hegetschw. Reisen 1.  
*Argania Sideroxylon* R. et Sch. Hook. Journ. 1854, 3.  
† *Argemone grandiflora* Sweet. Payer Organogénie 46.  
— — — *munita* Dur. Explor. Missis. 5, 1.  
*Argostemma laeve* Benn. Miquel Flora 31.  
— — — *inaequale* Benn. Miquel Flora 31.  
— — — *parvifolium* Benn. Miquel Flora 31.  
— — — *subinaequale* Benn. Miquel Flora 31.  
† *Argylia puberula* DC. Bureau Bign. 22.  
*Argyreia hirsuta* W. et A. Bot. Mag. 82, 4940.  
*Argyrorchis javanica* Bl. Blume Orchid. 31, 36.  
— — — — — Belgique horticole 1861, 18.  
† *Argythamnia* P. Br. Baillon Euph. 15.  
† — — — *candicans* Sw. Jussieu Euph. 7.  
† *Arjona pusilla* Hook. fil. Chatin Anatomie 62.  
† — — — *tuberosa* Cav. Chatin Anatomie 62.  
*Arisaema atrorubens* Blume. Annales de Gand 1846, 58.  
— — — *Murrayi* Hook. Fl. d. serres 13, 1322.  
— — — *papillosum* Schott. Bot. Mag. 91, 5496.  
— — — *praecox* de Vr. Bot. Mag. 87, 5267.  
— — — *ringens* Schott. Cleyer Fl. jap. 13.  
— — — — — Regel Gartenfl. 1861, 313.  
— — — — — Annales de Gand 1846, 97.  
— — — — — Fl. d. serres 12, 1269—1270.  
— — — — — Revue horticole 1859, p. 155.  
— — — *Wightii* Schott. Bot. Mag. 91, 5507.  
*Aristaea cyanea* Ait. Burm. Pl. afr. 70.  
† *Aristida* L. Linné Amoenit 7, 2.  
† *Aristolochia* L. Flora 1857, 10.  
† — — — — — Berg Charact. 207.  
† — — — *altissima* Desf. Berl. Monatsb. 1859, 2.  
— — — *arboorea* Link. Bot. Mag. 88, 5295.  
— — — *bilabiata* L. Plumier Jc. Burm. 32.  
— — — *Clematitis* L. Spach Suites 71.  
† — — — — — Abh. Leipz. 6, 10.

- † *Aristolochia Clematitis* L. Payer Organogénie 91.  
 † — — — Agardh Syst. 5.  
 † — — — Treviranus Symb. 56<sup>a</sup>.  
 † — — — Berl. Monatsb. 1859, 2.  
 † — — — *dictyantha Duchartre*. Ann. sc. nat. IV. 2, 6.  
 — — — *fimbriata Cham.* Revue horticole 1859, p. 491.  
 † — — — *Gaudichaudii Duchartre*. Ann. sc. nat. IV. 2, 6.  
 — — — *Gibertii* Hook. Bot. Mag. 88, 5345.  
 † — — — *labiosa Ker.* Griffith Pl. asiat. 10. 11.  
 — — — *leuconera Lind.* Bot. Mag. 90, 5420.  
 — — — *lineata Duchartre*. Revue horticole 1854, 15.  
 — — — Belgique horticole 5, 13.  
 † — — — *macrophylla Lam.* Verh. Rheinl. 16, 3, 17, 5.  
 † — — — *micrantha Duchartre*. Ann. sc. nat. IV. 2, 5.  
 — — — *odoratissima L.* Plumier Ic. Burm. 33.  
 † — — — Treviranus Symb. 56.  
 — — — *peltata L.* Plumier Ic. Burm. 32.  
 † — — — *Petersiana Kl.* Berl. Monatsb. 1859, 2.  
 — — — *punctata Lam.* Plumier Ic. Burm. 34.  
 † — — — *reticulata Nutt.* Ann. sc. nat. IV. 2, 5.  
 † — — — *saccata Wall.* Ann. sc. nat. IV. 2, 5.  
 † — — — *sericea Benth.* Ann. sc. nat. IV. 2, 5.  
 † — — — *Serpentaria L.* Berg Darstellung 4, 25<sup>a</sup>.  
 — — — *Sipho L'her.* Nouveau Duhamel 4, 10.  
 — — — *Thwaitesii Hook.* Bot. Mag. 82, 4918.  
 — — — — Fl. d. serres 12, 1235.  
 — — — *trilobata L.* Fl. d. serres 14, 1402.  
 — — — *Wrightii Seem.* Seemann Herald 72.  
 † *Aristolochiaceae* Juss. Berl. Monatsb. 1859, 1. 2.  
*Aristolotelia Macquii L'her.* Nouveau Duhamel 1, 33.  
 † — *Macqui L.* Agardh Syst. 21.  
*Armeniaca atropurpurea Lois.* Nouveau Duhamel 5,  
 51. 52.  
 — — — *vulgaris Lam.* Nouveau Duhamel 5, 48. 50.  
*Armeniastrum apiculatum Lem.* Lem. Jard. fl. 4, p. 77.  
 † *Armeria Willd.* (Pollen.) Mém. prés. Pet. 3, 8.  
 — — — *alpina Willd.* Rchb. Fl. germ. 17, 1150.  
 — — — *canescens Boiss.* Rchb. Fl. germ. 17, 1150.  
 — — — *maritima Willd.* Rchb. Fl. germ. 17, 1148.  
 † — — — Linn. Transact. 22, 51.  
 — — — *mauritanica Wall.* Revue horticole 1859, p. 406.  
 — — — *plantaginea Willd.* Rchb. Fl. germ. 17, 1151.  
 — — — var. *leucantha Boiss.* Regel Gartenfl.  
 2, 62.  
 † — — — Payer Organogénie 153.  
 — — — *scabra Willd.* Rchb. Fl. germ. 17, 1149.  
 — — — *vulgaris Willd.* Rchb. Fl. germ. 17, 1148. 1149.  
*Arnebia echioides A. DC.* Revue horticole 1862, 51.  
 — — — *Griffithii Boiss.* Bot. Mag. 87, 5266.  
*Arnica cafra L.* Burmann Pl. afr. 55.  
 — — — *crocea L.* Burmann Pl. afr. 56.  
 — — — *Gerbera L.* Burmann Pl. afr. 56.  
 — — — *montana L.* Rchb. Fl. germ. 16, 938.  
 — — — — Berg Darstellung 2, 13<sup>d</sup>.  
*Arnoseric pusilla Gaertn.* Rchb. Fl. germ. 19, 1354.  
*Arnottia mauritiana A. R.* Aubert Orch. 5.  
 † *Aroideae* Juss. Griffith Pl. asiat. 164. 173.  
 † — — — Vidensk. Meddelelser 1852, 2.  
 † — — — Payer Organogénie 139.  
 † *Aronia Pers.* Spach Suites 9.  
*Aronicum Bauhini Rchb.* Rchb. Fl. germ. 16, 954.  
 — — — *Clusii Koch.* Rchb. Fl. germ. 16, 954.  
 — — — *glaciale Rchb.* Rchb. Fl. germ. 16, 954.  
 — — — *scorpioides Koch.* Rchb. Fl. germ. 16, 953.  
*Arpophyllum cardinale Lind.* Pescatorea 1, 45.  
 — — — Warner Select Orch. 39.  
 — — — *giganteum Ldl.* Warner Select Orch. 39.  
 † *Arrabidea Agnus castus DC.* Bureau Bign. 2.  
 † *Artabotrys odoratissima R. Br.* Griffith Pl. asiat. 57.  
*Artanthe imperialis Miq.* Seem. Herald 39.  
 — — — *Seemanniana Miq.* Seem. Herald 39.  
 — — — *septuplinervia Miq.* Seem. Herald 40.

- Arthanthe triensis Miq.* Seem. Herald 42.  
 — — — *trinervia Miq.* Seem. Herald 41.  
*Artedia squamata L.* Jaubert Illustr. 430.  
*Artemisia L.* Gleichen Entdeckungen 13. 14.  
 — — — *Abrotanum L.* Rchb. Fl. germ. 16, 1041.  
 — — — *Absinthium L.* Rchb. Fl. germ. 16, 1029.  
 — — — — Berg Darstellung 22<sup>b</sup>.  
 — — — *annua L.* Ammann Ruth. 23.  
 — — — *arborescens L.* Rchb. Fl. germ. 16, 1029.  
 — — — *arenaria DC.* Mém. prés. Pet. 4, 9.  
 — — — *argentea L'her.* Nouveau Duhamel 6, 36.  
 — — — *atrata Lam.* Rchb. Fl. germ. 16, 1033.  
 — — — *austriaca Jacq.* Rchb. Fl. germ. 16, 1034.  
 — — — *campestris L.* Rchb. Fl. germ. 16, 1035.  
 — — — — var. *alpina DC.* Rchb. Fl. germ. 16,  
 1035.  
 — — — — var. *lednicensis*, Rchb. Fl. germ. 16,  
 1036.  
 — — — *camphorata Vill.* Rchb. Fl. germ. 16, 1033.  
 — — — — var. *saxatilis*, Rchb. Fl. germ. 16, 1033.  
 — — — *chamaemelifolia Vill.* Rchb. Fl. germ. 16, 1034.  
 — — — *coculescens L.* Rchb. Fl. germ. 16, 1040.  
 † — — — *Cina Berg.* Berg Darstellung 4, 29<sup>c</sup>.  
 — — — *crithmifolia L.* Rchb. Fl. germ. 16, 1037.  
 — — — *Dracunculus L.* Rchb. Fl. germ. 16, 1041.  
 — — — *filifolia Torr.* Marcy Exploration 12.  
 — — — *gallica Willd.* Rchb. Fl. germ. 16, 1034.  
 — — — *glacialis L.* Rchb. Fl. germ. 16, 1030.  
 — — — *glutinosa Gay.* Rchb. Fl. germ. 16, 1037.  
 — — — — Mém. prés. Pet. 4, 11.  
 — — — *Halödendron Turcz.* Mém. prés. Pet. 4, 3.  
 — — — *Jussieuana Gay.* Mém. prés. Pet. 4, 10.  
 — — — *Koelreuteriana Bess.* Mém. prés. Pet. 4, 1.  
 — — — *laciniata Willd.* Rchb. Fl. germ. 16, 1032.  
 — — — *lanata Lam.* Mém. prés. Pet. 4, 4.  
 — — — *maritima L.* Santi Viaggi 2, 9.  
 — — — — Svensk Acad. 1806, 1.  
 — — — — Rchb. Fl. germ. 16, 1039.  
 — — — *monogyna W. K.* Rchb. Fl. germ. 16, 1040.  
 — — — *monosperma Delile.* Mém. prés. Pet. 4, 13.  
 — — — *Mutellina Vill.* Rchb. Fl. germ. 16, 1030.  
 — — — *nana Gaud.* Rchb. Fl. germ. 16, 1036.  
 — — — — var. *racemulosa*, Rchb. Fl. germ. 16,  
 1036.  
 — — — *nitida Bertol.* Rchb. Fl. germ. 16, 1031.  
 — — — *odoratissima Desf.* Mém. prés. Pet. 4, 10.  
 — — — *paniculata Bess.* Mém. prés. Pet. 4, 8.  
 — — — *paniculata Lam.* Rchb. Fl. germ. 16, 1037.  
 — — — *pedemontana Balb.* Rchb. Fl. germ. 16, 1031.  
 — — — *pontica L.* Rchb. Fl. germ. 16, 1041.  
 — — — *rupestris L.* Linné Oeulandsche Reise 3.  
 — — — — Piller Iter 12.  
 — — — — Rchb. Fl. germ. 16, 1032.  
 — — — *salsoloides Willd.* Mém. prés. Pet. 4, 2.  
 — — — *scoparia W. K.* Rchb. Fl. germ. 16, 1037.  
 — — — *spicata Wulf.* Rchb. Fl. germ. 16, 1031.  
 — — — *Trautvetteriana Bess.* Mém. prés. Pet. 4, 5.  
 — — — *Tschernieviana Bess.* Mém. prés. Pet. 4, 12.  
 — — — *Vahliaua Kost.* Berg Darstellung 4, 29<sup>c</sup>.  
 — — — *vallsiaca All.* Rchb. Fl. germ. 16, 1039.  
 — — — *variabilis Ten.* Mém. prés. Pet. 4, 6. 7.  
 — — — *Villarsii G. et Gr.* Rchb. Fl. germ. 16, 1031.  
 — — — *vulgaris L.* Rchb. Fl. germ. 16, 1038.  
 — — — — var. *coarctata*, Rchb. Fl. germ. 16,  
 1038.  
 — — — — Berg Darstellung 22<sup>c</sup>.  
*Arthrobium micranthum Benth.* Endl. Bras. 24, 11.  
*Arthropphyllum ovalifolium Jungb.* Miquel Flora 14.  
*Arthropodium laxum R. Br.* Hook. Fl. Tasm. 131.  
*Arthropteris tonella J. Sm.* Hook. New Zealand 82.  
*Arthrostachys gracilis Desv.* Desvaux Opuscules 6.  
*Artocarpus incisa L. fil.* Sounerat Voyage 57—60.

- † *Artocarpus incisa* L. *fil.* Spach Suites 130.  
 † — — Baillon Adansonia 4, 5.  
 — *integrifolia* L. Zanoni Hist. 90, 91.  
 † *Arum aphyllum* Hook. Gray Western Africa A.  
 — *byzantinum* Chis. Schott Ic. Aroid. 34—37.  
 — *concinatum* Schott. Schott Ic. Aroid. 39, 40.  
 † *divaricatum* L. Abh. Leipzig 7, 7.  
 † — *Dracunculus* L. (Embryo.) Linn. Transact. 22, 68.  
 — *fornicatum* Roth. Griffith Pl. asiat. 167.  
 † — *italicum* Mill. Acad. Neap. 6, (1851.) 1.  
 — — Regel Gartenfl. 1864, 426.  
 † — *maculatum* L. Ann. nat. hist. 1853, 3.  
 † — — Jardine Annals II, 12, 3.  
 † — — Abh. Leipz. 7, 7.  
 — *nigrum* Schott. Schott Ic. Aroid. 37, 38.  
 † — *orientale* M. v. B. Abh. Leipz. 7, 7.  
 † — *orixense* Roxb. Griffith Pl. asiat. 50.  
 — *palaestinum* Boiss. Bot. Mag. 91, 5509.  
 — *pentaphyllum* L. Zanoni Hist. 23.  
 — *spectabile* Schott. Schott Ic. Aroid. 31—33.  
 † — *ternatum* Thunb. Abh. Leipz. 7, 7.  
 † — *viviparum* Lodd. Griffith Pl. asiat. 164.  
*Arundina bambusifolia* Griff. Griffith Pl. asiat. 314.  
 † *Arundinacea* . . . Griffith Pl. asiat. 156.  
 † *Arundinella brasiliensis* Raddi. Raddi Agrost. bras. 1.  
*Arundo* Donax L. Cornuti Canad. p. 55.  
 † — — Berg Charakt. 70.  
 — — var. *versicolor*, Fl. d. serres 14, 1425—1426.  
*Asarca verrucosa* A. Rich. Gay Chile 66.  
*Asarum albivenium* Rgl. Regel Gartenflora 1864, 440.  
 — *canadense* L. Cornuti Canad. p. 25.  
 † — *europaeum* L. Payer Organogénie 109.  
 † — — Abh. Leipz. 6, 10.  
 † — — Berl. Monatsb. 1859, 1.  
 † *Asclepiadeae* R. Br. Schnitzi. Iconogr. 3, 133, 133\*.  
 † — — Payer Organogénie. 117.  
 † *Asclepias* L. R. Brown Schriften 5, 1—4.  
 † — (Pollen.) Mém. prés. Pet. 3, 12.  
 — *amoena* L. Dillenius Elth. 27.  
 — *arborescens* L. Burmann Pl. afr. 13, 14.  
 — *crispa* L. Commelyn Rar. 17.  
 — *curassavica* L. Dillenius Elth. 30.  
 † — — Agardh Syst. 6.  
 — *grandifolia* Bert. Mém. Bon. 3, 14—16.  
 — *incarnata* L. Cornuti Canad. p. 93.  
 — *lanifera* Del. Caillaud Voyage 64.  
 † — *linearis* Cav. Spach Suites 105.  
 — *macrophylla* Nutt. Expl. Missis. 5, 8.  
 — *macrotis* Torr. Torrey Mex. Boundary 45.  
 — *nivea* L. Plumier Ic. Burm. 30.  
 — — Dillenius Elth. 29.  
 — *numularia* Torr. Torrey Mex. Boundary 45.  
 — *purpurascens* L. Dillenius Elth. 28.  
 — *subulata* Decuisne. Expl. Missis. 5, 7.  
 — *syriaca* L. Cornuti Canad. p. 90.  
 † — — Gleichen Entdeckungen 35—37.  
 † — — Batsch Analyses 8.  
 † — — Payer Organogénie 117.  
 — *tomentosa* Torr. Torrey Mex. Boundary 44.  
 — *tuberosa* L. Dillenius Elth. 30.  
 — — Revue horticole. 1856, 20.  
 — *undulata* L. Commelyn Rar. 16.  
*Ascyrum hypericoides* L. Plumier Ic. Burm. 152.  
*Aspalathus Ebenus* L. Browne Jamaica 31.  
 † *Asparageae* Endl. Payer Organogénie. 136.  
*Asparagopsis scoparia* Kth. Schweinf. Pl. nilot. 13.  
 † *Asparagus* L. Bot. Zeitung 1856, 10.  
 — *acutifolius* L. Atti Gioen. II, 12, 4, 5.  
 — *aetnensis* Torn. Atti Gioen. II, 12, 1.

- † *Asparagus amarus* DC. Payer Organogénie 136.  
 — *brevifolius* Torn. Atti Gioen. II, 12, 2.  
 — *falcatus* L. Burmann Thes. zeyl. 13.  
 — *inarimensis* Torn. Atti Gioen. II, 12, 4.  
 † — *officinalis* L. Spach Suites 108.  
 † — — Berg Charakt. 111.  
 — — Atti Gioen. II, 12, 6, 7.  
 — *phylacanthus* Link. Atti Gioen. II, 12, 3.  
 — *tenuifolius* Link. Atti Gioen. II, 12, 4.  
*Aspasia lunata* Ddl. Rchb. Xenia 1, 34.  
 † *Asperifoliae* L. Schnitzl. Ic. 143.  
*Asperugo procumbens* L. Rchb. Fl. germ. 18, 1327.  
*Asperula Aparine* Schott. Rchb. Fl. germ. 17, 1179.  
 — *arvensis* L. Rchb. Fl. germ. 17, 1177.  
 — *canescens* Vis. Rchb. Fl. germ. 17, 1183.  
 — *capitata* W. K. Rchb. Fl. germ. 17, 1182.  
 — *ciliata* Rochel. Rchb. Fl. germ. 17, 1180.  
 — *commutata* R. S. Rchb. Fl. germ. 17, 1181.  
 — *cynanchica* L. Rchb. Fl. germ. 17, 1181.  
 — *galioides* MB. Rchb. Fl. germ. 17, 1179.  
 — *hexaphylla* All. Rchb. Fl. germ. 17, 1179.  
 — *laevigata* L. Rchb. Fl. germ. 17, 1178.  
 — *longiflora* W. K. Rchb. Fl. germ. 17, 1181.  
 — *odorata* L. Rchb. Fl. germ. 17, 1178.  
 — — Berg Charakt. 348.  
 — *pusilla* Hook. *fil.* Hook. Fl. Tasm. 40.  
 — *scoparia* Hook. *fil.* Hook. Fl. Tasm. 40.  
 — *scutellaris* Vis. Rchb. Fl. germ. 17, 1177.  
 — *Staliana* Vis. Rchb. Fl. germ. 17, 1182.  
 — *taurina* L. Rchb. Fl. germ. 17, 1178.  
 — *tinctoria* L. Rchb. Fl. germ. 17, 1180.  
 — *Tournefortii* Sieb. Sieber Creta 6.  
*Asphodeline Morisiana* Clem. Mem. Tur. 1857, 3.  
 † *Asphodelus albus* L. Hofmeister Embryo 10.  
 † — *creticus* Lam. Payer Organogénie 136.  
 † — *luteus* L. Hofmeister Embryo 6.  
 — *tenuifolius* Cav. Annales de hist. nat. 3, 27.  
*Aspidistra punctata* Ddl. Bot. Mag. 89, 5386.  
*Aspidium abbreviatum* Schrad. Hook. Sp. Fil. 4, 234.  
 † — — Abh. Senck. 2.  
 † — *abortivum* Bl. Mettenius Fil. 19.  
 — *acrostichoides* Sw. Lowe Ferns 6, 19.  
 — *aculeatum* Sw. Tenore Felce 3.  
 † — — Acta Leop. 28, 4.  
 — — Lowe Ferns 6, 16.  
 — — et *Braunii* M. Acta Leop. 26, 40, 41.  
 — — et *lobatum* M. Acta Leop. 26, 40, 41.  
 — — Hooker British Ferns 10—12.  
 — *acuminatum* Willd. Lowe Ferns 6, 11.  
 — *aemulum* Sw. Lowe Ferns 7, 7.  
 — *alatum* Wall. Abh. Senck. 2, 18.  
 † — *albopunctatum* Willd. Abh. Leipz. 9, 7.  
 — *amabile* Bl. Hook. Sp. Fil. 4, 225.  
 — *angulare* Kit. Lowe Ferns 6, 23, 24.  
 — — Lowe New Ferns 45, 56.  
 — *articulatum* Lowe. Lowe Ferns 6, 49.  
 — *ascendens* Hew. Hook. Sp. Fil. 4, 224.  
 † — *atratum* Wall. Abh. Senck. 2, 17.  
 — *augescens* Link. Lowe Ferns 6, 10.  
 — *auriculatum* Sw. Hook. Sp. Fil. 4, 218.  
 — *Berteroanum* Colla. Hook. Sp. Fil. 4, 229.  
 † — *Blumei* Kze. Mettenius Fil. 22.  
 — *Boutonianum* Hook. Hook. Ic. pl. 10, 931.  
 — *Braunii* Sp. Acta Leop. 26, 40, 41.  
 — *Braunianum* Karst. Karsten Fl. Col. 31.  
 † — *Brentelianum* Mett. Mettenius Fil. 18.  
 — *caespitosum* Wall. Hook. Sp. Fil. 4, 213.  
 — *calcareum* Pr. Abh. Senck. 2, 18.  
 † — *callosum* Bl. Abh. Senck. 2, 17.  
 — *canariense* Willd. Lowe Ferns 6, 42.  
 — *capense* Sw. Lowe Ferns 6, 40.  
 † — *caripense* Mett. Mettenius Fil. 18.

- Aspidium caryotideum* Wall. Hooker Garden Ferns 13.  
 — — — Lowe New Ferns 43.  
 — *cicutarium* Sw. Lowe Ferns 6, 43.  
 † — *coadunatum* Wall. Mettenius Fil. 22.  
 — — — Lowe Ferns 6, 50.  
 — *coniifolium* Wall. Lowe Ferns 6, 39.  
 — *coriaceum* Lowe. Lowe Ferns 6, 36.  
 † — — Sw. Abh. Leipz. 9, 8.  
 — *cristatum* Sw. Lowe Ferns 6, 20.  
 † — — — Verhandl. Rheinl. 9, 4.  
 † — — — Acta Leop. 28, 2, 3.  
 — — — *spinulosum* Milde. Acta Leop. 26, 42, 43.  
 † — *cuspidatum* Mett. Abh. Senck. 2, 17.  
 — *cystostegia* Hook. Hook. Sp. Fil. 4, 227.  
 — *decompositum* Kze. Lowe Ferns 6, 33.  
 — *decurrens* Lowe. Lowe Ferns 6, 5.  
 † — *decursive pinnatum* Kze. Mettenius Fil. 18.  
 — *deltoides* Sw. Lowe New Ferns 41.  
 † — *denticulatum* Sw. Abh. Senck. 2, 17.  
 — — — Lowe New Ferns 59.  
 — *deparioides* Hook. Hook. Exot. Ferns 3.  
 † — *dilaceratum* Kze. Mettenius Fil. 22.  
 — *dilatatum* Hoffm. Acta Leop. 26, 41.  
 — — — Sm. Lowe Ferns 6, 27.  
 — — — Lowe New Ferns 53.  
 — — — Willd. Tenore Felce 2.  
 † — *dissidens* Mett. Abh. Senck. 2, 17.  
 — *Drepanopterum* Mett. Mettenius Fil. 19.  
 — *elongatum* Sw. Lowe Ferns 6, 26.  
 † — *excultum* Mett. Abh. Senck. 2, 17.  
 † — *Fadyenii* Mett. Mettenius Fil. 23.  
 — *falcatum* Sw. Hook. Fil. exot. 92.  
 — — — Lowe Ferns 6, 9.  
 — *falcinellum* Sw. Hook. Fil. exot. 53.  
 — — — Lowe Ferns 6, 7.  
 — *Filix femina* Sw. Tenore Felce 1, 5.  
 — *Filix mas* Sw. Tenore Felce 1, 5.  
 — — — Acta Leop. 26, 43, 28, 4.  
 † — — — Mettenius Fil. 18.  
 † — — — Leipz. Abh. 5, 6, 7.  
 — — — Lowe Ferns 6, 13, 14.  
 — — — Lowe New Ferns 28, 48, 54, 55.  
 — *foeniculaceum* Hook. Hook. Sp. Fil. 4, 237.  
 — *frondosum* Lowe. Lowe Ferns 6, 43.  
 — *glabellum* Lowe. Lowe Ferns 6, 32.  
 — *glandulosum* Bl. Lowe Ferns 7, 9.  
 — *Goldianum* Fée. Lowe Ferns 6, 28.  
 — *hastulatum* Ten. Tenore Felce 4, 5.  
 — *heterophyllum* Hook. Hook. Ic. pl. 10, 920.  
 — *hirtum* Sw. Lowe Ferns 7, 11.  
 — *hispidum* Sw. Lowe Ferns 7, 8.  
 — *Hookeri* Wall. Hook. Ic. pl. 10, 922.  
 — — — Lowe Ferns 6, 48.  
 — *impressum* Bl. Mettenius Fil. 18.  
 † — *juglandifolium* Kze. Mettenius Fil. 22.  
 — *Kaulfussii* Link. Lowe Ferns 7, 5.  
 — *Klotzschii* Hook. Hook. Ic. pl. 10, 923.  
 — *lachenense* Hook. Hook. Sp. Fil. 4, 212.  
 — *laetum* Sw. Svensk Acad. 1817, 4.  
 — *laserpitiifolium* Mett. Miquel Annales 6.  
 — *lepidocaulon* Hook. Hook. Sp. Fil. 4, 217.  
 — *leucostictum* Kze. Mettenius Fil. 18.  
 † — *Leuzcanum* Kze. Mettenius Fil. 22.  
 — *lobatum* Sw. Acta Leop. 26, 40, 41, 43.  
 — — — Tenore Felce 3.  
 — *Lobbii* Hook. Hook. Sp. Fil. 4, 232.  
 † — *lomatopelta* K. Abh. Senck. 2, 17.  
 — *Lonchitis* Sw. Lowe Ferns 6, 22.  
 — — — Hooker British Ferns 9.  
 † — *macrophyllum* Sw. Mettenius Fil. 22.  
 — — — Lowe Ferns 6, 46.  
 — *marginale* Sw. Lowe Ferns 6, 6.

- Aspidium melanochlams* Fée. Hook. Sp. Fil. 4, 233.  
 — *melanostictum* Kze. Hook. Sp. Fil. 4, 233.  
 † — — — Abh. Senck. 2, 17.  
 † — *membranifolium* Kze. Abh. Senck. 2, 17.  
 — *molle* Sw. var. *corymbiferum* Sim. Lowe Ferns 7, 13.  
 — — — Lowe Ferns 6, 30.  
 — *mucronatum* Sw. Hook. Sp. Fil. 4, 216.  
 — — — Lowe Ferns 6, 31.  
 † — *multifidum* Mett. Mettenius Fil. Lechl. 3.  
 — *munitum* Klfs. Hook. Sp. Fil. 4, 219.  
 — *nephrodioides* Hook. Hook. Sp. Fil. 4, 235.  
 — *obtusum* Mett. Hook. Sp. Fil. 4, 221.  
 — *oculatum* Hook. Sp. Fil. 4, 228.  
 † — *oligocarpum* Kth. Mettenius Fil. 18.  
 — *Oreopteris* Sw. Lowe Ferns 6, 17.  
 — *pachyphyllum* Kze. Mettenius Fil. 21.  
 — *patens* Lowe. Lowe Ferns 7, 3, 4.  
 † — *pedatum* Desv. Abh. Senck. 2, 18.  
 † — — — Mettenius Fil. 18.  
 — *Plaschnickianum* Kze. Hook. Sp. Fil. 4, 211.  
 — *platyphyllum* Willd. Mettenius Fil. 22.  
 — *podophyllum* Hook. Hook. Journ. 1853, 1.  
 — — — Lowe Ferns 6, 34, 35.  
 — *Prescottianum* Wall. Hook. Sp. Fil. 4, 223.  
 — *proliferum* R. Br. Lowe Ferns 6, 12.  
 — *pteroides* Sw. Lowe Ferns 6, 44.  
 — *pubescens* Sw. Lowe Ferns 6, 25.  
 — *pumilum* Lowe. Lowe Ferns 6, 15.  
 — *pungens* Kaulf. Lowe Ferns 6, 8.  
 — *recedens* Lowe. Lowe Ferns 7, 1.  
 — *remotum* A. Br. Lowe New Ferns 22.  
 — *repandum* Willd. Lowe Ferns 7, 2.  
 † — *reptans* Mett. Abh. Senck. 2, 18.  
 — *rhaeticum* Sw. Tenore Felce 4.  
 — *Richardi* Hook. Hook. Sp. Fil. 4, 222.  
 — *rigidum* Sw. Tenore Felce 2.  
 — — — Lowe Ferns 6, 21.  
 — *Seemanni* Hook. Hook. Sp. Fil. 4, 230.  
 — *Seismannianum* Hook. Hook. Sp. Fil. 4, 236.  
 — *semibipinnatum* Hook. Hook. Sp. Fil. 4, 231.  
 — *Sieboldii van Houtte*. Mettenius Fil. 20.  
 — *simplicifolium* J. Sm. Hook. Ic. pl. 10, 919.  
 — *Skinneri* Hook. Hook. Ic. pl. 10, 924.  
 † — *spectabile* Bl. Abh. Senck. 2, 17.  
 — *spinescens* Lowe. Lowe Ferns 7, 6.  
 — *spinulosum* Sw. Acta Leop. 26, 41, 28, 4.  
 — — — *cristatum* Milde. Acta Leop. 26, 42.  
 — — — Sw. Lowe Ferns 6, 41.  
 — *stimulans* Kze. Hook. Sp. Fil. 4, 214.  
 — *strigosum* Willd. Lowe Ferns 7, 10.  
 — *Thelypteris* Sw. Lowe Ferns 6, 18.  
 † — — — Acta Leop. 28, 5.  
 — *thelypteroides* Sw. Lowe Ferns 6, 31.  
 — *Thomsoni* Hook. Hooker Second Century 25.  
 — *toussimense* Hook. Hook. Sp. Fil. 4, 220.  
 — *triangulum* Sw. Hook. Fil. exot. 33.  
 — *tridens* Hook. Hook. Sp. Fil. 4, 215.  
 † — *trifoliatum* Sw. Mettenius Fil. 22.  
 — — — Lowe Ferns 6, 29.  
 — *tripteron* Kze. Hooker Second Century 57.  
 — *truncatum* Gaudich. Lowe Ferns 7, 12.  
 — *unitum* Schk. Lowe Ferns 6, 47.  
 — *varium* Sw. Hook. Sp. Fil. 4, 226.  
 † — *vastum* Bl. Mettenius Fil. 22.  
 — *vestitum* Sw. Lowe Ferns 6, 38.  
 — *villosum* Sw. Lowe Ferns 6, 37.  
 † — *violaceum* Lk. Schacht Lehrbuch 2, 7.  
 — *Vogelii* Hook. Hook. Ic. pl. 10, 921.  
 — — — *vulgare* var. *cristatum*, Lowe New Ferns 27.  
 — *Aspidoglossum fasciculare* E. M. Harvey Thes. cap. 90.  
 — *Aspidosperma nobile* Müll. Endl. Bras. 26, 13.

- Aspidosperma parvifolium* A. DC. Endl. Bras. 26, 17.  
 — *Pohlianum* Müll. Endl. Bras. 26, 14.  
 † — *pyrifolium* Mart. Endl. Bras. 26, 13.  
 — *subincanum* Mart. Endl. Bras. 26, 16.  
 — *tomentosum* Mart. Endl. Bras. 26, 15.  
 † *Asplenium* L. Griffith Pl. asiat. 132, 133.  
 † — Zool. bot. Verein 1856, 3.  
 † — *abyssinicum* Fée. Abh. Senck. 3, 5.  
 — *acuminatum* H. et A. Hook. Sp. Fil. 3, 206.  
 — *adiantoides* Raoul. Hook. Ic. pl. 10, 983, 984.  
 — — var. *Richardi*, Hook. Ic. pl. 10, 977.  
 † — — Abh. Senck. 3, 5.  
 — *Adiantum nigrum* L. Acta Leop. 26, 45.  
 — — — Johnson Ferns 28.  
 — — — Lowe Ferns 5, 25.  
 — — — Verh. zool. bot. V. 6, 3, 4.  
 — — — var. *Serpentini*, Zool. bot. Verein 1856, 1, 2.  
 — — — — Hooker British Ferns 33.  
 — *affine* Sw. Hook. Sp. Fil. 3, 202.  
 — *alatum* Hook. Lowe New Ferns 12.  
 † — *alpestre* Mett. Abh. Senck. 3, 6.  
 — *alternans* Wall. Hooker Garden Ferns 38.  
 — *alternifolium* Wulf. Johnson Ferns 33.  
 — — Mettenius Fil. 12.  
 — *amboinense* Brack. Wilkes Expl. Exp. 19.  
 † — *amoenum* Pr. Abh. Senck. 3, 5.  
 † — *angustatum* Pr. Abh. Senck. 3, 5.  
 — *angustifolium* Michx. Lowe Ferns 5, 24.  
 — *angustum* Sw. Svensk Acad. 1817, 4.  
 — *anisophyllum* Kze. Hook. Sp. Fil. 3, 166.  
 † — — Abh. Senck. 3, 4.  
 — *appendiculatum* Presl. Lowe Ferns 5, 18.  
 † — *arborescens* Mett. Mettenius Fil. 13.  
 — *arcuatum* Liebm. Hook. Sp. Fil. 3, 189.  
 — *argutans* Fée. Fée Fil. novae 24.  
 — *attenuatum* R. Br. Hook. Ic. pl. 10, 914.  
 — — Lowe Ferns 5, 35.  
 — — *Karst.* Karsten Fl. Col. 1, 52.  
 — *auriculatum* Sw. Hook. Sp. Fil. 3, 171.  
 — *auritum* Sw. Lowe Ferns 5, 32.  
 — — var. *obtusum* Kze. Mettenius Fil. 8.  
 — *australasicum* J. Sm. Hook. Fil. exot. 88.  
 — *axillare* J. Sm. Lowe Ferns 5, 39.  
 — *Belangeri* Kze. Hook. Fil. exot. 41.  
 † — — Lowe Ferns 5, 5.  
 † — — Mettenius Fil. 13.  
 † — *bipartitum* Bory. Abh. Senck. 3, 5.  
 — — Hook. Sp. Fil. 3, 208.  
 — *bissectum* Sw. Hook. Sp. Fil. 3, 192.  
 † — — Abh. Senck. 3, 4.  
 — *bogotense* Karst. Karsten Fl. Col. 2, 139.  
 — *borneense* Hook. Hook. Sp. Fil. 3, 186.  
 — *brachypterum* Kze. Hook. Fil. exot. 44.  
 — — Lowe Ferns 5, 15.  
 — *brasiliense* Sw. Svensk Acad. 1817, 3.  
 — — Lowe Ferns 5, 14.  
 — *Brownii* Hook. Hook. Ic. pl. 10, 978.  
 — — Lowe Ferns 5, 40.  
 † — *bulbiferum* Forst. Mettenius Fil. 13.  
 — — Lowe Ferns 5, 11.  
 † — *caracasana* Willd. Abh. Senck. 3, 5.  
 — *caucense* Karst. Karsten Fl. Col. 1, 77.  
 — *caudatum* Forst. Lowe Ferns 5, 44.  
 † — *celtidifolium* Mett. Mettenius Fil. 12.  
 — *Ceterach* L. Hooker British Ferns 36.  
 † — *cheilosorum* Kze. Abh. Senck. 3, 5.  
 — *chlaenopterum* Fée. Fée Fil. novae 16.  
 — *cicutarium* Sw. Lowe Ferns 5, 20.  
 † — — Mettenius Fil. 13.  
 — *cladolepton* Fée. Fée Fil. novae 22.  
 — *compressum* Sw. Lowe Ferns 5, 16.

- Asplenium compressum* Sw. Hook. Fil. exot. 76.  
 — *concolor* Hook. Hook. Sp. Fil. 3, 164.  
 — *contiguum* Kaulf. Hook. Sp. Fil. 3, 194.  
 — — — Lowe New Ferns 4.  
 † — *cordifolium* Mett. Mettenius Fil. 12.  
 — *coriaceum* Fée. Fée Fil. novae 15.  
 — *crassidens* Fée. Hooker Second Century 18.  
 — *cristatum* Brack. Wilkes Expl. Exp. 21.  
 — *cubense* Hook. Hook. Sp. Fil. 3, 207.  
 † — *Cumingii* Mett. Mettenius Fil. 12.  
 † — *cuneatum* Sw. Abh. Senck. 3, 5.  
 — *cyrtopterum* Kze. Mettenius Fil. 10.  
 — *davallioides* Hook. Hooker Second Century 40.  
 † — *decipiens* Mett. Abh. Senck. 3, 6.  
 — *decurtatum* Link. Lowe Ferns 5, 45.  
 † — — Mettenius Fil. 13.  
 — *delicatulum* Presl. Hook. Ic. pl. 10, 918.  
 — *densum* Brack. Wilkes Expl. Exp. 20.  
 — *dentex* Kze. Lowe Ferns 5, 43.  
 — *depauperatum* Fée. Fée Fil. novae 15.  
 † — *Desvauxii* Mett. Abh. Senck. 3, 5.  
 — *dichotomum* Hook. Hooker Second Century 39.  
 † — *difforme* R. Br. Abh. Senck. 3, 4.  
 — *dimidiatum* Sw. Lowe Ferns 5, 13.  
 † — — Mettenius Fil. 13.  
 — *dimorphum* Kze. Hooker Second Century 36.  
 — *dispersum* Kze. Mettenius Fil. 9.  
 — *dissectum* Brack. Wilkes Expl. Exp. 24.  
 † — *divaricatum* Kze. Abh. Senck. 3, 5.  
 — *diversifolium* Cunn. Lowe Ferns 5, 16.  
 † — — Abh. Senck. 3, 5.  
 — *dolosum* Milde. Verh. zool. bot. V. 14, 4.  
 — *ebeneum* Ait. Lowe Ferns 5, 2.  
 † — *elegans* Mett. Mettenius Fil. 11.  
 — *elegantulum* Hook. Hooker Second Century 28.  
 — *emarginatum* Beauv. Hooker Second Century 80.  
 — *eratum* Brack. Wilkes Expl. Exp. 20.  
 — *erectum* Bory. Hook. Sp. Fil. 3, 178.  
 — — var. *proliferum*, Hook. Fil. exot. 72.  
 — *erosum* L. Hook. Sp. Fil. 3, 198.  
 — *extensum* Fée. Fée Fil. novae 13.  
 — *Fadyeni* Hook. Hooker Second Century 27.  
 — *falcatum* Brack. var. *attenuatum*, Wilkes Expl. Exp. 22.  
 † — *fallax* Mett. Abh. Senck. 3, 6.  
 — *Féei* Kze. Fée Fil. novae 15.  
 — *feejeense* Brack. Wilkes Expl. Exp. 19.  
 — *ferulaceum* Moore. Hooker Second Century 38.  
 — *Filix femina* Bernh. Hooker British Ferns 35.  
 — — — Lowe Ferns 5, 29, 30.  
 † — — — Mettenius Fil. 13.  
 † — — — Abh. Leipz. 5, 8.  
 — — — var. *Lowe New Ferns* 14, 15, 40.  
 — *Finlaysonianum* Wall. Hook. Ic. pl. 10, 937.  
 — *firmum* Kze. Hook. Sp. Fil. 3, 174.  
 — *flabellifolium* Cav. Lowe Ferns 5, 1.  
 — *flaccidum* Forst. Lowe Ferns 5, 19.  
 — *foliolosum* Wall. Lowe New Ferns 44.  
 — *fontanum* Bernh. Hooker British Ferns 34.  
 — — — Johnson Ferns 26.  
 — — — Lowe Ferns 5, 21.  
 — *formosum* Willd. Hook. Fil. exot. 16.  
 — — — Lowe Ferns 5, 43.  
 — *fragile* Presl. Hook. Ic. pl. 10, 932.  
 † — *Franconis* Mett. Abh. Senck. 3, 5.  
 — *fraxinifolium* Wall. Hooker Second Century 19.  
 — *Galeottii* Fée. Fée Fil. novae 16.  
 — *Gautieri* Hook. Hook. Sp. Fil. 3, 184.  
 — *germanicum* Weiss. Lowe Ferns 5, 3.  
 — — — Hooker British Ferns 27.  
 — *Gibertianum* Hook. Hooker Second Century 22.  
 — *glaberrimum* Mett. Mettenius Fil. 11.



- † *Asplenium Goeringianum* Mett. Abh. Senck. 3, 6.  
 — *gracile* Fée. Fée Fil. novae 27.  
 — *grammitoides* Hook. Hook. Ic. pl. 10, 913.  
 † — *grandifolium* Sw. Abh. Senck. 3, 5.  
 — *Griffithianum* Hook. Hook. Ic. pl. 10, 928.  
 † — *gymnogrammoides* Kl. Abh. Senck. 3, 6.  
 — *Hallii* Hook. Hooker Second Century 30.  
 — *hastatum* Kl. Hook. Sp. Fil. 3, 172.  
 — — — — — Lowe New Ferns 12.  
 — *Kemionitis* L. Bot. Mag. 82, 4911.  
 — *Hendersoni* Hook. Lowe Ferns 5, 12.  
 — *herbaceum* Fée. Fée Fil. novae 22.  
 — *heterocarpum* Wall. Hook. Sp. Fil. 3, 175.  
 — *heterodon* Bl. Lowe New Ferns 3.  
 — — — — — Mettenius Fil. 8.  
 — *hirtum* Kaulf. Hook. Sp. Fil. 3, 191.  
 — *horridum* Pr. Hook. Sp. Fil. 3, 193.  
 † — *hymenodes* Mett. Abh. Senck. 3, 5.  
 — *Jamesoni* Hook. Hook. Sp. Fil. 3, 205.  
 — *induratum* Hook. Hooker Second Century 68.  
 — *insiticum* Brack. Wilkes Expl. Exp. 22.  
 † — *integrifolium*, var. *pinnata* Kze. Mettenius Fil. 12.  
 — *Kraussii* Moore. Hook. Sp. Fil. 3, 180.  
 † — *Labillardieri* Kze. Abh. Senck. 3, 4.  
 † — *lacerum* Schlecht. Abh. Senck. 3, 5.  
 — *laciniatum* Don. Hook. Sp. Fil. 3, 200.  
 — *laetum* Sw. Hook. Sp. Fil. 3, 173.  
 — — — — — Lowe Ferns 5, 21.  
 — *lanceolatum* Huds. Hooker British Ferns 32.  
 — — — — — Johnson Ferns 27.  
 — — — — — Lowe Ferns 5, 26.  
 — — — — — var. *microdon*, Lowe New Ferns 11.  
 — *laserpitiifolium* Lam. Hook. Sp. Fil. 3, 203.  
 — — — — — Lowe New Ferns 13.  
 — *leptophyllum* Cav. Anales de hist. nat. 5, 41.  
 — — — — — Fée Fil. novae 14.  
 — *Lindeni* Hook. Hook. Sp. Fil. 3, 209.  
 — *Lobbianum* Hook. Hooker Second Century 17.  
 — *longicauda* Hook. Hooker Second Century 69.  
 — *longipes* Fée. Fée Fil. novae 16.  
 — *longissimum* Bl. Hook. Sp. Fil. 3, 190.  
 — *loriforme* Hook. Hook. Ic. pl. 10, 926.  
 — *lucidum* Forst. var. *Lyallii*, Hook. New Zealand 77.  
 † — — — — — Mettenius Fil. 13.  
 — — — — — Lowe Ferns 5, 4.  
 — *lugubre* Hook. Hooker Second Century 3.  
 — *macrophyllum* Sw. Hook. Sp. Fil. 3, 196. 197.  
 — — — — — Lowe Ferns 5, 42.  
 — *macrosorum* Kze. Hook. Sp. Fil. 3, 176.  
 † — *magellanicum* Kaulf. Abh. Senck. 3, 6.  
 — *magnum* Karst. Karsten Fl. Col. 34.  
 — *Manii* Hook. Hooker Second Century 60.  
 — *marginatum* L. Hook. Fil. exot. 73.  
 — *marinum* L. Johnson Ferns 29.  
 — — — — — Lowe Ferns 5, 23.  
 — — — — — Lowe New Ferns 11. 48.  
 — — — — — Hooker British Ferns 31.  
 — *medium* Carm. Hooker Second Century 43.  
 † — *Mertensianum* Kze. Abh. Senck. 3, 5.  
 — *Michauxii* Spr. Lowe Ferns 5, 37.  
 — *monanthemum* L. Wilkes Expl. Exp. 20.  
 — — — — — Lowe Ferns 5, 41.  
 † — — — — — Mettenius Fil. 9.  
 † — *montanum* Willd. Abh. Senck. 3, 5.  
 — *montevidense* Hook. Hooker Second Century 41.  
 † — *Moritzi* Mett. Mettenius Fil. 11.  
 — *mucronatum* Presl. Hook. Ic. pl. 10, 917.  
 — *multifidum* Brack. Wilkes Expl. Exp. 23.  
 — *multijugum* Wall. Hook. Sp. Fil. 3, 188.  
 — *multinervium* Hook. Hook. Sp. Fil. 3, 183.

- Asplenium neogranatense* Fée. Fée Fil. novae 14.  
 — *Nidus* L. Lowe Ferns 5, 15.  
 — — — — — Lowe New Ferns 36.  
 — *nigripes* Hook. Hook. Journ. 1857, 9.  
 — *nigritianum* Hook. Hooker Second Century 44.  
 — *nitens* Sw. Hook. Sp. Fil. 3, 195.  
 — *nitidum* Sw. Lowe New Ferns 18.  
 † — — — — — Abh. Senck. 3, 5.  
 † — *nodulosum* Kaulf. Abh. Senck. 3, 4.  
 — *Novae Caledoniae* Hook. Hook. Ic. pl. 10, 911.  
 — *obtusatum* Forst. Hook. Fil. exot. 46.  
 — — — — — Lowe Ferns 5, 5.  
 † — *obtusifolium* L. Abh. Leipz. 9, 7.  
 — *obtusilobum* Hook. Hook. Ic. pl. 10, 1000.  
 — *ocaniense* Karst. Karsten Fl. Col. 1, 86.  
 — *Otitis* Link. Mettenius Fil. 9.  
 — *paleaceum* R. Br. Hook. Sp. Fil. 3, 199.  
 † — *pallidum* Bl. Abh. Senck. 3, 5.  
 — *palmatum* Lam. Lowe Ferns 5, 6.  
 — *pavonicum* Brack. Wilkes Expl. Exp. 20.  
 — *Petrarchae* DC. Lowe Ferns 5, 38.  
 — *pimpinellifolium* Schaffn. Fée Fil. novae 25.  
 — *pinnatifidum* Nutt. Hook. Ic. pl. 10, 927.  
 — — — — — Mettenius Fil. 10.  
 — — — — — Lowe New Ferns 4.  
 — *planicaule* Wall. Hook. Sp. Fil. 3, 200.  
 — — — — — Lowe Ferns 5, 10.  
 — *platychlamys* Fée. Fée Fil. novae 14.  
 — *polyodon* Forst. Lowe Ferns 5, 33.  
 † — *polyphyllum* Pr. Abh. Senck. 3, 5.  
 — *polystichoides* Eat. Hooker Second Century 2.  
 † — *porrectum* Wall. Abh. Senck. 3, 5.  
 — *praemorsum* Sw. Lowe Ferns 5, 7.  
 — — — — — var. *canariense*, Lowe New Ferns 19.  
 † — *Prionitis* Kze. Abh. Senck. 3, 4.  
 — *productum* Lowe. Acta Leop. 26, 46.  
 — *projectum* Kze. Hook. Sp. Fil. 3, 181.  
 † — *proliferum* Mett. Mettenius Fil. 11.  
 — *prolongatum* Hook. Hooker Second Century 42.  
 † — *pseudonitidum* Raddi. Abh. Senck. 3, 5.  
 — *pteropus* Kaulf. Hook. Sp. Fil. 3, 177.  
 † — *pubescens* Mett. Mettenius Fil. 11.  
 — *pulchellum* Raddi. Lowe Ferns 5, 31.  
 † — *pulchrum* Thouars. Abh. Senck. 3, 5.  
 — *pumilum* Sw. Lowe Ferns 5, 31.  
 — — — — — var. *hymenophylloides* Fée. Fée Fil. novae 15.  
 — *purdiaeoides* Karst. Karsten Fl. Col. 1, 32.  
 — *Purdieanum* Hook. Hook. Ic. pl. 10, 938.  
 — *pygmaeum* Hook. Hook. Sp. Fil. 3, 180.  
 — *quitense* Hook. Hooker Second Century 20.  
 — *rachirrhizon* Raddi. Lowe Ferns 5, 34.  
 — *radicans* Sw. Lowe Ferns 5, 12.  
 — *reclinatum* Houlst. Lowe Ferns 5, 13.  
 — *refractum* Moore. Lowe Ferns 5, 35.  
 — *repens* Hook. Hooker Second Century 32.  
 † — *resectum* Sm. Abh. Leipz. 9, 7.  
 — *rhizophorum* Sw. Hook. Sp. Fil. 3, 187.  
 — *rhizophyllum* L. Lowe Ferns 5, 14.  
 — *rhomboideum* Brack. Wilkes Expl. Exp. 21.  
 — *riparium* Liebm. Hook. Sp. Fil. 3, 16.  
 † — *rutaceum* Mett. Abh. Senck. 3, 5.  
 — — — — — Hooker Second Century 34.  
 — *Ruta muraria* L. Hooker British Ferns 28.  
 — — — — — Johnson Ferns 32.  
 — — — — — Lowe Ferns 5, 27.  
 † — *salicifolium* L. Abh. Senck. 3, 4.  
 — *salignum* Bl. Hook. Sp. Fil. 3, 165.  
 — — — — — Mettenius Fil. 7.  
 — *Sandersoni* Hook. Hook. Sp. Fil. 3, 179.  
 † — *sanguinolentum* Kze. Abh. Senck. 3, 4.  
 — *scandens* J. Sm. Hooker Second Century 37.

- † *Asplenium Schukhrianum* Pr. Abh. Senck. 3, 4.  
 — *scandicium Kaulf.* Hook. Sp. Fil. 3, 204.  
 — *scopolendrioides J. Sm.* Hook. Ic. pl. 10, 930.  
 — *Seelosii Leib.* Flora 1855, 15.  
 — — Hooker Second Century 82.  
 † — *semihastatum Kze.* Abh. Senck. 3, 4.  
 — *septentrionale Hoffm.* Hooker British Ferns 26.  
 — — Sw. Lowe Ferns 5, 3.  
 — — Johnson Ferns 34.  
 † — — Mettenius Fil. 13.  
 — *Serpentini Tausch.* Acta Leop. 26, 43. 44.  
 — — Seemann Journal 2, 17.  
 — *Serra Langsd.* Lowe Ferns 5, 8.  
 † — *serraeforme Mett.* Abh. Senck. 3, 4.  
 — *serratum L.* Hook. Fil. exot. 70.  
 — *silesiacum Milde.* Acta Leop. 26, 45.  
 — *Simonsianum Hook.* Hook. Ic. pl. 10, 925.  
 — *sinuatum Beauv.* Hook. Fil. exot. 61.  
 — *solidum Kze.* Hook. Sp. Fil. 3, 201.  
 † — *sorzogonense Presl.* Abh. Senck. 3, 6.  
 † — *speciosum Mett.* Abh. Senck. 3, 5.  
 — *squamosum L.* Hook. Sp. Fil. 3, 210.  
 — *strictum Brack.* Wilkes Expl. Exp. 23.  
 — *strigillosum Lowe.* Lowe Ferns 5, 36.  
 — *subavenium Hook.* Hook. Sp. Fil. 3, 181.  
 — *subhastatum Hook.* Hook. Ic. pl. 10, 929.  
 — *subnudum Karst.* Karsten Fl. Col. 2, 148.  
 — *subserratum Hook.* Hook. Sp. Fil. 3, 164.  
 — *sumatranum Hook.* Hook. Sp. Fil. 3, 169.  
 † — *Swartzii Mett.* Mettenius Fil. 11.  
 — *tenuifolium Don.* Hooker Second Century 29.  
 — *ternatum Liebm.* Hooker Second Century 51.  
 — — Fée Fil. novae 16.  
 — *Thwaitesii A. Br.* Hooker Second Century 45.  
 — *Trichomanes L.* Hooker British Ferns 29.  
 — — Johnson Ferns 30.  
 — — Lowe Ferns 5, 22.  
 — *trilobum Cav.* Hooker Second Century 11.  
 † — *trigonopteron Kze.* Abh. Senck. 3, 5.  
 — *umbrosum J. Sm.* Lowe Ferns 5, 41.  
 — *variabile Hook.* Hook. Sp. Fil. 3, 185.  
 — *vestitum Hook.* Hooker Second Century 46.  
 — *viride Huds.* Hooker British Ferns 30.  
 — — Johnson Ferns 31.  
 — — Lowe Ferns 5, 28.  
 — *viviparum Presl.* Hook. Fil. exot. 64.  
 — — Lowe Ferns 5, 9.  
 — *vomeriforme Hook.* Hook. Sp. Fil. 3, 162.  
 † — *vulcanicum Bl.* Abh. Senck. 3, 4.  
 — *Walkeræ Hook.* Hook. Sp. Fil. 3, 163.  
 — *Wardii Hook.* Hooker Second Century 33.  
 — *Wightianum Wall.* Hook. Sp. Fil. 3, 167.  
 — *Wrightii Eat.* Hook. Sp. Fil. 3, 182.  
 — *zamiaefolium Willd.* Lowe Ferns 5, 33.  
 — *zamioides Hook.* Hook. Sp. Fil. 1, 70. 3, 11.  
 — *zeylanicum Hook.* Hooker Second Century 16.  
 † *Astelia Banksii R. Br.* Hortus Vanhoutteanus 5.  
 — *Cunninghamii Hook.* Bot. Mag. 86, 5175.  
 — *Solandri Hook. fil.* Bot. Mag. 91, 5303.  
*Astephanus marginatus Deene.* Harvey Thes. cap. 91.  
*Aster acaulis Wedd.* Castelnau Exped. 33.  
 — *acris Gm.* Gmelin Reise 1, 38.  
 — *alpinus L.* Rchb. Fl. germ. 16, 905.  
 — *Amellus L.* Rchb. Fl. germ. 16, 906.  
 — — Berg Charakt. 403.  
 — *annuus L.* Cornuti Canad. p. 194.  
 — *Bigelowii Torr.* Expl. Missis. 4, 10.  
 — *chinensis L.* Dillenius Elth. 34.  
 — — Regel Gartenfl. 7, 213.  
 — — Regel Gartenfl. 1863, 385.  
 — — Fl. d. serres 15, 1304.  
 — *coridifolius Michx.* Bot. Reg. 18, 1487.

- Aster ericoides L.* Dillenius Elth. 36.  
 — *grandiflorus L.* Dillenius Elth. 36.  
 — — Nees Sammlung 12.  
 — *laevigatus Willd.* Zanonii Hist. 22.  
 — *Maackii Rgl.* Acad. Pet. VII. 4, 4.  
 — *maier L.* Dillenius Elth. 35.  
 — *orientalis Gm.* Gmelin Reise 1, 36.  
 — *parviflorus N. v. E.* Rchb. Fl. germ. 16, 908.  
 — *petiolatus Harv.* Harvey Thes. cap. 2, 154.  
 — *salignus Willd.* Rchb. Fl. germ. 16, 908.  
 † — *sibiricus L.* Jard. Annals II. 11, 2.  
 — *Tripolium L.* Rchb. Fl. germ. 16, 907.  
 † *Asteracantha chilensis Hanst.* Linnaea 1853, 2.  
 † *Asterandra Kl.* Baillon Euph. 27.  
*Asteriscus aquaticus DC.* Zanoni Hist. 24.  
 — — Rchb. Fl. germ. 16, 939.  
 — *maritimus Moench.* Rchb. Fl. germ. 16, 939.  
*Asterocephalus caucasicus Spr.* Spach Suites 82.  
*Asterolinum Linum stellatum Lk.* Rchb. Fl. germ. 17, 1086.  
*Astianthus longifolius Don.* Bonplandia 1862, 13.  
*Astilbe rubra Hook.* Bot. Mag. 83, 4959.  
 — — Fl. d. serres 12, 1207.  
 † *Astraea Kl.* Baillon Euph. 19.  
 † *Astragalus L.* Nees Gen. 29, 17. 18.  
 † — — Mem. Tur. 1855, 1.  
 † — — Berg Charakt. 511.  
 † — *acanthostachys Fisch.* Bull. Mosc. 1853, 3.  
 † — *amblolepis Fisch.* Bull. Mosc. 1853, 57.  
 † — *andrachnifolius Fendl.* Bull. Mosc. 1853, 75.  
 † — *angustifolius Lam.* Bull. Mosc. 1853, 114.  
 † — *argyrostachys Boiss.* Bull. Mosc. 1853, 126.  
 † — *argyrothamnus Boiss.* Bull. Mosc. 1853, 111.  
 † — *aristatus L'her.* Bull. Mosc. 1853, 110.  
 † — *armatus Boiss.* Bull. Mosc. 1853, 164.  
 † — *arnacantha M. B.* Bull. Mosc. 1853, 8.  
 † — *Aucherianus Fisch.* Bull. Mosc. 1853, 85.  
 † — *aureus W.* Bull. Mosc. 1853, 35.  
 † — *bactrianus Fisch.* Bull. Mosc. 1853, 38.  
 † — *Barba Jovis DC.* Bull. Mosc. 1853, 69.  
 † — *Bellangerianus Fisch.* Bull. Mosc. 1853, 174.  
 † — *bethlemiticus Boiss.* Bull. Mosc. 1853, 78.  
 † — *bicuspidatus Fisch.* Bull. Mosc. 1853, 94.  
 † — *bisulcatus Gray.* Expl. Missis. 1, 1.  
 † — *Bodeanus Fisch.* Bull. Mosc. 1853, 127.  
 † — *Boissieri Fisch.* Bull. Mosc. 1853, 1.  
 † — *brachycalyx Fisch.* Bull. Mosc. 1853, 34.  
 † — *brachycentros Fisch.* Bull. Mosc. 1853, 17.  
 † — *brachyphyllus Fisch.* Bull. Mosc. 1853, 81.  
 † — *brachypterus Fisch.* Bull. Mosc. 1853, 84.  
 † — *brevisforus DC.* Bull. Mosc. 1853, 43.  
 † — *Bruguierii Boiss.* Bull. Mosc. 1853, 167.  
 † — *Bulla Fisch.* Bull. Mosc. 1853, 130.  
 † — *bunophilus Boiss.* Bull. Mosc. 1853, 129.  
 — *Burkeanus Benth.* Harvey Thes. cap. 82.  
 † — *byzantinus Fisch.* Bull. Mosc. 1853, 66.  
 † — *calabrichus Fisch.* Bull. Mosc. 1853, 89.  
 † — *callistachys Buhse.* Bull. Mosc. 1853, 153.  
 † — *campylanthus Boiss.* Bull. Mosc. 1853, 131.  
 — *carolinianus L.* Dillenius Elth. 39.  
 † — *caspius M. B.* Bull. Mosc. 1853, 23.  
 † — *caucasicus Pall.* Bull. Mosc. 1853, 20.  
 † — *cephalanthus DC.* Bull. Mosc. 1853, 145.  
 † — *cephalonicus Fisch.* Bull. Mosc. 1853, 115.  
 — *chionophilus Boiss.* Tchichatscheff Asie mi-neure 3.  
 † — *chromolepis Boiss.* Bull. Mosc. 1853, 36.  
 † — *chrysostachys Boiss.* Bull. Mosc. 1853, 141.  
 † — *cicerifolius Royle.* Bull. Mosc. 1853, 91.  
 † — *coluteoides W.* Bull. Mosc. 1853, 159.  
 † — *compactus Lam.* Bull. Mosc. 1853, 53.  
 † — *crenophilus Boiss.* Bull. Mosc. 1853, 27.

- Astragalus creticus* Lam. Sieber Creta 11.  
 † — — — Bull. Mosc. 1853, 16.  
 — — — Berg Darstellung 4, 31<sup>d</sup>.  
 — — — *crotalarioides* Benth. Torrey Mex. Boundary 17.  
 † — *cruentiflorus* Boiss. Bull. Mosc. 1853, 40.  
 † — *cryptocarpus* DC. Bull. Mosc. 1853, 32.  
 † — *curviflorus* Boiss. Bull. Mosc. 1853, 121.  
 † — *cylleneus* Boiss. Bull. Mosc. 1853, 39.  
 † — *Dendridium* Fisch. Bull. Mosc. 1853, 118.  
 † — *denudatus* Stev. Bull. Mosc. 1853, 5.  
 † — *distans* Fisch. Bull. Mosc. 1853, 161.  
 † — *Dombeyi* Fisch. Bull. Mosc. 1853, 173.  
 † — *Echinus* Labill. Bull. Mosc. 1853, 13.  
 † — *eriacaantha* Stev. Bull. Mosc. 1853, 9.  
 † — *erianthus* Willd. Bull. Mosc. 1853, 15.  
 † — *erinaceus* F. et M. Bull. Mosc. 1853, 2.  
 † — *fallax* Fisch. Bull. Mosc. 1853, 21.  
 † — *fasciculifolius* Boiss. Bull. Mosc. 1853, 168.  
 † — *filagineus* Boiss. Bull. Mosc. 1853, 10.  
 — — — *filifolius* Coop. Expl. Missis. 1, 1.  
 † — *Fischeri* Buhse. Bull. Mosc. 1853, 120.  
 † — *flavescens* Boiss. Bull. Mosc. 1853, 104.  
 † — *floccosus* Boiss. Bull. Mosc. 1853, 19.  
 † — *Forskohlei* Boiss. Bull. Mosc. 1853, 165.  
 † — *ghilanicus* Fisch. Bull. Mosc. 1853, 7.  
 — — — *Gibbsii* Kellogg. Proc. Calif. Acad. 2, 162.  
 † — *glaucaanthos* Fisch. Bull. Mosc. 1853, 170.  
 † — *gossypinus* Fisch. Bull. Mosc. 1853, 58.  
 † — *Grahamianus* Royle. Bull. Mosc. 1853, 93.  
 † — *gummifer* Labill. Bull. Mosc. 1853, 31.  
 † — *gymnolobus* Fisch. Bull. Mosc. 1853, 117.  
 † — *Hermoneus* Boiss. Bull. Mosc. 1853, 112.  
 † — *Hohenackeri* Boiss. Bull. Mosc. 1853, 148.  
 † — *horridus* Boiss. Bull. Mosc. 1853, 105.  
 — — — *hybridus* Gm. Gmelin Reise 1, 18.  
 † — *hymenocystis* F. et M. Bull. Mosc. 1853, 140.  
 † — *hymenostegis* F. et M. Bull. Mosc. 1853, 139.  
 — — — *hypoglottis* var. *strigosa* Kellogg. Proc. Calif. Acad. 2, 117.  
 † — *Hystrix* F. et M. Bull. Mosc. 1853, 90.  
 † — *kapherrianus* Fisch. Bull. Mosc. 1853, 136.  
 † — *kurdicus* Boiss. Bull. Mosc. 1853, 67.  
 † — *lagonyx* Fisch. Bull. Mosc. 1853, 49.  
 † — *lagopoides* Lam. Bull. Mosc. 1853, 132.  
 † — *lagurus* W. Bull. Mosc. 1853, 133.  
 † — *Lamarckii* Boiss. Bull. Mosc. 1853, 54.  
 † — *lasiosemius* Boiss. Bull. Mosc. 1853, 100.  
 † — *lasiostylus* Fisch. Bull. Mosc. 1853, 52.  
 † — *laxiflorus* Fisch. Bull. Mosc. 1853, 76.  
 † — *leptacanthus* Buhse. Bull. Mosc. 1853, 124.  
 † — *leptodendron* Fisch. Bull. Mosc. 1853, 28.  
 † — *leucopsis* Torr. Torrey Mex. Boundary 16.  
 † — *longifolius* Lam. Bull. Mosc. 1853, 51.  
 † — *lydius* Fisch. Bull. Mosc. 1853, 80.  
 † — *macrosemius* Boiss. Bull. Mosc. 1853, 106.  
 † — *Marschallianus* Fisch. Bull. Mosc. 1853, 6.  
 † — *massiliensis* Lam. Bull. Mosc. 1853, 109.  
 † — *Meyeri* Boiss. Bull. Mosc. 1853, 46.  
 † — *Michauxianus* Oliv. Bull. Mosc. 1853, 44.  
 † — *microcephalus* Willd. Bull. Mosc. 1853, 4.  
 † — *microphysa* Boiss. Bull. Mosc. 1853, 158.  
 † — *micropterus* Fisch. Bull. Mosc. 1853, 83.  
 † — *montanus* L. var. *grandistipulatus*, Avc-Lallem. 22.  
 † — *mucronifolius* Boiss. Bull. Mosc. 1853, 119.  
 † — *murinus* Boiss. Bull. Mosc. 1853, 154.  
 † — *myriacanthus* Boiss. Bull. Mosc. 1853, 14.  
 † — *nevadensis* Boiss. Bull. Mosc. 1853, 41.  
 † — *ochrochlorus* Boiss. Bull. Mosc. 1853, 37.  
 † — *oleifolius* DC. Bull. Mosc. 1853, 47.  
 † — *oligophyllus* Schrenk. Bull. Mosc. 1853, 111.  
 — — — *permiensis* Rupr. Hofmann Ural 2, 2.  
 † — *persicus* F. et M. Bull. Mosc. 1853, 134.

- † *Astragalus plumosus* W. Bull. Mosc. 1853, 70.  
 † — *porphyrobaphis* Fisch. Bull. Mosc. 1853, 152.  
 † — *porphyrolepis* Fisch. Bull. Mosc. 1853, 65.  
 † — *prusianus* Boiss. Bull. Mosc. 1853, 45.  
 † — *pseudocaspicus* Fisch. Bull. Mosc. 1853, 30.  
 † — *psilacanthos* Boiss. Bull. Mosc. 1853, 95.  
 † — *psilocentrus* Fisch. Bull. Mosc. 1853, 92.  
 † — *ptychophyllus* Boiss. Bull. Mosc. 1853, 160.  
 † — *pungens* W. Bull. Mosc. 1853, 116.  
 † — *pynoccephalus* Fisch. Bull. Mosc. 1853, 56.  
 † — *recognitus* Fisch. Bull. Mosc. 1853, 142.  
 † — *Reuterianus* Boiss. Bull. Mosc. 1853, 151.  
 † — *Roussaeanus* Boiss. Bull. Mosc. 1853, 29.  
 — — — *Russelii* Russ. Russel Aleppo 13.  
 † — — — *Boiss.* Bull. Mosc. 1853, 166.  
 † — *schiraziicus* Fisch. Bull. Mosc. 1853, 146.  
 † — *sciureus* Boiss. Bull. Mosc. 1853, 143.  
 † — *scorpius* Boiss. Bull. Mosc. 1853, 169.  
 † — *serotinus* Torr. Expl. Missis. 1, 5.  
 † — *siculus* Rafn. Bull. Mosc. 1853, 42.  
 † — *sirinicus* Ten. Bull. Mosc. 1853, 108.  
 † — *Ssahendi* Buhse. Bull. Mosc. 1853, 107.  
 — — — *Stella* L. Russell Aleppo 15.  
 † — *stenolepis* Fisch. Bull. Mosc. 1853, 73.  
 † — *stenorhachis* Fisch. Bull. Mosc. 1853, 74.  
 † — *strictifolius* B. Bull. Mosc. 1853, 59.  
 † — *strobiliferus* Royle. Bull. Mosc. 1853, 22.  
 † — *submitis* Boiss. Bull. Mosc. 1853, 160.  
 † — *susianus* Boiss. Bull. Mosc. 1853, 125.  
 † — *Szovitsii* F. et M. Bull. Mosc. 1853, 162.  
 † — *Tabrizianus* Buhse. Bull. Mosc. 1853, 135.  
 † — *thracicus* Griseb. Bull. Mosc. 1853, 87.  
 † — *Tmoleus* B. Bull. Mosc. 1853, 86.  
 † — *tokatensis* Fisch. Bull. Mosc. 1853, 55.  
 † — *tortuosus* DC. Bull. Mosc. 1853, 156.  
 † — *trachyacanthos* Fisch. Bull. Mosc. 1853, 68.  
 † — *transoxanus* Fisch. Bull. Mosc. 1853, 18.  
 † — *tricholobus* DC. Bull. Mosc. 1853, 147.  
 † — *trojanus* Stev. Bull. Mosc. 1853, 88.  
 — — — *varius* Gm. Gmelin Reise 1, 17.  
 — — — *verticillaris* L. Ammann Ruth. 19.  
 — — — *verus* Oliv. Olivier Voyage 44.  
 † — — — Bull. Mosc. 1853, 33.  
 † — *vestitus* Boiss. Bull. Mosc. 1853, 128.  
 — — — *Vulnerariae* DC. Tchichatschew Asie mineure 2.  
 † — *Wiedemannianus* Fisch. Bull. Mosc. 1853, 82.  
 † *Astrantia carniolica* Wulf. Rchb. Fl. germ. 21, 1845.  
 — — — *gracilis* Bartl. Rchb. Fl. germ. 21, 1845.  
 — — — *major* L. Rchb. Fl. germ. 21, 1843. 1844.  
 — — — English Botany Suppl. 2990.  
 — — — *minor* L. Rchb. Fl. germ. 21, 1844.  
 — — — *pauciflora* Bertol. Rchb. Fl. germ. 21, 1846.  
 — — — *ranunculifolia* Rchb. Rchb. Fl. germ. 21, 1846.  
 † *Astrapaea* Ldl. (Pollen.) Mém. prés. Pet. 3, 9. 13.  
 † *Astrocarpus Clusii* Gay. Schw. Denkschrift 16, 10.  
 — — — *cochlearifolius* Nym. Ofv. Sv. Acad. 18, 4.  
 † — — — *sesamoides* Gay. Schw. Denkschrift 16, 10.  
 † — — — Payer Organogénie 40.  
 † *Astrocaryum acaule* Mart. Wallace Palms 44.  
 — — — *aculeatum* Meyer. Wallace Palms 43.  
 — — — *gynacanthum* Mart. Wallace Palms 39.  
 — — — *humile* Wall. Wallace Palms 45.  
 — — — *Jauari* Mart. Wallace Palms 42.  
 — — — *Malyba* Karst. Karsten Fl. Col. 1, 83.  
 — — — *Murumuru* Mart. Wallace Palms 38.  
 — — — Illustration horticole 1857, p. 40.  
 — — — *rostratum* Hook. Bot. Mag. 80, 4773.  
 — — — Illustration horticole 1857, 136.  
 — — — *Tucuma* Mart. Wallace Palms 2. 41.  
 — — — *vulgare* Mart. Wallace Palms 40.  
 † *Astrocooccus* Benth. Baillon Euph. 21.  
 † *Aströloma divaricatum* Sond. Dietrich Fl. univ. 1.

- Astrolooma macrocalyx* *Sond.* Dietrich Fl. univ. 1.  
 — *splendens* *Planch.* Fl. d. serres 10, 1018.  
*Astronia fraterna* *Gray.* Gray Expl. Exp. 72.  
 — *Pickeringii* *Gray.* Gray Expl. Exp. 72.  
*Astronidium parviflorum* *Gray.* Gray Expl. Exp. 72.  
*Astrophytum myriostigma* *Ch. Lem.* Illustration horticole 1861, 292.  
*Ataccia cristata* *Kth.* Fl. d. serres 9, 860—861.  
 — *integrifolia* *Presl.* Fl. d. serres 9, 860—861.  
*Atamisquea emarginata* *Miers.* Linn. Transact. 21, 1.  
 — *marginata* *Miers.* Linn. Transact. 21, 1.  
*Athamanta aurea* *Vis.* Rchb. Fl. germ. 21, 1935.  
 — *cretensis* *L.* Rchb. Fl. germ. 21, 1935.  
 — *macedonica* *Spr.* Rchb. Fl. germ. 21, 1934.  
 — *Matthioli* *Wulf.* Rchb. Fl. germ. 21, 1934.  
 — *sicula* *L.* Zanoni Hist. 48.  
*Athanasia crithmifolia* *L.* Burmann Fl. ind. 69.  
*Atherosperma micranthum* *Tul.* Arch. Mus. 8, 34.  
*Athyrium Filix femina* *Roth.* Johnson Ferns 25.  
*Atragea alpina* *L.* Nouveau Duhamel 6, 30.  
 — — — *Revue horticole* 1855, 17.  
 — *americana* *Sims.* *Revue horticole* 1855, 17.  
 — — — 1854, 7.  
 — *macropetala* *Ledeb.* Bull. Mosc. 1861, 1.  
 — *patens* *Decne.* Belgique horticole 1853, 16.  
 — *sibirica* *L.* *Revue horticole* 1855, 17.  
*Atraphaxis spinosa* *L.* Dillenius Elth. 40.  
 † — — — *Meisner Polygon.* 2.  
 — *undulata* *L.* Dillenius Elth. 32.  
*Atriplex Billardieri* *Hook. fil.* Hook. Fl. Tasm. 95.  
 — *glauca* *L.* Dillenius Elth. 40.  
 — *hortensis* *L.* Spach Suites 68.  
 † — *laciniata* *L.* Jard. Annals II, 11, 15.  
*Atropa acuminata* *Royl.* Miers Illust. 76.  
 — *Belladonna* *L.* Spach Suites 67.  
 — — — Rchb. Fl. germ. 20, 1629.  
 — — — Berg Darstellung 3, 20°.  
 — *physalodes* *L.* Feuillée 2, 16.  
*Attalea nucifera* *Karst.* Karsten Fl. Col. 1, 68.  
 — *speciosa* *Mart.* Wallace Palms 3, 46.  
*Aucuba himalaica* *Hook. fil.* Hook. Himal. 12.  
 — — — Illustration horticole 1859, 197.  
 — — — Fl. d. serres 12, 1271.  
 — *japonica* *Thunb.* Nouveau Duhamel 4, 28.  
 † — — — Payer Organogénie 105.  
 † — — — Agardh Syst. 22.  
 — — — Bot. Mag. 91, 5512.  
 — — — Illustration horticole 1864, 399.  
*Audibertia Dorrii* *Kellogg.* Proc. Calif. Acad. 2, 191.  
 — *grandiflora* *Benth.* Torrey Mex. Boundary 38.  
 † *Augustia Dregei* *Kl.* Abh. Acad. Berl. 1854, 8.  
*Aulacocarpus Selovianus* *Berg.* Endl. Bras. 18, 40.  
*Aulaya coccinea* *Havv.* Harvey Thes. cap. 36.  
*Aulomyrcia obovata* *Berg.* Endl. Bras. 18, 19.  
 — *ternifolia* *Berg.* Endl. Bras. 18, 20.  
 † *Aurantiaeceae Correa.* Payer Organogénie 25.  
 † — — — Schnizl. Iconogr. 224.  
*Australina Schimperiana* *Wedd.* Arch. Mus. 9, 20.  
 † *Avena* *L.* Linné Amoenit 7, 3.  
 † — — — Bull. Soc. bot. 10, 1.  
 — *elatiar* *L.* Saggi Padov. 2, 6.  
 — *fatua* *L.* Saggi Padov. 2, 3.  
 — *flavescens* *L.* Saggi Padov. 2, 6.  
 — *fusca* *Ard.* Saggi Padov. 2, 4.  
 — *hispanica* *Ard.* Saggi Padov. 2, 4.  
 † — *nodosa* *L.* Saggi Padov. 2, 6.  
 — *nuda* *L.* Saggi Padov. 2, 5.  
 † — *orientalis* *L.* Spach Suites 128.  
 — *sativa* *L.* Saggi Padov. 2, 2.  
 † — — — Gleichen Untersuchungen 6.  
 † — — — Gleichen Entdeckungen 41.  
 † — — — Berg Charakt. 71.

- Avena scabrivalvis* *Trin.* Gay Chile 79.  
 — *tartarica* *Ard.* Saggi Padov. 2, 1.  
*Avicennia officialis* *L.* Bruce Travels 5, 12.  
 — *tomentosa* *Willd.* Nuttall Silva 3, 105.  
 † *Axanthes elliptica* *Wight* Calcutta Journal 1847, 2.  
 † — *longifolia* *Wight.* Calcutta Journal 1847, 2.  
 † — *zeylanica* *Wight.* Calcutta Journal 1847, 2.  
 † *Aximandra zeylanica* *Thw.* Hook. Journ. 1854, 1.  
*Axinanthera macrophylla* *Karst.* Karsten Fl. Columb. 1, 87.  
*Ayenia pusilla* *L.* Svensk Acad. 1756, 2.  
 † — — — Agardh Syst. 20.  
 † *Azalea* *L.* Agardh Syst. 9.  
 — *amoena* *Ldl.* Revue horticole 1854, 13.  
 — — — Fl. d. serres 9, 885.  
 — *crispiflora* *Hook.* Lemaire Jardin fleuriste 4, 430.  
 — — — Belgique horticole 1853, 21. 1854, 9.  
 — *indica* *L.* Cleyer Fl. jap. 1. 2. 6.  
 — — — Kaempfer Amoenit p. 842.  
 — — — Regel Gartenfl. 5, 166.  
 — — — Nees Sammlung 81.  
 — — — Regel Gaertenfl. 1863, 418.  
 — — — Fl. d. serres 9, 886—888. 10, 1060.  
 — — — 11, 1157. 1180. 12, 1243. 13, 1298.  
 — — — 1301—1303. 1306. 1307. 1325. 1329.  
 — — — 1354. 1365. 15, 1567—1568. 1572.  
 — — — Illustration horticole 1857, 130. 136.  
 — — — 1858, 170. 178. 182. 1859, 209. 1860,  
 — — — 267. 1861, 278. 288. 302. 1862, 340.  
 — — — 342. 1863, 366.  
 — *ledifolia* *Hook.* Annales de Gand 1845, 19.  
 — — — 1846, 89. 1848, 33.  
 — *Mortieriana* *Hort.* Annales de Gand 1846, 81.  
 — — — 1847, 106.  
 — *occidentalis* *Torr.* Bot. Mag. 83, 5005.  
 — — — Fl. d. serres 14, 1432.  
 — *ovata* *Ldl.* Bot. Mag. 84, 5064.  
 — *pontica* *L.* Nouveau Duhamel 5, 63.  
 — — — Regel Gartenfl. 1854, 88.  
 — — — Illustration horticole 1864, 415.  
 — *procumbens* *L.* Nouveau Duhamel 5, 65.  
 — — — Rchb. Fl. germ. 17, 1159.  
 — *ramentacea* *Hort.* Belgique horticole 8, 54.  
 — *rosea* *Hort.* Nouveau Duhamel 5, 64.  
 — *sinensis* *Lodd.* var. *Bylsiana*, Annales de Gand 1845, 27.  
 — — — var. *macrantha*, Annales de Gand 1847, 122.  
*Azara Gilliesii* *Hook.* Bot. Mag. 86, 5178.  
*Azima tetracantha* *Lam.* Calcutta Journal 1846, 1.  
*Azolla bonariensis* *Bert.* Mem. Bon. 11, 15.  
 — *magellanica* *Willd.* Mem. Bon. 11, 15.  
 — *microphylla* *Mart.* Payer Botan. crypt. p. 216.  
 — *nilotica* *Mett.* Kotschy Pl. Tinn. 25.  
 † — *pinnata* *R.Br.* Calcutta Journal 1845, 15. 16. 17.  
 † — — — Griffith Pl. asiat. 119—123.  
*Azorella biloba* *Wedd.* Castelnau Exped. 66.  
 — *glabra* *Wedd.* Castelnau Exped. 67.  
 — *multifida* *Pers.* Castelnau Exped. 66.  
 — *pulvinata* *Wedd.* Castelnau Exped. 66.  
*Baccharis alpina* *H. B. K.* Castelnau Exped. 28.  
 — *foetida* *L.* Dillenius Elth. 89.  
 — *halimifolia* *L.* Nouveau Duhamel 1, 60.  
 — *Incarum* *Wedd.* Castelnau Exped. 29.  
*Bacopa aquatica* *Aubl.* Endl. Bras. 30, 54.  
*Bactris elatiar* *Wall.* Wallace Palms 30.  
 — *integrifolia* *Mart.* Wallace Palms 35.  
 — *macrocarpa* *Wall.* Wallace Palms 32.  
 — *nova species* *Wall.* Wallace Palms 29. 31.  
 — *pectinata* *Wall.* Wallace Palms 28.

- Bactris simplicifrons* Mart. Wallace Palms 34.  
 — *tenuis* Wall. Wallace Palms 33.  
*Badiara Penaea* DC. Plumier Ic. Burm. 214.  
 † *Baeckea* L. Jard. Annals II. 11, 15.  
 † — *camphorata* R. Br. Ann. sc. nat. III. 20, 9.  
 † — — Payer Organogénie 98.  
 — *frutescens* L. Osbeck Reise 1.  
 — *virgata* L. Spach Suites 28.  
 † *Baeobotrys* Forst. Agardh Syst. 10.  
 † *Baeothryon caespitosum* N. v. E. Leighton Flora 3.  
 † — *Halleri* N. v. E. Leighton Flora 3.  
*Bahia oppositifolia* Torr. Sitgreaves Expedition 3.  
*Baileya multiflora* Torr. Emory Notes 6.  
*Baillonia amabilis* Bocy. Baillon Adansonia 2, 7.  
 † *Balanites aegyptiaca* Delile. Baillon Adansonia 2, 10.  
 † — — Schnizl. Iconogr. 223.  
 † *Balanophora* Forst. Pringsheim Jahrb. 1, 10.  
 † — — Chatin Anatomie 95, 96.  
 † — — Abh. Leipz. 6, 14, 15.  
 † — — Ann. sc. nat. IV. 12, 4—7.  
 — *fungosa* Forst. Linn. Transact. 22, 8.  
 — *Harlandi* Hook. fil. Linn. Transact. 22, 75.  
 — *involucrata* Hook. fil. Linn. Transact. 22, 4—7.  
 — *Lowii* Hook. fil. Linn. Transact. 22, 75.  
 † *Balanium antarcticum* Presl. Regel Gartenf. 5, 168.  
 † — — Mettenius Fil. 28.  
 † — *Culcita* Kaulf. Mettenius Fil. 28.  
*Balbisia verticillata* Cav. Anales de hist. nat. 7, 46.  
*Ballota italica* Benth. Rchb. Fl. germ. 18, 1220.  
 — *nigra* L. Rchb. Fl. germ. 18, 1218.  
 — *Pseudodictamnus* Benth. Rchb. Fl. germ. 18, 1220.  
 — *spinosa* Link. Rchb. Fl. germ. 18, 1219.  
 † — *suaveolens* L. Browne Jamaica 18.  
 † *Balsamineae* A. Rich. Payer Organogénie 17.  
 † — — Schnizl. Iconogr. 257.  
*Balsamodendron Ehrenbergianum* Berg. Berg Darstellung 4, 29<sup>d</sup>.  
 † — *gileadense* Kth. Berg Darstellung 4, 29<sup>d</sup>.  
 — *Kafal Kumth.* Berg Charakt. 541.  
 — *pedunculatum Kotschy.* Kotschy Pl. Tinn. 5<sup>b</sup>.  
 — *pubescens* Stocks. Journ. Bomb. As. Soc. 2, 26.  
 — *Roxburghii* Arn. Journ. Bomb. As. Soc. 2, 25.  
 † *Bambusa* . . . Griffith Pl. asiat. 150.  
 † — *arundinacea* Retz. Berg Charakt. 81.  
 — *Fortunei* L. v. H. Fl. d. serres 15, 1535.  
 † *Banisteria* L. Jard. Annals II. 11, 2.  
 — *pruinosa* Mart. Endl. Bras. 21, 9.  
 — *unicapsularis* Lam. Sonnerat Ind. 135.  
 — *vernoniaefolia* Juss. Endl. Bras. 21, 8.  
*Banksia abyssinica* Bruce. Bruce Travels 22, 23.  
 † — *gibbosa* Sm. White New South Wales p. 225.  
 — *marginata* Cav. Anales de hist. nat. 1, 13.  
 — *nivea* Lab. Labill. Relation 24.  
 — *oleaeifolia* Cav. Anales de hist. nat. 1, 14.  
 — *pyriformis* Gaertn. White New South Wales p. 224.  
 — *repens* Lab. Labill. Relation 23.  
 — *serrata* L. fil. White New South Wales p. 222—223.  
 — *Victoriae* Meisn. Bot. Mag. 82, 4906.  
*Baphorrhiza tinctoria* Link. Berg Charakt. 278.  
 † *Baptisia australis* R. Br. Flora 1856, 2.  
*Barbacenia macrantha* Lem. Lem. Jard. fl. 4, 390.  
 † — *purpurea* Hook. Hortus Vanhoutteanus 5.  
 — *Rogierii* Hort. Moore Mag. 1850. 2, p. 209.  
 — (var. *hybridae.*) Fl. d. serres 11, 1152.  
*Barbarea vulgaris* R. Br. Regel Gartenf. 1862, 358.  
*Barbieria polyphylla* DC. Endl. Bras. 24, 9.  
 † *Barclaya* . . . Griffith Pl. asiat. 57.  
 — *Motleyi* Hook. fil. Linn. Transact. 23, 21.  
 — *syringifolia* F. M. Müller Fragmenta 1, 3.

- Barkania? bullata* Ehrenb. Ehrenberg Symb. 5.  
 — *punctata* Ehrenb. Ehrenberg Symb. 5.  
*Barkeria elegans* Kn. et W. Bot. Mag. 80, 4784.  
 — — — *Pescatorea* 1, 10.  
 — — — Fl. d. serres 9, 959.  
 — *melanocaulon* Rich. et Gal. Annales de Gand 1848, 43.  
 — *Skinneri* var. *superba*, Warner Select. Orch. 38.  
 † *Barleria* L. (Pollen.) Mém. prés. Pet. 3, 8.  
 — *cristata* L. Osbeck Reise 8.  
 — *solanifolia* L. Plumier Ic. Burm. 43.  
*Barnadesia polyacantha* Wedd. Castelnau Exped. 1.  
*Barneoudia Domeykoana* Leyb. Flora 1859, 5.  
*Barosma betulina* Bartl. Berg Darstellung 1, 1<sup>f</sup>.  
 † — *crenata* Kze. a. β. Bot. Zeitung 1853, 12.  
 — — — var. *α.* Berg Darstellung 1, 1<sup>o</sup>.  
 — *crenulata* Hook. var. *α.* Berg Darstellung 1, 1<sup>o</sup>.  
 — — — *α. β. γ.* Bot. Zeitung 1853, 12.  
 † — *Eckloniana* Bg. Bot. Zeitung 1853, 12.  
 — *serratifolia* Willd. Berg Darstellung 1, 2<sup>a</sup>.  
 † — — — Bot. Zeitung 1853, 12.  
 — *sertuliflora* Delp. Mem. Tur. 1854, 9.  
 † *Barringtonia racemosa* Blume. Journ. Linn. Soc. 2, 1.  
 † *Barringtoniaceae* DC. Schnizl. Iconogr. 269.  
*Barteria nigritiana* Hook. Journ. Linn. Soc. 5, 2.  
 † *Bartonia aurea* Ldl. Hofmeister Embryo 2: 3.  
 † — — — Abh. Leipz. 6, 27.  
 † — *nuda* Pursh. Ann. sc. nat. III. 20, 13.  
 † — — — Payer Organogénie 85.  
 — — — Bot. Mag. 90, 5483.  
 † *Bartsia alpina* L. Chatin Anatomie 316.  
 — — — Rchb. Fl. germ. 20, 1725.  
 † — *chilensis* Benth. Chatin Anatomie 316.  
 — *lanceolata* Rchb. fil. Rchb. Fl. germ. 20, 1728.  
 — *lutea* Rchb. fil. Rchb. Fl. germ. 20, 1729.  
 — *Meyeniana* Benth. Castelnau Exped. 61.  
 — *Odontites* Huds. Rchb. Fl. germ. 20, 1727.  
 † — — — Agardh Syst. 17.  
 — *Trixago* L. Rchb. Fl. germ. 20, 1724.  
 — *verna* Rchb. fil. Rchb. Fl. germ. 20, 1728.  
 † — *viscosa* L. Chatin Anatomie 31.  
 — — — Rchb. Fl. germ. 20, 1729.  
 † *Barya monadelphica* Kl. Abh. Acad. Berl. 1854, 2.  
 † *Basella* L. (Pollen.) Mém. prés. Pet. 3, 6.  
 † — *rubra* L. Payer Organogénie 75.  
*Bassia butyracea* Roxb. Asiat. Researches 8, 1.  
 † — *longifolia* L. Baillon Adansonia 2, 1.  
*Batatas macrorrhiza* G. Don. Plumier Ic. Burm. 90.  
 — *Wallii* Morr. Annales de Gand 1846, 74.  
*Batemannia Meleagris* Rchb. Rchb. Xenia 1, 66.  
*Bathysa stipulata* Presl. Presl Symb. 76.  
 † *Batideae* Mart. Schnizl. Iconogr. 241.  
 † *Batis maritima* L. Linn. Transact. 22, 68.  
*Batocarpus orinocensis* Karst. Karsten Fl. Col. 2, 134.  
*Bauera rubioides* Andr. Nouveau Duhamel 5, 37.  
 — — — Hook. Fl. Tasm. 31.  
 † — — — Agardh Syst. 9.  
 — *sessiliflora* F. M. Müller Plants of Victoria 2, 16.  
 † *Bauhinia* L. Bot. Zeitung 1856, 11.  
 — *aculeata* L. Plumier Ic. Burm. 44.  
 — *acuminata* L. Bruce Travels 5, 18.  
 — *diphylla* Buchan. Symes Ava 24.  
 † — — — Griffith Pl. asiat. 58, 59.  
 — *forficata* Lk. Regel Gartenflora 1861, 333.  
 — *porrecta* Sw. Plumier Ic. Burm. 44.  
 — *tomentosa* L. Burmann Thes. zeyl. 18.  
 — *variegata* L. Zanoni Hist. 20.  
*Beaufortia decussata* R. Br. Nees Sammlung 56.  
*Beckera polystachia* Fres. Museum Senck. 2, 8.  
 † — — — Mem. Tur. 1854, 3.  
*Beckeropsis nubica* Fig. Mem. Tur. 1854, 28.

- Befaria aestuans *L.* Belgique horticole 5, 11.  
 — glauca *H. B. K.* Annales de Gand 1845, 7.  
 — Mathewsii *Field.* Bot. Mag. 83, 4981.  
 — mexicana *Benth.* Seemann Herald 57.  
 — racemosa *Vent.* Nouveau Duhamel 5, 22.  
 † Begonia *L.* Agardh Syst. 8.  
 † — — Schnizl. Iconogr. 203.  
 † — — Payer Organogénie 92.  
 † — — Hildebrand Untersuchungen 1—8.  
 † — — Bot. Zeitung 1860, 12.  
 — amabilis *Lind.* Journ. d'hortic. 3, 7.  
 — argentea *Lind.* Journ. d'hortic. 3, 7.  
 — bidentata *Raddi.* Endl. Bras. 27, 99.  
 — Bowringiana *Champ.* Bot. Mag. 86, 5182.  
 — Cathcartii *Hook. fil.* Hook. Himal. 13.  
 † — cucullata *Willd.* Abh. Acad. Berl. 1854, 1.  
 — daedalea *Ch. Lem.* Illustration horticole 1861, 269.  
 † — dipetala *Grah.* Payer Organogénie 92.  
 † — Dregei *Otto.* Hofmeister Embryo 5.  
 † — eriocaulis *Hort.* Payer Organogénie 92.  
 † — eximina *Hort.* Illustration horticole 1860, 233.  
 — Fischeri *Schrank.* Schrank Hort. monac. 59.  
 — frigida *DC.* Bot. Mag. 86, 5160.  
 — gemmipara *Hook. fil.* Hook. Himal. 14.  
 — glandulosa *A. DC.* Bot. Mag. 87, 5256.  
 — Griffithii *Hook.* Bot. Mag. 83, 4984.  
 — heracleifolia *Cham.* Bot. Mag. 83, 4983.  
 — hernandiaefolia *Hook.* Lem. Jard. fl. 4, 387.  
 — hispida *Schott.* Endl. Bras. 27, 96.  
 † — humilis *Ait.* Schnizl. Iconogr. 203.  
 — imperialis *Lem.* Illustration horticole 1860, 262, 1861, 274.  
 † — incarnata *Link.* Payer Organogénie 92.  
 — Ingramii *Moore.* Moore Mag. 1850, 2, p. 153.  
 — laciniata *Roxb.* Bot. Mag. 83, 5021.  
 — — — Journ. d'hortic. 2, 4.  
 — — — Belgique horticole 8, 41.  
 — Leopoldi *Hort.* Illustration horticole 1859, 205.  
 — longipila *Ch. Lem.* Illustration horticole 1861, 307.  
 — luxurians *Scheidw.* Endl. Bras. 27, 98.  
 — macrophylla *Dryander.* Plumier Ic. Burm. 45.  
 — manicata *Vis.* Endl. Bras. 27, 101.  
 — Mannii *Hook.* Bot. Mag. 90, 5434.  
 — microptera *Hook.* Bot. Mag. 83, 4974.  
 — miniata *Planch.* Revue horticole 1855, 12.  
 — natalensis *Hook.* Bot. Mag. 81, 3841.  
 — neglecta *A. DC.* Endl. Bras. 27, 95, 97.  
 — nigrescens *van Houtte.* Regel Gartenfl. 4, 143.  
 — nitida *Salisb.* Salisbury Ic. rar. 9.  
 — opuliflora *Putz.* Fl. d. serres 10, 995.  
 — paulensis *A. DC.* Endl. Bras. 27, 91.  
 — phyllomanica *Mart.* Endl. Bras. 27, 99, 100.  
 — — — Bot. Mag. 87, 5254.  
 † — polygonata *L.* Vidensk. Meddelelser 1854, 1.  
 — populnea *Schott.* Endl. Bras. 27, 92.  
 — prismatocarpa *Hook.* Bot. Mag. 83, 5307.  
 — rex *Putz.* Bot. Mag. 85, 5101.  
 — — — Belgique horticole 9, 24.  
 — — — Fl. d. serres 12, 1255—1258, 13, 1317.  
 — Riedelii *A. DC.* Endl. Bras. 27, 94.  
 — rosacea *Putz.* Belgique horticole 7, 63.  
 — — — Fl. d. serres 12, 1194.  
 — rotundifolia *Lam.* Plumier Ic. Burm. 45.  
 — rubrovenia *Hook.* Lem. Jard. fl. 4, 351.  
 — salicifolia *A. DC.* Endl. Bras. 27, 93.  
 † — sanguinea *Raddi.* Payer Organogénie 92.  
 — saxifraga *A. DC.* Endl. Bras. 27, 97.  
 † — semperflorens *Link et O.* Hofmeister Embryo 5.  
 — stenophylla *A. DC.* Endl. Bras. 27, 95.  
 — Thwaitesii *Hook.* Lem. Jard. fl. 4, 374.

- Begonia Troubetzkoi *Hort.* Illustration horticole 1858, 158.  
 — ulmifolia *H. B. K.* Regel Gartenfl. 1854, 93.  
 — urophylla *Hort.* Bot. Mag. 81, 4855.  
 — Verschaefeltii *Hort.* Regel Gartenfl. 4, 128.  
 — Victoria *Lind.* Journal d'hortic. 3, 7.  
 — — — Belgique horticole 9, 16.  
 — Wageneriana *Kl.* Bot. Mag. 83, 4988, 84, 5047.  
 — — — Illustration horticole 1858, 161, 1859, 218.  
 — xanthina *Hook.* Lem. Jard. fl. 4, 372.  
 — — — var. pictifolia, Bot. Mag. 85, 5102.  
 — — — var. marmorea Fl. d. serres 9, 952.  
 — — — var. Lazuli, Bot. Mag. 85, 5107.  
 Bejaria *L.* = Befaria *L.*  
 Belencita Hagenii *Karst.* Otto Garten-Z. 1857, 1.  
 Bellidiastrum Michellii *Cass.* Rchb. Fl. germ. 16, 905.  
 Bellis annua *L.* Rchb. Fl. germ. 16, 918.  
 — perennis *L.* Berg Charakt. 405.  
 — — — Rchb. Fl. germ. 16, 918.  
 — silvestris *Cir.* Rchb. Fl. germ. 16, 919.  
 — — — var. hybrida, Rchb. Fl. germ. 16, 919.  
 Bellonia aspera *L.* Plumier Ic. Burm. 47.  
 Bellucia Aubletii *Nauid.* Seemann Herald 26.  
 † — — — Ann. sc. nat. III, 18, 4.  
 — — — multiflora *Karst.* Karsten Fl. Col. 1, 42.  
 † Beloperone *N. v. E.* Mém. prés. Petersb. 3, 8, 13.  
 † — oblongata *N. v. E.* Abh. Senck. 1, 7.  
 — — — Belgique horticole 9, 9.  
 — violacea *Planch.* Journal d'hortic. 2, 23.  
 — — — Bot. Mag. 87, 5244.  
 † Beloperonides macrantha *Orst.* Vid. Meddelelser 1854, 5.  
 † Belvisiaeae *R. Br.* Schnizl. Iconogr. 159.  
 Benitzia suaveolens *Karst.* Acta Leop. 26, 61.  
 † Bennetiaeae *R. Br.* Schnizl. Iconogr. 172.  
 † Berardia subcaulis *Vill.* Rchb. Fl. germ. 15, 887.  
 † Berberideae *Vent.* Schnizl. Iconogr. 179.  
 † — — — Payer Organogénie 52.  
 Berberidopsis corallina *Hook. fil.* Bot. Mag. 88, 5343.  
 — — — L'horticulteur fr. 1863, 13.  
 — — — Belgique horticole 1863, 11.  
 Berberis aristata *DC.* Spach Suites 124.  
 — Bealei *Fort.* Bot. Mag. 81, 4846, 4852.  
 — densiflora *Buhse.* Mem. Mosc. 18, 3.  
 — Hookeri *Hort.* Illustr. horticole 1859, 207.  
 — hypoleuca *Ldl.* Belgique horticole 8, 11.  
 — Jamesonii *Hort.* Illustr. horticole 1859, 201.  
 — laurina *Billb.* Endl. Bras. 38, 52.  
 — microphylla *Friv.* Acta Acad. hung. 1837, 6.  
 — vulgaris *L.* Nouveau Duhamel 4, 4.  
 † — — — Batsch Analyses 6.  
 † — — — Spach Suites 124.  
 † — — — Schnizl. Iconogr. 179.  
 — — — var. atropurpurea, Regel Gartenfl. 9, 278.  
 Berckheya ciliaris *Willd.* Schrank Hort. monac. 97.  
 Bergia anagalloides *E. Mey.* Harvey Thes. cap. 2, 133.  
 — decumbens *Pl.* Harvey Thes. cap. 24.  
 — tripetala *F. M.* Müller Plants of Victoria 1, 9.  
 Bersama abyssinica *Fres.* Mus. Senck. 2, 17.  
 Bertholletia excelsa *H. B. K.* Endl. Bras. 18, 60, 61.  
 † — — — Bot. Zeitung 1859, 14, 15.  
 Bertolonia guttata *Hook.* Bot. Mag. 91, 5524.  
 † Bertya *Pl.* Baillon Euph. 18.  
 — oleaeifolia *Planch.* Müller Plants of Victoria 2, 20.  
 † — rosmarinifolia *Ag.* Handl. Ac. Holm. 1857, 1.  
 † — — — Agardh Syst. 15.  
 Berula angustifolia *K.* Rchb. Fl. germ. 21, 1878.  
 Berzelia abrotanoides *Brongn.* Burmann Pl. afr. 100.  
 — — — Schnizl. Iconogr. 68.  
 † Beschorneria *Kth.* Bot. Zeitung 1863, 2.

- Beschorneria yuccoides *Hort.* Bot. Mag. 86, 5203.  
 Besleria aggregata *Hnst.* Endl. Bras. 36, 65.  
 — flavo-virens *Nees et Mart.* Endl. Bras. 36, 65.  
 — lutea *L.* Plumier Ic. Burm. 49.  
 — melittifolia *Willd.* Schrank Hort. monac. 44.  
 — Riedeliana *Hnst.* Endl. Bras. 36, 65.  
 — Selloana *Kl. et Hnst.* Endl. Bras. 36, 65.  
 — Symphytum *Kl. et Hnst.* Endl. Bras. 36, 65.  
 † — umbrosa *Mart.* Linnæa 1853, 2.  
 — — — — Endl. Bras. 36, 65.  
 † Beta maritima *L.* Payer Organogénie 66.  
 † — vulgaris *L.* Gleichen Untersuchungen 7.  
 † — — — — Berg Charakt. 224.  
 † — — — — Flora 1853, 2.  
 † Betonica grandiflora *Willd.* Ann. sc. nat. IV. 4, 8.  
 — — — — incana *Ait.* Rivinus Opus ined. 19.  
 † — — — — officinalis *L.* Ann. sc. nat. IV. 4, 8.  
 † Betula acuminata *Wall.* Mem. Mosc. 19, 6. 8. 13. 15.  
 — — — — alba *L.* Zanoni Hist. 31.  
 — — — — — — — — Nouveau Duhamel 3, 50.  
 † — — — — — — — — Gleichen Entdeckungen 3. 4.  
 † — — — — — — — — Spach Suites 91.  
 † — — — — — — — — Berg Charakt. 174.  
 † — — — — — — — — Mem. Mosc. 19, 4—7.  
 † — — — — — — — — bhojpaltra *Wall.* Mem. Mosc. 19, 6. 13.  
 † — — — — — — — — cordifolia *Reg.* Mem. Mosc. 19, 12.  
 † — — — — — — — — davurica *Pall.* Bull. Mosc. 1857, 7.  
 † — — — — — — — — — — — — Mem. Mosc. 19, 8. 10.  
 † — — — — — — — — Ermanni *Cham.* Mem. Mosc. 19, 6. 12. 13.  
 † — — — — — — — — excelsa *Ait.* Nouveau Duhamel 3, 52.  
 † — — — — — — — — — — — — Mem. Mosc. 19, 7.  
 † — — — — — — — — fruticosa *Pall.* Mem. Mosc. 19, 6. 7.  
 † — — — — — — — — humilis *Schrank.* Mem. Mosc. 19, 8. 9. 10.  
 † — — — — — — — — hybrida *Blom.* Svensk Acad. 1786, 6.  
 † — — — — — — — — hybrida *Reg.* Mem. Mosc. 19, 8.  
 † — — — — — — — — lenta *Willd.* Mem. Mosc. 19, 6. 13.  
 † — — — — — — — — Middendorff *Trautv.* Middendorff Reise 2, 21.  
 † — — — — — — — — — — — — Mem. Mosc. 19, 8.  
 † — — — — — — — — nana *L.* Linné Amoenit. 1, 1.  
 † — — — — — — — — — — — — Mem. Mosc. 19, 9.  
 † — — — — — — — — nigra *L.* Nouveau Duhamel 3, 51.  
 † — — — — — — — — — — — — Mem. Mosc. 19, 12. 13.  
 † — — — — — — — — occidentalis *Hook.* Mem. Mosc. 19, 15.  
 † — — — — — — — — — — — — Nuttall Sylva 1, 7.  
 † — — — — — — — — pinnata *Lundm.* Svensk Acad. 1790, 5.  
 † — — — — — — — — pumila *L.* Mem. Mosc. 19, 6. 9. 13.  
 † — — — — — — — — rhombifolia *Nutt.* Nuttall Sylva 1, 8.  
 † — — — — — — — — tortuosa *Led.* Regel Gartenfl. 9, 303.  
 † — — — — — — — — — — — — Mem. Mosc. 19, 7.  
 † — — — — — — — — ulmifolia *S. et Z.* Mem. Mosc. 19, 6.  
 † — — — — — — — — urticifolia *Hort.* Mem. Mosc. 19, 10.  
 † Betulaceae *Barth.* Regel in Mem. Mosc. 19, 4—17.  
 † Beyeria *Miq.* Baillon Euph. 18.  
 Beyrichia ocimoides *Cham et Sch.* Endl. Bras. 30, 50.  
 — — — — — — — — scutellarioides *Benth.* Endl. Bras. 30, 50.  
 Biatherium foliosum *Desv.* Desvaux Opuscules 5.  
 Bichenia reptans *Wedd.* Castelnau Exped. 8.  
 † Bidens *L.* Abh. Senck. 1, 6.  
 — — — — — — — — acelloides *Berg.* Svensk Acad. 1768, 7.  
 — — — — — — — — bipinnata *L.* Zanoni Hist. 32.  
 — — — — — — — — atrosanguinea *Ortgies.* Regel Gartenfl. 1861, 347.  
 — — — — — — — — — — — — cernua *L.* Rchb. Fl. germ. 16, 941. 942.  
 † — — — — — — — — — — — — Verh. Märk. bot. Verein 1, 2.  
 — — — — — — — — chrysantha *DC.* Plumier Ic. Burm. 53.  
 — — — — — — — — hirta *Jord.* Rchb. Fl. germ. 16, 942.  
 — — — — — — — — leucantha *Willd.* Plumier Ic. Burm. 53.  
 — — — — — — — — nivea *L.* Dillenius Elth. 46. 47.  
 — — — — — — — — nodiflora *L.* Dillenius Elth. 44.  
 — — — — — — — — pilosa *L.* Dillenius Elth. 43.  
 † — — — — — — — — platycephala *Oerst.* Vidensk. Meddelelser 1862, 3.  
 — — — — — — — — — — — — Verh. Märk. bot. Verein 1, 1. 2.

- † Bidens radiata *Thunb.* Vidensk. Meddelelser 1862, 3.  
 — — — — — — — — Verh. Märk. bot. Verein 1, 1. 2.  
 — — — — — — — — tripartita *L.* Rchb. Fl. germ. 16, 941. 942.  
 † — — — — — — — — — — — — Vidensk. Meddelelser 1862, 3.  
 † — — — — — — — — — — — — Verh. Märk. bot. Verein 1, 2.  
 † Biebersteinieae *Endl.* Schnizl. Iconogr. 253.  
 † Bieneria boliviana *Rchb. fil.* Bot. Zeitung 1853, 1.  
 Bifrenaria bella *Lem.* Lem. Jard. fl. 3, 325.  
 — — — — — — — — Harrisoniae *Rchb.* Rchb. Xenia 1, 94.  
 — — — — — — — — inodora *Ldl.* Rchb. Xenia 1, 94.  
 — — — — — — — — tyrianthina *Rchb. fil.* Regel Gartenfl. 1864, 422.  
 Biglandularia azurea *Karst.* Karsten Fl. Col. 1, 70.  
 † Bignonia *L.* Bot. Zeitung 1856, 10.  
 — — — — — — — — aequinoctialis *L.* Plumier Ic. Burm. 55.  
 — — — — — — — — capreolata *L.* Rivinus Opus ined. 78.  
 — — — — — — — — — — — — Zanoni Hist. 33.  
 — — — — — — — — Catalpa *L.* Kaempfer Amoenit. p. 846.  
 — — — — — — — — Chamberlaynii *Hort.* L'horticulteur fr. 1861, 6.  
 — — — — — — — — crucigera *L.* Plumier Ic. Burm. 58.  
 — — — — — — — — grandiflora *Thunb.* Otto Garten-Z. 1856, 5.  
 — — — — — — — — — — — — Fl. d. serres 11, 1134.  
 † — — — — — — — — — — — — Payer Organogénie 151.  
 — — — — — — — — jasminoidea *Hort.* L'horticulteur fr. 1863, 10.  
 † — — — — — — — — Leucoxydon *L.* Schnizl. Iconogr. 151.  
 — — — — — — — — Lindleyi *DC.* Fl. d. serres 9, 907.  
 — — — — — — — — picta *Ldl.* Fl. d. serres 9, 907.  
 — — — — — — — — radiata *L.* Feuillée 2, 22.  
 — — — — — — — — radicans *L.* Cornuti Canad. p. 103.  
 — — — — — — — — speciosa *Grah.* Fl. d. serres 9, 907.  
 — — — — — — — — staminea *Lam.* Plumier Ic. Burm. 56.  
 † — — — — — — — — unguis *L.* Bureau Bign. 7.  
 † Bignoniaceae *R. Br.* Bureau Bign. 1—31.  
 † — — — — — — — — — — — — Schnizl. Iconogr. 151.  
 † — — — — — — — — — — — — Payer Organogénie 151.  
 † Billardiera *Sm.* Schnizl. Iconogr. 236.  
 † — — — — — — — — Agardh Syst. 16.  
 — — — — — — — — scandens *Sm.* Nouveau Duhamel 2, 15.  
 Billbergia Barquiniana *Ch. Lem.* Illustration hortic. 1864, 421.  
 — — — — — — — — bivittata *Hook.* Bot. Mag. 87, 5270.  
 — — — — — — — — Croyana *de Jonghe.* Lem. Jard. fl. 4, 413.  
 — — — — — — — — horrida *Hort.* Otto Garten-Z. 1858, 8.  
 — — — — — — — — — — — — Regel Gartenfl. 8, 272.  
 — — — — — — — — Liboniana *de Jonghe.* Journal d'hortic. prat. 1851.  
 — — — — — — — — — — — — Bot. Mag. 84, 5090.  
 — — — — — — — — — — — — Fl. d. serres 10, 1048.  
 — — — — — — — — longifolia *C. Koch.* Otto Garten-Z. 1857, 2.  
 — — — — — — — — macrocalyx *Hook.* Bot. Mag. 85, 5114.  
 — — — — — — — — — — — — Belgique horticole 1860, 19.  
 — — — — — — — — Moreliana *Brongn.* Sieb. Fl. Jard. 1859, 2.  
 — — — — — — — — — — — — Belgique horticole 1860, 11. 12.  
 — — — — — — — — nudicaulis *Ldl.* Plumier Ic. Burm. 62.  
 — — — — — — — — olens *Hook.* Bot. Mag. 91, 5502.  
 — — — — — — — — Quesneliana *Brongn.* Fl. d. serres 10, 1026.  
 — — — — — — — — rhodocyanea *Lem.* Bot. Mag. 81, 4883.  
 — — — — — — — — — — — — Revue horticole 1857, p. 482.  
 — — — — — — — — thyrsoides *Mart.* Bot. Mag. 79, 4756.  
 — — — — — — — — tinctoria *Mart.* Annales de Gand 1847, 114.  
 — — — — — — — — viridiflora *Wendl.* Fl. d. serres 10, 1019—1020.  
 — — — — — — — — Wetherelli *Hook.* Bot. Mag. 81, 4835.  
 Biophytum sensitivum *DC.* Mem. Tur. 20, 1.  
 † Bipinnula Commersonii *Ldl.* Bot. Zeitung 1853, 1.  
 † — — — — — — — — — — — — mystacina *Ldl.* Bot. Zeitung 1853, 1.  
 Bistella geminiflora *Del.* Caillaud Voyage 63.  
 Bixa Orellana *L.* Berg Charact. 587.  
 — — — — — — — — — — — — Spach Suites 44.  
 † Blachia *Baill.* Baillon Euph. 19.  
 † Blackwellia gracilis *Bl.* Blume Mus. 2, 2.  
 † — — — — — — — — — — — — tomentosa *Vent.* Blume Mus. 2, 2.  
 Bladhia japonica *Thunb.* Clever Fl. jap. 52.  
 † Blakea granatensis *Naud.* Ann. sc. nat. III. 18, 6.

- Blakea trinervia* L. Browne Jamaica 35.  
*Blandfordia flammea* Hook. Journ. d'hortic. 2, 1.  
*Blastania fimbriatipula* Kotschy. Kotschy Pl. Tinn. 7.  
*Blechnum acuminatum* Sturm. Mettenius Fil. Lechl. 2.  
 — *angustifrons* Fée. Fée Fil. novae 9.  
 — *asplenioides* Sw. Svensk Acad. 1817, 3.  
 — *attenuatum* Mett. Mettenius Fil. 3. 28.  
 † — *australe* L. Mettenius Fil. 3.  
 — — *boreale* Sw. Hook. British Ferns 40.  
 — — — Johnson Ferns 37.  
 † — — — Mettenius Fil. 4.  
 † — — — Denkschr. d. Wiener Ak. 6, 3. 4.  
 — — — *brasiliense* Desv. Hook. Sp. Fil. 3, 157.  
 — — — Lowe Ferns 4, 38.  
 † — — — *capense* Schl. Mettenius Fil. 4.  
 — — — *cartilagineum* Sw. Mettenius Fil. 5.  
 — — — Lowe Ferns 4, 42.  
 † — — — *doodioides* Hook. Hook. Sp. Fil. 3, 153.  
 † — — — *elongatum* Mett. Mettenius Fil. 4.  
 — — — *Fendleri* Hook. Hook. Sp. Fil. 3, 158.  
 † — — — *Gilliesii* Mett. Mettenius Fil. 4.  
 — — — *glandulosum* Link. Lowe Ferns 4, 41.  
 — — — *gracile* Kaulf. Lowe Ferns 4, 36.  
 — — — *hastatum* Kaulf. Lowe Ferns 4, 33.  
 — — — *laevigatum* Cav. Hook. Sp. Fil. 3, 160.  
 — — — Lowe New Ferns 58.  
 — — — *Lanceola* Sw. Svensk Acad. 1817, 3.  
 — — — Hook. Ic. pl. 10, 970.  
 — — — Lowe Ferns 4, 33.  
 † — — — *L'herminieri* Mett. Mettenius Fil. 4.  
 — — — *longifolium* H. B. K. Hook. Sp. Fil. 3, 154.  
 — — — Lowe Ferns 4, 37.  
 — — — *melanops* Hook. Hook. Sp. Fil. 3, 161.  
 — — — *nitidum* Pr. Hook. Sp. Fil. 3, 155. 156.  
 † — — — *occidentale* L. Mettenius Fil. 3.  
 — — — Lowe Ferns 4, 39.  
 — — — *orientale* L. Hook. Fil. exot. 77.  
 — — — Lowe Ferns 4, 40.  
 † — — — *Patersoni* Mett. Mettenius Fil. 4.  
 † — — — *Plumieri* Mett. Mettenius Fil. 4.  
 — — — *polypodioides* Raddi. Lowe Ferns 4, 34.  
 — — — *serrulatum* Rich. Lowe Ferns 4, 43.  
 † — — — *Spicant* Sw. Acta Leop. 28, 2.  
 † — — — *stenophyllum* Mett. Mettenius Fil. 3.  
 — — — *striatum* Br. Hook. Sp. Fil. 3, 159.  
 — — — *triangulatum* Link. Lowe Ferns 4, 35.  
 — — — *vittatum* Brack. Wilkes Expl. Exp. 16.  
 — — — *volubile* Klfs. Hook. Garden Ferns 15.  
 † *Bleekroodia insignis* Bl. Blume Mus. 2, 28.  
*Blennodia lasiocarpa* F. M. Müller Plants of Victoria 1, 2.  
*Blepharocalyx apiculatus* Berg. Endl. Bras. 18, 47.  
 — *lanceolatus* Berg. Endl. Bras. 18, 46.  
*Bletia aphylla* Nutt. Blume Orchid. 6.  
 † — — — *bracteosa* Gr. Griffith Pl. asiat. 312. 313.  
 — — — *densiflora* Gr. Griffith Pl. asiat. 313.  
 — — — *hyacinthina* R. Br. Blume Orchid. 6.  
 — — — *Tankervilleae* R. Br. Nees Sammlung 11.  
 — — — *tenera* A. Rich. Ramon Cuba 83.  
*Blitum bonus Henricus* Mey. Berg Charakt. 223.  
 — *capitatum* L. Poiteau Fl. par. 2.  
 — *virgatum* L. Poiteau Fl. par. 3.  
 † *Blumenbachia latifolia* Camb. Spach Suites 31.  
 † *Blysmus compressus* Panz. Leighton Flora 20.  
 † — — — *rufus* Link. Leighton Flora 20.  
 † *Bobartia* L. Linné Amoenit. 7, 2.  
 — — — *Linnaei* Schum. Skriverter nat. Selsk. 1793, 1.  
 † *Bocconia frutescens* L. Payer Organogénie 48.  
*Boehmeria arguta* Mart. Endl. Bras. 12, 65.  
 † — — — *aspera* Wedd. Arch. Mus. 9, 11.  
 — — — *caudata* Sw. Endl. Bras. 12, 64. 65.  
 † — — — Blume Mus. 2, 56.

- † *Boehmeria cylindrica* Willd. Arch. Mus. 9, 11.  
 † — — — *formicaria* Poepp. Blume Mus. 2, 56.  
 † — — — *lutescens* Bl. Blume Mus. 2, 48.  
 † — — — *macrophylla* Don. Arch. Mus. 9, 11.  
 † — — — *nivea* H. et Arn. Arch. Mus. 9, 11.  
 † — — — *ramiflora* Jacq. Blume Mus. 2, 13.  
 † — — — *sanguinea* Husk. Blume Mus. 2, 51.  
 † — — — *tenacissima* Gaud. Blume Mus. 2, 56.  
 † *Boeninghausenia albiflora* Steud. Agardh Syst. 18.  
*Boerhavia mutabilis* R. Br. Müller Plants of Victoria 2, 67.  
 — — — *pentandra* Kotschy. Kotschy Pl. Tinn. 18.  
 † *Boisduvalia Douglasii* Spach. Spach Suites 85.  
*Bolbophyllum barbigerum* Ldl. Bot. Mag. 87, 5288.  
 — *cupreum* Ldl. Bot. Mag. 88, 5316.  
 — *grandiflorum* Gr. Griffith Pl. asiat. 294.  
 — *lasianthum* Ldl. Vriese Orch. 13.  
 — *megalanthum* Gr. Griffith Pl. asiat. 292.  
 — *neilgherrense* Wight. Bot. Mag. 84, 5050.  
 — *pavimentatum* Ldl. Bot. Mag. 88, 5329.  
 — *repens* Gr. Griffith Pl. asiat. 294.  
 — *Rhizophorae* Ldl. Bot. Mag. 88, 5309.  
 — *trisetosum* Gr. Griffith Pl. asiat. 293.  
 — *umbellatum* Ldl. var. *Bergemanni*, Regel Gartenfl. 7, 244.  
 — — — *uniflorum* Gr. Griffith Pl. asiat. 295.  
*Boldea fragrans* Juss. Arch. Mus. 8, 31.  
*Bolivaria robusta* Benth. Hooker London Journ. 1846, 5.  
 † *Bolivariaceae* Griseb. Schnizl. Iconogr. 129.  
*Bollea violacea* Rchb. Rchb. Xenia 1, 66.  
*Bomarea hirtella* Herb. var. *Ruschiana*, Regel Gartenflora 1854, 83.  
 — — — *Salsilla* Herb. Revue horticole 1856, 11.  
 † *Bombaceae* Kth. Schnizl. Iconogr. 210\*.  
 † — — — (Nervatio) Denkschr. d. Wiener Akad. 14, 1—11.  
*Bombax Gossypium* L. Sonnerat Ind. 133.  
*Bonannia cubensis* A. Rich. Ramon Cuba 68.  
 † *Bonapartea juncea* R. et P. Abh. Leipz. 7, 20.  
*Bonplandia geminiflora* Cav. Annales de hist. nat. 2, 20.  
 — — — *trifoliata* Willd. Berl. Jahrb. 1804, 2.  
*Bontia daphnoides* L. Dillenius Elth. 49.  
*Boopis australis* Decne. Richard Astrolabe 18.  
 — *scapigera* Remy. Castelnau Exped. 44.  
*Borassus Aethiopicum* Mart. Trémaux Soudan 11.  
*Boronia Drummondii* Hort. Fl. d. serres 9, 881.  
 — *fastigiata* Bartl. Regel Gartenfl. 1861, 330.  
 — *Gunnii* Hook. fil. Hook. Fl. Tasm. 10.  
 — *pinnata* Sm. Smith Tracts 4.  
 — — — *Nouveau* Duhamel 5, 21.  
 † — — — *polygalaeifolia* Sm. Payer Organogénie 21.  
 — — — *tetrandra* Lab. Ysabeau Journal 1850, 6.  
 † *Borrago* L. Payer Organogénie 112.  
 † — — — Schnizl. Iconogr. 143.  
 — — — *cretica* Willd. Zanoni Hist. 37.  
 † — — — *officinalis* L. Payer Organogénie 112.  
 — — — Rchb. Fl. germ. 18, 1302.  
 — — — *orientalis* L. Annales de Gand 1845, 24.  
*Borreria basalis* And. Eugénies Resa 8.  
 — *dispersa* Hook. fil. Eugénies Resa 8.  
 — *ericaefolia* Hook. fil. Eugénies Resa 8.  
 — *ovalis* And. Eugénies Resa 8.  
*Borreria arborescens* DC. Plumier Ic. Burm. 106.  
 — *frutescens* DC. Plumier Ic. Burm. 107.  
 † *Boschniakia glabra* C. A. M. Chatin Anatomie 24.  
*Boscia angustifolia* Rich. Harvey Thes. cap. 2, 134.  
*Bossiaea cordigera* Benth. Hook. Fl. Tasm. 16.  
*Boswellia serrata* Roxb. et Colebr. Asiat. Researches 9, 1.  
 — — — Berg Darstellung 2, 14\*.  
 — — — *thurifera* Colebr. Journal Bomb. As. Soc. 2, 23.



- Botryanthus Heldreichii* Boiss. Regel Gartenfl. 1863, 419.
- †*Botrychium* Griffith Pl. asiat. 135.
- *anthemoides* Presl. Acta Leop. 26, 53.
  - *boreale* Milde. Acta Leop. 26, 51, 54, 55.
  - *Buxbaumii* Milde. Acta Leop. 26, 53.
  - *crassinervium* Rupr. Beiträge zur Pflanzenk. 11, 1.
  - — — Acta Leop. 26, 55.
  - *daucifolium* Wall. Bot. Mag. 88, 5340.
  - *lanceolatum* Angstr. Acta Leop. 26, 51, 55.
  - *Lunaria* Sw. Colonna Phytobasanos 18.
  - — — Hooker British Ferns 48.
  - — — Lowe Ferns 7, 66.
  - — — Johnson Ferns 45.
  - — — var. *cristatum*, Nat. Hist. Review 3, 5, 6.
  - — — Acta Leop. 26, 47, 48.
  - † — — — (Germinatio) Bonplandia 1855, 3.
  - † — — — Bot. Zeitung 1859, 12.
  - *matricariaefolium* A. Br. Acta Leop. 26, 51, 52, 54, 55.
  - † — — — Bot. Zeitung 1859, 12.
  - — — Bot. Notiser 1854, 1.
  - *rutaefolium* A. Br. Acta Leop. 26, 53, 54, 55.
  - † — — — Bot. Zeitung 1859, 12.
  - *simplex* Hitch. Acta Leop. 26, 49, 50, 54, 55.
  - — — Bot. Notiser 1854, 1.
  - *subbifoliatum* Brack. Wilkes Expl. Exp. 44.
  - *tenellum* Angstr. Bot. Notiser 1854, 1.
  - *virginianum* Sw. Hook. Fl. Tasm. 169.
  - — — Hooker Garden Ferns 29.
- Botryodendron macrophyllum* Rich. Gray Expl. Exp. 97.
- *taitense* Guill. Gray Expl. Exp. 96.
- Botryopsis platyphylla* Miers. Endl. Bras. 38, 48.
- *Spruceana* Eichl. Endl. Bras. 38, 48.
- Boucerosia edulis* Edg. Journ. Linn. Soc. 6, 1.
- *Munbyana* Decne. Munby Fl. d'Algérie 7.
  - *Russeliana* Afr. Courb. Ann. sc. nat. IV, 18, 7.
- Bouchea cuneifolia* Sch. Harvey Thes. cap. 1, 28.
- *latifolia* Harv. Harvey Thes. cap. 2, 190.
- Bougainvillaea spectabilis* Willd. Bot. Mag. 80, 4811.
- Bougneria nubicola* Decne. Castelnau Exped. 64.
- †*Boussingaultia baselloides* H. B. K. Agardh Syst. 26.
- *gracilis* Miers. Seemann Journal 2, 18.
- Bouteloua polystachya* Benth. Expl. Missis. 5, 10.
- †*Bouvardia Salisb.* Schnizl. Iconogr. 3, 127°.
- *angustifolia* H. B. K. Fl. d. serres 9, 904.
  - *Houtteana* Schldl. Fl. d. serres 10, 1024.
  - *leiantha* Benth. Schw. Zeitsch. f. G. 8, p. 42.
  - *leiantho-longiflora* Reg. Regel Gartenfl. 8, 258.
  - *oriana* Hort. Fl. d. serres 12, 1265.
  - — — Journal d'hortic. 2, 21.
- Bowenia spectabilis* Hook. Bot. Mag. 89, 5398.
- Bowkeria triphylla* Harv. Harvey Thes. cap. 1, 37.
- Bowlesia pulchella* Wedd. Castelnau Exped. 67.
- Bowringia insignis* Hook. Hook. Journ. 1853, 2.
- Brachistum dimorphus* Miers. Miers Illustr. 37.
- *hebephyllum* Miers. Miers Illustr. 36.
  - *lancaefolius* Miers. Miers Illustr. 36.
  - *oblongifolius* Miers. Miers Illustr. 1, 37.
- Bractia glumacea* Rehb. Rchb. Xenia 1, 29.
- *sulphurea* Rehb. Rchb. Xenia 1, 29.
- Brachyandra macrogyne* Ph. Philippi Reise 4.
- Brachychiton Bidwillii* Hook. Bot. Mag. 85, 5133.
- — — Fl. d. serres 14, 1465.
  - *populneum* R. Br. Müller Plants of Victoria 1, 56.
- Brachycome decipiens* Hook. fil. Hook. Fl. Tasm. 47.
- *tenuiscapa* Hook. fil. Hook. Fl. Tasm. 48.
- Brachycorythis ovata* Ldl. Harvey Thes. cap. 1, 53.

- Brachycorythis pubescens* Harv. Harvey Thes. cap. 1, 54.
- †*Brachyloma hondense* Hort. Linnaea 1853, 1.
- *Karstenianum* Hanst. Karsten. Fl. Col. 1, 50.
- Brachynema rariflorum* Benth. Linn. Transact. 22, 22.
- †*Brachypterum scandens* W. et A. Miquel Flora 3.
- † — *timorensis* Benn. Miquel Flora 3.
- Brachysemma speciosum* Benth. L'horticulteur fr. 1864, 18.
- Brachystelma filiforme* Harv. Harvey Thes. cap. 1, 93.
- *Gerardi* Harv. Harvey Thes. cap. 2, 196.
- Brackenridgea nitida* Gray. Gray Expl. Exp. 42.
- Bracteolaria racemosa* Hochst. Harvey Thes. cap. 1, 20.
- †*Bragantia corymbosa* Griff. Berl. Monatsb. 1859, 1.
- Brahea dulcis* Mart. Illustration horticole 1863, 379.
- Brainea insignis* Hook. Hook. Fil. exot. 38.
- — — J. Sm. Lowe Ferns 4, 49.
- Brandisia discolor* Hook. fil. Journ. Linn. Soc. 8, 4.
- Brasavola cucullata* R. Br. Plumier Ic. Burm. 179.
- *fragrans* Ch. Lem. Illustration horticole 1858, 180.
- Brassaiopsis glomerulata* Blume. Regel Gartenfl. 1863; 411.
- Brassia brachiata* Ldl. Pescatorea 1, 31.
- *Gireoudiana* Rehb. fil. Rchb. Xenia 1, 32.
  - *Josstiana* Rehb. fil. Regel Gartenfl. 3, 100.
  - *Keiliana* Rehb. fil. Rchb. Xenia 1, 45.
  - — — Regel Gartenfl. 1857, 190. 1862, 365.
  - *longiloba* Ldl. Annales de Gand 1848, 42.
- †*Brassica Cheiranthus* Vill. Ann. sc. nat. 6, 11.
- † — *Napus* L. Metzger Kehlarten 1.
- ! — — — var. *oleifera*, Fleischer Missbildungen 1, 2.
- *nigra* Koch. Berg Darstellung 4, 30°.
- † — *oleracea* L. Metzger Kohlarten 1.
- ! — — — *nepenthiformis*, Transact. Hort. Soc. 5, 1.
- † — *Rapa* L. Metzger Kohlarten 1.
- † — — — *Gasparrini* Ric. 6, 7.
- *sempervirens* Ten. Schrank Hort. monac. 10.
- †*Brassicaceae* Ldl. Schnizl. Iconogr. 181.
- †*Brathys prolifica* Spach. Payer Organogénie 1.
- Braya calycina* Wedd. Castelnau Exped. 85.
- Brayera anthelmintica* Kth. Bruce Travels 22, 23.
- Brazoria truncata* Engelm. et Gr. Gray Chloris 5.
- Breweria malvacea* Klotzsch. Peters Mossamb. 37.
- †*Brexia madagascariensis* Ker. Agardh Syst. 11.
- — — Schnizl. Iconogr. 170.
- †*Bridelia Willd.* Baillon Euph. 25.
- *cathartica* Benth. Mem. Bon. 5, 28.
  - † — *retusa* Juss. Jussieu Euph. 7.
- Brignolia pastinacaefolia* Bert. Rchb. Fl. germ. 21, 1899.
- Brillantaisia owariensis* Pal. B. Fl. d. serres 9, 901.
- — — Lem. Jard. fl. 4, 420.
- Britoa Sellowiana* Berg. Endl. Bras. 18, 53.
- †*Briza* L. Linné Amoenit. 7, 3.
- *capensis* Thunb. Schrank Hort. monac. 43.
  - † — *media* L. Berg Charakt. 74.
- †*Bromelia* L. Ann. sc. nat. IV, 2, 3.
- † — — — Agardh Syst. 2.
  - *Ananas* L. Dillenius Elth. 21, 22.
  - *bicolor* Rz. et P. Gay Chile 67.
  - *Carolinæ* Beer. Regel Gartenfl. 6, 211.
  - *Commeliniana* de Vr. Sieb. Fl. Jard 1859, 13.
  - *lingulata* L. Plumier Ic. Burm. 64.
  - *Pinguin* L. Dillenius Elth. 240.
- †*Bromus* L. Linné Amoenit. 7, 3.
- *catharticus* Vahl. Feuillée 2, 1.
  - *Mango* Em. Desv. Gay Chile 82.
- † — *Micheli* Savi. Giorn. Lett. 24, 3.
- *pictus* Hook. fil. Richard Astrolabe 8.
- † — *secalinus* L. Gleichen Entdeckungen 42.

- Brosimum discolor* Schott. Endl. Bras. 12, 33.  
 — *Gaudichaudii* Trécul. Endl. Bras. 12, 32.  
*Brotera ovata* Cav. Anales de hist. nat. 1, 1.  
*Broussaisia arguta* Gaudich. Gray Expl. Exp. 87.  
 †*Broussonetia Kaempferi* Sieb. Blume Mus. 2, 40.  
 — *papyrifera* Vent. var. Kazi, Cleyer Fl. jap. 76.  
 — — Nouveau Duhamel 2, 7.  
 — — — L'her. Stirp. 122.  
 † — — — Baillon Adansonia 1, 8.  
*Browallia abbreviata* Benth. Regel Gartenfl. 3, 94.  
 — *demissa* L. Endl. Bras. 30, 41.  
 — *Jamesonii* Benth. Belgique horticole 5, 1.  
 — *tenella* Miers. Miers Illustr. 54.  
 — *viscosa* H. B. K. Regel Gartenfl. 4, 142.  
*Brownea grandiceps* Jacq. Bot. Mag. 81, 4839.  
 — — — Belgique horticole 1861, 10.  
*Brownlea coerulea* Sond. Harvey Thes. cap. 2, 103.  
 — *recurvata* Sond. Harvey Thes. cap. 2, 104.  
*Brucea ferruginea* L'her. Bruce Travels 21.  
 †*Bruckenthalia* Rchb. Nees Genera 30, 10.  
 — *spiculifera* Rchb. Rchb. Fl. germ. 17, 1162.  
 †*Bruguiera gymnorhiza* Lam. Griffith Pl. asiat. 59.  
 — *nubicola* Decne. Hook. Lond. Journ. 1845, 19.  
 †*Brunella aequinoctialis* H. B. K. Seringe Bull. 7.  
 — *australasica* Moric. Seringe Bull. 7.  
 † — *Fischeriana* Ham. Seringe Bull. 7.  
 † — *grandiflora* Moench. Seringe Bull. 7.  
 — — — Rchb. Fl. germ. 18, 1223.  
 † — *hyssopifolia* Lam. Seringe Bull. 7.  
 — — — Rchb. Fl. germ. 18, 1223.  
 † — *laciniata* Lam. Seringe Bull. 7.  
 — — — Rchb. Fl. germ. 18, 1223.  
 † — *parviflora* Poir. Seringe Bull. 7.  
 † — *pensylvanica* Willd. Seringe Bull. 7.  
 † — *vulgaris* L. Seringe Bull. 7.  
 — — — Lam. Rchb. Fl. germ. 18, 1223.  
*Brunfelsia americana* L. Plumier Ic. Burm. 65.  
 † — — — Agardh Syst. 27.  
 — *Hopeana* Benth. Endl. Bras. 30, 43.  
 — *longituba* Lem. Lem. Jard. fl. 4, p. 62.  
 — *nitida* Benth. Miers Illustr. 56.  
 — *obovata* Benth. Endl. Bras. 30, 42.  
 †*Brunia lanuginosa* Thunb. Jard. Annals II. 11, 15.  
 †*Bruniaceae* R. Br. Schnizlein Iconogr. 168.  
*Brunonia australis* Sm. Marnock Mag. 1840, 12.  
 — — — Jard. Annals II. 11, 13.  
*Bruschia macrocarpa* Bert. Mem. Bonon. 9, 2.  
*Bryocarpum himalaicum* Hook. Hook. Journ. 1857, 5.  
*Bryomorpha Zeyheri* Harv. Harvey Thes. cap. 2, 151.  
*Bryonia abyssinica* Lam. Revue horticole 1853, 4.  
 † — *africana* L. Medicus Beob. p. 385.  
 † — *alba* L. Batsch Analyses 15.  
 † — — — Rchb. Fl. germ. 19, 1620.  
 † — — — Schnizl. Iconogr. 202.  
 † — — — Abh. nat. Ges. Halle 1854, 4.  
 — *americana* Lam. Plumier Ic. Burm. 66.  
 — *dioica* L. Rchb. Fl. germ. 19, 1621.  
 † — — — Jard. Annals III. 1, 6.  
 — *grandis* L. Burmann Thes. zeyl. 19.  
 — *laciniosa* L. Fl. d. serres 12, 1202.  
*Bryophyllum proliferum* Bowie. Bot. Mag. 85, 5147.  
 †*Bubania Féei* Gir. Mém. Montpellier X, x.  
*Bubon Galbanum* L. Berg Charakt. 442.  
*Bubroma Guazuma* Willd. Plumier Ic. Burm. 144.  
*Buchanania florida* Schauer. Gray Expl. Exp. 44.  
*Buchloe dactyloides* Engelm. Transact. St. Louis 1, 12, 14.  
*Buchnera elongata* Sw. Plumier Ic. Burm. 17.  
 — *palustris* Spr. Endl. Bras. 30, 57.  
*Bucida Buceras* L. Browne Jamaica 23.  
 †*Buckleya distichophylla* Hort. Chatin Anatomie 71.  
*Buddleia Colvilei* Hook. fl. Hook. Himal. 18.

- Buddleia Colvilei* Hook. fl. Fl. d. serres 14, 1487.  
 — — — Illustration horticole 1857, 127.  
 — *coriacea* Remy. Castelnau Exped. 51.  
 — *crispa* Benth. Bot. Mag. '80, 4793.  
 — — — Fl. d. serres 9, 958.  
 — *elegans* Cham. et Schl. Endl. Bras. 30, 49.  
 — *globiflora* Mirb. Nouveau Duhamel 1, 25.  
 — *globosa* Lam. Feuillée 3, 38.  
*Buena panamensis* Cav. Anales de hist. nat. 2, 23.  
 †*Buffonia* Saw. Nees Genera 31, 12.  
 — *macropetala* Willk. Willkomm Ic. Hisp. 1, 71.  
 — *macrosperma* Gay. Willkomm Ic. Hisp. 1, 72.  
 — *perennis* Pourr. Willkomm Ic. Hisp. 1, 71.  
 — *tenuifolia* L. Willkomm Ic. Hisp. 1, 72.  
 — — — Willkommiana Boiss. Willkomm Ic. Hisp. 1, 72.  
*Buglossum Barbellieri* All. Rchb. Fl. germ. 18, 1307.  
 †*Bulbocapnos Halleri* Spach. Spach Suites 116, 117.  
*Bulbocodium edentatum* Schur. Verh. Hermannstadt 2, 6.  
 — *hastulatum* Friv. Acta Acad. hung. 1837, 2.  
 † — *ruthenicum* Led. Pringsheim Jahrb. 1, 7.  
 — *vernum* L. Fl. d. serres 11, 1149.  
 † — — — Abh. Leipz. 7, 17.  
 †*Bulliarda aquatica* DC. Königsberger Schriften 1860, 5, 7.  
 † — *Vaillantii* DC. Payer Organogénie 79.  
*Bumelia angustifolia* Nutt. Nuttall Sylva 3, 93.  
 — *foetidissima* Willd. Nuttall Sylva 3, 94.  
 — *lycioides* Pursh. Nuttall Sylva 3, 91.  
 — *nigra* Sw. Ramon Cuba 54.  
 — *obtusifolia* R. et S. Endl. Bras. 32, 19, 20.  
 — *Sartorum* Mart. Endl. Bras. 32, 19.  
 — *tenax* Willd. Nuttall Sylva 3, 92.  
*Bunburya capensis* Meisn. Harvey Thes. cap. 2, 132.  
*Bunias spinosa* L. Forskal Icones 17.  
*Bunium alpinum* W. K. Rchb. Fl. germ. 21, 1876.  
 — *Bulbocastanum* L. Rchb. Fl. germ. 21, 1874.  
 — *Carvi* M. B. Rchb. Fl. germ. 21, 1872.  
 † — *creticum* D'Urv. Flora 1858, 1.  
 — *divaricatum* Bert. Rchb. Fl. germ. 21, 1876.  
 — *ferulaceum* Sm. Rchb. Fl. germ. 21, 1875.  
 † — *flexuosum* With. Leighton Flora 7.  
 — *verticillatum* Gren. Rchb. Fl. germ. 21, 1873.  
 — *virescens* Duby. Lorey Flôre de Côte d'or 3.  
*Buphthalmum arborecens* L. Dillenius Elth. 38.  
 — *frutescens* L. Dillenius Elth. 38.  
 — *salicifolium* L. Rchb. Fl. germ. 16, 936.  
 — *succisaefolium* Rchb. Rchb. Fl. germ. 19, 936.  
*Bupleurum affine* Sadl. Rchb. Fl. germ. 21, 1887.  
 — *apiculatum* Friv. Acta Acad. hung. 1840, 6.  
 — — — Rchb. Fl. germ. 21, 1890.  
 — *aristatum* Bartl. Rchb. Fl. germ. 21, 1888, 1889.  
 — *diversiflorum* Roch. Rchb. Fl. germ. 21, 1885.  
 — *falcatum* L. Rchb. Fl. germ. 21, 1885, 1920.  
 — *fruticosum* L. Rininus opus ined. 108.  
 — — — Nouveau Duhamel 6, 34.  
 — — — Rchb. Fl. germ. 21, 1886.  
 — *Gerardi* Jacq. Rchb. Fl. germ. 21, 1887.  
 — *glumaceum* Sibth. Rchb. Fl. germ. 21, 1890.  
 — *gramineum* Vill. Rchb. Fl. germ. 21, 1884.  
 — *junceum* L. Rchb. Fl. germ. 21, 1883.  
 — *Kargli de Vis.* Rchb. Fl. germ. 21, 1889.  
 — *longifolium* L. Rchb. Fl. germ. 21, 1881.  
 — *Odontites* L. Rchb. Fl. germ. 21, 1888.  
 — *petraeum* L. Rchb. Fl. germ. 21, 1882.  
 — *protractum* Lk. Hffg. Rchb. Fl. germ. 21, 1880.  
 — *pyrenaicum* Gouan. Rchb. Fl. germ. 21, 1882.  
 — *ranunculoides* L. Rchb. Fl. germ. 21, 1886.  
 — *rotundifolium* L. Rchb. Fl. germ. 21, 1880.  
 — *semicompositum* L. Rchb. Fl. germ. 21, 1891.  
 — *stellatum* L. Rchb. Fl. germ. 21, 1882.  
 — *tenuissimum* L. Rchb. Fl. germ. 21, 1891.

- Bupleurum villosum* L. Burm. Pl. afr. 71.  
*Burcardia Heist.* Burckhard Epistola ad Leibnitium 2.  
*Burlingtonia decora* Lem. Bot. Mag. 81, 4834.  
 — — — var. *picta*, Bot. Mag. 89, 5419.  
 — — — *venusta* Ldl. Illustration horticole 1858, 188.  
 † *Burmanna azurea* Gr. Griffith Pl. asiat. 272.  
 — *disticha* L. Burmann Thes. zeyl. 20.  
 † *Burnettia cuneata* Ldl. Hook. Fl. Tasm. 107.  
*Bursera gummifera* DC. Nuttall Sylva 2, 79.  
 † — — — *serrata* Roxb. Griffith Pl. asiat. 59.  
*Burtonia pulchella* Meisn. Annales de Gand 1848, 50.  
 — — — *scabra* R. Br. Bot. Mag. 83, 5000.  
 — — — — *Belgique horticole* 8, 26.  
*Busbeckea Mitchellii* F. M. Müller Plants of Vict. 1, 4<sup>b</sup>.  
 † *Butomopsis lanceolata* Kth. Chatin Anatomie 18.  
*Butomus umbellatus* L. Spach Suites 115.  
 † — — — — Payer Organogénie 141.  
 † — — — — Chatin Anatomie 17.  
 † — — — — Flora 1857, 9.  
 † — — — — Agardh Syst. 4.  
 † — — — — (Embryo.) Linn. Transact. 22, 68.  
*Büttneria microphylla* Jacq. Jacq. Vind. 29.  
*Büttneriaceae* R. Br. Schnizl. Iconogr. 211.  
*Butyrospermum niloticum* Kotschy. Wien. Sitzungsber. 50, 1.  
 — — — *Parkii* Kotschy. Wiener Sitzungsbericht 50, 2.  
*Buxus sempervirens* L. Nouveau Duhamel 1, 23, 24.  
 † — — — — Jussieu Euph. 1.  
 † — — — — Agardh Syst. 22.  
*Byrsonia sandvicensis* Endl. Gray Expl. Exp. 26.  
 — — — *taitensis* Gray. Gray Expl. Exp. 25.  
*Byrsonima Clauseniana* Juss. Endl. Bras. 21, 1.  
 — — — *dispar* Gr. Endl. Bras. 21, 2.  
 — — — *laevigata* DC. Endl. Bras. 21, 3.  
 — — — *lucida* Kth. Ramon Cuba 28<sup>b</sup>.  
 — — — *umbellata* Mart. Endl. Bras. 21, 4.  
 † *Cabomba aquatica* Aubl. Jard. Annals II. 12, 3.  
 † — — — — Schnizl. Iconogr. 186.  
*Cacabus nolanoides* Miers. Miers Illustr. 49.  
*Caccinia glauca* Savi. Giorn. Lett. 23, 1.  
 † *Cacteeae* DC. Krok Cacteen tab. 1—12.  
 † — — — — Engelmann in Expl. Missis. 4, 1—24.  
 † — — — — Engelmann Boundary 74, 75.  
 † — — — — Emory Notes p. 72, 77, 79, 159.  
 † — — — — (Germinatio.) Turpin Observations 1.  
 † — — — — (Schleiden.) Mém. prés. Pet. 4, 1—10.  
 † — — — — Payer Organogénie 78.  
 † — — — — Schnizl. Iconogr. 204, 204<sup>a</sup>.  
 † — — — — Spach Suites 46.  
 † — — — — Griffith Pl. asiat. 38.  
 † — — — — Agardh Syst. 25.  
*Cactus cochinitifer* L. Dillenius Elth. 297.  
 — — — *curassavicus* L. Dillenius Elth. 295.  
 — — — *Pereskia* L. Dillenius Elth. 227.  
 — — — *phyllanthus* L. Dillenius Elth. 63, 64.  
 — — — *Tuna* L. Dillenius Elth. 294—296.  
*Cadaba longifolia* DC. Schweinf. Pl. nilot. 6, 16.  
 — — — *natalensis* Sond. Harvey Thes. cap. 1, 60.  
*Cadellia pentastylis* F. M. Müller Fragmenta 2, 12.  
*Cadia varia* L'her. Magasin encycl. 5, p. 20.  
*Caesalpinia angulicaulis* Clos. Gay Chile 19.  
 — — — *Crista* L. Plumier Ic. Burm. 68.  
 — — — *Ebano* Karst. Karsten Fl. Col. 2, 129.  
 — — — *pulcherrima* Sw. Zanoni Hist. 141.  
 — — — *punctata* Willd. Karsten Fl. Col. 2, 101.  
*Caesia corymbosa* Br. Hook. Fl. Tasm. 132.  
 † *Cajophora lateritia* Maund. Ann. sc. nat. III. 20, 12.  
 † — — — — Payer Organogénie 84.  
 † — — — — Schnizl. Iconogr. 199.  
 † — — — — Agardh Syst. 18.  
 † — — — — Abh. Leipz. 6, 27.  
*Cakile aegyptiaca* Willd. Fl. dan. 9, 1583.  
 — — — *monosperma* Lge. Lange Pl. Hisp. 7.

- Caladenia alata* Br. Hook. Fl. Tasm. 125.  
 — — — *angustata* Ldl. Hook. Fl. Tasm. 125.  
 — — — *barbata* Ldl. Hook. Fl. Tasm. 123.  
 — — — *carnea* Br. Hook. Fl. Tasm. 124.  
 — — — *clavigera* A. Cunn. Hook. Fl. Tasm. 122.  
 — — — *congesta* Br. Hook. Fl. Tasm. 124.  
 — — — *dilatata* Br. Hook. Fl. Tasm. 122.  
 — — — *filamentosa* Br. Hook. Fl. Tasm. 121.  
 — — — *Menziesii* Br. Hook. Fl. Tasm. 121.  
 — — — *Patersoni* Br. Hook. Fl. Tasm. 123.  
*Caladium argyrites* Ch. Lem. Fl. d. serres 13, 1345.  
 — — — — — Illustr. horticole 1858, 185.  
 — — — *argyrosipilum* Ch. Lem. Fl. d. serres 13, 1346.  
 — — — *Baraquinii* Hort. Fl. d. serres 13, 1378.  
 — — — — — Illustration horticole 1860, 257.  
 — — — *Belleymei* Hort. Fl. d. serres 13, 1377.  
 — — — — — Illustration horticole 1860, 252.  
 — — — *bicolor* Vent. Bot. Mag. 86, 5199.  
 — — — — — var. *Chantini*, Bot. Mag. 87, 5255.  
 — — — — — var. *Verschaffeltii*, Bot. Mag. 87, 5263.  
 — — — *Brongniartii* Ch. Lem. Fl. d. serres 13, 1347.  
 — — — *Chantinii* Ch. Lem. Fl. d. serres 13, 1348—50.  
 — — — — — Illustr. horticole 1855, 185.  
 — — — *esculentum* Vent. Cleyer Fl. jap. 92.  
 — — — *Lemaireanum* Hort. Versch. Illustration horticole 1862, 311.  
 — — — *Lowii* Hort. Low. Illustration horticole 1863, 360.  
 — — — *mirabile* Hort. Versch. Illustration horticole 1863, 354.  
 — — — *Neumannii* Ch. Lem. Fl. d. serres 13, 1351—1353.  
 † — — — *nymphaeaeifolium* Vent. Griffith Pl. asiat. 161<sup>b</sup>.  
 † — — — *Trubetzkoi* Hort. Fl. d. serres 13, 1379.  
 — — — *Verschaffeltii* Ch. Lem. Illustr. horticole 1858, 185.  
*Calais Bigelovii* Torr. Expl. Missis. 4, 17.  
 — — — *cyclocarpa* Torr. Expl. Missis. 4, 18.  
 — — — *tenella* Torr. Expl. Missis. 4, 17.  
*Calamintha Acinos* Benth. Rchb. Fl. germ. 18, 1274.  
 — — — *alpina* Benth. Rchb. Fl. germ. 18, 1275.  
 — — — *Clinopodium* L. Rchb. Fl. germ. 18, 1274.  
 — — — *coerulescens* Wedd. Castelnau Exped. 63.  
 — — — *grandiflora* Moench. Rchb. Fl. germ. 18, 1276.  
 — — — *graveolens* Benth. Rchb. Fl. germ. 18, 1275.  
 — — — *nivea* Boiss. Tchichatschiff Asie mineure 24.  
 — — — *officinalis* Moench. Rchb. Fl. germ. 18, 1276—1278.  
 — — — *Pulegium* Rchb. fl. Rchb. Fl. germ. 18, 1278, 1279.  
 — — — *rotundifolia* Benth. Rchb. Fl. germ. 18, 1275.  
 — — — *thymifolia* Rchb. Rchb. Fl. germ. 18, 1279.  
 — — — *ussuriensis* Rgl. et Maack. Acad. Pet. VII. 4, 9.  
*Calamosagus laciniatus* Griff. Calcutta Journal 1845, 1.  
 † *Calamus cuspidatus* M. et W. Linn. Transact. 24, 41.  
 † — — — *deerratus* M. et W. Linn. Transact. 24, 41.  
 † — — — *Hookeri* M. et W. Linn. Transact. 24, 41.  
 † — — — *laevis* M. et W. Linn. Transact. 24, 38, 43.  
 † — — — *macrocarpus* M. et W. Linn. Transact. 24, 41, 43.  
 † — — — *Mannii* Wendl. Linn. Transact. 24, 41.  
 † — — — *opacus* M. et W. Linn. Transact. 24, 41, 43.  
 — — — *secundiflorus* M. et W. Linn. Transact. 24, 38, 41, 43.  
 † *Calandrinia* L. Agardh Syst. 25.  
 — — — *acaulis* H. B. K. Castelnau Exped. 89.  
 — — — *compressa* Schrad. Schnizl. Iconogr. 206.  
 † — — — *Menziesii* Hort. Payer Organogénie 69.  
 — — — *umbellata* DC. Revue horticole 1853, 1.  
*Calanthe Dominii* Ldl. Bot. Mag. 84, 5042.  
 — — — *gracilis* Ldl. Lem. Jard. fl. 4, 404.  
 — — — *mexicana* Rchb. Rchb. Xenia 1, 79.  
 — — — *phajoides* Rchb. Rchb. Xenia 1, 79.

- † *Calanthe plantaginea* Gr. Griffith Pl. asiat. 339\*.  
 — *Sieboldii* Decne. Revue horticole 1855, 20.  
 — *Veitchii* (hybrida) Bot. Mag. 89, 5375.  
 — *veratrifolia* R. Br. Payer Organogénie 142.  
 — *vestita* Ldl. Fl. d. serres 13, 1308.  
 — — Warner Select Orch. 29.
- † *Calanthe multiflorus* Oerst. Linnaea 1853, 2.  
*Calathea fasciata* Rgl. et Körn. Regel Gartenfl. 3, 255.  
 † — *grandiflora* Ldl. Mem. Mosc. 17, 7.  
 — *pardina* Planch. Fl. d. serres 11, 1101—1102.  
 — *rotundifolia* Knacke. Regel Gartenfl. 1864, 452.  
 — *villosa* Ldl. var. *pardina*, Bot. Mag. 83, 4973.  
 — *zebrina* Ldl. Regel Gartenfl. 5, 167.  
 † — — Mem. Mosc. 17, 6.
- Calboa globosa* Land. Belgique horticole 7, 11.  
*Calceolaria* L. (Formae hybridae.) Annales de Gand 1845, 23.  
 — — — Regel Gartenfl. 4, 133, 7, 233.  
 — — — L'horticulteur fr. 1863, 5.  
 — — — Belgique horticole 1862, 10.  
 — — — Fl. d. serres 15, 1554.  
 — *ericoides* Ldl. Belgique horticole 7, 28.  
 — *flexuosa* Rz. et P. Bot. Mag. 85, 5154.  
 — — — Moore Mag. 1850, p. 33.  
 — — — Belgique horticole 4, 22.  
 — *glacialis* Wedd. Castelnau Exped. 59.  
 — *integrifolia* R. et P. Nees Sammlung 76.  
 — *pinnata* L. Svensk Acad. 1770, 8.  
 — — — Feuillée 3, 7.  
 — *punctata* Vahl. Bot. Mag. 89, 5392.  
 — *rugosa* R. et P. Feuillée 3, 7.  
 — *violacea* Cav. Bot. Mag. 82, 4929.
- Calea scoparia* L. Browne Jamaica 34.  
*Caleana major* Br. Hook. Fl. Tasm. 107.  
 † *Calendula* L. (Pollen.) Mém. prés. Pet. 3, 10.  
 — *arvensis* L. Rchb. Fl. germ. 15, 890.  
 † — — Ann. sc. nat. IV. 4, 12.  
 — *micrantha* Guss. Guss. Fl. Inar. 6.  
 † — — Gasparrini Ric. 5.  
 — *microcephala* Kralik. Rchb. Fl. germ. 15, 891.  
 — *officinalis* L. Colonna Phytobasanos 13.  
 — — — Rchb. Fl. germ. 15, 890.  
 † — — Payer Organogénie 134.  
 † — — Ann. sc. nat. IV. 4, 12.  
 — *parviflora* Raf. Rchb. Fl. germ. 15, 891.  
 — *sublanata* Rchb. Rchb. Fl. germ. 15, 891.
- † *Caletia* Baill. Baillon Euph. 26.  
*Calla palustris* L. Rivinus Opus ined. 100.  
 † — — Berg Charakt. 89.  
 † — — Agardh Syst. 2.  
 † — — Flora 1856, 2.  
 † — — Leipz. Abh. 7, 8.
- Calliandra Clavellina* Karst. Karsten Fl. Col. 1, 79.  
 — *coroensis* Karst. Karsten Fl. Col. 2, 121.  
 — *glomerulata* Karst. Karsten Fl. Col. 2, 103.  
 — *haematocephala* Hassk. Bot. Mag. 86, 5181.  
 — *obtusifolia* Karst. Karsten Fl. Col. 2, 121.  
 — *Seemannii* Benth. Seemann Herald 22.
- † *Callianthemum anemonoides* Rchb. Schott östr. Ran. 6.  
 † — *rutaefolium* C. A. M. Schott östr. Ran. 5.  
*Callicarpa cana* Vahl. Schrank Hort. monac. 37.  
 — *japonica* Hort. L'horticulteur fr. 1861, 4.  
 — *lanata* Vahl. Sieb. Fl. Jard. 1861, 7.  
 — *purpurea* Juss. Fl. d. serres 13, 1359.  
 — — — Revue horticole 1859, p. 106.  
 — — — Illustration horticole 1859, 202.
- † *Calligonum acanthopterum* Borsz. Acad. Pet. VII. 3, 1.  
 † — *anfractuosum* Bge. Acad. Pet. VII. 3, 1.  
 † — *aralense* Borsz. Acad. Pet. VII. 3, 1.  
 † — *Calliphysa* Bge. Acad. Pet. VII. 3, 3.  
 † — *Caput Medusae* Schrenk. var. Acad. Pet. VII. 3, 3.
- † *Calligonum colubrinum* Borsz. Acad. Pet. VII. 3, 2.  
 † — *densum* Borsz. Acad. Pet. VII. 3, 2.  
 † — *erinaceum* Borsz. Acad. Pet. VII. 3, 2.  
 † — *eriopodium* Bge. Acad. Pet. VII. 3, 3.  
 † — *flavidum* Bge. Pallas Fl. ross. 77.  
 † — — Acad. Pet. VII. 3, 1.  
 † — *horridum* Borsz. Acad. Pet. VII. 3, 1.  
 † — *leucocladum* Bge. Acad. Pet. VII. 3, 1.  
 † — *macrocarpum* Borsz. Acad. Pet. VII. 3, 2.  
 † — *microcarpum* Borsz. Acad. Pet. VII. 3, 3.  
 † — *Murex* Bge. Acad. Pet. VII. 3, 3.  
 † — *Pallasia* L'Hérit. Acad. Pet. VII. 3, 1.  
 † — *paniculatum* Borsz. Acad. Pet. VII. 3, 3.  
 † — *platyacanthum* Borsz. Acad. Pet. VII. 3, 2.  
 † — *Rotula* Borsz. Acad. Pet. VII. 3, 1.  
 † — *rubicundum* Bge. Pallas Fl. ross. 78.  
 † — — Acad. Pet. VII. 3, 1.  
 — *tetrapterum* Jaub. Jaub. Illustr. 471.
- Callilepium Warczewiczii* Karst. Karsten Fl. Col. 2, 165.  
*Calliopsis bicolor* Rchb. Nees Sammlung 42.  
*Callirrhoe verticillata* Nutt. Revue horticole 1862, 171.  
*Callisia delicatula* Kth. Endl. Bras. 15, 35.  
 † *Callistemon* R. Br. (Pollen.) Mém. prés. Pet. 3, 5.  
 — *amoenus* Lem. Illustr. horticole 1860, 247.  
 — *brachyandrus* Ldl. Belgique horticole 8, 72.  
 — *lanceolatus* R. Br. Nees Sammlung 62.  
 — *pendulus* Rgl. Regel Gartenfl. 3, 269.  
 — *speciosus* DC. β. glaucus, Nees Sammlung 63.  
 † — — Ann. sc. nat. III. 20, 9.  
 † — — Payer Organogénie 98.
- Callistephus chinensis* N. v. E. Nees Sammlung 41.  
 — — — Regel Gartenfl. 7, 213.
- † *Callitriche* L. Baillon Euph. 21.  
 † — *verna* L. Agardh Syst. 16.  
*Callitris quadrivalvis* Vent. Berg Charakt. 159.  
*Callixene polyphylla* Hook. Bot. Mag. 86, 5192.  
*Callogramma Caeciliae* Fée. Fée Fil. novae 18.  
*Calluna vulgaris* Salisb. Rchb. Fl. germ. 17, 1162.  
 † — — Schnizl. Iconogr. 161.  
 † — — Nees Gen. 28, 15.
- Calochilus campestris* R. Br. Hook. Fl. Tasm. 106.  
 — *pallidus* Schult. Annales de Gand 1848, 56.  
*Calonyction diversifolium* Hassk. Fl. d. serres 13, 1328.  
 — — — var. *luteum*, Belgique horticole 7, 37.  
*Calopetalon ringens* J. Drumm. Bot. Mag. 87, 5233.  
*Calophaca Hovenii* Schrenk. Regel Gartenfl. 9, 287.  
*Calophanus bilabiatus* Seem. Seemann Herald 65.  
*Calophyllum Calaba* L. Burmann Thes. zeyl. 60.  
 — *Inophyllum* L. Berl. Jahrb. 1801, 1. 3.  
 † — — Berg Charakt. 568.  
*Calopogon pulchellus* R. Br. Otto Gartenz. 1855, 7.  
 — — — Fl. d. serres 10, 1036.
- Caloptilium Lagascae* H. et A. Castelnau Exped. 12.  
 † *Calosanthus indica* Bl. Griffith Pl. asiat. 39.  
 † — — Bureau Bign. 9.  
*Calostemma luteum* Ker. Fl. d. serres 11, 1135.  
 — *purpureum* R. Br. Fl. d. serres, 11, 1135.  
*Calothamnus quadrida* R. Br. Nees Sammlung 86.  
*Calotis cymbacantha* F. M. Müller Plants of Victoria 2, 36.
- Calotropis gigantea* R. Br. Hoskins Travels 52.  
 — *procera* R. Br. Madras Journal 1835, p. 82.  
 † — — Griffith Pl. asiat. 20—28. 39.  
*Caltha sagittata* Cav. Castelnau Exped. 63.  
*Calycanthus floridus* L. Nouveau Duhamel 1, 47.  
 † — — Agardh Syst. 11.  
 † — — Schnizl. Iconogr. 271.  
 † — — (Truncus) Bot. Zeitung 1860, 5.  
 — *macrophyllus* Hartw. Revue horticole 1854, 18.  
 — *nanus* Mirb. Nouveau Duhamel 1, 48.  
 — *occidentalis* H. et A. Bot. Mag. 80, 4808.

- Calycanthus occidentalis* *H. et A.* Fl. d. serres 11, 1113.  
 — *praecox* *L.* Nouveau Duhamel 1, 49.  
*Calycera eryngioides* *Remy.* Castelnau Exped. 43.  
 — *pulvinata* *Remy.* Castelnau Exped. 43.  
 †*Calycereae* *R. Br.* Schnizl. Iconogr. 121.  
*Calycolpus Goetheanus* *Berg.* Endl. Bras. 18, 43.  
*Calycomis serrata* *R. Br.* Nees Sammlung 29.  
*Calycophyllum pedunculatum* *Triana.* Ann. sc. nat. IV.  
 18, 9.  
*Calycorectes Sellowianus* *Berg.* Endl. Bras. 18, 34.  
*Calymandra candida* *Torr.* Expl. Missis. 2, 2.  
*Calyptranthes Chytraculia* *Sw.* Nuttall Sylva 1, 26.  
 — *Martusiana* *DC.* Endl. Bras. 18, 16.  
 — *tetraptera* *Berg.* Endl. Bras. 18, 17.  
 †*Calyptraria eximia* *Naud.* Ann. sc. nat. III. 18, 5.  
 — *haemantha* *Planch.* Linden Prix-Courant 1854,  
 x.  
 — — — Fl. d. serres 9, 924.  
*Calyptromyrcia cymosa* *Berg.* Endl. Bras. 18, 18.  
*Calyptrostigma Middendorffianum* *Tr. et M.* Midden-  
 dorff Reise 2, 25.  
 — — — Regel Gartenfl. 6, 183.  
*Calsaccion longifolium* *Wight.* Bonplandia 1856,  
 p. 299.  
 — *tinctorium* *Seem.* Seemann Flora vit. 9.  
*Calystegia dahurica* *Fisch.* Fl. d. serres 10, 1075.  
 — *pubescens* *Ldl.* Annales de Gand 1846, 93.  
 — *Scammonia* *R. Br.* Spach Suites 73.  
 — *sepium* *R. Br.* Rchb. Fl. germ. 18, 1340. 1341.  
 — — — *Berg* Charakt. 294.  
 — *silvatica* *Gris.* Rchb. Fl. germ. 18, 1341.  
 — *Soldanella* *R. Br.* Rchb. Fl. germ. 18, 1341.  
*Camarea hirsuta* *St. Hil.* Endl. Bras. 21, 22.  
 — *triphylla* *Mart.* Endl. Bras. 21, 22.  
 †*Camelina sativa* *Crantz.* Atti Acc. Neap. 1863, 3.  
*Camellia assimilis* *Champ.* Seemann Herald 77.  
 — *hongkongensis* *Seem.* Linn. Transact. 22, 60.  
 † *japonica* *L.* Agardh Syst. 11.  
 — — — *Cleyer* Fl. jap. 4. 5.  
 — — — *Kaempfer* Amocnit. p. 851.  
 — — — *Nouveau Duhamel* 2, 71.  
 — — — *Nees* Sammlung 31—33. 49. 50.  
 — — — *Verschaffelt* Iconogr. 1—576.  
 — — — *Annales de Gand* 1845, 6. 17. 25. 33.  
 47. 1846, 50. 95. 1847, 116. 124.  
 129. 131. 138. 140. 154. 157. 170.  
 — — — *Armida rosea*, *Annales de Gand* 1848,  
 19.  
 — — — *Borgia*, *Annales de Gand* 1848, 12.  
 — — — *Constantin*, *Annales de Gand* 1848,  
 39.  
 — — — *Leda alba*, *Annales de Gand* 1848, 7.  
 — — — *Emiliana alba*, *Annales de Gand* 1848,  
 28.  
 — — — *Rubini*, *Annales de Gand* 1848, 59.  
 — — — *Superba Rossii*, *Annales de Gand* 1848,  
 35.  
 — — — *Zavonia*, *Annales de Gand* 1848, 22.  
 — — — *Fl. d. serres* 9, 928. 12, 1245. 1277.  
 1278. 13, 1295. 1323. 14, 1400.  
 1455. 1456. 1499. 15, 1503. 1569.  
 1576.  
 — — — *Souvenir d'Émile Defresne*, *Illustration*  
*horticole* 1861, 289.  
 — — — *Reine des Beautés*, *Illustration horti-*  
*cole* 1861, 299.  
 — — — *Cora* *L. Barton*, *Illustration horticole*  
 1862, 321.  
 — — — *Comtesse Lavinia Maggi*, *Illustration*  
*horticole* 1862, 331.  
 — — — *Comte de Toll*, *Illustration horticole*  
 1862, 343.

- Camellia japonica* *L.* *tricolor imbricata*, *Illustration*  
*horticole* 1862, 312.  
 — — — *Bella Romana*, *Illustration horticole*  
 1863, 349.  
 — — — *Baron de Vrière*, *Illustration horticole*  
 1863, 356.  
 — — — *Vicomte de Nieuland*, *Illustration horti-*  
*cole* 1863, 363.  
 — — — *Duchesse de Nassau*, *Illustration horti-*  
*cole* 1863, 376.  
 — — — *Fanny Sanchioli*, *Illustration horticole*  
 1863, 382.  
 — — — *Ninfa del Tebro*, *Illustration horticole*  
 1864, 392.  
 — — — *Petazzi*, *Illustration horticole* 1864, 397.  
 — — — *alba ornatissima*, *Illustration horticole*  
 1864, 404.  
 — — — *Giardino Schmitz*, *Illustration horticole*  
 1864, 410.  
 — — — *Isabella Orsini*, *Illustration horticole*  
 1864, 418.  
 — *reticulata* *Ldl.* Bot. Mag. 83, 4976.  
 — — — *Fl. d. serres* 12, 1279—1280.  
 — — — *Illustration horticole* 1861, 306.  
 — *rosaeiflora* *Hook.* Bot. Mag. 84, 5044.  
 — *salicifolia* *Benth.* Seemann Herald 76.  
 — *Sasanqua* *Thunb.* Cleyer Fl. jap. 41.  
 — — — *var. anemoniflora*, Bot. Mag. 85, 5152.  
 — *spectabilis* *Champ.* Seemann Herald 78.  
*Camellaria angustifolia* *L.* Plumier Ic. Burm. 72.  
 — *latifolia* *L.* Plumier Ic. Burm. 72.  
 †*Campanula* *L.* Linn. Transact. 23, 34.  
 † — — *Nees* Gen. 28, 11.  
 † — — *Payer* Organogénie 149.  
 † — — *Abh. Leipz.* 6, 26.  
 — *abietina* *Griseb.* Rchb. Fl. germ. 19, 1614.  
 — *Allionii* *Vill.* Rchb. Fl. germ. 19, 1591.  
 — *alpina* *Jacq.* Rchb. Fl. germ. 19, 1594.  
 — *aurea* *L.* Nouveau Duhamel 3, 41.  
 — *barbata* *L.* Rchb. Fl. germ. 19, 1594.  
 — *bononiensis* *L.* Rchb. Fl. germ. 19, 1598.  
 — *caepitosa* *Scop.* Rchb. Fl. germ. 19, 1604.  
 — *campana erforsensis* *Topf.* Regel Gartenfl. 1853,  
 67.  
 — *capitata* *Sims.* Rchb. Fl. germ. 19, 1617.  
 — *carnica* *Schiede.* Rchb. Fl. germ. 19, 1602.  
 — *carpathica* *L. fil.* Spach Suites 78.  
 — — *Jacq.* Rchb. Fl. germ. 19, 1612.  
 — *cenisia* *L.* Rchb. Fl. germ. 19, 1609.  
 — *Cervicaria* *L.* Rchb. Fl. germ. 19, 1596.  
 — *clisophylla* *Mor.* Rchb. Fl. germ. 19, 1611.  
 — *dichotoma* *L.* Rchb. Fl. germ. 19, 1592.  
 — *Elatines* *L.* Rchb. Fl. germ. 19, 1608.  
 — *Elatinoides* *Moretti.* Rchb. Fl. germ. 19, 1607.  
 — *Erinus* *L.* Colonna Phytobasanos 37.  
 — — — *Rchb.* Fl. germ. 19, 1607.  
 — *excisa* *Schleich.* Rchb. Fl. germ. 19, 1605.  
 — *expansa* *Friv.* Acta Acad. hung. 1840, 7.  
 — *fastigiata* *Gm.* Gmelin Reise 1, 33.  
 — *fragilis* *Cir.* Rchb. Fl. germ. 19, 1611.  
 — *Freyeri* *Rchb. fil.* Rchb. Fl. germ. 19, 1601.  
 — *garganica* *Ten.* Rchb. Fl. germ. 19, 1608.  
 — *glauca* *Thunb.* Cleyer Fl. jap. 88.  
 — *glomerata* *L.* Rchb. Fl. germ. 19, 1596.  
 — *graminifolia* *L.* Colonna Phytobasanos 34.  
 — *grandiflora* *L.* Nees Sammlung 5.  
 — *grandis* *Fisch. et Mey.* Regel Gartenfl. 7, 230.  
 † — *Grossekii* *Heuff.* Rchb. Fl. germ. 19, 1592.  
 — *Hoppeana* *Rupr.* Rchb. Fl. germ. 19, 1606.  
 — *laciniata* *L.* Jaub. Illustr. 421.  
 — *lanata* *Friv.* Acta Acad. hung. 1837, 1.  
 — *lanceolata* *Lap.* Rchb. Fl. germ. 19, 1513.

- Campanula latifolia* L. Rchb. Fl. germ. 19, 1599.  
 — *lingulata* W. K. Rchb. Fl. germ. 19, 1595.  
 — *linifolia Scop.* Rchb. Fl. germ. 19, 1602.  
 — *Loreyi Poll.* Rchb. Fl. germ. 19, 1615.  
 — — Lem. Jard. fl. 4, 418.  
 — *macrorrhiza Gay.* Rchb. Fl. germ. 19, 1604.  
 — *Medium* L. Rchb. Fl. germ. 19, 1591-1592.  
 † — — Bot. Zeitung 1858, 3.  
 † — — Pringsheim Jahrbücher 1, 15.  
 — *Morettiana Rchb.* Rchb. Fl. germ. 19, 1609.  
 — *multiflora W. K.* Rchb. Fl. germ. 19, 1595.  
 — *myosotidifolia Boiss.* Tschichatschew Asie mi-  
   neure 35.  
 — *nobilis Ldl.* Annales de Gand 1847, 128.  
 — *olympica Boiss.* Revue horticole 1858, p. 491.  
 — *paniculata Naeg.* Rchb. Fl. germ. 19, 1606.  
 — *patula* L. Dillenius Elth. 58.  
 — — Rchb. Fl. germ. 19, 1614.  
 — *peregrina* L. Belgique horticole 7, 1.  
 — *persicifolia L.* Rchb. Fl. germ. 19, 1613.  
 ! — — Verh. Rheinland 17, 6.  
 — *petraea L.* Rchb. Fl. germ. 19, 1595.  
 — *Portenschlagiana R.S.* Rchb. Fl. germ. 19, 1611.  
 — *primulaeflora Brot.* Bot. Mag. 81, 4879.  
 — *pubescens Koch.* Rchb. Fl. germ. 19, 1606.  
 — *pulla L.* Rchb. Fl. germ. 19, 1606.  
 — — Regel Gartenfl. 9, 292.  
 — *punctata Lam.* Schrank Hort. monac. 87.  
 — *pusilla Haenke.* Rchb. Fl. germ. 19, 1606.  
 — *pyramidalis L.* Rchb. Fl. germ. 19, 1612.  
 — *racemosa Gm.* Gmelin Reise 1, 34.  
 — *Raineri Perp.* Rchb. Fl. germ. 19, 1610.  
 — *rapunculoides L.* Rchb. Fl. germ. 19, 1600.  
 — *Rapunculus L.* Rchb. Fl. germ. 19, 1613.  
 † — — Payer Organogénie 149.  
 — — var. *subspicata*, Ebel Montenegro 2.  
 — *rhomboidalis L.* Rchb. Fl. germ. 19, 1598.  
 — *rotundifolia L.* Rchb. Fl. germ. 19, 1603.  
 — — var. *gracilis*, Avé-Lallem. 13.  
 — — var. *luxurians*, Mem. Mod. 24, 1. 5.  
 † — — Nees Gen. X, x.  
 — *Scheuchzeri Vill.* Rchb. Fl. germ. 19, 1602.  
 — *secundiflora Vis.* Visiani Plantae Serbicae 6.  
 — *sibirica L.* Revue horticole 1861, 431.  
 — — Rchb. Fl. germ. 19, 1593.  
 — *speciosa A. DC.* Rchb. Fl. germ. 19, 1596.  
 — *spicata L.* Rchb. Fl. germ. 19, 1597.  
 — *stenosiphon Boiss.* Rchb. Fl. germ. 19, 1605.  
 — *Steveni MB.* Rchb. Fl. germ. 19, 1614.  
 — *strigosa Russ.* Bot. Mag. 84, 5068.  
 — — Belgique horticole 9, 1.  
 — *thyrsoides L.* Rchb. Fl. germ. 19, 1597.  
 — *tomentosa Lam.* Jaub. Illustr. 422.  
 — *Trachelium L.* Rchb. Fl. germ. 19, 1600.  
 — *Visianii Rchb. fil.* Rchb. Fl. germ. 19, 1601.  
 — *Waldsteiniana R. Sch.* Rchb. Fl. germ. 19, 1601.  
 — *Wanneri Roch.* Rchb. Fl. germ. 19, 1615.  
 — *Zoysii Wulf.* Rchb. Fl. germ. 19, 1610.
- Campanulaeae japonica Steb.* L'horticulteur fr. 1863, 1.  
 — *javanica Blume.* Fl. d. serres 12, 1264.  
 — *lanceolata S. et Z.* Fl. d. serres 9, 927.
- Campderia gracilis Meisn.* Endl. Bras. 14, 6.  
*Camphora officinarum Nees.* Berg Darstellung 2, 10.  
*Camphusia glabra de Vr.* De Vriese Goodenov. 2.  
 † *Camposperma zeylanicum Thw.* Hook Journ. 1854, 1.  
*Campomanesia aprica Berg.* Vellozo 5, 58.  
 — *cyanea Berg.* Endl. Bras. 18, 50.  
 — *fruticosa Berg.* Vellozo 5, 57.  
 — *lineatifolia Rz. et P.* Feuillée 3, 37.  
 — *mediterranea Berg.* Vellozo 5, 52.  
 — *racemosa Berg.* Vellozo 5, 55.  
 — *transalpina Berg.* Vellozo 5, 59.

- Campomanesia xanthocarpa Berg.* Endl. Bras. 18, 49.  
*Campsidium chilense Reiss.* Bonplandia 1862, 11.  
*Camptosema erythrinoides Benth.* Endl. Bras. 24, 41.  
 — *grandiflorum Benth.* Endl. Bras. 24, 42.  
 † *Camptosorus rhizophyllus Lk.* Mettenius Fil. 5.  
 — — Hook. Fil. exot. 85.  
*Campulosus gracilis Bert.* Mem. Bon. 2, 43.  
*Campylia laciniata Sweet.* Sweet Ger. 401.  
*Campylóbotrys Ghiesbreghtii Ch. Lem.* Illustration horti-  
   cole 1861, 279.  
*Campyloneuron cubense Fée.* Fée Fil. novae 3.  
 — *Jamesoni Fée.* Fée Fil. novae 2.  
 — *minus Fée.* Fée Fil. novae 24.  
 † *Campylotropis cytisoides Benth.* Miquel Flora 4.  
*Canarina Campanula L. fil.* Fl. d. serres 11, 1094.  
*Canavalia obtusifolia DC.* Madras Journal 1857, 4.  
 — — Endl. Bras. 24, 48.  
 † *Candollea cuneiformis Lab.* Agardh Syst. 16.  
 † — — Payer Organogénie 51.  
*Canella alba L.* Browne Jamaica 27.  
*Cancreria chrysantha Vriese.* Jaarb. Tuinb. 1850, 0.  
 † *Canna L.* Ann. sc. nat. V: 2, 12. 13.  
 — — varietates, L'horticulteur fr. 1822, 22.  
 — *Annaei Hort.* Revue horticole 1861, 470.  
 — *bidentata Bert.* Mem. Bon. 10, 5.  
 — *Fintelmanni Bouché.* Otto Gartenz. 1858, 10.  
 — *formosa Bouché.* Otto Garten. 1858, 11.  
 — *glauca L.* Dillenius Elth. 59.  
 † — *indica L.* Treviranus Symb. 1.  
 † — — Mem. de Lille 1829, 5.  
 † — — Flora 1855, 2.  
 † — — Payer Organogénie 145.  
 † — — Bot. Zeitung 1858, 3.  
 † — — Schacht Lehrbuch 2, 11.  
 † — — Pringsheim Jahrb. 1, 12.  
 — *iridiflora R. et P.* Fl. d. serres 13, 1360.  
 — — Belgique horticole 7, 31.  
 — — Revue horticole 1861, 111.  
 — *liliflora Warcz.* Fl. d. serres 10, 1055—1056.  
 — *lutea Rosc.* Spach Suites 80.  
 † — *orientalis Rosc.* Mem. Mosc. 17, 12.  
 — *rotundifolia Hort.* Revue horticole 1862, 371.  
 † — *Sellowii Bouché.* Hofmeister Embryo 4.  
 † — — Abh. Leipz. 7, 6.  
 † — — Mem. Mosc. 17, 12.  
 † — *speciosa Rosc.* Mem. Mosc. 17, 12.  
 — *Warszewiczii Dietr.* Bot. Mag. 81, 4854.
- † *Cannaceae R. Br.* Ann. sc. nat. IV. 2, 4.  
 † — — Payer Organogénie 145.  
 † — — Mem. Mosc. 17, 6—13.
- † *Cannabineae Endl.* Schnizl. Iconogr. 95.  
*Cannabis sativa L.* Berg Darstellung 3, 19<sup>b</sup>.  
 † — — Spach Suites 133.  
 † — — Schnizl. Iconogr. 95.  
 † — — Payer Organogénie 61.  
 † — — Jard. Annals II. 11, 15.  
 † — — Jard. Annals III. 1, 6.  
 † — — Atti Acad. Neap. 1863, 1—3.
- Canscra Parishii Hook.* Bot. Mag. 90, 5429.  
*Cantharospermum pauciflorum Wight. et A. Jacq.* Ecl.  
   pl. 152.  
*Cantua bicolor Lem.* Lem. Jard. fl. 4, 429.  
 — — Annales de Gand 1848, 14.  
 — *pyrifolia Juss.* Annales de Gand 1848, 45.
- † *Capanea Humboldtii Hanst.* Linnaea 1853, 1.  
*Capellia biflora Gray.* Gray Expl. Exp. 1.  
*Caperonia palustris St. Hil.* Plumier Ic. Burm. 239.  
*Capnophyllum africanum Gaertn.* Riv. Opus ined. 105.  
 † *Capparideae Juss.* Payer Organogénie 41—43.  
 † *Capparid aegyptia L.* Spach Suites 53.  
 — *amplissima Lam.* Plumier Ic. Burm. 13.  
 — *cynocephalophora L.* Browne Jamaica 27.

- Capparis cynophallophora* L. Regel Gartenfl. 1862, 351.  
 — *ferruginea* L. Browne Jamaica 28.  
 — *flexuosa Vellozo*. Lem. Jard. fl. 3, 323.  
 — *spinosa* L. Nouveau Duhamel 1, 34.  
 † — — Payer Organogénie 41.  
 † — *viridiflora* H. B. K. Payer Organogénie 41.  
 † *Caprifoliaceae* Rich. Payer Organogénie 127. 128. 133.  
 † — — Schnizl. Iconogr. 128.  
*Caprifolium pubescens* Goldie. Spach Suites 52.  
 † *Capsella bursa pastoris* Moench. Atti Acc. Neap. 1863, 4.  
 † *Capsicum annuum* L. Dillenius Elth. 60.  
 — — — Berg Darstellung 3, 20<sup>a</sup>.  
 — — — Rchb. Fl. germ. 20, 1634.  
 — — — var. *Hanisiana*, Annales de Gand 1846, 99.  
 — *cordiforme* Mill. Rchb. Fl. germ. 20, 1634.  
 — *longum* Fingerh. Berg Darstellung 3, 20<sup>a</sup>.  
*Caragana frutescens* DC. Regel Gartenfl. 1861, 348.  
 — *jubata* Poir. Regel Gartenfl. 1861, 331.  
 — *microphylla* Lam. Regel Gartenfl. 1861, 336.  
*Caraguata lingulata* Ldl. Annales de Gand 1847, 109.  
 — *splendens* Hort. Otto Garten-Z. 1856, 4.  
 — — — Fl. d. serres 11, 1091.  
*Cardamine angulata* Hook. var. *kamtschatica*, Bull. Mosc. 1861, 5.  
 — *asarifolia* L. Zanoni Hist. 44.  
 — *chelidonia* L. Waldst. et Kit. 140.  
 — *parviflora* L. Svensk Acad. 1822, 3.  
 — *petraea* L. Dillenius Elth. 61.  
 † — *pratensis* L. Godron Nancy 1845, 1.  
 † *Cardiopteris lobata* Wall. Schnizl. Iconogr. 172.  
 † *Cardiospermum* L. Bot. Zeitung 1856, 11.  
 † — *Halicacabum* L. Payer Organogénie 32.  
 † — — Schnizl. Iconogr. 230.  
*Cardopatum orientale* Spach. Jaub. Illustr. 426.  
*Carduus acanthoides* L. Rchb. Fl. germ. 15, 873. 874.  
 — *acicularis* Bertol. Rchb. Fl. germ. 15, 865. 874.  
 — *acuminatus* Gaud. Rchb. Fl. germ. 15, 872.  
 — *alpestris* DC. Rchb. Fl. germ. 15, 870.  
 — *altissimus* L. Dillenius Elth. 69.  
 — *arctioides* Willd. Rchb. Fl. germ. 16, 879.  
 — *aurosicus* Vill. Rchb. Fl. germ. 15, 868.  
 — *bicolor* Vis. Rchb. Fl. germ. 15, 868.  
 — *Boujarti* Piller. Piller Iter 13.  
 — *carlinaefolius* Lam. Rchb. Fl. germ. 15, 872.  
 — *carlinoides* Gouan. Rchb. Fl. germ. 15, 875.  
 — *chrysacanthus* Ten. Rchb. Fl. germ. 15, 878.  
 — *collinus* W. et K. Rchb. Fl. germ. 15, 867.  
 — *crispus* L. Rchb. Fl. germ. 15, 860.  
 — *defloratus* L. Rchb. Fl. germ. 15, 869—871.  
 — *hamulosus* Ehrh. Rchb. Fl. germ. 15, 875.  
 — *intricatus* Rchb. Rchb. Fl. germ. 15, 866.  
 — *leptophyllus* Koch. Rchb. Fl. germ. 15, 870.  
 — *medius* Gouan. Rchb. Fl. germ. 15, 871.  
 — *multiflorus* Gaud. Rchb. Fl. germ. 15, 880.  
 — *nigrescens* Vill. Rchb. Fl. germ. 15, 876.  
 — *nutans* L. Rchb. Fl. germ. 15, 877.  
 — *Personata* L. Rchb. Fl. germ. 15, 879.  
 — *platylepis* Sauter. Rchb. Fl. germ. 15, 878.  
 — *polyanthemos* Heg. et H. Rchb. Fl. germ. 15, 877.  
 — *polymorphus* Lap. Mém. Toulouse 1, 19. 20.  
 — *pycnocephalus* L. Rchb. Fl. germ. 15, 864. 874.  
 — *rhaeticus* DC. Rchb. Fl. germ. 15, 870.  
 — *Sanctae-Balmae* Lois. Rchb. Fl. germ. 15, 866.  
 — *syncephalus* Rchb. Rchb. Fl. germ. 15, 864. 874.  
 — *tenuiflorus* Sm. Rchb. Fl. germ. 15, 863. 874.  
 — *vivariensis* Jord. Rchb. Fl. germ. 15, 876.

† *Carex* L. Linné Amoenit. 7, 3.

† — — Gay Chile 73.

- Carex* L. (64 species.) Leighton Flora 12—19.  
 † — — (Pollen.) Mém. prés. Pet. 3, 6.  
 — *acicularis* Boott. Hook. New Zealand 63.  
 — *acuta* Ehrh. Bull. Brux. 1862. 13, 376.  
 — *adusta* Boott. Boott Carex 379—383.  
 — *aemathorhyncha* Desv. Boott Carex 183.  
 — *aequalis* Boott. Boott Carex 178.  
 — *aestivalis* Curt. Boott Carex 144.  
 — *aethiopica* Schk. Boott Carex 341—344.  
 — *alata* Torr. Boott Carex 378.  
 — *alopecoidea* Tuck. Boott Carex 68.  
 — *alopecuroides* Don. Boott Carex 258.  
 — *alpina* Swartz. Boott Carex 356—360.  
 — — *Vahl*. var. *erotrata*, Boott Carex 194.  
 — *alta* Boott. Boott Carex 153.  
 — *alveata* Boott. Boott Carex 56.  
 — *ambusta* Boott. Boott Carex 172.  
 — *amoena* Boott. Boott Carex 321.  
 — *amplifolia* Boott. Boott Carex 48.  
 — *Andersoni* Boott. Richard Astrolabe 7.  
 — *angustifolia* Kit. Linnæa 31, 5.  
 — *appressa* R. Br. Boott Carex 119. 120.  
 — *Archeri* Boott. Hook. Fl. Tasm. 150.  
 — *arctata* Boott. Boott Carex 135.  
 — *arenaria* L. Abh. Leipz. 7, 12.  
 † — *arida* v. Schw. Ann. Lyc. 1, 24.  
 — — — Boott Carex 54.  
 — *aristata* R. Br. Boott Carex 59.  
 — *Arnottiana* N. v. E. Drejer Symbolae 5.  
 — *atrata* L. Boott Carex 362—365.  
 — *atropicta* Steud. Boott Carex 366.  
 — *aurea* Nutt. Ann. Lyc. 1, 25.  
 — — — Boott Carex 76.  
 — *azorica* Gay. Boott Carex 284.  
 — *baccans* N. v. E. Boott Carex 234—239.  
 — *Backii* Boott. Boott Carex 104.  
 — *Baltzellii* Chapm. Boott Carex 43.  
 — *Banksii* Boott. Boott Carex 195.  
 — *barbata* Boott. Boott Carex 187.  
 — *Barrattii* Torr. Boott Carex 189.  
 — *Beecheyana* Boott. Boott Carex 182.  
 — *bengalensis* Roxb. Boott Carex 240—243.  
 — *bonariensis* Desf. Boott Carex 209.  
 — *Bonplandii* Kunth. Boott Carex 367.  
 — *Boottiana* Benth. Boott Carex 44.  
 — *borbonica* Lam. Boott Carex 338—340.  
 — *Boryana* Schk. Boott Carex 345—349.  
 — *brasilienis* St. Hil. Boott Carex 260.  
 — *breviculmis* R. Br. Hook. New Zeal. 63.  
 — *bromoides* Schk. Boott Carex 227.  
 — *Brongniartii* Kunth. Boott Carex 401—403.  
 — *bullata* Schk. Boott Carex 41.  
 — *caespitosa* L. Boott Carex 62.  
 — *capillacea* Boott. Boott Carex 110.  
 — *cardiolepis* N. v. E. Boott Carex 17.  
 — *Careyana* Torr. Boott Carex 95.  
 — *cataractae* R. Br. Hook. Fl. Tasm. 151.  
 — *celsa* Boott. Boott. Carex 330.  
 — *cephaloidea* Dewey. Boott Carex 395.  
 — *cephalophora* Muhl. Boott Carex 396—399.  
 — *cherokeensis* v. Schw. Ann. Lyc. 1, 25.  
 — — — Drejer Symbolae 12.  
 — — — Boott Carex 79.  
 — *chinensis* Retz. Boott Carex 36.  
 — *chlorantha* R. Br. Hook. Fl. Tasm. 150.  
 — *circinata* M. Mém. prés. Pet. 1, 6.  
 — *Colensoi* Boott. Hook. New Zeal. 63.  
 — *comosa* Boott. Boott Carex 38.  
 — *composita* Boott. Boott Carex 8.  
 — *concinna* R. Br. Boott Carex 107.  
 — *condensata* N. v. E. Boott Carex 247—249.  
 — *conferta* Koch. Boott Carex 208.

- Carex conjuncta* Boott. Boott Carex 392.  
 — *conoidea* Schk. Boott Carex 82.  
 — *courtalensis* N. v. E. Boott Carex 138.  
 † — *crassa* Ehrh. Agardh Syst. 1.  
 — *Crawei* Dew. Boott Carex 81.  
 — *criniger*a Boott. Boott Carex 306—309.  
 — *crinita* Lam. Boott Carex 49.  
 — *cristata* v. Schw. Ann. Lyc. 1, 24.  
 — — Boott Carex 372—374.  
 — *cruciata* N. v. E. Boott Carex 319. 320.  
 — *cruenta* N. v. E. Boott Carex 201—203.  
 — *crus corvi* Shuttl. Boott Carex 65.  
 — *cryptocarpa* M. Mém. prés. Pet. 1, 14.  
 — — Boott Carex 171.  
 — *cryptostachys* Brongn. Boott Carex 310.  
 — *Cumingiana* Steud. Boott Carex 325.  
 — *curvata* Boott. Boott Carex 5.  
 — *dacica* Heuff. Linnaea 31, 4.  
 — *Daltoni* Boott. Boott Carex 16.  
 — *dasycarpa* Mühlenb. Boott Carex 58.  
 — *Davisi* Torr. Boott Carex 143.  
 — *decidua* Boott. Boott Carex 170.  
 — *decomposita* Mühlenb. Boott Carex 55.  
 — *decora* Boott. Boott Carex 15.  
 — *debilis* Michx. Boott Carex 272—274.  
 — *desponsa* Boott. Boott Carex 228.  
 — *Deweyana* Schw. Boott Carex 70.  
 — *digitalis* Müll. Ann. Lyc. 1, 27.  
 — — Boott Carex 98.  
 — *dissita* Sol. Boott Carex 176.  
 — *disticha* Huds. Boott Carex 410.  
 — *Doniana* Spr. Drejer Symbolae 13.  
 — *duriuscula* Meyer. Mém. prés. Pet. 1, 8.  
 — *eburnea* Boott. Boott Carex 197.  
 — *echinochloe* Kze. Boott Carex 166.  
 — *elata* Lowe. Boott Carex 190.  
 — *Elliotii* Schw. Boott Carex 265.  
 — *Emmonsii* Dew. Boott Carex 286. 287.  
 — *ericetorum* Poll. English Botany Suppl. 2971.  
 — *evoluta* Hartm. Boott Carex 130.  
 — *excurva* Boott. Boott Carex 150.  
 — *exilis* Dew. Boott Carex 47.  
 — *fascicularis* Sol. Boott Carex 139. 140.  
 — *festiva* Dew. Richard Astrolabe 7.  
 — — Boott Carex 66.  
 — *filicina* N. v. E. Boott Carex 311—318.  
 — *filifolia* Nutt. Boott Carex 37.  
 — *filiformis* L. Boott Carex 132.  
 — *finitima* Boott. Boott Carex 112.  
 — *fissilis* Boott. Boott Carex 245.  
 — *flaccosperma* Dew. Boott Carex 88.  
 — *flexilis* Rudge. Boott Carex 80.  
 — *floridana* v. Schw. Ann. Lyc. New York 1, 28.  
 — — Boott Carex 297.  
 — *foenea* Willd. Boott Carex 375—377.  
 — *foliosa* Don. Boott Carex 3.  
 — *folliculata* L. Boott Carex 268. 269.  
 — *formosa* Dew. Boott Carex 141.  
 — *Forsteri* Wahlenb. Boott Carex 137.  
 — *fragilis* Boott. Boott Carex 21.  
 — *Franklinii* Boott. Boott Carex 211.  
 — *fuliginosa* St. et H. Boott Carex 212.  
 — *fusiformis* N. v. E. Drejer Symbolae 11.  
 — — Boott Carex 111.  
 — *gaimardioides* Em. Desv. Gay Chile 73.  
 — *Gaudichaudiana* Kth. Hook. Fl. Tasm. 151.  
 — *Gayana* Em. Desv. Gay Chile 73.  
 — — Boott Carex 411.  
 — *Geyeri* Boott. Boott Carex 105.  
 — *gigantea* Rudge. Boott Carex 164.  
 — *glabra* Boott. Boott Carex 275.  
 — *glauca* γ *bulbosa* Drej. Drejer Symbolae 6.

- Carex glaucescens* Elliott. Drejer Symbolae 3.  
 — — Boott Carex 261—263.  
 — *glomerata* Thunb. Boott Carex 222.  
 — *gracilis* R. Br. Boott Carex 154—156.  
 — *gracillima* Schw. Boott Carex 145.  
 — *granularis* Mühlenb. Boott Carex 85.  
 — *Grayi* Carey. Boott Carex 161.  
 — *grisea* Wahlenb. Boott Carex 86. 87.  
 — *Gunniana* Boott. Boott Carex 185.  
 — *gynandra* Schw. Boott Carex 50.  
 — *haematostoma* N. v. E. Boott Carex 196.  
 — *Halei* Carey. Boott Carex 279.  
 — *Halseyana* Dew. Boott Carex 57.  
 — *Harlandi* Boott. Boott Carex 255.  
 — *hebecarpa* M. Mém. prés. Pet. 6, 12.  
 — *hirtella* Drejer. Boott Carex 31.  
 — *Hitchcockiana* Dew. Boott Carex 100.  
 — *Hoodii* Boott. Boott Carex 46.  
 — *Horsfieldii* Boott. Boott Carex 32.  
 — *Houghtonii* Torr. Boott Carex 51.  
 — *hystricina* Mühlenb. Boott Carex 165.  
 — *Jackiana* Boott. Boott Carex 25.  
 — *Jamesoni* Boott. Boott Carex 334—337.  
 — *japonica* Thunb. Boott Carex 257.  
 — *impunctata* Boott. Boott Carex 326.  
 — *indecora* Kunth. Boott Carex 184.  
 — *indica* L. Boott Carex 250—254.  
 — *insignis* Boott. Boott Carex 14.  
 — *insularis* Carm. Boott Carex 350.  
 — *intumescens* Rudge. Boott Carex 159. 160.  
 — *involuta* Boott. Boott Carex 210.  
 — *Koestlini* Hochst. Boott Carex 204—207.  
 — *laeta* Boott. Boott Carex 188.  
 — *laevis* Willd. Linnaea 31, 5.  
 — *lagopodioides* Schk. Boott Carex 370. 371.  
 — *Lambertiana* Boott. Boott Carex 177.  
 — *lanuginosa* Michaux. Boott Carex 129.  
 — *laxa* Wahlenb. Boott Carex 213.  
 — *laxiflora* Lam. Boott Carex 89—93.  
 — *Lehmanni* Drej. Drejer Symbolae 2.  
 — — Boott Carex 361.  
 — *leiocarpa* M. Mém. prés. Pet. 1, 5.  
 — *leiorrhyncha* M. Mém. prés. Pet. 1, 9.  
 — *Leumanniana* Boott. Boott Carex 198.  
 — *lenticularis* Michx. Boott Carex 77.  
 — *leptophylla* Heuff. Linnaea 31, 5.  
 — *leucantha* Arn. Boott Carex 28.  
 — *Liddoni* Boott. Boott Carex 53.  
 — *ligulata* N. v. E. Boott Carex 113.  
 — *limosa* L. Boott Carex 216.  
 — *linearis* Boott. Boott Carex 136.  
 — *livida* Willd. Boott Carex 214. 215.  
 — *lobulirostris* Drej. Drejer Symbolae 14.  
 — *loliacea* L. Boott Carex 127.  
 — *longerostrata* M. Mém. prés. Pet. 1, 11.  
 — *longicuris* N. v. E. Boott Carex 157.  
 — *longifolia* Brown. Boott Carex 331. 332.  
 — *longipes* Don. Drejer Symbolae 10.  
 — *longirostris* Torr. Boott Carex 78.  
 — *lucida* Boott. Boott Carex 173.  
 — *lupuliformis* Sartw. Boott Carex 163.  
 — *lupulina* Mühlenb. Boott Carex 162.  
 — *macrocephala* Willd. Acad. Pet. VII. 4, 12.  
 — — Boott Carex 69.  
 — *macrochaeta* M. Mém. prés. Pet. 1, 13.  
 — *macrogyna* Turcz. Boott Carex 22.  
 — *macrostachys* Bert. Mem. Bon. 4, 17.  
 — *maculata* Boott. Boott Carex 26.  
 — *magellanica* Lam. Boott Carex 218—220.  
 — *marcida* Boott. Boott Carex 45.  
 — *Maubertiana* Boott. Boott Carex 114.  
 — *Meadii* Dew. Boott Carex 83.



- Carex melanocarpa Cham. Middendorff Reise 2, 4.  
 — melanocystis Em. Desv. Gay Chile 73.  
 — melanostylis Em. Desv. Gay Chile 73.  
 — micropoda M. Mém. prés. Pet. 1, 6.  
 — miliacea Mühlenb. Boott Carex 300.  
 — miliaris Michx. Boott Carex 200.  
 — monile Tuck. Boott Carex 72.  
 — monostachya Rich. Boott Carex 221.  
 — Mooreroftii Falc. Boott Carex 27.  
 — Muhlenbergii Schk. Boott Carex 399. 400.  
 — munda Boott. Boott Carex 20.  
 — myosurus N. v. E. Boott Carex 229—233.  
 — nepalensis Spr. Drejer Symbolae 9.  
 — nigricans M. Mém. prés. Pet. 1, 7.  
 — nigro-marginata Schw. Boott Carex 296.  
 — nivalis Boott. Boott Carex 35.  
 — mobilis Boott. Boott Carex 9. 10. 11.  
 — notha Kth. Boott Carex 24.  
 — Novae Angliae Schw. Boott Carex 285.  
 — nubigena Don. Boott Carex 2.  
 — obscura N. v. E. Boott Carex 192.  
 — obtusata Liljeb. Svensk Acad. 1793, 4.  
 — oligocarpa Schk. Boott Carex 99.  
 — oligosperma Michx. Boott Carex 63.  
 — olivacea Boott. Boott Carex 149.  
 — Olneyi Boott. Boott Carex 42.  
 — ornithopodioides Haussm. Flora 1855, 14.  
 — oxylepis Torr. Boott Carex 142.  
 — paleata Boott. Boott Carex 116.  
 — pallida M. Mém. prés. Pet. 1, 8.  
 † — panicea L. Abh. Leipz. 7, 12.  
 — Parryana Dew. Boott Carex 71.  
 — parva N. v. E. Boott Carex 148.  
 — pediformis M. Mém. prés. Pet. 1, 10.  
 — pennsylvanica Lam. Boott Carex 290. 291.  
 — Petitionaria Rich. Boott Carex 259.  
 — phacota Spr. Drejer Symbolae 4.  
 — — Boott Carex 168.  
 — phyllostachys Meyer. Boott Carex 106.  
 — pichinchensis Kth. Boott. Carex 199. 200.  
 — pilulifera L. Boott Carex 283.  
 — plantaginea Lam. Boott Carex 94.  
 — platyphylla Carey. Boott Carex 96.  
 — polyccephala Boott. Boott Carex 12.  
 — polymorpha Mühlenb. Boott Carex 57.  
 — praecalta Boott. Boott Carex 179. 180.  
 — Preissii N. v. E. Boott Carex 186.  
 — Prescottiana Boott. Boott Carex 115.  
 — pruinosa Boott. Boott Carex 174.  
 — Pseudo-Cyperus L. var. brachystachys Rgl. et  
 Maack. Acad. Pet. VII, 4, 12.  
 — psychrophila N. v. E. Boott Carex 191.  
 — pubescens Mühlenb. Boott Carex 61.  
 — pulchra Boott. Boott Carex 13.  
 — Purdiei Boott. Boott Carex 67.  
 — pyrenaica Wahlbg. Mém. prés. Pet. 1, 7.  
 — — Linnaea 31, 4.  
 — radicalis Boott. Boott Carex 147.  
 — Raecana Boott. Boott Carex 64.  
 — Rafflesiana Boott. Boott Carex 33.  
 — ramosa Schk. Boott Carex 322.  
 — Raoulii Boott. Boott Carex 333.  
 — raphidocarpa N. v. E. Boott Carex 244.  
 — rara Boott. Boott Carex 109.  
 — rariflora Sm. Boott Carex 217.  
 — Redowskiana M. Mém. prés. Pet. 1, 4.  
 — retrocurva Dew. Boott Carex 97.  
 — retroflexa Mühlenb. Boott Carex 226.  
 — retrorsa v. Schw. Ann. Lyc. 1, 28.  
 — — Boott Carex 276.  
 — rhynchocarpa Heuff. Linnaea 31, 5.  
 — Richardsoni R. Br. Boott Carex 298.

- Carex riparia Curtis. Boott Carex 355.  
 — rosea Schk. Boott Carex 223—225.  
 — Rossii Boott. Boott Carex 295.  
 — rostrata Michx. Boott Carex 267.  
 — Royleana N. v. E. Boott Carex 19.  
 — scabrata v. Schw. Ann. Lyc. 1, 26.  
 — scabrella Wahlenb. Boott Carex 75.  
 † — Schreberi Willd. Payer Organogénie 147.  
 — Schweinitzii Dew. Boott Carex 266.  
 — scoparia Schk. Boott Carex 368. 369.  
 — secta Boott. Boott Carex 123. 124.  
 — setigera a. hymenolepis Drej. Drejer Symbolae 8.  
 — setigera Don. var. β. Boott Carex 6.  
 — setosa Boott. Boott Carex 327—329.  
 — Shortiana Dew. Drejer Symbolae 1.  
 — — Boott Carex 271.  
 — siccata Dew. Boott Carex 52. 146.  
 — Solandri Boott. Boott Carex 175.  
 — sororia Kth. Boott Carex 117.  
 — Spachiana Boott. Boott Carex 108.  
 — sparganioides Mühlb. Boott Carex 394.  
 — spatiosa Boott. Boott Carex 246.  
 — spicigera N. v. E. Boott Carex 29.  
 — spiculata Boott. Boott Carex 7.  
 — squarrosa L. Ann. Lyc. 1, 27.  
 — — Drejer Symbolae 17.  
 — — Boott Carex 280. 281.  
 — stellulata God. var. Boott Carex 146\*\*.  
 — stenolepis Torr. Drejer Symbolae 16.  
 — — Boott Carex 282.  
 — sterilis Willd. Boott Carex 146. 146\*.  
 — Stendelii Kth. Boott Carex 103.  
 — stipata Mühlb. Boott Carex 390. 391.  
 — straminea Schk. Boott Carex 371. 384—389.  
 — striata R. Br. Drejer Symbolae 15.  
 — — Michx. Boott Carex 151.  
 — stylosa M. Mém. prés. Pet. 1, 12.  
 — subulata Michx. Ann. Lyc. 1, 26.  
 — — Boott Carex 270.  
 — Sullivantii Boott. Boott Carex 133.  
 — sychnocephala Carey. Boott Carex 118.  
 — teinogyna Boott. Boott Carex 158.  
 — tenax Chapm. Boott Carex 60.  
 — tenebrosa Boott. Boott Carex 256.  
 — tenella Schk. Boott Carex 125. 126.  
 — tentaculata Mühlenb. Boott Carex 277. 278.  
 — teres Boott. Boott Carex 167.  
 — tetanica Schk. Boott Carex 84.  
 — Thomsoni Boott. Boott Carex 1.  
 — thyrsoiflora Boott. Boott Carex 34.  
 — Tolmiei Boott. Boott Carex 299.  
 — Torreyi Tuck. Boott Carex 56.  
 — torta Boott. Boott Carex 169.  
 — triceps Michx. Boott Carex 128.  
 — trichocarpa Mühlenb. Boott Carex 152.  
 — trinervis Degland. Drejer Symbolae 7.  
 — trisperma Dew. Boott Carex 74.  
 — Tuckermani Boott. Boott Carex 40.  
 — tumida Boott. Boott Carex 181.  
 — turgescens Torr. Boott Carex 264.  
 — umbellata Schk. Boott Carex 292—294.  
 — uncinioides Boott. Boott Carex 23.  
 — ustulata Wahlenb. Boott Carex 193. 194.  
 — utriculata Boott. Boott Carex 39.  
 — varia Mühlenb. Boott Carex 288. 289.  
 — venusta Dew. Boott Carex 134.  
 — verticillata Boott. Boott Carex 183.  
 — vesiculosa Boott. Boott Carex 323.  
 — vestita Willd. Boott Carex 131.  
 — virescens Mühlenb. Boott Carex 73.  
 — virgata Sol. Boott Carex 121. 122.  
 † — vulpina L. Spach Suites 110.

- Carex vulpina L.* Boott *Carex* 393.  
 — *vulpinoidea Michx.* Boott *Carex* 404—409.  
 — *Wahlenbergiana Boott.* Boott *Carex* 301—305.  
 — *wahuensis M.* Mém. prés. Pet. 1, 10.  
 — — — Boott *Carex* 351—354.  
 — *Walkerii Arn.* Boott *Carex* 4.  
 — *Wallichiana Presc.* Boott *Carex* 18.  
 — *Wightiana N. v. E.* Boott *Carex* 30.  
 — *Wildenowii Schk.* Boott *Carex* 101. 102.  
 † *Careya arborea Roxb.* Journ. Linn. Soc. 2, 1.  
 † *Carica microcarpa Jacq.* Denkschr. der Wiener Ak.  
     16, 1. 2.  
 — *Papaya L.* Spach Suites 50.  
 † — — — Ann. sc. nat. IV. 7, 12. 8, 7. 8.  
 † — — — Bot. Zeitung 1858, 3.  
 — *Posoposa L.* Feuillée 3, 39.  
*Carissa Candolleana Jaub.* Jaub. Illustr. 497.  
 — *cornifolia Jaub.* Jaub. Illustr. 498.  
 — *edulis Vahl.* Jaub. Illustr. 495.  
 — *Richardiana Jaub.* Jaub. Illustr. 496.  
*Carlina acaulis L.* Berg Charakt. 371.  
 — *corymbosa L.* Santi Viaggi 2, 8.  
 — *lanata L.* Santi Viaggi 2, 7.  
 — *vulgaris L.* Santi Viaggi 2, 6.  
*Carmelita formosa Gay.* Castelnau Exped. 6.  
*Carmona heterophylla Cav.* Ann. de hist. nat. 1, 3.  
*Carpesium abrotanoides L.* Osbeck Reise 10.  
 — — — Rchb. Fl. germ. 16, 983.  
 — *cernum L.* Rchb. Fl. germ. 16, 983.  
*Carpidopterix macroptera Karst.* Karsten Fl. Col. 2,  
     123.  
*Carpinus Betulus L.* Nouveau Duhamel 2, 58.  
 † — — — Schnizl. Iconogr. 2, 89.  
 † — — — Schacht Lehrbuch 2, 9.  
 — *Ostrya L.* Nouveau Duhamel 2, 59.  
 † *Carpodetus serratus Forst.* Schnizl. Iconogr. 170\*.  
 — — — Handl. Acad. Holm. 1857, 1.  
 † — — — Agardh Syst. 23.  
*Carpodontos lucida Lab.* Labill. Relation 18.  
*Carroa glandulosa Presl.* Presl Symbolae 71.  
*Carthamus tinctorius L.* Berg Charakt. 372.  
 † *Carum Bulbocastanum L.* Abhandl. Halle 1854, 3.  
 — *Carvi L.* Berg Darstellung 4, 25\*.  
 ! — — — Fleischer Missbildungen 3. 4.  
*Carya microcarpa Nutt.* Nuttall Sylva 1, 13.  
 † *Caryocar nuciferum L.* Spach Suites 147.  
 † — — — Mém. prés. Pet. 3, 5.  
*Caryodendron orinoccensium Karst.* Karsten Fl. Col.  
     1, 45.  
*Caryolopha sempervirens Fisch.* Rchb. Fl. germ. 18,  
     1306.  
 † *Caryophylloae DC.* Payer Organogénie 71—73.  
 † — — — Schnizl. Iconogr. 207.  
 † *Caryophyllus aromaticus L.* Spach Suites 29.  
 — — — Berg Darstellung 1, 34.  
*Caryota urens L.* Zanoni Hist. 133.  
 — — — Illustration horticole 1857, 148.  
*Casearia disticha Gray.* Gray Expl. Exp. 5.  
 — *Richii Gray.* Gray Expl. Exp. 5.  
 — *spinosa Willd.* Plumier Ic. Burm. 147.  
*Casimiroa edulis Ldl.* Seem. Herald 51. 52.  
 † *Casparia hirta Kl.* Abh. Acad. Berl. 1854, 11.  
*Cassandra calyculata Don.* Rchb. Fl. germ. 17, 1161.  
*Cassebeeria paradoxa Fée.* Fée Fil. novae 20.  
 — *petiolata Fée.* Fée Fil. novae 12.  
 † *Cassia L.* Mem. Tur. 1855, 4.  
 — *Absus L.* Burmann Thes. zeyl. 97.  
 — *acutifolia Del.* Journ. de chimie méd. 6, x.  
 — — — Mem. Bon. 4, 22.  
 — *angustifolia Vahl.* Berg Darstellung 2, 9\*.  
 — *biflora L.* Plumier Ic. Burm. 78.  
 — *Chamaecrista Willd.* Schrank Hort. monac. 33.  
*Cassia corymbosa Lam.* Nouveau Duhamel 6, 32.  
 † — *eremophila F. M.* Abh. Acad. Berl. 1859, 6.  
 — *floribunda Cav.* L'horticultur fr. 1861, 21.  
 — *geminiflora Schrank.* Schrank Hort. monac. 26.  
 — *laevigata Willd.* Regel Gartenf. 1854, 77.  
 — *lentiva Bisch.* var.  $\alpha$ . Berg Darstellung 1, 8f.  
 — *ligustrina L.* Dillenius Elth. 259.  
 — *Lindleyana Gardn.* Dietrich Fl. univ. 10.  
 — *marilandica L.* Dillenius Elth. 260.  
 — *moschata H. B. K.* Transact. Linn. Soc. 24, 26.  
 — *obovata Collad.* Berg Darstellung 2, 9b.  
 — *obtusifolia L.* Rivinus Opus ined. 104.  
 — — — Zanoni Hist. 47.  
 — — — Dillenius Elth. 62.  
 — *occidentalis L.* Rivinus Opus ined. 103.  
 — — — var.  $\alpha$ . Vogel. Jacq. Ecl. pl. 148.  
 — *planisiliqua L.* Plumier Ic. Burm. 77.  
 — *platypoda R. Br.* Müller Plants of Victoria  
     2, 25.  
 — *schinifolia DC.* L'horticulteur fr. 1864, 21.  
 — *Sophera L.* Burmann Thes. zeyl. 98.  
 — *splendida Vog.* Dietrich Fl. univ. 9.  
 — *stipulacea Ait.* Feuillée 3, 42.  
 — *stricta Schrank.* Schrank Hort. monac. 34.  
 — *tomentosa L.* Schrank Hort. monac. 1.  
 — *Tora L.* Plumier Ic. Burm. 76.  
 — — — Dillenius Elth. 63.  
*Cassine capensis L.* Burmann Pl. afr. 85.  
 — — — Dillenius Elth. 236.  
 — *Maurocenia L.* Dillenius Elth. 121.  
*Cassinia leptophylla R. Br.* Lem. Jard fl. 4, p. 66.  
 — *paniculata Behr.* Müller Plants of Victoria 2, 43.  
*Cassinopsis tinifolia Harv.* Harvey Thes. cap. 2, 168.  
*Cassiope fastigiata Don.* Bot. Mag. 80, 4796.  
 — *selaginoides Hook.* Hook. Journ. 1855, 4.  
 † *Cassytha brasiliensis Mart.* Chatin Anatomie 5.  
 † — *Casuarinae N. v. E.* Chatin Anatomie 6.  
 † — *filiformis L.* Linn. Transact. 22, 68.  
 † — *glabella R. Br.* Bot. Zeitung 1860, 6.  
 — — — Müller Plants of Victoria 2, 68.  
*Castanea alnifolia Nutt.* Nuttall Sylva 1, 6.  
 — *chrysophylla Dougl.* Expl. Missis. 6, p. 26.  
 — — — Bot. Mag. 82, 4953.  
 — — — Belgique horticole 7, 40.  
 — — — Fl. d. serres 12, 1184.  
 — *concinna Champ.* Seem. Herald 86.  
 — *vesca Gaertn.* Nouveau Duhamel 3, 19.  
 † — — — Agardh Syst. 13.  
 † — — — Flora 1857, 10.  
*Castelia cuneato-ovata Cav.* Ann. de hist. nat. 3, 30.  
*Castelleia candens Dur.* Expl. Missis. 5, 13.  
*Castelnavia fimbriata Tul.* Endl. Bras. 13, 76.  
 — *fruticulosa Tul.* Endl. Bras. 13, 76.  
 — *monandra Tul.* Endl. Bras. 13, 76.  
 — *princeps Tul.* Endl. Bras. 13, 76.  
 — *serpens Tul.* Endl. Bras. 13, 76.  
*Castilleja affinis H. et A.* Sestum petrop. 15.  
 † — *arvensis Cham.* Chatin Anatomie 29.  
 — *communis Benth.* Endl. Bras. 30, 56.  
 — *lithospermoides H. B. K.* Belgique hortic. 4, 15.  
 — *pumila Wedd.* Castelnau Exped. 61.  
*Casuarina Baxteriana Mig.* Acad. Amst. 1848, 3.  
 — *Brunoniana Mig.* Acad. Amst. 1848, 1.  
 — *cristata Mig.* Acad. Amst. 1848, 10.  
 — *Cunninghamiana Mig.* Acad. Amst. 1848, 6.  
 — *distyla Vent.* Acad. Amst. 1848, 7.  
 — *Drummondiana Mig.* Acad. Amst. 1848, 1.  
 — *equisetifolia Forst.* Acad. Amst. 1848, 5.  
 † — — — Agardh Syst. 14.  
 † — — — Jard. Annals II. 11, 15.  
 — *excelsa Dennh.* Acad. Amst. 1848, 1.  
 — *Fraseriana Mig.* Acad. Amst. 1848, 6.

- Casuarina glauca* Sieb. Acad. Amst. 1848, 11.  
 — *Hügeliana* Mig. Acad. Amst. 1848, 11.  
 — *Lehmänniana* Mig. Acad. Amst. 1848, 3.  
 — *leptoclada* Mig. Acad. Amst. 1848, 4.  
 — *microstachya* Mig. Acad. Amst. 1848, 1.  
 — *nana* Sieb. Acad. Amst. 1848, 2.  
 — *nodiflora* Forst. Acad. Amst. 1848, 1.  
 — *paludosa* Sieb. Spach Suites 134.  
 — — Acad. Amst. 1848, 8.  
 — *Preissiana* Mig. Acad. Amst. 1848, 2.  
 † — *prisca* Mig. Acad. Amst. 1848, 12.  
 — *pumila* O. et D. Acad. Amst. 1848, 8.  
 — *quadrivalvis* Lab. Acad. Amst. 1848, 9.  
 — *ramuliflora* O. et D. Acad. Amst. 1848, 4.  
 — *rigida* Mig. Acad. Amst. 1848, 7.  
 — *selaginoides* Mig. Acad. Amst. 1848, 3.  
 — *stricta* Ait. Acad. Amst. 1848, 6.  
 — *suberosa* O. et D. Acad. Amst. 1848, 6.  
 — — Hook. Fl. Tasm. 96.  
 — *tenuissima* Sieb. Acad. Amst. 1848, 4.  
 — *thuyoides* Mig. Acad. Amst. 1848, 2.  
 — *torulosa* Ait. Acad. Amst. 1848, 11.  
 — *trichodon* Mig. Acad. Amst. 1848, 8.  
*Catabrosa tenuifolia* Presl. Gay Chile 81.  
 † *Catalpa* Juss. (Pollen.) Mém. prés. Pet. 3, 4.  
 † — *bigonioides* Walt. Bureau Bign. 25.  
 † — *cordifolia* Juss. Nouveau Duhamel 2, 5.  
 — *Kaempferi* Sieb. et Zucc. Illustration horticole 1862, 319.  
 — *longissima* Sims. Plumier Ic. Burm. 57.  
 — *microphylla* Spr. Plumier Ic. Burm. 55.  
 † — *syringaeifolia* Sims. Abh. Leipz. 6, 23.  
*Catananche coerulea* L. Rchb. Fl. germ. 19, 1363.  
 — *lutea* L. Rchb. Fl. germ. 19, 1363.  
*Catasetum atratum* Ldl. Bot. Mag. 86, 5202.  
 — *cernuum* Rchb. fil. Bot. Mag. 89, 5399.  
 — *Naso* Ldl. Bot. Mag. 80, 4792.  
 — *sanguineum* Ldl. Pescatorea 1, 16.  
 † — *tridentatum* Hook. Ann. sc. nat. IV. 19, 12.  
 — *trimerochilum* Ch. Lem. Illustration horticole 1863, 374.  
 — *viridiflavum* Hook. Regel Gartenfl. 4, 117.  
*Catha vitiensis* Gray. Gray Expl. Exp. 23.  
*Cattleya Aclandiae* Ldl. Bot. Mag. 84, 5039.  
 — *amethystina* Morr. Lem. Jard. fl. 4, 379.  
 — *amethystoglossa* Lind. Warner Select Orch. 2.  
 — *bicolor* Ldl. Bot. Mag. 82, 4909.  
 — *citrina* Ldl. Pescatorea 1, 12.  
 — *crispa* Ldl. Belgique horticole 4, 11.  
 — — var. *pendula*, Belgique horticole 1853, 26.  
 — *Dawsoni* Warn. Warner Select Orch. 16.  
 — *elegans* Morr. Pescatorea 1, 23.  
 — — Illustration horticole 1864, 402.  
 — *granulosa* Ldl. Annales de Gand 1846, 103.  
 — — Bot. Mag. 84, 5048.  
 — *guttata* Ldl. var. *Leopoldii*, Pescatorea 1, 43.  
 — — var. *Leopoldii*, Fl. d. serres 14, 1471—1472.  
 — — var. *marmorata*, Annales de Gand 1845, 46.  
 — *Harrisoniana* Batem. Journal soc. d'hort. Par. 1857, 725.  
 — *labiata* Ldl. var. *Lindigii*, Karsten Fl. Col. 1, 49.  
 — — Regel Gartenfl. 5, 146.  
 — — Belgique horticole 1860, 13, 14.  
 — — L'horticulteur fr. 1860, 1.  
 — — var. *Mossiac*, Warner Select Orch. 8.  
 — *Lindleyana* Rchb. fil. Rchb. Xenia 2, 135.  
 — — Bot. Mag. 90, 5449.  
 — *luteola* Ldl. Rchb. Xenia 1, 83.  
 — — Bot. Mag. 84, 5032.

- Cattleya marginata* Hort. Illustration horticole 1859, 193.  
 — *maxima* Ldl. Rchb. Xenia 1, 95.  
 — — Bot. Mag. 82, 4902.  
 — *Papeiansiana* Morr. Annales de Gand 1845, 5.  
 — *pumila* Hook. var. *major*, Illustration horticole 1859, 193.  
 — *quadricolor* Bat. Bot. Mag. 91, 5504.  
 — *Schilleriana* Rchb. fil. Rchb. Xenia 2, 111.  
 — — var. *concolor*, Bot. Mag. 85, 5150.  
 — — Florist 12, 153.  
 — *Skinneri* Bat. var. *parviflora*, Bot. Mag. 82, 4916.  
 — *superba* Ldl. Fl. d. serres 9, 926.  
 — — Warner Select Orch. 24.  
 — *Trianae* Rchb. fil. Karsten Fl. Col. 1, 49.  
 — — Journal soc. d'hort. Par. 1860, 369.  
 — *Wagneri* Rchb. fil. Rchb. Xenia 1, 13.  
 — *Walkeriana* Gardn. Pescatorea 1, 41.  
 — *Warczewiczii* Rchb. fil. Rchb. Xenia 1, 31.  
 — — var. *delicata*, Warner Select Orch. 4.  
 — *Warneri* Moore. Warner Select Orch. 8.  
*Cattleyopsis delicatula* Lem. Lem. Jard. fl. 4, p. 60.  
 † *Caturus spiciflorus* L. Jussieu Euph. 14.  
 † *Caulinia fragilis* Willd. Mem. soc. it. 19, 8, 9.  
 † *Caylusia abyssinica* Fisch. Schw. Denkschr. 16, 10.  
 † — *canescens* St. Hil. Schw. Denkschr. 16, 10.  
 † — — Payer Organogénie 39.  
*Ceanothus americanus* L. Nouveau Duhamel 6, 31.  
 † — — Agardh Syst. 15.  
 — *asiaticus* L. Burmann Thes. zeyl. 48.  
 — *cordulatus* Kellogg. Proc. Calif. Acad. 2, 124.  
 — *crassifolius* Torr. Torrey Mex. Boundary 11.  
 — *cuneatus* Nutt. Belgique horticole 8, 44.  
 — *dentatus* Torr. Torrey Mex. Boundary 10.  
 — — Moore Mag. 1850, p. 169.  
 — *elegans* Hort. Illustration horticole 1860, 268.  
 — *floribundus* Hook. Bot. Mag. 80, 4806.  
 — — Fl. d. serres 10, 977.  
 — — Illustration horticole 1860, 238.  
 — — Belgique horticole 5, 9.  
 — *Lobbianus* Hook. Bot. Mag. 80, 4810.  
 — — Fl. d. serres 10, 1016.  
 — *nevadensis* Kellogg. Proc. Calif. Acad. 2, 151.  
 — *oreganus* Nutt. Bot. Mag. 86, 5177.  
 — *papillosus* T. et Gr. Moore Mag. 1850, p. 169.  
 — *rigidus* Nutt. Torrey Mex. Boundary 9.  
 — *thysiflorus* Eschsch. Annales de Gand 1847, 107.  
 — — Nuttall Sylva 2, 57.  
 — *Veitchianus* Hook. Bot. Mag. 85, 5127.  
 — — Fl. d. serres 13, 1383.  
 — — Journal d'hortic. 3, 22.  
 — — Belgique horticole 1860, 8.  
 — *velutinus* Dougl. Bot. Mag. 86, 5165.  
*Cecropia adenopus* Mart. Endl. Bras. 12, 50.  
 — *carbonaria* Mart. Endl. Bras. 12, 48.  
 — *cyrtostachya* Mig. Endl. Bras. 12, 49.  
 — *leucophaea* Poepp. Endl. Bras. 12, 50.  
 — *pachystachya* Trécul. Endl. Bras. 12, 48.  
 — *scabra* Mart. Endl. Bras. 12, 47.  
 — *Schiedeana* Klotzsch. Endl. Bras. 12, 49.  
 — *sciodaphylla* Mart. Endl. Bras. 12, 46.  
 † — *surinamensis* Mig. Endl. Bras. 12, 46.  
*Cedrela odorata* L. Browne Jamaica 10.  
 † *Cedrelaceae* R. Br. Schnizl. Iconogr. 226.  
*Cedrus Deodara* Loud. Pinetum britannicum 6, 8.  
 — — 10.  
 † *Celastrineae* R. Br. (Ectypa foliorum.) Endl. Fl. bras. 28, 1—5.  
 † — (Nervatio.) Denkschr. der Wien. Acad. 13, 1—10.

- † *Celastrineae* R. Br. Payer Organogénie 36.  
*Celastrus australis* Harv. Müller Plants of Victoria 2, 21.  
 — *crispulus* Reg. Regel Gartenfl. 9, 312.  
 — *punctatus* Thunb. Regel Gartenfl. 9, 312.  
 — *scandens* Willd. Nouveau Duhamel 6, 33.  
 ! — — Goethe Atlas 4.  
 † — — Payer Organogénie 36.  
 † — — Agardh Syst. 22.  
 † *Celosia* L. Medicus Beob. p. 385.  
 † — *cristata* L. Abh. Acad. Berl. 1859, 4.  
 † — *margaritacea* L. Payer Organogénie 67.  
 † — *nodiflora* L. Burmann Thes. zeyl. 5.  
*Celsia* Arcturus L. Jaub. Illustr. 406.  
 — *bugulifolia* Jaub. et. Sp. Jaub. Illustr. 407.  
 — *heterophylla* Desf. Jaub. Illustr. 404.  
 — *lanata* Hort. Par. Schrank Hort. monac. 76.  
 — *orientalis* L. Rivinus Opus ined. 80.  
 — — — Jaub. Illustr. 405.  
 — — — Rehb. Fl. germ. 20, 1671.  
 — *viscosa* Roth. Schrank Hort. monac. 4.  
 † *Celtis* L. (Ovula.) Griffith Pl. asiat. 53.  
 — *australis* L. Nouveau Duhamel 2, 8.  
 — — — Risso Hist. nat. 2, 6.  
 † — — — Agardh Syst. 20.  
 — *cinerea* Torr. Torrey Mex. Boundary 50.  
 — *glycyarpa* Mart. Endl. Bras. 12, 62.  
 — *longifolia* Nutt. Nuttall Sylva 1, 40.  
 — *occidentalis* L. Nouveau Duhamel 2, 9.  
 — *reticulata* Torr. Nuttall Sylva 1, 39.  
 — *Selloviana* Miq. Endl. Bras. 12, 63.  
 — *Tournefortii* Link. var. *aetnensis*; Atti Gioen. II. 11, 1.  
 † *Cenchrus* L. Linné Amoenit. 7, 2.  
 † — — Bot. Zeitung 1856, 10.  
 † — *ciliaris* Fig. Mem. Tur. 1854, 35.  
 † — *Hystrix* Fig. Mem. Tur. 1854, 34.  
 † — *niloticus* Fig. Mem. Tur. 1854, 33.  
 † — *rigidifolius* Fig. Mem. Tur. 1854, 36.  
 † *Centaurea* L. (Irritabilitas.) Covolo Dissert. 1.  
 † — — Nees Gen. 31, 17.  
 — *alpina* L. Cornuti Canad. p. 70.  
 — *ambiensis* Graells. Mem. Madrid 4, 2.  
 — *amplexicaulis* Gm. Gmelin Reise 1, 24.  
 — *babylonica* L. Jaub. Illustr. 428.  
 — — — Revue horticole 1859, p. 540.  
 — *calalepis* Boiss. Tchichatschew Asie mineure 31.  
 — *Calcitrapa* L. Colonna Phytobasanos 24.  
 — *coerulescens* Lap. Rehb. Fl. germ. 15, 886.  
 — *cristata* Bartl. Rehb. Fl. germ. 15, 886.  
 — *Cyanus* L. Colonna Phytobasanos 21.  
 † — — Gleichen Entdeckungen 17. 18.  
 † — *glastifolia* L. Commelyn Rar. 39.  
 † *Jacea* L. Payer Organogénie 134.  
 ! — — Cramer Bildungsabw. 1, 14.  
 † *kartschiana* Scop. Rehb. Fl. germ. 15, 886.  
 † *maculosa* Lam. Rehb. Fl. germ. 15, 886.  
 — *micranthos* Gm. Gmelin Reise 1, 23.  
 † *nigra* L. Jard. Annals II. 11, 15.  
 — *phrygia* L. Gmelin Reise 1, 23.  
 — *praetoria* Rehb. fl. Rehb. Fl. germ. 15, 885.  
 — *punctata* Vis. Rehb. Fl. germ. 15, 886.  
 — *ragusina* L. Zanoni Hist. 92.  
 — *Reuteriana* Boiss. Tchichatschew Asie mineure 30.  
 — *romana* L. Zanoni Hist. 42. 43.  
 † *Scabiosa* L. Abh. Senck. 1, 6.  
 — *sempervirens* L. Zanoni Hist. 93.  
 — *solsitialis* L. var. *lappacea*, Rehb. Fl. germ. 15, 887.  
 — *taraxifolia* Boiss. Tchichatschew Asie mineure 32.  
 † *tenuisecta* Jord. Rehb. Fl. germ. 15, 886.

- Centella cuneifolia* Müll. Hook. Journ. 1855, 12.  
 † *Centothea lappacea* Desv. Griffith Pl. asiat. 152.  
*Centradenia grandifolia* Endl. Bot. Mag. 87, 5228.  
 — — — Journal d'hortic. 3, 6.  
 — — — L'horticulteur fr. 1861, 9.  
*Centrandra hondensis* Karst. Karsten Fl. Col. 1, 88.  
 † *Centranthus Calcitrapa* Dufr. Abh. Senck. 1, 5.  
 † — *ruber* DC. Jard. Annals II. 11, 13.  
 † — — — Payer Organogénie 130.  
*Centrolepis aristata* R. et Sch. Hook. Fl. Tasm. 138.  
*Centrolobium minus* Presl. Presl Symb. 74.  
*Centropappus Brunonis* Hook. Hook. Fl. Tasm. 65.  
*Centropetalum Warzewiczii* Rehb. Rehb. Xenia 1, 38.  
*Centropogon longipes* Reg. Regel Gartenfl. 3, 75.  
*Centrosema brasilianum* Benth. Endl. Bras. 24, 34.  
 — *pubescens* Benth. Endl. 24, 34.  
*Centrosolenia bractescens* Hook. Lem. Jard. fl. 4, 369.  
*Centrostegia Thurberi* Gray Expl. Missis. 7, 8.  
*Centrostemma multiflorum* Decne. Bot. Mag. 86, 5173.  
 † *Centrostylis* Baill. Baillon Euph. 2.  
*Centunculus minimus* L. Rehb. Fl. germ. 17, 1082.  
 † — — — Endl. Bras. 16, 23.  
*Cephaëlis Ipeacuanha* Willd. Berg Darstellung 2, 15.  
 † *Cephalanthera* Rich. Irmisch Orchideae 4.  
 — *ensifolia* Rich. Rivinus Irreg. heap. 5.  
 — *erecta* Bl. Blume Orchid. 65. 66.  
 — *falcata* Bl. Blume Orchid. 65. 66.  
 — *longibracteata* Bl. Blume Orchid. 65.  
 — *pallens* Rich. Rivinus Irreg. hexap. 4.  
 — *palustris* Rich. Rivinus Irreg. hexap. 3.  
 — *rubra* Rich. Rivinus Irreg. hexap. 5. 6.  
 † — — — Abh. Leipz. 7, 6.  
*Cephalanthus occidentalis* L. Barton Fl. 3, 91.  
*Cephalaria Tchichatschewii* Boiss. Tchichatschew Asie mineure 26.  
 † *Cephalocroton* Hochst. Baillon Euph. 18.  
 † — *discolor* Müll. Mem. Genev. 17, 1.  
*Cephalomanes auriculatum* Bl. Verh. Ac. Amst. 1861, 25.  
 — *javanicum* Bl. Verh. Ac. Amst. 1861, 22.  
 — *rhomboideum* J. Sm. Verh. Ac. Amst. 1861, 24.  
 — *Zollingeri* v. d. B. Verh. Ac. Amst. 1861, 23.  
*Cephalophora glauca* Cav. Feuillée 3, 45.  
 — — — Anales de hist. nat. 5, 39.  
 † *Cephalotrophis javanica* Bl. Blume Mus. 2, 27.  
*Ceramanthe vernalis* Rehb. Rehb. Fl. germ. 20, 1676.  
 † *Ceramanthus* Hassk. Baillon Euph. 23.  
 † *Cerastium* L. Nees Gen. 31, 14.  
 † — — Schnizl. Iconogr. 207.  
 — *aggregatum* Dur. Willkomm Ic. Hisp. 1, 57.  
 — *alsinoides* Lois. Grenier Monogr. 3.  
 — *arabidis* E. M. Grenier Monogr. 4.  
 — *armenicum* Gren. Grenier Monogr. 1.  
 † — *Biebersteinii* DC. Payer Organogénie 72.  
 — *Boissierii* Gren. Grenier Monogr. 7.  
 — — — Willkomm Ic. Hisp. 1, 55.  
 — *brachycarpum* E. M. Grenier Monogr. 6.  
 † — *collinum* Led. Ann. sc. nat. IV. 4, 13.  
 — *dahuricum* Fisch. Schrank Hort. monac. 75.  
 — *dichotomum* L. Willkomm Ic. Hisp. 1, 56.  
 — *frigidum* M. v. B. Grenier Monogr. 8.  
 — *Gayanum* Boiss. Willkomm Ic. Hisp. 1, 57.  
 — *latifolium* L. var. Hegetschw. Reisen 2.  
 — *longifolium* Willd. Grenier Monogr. 4.  
 — *multiflorum* C. A. M. Grenier Monogr. 2.  
 — *nutans* Raf. Grenier Monogr. 5.  
 — *perfoliatum* L. Dillenius Elth. 217.  
 — — — Willkomm Ic. Hisp. 1, 56.  
 — *pyrenaicum* Gay. Grenier Monogr. 9.  
 — *racemosum* Bartl. Grenier Monogr. 7.  
 — *ramigerum* E. M. Grenier Monogr. 3.  
 — *repens* L. Colonna Phytobasanos 31.

- Cerastium ruderale* *M. v. B.* Grenier Monogr. 5.  
 — *tetrandrum* *Curt.* Johnston Eastern Bord. 1.  
 — *Tournefortii* *Gren.* Grenier Monogr. 7.  
 † — *triviale* *Link.* Ann. sc. nat. IV. 4, 13.  
 — *viscosum* *L.* var. *Hegetschw.* Reisen 2.  
 † *Cerasus avium* *Moench.* Gleichen Untersuchungen  
 9. 10.  
 — — — *Nouveau Duhamel* 5, 3. 4—20.  
 ! — — — *Göthe Atlas* 4.  
 † — — — *Agardh Syst.* 14.  
 — *chamaecerasus* *Le Berr.* *Nouveau Duhamel* 5, 5.  
 † — *dulcis* *Borkh.* *Schnitzl. Iconogr.* 273.  
 — *ilicifolia* *Nutt.* *Nuttall Sylva* 2, 47.  
 — *Mahaleb* *Mill.* *Nouveau Duhamel* 5, 2.  
 — *mollis* *Dougl.* *Nuttall Sylva* 2, 46.  
 — *occidentalis* *DC.* *Ramon Cuba* 40<sup>b</sup>.  
 — *Padus* *DC.* *Nouveau Duhamel* 5, 1.  
 — *semperflorens* *Borkh.* *Nouveau Duhamel* 5, 9.  
 — *vulgaris* *Mill.* *Nouveau Duhamel* 5, 4—20.  
*Ceratochilus biglandulosus* *Bl.* *Rchb. Xenia* 1, 77.  
*Ceratodactylus osmundoides* *J. Sm.* *Lowe New Ferns* 30.  
*Cerantonia Siliqua* *L.* *Nouveau Duhamel* 1, 58.  
 — — — *Risso Hist. nat.* 2, 2.  
*Ceratopetalum gummiferum* *Smith.* *Bennett Australasia* 7.  
 † — — — *Agardh Syst.* 13.  
 † *Ceratophyllum demersum* *L.* *Jard. Annals* II. 11, 14.  
 12, 3.  
 † *Ceratopteris Parkeri* *J. Sm.* *Mettenius Fil.* 10.  
 — *thalictroides* *Brongn.* *Lowe Ferns* 2, 66.  
*Ceratostema grandiflorum* *Rz. et P.* *Fl. d. serres* 9, 934.  
 — *longiflorum* *Ldl.* *Gardn. Chron.* 1848, p. 87.  
 — — — *Bot. Mag.* 80, 4779.  
 — — — *Fl. d. serres* 9, 934.  
*Cerastostylis gigas* *Rchb. fil.* *Rchb. Xenia* 2, 127.  
 — *gracilis* *Bl.* *Rchb. Xenia* 2, 127.  
 — *subulata* *Bl.* *Rchb. Xenia* 2, 127.  
*Ceratozamia Kusteriana* *Reg.* *Bull. Mosc.* 1857, 187.  
 † — — — *Regel Gartenfl.* 6, 185. 186.  
 † — *robusta* *Miq.* *Acad. Pet.* VII. 1, 1. 2.  
*Cerbera manghas* *L.* *Burmans Thes. zeyl.* 70.  
 — *Thevetia* *L.* *Plumier Ic. Burm.* 18.  
*Cercidium floridum* *Benth.* *Expl. Missis.* 5, 3.  
*Cercis Siliquastrum* *L.* *Nouveau Duhamel* 1, 7.  
*Cercocarpus ledifolius* *Nutt.* *Nuttall Sylva* 2, 51.  
*Cereus* *L.* *Gleichen Entdeckungen* 29. 30.  
 — *Berlandieri* *Eng.* *Engelm. Boundary* 58.  
 — *Bigelovii* *Eng.* *Expl. Missis.* 4, 4.  
 — *caespitosus* *Eng.* *Engelm. Boundary* 43. 44.  
 — *conoideus* *Eng.* *Expl. Missis.* 4, 4.  
 — *ctenoides* *Eng.* *Engelm. Boundary* 42.  
 † — *Curtisii* *Link.* *Mém. prés. Pet.* 4, 8. 10.  
 — *dasyacanthus* *Eng.* *Engelm. Boundary* 39—41.  
 — *dubius* *Eng.* *Engelm. Boundary* 50.  
 — *Emoryi* *Eng.* *Engelm. Boundary* 60.  
 — *Engelmanni* *Parry.* *Expl. Missis.* 4, 5.  
 — — — *Engelm. Boundary* 57.  
 — *enneacanthus* *Eng.* *Engelm. Boundary* 48. 49.  
 — *Fendleri* *Eng.* *Engelm. Boundary* 51—53.  
 — *flagelliformis* *Haw.* *Belgique horticole* 1864, 13.  
 — *giganteus* *Eng.* *Engelm. Boundary* 1. 61. 62.  
 — — — *Emory Notes* p. 72. 77. 79.  
 — — — *Fl. d. serres* 10, 977.  
 — *gonacanthus* *Eng.* *Expl. Missis.* 4, 5.  
 — *grandiflorus* *Mill.* *Plumier Ic. Burm.* 199.  
 — — — *Thornton Select plants* x.  
 — *Greggii* *Eng.* *Engelm. Boundary* 63—65.  
 — *hexaedrus* *Eng.* *Expl. Missis.* 4, 5.  
 — *hexagonus* *Haw.* *Plumier Ic. Burm.* 191. 195.  
 — *Leeanus* *Hook.* *Moore Mag.* 1850. 2, p. 81.  
 — *longisetus* *Eng.* *Engelm. Boundary* 45.  
 — *Mac Donaldiae* *Hook.* *Fl. d. serres* 9, 896—  
 897.

- Cereus moniliformis* *DC.* *Plumier Ic. Burm.* 195.  
 — *paniculatus* *DC.* *Plumier Ic. Burm.* 192.  
 — *paucispinus* *Eng.* *Engelm. Boundary* 56.  
 † — *peruvianus* *L.* *Gasparrini Ric.* 5.  
 — *phoeniceus* *Eng.* *Expl. Missis.* 4, 4.  
 — *polyacanthus* *Eng.* *Engelm. Boundary* 54. 55.  
 — *procumbens* *Eng.* *Engelm. Boundary* 59.  
 — *pterogonus* *Lem.* *Bot. Mag.* 89, 5360.  
 † — *Roetteri* *Eng.* *Engelm. Boundary* 41.  
 — *serpentinus* *DC.* *Finckh Cactus* 4.  
 — *stramineus* *Eng.* *Engelm. Boundary* 46—48.  
 — *triangularis* *Haw.* *Plumier Ic. Burm.* 200.  
 † — — — *Turpin Observations* 1.  
 — *trichochidiatus* *Eng.* *Expl. Missis.* 4, 4.  
 — *truncatus* *DC.* *Nees Sammlung* 57.  
 † — *variabilis* *Pfeiff.* *Mém. prés. Pet.* 4, 10.  
 — — — *Engelm. Boundary* 60.  
*Cerintho aspera* *Roth.* *Rchb. Fl. germ.* 18, 1296.  
 — *cleiostoma* *Boiss.* *Rchb. Fl. germ.* 18, 1295.  
 — *glabra* *Mill.* *Rchb. Fl. germ.* 18, 1295.  
 — *gynandra* *Gasp.* *Rchb. Fl. germ.* 18, 1297.  
 — *maculata* *M. v. B.* *Rchb. Fl. germ.* 18, 1295.  
 — *minor* *L.* *Rchb. Fl. germ.* 18, 1295.  
 — *retorta* *Sibth.* *Rchb. Fl. germ.* 18, 1296.  
 — — — *Bot. Mag.* 87, 5264.  
 — *strigosa* *Rchb.* *Rchb. Fl. germ.* 18, 1297.  
*Ceropegia Bowkeri* *Harv.* *Harvey Thes. cap.* 1, 14.  
 — — — *Bot. Mag.* 89, 5407.  
 — *Gardneri* *Thw.* *Bot. Mag.* 88, 5306.  
 — — — *Illustration horticole* 1864, 396.  
 — *tenuifolia* *L.* *Burmans Pl. afr.* 15. 16.  
 — *Thwaitesii* *Hook.* *Bot. Mag.* 80, 4758.  
*Ceropteris monostachya* *Fée.* *Fée Fil. novae* 22.  
*Cerqueiria Selloviana* *Berg.* *Endl. Bras.* 18, 10.  
 † *Cervantesia Kunthiana* *Baill.* *Baillon Adansonia* 2,  
 11.  
 † — *tomentosa* *R. et P.* *Chatin Anatomie* 73.  
*Cestrum auriculatum* *L'her.* *Feuillee* 3, 20.  
 — *campanulatum* *Lam.* *L'heritier Stirp.* 115.  
 — *diurnum* *L.* *Dillenius Elth.* 154.  
 — *nocturnum* *L.* *Dillenius Elth.* 153.  
 — *Parqui* *L.* *Feuillee* 3, 32.  
 — — — *Nouveau Duhamel* 2, 60.  
 — *Regelii* *Planch.* *Fl. d. serres* 9, 946.  
 † *Ceterach* . . . *Griffith Pl. asiat.* 134.  
 — *officinatum* *Willd.* *Johnson Ferns* 36.  
 — — — *Lowe Ferns* 5, 54.  
 † — — — *Mettenius Fil.* 13.  
 † — *papaverifolium* *Mett.* *Mettenius Fil.* 13.  
*Cevallia sinuata* *Lag.* *Lagasca Genera* 1.  
*Chabraea laciniata* *Wedd.* *Castelnau Exped.* 10.  
*Chaenestes gesneroides* *Miers.* *Regel Gartenfl.* 1862,  
 358.  
*Chaenostoma hispidum* *Thbrg.* *Regel Gartenfl.* 1864,  
 448.  
*Chaerophyllum aureum* *L.* *Rupp. Fl. jen.* 5.  
 † — — — *Agardh Syst.* 20.  
 — *bulbosum* *L.* *Londes Monogr.* 1.  
 † — — — *Abh. naturf. Ges. Halle* 1854, 3.  
 — *nitidum* *Wahlenb.* *Verh. märk. bot. V.* 1864, 1. 2.  
 † — *temulum* *L.* *Leighton Flora* 3.  
*Chaetachme nitida* *Pl.* *Harvey Thes. cap.* 1, 25.  
*Chaetocalyx brasiliensis* *Benth.* *Endl. Bras.* 24, 18.  
 — *Schottii* *Torr.* *Torrey Mex. Boundary* 18.  
 — *Wislizeni* *Gray.* *Torrey Mex. Boundary* 18.  
 † *Chaetocarpus pungens* *Thw.* *Hook. Journal* 1854, 10.  
*Chaetogastra Lindeniana* *Planch.* *Fl. d. serres* 10,  
 1011—1012.  
*Chaetospora axillaris* *R. Br.* *Hook. New Zeal.* 62.  
 — *capillacea* *Hook. fil.* *Hook. Fl. Tasm.* 141.  
 — *concinna* *Hook. fil.* *Hook. New Zeal.* 62.  
 — *tenuissima* *Hook. fil.* *Hook. Fl. Tasm.* 140.

- † *Chaetothylopsis micrantha* *Oerst.* Vidensk. Meddelelser 1854, 5.
- Chaiturus Marrubiastrum* *Rchb.* Rchb. Fl. germ. 18, 1233.
- † *Chalybea corymbifera* *Naud.* Ann. sc. nat. III, 18, 3.
- † *Chamabainia cuspidata* *Wight.* Arch. Mus. 9, 12.
- Chamaebatia foliosa* *Benth.* Bot. Mag. 86, 5171.
- — — L'horticulteur fr. 1861, 2.
- Chamaecerasus Standishii* *Hort.* L'horticulteur fr. 1862, 10.
- Chamaecladon lanceolatum* *Miq.* Miquel Flora 40.
- Chamaedorea elegans* *Mart.* Bot. Mag. 81, 4845.
- — — Fl. d. serres 13, 1362.
- — — Ernesti-Augusti *Wendl.* Bot. Mag. 81, 4831, 4837.
- — — Fl. d. serres 13, 1357.
- Chamaecladon Thomasii* *F. M.* Müller Fragmenta 4, 30.
- Chamaemelum inodorum* *Vis.* Rchb. Fl. germ. 16, 985.
- † — — — Bot. Zeitung 1864, 10.
- † — — — *Kotschy* *Boiss.* Bot. Zeitung 1864, 10.
- † — — — *maritimum* *Wk.* Bot. Zeitung 1864, 10.
- — — *uniglandulosum* *Vis.* Rchb. Fl. germ. 16, 985.
- Chamaepeuce Alpini* *J. et Sp.* Jaub. Illustr. 425.
- — — *stellata* *DC.* Zanoni Hist. 46.
- Chamaerops Fortunei* *Hook.* Bot. Mag. 86, 5221.
- — — *humilis* *L.* Nouveau Duhamel 7, 58.
- — — *tomentosa* *Morr.* Annales de Gand 1845, p. 488.
- † *Chara* *L.* (Pollen.) Mém. prés. Pet. 3, 1. 2. 3. 13.
- † — — — *Pringsheim* Jahrbücher 3, 9—13.
- † — — — Bull. Soc. bot. 10, 3.
- — — *alopecuroides* *Del.* Seemann Journal 1, 7.
- — — *aspera* *Willd.* Johnson Fern Allies 29.
- † — — — *flexilis* *L.* Mem. soc. ital. 19, 10.
- — — Johnson Fern Allies 21.
- — — *fragilis* *Desv.* Johnson Fern Allies 31.
- † — — — Schacht Lehrbuch 2, 7.
- — — *gracilis* *Sm.* Johnson Fern Allies 24.
- — — *Hedwigii* *Ag.* Johnson Fern Allies 30.
- — — *hispida* *L.* Johnson Fern Allies 28.
- — — *involuta* *Gr.* Griffith Pl. asiat. 64.
- — — *prolifera* *A. Br.* Johnson Fern Allies 26.
- — — *Smithii* *Bab.* Johnson Fern Allies 25.
- — — *sphagnoides* *Gr.* Griffith Pl. asiat. 63.
- — — *syncarpa* *Thuill.* Johnson Fern Allies 22.
- — — *translucens* *Pers.* Johnson Fern Allies 23.
- — — *vulgaris* *L.* Johnson Fern Allies 27.
- † *Charlwoodia congesta* *Sweet.* Payer Organogénie 135.
- — — *fragrantissima* *Lem.* Lem. Jard. fl. 4, 399.
- † — — — *rubra* *Planch.* Pringsheim Jahrbücher 4, 9.
- Chavica chaerostachya* *Miq.* Miquel Flora 27.
- — — *densa* *Miq.* Miquel Flora 27.
- † — — — *officinaria* *Miq.* Berg Charakt. 93.
- Cheilanthes alabamensis* *Kze.* Hook. Fil. exot. 90.
- — — Hook. Sp. Fil. 2, 103.
- — — Lowe Ferns 4, 17.
- — — *argentea* *Hook.* Hook. Fil. exot. 95.
- — — Lowe Ferns 4, 12.
- — — *aspera* *Hook.* Hook. Sp. Fil. 2, 108.
- † — — — *auriculata* *Link.* Mettenius Fil. 16.
- — — *Borsigiana* *Rchb.* Lowe New Ferns 16.
- — — *Bradburii* *Hook.* Hook. Sp. Fil. 2, 109.
- — — *bulbosa* *Kze.* Hook. Sp. Fil. 2, 96.
- — — *capensis* *Sw.* Lowe New Ferns 26.
- — — *chilensis* *Fée.* Fée Fil. novae 18.
- — — *chrysophylla* *Hook.* Hook. Ic. pl. 10, 901.
- — — *chusana* *Hook.* Hook. Sp. Fil. 2, 106.
- — — *cucullans* *Fée.* Fée Fil. novae 25.
- — — *cuneata* *Link.* Lowe Ferns 4, 27.
- — — *dichotoma* *Sw.* Hook. Sp. Fil. 2, 102.
- — — *elegans* *Desv.* Hook. Sp. Fil. 2, 105.
- — — Lowe Ferns 4, 20.
- Cheilanthes farinosa* *Kaulf.* Bot. Mag. 80, 4765.
- — — Lowe Ferns 4, 13.
- — — *Fendleri* *Hook.* Hook. Sp. Fil. 2, 107.
- — — *fragilis* *Hook.* Hook. Fil. exot. 96.
- — — *fragrans* *Webb.* Lowe Ferns 4, 17.
- † — — — *Mett.* Abh. Senck. 3, 3.
- † — — — *glandulosa* *Sw.* Abh. Senck. 3, 3.
- † — — — *glauca* *Mett.* Abh. Senck. 3, 3.
- † — — — *hirta* *Sw.* Hook. Sp. Fil. 2, 101.
- — — Lowe Ferns 4, 18.
- † — — — *hispidula* *Kze.* Abh. Senck. 3, 3.
- † — — — *inaequalis* *Mett.* Abh. Senck. 3, 3.
- † — — — *incisa* *Kze.* Abh. Senck. 3, 3.
- — — *induta* *Kze.* Hook. Sp. Fil. 2, 102.
- — — *intramarginalis* *Hook.* Hook. Second Century 72.
- † — — — Abh. Senck. 3, 3.
- — — *Kirkii* *Hook.* Hooker Second Century 81.
- † — — — *Kunzii* *Mett.* Abh. Senck. 3, 3.
- — — *lendigera* *Sw.* Hook. Sp. Fil. 2, 104. 106.
- — — Lowe Ferns 4, 24.
- † — — — Abh. Senck. 3, 3.
- — — *Lindheimeri* *Hook.* Hook. Sp. Fil. 2, 107.
- † — — — *lonchophora* *Mett.* Abh. Senck. 3, 3.
- — — *Mac Leanii* *Hook.* Hook. Sp. Fil. 2, 110.
- † — — — *maderensis* *Lowe.* Abh. Senck. 3, 3.
- — — *micromera* *Link.* Lowe Ferns 4, 16.
- — — *microphylla* *Sw.* Hook. Sp. Fil. 2, 98.
- † — — — Abh. Senck. 3, 3.
- — — var. *aspidioides* *Fée.* Fée Fil. novae 9.
- — — *Moritziana* *Kze.* Hook. Sp. Fil. 2, 99.
- — — *multifida* *Sw.* Hook. Sp. Fil. 2, 100.
- — — Hook. Garden Ferns 39.
- — — Lowe Ferns 4, 26.
- † — — — Abh. Senck. 3, 3.
- — — *myriophylla* *Desv.* Hook. Sp. Fil. 2, 105.
- — — *mysurensis* *Wall.* Hook. Sp. Fil. 2, 100.
- — — *nitidula* *Hook.* Hook. Ic. pl. 10, 912.
- — — *ochracea* *Hook.* Hook. Ic. pl. 10, 904.
- — — *Preissiana* *Kze.* Lowe Ferns 4, 29.
- † — — — *pteroides* *Sw.* Abh. Senck. 3, 3.
- — — Hook. Sp. Fil. 2, 101.
- — — Lowe Ferns 4, 21.
- † — — — Mettenius Fil. 16.
- — — *pulchella* *Bory.* Hook. Sp. Fil. 2, 91.
- — — *pulveracea* *Presl.* Lowe Ferns 4, 28.
- — — *pyramidalis* *Fée.* Fée Fil. novae 25.
- — — *radiata* *Sm.* Lowe Ferns 4, 14.
- † — — — Abh. Senck. 3, 3.
- † — — — *regularis* *Mett.* Abh. Senck. 3, 3.
- † — — — *rigida* *Moore.* Abh. Senck. 3, 3.
- — — *rufa* *Don.* Hook. Sp. Fil. 2, 99.
- — — *scariosa* *Presl.* Hook. Sp. Fil. 2, 104.
- † — — — *Schimperi* *Kze.* Abh. Senck. 3, 3.
- — — *Seemanni* *Hook.* Hook. Sp. Fil. 2, 97.
- — — *Sieberi* *Kze.* Hook. Sp. Fil. 2, 97.
- — — Lowe Ferns 4, 22.
- — — *spectabilis* *Kaulf.* Lowe Ferns 4, 15.
- — — *subvillosa* *Hook.* Hook. Sp. Fil. 2, 98.
- — — *Szovitzii* *F. et M.* Hook. Sp. Fil. 2, 94.
- † — — — *tenuifolia* *Sw.* Abh. Senck. 3, 3.
- — — Lowe Ferns 4, 19.
- — — *tenuis* *Presl.* Lowe Ferns 4, 23.
- — — *tomentosa* *Link.* Hook. Sp. Fil. 2, 109.
- — — *Tweediana* *Hook.* Hook. Sp. Fil. 2, 96.
- — — *varians* *Hook.* Hook. Sp. Fil. 2, 103.
- — — Fée Fil. novae 11.
- — — *vestita* *Sw.* Hook. Sp. Fil. 2, 108.
- — — *viscosa* *Link.* Lowe Ferns 4, 25.
- — — Hook. Sp. Fil. 2, 93.
- — — *Wrightii* *Hook.* Hook. Sp. Fil. 2, 110.
- Cheiloplecton rigidum* *Fée.* Fée Fil. novae 20.
- Cheiranthra linearis* *Cunn.* Belgique horticole 1853, 26.

- Cheiranthra linearis* *Cunn.* Belgique horticole 1854, 11.  
*Cheiranthus canus* *Piller.* Piller Iter 15.  
 † — *Cheiri* *L.* Payer Organogénie 44.  
 † — — — Schacht Lehrbuch 2, 11.  
 † — — — Pringsheim Jahrbücher 1, 15.  
 — *chius* *L.* Dillenius Elth. 148.  
 — *Farsetia* *L.* Forskal Icones 16.  
 — *Jacomellii* *Clem.* Mem. Tur. 1857, 4.  
 — *Marshallii* *Hort.* Moore Mag. 1850, p. 289.  
 — *ochroleucus* *Hall. fil.* hybr. Moore Mag. 1850, p. 289.  
*Cheirostemon platanoides* *H. B. K.* Bot. Mag. 85, 5135.  
*Cheirostylis cochinchinensis* *Bl.* Blume Orchid. 39.  
 — *flabellata* *Bl.* Blume Orchid. 39.  
 — *grandiflora* *Bl.* Blume Orchid. 13, 17.  
 — — — Belgique horticole 1861, 18.  
 — *marmorata* *Ldl.* Fl. d. serres 4, 370.  
 — *montana* *Bl.* Blume Orchid. 13.  
*Chelidonium japonicum* *Thunb.* Sieb. Fl. Jard. 1859, 9.  
 — *majus* *L.* Berg Darstellung 2, 16<sup>a</sup>.  
 † — — — Payer Organogénie 45.  
 — *uniflorum* *Sieb. et Zucc.* Regel Gartenfl. 1862, 355.  
*Chelonanthera gibbosa* *Bl.* Sieb. Fl. Jard. 1860, 10.  
*Chelone obliqua* *L.* Rivinus Opus ined. 88.  
*Chenactis achilleaeifolia* *H. et Arn.* Stansbury Expedition 6.  
 † *Chenopodeae* *DC.* Payer Organogénie 66.  
 † — — Bull. Mosc. 1859, 2.  
*Chenopodium ambrosioides* *L.* Berg Darstellung 1, 2<sup>c</sup>.  
 — *anthelminticum* *L.* Dillenius Elth. 66.  
 — — — Endl. Bras. 37, 47.  
 † — *Bonus* *Henricus* *L.* Flora 1853, 7.  
 — *hircinum* *Schrad.* Endl. Bras. 37, 45.  
 — *multifidum* *L.* Dillenius Elth. 66.  
 † — *murale* *L.* Flora 1856, 1.  
 — *polyspermum* *L.* Leighton Flora 5.  
 — *purpurascens* *Jacq.* Bot. Mag. 87, 5231.  
 — *retusum* *Juss.* Endl. Bras. 37, 46.  
 — *spathulatum* *Sieb.* Endl. Bras. 37, 46.  
*Chibaca salutaris* *Bert.* Mem. Bon. 4, 23.  
 † *Chilanthemum trifidum* *Oerst.* Vidensk. Meddelelser 1854, 5.  
*Chiliotrichum rosmarinifolium* *Less.* Castelnau Exped. 35.  
 † *Chiloblechum mexicanum* *Oerst.* Vidensk. Meddelelser 1854, 5.  
 † *Chiloglossa secunda* *Oerst.* Vid. Meddelelser 1854, 5.  
*Chiloglottis Gunnii* *Ldl.* Hook. Fl. Tasm. 108.  
 † *Chimaphila umbellata* *Pursh.* Nees Gen. 28, 18.  
 † — — — Schnizl. Iconogr. 161.  
 † *Chimonanthus* *Ldl.* Schnizl. Iconogr. 271.  
 † — *fragrans* *Ldl.* Spach Suites 31.  
 † *Chiococca anguifuga* *Mart.* Jard. Annals II, 11, 2.  
 — *racemosa* *L.* Plumier Ic. Burm. 217.  
 — — — Dillenius Elth. 228.  
 — *trisperma* *Hook.* Eugénies Resa 9.  
*Chionanthus picrophloia* *F. M.* Müller Fragmenta 3, 24.  
 — *virginica* *L.* Nuttall Sylva 3, 98.  
 † — — — Agardh Syst. 15.  
*Chionodoxa cretica* *Boiss.* Jaubert Illustr. 443.  
*Chirita Horsfieldii* *R. Br.* Sieb. Fl. Jard. 1862, 6.  
*Chirocalyx abyssinicus* *Hochst.* Kotschy Pl. Tinn. 3.  
*Chironia baccifera* *L.* Commelyn Rar. 9.  
 — *floribunda* *Paxt.* Belgique horticole 1860, 5.  
 — — — Regel Gartenfl. 8, 263.  
 — *frutescens* *L.* Burmann Pl. afr. 74.  
 — — — Commelyn Rar. 8.  
 — *linoides* *L.* Burmann Pl. afr. 74.  
 — *trinervia* *L.* Burmann Thes. zeyl. 67.

- † *Chiropetalum* *Juss.* Baillon Euph. 15.  
*Chlora perfoliata* *Willd.* Rchb. Fl. germ. 17, 1060.  
 — *serotina* *Koch.* Rchb. Fl. germ. 17, 1060.  
 — *sessilis* *Willd.* Feuillée 3, 14.  
 † *Chloradenia* *Baill.* Baillon Euph. 19.  
*Chloraea densa* *Rich.* Gay Chile 64.  
 — *Gayana* *Rich.* Gay Chile 63.  
 — *odontoglossa* *Rich.* Gay Chile 65.  
 — *virescens* *Ldl.* Feuillée 2, 19.  
 † *Chloranthus inconspicuus* *Sw.* Jard. Annals III, 1, 6.  
 † — — — Payer Organogénie 90.  
 † — — — Agardh Syst. 20.  
 † *Chloris* *L.* Bot. Zeitung 1856, 11.  
*Chlorocrepis staticifolia* *Griseb.* Rchb. Fl. germ. 19, 1466.  
*Chlorogalum angustifolium* *Kellogg.* Proc. Calif. Acad. 2, 105.  
 — *pomeridianum* *Kth.* Torrey Mex. Boundary 60.  
*Chlorophytum* . . . Kotschy Pl. Tinn. 23<sup>b</sup>.  
*Chlorosa latifolia* *Bl.* Blume Orchid. 44.  
*Chondodendron tomentosum* *Ruiz.* Endl. Bras. 38, 36.  
*Chondrilla juncea* *L.* Colonna Phytobasanos 3.  
 — — — Rchb. Fl. germ. 19, 1400, 1401.  
 — *prenanthoides* *Vill.* Rchb. Fl. germ. 19, 1401.  
 — *stipitata* *Sch. Bip.* Rchb. Fl. germ. 19, 1399.  
*Chondrochilus involucretes* *Ph.* Philippi Reise 3.  
*Chondrosium foeneum* *Torr.* Emory Notes 12.  
 † *Choretum glomeratum* *R. Br.* Chatin Anatomie 64.  
 † — *lateriflorum* *R. Br.* Chatin Anatomie 64.  
*Choristylis rhamnoides* *Harv.* Harvey Thes. cap. 2, 123.  
*Chorizanthe fimbriata* *Nutt.* Expl. Missis. 5, 8.  
*Chorozema flavum* *Henfr.* Moore Mag. 1850, p. 73.  
 — *ilicifolium* *Lab.* Labill. Relation 21.  
 — *nervosum* *Moore.* Lem. Jard. fl. 4, 383.  
 — *triangulare* *Ldl.* Moore Mag. 1850, p. 73.  
*Chrysactinium acule* *Wedd.* Castelnau Exped. 39.  
*Chrysanthellum pusillum* *Hook.* Eugénies Resa 6.  
 † *Chrysanthemum* *L.* (Pollen.) Mém. pres. Pet. 3, 10.  
 — *carinatum* *Schousb.* Bot. Mag. 85, 5095.  
 — — — Journ. d'hortic. 3, 9.  
 — — — Fl. d. serres 11, 1099, 13, 1313.  
 — *cricaefolium* *Burm.* Burmann Pl. afr. 58.  
 — *indicum* *L.* fl. roseo albobunctato, Fl. d. serres 15, 1574.  
 — — — Illustration horticole 1861, 272.  
 — *inodorum* *L.* Hayne 1, 4.  
 — *osmitoides* *Harv.* Harvey Thes. cap. 2, 152.  
 — *pinnatifidum* *L.* L'her. Stirp. 124.  
 — *segetum* *L.* Rchb. Fl. germ. 16, 986.  
 — *sinense* *Hort.* Belgique horticole 1863, 12.  
 — *Zawadzki* *Herb.* Herbich Additam. 1.  
*Chrysobalanus Icaco* *L.* Browne Jamaica 17.  
 — — — Plumier Ic. Burm. 158.  
 † — — — Spach Suites 5.  
*Chrysocoma biflora* *L.* Gmelin Reise 1, 38.  
 — *scabra* *L.* Dillenius Elth 88.  
*Chrysocopsis occidentalis* *Nutt.* Journ. Ac. Phil. 7, 1.  
*Chrysocycnis Schlimii* *Lind.* Rchb. Xenia 1, 55.  
 † *Chrysodium alienum* *Mett.* Mettenius Fil. 10.  
 † — *flagelliferum* *Mett.* Mettenius Fil. 20.  
 — *maracalybense* *Karst.* Karsten Fl. Col. 1, 57.  
 † — *vulgare* *Mett.* Abh. Leipz. 9, 6.  
*Chrysoglossum ornatum* *Bl.* Blume Orch. 46.  
 — *villosum* *Bl.* Blume Orch. 17.  
 — — — Vriese Orch. 12.  
*Chrysophyllum amplifolium* *A. DC.* Endl. Bras. 32, 40.  
 — *brasiliense* *A. DC.* Endl. Bras. 32, 44.  
 — *Cainito* *L.* Browne Jamaica 14.  
 — — — Plumier Ic. Burm. 69.  
 — — — Bot. Mag. 58, 3072.

- Chrysophyllum ebenaceum *Mart.* Endl. Bras. 32, 42, 43.  
 — flexuosum *Mart.* Endl. Bras. 32, 39.  
 — maytenoides *Mart.* Endl. Bras. 32, 43.  
 — oleaeifolium *Spruce.* Endl. Bras. 32, 46.  
 — rufum *Mart.* Endl. Bras. 32, 45.  
 — sericeum *A. DC.* Endl. Bras. 32, 41.  
 Chrysopsis acaulis *Nutt.* Journ. Acad. Philad. 7, 3.  
 — alpina *Nutt.* Journ. Acad. Philad. 7, 3.  
 † Chrysosplenium *L.* Nees Genera 31, 16.  
 Chuquiraga rotundifolia *Wedd.* Castelnau Exped. 4.  
 Chusquea Culeou *Desv.* Gay Chile 83.  
 — Cumingii *N. v. E.* Cay Chile 83.  
 Chysis aurea *Ldl.* var. *Limminghei*, Bot. Mag. 87,  
     5265.  
 — bractescens *Ldl.* Bot. Mag. 86, 5186.  
 — — — *Revue horticole* 1859, p. 294.  
 — laevis *Ldl.* Illustration horticole 1863, 365.  
 — *Limminghii Lind.* Illustration horticole 1860,  
     240.  
 — — — *Warner Select. Orch.* 34.  
 Cibotium glaucescens *Kze.* Lowe Ferns 8, 36.  
 — *Schiedei Cham.* Lowe Ferns 8, 35.  
 † — — — *Mettenius Fil.* 28.  
 † Cicca *L.* Jussieu Euph. 4.  
 — — *Baillon Euph.* 24.  
 Cicendia pusilla *Griseb.* English Botany Suppl. 2994.  
 — *Roxburghii Gris.* Hook. London Journ. 1845,  
     22.  
 † Cicer *L.* Nees Genera 30, 5.  
 Cicerbita Plumieri *Kirschl.* Mem. Strafsb. 4, 1.  
 Cichorium byzantinum *Clem.* Mem. Tur. 1857, 6.  
 — divaricatum *Schousb.* Rchb. Fl. germ. 19, 1357.  
 — *Endivia L.* Rchb. Fl. germ. 19, 1358.  
 — *Jntybus L.* Rchb. Fl. germ. 19, 1357.  
 — — — *Spach Suites* 81.  
 † — — — *Payer Organogénie* 133.  
 — speciosum *L.* Rchb. Fl. germ. 19, 1357.  
 Ciconium Bentinckianum *Hoffmsg.* Sweet Ger. 350.  
 — crenatum *Sweet.* Sweet Ger. 345.  
 — fulgens *Sweet.* Sweet Ger. 339.  
 — glabrifolium *Sweet.* Sweet Ger. 363.  
 Cicuta virosa *L.* Gunner Flora norv. 1, 2.  
 † — — — *Leighton Flora* 7.  
 — — — *Rchb. Fl. germ.* 21, 1853.  
 † — — — *Bot. Zeitung* 1865, 16.  
 Cienkowskya aethiopia *Schw.* Schweinf. Fl. Aeth. 1.  
 Cimicifuga foetida *L.* Linné Amoenit. 8, 4.  
 † Cinchona *L.* Berg Chinarinden 1—10.  
 — angustifolia *Sw.* Svensk Acad. 1787, 3.  
 — barbacoensis *Karst.* Karsten Fl. Col. 1, 23.  
 — bogotensis *Karst.* Karsten Fl. Col. 1, 41.  
 — *Calisaya Wedd.* Versl. Amst. 6, 1.  
 — — — *Sieb. Fl. Jard.* 1, 14.  
 — — — *Lem. Jard. fl.* 4, 367.  
 — — — *Berg Darstellung* 2, 14<sup>a</sup>, 15<sup>b</sup>.  
 — *Cattukambar Kben.* Svensk Acad. 1814, 3.  
 — *Chahurarguera Pav.* Howard Quinologia 1.  
 — — — *Berg Darstellung* 2, 15<sup>a</sup>.  
 — *coccinea Pav.* Howard Quinologia 3.  
 — *conglomerata Pav.* Howard Quinologia 15.  
 — *cordifolia Mutis.* Karsten Fl. Col. 1, 8.  
 — *corymbosa Karst.* Karsten Fl. Col. 1, 10.  
 — *crispa Tafalla.* Howard Quinologia 2.  
 — *decurrentifolia Pav.* Howard Quinologia 23.  
 — *erythrantha Pav.* Howard Quinologia 12.  
 — *glandulifera Pav.* Howard Quinologia 26.  
 — *Henleana Karst.* Karsten Fl. Col. 1, 27.  
 — *heterocarpa Karst.* Karsten Fl. Col. 1, 6.  
 — *heterophylla Pav.* Howard Quinologia 18.  
 — *lanceolata Rz.* Howard Quinologia 29.  
 — *lanceifolia Mut.* Karsten Fl. Col. 1, 11, 12.  
 — *lineata Vahl.* Skrivter nat. Selsk. 1790, 4.

- † Cinchona lucumaefolia *Pav.* Abh. Acad. Berl. 1857,  
     1. 2.  
 — *lutea Pav.* Howard Quinologia 4.  
 — *macrocalyx Pav.* Howard Quinologia 7.  
 — *macrocarpa Vahl.* Skrivter nat. Selsk. 1790, 3.  
 — — — *Karsten Fl. Col.* 1, 21.  
 — *macrophylla Karst.* Karsten Fl. Col. 1, 35.  
 — *magnifolia Pav.* Howard Quinologia 10.  
 — *micrantha Pav.* Howard Quinologia 5.  
 — — — *Berg Darstellung* 2, 14<sup>c</sup>.  
 † — — — *Abh. Acad. Berl.* 1857, 1. 2.  
 — *microphylla How.* Howard Quinologia 17.  
 — *Moritziana Karst.* Karsten Fl. Col. 1, 66.  
 — *nitida Pav.* Howard Quinologia 20.  
 — *obovata Pav.* Howard Quinologia 24.  
 — *officialis L.* Skrivter nat. Selsk. 1790, 1.  
 — — — *Bot. Mag.* 89, 5364.  
 — *ovata Pav.* Howard Quinologia 9.  
 — *Pahudiana How.* Howard Quinologia 21.  
 — *Palalba Pav.* Howard Quinologia 4.  
 — *Palton Pav.* Howard Quinologia 13.  
 — *parabolica Pav.* Howard Quinologia 16.  
 — *pedunculata Karst.* Karsten Fl. Col. 1, 26.  
 — *peruviana How.* Howard Quinologia 27.  
 — *prismatostylis Karst.* Karsten Fl. Col. 1, 7.  
 — *pubescens Vahl.* Skrivter nat. Selsk. 1790, 2.  
 — *purpurea Pav.* Howard Quinologia 11.  
 — *rugosa How.* Howard Quinologia 20.  
 — *stuppea Pav.* Howard Quinologia 25.  
 — *succirubra Pav.* Howard Quinologia 8.  
 † — — — *Abh. Acad. Berl.* 1857, 1. 2.  
 — *Trianae Karst.* Karsten Fl. Col. 1, 22.  
 — *tucujensis Karst.* Karsten Fl. Col. 1, 9.  
 — *umbellulifera Pav.* Howard Quinologia 22.  
 — *undata Karst.* Karsten Fl. Col. 1, 65.  
 — *Uritusinga Pav.* Howard Quinologia 19.  
 — — — *Berg Darstellung* 2, 14<sup>c</sup>, 15<sup>b</sup>.  
 — *villosa Pav.* Howard Quinologia 1.  
 Cineraria amelloides *L.* Nouveau Duhamel 4, 13.  
 — *platanifolia Hort.* Schrank Hort. monac 95.  
 — *sibirica L.* Ammann Ruth. 24.  
 † Cinna *L.* Linné Amoenit. 7, 3.  
 Cinnamomum aromaticum *N. v. E.* Berg Darstellung  
     1, 5<sup>d</sup>.  
 — *Sintoc Bl.* Spach Suites 126.  
 † — *zeylanicum N. v. E.* Payer Organogénie 96.  
 — — — *Berg Darstellung* 1, 5<sup>c</sup>.  
 Ciponima guianensis *Aubl.* Aublet Guiana 226.  
 † Circaea alpina *L.* Jard. Annals II. 11, 15.  
 † — — — *Agardh Syst.* 6.  
 † — — — *Payer Organogénie* 150.  
 — *lutetiana L.* Poiteau Fl. par. 7.  
 † Cirrhopetalum bootanense *Gr.* Griffith Pl. asiat. 299.  
 — *Cumingii Ldl.* Bot. Mag. 83, 4996.  
 — *Medusae Ldl.* Vriese Orchid. 12.  
 — — — *Bot. Mag.* 83, 4977.  
 — — — *Belgique horticole* 3, 12.  
 — *Pahudii Vr.* Vriese Orch. 3, 11.  
 † — *vaginatum Ldl.* Griffith Pl. asiat. 298.  
 † Cirsium Tournef. Berg Charakt. 374.  
 — *acaulecanum Wimm.* Rchb. Fl. germ. 15, 854.  
 — *acauli-oleraceum Näg.* Rchb. Fl. germ. 15, 858.  
 — *acauli-spinosissimum Näg.* Rchb. Fl. germ. 15,  
     862.  
 † — *arvense Scop.* Rchb. Fl. germ. 15, 888.  
 — *bulboso-oleraceum Näg.* Rchb. Fl. germ. 15, 855.  
 — *bulboso-palustre Näg.* Rchb. Fl. germ. 15, 888.  
 — *Candolleianum Näg.* Rchb. Fl. germ. 15, 860.  
 — *canum M. v. B.* Rchb. Fl. germ. 15, 888.  
 — *canum-palustre Wimm.* Rchb. Fl. germ. 15, 863.  
 — *Cervini Koch.* Rchb. Fl. germ. 15, 853.  
 † — *Chailletii Gaud.* Zool. bot. Verein 1857, 1.



- Cirsium Erisithali-acaule* Sch. Bip. Rehb. Fl. germ. 15, 859.  
 — *Erisithali-rivulare* Rehb. fl. Rehb. Fl. germ. 15, 862. 889.  
 — *flavescens* Koch. Rehb. Fl. germ. 15, 859.  
 — *Gerhardtii* Sch. Bip. Rehb. Fl. germ. 15, 861.  
 — *heterophyllo-acaule* Näg. Rehb. Fl. germ. 15, 854.  
 — *heterophyllo-oleraceum* Näg. Rehb. Fl. germ. 15, 857.  
 — *Lachenalii* Koch. Rehb. Fl. germ. 15, 855.  
 — *lanceolato-palustre* Näg. Rehb. Fl. germ. 15, 862.  
 — *lanceolatum* Scop. Flora 1860, 7.  
 — *oleraceo-acaule* Näg. Rehb. Fl. germ. 15, 858.  
 — *oleraceo-arvense* Näg. Rehb. Fl. germ. 15, 862.  
 — *oleraceo-bulbosum* Näg. Rehb. Fl. germ. 15, 853. 855.  
 — *oleraceo-heterophyllum* Näg. Rehb. Fl. germ. 15, 857.  
 — *palustri-Erisithales* Näg. Rehb. Fl. germ. 15, 857.  
 — *palustri-heterophyllum* Wimm. Rehb. Fl. germ. 15, 852.  
 † — *palustri-rivulare* Näg. Rehb. Fl. germ. 15, 888.  
 † — *pannonicum* Gaud. Rehb. Fl. germ. 15, 888.  
 — *praemorsum* Mich. Rehb. Fl. germ. 15, 856.  
 — *rigens* Walbr. Rehb. Fl. germ. 15, 858.  
 — *rivulari-palustre* Näg. Rehb. Fl. germ. 15, 888.  
 — *rivulari-pauciflorum* Rehb. fl. Rehb. Fl. germ. 15, 862. 889.  
 — *spinossimo-rivulare* Näg. Rehb. Fl. germ. 15, 863.  
*Cissampelos andromorpha* DC. Endl. Bras. 38, 44.  
 — *fasciculata* Benth. Endl. Bras. 38, 46.  
 — *fluminensis* Eichl. Endl. Bras. 38, 44.  
 — *glaberrima* St. Hil. Endl. Bras. 38, 43.  
 — *ovalifolia* DC. Endl. Bras. 38, 43.  
 — *Pareira* L. Spach Suites 62.  
 — *sympodialis* Eichl. Endl. Bras. 38, 44.  
 — *tamoides* Willd. Endl. Bras. 38, 44.  
*Cissus*  
 — *biteraata* L'her. L'her. Stirp. 121.  
 — *bryonifolia* Bge. Acad. Pet. VII. 4, 3.  
 — *cordifolia* L. Plumier Ic. Burm. 259.  
 — *digitata* Lam. Forskäl Icones 3.  
 — *discolor* Bl. Bot. Mag. 80, 3763.  
 — *humulifolia* Bge. Acad. Pet. VII. 4, 3.  
 — *hypoglauca* A. Gr. Müller Plants of Victoria 1, 10<sup>b</sup>.  
 — *lanigera* Harv. Harvey Thes. cap. 1, 65.  
 — *microcarpa* Vahl. Plumier Ic. Burm. 259.  
 † — *orientalis* Lam. Schnizl. Iconogr. 164.  
 — *porphyrophylla* Ldl. Fl. d. serres 14, 1491.  
 — *quadrangularis* L. Forskäl Icones 2.  
 — *rotundifolia* Vahl. Forskäl Icones 4.  
 — *sicyoides* L. Browne Jamaica 4.  
 — — Plumier Ic. Burm. 259.  
 — *velutina* Lindl. Bot. Mag. 86, 5207.  
 † *Cistineae* Endl. Schnizl. Iconogr. 188.  
 † — — Payer Organogénie 3.  
 † *Cistus* L. Willkomm Ic. Hisp. 2, 74.  
 — *albidus* L. Willkomm Ic. Hisp. 2, 77.  
 — *algarvensis* Ait. Schrank Hort. monac. 36.  
 — *Bourgaeanus* Coss. Willkomm Ic. Hisp. 2, 99.  
 — *candidissimus* Dun. Willkomm Ic. Hisp. 2, 76.  
 — *Clusii* Dun. Willkomm Ic. Hisp. 2, 98.  
 — *corbariensis* Pourr. Willkomm Ic. Hisp. 2, 93.  
 — *creticus* L. Spach Suites 43.  
 † — — Agardh Syst. 16.  
 — — Willkomm Ic. Hisp. 2, 83.  
 — *crispus* L. Willkomm Ic. Hisp. 2, 78.  
 — *cyprus* Lam. var. *angustifolius*, Willkomm Ic. Hisp. 2, 96.

- Cistus heterophyllus* Desf. Willkomm Ic. Hisp. 2, 84.  
 — *hirsutus* Lam. Willkomm Ic. Hisp. 2, 90.  
 — *hirtus* L. Dillenius Elth. 145.  
 — *ladanifolius* L. var. *maculatus*, Willkomm Ic. 2, 96.  
 — *laurifolius* L. Willkomm Ic. Hisp. 2, 95.  
 — *Ledon* Lam. Willkomm Ic. Hisp. 2, 88.  
 — *longifolius* Lam. Willkomm Ic. Hisp. 2, 89.  
 — *monspeleensis* L. Willkomm Ic. Hisp. 2, 86.  
 † — *parviflorus* Lam. Spach Suites 43.  
 — — Willkomm Ic. Hisp. 2, 85.  
 — *polifolius* L. Dillenius Elth. 145.  
 — *polymorphus* Willk. Willkomm Ic. Hisp. 2, 79—82.  
 — *populifolius* L. Willkomm Ic. Hisp. 2, 94.  
 † — — Payer Organogénie 3.  
 — *Pouzolzii* Del. Willkomm Ic. Hisp. 2, 97.  
 — *salviaefolius* L. Willkomm Ic. Hisp. 2, 91. 92.  
 — *sericeus* Munby. Willkomm Ic. Hisp. 2, 97.  
 — *surreianus* L. Dillenius Elth. 145.  
 — *vaginatus* Ait. Willkomm Ic. Hisp. 2, 75.  
 — — Bot. Mag. 87, 5241.  
 — — Fl. d. serres 15, 1501.  
*Citharexylum caudatum* L. Browne Jamaica 28.  
 — *cinereum* L. Plumier Ic. Burm. 157.  
 † — *ilicifolium* H. B. K. Agardh Syst. 22.  
 † — *villosum* Jacq. Agardh Syst. 22.  
*Citrosma Apiosyce* Mart. Arch. Mus. 8, 28.  
 — — Endl. Bras. 20, 82.  
 † — — Linn. Transact. 22, 19.  
 — *mollis* Tul. Endl. Bras. 20, 83.  
 — — H. B. K. Arch. Mus. 8, 29.  
 — *oligandra* Tul. Arch. Mus. 8, 28.  
 † — — Endl. Bras. 20, 82.  
 — *reginae* Tul. Arch. Mus. 8, 30.  
 — — Endl. Bras. 20, 83.  
*Citrullus Colocynthis* Arn. Berg Darstellung 4, 25<sup>b</sup>.  
*Citrus* L. Nouveau Duhamel 7, 22—42.  
 † — — (Gasparrini.) Parlat. Giorn. bot. 2, 1.  
 — *Aurantium* L. Nouveau Duhamel 7, 33. 37.  
 † — — Schnizl. Iconogr. 224.  
 † — — Atti Gioen. II. 6, 1.  
 † — — Payer Organogénie 25.  
 † — — Goethe Atlas 4.  
 — *auratus* alicia Risso. Risso Hist. nat. 2, 3.  
 — *Bigaradia* Duhamel. Nouveau Duhamel 7, 25. 32. 34. 36.  
 — — *myrtifolia* Risso et Poit. Spach Suites 12.  
 — *decumana* L. Nouveau Duhamel 7, 38. 42.  
 — *Hystrix* DC. Nouveau Duhamel 7, 39.  
 — *Limonium* Risso. Nouveau Duhamel 7, 23. 27. 28.  
 — — Berg Darstellung 4, 31<sup>f</sup>.  
 — *medica* L. Nouveau Duhamel 7, 22. 23.  
 † — *nobilis* Lour. Bot. Zeitung 1858, 3.  
 † — — Schacht Lehrbuch 2, 11.  
 † — — Pringsheim Jahrb. 1, 14.  
 — *Pomum* Adami Poit. Nouveau Duhamel 7, 29.  
 — *spinosa* Lour. Gmelin Reise 3, 22.  
 — *vulgaris* Risso. Berg Darstellung 4, 31<sup>f</sup>.  
 — — Nuttall Sylva 2, 76.  
 † — — Abh. Senck. 1, 7.  
 † — — Flora 1855, 2.  
*Cladium Gunnii* Hook. fl. Hook. Fl. Tasm. 148.  
 — *laxiflorum* Hook. fl. Hook. Fl. Tasm. 148.  
 † — *Mariscus* R. Br. Leighton Flora 3.  
 — *tetraquetrum* Hook. fl. Hook. Fl. Tasm. 149.  
*Clandestina rectiflora* Lam. Rehb. Fl. germ. 20, 1765. 1826.  
 † — — Chatin Anatomie 21. 22.  
 † *Claoxylon parviflorum* Juss. Jussieu Euph. 14.  
 † — — Baillon Euph. 20.

- Clarkia pulchella* Pursh. Nees Sammlung 69.  
 † — — — Mém. prés. Pet. 3, 12.  
 † — — — Spach Suites 35.  
 † — — — Schacht Lehrbuch 2, 10.  
 — — — var. marginata, Illustration horticole 1858, 159.  
 — — — fl. pleno, Revue horticole 1864, 151.  
 — — — pulcherrima Hort. L'horticulteur fr. 1861, 7.  
 † *Clavija Rz. et P.* Agardh Syst. 10.  
 — — — caloneura Mart. Endl. Bras. 16, 25.  
 — — — integrifolia Mart. Endl. Bras. 16, 26.  
 — — — macrophylla Miq. Endl. Bras. 16, 24.  
 — — — ornata Don. Bot. Mag. 82, 4922.  
 — — — Endl. Bras. 16, 24.  
 — — — Fl. d. serres 14, 1417.  
 † *Claytonia perfoliata* Donn. Mem. Mosc. 2, 4.  
 † — — virginiana L. Spach Suites 37.  
 † *Cleidion* Bl. Baillon Euph. 9.  
*Cleisostoma crassifolium* Ldl. Lem. Jard. fl. 4, 397.  
 † *Clematis* L. Agardh Syst. 5.  
 — — — aethusaefolia Turcz. Regel Gartenfl. 1861, 342.  
 † — — angustifolia Jacq. Spach Suites 57.  
 — — — barbellata Edgew. Bot. Mag. 80, 4794.  
 — — — Fl. d. serres 9, 956.  
 — — — Revue horticole 1858, p. 407.  
 — — — bonariensis Juss. Endl. Bras. 38, 35.  
 — — — calycina Hort. Schrank Hort. monac. 15.  
 — — — Revue horticole 1859, p. 191.  
 † — — — Payer Organogénie 58.  
 — — — campestris St. Hil. Endl. Bras. 38, 33, 35.  
 — — — crispa L. Dillenius Elth. 713.  
 — — — dioica L. Endl. Bras. 38, 33, 35.  
 — — — divaricata Jacq. Revue horticole 1856, 18.  
 † — — erecta L. Batsch Analyses 12.  
 — — — florida Thunb. Revue horticole 1856, 3, 21.  
 — — — variet. Standishii, Belgique horticole 1864, 3.  
 — — — Fortunei Hort. Fl. d. serres 15, 1553.  
 — — — Belgique horticole 1864, 3.  
 — — — fusca Turcz. var. mandschurica, Acad. Pet. VII. 4, 2.  
 — — — Regel Gartenfl. 1864, 455.  
 — — — Grahami Benth. Journ. Hort. Soc. 2, p. 315.  
 — — — Guascoi Hort. Belgique horticole 7, 37.  
 — — — Illustration horticole 1857, 117.  
 — — — Hilarii Spreng. Endl. Bras. 38, 35.  
 — — — Jackmani Hort. Angl. Illustration horticole 1864, 414.  
 — — — lanuginosa Ldl. Lem. Jard. fl. 4, 363.  
 — — — Fl. d. serres 11, 1176—1177.  
 — — — lasiantha Nutt. Torrey Mex. Boundary 1.  
 — — — linearifolia Steud. Hook. Fl. Tasm. 1.  
 — — — montana Wall. Revue horticole 1856, 43.  
 — — — Oweniae Harv. Harvey Thes. cap. 1, 9.  
 — — — orientalis L. Dillenius Elth. 119.  
 — — — patens Decne. Revue horticole 1855, 18, 24.  
 — — — 1856, 1, 14.  
 — — — Illustration horticole 1858, 184, 1860, 254.  
 — — — Fl. d. serres 9, 960, 10, 1051, 1052, 11, 1117.  
 — — — Thunbergii E. et Z. Harvey Thes. cap. 1, 8.  
 — — — verticillaris DC. Nees Sammlung 92.  
 — — — Viorna L. Dillenius Elth. 118.  
 — — — virginiana L. Albinus Annot. acad. 1, 7.  
 — — — viridiflora Bert. Mem. Bon. 10, 3.  
 † — — Viticella L. Gleichen Entdeckungen 53, 54.  
 — — — Nouveau Duhamel 6, 29.  
 — — — var. venosa, Fl. d. serres 13, 1364.  
 — — — viticello-lanuginosa Hort. Belgique horticole 1864, 18.  
*Clementea nitida* Cav. Anales de hist. nat. 7, 47.

- Cleobulia multiflora* Mart. Endl. Bras. 24, 45.  
*Cleochroma grandiflora* Benth. Miers Illustr. 32.  
*Cleome arabica* L. Forskal Icones 16.  
 † — — arborea H. B. K. Schacht Lehrbuch 2, 9.  
 — — — dodecandra L. Burmann Thes. zeyl. 100.  
 — — — icosandra L. Burmann Thes. zeyl. 99.  
 — — — ornithopoides L. Dillenius Elth. 266.  
 — — — pallida Kotschy. Wiener Sitzungs- 52, 6.  
 † — — spinosa L. Payer Organogénie 42.  
 — — — trinervia Fres. Museum Senck. 1, 11.  
 — — — viscosa L. Cornuti Canad. p. 131.  
*Cleonia lusitanica* L. Cornuti Canad. p. 47.  
 † *Clerodendron* L. Griffith Pl. asiat. 30.  
 † — — Agardh Syst. 22.  
 † — — Baillon Adansonia 2, 8.  
 — — — Bungei Steud. Fl. d. serres 9, 863—864.  
 — — — calamitosum L. Bot. Mag. 88, 5294.  
 — — — foetidum Bunge. Bot. Mag. 81, 4880.  
 — — — Fl. d. serres 9, 863—864.  
 — — — fortunatum L. Osbeck Reise 11.  
 — — — infortunatum L. Burmann Thes. zeyl. 29.  
 — — — Kaempferi Fisch. Regel Gartenfl. 5, 178.  
 — — — Lindleyi Decne. Regel Gartenfl. 1862, 353.  
 — — — Manettii Vis. Mem. Istit. veneto 6, 3.  
 — — — spinosum Spr. Plumier Ic. Burm. 256.  
 — — — Thomsonae Balf. Bot. Mag. 88, 5313.  
 — — — Illustration horticole 1863, 358.  
 — — — Belgique horticole 1863, 10.  
 — — — Fl. d. serres 15, 1534.  
 † *Clethra alnifolia* L. Agardh Syst. 9.  
 — — — arborea Ait. Nouveau Duhamel 5, 38.  
 † — — — Schacht Lehrbuch 3.  
 — — — brasiliensis Cham. Endl. Bras. 35, 64.  
 — — — laevigata Meissn. Endl. Bras. 35, 65.  
 — — — spicigera Meissn. Endl. Bras. 35, 66.  
 † *Cleyera* L. Agardh Syst. 11.  
*Clianthus Dampieri* Cunn. Bot. Mag. 84, 5061.  
 — — — Journ. d'hortic. 2, 15.  
 — — — Belgique horticole 8, 77.  
 — — — Illustration horticole 1858, 173.  
 — — — puniceus Sol. var. magnifica, Fl. d. serres 9, 879.  
*Clidemia chaetocalyx* Gray. Gray Expl. Exp. 74.  
 — — — hirta Don. Plumier Ic. Burm. 141.  
 † *Clidemiastrum mexicanum* Naud. Ann. sc. nat. III. 18, 4.  
*Cliffortia crenata* L. fil. Harvey Thes. cap. 1, 95.  
 — — — ilicifolia L. Dillenius Elth. 31.  
*Cliftonia ligustrina* Nutt. Nuttall Sylva 2, 73.  
 † — — — Baillon Adansonia 1, 4.  
*Clinopodium incanum* L. Dillenius Elth. 74.  
 — — — rugosum L. Dillenius Elth. 75.  
*Clintonia pulchella* Ldl. Fl. d. serres 11, 1092.  
 — — — Revue horticole 1861, 171.  
 — — — udensis Tr. et M. Middendorff Reise 2, 30.  
*Cliocarpus Gardneri* Miers. Miers Illustr. 44.  
*Clitoria alabamensis* Bert. Mem. Bon. 2, 15.  
 — — — Amazonum Mart. Endl. Bras. 24, 33.  
 — — — Galactia L. Browne Jamaica 32.  
 — — — guianensis Benth. Endl. Bras. 24, 31.  
 — — — stipularis Benth. Endl. Bras. 24, 32.  
 — — — ternatea L. Endl. Bras. 24, 31.  
 — — — virginiana L. Dillenius Elth. 76.  
*Clivia* Gardeni Hook. Bot. Mag. 82, 4895.  
 — — — miniata Hook. Regel Gartenfl. 1864, 434.  
 † — — nobilis Ldl. Irmisch Amaryllideae 12.  
*Clomenocoma montana* Benth. Bot. Mag. 88, 5310.  
*Clusia alba* L. Plumier Ic. Burm. 87.  
 — — — Brongniartiana Planch. Bot. Mag. 88, 5325.  
 — — — flava DC. Nuttall Sylva 2, 77.  
 — — — Lhotzkyana Schlecht. Mem. Genev. 12, 1, 2.  
 † — — rosea L. Spach Suites 40.

- Clusia venosa* L. Plumier Ic. Burm. 87.  
† *Clusiaceae* Planch. Ann. sc. nat. IV. 13, 15. 16.  
*Cluytia abyssinica* Jaub. Jaub. Illustr. 468.  
— *alaternoides* L. Burmann Pl. afr. 43.  
— *lanceolata* Forsk. Jaub. Illustr. 467.  
— *myricoides* Jaub. Jaub. Illustr. 465. 466.  
— *polygonoides* L. Burm. Pl. afr. 43.  
† — *pulchella* Willd. Jussieu Euph. 6.  
† — — — Baillon Euph. 16.  
† — — — Handl. Ac. Holm. 1857, 1.  
† — — — Agardh Syst. 15.  
*Clypeola cyclodonteia* Del. Bull. soc. d'agric. Montpel-  
lier 1831, 1.  
† *Cnemidostachys* Mart. Handl. Ac. Holm. 1857, 1.  
† — — — Agardh Syst. 15.  
† — — — Baillon Euph. 8.  
† *Cneorum tricocum* L. Payer Organogénie 23.  
† — — — Agardh Syst. 18.  
† *Cnesmone* Bl. Baillon Euph. 4.  
*Cnicus benedictus* L. Berg Darstellung 3, 22<sup>a</sup>.  
— — — Spach Suites 64.  
— *carlinoides* Fisch. Schrank Hort. monac. 11.  
— *centauroides* L. Cornuti Canad. p. 73.  
*Cnidium apioides* Spr. Rchb. Fl. germ. 21, 1922.  
— *venosum* K. Rchb. Fl. germ. 21, 1921.  
† *Cnidioscolus* Pohl. Baillon Euph. 19.  
*Cobaea scandens* Cav. Nouveau Duhamel 4, 50.  
† — — — (Pollen.) Mém. prés. Pet. 3, 11. 13.  
† — — — Versl. Amst. 8, 1.  
† — — — Mem. Tur. 1855, 3.  
† — — — Agardh Syst. 28.  
† — — — Payer Organogénie 123.  
— — — var. Fl. d. serres 14, 1467.  
*Coccinia pinnatisecta* Kotschy. Wien. Sitzungsbericht  
51, 4.  
— *Schimpero-indica* Naud. Nouv. Arch. Mus. 1, 9.  
*Coccocypselum repens* Sw. Belgique horticole 1860,  
13. 14.  
† *Coccoloba* L. Meisner Polygon. 1. 2. 5.  
— *acrostichoides* Cham. Endl. Bras. 14, 13.  
— *brasilensis* N. v. E. Endl. Bras. 14, 13.  
— *crescentiaefolia* Cham. Endl. Bras. 14, 8.  
— *densifrons* Mart. Endl. Bras. 14, 7.  
— *excoriata* L. Plumier Ic. Burm. 146.  
— *Gardneri* Meisn. Endl. Bras. 14, 15.  
— *Goudotiana* Wedd. Endl. Bras. 14, 14.  
— *guianensis* Meisn. Endl. Bras. 14, 10.  
— *latifolia* Lam. Endl. Bras. 14, 19.  
— *longependula* Mart. Endl. Bras. 14, 9.  
— *Martii* Meisn. Endl. Bras. 14, 16.  
— *ovata* Benth. Endl. Bras. 14, 11.  
— *paniculata* Meisn. Endl. Bras. 14, 20. 21.  
— *parvifolia* Nutt. Nuttall Sylva 3, 89.  
— *peltigera* Meisn. Endl. Bras. 14, 17.  
— *pipericarpa* Mart. Endl. Bras. 14, 12.  
— *platyclada* F. M. Bot. Mag. 89, 5382.  
— *polystachya* Wedd. Endl. Bras. 14, 21.  
— *populifolia* Wedd. Endl. Bras. 14, 18.  
— *rosea* Meisn. Endl. Bras. 14, 14.  
— *tenuifolia* L. Browne Jamaica 14.  
— *uvifera* L. Plumier Ic. Burm. 145.  
— — — Nuttall Sylva 3, 88.  
*Cocculus carolinus* DC. Endl. Bras. 38, 42.  
— *enneandrus* Eichl. Endl. Bras. 38, 42.  
— *Filipendula* Mart. Endl. Bras. 38, 42.  
— *palmatus* DC. Asiat. Researches 10, 5.  
— — — Berg Darstellung 2, 14<sup>a</sup>.  
*Cochlanthera lanceolata* Choisy. Mem. Genev. 12, 3.  
† *Cochlearia* L. (Radix.) Bonplandia 1856, p. 200.  
— *brevicaulis* Facch. Flora 1855, 6.  
† — *officinalis* L. Payer Organogénie 44.  
— — — Berg Darstellung 2, 11<sup>a</sup>.  
*Cochliostema odoratissimum* Ch. Lem. Illustration hor-  
ticole 1859, 217.  
*Cocos nucifera* L. Spach Suites 100.  
— *plumosa* Hook. Bot. Mag. 86, 5180.  
*Codazzia dentata* Karst. Karsten Fl. Col. 2, 119.  
— *speciosa* Karst. Karsten Fl. Col. 1, 4.  
† *Codiaeum variegatum* Bl. Jussieu Euph. 9.  
† — — — Baillon Euph. 16.  
*Codonandra purpurea* Karst. Karsten Fl. Col. 2, 122.  
*Codonanthe Devosiana* Ch. Lem. Endl. Bras. 36, 68.  
† — *gracilis* Mart. Linnæa 1853, 2.  
— *Hookerii* Ch. Lem. Endl. Bras. 36, 68.  
— *pieta* Ch. Lem. Illustration horticole 1857, 144.  
*Codonium arborescens* Vahl. Skriverter nat. Selsk.  
1792, 6.  
† *Codonophora prasinata* Ldl. Linnæa 1853, 1.  
— *Selloana* Hnst. Endl. Bras. 36, 64.  
*Codonopsis cordata* Hassk. Bot. Mag. 89, 5372.  
— *inflata* Hook. fil. Hook. Himal. 16.  
— *gracilis* Hook. fil. Hook. Himal. 16.  
— — — Fl. d. serres 15, 1584.  
— *javanica* Hook. fil. Hook. Himal. 16.  
— *rotundifolia* Benth. Bot. Mag. 82, 4942. 83,  
5018.  
† — *viridiflora* Wall. Abh. Leipz. 6, 26.  
*Coelia macrostachya* Ldl. Lem. Jard. fl. 4, 423.  
— — — Fl. d. serres 9, 900.  
† *Coelibogyne ilicifolia* Sm. Abh. Acad. Berl. 1856, 1.  
1859, 1. 2.  
† — — — Baillon Euph. 8.  
† — — — Regel Gartenfl. 7, 223.  
† — — — Karsten Abhandlung 1.  
† — — — Ann. sc. nat. IV. 7, 11. 13, 10.  
† — — — Jard. Annals III. 8, 10.  
*Coelogyne asperata* Ldl. Pescatorea 1, 8.  
— *assamica* Lind. Rchb. Xenia 2, 134.  
† — *barbata* Gr. Griffith Pl. asiat. 290. 291.  
— *cristata* Ldl. Pescatorea 1, 25.  
— — — Warner Select Orch. 35.  
— — — Regel Gartenfl. 8, 245.  
— *elata* Ldl. Bot. Mag. 83, 5001.  
† — *fimbriata* Ldl. Griffith Pl. asiat. 291.  
— *fuscescens* Ldl. var. *brunnea*, Bot. Mag. 91,  
5494.  
— *lagenaria* Ldl. Bot. Mag. 89, 5370.  
— *Lowii* Part. Pescatorea 1, 8.  
— *maculata* Ldl. Fl. d. serres 14, 1470.  
— *odoratissima* Ldl. Bot. Mag. 90, 5462.  
— *pandurata* Ldl. Rchb. Xenia 2, 121.  
— *pandurata* Ldl. Bot. Mag. 84, 5064.  
— *Parishii* Hook. Bot. Mag. 88, 5323.  
— *praecox* Ldl. var. *Wallichiana*, Regel Gartenfl.  
9, 283.  
— *Rochussenii* Vr. Vriese Orchid. 2, 11.  
— — — Rchb. Xenia 1, 85.  
— *Schilleriana* Rchb. fil. Rchb. Xenia 2, 134.  
— — — Bot. Mag. 84, 5072.  
— *speciosa* Ldl. Vriese Orchid. 1. 11.  
— — — Bot. Mag. 81, 4889.  
— *testacea* Ldl. Bot. Mag. 80, 4755.  
— *Thuniana* Rchb. Rchb. Xenia 1, 46.  
*Coenolophium Fischeri* K. Rchb. Fl. germ. 21, 1920.  
*Coffea arabica* L. Linné Amoenit. 6, 2.  
† — — — Gleichen Untersuchungen Anh. 10.  
† — — — Spach Suites 63.  
† — — — Schnizl. Iconogr. 3, 127<sup>b</sup>.  
— *bengalensis* Roxb. Bot. Mag. 82, 4917.  
*Cohnia quekettioides* Rchb. Rchb. Xenia 1, 100.  
† *Coix Lacryma Jobi* L. Linné Amoenit. 7, 2.  
— — — Miquel Flora 41.  
† — — — Abh. Leipz. 7, 12.  
*Colax jugosus* Ldl. Rchb. Xenia 1, 41.

- † *Colchicum autumnale* L. Gleichen Entdeckungen 19. 20.
- † — — — Spach Suites 112.
- † — — — Agardh Syst. 1.
- † — — — Leighton Flora 11.
- † — — — Hofmeister Embryo 9.
- † — — — Abh. Leipz. 7, 17.
- — — Berg Darstellung 2, 12<sup>a</sup>.
- ! — — — Fleischer Mißbildungen 8.
- — — Clementei Graells. Mem. Madrid 4, 9.
- — — laetum Stev. Regel Gartenfl. 1862, 379.
- — — variegatum L. Cornuti Canad. p. 137.
- — — Fl. d. serres 11, 1153.
- † — — — Ann. sc. nat. IV. 4, 19.
- † *Coleophora gemmiflora* Miers. Miers Illustr. 74.
- † *Coleostephus hybridus* Lge. Bot. Zeitung 1864, 10.
- † — — — multicaulis Dur. Bot. Zeitung 1864, 10.
- † — — — Myconis Cass. Bot. Zeitung 1864, 10.
- — — Rehb. Fl. germ. 16, 986.
- Coleus Blumei* Benth. Belgique horticole 6, 7.
- — — var. Verschaffeltii, Illustration horticole 1861, 293.
- — — inflatus Benth. Bot. Mag. 87, 5236.
- — — Macraei Benth. Lem. Jard. fl. 4, 354.
- — — scutellarioides Benth. var. insignis, Fl. d. serres 15, 1544—1545.
- Collaea macrophylla* Benth. Endl. Bras. 24, 39.
- — — Neesii Benth. Endl. Bras. 24, 40.
- — — velutina Benth. Dietrich Fl. univ. 3.
- † *Collandra picta* Hanst. Linnæa 1853, 2.
- Colletia cruciata* Hook. Bot. Mag. 84, 5033.
- — — Endl. Bras. 28, 34.
- — — ferox Bictoniensis Hook. Fl. d. serres 14, 1451.
- — — Weddelliana Miers. Castelnau Exped. 65.
- † *Colliguaja* Mol. Baillon Euph. 7.
- Collinsia hirsuta* Kellogg. Proc. Calif. Acad. 2, 113.
- — — septemnervia Kellogg. Proc. Calif. Acad. 2, 225.
- — — verna Nutt. Journ. Ac. Phil. 6, 7.
- — — Bot. Mag. 82, 4927.
- — — Fl. d. serres 11, 1164.
- † *Collomia* Nutt. (Pollen.) Mém. prés. Pet. 3, 7.
- † — — — Agardh Syst. 28.
- † — — — coccinea Lehmann. Bot. Zeitung 1853, 9.
- — — gracilis Dougl. Castelnau Exped. 58.
- † — — — linearis Nutt. Atti Acc. Neap. 1863, 4.
- † *Colmeiroa* Reut. Baillon Euph. 23.
- Colobanthus pulvinatus* F. M. Müller Plants of Victoria 1, 11.
- † *Colocasia antiquorum* Schott. Ann. sc. nat. IV. 12, 17—20.
- — — euchlora C. Koch. Otto Garten-Z. 1858, 9.
- † — — — odora Schott. Beek et Bergsma Observations 1843, 1.
- † *Colocynthis* L. Linn. Transact. 22, 19.
- Colubrina americana* Nutt. Nuttall Sylva 2, 58.
- — — rufa Reiss. Endl. Bras. 28, 33.
- † *Columellia oblonga* R. et P. Jard. Annals III. 1, 6.
- Columnnea bulbosa* N. v. E. Nees Sammlung 40.
- — — labellosa Karst. Karsten Fl. Col. 2, 154.
- — — picta Karst. Karsten Fl. Col. 2, 154.
- — — scandens L. Browne Jamaica 30.
- — — Plumier Ic. Burm. 89.
- — — Bot. Mag. 85, 5118.
- — — Revue horticole 1864, 231. \*
- † — — — Schiedeana v. Schl. Linnæa 1853, 2.
- † — — — Königsb. Schriften 1860, 6.
- † *Colutea* L. Nees Genera 29, 15.
- — — arborescens L. Nouveau Duhamel 3, 22.
- — — var. microphylla, Verh. zool. bot. V. 12, 15.
- † — — — Ann. sc. nat. V. 2, 8.
- † — — — Spach Suites 4.
- Colutea orientalis* Duh. Nouveau Duhamel 3, 23.
- † *Comandra livida* Rich. Chatin Anatomie 60.
- † — — — umbellata Nutt. Chatin Anatomie 60.
- Comarostaphylis formosa* Ch. Lem. Illustration horticole 1858, 162.
- † *Combrétaceae* R. Br. Payer Organogénie 105.
- † *Combretum* L. Spach Suites 32.
- — — Binderianum Kotschy. Wiener Sitzungsber. 51, 5.
- — — coccineum Lam. Sonnerat Ind. 140.
- — — Hartmannianum Sch. Schweinf. Pl. nilot. 14. 15.
- — — — — Schweinf. Fl. Aeth. 3<sup>a</sup>.
- — — holosericeum Sond. Harvey Thes. cap. 1, 74.
- † — — — punctatum Bl. Blume Mus. 2, 53.
- — — reticulatum Fres. Museum Senck. 2, 9.
- — — Zeyheri Sond. Harvey Thes. cap. 1, 75.
- Comesperma polygaloides* F. M. Müller Plants of Victoria 1, 8.
- † *Commelina* L. (Pollen.) Mém. prés. Pet. 3, 4.
- † — — — Griffith Pl. asiat. 49.
- † — — — Payer Organogénie 140.
- † — — — agraria Kth. Endl. Bras. 15, 36.
- — — communis L. Dillenius Elth. 76.
- — — delicatula Schlecht. Regel Gartenfl. 3, 104.
- † — — — elegans Humb. Endl. Bras. 15, 37.
- — — erecta L. Dillenius Elth. 77.
- — — Martiana Seub. Endl. Bras. 15, 37.
- — — Pohlana Seub. Endl. Bras. 15, 36.
- — — procurrens Schlecht. Regel Gartenfl. 3, 104.
- — — Selloviana Kth. Endl. Bras. 15, 36.
- — — tuberosa L. Dillenius Elth. 79.
- — — Spach Suites 73.
- Comocladia ilicifolia* L. Plumier Ic. Burm. 118.
- Comostemum montevidense* N. v. E. Denkschr. d. Wien. Akad. 8, 3.
- Comparettia falcata* Poepp. Bot. Mag. 83, 4980.
- Comptonia asplenifolia* Banks. Nouveau Duhamel 2, 11.
- — — Ceterach Mirb. Nouveau Duhamel 2, 11.
- † *Compositae* R. Br. Le Francq. Comp. 1—9.
- † — — — Abh. Senck. 1, 6.
- † — — — Abh. Acad. Berl. 1857, 4.
- † — — — Payer Organogénie 129. 133. 134.
- Conanthera bifolia* R. et P. Feuillée 3, 3.
- — — Linn. Transact. 24, 53.
- † *Conceveiba guianensis* Aubl. Jussieu Euph. 13.
- † — — — Baillon Euph. 21.
- † *Conceveibum cordatum* Rich. Jussieu Euph. 13.
- † *Conchidium pusillum* Gr. Griffith Pl. asiat. 310.
- Condalia buxifolia* Reiss. Endl. Bras. 28, 28.
- — — microphylla Cav. Annales de hist. nat. 1, 4.
- Condaminea corymbosa* DC. var. subsessilis, Regel Gartenfl. 9, 294.
- Condylocarpon Rauwolfiae* Müll. Endl. Bras. 26, 19. 20.
- † *Coniferae* Juss. Parlatore Studi organografici 1—3.
- † — — — Schacht Lehrbuch 2, 10.
- † — — — Regel Gartenfl. 8, 262.
- † — — — Bot. Zeitung 1860, 4. 6. 8. 9.
- — — Baillon Adansonia 1, 1. 2.
- † — — — Vidensk. Meddelelser 1864, 1. 2.
- Conioselinum Fischeri* Wimm. Grab. Rehb. Fl. germ. 21, 1919.
- Conium maculatum* L. Berg Darstellung 3, 24<sup>a</sup>.
- Connarus haemorrhoeus* Karst. Karsten Fl. Col. 2, 137.
- — — monocarpus L. Burmann Thes. zeyl. 89.
- — — Pickeringii Gray. Gray Expl. Exp. 45.
- Conobea scoparioides* Benth. Endl. Bras. 30, 51.
- Conocarpus erecta* Jacq. Plumier Ic. Burm. 144.
- — — Nuttall Sylva 1, 33.
- † *Conocephalus suaveolens* Bl. Blume Mus. 2, 39.
- Conoclinium ianthinum* Morr. Moore Mag. 1850, p. 185.
- Conomorpha heterantha* Benth. Endl. Bras. 16, 49.

- Conomorpha macrophylla* Mart. Endl. Bras. 16, 47.  
 — *nemoralis* Mart. Endl. Bras. 16, 48.  
 † *Conopholis americana* Wallr. Chatin Anatomie 18.  
*Conoria flavescens* Lam. Lam. Encycl. 135.  
*Conosiphon polycarpus* Karst. Karsten Fl. Col. 2, 149.  
*Conospermum patens* Schlecht. Müller Victoria 2, 70.  
 † *Conostegia subhirsuta* Naud. Ann. sc. nat. III. 18, 3.  
*Conradia Craniolaria* Mart. Plumier Ic. Burm. 137.  
 — *fuchsoides* Nutt. Journal Ac. Philad. 7, 11. 12.  
 — *humilis* Mart. Plumier Ic. Burm. 133.  
 † — — — Linnaea 1853, 1.  
 † *Convallaria* L. Abh. naturf. Ges. Halle 1855, 5. 6. 7.  
 ! — *majalis* L. Bot. Zeitung 1862, 8.  
 — — — Cramer Bildungsabw. 13.  
 — *racemosa* L. Cornuti Canad. p. 37.  
 — *stellata* L. Cornuti Canad. p. 32. 34.  
 — . . . . . Griffith Pl. asiat. 274.  
*Convolvulus althaeoides* L. Rchb. Fl. germ. 18, 1339.  
 — — — Fl. d. serres 10, 1021.  
 — — — Revue horticole 1864, 111.  
 — *arvensis* L. Rchb. Fl. germ. 18, 1337.  
 — *Batatas* L. Feuillée 3, 11.  
 † — — — Schacht Lehrbuch 2, 10.  
 — *Cantabrica* L. Rchb. Fl. germ. 18, 1336.  
 — *carolinus* L. Dillenius Elth. 84.  
 — *Cneorum* L. Nouveau Duhamel 6, 18.  
 — — — Rchb. Fl. germ. 18, 1335.  
 — *condensatus* Bert. Mem. Bon. 5, 19.  
 — *cordifolius* Thunb. Skrivter nat. Selsk. 1810, 5.  
 — *elongatus* Willd. Schrank Hort. monac. 38.  
 — *hastatus* Thunb. Skrivter nat. Selsk. 1810, 5.  
 — *hederaceus* L. Dillenius Elth. 81. 83.  
 — *jemsinus* Kotschy. Wiener Sitzungs. 52, 5.  
 — *lauginosus* Desv. Rchb. Fl. germ. 18, 1336.  
 — *lineatus* L. Rchb. Fl. germ. 18, 1335.  
 — *macrocarpus* L. Plumier Ic. Burm. 91.  
 — *mauritanicus* Boiss. Bot. Mag. 87, 5243.  
 — — — Regel Gartenfl. 1861, 338.  
 — — — L'horticulteur fr. 1861, 19.  
 † — *mollissimus* Bert. Mem. Bon. 10, 7.  
 — *Nil* L. Dillenius Elth. 80.  
 — *obscurus* L. Dillenius Elth. 83.  
 — *panduratus* L. Dillenius Elth. 85.  
 — *pentapetaloides* L. Rchb. Fl. germ. 18, 1342.  
 — *pseudo-tricolor* Bert. Mem. Mod. 24, 4.  
 — *purpureus* L. Dillenius Elth. 82. 84.  
 — *sabatius* Viv. Rchb. Fl. germ. 18, 1337.  
 — *sagittatus* Thunb. Skrivter nat. Selsk. 1810, 3.  
 — *Scammonia* L. Medical Inquiries 1, 2.  
 — — — Berg Datstellung 2, 13<sup>e</sup>.  
 † — *sepium* L. Schnizl. Iconogr. 144.  
 † — — — Bot. Zeitung 1857, 8.  
 — *siculus* L. Rchb. Fl. germ. 18, 1338.  
 — *tenuissimus* Sibth. Rchb. Fl. germ. 18, 1339.  
 — *tricolor* L. Aldinus Hort. Farn. p. 88.  
 — — — Rchb. Fl. germ. 18, 1338.  
 † — — — Batsch Analyses 17.  
 † — — — Ann. sc. nat. III. 18, 17.  
 † — — — Agardh Syst. 26.  
 † — — — Payer Organogénie 122.  
 † — — — Bot. Zeitung 1859, 9.  
 — *undulatus* Cav. Rchb. Fl. germ. 18, 1342.  
 — *verticillatus* L. Plumier Ic. Burm. 94.  
*Conystylus Miquelianus* T. et B. Miquel Annales 4.  
*Conyza anthelmintica* L. Burmann Thes. zeyl. 95.  
 — *cinerea* L. Burmann Thes. zeyl. 96.  
 — *gnaphaloides* Sieb. Sieber Creta 10.  
 — *ivaeifolia* Less. Feuillée 2, 37.  
 — *pygmaea* Sieb. Sieber Creta 10.  
*Cookia punctata* Retz. Sonnerat Ind. 130.  
 — — — Regel Gartenfl. 9, 290.  
*Cooperia pedunculata* Decne. Revue horticole 1853, 21.  
*Copaifera Langsdorffii* Desf. Berg Darstellung 1, 6<sup>e</sup>.  
*Coprosma nitida* Hook. fil. Hook. Fl. Tasm. 39.  
 † *Corallorrhiza innata* R. Br. Irmisch Orchid. 6.  
 — *Macraei* Gray. Expl. Missis. 4, 25.  
 — *multiflora* Nutt. Journ. Ac. Philad. 1, 8.  
 — *verna* Nutt. Journ. Ac. Philad. 1, 8.  
*Corbularia Bulbocodium* Haw. Sieb. Fl. Jard. 1861, 5.  
 † *Corchorus* L. Agardh Syst. 20.  
 — *aestuans* L. Browne Jamaica 25.  
 — *hirsutus* L. Plumier Ic. Burm. 104.  
 — *hirtus* L. Plumier Ic. Burm. 103.  
 — *siliquosus* L. Plumier Ic. Burm. 103.  
 † *Cordia* . . . . . Griffith Pl. asiat. 30.  
 † — *affinis* Fres. Endl. Bras. 19, 9.  
 — *angiocarpa* A. Rich. Ramon Cuba 60.  
 — *calocephala* Cham. Endl. Bras. 19, 8.  
 — *excelsa* A. DC. Endl. Bras. 19, 2.  
 — *floridana* Nutt. Nuttall Sylva 3, 107.  
 † — *Gerascanthus* L. Browne Jamaica 29.  
 — *gerascanthoides* Kth. Ramon Cuba 59<sup>b</sup>.  
 † — *grandiflora* H. B. K. Endl. Bras. 19, 3.  
 — *insignis* Cham. Endl. Bras. 19, 1.  
 — *ipomaeaeiflora* Hook. Bot. Mag. 84, 5027.  
 — *leucocalyx* Fres. Endl. Bras. 19, 7.  
 — *lineata* R. et Sch. Browne Jamaica 13.  
 — *mirabiloides* R. et Sch. Plumier Ic. Burm. 228.  
 — *multispicata* Cham. Endl. Bras. 19, 6.  
 — *nodosa* Lam. Endl. Bras. 19, 5.  
 — *oncocalyx* All. Allemão 1862, 4.  
 † — *scabrida* Mart. Endl. Bras. 19, 9.  
 — *Sebestena* L. Dillenius Elth. 255.  
 — — — Plumier Ic. Burm. 105.  
 — — — Bruce Travels 5, 17.  
 — — — Nuttall Sylva 3, 106.  
 — *superba* Cham. Bot. Mag. 81, 4888.  
 — — — Endl. Bras. 19, 3.  
 — *tenuifolia* Bert. Mem. Bon. 11, 11.  
 — *trachyphylla* Mart. Endl. Bras. 19, 4.  
 † *Cordiaceae* R. Br. Schnizl. Iconogr. 142.  
 † *Cordylanthus frutescens* Bl. Blume Mus. 2, 3.  
*Cordyline australis* Endl. Regel Gartenfl. 1864, 450.  
 — *Banksii* Rgl. Regel Gartenfl. 1864, 444.  
 — *Fontanesiana* Planch. Acta Leop. 25, 3.  
 — *indivisa* Kunth. Illustration horticole 1860, 264.  
 — — — Belgique horticole 1862, 2.  
 — *rigidifolia* C. Koch. Otto Garten-Z. 1853, 7.  
 — *rubra* Hügel. Regel Gartenfl. 1864, 447.  
*Corellia Ribes* Miq. Vriese Plantae Ind. 4.  
*Coreopsis lanceolata* L. Dillenius Elth. 48.  
 — *leucantha* L. Feuillée 3, 4.  
 † — *Tripteris* L. Batsch Analyses 19.  
*Corethodendron scoparium* Fisch. Mém. prés. Pet. 6, 2.  
*Coriandrum sativum* L. Berg Darstellung 2, 13<sup>e</sup>.  
 † *Coriaria myrtifolia* L. Jard. Annals II. 11, 2.  
 † — — — Schnizl. Iconogr. 228.  
 † — — — Payer Organogénie 10.  
 † — — — Agardh Syst. 21.  
 † — *napalensis* Wall. Jard. Annals II. 11, 2.  
 — *ruscifolia* L. Feuillée 3, 12.  
*Coridothymus capitatus* Rchb. Rchb. Fl. germ. 18, 1271.  
*Coris hispanica* Lge. Lange Plantae Hisp. 11.  
 — *monspeliensis* L. Rchb. Fl. germ. 17, 1127.  
*Cormonema spinosum* Reiss. Endl. Bras. 28, 32.  
 † *Cornucopiae* L. Linné Amoenit. 7, 2.  
*Cornus alba* L. Ammann Ruth. 32.  
 — *alternifolia* L. Nouveau Duhamel 2, 43.  
 † — — — Payer Organogénie 86.  
 — *florida* L. L'horticulteur fr. 1863, 14.  
 — *mascula* L. Nouveau Duhamel 2, 43.  
 — *Nuttallii* Aud. Nuttall Sylva 3, 97.  
 — *sanguinea* L. Nouveau Duhamel 2, 44.  
 † — — — Schnizl. Iconogr. 163.

- Cornus sessilis* Torr. Expl. Missis. 4, 8.  
 — *suecica* L. Dillenius Elth. 91.  
 † — — — Flora 1859, 3.  
*Cornutia pyramidata* Spr. Plumier Ic. Burm. 106.  
 † *Corokia buddleoides* Cunn. Agardh Syst. 22.  
 † *Coronilla* L. Nees Genera 29, 19.  
 — *Emerus* L. Nouveau Duhamel 4, 31.  
 — *glauca* Lam. Nouveau Duhamel 4, 32.  
 — *iberica* M. v. B. Schrank Hort. monac. 71.  
 — *scandens* L. Plumier Ic. Burm. 107.  
 — *varia* L. Gmelin Reise 1, 21.  
*Corraea aemula* F. M. Müller Plants of Victoria 1, 7.  
*Correa alba* Andr. Nouveau Duhamel 4, 61.  
 — *cardinalis* Müll. Bot. Mag. 82, 4912.  
 — — — Belgique horticole 7, 18.  
 — — — Fl. d. serres 11, 1144.  
 — *speciosa* Andr. Nees Sammlung 17.  
 † *Corrigiola litoralis* L. Mém. Mus. 2, 4.  
*Cortusa Mattholi* L. Rchb. Fl. germ. 17, 1081.  
 — *pubens* Schott. Rchb. Fl. germ. 17, 1102.  
*Corvisaria Helenium* Mérat. Rchb. Fl. germ. 16, 921.  
 † *Corvianthes maculata* Baill. Baillon Adansonia 4, 8.  
 — *macrantha* Hook. Pescatorea 1, 30.  
 † *Corydalis* Vent. (Pollen.) Mém. prés. Pet. 3, 6.  
 † — — Payer Organogénie 49, 50.  
 † — — Schnizl. Iconogr. 180.  
 — *angustifolia* DC. Regel Gartenfl. 9, 304.  
 — *aura* Willd. Regel Gartenfl. 1861, 343.  
 † — *cava* Schweigg. Flora 1858, 1.  
 † — *digitata* Pers. Spach Suites 116, 117.  
 — *Raddeana* Reg. Bull. Mosc. 1861, 4.  
 — *Semenovii* Rgl. et Herd. Bull. Mosc. 1864, 8.  
 ! — *solida* Sm. Ann. sc. nat. V. 2, 17.  
 — *Wilfordii* Rgl. Bull. Mosc. 1864, 8.  
*Corylopsis spicata* Sieb. et Zucc. Bot. Mag. 90, 5458.  
*Corylus Avellana* L. Gleichen Untersuchungen 5.  
 — — — Nouveau Duhamel 4, 5.  
 † — — — Agardh Syst. 13.  
 † — — — Schacht Lehrbuch 2, 9.  
*Corymbium congestum* E. M. Harvey Thes. cap. 1, 69.  
 — *scabrum* L. Burm. Pl. afr. 70.  
*Corymborchis assamica* Bl. Blume Orchid. 43.  
 — *Thouarsii* Bl. Blume Orchid. 44.  
 — *veratrifolia* Bl. Blume Orchid. 42, 43.  
*Corynaea crassa* Hook. fil. Linn. Transact. 22, 13.  
 † — — — Abh. Leipz. 6, 16.  
 — *sphaerica* Hook. fil. Linn. Transact. 22, 14.  
*Corynostylis carthagenensis* Karst. Karsten Fl. Col. 2, 127.  
 — *guyanensis* Karst. Karsten Fl. Col. 2, 127.  
*Corypha umbraculifera* L. Memorie Valdarnese 1.  
 — — — Illustration horticole 1862, 347.  
*Corysanthes callosa* Bl. Blume Orchid. 63.  
 — *fimbriata* R. Br. Hook. Fl. Tasm. 107.  
 — *fornicata* Bl. Blume Orchid. 64.  
 — *limbata* Hook. Bot. Mag. 89, 5357.  
 — *mucronata* Bl. Blume Orchid. 66.  
 — *pieta* Bl. Blume Orchid. 64.  
*Corytholoma gracilis* Deene. Regel Gartenfl. 4, 127.  
*Coscinium fenestratum* Colebr. Lem. Jard. fl. 4, 426.  
 † *Cosmanthus fimbriatus* Benth. Payer Organogénie 113.  
 — *grandiflorus* Benth. Bot. Mag. 84, 5029.  
 — — — Fl. d. serres 14, 1450.  
 — — — Journ. d'hortic. 2, 5.  
 — — — Belgique horticole 8, 86.  
*Cosmelia rubra* R. Br. Belgique horticole 7, 43.  
 — — — Fl. d. serres 11, 1175.  
*Cosmidium Burridgeanum* Hort. Fl. d. serres 13, 1321.  
*Cosmos diversifolius* Otto. Bot. Mag. 87, 5227.  
 — — — Belgique horticole 1861, 15.  
 — — — L'horticulteur fr. 1861, 8.  
*Cossonia africana* Durieu. Ann. sc. nat. III. 20, 6.

- Costus afer* Ker. Bot. Mag. 83, 4979.  
 — *nepalensis* Roscoe. Regel Gartenfl. 4, 139.  
 — *Verschaffeltianus* Lem. Lem. Jard. fl. 4, 361.  
 — — — Illustration horticole 1858, 177.  
*Cotinus americanus* Nutt. Nuttall Sylva 2, 81.  
 † *Cotoneaster buxifolia* Wall. Payer Organogénie 102.  
 † — *vulgaris* Ldl. Payer Organogénie 102.  
 † — — — Agardh Syst. 11.  
*Cotula alpina* Hook. fil. Hook. Fl. Tasm. 51.  
 — *anthemoides* L. Dillenius Elth. 23.  
 — *australis* Hook. fil. Hook. Fl. Tasm. 50.  
 — *coronopifolia* L. Dillenius Elth. 23.  
 — — — Rchb. Fl. germ. 16, 998.  
 † — — — Bot. Zeitung 1862, 1.  
 — *integrifolia* Hook. fil. Hook. Fl. Tasm. 50.  
*Cotyledon caryophyllacea* L. Burmann Pl. afr. 17.  
 — *hemisphaerica* L. Dillenius Elth. 95.  
 — *hispanica* L. Loeffling Iter 1.  
 — *serrata* L. Dillenius Elth. 95.  
 — *spuria* L. Burmann Pl. afr. 19, 19, 22.  
 — — — Commelyn Rar. 23.  
 — *tuberculosa* Lam. Burmann Pl. afr. 20.  
 — *ventricosa* Willd. Burmann Pl. afr. 21.  
*Coulteria tinctoria* Kth. Spach Suites 2.  
*Couma utilis* Müll. Endl. Bras. 26, 5.  
 † *Couratari aulacocarpa* Mart. Endl. Bras. 18, 79.  
 † — *coriacea* Mart. Endl. Bras. 18, 75.  
 † — *dictyocarpa* Mart. Endl. Bras. 18, 79.  
 — *domestica* Mart. Endl. Bras. 18, 80.  
 — *estrellensis* Raddi. Endl. Bras. 18, 79, 81.  
 — *legalis* Mart. Endl. Bras. 18, 82.  
 — *tineata* Berg. Endl. Bras. 18, 77.  
 † — *macrocarpa* Mart. Endl. Bras. 18, 79.  
 † — *paraënsis* Mart. Endl. Bras. 18, 79.  
 — *vaupensis* Spruce. Epdl. Bras. 18, 78.  
*Couroupita nicaraguensis* Oerst. Oerst. Amérique cent. 1.  
 — *surinamensis* Mart. Endl. Bras. 18, 57—59.  
 † *Courtenia Afzelii* Ag. Agardh Syst. 20.  
*Cousinia albicaulis* Buhse. Mem. Mosc. 18, 9.  
*Coussaria pentamera* Karst. Karsten Fl. Col. 2, 107.  
 † *Covellia congesta* Miq. Miquel Flora 23.  
 † — *dasycaula* Miq. Miquel Flora 23.  
 † — *stictocarpa* Miq. Miquel Flora 23.  
*Cowania Stansburiana* Torr. Stansbury Expedition 3.  
*Crabbea angustifolia* N. v. E. Harvey Thes. cap. 1, 64.  
*Craepaloprumnon heterophyllum* Karst. Karsten Fl. Col. 1, 61.  
 — *obovatum* Karst. Karsten Fl. Col. 1, 61.  
 — *rubicundum* Karst. Karsten Fl. Col. 1, 62.  
*Crambe hispanica* L. Cornuti Canad. p. 148.  
 — *maritima* L. Curtis Monogr. 1.  
 † — — — Payer Organogénie 44.  
 — *orientalis* L. Jaub. Illustr. 433.  
 † *Craniolaria annua* L. Schnizl. Iconogr. 153.  
 † — *fallax* Ag. Handl. Ac. Holm. 1857, 1.  
 † — — — Agardh Syst. 27.  
*Cranocarpus Martii* Benth. Endl. Bras. 24, 28.  
*Crantzia lineata* Nutt. var. Castelnau Exped. 68.  
*Craspedaria Gestasiana* Fée. Fée Fil. novae 4.  
 — *numularia* Fée. Fée Fil. novae 5.  
 — *surinamensis* Fée. Fée Fil. novae 17.  
*Craspedia Richea* Cass. Bot. Mag. 87, 5271.  
 † *Craspedoneuron* v. d. B. Verh. Ac. Amst. 1861, 10.  
 — *album* Bl. Verh. Ac. Amst. 1861, 7.  
 — *Braunii* v. d. B. Verh. Ac. Amst. 1861, 9.  
 — *pallidum* Bl. Verh. Ac. Amst. 1861, 8.  
*Crassula alternifolia* L. Burmann Pl. afr. 24.  
 — *ciliata* L. Dillenius Elth. 98.  
 — *cultrata* L. Dillenius Elth. 97.  
 — *flava* L. Burmann Pl. afr. 23.  
 — *nudicaulis* L. Dillenius Elth. 98.  
 — *orbicularis* L. Dillenius Elth. 100.

- Crassula pellucida* L. Dillenius Elth. 100.  
 — *perforata* L. Dillenius Elth. 96.  
 — *portulacaria* L. Dillenius Elth. 101.  
 — *rosularis* Harv. Bot. Mag. 89, 5393.  
 — *scabra* L. Dillenius Elth. 99.  
 † *Crassulaceae* DC. Payer Organogénie 79.  
 † — Schnizl. Iconogr. 169.  
 † *Crataegus* L. Spach Suites 9.  
 — *arborescens* Ell. Nuttall Sylva 2, 45.  
 — *Aria* L. Nouveau Duhamel 4, 34.  
 — *Azarolus* L. Revue horticole 1856, 23.  
 — *indica* Willd. Schrank Hort. monac. 60.  
 — *latifolia* Lam. Nouveau Duhamel 4, 35.  
 — *oxyacantha* L. Fl. d. serres 14, 1468. 15, 1509.  
 — *pinnatifida* Bnge. Regel Gartenf. 1862, 366.  
 — *ribesia* Bert. Mem. Bon. 12, 2.  
 — *sanguinea* Pall. Nuttall Sylva 2, 44.  
 — *terminans* L. Nouveau Duhamel 4, 33.  
 † *Cratoxylon celebicum* Bl. Blume Mus. 2, 5.  
*Cratylia hypargyrea* Mart. Endl. Bras. 24, 43.  
*Crawfordia fasciculata* Wall. Bot. Mag. 81, 4838.  
 — — Belgique horticole 5, 17.  
*Cremolobus aphanopterus* Gray. Gray Expl. Exp. 3.  
 † *Cremophyllum* Schw. Baillon Euph. 3.  
 † *Creochiton superba* Naud. Ann. sc. nat. III. 18, 6.  
*Crepidomanes humile* Forst. Verh. Ac. Amst. 1861, 11.  
*Crepis acuminata* Nutt. Stansbury Expedition 8.  
 — *albida* Vill. Rchb. Fl. germ. 19, 1453.  
 — *alpestris* Tausch. Rchb. Fl. germ. 19, 1459. 1464.  
 — *aurea* Cass. Rchb. Fl. germ. 19, 1433.  
 — *bellidifolia* Lois. Rchb. Fl. germ. 19, 1436.  
 — *biennis* L. Rchb. Fl. germ. 19, 1439.  
 — *blattarioides* Vill. Rchb. Fl. germ. 19, 1461.  
 — *boliviensis* Wedd. Castelnau Exped. 42.  
 — *chondrilloides* Jacq. Rchb. Fl. germ. 19, 1456.  
 — *chrysantha* Fröl. Rchb. Fl. germ. 19, 1464.  
 — *foetida* L. Rchb. Fl. germ. 19, 1434.  
 — *grandiflora* Tausch. Rchb. Fl. germ. 19, 1460.  
 — *hyoseridifolia* Tausch. Rchb. Fl. germ. 19, 1465.  
 — *Jacquini* Tausch. Rchb. Fl. germ. 19, 1460.  
 — *incarnata* Tausch. Rchb. Fl. germ. 19, 1455.  
 — *jubata* Koch. Rchb. Fl. germ. 19, 1464.  
 — *lacera* Ten. Rchb. Fl. germ. 19, 1452.  
 — *lampsanoides* Fröl. Rchb. Fl. germ. 19, 1462.  
 — *leontodontoides* All. Rchb. Fl. germ. 19, 1436.  
 — *montana* Rchb. Rchb. Fl. germ. 19, 1459.  
 — *neglecta* L. Rchb. Fl. germ. 19, 1438.  
 — *nicacensis* Balb. Rchb. Fl. germ. 19, 1440.  
 — *paludosa* Moench. Rchb. Fl. germ. 19, 1463.  
 — *praemorsa* Tausch. Rchb. Fl. germ. 19, 1454.  
 — *rigida* W. K. Rchb. Fl. germ. 19, 1457.  
 — *rubra* L. Rchb. Fl. germ. 19, 1435.  
 — *Sahendi* Buhse. Mem. Mosc. 18, 10.  
 — *setosa* Hall. fil. Rchb. Fl. germ. 19, 1435.  
 — *sibirica* L. Rchb. Fl. germ. 19, 1458.  
 — *succisaefolia* Tausch. Rchb. Fl. germ. 19, 1461.  
 — *Suffreniana* Lloyd. Rchb. Fl. germ. 19, 1438.  
 — *taraxacifolia* Thuill. Rchb. Fl. germ. 19, 1437.  
 — *tectorum* L. Rchb. Fl. germ. 19, 1452.  
 — *vesicaria* L. Rchb. Fl. germ. 19, 1437.  
 — *virens* L. Santi Viaggi 1, 2.  
 — — Rchb. Fl. germ. 19, 1451.  
*Crescentia cucurbitina* L. Plumier Ic. Burm. 109.  
 — *Cujete* L. Durand Voyage 41.  
 — — Nuttall Sylva 3, 103.  
 † — — Schnizl. Iconogr. 152\*  
*Cressa cretica* L. Rchb. Fl. germ. 18, 1335.  
*Crinum amabile* Don. Revue horticole 1856, 13.  
 — *americanum* L. Commelyn Rar. 14.  
 — — Dillenius Elth. 161.  
 † — *capense* Herb. Irmisch Amaryllideae 6.  
 † — — Abh. Leipz. 7, 14.

- Crinum cordofanum* Kotschy. Kotschy Pl. Tinn. 21.  
 — *erubescens* Ait. Commelyn Rar. 15.  
 † — — Abh. Acad. Berl. 1859, 6.  
 — *giganteum* Andr. Bot. Mag. 86, 5205.  
 — — Regel Gartenf. 1865, 459.  
 † — *variabile* Herb. Abh. Leipz. 7, 14.  
*Cristatella crosa* Nutt. Journal Ac. Philad. 7, 9.  
*Crithmum maritimum* L. Rchb. Fl. germ. 20, 1900.  
*Crocantus mossambicensis* Kl. Peters Mossamb. 57.  
 † *Crocodelantho Xiphizusa* Rchb. fil. Rchb. Xenia 1, 6.  
 † *Crocus* L. Mem. Tur. 1855, 3.  
 — *Boryanus* Gay. Moore Mag. 1850. 2, p. 273.  
 — *carpetanus* Briss. Mem. Madrid 4, 4.  
 — *Carthwrightianus* Herb. Moore Mag. 1850, p. 273.  
 — *ochroleucus* Boiss. Bot. Mag. 88, 5297.  
 — *pulchellus* Herb. Moore Mag. 1850. 2, p. 273.  
 † *sativus* L. Batsch Analyses. 2.  
 — — Berg Darstellung 1, 1<sup>d</sup>.  
 — *speciosus* M. B. Regel Gartenf. 1862, 379.  
 † — *vernus* L. Hofmeister Embryo 4. 5.  
 † — — Abh. Leipz. 7, 21—24.  
 † — — Flora 1858, 5.  
 † — — Pringsheim Jahrb. 1, 7.  
 — — — var. Siebold Fl. Jard. 1862, 8.  
 — — — var. majestuosus, Fl. d. serres 13, 1310.  
*Croomia pauciflora* Gray. Mem. Am. Acad. 6, 31.  
*Crossopteryx Kotschyana* Fenzl. Kotschy Pl. Tinn. 14. 15.  
*Crossosoma californica* Nutt. Expl. Missis. 4, 1.  
*Crossostylis biflora* Forst. Gray Expl. Exp. 77.  
*Crotalaria arborescens* Lam. Nouveau Duhamel 4, 49.  
 — *bialata* Schrank. Schrank Hort. monac. 13.  
 — *calycina* Schrank. Schrank Hort. monac. 12.  
 — *intermedia* Kotschy. Wiener Sitzungsb. 50, 3.  
 — *laburnifolia* L. Burmann Thes. zeyl. 35.  
 — *lotifolia* L. Dillenius Elth. 102.  
 — *mossambicensis* Klotzsch. Peters Mossamb. 10.  
 — *paulina* Schrank. Schrank Hort. monac. 58.  
 — *platyfolia* L. Dillenius Elth. 102.  
 — *platysepala* Harv. Harvey Thes. cap. 1, 29.  
 — *pteroaula* Desv. Endl. Bras. 24, 2.  
 — *pubera* Willd. Schrank Hort. monac. 14.  
 — *purpurea* Vent. Nees Sammlung 28.  
 — *stipularia* Desv. Endl. Bras. 24, 3.  
 — *verrucosa* L. Burmann Thes. zeyl. 34.  
 — *versicolor* Bert. Mem. Bon. 3, 21.  
 — *vesperilio* Benth. Endl. Bras. 24, 4.  
 † *Croton* L. Jussieu Euph. 8.  
 † — — Baillon Euph. 17. 18.  
 † — — Agardh Syst. 15.  
 † — *aromaticus* L. Mem. Genev. 17, 1.  
 — *casarilloides* Vahl. Plumier Ic. Burm. 240.  
 — *citrifolium* Lam. Plumier Ic. Burm. 240.  
 — *Goudotii* Baill. Baillon Adansonia 1, 5.  
 — *Jeunyanum* Baill. Baillon Adansonia 1, 5.  
 — *lacciferum* L. Burmann Thes. zeyl. 91.  
 — *lucidum* L. Phil. Transact. 1758, 1.  
 — *Malambo* Karst. Karsten Fl. Col. 1, 13.  
 — *Sloanei* Benn. Berg Darstellung 4, 28<sup>p</sup>.  
 — *Tigium* L. Burmann Thes. zeyl. 90.  
 † — — Baillon Adansonia 1, 10.  
 † *Crotonopsis* Rich. Jussieu Euph. 8.  
 † — — Baillon Euph. 12.  
*Crowea saligna* Andr. Nouveau Duhamel 4, 60.  
*Crozophora Brocchiana* Vis. Schweinf. Pl. nilot. 5.  
 — *obliqua* Vahl. Schweinf. Pl. nilot. 3.  
 — *plicata* Vahl. Schweinf. Pl. nilot. 4.  
 — *tinctoria* Juss. Joly Observations 1.  
 † — — Jussieu Euph. 7.  
 † — — Payer Organogénie 110.  
 † — — Baillon Euph. 15.  
 † *Crucianella angustifolia* L. Nees Gen. 28, 1.

- Crucianella angustifolia* L. Rchb. Fl. germ. 17, 1176.  
 — *latifolia* L. Rchb. Fl. germ. 17, 1177.  
 — *maritima* L. Rchb. Fl. germ. 17, 1176.  
 † — *molluginoides* M. v. B. Nees Gen. 28, 4.  
 — — Rchb. Fl. germ. 17, 1176.  
 † *Cruciferae* Juss. Griffith Pl. asiat. 29—31.  
 † — — Payer Organogénie 44.  
 ! — — Ann. sc. nat. V. 2, 18.  
*Cruckshanksia glacialis* P. et E. Castelnau Exped. 50.  
*Crumenaria erecta* Reiss. Endl. Bras. 28, 41.  
 † *Crupina* Pers. Nees Gen. 31, 18.  
*Crusea coccinea* DC. Revue horticole 1863, 311.  
 † — *hispidula* Ag. Agardh Syst. 23.  
 † *Cryphiacanthus barbadensis* N. v. E. Vidensk. Meddelelser 1854, 4.  
 † — *viscosus* Oerst. Vidensk. Meddelelser 1854, 4.  
 † *Crypsis aegyptiaca* Tausch. Mem. Tur. 1854, 5.  
 † — *niliaca* Fig. Mem. Tur. 1854, 4.  
*Crypta minima* Nutt. Journ. Ac. Philad. 1, 6.  
*Cryptandra alpina* Hook. fil. Hook. Fl. Tasm. 12.  
 — *Gunnii* Hook. fil. Hook. Fl. Tasm. 11.  
 — *pimeleoides* Hook. fil. Hook. Fl. Tasm. 12.  
*Cryptanthus bivittatus* Reg. Regel Gartenfl. 1865, 458.  
 † *Crypteronia paniculata* Bl. Blume Mus. 2, 42.  
 † *Cryptocoryne ciliata* Fisch. Jard. Annals II. 12, 3.  
 — *cordata* Griff. Griffith Pl. asiat. 172.  
 † — *elata* Griff. Griffith Pl. asiat. 170, 171.  
 — *Hügelii* Schott. Schott. Ic. Aroid. 12.  
 — *spiralis* Fisch. Schott. Ic. Aroid. 13.  
*Cryptogramme crispa* R. Br. Hooker British Ferns 39.  
*Cryptostemma calendulaceum* R. Br. Commelyn. Rar. 36.  
*Cryptostylis arachnites* Bl. Blume Orchid. 45.  
 — *filiformis* Bl. Blume Orchid. 45.  
 — *longifolia* R. Br. Hook. Fl. Tasm. 108.  
 † *Cryptotheca dichotoma* Bl. Blume Mus. 2, 44.  
*Crystallopollen latifolium* Steetz. Peters Mossamb. 48<sup>a</sup>.  
*Ctenopteris crispa* J. Sm. Scemann Herald 48.  
 † — *moniliformis* Cav. Mettenius Fil. Lechl. 2.  
*Cubeba officinalis* Miq. Berg Darstellung 4, 29<sup>a</sup>.  
 † *Cucubalus* L. Medicus Beob. p. 385.  
 † — — Nees Gen. 31, 10.  
 — *angustifolius* Tineo. Schrank Hort. monac. 83.  
 — *catholicus* L. Dillenius Elth. 316.  
 — *cyclamineus* Sieb. Sieber Creta 11.  
 † *Cucumis Anguria* L. Spach Suites 48.  
 † — — Linn. Transact. 22, 19.  
 — *deliciosus* Roth. Desvaux Opuscules 1.  
 — *Dudaim* L. Dillenius Elth. 177.  
 — — Fl. d. serres 14, 1471.  
 — — Revue horticole 1862, 71.  
 † *Melo* L. (Fructus.) Gmelin Reise 3, 46—49.  
 — *melonitrigonus* Naud. Nouv. Arch. Mus. 1, 8.  
 — *Pancherianus* Naud. Ann. sc. nat. IV. 12, 8.  
 † *sativus* L. Spach Suites 48.  
 † — — Schnizl. Iconogr. 202.  
 ! — — Revue horticole 1859, p. 581.  
 — *Tinneanus* Kotschy. Kotschy Pl. Tinn. 8.  
 — *trigonus* Roxb. Nouv. Arch. Mus. 1, 7.  
 † *Cucurbita* L. Gleichen Untersuchungen 1, 22.  
 † — — Medicus Beob. p. 385.  
 † — — (Pollen.) Mém. prés. Pet. 3, 9.  
 † — — Griffith Pl. asiat. 62.  
 † — — Ann. sc. nat. III. 18, 17. IV. 4, 1, 2.  
 † — — Payer Organogénie 81, 92, 93.  
 † — — Schnizl. Iconogr. 202.  
 † — — Mem. Tur. 1855, 2, 4.  
 † — — Münchener Sitzungsberichte 1861, 1, 2.  
 — *digitata* Asa Gray. Revue horticole 1863, 131.  
 † — *maxima* Duch. (Fructus.) Ann. sc. nat. IV. 6, 1.  
 † — *moschata* Duch. (Fructus.) Ann. sc. nat. IV. 6, 2.  
 † — *Pepo* L. (Fructus.) Ann. sc. nat. IV. 6, 2, 3.

- ! *Cucurbita Pepo* L. Bulletin soc. Linn. Caen 1, 2.  
 † — — Schacht Lehrbuch 2, 10.  
 † — — Payer Organogénie 92.  
 † — — Bot. Zeitung 1859, 9.  
 † — — Abh. Acad. Berl. 1859, 3.  
 † — — (Fructus.) Fl. d. serres 12, 1240—1241.  
 — *perennis* Naud. (Fructus.) Revue horticole 1855, 4.  
*Calcitium canoscens* H. B. K. Castelnau Exped. 22.  
 — *nivale* H. B. K. Castelnau Exped. 23.  
 — *reflexum* H. B. K. Castelnau Exped. 23.  
 † — *serratifolium* Meyen. Castelnau Exped. 23.  
*Cullumia ciliaris* R. Br. Burmann Pl. afr. 54.  
*Cummingia campanulata* Don. Linn. Transact. 24, 53.  
*Cunila microcephala* Benth. Endl. Bras. 22, 31.  
 † *Cunninghamia sinensis* R. Br. Murray Pines 18.  
*Canonia capensis* L. Burmann Pl. afr. 96.  
 — — Revue horticole 1854, 8.  
*Cupania americana* L. Plumier Ic. Burm. 110.  
 † *Cuphea* L. (Pollen.) Mém. prés. Pet. 3, 5.  
 † — — Schnizl. Iconogr. 267.  
 — *eminens* Planch. Fl. d. serres 10, 994.  
 — — Revue horticole 1857, p. 151.  
 — *lorullensis* H. B. K. Bot. Mag. 87, 5232.  
 — — Illustration horticole 1861, 284.  
 — — L'horticulteur fr. 1861, 12.  
 — *lanceolata* Ait. Regel Gartenfl. 1864, 424.  
 — *ocymoides* Deene. Journ. d'hortic. 3, 3.  
 † — *viscosissima* Jacq. Mém. Mus. 2, 4.  
 † — — Payer Organogénie 95.  
 † *Cupressus* L. Schnizl. Iconogr. 76.  
 † — — Hofmeister Untersuchungen 33.  
 — — Cubières 1809, 1, 2.  
 — *fastigiata cereiformis*, Revue horticole 1859, p. 167.  
 — *Lowsonii* Hort. Illustration horticole 1863, 367.  
 — *lusitanica* Mill. Endl. Bras. 35, 113.  
 — *nutkatensis* Lamb. Expl. Missis. 6, p. 63.  
 — *pendula* Thumb. Nouveau Duhamel 3, 3.  
 — *sempervirens* L. Nouveau Duhamel 3, 1.  
 † — — Spach Suites 90.  
 † — — Ann. sc. nat. IV. 14, 13.  
 † — — Baillon Adansonia 1, 2.  
 — *thuyoides* Lam. Nouveau Duhamel 3, 2.  
 — *Tournefortii* Ten. Mém. Mod. 25, 1, 2.  
*Cupularia graveolens* Gr. et G. Rchb. Fl. germ. 16, 935.  
 — *viscosa* Gr. et G. Rchb. Fl. germ. 16, 935.  
 † *Cupuliferae* Rich. Schnizl. Iconogr. 2, 89.  
*Curatella americana* L. Endl. Bras. 31, 15.  
 † *Curcas* Adans. Baillon Euph. 19.  
*Curculigo firma* Kotschy. Kotschy Pl. Tinn. 22<sup>b</sup>.  
 † *Curcuma* . . . Griffith Pl. asiat. 49.  
 — *angustifolia* Roxb. Asiat. Res. 10, 5.  
 — *aromatica* Salisb. Berg Darstellung 4, 34<sup>a</sup>.  
 † — *montana* Roxb. Griffith Pl. asiat. 352.  
*Curtisia faginea* Ait. Harvey Thes. cap. 2, 124.  
 † *Cuscuta* L. Schnizl. Iconogr. 144.  
 † — — Flora 1860, 2, 3.  
 — *alba* Presl. Rchb. Fl. germ. 18, 1343.  
 — *americana* L. Schilling Lepra 1.  
 † — — Chatin Anatomie 2.  
 — *capensis* Choisy. Harvey Thes. cap. 1, 39.  
 — *cassythoides* N. v. E. Harvey Thes. cap. 2, 119.  
 — *densiflora* Soyer. Rchb. Fl. germ. 18, 1342.  
 † — — Chatin Anatomie 3.  
 † — *Epilinum* Weihe. Agardh Syst. 26.  
 — *Epithymum* Sm. Rchb. Fl. germ. 18, 1343.  
 † — — Chatin Anatomie 1.  
 † — *hassiac* Pfeiff. Flora 1857, 10.  
 — *lupuliformis* Krock. Rchb. Fl. germ. 18, 1343.  
 — *major* DC. Rchb. Fl. germ. 18, 1342.  
 † — — Payer Organogénie 122.  
 † — — Chatin Anatomie 2.



- Cuscuta monogyna* Vahl. *Rchb. Fl. germ.* 18, 1343.  
 † — — — Chatin *Anatomie* 4.  
 — — — *obtusiflora* Engelm. *Rchb. Fl. germ.* 18, 1343.  
 — — — *Kth.* *Rchb. Fl. germ.* 18, 1344.  
 — — — *planiflora* Koch. *Rchb. Fl. germ.* 18, 1343.  
 — — — *racemosa* Mart. *Rchb. Fl. germ.* 18, 1344.  
 † — — — *reflexa* Roxb. *Chatin Anatomie* 3.  
 — — — *rubricaulis* Engelm. *Rchb. Fl. germ.* 18, 1343.  
 — — — *Trifolii* Choisy. *Rchb. Fl. germ.* 18, 1343.  
 — — — *urceolata* Kze. *Rchb. Fl. germ.* 18, 1344.  
 † *Cuspidaria erubescens* Bur. *Bureau Bign.* 3.  
 † *Cussonia Spr.* *Baillon Euph.* 5.  
*Cyanella capensis* L. *Linn. Transact.* 24, 53.  
*Cyanophyllum magnificum* Hort. *Revue horticole* 1859, p. 359.  
*Cyanotis nodiflora* Kth. *Bot. Mag.* 90, 5471.  
*Cyathaea* . . . . Griffith *Pl. asiat.* 129, 131.  
 — — — *canaliculata* Willd. *Lowe Ferns* 8, 55.  
 — — — *Cunninghami* Hook. *fil.* *Hook. Ic. pl.* 10, 985.  
 — — — *dealbata* Sw. *Lowe Ferns* 8, 58.  
 — — — *ebinina* Karst. *Karsten Fl. Col.* 2, 100.  
 — — — *excelsa* Sw. *Lowe Ferns* 8, 56.  
 — — — *frondosa* Karst. *Karsten Fl. Col.* 1, 74, 100.  
 — — — *incana* Karst. *Karsten Fl. Col.* 1, 37, 100.  
 — — — *medullaris* Sw. *Lowe Ferns* 8, 57.  
 — — — — — *Hook. Garden Ferns* 25.  
 — — — *Mettenii* Karst. *Karsten Fl. Col.* 1, 56, 100.  
 † — — — *microphylla* Mett. *Mettenius Fil. Lechl.* 3.  
 — — — — — *Hooker Second Century* 99.  
 — — — *sinuata* Hook. and Grev. *Hook. Garden Ferns* 21.  
 — — — *Smithii* Hook. *fil.* *Hook. New Zeal.* 72.  
 — — — *squamipes* Karst. *Karsten Fl. Col.* 1, 99, 100.  
*Cyathodes ascendens* Hook. *fil.* *Hook. Fl. Tasm.* 74.  
 — — — *divaricata* Hook. *fil.* *Hook. Fl. Tasm.* 74.  
*Cyathoglottis macrantha* Lem. *Lem. Jard fl.* 4, 355.  
*Cybianthus Boissieri* A. DC. *Endl. Bras.* 16, 41.  
 — — — *coriaceus* Mart. *Endl. Bras.* 16, 39.  
 — — — *cuneifolius* Mart. *Endl. Bras.* 16, 38.  
 — — — *densicomus* Mart. *Endl. Bras.* 16, 39.  
 — — — *densiflorus* Miq. *Endl. Bras.* 16, 45.  
 — — — *detergens* Mart. *Endl. Bras.* 16, 40.  
 — — — *fuscus* Mart. *Endl. Bras.* 16, 37.  
 — — — *longifolius* Miq. *Endl. Bras.* 16, 43.  
 — — — *macrophyllus* Miq. *Endl. Bras.* 16, 36.  
 — — — *multicostatus* Miq. *Endl. Bras.* 16, 42.  
 — — — *myrianthus* Miq. *Endl. Bras.* 16, 44.  
 — — — *obovatus* Mart. *Endl. Bras.* 16, 46.  
 † *Cybistax antisiphilitica* Mart. *Bureau Bign.* 17.  
 † *Cycadeae R. Br.* *Acad. Amst.* 1846, 1.  
 † — — — *Bull. Mosc.* 1857, 3, 4.  
 † — — — *Regel Gartenfl.* 6, 184—186.  
 † *Cycas circinalis* L. *Goethe Atlas* 4.  
 — — — — — *de Vriese Descriptions* 1851, 4, 5.  
 — — — *revoluta* L. var. *prolifera*, *Cleyer Fl. jap.* 79.  
 — — — — — *Sieb. Fl. Jard.* 1862, 7.  
 — — — *Ruminiana* Hort. *Mosc. Illustration horticole* 1864, 405.  
 — — — *Rumphii* Miq. *de Vriese Descriptions* 1851, 2, 3.  
*Cyclamen* L. (22 species cultae) *Kratz Primulaceae* 3, 4.  
 — — — *coum* Mill. *Regel Gartenfl.* 1862, 370.  
 — — — *europaeum* L. *Rchb. Fl. germ.* 17, 1089.  
 † — — — *hederaefolium* Ait. *Treviranus Symb.* 66—71.  
 — — — — — *Rchb. Fl. germ.* 17, 1088.  
 — — — — — *Revue horticole* 1855, 2.  
 — — — *persicum* Mill. var. *Belgique horticole* 1861, 3.  
 — — — *repandum* Sibth. *Rchb. Fl. germ.* 17, 1088.  
 † *Cyclanthera pedata* Schr. *Schnizl. Iconogr.* 202.  
 † — — — — — *Payer Organogém.* 93.  
 † — — — — — *Handl. Acad. Holm.* 1857, 1.  
 † — — — — — *Agardh Syst.* 27.  
*Cyclobothra alba* Benth. *Fl. d. serres* 11, 1171.

- Cyclobothra alba* Benth. *Belgique horticole* 7, 32.  
 — — — *lutea* Ldl. *Sieb. Fl. Jard.* 1862, 9.  
 † *Cyclodiscus latifolius* Kl. *Berl. Monatsb.* 1859, 1.  
*Cyclonema triphylla* Harv. *Harvey Thes.* cap. 1, 27.  
*Cyclopeltis semicordata* J. Sm. *Lowe Ferns* 6, 3.  
*Cycloptychis virgata* E. M. *Harvey Thes.* cap. 1, 59.  
 † *Cyclostemon* Bl. *Baillon Euph.* 23.  
 — — — *natalense* Harv. *Harvey Thes.* cap. 2, 200.  
*Cyclotheca australis* Moq. *Müller Plants of Victoria* 1, 9<sup>b</sup>.  
*Cycnium Sandersoni* Harv. *Harvey Thes.* cap. 1, 49.  
 — — — *tubatum* Benth. *Harvey Thes.* cap. 1, 50.  
*Cydonia japonica* Pers. *Nees Sammlng.* 68.  
 — — — — — *Fl. d. serres* 14, 1403.  
 — — — — — var. *rosalba*, *illustration horticole* 1857, 135, 1860, 260.  
 † — — — — — *Verh. Rheinland* 16, 3.  
 — — — *Lagenaria* Duh. *Nouveau Duhamel* 6, 76.  
 — — — *sinensis* Thouin. *Nouveau Duhamel* 6, 75.  
 — — — *vulgaris* Pers. *Berg Darstellung* 1, 4<sup>b</sup>.  
*Cymbaria daurica* L. *Ammann Ruth.* 1.  
 † — — — — — *Chatin Anatomie* 35.  
*Cymbidium altum* Willd. *Plumier Ic. Burm.* 189.  
 — — — *chloranthum* Ldl. *Bot. Mag.* 82, 4907.  
 — — — *eburneum* Ldl. *Bot. Mag.* 85, 5126.  
 — — — — — *Warner Select Orch.* 21.  
 — — — *fuscescens* Griff. *Griffith Pl. asiat.* 319.  
 — — — *giganteum* Wall. *Bot. Mag.* 81, 4844.  
 — — — *grandiflorum* Willd. *Griffith Pl. asiat.* 321.  
 — — — *luteum* Willd. *Feuillée* 2, 20.  
 — — — *tigrinum* Hook. *Bot. Mag.* 90, 5457.  
*Cymbosema roseum* Benth. *Endl. Bras.* 24, 42.  
 † *Cynanchum R. Br.* *Gleichen Entdeckungen* 33, 34.  
 † — — — — — *Nees Gen.* 28, 20.  
 — — — *acutum* L. *Martens Venedig* 2, 7.  
 — — — — — *Rchb. Fl. germ.* 17, 1070.  
 — — — *longifolium* Mart. *Martens Venedig* 2, 6.  
 — — — *monseliacum* L. *Martens Venedig* 2, 7.  
 — — — — — *Rchb. Fl. germ.* 17, 1070.  
 — — — *obtusifolium* Thunb. *Weber Archiv* 1.  
 — — — *suberosum* L. *Dillenius Elth.* 229.  
 — — — *Vincetoxicum* R. Br. *Colonna Phytobasanos* 25.  
*Cynara Cardunculus* L. *Rchb. Fl. germ.* 15, 883.  
 — — — — —  $\beta$ . *sativa* Moris. *Rchb. Fl. germ.* 15, 884.  
*Cynoglossum cheirifolium* L. *Rchb. Fl. germ.* 18, 1332.  
 — — — *Columnae* Ten. *Rchb. Fl. germ.* 18, 1331.  
 — — — *Dioscoridis* Vill. *Lorey Flore de Côte d'or* 4.  
 — — — — — *Rchb. Fl. germ.* 18, 1332.  
 — — — *limense* Willd. *Feuillée* 2, 49.  
 — — — *montanum* Lam. *Rchb. Fl. germ.* 18, 1333.  
 — — — *nebrodense* Guss. *Rchb. Fl. germ.* 18, 1332.  
 † — — — *officinale* L. *Schnizl. Iconogr.* 143.  
 — — — — — *Rchb. Fl. germ.* 18, 1330.  
 — — — *pictum* L. *Rchb. Fl. germ.* 18, 1331.  
 † *Cynocrambeae N. v. E.* *Schnizl. Iconogr.* 94\*.  
*Cynometra grandiflora* Gray. *Gray Expl. Exp.* 52.  
*Cynomorium coccineum* L. *Linné Amoenit.* 4, 2.  
 — — — — — *Boisgelin Malta* (1805.) 11.  
 — — — — — *Arch. Mus.* 10, 24—27.  
 † — — — — — *Ann. sc. nat.* IV, 12, 4.  
 † — — — — — *Chatin Anatomie* 93, 94.  
 † — — — — — *Linn. Transact.* 22, 1.  
 † — — — — — *Pringsheim Jahrb.* 1, 10.  
 † — — — — — *Abh. Leipz.* 6, 11.  
*Cynorchis squamosa* Ldl. *Aubert Orch.* 4.  
 † *Cynosurus* L. *Linné Amoenit.* 7, 2.  
 — — — *indicus* L. *Burmman Thes.* zeyl. 47.  
 † *Cyperaceae* DC. *Griffith Pl. asiat.* 139, 166.  
 — — — — — *Payer Organogénie* 147.  
*Cyperorchis elegans* Bl. *Blume Orchid.* 48.  
 † *Cyperus* L. *Linné Amoenit.* 7, 3.

- Cyperus alternifolius* albo-variiegatus *L. v. H.* Fl. d. serres 14, 1479—1480.  
 — *brachystachys* *Hook.* *Eugenies* Resa 13.  
 — *caffer* *Bert.* *Mem. Bon.* 5, 23.  
 — *colymbetes* *Kotschy.* *Kotschy Pl. Tinn.* 24.  
 † — *compressus* *L.* *Mém. prés. Pet.* 1, 3.  
 — *cornutus* *And.* *Eugenies* Resa 13.  
 — *esculentus* *L.* *Colonna Phytobasanos* 2.  
 — *flavescens* *L.* *Poiteau Fl. par.* 74.  
 — *fuscus* *L.* *Poiteau Fl. par.* 75.  
 — *grammicus* *Kze.* *Gay* Chile 70.  
 — *Gunnii* *Hook. fil.* *Hook. Fl. Tasm.* 140.  
 — *Jacquini* *Schrad.* *Denkschr. der Wien. Acad.* 8, 1.  
 † — *Monti* *L. fil.* *Mém. prés. Pet.* 1, 3.  
 † — *Papyrus* *L.* *Mém. prés. Pet.* 1, 3.  
 — — — *Mém. prés. Acad. Par.* 12, 2.  
 — *polycephalus* *Schrank.* *Schrank Hort. monac.* 86.  
 — *prolixus* *Kunth.* *Denkschr. der Wiener Akad.* 8, 2.  
 — *pygmaeus* *Cav.* *Ann. de hist. nat.* 3, 26.  
 — *sanguineofuscus* *N. v. E.* *Hook. Fl. Tasm.* 139.  
 † — *strigosus* *L.* *Mém. prés. Pet.* 1, 3.  
 — *syriacus* *Parl.* *Mém. prés. Acad. Par.* 12, 1.  
 † — *vegetus* *Willd.* *Mém. prés. Pet.* 1, 3.  
*Cyphanthera albicans* *Miers.* *Miers Illustr.* 84.  
 — *cuneata* *Miers.* *Miers Illustr.* 84.  
 — *frondosa* *Miers.* *Miers Illustr.* 84.  
 — *microphylla* *Miers.* *Miers Illustr.* 85.  
 — *ovalifolia* *Miers.* *Miers Illustr.* 85.  
 — *scabrella* *Miers.* *Miers Illustr.* 85.  
 — *tasmanica* *Miers.* *Miers Illustr.* 84.  
 — *tomentosa* *Miers.* *Miers Illustr.* 85.  
*Cyphia corylifolia* *Presl.* *Harvey Thes. cap.* 2, 161.  
 — *elata* *Presl.* *Harvey Thes. cap.* 2, 160.  
 — *persicifolia* *Presl.* *Harvey Thes. cap.* 2, 159.  
 † *Cyphia* *ceae* *DC.* *Schnizl. Iconogr.* 123\*.  
*Cypholophus macrocephalus* *Gaud.* *Archit. Museum* 9, 12.  
*Cyripedium barbatum* *Veitchi* *Hort.* Fl. d. serres 14, 1453.  
 — *Calceolus* *L.* *Cornuti Canad. p.* 205.  
 — — — *Ammann Ruth.* 21, 22.  
 — — — *Regel Gartenfl.* 5, 147.  
 — — — Fl. d. serres 15, 1563.  
 † — — — *Irmisch Orchideae* 4.  
 — *candidum* *Willd.* Fl. d. serres 9, 962.  
 — *caricinum* *Ldl.* *Bot. Mag.* 90, 5466.  
 — *concolor* *Parish.* *Gardeners Chronicle* 1865, 626.  
 — — — *Bot. Mag.* 91, 5513.  
 — *cruciforme* *Zoll.* *Vriese Orch.* 4.  
 — *Dayanum* *Rchb. fil.* Fl. d. serres 15, 1527.  
 — *Fairieanum* *Ldl.* *Bot. Mag.* 83, 5024.  
 — — — *Rchb. Xenia* 2, 133.  
 — — — Fl. d. serres 12, 1244.  
 — — — *Sieb. Fl. Jard.* 1862, 1.  
 — *Hartwegii* *Rchb. fil.* *Seemann Herald* 44.  
 — *hirsutissimum* *Ldl.* *Bot. Mag.* 83, 4990.  
 — — — *Rchb. Xenia* 2, 132.  
 — — — Fl. d. serres 14, 1430.  
 — — — *Revue horticole* 1859, p. 192.  
 — — — *Belgique horticole* 7, 61.  
 — — — *Warner Select Orch.* 15.  
 — *Hookerae* *Rchb.* *Bot. Mag.* 89, 5362.  
 — — — Fl. d. serres 15, 1565.  
 — *humile* *Salisb.* Fl. d. serres 10, 1054.  
 — *japonicum* *Bl.* *Blume Orchid.* 59.  
 — *javanicum* *Bl.* *Blume Orchid.* 58.  
 — *insigne* *Wall.* *Nees Sammlung* 82.  
 — — — *Griffith Pl. asiat.* 322.

- Cyripedium insigne* *Wall.* Fl. d. serres 15, 1564.  
 — *irapeanum* *la Ll.* *Lemaire Illustr.* 1854, x.  
 — *laevigatum* *Hook.* *Bot. Mag.* 91, 5508.  
 — *Lowei* *Ldl.* *Moore Mag.* 1850, p. 297.  
 — *macranthum* *Sw.* *Otto Garten-Z.* 1856, 6.  
 — — — Fl. d. serres 11, 1118.  
 — — — *Illustration horticole* 1857, 117.  
 — — — *Belgique horticole* 7, 61.  
 — — — *Regel Gartenfl.* 1863, 409.  
 — *pubescens* *Willd.* Fl. d. serres 10, 1050.  
 — *purpuratum* *Ldl.* *Bot. Mag.* 82, 4901.  
 — — — Fl. d. serres 11, 1158.  
 — *spectabile* *Sw.* *Nees Sammlung* 65.  
 — *Stonei* *Hort. Low.* *Bot. Mag.* 88, 5349.  
 — — — *Illustration horticole* 1863, 355.  
 — *superbiens* *Rchb. fil.* *Rchb. Xenia* 2, 103.  
 — — — *L'horticultur fr.* 1859, 8.  
 — *Thunbergii* *Bl.* *Blume Orchid.* 60.  
 — *villosum* *Ldl.* *Pescatorea* 1, 48.  
 — — — *Illustration horticole* 1857, 126.  
 — — — Fl. d. serres 14, 1475.  
*Cyrilla racemiflora* *L.* *Lam. Encycl.* 147, Fig. 2.  
 — — — *Nouveau Duhamel* 1, 46.  
 — — — *Nuttall Sylva* 2, 74.  
 † — — — *Baillon Adansonia* 1, 4.  
 † *Cyrilleae* *Endl.* *Schnizl. Iconogr.* 240\*\*.  
*Cyrtandra pendula* *Bl.* *Siebold Fl. Jard.* 1861, 11.  
 † *Cyrtandraceae* *Jack.* *Schnizl. Iconogr.* 152<sup>b</sup>.  
 † *Cyrtandreae* (*Germinatio.*) *Journ. Linn. Soc.* 5, 4.  
 † *Cyrtantherella macrantha* *Oerst.* *Vidensk. Meddelelser* 1854, 5.  
*Cyrtanthus breviflorus* *Harv.* *Harvey Thes. cap.* 2, 139.  
 — *lucescens* *Herb.* *Bot. Mag.* 89, 5374.  
 — *sanguineus* *Ldl.* *Bot. Mag.* 86, 5218.  
 — — — Fl. d. serres 14, 1496.  
*Cyrtochilum Jurgensenianum* *Lem.* *Lem. Jard. fl.* 4, 368.  
 † *Cyrtodeira cupreata* *Hanst.* *Linnaea* 1853, 2.  
 — — — *var. viridifolia*, *Bot. Mag.* 86, 5195.  
*Cyrtogonium palustre* *Brackl.* *Wilkes Expl. Exp.* 12.  
 — *rivulare* *Brackl.* *Wilkes Expl. Exp.* 11.  
*Cyrtopodium punctatum* *Ldl.* *Plumier Ic. Burm.* 187.  
*Cyrtosia javanica* *Bl.* *Rchb. Xenia* 2, 120.  
 — *Lindleyana* *Hook. fil.* *Hook. Himal.* 22.  
 † *Cyrtosperma lasioides* *Griff.* *Griffith Pl. asiat.* 169.  
*Cyrtostylis reniformis* *Br.* *Hook. Fl. Tasm.* 119.  
*Cystopteris alpina* *Desv.* *Hooker British Ferns* 24.  
 — — — *Johnson Ferns* 23.  
 — *brevinervis* *Fée.* *Fée Fil. novae* 26.  
 — *bulbifera* *Bernh.* *Lowe Ferns* 7, 36.  
 — *dentata* *Hook.* *Johnson Ferns* 21.  
 — *Dickieana* *Sim.* *Johnson Ferns* 22.  
 — — — *Lowe Ferns* 7, 33.  
 — *Douglasii* *Hook.* *Hook. Ic. pl.* 10, 955.  
 — *fragilis* *Bernh.* *Hooker British Ferns* 23.  
 — — — *Johnson Ferns* 19, 20.  
 — — — *Lowe Ferns* 7, 31, 32. *New Ferns* 47.  
 — — — *var. Hook. Fl. Tasm.* 166.  
 — *montana* *Link.* *Acta Leop.* 26, 45.  
 — — — *Hooker British Ferns* 25.  
 — — — *Johnson Ferns* 24.  
 — — — *Lowe Ferns* 7, 34.  
 — *regia* *Presl.* *Lowe Ferns* 7, 30.  
 — *rufescens* *Fée.* *Fée Fil. novae* 6.  
 — *sudetica* *A. Br.* *Acta Leop.* 26, 44, 45.  
 — *tasmanica* *Hook.* *Hook. Ic. pl.* 10, 959.  
 — *tenuis* *Schott.* *Lowe Ferns* 7, 35.  
*Cystopus elongatus* *Bl.* *Blume Orchid.* 30.  
 — *Hasseltii* *Bl.* *Blume Orchid.* 30, 36.  
 — *occultus* *Bl.* *Blume Orchid.* 30.  
 — *pubescens* *Bl.* *Blume Orchid.* 30.  
 — *spicatus* *Bl.* *Blume Orchid.* 31.

- Cystopus uniflorus* Bl. Blume Orchid. 21, 23.  
*Cystorchis javanica* Bl. Blume Orchid. 24.  
 — — Belgique horticole 1862, 1.  
 — — obscura Bl. Blume Orchid. 37.  
 — — — Belgique horticole 1862, 1.  
 — — variegata Bl. Blume Orchid. 24.  
 — — — Belgique horticole 1862, 1.  
 † *Cytinus Hypocistis* L. Abh. Leipz. 6, 10.  
 † — — Chatin Anatomie 90—92.  
*Cytisus* L. Nees Gen. 29, 4.  
 — — anagyrius L'her. L'her. Stirp. 95.  
 — — biflorus L'her. L'her. Stirp. 94.  
 — — — Nouveau Duhamel 4, 45.  
 — — Cajan L. Burmann Thes. zeyl. 37.  
 — — — Plumier Ic. Burm. 114.  
 — — capitatus Jacq. var. pauciflorus, Ebel Montenegro 4.  
 — — complicatus DC. Nouveau Duhamel 5, 47.  
 — — foliolosus Ait. L'her. Stirp. 96.  
 — — Laburnam L. Nouveau Duhamel 4, 44.  
 † — — — Ann. sc. nat. V, 2, 7, 8.  
 — — nigricans L. Nouveau Duhamel 5, 46.  
 — — purpureus Scop. Zanoni Hist. 63.  
 — — sessilifolius L. Nouveau Duhamel 4, 45.  
 — — telonensis Lois. Nouveau Duhamel 5, 47.  
 — — triflorus L'her. L'her. Stirp. 97.  
 — — — Nouveau Duhamel 5, 46.  
 — — wolgaricus Willd. Nouveau Duhamel 5, 48.  
 † *Czackia Liliastrum* Andr. Abh. Leipz. 7, 19.  
*Dacrydium Franklinii* Hook. fil. Hook. Fl. Tasm. 100.  
 — — — Hook. Lond. Journ. 1845, 6.  
*Dactylanthus Taylori* Hook. fil. Linn. Transact. 22, 75.  
*Dactylicapnos thalictrifolia* Wall. Belgique horticole 6, 3.  
 † *Dactylis* L. Linné Amoenit. 7, 3.  
 — — caespitosa Forst. Tijdschr. nat. W. 1849, 1.  
*Dahlia crinita* Thunb. Skrivter nat. Selsk. 1792, 4.  
 — — Decaisneana Roetz. Revue horticole 1864, 31.  
 — — imperialis Roetz. Regel Gartenfl. 1863, 407, 408.  
 † — — rosea Cav. Abh. nat. Ges. Halle 1854, 4.  
 — — — Fl. d. serres 9, 919, 14, 1406.  
 — — — Belgique horticole 1860, 15.  
*Dais cotinifolia* L. Spach Suites 66.  
 † — — — Agardh Syst. 15.  
 † *Dalbergia discolor* Bl. Miquel Flora 3.  
 † — — monosperma Dalz. Miquel Flora 3.  
*Dalea Emoryi* Gray. Expl. Missis. 5, 2.  
 — — formosa Torr. Emory Notes 1.  
 — — spinosa Gray. Expl. Missis. 7, 3.  
 — — Thouini Schrank. Schrank Hort monac. 9.  
 † *Dalechampia Plum.* Baillon Euph. 3, 4.  
 † — — pentaphylla Lam. Jussieu Euph. 17.  
 † *Dalembertia* Baill. Baillon Euph. 5.  
*Damasonium californicum* Torr. Expl. Missis. 4, 21.  
 † — — vulgare Coss. et G. Chatin Anatomie 15.  
*Dammara australis* Lamb. Fl. d. serres 11, 75.  
 — — orientalis Lamb. Bot. Mag. 89, 5359.  
*Dampiera adpressa* All. Cunn. De Vriese Goodenov. 16.  
 — — canescens Benth. De Vriese Goodenov. 19.  
 — — cauloptera DC. De Vriese Goodenov. 18.  
 — — eriocephala de Vr. De Vriese Goodenov. 21.  
 — — ferruginea R. Br. De Vriese Goodenov. 14.  
 — — lanceolata All. Cunn. De Vriese Goodenov. 17.  
 — — Reinwardtii de Vr. De Vriese Goodenov. 15.  
 — — Verreauxii de Vr. De Vriese Goodenov. 20.  
*Danaea longifolia* Desv. Endl. Bras. 23, 11.  
*Danthonia Archeri* Hook. fil. Hook. Fl. Tasm. 163.  
 — — aureofulva Em. Desv. Gay Chile 80.  
 — — bromoides Hook. fil. Hook. New Zeal. 68.  
 — — chilensis Em. Desv. Gay Chile 80.  
 — — gracilis Hook. fil. Hook. New Zeal. 69.  
*Danthonia nervosa* Hook. fil. Hook. Fl. Tasm. 163.  
 — — pauciflora R. Br. Hook. Fl. Tasm. 162.  
 — — rigida Raoul. Hook. New Zeal. 69.  
 — — subulata Hook. fil. Hook. Fl. Tasm. 161.  
 — — violacea Em. Desv. Gay Chile 80.  
*Daphne altaica* Pall. Regel Gartenflora 1863, 409.  
 — — calycina Lap. Mém. Toulouse 1, 15.  
 — — Cneorum L. Nouveau Duhamel 1, 10.  
 — — collina Dicks. Nouveau Duhamel 1, 11.  
 — — Elisae Vis. Mem. Ist. ven. 6, 2.  
 — — Laureola L. Nouveau Duhamel 1, 9.  
 † — — — Hofmeister Embryo 9.  
 † — — — Mezereum L. Nouveau Duhamel 1, 8.  
 † — — — Batsch Analyses 9.  
 † — — — Agardh Syst. 15.  
 † — — — Berg Darstellung 2, 12<sup>b</sup>.  
 — — petraea Leib. Flora 1855, 13.  
 † *Daphniphyllum* Bl. Baillon Euph. 21.  
*Daphnopsis brasiliensis* Mart. Endl. Bras. 14, 28.  
 — — Martii Meisn. Endl. Bras. 14, 28.  
*Darlingtonia californica* Torr. Belgique horticole 5, 18.  
 — — — Fl. d. serres 14, 1440—1441.  
*Dasylirium acrotrichum* Zucc. Bot. Mag. 84, 5030.  
 — — — Fl. d. serres 14, 1448.  
 — — glaucophyllum Hook. Bot. Mag. 84, 5041.  
 — — Hartwegianum Zucc. Bot. Mag. 85, 5099.  
 † *Dasystachys Deckeriana* Kl. Oerstel Am. centr. 6.  
*Dasystema tubulosa* Bert. Mem. Bon. 4, 5.  
 † *Datisca cannabina* L. Payer Organogénie 81.  
 † — — — Agardh Syst. 12.  
 † *Datisceae* R. Br. Schnizl. Iconogr. 184.  
 † *Datura* L. Mem. Tur. 1855, 3.  
 — — albidoflava Lem. Illustration horticole 1857, 131.  
 — — arborea L. Nouveau Duhamel 7, 1.  
 — — — Feuillée 2, 46.  
 — — chlorantha Hook. florepleno, Bot. Mag. 85, 5128.  
 — — fastuosa L. fl. pl. Fl. d. serres 14, 1457.  
 — — ferox L. Zanoni Hist. 162.  
 — — humilis Desf. Fl. d. serres 10, 912.  
 — — meteloides DC. Fl. d. serres 12, 1266.  
 — — Stramonium L. Colonna Phytobasanos 12.  
 — — — Rchb. Fl. germ. 20, 1624.  
 — — — Berg Darstellung 3, 20<sup>d</sup>.  
 — — — Wrightii Hort. Regel Gartenfl. 8, 260.  
*Daubentonia Tripetiana* Poit. Regel Gartenfl. 1861, 341.  
 † *Daucus Carota* L. Goethe Atlas 4.  
 † — — — Linn. Transact. 23, 54.  
 † — — — Bot. Zeitung 1862, 10.  
 † — — — Linnæa 32, 2.  
 † — — — Cramer Bildungsabw. 8, 9, 10.  
 — — nitidus Guss. Guss. Fl. Inar. 5.  
 — — setulosus Guss. Guss. Fl. Inar. 4.  
*Davallia aculeata* Sm. Lowe Ferns 8, 26.  
 — — bullata Wall. Lowe Ferns 8, 28.  
 † — — — Abh. Leipz. 9, 8.  
 — — canariensis Sw. Lowe Ferns 8, 12.  
 — — chaerophylla Wall. Lowe Ferns 8, 13.  
 † — — — Abh. Leipz. 9, 8.  
 — — Denhami Hook. Hooker Second Century 47.  
 — — dissecta J. Sm. Lowe Ferns 8, 20.  
 † — — — Abh. Leipz. 9, 8.  
 † — — divaricata Bl. Abh. Leipz. 9, 8.  
 † — — elegans Sw. Mettenius Fil. 27.  
 — — — Lowe Ferns 8, 22.  
 — — foeniculacea Hook. Hooker Second Century 54.  
 — — Goudotiana Kze. Hooker Second Century 23.  
 — — heterophylla Sm. Hook. Fil. exot. 27.  
 — — — Lowe Ferns 8, 19.  
 † — — — Abh. Leipz. 9, 8.  
 — — immersa Wall. Hook. Fil. exot. 79.  
 — — — Lowe Ferns 8, 15.  
 — — Khasiyana Lowe. Lowe Ferns 8, 32.

- Davallia Lapeyrousii* Hook. Hooker Second Century 56.  
 — *Lindleyi* Hook. Lowe Ferns 8, 17.  
 — *lonchitidea* Wall. Hook. Fil. exot. 19.  
 — — Lowe Ferns 8, 30.  
 — *majuscula* Lowe. Lowe Ferns 8, 33.  
 — *Moorei* Hook. Hooker Second Century 53.  
 — *nigrescens* Hook. Hooker Second Century 93.  
 — *nodosa* Hook. Hook. Journ. 1857, 10.  
 — *Novae-Zelandiae* Col. Hook. Garden Ferns 51.  
 — — Lowe Ferns 8, 16.  
 — *ornata* Wall. Lowe Ferns 8, 24.  
 — *pedata* Sm. Hook. Garden Ferns 7.  
 — — Lowe Ferns 8, 25.  
 — *pentaphylla* Brack. Wilkes Expl. Exp. 35.  
 — — *Bl.* Hook. Fil. exot. 37.  
 — — Lowe Ferns 8, 18.  
 — *Pilosella* Hook. Hooker Second Century 96.  
 — *polyantha* Hook. Lowe Ferns 8, 23.  
 — *polypodioides* Don. Lowe Ferns 8, 31.  
 — *pyncocarpa* Brack. Wilkes Expl. Exp. 35.  
 — *pyxidata* R. Br. Lowe Ferns 8, 21.  
 — *rhomboidea* Hook. Hooker Second Century 48.  
 — *solida* Sw. Hook. Fil. exot. 57.  
 — — Lowe Ferns 8, 27.  
 † — *stenocarpa* Kl. Abh. Leip. 9, 8.  
 — *tenuifolia* Sw. Lowe Ferns 8, 14.  
 — *trichomanoides* Hook. Hooker Second Century 64.  
 — *trichosticha* Hook. Lowe Ferns 8, 29.  
*Davallia angustifolia* St. Hil. Endl. Bras. 31, 24.  
 — *grandifolia* Moric. Endl. Bras. 31, 20.  
 — *lucida* Presl. Endl. Bras. 31, 27.  
 — *macrocarpa* Eichl. Endl. Bras. 31, 24.  
 — *vaginata* Eichl. Endl. Bras. 31, 25.  
 — *villosa* Eichl. Endl. Bras. 31, 26.  
 † *Dayenia inermis* Med. Medicus Beob. p. 385.  
 † *Debregeasia* Gaud. Arch. Mus. 9, 15.  
 — *Wallichiana* Wedd. Arch. Mus. 9, 14.  
*Decaceras Huttoni* Harv. Harvey Thes. cap. 2, 114.  
*Decaisnea insignis* Hook. fil. Hook. Himal. 10.  
 — — Fl. d. serres 13, 1335—1336.  
*Decaspora Gunnii* Hook. fil. Hook. Fl. Tasm. 76.  
*Deckeria Corneto* Karst. Karsten Fl. Col. 1, 53.  
*Decostea ruscifolia* Gay. Gay Chile 32<sup>b</sup>.  
*Decumaria barbara* L. Nouveau Duhamel 6, 20.  
 † *Deeringia celosoides* R. Br. Agardh Syst. 26.  
*Delostoma integrifolium* Don. Karsten Fl. Col. 2, 120.  
 † — *nervosum* DC. Bureau Bign. 16.  
 † *Delphinium* L. Pringsheim Jahrb. 1, 22, 23.  
 — *Boissieri* Buhse. Mem. Mosc. 18, 2.  
 — *Brunonianum* Royle. Bot. Mag. 90, 5461.  
 — *cardinale* Hook. Bot. Mag. 81, 4887.  
 — — Torrey Mex. Boundary 2.  
 — — Fl. d. serres 11, 1105—1106.  
 — — Regel Gartenfl. 6, 208.  
 — — Otto Garten-Z. 1856, 10.  
 — *cheilanthum* Fisch. Schrank Hort. monac. 52.  
 — — var. *Hendersoni*, Moore Mag. 1850, 2, p. 57.  
 † — *divaricatum* Led. Payer Organogénie 56.  
 — *elatum* L. flore pleno, Fl. d. serres 12, 1287.  
 † — *Cramer* Bildungsabw. 10, 11.  
 — *formosum* Hort. Fl. d. serres 12, 1185.  
 — — Belgique horticole 6, 13.  
 — — Regel Gartenfl. 6, 199, 8, 253.  
 — *Hendersoni* Hort. Revue horticole 1854, 23.  
 — *Maackianum* Rgl. Regel Gartenfl. 1861, 344.  
 — *Middendorffii* Trautv. Middendorf Reise 2, 1.  
 † — *Requienii* DC. Payer Organogénie 55.  
 † *Demidovia polyphylla* Hoffm. Hoffm. Hortus mosq. 1.  
*Dendrobium albo-sanguineum* Ldl. Bot. Mag. 85, 5130.

- Dendrobium amboinense* Roll. Bot. Mag. 82, 4937.  
 — — Fl. d. serres 12, 1211.  
 — *amplum* Griff. Griffith Pl. asiat. 304.  
 — *barbatulum* Ldl. Bot. Mag. 90, 5444.  
 — *bigibbum* Hook. Bot. Mag. 82, 4898.  
 — — Fl. d. serres 11, 1143.  
 — *calopogon* Rchb. fil. Rchb. Xenia 2, 109.  
 — *chrysanthum* Ldl. Regel Gartenfl. 1864, 446.  
 — *chrysotoxum* Ldl. Bot. Mag. 84, 5053.  
 — — Illustration horticole 1858, 164.  
 — *ciliatum* Parish. Bot. Mag. 90, 5430.  
 — *convexum* Ldl. Rchb. Xenia 2, 118.  
 — *crepidatum* Ldl. Bot. Mag. 83, 4993.  
 — — var. *labello glabro*, Bot. Mag. 83, 5011.  
 — *cucumerinum* MacLeag. Lem. Jard. fl. 4, 358.  
 — *Dalhousianum* Wall. Griffith Pl. asiat. 5. 6. 7.  
 — — Warner Select Orch. 22.  
 — *densiflorum* Wall. Fl. d. serres 14, 1397.  
 — *Devonianum* Paxt. Illustration horticole 1857, 145.  
 — *eburneum* Rchb. fil. Bot. Mag. 90, 5459.  
 — *eriaeflorum* Griff. Griffith Pl. asiat. 307.  
 — *euphlebium* Rchb. fil. Rchb. Xenia 2, 110.  
 — *Falconeri* Hook. Bot. Mag. 82, 4944.  
 — — var. *sepalis petalisque obtusioribus*, Bot. Mag. 84, 5058.  
 — — Fl. d. serres 12, 1197.  
 — *Farmeri* Paxt. Pescatorea 1, 4.  
 — — Bot. Mag. 90, 5451.  
 — — Belgique horticole 1860, 21.  
 — *flabellum* Rchb. fil. Rchb. Xenia 2, 118.  
 — *fuscescens* Griff. Griffith Pl. asiat. 309.  
 — *grandiflorum* Ldl. Rchb. Xenia 2, 110.  
 — *Hasseltii* Rchb. fil. Rchb. Xenia 2, 109.  
 — *hedyosum* Bat. Bot. Mag. 91, 5515.  
 — *heterocarpum* Wall. var. *Henshallii*, Bot. Mag. 83, 4970.  
 — — Lem. Jard. fl. 4, 386.  
 — *Hillii* Hook. Bot. Mag. 87, 5261.  
 — *hirsutum* Griff. Griffith Pl. asiat. 305.  
 — *japonicum* Ldl. Bot. Mag. 90, 5482.  
 — *infundibulum* Ldl. Bot. Mag. 90, 5446.  
 — *Johannis* Rchb. fil. Bot. Mag. 91, 5540.  
 — *Lindleyanum* Griff. Griffith Pl. asiat. 308.  
 — *linguiforme* Sw. Bot. Mag. 87, 5249.  
 — *Lowii* Ldl. Bot. Mag. 88, 5303.  
 — *luteolum* Bat. Bot. Mag. 90, 5441.  
 — *Mac Carthiae* Hook. Bot. Mag. 81, 4886.  
 — *macranthum* Ldl. Vriese Orchid. 17.  
 — — Revue horticole 1859, p. 218.  
 — *macrophyllum* Ldl. Pescatorea 1, 40.  
 — — Warner Select Orch. 26.  
 — *marginatum* Bat. Bot. Mag. 90, 5454.  
 — *Milligani* F. M. Müller Fragmenta 1, 6.  
 — *Mohlianum* Rchb. fil. Bonplandia 1862, 16.  
 — *moniliforme* Sw. Kaempfer Amoenit. p. 865.  
 — *nobile* Ldl. var. *pallidiflorum*, Bot. Mag. 83, 5003.  
 — *nodatum* Rchb. fil. Bot. Mag. 90, 5470.  
 — — Rchb. fil. Fl. d. serres 15, 1582.  
 † — *normale* Griff. Griffith Pl. asiat. 284.  
 — *Parishii* Bat. Bot. Mag. 91, 5488.  
 — *Pierardi* Roxb. Fl. d. serres 9, 955.  
 — *primulinum* Ldl. Regel Gartenfl. 1861, 326.  
 — *pulchellum* Roxb. Bot. Mag. 84, 5037.  
 — *secundum* Ldl. Vriese Orchid. 6.  
 — *senile* Parish. Bot. Mag. 91, 5520.  
 — *striolatum* Rchb. fil. Rchb. Xenia 2, 109.  
 — *Tattonianum* Bat. Bot. Mag. 91, 5537.  
 — *tridenium* Ldl. Bot. Mag. 87, 5285.  
 † — *uniflorum* Griff. Griffith Pl. asiat. 303.  
 — *Veitchianum* Ldl. Vriese Orchid. 5, 11.  
 — *Wardianum* Warn. Warner Select Orch. 19.

- Dendrobium xantholeucum* *Rchb. fil.* *Rchb. Xenia* 2, 118.  
*Dendrochilum glumaceum* *Ldl.* *Bot. Mag.* 81, 4853.  
*Dendromecon rigidum* *Benth.* *Torrey Mex. Boundary* 3.  
 — — — *Bot. Mag.* 85, 5134.  
 — — — *Fl. d. serres* 14, 1411.  
 — — — *Belgique horticole* 1860, 7.  
*Dendrophloe dasystemon* *Miq.* *Miquel Flora Suppl.* 3.  
*Denisonia ternifolia* *F. M. Müller* *Fragmenta* 1, 2.  
 † *Dennstaedtia rufescens* *Moore.* *Abh. Leipz.* 9, 7.  
*Dentaria intermedia* *Sond.* *Flora* 1855, 4.  
 — *pentaphylla* *L.* *L'horticulteur fr.* 1860, 6.  
 — *polyphylla* *W. et K.* *Regel Gartenfl.* 5, 171.  
*Dentrocolla gracilentata* *Rchb.* *Rchb. Xenia* 1, 86.  
 — *rhopalorrhachis* *Rchb.* *Rchb. Xenia* 1, 86.  
 — *Zollingeri* *Rchb.* *Rchb. Xenia* 1, 86.  
*Deparia Moorei* *Hook.* *Hook. Fil. exot.* 29.  
 — *prolifera* *Hook.* *Hook. Fil. exot.* 82.  
 — — — *Lowe Ferns* 8, 38.  
 † — — — *Abh. Senck.* 3, 6.  
 † *Derris Forsteniana* *Bl.* *Miquel Flora* 3.  
 † — *multiflora* *Benth.* *Miquel Flora* 3.  
 † — *uliginosa* *Benth.* *Miquel Flora* 3.  
*Desfontainea Hookeri* *Dun.* *Fl. d. serres* 9, 938.  
 — *spinosa* *Rz. et P.* *Bot. Mag.* 80, 4781.  
 — — — *Fl. d. serres* 9, 938.  
 † *Desfontaineae* *Endl.* *Schnitzl. Iconogr.* 148\*.  
*Desmanthus diffusus* *Willd.* *Zanoni Hist.* 123.  
 — *palustris* *Bert.* *Mem. Bon.* 3, 21.  
*Desmodium barbatum* *Benth.* *Endl. Bras.* 24, 26.  
 — *cinereum* *DC.* *Plumier Ic. Burm.* 149.  
 — *leiocarpum* *Don.* *Endl. Bras.* 24, 27.  
 — *Skinneri* *Benth.* *Bot. Mag.* 90, 5452.  
 — *triflorum* *DC.* *Endl. Bras.* 24, 26.  
*Deutzia crenata* *Zucc.* *fl. pleno, Illustration horticole* 1864, 389.  
 — — — *Belgique horticole* 1864, 19.  
 — *parviflora* *Bge.* *Regel Gartenfl.* 1862, 370.  
 — — — *Acad. Pet.* VII, 4, 5.  
 † — *scabra* *Thunb.* *Agardh Syst.* 12.  
*Devillea flagelliformis* *Tul.* *Endl. Bras.* 13, 75.  
*Deweya arguta* *Torr.* *Torrey Mex. Boundary* 26.  
*Deyeuxia chrysostachya* *Em. Desv.* *Gay Chile* 78.  
 — *erythrostachya* *Em. Desv.* *Gay Chile* 78.  
 — *setifolia* *Hook. fil.* *Hook. New Zeal.* 65.  
 † *Diadenium micranthum* *P. et E.* *Rchb. Xenia* 1, 6.  
*Dianella tasmanica* *Hook. fil.* *Hook. Fl. Tasm.* 133.  
*Dianthera Burchelliana* *KL.* *Harvey Thes. cap.* 2, 136.  
 † *Dianthus* *L.* *Nees Genera* 31, 1.  
 † — — — *Linn. Transact.* 23, 54.  
 — *alpina* *L.* *Regel Gartenfl.* 4, 119.  
 — *arboreus* *L.* *Sieber Creta* 5.  
 — *arenarius* *L.* *Townson Hungary* 16.  
 — *bannaticus* *Heuff.* *Regel Gartenfl.* 5, 153.  
 † — *barbatus* *L.* *Ann. sc. nat.* IV, 4, 15.  
 — *benearnensis* *Loret.* *Bulletin soc. bot. de Fr.* 1858, 1.  
 — *brevifolius* *Friv.* *Acta Acad. hung.* 1840, 8.  
 † — *capitatus* *W. et Kit.* *Mém. Mus.* 2, 4.  
 — *Carthusianorum* — *arenarius* *Verh. märk. bot.* Ges. 2, 3.  
 — *Caryophyllus* *L.* *Ald. Hort. Farn.* p. 90.  
 — — — *Belgique horticole* 6, 15.  
 — — — *Regel Gartenfl.* 1864, 437.  
 — *chinensis* *L.* *Fl. d. serres* 11, 1150, 12, 1221, 1250, 1288, 1289, 13, 1296, 1380.  
 — — — *Regel Gartenfl.* 7, 216, 219, 240, 8, 248.  
 — — — *Belgique horticole* 9, 13.  
 — — — *Bot. Mag.* 91, 5336.  
 — *cincinnatus* *Lem.* *Illustration horticole* 1864, 388.

- Dianthus cibrarius* *Clem.* *Mem. Tur.* 1857, 2.  
 — *deserti* *Kotschy.* *Wiener Sitzungs.* 52, 7.  
 — *glaucus* *L.* *Dillenius Elth.* 298.  
 — *hispanicus* *Assó.* *var. occidentalis, Willkomm Ic. Hisp.* 1, 52.  
 — *hybridus* *(Oeillet Flor.) Revue horticole* 1863, 91.  
 — — — *L'horticulteur fr.* 1862, 17, 1863, 22.  
 — *japonicus* *Hort.* *Otto Garten-Z.* 1856, 1.  
 — *leucophaeus* *Sm.* *Sieber Creta* 9.  
 — *mutabilis* *Boiss.* *Tchichatschewf Asie mineure* 12.  
 — *oculatus* *Boiss.* *Tchichatschewf Asie mineure* 13.  
 — *papillosus* *Vis.* *Visiani Plantae Serbicae* 5.  
 — *Planellae* *Willk.* *Willkomm Ic. Hisp.* 1, 53.  
 — *plumarius* *L.* *English Botany Suppl.* 2979.  
 — *pulcherrimus* *Hort.* *Otto Garten-Z.* 1856, 1.  
 — — — *Fl. d. serres* 11, 1172.  
 — *Seguierii* *Vill.* *var. caucasicus, Bot. Mag.* 86, 5215.  
 — *Verschaffeltii* *Hort.* *Illustration horticole* 1859, 220.  
 — *virginicus* *β. L.* *Dillenius Elth.* 298.  
 — *vulturius* *Ten.* *Tenore Peregr.* 1838, 1.  
*Diapensia himalaica* *Hook. fil.* *Hook. Journ.* 1857, 12.  
 † *Diapensiaceae* *Endl.* *Schnitzl. Iconogr.* 161\*.  
*Diastema gracilis* *Reg.* *var. grandiflora, Regel Gartenfl.* 1854, 92.  
 † — *maculata* *Benth.* *Linnæa* 1853, 1.  
*Diazia portulacoides* *Ph.* *Philippi Reise* 1.  
*Dicella bracteosa* *Gr.* *Endl. Bras.* 21, 6.  
*Dicerostylis lanceolata* *Bl.* *Blume Orchid.* 38.  
 † *Dichaea* *Ldl.* *Irmisch Orchid.* 6.  
*Dichelachne sciurea* *Hook. fil.* *Hook. Fl. Tasm.* 158.  
 — *stipoides* *Hook. fil.* *Hook. New Zeal.* 66.  
 † *Dichilanthe zeylanica* *Th.* *Hook. Journ.* 1856, 8.  
 † *Dichondra carolinensis* *Michx.* *Payer Organogénie* 122.  
*Dichopetalum ranunculaceum* *Mill.* *Hook. Fl. Tasm.* 35.  
 — — — *Hook. Journ.* 1855, 11.  
*Dichorisandra leucophthalma* *Hook.* *Lem. Jard. fl.* 4, 428.  
 — *penduliflora* *Kth.* *Endl. Bras.* 15, 33.  
 — *tejuensis* *Mart.* *Endl. Bras.* 15, 32.  
 — *thyrsiflora* *Mik.* *Endl. Bras.* 15, 32.  
*Dichosema subinerme* *Meisn.* *Lem. Jard. fl.* 4, 350.  
*Dichroma coccinea* *Cav.* *Anales de hist. nat.* 3, 32.  
*Dichromene atrosanguinea* *Em. Desv.* *Gay Chile* 71.  
*Dichrotrichum Ternateum* *Reinw.* *Vriese Plantae Ind.* 1, 2.  
*Dicksonia antarctica* *Lab.* *Lowe Ferns* 8, 43.  
 † — *assamica* *Griff.* *Griffith Pl. asiat.* 136.  
 — *cicutaria* *Sw.* *Lowe Ferns* 8, 40.  
 — *culcita* *L'her.* *Lowe Ferns* 8, 39.  
 — *davallioides* *R. Br.* *Lowe Ferns* 8, 41.  
 † — *Lindeni* *Hook.* *Mettenius Fil.* 28.  
 — *moluccana* *Bl.* *Lowe Ferns* 8, 46.  
 — *nitidula* *Kze.* *Mettenius Fil.* 28.  
 — *punctiloba* *Hook.* *Lowe Ferns* 8, 42.  
 — *rubiginosa* *Kaulf.* *Lowe Ferns* 8, 45.  
 — *squarrosa* *L.* *Lowe Ferns* 8, 44.  
 — *Torreyana* *Brack.* *Wilkes Expl. Exp.* 38.  
*Diclidanthera laurifolia* *Mart.* *Endl. Bras.* 17, 4.  
 — *penduliflora* *Mart.* *Endl. Bras.* 17, 4.  
*Diclidocarpus Ricchii* *Gray.* *Gray Expl. Exp.* 14.  
*Diclidopteris angustissima* *Brack.* *Wilkes Expl. Exp.* 17.  
*Dicytra cucullaria* *DC.* *Illustration horticole* 1859, 215.  
 — *formosa* *DC.* *Nees Sammlung* 45.  
 † — — — *Payer Organogénie* 50.  
 † — — — *Agardh Syst.* 5.  
*Dicoma Burmanni* *Less.* *Burmman Pl. afr.* 67.  
 — *Zeyheri* *Sond.* *Harvey Thes. cap.* 1, 68.  
*Dicoria canescens* *Torr.* *Torrey Mex. Boundary* 30.

- Dicraea Erythrolichen Tul.* Endl. Bras. 13, 74.  
 † *Dictamnus albus L.* Payer Organogénie 21.  
 † — *Fraxinella Pers.* Goethe Atlas 4.  
 † — — Agardh Syst. 18.  
*Dictyanthus Pavonii Dcne.* Regel Gartenfl. 6, 187.  
 — *stapeliaeflorus Rehb.* Regel Gartenfl. 6, 187.  
*Dietyostega campanulata Karst.* Acta Leop. 26, 62.  
 — *pectinata Karst.* Acta Leop. 26, 62.  
*Dictyoxiphium panamense Hook.* Lowe Ferns 8, 69.  
 † — — Abh. Senck. 2, 16.  
*Dicyrta parviflora Seem.* Seemann Herald 69.  
 † — *Warczewicziana Reg.* Linnæa 1853, 1.  
*Didesmus aegyptius Desv.* Jaub. Illustr. 436.  
 † *Didiscus DC. (Pollen)* Mém. prés. Pet. 3, 5.  
 — *coeruleus DC.* Nees Sammlung 70.  
*Didymocarpus Humboldtiana Gardn.* Fl. d. serres 9, 916.  
 — *primulacifolia Gardn.* Bot. Mag. 86, 5161.  
*Didymochiton Richei Gray.* Gray Expl. Exp. 20.  
*Didymochlaena lunulata Desv.* Hook. Garden Ferns 17.  
 — *truncatula J. Sm.* Lowe Ferns 6, 4.  
*Ditymodoxa debilis E. M.* Arch. Mus. 9, 20.  
*Didymoglossum capillatum Pr.* Verh. Ac. Amst. 1861, 28.  
 — *Filicula Desv.* Verh. Ac. Amst. 1861, 26.  
 — *laxum v. d. B.* Verh. Ac. Amst. 1861, 27.  
*Didymothea thesioides Hook. fil.* Hook. Fl. Tasm. 93.  
*Dieffenbachia Baraquiniana Ch. Lem.* Illustration horticole 1864, 387.  
 — *litturata Schott.* Schott Ic. Aroid. 28—30.  
 — *picta Schott.* Schott Ic. Aroid. 24—27.  
 — *robusta Schott.* Schott Ic. Aroid. 21—23.  
*Diellia erecta Brack.* Wilkes Expl. Exp. 31.  
 — *falcata Brack.* Wilkes Expl. Exp. 31.  
*Diervilla amabilis Carr.* Fl. d. serres 12, 1189.  
 — *floribunda Sieb.* Illustration horticole 1863, 383.  
 — *Middendorffiana Carr.* Revue horticole 1854, 14.  
 — — — Otto Gartenz. 1856, 7.  
 — — — Fl. d. serres 11, 1137.  
 — *multiflora Ch. Lem.* Illustration horticole 1863, 383.  
 † *Digitalis L.* Mem. Tur. 1855, 3.  
 — *ambigua Murr.* Rivinus Opus ined. 87.  
 — — — *Rehb.* Fl. germ. 20, 1690.  
 — *canariensis L.* Rivinus Opus ined. 86.  
 — *feruginea L.* *Rehb.* Fl. germ. 20, 1694. 1695.  
 † — — — Museum Senck. 2, 4.  
 — *fuscescens W. K.* *Rehb.* Fl. germ. 20, 1692.  
 — *laevigata W. K.* *Rehb.* Fl. germ. 20, 1692.  
 — *lanata Ehrh.* *Rehb.* Fl. germ. 20, 1693.  
 — *lutea L.* *Rehb.* Fl. germ. 20, 1691.  
 — *media Roth.* *Rehb.* Fl. germ. 20, 1691.  
 — *purpurascens Roth.* *Rehb.* Fl. germ. 20, 1689.  
 — *purpurea L.* Berg Darstellung 3, 21<sup>a</sup>.  
 — — — *Rehb.* Fl. germ. 20, 1688. 1693.  
 † — — — Linn. Transact. 23, 34.  
 — *Thapsi L.* *Rehb.* Fl. germ. 20, 1689.  
 † *Digitaria aegyptiaca Willd.* Mem. Tur. 1854, 25.  
 † — *chrysolephara Fig.* Mem. Tur. 1854, 27.  
 † — *ciliaris Willd.* Mém. Tur. 1854, 26.  
 † — *decipiens Fig.* Mem. Tur. 1854, 24.  
 — *gracilis Guss.* Guss. Fl. Inar. 19.  
 † — *variabilis Fig.* Mem. Tur. 1854, 23.  
 † — *vestita Fig.* Mem. Tur. 1854, 22.  
*Diglyphosa latifolia Bl.* Blume Orch. 55.  
 — — — *Rehb.* Xenia 1, 80.  
*Dillenia scandens Willd.* Nouveau Duhamel 4, 63.  
 — *speciosa Thunb.* Bot. Mag. 83, 5016.  
 † *Dilleniaceae DC.* Schnizl. Iconogr. 177.  
 † — — Payer Organogénie 51.  
*Dillwynia Drummondii H. van Houtte.* Regel Gartenfl. 1863, 412.  
 † — *parvifolia R. Br.* Agardh Syst. 18.

- Dilochia pentandra Rehb. fil.* *Rehb.* Xenia 2, 105.  
 — *Wallichii Ldl.* *Rehb.* Xenia 2, 105.  
 — — — Blume Orchid. 5, 8.  
*Dimacria auriculata Sweet.* Sweet Ger. 393.  
 — *barbata Sweet.* Sweet Ger. 391.  
 — *lancaefolia Sweet.* Sweet Ger. 387.  
 — *rumicifolia Sweet.* Sweet Ger. 318.  
 — *Smithiana Sweet.* Sweet Ger. 358.  
 † *Dimeria diandra Griff.* Griffith Pl. asiat. 157.  
*Dimorphothea Barberiae Harv.* Bot. Mag. 88, 5337.  
 — — — L'horticulteur fr. 1863, 7.  
 — — — Belgique horticole 1863, 10.  
 — *graminifolia DC.* Bot. Mag. 87, 5252.  
 — *lilacina Rgl. et Herd.* Regel Gartenfl. 1865, 463.  
*Dioclea lasiocarpa Mart.* Endl. Bras. 24, 44.  
*Diodia auriculosa Bert.* Mem. Bon. 2, 18.  
 † *Dionaea muscipula L.* Versl. Amst. 9, 1.  
 † — — — Payer Organogénie 38.  
 † *Dioon angustifolium Mig.* Verh. Acad. Amst. 1851, 4.  
 † — *edule Mig.* Verh. Acad. Amst. 1851, 3. 4.  
 † — — — Acad. Pet. VII. 1, 1.  
 † — *imbricatum Mig.* Verh. Acad. Amst. 1851, 4.  
*Dioscorea altissima Lam.* Plumier Ic. Burm. 117.  
 — *Batatas Decne.* Revue horticole 1854, p. 245.  
 — — — Otto Garten-Z. 1855, 12.  
 — — — Journ. soc. d'hortic. Par. 1858, 465.  
 — — — Fl. d. serres 10, 971.  
 — *piperifolia H. B. K.* Plumier Ic. Burm. 117.  
 † *Dioscoreae R. Br.* Payer Organogénie 146.  
 † *Diosma L.* Agardh Syst. 19.  
 † — — Payer Organogénie 21.  
 — *hirsuta L.* Commelyn Rar. 3.  
 — *oppositifolia L.* Commelyn Rar. 1.  
 — *rubra L.* Commelyn Rar. 2.  
 — *serratifolia Curt.* Burchell Travels 1, 476.  
 † *Diospyros L.* Agardh Syst. 10.  
 † — — Schnizl. Iconogr. 159.  
 — *brasiliensis Mart.* Endl. Bras. 17, 2.  
 — *coccolobaefolia Mart.* Endl. Bras. 17, 1.  
 — *Ebenaster Spr.* Spach Suites 135.  
 — *gaultheriaefolia Mart.* Endl. Bras. 17, 2.  
 — *Kaki L. fil.* Kaempfer Amoenit. p. 804. 806.  
 — *Lotus L.* Nouveau Duhamel 6, 26.  
 — — — *Rehb.* Fl. germ. 17, 1079.  
 — *Paralea Steud.* Endl. Bras. 17, 3.  
 — *Sapota Roxb.* Sonnerat Nouvelle Guinée 14—16.  
 — *sericea A. DC.* Endl. Bras. 17, 1.  
 — *virginiana L.* Belgique horticole 1853, 19. 4, 8.  
*Diotis maritima Cass.* *Rehb.* Fl. germ. 16, 998.  
*Diperium cylindricum Desv.* Desvaux Opuscles 6.  
*Dipholis salicifolia DC.* Ramon Cuba 54<sup>b</sup>.  
 — — — Endl. Bras. 32, 18.  
 † *Diphylleia cymosa Mehr.* Agardh Syst. 5.  
*Diplacis glutinosus Nutt.* var. *grandiflorus*, Fl. d. serres 9, 882.  
 — — — Illustration horticole 1863, 359.  
 — *hybridus Hort.* L'horticulteur fr. 1862, 12.  
*Dipladenia acuminata Hook.* Bot. Mag. 81, 4828.  
 — *flava Hook.* Lem. Jard. fl. 4, 373.  
 — *fragrans A. DC.* Endl. Bras. 26, 39.  
 — *gentianoides Müll.* Endl. Bras. 26, 37.  
 — *Harrisii Purdie.* Bot. Mag. 81, 4825.  
 — — — Fl. d. serres 14, 1404.  
 — *illustris Müll.* Endl. Bras. 26, 38.  
 — *polymorpha Müll.* Endl. Bras. 26, 36.  
 — *spigeliaceflora Müll.* Endl. Bras. 26, 37.  
*Diplanthera formosa Schrank.* Schrank Hort. monac. 62.  
 — — — Griffith Pl. asiat. 161<sup>c</sup>.  
*Diplarthe multiflora H. et T.* Hook. Journ. 1854, 11.  
 — *pauciflora H. et T.* Hook. Journ. 1854, 11.  
*Diplarrhena Moraea Lab.* Labill. Relation 15.  
*Diplasanthum lanosum Desv.* Desvaux Opuscles 5.

- Diplaspis Hydrocotyle Hook. fil.* Hook. Fl. Tasm. 34.  
*Diplax tasmanica Hook. fil.* Hook. Fl. Tasm. 155.  
*Diplazium alternifolium Bl.* Hook. Fil. exot. 17.  
 — *ambiguum J. Sm.* Lowe Ferns 5, 47.  
 — *bulbiferum Brack.* Wilkes Expl. Exp. 18.  
 — *congruum Brack.* Wilkes Expl. Exp. 18.  
 — *cordifolium Bl.* Hook. Ic. pl. 10, 936.  
 — *decussatum J. Sm.* Lowe Ferns 5, 50.  
 — *elegans Hook.* Hook. Ic. pl. 10, 939. 940.  
 † — *giganteum Pr.* Acta Leop. 28, 4.  
 — *juglandifolium Sw.* Hook. Fil. exot. 100.  
 — *Katzeri Reg.* Regel Gartenf. 9, 282.  
 † — *Lechleri Mett.* Mettenius Fil. Lechl. 2.  
 — *nitidum Cav.* Anales de hist. nat. 7, 48.  
 — *plantagineum Sw.* Lowe Ferns 5, 46.  
 — *pubescens Link.* Lowe Ferns 5, 52.  
 — *silvaticum Sw.* Lowe Ferns 5, 49.  
 — *striatum Presl.* Lowe Ferns 5, 48.  
 — *thelypteroides Presl.* Lowe Ferns 5, 51.  
*Diplostephium anactinotum Wedd.* Castelnau Exped. 35.  
 — *eriphorum Wedd.* Castelnau Exped. 36.  
 — *floribundum Wedd.* Castelnau Exped. 36.  
 — *lavanulifolium H. B. K.* Castelnau Exped. 36.  
 † *Diplotaxis tenuifolia DC.* Seringe Bulletin 1.  
*Diplothemium littorale Mart.* Bot. Mag. 81, 4861.  
*Dipodium pictum Rehb. fil.* Rehb. Xenia 2, 107.  
 — *punctatum R. Br.* Hook. Fl. Tasm. 127.  
 — *squamatum R. Br.* Rehb. Xenia 2, 107.  
 † — — — Griffith Pl. asiat. 327—329.  
 † *Dipsacaceae Juss.* Schnizl. Iconogr. 119.  
 † — — — Abh. Senek. 1, 5.  
 † — — — Abh. Acad. Berl. 1857, 3.  
 † — — — Payer Organogénie 131.  
*Dipsacus ferox Lois.* Schrank Hort. monac. 42.  
 ! — *fullosum L.* Fleischer Misbildungen 5.  
 † — *laciniatus L.* Payer Organogénie 131.  
 † — *silvestris L.* Jard. Annals II, 11, 15.  
*Dipteracanthus affinis N. v. E.* Bot. Mag. 89, 5414.  
 — *calvescens N. v. E.* Bot. Mag. 85, 5106.  
 — ? *Herbstii Hook.* Bot. Mag. 85, 5156.\*  
 — — — Illustration horticole 1861, 285.  
 — *hispidus Bert.* Mem. Bon. 7, 18.  
 † — *patulus N. v. E.* Vidensk. Meddelelser 1854, 4.  
 † — *Schauerianus N. v. E.* Schnizl. Iconogr. 3, 150.  
*Dipterix odorata Schreb.* Berg Charakt. 522.  
*Dirca palustris L.* Linné Amoenit. 3, 1.  
 — — — Nouveau Dubamel 3, 48.  
*Dircaea Blassii Reg.* Otto Garten-Z. 1856, 12.  
 — — — Fl. d. serres 11, 1140—1141.  
 — *bulbosa Decne.* var. *lateritia*, Fl. d. serres 11, 1122.  
 — *lobulata Ch. Lem.* Fl. d. serres 10, 1042.  
 † — *magnifica Decne.* Linnaea 1853, 1.  
*Dircaeo-Gesneria purpurea Planch.* Otto Garten-Z. 1855, 6.  
 — — — Fl. d. serres 10, 1046.  
*Disa aconitoides Sond.* Harvey Thes. cap. 1, 41.  
 — *fasciata Ldl.* Harvey Thes. cap. 1, 85.  
 — *grandiflora L. fil.* Pescatorea 1, 18.  
 — — — Belgique horticole 5, 7.  
 — — — Warner Select Orch. 36.  
 — *melaleuca Thunb.* Harvey Thes. cap. 1, 84.  
 — *spathulata Sw.* Harvey Thes. cap. 1, 86.  
*Discaria febrifuga Mart.* Endl. Bras. 28, 35.  
*Dischidia Rafflesiana Wall.* Fl. d. serres 15, 1592—1593.  
*Disciphania lobata Eichl.* Endl. Bras. 38, 36.  
*Discocapnos Mundtii Cham.* Harvey Thes. cap. 1, 10.  
 † *Discocarpus Kl.* Baillon Euph. 22.  
*Discolobium hirtum Benth.* Endl. Bras. 24, 17.  
 — *pulchellum Benth.* Endl. Bras. 24, 17.  
*Discopleura capillacea DC.* Rehb. Fl. germ. 21, 1860.

- Discostigma grandifolium Choisy.* Mem. Genev. 15, 2.  
 — *rostratum Hassk.* Mem. Genev. 15, 1.  
 — *vitiense Gray.* Gray Expl. Exp. 16.  
*Diselma Archeri Hook. fil.* Hook. Fl. Tasm. 98.  
*Disepalum anomalum Hook. fil.* Linn. Transact. 23, 20.  
*Disperis cardiophora Harv.* Harvey Thes. cap. 2, 106.  
 — *Cooperi Harv.* Harvey Thes. cap. 2, 172.  
 — *Fanniniæ Harv.* Harvey Thes. cap. 2, 171.  
 — *paludosa Harv.* Harvey Thes. cap. 2, 148.  
*Dissolena verticillata Lour.* Baillon Adansonia 4, 12.  
*Dissotis Irvingiana Hook.* Bot. Mag. 85, 5149.  
*Distemon indicum Wedd.* Arch. Mus. 9, 20.  
 † *Distreptus spicatus Cass.* Bot. Zeitung 1856, 11.  
 † *Ditaxis fasciculata Vahl.* Jussieu Euph. 7.  
 † — — — Baillon Euph. 15.  
*Dithyrea californica Harv.* Hooker London Journ. 1845, 5.  
 — *Wislizeni Engelm.* Marcy Exploration 2.  
*Dithyrocarpus glabratus Kth.* Endl. Bras. 15, 35.  
 † — *glandulosus Seub.* Endl. Bras. 15, 35.  
*Diuris corymbosa Ldl.* Hook. Fl. Tasm. 105.  
 — *maculata Sm.* Hook. Fl. Tasm. 104.  
 — *pedunculata R. Br.* Hook. Fl. Tasm. 105.  
 — *sulphurea R. Br.* Hook. Fl. Tasm. 104.  
 † *Dixonia assamica Griff.* Griffith Pl. asiat. 136.  
*Dodecatheon integrifolium Michx.* Regel Gartenf. 5, 175.  
 † *Dodonaea L.* Agardh Syst. 19.  
 — *burserifolia B. et M.* Müller Plants of Victoria 1, 5.  
 — *viscosa L.* Browne Jamaica 18.  
 — — — Burmann Thes. zeyl. 23.  
 — — — Plumier Ic. Burm. 247.  
*Dolichandra cynanchoides Cham.* Seemann Journal 1, 9.  
*Dolichodeira tubiflora Hanst.* Endl. Bras. 36, 59.  
 † — — — Linnaea 1853, 1.  
*Dolichogyne armata Wedd.* Castelnau Exped. 30.  
 — *lepidophylla Wedd.* Castelnau Exped. 30.  
*Dolichos Lablab L.* Endl. Bras. 24, 51.  
 — *minimus L.* Burmann Thes. zeyl. 84.  
 — *monticola Mart.* Endl. Bras. 24, 51.  
 † — *pruriens R.* Browne Jamaica 31.  
*Doliocarpus brevipedicellatus Garcke.* Endl. Bras. 31, 19.  
 — *castaneaefolius Mart.* Endl. Bras. 31, 18.  
 — *elegans Eichl.* Endl. Bras. 31, 18.  
 — *glomeratus Eichl.* Endl. Bras. 31, 18.  
 — *grandiflorus Eichl.* Endl. Bras. 31, 17.  
*Dombeya Burgessiae Gerr.* Harvey Thes. cap. 2, 137—138.  
 — — — Bot. Mag. 91, 5487.  
 — *Dregcana Sond.* Harvey Thes. cap. 1, 89.  
*Domeykoa oppositifolia Ph.* Philippi Reise 2.  
 † *Donaldia ulmifolia Kl.* Abh. Acad. Berl. 1854, 7.  
 — — — Regel Gartenf. 1854, 93.  
*Doniophyton andicolum Wedd.* Castelnau Exped. 4.  
*Doodia aspera R. Br.* Lowe Ferns 4, 30.  
 — *blechnoides Cum.* Lowe Ferns 4, 32.  
 — *caudata R. Br.* Lowe Ferns 4, 31.  
 — *lunulata R. Br.* Lowe Ferns 4, 31.  
*Doraena japonica Thunb.* Cleyer Fl. jap. 10.  
 † *Doratometra Wallichiana Kl.* Abh. Acad. Berl. 1854, 5.  
*Dorema Ammoniacum Don.* Berg Darstellung 4, 26°. 26°.  
 — — — Acad. Pet. VII. 3, 3. 4. 5.  
*Doronicon austriacum Jacq.* Rehb. Fl. germ. 16, 957.  
 — *Bourgaei Sch. Bip.* Bot. Mag. 83, 4994.  
 — — — Belgique horticole 8, 10.  
 — *caucasicum M. v. B.* Spach Suites 65.  
 — *cordifolium Sternb.* Rehb. Fl. germ. 16, 955.  
 — *hungaricum Rehb. fil.* Rehb. Fl. germ. 16, 956.  
 — *Nendtwichii Sadl.* Nendtwich Quinquæ Eccl. 2.  
 — *Pardalianches L.* Rehb. Fl. germ. 16, 953.

- Doronicum plantagineum* L. Rchb. Fl. germ. 16, 956.  
*Dorstenia* . . . Forsk. Icones 20.  
 — *Barnimiana Schweinf.* Schweinf. Pl. nilot. 12.  
 — *caulescens* L. Plumier Ic. Burm. 120.  
 — *Contrayerva* L. Plumier Ic. Burm. 119.  
 — *maculata* Ch. Lem. Illustration horticole 1863, 362.  
*Doryanthes excelsa* Corr. Bennett Australasia 8.  
 — — — Regel Gartenfl. 1864, 421.  
 †*Dorycnium Tourn.* Nees Gen. 29, 9.  
 — *Schimperi* Jaub. Jaub. Illustr. 473.  
*Doryopteris collina* J. Sm. Lowe Ferns 3, 38.  
 — *decora* Brack. Wilkes Expl. Exp. 13.  
 — *palmata* J. Sm. Lowe Ferns 3, 37.  
 — *pedata* Fée. Lowe Ferns 3, 35.  
 — *sagittaeifolia* J. Sm. Lowe Ferns 3, 36.  
*Dossinia marmorata* Morr. Blume Orchid. 18.  
 — — — Belgique horticole 1862, 1.  
*Douma thebaica* Duh. Nouveau Duhamel 3, 1—3.  
 †*Draba aizoides* L. Flora 1860, 7.  
 — *alysoides* H. B. K. Castelnau Exped. 86.  
 — *glacialis* Adams. var. *Raddeana*, Bull. Mosc. 1861, 5.  
 — *Kotschy* Stur. Oestr. bot. Zeitschr. 1859, 1.  
 — *Samojedorum* Rupr. Hofmann Ural 2, 1.  
 — *Wahlenbergii* Hartm. var. *glabrata*, Bull. Mosc. 1861, 5.  
*Dracaena Aubryana* Brongn. Belgique hortic. 1860, 24.  
 — — — Fl. d. serres 15, 1522—1523.  
 — *bicolor* Hook. Bot. Mag. 87, 5248.  
 — *Boerhaavii* Ten. Acta Leop. 25, 2.  
 — *concinna* H. Berol. Regel Gartenfl. 1864, 441.  
 — *Draco* L. Humboldt Vues de Cordillères in fine.  
 — — — Schacht Madeira p. 24.  
 — — — Acta Leop. 25, 1.  
 — *elliptica* Thunb. var. *maculata*, Bot. Mag. 80, 4787.  
 — *ensifolia* Wall. Regel Gartenfl. 1864, 451.  
 — *Ombet* Kotschy. Kotschy Pl. Tinn. praef.  
 — *pernyioides* Hook. Bot. Mag. 88, 5352.  
 — *terminalis stricta* Hort. Fl. d. serres 15, 1538—1539.  
 — *thalioides* Hort. Makoy. Belg. hortic. 1860, 24.  
*Dracocephalum austriacum* L. Rchb. Fl. germ. 18, 1240.  
 — *Moldavica* L. Rchb. Fl. germ. 18, 1240.  
 † *peltatum* L. Ann. sc. nat. IV. 4, 7.  
 — *pinnatum* L. Anmann Ruth. 7.  
 — *Ruyschiana* L. Zanoni Hist. 146.  
 — — — Rchb. Fl. germ. 18, 1240.  
 — — — Regel Gartenfl. 1861, 317.  
 †*Dracophyllum capitatum* R. Br. Payer Organogénie 120.  
 † — *secundum* R. Br. Agardh Syst. 9.  
 — *verticillatum* Lab. Labill. Relation 40.  
*Dracunculus canariensis* Kth. Schott Ic. Aroid. 25.  
 — *vulgaris* Schott. Schott Ic. Aroid. 23, 24.  
*Drapetes muscosa* Link. Richard Astrolabe 18.  
*Draytonia rubicunda* Gray. Gray Expl. Exp. 15.  
*Drepanocarpus lunatus* Meyer. Plumier Ic. Burm. 201.  
*Drimia altissima* Hook. Bot. Mag. 91, 5522.  
*Drimophyllum pauciflorum* Nutt. Nuttall Sylva 1, 22.  
*Drimys granatensis* L. fil. Spach Suites 60.  
 — *Winteri* Forst. Feuillée 3, 6.  
 — — — Endl. Bras. 38, 32.  
 — — — Bot. Mag. 80, 4800.  
*Drimyspermum latifolium* Decne. Siebold Fl. Jard. 1859, 3.  
 — *laurifolium* Decne. Siebold Fl. Jard. 1859, 3.  
 †*Droguetia* Gaud. Arch. Mus. 9, 19.  
 †*Drosera* L. Schnizl. Iconogr. 189.  
 † — — — Payer Organogénie 38, 39.  
 † — *Adelae* F. M. Müller Fragmenta 4, 33.

- Drosera capensis* L. Burmann Pl. afr. 75.  
 — *cistiflora* L. Burmann Pl. afr. 75.  
 — *foliosa* Hook. fil. Hook. Fl. Tasm. 6.  
 — *gracilis* Hook. fil. Hook. Fl. Tasm. 5.  
 — *indica* L. Burmann Thes. zeyl. 94.  
 — *ramentacea* Burch. Harvey Thes. cap. 1, 26.  
 — *rotundifolia* L. Burmann Thes. zeyl. 94.  
 † — — — Payer Organogénie 38.  
 † — — — Ann. sc. nat. IV. 3, 10.  
 † — — — Agardh Syst. 7.  
 † — — — (Folia.) Bot. Zeitung 1860, 2.  
 † — — — Bot. Zeitung 1861, 6.  
 † — — — Abh. Leipz. 6, 25.  
 — *spatulata* Lab. Bot. Mag. 87, 5240.  
 — *Whittakeri* Planch. Müller Plants of Victoria 1, 6<sup>b</sup>.  
 †*Drosophyllum lusitanicum* Sur. Mém. Mus. 2, 4.  
*Dryas octopetala* L. Regel Gartenfl. 9, 286.  
 †*Drymaria divaricata* H. B. K. Payer Organogénie 70.  
*Drymoglossum abbreviatum* Fée. Fée Fil. novae 10.  
 — *piloselloides* Pr. Hook. Garden Ferns 46.  
 — *rigidum* Hook. Hook. Ic. pl. 10, 996.  
 †*Drymonia calcarata* Mart. Linnaea 1853, 2.  
 — *villosa* Hort. Bot. Mag. 81, 4866.  
*Drynaria alata* Brack. Wilkes Expl. Exp. 6.  
 — *maxima* Brack. Wilkes Expl. Exp. 7.  
 — *oodes* Fée. Fée Fil. novae 7.  
 — *Prieurii* Fée. Fée Fil. novae 2.  
 — *stenoloma* Fée. Fée Fil. novae 4.  
 — *strophylla* Fée. Fée Fil. novae 8.  
 — *torulosa* Fée. Fée Fil. novae 5.  
 — *vestita* Fée. Fée Fil. novae 4.  
*Dryobalanops Camphora Colebr.* Vriese Mém. 1. 2.  
 † — — — Ann. sc. nat. IV. 5, 4.  
 †*Drypetes Vahl.* Baillon Euph. 24.  
 — *crocea* Poit. Nuttall Sylva 2, 63.  
 †*Drypis Michx.* Nees Gen. 31, 11.  
 † — — — Payer Organogénie 71.  
*Duabanga sonneratioides* Ham. Hook. Himal. 11.  
*Duboisia myoporoides* R. Br. Miers Illustr. 87.  
*Dubois Reymondia lancipetala* Karst. Karsten Fl. Col. 1, 47.  
 — — — *palpiger* Karst. Karsten Fl. Col. 1, 47.  
 †*Duchartrea viridiflora* Decne. Linnaea 1853, 1.  
*Duchesnea sundaica* Miq. Miquel Flora 6.  
*Dunalia senticosa* Miers. Castelnau Exped. 56.  
 †*Duranta Ellisia* L. Browne Jamaica 29.  
 — *Plumieri* Jacq. Plumier Ic. Burm. 79.  
 — — — Baillon Adansonia 2, 5.  
*Duttonia gibbifolia* Müll. Hort. Journ. 1856, 1.  
 †*Ebenaceae* Vent. Schnizl. Iconogr. 159.  
*Ebenus cretica* L. Sieber Creta 9.  
 †*Ecballium Rich.* Handl. Ac. Holm. 1857, 1.  
 † — — — Agardh Syst. 27.  
 † — — — Payer Organogénie 81.  
 — — — Hofmeister Embryo 13,  
 — *agreste* Rchb. Rchb. Fl. germ. 19, 1619.  
*Eccecremanthus eximius* Thw. Hook. Journ. 1855, 9.  
 †*Eccecremarcus scaber* R. et Pav. Bureau Bign. 30.  
 † — — — Agardh Syst. 28.  
*Echeveria canaliculata* Hook. Bot. Mag. 83, 4986.  
 — *lanceolata* Nutt. Torrey Mex. Boundary 24.  
 — *retusa* Ldl. Moore Mag. 1850, p. 129.  
*Echinacea angustifolia* DC. Bot. Mag. 87, 5281.  
*Echinocactus brevipetatus* Eng. Engelm. Boundary 18, 19.  
 — *Buekii* Klein. Regel Gartenfl. 8, 266.  
 — *chloranthus* Eng. Engelm. Boundary 37, 38.  
 † — *cylindraceus* Eng. Engelm. Boundary 30.  
 † — *denudatus* Link. Finckh Cactus 3.  
 — *Emoryi* Eng. Expl. Missis. 4, 3.



- Echinocactus Emoryi* Eng. Engelm. Boundary 28.  
 — *Eynessii* Turp. Turpin Observations 2.  
 † — — — Mém. prés. Pct. 4, 9.  
 — *horizontalis* Eng. Engelm. Boundary 31, 32.  
 — *intertextus* Eng. Engelm. Boundary 34, 35.  
 — *Lecontii* Eng. Expl. Missis. 4, 2.  
 — — — Engelm. Boundary 27.  
 — *longehamatus* Eng. Engelm. Boundary 21—24.  
 † — *Parryi* Eng. Engelm. Boundary 32.  
 — *polyancistrus* Eng. Expl. Missis. 4, 2.  
 — *polycephalus* Eng. Expl. Missis. 4, 3.  
 † — *Sandillon* Eng. Engelm. Boundary 33.  
 — *Scherii* Eng. Engelm. Boundary 17.  
 — *Scopa* Salm-Dyck. Bot. Mag. 90, 5445.  
 — *setispinus* Eng. Engelm. Boundary 20.  
 † — *texensis* Eng. Engelm. Boundary 33.  
 † — *unguispinus* Eng. Engelm. Boundary 35.  
 † — *viridescens* Eng. Engelm. Boundary 29.  
 — *viridiflorus* Eng. Engelm. Boundary 36.  
 — *Whipplei* Eng. Expl. Missis. 4, 1.  
 — *Wislizeni* Eng. Expl. Missis. 4, 3.  
 — — — Engelm. Boundary 25, 26.  
*Echinocystis fabacea* Naud. Ann. sc. nat. IV, 12, 9.  
*Echinophora spinosa* L. Rivinus Opus ined. 106.  
 † *Echinops banaticus* Roch. Zool. bot. Verein 1858, 3.  
 — — — Revue horticole 1858, p. 519.  
 † — *exaltatus* Schrad. Zool. bot. Verein 1858, 3.  
 — *Tournefortii* Led. Jaub. Illustr. 427.  
*Echinopsis Pentlandi* Salm.-Dyck. Illustration horticole 1859, 214.  
*Echinosperrum deflexum* Lehm. Rchb. Fl. germ. 18, 1329.  
 — *Lappula* Lehm. Rchb. Fl. germ. 18, 1329.  
 — *nervosum* Kellogg. Proc. Calif. Acad. 2, 145.  
*Echinostachys Pineliana* Brongn. Bot. Mag. 88, 5321.  
*Echites Asperuginis* Sw. Plumier Ic. Burm. 26.  
 † — *coalita* Vell. Endl. Bras. 26, 50.  
 — *macrospiphon* Torr. Torrey Mex. Boundary 43.  
 — *peltata* Vell. Endl. Bras. 26, 53.  
 — *suaveolens* A. DC. Fl. d. serres 11, 1142.  
 — *torulosa* L. Browne Jamaica 16.  
 — *varia* Stad. Endl. Bras. 26, 47.  
 † — *violacea* Vell. Endl. Bras. 26, 50.  
*Echium calycinum* Viv. Rchb. Fl. germ. 18, 1300.  
 — *elegans* L. Jaub. Illustr. 417.  
 — *italicum* L. Gmelin Reise 1, 19.  
 — — — Rchb. Fl. germ. 18, 1298.  
 — *maritimum* Willd. Rchb. Fl. germ. 18, 1299.  
 — *plantagineum* L. Rchb. Fl. germ. 18, 1300.  
 — *pustulatum* Sibth. Rchb. Fl. germ. 18, 1299.  
 — *rosulatum* Lge. Lange Plantae Hisp. 12.  
 — *rubrum* Jacq. Rchb. Fl. germ. 18, 1299.  
 — *violaceum* L. Rivinus Opus ined. 6.  
 — *vulgare* L. Rchb. Fl. germ. 18, 1298.  
*Eclipta platyglossa* F. M. Müller Plants of Victoria 2, 39.  
*Ectozoma Pavonii* Miers. Miers Illustr. 48.  
*Eddya hispiddissima* Torr. Expl. Missis 2, 9.  
*Edrianthus caudatus* Rchb. fil. Rchb. Fl. germ. 19, 1589.  
 — *graminifolius* A. DC. Rchb. Fl. germ. 19, 1588.  
 — *Kitaibellii* A. DC. Rchb. Fl. germ. 19, 1588.  
 — *Pumilio* A. DC. Rchb. Fl. germ. 19, 1590.  
 — *serpyllifolius* A. DC. Rchb. Fl. germ. 19, 1590.  
 — *tenuifolius* A. DC. Rchb. Fl. germ. 19, 1589.  
*Edwardsia grandiflora* Salisb. Nees Sammlung 64.  
*Egania racemosa* Remy. Castelnau Exped. 9.  
*Ehretia Bourreria* L. Browne Jamaica 16.  
 — *tinifolia* L. Browne Jamaica 16.  
 — *Zeyheriana* Buek. Harvey Thes. cap. 1, 6.  
*Ehrharta Colensoi* Hook. fil. Hook. New Zeal. 65.  
 † — *panicea* Sm. Payer Organogénie 148.

- Eichhornia tricolor* Mart. Bot. Mag. 83, 5020.  
 † *Einomeia hastata* Kl. Berl. Monatsb. 1859, 2.  
*Elachothamnus Cunninghamii* DC. Müller Plants of Victoria 2, 34.  
*Elaeagnus angustifolia* L. Nouveau Duhamel 2, 26.  
 — *latifolia* L. Burmann Thes. zeyl. 39.  
*Elaeis guinensis* L. Fl. d. serres 14, 1492—1493.  
 † *Elaeocarpus* L. Agardh Syst. 21.  
 — *Graeffei* Seem. Seemann Flora vit. 8.  
 — *lanceolata* Bl. L'horticulteur fr. 1862, 11.  
 — *serrata* L. Burmann Thes. zeyl. 40.  
 — *Storckii* Seem. Seemann Flora vit. 7.  
 † *Elaeococca verrucosa* Juss. Jussieu Euph. 11.  
 † — — — Baillon Euph. 12.  
*Elaeodendron laurifolium* Harv. Harvey Thes. cap. 2, 185.  
 † — *quadrangulare* Reiss. Endl. Bras. 28, 5.  
 — *velutinum* Harv. Harvey Thes. cap. 2, 186.  
*Elaphoglossum longipes* Brack. Wilkes Expl. Exp. 9.  
 † — *nitidum* Brack. Wilkes Expl. Exp. 9.  
 — *samoense* Brack. Wilkes Expl. Exp. 9.  
 † *Elateriospermum* Bl. Baillon Euph. 19.  
 † *Elatine* L. Schnizl. Iconogr. 219.  
 † — — — Payer Organogénie 109.  
 † — — — Agardh Syst. 25.  
 † *Elatostema* Forst. Arch. Mus. 9, 9.  
 — *ficoides* Wedd. Arch. Mus. 9, 10.  
 † — *montana* Endl. Jard. Annals II, 11, 15.  
 † — *umbellata* Bl. Blume Mus. 2, 19.  
*Elephantopus elatus* Bert. Mem. Bon. 2, 45.  
 — *scaber* L. Dillenius Elth. 106.  
 † *Elettaria brasiliensis* Raddi. Giorn. Lett. 17, 1.  
 † — *Cardamomum Willd.* Treviranus Symb. 2.  
 — — — White. Berg Datstellung 4, 34.  
 † — . . . Griffith Pl. asiat. 352.  
 † *Eleusine* . . . Griffith Pl. asiat. 150.  
 — *Tocusso* Fres. Bruce Travels 5, 13.  
*Eleutherococcus senticosus* Maxim. Regel Gartenfl. 1863, 393.  
 † *Eleutheropetalum Ernesti* Augusti. Wendl. Oerst. Am. cent. 3.  
 † — *Sartorii* Liebm. Oerst. Amérique cent. 3.  
 † *Elodea canadensis* Rich. Bot. Zeitung 1858, 9.  
 † — — — Pringsheim Jahrb. 1, 27, 28, 29, 4, 8.  
 † — *guianensis* Rich. Pringsheim Jahrb. 1, 29.  
 † — *latifolia* Casp. Pringsheim Jahrb. 1, 29.  
*Elodes aegyptiaca* Spach. Payer Organogénie 1.  
*Elsholzia cristata* Willd. Rchb. Fl. germ. 18, 1281.  
 † *Elymus* L. Linné Amoenit. 7, 2.  
 † — *arenarius* L. Hofmeister Embryo 5.  
 † — — — Abh. Leipz. 7, 11.  
 † *Elytraria bromoides* Oerst. Vid. Meddelelser 1854, 3.  
 † — *fasciculata* N. v. E. Vid. Meddelelser 1854, 3.  
 † — *frondosa* N. v. E. Vidensk. Meddelelser 1854, 3.  
 † — *microstachya* Oerst. Vid. Meddelelser 1854, 3.  
 † — *pachystachya* Oerst. Vid. Meddelelser 1854, 3.  
 † — *tridentata* var. *caulescens* N. v. E. Vidensk. Meddelelser 1854, 3.  
 † *Elytropus chilensis* Müll. Arg. Bot. Zeitung 1860, 1.  
*Elytrospermum californicum* M. Mém. prés. Pet. 1, 2.  
*Embelia Kraussii* Harv. Harvey Thes. cap. 2, 127.  
*Embolia officinalis* Gärtm. Zanoni Hist. 131.  
 † — — — Jussieu Euph. 5.  
 † — — — Baillon Euph. 24.  
*Emblingia calcoliflora* F. M. Müller Fragmenta 2, 11.  
*Embothrium coccineum* Forst. Bot. Mag. 81, 4856.  
 — — — Illustration horticole 1858, 172.  
 — — — Belgique horticole 8, 52.  
 — — — Fl. d. serres 13, 1311.  
 — *salicifolium* Vent. Nouveau Duhamel 5, 36.  
 — *sericeum* Sm. Nouveau Duhamel 5, 35.

- †*Embryogonia lucida* Bl. Blume Mus. 2, 52.  
 †*Emex spinosus* Camp. Campdera Rumex 1. 3.  
*Eminium Ledebourii* Schott. Schott Aroid. 22.  
*Emmenanthe parviflora* Newb. Expl. Missis. 6, 15.  
*Emorya suaveolens* Torr. Torrey Mex. Boundary 36.  
*Empedoclea alnifolia* St. Hil. Endl. Bras. 31, 20.  
 †*Empetreae* Nutt. Schnizl. Iconogr. 241.  
*Empetrum aciculare* Bert. Mem. Bon. 4, 2.  
 † — *nigrum* L. Agardh Syst. 10.  
*Empleuridium juniperinum* Sond. Harvey Thes. cap. 77.  
*Empleurum serrulatum* Ait. Berg Darstellung 1, 2<sup>b</sup>.  
*Encephalartus* Lehm. (Fructus embryone carens.) Regel Gartenfl. 7, 223.  
 — *caffer* Lehm. Bot. Mag. 82, 4903.  
 — *horridus* Lehm. var. *trispinosa*, Bot. Mag. 89, 5371.  
 — — — Revue horticole 1864, 191.  
 — *Lehmanni* Eckl. Regel Gartenfl. 14, 477.  
 — *longifolius* Lehm. Acad. Pet. VII. 1, 1.  
 †*Encocpea umbellifera* Presl. Presl Symbolae 75.  
*Eucalyptus himalaicus* Hook. Hook. Journ. 1855, 3.  
 — *quinqueforus* Lour. L'horticulteur fr. 1859, 9.  
 †*Endodeca Bartonii* Kl. Berl. Monatsb. 1859, 2.  
*Endolepis Suckleyi* Coop. Expl. Missis. 1, 3.  
*Enemion Raddeanum* Reg. Bull. Mosc. 1861, 2.  
*Engelmannia pinnatifida* Torr. et Gr. Marcy Exploration 11.  
 †*Enhalus acoroides* Rich. Chatin Anatomie 6.  
 † — *marinus* Griff. Griffith Pl. asiat. 249, 250.  
 †*Enhydra affinis* Ag. Agardh Syst. 24.  
*Ensenia albida* Nutt. Karsten Fl. Col. 2, 162.  
 — *volubilis* Karst. Karsten Fl. Col. 2, 162.  
*Entada polystachya* DC. Plumier Ic. Burm. 12.  
 †*Epacris* Forst. Payer Organogénie 118.  
 † — — Schnizl. Iconogr. 160.  
 — *corymbiflora* Hook. fil. Hook. Fl. Tasm. 78.  
 — *Franklinii* Hook. fil. Hook. Fl. Tasm. 79.  
 † — *grandiflora* R. Br. Abh. Leipz. 6, 25.  
 — — — Nees Sammlung 34.  
 — *Gunnii* Hook. fil. Hook. Fl. Tasm. 78.  
 — *miniata* Ldl. var. *splendens*, Illustration hortic. 1859, 194.  
 — *multiflora* Hort. Illustration horticole 1860, 266.  
 — *pulchella* R. Br. Nees Sammlung 35.  
 — *virgata* Hook. fil. Hook. Fl. Tasm. 79.  
*Epaltes umbelliformis* Steetz. Peters Mossamb. 49.  
*Ephedra altissima* Desf. Nouveau Duhamel 3, 6.  
 — *macrocephala* Bert. Mem. Bon. II. 1, 3.  
 † — *major* Schacht. Schacht Lehrbuch 2, 10.  
 — *monostachya* L. Ammann Ruth. 26.  
 — *triandra* Tul. Endl. Bras. 35, 107.  
 †*Epidendreae* Ldl. Griffith Pl. asiat. 313.  
*Epidendrum affine* A. Rich. Ramon Cuba 78<sup>b</sup>.  
 — *amphistomum* A. Rich. Ramon Cuba 81.  
 — *asperum* Ldl. Regel Gartenfl. 5, 179.  
 — *atropurpureum* Rehb. Pescatorea 1, 27.  
 — *aurantiacum* Bat. Regel Gartenfl. 5, 159.  
 — *bifidum* Sw. Plumier Ic. Burm. 186.  
 — *calliferum* Lem. Lem. Jard. fl. 4, 414.  
 — *caracasianum* Reg. Regel Gartenfl. 8, 274.  
 † — *chiriquense* Rehb. Rchb. Xenia 1, 51.  
 — *ciliare* L. Plumier Ic. Burm. 179.  
 — *cochleatum* L. Plumier Ic. Burm. 185.  
 — *dichromum* Ldl. var. *amabile*, Bot. Mag. 91, 5491.  
 — *Friderici Guilelmi* Rehb. Rchb. Xenia 1, 51.  
 — *frutex* Rehb. Rchb. Xenia 1, 37.  
 — *fucatum* Ldl. Ramon Cuba 76.  
 — *Fuchsii* Reg. Schw. Zeitschr. f. G. 9, p. 202.  
 — *Hanburii* Ldl. Regel Gartenfl. 1863, 398.  
 — *Humboldtii* Rehb. Rchb. Xenia 1, 52.

- Epidendrum laeertinum* Ldl. Journ. Hort. Soc. 2, p. 309.  
 — *moschatum* Sym. Symes Ava 26.  
 — *memorale* Ldl. majus, Warner Select Orch. 13.  
 — *ornatum* Lem. Lem. Jard. fl. 4, p. 67.  
 — *pentadactylon* Rehb. Rchb. Xenia 1, 48.  
 — *phymatoglossum* Rehb. Rchb. Xenia 1, 57.  
 — *prismatocarpum* Rehb. fil. Rchb. Xenia 2, 123.  
 — — — Warner Select Orch. 9.  
 — — — Bot. Mag. 88, 5336.  
 — *Pseudepidendrum* Rehb. Rchb. Xenia 1, 53.  
 — *Sagraeanum* H. Rich. Ramon Cuba 75.  
 — *secundum* L. Plumier Ic. Burm. 184.  
 — *sinuosum* Ldl. Regel Gartenfl. 1853, 69.  
 — *Skinneri superbum*, Warner Select Orch. 38.  
 — *varicosum* Bat. Rchb. Xenia 1, 56.  
 — *Vieji* Rehb. Rchb. Xenia 1, 48.  
 — *vitellinum* Ldl. Otto Garten-Z. 1855, 9.  
 — — — Fl. d. serres 16, 1026.  
 — *Warszewiczii* Rehb. Rchb. Xenia 1, 26.  
*Epigaea cordifolia* Sw. Plumier Ic. Burm. 64.  
 — *repens* L. Belgique horticole 9, 21.  
*Epigynium acuminatum* Klotzsch. Bot. Mag. 85, 5010.  
 — *leucobotrys* Nutt. Bot. Mag. 85, 5103.  
 †*Epilobium* L. Schnizl. Iconogr. 263.  
 † — — Agardh Syst. 6.  
 † — — Payer Organogénie 94.  
 — *Billardierianum* Ser. Hook. Fl. Tasm. 21.  
 †*Epimedium alpinum* L. Batsch Analyses 4.  
 † — — — Agardh Syst. 5.  
 † — — — Payer Organogénie 152.  
 — *pinatum* Fisch. Belgique horticole 1853, 6.  
 — *rubrum* Morr. Belgique horticole 1653, 6.  
 — — — Regel Gartenfl. 1862, 373.  
 — *versicolor* Morr. Belgique horticole 1853, 6.  
 — *violaceum* Morr. Siebold Fl. Jard. 1859, 8.  
*Epipactis convallarioides* Sw. Weber und Mohr 1.  
 — *latifolia* All. Rivinus Irreg. hexap. 2. 4. 6.  
 — *longifolia* Bl. Blume Orchid. 64, 66.  
 † — *microphylla* Sw. Irmisch Orchid. 4.  
 † — *rubiginosa* Hoffm. Irmisch Orchid. 4.  
 † — — — Abh. Leipz. 7, 5.  
 †*Epiphegus virginianus* Bart. Chatin Anatomie 17.  
 †*Epiphyllum phyllantoides* Haw. Turpin Observat. 1.  
 — *truncatum* Pfeiff. L'horticulteur fr. 1862, 3.  
*Epipogium aphyllum* Sw. Irmisch Orchid. 3.  
*Epirhizanthus cylindrica* Bl. Miquel Flora 15.  
 † — *linearis* Bl. Chatin Anatomie 27.  
 †*Episcia melittifolia* Mart. Plumier Ic. Burm. 48.  
 — — — Lem. Jard. fl. 4, 412.  
 † — *reptans* Mart. Linnaea 1853, 2.  
*Epistephium Friderici Augusti* Rehb. fil. Rchb. Xenia 1, 16.  
 — *Williamsii* Hook. fil. Bot. Mag. 90, 5485.  
 †*Epistylum axillare* Sw. Jussieu Euph. 3.  
 †*Equisetum* L. Payer Botanique cryptogamique p. 214.  
 † — — (Ramey). Bull. sc. nat. Bordeaux 1854, 1. 2.  
 † — — Bull. soc. bot. de France 6, 2.  
 † — — Bot. Zeitung 1856, 6. 1857, 10.  
 † — — Flora 1858, 2. 1860, 7.  
 † — — (Sanio). Linnaea 29, 3.  
 † — — Hofmeister Untersuchungen 18—20.  
 † — — Griffith Pl. asiat. 69.  
 — *arvense* L. Acta Leop. 26, 31—34.  
 — — — Johnson Fern Allies 1.  
 — — — Hooker British Ferns 60.  
 — *giganteum* L. Plumier Ic. Burm. 125.  
 — *hiemale* L. Acta Leop. 26, 36.  
 — — — Johnson Fern Allies 8.  
 — — — Hooker British Ferns 64.  
 — *limosum* L. Acta Leop. 26, 36.  
 — — — Johnson Fern Allies 5.

- Equisetum limosum* L. Hooker British Ferns 62.  
 — *litorale* Kuhl. Acta Leop. 26, 35. 36.  
 — *Mackayi* Newm. Johnson Fern Allies 9.  
 — *Moorei* Newm. Johnson Fern Allies 12.  
 — *palustre* L. Acta Leop. 26, 36. 37.  
 — — Johnson Fern Allies 10, 6. 7.  
 — — Hooker British Ferns 63.  
 — *pratense* Ehrh. Acta Leop. 26, 34. 35. 37.  
 — *silvaticum* L. Acta Leop. 26, 32. 34. 35.  
 — — Johnson Fern Allies 4.  
 — — Hooker British Ferns 61.  
 — *Telmateja* Ehrh. Johnson Fern Allies 3.  
 — — Hooker British Ferns 58.  
 † — — Flora 1858, 2.  
 — *trachyodon* A. Braun. Hook. British Ferns 65.  
 — *umbrosom* Willd. Johnson Fern Allies 2.  
 — — Hook. British Ferns 59.  
 — *variegatum* Schl. Acta Leop. 26, 36. 37.  
 — — Johnson Fern Allies 11.  
 — — Hook. British Ferns 66.  
 — *Wilsoni* Newm. Johnson Fern Allies 10.  
*Eraclissa hexagyna* Forsk. Forskal Icones 17.  
 † *Eranthemum* L. (Pollen.) Mém. prés. Pet. 3, 7. 13.  
 — *bicolor* Spr. Schrank Hort. monac. 8.  
 — — Schr. Nees Sammlung 16.  
 — *Cooperi* Hook. Bot. Mag. 90, 5467.  
 — *crenulatum* N. v. E. Bot. Mag. 90, 5440.  
 — *leuconeurum* Hort. Regel Gartenfl. 5, 174.  
 — *sanguinolentum* Hort. Veitch. Fl. d. serres 15, 1583.  
 — — *tuberculatum* Hook. fil. Bot. Mag. 89, 5405.  
*Eranthis hiemalis* Salisb. Bot. Zeitung 1860, 7.  
 † — *uncinata* Turcz. Bull. Mosc. 1861, 1.  
*Erechtites Gunnii* Hook. fil. Hook. Fl. Tasm. 63.  
 † *Eremanthe calycina* Spach. Payer Organogénie 1.  
 † *Eremiastrum bellioides* Gray. Expl. Missis. 5, 6.  
*Eremocharis fruticosa* Ph. Philippi Reise 2.  
*Eremolepis verrucosa* Gris. Grisebach Chile 1.  
*Eremophila bignoniflora* F. M. Müller Plants of Vict. 2, 55.  
 † — *Latrobei* F. M. Müller Fragmenta 1, 8.  
 — *Willisii* F. M. Müller Fragmenta 2, 20.  
 — *Woolfsiana* F. M. Müller Fragmenta 1, 7.  
*Eremostachys laciniata* Bunge. Regel Gartenfl. 8, 249.  
 — *macrophylla* Montbr. Jaub. Illustr. 461.  
 — *pyramidalis* Jaub. Jaub. Illustr. 462.  
 — *Tournefortii* Jaub. Jaub. Illustr. 412.  
*Eremurus spectabilis* M. v. B. Bot. Mag. 81, 4870.  
*Eria* . . . Griffith Pl. asiat. 302.  
 — *albidotomentosa* Ldl. Rchb. Xenia 2, 136.  
 — *limenophylax* Rchb. fil. Rchb. Xenia 2, 130.  
 — *myristicæformis* Ldl. Bot. Mag. 89, 5415.  
 — *obesa* Ldl. Bot. Mag. 89, 5391.  
 — *ornata* Ldl. Vriese Orchid. 16.  
 — *secundiflora* Griff. Griffith Pl. asiat. 301.  
 — *teretifolia* Griff. Griffith Pl. asiat. 300.  
*Erica Alopecuroides* Harv. Harvey Thes. cap. 1, 48.  
 † — *arborea* L. Spach Suites 88.  
 — — Rchb. Fl. germ. 17, 1164.  
 — — Schacht Madeira 5, et p. 94.  
 — *aristata* Andr. var. major, Fl. d. serres 14, 1420.  
 — *capitata* L. Bauer Ericae ined. 22.  
 † — *carnea* L. Flora 1857, 5.  
 — — Rchb. Fl. germ. 17, 1165. 1166.  
 — *cerinthoides* L. Bauer Ericae ined. 24.  
 — — var. *coronata*, Illustr. horticole 1858, 190.  
 — *cinerea* L. Rchb. Fl. germ. 17, 1163.  
 — *coccinea* Berg. Bauer Ericae ined. 25.  
 — *comosa* L. fil. Bauer Ericae ined. 18.  
 — *conspicua* Sol. β. *splendens* Klotzsch. Bauer Ericae ined. 12. 30.  
 — *corifolia* L. Bauer Ericae ined. 29.

- Erica cruenta* Sol. Bauer Ericae ined. 13.  
 † — *cylindrica* Wendl. Payer Organogénie 118.  
 — *elegantissima* Hort. Moore Mag. 1850, p. 81.  
 — *fascicularis* L. fil. Bauer Ericae ined. 6.  
 — *fulgida* Bedf. Belgique horticole 8, 70.  
 — *glutinosa* Bergius. Bauer Ericae ined. 17.  
 — *grandiflora* L. fil. Bauer Ericae ined. 8.  
 — — Belgique horticole 8, 70.  
 — *halicacaba* L. Bauer Ericae ined. 2.  
 — *Ingrami* Hort. Belgique horticole 7, 52.  
 — *Lecana Dryand.* Bauer Ericae ined. 28.  
 — *longifolia* Ait. Bauer Ericae ined. 4.  
 — *marifolia* Sol. Bauer Ericae ined. 14.  
 — *Massoni* L. fil. Bauer Ericae ined. 20.  
 — *mediterranea* L. Rchb. Fl. germ. 17, 1166.  
 — *Monsoniana* L. fil. Bauer Ericae ined. 7.  
 — *mucosa* L. fil. Bauer Ericae ined. 15.  
 — *multiflora* L. Rchb. Fl. germ. 17, 1165.  
 — *obliqua* Thunb. Bauer Ericae ined. 3.  
 — *Plukenetii* L. Bauer Ericae ined. 9.  
 — *pyramidalis* Sol. Bauer Ericae ined. 21.  
 — *ramentacea* L. fil. Bauer Ericae ined. 27.  
 — *scoparia* L. Rchb. Fl. germ. 17, 1164.  
 — *Sebana Dryand.* Bauer Ericae ined. 10.  
 — *sexfaria* Dryand. Bauer Ericae ined. 11.  
 — *taxifolia* Dryand. Bauer Ericae ined. 19.  
 † — *Tetralix* L. Göthe Atlas 4.  
 † — — Agardh Syst. 9.  
 — — Rchb. Fl. germ. 17, 1163.  
 — *tubiflora* Willd. Bauer Ericae ined. 23. 26.  
 — *umbellata* L. Bauer Ericae ined. 5.  
 — *urceolaris* Bergius. Bauer Ericae ined. 16.  
 — *vagans* L. Rchb. Fl. germ. 17, 1164.  
 — *verticillata* Forst. Rchb. Fl. germ. 17, 1166.  
 — *viscaria* L. Bauer Ericae ined. 1.  
 † *Ericaceae* R. Br. Schnizl. Iconogr. 161.  
 † — — Payer Organogénie 118.  
*Erigeron acris* L. Rchb. Fl. germ. 16, 917.  
 — *alpinus* L. Rchb. Fl. germ. 19, 914. 915.  
 — *bonariensis* L. Dillenius Elth. 257.  
 — *canadensis* L. Zanonii Hist. 23.  
 — — Rchb. Fl. germ. 16, 917.  
 — *carolinianus* C. Dillenius Elth. 306.  
 — *droebachensis* Mill. Rchb. Fl. germ. 16, 916.  
 — *glabratu* H. et H. Rchb. Fl. germ. 16, 914.  
 — *Gunnii* Hook. fil. Hook. Fl. Tasm. 46.  
 — *hieracioides* Wedd. Castelnau Exped. 34.  
 — *linifolius* Willd. Rchb. Fl. germ. 16, 913.  
 — *pellitus* Wedd. Castelnau Exped. 34.  
 — *pulvinatus* Wedd. Castelnau Exped. 33.  
 — *rosulatus* Wedd. Castelnau Exped. 33.  
 — *tasmanicus* Hook. fil. Hook. Fl. Tasm. 46.  
 — *uniflorus* L. Rchb. Fl. germ. 16, 914.  
 — *Villarsii* Bell. Rchb. Fl. germ. 16, 915.  
*Erinus*  
 — *africanus* L. Burmann Pl. afr. 50.  
 — *alpinus* L. Rchb. Fl. germ. 20, 1695.  
 — — Froelich Alpenpl. 9, 1.  
 † — — Agardh Syst. 28.  
 — *capensis* L. Burmann Pl. afr. 49.  
 — *lychnideus* Thunb. Nees Sammlung 95.  
 — *umbellatus* Burm. Burmann Pl. afr. 50.  
*Eriobotrya japonica* Ldl. Cleyer Fl. jap. 66.  
*Eriocaulon gibbosum* Kcke. Endl. Bras. 33, 62.  
 — *griseum* Kcke. Endl. Bras. 33, 60.  
 — *macrobolax* Kcke. Endl. Bras. 33, 62.  
 — *melanocephalum* Kth. Endl. Bras. 33, 63.  
 — *modestum* Kth. Endl. Bras. 33, 62.  
 — *palustre* Salz. Endl. Bras. 33, 61.  
 — *pygmaeum* Kcke. Endl. Bras. 33, 60.  
 — *rosulatum* Kcke. Endl. Bras. 33, 61.  
 — *Sellowianum* Kth. Endl. Bras. 33, 61.  
 — *septangulare* L. (Embryo.) Linn. Trans. 22, 68.

- Eriocaulon setaceum* L. Griffith Pl. asiat. 160.  
 †*Eriocauloneae* Mart. Griffith Pl. asiat. 159—161.  
*Eriocephalus africanus* L. Dillenius Elth. 110.  
 †*Eriochacta densiflora* Fig. Mem. Tur. 1854, 31.  
 † — *reversa* Fig. Mem. Tur. 1854, 32.  
 † — *secundiflora* Fig. Mem. Tur. 1854, 30.  
*Eriochilus autumnalis* R. Br. Hook. Fl. Tasm. 120.  
 †*Eriocnema* Naud. Agardh Syst. 8.  
*Eriococcus gracilis* Hassk. Siebold Fl. Jard. 1861, 2.  
*Eriogonum alatum* Torr. Sitgreaves Expedition 8.  
 — *caespitosum* Nutt. Journ. Ac. Philad. 7, 8.  
 — *compositum* Dougl. Lem. Jard. fl. 4, 398.  
 — *effusum* Torr. var.  $\beta$ . Sitgreaves Expedition 10.  
 — *Heermanni* Dur. Expl. Missis. 5, 17.  
 — *heracleoides* Nutt. Journ. Ac. Philad. 7, 7.  
 — *lachnogynum* Torr. Exped. Missis. 4, 19.  
 — *orthocladum* Torr. Sitgreaves Expedition 9.  
 — *ovalifolium* Nutt. Journal Ac. Philad. 7, 8.  
 — *pharnaceoides* Torr. Sitgreaves Expedition 11.  
 — *Plumatella* Dur. Expl. Missis. 5, 16.  
 — *roseum* Dur. Expl. Missis. 5, 15.  
 — *umbellatum* Torr. Sitgreaves Expedition 12.  
*Eriope crassipes* Benth. Endl. Bras. 22, 30.  
 †*Eriophorum* L. Linné Amoenit. 7, 3.  
 — *angustifolium* Roth. Poiteau Fl. par. 51.  
 † — — Leighton Flora 2.  
 — *callitrix* Cham. Mém. prés. Pet. 1, 2.  
 — *Chamissonis* Meyer. Mém. prés. Pet. 1, 3.  
 — *gracile* Roth. Poiteau Fl. par. 53.  
 — *latifolium* Hoppe. Poiteau Fl. par. 50.  
 † — *polystachyum* L. Leighton Flora 2.  
 † — — Payer Organogénie 147.  
 † — *pubescens* Sm. Leighton Flora 2.  
 † — *vaginatum* L. Leighton Flora 2.  
 — — — Poiteau Fl. par. 49.  
 — *Vaillantii* Poit. Poiteau Fl. par. 52.  
*Eriopsis biloba* Ldl. Pescatorea 1, 20.  
*Eriosema glabrum* Mart. Endl. Bras. 24, 55.  
 — *prorepens* Benth. Endl. Bras. 24, 55.  
 — *rufum* E. M. Endl. Bras. 24, 56.  
*Eriosphaera Oculus Cati* Less. Harvey Thes. cap. 2, 149.  
*Eriostemon Balstoni* F. M. Müller Fragmenta 2, 14.  
 — *pulchellus* Hort. Lem. Jard. fl. 4, 396.  
*Eriothymus rubiaceus* Schmidt. Endl. Bras. 22, 32.  
 † *Erisma violacea* Mart. Linn. Transact. 22, 68.  
*Erithalis fruticosa* L. Browne Jamaica 17.  
 — — — Plumier Ic. Burm. 249.  
*Eritrichium connatifolium* Kellogg. Proc. Calif. Acad. 2, 165.  
 — *humile* DC. Castelnau Exped. 62.  
 — *myosotideum* Maxim. Acad. Pet. VII. 4, 9.  
 — *nanum* Schrad. Rchb. Fl. germ. 18, 1325.  
 — *radicans* A. DC. Acad. Pet. VII. 4, 9.  
 †*Erodium* L'her. Schnizl. Iconogr. 254.  
 — *glaucophyllum* Ait. Jaub. Illustr. 469.  
 † — *gruinum* Willd. Hofmeister Embryo 3.  
 — *guttatum* Willd. Regel Gartenfl. 3, 96.  
 — *Manescavi* Cosson. Regel Gartenfl. 4, 124.  
 — *pelargoniiflorum* Boiss. Bot. Mag. 86; 5206.  
 — *petraeum* Willd. Revue horticole 1858, p. 437.  
 † — *serotinum* Stev. Payer Organogénie 12.  
 — (species variae). Timbal-Lagrange Mémoire 1.  
 †*Erophila* DC. Atti Ac. Neap. 1863, 2.  
*Erucaria microcarpa* Boiss. Jaub. Illustr. 434.  
*Erym Lenticula* Schreb. Schrank Hort. monac. 48.  
*Erya Macartneyi* Champ. Seemann Herald 74.  
 †*Erycibeae* Endl. Schnizl. Iconogr. 144\*.  
 †*Eryngium* L. (Pollen.) Mém. prés. Pet. 3, 5.  
 — *alpinum* L. Rchb. Fl. germ. 21, 1847.  
 — *amethystinum* L. Rchb. Fl. germ. 21, 1851.  
 — *campestre* L. Rchb. Fl. germ. 21, 1852.

- Eryngium creticum* Lam. Rchb. Fl. germ. 21, 1850.  
 — *diffusum* Torr. Marcy Exploration 6.  
 — *humile* Cav. Castelnau Exped. 69.  
 — *maritimum* L. Rchb. Fl. germ. 21, 1849.  
 — *planum* L. Rchb. Fl. germ. 21, 1848.  
 — *serbicum* Panc. Visiani Plantae Serbicae 3.  
*Erysimum aurantiacum* Leib. Flora 1855, 5.  
 † — *austriacum* Roth. Atti Acc. Neap. 1863, 4.  
 †*Erythraea* . . . Griffith Pl. asiat. 29.  
 — *Beyrichii* Torr. et Gr. Marcy Exploration 13.  
 — *Centaurium* Pers. Berg Darstellung 3, 24\*.  
 — — — Rchb. Fl. germ. 17, 1061.  
 — *chilensis* Pers. Feuillée 2, 35.  
 — *chironioides* Torr. Torrey Mex. Boundary 42.  
 — *linarifolia* Pers. Rchb. Fl. germ. 17, 1061.  
 — *maritima* Pers. Rchb. Fl. germ. 17, 1061.  
 — *ramosissima* Pers. Rchb. Fl. germ. 17, 1061.  
 — *spicata* Pers. Rchb. Fl. germ. 17, 1061.  
 — *tricantha* Griseb. Expl. Missis. 5, 9.  
 †*Erythranthus coriaceus* Oerst. Linnaea 1853, 2.  
*Erythrina crista galli* L. Nees Sammlung 100.  
 — *crus galli* L. hybrida, Journ. soc. d'hort. Par. 1865, 81.  
 — *hastifolia* Bert. Mem. Bon. 2, 38.  
 — *herbacea* L. Dillenius Elth. 90.  
 — *hybrida* Marie Bellanger, Illustration horticole 1861, 291.  
 — *Sandersoni* Harv. Harvey Thes. cap. 1, 61: 62.  
 †*Erythrochiton brasiliensis* N. v. E. Agardh Syst. 19.  
 † — — — Payer Organogénie 22.  
 †*Erythrocoeca* Benth. Baillon Euph. 21.  
 †*Erythronium dens canis* L. Abh. Leipz. 7, 19.  
 † — — — Abh. Halle 7, 2.  
 — — — Regel Gartenfl. 14, 469.  
 †*Erythrorchis Kuhlii* Rchb. fil. Rchb. Xenia 2, 119.  
*Erythroxyloa areolatum* L. Browne Jamaica 38.  
*Escallonia candida* Lem. Lem. Jard. fl. 4, 403.  
 † — *floribunda* H. B. K. Payer Organogénie 89.  
 † — *macrantha* Hook. Agardh Syst. 9.  
 — — — Revue horticole 1853, 3.  
 — *myrtilloides* L. fil. Castelnau Exped. 71.  
 — *pterocladon* Hook. Bot. Mag. 81, 4827.  
 — — — Belgique horticole 5, 19.  
 †*Eschscholtzia* . . . Griffith Pl. asiat. 38.  
 † — *californica* Cham. Agardh Syst. 5.  
 † — *crocea* Benth. Payer Organogénie 45.  
 — *tenuifolia* Benth. Bot. Mag. 80, 4812.  
*Escobedia scabrifolia* R. et P. Endl. Bras. 30, 45.  
*Espadaea amoena* A. Rich. Ramon Cuba 65.  
*Espelletia argentea* H. B. Castelnau Exped. 15.  
 — *grandiflora* H. B. Castelnau Exped. 15.  
 — *sagittata* Nutt. Journal Ac. Philad. 7, 4.  
 — *Weddellii* Sch. Bip. Castelnau Exped. 15.  
 †*Ethulia Sparganophora* L. Browne Jamaica 34.  
*Ethuliopsis dioica* F. M. Müller Plants of Victoria 2, 38.  
 †*Eucalyptus* L. Schnizl. Iconogr. 269.  
 — *coccifera* Hook. fil. Hook. Fl. Tasm. 25.  
 † — *cordata* Lab. Payer Organogénie 98.  
 † — *cornuta* Lab. Labill. Relation 20.  
 — *gigantea* Hook. fil. Hook. Fl. Tasm. 28.  
 † — — — Gasparrini Ric. 4.  
 — *Globulus* Lab. Labill. Relation 13.  
 — — — Müller Plants of Victoria Suppl. 16.  
 — *Gunnii* Hook. fil. Hook. Fl. Tasm. 27.  
 — *Leucadendron Reinw.* Vriese Plantae Ind. 5.  
 — *nitida* Hook. fil. Hook. Fl. Tasm. 29.  
 — *odorata* Behr. Müller Plants of Victoria Suppl. 17.  
 — *piperita* Sm. White New South Wales p. 226.  
 † — *resinifera* Sm. White New South Wales p. 231.

- Eucalyptus* Risdoni *Hook. fil.* Hook. Fl. Tasm. 24.  
 — *urnigera Hook. fil.* Hook. Fl. Tasm. 26.  
 † *Eucharidium* (Pollen.) *Fisch. et Meyer.* Mém. prés. Pet. 3, 12.  
 — *concinnum F. et M.* Sertum petrop. 12.  
 — *grandiflorum F. et M.* Sertum petrop. 13.  
*Eucharis amazonica Lind.* Illustration horticole 1857, 142.  
 — — — Fl. d. serres 12, 1216—1217.  
 — — — Regel Gartenf. 8, 254.  
 — *candida Planch.* Regel Gartenf. 8, 254.  
 — *grandiflora Planch.* Bot. Mag. 83, 4971.  
 — — — Belgique horticole 8, 21.  
 — — — Journ. d'hort. soc. Par. 1857, 573.  
 — — — Fl. d. serres 8, 957.  
 † *Euchresta Horsfieldii Benn.* Miquel Flora 3.  
*Eucnide bartonioides Zucc.* Regel Gartenf. 5, 176.  
 † *Eucodonia Ehrenbergii Hanst.* Linnaea 1853, 1.  
*Eucomis nana Ait.* Dillenius Elth. 92. 93.  
*Eucosia carnea Bl.* Blume Orchid. 12<sup>b</sup>.  
*Eucryphia Milliganii Hook. fil.* Hook. Fl. Tasm. 8.  
 † *Eucryphiaceae Endl.* Schnizl. Iconogr. 204\*.  
 † *Eudianthe Rehb.* Nees Genera 31, 9.  
*Eufragia latifolia Gris.* Rehb. Fl. germ. 20, 1725.  
 — *viscosa Benth.* Rehb. Fl. germ. 20, 1726.  
*Eugenia amazonica Berg.* Endl. Bras. 18, 28.  
 — *americana Makoy.* Belgique horticole 1860, 6.  
 — *amicorum Gray.* Gray Expl. Exp. 62.  
 — *angustifolia Lam.* Plumier Ic. Burm. 207.  
 — *Arrabidae Berg.* Vellozo 5, 36.  
 — *aurata Berg.* Endl. Bras. 18, 27.  
 — *badia Berg.* Vellozo 5, 67.  
 — *Brackenridgei Gray.* Gray Expl. Exp. 61.  
 — *buxifolia DC.* Nuttall Sylva 1, 29.  
 — *Candolleana DC.* Vellozo 5, 68.  
 — *clusiaefolia Gray.* Gray Expl. Exp. 65.  
 — *compactifolia Spring.* Vellozo 5, 42.  
 — — — Regel Gartenf. 8, 251.  
 — *confertiflora Gray.* Gray Expl. Exp. 61.  
 — *corynocarpa Gray.* Gray Expl. Exp. 64.  
 — *dichotoma DC.* Nuttall Sylva 1, 27.  
 — *dicrossa Berg.* Vellozo 5, 72.  
 — *gracilipes Gray.* Seemann Flora vit. 15.  
 — *Grayi Seem.* Seemann Flora vit. 16.  
 — *hypericifolia Gardn.* Vellozo 5, 43.  
 — *lanceolata Berg.* Vellozo 5, 77.  
 — *Luma Berg.* Bot. Mag. 84, 5040.  
 — — — Belgique horticole 8, 60.  
 — *Mikaniana Berg.* Vellozo 5, 63.  
 — *neurocalyx Gray.* Gray Expl. Exp. 59.  
 — *oleoides Pl. et L.* Linden Prix Courant 1854, x.  
 — *oxyphylla Berg.* Vellozo 5, 37.  
 — *phaca Berg.* Vellozo 5, 38.  
 — *procera Poir.* Nuttall Sylva 1, 28.  
 — *rariflora Benth.* Gray Expl. Exp. 60.  
 — *Richii Gray.* Gray Expl. Exp. 58.  
 — *Riedeliana Berg.* Vellozo 5, 66.  
 — *rubescens Gray.* Gray Expl. Exp. 63.  
 — *sancta DC.* Endl. Bras. 18, 26.  
 — *supraaxillaris Spring.* Vellozo 5, 41.  
 — *tenuifolia Berg.* Vellozo 5, 73.  
 — *Ugni H. et A.* Belgique horticole 1860, 6.  
 — *Velloziana Berg.* Vellozo 5, 39.  
 — *viridis Berg.* Vellozo 5, 74.  
*Eugeniopsis cannaefolia Berg.* Vellozo 5, 60.  
 — — — Endl. Bras. 18, 22.  
 — *Clausseniana Berg.* Endl. Bras. 18, 21.  
*Eulophia bicolor Bl.* Blume Orchid. 62.  
 † — *inconspicua Gr.* Griffith Pl. asiat. 285. 326.  
 † — *macrorhiza Bl.* Blume Orchid. 63. 66.  
*Eulychnia breviflora Ph.* Philippi Reise 2.  
*Eumorphia Dregeana DC.* Harvey Thes. cap. 1, 70.

- Eupatorium* arboreum *K. B. H.* Plumier Ic. Burm. 130.  
 — *cannabinum L.* Rehb. Fl. germ. 16, 892.  
 — *coelestinum L.* Dillenius Elth. 114.  
 — *conyzoides Vahl.* Schrank Hort. monac. 85.  
 — *Dalea L.* Browne Jamaica 34.  
 — *Gayanum Wedd.* Castelnau Exped. 40.  
 — *hastatum L.* Browne Jamaica 34.  
 — *hyssopifolium L.* Dillenius Elth. 115.  
 — *Morisii Vis.* Mem. Tur. 1854, 4.  
 — — — Mem. Istit. veneto 6, 3.  
 — *repandum Willd.* Plumier Ic. Burm. 130.  
 — *scopulorum Wedd.* Castelnau Exped. 40.  
 — *sinuatum Lam.* Plumier Ic. Burm. 128.  
 — *sophiaefolium L.* Plumier Ic. Burm. 128.  
 — *zeylanicum L.* Burmann Thes. zeyl. 21.  
*Eupetalum Kunthianum Kl.* Abh. Acad. Berl. 1854, 1.  
 † *Euphorbia L.* Gleichen Entdeckungen 51. 52.  
 † — — *Roeper Euphorb.* 1—3.  
 † — — *Baillon Euph.* 1. 2.  
 — *Anacampteros Boiss.* Tchichatschëff Asia mineure 8.  
 — *Apios L.* Sieber Creta 9.  
 — *arborescens Roxb.* Belgique horticole 1862, 57.  
 — *articulata Andr.* Eugénies Resa 12.  
 — *canariensis L.* Trémaux Soudan 13. 14.  
 — — — Schacht Madeira p. 126.  
 — — — Berg Darstellung 4, 34<sup>d</sup>.  
 — *caput Medusae L.* Burmann Pl. afr. 6—10.  
 — *cereiformis L.* Burmann Pl. afr. 9.  
 — *Clava Jacq.* Commelyn Praeludia 8.  
 — *cuneata Vahl.* Jaub. Illustr. 463.  
 † — *cyathophora L.* Agardh Syst. 15.  
 — *discolor Bert.* Mem. Bon. 2, 20.  
 — *heterophylla L.* Plumier Ic. Burm. 251.  
 — *hirta L.* Burmann Thes. zeyl. 104.  
 — *hyberna L.* Dillenius Elth. 290.  
 — *hypericifolia L.* Commelyn Praeludia 10.  
 † — *Lathyrus L.* Payer Organogénie 107.  
 — *laurifolia Lam.* Feuillée 2, 2.  
 — *mammillaris L.* Commelyn Praeludia 9.  
 — — — Trémaux Soudan 13. 14.  
 — *mauritanica L.* Dillenius Elth. 289.  
 — *Milii Desm.* Bull. soc. Linn. Bord. 1, 1.  
 — *Monteiri Hook.* Bot. Mag. 91, 5534.  
 — *nummularia Hook. fil.* Eugénies Resa 12.  
 — *ocellata Dur.* Expl. Missis. 5, 18.  
 — *parviflora L.* Burmann Thes. zeyl. 105.  
 † — *Peplus L.* Atti Acc. Neap. 1863, 4.  
 — *Perottetii Jaub.* Jaub. Illustr. 464.  
 — *pilulifera L.* Burmann Thes. zeyl. 105.  
 † — *platyphyllos L.* Abh. Acad. Berl. 1859, 3.  
 — *portulacoides L.* Feuillée 2, 3.  
 — *resinifera Berg.* Berg Darstellung 4, 34<sup>d</sup>.  
 — *retusa Forsk.* Forskal Icones 13.  
 — *rupestris Friv.* Acta Acad. hung. 1840, 9.  
 — *stricta L.* English Botany Suppl. 2974.  
 — *subhastata Vis. et Panc.* Visiani Plantae Serbicae 7.  
 — *thymifolia L.* Burmann Thes. zeyl. 105.  
 — *tithymaloides L.* β. padifolia, Dillenius Elth. 288.  
 — *tuberosa L.* Burmann Pl. afr. 4.  
 — *viminea Hook. fil.* Eugénies Resa 12.  
 † *Euphorbiaceae Br.* Schnizl. Iconogr. 243. 243<sup>b</sup>.  
 † — — *Payer Organogénie* 107. 108. 110.  
 † — — *Baillon Euph.* 1—27.  
*Euphrasia minima Schleich.* Rehb. Fl. germ. 20, 1732.  
 — *officinalis L.* Rehb. Fl. germ. 20, 1731. 1732.  
 † — — — *Abh. Leipz.* 6, 21.  
 † — — — *Chatin Anatomie* 34.

- Euphrasia salisburgensis* *Funk.* *Rchb. Fl. germ.* 20, 1730.
- † — *tricuspidata* *L.* *Zanoni Hist.* 76.  
— — — *Rchb. Fl. germ.* 20, 1730.
- Euphyllanthus* *Sw.* *Baillon Euph.* 23.
- Euploca convolvulacea* *Torr.* *Marcy Explor.* 15.
- Eupomatia lafrina* *R. Br.* *Bot. Mag.* 81, 4848.
- Euptelea pleiosperma* *Hook. fil.* *Journ. Linn. Soc.* 7, 2.
- Eurya japonica* *Thunb.* *Cleyer Fl. jap.* 49.
- Eurybia alpina* *Hook. fil.* *Hook. Fl. Tasm.* 42.  
— *astrotricha* *F. M.* *Müller Plants of Victoria* 2, 33.  
— *Ferresii* *F. M.* *Müller Fragmenta* 3, 18.  
— *floribunda* *Hook. fil.* *Hook. Fl. Tasm.* 45.  
— *Gunniana* *DC.* *Hook. Fl. Tasm.* 44.  
— *lyrata* *DC.* *Hook. Fl. Tasm.* 43.  
— *nitida* *Hook. fil.* *Regel Gartenfl.* 14, 483.  
— *obcordata* *Hook. fil.* *Hook. Fl. Tasm.* 42.  
— *pinifolia* *Hook. fil.* *Hook. Fl. Tasm.* 45.  
— *pannosa* *Hook.* *Müller Plants of Victoria* 2, 32.  
— *Traversii* *F. M.* *F. Müller Chatham Islands* 2.
- Eurylobium cernuum* *Hochst.* *Schnizl. Iconogr.* 138.
- Euryops linearis* *Harv.* *Harvey Thes. cap.* 2, 153.
- Eurytaenia texana* *Torr. et Gr.* *Marcy Expl.* 7.
- Euryptera lucida* *Nutt.* *Torrey Mex. Boundary* 27.
- Eustigma oblongifolium* *Gardn.* *Seemann Herald* 95.
- Euthalea macrophylla* *de Vr.* *De Vriese Goodenov* 33.
- Eutoca Franklinii* *R. Br.* *Franklin Polar Sea* 27.  
† — *Menziesii* *Benth.* *Franklin Polar Sea* 27.  
— *Ortgiesiana* *Heer.* *Regel Gartenfl.* 1861, 337.  
† — *viscida* *Benth.* *Payer Organogénie* 113.  
† — — — *Agardh Syst.* 17.  
— *Wrangeliana* *Fisch.* *Schnizl. Iconogr.* 146.
- Eutriana pilosa* *Hook.* *Eugenies Resa* 1.
- Evax asterisciflora* *Pers.* *Rchb. Fl. germ.* 16, 944.  
— *caulescens* *Torr.* *Expl. Missis.* 4, 11.  
— *pygmaea* *Pers.* *Rchb. Fl. germ.* 16, 944.
- Evelyna Caravata* *Ldl.* *Bot. Mag.* 85, 5141,  
— — — *Fl. d. serres* 14, 1427.
- † *Evodianthus angustifolius* *Oerst.* *Oerst. Americque* cent. 1.
- Evolvulus alsinoides* *L.* *Burmman Thes. zeyl.* 6, 9.  
— *ericaefolius* *Schrank.* *Schrank Hort. monac.* 94.  
— *linifolius* *L.* *Browne Jamaica* 10.
- Evonymus alatus* *Thunb.* *Acad. Pet. VII.* 4, 7.  
— *americanus* *L.* *Nouveau Duhamel* 3, 9.  
— *Colpoon* *L.* *Burmman Pl. afr.* 86.  
— *japonicus* *Thunb.* *Cleyer Fl. jap.* 42.  
— *latifolius* *Scop.* *Nouveau Duhamel* 3, 7.  
† — — — *Agardh Syst.* 22.  
† — — — *Abh. Acad. Berl.* 1859, 4, 5.  
— *nitidus* *Benth.* *Seemann Herald* 83.  
— *verrucosus* *Lam.* *Nouveau Duhamel* 3, 8.
- † *Ewaldia lobata* *Kl.* *Abh. Acad. Berl.* 1854, 3.
- Exacum macranthum* *Arn.* *Bot. Mag.* 80, 4771.  
— — — *Fl. d. serres* 11, 1078.  
— — — *Belgique horticole* 1854, 20.  
— *zeylanicum* *L.* *L'horticulteur fr.* 1860, 5.
- † *Excaecaria* *L.* *Baillon Euph.* 7.  
— *lucida* *Sw.* *Nuttall Sylva* 2, 61.
- † *Exocarqus Bidwillii* *Hook.* *Schnizl. Iconogr.* 108.  
— *cupressiformis* *Lab.* *Labill. Relation* 14.
- † — *latifolia* *R. Br.* *Chatin Anatomie* 72.  
† — *ovata* *Bl.* *Schnizl. Iconogr.* 108.  
† — — — *Chatin Anatomie* 73.  
† — *spartea* *R. Br.* *Chatin Anatomie* 73.  
† — *stricta* *R. Br.* *Chatin Anatomie* 73.
- Exostemma caribaeum* *R. et Sch.* *Berg Charakt.* 339.
- † *Exothea* *And.* *Nova Acta Ups.* 2, 3.
- Fabiana bryoides* *Phil.* *Philippi Reise* 5.  
— *densa* *Remy.* *Castelnau Exped.* 57.
- † *Fabiana imbricata* *R. et P.* *Agardh Syst.* 27.
- Fadyenia prolifera* *Hook.* *Hook. Fil. exot.* 36.  
— — — *Löwe Ferns* 6, 2.
- Fagara Pterota* *L.* *Browne Jamaica* 5.
- Fagonia californica* *Benth.* *Expl. Missis.* 5, 1.  
† — *cretica* *L.* *Agardh Syst.* 18.
- Fagraea lanceolata* *Bl.* *Fl. d. serres* 10, 1025.
- † *Fagus silvatica* *L.* *Gleichen Untersuchungen* 17.  
— — — *Nouveau Duhamel* 2, 24.  
† — — — *Schnizl. Iconogr.* 2, 89.  
† — — — *Agardh Syst.* 13.  
† — — — *Schacht Lehrbuch* 2, 8.  
! — — — *Flora* 1860, 7.
- Falcaria pastinacifolia* *Rchb.* *Rchb. Fl. germ.* 21, 1863.  
— *Rivini* *Hort.* *Rchb. Fl. germ.* 21, 1862.  
— *saxifraga* *Rchb. fil.* *Rchb. Fl. germ.* 21, 1879.
- Falkia repens* *L. fil.* *Belgique horticole* 1860, 3.
- Falugia paradoxa* *Torr.* *Emory Notes* 2.
- Faramea odoratissima* *DC.* *Browne Jamaica* 6.  
— — — *Plumier Ic. Burm.* 156.
- Farfugium grande* *Ldl.* *Illustration horticole* 1857, 133.  
— — — *Belgique horticole* 7, 62.  
— — — *Regel Gartenfl.* 8, 257.  
— — — *Fl. d. serres* 12, 1187.
- Farselia depressa* *Kotschy.* *Wiener Sitzungs.* 52, 6.  
— *spatulata* *Kar. et Kir.* *Bull. Mosc.* 1864, 8.
- † *Fatoua japonica* *Bl.* *Blume Mus.* 2, 38.
- Fatsua japonica* *Decne.* *Sieb. Fl. Jard.* 1, 2.  
— — — *Regel Gartenfl.* 1863, 420.
- † *Fedia cornucopiae* *Vahl.* *Payer Organogénie* 132.  
— *coronata* *Guss.* *Rivinus Opus ined.* 3.  
— *vesicaria* *Vahl.* *Rivinus Opus ined.* 3.
- Ferdinanda augusta* *Lag.* *Lagasca Genera* 2:  
— *eminens* *Lag.* *Otto Garten-Z.* 1858, 4.
- Feronia elephantum* *Corr.* *Wight Ic. pl. Ind. or.* 1, 15.
- Ferula Asa foetida* *L.* *Kaempfer Amoenit.* p. 536.  
— *communis* *L.* *Rchb. Fl. germ.* 21, 1945, 1986.  
— *erubescens* *Boiss.* *Berg Darstellung* 4, 31<sup>p</sup>.  
— *Ferulago* *L.* *Rchb. Fl. germ.* 21, 1948.  
— *glauca* *L.* *Rchb. Fl. germ.* 21, 1944.  
— *Heuffelii* *Gris.* *Rchb. Fl. germ.* 21, 1946.  
— *hispida* *Friv.* *Acta Acad. hung.* 1857, 4.  
— *Schair Borsz.* *Mem. Pet.* 1860, 6, 7, 8.  
— *silvatica* *Bess.* *Rchb. Fl. germ.* 21, 1947.
- Ferulago galbanifera* *Koch.* *Berg Charakt.* 438.
- † *Festuca* *L.* *Linné Amoenit.* 7, 3.  
† — — — *Giorn. Lett.* 24, 3.  
— *ambigua* *Le Gall.* *English Botany Suppl.* 2970.  
— *Hookeriana* *Müll.* *Hook. Fl. Tasm.* 165.  
— *scoparia* *Hook. fil.* *Richard Astrolabe* 8.
- Fevillea cordifolia* *L.* *Plumier Ic. Burm.* 209.  
— *trilobata* *L.* *Plumier Ic. Burm.* 210.
- † *Ficaria ranunculoides* *Roth.* *Pringsheim Jahrb.* 4, 8.
- † *Ficoideae* *Payer.* *Payer Organogénie* 80.
- Ficus adhaerens* *Miq.* *Miquel Flora* 22.  
— *americana* *Aubl.* *Plumier Ic. Burm.* 132.  
— *aurea* *Nutt.* *Nuttall Sylva* 2, 43.  
† — *australis* *Willd.* *Abh. Senck.* 1, 7.  
— *brevifolia* *Nutt.* *Nuttall Sylva* 2, 42.  
— *Carica* *L.* *Linné Amoenit.* 1, 2.  
— — — *Risso Hist. nat.* 2, 4.  
— — — (*Fructus*) *Nouveau Duhamel* 4, 53—59.  
— — — *Berg Darstellung* 3, 19<sup>a</sup>.  
† — — — *Payer Organogénie* 61.  
† — — — *Agardh Syst.* 20.  
— *cerasiformis* *Desf.* *Illustration horticole* 1858, 168.  
† — *cerifera* *Bl.* *Ann. sc. nat.* IV, 3, 14.  
— *cuspidata* *Bl.* *Miquel Flora* 19.  
— *disticha* *Bl.* *Miquel Flora* 22.

- † *Ficus elastica* L. Griffith Pl. asiat. 59.  
 † — — — Abh. Senck. 1, 7.  
 — *erecta* Thunb. Cleyer Fl. jap. 44.  
 — *gummifera* Bert. Mem. Bon. 10, 9.  
 — *hirsuta* Wall. Miquel Flora 31.  
 — *hirta* Vahl. Miquel Flora 18.  
 — *jacquiniacifolia* A. Rich. Ramon Cuba 72.  
 — *japonica* Bl. Cleyer Fl. jap. 45.  
 — *lencoptera* Miq. Miquel Flora 20.  
 — *maculata* L. Plumier Ic. Burm. 131.  
 — *pedunculata* Ait. Nuttall Sylva 2, 41.  
 — *populifolia* Vahl. Schweinf. Pl. nilot. 16.  
 — *Porteana* Reg. Regel Gartenfl. 1862, 372.  
 — *stipulata* Thunb. Cleyer Fl. jap. 51. 60.  
 † — *Tadjam* Miq. Miquel Flora 20.  
 — *toxicaria* L. Miquel Flora 20.  
 † — *ulmifolia* Lam. Abh. Senck. 1, 7.  
 — *urnigera* Miq. Miquel Flora 19.  
 — *villosa* Bl. Miquel Flora 21.  
*Fieldia australis* Cunn. Bot. Mag. 84, 5089.  
*Filaginopsis multicaulis* Torr. Expl. Missis. 2, 3.  
 † *Filices* L. Gleichen Untersuchungen 3. 24.  
 † — — Gleichen Entdeckungen 23. 26.  
 † — — Weber und Mohr Taschenb. 1—3.  
 † — — Acta Leop. 28, 1—5.  
 † — — (Unger.) Denkschrift der Wiener Acad. 6, 1—4.  
 † — — (Reichardt.) Denkschr. der Wiener Acad. 17, 1—3.  
 † — — (Mettenius.) Abh. der Ges. der W. Leipzig 9, 1—10.  
 † — — Griffith Pl. asiat. 114—138.  
 † — — Jard. Annals III. 4, 8—10.  
 † — — Payer. Botanique cryptogamique p. 184—206.  
 † *Fimbristylis adventitia* Ces. Linnaea 32, 2.  
 — *Cioniana* Savi. Atti Accad. Lucca 13, 1.  
*Firmiana diversifolia* Gray. Gray Expl. Exp. 13.  
 — *platanifolia* Mart. Saggi Padova 1, 1. 2.  
*Fissensia mentzeloides* R. Br. Harvey Thes. cap. 1, 98.  
*Fissicalyx Fendleri* Benth. Linn. Transact. 23, 39.  
*Fitchia nutans* Hook. Hook. Lond. Journal 1845, 23.  
*Flagellaria plicata* Hook. Hooker Journal 1855, 6.  
*Flaveria Contrayerba* Pers. Feuillee 3, 14.  
 † *Fleurya* Gaud. Arch. Mus. 9, 1.  
 † — *aestuans* Gaud. Blume Mus. 2, 21.  
 † — *lurida* Bl. Blume Mus. 2, 21.  
*Flotowia hystrix* Wedd. Castelnau Exped. 3.  
 † *Flueggea* Willd. Baillon Euph. 26.  
*Foeniculum dulce* DC. Rchb. Fl. germ. 21, 1930.  
 — *officinale* All. Rchb. Fl. germ. 21, 1930.  
 — — — Berg Darstellung 4, 27.  
 — *piperatum* Ten. Rchb. Fl. germ. 21, 1931.  
*Fontanesia Fortunei* Decne. Revue horticole 1859, p. 43.  
 — *phillyraeoides* Lab. Nouveau Duhamel 1, 5.  
 † *Forestiera acuminata* Poir. Schnizl. Iconogr. 96.  
 † *Forrestia hispida* Less. et Rich. Bot. Mag. 90, 5425.  
 † *Forstkaehle* L. Arch. Mus. 9, 19.  
*Forsteronia affinis* Müll. Endl. Bras. 26, 30.  
 † — *embelioides* Müll. Endl. Bras. 26, 50.  
 — *rufa* Müll. Endl. Bras. 26, 31.  
*Forsythia suspensa* Vahl. Bot. Mag. 83, 4995.  
 — — — Fl. d. serres 12, 1253.  
 — — — Belgique horticole 8, 1.  
 — — — Revue horticole 1861, 291.  
 — *viridissima* Ldl. Moore Mag. 1850, p. 249.  
 † *Fortunea chinensis* Ldl. Agardh Syst. 19.  
*Fothergilla alnifolia* L. fil. Nouveau Duhamel 4, 26.  
 † — — — Agardh Syst. 13.  
 — *latifolia?* Bibl. Goett. tab. ined.  
*Fouquieria spinosa* Torr. Emory Notes 8.

- Fourcroya Bedinghausi* C. Koch. Belgique horticole 1863, 19.  
 — *flavo-viridis* Hook. Bot. Mag. 86, 5163.  
 — *gigantea* H. K. Belgique horticole 1860, 219.  
 — *longaeva* Karw. Bot. Mag. 91, 5519.  
*Fragaria chilensis* Ehrh. Dillenium Elth. 120.  
 † — *collina* Ehrh. Payer Organogénie 101.  
 — *indica* Ait. Schrank Hort. monac. 50.  
 † — *muricata* Duch. Goethe Atlas 4.  
 † — *vesca* L. Gleichen Untersuchungen 30.  
 † — — — Agardh Syst. 14.  
 — — — Decaisne Jardin fruitier 1.  
 — *virginiana* Ehrh. Decaisne Jardin fruitier 2.  
*Fragariopsis St. Hil.* Baillon Euph. 12.  
 † *Franciscea* Pohl. Agardh Syst. 28.  
 — *calycina* Hook. L'horticulleur fr. 1863, 17.  
 — *capitata* Miers. Miers Illustr. 59.  
 — *eximia* Scheidw. Bot. Mag. 80, 4790.  
 — — — Moore Mag. 1850, 2, p. 177.  
 — — — Fl. d. serres 10, 1037.  
*Francoa appendiculata* Cav. Annales de hist. nat. 4, 36.  
 † — *sonchifolia* A. Juss. Payer Organogénie 82.  
 † — — — Agardh Syst. 12.  
*Francoaceae* A. Juss. Schnizl. Iconogr. 169\*\*.  
 † *Frangula polymorpha* Reiss. Endl. Bras. 28, 29.  
 † *Frankenia* L. Payer Organogénie 33.  
 † — — — Agardh Syst. 23.  
 † — — — Schnizl. Iconogr. 192.  
 — *grandifolia* Cham. Torrey Mex. Boundary 5.  
 — *laevis* L. Gmelin Reise 2, 41.  
 — *riandra* Remy. Castelnau Exped. 84.  
*Franklinia Alatama* Raf. Atlantic Journal p. 79.  
 † *Fraunhoferia multiflora* Mart. Endl. Bras. 28, 4.  
*Fraxinus dipetala* Hook. Nuttall Sylva 3, 101.  
 † — *excelsior* L. Nees Genera 30, 12.  
 † — — — Ann. sc. nat. IV. 1, 7.  
 † — — — Handl. Acad. Holm. 1857, 1.  
 † — — — Schnizl. Iconogr. 130.  
 † — — — Agardh Syst. 21.  
 — — — *Nouveau Duhamel* 4, 14.  
 — — — Rchb. Fl. germ. 17, 1072.  
 — *juglandifolia* Lam. Nouveau Duhamel 4, 16.  
 — *oregona* Nutt. Nuttall Sylva 3, 99.  
 — *Ornus* L. Nouveau Duhamel 4, 15.  
 — — — Berg Darstellnug 1, 3°.  
 — — — Rchb. Fl. germ. 17, 1072.  
 — *pauciflora* Nutt. Nuttall Sylva 3, 100.  
*Fremontia vermicularis* Torr. Fremont Report 1845, 2.  
*Frenela australis* Endl. Hook. Fl. Tasm. 97.  
*Frerea indica* Dalz. Journ. Linn. Soc. 8, 3.  
 † *Fridericia speciosa* Mart. Bureau Bign. 1.  
*Fritillaria Gawleri* Jsub. Jaub. Illustr. 500.  
 — *graeca* Boiss. Bot. Mag. 84, 5052.  
 — *imperialis* L. Red. Lil. 3, 131.  
 † — — — Batsch Analyses 3.  
 † — — — Hofmeister Embryo 8.  
 † — — — Abh. Halle 7, 1.  
 — *kamschatcensis* Fisch. Regel Gartenfl. 5; 173.  
 — — — Fl. d. serres 12, 1232.  
 — *lanceolata* Pursh. Torrey Me. Boundary 61.  
 — *latifolia* Willd. Bot. Mag. 22, 853. 30, 1207. 37, 1338.  
 — *Meleagris* L. Schk. Hda. 92.  
 † — *montana* Hoppe. Abh. Halle 7, 1.  
 — *oxypetala* Royle. Lem. Jard. fl. 4, 422.  
 — — — Belgique horticole 1854, 15.  
 — *pallidiflora* Schrenk. Regel Gartenfl. 6, 209.  
 — *persica* L. Red. Lil. 2, 67.  
 — — — Jaub. Illustr. 499.  
 — *Waldemari* Kl. Prinz Waldemar Him. 92.  
*Froelichia lanata* And. Eugénies Resa 3.





- Galium multiflorum* Kellogg. Proc. Calif. Acad. 2, 98.
- murale *All.* Rchb. Fl. germ. 17, 1192.
  - obliquum *Koch.* Rchb. Fl. germ. 17, 1192.
  - ochroleucum *Kit.* Rchb. Fl. germ. 17, 1193.
  - palustre *L.* Rchb. Fl. germ. 17, 1195.
  - parisiense *L.* Rchb. Fl. germ. 17, 1196.
  - pedemontanum *All.* Rchb. Fl. germ. 17, 1183.
  - pumilum *Lam.* Rchb. Fl. germ. 17, 1193. 1194.
  - purpureum *L.* Rchb. Fl. germ. 17, 1192. 1201.
  - pyrenaicum *Gouan.* Rchb. Fl. germ. 17, 1194.
  - rotundifolium *L.* Rchb. Fl. germ. 17, 1198.
  - rubioides *L.* Rchb. Fl. germ. 17, 1186.
  - rubrum *L.* Rchb. Fl. germ. 17, 1192.
  - rupicola *Boreau.* Rchb. Fl. germ. 17, 1193.
  - saccharatum *All.* Rchb. Fl. germ. 17, 1198.
  - saxatile *L.* Rchb. Fl. germ. 17, 1194.
  - setaceum *Lam.* Rchb. Fl. germ. 17, 1196.
  - silvaticum *L.* Rchb. Fl. germ. 17, 1189. 1201.
  - silvestre *Poll.* Rchb. Fl. germ. 17, 1193.
  - stellatum *Kellogg.* Proc. Calif. Acad. 2, 98.
  - Tendae *Rchb. fil.* Rchb. Fl. germ. 17, 1194.
  - tricornis *With.* Rchb. Fl. germ. 17, 1198.
  - trifidum *L.* Rchb. Fl. germ. 17, 1198.
  - uliginosum *L.* Rchb. Fl. germ. 17, 1193. 1194.
  - vernum *Scop.* Rchb. Fl. germ. 17, 1185.
  - verticillatum *Danth.* Rchb. Fl. germ. 17, 1201.
  - verum *L.* Rchb. Fl. germ. 17, 1187.
  - vexans *Rchb. fil.* Rchb. Fl. germ. 17, 1182.
- Gallapagoa Darwini* Hook. fil. Eugenie Resa 16.
- fusca *Hook. fil.* Eugenie Resa 16.
- † *Galphimia* Cav. Agardh Syst. 21.
- glauca *Cav.* Annales de hist. nat. 1, 2.
  - — Belgique horticole 3, 45.
  - hirsuta *Cav.* Otto Garten-Z. 1857, 9.
- Gamocarpha Poeppigii* DC. Castelnau Exped. 44.
- Garapatica edulis* Karst. Karsten Fl. Col. 1, 28.
- Garcia nutans* Vahl. Skriverter nat. Selsk. 1792, 9. 1802, 2.
- † — — — Baillon Euph. 14.
- Garcinia Mangostana* L. Bot. Mag. 81, 4847.
- monosperma *Berg.* Berg Darstellung 4, 33<sup>d</sup>.
  - Morella Desrouss. var. pedicellata, Linn. Transact. 24, 50.
  - multiflora *Champ.* Seemann Herald 79.
  - oblongifolia *Champ.* Seemann Herald 93.
- Gardenia amoena* Sims. Fl. d. serres 12, 1186.
- citriodora *Hook.* Bot. Mag. 83, 4987.
  - — Fl. d. serres 12, 1254.
  - coronaria *Buchan.* Symes Ava 22.
  - dumetorum *Schweinf.* Schweinf. Fl. Acth. 3.
  - florida *L.* Cleyer Fl. jap. 36.
  - — Nouveau Duhamel 3, 45.
  - globosa *Hochst.* Bot. Mag. 80, 4791.
  - — Harvey Thes. cap. 1, 5.
  - — Fl. d. serres 9, 951.
  - octomera *Hook.* Bot. Mag. 89, 5410.
  - Tinnee *Kotschy.* Kotschy Pl. Tinn. 16.
- † — — — Bot. Zeitung 1865, 8.
- Garhadiolus papposus* Buhse. Mem. Mosc. 18, 7.
- † *Garidella Nigellastrum* L. Payer Organogénie 56.
- † *Gasteranthus pendulus* Hamst. Linnæa 1853, 2.
- Gastrodia antennifera* Bl. Blume Orchid. 54.
- elata *Bl.* Blume Orchid. 53.
  - gracilis *Bl.* Blume Orchid. 53. 54.
  - Hasseltii *Bl.* Blume Orchid. 52.
  - javanica *Bl.* Blume Orchid. 52.
  - sesamoides *R. Br.* Hook. Fl. Tasm. 126.
  - verrucosa *Bl.* Blume Orchid. 52.
- Gastroglottis montana* Bl. Rchb. Xenia 2, 129.
- Gastrolobium grandiflorum* F. M. Müller Fragmenta 4, 34.

- Gastrolobium Huegelii* Henfr. Moore Mag. 1850, p. 161.
- ovalifolium *Meisn.* Lem. Jard. fl. 3, 324.
- Gastrolychnis uralensis* Rupr. Hofmann Ural 2, 1.
- Gaultheria antipoda* Forst. Hook. Fl. Tasm. 73.
- brachybotrys *DC.* Castelnau Exped. 73.
  - discolor *Nutt.* Bot. Mag. 84, 5034.
  - — — Belgique horticole 8, 52.
  - ferruginea *Cham. et Sch.* Endl. Bras. 35, 57.
  - — — Lem. Jard. fl. 4, 371.
  - lanceolata *Hook. fil.* Hook. Fl. Tasm. 72.
  - procumbens *L.* Linné Amoenit. 3, 1.
- † *Gaura biennis* L. Agardh Syst. 6.
- † — — — Payer Organogénie 150.
- Lindheimeri *Gray.* Revue horticole 1557, p. 262.
- Gavarretia terminalis* Baill. Baillon Adansonia 1, 7.
- Gaylussacia decipiens* Cham. Endl. Bras. 35, 53.
- Gardneri *Meisn.* Endl. Bras. 35, 51.
  - hispida *DC.* Endl. Bras. 35, 59.
  - Martii *Meisn.* Endl. Bras. 55, 52.
  - oleaefolia *Dun.* Endl. Bras. 35, 52.
  - reticulata *Mart.* Endl. Bras. 35, 55.
  - Rhododendron *Cham. et Schl.* Endl. Bras. 35, 48.
  - Riedelii *Meisn.* Endl. Bras. 35, 52.
  - rugosa *Cham. et Schl.* Endl. Bras. 35, 54.
  - salicifolia *Cham. et Schl.* Endl. Bras. 35, 50.
  - Vitis *Idaea* *Mart.* Endl. Bras. 35, 49.
- Gazania splendens* Hort. Illustration horticole 1860, 235.
- — — L'horticulteur fr. 1862, 18.
- † *Geiseleria Kl.* Baillon Euph. 16.
- Geissois ternata* Gray. Gray Expl. Exp. 86.
- Geissoloma marginatum* Ldl. Schnizl. Iconogr. 112.
- † *Geissomeria R. Br.* Mém. prés. Ent. 3, 12.
- Geissospermum Vellozii* Fr. All. Endl. Bras. 26, 28.
- Genetyllis fimbriata* Hook. Bot. Mag. 90, 5464.
- fuchsioides *Hort.* L'horticulteur fr. 1864, 15.
  - macrostegia *Turez.* Bot. Mag. 81, 4860.
  - — — Fl. d. serres 10, 1009.
  - tulipifera *Hook.* Bot. Mag. 81, 4858.
  - — — Fl. d. serres 10, 1064.
  - — — Revue horticole 1857, p. 356.
- Geniostoma lanceolatum* Zoll. Miquel Flora 33.
- Genipa americana* L. Plumier Ic. Burm. 136.
- † *Genista* L. Nees Gen. 29, 2.
- Barnadesii *Graells.* Mem. Madrid 4, 1.
  - berberidea *Lge.* Lange Pl. Hisp. 1.
  - Hystrix *Lge.* Lange Pl. Hisp. 2.
  - linifolia *L.* L'her. Stirp. 93.
  - pedunculata *L'her.* L'her. Stirp. 92.
  - triquetra *L'her.* L'her. Stirp. 91.
- Genlisia aurea* St. Hil. Mém. Orléans 1840, 2.
- † *Gentiana* L. Nees Gen. 30, 18.
- acaulis *L.* Rchb. Fl. germ. 17, 1053.
  - Amarella *L.* Rchb. Fl. germ. 17, 1046.
  - ! — — — Flora 1856, 8.
  - aquatica *L.* Ammann Ruth. 1.
  - asclepiadea *L.* Rchb. Fl. germ. 17, 1052.
  - — — var. Regel Gartenfl. 14, 479.
  - Baconi *Edg.* Hooker London Journ. 1845, 20.
  - bavarica *L.* Froelich Alpenfl. 10, 2.
  - — — Rchb. Fl. germ. 17, 1048.
  - brachyphylla *Vill.* Rchb. Fl. germ. 17, 1048.
  - Burseri *Lap.* Rchb. Fl. germ. 17, 1055.
  - — — var. Villarsii *Gris.* Rchb. Fl. germ. 17, 1055.
  - campestris *L.* Rchb. Fl. germ. 17, 1046.
  - campestri-germanica *Fröbl.* Frölich Alpenfl. 5, 2.
  - Charpentieri *Thom.* Rchb. Fl. germ. 17, 1054.
  - ciliata *L.* Gunner Flora norv. 2, 2.

- Gentiana ciliata* L. Rchb. Fl. germ. 17, 1051.  
 — *cruciata* L. Rchb. Fl. germ. 17, 1052.  
 † — — Agardh Syst. 4.  
 — *diemensis* Griseb. Dietrich Fl. univ. 7.  
 — *exaëroides* L. Burmann Pl. afr. 74.  
 — *Fortuni* Hook. Bot. Mag. 80, 4776.  
 — — Fl. d. serres 9, 947.  
 — *frigida* Haenke. Townson Hungaria 13.  
 — — Rchb. Fl. germ. 17, 1050.  
 — *Froelichii* Jan. Rchb. Fl. germ. 17, 1650.  
 — *germanica* Willd. Rchb. Fl. germ. 17, 1047.  
 — — Seemann Journal 2, 15.  
 — *gracillima* Bert. Mem. Bon. 5, 20.  
 — *grandiflora* L. Froelich Alpenpfl. 2, 2.  
 — *imbricata* Froel. Rchb. Fl. germ. 17, 1050.  
 — *lutea* L. Rchb. Fl. germ. 17, 1059.  
 — — Berg Darstellung 4, 26<sup>a</sup>.  
 — *luteo-punctata* Gren. Rchb. Fl. germ. 17, 1201.  
 — *nana* Wulf. Rchb. Fl. germ. 17, 1045.  
 — *nivalis* L. Froelich Alpenpfl. 5, 3.  
 — — Rchb. Fl. germ. 17, 1049.  
 — *obtusifolia* Willd. Rchb. Fl. germ. 17, 1047.  
 — — var. *pyramidalis*, Rchb. Fl. germ. 17, 1046.  
 — — — var. *spatulata*, Rchb. Fl. germ. 17, 1047.  
 — *pannonica* Scop. Rchb. Fl. germ. 17, 1057.  
 — *phlogifolia* Schott. Rchb. Fl. germ. 17, 1199.  
 — *Pneumonanthe* L. Rchb. Fl. germ. 17, 1051.  
 — *primulifolia* Griseb. Castelnau Exped. 52.  
 — *prostrata* Haenke. Rchb. Fl. germ. 17, 1049.  
 — *pumila* Jacq. Rchb. Fl. germ. 17, 1048.  
 — *punctata* L. Froelich Alpenpfl. 6, 6.  
 — — Rchb. Fl. germ. 17, 1056.  
 — *purpurea* L. Rchb. Fl. germ. 17, 1054.  
 — *pyrenaica* L. Rchb. Fl. germ. 17, 1050.  
 — *rubra* Clairv. Rchb. Fl. germ. 17, 1058.  
 — *sabauda* Boiss. Rchb. Fl. germ. 17, 1200.  
 — *sedifolia* H. B. K. Castelnau Exped. 52.  
 — *septemfida* Pall. Regel Gartenfl. 1863, 406.  
 — *simplex* Newb. Expl. Missis. 6, 16.  
 — *spuria* Lebert. Rchb. Fl. germ. 17, 1956.  
 — *tenella* Froel. Townson Hungaria 14.  
 — — *Roth.* Rchb. Fl. germ. 17, 1043.  
 — *utriculosa* L. Rchb. Fl. germ. 17, 1049.  
 — *verna* L. Rchb. Fl. germ. 17, 1048.  
 — — var. *alata*, Rchb. Fl. germ. 17, 1048.  
 † *Gentianeae* Juss. Schnizl. Iconogr. 134.  
*Georcharda cuneata* Cham. Endl. Bras. 30, 53.  
*Georgina variabilis* Willd. Nees Sammlung 1.  
 † *Geranium* L. Schnizl. Iconogr. 254,  
 † — — Flora 1857, 2.  
 † — — Agardh Syst. 14.  
 † — — Payer Organogénie 12, 13.  
 † — — (Pollen.) Mém. prés. Pet. 3, 7, 13.  
 — *arborescens* Gray. Gray Expl. Exp. 31.  
 — *betulinum* L. Burmann Pl. afr. 33.  
 — *bohemicum* L. Dillenius Elth. 133.  
 — *capitatum* L. Nouveau Duhamel 7, 19.  
 — *carnosum* L. Dillenius Elth. 127.  
 — *carolinum* L. Dillenius Elth. 135.  
 — *cucullatum* L. Dillenius Elth. 129.  
 — *cuneatum* Hook. Gray Expl. Exp. 29.  
 — *delicatulum* Ten. Tenore Peregr. 1834, 1.  
 — *Fremontii* Torr. Marcy Exploration 3.  
 — *fulgidum* L. Dillenius Elth. 130.  
 — *gibbosum* L. Burmann Pl. afr. 37.  
 — *glaucophyllum* L. Dillenius Elth. 124.  
 — *grandiflorum* L. Burmann Pl. afr. 34.  
 — *hybridum* L. Dillenius Elth. 125.  
 — *incarnatum* L. Burmann Pl. afr. 34.  
 — *inquinans* L. Dillenius Elth. 125.

- Geranium inquinans* L. Nouveau Duhamel 7, 20.  
 — *maculatum* L. Dillenius Elth. 132.  
 — *Maximowiczii* Rgl. et Maack. Acad. Pet. VII, 4, 3.  
 — *multiflorum* Gray. Gray Expl. Exp. 29.  
 — *odoratissimum* L. Dillenius Elth. 131.  
 — *ovatifolium* Gray. Gray Expl. Exp. 30.  
 — *palustre* L. Dillenius Elth. 134.  
 — *papilionaceum* L. Dillenius Elth. 128.  
 — *platypetalum* Hort. Revue hortic. 1859, p. 485.  
 — *pratense* L. Regel Gartenfl. 1863, 406.  
 — *quinquevulnerum* Andr. Belgique horticole 9, 21.  
 — *sanguineum* β. L. Dillenius Elth. 136.  
 — *triste* L. Cornuti Canad. p. 110.  
 — *spinosum* L. Burmann Pl. afr. 31.  
 — *vitifolium* L. Dillenius Elth. 126.  
*Gerardia communis* Cham. et Schl. Endl. Bras. 30, 48.  
 — *glutinosa* L. Osbeck Reise 9.  
*Gerbera asplenifolia* Spr. Burmann Pl. afr. 56.  
 — *Burmanni* Cuss. Burmann Pl. afr. 55.  
*Geropogon glaber* L. Rchb. Fl. germ. 19, 1379.  
 † *Gesnera aggregata* Ldl. Endl. Bras. 36, 59.  
 — *allagophylla* Mart. Endl. Bras. 36, 60.  
 † — *Blassii* Rgl. Endl. Bras. 36, 59.  
 † — *bulbosa* Gawl. Endl. Bras. 36, 59.  
 † — *canescens* Mart. Endl. Bras. 36, 59.  
 † — *cardinalis* Lehm. Endl. Bras. 36, 59.  
 — *cinnabarina* Hook. Bot. Mag. 84, 5036.  
 — — Fl. d. serres 12, 1260.  
 — — var. *rosea*, L'horticulteur fr. 1863, 2.  
 † — *confertifolia* Hanst. Endl. Bras. 36, 59.  
 † — *Cooperi* Paxt. Endl. Bras. 36, 59.  
 † — *discolor* Ldl. Endl. Bras. 36, 59.  
 — *Donkelaariana* Lem. Lem. Jard. fl. 4, 382.  
 — — Fl. d. serres 9, 902.  
 — — Belgique horticole 9, 3.  
 — — Bot. Mag. 84, 5070.  
 † — *Douglasii* Ldl. Endl. Bras. 36, 59.  
 — — Fl. d. serres 10, 1039.  
 — *egregia* Versch. Illustration horticole 1857, 129.  
 — *humilis* L. Plumier Ic. Burm. 133.  
 † — *lateritia* Ldl. Endl. Bras. 36, 59.  
 † — *latifolia* Mart. Endl. Bras. 36, 59.  
 † — *Leopoldi* Scheidw. Endl. Bras. 36, 59.  
 † — *Lindleyi* Hook. Endl. Bras. 36, 59.  
 — *macrantha-purpurea* Hort. Moore Mag. 1850, p. 273.  
 — *macrorrhiza* Dumort. Endl. Bras. 36, 59.  
 — *maculata* Mart. Endl. Bras. 36, 59.  
 — *magnifica* Otto et Dietr. Endl. Bras. 36, 62.  
 — *pendulina* Ldl. Endl. Bras. 36, 61.  
 — *purpurea* Paxt. Bot. Mag. 85, 5115.  
 — — Fl. d. serres 10, 1046.  
 † — *rupicola* Mart. Endl. Bras. 36, 59.  
 † — *rutila* Ldl. Endl. Bras. 36, 59.  
 † — *Sceptrum* Mart. Endl. Bras. 36, 59.  
 † — *Selloi* Mart. Endl. Bras. 36, 59.  
 † — *splendens* V. H. Endl. Bras. 36, 59.  
 — *Trianaei* Her. L'horticulteur fr. 1863, 4.  
 — *tribracteata* Otto et Dietr. Endl. Bras. 36, 60.  
 † — *tuberosa* Mart. Endl. Bras. 36, 59.  
 † — *Warzewiczii* Hanst. Linnaea 1853, 1.  
 † *Gesnonia Gaudich.* Arch. Mus. 9, 18.  
*Gethyllis ciliaris* L. fil. Burchell Travels 1, 55.  
*Geum capense* Thunb. Harvey Thes. cap. 1, 18.  
 † — *intermedium* Ehrh. Agardh Syst. 21.  
 — *molle* Vis. et Panc. Visiani Plantae Serbicae 1.  
 — *montanum* L. Froelich Alpenpfl. 8, 6.  
 — *reptans* L. Froelich Alpenpfl. 8, 7.  
 † — *rivale* L. Linn. Transact. 23, 34.

- † *Geum urbanum* L. Payer Organogénie 100.  
 — — — Berg Darstellung 3, 21°.
- Gifola germanica* *Rehb. fil.* *Rchb. Fl. germ.* 16, 945.  
 — *spatulata* *Rehb. fil.* *Rchb. Fl. germ.* 16, 945.
- † *Gilia* L. (Pollen). *Mém. prés. Pct.* 3, 7.  
 — *californica* *Benth.* *Fl. d. serres* 11, 1114.  
 — *coronopifolia* *Pers.* *Fl. d. serres* 10, 1022. 11, 1098.  
 — *dianthoides* *Endl.* *Bot. Mag.* 81, 4876.  
 — — — *Fl. d. serres* 11, 1119.  
 — *laciniata* *R. et P.* var. *alpina*, *Castelnau Exped.* 59.  
 — *longiflora* *Torr.* *Sitgreaves Expedition* 7.  
 — *lutea* *Steud.* *Fl. d. serres* 9, 894.
- Gingidium Dieffenbachii* *F. M.* *F. Müller Chatham Islands* 1.  
 — *simplicifolium* *F. M.* *Müller Plants of Victoria* 2, 27.
- † *Girardinia* *Gaud.* *Arch. Mus.* 9, 2.  
 † — *adoensis* *Bl.* *Blume Mus.* 2, 49.  
 † — *furialis* *Bl.* *Blume Mus.* 2, 49.
- Gireoudia heracleifolia* *Ch. et Schl.* *Regel Gartenfl.* 1865, 461.  
 † — *lobulata* *KL.* *Abh. Acad. Berl.* 1854, 7.  
 † — *manicata* *KL.* *Zool. bot. Verein* 1858, 2.  
 † *Gironniera rhamnifolia* *Bl.* *Blume Mus.* 2, 25.  
 † — *subaequalis* *Pl.* *Blume Mus.* 2, 25.
- Gladiolus* L. (Varietates hortenses). *Illustration horticole* 1857, 154. 1859, 227.  
 — — — *Belgique horticole* 9, 23. 11, 13.  
 — — — *Journ. d'hortic.* 3, 10.  
 — — — *Fl. d. serres* 12, 1246.  
 — *bracteatus* *Thunb.* *Skrivter nat. Selsk.* 1810, 3.  
 † *communis* L. Payer Organogénie 138.  
 † — — — *Abh. Leipz.* 7, 24.  
 — *equitans* *Thunb.* *Skrivter nat. Selsk.* 1810, 2.  
 — *excavus* *Thunb.* *Skrivter nat. Selsk.* 1810, 1.  
 — *illyricus* *Koch.* *Seemann Journal* 1, 4.  
 — *inarimensis* *Guss.* *Guss. Fl. Inar.* 14.  
 — *natalensis* *Reinw.* *Moore Mag.* 1850, 169. 249.  
 — *parviflorus* *Berdau.* *Berdau Fl. cracov.* 1.  
 — *secundus* *Thunb.* *Skrivter nat. Selsk.* 1810, 4.  
 † *segetum* *Gawl.* *Bot. Zeitung* 1858, 2.  
 † — — — *Monatsb. Berl. Akad.* 1856, 1. 2.  
 † — — — *Ann. soc. nat. IV.* 8, 5. 6.  
 — *sericeo-villosus* *Hook.* *Bot. Mag.* 90, 5427.
- † *Glaucium* L. *Agardh Syst.* 5.  
 — — — Payer Organogénie 47.  
 — *arabicum* *Fres.* *Mus. Senck.* 1, 10.  
 — *oxylobum* *Buhse.* *Mem. Mosc.* 18, 5.  
 — *vitellinum* *Buhse.* *Mem. Mosc.* 18, 4.
- † *Glaux maritima* L. *Mem. Mus.* 2, 4.  
 — — — *Rchb. Fl. germ.* 17, 1127.  
 † — — — *Verh. märk. bot. V.* 1864, 3.
- † *Glechoma* L. *Atti Acc. Neap.* 1863, 6.  
 — *hederaceum* L. *Rchb. Fl. germ.* 18, 1241.  
 — *hirsutum* *W. K.* *Rchb. Fl. germ.* 18, 1241.
- Glechon spatulata* *Benth.* *Endl. Bras.* 22, 35.  
*Gleditschia triacanthos* L. *Nouveau Duhamel* 4, 25.  
*Gleichenia Cunninghambii* *Heward.* *Hook. New. Zeal.* 71.  
 — *dicarpa* *R. Br.* *Hook. Fil. exot.* 40.  
 — — — *Lowe Ferns* 8, 48.  
 — *dichotoma* *Willd.* *Lowe Ferns* 8, 51.  
 — — — var. *alternans*, *Miquel Annales* 3.  
 — *flabellata* *R. Br.* *Hook. Fil. exot.* 71.  
 — — — *Lowe Ferns* 8, 50.  
 — *furcata* *Tw.* *Lowe New Ferns* 60.  
 — *heciostphylla* *A. Cunn.* *Lowe Ferns* 8, 52.  
 — *microphylla* *R. Br.* *Lowe Ferns* 8, 47.  
 — *rupestris* *R. Br.* *Lowe Ferns* 8, 53.  
 — *semivestita* *Lab.* *Lowe Ferns* 8, 54.

- Gleichenia speluncae* *R. Br.* *Lowe Ferns* 8, 49.  
*Glinus cristallinus* *Forsk.* *Forskal Icones* 14.  
*Globba japonica* *Thunb.* *Cleyer Fl. jap.* 33. 34.  
 — *nutans* *Willd.* *Nees Sammlung* 25.  
 — *orixensis* *Rozb.* *Asiat. Res.* 10, 8.
- Globularia Alypum* L. *Nouveau Duhamel* 5, 41.  
 — — — *Rchb. Fl. germ.* 20, 1818.  
 — *cordifolia* L. *Rchb. Fl. germ.* 20, 1816.  
 — *nana* *Lam.* *Nouveau Duhamel* 5, 41.  
 — *nudicaulis* L. *Froelich Alpenpf.* 5, 1.  
 — — — *Rchb. Fl. germ.* 20, 1818.  
 — *vulgaris* L. *Rchb. Fl. germ.* 20, 1817.
- † — — — Payer Organogénie 121.  
 † — — — *Schnizl. Iconogr.* 139.  
 † — — — *Abh. Leipz.* 6, 25.
- † *Glocheria haematodes* *Oerst.* *Vidensk. Meddelelser* 1854, 5.
- † *Glochidionopsis* *Bl.* *Baillon Euph.* 27.  
 † *Glochidium* *Forst.* *Baillon Euph.* 24.  
*Glomera erythrosmia* *Bl.* *Rchb. Xenia* 2, 128.  
*Gloriosa superba* L. *Nees Sammlung* 2.  
 † — — — *Abh. Leipz.* 7, 20.
- † *Glossocomia* *Don.* *Abh. Leipz.* 6, 26.  
 — *clematidea* *Fisch.* *Regel Gartenfl.* 5, 167.
- Glossodia major* *R. Br.* *Hook. Fl. Tasm.* 120.  
 † *Glossoloma tetragonum* *Hanst.* *Linnaea* 1853, 2.  
 † *Glossopappus chrysanthemoides* *Kze.* *Bot. Zeitung* 1864, 10.
- † *Gloxinia* L. *Linnaea* 1853, 1.  
 † — — — *Hofmeister Embryo* 5.  
 † — — — *Bull. Acad. Brux.* 1853, 3.  
 — — — (Hybridae hortenses). *Fl. d. serres* 10, 1002. 14, 1434—1436.  
 — — — — *Belgique horticole* 6, 11.  
 — — — — *Regel Gartenfl.* 3, 76.  
 — — — — *Illustration horticole* 1863, 384.  
 — — — — *L'horticulteur fr.* 1863, 16. 21.  
 — *attenuata* *Hanst.* *Endl. Bras.* 36, 58.  
 — *maculata* *L'her.* *Endl. Bras.* 36, 58.  
 — *speciosa* *Kerr.* *Nees Sammlung* 54.
- Glyceria fuitans* *R. Br.* *English Botany Suppl.* 2975.  
 — *stricta* *Hook. fil.* *Hook. Fl. Tasm.* 162.
- Glycine Apios* L. *Cornuti Canad.* p. 201.  
 — *axilliflora* *Kotschy.* *Wiener Sitzungs.* 51, 7.  
 — *tomentosa* L. *Dillenius Elth.* 26.  
 — *ussuriensis* *Rgl. et Maak.* *Acad. Pct.* VII. 4, 7.
- † *Glycyrrhiza* L. *Nees Gen.* 29, 13.  
 — *echinata* L. *Berg Darstellung* 2, 12.  
 — *glabra* L. *Berg Darstellung* 2, 12<sup>f</sup>.
- † *Glyptopatalum zeylanicum* *Thes.* *Hook. Journ.* 1856, 7.  
*Gnaphalium alpinum* *Müll.* *Hook. Fl. Tasm.* 62.  
 — *angustifolium* *Lois.* *Rchb. Fl. germ.* 16, 950.  
 — *arenarium* L. *Rchb. Fl. germ.* 16, 950.  
 — *carpathicum* *Wahl.* *Froelich Alpenpf.* 4, 1.  
 — *cymosum* L. *Dillenius Elth.* 107.  
 — *decurrens* *Schrank.* *Schrank Hort. monac.* 84.  
 — *crocinum* *Rchb. fil.* *Rchb. Fl. germ.* 16, 952.  
 — *frigidum* *Wedd.* *Castelnau Exped.* 24.  
 — *Hoppeanum* *Koch.* *Rchb. Fl. germ.* 16, 952.  
 — *indutum* *Hook. fil.* *Hook. Fl. Tasm.* 62.  
 — *lacteam* *Meyen.* *Castelnau Exped.* 24.  
 — *Leontopodium* L. *Froelich Alpenpf.* 6, 3.  
 — *luteoalbum* L. *Rchb. Fl. germ.* 16, 948.  
 — *margaritaceum* L. *Rchb. Fl. germ.* 16, 951.  
 — *norvegicum* *Gunn.* *Rchb. Fl. germ.* 16, 949.  
 — *obtusifolium* L. *Dillenius Elth.* 108.  
 — *pilulare* *Wahl.* *Rchb. Fl. germ.* 16, 948.  
 — *Planchoni* *Hook. fil.* *Hook. Fl. Tasm.* 62.  
 — *purpureum* L. *Dillenius Elth.* 109.  
 — *rupestre* *Rafin.* *Rchb. Fl. germ.* 16, 952.  
 — *Rüppellii* *Fres.* *Mus. Senck.* 1, 4.  
 — *rutilans* L. *Dillenius Elth.* 107.

- Gnaphalium silvaticum* L. Rchb. Fl. germ. 16, 949.  
 — *Stoechas* L. Rchb. Fl. germ. 16, 950.  
 — *supinum* L. Rchb. Fl. germ. 16, 952.  
 — *uliginosum* L. Rchb. Fl. germ. 16, 948.  
 — *undatum* L. Dillenius Elth. 108.  
 † *Gnetum* L. (Ovulum). Linn. Transact. 22, 55, 56.  
 — *amazonicum* Tul. Endl. Bras. 35, 102, 105.  
 — — — — — 106.  
 — *Leyboldi* Tul. Endl. Bras. 35, 103, 104.  
 — *paniculatum* Spr. Hook. Journ. 1856, 2, 3.  
 — — — — — Endl. Bras. 35, 102.  
*Gnida oppositifolia* L. Burmann Pl. afr. 49.  
 — *pinifolia* L. Burmann Pl. afr. 41.  
 † *Godetia rubicunda* Ldl. Hofmeister Embryo 5.  
*Godoya antioquiensis* Planch. Hook. London Journ. 1846, 21, 22.  
 — *splendida* Planch. Hook. London Journ. 1846, 19, 20.  
*Goethea strictiflora* Hook. Lem. Jard. fl. 4, 365.  
*Goldfussia Thomsoni* Hook. Bot. Mag. 85, 5119.  
 — — — — — Journal d'hortic. 3, 16.  
*Gomidesia amplexicaulis* Berg. Vellozo 5, 44.  
 — *Chamissoniana* Berg. Vellozo 5, 35.  
 — *Jacquiniana* Berg. Vellozo 5, 47.  
 — *Selloviana* Berg. Endl. Bras. 18, 12.  
 — *spectabilis* Berg. Endl. Bras. 18, 11.  
*Gomphia decorans* Lem. Lem. Jard. fl. 4, 415.  
 — *Jabotapita* Sw. Plumier Ic. Burm. 153.  
 — *linearis* Gray. Gray Expl. Exp. 41.  
 — *olivaeformis* St. Hil. Bot. Mag. 87, 5262.  
 — *Schönleiniana* Kl. Abh. Acad. Berl. 1856, 4.  
 † *Gomphiaceae* DC. Schnizl. Iconogr. 248.  
*Gomphocarpus campanulatus* Harv. Harvey Thes. cap. 1, 97.  
 — *eminens* Harv. Harvey Thes. cap. 2, 195.  
 — *fruticosus* R. Br. Rchb. Fl. germ. 17, 1071.  
 — *Gerrardi* Harv. Harvey Thes. cap. 2, 193.  
 — *Mackenii* Harv. Harvey Thes. cap. 2, 194.  
 — *rubroides* Kotschy. Kotschy Pl. Tinn. 12<sup>b</sup>.  
 — *scaber* Harv. Harvey Thes. cap. 2, 192.  
 — *truncatus* Decne. Harvey Thes. cap. 1, 67.  
 † *Gomphrena* L. (Pollen). Mém. prés. Pet. 3, 6.  
 — *acaulis* Remy. Castelnau Exped. 90.  
 — *coccinea* Hort. Revue horticole 1854, 9.  
 † — *decumbens* Jacq. Schacht Lehrbuch 2, 9.  
 † — *globosa* L. Jard. Annals II, 11, 15.  
 — *Maitlandi* F. M. Müller Fragmenta 3, 23.  
 — *perennis* L. Dillenius Elth. 20.  
*Gonatanthus sarmentosus* Link. Bot. Mag. 87, 5275.  
*Gongora maculata* Ldl. var. *Jenischii*, Moore Mag. 1850, 2, p. 73.  
 † — *retrorsa* Rchb. fil. Rchb. Xenia 1, 20.  
 † — *Seideliana* Rchb. fil. Rchb. Xenia 1, 20.  
 † — *stenoglossa* Rchb. fil. Rchb. Xenia 1, 20.  
*Gonicormus diffusus* Bl. Verh. Ac. Amst. 1861, 4.  
 — *minutus* Bl. Verh. Ac. Amst. 1861, 3.  
 — *palmatum* Pr. Verh. Ac. Amst. 1861, 6.  
 — *Teysmanni* v. d. B. Verh. Ac. Amst. 1861, 5.  
*Goniolimon dalmaticum* Rchb. fil. Rchb. Fl. germ. 17, 1200.  
 — *serbicum* Vis. Visiani Plantae Serbicae 4.  
 — *tataricum* Boiss. Rchb. Fl. germ. 17, 1139.  
 † — — — — — Mettenius Fil. 28.  
*Goniophlebium rhagadiolepis* Fée. Fée Fil. novae 19.  
 — *Villeminianum* Fée. Fée Fil. novae 27.  
*Goniopteris longissima* Brack. Wilkes Expl. Exp. 5.  
*Gonocalyx pulcher* Decne. Revue hort. 1853, p. 654.  
*Gonolobus crispiflorus* R. Br. Plumier Ic. Burm. 216.  
*Goodenia albiflora* Schlecht. Dietrich Fl. univ. 2.  
 — *Armstrongiana* de Vr. De Vriese Goodenov. 24.  
 — *decurrens* R. Br. De Vriese Goodenov. 31.

- Goodenia flagellifera* de Vr. De Vriese Goodenov. 25.  
 † — *grandiflora* Bonpl. Agardh Syst. 27.  
 — *hederacea* R. Br. De Vriese Goodenov. 27.  
 — *heterophylla* Cav. Annales de hist. nat. 1, 8.  
 — *humilis* R. Br. De Vriese Goodenov. 23.  
 — — — — — Hook. Fl. Tasm. 68.  
 — *incana* R. Br. De Vriese Goodenov. 28.  
 — *lanata* R. Br. De Vriese Goodenov. 26.  
 — *Macmillani* F. M. Müller Fragmenta 1, 5.  
 — — — — — L'horticulteur fr. 1862, 14.  
 — *Nicholsonii* F. M. Müller Fragmenta 1, 4.  
 — *ovata* Cav. Annales de hist. nat. 1, 6.  
 † — — — — — Payer Organogénie 149.  
 — *paniculata* Cav. Annales de hist. nat. 1, 7.  
 — *pinifolia* de Vr. De Vriese Goodenov. 30.  
 — *pinnatifida* F. M. Dietrich Fl. univ. 2.  
 — *Ramelli* F. M. Müller Fragmenta 2, 17.  
 — *squarrosa* de Vr. De Vriese Goodenov. 29.  
 — *Vilmoriniae* F. M. Müller Fragmenta 2, 16.  
 † *Goodeniaceae* Endl. Payer Organogénie 149.  
*Goodia lotifolia* Salisb. L'horticulteur fr. 1864, 24.  
 † *Goodyera* R. Br. Griffith Pl. asiat. 41.  
 — *bifida* Bl. Blume Orchid. 9<sup>e</sup>.  
 — *colorata* Bl. Blume Orchid. 9<sup>b</sup>.  
 — — — — — Belgique horticole 1862, 1.  
 — *hirsuta* Griff. Griffith Pl. asiat. 347.  
 — *japonica* Bl. Blume Orchid. 9, 11.  
 — — — — — Belgique horticole 1861, 18.  
 — *parviflora* Bl. Blume Orchid. 22.  
 — *pubescens* Ldl. Fl. d. serres 15, 1555.  
 — *pusilla* Bl. Blume Orchid. 9<sup>b</sup>.  
 — — — — — Belgique horticole 1862, 1.  
 — *reticulata* Bl. Blume Orchid. 9<sup>b</sup>.  
 — — — — — Belgique horticole 1861, 18.  
 — *rubens* Bl. Blume Orchid. 9<sup>o</sup>.  
 — *secundiflora* Griff. Griffith Pl. asiat. 347.  
 — *similis* Bl. Blume Orchid. 9, 11.  
 — *viridiflora* Bl. Blume Orchid. 9<sup>e</sup>.  
 † — *Waitziana* Bl. Blume Orchid. 9<sup>d</sup>.  
 — . . . . Griffith Pl. asiat. 346, 351<sup>b</sup>.  
 † *Gordonia Lasianthus* L. Payer Organogénie 154.  
*Gorteria ciliata* Thunb. Skrivter nat. Selsk. 1798, 6.  
 — *diffusa* Thunb. Skrivter nat. Selsk. 1798, 2.  
 — *integrifolia* Thunb. Skrivter nat. Selsk. 1798, 2.  
 — *linearis* Thunb. Skrivter nat. Selsk. 1798, 1.  
 — *Othonnites* Thunb. Skrivter nat. Selsk. 1798, 4.  
 — *pectinata* Thunb. Skrivter nat. Selsk. 1798, 1.  
 — *pinnata* Thunb. Skrivter nat. Selsk. 1798, 5.  
 — *rigens* Thunb. var.  $\beta$ . Skrivter nat. Selsk. 1798, 4.  
 — *uniflora* L. fil. Skrivter nat. Selsk. 1798, 5.  
 † *Gossypium* L. Griffith Pl. asiat. 51.  
*Gouania Blanchetiana* Miq. Endl. Bras. 28, 38.  
 — *corylifolia* Raddi. Endl. Bras. 28, 39.  
 — *latifolia* Reiss. Endl. Bras. 28, 36.  
 — *virgata* Reiss. Endl. Bras. 28, 37.  
*Gouffea arenarioides* R. Cast. Willkomm Ic. Hisp. 1, 66.  
*Graeffea calyculata* Seem. Seemann Flora vit. 6.  
*Gramerium convolutum* Desv. Desvieux Opuscules 4.  
 † *Gramineae* Juss. Hegelschweiler Flora 1—4.  
 † — — — — — Griffith Pl. asiat. 139—158.  
 † — — — — — Payer Organogénie 148.  
*Grammanthes gentianoides* DC. Moore Mag. 1850, 2, p. 9.  
*Grammatocarpus volubilis* Presl. Bot. Mag. 84, 5028.  
*Grammatophyllum Ellisii* Ldl. Bot. Mag. 86, 5179.  
 — — — — — Fl. d. serres 14, 1488—89.  
 — *paludosum* Griff. Griffith Pl. asiat. 323.  
 — *scandens* Griff. Griffith Pl. asiat. 324.  
 — *spesiosum* Bl. Bot. Mag. 86, 5157.  
 — — — — — Fl. d. serres 13, 1386.  
*Grammitis Ascensionis* Hook. Hook. Ic. pl. 10, 967.

- Grammitis bisulcata* Hook. Hook. Ic. pl. 10, 998.  
 — *caudiformis* Hook. Bot. Mag. 88, 5323.  
 — *clavifer* Hook. Hooker Second Century 5.  
 — *cordata* Sw. Hooker Second Century 7.  
 — *limbata* Fée. Fée Fil. novae 5.  
 — *longa* Fée. Fée Fil. novae 4.  
 — *nana* Fée. Fée Fil. novae 6.  
 — *Salvinii* Hook. Hooker Second Century 71.  
 † *Granateae* Don. Schnizl. Iconogr. 269.  
 † *Grantia microscopica* Griff. Griffith Pl. asiat. 266—  
 268.  
*Gratiola officinalis* L. Poiteau Fl. par. 28.  
 — — — Rchb. Fl. germ. 20, 1677.  
 — — — Berg Darstellung 4, 28°.  
 — *peruviana* L. Feuillée 3, 17.  
 — — — Endl. Bras. 30, 49.  
*Greigia sphaecolata* Reg. Regel Gartenfl. 14, 474.  
 † *Grevillea* L. Agardh Syst. 6.  
 — *alpestris* Meisn. Bot. Mag. 83, 5007.  
 — — — Fl. d. serres 14, 1449.  
 — — — Illustration horticole 1859, 210.  
 — — — Belgique horticole 8, 19.  
 — *Gilivrayi* Hook. Hook. Journ. 1855, 1.  
 — *Martini* F. M. Müller Fragmenta 4, 32.  
 — *rigidissima* F. M. Müller Plants of Victoria 2,  
 71.  
 † *Grewia* L. Medicus Beob. p. 385.  
 — *asiatica* L. Sonnerat Ind. 138.  
 — *Microcos* L. Burmann Thes. zeyl. 74.  
 — *occidentalis* L. Nouveau Duhamel 6, 37.  
 — *venusta* Fres. Mus. Senck. 2, 10.  
*Greyia Sutherlandi* Hook. Harvey Thes. cap. 1, 1.  
 — — — Nat. Hist. Review 6, 1, 2.  
 — — — Proc. Dublin Assoc. 1, 13, 14.  
 † *Grislea tomentosa* Roxb. Blume Mus. 2, 45.  
*Grisollea myrianthea* Baill. Baillon Adansonia 4,  
 3, 4.  
*Gromovia pulchella* Reg. Regel Gartenfl. 14, 484.  
 † *Gronovia scandens* L. Agardh Syst. 27.  
*Grubbia latifolia* Schm. Schnizl. Iconogr. 108.  
 † — *rosmarinifolia* Bergius. Schnizl. Iconogr. 108.  
 † *Guajacum officinale* L. Agardh Syst. 18.  
 — — — Berg Darstellung 2, 14<sup>b</sup>.  
 — *sanctum* L. Nuttall Sylva 3, 86.  
*Guettarda Mathiola* Pers. Plumier Ic. Burm. 173.  
 — — — Zanoni Hist. 154.  
 — *speciosa* L. Browne Jamaica 20.  
 — — — Sonnerat Ind. 128.  
*Guilandina Bonduca* L. Zanoni Hist. 35.  
 — *Bonduccella* Willd. Schrank Hort. monac 68.  
 — *Moringa* L. Ald. Hort. Farn. p. 72—74.  
 — — — Burmann Thes. zeyl. 75.  
*Guilelma granatensis* Karst. Karsten Fl. Col. 1, 63.  
 † — *utilis* Oerst. Oerst. Am. centr. 9.  
*Gunnera insignis* Oerst. Oerst. Am. centr. 18.  
 — *lobata* Hook. Gray Expl. Exp. 79.  
 † — *macrophylla* Bl. Blume Mus. 2, 50.  
 — *magellanica* Lam. Castelnau Exped. 84.  
 † — *perpensa* L. Agardh Syst. 24.  
 — *petaloidea* Gaud. Gray Expl. Exp. 78, 79.  
 — *scabra* R. et P. Feuillée 2, 30.  
*Gunnia australis* Ldl. Hook. Fl. Tasm. 128.  
 † *Gurtia Meyeri* Kl. Abh. Acad. Berl. 1854, 4.  
*Gustavia augusta* L. Endl. Bras. 18, 55, 56.  
 — *insignis* Lind. Bot. Mag. 84, 5069.  
 — — — Journ. d'hortic. 3, 1.  
 — *pterogarpa* Poit. Bot. Mag. 87, 5239.  
 † *Guthnickia cardinalis* Hanst. Linnæa 1853, 1.  
*Gutierrezia gymnospermoides* Gray. Bot. Mag. 85,  
 5155.  
 — — — Revue horticole 1858, p. 266.  
 † *Guttiferae* Juss. Ann. sc. nat. IV. 14, 15—18.

- Guzmania erythrolepis* Brongn. Fl. d. serres 11, 1089.  
 — *tricolor* Rz. Bot. Mag. 86, 5220.  
 — — — Fl. d. serres 9, 918.  
 † *Gymnacanthus campestris* Oerst. Vid. Meddelelser  
 1854, 4.  
 † — *Schlechtendalianus* Oerst. Vidensk. Meddelelser  
 1854, 4.  
*Gymnadenia conopsea* Rich. Rivinus Irreg. hexap.  
 11.  
 † — — — Abh. Leipz. 7, 6.  
 † — — — Irmisch Orchid. 2.  
 — — — var. *ussuriensis*, Reg. et Maack. Acad.  
 Pet. VII. 4, 10.  
 † — *odoratissima* Rich. Hofmeister Embryo 2.  
 — — — Regel Gartenfl. 5, 148.  
*Gymnocarpus decandra* Forsk. Forskal Icones 10.  
*Gymnochilus nudum* Bl. Blume Orchid. 32.  
 — *recurvum* Bl. Blume Orchid. 32.  
*Gymnocladus canadensis* L. Nouveau Duhamel 6, 19.  
*Gymnogramme* . . . Griffith Pl. asiat. 129.  
 — *aspidioides* Hook. Hook. Ic. pl. 10, 950.  
 — *aurita* Hook. Hook. Ic. pl. 10, 974.  
 — — — var.  $\beta$ . Hook. Ic. pl. 10, 989.  
 — *borneensis* Hook. Hook. Sp. Fil. 5, 301.  
 — *calomelanos* Kaulf. Revue horticole 1856, 11.  
 — — — Lowe Ferns 1, 2.  
 — — — Hook. Garden Ferns 50.  
 — *chaerophylla* Desv. Lowe Ferns 1, 8.  
 — *chrysophylla* Kaulf. Lowe Ferns 1, 10.  
 — — — Revue horticole 1856, 11.  
 — *decipiens* Metten. Hook. Sp. Fil. 5, 291.  
 — *decurrenti-alata* Hook. Hook. Sp. Fil. 5, 294.  
 — *flavescens* Sw. Hook. Fil. exot. 47.  
 — *glandulosa* Karst. Karsten Fl. Col. 1, 97.  
 — *gracilis* Hew. Hook. Sp. Fil. 5, 292.  
 — *javanica* Bl. Lowe New Ferns 7.  
 — *leptophylla* Desv. Johnson Ferns 48.  
 — — — Lowe Ferns 1, 7.  
 — — — Hooker British Ferns 1.  
 — *L'herminieri* Bory. Lowe Ferns 1, 9.  
 — *Lobbiana* Hook. Hook. Sp. Fil. 5, 300.  
 — *Martensii* Bory. Lowe Ferns 1, 18.  
 — *Mathewsii* Hook. Hook. Sp. Fil. 5, 290.  
 — *microcarpon* Fée. Fée Fil. novae 20.  
 — *Muelleri* Hook. Hook. Sp. Fil. 5, 295.  
 — *obtusifolia* Hook. Hook. Sp. Fil. 5, 299.  
 — *ochracea* Presl. Lowe Ferns 1, 4.  
 — *ovalis* Bert. Mem. Bon. 3, 17.  
 — *peruviana* Moore. Lowe New Ferns 6.  
 — *pilosa* Brack. Wilkes Expl. Exp. 4.  
 — *podophylla* Hook. Hook. Sp. Fil. 5, 296.  
 — *pulchella* Lind. Hook. Fil. exot. 74.  
 — — — Lowe New Ferns 5.  
 — *pumila* Spr. Hooker Second Century 8.  
 — *quinata* Hook. Hook. Sp. Fil. 5, 297.  
 — *reniformis* Mart. Hooker Second Century 9.  
 — *rufa* Desv. Lowe Ferns 1, 6.  
 — *rutaefolia* Hook. Hook. Fil. exot. 5.  
 — *rutifolia* Desv. Lowe New Ferns 45.  
 — *Schomburgkiana* Kze. Hook. Ic. pl. 10, 992.  
 — *subsimplis* Hook. Hook. Sp. Fil. 5, 293.  
 — *subtrifoliata* Hook. Hook. Sp. Fil. 5, 298.  
 — *sulphurea* Desv. Lowe Ferns 1, 5.  
 — *tartarica* Desv. Lowe Ferns 1, 3.  
 — *tomentosa* Desv. Hook. Fil. exot. 13.  
 — — — Lowe Ferns 1, 6.  
 — *Totta* v. Schl. Lowe Ferns 1, 12.  
 — *triangularis* Kaulf. Hook. Fil. exot. 10.  
 — *trifoliata* Desv. Lowe New Ferns 31.  
 — — — Hook. Garden Ferns 4.  
 — *verticalis* Kl. var. *humilis*, Karsten Fl. Col. 2,  
 143.

- Gymnogramme villosa *Link.* Lowe Ferns 1, 11.  
 — *Wallichii Hook.* Hook. Sp. Fil. 5, 302.  
 — *Wrightii Hook.* Hook. Sp. Fil. 5, 303.  
 Gymnopsis uniserialis *Hook.* Belgique horticole 1854, 20.  
 Gymnopteris decurrens *Hook.* Hook. Fil. exot. 94.  
 — — — *Hooker Garden Ferns* 6.  
 — *minor Hook.* Hooker Second Century 78.  
 — *pandurifolia Hook.* Hooker Second Century 87.  
 — *quercifolia Bernh.* Hook. Fil. exot. 80.  
 — *semipinnatifida Fée.* Hook. Ic. pl. 10, 971, 972.  
 — *Vespertilio Hook.* Hook. London Journ. 1846, 7.  
 Gymnoschoenus sphaerocephalus *Hook. fil.* Hook. Fl. Tasm. 142.  
 †Gymnostachys anceps *R. Br.* Payer Organogénie 139.  
 Gymnostachyum Verschaffeltii *Lem.* Fl. d. serres 15, 1581.  
 — — — *Belgique horticole* 1863, 19.  
 — — — *Illustration horticole* 1863, 372.  
 — *zeylanicum Arn.* Lem. Jard. fl. 4, 405.  
 Gymnostichum gracile *Hook. fil.* Hook. New Zeal. 70.  
 Gymnothrix chilensis *Em. Desv.* Gay Chile 74.  
 Gynierium argenteum *N. v. E.* Belgique horticole 7, 22.  
 — — — *Revue horticole* 1858, p. 126.  
 †Gynoon *A. Juss.* Baillon Euph. 27.  
 Gynoxis baccharoides *H. B. K.* Castelnau Exped. 21.  
 Gynura bicolor *DC.* Bot. Mag. 85, 5123.  
 Gypothamnium pinnifolium *Ph.* Philippi Reise 3.  
 †Gypsophila *L.* Nees Gen. 31, 5.  
 — *elegans M. v. B.* Schrank Hort. monac. 21.  
 — *perfoliata L.* Dillenius Elth. 276.  
 — *pilulifera Boiss.* Tchichatscheff Asie mineuse 10.  
 — *Steveni Fisch.* Schrank Hort. monac. 32.  
 Gyrostachys australis *Bl.* Blume Orchid. 37, 38.  
 — *pusilla Bl.* Blume Orchid. 45, 48.  
 †Gyrostemonæae *Endl.* Schnizl. Iconogr. 208\*.  
 †Haagea dipetala *Kl.* Abh. Acad. Berl. 1854, 9.  
 Habenaria arenaria *Ldl.* Harvey Thes. cap. 1, 55.  
 ! — *bifolia R. Br.* Journ. Linn. Soc. 2, 1.  
 — *Boltoni Harv.* Harvey Thes. cap. 1, 88.  
 ! — *chlorantha Spr.* Journ. Linn. Soc. 2, 1.  
 † — *commelinifolia Wall.* Griffith Pl. asiat. 339.  
 — *linearifolia Maxim.* Acad. Pet. VII. 4, 10.  
 † — *marginata Hook.* Griffith Pl. asiat. 341.  
 — *replicata A. Rich.* Ramon Cuba 86.  
 — *salaccensis Bl.* Bot. Mag. 86, 5196.  
 — *Saundersiae Harv.* Harvey Thes. cap. 2, 147.  
 † — *tenuis Griff.* Griffith Pl. asiat. 312.  
 † — *uniflora Griff.* Griffith Pl. asiat. 338.  
 — (species). Griffith Pl. asiat. 340.  
 †Hablitzia tannoides *M. v. B.* Agardh Syst. 26.  
 †Habracanthus silvaticus *N. v. E.* Vid. Meddelelser 1854, 5.  
 †Habranthus chilensis *Herb.* Abh. Leipz. 7, 13.  
 Habrodictyon Cumingii *Pr.* Verh. Ac. Amst. 1861, 12.  
 Habrothamnus aurantiacus *Reg.* Fl. d. serres 9, 946.  
 Hacquetia Epipactis *DC.* Rchb. Fl. germ. 21, 1842.  
 †Haemadietyon Gaudichaudii *A. DC.* Endl. Bras. 26, 50.  
 — *solanaefolium Müll.* Endl. Bras. 26, 49.  
 †Haemanthus albiflos *Jacq.* Agardh Syst. 6.  
 — *cinnabarinus Desv.* Bot. Mag. 88, 5314.  
 — — — *Fl. d. serres* 12, 1195.  
 — — — *L'horticulteur fr.* 1864, 13.  
 — *incarnatus Burch.* Bot. Mag. 91, 5532.  
 — *natalensis Pappe.* Bot. Mag. 89, 5378.  
 — *punicus L.* Dillenius Elth. 140.  
 † — — — *Irmisch Amaryllideae* 10.  
 † — *virescens Herb.* Irmisch Amaryllideae 11.  
 Haematostaphis Barteri *Hook. fil.* Linn. Transact. 23, 25.

- Haematoxylum Brasileto *Karst.* Karsten Fl. Col. 2, 114.  
 Hagenia abyssinica *Willd.* Berg Darstellung 4, 25f.  
 Hakea dactyloides *Cav.* Annales de hist. nat. 1, 12.  
 — *pugioniformis Cav.* Ann. de hist. nat. 1, 11.  
 — *scoparia Meisn.* Lem. Jard. fl. 4, 376.  
 Halenia gentianoides *Wedd.* Castelnau Exped. 53.  
 — *inaequalis Wedd.* Castelnau Exped. 53.  
 — *Purdicæna Wedd.* Castelnau Exped. 53.  
 Halesia tetraptera *L.* Nouveau Duhamel 5, 43.  
 † — — — *Payer Organogénie* 152.  
 † — — — *Handl. Acad. Holm.* 1857, 1.  
 † — — — *Agardh Syst.* 22.  
 Halgania andromedifolia *Behr.* Müller Plants of Vict. 2, 57.  
 †Halimium *DC.* Willkomm Ic. Hisp. 2, 74.  
 — *atriplicifolium Spach.* Willkomm Ic. Hisp. 2, 109.  
 — *eriocephalum Willk.* Willkomm Ic. Hisp. 2, 105.  
 — *formosum Willk.* Willkomm Ic. Hisp. 2, 102.  
 — *heterophyllum Spach.* Willkomm Ic. Hisp. 2, 102.  
 — *hirtissimum Willk.* Willkomm Ic. Hisp. 2, 106.  
 — *lepidotum Spach.* Willkomm Ic. Hisp. 2, 107.  
 — *multiflorum Willk.* Willkomm Ic. Hisp. 2, 108.  
 — *occidentale Willk.* Willkomm Ic. Hisp. 2, 103.  
 — — — 104.  
 — *rosmarinifolium Spach.* Willkomm Ic. Hisp. 2, 101.  
 — *umbellatum Spach.* Willkomm Ic. Hisp. 2, 100.  
 Hallackia fimbriata *Harv.* Harvey Thes. cap. 2, 102.  
 Halleria abyssinica *Jaub.* Jaub. Illustr. 459, 460.  
 — *lucida L.* Burmann Pl. afr. 89.  
 † — — — *Agardh Syst.* 28.  
 †Haloragaceae *R. Br.* Schnizl. Iconogr. 266.  
 Haloragis Gunnii *Hook. fil.* Hook. Fl. Tasm. 22.  
 — *odontocarpa F. M.* Müller Plants of Victoria 2, 17.  
 †Hamamelideae *R. Br.* Schnizl. Iconogr. 167.  
 Hamamelis virginiana *Lam.* Nouveau Duhamel 7, 60.  
 † — — — *Agardh Syst.* 13.  
 Hamelia chrysantha *Sw.* Plumier Ic. Burm. 218.  
 — *patens L.* Plumier Ic. Burm. 218.  
 Hanburya mexicana *Seem.* Bonplandia 1862, 12.  
 Hancea Hookeriana *Seem.* Seemann Herald 96.  
 Hancornia speciosa *Müll.* Endl. Bras. 26, 9.  
 †Hanstenia gracilis *Oerst.* Vid. Meddelelser 1854, 5.  
 Haplochilus parviflorum *Bl.* Blume Orchid. 39.  
 — *regium Bl.* Blume Orchid. 48.  
 Haplopappus diplopappus *Remy.* Castelnau Exped. 38.  
 — *Nuttallii Torr.* Sitgreaves Expedition 21.  
 — *sphaerocephalus Harv.* Expl. Missis. 7, 6.  
 Haplopetalon Richii *Gray.* Gray Expl. Exp. 76.  
 Haplophyllum vulcanicum *Boiss.* Tchichatscheff Asie mineure 7.  
 Hardenbergia Makoyana (hybrida). Illustration hortic. 1858, 179.  
 Harpalyce brasiliana *Benth.* Endl. Bras. 24, 10.  
 Harpephyllum caffrum *Bernh.* Harvey Thes. cap. 2, 125.  
 Harpullia Wodsworthii *F. M.* Müller Fragmenta 4, 26.  
 Hartoghia capensis *L.* Burmann Pl. afr. 46.  
 Hebecladus mollis *Miers.* Miers Illustr. 33.  
 Hebeclinium atrorubens *Ch. Lem.* Illustration horticole 1862, 310.  
 — *macrophyllum DC.* Plumier Ic. Burm. 129.  
 Hebenstreitia ciliata *L.* Burmann Pl. afr. 41.  
 † — — — *dentata L.* Burmann Pl. afr. 41, 42.  
 † — — — *Agardh Syst.* 17.  
 † — — — *Schnizl. Iconogr.* 140.

- † *Hebenstreitia dentata* L. Abh. Leipz. 6, 25.  
*Hecastaphyllum Brownei* Pers. Plumier Ic. Burm. 246.  
*Hechtia Ghiesbreghtii* Ch. Lem. Illustration horticole  
 1863, 378.  
*Hedeoma polygalaeifolia* Benth. Endl. Bras. 22, 33.  
*Hedera arborea* Sw. Plumier Ic. Burm. 148.  
 — *Gaudichaudii* Gray. Gray Expl. Exp. 90.  
 — *glomerulata* DC. Bot. Mag. 80, 4804.  
 — *Helix* L. Nouveau Duhamel 5, 84.  
 — — Regel Gartenfl. 1862, 360.  
 — — — Gasparrini Ric. 3.  
 — — — Nees Gen. 28, 1.  
 — — — Agardh Syst. 20.  
 — — — Schnizl. Iconogr. 163.  
 — — — Bot. Zeitung 1864, 9.  
 — *platyphylla* Gray. Gray Expl. Exp. 91.  
 — *rhombifolia* S. et Z. Cleyer Fl. jap. 50.  
 † *Hederaeae* DC. Seemann Journal 2, 240—249.  
 † *Hedraiostylus Hassk.* Baillon Euph. 21.  
*Hedycarya racemosa* Tul. Arch. du Mus. 8, 34.  
 — *Pseudomorus* F. M. Müller Plants of Victoria  
 1, 2<sup>b</sup>.  
 † *Hedychium Gardnerianum* Wall. Treviranus Symb.  
 3—6.  
 — — — Mem. Mosc. 17, 12.  
 — — — Belgique horticole 7, 8.  
 — — — Nees Sammlung 80.  
 — *pallidum* Reg. Regel Gartenfl. 1864, 445.  
*Hedyosmum cumbalense* Karst. Karst. Fl. Col. 2, 168.  
*Hedyotis acutangula* Champ. Seemann Herald 85.  
 — *Auricularia* L. Burmann Thes. zeyl. 108.  
 — *bouvardioides* Seem. Seemann Herald 64.  
 — *conferta* R. et P. Castelnau Exped. 50.  
 — *corymbosa* Lam. Plumier Ic. Burm. 212.  
 — *fasciculata* Bert. Mem. Bon. 2, 17.  
 — *filiformis* R. et P. Castelnau Exped. 50.  
 — *fruticosa* L. Burmann Thes. zeyl. 107.  
 — *mutica* Wedd. Castelnau Exped. 50.  
 — *recurva* Benth. Seemann Herald 84.  
*Hedypnois cretica* Vis. Rchb. Fl. germ. 19, 1362.  
 — *tubaeformis* Ten. Rchb. Fl. germ. 19, 1361.  
 † *Hedysarum* L. Nees Gen. 30, 1.  
 — *armenum* Boiss. Tchichatschew Asie min. 5.  
 — *biarticulatum* L. Burmann Thes. zeyl. 50.  
 — *capitatum* Desf. Regel Gartenfl. 5, 163.  
 — *cochinchinense* H. P. Schrank Hort. monac. 23.  
 — *cononarium* L. Fl. d. serres 13, 1382.  
 — *diphyllum* L. Burmann Thes. zeyl. 50.  
 — *fruticosum* L. Mém. prés. Pet. 6, 1.  
 — *gangeticum* L. Burmann Thes. zeyl. 49.  
 — *hamatum* L. Burmann Thes. zeyl. 106.  
 — *heterocarpon* L. Burmann Thes. zeyl. 53.  
 — *lydium* Boiss. Tchichatschew Asie mineure 4.  
 — *maculatum* L. Dillenius Elth. 141.  
 — *marylandicum* L. Dillenius Elth. 144.  
 — *nutans* Grah. Jard. Annals III. 1, 6.  
 — *obscurum* L. Froelich Alpenfl. 10, 3.  
 — *pulchellum* L. Burmann Thes. zeyl. 52.  
 — *repens* L. Dillenius Elth. 142.  
 — *sibiricum* Poir. Regel Gartenfl. 1863, 406.  
 — *triflorum* L. Burmann Thes. zeyl. 54.  
 — *triquetrum* L. Burmann Thes. zeyl. 81.  
 — *umbellatum* L. Burmann Thes. zeyl. 51.  
 — *vaginale* L. Burmann Thes. zeyl. 49.  
 — *viscidum* L. Burmann Thes. zeyl. 84.  
 — *volubile* L. Burmann Thes. zeyl. 143.  
 † *Hcintzia tigrina* Karst. Linnaea 1853, 2.  
 — — — Bot. Mag. 80, 4774.  
*Helcia sanguinolenta* Ldl. Rchb. Xenia 2, 131.  
*Helenium atropurpureum* Lem. Illustration horticole  
 1863, 375.  
 — *autumnale* L. Cornuti Canad. p. 63.

- Heleocharis costulata* N. v. E. Gay Chile 71.  
 — *melanocephala* Em. Desv. Gay Chile 71.  
 † — *multicaulis* Sm. Leighton Flora 2.  
 † — *palustris* Br. Leighton Flora 2.  
 — *striatula* Em. Desv. Gay Chile 71.  
*Heleogiton fluitans* Link. Leighton Flora 2.  
 † *Helianthemum* Tourn. Willkomm Ic. Hisp. 2, 74.  
 — *aegyptiacum* Mill. Willkomm Ic. Hisp. 2, 124.  
 — *alyssoides* Vent. Willkomm Ic. Hisp. 2, 103.  
 — *angustifolium* Pers. Willkomm Ic. Hisp. 2, 140.  
 — *appeninum* DC. Willkomm Ic. Hisp. 2, 138.  
 — *asperum* Lag. Willkomm Ic. Hisp. 2, 146.  
 — *bicolor* Presl. Willkomm Ic. Hisp. 2, 143.  
 — *Broussonetii* Dun. Willkomm Ic. Hisp. 2, 152.  
 — *cahircum* Del. Willkomm Ic. Hisp. 2, 127.  
 — *calcareum* Jord. Willkomm Ic. Hisp. 2, 137.  
 — *canariense* Willd. Willkomm Ic. Hisp. 2, 126.  
 — *cheiranthoides* Pers. Willkomm Ic. Hisp. 2,  
 104.  
 — *ciliatum* Pers. Willkomm Ic. Hisp. 2, 135.  
 — *confertum* Dun. Willkomm Ic. Hisp. 2, 131.  
 — *croceum* Benth. Willkomm Ic. Hisp. 2, 143.  
 — *desertorum* Willk. Willkomm Ic. Hisp. 2, 154.  
 — *Ehrenbergii* Willk. Willkomm Ic. Hisp. 2, 128.  
 — *eriocaulon* Dun. Willkomm Ic. Hisp. 2, 112.  
 — *Fontanesii* Boiss. Willkomm Ic. Hisp. 2, 141.  
 — *glaucum* Boiss. Willkomm Ic. Hisp. 2, 143.  
 144.  
 — *gorgonicum* Webb. Willkomm Ic. Hisp. 2, 126.  
 — *graecum* Boiss. Willkomm Ic. Hisp. 2, 140.  
 — *Guiraoi* Willk. Willkomm Ic. Hisp. 2, 151.  
 — *guttatum* Mill. Willkomm Ic. Hisp. 2, 112.  
 — *hirsutum* Dun. Willkomm Ic. Hisp. 2, 140.  
 — *hirtum* Pers. Willkomm Ic. Hisp. 2, 147.  
 — *Jacquini* Willk. Willkomm Ic. Hisp. 2, 136.  
 — *intermedium* Thib. Willkomm Ic. Hisp. 2, 123.  
 — *Kotschyannum* Boiss. Willkomm Ic. Hisp. 2,  
 142.  
 — *lasiocarpum* Desf. Willkomm Ic. Hisp. 2, 122.  
 † — — Ann. sc. nat. 4, 17.  
 — *lavandulifolium* DC. Willkomm Ic. Hisp. 2,  
 152.  
 — *ledifolium* Willk. Willkomm Ic. Hisp. 2, 120.  
 121.  
 — *leptophyllum* Dun. Willkomm Ic. Hisp. 2, 150.  
 — *Lippii* Pers. Willkomm Ic. Hisp. 2, 129, 130.  
 — *lucidum* Horn. Willkomm Ic. Hisp. 2, 139.  
 — *marifolium* DC. Willkomm Ic. Hisp. 2, 158.  
 — *nudicaule* Dun. Willkomm Ic. Hisp. 2, 144.  
 — *numularium* Mill. Willkomm Ic. Hisp. 2, 139.  
 — *Bory.* Willkomm Ic. Hisp. 2, 141.  
 — *ovatum* Dun. Willkomm Ic. Hisp. 2, 139.  
 — *paniculatum* Dun. Willkomm Ic. Hisp. 2, 157.  
 — *papillare* Boiss. Willkomm Ic. Hisp. 2, 119.  
 — *piliferum* Boiss. Willkomm Ic. Hisp. 2, 149.  
 — *pilosum* Pers. Willkomm Ic. Hisp. 2, 132, 133.  
 — *plantagineum* Pers. Willkomm Ic. Hisp. 2,  
 112.  
 — *polifolium* DC. Willkomm Ic. Hisp. 2, 138.  
 — *pomeridianum* Dun. Willkomm Ic. Hisp. 2, 125.  
 — *praecox* Salzm. Willkomm Ic. Hisp. 2, 114.  
 — *pulverulentum* DC. Willkomm Ic. Hisp. 2, 137.  
 — *Willk.* Willkomm Ic. Hisp. 2, 137, 138.  
 — *punctatum* Dun. Willkomm Ic. Hisp. 2, 114.  
 — *retrofractum* Pers. Willkomm Ic. Hisp. 2, 124.  
 — *roseum* Bert. Willkomm Ic. Hisp. 2, 136.  
 — *DC.* Willkomm Ic. Hisp. 2, 138.  
 — *rosmarinifolium* Presl. Willkomm Ic. Hisp. 2,  
 129.  
 — *rubellum* Presl. Willkomm Ic. Hisp. 2, 155.  
 156.  
 — *rugosum* Dun. Willkomm Ic. Hisp. 2, 104.

- Helianthemum salicifolium* Pers. Willkomm Ic. Hisp. 2, 123.
- † — — *Desf.* Ann. sc. nat. IV. 4, 17.
- *scabrosum* Pers. Willkomm Ic. Hisp. 2, 103.
- *semiglabrum* Bad. Willkomm Ic. Hisp. 2, 136.
- *sessiliflorum* Pers. Willkomm Ic. Hisp. 2, 131.
- *squamatum* Pers. Willkomm Ic. Hisp. 2, 153.
- *stoechadifolium* Pers. Willkomm Ic. Hisp. 2, 144.
- *Teneriffae* Coss. Willkomm Ic. Hisp. 2, 145.
- *ternifolium* Colm. Willkomm Ic. Hisp. 2, 104.
- *Tuberaria* Mill. Bot. Mag. 81, 4873.
- *tunetanum* Coss. Willkomm Ic. Hisp. 2, 149.
- *ventosum* Boiss. Willkomm Ic. Hisp. 2, 127.
- *vesicarium* Boiss. Willkomm Ic. Hisp. 2, 134.
- *villosum* Thib. Willkomm Ic. Hisp. 2, 119.
- *virgatum* Willk. Willkomm Ic. Hisp. 2, 135.
- *viscarium* Boiss. Willkomm Ic. Hisp. 2, 148.
- † — *vulgare* Gaertn. Schnizl. Iconogr. 188.
- † — — — Payer Organogénie 3.
- † — — — Willkomm Ic. Hisp. 2, 139—142.
- Helianthus annuus* L. Rchb. Fl. germ. 16, 940.
- † — — — Hofmeister Embryo 13.
- † — — — Abh. Senck. 1, 6.
- † — — — Bot. Zeitung 1859, 8.
- *argophyllus* H. Gr. Revue hort. 1857, p. 431.
- *atrorubens* L. Dillenius Elth. 94.
- *californicus insignis* Otto. Fl. d. serres 15, 1517—1518.
- *strumosus* L. Zanoni Hist. 56.
- *trachelifolius* Willd. Zanoni Hist. 57.
- † — *tuberosus* L. Gleichen Untersuchungen 26.
- — — Rchb. Fl. germ. 16, 940.
- Helichrysum arenarium* DC. Berg Darstellung 3, 22°.
- *cymosum* Don. Burmann Pl. afr. 76.
- *Eichwaldi* Buhse. Mem. Mosc. 18, 6.
- *expansum* Less. Burmann Pl. afr. 80.
- *grandiflorum* Don. Burmann Pl. afr. 76. 78.
- *imbricatum* Less. Burmann Pl. afr. 80.
- *lavendulifolium* DC. Zanoni Hist. 71.
- *leucocephalum* Boiss. Regel Gartenfl. 1864, 430.
- *leucopsidium* DC. Hook. Fl. Tasm. 59.
- — — var. *roseum*, Dietrich Fl. univ. 5.
- *macranthum* Benth. Regel Gartenfl. 5, 115.
- *Mannii* Hook. fil. Bot. Mag. 90, 5431.
- *maritimum* Don. Burmann Pl. afr. 76.
- *Milliganii* Hook. fil. Hook. Fl. Tasm. 60.
- *mucronatum* Less. Burmann Pl. afr. 66.
- *paniculatum* Thunb. Burmann Pl. afr. 67.
- *parviflorum* DC. Burmann Pl. afr. 77.
- *petiolatum* DC. Burmann Pl. afr. 76.
- *pumilum* Hook. fil. Hook. Fl. Tasm. 60.
- *stellatum* Less. Burmann Pl. afr. 80.
- *teretifolium* Don. Burmann Pl. afr. 77.
- *vestitum* Less. Burmann Pl. afr. 66.
- Helicodiceros crinitus* Schott. Schott Aroid. 26. 27.
- Heliconia aurantiaca* Hort. Illustration horticole 1862, 332.
- *bicolor* Benth. Sertum petrop. 20.
- — — Regel Gartenfl. 5, 172.
- *Bihai* Sw. Plumier Ic. Burm. 59.
- *brevispatha* Hook. Bot. Mag. 89, 5416.
- *dasyantha* C. Koch et Bouché. Regel Gartenfl. 6, 198.
- *metallica* Planch. Bot. Mag. 88, 5315.
- Helicophyllum angustatum* Schott. Schott Aroid. 29.
- *crassipes* Schott. Schott Aroid. 28.
- *Olivieri* Schott. Schott Aroid. 30.
- Helicteres angustifolia* L. Osbeck Reise 5.
- † — *jamaicensis* Jacq. Agardh Syst. 20.
- Helinus arabica* Jaub. Jaub. Illustr. 472.
- Heliphila scandens* Harv. Harvey Thes. cap. 2, 166.

- † *Heliohytum anchusaefolium* DC. Endl. Bras. 19, 10.
- † — *crispulum* Fres. Endl. Bras. 19, 10.
- † — *elongatum* DC. Endl. Bras. 19, 10.
- † — *indicum* DC. Endl. Bras. 19, 10.
- † — *parviflorum* DC. Endl. Bras. 19, 10.
- † — *tiaridioides* DC. Endl. Bras. 19, 10.
- † *Heliosperma* Rchb. Nees Genera 31, 8.
- † *Helioopsis scabra* Dun. Payer Organogénie 134.
- † *Heliotropium* L. Schnizl. Iconogr. 143.
- † — *Bocconi* Guss. Guss. Fl. Inar. 7.
- *eritrichioides* Kotschy. Wiener Sitzungs. 52, 4.
- † — *europaeum* L. Guss. Fl. Inar. 7.
- † — — — Endl. Bras. 19, 10.
- — — Rchb. Fl. germ. 18, 1294.
- *grandiflorum* Schrank. Schrank Hort. monac. 2.
- *macrocarpum* Guss. Guss. Fl. Inar. 7.
- *parviflorum* L. Dillenius Elth. 146.
- *pterocarpum* DC. Wiener Sitzungs. 52, 4.
- *suaveolens* M. B. Regel Gartenfl. 1861, 320.
- *supinum* L. Rchb. Fl. germ. 18, 1294.
- *tenellum* Torr. Marcy Exploration 14.
- *tenuiflorum* Guss. Guss. Fl. Inar. 7.
- Helipterum anthemoides* DC. Hook. Fl. Tasm. 61.
- *canescens* DC. Burmann Pl. afr. 68.
- — — var. *microphyllum* Sond. Dietrich Fl. univ. 4.
- *corymbiflorum* Schlecht. Regel Gartenfl. 1864, 430.
- *Sandfordii* Hook. Bot. Mag. 88, 5350.
- *sesamoides* DC. Burmann Pl. afr. 67.
- *speciosissimum* DC. Burmann Pl. afr. 66.
- *Zeyheri* Sond. Dietrich Fl. univ. 5.
- † *Helleborus* L. Mem. Tur. 1855, 1: 3.
- *abchasicus* A. Br. Otto Garten-Z. 1858, 1.
- *antiquorum* A. Br. Journ. d'hortic. 2, 7.
- *caucasicus* A. Br. var. *colchicus*, Regel Gartenfl. 9, 293.
- — — M. B. Regel Gartenfl. 1863, 400.
- † — *foetidus* L. Payer Organogénie 57.
- *guttatus* A. Br. Otto Garten-Z. 1858, 2.
- *niger* L. Berg Darstellung 1, 2°.
- † — *viridis* L. (Radix.) Berg Darstellung 1, 2°.
- — — Berg Darstellung 4, 29°.
- † *Hellenia alba* Willd. Memorie Valdarnese 1.
- Helminthia echioides* L. Rchb. Fl. germ. 19, 1378.
- Helminthospermum scabridum* Thw. Hook. Journal 1854, 9.
- Helminthostachys zeylanica* Hook. Hooker Second Century 94.
- — — Hook. Garden Ferns 28.
- † *Helosciadium inundatum* Koch. Leighton Flora 7.
- *leptophyllum* DC. Rchb. Fl. germ. 21, 186c.
- † — *nodiflorum* Koch. Leighton Flora 7.
- † *Helosis guianensis* Rich. Ann. sc. nat. IV. 12, 7.
- † — — — Linn. Transact. 22, 16.
- † — — — Chatin Anatomie 97. 98.
- † — — — Abh. Leipz. 6, 16.
- *mexicana* Liebm. Linn. Transact. 22, 15. 16.
- † — — — Abh. Leipz. 6, 16.
- † *Helwingia rusciflora* Willd. Payer Organogénie 109.
- † *Helwingiaceae* Endl. Schnizl. Iconogr. 108.
- † *Helxine Soleirolii* Req. Arch. Mus. 9, 18.
- † *Hemarthria* R. Br. Griffith Pl. asiat. 156.
- † *Hemerocallis flava* (Anthogénie) L. Mem. Genev. 14, 1.
- † — *fulva* L. Hofmeister Embryo 6.
- † — *graminea* Andr. Agardh Syst. 1.
- † — *lutea* Gaertn. Hofmeister Embryo 6.
- † — — — Abh. Leipz. 7, 19.
- Hemiandra pungens* Hort. Fl. d. serres 10, 985.
- Hemiandrina borneensis* Hook. fil. Linn. Trans. 23, 28.
- Hemianthus micranthemoides* Nutt. Journ. Ac. Philad. 1, 6.



- † *Hemicyclia* *W. et A. Baillon* Euph. 27.  
*Hemidictyum marginatum* *Presl.* *Lowe Ferns* 5, 53.  
*Hemionitis cordata* *Hook.* *Lowe Ferns* 7, 38.  
 — *cordifolia* *Roxb.* *Hook. Fil. exot.* 35.  
 — *elongata* *Brack.* *Wilkes Expl. Exp.* 8.  
 — *lanceolata* *Hook.* *Hooker Second Century* 55.  
 — *palmata* *L.* *Lowe Ferns* 7, 37.  
 — *Wilfordii* *Hook.* *Hook. Fil. exot.* 93.  
*Hemiphues bellidioides* *Hook. fil.* *Hook. Fl. Tasm.* 36.  
*Hemistemma candicans* *Hook.* *Hook. Journ.* 1857, 2.  
† *Hemistylis macrostachya* *Wedd.* *Arch. Mus.* 9, 18.  
† *Hemitelia capensis* *R. Br.* *Mettenius Fil.* 29.  
 — *grandifolia* *Spr.* *Lowe Ferns* 8, 59.  
 — *horrida* *R. Br.* *Hook. Fil. exot.* 69.  
 — — — *Lowe Ferns* 8, 60.  
† — — — *Mettenius Fil.* 29.  
 — *Hostmanni* *Hook.* *Lowe Ferns* 8, 61.  
 — *Karsteniana* *Kl.* *Mettenius Fil.* 29.  
 — *platylepis* *Hook.* *Hooker Second Century* 100.  
 — *servitensis* *Karst.* *Karsten Fl. Col.* 1, 95.  
 — *speciosa* *Kaulf.* *Hook. Fil. exot.* 66.  
*Hemitomes congestum* *Newb.* *Expl. Missis.* 6, 12.  
*Hemizonia balsamifera* *Kellogg.* *Proc. Calif. Acad.* 2, 65.  
 — *luzulaefolia* var. *fragarioides* *Kellogg.* *Proc. Calif. Acad.* 2, 70.  
*Henfreyia scandens* *Lind.* *Bélgique horticole* 5, 3.  
*Henlea splendens* *Karst.* *Karsten Fl. Col.* 1, 78.  
*Henophyton deserti* *Coss.* *Ann. sc. nat.* V. 1, 22.  
*Henriquezia nitida* *Spruce.* *Linn. Transact.* 22, 54.  
 — *obovata* *Spruce.* *Linn. Transact.* 22, 53.  
 — *verticillata* *Spruce.* *Linn. Transact.* 22, 52.  
† *Henslowia* *Wall.* *Chatin Anatomie* 67.  
*Hepatica angulosa* *Lam.* *Regel Gartenfl.* 1863, 419.  
 — *triloba* *Chaix.* *Regel Gartenfl.* 5, 171.  
† *Heppiella atrosanguinea* *Reg.* *Linnaea* 1853, 1.  
 — *naegelioides* *Ch. Lem.* (hybrida). *Illustration horticole* 1857, 129.  
*Heracleum alpinum* *L.* *Rchb. Fl. germ.* 21, 1975.  
 — *austriacum* *L.* *Rchb. Fl. germ.* 21, 7977.  
† — *barbatum* *Led.* *Payer Organogénie* 88.  
 — *palmatum* *Baumg.* *Rchb. Fl. germ.* 21, 1971.  
 — *Panaces* *L.* *Rchb. Fl. germ.* 21, 1973.  
 — *Pollinianum* *Bert.* *Rchb. Fl. germ.* 21, 1976.  
 — *pyrenaicum* *Lam.* *Rchb. Fl. germ.* 21, 1974.  
 — *sibiricum* *L.* *Rchb. Fl. germ.* 21, 1972.  
 — *siifolium* *Rchb.* *Rchb. Fl. germ.* 21, 1978.  
† — *Sphondylium* *L.* *Leighton Flora* 6.  
 — — — *Rchb. Fl. germ.* 21, 1969. 1970.  
† *Hermannia denudata* *L. fil.* *Payer Organogénie* 9.  
 — *diffusa* *Thunb.* *Thunberg Hermannia* 1.  
 — *lavendulifolia* *L.* *Dillenius Elth.* 147.  
*Hermas villosa* *Thunb.* *Burmans Pl. afr.* 71.  
† *Hermidium Monorchis* *R. Br.* *Irmisch Orchid.* 1.  
† — — — *Griffith Pl. asiat.* 285.  
† *Hermodactylus tuberosus* *Salisb.* *Ann. sc. nat.* IV. 4, 19.  
*Hernandia ovigera* *L.* *Schnizl. Iconogr.* 109\*.  
*Herpestes flagellaris* *Cham. et Schl.* *Endl. Bras.* 30, 53.  
*Herpilirion Tasmaniae* *Hook. fil.* *Hook. Fl. Tasm.* 132.  
*Herreria stellata* *R. et S.* *Feuillee* 2, 7.  
*Herrinquinia floribunda* *Dene.* *L'horticulteur fr.* 1864, 11.  
*Hesperis dentata* *L.* *Dillenius Elth.* 148.  
 — *matronalis* *L.* *Flora* 1856, 8.  
 — *unguinosa* *Schrank.* *Schrank Hort. monac.* 77.  
*Hetaeria cristata* *Bl.* *Blume Orchid.* 33.  
 — *lamellata* *Bl.* *Blume Orchid.* 35.  
 — *micanantha* *Bl.* *Blume Orchid.* 36.  
 — *obliqua* *Bl.* *Blume Orchid.* 34.  
 — *oblongifolia* *Bl.* *Blume Orchid.* 32.

- Hetaeria purpurascens* *Bl.* *Blume Orchid.* 37.  
*Heterocarpa asaroides* *Decne.* *Belgique horticole* 7, 9.  
*Heterocentron glandulosum* *Schenk.* *Regel Gartenfl.* 5, 169.  
 — *mexicanum* *Hook.* *Bot. Mag.* 86, 5166.  
 — *subtriplinervium* *A. Br. et Bouche.* *Regel Gartenflora* 1862, 354.  
*Heterolepis mitis* *DC.* *Burmans Pl. afr.* 54.  
*Heteroneuron paradoxum* *Fée.* *Fée Fil. novae* 1.  
† *Heteronoma cubense* *Naud.* *Agardh Syst.* 8.  
*Heteropappus decipiens* *Maxim.* *Regel Gartenfl.* 1864, 425.  
*Heteropsis oblongifolia* *Kth.* *Schott Aroid.* 59.  
 — *salicifolia* *Kth.* *Schott Aroid.* 58.  
 — *Spruceana* *Schott.* *Schott Aroid.* 60.  
*Heteropteris aceroides* *Gr.* *Endl. Bras.* 21, 11.  
 — *coerulea* *H. B. K.* *Plumier Ic. Burm.* 14.  
 — *helicina* *Gr.* *Endl. Bras.* 21, 12.  
 — *purpurea* *H. B. K.* *Plumier Ic. Burm.* 15.  
 — *trichanthera* *Juss.* *Endl. Bras.* 21, 10.  
*Heteropyxis natalensis* *Harv.* *Harvey Thes. cap.* 2, 128.  
*Heterothalamus boliviensis* *Wedd.* *Castelnau Exped.* 31.  
 — *nivalis* *Wedd.* *Castelnau Exped.* 31.  
*Heterotrichum macrodon* *Planch.* *Illustration horticole* 1860, 258.  
*Heterotrix pycnantha* *Müll.* *Endl. Bras.* 26, 40.  
*Heterotoma lobelioides* *Zucc.* *Fl. d. serres* 14, 1454.  
*Heterotropa asaroides* *Morr.* *Fl. d. serres* 12, 1231.  
 — — — *Bot. Mag.* 82, 4933.  
† — — — *Berliner Monatsb.* 1859, 1.  
 — *parviflora* *Hook.* *Bot. Mag.* 89, 5380.  
† *Heuchera* *L.* *Mettenius Fil.* 28.  
† — *americana* *L.* *Agardh Syst.* 7.  
 — *cylindracea* *Hook.* *Payer Organogénie* 82.  
 — *Richardsonii* *R. Br.* *Franklin Polar Sea* 29.  
 — *rubescens* *Torr.* *Stansbury Expedition* 5.  
† *Hevea* *Aubl.* *Baillon, Euph.* 15.  
*Hexacentris mysorensis* *Wight.* *Bot. Mag.* 80, 4786.  
 — — — *Regel Gartenfl.* 9, 280.  
 — — — var. *lutea*, *Fl. d. serres* 9, 942.  
*Hexachlamys humilis* *Berg.* *Endl. Bras.* 18, 39.  
*Hexadesmia crucigera* *Ldl.* *Rchb. Xenia* 1, 59.  
 — *micanantha* *Ldl.* *Rchb. Xenia* 1, 59.  
 — *stenopetala* *Rchb.* *Rchb. Xenia* 1, 59.  
*Hexalobus senegalensis* *A. DC.* *Linn. Transact.* 23, 49.  
*Hexaptera cuneata* *G. et H.* *Castelnau Exped.* 86.  
*Hibbertia dentata* *R. Br.* *Nees Sammlung* 8.  
 — *ericaefolia* *Hook. fil.* *Hook. Fl. Tasm.* 3.  
† — *grossulariaefolia* *Salisb.* *Payer Organogénie* 51.  
 — *humifusa* *F. M.* *Müller Plants of Vict.* 1, 1<sup>b</sup>.  
 — *volubilis* *Andr.* *Nees Sammlung* 89.  
† — — — *Schnizl. Iconogr.* 177.  
† *Hibiscus* *L.* *Gleichen Entdeckungen* 46. 47.  
† — — *Medicus* *Beob.* p. 385.  
† — — (Pollen). *Mém. prés. Pet.* 3, 9. 13.  
† — — *Agardh Syst.* 21.  
† — — *Hofmeister Embryo* 13.  
† — — *Payer Organogénie* 7. 6.  
 — *Brackenridgei* *Gray.* *Gray Expl. Exp.* 12.  
 — *Cooperii* *Hort.* *Fl. d. serres* 15, 1556.  
 — — — *Illustration hortic.* 1864, 412.  
 — — — *L'horticulteur fr.* 1864, 14.  
 — *esculentus* *L.* *Viella Montenegro* 2, x.  
 — *ficulneus* *L.* *Dillenius Elth.* 157.  
 — *Hamabo* *S. et Z.* *Cleyer Fl. jap.* 59.  
 — *Huegelii* *Endl.* *Bot. Mag.* 89, 5406.  
 — *Malvariscus* *L.* *Dillenius Elth.* 170.  
 — *Manihot* *L.* *Dillenius Elth.* 156.  
 — *marmoratus* *Ch. Lem.* *Fl. d. serres* 11, 1159.  
 — *moscheutos* *L.* *Nees Sammlung* 37.

- Hibiscus moscheutos* L. Fl. d. serres 12, 1233—1234.  
 — *palustris* L. Nees Sammlung 15.  
 — *pusillus* Thunb. Harvey Thes. cap. 1, 73.  
 — *radiatus* Cav. Bot. Mag. 85, 5098.  
 — *Storckii* Seem. Seemann Flora vit. 4.  
 — *syriacus* L. Nouveau Duhamel 6, 27.  
 — — var. *sinensis* Ldl. Lem. Jard. fl. 4, 370.  
 — *trilobus* Burm. Plumier Ic. Burm. 159.  
 — *trisectus* Bert. Mem. Bon. 5, 18.  
 — *unilateralis* Cav. Plumier Ic. Burm. 160.  
*Hieracium acutifolium* Vill. Rchb. Fl. germ. 19, 1470.  
 — *aestivum* Fr. Rchb. Fl. germ. 19, 1535.  
 — *alpinum* L. Rchb. Fl. germ. 19, 1506.  
 — — Froelich Alpenpfl. 10, 6.  
 — *glanduliferum* Rchb. fil. Rchb. Fl. germ. 19, 1506.  
 — — β. *Halleri* Griseb. Rchb. Fl. germ. 19, 1507.  
 — — γ. *atratum* Griseb. Rchb. Fl. germ. 19, 1507.  
 — — var. *longifolium*, Rchb. Fl. germ. 19, 1508.  
 — *ambiguum* Ehrh. Rchb. Fl. germ. 19, 1478.  
 — *amplexicaule* L. Rchb. Fl. germ. 19, 1500.  
 — — var. *petraeum* Hoppe. Rchb. Fl. germ. 15, 1501.  
 — *andryaloides* Vill. Rchb. Fl. germ. 19, 1558.  
 — *angustifolium* Hoppe. Rchb. Fl. germ. 19, 1473.  
 — *anisotrichum* Griseb. Rchb. Fl. germ. 19, 1469.  
 — *atrovirens* Guss. Rchb. Fl. germ. 19, 1521.  
 — *aurantiacum* L. Rchb. Fl. germ. 19, 1474.  
 — *Auricula* L. Rchb. Fl. germ. 19, 1475.  
 — *Auricula-praealtum* Rchb. fil. Rchb. Fl. germ. 19, 1488.  
 — *auriculaeforme* Fries. Rchb. Fl. germ. 19, 1469.  
 — *auriculoides* Lang. Rchb. Fl. germ. 19, 1482.  
 — *australe* Fries. Rchb. Fl. germ. 19, 1530.  
 — *autumnale* Griseb. Rchb. Fl. germ. 19, 1540.  
 — *Bauhini* Bess. Rchb. Fl. germ. 19, 1483.  
 — *Berninae* Griseb. Rchb. Fl. germ. 19, 1481.  
 — *bifurcum* M. v. B. Rchb. Fl. germ. 19, 1470.  
 — *Bocconeii* Griseb. Rchb. Fl. germ. 19, 1518.  
 — *bombycinum* Boiss. Rchb. Fl. germ. 19, 1561.  
 — *boreale* Fries. Rchb. Fl. germ. 19, 1541—1543.  
 — — β. *lactuceum* Griseb. Rchb. Fl. germ. 19, 1542.  
 — — var. *racemosum* Haussm. Rchb. Fl. germ. 19, 1543.  
 — — var. *virescens* Griseb. Rchb. Fl. germ. 19, 1543.  
 — — var. *subsabaudum* Rchb. fil. Rchb. Fl. germ. 19, 1543.  
 — *bupleuroides* Gm. Rchb. Fl. germ. 19, 1565.  
 1366.  
 — *caesium* Fries. Rchb. Fl. germ. 19, 1524.  
 — *Candollei* Fröhl. Rchb. Fl. germ. 19, 1498.  
 — *carpathicum* Bess. Rchb. Fl. germ. 19, 1514.  
 — *cerinthoides* L. Rchb. Fl. germ. 19, 1496.  
 — — β. *glabrescens* Gr. et Godr. Rchb. Fl. germ. 19, 1495.  
 — *cernuum* Friv. Acta Acad. hung. 1840, 10.  
 — *cinerascens* Jord. Rchb. Fl. germ. 19, 1551.  
 — *collinum* Gochn. Rchb. Fl. germ. 19, 1477.  
 — *compositum* Lap. Rchb. Fl. germ. 19, 1504.  
 1542.  
 — *corymbosum* P. Rchb. Fl. germ. 19, 1535.  
 — *crinitum* Sm. Rchb. Fl. germ. 19, 1525.  
 — *croaticum* Schloss. Rchb. Fl. germ. 19, 1538.  
 — *cydoniaefolium* Vill. Rchb. Fl. germ. 19, 1516.  
 — *cymigerum* Rchb. Rchb. Fl. germ. 19, 1485.  
 — *dentatum* Hoppe. Rchb. Fl. germ. 19, 1562.

- Hieracium denticulatum* Sm. Rchb. Fl. germ. 19, 1513.  
 — — — β. *macrotus* Rchb. fil. Rchb. Fl. germ. 19, 1545.  
 — *dovrense* Fries. Rchb. Fl. germ. 19, 1515.  
 — *echioides* Lumn. Rchb. Fl. germ. 19, 1479.  
 — *elatum* Fr. Rchb. Fl. germ. 19, 1532.  
 — *eriphorum* St. Am. Rchb. Fl. germ. 19, 1544.  
 — *eripopus* Boiss. Rchb. Fl. germ. 19, 1546.  
 — *fallax* W. Rchb. Fl. germ. 19, 1482.  
 — *farinulendum* Jord. Rchb. Fl. germ. 19, 1558.  
 — *floribundum* W. et Gr. Rchb. Fl. germ. 19, 1484.  
 — *frigidum* Wedd. Castelnau Exped. 42.  
 — *Friwaldii* Rchb. fil. Rchb. Fl. germ. 19, 1557.  
 — *fulgidum* Heynh. Rchb. Fl. germ. 19, 1474.  
 1490.  
 — *fuscum* Vill. Rchb. Fl. germ. 19, 1473.  
 — *glabratum* Hoppe. Rchb. Fl. germ. 19, 1564.  
 — *glaciale* Reyn. Rchb. Fl. germ. 19, 1473.  
 — *glanduliferum* Hoppe. Rchb. Fl. germ. 19, 1560.  
 — *glaucum* All. Rchb. Fl. germ. 19, 1567.  
 — — Gaud. Froelich Alpenpfl. 9, 4.  
 — *Gougetianum* Gren. Rchb. Fl. germ. 19, 1554.  
 — *Hausmanni* Rchb. fil. Rchb. Fl. germ. 19, 1489.  
 — *hirsutum* Bernh. Rchb. Fl. germ. 19, 1546.  
 — *humile* Host. Froelich Alpenpfl. 9, 2.  
 — — Jacq. Rchb. Fl. germ. 19, 1517.  
 — *Huteri* v. Haussm. Rchb. Fl. germ. 19, 1510.  
 — *hybridum* Ch. Rchb. Fl. germ. 19, 1471.  
 — — b. *pusillum*, Rchb. Fl. germ. 19, 1489.  
 — *hybridum* - *angustifolium* Rchb. fil. Rchb. Fl. germ. 19, 1490.  
 — *hyoseridifolium* Vill. Froelich Alpenpfl. 2, 3.  
 — *incisum* Hoppe. Rchb. Fl. germ. 19, 1521.  
 — *iricum* Fries. Rchb. Fl. germ. 19, 1494.  
 — *italicum* Fries. Rchb. Fl. germ. 19, 1523.  
 — *jurassicum* Griseb. Rchb. Fl. germ. 19, 1511.  
 — *laevigatum* W. Rchb. Fl. germ. 19, 1524.  
 — *Lageri* Sch. Bip. Rchb. Fl. germ. 19, 1487.  
 — *lanatum* Vill. Rchb. Fl. germ. 19, 1555.  
 — *lasiophyllum* Koch. Rchb. Fl. germ. 19, 1550.  
 — *Lawsoni* Vill. Rchb. Fl. germ. 19, 1491.  
 — *leiocephalum* Bartl. Rchb. Fl. germ. 19, 1571.  
 — *ligusticum* Fries. Rchb. Fl. germ. 19, 1503.  
 — *Liotardi* Vill. Rchb. Fl. germ. 19, 1559.  
 — *Lortetiae* Balb. Rchb. Fl. germ. 19, 1532.  
 — *lucidum* Guss. Rchb. Fl. germ. 19, 1517.  
 — *lycopifolium* Fröhl. Rchb. Fl. germ. 19, 1512.  
 — *melachaetum* Tausch. Rchb. Fl. germ. 19, 1477.  
 — *montanum* L. Dillenius Elth. 149.  
 — *Morisianum* Rchb. fil. Rchb. Fl. germ. 19, 1499.  
 — *multiflorum* Schleich. Rchb. Fl. germ. 19, 1487.  
 — *murorum* L. Rchb. Fl. germ. 19, 1519. 1520.  
 — *myriadenum* Boiss. Rchb. Fl. germ. 19, 1476.  
 — *Nestleri* Vill. Rchb. Fl. germ. 19, 1486.  
 — *nigrescens* W. Rchb. Fl. germ. 19, 1509.  
 — *nobile* Gr. et Godr. Rchb. Fl. germ. 19, 1502.  
 — *norvegicum* Fr. Rchb. Fl. germ. 19, 1532.  
 — *Notarisii* Rchb. fil. Rchb. Fl. germ. 19, 1538.  
 — *obscurum* Rchb. Rchb. Fl. germ. 19, 1481.  
 — *ochroleucum* Schleich. Rchb. Fl. germ. 19, 1505.  
 — *olivaceum* Gr. et Godr. Rchb. Fl. germ. 19, 1495.  
 — *onosmoides* Fries. Rchb. Fl. germ. 19, 1528.  
 — *oreades* Heuff. Rchb. Fl. germ. 19, 1480.  
 — *pallescens* W. K. Rchb. Fl. germ. 19, 1554.  
 — *pallidiflorum* Jord. Rchb. Fl. germ. 1510.  
 — *pannosum* Boiss. Rchb. Fl. germ. 19, 1555.  
 — *Papperitzii* Rchb. fil. Rchb. Fl. germ. 19, 1571.  
 — *patens* Bartl. Rchb. Fl. germ. 19, 1529.  
 — *piliferum* Hoppe. Rchb. Fl. germ. 19, 1560.  
 — *Pilosella* L. Berg Charakt. 364.  
 — — Rchb. Fl. germ. 19, 1468.

- Hieracium pilosello-piloselloides* *Naeg.* *Rehb. Fl. germ.* 19, 1478.
- piloselliforme *Hoppe.* *Rehb. Fl. germ.* 19, 1469.
  - piloselloides *Vill.* *Rehb. Fl. germ.* 19, 1480.
  - pilosum *Schleich.* *Rehb. Fl. germ.* 19, 1508.
  - poliotrichum *Wimm.* *Rehb. Fl. germ.* 19, 1486.
  - politum *Gren.* *Rehb. Fl. germ.* 19, 1572.
  - — *Fr.* *Rehb. Fl. germ.* 19, 1574.
  - porrectum *Fries.* *Rehb. Fl. germ.* 19, 1523.
  - porrifolium *L.* *Rehb. Fl. germ.* 19, 1573.
  - praealtum *Griseb.* *Rehb. Fl. germ.* 19, 1481.
  - — var. *Reichenbachii*, *Rehb. Fl. germ.* 19, 1484.
  - praecaltum-Pilosella *Wimm.* *Rehb. Fl. germ.* 19, 1475.
  - prenanthoides *Vill.* *Rehb. Fl. germ.* 19, 1511.
  - — —  $\gamma$ . *vogesiaceum* *Gr. et Godr.* *Rehb. Fl. germ.* 19, 1513.
  - pseudocerinthae *Gaud.* *Rehb. Fl. germ.* 19, 1497.
  - pulmonaroides *Vill.* *Rehb. Fl. germ.* 19, 1502.
  - pumilum *Lap.* *Rehb. Fl. germ.* 19, 1472.
  - racemosum *Kit.* *Rehb. Fl. germ.* 19, 1539.
  - Ramondi *Griseb.* *Rehb. Fl. germ.* 19, 1493.
  - ramosum *Kit.* *Rehb. Fl. germ.* 19, 1530.
  - Retzii *Fries.* *Rehb. Fl. germ.* 19, 1551.
  - Reuteri *Rehb. fil.* *Rehb. Fl. germ.* 19, 1498.
  - rhomboidale *Lap.* *Mém. Toulouse* 1, 18.
  - — *Rehb. Fl. germ.* 19, 1514.
  - rigidum *Hartm.* *Rehb. Fl. germ.* 19, 1531.
  - — —  $\beta$ . *tridentatum* *Fr.* *Rehb. Fl. germ.* 19, 1531.
  - Rothianum *Wall.* *Rehb. Fl. germ.* 19, 1579.
  - rupestre *All.* *Rehb. Fl. germ.* 19, 1547.
  - rupicola *Jord.* *Rehb. Fl. germ.* 19, 1501.
  - rupiculum *Fr.* *Rehb. Fl. germ.* 19, 1548.
  - — —  $\beta$ . *francoicum* *Griseb.* *Rehb. Fl. germ.* 19, 1548.
  - sabaudum *All.* *Rehb. Fl. germ.* 19, 1537.
  - sabinum *Seb.* *Rehb. Fl. germ.* 19, 1487.
  - Sartorianum *Boiss.* *Rehb. Fl. germ.* 19, 1547.
  - — — 1564.
  - saxatile *Jacq.* *Rehb. Fl. germ.* 19, 1570.
  - saxifragum *Griseb.* *Rehb. Fl. germ.* 19, 1553.
  - scapigerum *Boiss.* *Rehb. Fl. germ.* 19, 1518.
  - Schlosseri *Rehb. fil.* *Rehb. Fl. germ.* 19, 1556.
  - Schmidtii *Tausch.* *Rehb. Fl. germ.* 19, 1549.
  - — — var. *Sternbergii* *Griseb.* *Rehb. Fl. germ.* 19, 1549.
  - — — var. *vulcanicum* *Griseb.* *Rehb. Fl. germ.* 19, 1549.
  - scorzonrifolium *Vill.* *Rehb. Fl. germ.* 19, 1563.
  - sericeum *Lap.* *Rehb. Fl. germ.* 19, 1492.
  - sessiliflorum *Friv.* *Acta Acad. hung.* 1840, 11.
  - speciosum *Hornem.* *Rehb. Fl. germ.* 19, 1566.
  - stelligerum *Fröl.* *Rehb. Fl. germ.* 19, 1552.
  - stolonifloro-collinum *Wimm.* *Rehb. Fl. germ.* 19, 1476.
  - stoloniflorum *Kit.* *Rehb. Fl. germ.* 19, 1471.
  - stuppeum *Rehb.* *Rehb. Fl. germ.* 19, 1568.
  - sudeticum *Sternb.* *Rehb. Fl. germ.* 19, 1506.
  - symphytifolium *Fröl.* *Rehb. Fl. germ.* 19, 1522.
  - Tatrae *Griseb.* *Rehb. Fl. germ.* 19, 1572.
  - taygeteum *Boiss.* *Rehb. Fl. germ.* 19, 1557.
  - Tommasinii *Rehb. fil.* *Rehb. Fl. germ.* 19, 1569.
  - trichodes *Griseb.* *Rehb. Fl. germ.* 19, 1540.
  - umbellato-vulgatum *Hausm.* *Rehb. Fl. germ.* 19, 1537.
  - umbellatum *L.* *Rehb. Fl. germ.* 19, 1533. 1534.
  - † — — Payer Organogénie 134.
  - undulatum *Willd.* *Schrank Hort. monac.* 45.
  - valdepilosum *Vill.* *Rehb. Fl. germ.* 19, 1515.
  - versutum *Friv.* *Rehb. Fl. germ.* 19, 1559.

- Hieracium vestitum* *Gr. et Godr.* *Rehb. Fl. germ.* 19, 1492.
- villosum *L.* *Froelich Alpenpf.* 9, 3.
  - — — *Rehb. Fl. germ.* 19, 1561.
  - virga aurea *Coss.* *Rehb. Fl. germ.* 19, 1525.
  - virosum *Pall.* *Rehb. Fl. germ.* 19, 1536.
  - vogesiaceum *Mougeot.* *Rehb. Fl. germ.* 19, 1496.
  - vulgatum *Fries.* *Rehb. Fl. germ.* 19, 1526. 1527.
  - Waldsteinii *Tausch.* *Rehb. Fl. germ.* 19, 1556.
  - Willdenowii *Monn.* *Rehb. Fl. germ.* 19, 1573.
- Hierochloe rariflora* *Hook. fil.* *Hook. Fl. Tasm.* 157.
- Hieronymia alchorneoides* *Allem.* *Endl. Bras.* 27, 87. 88.
- Blanchetiana *Tul.* *Endl. Bras.* 27, 89.
  - ferruginea *Tul.* *Endl. Bras.* 27, 90.
- Higginsia Ghiesbreghtii* *Lind.* *Bot. Mag.* 89, 5383.
- — — Regel *Gartenfl.* 1864, 433.
  - refulgens *Hook.* *Bot. Mag.* 88, 5346.
  - — — L'horticulteur fr. 1863, 8.
  - regalis *Hook.* *Bot. Mag.* 87, 5280.
  - — — Belgique horticole 1862, 6.
- † *Himantoglossum* *Spr.* *Ann. sc. nat.* IV, 3, 12: 13.
- hircinum *Rich.* *Regel Gartenfl.* 5, 147.
- Himantophyllum cyrtanthiflorum* *Grönl.* *Revue hortic.* 1859, p. 258.
- miniatum *Hook.* *Bot. Mag.* 80, 4783.
  - — — Fl. d. serres 9, 949—950.
  - — — Journ. soc. d'hort. Par. 1859, 625.
  - — — Revue horticole 1859, p. 126.
- Hinterhubera ericoides* *Wedd.* *Castelnau Exped.* 39.
- † *Hippeastrum aulicum* *Hook.* *Abh. Leipz.* 7, 13.
- — — Irmisch *Amaryllideae* 9.
  - fulgidum *Hort.* *Fl. d. serres* 15, 1546.
  - Heuserianum *Karst.* *Karsten Fl. Col.* 2, 102.
  - hybridum *Koch.* *Otto Garten-Z.* 1858, 3.
  - procerum *Ch. Lem.* *Illustration horticole* 1864, 408.
  - pyrochroum *Ch. Lem.* *Illustr. hort.* 1864, 420.
  - robustum *A. Dietr.* *Otto Garten-Z.* 1857, 8.
  - solandriflorum *Ldl.* *Regel Gartenfl.* 1863, 417.
- Hippion bavaricum* *Schr.* *Schrank Hort. monac.* 35.
- verticillatum *Spr.* *Plumier Ic. Burm.* 81.
- † *Hippocastaneae* *DC.* *Schnizl. Iconogr.* 230.
- † — — — Payer Organogénie 28.
- † *Hippocratea* *L.* *Payer Organogénie* 35.
- ovata *Lam.* *Plumier Ic. Burm.* 88.
- † *Hippocrepis* *L.* *Nees Genera* 30, 4.
- † *Hippomane* *L.* *Baillon Euph.* 6.
- Mancinella *L.* *Catesby Carolina* x.
  - — — Nuttall *Sylva* 2, 60.
  - spinosa *L.* *Plumier Ic. Burm.* 171.
- Hippophae rhamnoides* *L.* *Nouveau Duhamel* 6, 80.
- Hippotis albiflora* *Karst.* *Karsten Fl. Col.* 1, 17.
- Hippuris vulgaris* *L.* *Poitau Fl. par.* 1.
- † — — — Schnizl. *Iconogr.* 266.
  - † — — — Bot. Zeitung 1854, 8.
  - † — — — Agardh *Syst.* 6.
  - † — — — Jard. *Annals* II, 11, 15.
- Hiptage myrtifolia* *Gray.* *Gray Expl. Exp.* 21.
- Hiraea chrysophylla* *Juss.* *Endl. Bras.* 21, 20.
- Hodgsonia heteroclitia* *Hook. fil.* *Hook. Himal.* 1. 2. 3.
- — — Fl. d. serres 12, 1262—1263.
- Hofmanseggia Jasmesii* *Torr.* *Marcy Exploration.* 4.
- Hofmeisteria pluriseta* *Torr.* *Expl. Missis.* 4, 9.
- Hofmeisterella eumicroscopica* *Rehb. fil.* *Rehb. Xenia* 1, 18.
- Hohenackeria bupleurifolia* *F. et M.* *Ann. sc. nat.* IV, 5, 9.
- polyodon *Coss.* *Ann. sc. nat.* IV, 5, 10.
- Hohenbergia erythropachys* *Brongn.* *Journ. soc. d'hort.* Par. 1864, 385.
- Holacantha Emoryi* *Gray.* *Torrey Mex. Boundary* 8.

- †*Holcus acicularis* Griff. Griffith Pl. asiat. 141.  
 — *bicolor* L. Saggi Padov. 1, 6.  
 — *cafer* Ard. Saggi Padov. 1, 1.  
 — *cernuus* Willd. Saggi Padov. 1, 3.  
 — *Dora* Mieg. Saggi Padov. 1, 3.  
 — *nigerrimus* Ard. Saggi Padov. 1, 5.  
 — *saccharatus* L. Saggi Padov. 1, 4.  
 — *Sorghum* L. Saggi Padov. 1, 4.  
 — *spicatus* L. Saggi Padov. 1, 2.  
*Hololachna songarica* Ehrenb. Linnæa 1826, p. 273.  
 †*Holopetalum Burchellii* Mill. Schw. Denkschr. 16, 9.  
 † — *pumilum* Turcz. Schw. Denkschr. 16, 9.  
 † — *spathulatum* Turcz. Schw. Denkschr. 16, 9.  
 †*Holosteam* L. Nees Genera 31, 13.  
 — *tenerrimum* Boiss. Tchichatschew Asie mineure 15.  
 † — *umbellatum* L. Ann. soc. nat. IV. 4, 14.  
 †*Holostylis reniformis* Duch. Ann. sc. nat. IV. 2, 5.  
*Homogyne alpina* Cass. Froelich Alpenpfl. 5, 5.  
 — — — *Rchb.* Fl. germ. 16, 902, 929.  
 — *discolor* Cass. *Rchb.* Fl. germ. 16, 903.  
 — *silvestris* Cass. *Rchb.* Fl. germ. 16, 903.  
*Homoianthus viscosus* DC. Bot. Mag. 89, 5401.  
 †*Homoiceltis aspera* Bl. Blume Mus. 2, 34.  
*Hoplophytum coeleste* C. Koch. Belgique horticole 1862, 4.  
*Hordeum bulbosum* L. Saggi Padov. 3, 1, 6.  
 — *coeleste* Vib. var. *trifurcatum* et *agciceras*, Hook. Journ. 1849, 2, 3.  
 — *distichum*, L. Saggi Padov. 3, 1, 2.  
 — *hexastichum* L. Saggi Padov. 3, 1, 2.  
 — *himalayense* Schult. var. *coeleste*, Trautvetter Himalayagerste 1.  
 † — *murinum* L. Gleichen Entdeckungen 43.  
 — — — Saggi Padov. 3, 1, 5.  
 — *nudum* Ard. Saggi Padov. 3, 3.  
 † — *vulgare* L. Gleichen Untersuchungen 27.  
 — — — Saggi Padov. 3, 2.  
 † — — — Gasparrini Ric. 7.  
 † — — — Abh. Leipz. 7, 1.  
 — *zeocriton* L. Saggi Padov. 3, 4.  
*Horkelia tridentata* Torr. Expl. Missis. 4, 6.  
*Horminum pyrenaicum* L. Rivinus Opus ined. 20.  
 — — — *Rchb.* Fl. germ. 18, 1260.  
 — *virginicum* L. Dillenius Elth. 175.  
*Hornsuschia Bryotrophe* N. v. E. Regensb. Denkschr. 2, 11.  
 — — — Endl. Bras. 17, 7.  
 — *Myrtillus* N. v. E. Regensb. Denkschr. 2, 12.  
*Hosackia balsamifera* Kellogg. Proc. Calif. Acad. 2, 126.  
 — *gracilis* Benth. Torrey Mex. Boundary 15.  
 — *Heermanni* Dur. Expl. Missis. 5, 4.  
 — *incana* Torr. Expl. Missis. 4, 4.  
 — *lathyroides* Dur. Expl. Missis. 5, 3.  
 — *puberula* Benth. Expl. Missis. 7, 4.  
 †*Hoteia japonica* Morr. Agardh Syst. 7.  
 — *Thunbergii* Sieb. et Zucc. Regel Gartenfl. 1863, 389.  
*Hottonia indica* L. Burmann Thes. zeyl. 55.  
 — *palustris* L. *Rchb.* Fl. germ. 17, 1081.  
*Houletia Brocklehurstiana* Ldl. Pescatorea 1, 36.  
 — — — Regel Gartenfl. 7, 229.  
 — *Landsbergii* *Rchb. fil.* Regel Gartenfl. 4, 108.  
 — *odoratissima* Lind. Pescatorea 1, 3.  
*Houstonia rubra* Cav. Anales de hist. nat. 1, 5.  
 †*Houttea pardina* Dec. Linnæa 1853, 1.  
 †*Houttuynia cordata* Thunb. Griffith Pl. asiat. 161<sup>d</sup>.  
 † — — — Agardh Syst. 8.  
 † — — — Payer Organogénie 90.  
*Hovea heterophylla* Cunn. Hook. Fl. Tasm. 15.  
 †*Howardia angularis* Kl. Berl. Monatsb. 1859, 2.
- †*Howardia brasiliensis* Kl. Berl. Monatsb. 1859, 2.  
 — *caracasensis* Wedd. Bot. Mag. 85, 5110.  
 — — — Fl. d. serres 14, 1423.  
 † — — — Ann. sc. nat. IV. 1, 10.  
 † — *Ehrenbergiana* Kl. Berl. Monatsb. 1859, 2.  
 — *febrifuga* Wedd. Ann. sc. nat. IV. 1, 10.  
 † — *fimbriata* Kl. Berl. Monatsb. 1859, 2.  
 † — *gigantea* Kl. Berl. Monatsb. 1859, 2.  
 † — *Lansbergii* Kl. Berl. Monatsb. 1859, 2.  
 † — *longifolia* Kl. Berl. Monatsb. 1859, 2.  
 † — *macroura* Kl. Berl. Monatsb. 1859, 2.  
 † — *peltata* Kl. Berl. Monatsb. 1859, 2.  
 † — *Raja* Kl. Berl. Monatsb. 1859, 2.  
 † — *Richardi* Wedd. Ann. sc. nat. IV. 1, 10.  
 † — *setigera* Kl. Berl. Monatsb. 1859, 2.  
*Howittia trilocularis* F. M. Müller Plants of Victoria 1, 4.  
*Hoya coronaria* Bl. Bot. Mag. 83, 4969.  
 — *Cumingiana* Decne. Bot. Mag. 85, 5148.  
 — *fraterna* Bl. Lem. Jard. fl. 4, 385.  
 — *imperialis* Ldl. var. *Rauschii*, Regel Gartenfl. 4, 130.  
 — *lacunosa* Bl. Bot. Mag. 81, 4826.  
 — *macrophylla* Bl. Siebold Fl. Jard. 1859, 11.  
 — *Shepherdii* Hook. Bot. Mag. 87, 5269.  
 — *variegata* de Vr. Jaarboek Tuinb. 1852, 1.  
*Huegelia elongata* Benth. Journ. Hort. Soc. 2, p. 311.  
*Huernia barbata* R. Br. Siebold Fl. Jard. 1860, 11.  
*Hulsea nana* Newb. Expl. Missis. 6, 12.  
 †*Humata affinis* Mett. Mettenius Fil. 27.  
 — *botrychioides* Brack. Wilkes Expl. Exp. 32.  
 † — *chacrophylla* Mett. Mettenius Fil. 27.  
 † — *dareoidea* M. Abh. Senck. 3, 6.  
 † — *Gaimardiana* J. Sm. Mettenius Fil. 27.  
 † — *parvula* Mett. Mettenius Fil. 27.  
 † — *pedata* J. Sm. Mettenius Fil. 27.  
 — *polypodioides* Brack. Wilkes Expl. Exp. 32.  
*Humca ozothamnoides* F. M. Müller Plants of Victoria 2, 44.  
*Humulus japonicus* S. et Z. Seemann Herald 98.  
 — *Lupulus* L. Berg Darstellung 4, 27<sup>b</sup>.  
 † — — — Gleichen Untersuchungen 4.  
 † — — — Schnizl. Iconogr. 95.  
 † — — — Ann. sc. nat. IV. 1, 17.  
 †*Hura* L. Baillon Euph. 6.  
 † — *crepitans* L. Abh. Acad. Berl. 1859, 3.  
 †*Huszia octopetala* Kl. Abh. Acad. Berl. 1854, 1.  
*Hutchinsia australis* Hook. fil. Hook. Fl. Tasm. 4.  
 — *pusillima* Wedd. Castelnau Exped. 86.  
*Huttonaea pulchra* Harv. Harvey Thes. cap. 2, 101.  
*Hyacinthus bifolius* Bout. Anales de hist. nat. 5, 41.  
 — *orientalis* L. Fl. d. serres 12, 1226—1229, 14, 1460—1462.  
 — — — Siebold Fl. Jard. 1861, 1.  
 † — — — Hofmeister Embryo 6, 14.  
 † — — — Verhandl. Rheinland 17, 6.  
 — *purpureus* Griff. Griffith Pl. asiat. 275.  
 †*Hyaenanche* Lamb. Baillon Euph. 23.  
 †*Hydnora africana* Thunb. Chatin Anatomie 92, 92<sup>b</sup>.  
 — *triceps* E. M. Harvey Thes. cap. 2, 187—189.  
 †*Hydrangea* L. Agardh Syst. 12.  
 — *cyanema* Nutt. Bot. Mag. 84, 5038.  
 — *japonica* variegata, L'horticulteur fr. 1861, 11.  
 — *quercifolia* Bartr. Nouveau Duhâmel 6, 78.  
 †*Hydrilla muscoides* Planch. Chatin Anatomie 9.  
 † — *najadifolia* Zoll. Chatin Anatomie 9.  
 † — *ovalifolia* Rich. Chatin Anatomie 9.  
 — *verticillata* Casp. Amtl. Bericht Königsb. 1860, 4—7.  
 †*Hydrilleae* Caspary. Pringsheim Jahrb. 1, 25, 26, 27.  
 † — — — Ann. sc. nat. IV. 9, 3, 9, 11.

- †Hydrocharis *L.* Griffith Pl. asiat. 57.  
 † — — Bot. Zeitung 1857, 11.  
 † — Morsus ranae *L.* Chatin Anatomie 2. 3.  
 †Hydrocleis Humboldtii *Rich.* Agardh Syst. 4.  
 †Hydrocotyle *L.* Griffith Pl. asiat. 45.  
 — citriodora *R. et P.* Feuillée 3, 2.  
 — peduncularis *Hook. fil.* Hook. Fl. Tasm. 32.  
 — pterocarpa *Müll.* Hook. Fl. Tasm. 33.  
 — tasmanica *Hook. fil.* Hook. Fl. Tasm. 32.  
 — vagans *Hook. fil.* Hook. Fl. Tasm. 33.  
 † — vulgaris *L.* Leighton Flora 8.  
 — — — Rchb. Fl. germ. 21, 1842.  
 †Hydrolea *L.* Agardh Syst. 17.  
 † — — Schnizl. Iconogr. 147.  
 — floribunda *Kotschy.* Kotschy Pl. Tinn. 9<sup>b</sup>.  
 †Hydropeltis purpurea *Mehr.* Schnizl. Iconogr. 186.  
 † — — — Jard. Annals II, 12, 3.  
 †Hydrophyllaeae *R. Br.* Payer Organogénie 113.  
 † — — Schnizl. Iconogr. 146.  
 †Hygea barbata *Hanst.* Linnæa 1853, 2.  
 Hylomecon vernalis *Max.* Mém. prés. Pet. 9, 3.  
 Hylophila mollis *Bl.* Blume Orchid. 35. 36.  
 †Hymenaea Courbaril *L.* Griffith Pl. asiat. 53.  
 † — verrucosa *Gaertn.* Griffith Pl. asiat. 60.  
 †Hymenanthera dentata *R. Br.* Agardh Syst. 16.  
 †Hymenocallis *Salisb.* Abh. Acad. Berl. 1859, 6.  
 † — — — Abh. Leipz. 7, 25.  
 — — — Borckiana *de Vr.* De Vriese Descript. 1851, 1.  
 — — — Moritziana *Karst.* Karsten Fl. Col. 1, 40.  
 †Hymenocardia *Wall.* Baillon Euph. 27.  
 Hymenocrater Aucheri *Jaub.* Jaub. Illustr. 456.  
 — bituminosus *F. et M.* Sertum petrop. 14.  
 — calycinus *Benth.* Jaub. Illustr. 458.  
 — secundiflorus *Jaub.* Jaub. Illustr. 457.  
 Hymenodium crinitum *Fée.* Lowe Ferns 7, 41.  
 — — — Fl. d. serres 9, 936—937.  
 Hymenolepis parviflora *DC.* Burmann Pl. afr. 64.  
 — platyrhynchos *Kze.* Hook. Ic. pl. 10, 999.  
 — spicata *Presl.* Hook. Fil. exot. 78.  
 — — — Hook. Garden Ferns 3.  
 — — — Lowe Ferns 2, 64.  
 Hymenothrix Wrightii *Torr.* Sitgreaves Expedition 6.  
 †Hymenophyllaceae *Pr.* Bot. Zeitung 1860, 11.  
 † — — — Abh. Leipz. 11, 1—4.  
 Hymenophyllum affine *Brack.* Wilkes Expl. Exp. 37.  
 — asplenoides *Sw.* Hook. Ic. pl. 10, 956.  
 — — — Endl. Bras. 23, 19.  
 — Blumeanum *Spr.* Verh. Ac. Amst. 1861, 36.  
 — caudiculatum *Mart.* Lowe New Ferns 68.  
 — chiloense *Hook.* Lowe New Ferns 69.  
 — ciliatum *Sw.* Endl. Bras. 23, 19.  
 — — — Lowe New Ferns 69.  
 — crispatum *H. et Gr.* Lowe New Ferns 69.  
 — cruentum *L.* Lowe Ferns 8, 5.  
 — cubense *Sturm.* Karsten Fl. Col. 2, 156.  
 — demissum *Sw.* Lowe Ferns 8, 7.  
 — dilatatum *Sw.* Lowe New Ferns 70.  
 — elegans *Spr.* Endl. Bras. 23, 19.  
 — crosom *Bl.* Verh. Ac. Amst. 1861, 43.  
 — eximium *Kze.* Verh. Ac. Amst. 1861, 46.  
 — feejeense *Brack.* Wilkes Expl. Exp. 37.  
 — fimbriatum *Sw.* Verh. Ac. Amst. 1861, 44.  
 — flexuosum *All. Cunn.* Hook. Ic. pl. 10, 962.  
 — formosum *Brack.* Wilkes Expl. Exp. 37.  
 — — — Verh. Ac. Amst. 1861, 47. 48.  
 — fuciforme *Sw.* Lowe New Ferns 72.  
 — fucoides *Sw.* Hook. Ic. pl. 10, 963.  
 — fuscum *v. d. B.* Verh. Ac. Amst. 1861, 51.  
 — fuscagangense *Karst.* Karsten Fl. Col. 2, 153.  
 — hirsutum *Sw.* Endl. Bras. 23, 19.  
 — hirtellum *Sw.* Lowe Ferns 8, 7.  
 — javanicum *Spr.* Verh. Ac. Amst. 1861, 40.

- Hymenophyllum integrum *v. d. B.* Verh. Ac. Amst. 1861, 38.  
 — Junghuhnii *v. d. B.* Verh. Ac. Amst. 1861, 49.  
 — lobato-alatum *Kl.* Karst. Fl. Col. 2, 157.  
 — micranthum *v. d. B.* Verh. Ac. Amst. 1861, 41.  
 — organense *Hook.* Endl. Bras. 23, 19.  
 — paniculiflorum *Pr.* Verh. Ac. Amst. 1861, 39.  
 — plumosum *Kaulf.* Karst. Fl. Col. 2, 156.  
 — polyanthos *Sw.* Endl. Bras. 23, 19.  
 — — — Lowe Ferns 8, 8.  
 — productum *Kze.* Verh. Ac. Amst. 1861, 45.  
 — pulcherrimum *Col.* Hook. New Zeal. 74.  
 — — — Lowe New Ferns 71.  
 — pycnocarpum *v. d. B.* Verh. Ac. Amst. 1861, 37.  
 — pyramidatum *Desv.* Karsten Fl. Col. 2, 157.  
 — Reinwardti *v. d. B.* Verh. Ac. Amst. 1861, 42.  
 — sericum *Sw.* Lowe Ferns 8, 8.  
 — — — Karsten Fl. Col. 2, 156.  
 — Simonsianum *Hook.* Hooker Second Century 13.  
 † — tomentosum *Kze.* Karsten Fl. Col. 2, 155.  
 — tunbridgense *Sm.* Johnson Ferns 42.  
 — — — Lowe Ferns 8, 5.  
 — — — Hook. British Ferns 43.  
 — undulatum *Sw.* Hook. Ic. pl. 10, 964.  
 — unilaterale *Willd.* Johnson Ferns 43.  
 — — — Lowe Ferns 8, 6.  
 — Wilsoni *Hook.* Hook. British Ferns 44.  
 — Zollingerianum *Kze.* Verh. Ac. Amst. 1861, 50.  
 †Hyobanche sanguinea *L.* Chatin Anatomie 26.  
 †Hyoseyamus *L.* Mem. Tur. 1855, 1. 4.  
 — albus *L.* Rchb. Fl. germ. 20, 1623.  
 — aureus *L.* Rivinus Opus ined. 85.  
 — muticus *L.* Forskal Icones 5.  
 — — — Jaub. Illustr. 415.  
 — niger *L.* Berg. Darstellung 2, 16<sup>f</sup>.  
 — — — Rchb. Fl. germ. 20, 1623. 1834.  
 — pictus *Bernh.* Miers Illustr. 79.  
 — pusillus *L.* Jaub. Illustr. 414.  
 — reticulatus *L.* Jaub. Illustr. 416.  
 Hyoseris radiata *L.* Rchb. Fl. germ. 19, 1360.  
 — scabra *L.* Rchb. Fl. germ. 19, 1360.  
 — taraxacoides *Vill.* Santi Viaggi 3, 7.  
 — tuberosa *Santi.* Santi Viaggi 3, 2.  
 Hypecoum erectum *L.* Ammann Ruth. 9.  
 Hypericophyllum compositarum *Steetz.* Peters Mossamb. 50.  
 Hypericum hircinum *L.* Dillenius Elth. 151.  
 — — — Nouveau Duhamel 6, 28.  
 — maritimum *Sieb.* Sieber Creta 10.  
 — oblongifolium *Choisy.* Bot. Mag. 82, 4949.  
 — — — Belgique horticole 7, 27.  
 — olympicum *L.* Dillenius Elth. 151.  
 † — perforatum *L.* Schnizl. Iconogr. 218.  
 † — — — Payer Organogénie 1.  
 † — punctulosum *Bert.* Mem. Bon. 4, 4.  
 † — Richieri *Vill.* Agardh Syst. 24.  
 — undulatum *Schousb.* Seemann Journal 2, 16.  
 †Hyphaene cernita *Gaertn.* Memorie Valdarnese 1.  
 — thebaica *Mart.* Trémaux Soudan 11.  
 Hypocalymna Phillipsii *Hurv.* Proc. Dublin Assoc. 1, 12.  
 Hypocalyptus styracifolius *N. v. E.* Nees Sammlung 23.  
 — — — Nat. Hist. Review 5, 22.  
 Hypochaeris glabra *L.* Rchb. Fl. germ. 19, 1396.  
 — maculata *L.* Rchb. Fl. germ. 19, 1396.  
 — pinnatifida *Cyr.* Rchb. Fl. germ. 19, 1399.  
 — radicata *L.* Flora 1856, 8.  
 — — — Rchb. Fl. germ. 19, 1397—98.

- Hypochaeris uniflora* Vill. Rchb. Fl. germ. 19, 1396.  
 † *Hypocyrtia hirsuta* Mart. Linnaea 1853, 2.  
 — — — — — Endl. Bras. 36, 67.  
 — — — — — *macrocalyx* Hnst. Endl. Bras. 36, 67.  
 — — — — — *radicans* Kl. et Hnst. Endl. Bras. 36, 67.  
 — — — — — *Selloana* Kl. et Hnst. Endl. Bras. 36, 67.  
 — — — — — *sericea* Hnst. Endl. Bras. 36, 67.  
 — — — — — *strigillosa* Mart. Endl. Bras. 36, 67.  
*Hypoderris Brownii* J. Sm. Lowe Ferns 7, 14.  
 — — — — — Hook. Garden Ferns 24.  
*Hypoestes sanguinolenta* V. H. Bot. Mag. 91, 5511.  
*Hypolaena fastigiata* R. Br. Hook. Fl. Tasm. 137.  
*Hypolepis amaurohachis* Hook. Lowe New Ferns 2.  
 — — — — — Mettenius Fil. 16.  
 — — — — — *bogotensis* Karst. Karsten Fl. Col. 2, 147.  
 † — — — — — *guyanensis* Kl. Karsten Fl. Col. 2, 147.  
 — — — — — *pteridioides* Hook. Hooker Second Century 59.  
 † — — — — — *pteroides* Mett. Mettenius Fil. Lechl. 3.  
 — — — — — *repens* Presl. Lowe Ferns 4, 11.  
 — — — — — Karsten Fl. Col. 2, 145.  
 † — — — — — Mettenius Fil. 16.  
 — — — — — *tenuifolia* Bernh. Mettenius Fil. 16.  
 † — — — — — *viscosa* Karst. Karsten Fl. Col. 2, 145, 146.  
 † *Hypopitys lanuginosa* Nutt. Chatin Anatomie 51.  
 † — — — — — *multiflora* Scop. Chatin Anatomie 52, 53.  
 † — — — — — Baillon Adansonia 1, 4.  
 † *Hypoxis* L. Agardh Syst. 1.  
 — — — — — *glabella* R. Br. Hook. Fl. Tasm. 130.  
 — — — — — *pusilla* Hook. fil. Hook. Fl. Tasm. 130.  
 — — — — — *sessilis* L. Dillenius Elth. 220.  
 — — — — — *stellata* L. fil. Fl. d. serres 10, 1027.  
*Hypsocharis pimpinellifolia* Kemy. Castelnau Exped. 81.  
*Hyptis carpinifolia* Benth. Endl. Bras. 22, 26.  
 — — — — — *Clausseni* Benth. Endl. Bras. 22, 27.  
 — — — — — *fruticososa* Salzm. Endl. Bras. 22, 25.  
 — — — — — *interrupta* Pohl. Endl. Bras. 22, 18.  
 — — — — — *lacunosa* Pohl. Endl. Bras. 22, 25.  
 — — — — — *lappulacea* Mart. Endl. Bras. 22, 22.  
 — — — — — *latifolia* Mart. Endl. Bras. 22, 28.  
 — — — — — *linarioides* Pohl. Endl. Bras. 22, 21.  
 — — — — — *lophanta* Mart. Endl. Bras. 22, 19.  
 — — — — — *Martiusii* Benth. Endl. Bras. 22, 20.  
 — — — — — *membranacea* Benth. Endl. Bras. 22, 28.  
 — — — — — *nudicaulis* Benth. Endl. Bras. 22, 18.  
 — — — — — *reticulata* Mart. Endl. Bras. 22, 29.  
 — — — — — *salicina* Schmidt. Endl. Bras. 22, 24.  
 — — — — — *sinuata* Pohl. Endl. Bras. 22, 23.  
 — — — — — *suaveolens* Poit. Plumier Ic. Burm. 163.  
 — — — — — *virgata* Benth. Endl. Bras. 22, 17.  
*Hysopus officinalis* L. Rchb. Fl. germ. 18, 1259.  
*Hysteria veratrifolia* Reinw. Vriese Orchid. 7, 11.  
 † *Jaborosa* Juss. Bot. Zeitung 1857, 11.  
 † *Jacaranda Copaiva* Don. Bureau Bign. 21.  
 — — — — — *digitaliflora* Ch. Lem. Illustration hortic. 1864, 393.  
 † — — — — — *tomentosa* R. Br. Bureau Bign. 21.  
*Jacobinia mexicana* Seem. Seemann Herald. 66.  
*Jacquemontia coelestis* Hort. van Houtte. Fl. d. serres 11, 1132.  
 — — — — — *ovata* Owerin. Regel Gartenfl. 9, 300.  
*Jacquinia arborea* Vahl. Endl. Bras. 16, 27.  
 — — — — — *armillaris* Jacq. Endl. Bras. 16, 27.  
 — — — — — *aurantiaca* Ait. Schrank Hort. monac. 41.  
 — — — — — Endl. Bras. 16, 27.  
 † — — — — — Agardh Syst. 10.  
 — — — — — *macrocarpa* Cav. Nees Sammlung 66.  
 — — — — — *ruscifolia* L. Dillenius Elth. 123.  
*Jambosa lanceolata* Korth. Siebold Fl. Jard. 1860, 4.  
 — — — — — *vulgaris* DC. Vellozo 5, 45.  
*Jamesonia bogotensis* Karst. Karsten Fl. Col. 2, 115.

- Jamesonia ciliata* Karst. Karsten Fl. Col. 2, 143.  
 — — — — — *glutinosa* Karst. Karsten Fl. Col. 2, 143.  
 — — — — — *nivea* Karst. Karsten Fl. Col. 2, 115.  
 — — — — — *pulchra* H. et Gr. Hook. Ic. Fil. 2, 179.  
 — — — — — *robusta* Karst. Karsten Fl. Col. 2, 115.  
 — — — — — *rotundifolia* Fée. Fée. Fil. novae 10.  
*Janusia amazonica* Gr. Endl. Bras. 21, 21.  
 — — — — — *gracilis* Gray. Expl. Missis. 7, 1.  
 † *Jasione montana* L. Nees Genera 28, 9.  
 — — — — — Rchb. Fl. germ. 19, 1578.  
 — — — — — *perennis* L. Rchb. Fl. germ. 19, 1578.  
 † *Jasmineae* R. Br. Ann. sc. nat. IV. 5, 2, 3.  
 † — — — — — Schnizl. Iconogr. 129.  
*Jasminum azoricum* L. Burmann Thes. zeyl. 58.  
 — — — — — *fruticans* L. Rchb. Fl. germ. 17, 1077.  
 † — — — — — *odoratissimum* L. Agardh Syst. 17.  
 — — — — — *officinale* L. Rchb. Fl. germ. 17, 1077.  
 — — — — — *revolutum* Schrank. Schrank Hort. monac. 66.  
 — — — — — *rivulare* Salisb. Salisbury Ic. rar. 8.  
 — — — — — *Sambac* Ait. Regel Gartenfl. 1862, 362.  
*Jasonia glutinosa* DC. Rchb. Fl. germ. 16, 934.  
 † *Jatropha* L. (Pollen). Mém. prés. Pet. 3, 7.  
 † — — — — — Baillon Euph. 14.  
 — — — — — *multifida* L. Dillenius Elth. 173.  
 ! — — — — — *Pohliana* β, mollissima, Mem. Genev. 17, 1.  
*Ibatia albiflora* Karst. Karsten Fl. Col. 2, 160.  
 † — — — — — *fimbriata* Karst. Karsten Fl. Col. 2, 160.  
 — — — — — *maritima* Decne. Karsten Fl. Col. 2, 160.  
 † *Iberis amara* L. Bot. Zeitung 1859, 9.  
 — — — — — *Durandii* Lor. Lorey Flora de Côte d'or 1.  
 — — — — — *giberalteriaca* L. Dillenius Elth. 287.  
 — — — — — *procumbens* Lge. Lange Pl. Hisp. 6.  
 † *Icacina senegalensis* Juss. Baillon Adansonia 2, 9.  
 † *Icacinaceae* Miers. Schnizl. Iconogr. 223<sup>a</sup>.  
*Icica icicariba* DC. Berg Darstellung 4, 31<sup>a</sup>.  
 — — — — — *Tacamahaca* H. B. K. Berg Charakt. 542.  
*Jessenia polycarpa* Karst. Karsten Fl. Col. 1, 98.  
*Ildefonsia bibracteata* Gardn. Endl. Bras. 30, 52.  
 † *Ilex* L. (Ectypa foliorum.) Endl. Bras. 28, 11—14.  
 — — — — — *Aquifolium* L. Cornuti Canad. p. 181.  
 — — — — — Rchb. Fl. germ. 17, 1080.  
 — — — — — var. *pendulum*, Illustration hort. 1859, 222.  
 † — — — — — Schnizl. Iconogr. 238.  
 † — — — — — Handl. Acad. Holm. 1857, 1.  
 † — — — — — Agardh Syst. 22.  
 — — — — — *Betschlerana* Göpp. Regel Gartenfl. 3, 102.  
 — — — — — *cerasifolia* Reiss. Endl. Fl. bras. 28, 18.  
 — — — — — *chamaedryfolia* Reiss. Endl. Fl. bras. 28, 21.  
 — — — — — *cornuta* Ldl. Bot. Mag. 84, 5059.  
 — — — — — Fl. d. serres 9, 895.  
 — — — — — *cuneifolia* L. Plumier Ic. Burm. 118.  
 — — — — — *loranthoides* Mart. Endl. Fl. bras. 28, 16.  
 — — — — — *paraguayensis* St. Hil. Endl. Fl. bras. 28, 19, 20.  
 — — — — — *psammophila* Mart. Endl. Fl. bras. 28, 15.  
 — — — — — *Siroki* Sieb. Cleyer Fl. jap. 35.  
 — — — — — *theezans* Mart. Endl. Fl. bras. 28, 17.  
 — — — — — *vitensis* Gray. Gray Expl. Exp. 25.  
*Ilalaireca canarinoides* Lenné. Bot. Mag. 83, 5022.  
 — — — — — Fl. d. serres 9, 913.  
*Illecebrum Achyrantha* L. Dillenius Elth. 7.  
 — — — — — *lanatum* L. Burmann Thes. zeyl. 26.  
 — — — — — *sessile* L. Burmann Thes. zeyl. 4.  
 † — — — — — *verticillatum* L. Payer Organogénie 70.  
 † *Illicium anisatum* Lour. Berg Darstellung 4, 30<sup>f</sup>.  
 — — — — — *floridanum* L. Nouveau Duhamel 3, 47.  
 — — — — — Nees Sammlung 39.  
 — — — — — *religiosum* S. et Z. Cleyer Fl. jap. 61.  
 — — — — — Berg Darstellung 4, 30<sup>f</sup>.  
*Illigera dasyphylla* Mig. Miquel Flora Suppl. 1.  
 † *Impatiens* L. (13 Species.) Madras Journal 1859, 4.

- † *Impatiens L.* Agardh. Syst. 5.  
 † — — Payer Organogénie 17.  
 † — — Schnizl. Iconogr. 237.  
 — *Balsamina L.* Cleyer, Fl. jap. 89.  
 — — — Fl. d. serres 12, 1199—1200.  
 † — — — Medicus Beob. p. 385.  
 † — — — Bot. Zeitung 1859, 9.  
 — *bicolor Hook.* Bot. Mag. 89, 5366.  
 — *candida Ldl.* Lem. Jard. fl. 4, 416.  
 — *cornuta L.* Burmann Thes. zeyl. 16.  
 — *faccida Arn.* Bot. Mag. 87, 5276.  
 — *Hookeriana Arn.* Lem. Jard. fl. 4, 391.  
 — *Jerdoniae Wight.* Fl. d. serres 9, 906.  
 — — — Revue horticole 1855, 6.  
 — *macrophylla Gardn.* Lem. Jard. fl. 4, 352.  
 — *Roylei Walp.* Lem. Jard. fl. 4, 427.  
 — *triflora L.* Burmann Thes. zeyl. 16.  
 † — *tripetata Roxb.* Griffith Pl. asiat. 45.  
 — *Walkerii Hook.* Bot. Mag. 87, 5237.  
*Imperata sacchariflora Maxim.* Regel Gartenfl. 1862, 357.  
 † *Incarvillea sinensis Lam.* Bureau Bign. 23.  
*Indigastrum deflexum Jaub.* Jaub. Illustr. 492.  
 — *macrostachyum Jaub.* Jaub. Illustr. 493.  
*Indigofera alba Decne.* Revue horticole 1854, 19.  
 — *amorphoides Jaub.* Jaub. Illustr. 483.  
 — *arabica Jaub.* Jaub. Illustr. 479.  
 — *Binderi Kotschy.* Wiener Sitzungs. 51, 6.  
 — *bongensis Kotschy.* Kotschy Pl. Tinn. 4.  
 — *capitata Kotschy.* Wiener Sitzungs. 51, 6.  
 — *coluteifolia Jaub.* Jaub. Illustr. 487—488.  
 — *coronilloides Jaub.* Jaub. Illustr. 485—486.  
 — *decora Ldl.* Bot. Mag. 84, 5063.  
 — *hirsuta L.* Burmann Thes. zeyl. 14.  
 — *lespedzioides H. B. K.* Endl. Bras. 24, 5.  
 — *microcarpa Desv.* Endl. Bras. 24, 6.  
 — *ornithopoides Hochst.* Jaub. Illustr. 480.  
 — *Schimperi Jaub.* Jaub. Illustr. 484.  
 — *spinosa Forsk.* Jaub. Illustr. 490—491.  
 — *suaveolens Jaub.* Jaub. Illustr. 489.  
 — *tinctoria L.* Berg Darstellung 4, 30<sup>d</sup>.  
 — *trigonelloides Jaub.* Jaub. Illustr. 482.  
 — *viscioides Jaub.* Jaub. Illustr. 481.  
 † *Inga Willd.* (Pollen). Mém. prés. Pet. 3, 6.  
 — *circinalis Willd.* Plumier Ic. Burm. 5.  
 — *guadalupensis DC.* Nuttall Sylva 2, 55.  
 — *ingoides Willd.* Feuillée 3, 19.  
 — *latifolia Willd.* Plumier Ic. Burm. 9.  
 — *macrophylla H. B. K.* Bot. Mag. 89, 5075.  
 — *Sassa Willd.* Bruce Travels 5, 4. 5.  
 — *tergemina Willd.* Plumier Ic. Burm. 10.  
 — *unguis cati Willd.* Plumier Ic. Burm. 4.  
 — — — Nuttall Sylva 2, 54.  
 — *vera Willd.* Plumier Ic. Burm. 25.  
*Intybus multicaulis Led.* Bot. Notiser 1857, 1.  
*Inula aestuans L.* Plumier Ic. Burm. 41.  
 — *bifrons L.* Rehb. Fl. germ. 16, 923.  
 — *britannica L.* Rehb. Fl. germ. 16, 925. 926.  
 — *candida Cass.* Rehb. Fl. germ. 16, 922.  
 — *Conyza DC.* Rehb. Fl. germ. 16, 923.  
 — *crithmoides L.* Rehb. Fl. germ. 16, 932.  
 — *discoidea Boiss.* Tchichatscheff Asie mineure 29.  
 — *ensifolia L.* Rehb. Fl. germ. 16, 928.  
 — *germanica L.* Rehb. Fl. germ. 16, 931.  
 — *Helenium L.* Berg Darstellung 3, 22<sup>f</sup>.  
 — *hirta L.* Rehb. Fl. germ. 16, 927.  
 — *hybrida Baumg.* Rehb. Fl. germ. 16, 924.  
 — *indica L.* Burmann Thes. zeyl. 55.  
 — *media M. v. B.* Rehb. Fl. germ. 16, 931.  
 — *montana L.* Rehb. Fl. germ. 16, 925.  
 — *Oculus Christi L.* Rehb. Fl. germ. 16, 924.

- Inula primulaefolia L.* Plumier Ic. Burm. 40.  
 — *salicina L.* Rehb. Fl. germ. 16, 928.  
 — *semiamplexicaulis Reut.* Rehb. Fl. germ. 16, 929.  
 — *squarrosa L.* Rehb. Fl. germ. 16, 930.  
 — — — var. *tenuis*, Rehb. Fl. germ. 16, 929.  
 — *suaveolens Jacq.* Rehb. Fl. germ. 16, 922.  
 — *Vaillantii Vill.* Rehb. Fl. germ. 16, 930.  
*Jobaphes virgatus Ph.* Philippi Reise 4.  
*Jochroma coccineum Schdw.* Fl. d. serres 12, 1261.  
 — *grandiflorum Benth.* Bot. Mag. 88, 5301.  
 — — — L'horticulteur fr. 1863, 9.  
 — *lanceolatum Miers.* Miers Illustr. 31.  
 — *longipes Miers.* Miers Illustr. 30.  
 — *macrocalyx Benth.* Hooker Journal London Journal 1845, 13.  
 — *Warszewiczii Reg.* Regel Gartenfl. 4, 126.  
 — — — Fl. d. serres 11, 1163.  
 — — — Belgique horticole 7, 45.  
*Jodina rhombifolia Hook.* Endl. Fl. bras. 28, 23.  
 † *Jonesia Asoca Roxb.* Griffith Pl. asiat. 1.  
 — — — Fl. d. serres 9, 930—932.  
*Jonidium barcelonense Karst.* Karsten Fl. Col. 1, 94.  
 — *caffrum Sond.* Harvey Thes. cap. 1, 47.  
 — *circaeoides H. B.* Nees Düss. Suppl. 119.  
 — *floribundum Ldl.* Müller Plants of Victoria I, 8<sup>p</sup>.  
*Jonopsis paniculata Ldl.* Bot. Mag. 91, 5541.  
*Jorosa umbellifera Karst.* Karsten Fl. Col. 1, 5.  
*Josephinia Eugenia F. M.* Hook. Journ. 1857, 11.  
*Jossinia buxifolia Comm.* Feuillée 3, 31.  
 † *Ipomaea L.* (Pollen). Mém. prés. Pet. 3, 11.  
 — *alatipes Hook.* Bot. Mag. 88, 5330.  
 — *coccinea L.* Commelyn Rar. 21.  
 — *corymbosa Roth.* Plumier Ic. Burm. 89.  
 — *digitata L.* Plumier Ic. Burm. 92.  
 — *filicaulis Chois.* Bot. Mag. 90, 5426.  
 — *glaucofolia L.* Dillenius Elth. 87.  
 — *hederifolia L.* Plumier Ic. Burm. 93.  
 — *Karwinskyana Reg.* Regel Gartenfl. 7, 222.  
 — *lacunosa L.* Dillenius Elth. 87.  
 — *leptophylla Torr.* Emory Notes 11.  
 — *mutabilis Edw.* Nees Sammlung 4.  
 — *pes caprae L.* Madras Journal 1857, 3.  
 — *pes tigridis L.* Dillenius Elth. 318.  
 — *Purga Hayne.* Berg Darstellung 1, 5<sup>ab</sup>.  
 — *rubro-coerulea Hook.* Fl. d. serres 9, 966.  
 — — — Revue horticole 1855, 23.  
 — *solanifolia L.* Plumier Ic. Burm. 94.  
 — *tamnifolia L.* Dillenius Elth. 318.  
 — *umbellata L.* Plumier Ic. Burm. 82.  
*Iresine Herbstii Hook.* Bot. Mag. 91, 5499.  
*Iriartea pubescens Karst.* Karsten Fl. Col. 1, 81.  
 — *ventricosa Mart.* Illustration horticole 1864, 400.  
*Iridorchis gigantea Bl.* Blume Orchid. 26.  
 — — — Sieb. Fl. Jard. 1860, 6.  
 † *Iris L.* Guillard Organes floraux 3.  
 † — — Hofmeister Embryo 10.  
 † — — Payer Organogénie 138.  
 † — — Mem. Tur. 1855, 2. 3.  
 † — — Abh. Leipz. 7, 20. 21.  
 † — — Linn. Transact. 22, 68.  
 — *arenaria W. K.* Belgique horticole 9, 11.  
 — *Chamaeiris Bert.* Corinaldi Notizie 1.  
 — *Clusiana Tausch.* Belgique horticole 9, 11.  
 — *cristata Ait.* Cleyer Fl. jap. 24.  
 — *florentina L.* Berg Darstellung 2, 10<sup>f</sup>.  
 — *foetidissima L.* Poiteau Fl. par. 45.  
 — *germanica L.* Poiteau Fl. par. 48.  
 — *japonica Thunb.* Cleyer Fl. jap. 23.  
 — *iberica Hoffm.* Regel Gartenfl. 1863, 386.

- Iris juncea* Poir. Mem. Mod. 24, I. 1.  
 — *Kaempferi* Sieb. Illustration horticole 1858, 157.  
 — *laevigata* Fisch. Regel Gartenfl. 1864, 442.  
 — *longipetala* Herb. Bot. Mag. 88, 5298.  
 — *paradoxa* Stev. Regel Gartenfl. 1863, 386.  
 — *persica* L. Fl. d. serres 10, 1045.  
 — *psuedacorus* L. Poiteau Fl. par. 46.  
 — *pumila* L. Poiteau Fl. par. 47.  
 — — Belgique horticole 9, 11.  
 — — Regel Gartenfl. 1862, 377.  
 — *reticulata* M. B. Regel Gartenfl. 1864, 452.  
 — *setosa* Pall. Regel Gartenfl. 1861, 322.  
 — *Sisyrinchium* L. Mem. Mod. 24, I. 2.  
 — *susiana* L. Fl. d. serres 11, 1087—1088.  
 — — Revue horticole 1859, p. 322.  
 — *Sweetii* Lam. Belgique horticole 7, 21.  
 — *tuberosa* L. Fl. d. serres 11, 1083.  
 — *versicolor* L. Dillenius Elth. 155.  
 † *Isatis aleppica* Scop. Mém. prés. Pet. 4, 1.  
 † — *Besseriana* Trautv. Mém. prés. Pet. 4, 2.  
 — *biscutellaefolia* Buhse. Mem. Mosc. 18, 6.  
 † — *campestris* Stev. Mém. prés. Pet. 4, 2.  
 † — *canescens* DC. Mém. prés. Pet. 4, 1.  
 † — *costata* C. A. M. Mém. prés. Pet. 4, 2.  
 † — *dasycarpa* Led. Mém. prés. Pet. 4, 1.  
 † — *hebecarpa* DC. Mém. prés. Pet. 4, 1.  
 † — *iberica* Steven. Mém. prés. Pet. 4, 1.  
 † — *laevigata* Trautv. Mém. prés. Pet. 4, 1.  
 † — *latisiliqua* Stev. Mém. prés. Pet. 4, 1.  
 † — *litoralis* Stev. Mém. prés. Pet. 4, 2.  
 † — *membranacea* Trautv. Mém. prés. Pet. 4, 2.  
 † — *microcarpa* Gay. Mém. prés. Pet. 4, 1.  
 † — *numularia* Trautv. Mém. prés. Pet. 4, 2.  
 † — *oblongata* DC. Mém. prés. Pet. 4, 2.  
 † — *praecox* Kit. Mém. prés. Pet. 4, 1.  
 † — *sabulosa* Stev. Mém. prés. Pet. 4, 2.  
 † — *sibirica* Trautv. Mém. prés. Pet. 4, 1.  
 † — *Steveniana* Trautv. Mém. prés. Pet. 4, 1.  
 † — *taurica* MB. Mém. prés. Pet. 4, 2.  
 † — *tinctoria* L. Mém. prés. Pet. 4, 2.  
 † — *Villarsii* Gaud. Mém. prés. Pet. 4, 1.  
 † *Ischaemum* L. Griffith Pl. asiat. 148.  
*Ischarum Pyrami* Schott. Bot. Mag. 88, 5324.  
*Ischnosiphon leucophaeus* Körn. Mem. Mosc. 17, 10, 11.  
 † — *surinamensis* Gris. Ann. sc. nat. IV. 13, 2.  
 † *Iseilema* And. Nova Acta Ups. 2, 3.  
*Isidium gregarium* Bert. Mem. Bon. 2, 17.  
*Ismelia Broussonetii* Schultz Bip. Bot. Mag. 84, 5067.  
*Isnardia palustris* L. Zanoni Hist. 67.  
 † — — Schnizl. Iconogr. 265.  
*Isochilus linearis* R. Br. Plumier Ic. Burm. 182.  
*Isodendron longifolium* Gray. Gray Expl. Exp. 9.  
 — *pyrifolium* Gray. Gray Expl. Exp. 8.  
*Isodesmia tomentosa* Gardn. Endl. Bras. 24, 16.  
 † *Isoetes* L. (Hofmeister.) Abh. Leipz. 4, 1—16.  
 † — *capsularis* Roxb. Griffith Pl. asiat. 116—118.  
 — *Duriaei* Bory. Hook. British Ferns 56.  
 — *echinospora* Dur. Seemann Journal 1, 1.  
 † — *lacustris* L. Mettenius Beiträge 2. 3.  
 — — Johnson Fern Allies 13.  
 — — Hook. British Ferns 55.  
 † — *setacea* Bosc. Payer Botanique crypt. p. 212—213.  
 † *Isoglossa ciliata* Oerst. Vid. Meddelelser 1854, 5.  
*Isolepis albescens* Em. Desv. Gay Chile 70.  
 — *alpina* Hook. fil. Hook. Fl. Tasm. 143.  
 — *cartilaginea* Br. Hook. Fl. Tasm. 145.  
 — *crassiuscula* Hook. fil. Hook. Fl. Tasm. 143.  
 — *lenticularis* Br. Hook. Fl. Tasm. 145.  
 — *nigricans* Kth. Gay Chile 70.

- Isolepis oligantha* M. Mém. prés. Pet. 1, 1.  
 — *prolifer* Br. Hook. Fl. Tasm. 144.  
 — *riparia* Br. Hook. Fl. Tasm. 145.  
 † — *setacea* Br. Leighton Flora 2.  
*Isoloma hondensis* Decne. Regel Gartenfl. 3, 74.  
 — *Trianaei* Reg. Regel Gartenfl. 1854, 82.  
 — — Fl. d. serres 10, 1057.  
*Isomeris arborea* Nutt. Torrey Mex. Boundary 4.  
*Isonandra Gutta* Hook. Miquel Flora 36.  
 † *Isopteris umbellata* Kl. Abh. Acad. Berl. 1854, 12.  
*Isopyrum fumarioides* L. Ammann Ruth. 12.  
*Isotoma longiflora* Presl. Plumier Ic. Burm. 253.  
 — *senecioides* DC. var. *suppinatifida*, Bot. Mag. 84, 5073.  
 — — — var. *Belgique horticole* 9, 3.  
*Isotypus rosiflorus* Triana. L'horticulteur fr. 1864, 10.  
*Itea virginica* L. Nouveau Duhamel 6, 9.  
 † — — Agardh Syst. 12.  
*Juanulloa? eximia* Hook. Bot. Mag. 85, 5092.  
 — *panamensis* Miers. Miers Illustr. 46.  
 † — *parasitica* R. et P. Agardh Syst. 27.  
 † *Juglandaceae* DC. Ann. sc. nat. IV. 18, 1—6.  
*Juglans regia* L. Berg Darstellung 1, 8<sup>b</sup>.  
 — — — Revue horticole 1859, p. 147. 1861, 426—430.  
 † — — — Schacht Lehrbuch 2, 9.  
 † — — — Schnizl. Iconogr. 244.  
 — *rupestris* Torr. Sitgreaves Expedition 15. 16.  
 — *sulcata* Willd. Willdenow Baumzucht 7.  
 † *Julocroton* Mart. Baillon Euph. 2.  
 † *Juncus* L. Bull. soc. Linp. Caen 1, 2.  
 † — — Agardh Syst. 1.  
 † — — Payer Organogénie 146.  
 — *australis* Hook. fil. Hook. Fl. Tasm. 134.  
 — *caffer* Bert. Mem. Bon. 3, 19.  
 — *capillaceus* Hook. fil. Hook. Fl. Tasm. 134.  
 — *liniger* Purst. Purton Midland Flora 9.  
 — *triglumis* L. Hoppe Anleitung 1.  
 — — — Froelich Alpenfl. 4, 1.  
 — *uliginosus* Roth. var. *fruitans*, Lorey Flora de Côte d'or 6.  
 — *ustulatus* Hoppe. Hoppe Anleitung 2.  
*Jungia Heist.* Burckhard Epistola ad Leibn. 11.  
 † *Juniperus* L. (Pollen). Mém. prés. Pet. 3, 3.  
 — *andina* Nutt. Nuttall Sylva 3, 110.  
 — *Biaolettii* Ant. Antoine Cupress. 28. 29.  
 — *Bonatianna* Vis. Mem. Istit. venet. 6, 1.  
 — *brevifolia* Ant. Antoine Cupress. 19—22.  
 — *Cabiancae* Vis. Mem. Istit. venet. 6, 1.  
 — *californica* Carr. Revue horticole 1854, p. 353.  
 — *Cedrus* Webb. Antoine Cupress. 16—19.  
 † — *communis* L. Gleichen Untersuchungen 23.  
 † — — — Schnizl. Iconogr. 76.  
 — — — Nouveau Duhamel 6, 15.  
 — — — Berg Darstellung 1, 8<sup>e</sup>.  
 — — — Antoine Cupress. 38—42.  
 — *drupacea* Kotschy. Revue hort. 1854, p. 165.  
 — *hemisphaerica* Presl. Antoine Cupress. 42. 43.  
 — *Hochstetteri* Ant. Antoine Cupress. 33.  
 — *indica* Bert. Mem. Bon. II. 1, 1.  
 — *Lobellii* Guss. Antoine Cupress. 6. 9.  
 — *macrocarpa* Sibth. Antoine Cupress. 8. 9.  
 — *Marschalliana* Ant. Antoine Cupress. 30.  
 — *microphylla* Ant. Antoine Cupress. 31. 32.  
 — *nana* Willd. Antoine Cupress. 42—45.  
 — *oblonga* Ant. Antoine Cupress. 34. 35.  
 — *occidentalis* Hook. Expl. Missis. 6, 20.  
 — *Oxycedrus* L. Nouveau Duhamel 6, 15.  
 — — — Antoine Cupress. 11—15.  
 — *pendula* Ant. Antoine Cupress. 46.  
 — *phoenicea* L. Nouveau Duhamel 6, 17.



- Juniperus rigida* Sieb. et Zucc. Antoine Cupress. 37.  
 — *rufescens* Link. Antoine Cupress. 23—26.  
 — *sphaerocarpa* Ant. Antoine Cupress. 10. 11.  
 — *tenella* Ant. Antoine Cupress. 27—29.  
 — *thurifera* L. Durand Voyage 37.  
 — *virginica* L. Nouveau Duhamel 6, 16.  
 — *Willkommii* Ant. Antoine Cupress. 7. 9.  
 — *Wittmanniana* Stev. Antoine Cupress. 36.  
*Jurinea depressa* C. A. M. Tchichatscheff Asiae min. 33.  
*Jussieua crecta* L. Feuillée 2, 9.  
 — *hirta* Vahl. Plumier Ic. Burm. 174.  
 — *octofila* DC. Plumier Ic. Burm. 175.  
 † *Justicia* L. (Pollen.) Mém. prés. Pct. 3, 6.  
 † — — Abh. Senck. 1, 7.  
 — *Adhatoda* L. Nouveau Duhamel 3, 46.  
 — *assurgens* L. Browne Jamaica 2.  
 — *Ecbolium* L. Burmann Thes. zeyl. 4.  
 † — *hyssopifolia* L. Medicus Beob. p. 385.  
 — *repens* L. Burmann Thes. zeyl. 3.  
*Ivesia gracilis* Newb. Expl. Missis. 6, 11.  
 † *Ixia* L. Abh. Leipz. 7, 24.  
 — *aristata* L. Belgique horticole 9, 7.  
 — *maculata* L. Belgique horticole 9, 7.  
 — *patens* Ait. Regel Gartenfl. 1862, 356.  
 — *villosa* L. Belgique horticole 9, 7.  
*Ixianthes retzioides* E. M. Harvey Thes. cap. 1, 99.  
*Ixora americana* Jacq. Browne Jamaica 6.  
 — *coccinea* L. Burmann Thes. zeyl. 57.  
 — *Griffithii* Hook. Moore Mag. 1850. 2, p. 25.  
 — *jucunda* Thw. Bot. Mag. 86, 5197.  
 — *odoratissima* Kl. Abh. Acad. Berl. 1856, 1.  
*Kaempferia Galanga* L. Burmann Thes. zeyl. 13.  
 — *pandurata* Roxb. Asiat. Researches 10, 4.  
 — *rotunda* L. Fl. d. serres 10, 1041.  
 † *Kalanchoe* DC. Agardh Syst. 25.  
 — *grandiflora* Wall. Bot. Mag. 90, 5460.  
*Kallstroemia maxima* W. A. Plumier Ic. Burm. 254.  
 † *Kaulfussia assamica* Griff. Griffith Pl. asiat. 137.  
*Kefersteina graminea* Rehb. Bot. Mag. 84, 5046.  
 — *sanguinea* Rehb. Rehb. Xenia 1, 25.  
 — *sanguinolenta* Rehb. Rehb. Xenia 1, 25.  
 † — *stapeloides* Rehb. Rehb. Xenia 1, 25.  
 † *Kegelia Houtteana* Rehb. fl. Rehb. Xenia 1, 20.  
*Keithia denudata* Benth. Endl. Bras. 22, 34.  
 — *minima* Schmidt. Endl. Bras. 22, 34.  
*Kennedyia eximia* Hort. L'horticulteur fr. 1862, 13.  
 — *rubicunda* Vent. Nees Sammlung 73.  
 — — var. *superba*, L'horticulteur fr. 1862, 13.  
*Kerneria bipinnata* Gr. et G. Rehb. Fl. germ. 16, 942.  
*Kerria japonica* DC. Cleyer Fl. jap. 22.  
 — — — *foliis variegatis*, Illustration horticole 1862, 336.  
 † *Kibara Blumei* Steud. Blume Mus. 2, 9.  
 † *Kigelia abyssinica* Rich. Schnizl. Iconogr. 152\*.  
 † — *aethiopia* DC. Schnizl. Iconogr. 152\*.  
 † *Kiggelaaria africana* L. Agardh Syst. 21.  
*Kippisia suaedifolia* F. M. Müller Plants of Victoria 2, 35.  
 † *Kirganelia* Juss. Baillon Euph. 24.  
 † *Kitabelia vitifolia* Willd. Payer Organogénie 8.  
*Kleinia Anteuphorbium* DC. Dillenius Elth. 55.  
 — *ficoides* Harv. Commelyn Rar. 40.  
 — *nerifolia* Harv. Dillenius Elth. 54.  
 — *papillaris* Harv. Dillenius Elth. 55.  
*Kloptockia cerifera* Karst. Karsten Fl. Col. 1, 1.  
 — *quindivensis* Karst. Karsten Fl. Col. 1, 1.  
 † *Klugia Notoniana* DC. Agardh Syst. 8.  
 † *Knautia arvensis* Coult. Schnizl. Iconogr. 119.  
 † *Knesebeckia incarnata* Kl. Schnizl. Iconogr. 203.  
 † *Knesebeckia Martiana* Kl. Abh. Acad. Berl. 1854, 2.  
*Kniphofia aloides* Moench. Fl. d. serres 13, 1393.  
 — *Rooperii* Lem. Lem. Jard. fl. 4, 362.  
 — *Uvaria* Hook. Belgique horticole 5, 15.  
*Knowltonia rigida* L. Burmann Pl. afr. 51.  
*Knoxia* . . . Browne Jamaica 3.  
*Kochia saxicola* Guss. Guss. Fl. Inar. 13.  
*Koellensteinia Kellneriana* Rehb. Rehb. Xenia 1, 24.  
 † *Koellikeria argyrostigma* Reg. Linnæa 1853, 1.  
 † *Koelreuteria* L. Agardh Syst. 19.  
 † — — Payer Organogénie 33.  
*Kohleria lanata* Ch. Lem. Illustration horticole 1861, 287.  
 † — *Linkiana* Hanst. Linnæa 1853, 1.  
 — *Wagencri* Reg. Regel Gartenfl. 3, 103.  
 † *Kohlrauschia* Kth. Nees Gen. 31, 2.  
*Kokoona zeylanica* Thw. Madras Journal 1858, 5.  
*Koniga Brunonis* Webb. Hook. Lond. Journ. 1846, 6.  
*Kosaria* Forsk. Forskal Icones 20.  
 — *Barnimiana* Schweinf. Schweinf. Fl. Aeth. 2.  
*Krameria canescens* Gray. Torrey Mex. Boundary 13.  
 — *triandra* R. et P. Berg Darstellung 1, 3f.  
 † *Krameriaceae* Mart. Schnizl. Iconogr. 233\*\*.  
*Kraschenikowia rupestris* Turcz. Bull. Mosc. 1862, 2.  
*Kraussia floribunda* Harv. Harvey Thes. cap. 1, 21.  
*Kundmannia sicula* DC. Zanoni Hist. 128.  
*Kunzea Schaueri* Rehb. Revue horticole 1854, 20.  
*Labatia macrocarpa* Mart. Endl. Bras. 32, 24.  
 † *Labiateae* Juss. Schnizl. Iconogr. 3, 136.  
 † — — Abh. nat. Ges. Halle 1855, 3, 4.  
 † — — Abh. Acad. Berl. 1857, 2.  
 † — — Ann. sc. nat. IV. 4, 7—11.  
 † — — Payer Organogénie 114.  
 † *Lablab leucocarpus* Savi. Giorn. Lett. 8, 1.  
 † — *nankinicus* Savi. Giorn. Lett. 8, 1.  
 — *purpureus* Don. L'horticulteur fr. 1859, 18.  
 † — *vulgaris* Savi. Giorn. Lett. 8, 1.  
 † *Laburnum* Griseb. Nees Gen. 30, 7.  
 — *monadelphum* Bong. Endl. Bras. 13, 73.  
*Lacistema angustum* Schnizl. Endl. Bras. 20, 80.  
 † — *grandifolium* Schnizl. Endl. Bras. 20, 81.  
 † — *intermedium* Schnizl. Endl. Bras. 20, 81.  
 — *lucidum* Schnizl. Endl. Bras. 20, 79. 81.  
 † — *myricoides* Sw. Endl. Bras. 20, 81.  
 — *polystachyum* Schnizl. Endl. Bras. 20, 78.  
 — *pubescens* Mart. Endl. Bras. 20, 78. 81.  
 † — *recurvum* Schnizl. Endl. Bras. 20, 81.  
 — *robustum* Schnizl. Endl. Bras. 20, 77.  
*Lacmellea edulis* Karst. Karsten Fl. Col. 2, 152.  
*Lactuca chondrillaciflora* Boreau. Rehb. Fl. germ. 19, 1418.  
 — *cracoviensis* Sawicz. Rocznik W. L. tab. 1. 2.  
 — *perennis* L. Rehb. Fl. germ. 19, 1423.  
 — *quercina* Bisch. Rehb. Fl. germ. 19, 1419. 1420.  
 — *ramosissima* Gren. Rehb. Fl. germ. 19, 1419.  
 — *saligna* L. Rehb. Fl. germ. 19, 1420.  
 † — *sativa* L. Gleichen Untersuchungen 16.  
 — — — Rehb. Fl. germ. 19, 1421.  
 — *Scariola* L. Rehb. Fl. germ. 19, 1421.  
 — *tencerrima* Pourr. Rehb. Fl. germ. 19, 1423.  
 — *viminea* Lk. Rehb. Fl. germ. 19, 1418.  
 — *virosa* L. Rehb. Fl. germ. 19, 1422.  
 — — — Berg Darstellung 4, 30°.  
*Ladenbergia hexandra* Klotzsch. Berg Charakt. 338.  
*Laelia acuminata* Ldl. Bot. Mag. 82, 4905.  
 — *anceps* Ldl. var. *Barkeriana*, Fl. d. serres 11, 1100.  
 — — — var. *superba*, Regel Gartenfl. 4, 140.  
 — *Boothiana* Rehb. Rehb. Xenia 1, 91.  
 — *Brysiانا* Ch. Lem. Illustration horticole 1857, 134.

- Laelia elegans* *Rehb. fl.* Warner Select Orch. 6, 12.  
 — *gigantea* *Warn.* Warner Select Orch. 6.  
 — *irrorata* *Rehb. fl.* *Rehb. Xenia* 2, 115.  
 — *praestans* *Rehb. fl.* *Rehb. Xenia* 2, 113.  
 — — *Bot. Mag.* 91, 5498.  
 — *pumila* *Rehb. fl.* *Rehb. Xenia* 2, 115.  
 — *purpurata* *Ldl.* *Pescatorea* 1, 37.  
 — — *Fl. d. serres* 11, 1138—1139.  
 — — *var. praetexta*, *Rehb. Xenia* 1, 61.  
 — — *Warner Select Orch.* 40.  
 — *Stelzneriana* *Rehb. fl.* *Fl. d. serres* 14, 1494—  
 1495.  
 — *superbiens* *Ldl.* *Fl. d. serres* 11, 1178—1179.  
 — — *Warner Select Orch.* 20.  
 — *Turneri* *Warn.* Warner Select Orch. 12.  
 — *xanthina* *Ldl.* *Bot. Mag.* 85, 5114.  
*Laestadia muscicola* *Wedd.* *Castelnau Exped.* 32.  
 — *rupestris* *Benth.* *Castelnau Exped.* 32.  
*Laetia apetalia* *L.* *Browne Jamaica* 29.  
 — *completa* *L.* *Browne Jamaica* 25.  
*Lafoensia punicaefolia* *DC.* *Mem. Gen.* 3, 1.  
 † *Lagarosiphon cordofanus* *Casp.* *Pringsheim Jahrb.* 1,  
 29.  
 † — *muscoides* *Harv.* *Pringsheim Jahrb.* 1, 29.  
 — *Stuedneri* *Casp.* *Schweinf. Fl. Aeth.* x.  
*Lagenaria microcarpa* *Naud.* (*Fructus*). *Revue horticole*  
 1855, 4.  
 — *sagittata* *Harv.* *Harvey Thes. cap.* 2, 183.  
 † — *vulgaris* *Ser.* *Ann. sc. nat. V.* 2, 6, 7.  
*Lagenophora Commersoni* *Cass.* *Castelnau Exped.* 32.  
 — *Gunniana* *Steetz.* *Hook. Fl. Tasm.* 49.  
 — *montana* *Hook. fil.* *Hook. Fl. Tasm.* 49.  
 † *Lagerstroemia floribunda* *Jack.* *Blume Mus.* 2, 41<sup>b</sup>.  
 — *indica* *L.* *Cleyer Fl. jap.* 83.  
 — — *Regel Gartenfl.* 6, 191.  
 † — *regina* *Roxb.* *Blume Mus.* 2, 41<sup>a</sup>.  
 † *Lagonychium Stephanianum* *M. v. B.* *Memorie Val-*  
*darnese* 1.  
*Laguncularia racemosa* *Gaertn.* *Nuttall Sylva* 1, 34.  
*Lalage ornata* *Ldl.* *Belgique horticole* 9, 9.  
*Lallemantia canescens* *F. et M.* *Rivinus Opus ined.* 61.  
 — *peltata* *F. et M.* *Rivinus Opus ined.* 61.  
 † *Lamarckia* *Rich.* *Griffith Pl. asiat.* 143.  
*Lambertia formosa* *Sm.* *Annales de hist. nat.* 1, 15.  
 † *Lamium album* *L.* *Gleichen Entdeckungen* 31, 32.  
 — — *Rehb. Fl. germ.* 18, 1205.  
 — *amplexicaule* *L.* *Rehb. Fl. germ.* 18, 1204.  
 † — — *Ann. sc. nat. IV.* 4, 11.  
 — *bifidum* *Gr.* *Rehb. Fl. germ.* 18, 1206.  
 — *cupreum* *Schott.* *Rehb. Fl. germ.* 18, 1203.  
 — *flexuosum* *Ten.* *Rehb. Fl. germ.* 18, 1206.  
 — *Galeobdolon* *Crantz.* *Rehb. Fl. germ.* 18, 1206.  
 — *garganicum* *L.* *Rehb. Fl. germ.* 18, 1207.  
 † — — *Agardh Syst.* 26.  
 — *incisum* *Willd.* *Rehb. Fl. germ.* 18, 1204.  
 — *intermedium* *Fries.* *Rehb. Fl. germ.* 18, 1204.  
 — *longiflorum* *Ten.* *Rehb. Fl. germ.* 18, 1207.  
 — *maculatum* *L.* *Rehb. Fl. germ.* 18, 1205.  
 † — — *Abh. Leipz.* 6, 24.  
 — *Manganottianum* *Clem.* *Mem. Tur.* 1857, 4.  
 — *microphyllum* *Boiss.* *Tchichatschiff Asie min.*  
 25.  
 — *multifidum* *L.* *Commelyn Rar.* 26.  
 — *Orvala* *L.* *Rehb. Fl. germ.* 18, 1208.  
 — *purpureum* *L.* *Rehb. Fl. germ.* 18, 1204.  
 † — — *Ann. sc. nat. IV.* 4, 10.  
 † — — *Abh. Leipz.* 6, 24.  
*Lamprococcus Weibachi* *Hort. Mak.* *Belgique hortic.*  
 1861, 17.  
*Lamprodyros gracilis* *Kotschy.* *Kotschy Pl. Tinn.* 23.  
*Lancea tibetica* *Hook.* *Hook. Journ.* 1857, 7.  
*Landolphia florida* *Benth.* *Kotschy Pl. Tinn.* 12<sup>a</sup>.  
 † *Langsdorffia Sacram.* *Chatin Anatomie* 99.  
 † — *hypogaea* *Rich.* *Linn. Transact.* 22, 2.  
 † — — *Ann. sc. nat. IV.* 12, 4.  
 † — — *Abh. Leipz.* 6, 12.  
 † — *Moritziana* *Kl. et Karst.* *Acta Leop.* 26, 63.  
 64.  
 † — *rubiginosa* *Wedd.* *Linn. Transact.* 22, 2.  
*Langkesteria Barteri* *Hook.* *Bot. Mag.* 91, 5533.  
 † *Lantana* *L.* *Jard. Annals* II, 11, 15.  
 † — — *Agardh Syst.* 22.  
 † — — *Schnizl. Iconogr.* 137.  
 — *aculeata* *L.* *Dillenius Elth.* 56, 57.  
 — — *Nouveau Duhamel* 6, 38.  
 — *camara* *L.* *Dillenius Elth.* 56, 57.  
 — *involuta* *L.* *Plumier Ic. Burm.* 71.  
 — *nivea* *Vent.* *Regel Gartenfl.* 1865, 457.  
 — *odorata* *L.* *Plumier Ic. Burm.* 71.  
 — *trifolia* *L.* *Plumier Ic. Burm.* 70.  
*Lapageria rosea* *R. et P.* *var. albiflora*, *Bot. Mag.* 82,  
 4892.  
 — — — — *Illustrat. hortic.* 1864, 406.  
 — — — — *L'horticulteur fr.* 1864, 3.  
*Lapeyrouisia compressa* *Pourr.* *Mém. Toulouse* 3, 6.  
*Laportea Gigas* *Wedd.* *Arch. Mus.* 9, 2, 3, 4.  
 † — *stimulans* *Bl.* *Blume Mus.* 2, 23.  
*Lappa officinalis* *All.* *Berg Darstellung* 3, 19<sup>c</sup>.  
 — — *Rehb. Fl. germ.* 15, 887.  
 — *tomentosa* *Lam.* *Berg Darstellung* 3, 19<sup>d</sup>.  
 † *Lappago decipiens* *Fig.* *Mem. Tur.* 1854, 37.  
 † — *phleoides* *Fig.* *Mem. Tur.* 1854, 38.  
*Lapsana communis* *L.* *Rehb. Fl. germ.* 19, 1353.  
 † *Larbrea aquatica* *St. Hil.* *Mém. Mus.* 2, 4.  
*Laretia acaulis* *Gill.* *Castelnau Exped.* 70.  
 † *Larix DC.* (*Pollen*). *Mém. prés. Pet.* 3, 3.  
 † — — *Schnizl. Iconogr.* 77.  
 — *decidua* *Mill.* *Berg Darstellung* 2, 11<sup>b</sup>.  
 — *Griffithii* *Hook. fil.* *Hook. Himal.* 21.  
 — — *Fl. d. serres* 12, 1267—1268.  
 — *japonica* *Morr.* *Murray Pines* 15.  
 † — *leptolepis* *Gord.* *Murray Pines* 14.  
 † — *microcarpa* *Poir.* *Cramer Bildungsabw.* 5.  
 — *occidentalis* *Nutt.* *Nuttall Sylva* 3, 120.  
 — — *Expl. Missis.* 6, p. 59.  
*Larrea cuneifolia* *Cav.* *Annales de hist. nat.* 2, 19.  
 — *divaricata* *Cav.* *Annales de hist. nat.* 2, 19.  
 — *mexicana* *Moric.* *Emory Notes* 3.  
 — *nitida* *Cav.* *Annales de hist. nat.* 2, 18.  
*Laseguia erecta* *Mill.* *Endl. Bras.* 26, 41.  
*Laserpitium alpinum* *W. K.* *Rehb. Fl. germ.* 21,  
 1986.  
 — *Gaudini Moretti.* *Rehb. Fl. germ.* 21, 1988.  
 — *latifolium* *L.* *Rehb. Fl. germ.* 21, 1985.  
 — *marginatum* *W. K.* *Rehb. Fl. germ.* 21, 1987.  
 1991.  
 — *peucedanoides* *L.* *Rehb. Fl. germ.* 21, 1990.  
 — *Siler* *L.* *Rehb. Fl. germ.* 21, 1989.  
*Lasiadenia rupestris* *Benth.* *Endl. Bras.* 14, 29.  
*Lasiandra elegans* *Naud.* *Fl. d. serres* 12, 1212.  
 — *Fontanesiana* *DC.* *Regel Gartenfl.* 14, 466.  
 — *macrantha* *Seem.* *Seemann Journal* 2, 24.  
*Lasianthera secundiflora* *Miq.* *Miquel Flora Suppl.* 2.  
*Lasiopetalum Behrii* *F. M.* *Müller Plants of Victoria*  
 1, 3.  
 † — *corylifolium* *Endl.* *Payer Organogénie* 9.  
*Lasiopogon micropoides* *DC.* *Harvey Thes. cap.* 2,  
 150.  
*Lasiosiphon affinis* *Kotschy.* *Kotschy Pl. Tinn.* 19<sup>b</sup>.  
 † *Lassia Baill.* *Baillon Euph.* 4.  
*Lastrea articulata* *Brack.* *Wilkes Expl. Exp.* 26.  
 — *attenuata* *Brack.* *Wilkes Expl. Exp.* 26.  
 — *borneensis* *Hook.* *Hook. Ic. pl.* 10, 993.  
 — *cristata* *Presl.* *Johnson Ferns* 10.

- Lastrea dilatata Presl.* Johnson Ferns 13.  
 — *Filix mas Presl.* Johnson Ferns 9.  
 — — var. *Schofieldii*, Lowe New Ferns 11.  
 — *Foeniseeii Wats.* Johnson Ferns 14.  
 — *Oreopteris Presl.* Johnson Ferns 8.  
 — *rigida Presl.* Johnson Ferns 11.  
 — *spinulosa Presl.* Johnson Ferns 12.  
 — *Thelypteris Presl.* Johnson Ferns 7.  
 — *truncata Brack.* Wilkes Expl. Exp. 27.
- Latania Verschaffeltii Ch. Lem.* Illustration horticole 1859, 229.
- † *Lathraea squamaria L.* Flora 1855, 2, 17.  
 † — — Agardh Syst. 8.  
 † — — Pringsheim Jahrb. 1, 6, 15.  
 † — — Abh. Leipz. 6, 18, 19.  
 † — — Chatin Anatomie 23.  
 † — — Bot. Zeitung 1861, 2.  
 — — Rchb. Fl. germ. 20, 1764. 1826.
- Lathyrus Aphaca L.* Purton Midland Flora 3.  
 — *hirsutus L.* var. *acirrhosa*, Verh. Hermannstadt 2, 6.  
 — *Lanzwertii Kellogg.* Proc. Calif. Acad. 2, 149.  
 † — *latifolius L.* Guillard Org. floraux 2.  
 † — *platyphyllus Retz.* Revue horticole 1854, 17.  
 † — *silvestris L.* Payer Organogénie 104.  
 — *tomentosus Lam.* Endl. Bras. 24, 30.  
 † — *tuberosus L.* Bot. Zeitung 1859, 3.
- † *Laurca tiliaefolia Gaud.* Arch. Mus. 9, 12.  
 † *Laurineae Vent.* Payer Organogénie 96.
- Laurus Camphora L.* Cleyer Fl. jap. 90.  
 — *Cassia L.* Burmann Thes. zeyl. 28.  
 — *caustica Molina.* Feuillée 3, 23.  
 — *Chloroxylon L.* Browne Jamaica 7.  
 — *Cinnamomum L.* Burmann Thes. zeyl. 27.  
 — *nobilis L.* Risso Hist. nat. 2, 5.  
 — — Berg Darstellung 1, 5<sup>f</sup>.
- † *Lavandula densa Payer.* Payer Organogénie 114.  
 — *officinalis Chair.* Berg Darstellung 4, 26<sup>b</sup>.  
 — *Spica DC.* Nouveau Duhamel 3, 42.  
 — — Rchb. Fl. germ. 18, 1227.  
 — *Stoechas L.* Nouveau Duhamel 3, 43.  
 — *vera DC.* Rchb. Fl. germ. 18, 1227.
- † *Lavatera L.* (Pollen). Mém. prés. Pet. 3, 13.  
 † — — Payer Organogénie 6.  
 † — — Schnizl. Iconogr. 209.  
 — *maritima Gouan.* Fl. d. serres 10, 1007.  
 — — Belgique horticole 6, 5.  
 — *olbia L.* Nouveau Duhamel 7, 5.  
 — *thuringiaca L.* Dillenius Elth. 8.
- Lawsonia inermis L.* Sonnini Voyage 4.  
*Layia pentachaeta Torr.* Expl. Missis. 4, 16.  
*Leavenworthia aurea Torr.* Ann. Lyc. New. 4, 5.  
 † *Lebidiera Baill.* Baillon Euph. 27.  
*Lebretonia coccinea Schrank.* Schrank Hort. monac. 90.
- † *Lecanocnide diversifolia Bl.* Blume Mus. 2, 12.  
 † — *scaberrima Bl.* Blume Mus. 2, 12.  
 † *Lecanopteris carnosa Bl.* Mettenius Fil. 25.  
*Lecanorchis japonica Bl.* Blume Orchid. 62.  
 — *javanica Bl.* Blume Orchid. 63, 66.
- † *Lecanthus Wightii Wedd.* Arch. Mus. 9, 9.  
 † *Lecythideae A. Rich.* Schnizl. Iconogr. 269.
- † *Lecythis Amazonum Mart.* Endl. Bras. 18, 66, 67.  
 — *angustifolia Endl.* Endl. Bras. 18, 70, 71.  
 † — *coriacea DC.* Endl. Bras. 18, 72.  
 † — *grandifolia Berg.* Endl. Bras. 18, 73.  
 † — *idatimonoides Berg.* Endl. Bras. 18, 73.  
 † — *lanceolata Poir.* Endl. Bras. 18, 63.  
 — *Luschnathii Berg.* Endl. Bras. 18, 74.  
 — *marwynensis Berg.* Endl. Bras. 18, 69.  
 † — *monosperma Mart.* Endl. Bras. 18, 67.  
 — *Pisonis Camb.* Vellozo 5, 88.

- † *Lecythis Pisonis Camb.* Endl. Bras. 18, 62.  
 — *Pohlil Berg.* Vellozo 5, 85.  
 † — — Endl. Bras. 18, 68.  
 — *rufescens Berg.* Vellozo 5, 86.  
 † — *turbinata Berg.* Endl. Bras. 18, 73.  
 † — *urnigera Mart.* Endl. Bras. 18, 64, 65.  
 † *Lecythisopsis glabra Berg.* Endl. Bras. 18, 76.  
 † — *rufescens Berg.* Endl. Bras. 18, 75.  
 † *Ledocarpeae Meyer.* Schnizl. Iconogr. 254.  
 † *Ledum L.* Agardh Syst. 9.  
 † — — Nees Gen. 30, 19.  
 — *palustre L.* Rchb. Fl. germ. 17, 1160.  
*Leca coccinea Planch.* Bot. Mag. 88, 5299.  
 † *Leersia aegyptiaca Fig.* Mem. Tur. 1854, 1.  
 † — *ferox Fig.* Mem. Tur. 1854, 2.  
*Leeuwenhoekia creberrima F. M.* Müller Plants of Victoria 2, 48.
- † *Leguminosae Juss.* Payer Organogénie 104.  
 † — — Bot. Zeitung 1861, 5.  
 † *Leiophyllum buxifolium Naud.* Abh. Leipz. 6, 25.  
*Lemairea amboinensis de Vr.* De Vriese Gooden. 38.  
 † *Lembotropis Griseb.* Nees Gen. 30, 7.  
 † *Lemna L.* Griffith Pl. asiat. 262—264.  
 † — *arrhiza L.* Gasparrini Ric. 9.  
 † — *major L.* Griffith Pl. asiat. 264.  
 † — *minor L.* Gasparrini Ric. 9, 10, 11.  
 † — — Abh. Leipz. 7, 2.  
 † *Leochilus scriptus Rchb. fil.* Rchb. Xenia 1, 6.  
 † *Leonieae DC.* Schnizl. Iconogr. 157<sup>a</sup>.  
*Leonotis Leonuris Pers.* Revue horticole 1857, p. 548.  
*Leontice altaica Pall.* Regel Gartenfl. 1861, 334.  
*Leonurus Cardiaca L.* Rchb. Fl. germ. 18, 1232, 1233.  
 — *lanatus Spr.* Berg Darstellung 1, 2<sup>d</sup>.  
 — *Marrubiastrum L.* Rivinus Opus ined. 48.  
 — *sibiricus L.* Ammann Ruth. 8.  
 — *villosus Desf.* Rchb. Fl. germ. 18, 1232.
- Leontodon alpinus Vill.* Rchb. Fl. germ. 19, 1367.  
 — *asper Rchb.* Rchb. Fl. germ. 19, 1370.  
 — *autumnalis L.* Rchb. Fl. germ. 19, 1366.  
 — *Berinii Roth.* Rchb. Fl. germ. 19, 1371.  
 — *crispus Vill.* Rchb. Fl. germ. 19, 1371, 1379.  
 — *hispidus L.* Rchb. Fl. germ. 19, 1368, 1369.  
 — *incanus Schrank.* Rchb. Fl. germ. 19, 1372, 1379.  
 — *pyrenaicus Gouan.* Rchb. Fl. germ. 19, 1367.  
 — *saxatilis γ. glabra Vis.,* Rchb. Fl. germ. 19, 1398.  
 — *Taraxaci Lois.* Rchb. Fl. germ. 19, 1366.  
 — *tenuiflorus DC.* Rchb. Fl. germ. 19, 1372, 1379.  
 — *Villarsii Lois.* Rchb. Fl. germ. 19, 1370, 1379.
- Leontopodium alpinum Cass.* Rchb. Fl. germ. 16, 947.  
*Lepachys columnaris Deene.* Revue horticole 1854, 22.  
 — — Belgique horticole 5, 9.
- Lepanthes andrenoglossa Rchb.* Rchb. Xenia 1, 50.  
 — *aquila Borussiae Rchb.* Rchb. Xenia 1, 50.  
 — *avis Rchb.* Rchb. Xenia 1, 50.  
 — *calodictyon Hook.* Bot. Mag. 87, 5259.  
 — *capitanea Rchb.* Rchb. Xenia 1, 49.  
 — *cyanoptera Rchb.* Rchb. Xenia 4, 49.  
 — *crinacea Rchb.* Rchb. Xenia 1, 49.  
 — *Lindleyana Oerst.* Rchb. Xenia 1, 50.  
 — *otostalix Rchb.* Rchb. Xenia 1, 49.  
 — *Pristidis Rchb.* Rchb. Xenia 1, 50.  
 — *ruscifolia Rchb.* Rchb. Xenia 1, 49.  
 — *Schiedei Rchb.* Rchb. Xenia 1, 50.  
 — *Turialvae Rchb.* Rchb. Xenia 1, 50.  
 — *Wagneri Rchb.* Rchb. Xenia 1, 50.
- Leperiza latifolia Herb.* Bot. Mag. 82, 4952.  
 † *Lepidium L.* Atti Acc. Neap. 1863, 2.  
 — *alpinum L.* Froelich Alpenpf. 8, 6.  
 — *bonariense L.* Dillenius Elth. 286.  
 — *gelidum Wedd.* Castelnau Exped. 96.
- † *Lepidoceras Kingii Hook. fil.* Grisebach Chile 1.

- †*Lepidoceras Kingii* *Hook. fil.* Abh. Leipz. 6, 9.  
 † — — — Ann. sc. nat. IV. 12, 3.  
*Lepidogyne longifolia* *Bl.* Blume Orchid. 25.  
*Lepidosperma angustifolia* *Hook. fil.* Hook. Fl. Tasm. 147.  
 — *concava* *Br.* Hook. Fl. Tasm. 146.  
 — *lateralis* *Br.* Hook. Fl. Tasm. 147.  
 — *Oldfieldii* *Br.* Hook. Fl. Tasm. 146.  
*Lepidostemon pentstemonoides* *Ch. Lem.* Illustration horticole 1862, 315.  
*Lepidozamia Peroffskiana* *Reg.* Regel Gartenfl. 6, 186.  
 † — — — Bull. Mosc. 1857, p. 184.  
*Lepigonum arenarium* *Kth.* Nova Acta Ups. 4, 1.  
 — *azoricum* *Kindb.* Nova Acta Ups. 4, 2.  
 — *brevifolium* *Bartl.* Nova Acta Ups. 4, 3.  
 — *capillaceum* *Lge.* Lange Pl. Hisp. 5.  
 — *campestre* *Kindb.* Nova Acta Ups. 4, 3.  
 — *capense* *Haw.* Nova Acta Ups. 4, 2.  
 — *eximium* *Kindb.* Nova Acta Ups. 4, 2.  
 — *fimbriatum* *Salzm.* Nova Acta Ups. 4, 1.  
 — *glandulosum* *Jacq.* Nova Acta Ups. 4, 1.  
 — *grandiflorum* *Kindb.* Nova Acta Ups. 4, 3.  
 — *laeve* *Camb.* Nova Acta Ups. 4, 2.  
 — *leiospermum* *Kindb.* Nova Acta Ups. 4, 2.  
 — *macrorrhizum* *Reg.* Nova Acta Ups. 4, 1.  
 — *macrothecum* *Hornem.* Nova Acta Ups. 4, 1.  
 — *marinum* *Wahlb.* Nova Acta Ups. 4, 1.  
 — *medium* *Fr.* Nova Acta Ups. 4, 2.  
 — *microspermum* *Kindb.* Nova Acta Ups. 4, 2.  
 — *murale* *Kindb.* Nova Acta Ups. 4, 2.  
 — *purpureum* *Pers.* Nova Acta Ups. 4, 3.  
 — *rubrum* *Fries.* Nova Acta Ups. 4, 3.  
 — *rupestre* *Kindb.* Nova Acta Ups. 4, 2.  
 — *rupicola* *Kindb.* English Botany Suppl. 2977.  
 — — — English Botany Suppl. 2978.  
 — *salsugineum* *Bunge.* Nova Acta Ups. 4, 3.  
 — *segetale* *L.* Nova Acta Ups. 4, 3.  
 — *trachyspermum* *Kindb.* Nova Acta Ups. 4, 2.  
*Lepipogon obovatum* *Bert.* Mem. Bon. 4, 21.  
 †*Lepsia foliosa* *Kl.* Abh. Acad. Berl. 1854, 5.  
*Leptinella Featherstonii* *F. M.* Müller Chatham Isl. 5.  
 — *Filicula* *Hook. fil.* Hook. Fl. Tasm. 51.  
 — *intricata* *Hook. fil.* Hook. Fl. Tasm. 52.  
 — *longipes* *Hook. fil.* Hook. Fl. Tasm. 52.  
 — *potentillina* *F. M.* Müller Chatham Islands 6.  
 †*Leptobothrys* *Boiss.* Baillon Euph. 2.  
*Leptocarpus Brownii* *Hook. fil.* Hook. Fl. Tasm. 136.  
 — *simplex* *Br.* Hook. New Zcal. 61.  
*Leptocionium acanthoides* *v. d. B.* Verh. Ac. Amst. 1861, 32.  
 — *aculeatum* *v. d. B.* Verh. Ac. Amst. 1861, 31.  
 — *affine* *v. d. B.* Verh. Ac. Amst. 1861, 35.  
 — *Braunii* *v. d. B.* Verh. Ac. Amst. 1861, 33.  
 — *denticulatum* *v. d. B.* Verh. Ac. Amst. 1861, 29.  
 † — *dieranotrichum* *Presl.* Prager Abh. 3, 11.  
 — *holochilum* *v. d. B.* Verh. Ac. Amst. 1861, 34.  
 — *Neesii* *v. d. B.* Verh. Ac. Amst. 1861, 30.  
 †*Leptocladus* *Oliv.* Journ. Linn. soc. 8, 12.  
 †*Leptocnide rubricaulis* *Bl.* Blume Mus. 2, 57.  
*Leptocyamus tasmanicus* *Benth.* Hook. Fl. Tasm. 17.  
*Leptodactylon californicum* *Hook.* Bot. Mag. 81, 4872.  
 — — — Fl. d. serres 11, 1114.  
 — — — *Revue horticole* 1862, 251.  
 — — — *L'horticulteur* fr. 1859, 17.  
*Leptoglossis schwenckioides* *Benth.* Miers Illustr. 53.  
 †*Leptomeria acida* *R. Br.* Chatin Anatomie 61.  
 † — *Billardieri* *R. Br.* Chatin Anatomie 61.  
*Leptosiphon* (hybridum) *Revue horticole* 1862, 211.  
*Leptospermum rupestre* *Hook. fil.* Hook. Fl. Tasm. 30.
- Leptostachya dichotoma* *N. v. E.* Siebold Fl. Jard. 1861, 8.  
 †*Leptotes bicolor* *Ldl.* Irmisch Orchid. 6.  
*Lepyrodia tasmanica* *Hook. fil.* Hook. Fl. Tasm. 135.  
*Leria dentata* *Spr.* Plumier Ic. Burm. 40.  
 — *nutans* *DC.* Plumier Ic. Burm. 41.  
 †*Leschenaultia* (Pollen.) *Mém. prés. Pet.* 3, 6.  
 — *arcuata* *de Vr.* De Vriese Goodenov. 36.  
 — *biloba* *Ldl.* De Vriese Goodenov. 35.  
 — — — var. *Huntsii*, *Illustration hortic.* 1858, 189.  
 — *formosa* *R. Br.* Nees Sammlung 85.  
 — *pinastroides* *Lehm.* De Vriese Goodenov. 36.  
 — *splendens* *Hook.* L'horticulteur fr. 1864, 2.  
*Lespedeza bicolor* *Turcz.* Regel Gartenfl. 9, 299.  
 — *cytisoides* *Bert.* Mem. Bon. 2, 16.  
*Leucadendron Levisanus* *Berg.* Burmann Pl. afr. 100.  
 †*Leucandra* *Kl.* Baillon Euph. 4.  
 †*Leucanthemum Tournef.* Nees Gen. 31, 20.  
*Leuchtenbergia principis* *Fisch.* Regel Gartenflora. 6, 212.  
 †*Leucojum aestivum* *L.* Hofmeister Embryo 6.  
 † — — — *Irmisch Amaryllideen* 1.  
 — *hiemale* *R. et Sch.* Mem. Mod. 25, 2.  
 † — *vernum* *L.* Batsch Analyses 2.  
 † — — — *Irmisch Amaryllideen* 1.  
 † — — — *Flora* 1860, 6.  
 † — — — *Abh. Leipz.* 7, 13.  
 — — — *Fl. d. serres* 11, 1103.  
*Leucophyllum campanulatum* *Miers.* Miers Illustr. 59.  
*Leucopogon ciliatus* *A. C.* Hook. Fl. Tasm. 75.  
 † — *Cunninghamii* *R. Br.* Payer Organogénie 119.  
 — *Hookeri* *Sond.* Hook. Fl. Tasm. 75.  
*Leucothoe breviflora* *Meisn.* Endl. Bras. 35, 63.  
 — *chlorantha* *DC.* Endl. Bras. 35, 61.  
 — *cordifolia* *Meisn.* Endl. Bras. 35, 60.  
 — *crassifolia* *DC.* Endl. Bras. 35, 59.  
 — *hippidula* *Meisn.* Endl. Bras. 35, 62.  
 — *intermedia* *Meisn.* Endl. Bras. 35, 60.  
 — *oleaeifolia* *DC.* Endl. Bras. 35, 58.  
 — *serrulata* *DC.* Endl. Bras. 35, 63.  
 — *subcanescens* *Meisn.* Endl. Bras. 35, 62.  
*Leucoxyllum buxifolium* *Bl.* Mem. Genev. 14, 2.  
*Levisticum officinale* *Koch.* Berg Darstellung 4, 25.  
 — *paludapifolium* *Rehb. fil.* Rehb. Fl. germ. 21, 1941.  
*Lewisia alba* *Kellogg.* Proc. Calif. Acad. 2, 116.  
 — *rediviva* *Nutt.* Journ. Ac. Philad. 7, 2.  
 — — — *Bot. Mag.* 89, 5395.  
 †*Leycestria formosa* *Wall.* Payer Organogénie 133.  
 † — — — *Baillon Adansonia* 1, 12.  
*Lhotskya hirta* *Reg.* Regel Gartenfl. 1863, 115.  
*Liatrix acidota* *Engelm.* Marcy Exploration 8.  
*Libanotis athamantoides* *DC.* Rehb. Fl. germ. 21, 1918.  
 — *montana* *All.* Rehb. Fl. germ. 21, 1915.  
 — *nitens* *de Vis.* Rehb. Fl. germ. 21, 1917.  
 — *sibirica* *K.* Rehb. Fl. germ. 21, 1916.  
*Libertia ixioides* *Spr.* Feuillée 3, 4.  
 — *Lawrencii* *Hook. fil.* Hook. Fl. Tasm. 129.  
*Libonia floribunda* *C. Koch.* Koch's Wochenschrift 1863, 1.  
 — — — *Belgique horticole* 1864, 2.  
 †*Licania Aubl.* Linn. Transact. 22, 19.  
*Licuala spinosa* *Bl.* Fl. d. serres 9, 943.  
*Ligea alcornonis* *Tul.* Endl. Bras. 13, 73.  
*Ligeria barbata* *Hanst.* Endl. Bras. 36, 59.  
 — *discolor* *Decne.* Endl. Bras. 36, 59. 63.  
 — *gesnerifolia* *Hanst.* Endl. Bras. 36, 59.  
 — *macrophylla* *Hanst.* Endl. Bras. 36, 63.  
 — *Maximiliana* *Hanst.* Endl. Bras. 36, 63.  
 — *pusilla* *Hanst.* Endl. Bras. 36, 59.  
 † — *speciosa* *Decne.* Linnaea 1853, 1.

- Ligeria speciosa* Decne. Endl. Bras. 36, 59.  
*Ligularia Hodgsoni* Hook. Bot. Mag. 89, 5417.  
 — *Kaempferi* Sieb. et Zucc. Bot. Mag. 88, 5302.  
 — — — Illustration horticole 1861, 282.  
*Ligusticum ferulaceum* All. Rchb. Fl. germ. 21, 1925.  
 — *Seguieri* K. Rchb. Fl. germ. 21, 1926.  
*Ligustrina amurensis* Rupr. Regel Gartenflora 1863, 396.  
*Ligustrum japonicum* Thunb. Cleyer Fl. jap. 43.  
 — *Massalongianum* Vis. Mem. Istit. ven. 6, 4.  
 — *vulgare* L. Poiteau Fl. par. 4.  
 — — — Rchb. Fl. germ. 17, 1074.  
 † *Lilaea subulata* H. B. Chatin Anatomie 23.  
 † *Liliaceae* Juss. Ann. sc. nat. IV. 2, 1.  
 † — — Payer Organogénie 135.  
*Liliorrhiza lanceolata* Kellogg. Proc. Calif. Acad. 2, 47.  
 † *Lilium* L. (Pollen.) Mém. prés. Pet. 3, 8.  
 — *auratum* Ldl. Bot. Mag. 88, 5338.  
 — — — Illustration horticole 1862, 338.  
 — — — Belgique horticole 1863, 3.  
 — — — Fl. d. serres 15, 1528—1531.  
 — — — L'horticulteur fr. 1864, 7.  
 — *avenaceum* Fisch. Regel Gartenfl. 14, 485.  
 — *callosum* S. et Z. Cleyer Fl. jap. 58.  
 — *canadense* L. Belgique horticole 7, 48.  
 — — — var. *flavum*, Fl. d. serres 11, 1174.  
 — *candidum* L. Thornton Plates 20.  
 † — — — Acad. Amst. 1827, 1.  
 † — — — Payer Organogénie 135.  
 — *fulgens* Morr. Illustration horticole 1864, 422.  
 — *giganteum* Wall. Lem. Jard. fl. 4, 409. 410.  
 — *gracile* Ebel. Ebel Montenegro 1.  
 — *japonicum* Lodd. Fl. d. serres 876—877.  
 — *lanceifolium* Thunb. Cleyer Fl. jap. 70.  
 — *longifolium* Gr. Griffith Pl. asiat. 276. 277.  
 † — *Martagon* L. Abh. Halle 7, 1.  
 — *neilgericum* Hort. Illustr. horticole 1863, 353.  
 — *odorum* Planch. Fl. d. serres 9, 876—877.  
 — *parvum* Kellogg. Proc. Calif. Acad. 2, 180.  
 — *pulchellum* Fisch. Regel Gartenfl. 9, 284.  
 — — — *Maxim.* Revue horticole 1862, 131.  
 — *pumilum* Red. Regel Gartenfl. 1865, 463.  
 — *roseum* Wall. Belgique horticole 4, 9.  
 — *sinicum* Ldl. Fl. d. serres 12, 1206.  
 — *speciosum* Thunb. Cleyer Fl. jap. 69.  
 — — — *roseum*, Fl. d. serres 13, 1333.  
 — *spectabile* Lk. Regel Gartenfl. 1862, 349.  
 — *superbum* L. Thornton Plates 21.  
 — — — Fl. d. serres 10, 1014—1015.  
 — *Szovitsianum* Fisch. Regel Gartenfl. 1864, 436.  
 — *tenuifolium* Fisch. Schrank Hort. monac. 91.  
 — — — Regel Gartenfl. 9, 284.  
 — — — Illustration horticole 1857, 132.  
 — — — Fl. d. serres 14, 1473.  
 — *testaceum* Ldl. Regel Gartenfl. 1862, 349.  
 — *Thomsonianum* Royle. Fl. d. serres 9, 867.  
 — *tigrinum* Court. Cleyer Fl. jap. 70.  
 — *triceps* Kl. Prinz Waldemar Him. 93.  
*Limnatodes rosea* Ldl. Bot. Mag. 88, 5312.  
*Limnanthemum Humboldtianum* Griseb. Fl. d. serres 11, 1128.  
 — *niloticum* Kotschy. Kotschy Pl. Tinn. 9<sup>a</sup>.  
 † — *nymphoides* Gm. Agardh Syst. 4.  
 — — — Rchb. Fl. germ. 17, 1042.  
 † *Limnanthes Douglasii* R. Br. Mém. prés. Petersb. 3, 12.  
 † — — — Agardh Syst. 5.  
 † — — — Ann. sc. nat. IV. 6, 5. 6.  
 † — — — Payer Organogénie 10.  
 † *Limnobia* Spongia Auct. Chatin Anatomie 4.  
 † *Limnocharis Humboldtii* Rich. Chatin Anatomie 19.

- Limnocharis Plumieri* Rich. Plumier Ic. Burm. 115.  
 † *Limodorum abortivum* Sw. Schacht Lehrbuch 2, 10.  
 — *ensatum* Thunb. Cleyer Fl. jap. 55.  
 — *Tankervilleae* Willd. Nees Sammlung 11.  
*Limonia monophylla* L. Burmann Thes. zeyl. 65.  
 † *Limoniastrum monopetalum* Mett. Mettenius Fil. 28.  
*Limonium Pomum Adami* Duh. Nouveau Duhamel 7, 40.  
 — *racemosum* Duh. Nouveau Duhamel 7, 41.  
*Limosella aquatica* L. Rchb. Fl. germ. 20, 1722.  
 † — — — Agardh Syst. 24.  
 † — *subulata* Ives. Ives Descriptions 1817, x.  
 † *Linaria* L. Gleichen Untersuchungen 21.  
 † — — — Schnizl. Iconogr. 149.  
 — *acutangula* Guss. Guss. Fl. Inar. 8.  
 — *alpina* DC. Rchb. Fl. germ. 20, 1681.  
 — — — Froelich Alpenfl. 4, 5.  
 — *arvensis* Desf. Dillenius Elth. 163.  
 — — — Rchb. Fl. germ. 20, 1683.  
 — *capensis* Desf. Burmann Fl. afr. 75.  
 — *chalepensis* Mill. Rchb. Fl. germ. 20, 1867.  
 — *chloraeifolia* Rchb. Rchb. Fl. germ. 20, 1687.  
 — *cirrhusa* W. Rchb. Fl. germ. 20, 1681.  
 — *cuneata* Guss. Guss. Fl. Inar. 8.  
 — *Cymbalaria* Mill. Rchb. Fl. germ. 20, 1680.  
 — *dalmatica* Mill. Rchb. Fl. germ. 20, 1686.  
 — *Elatine* Mill. Rchb. Fl. germ. 20, 1680.  
 — *genistifolia* Mill. Dillenius Elth. 164.  
 — — — Rchb. Fl. germ. 20, 1681. 1686.  
 — *gracca* Chav. Guss. Fl. Inar. 9.  
 — — — Rchb. Fl. germ. 20, 1681.  
 — *italica* Trev. Rchb. Fl. germ. 20, 1685.  
 — *lanigera* Desf. Rchb. Fl. germ. 20, 1681.  
 — *littoralis* W. Rchb. Fl. germ. 20, 1682.  
 — *macropoda* Boiss. et Reut. Regel Gartenfl. 3, 85.  
 — *minor* Desf. Rchb. Fl. germ. 20, 1682.  
 — *odora* Fisch. Rchb. Fl. germ. 20, 1685.  
 — *Pelisseriana* DC. Rchb. Fl. germ. 20, 1683.  
 — *Presteandreae* Guss. Guss. Fl. Inar. 9.  
 — *repens* Steud. Dillenius Elth. 163.  
 — — — Rchb. Fl. germ. 20, 1684.  
 — *simplex* DC. Rchb. Fl. germ. 20, 1683.  
 — *spuria* Mill. Rchb. Fl. germ. 20, 1680.  
 — *supina* Desf. Rchb. Fl. germ. 20, 1681.  
 — *triphylla* Mill. Rchb. Fl. germ. 20, 1684.  
 — *tristis* Mill. Dillenius Elth. 164.  
 — *vulgaris* Mill. Rchb. Fl. germ. 20, 1685.  
*Lindackeria vernicosa* Karst. Karsten Fl. Col. 2, 106.  
 † *Lindenbergia* Lehmann. Griffith Pl. asiat. 39.  
*Lindenia rivalis* Benth. Bot. Mag. 87, 5258.  
 — *vitiensis* Seem. Bonplandia 1862, 8.  
*Lindernia Pyxidaria* L. Rchb. Fl. germ. 20, 1723.  
*Lindleya mespiloides* Decne. Revue horticole 1854, 5.  
 † *Lindsaea Catharinac* Hook. Mettenius Fil. 27.  
 — *caudata* Hook. Hook. Ic. pl. 10, 958.  
 — *cultrata* Sw. Hook. Fil. exot. 67.  
 — — — Lowe New Ferns 16.  
 — *ensifolia* Sw. Hook. Garden Ferns 62.  
 — *linearis* Sw. Lowe New Ferns 16.  
 — *media* R. Br. Hook. Ic. pl. 10, 957.  
 — *panamensis* Mett. Hook. Fil. exot. 54.  
 † — — — Griffith Pl. asiat. 135.  
 † *Lineae* DC. Payer Organogénie 13.  
 † — — — Schnizl. Iconogr. 255.  
*Linnaea borealis* L. Clarke Travels 3, p. x.  
 — — — Rchb. Fl. germ. 17, 1170.  
 † — — — Agardh Syst. 23.  
*Linostoma calophylloides* Meisn. Endl. Bras. 14, 30.  
*Linosyris Bigelovii* Torr. Expl. Missis. 4, 12.  
 — *ceruminosa* Dur. Expl. Missis. 5, 6.  
 — *pulchella* Torr. Sitgreaves Expedition 4.

- Linosyris teretifolia* Dur. Expl. Missis. 5, 7.  
*Linschotenia discolor* de Vr. De Vriese Goodenov. 22.  
† *Linum* L. Gasparini Ric. 3.  
† — — Agardh Syst. 16.  
† — — Payer Organogénie 13.  
† — — Hofmeister Embryo 14.  
† — — Schnizl. Iconogr. 255.  
— *aquilinum* DC. Feuillee 3, 22.  
— *grandiflorum* Desf. Bot. Mag. 82, 4956.  
— — — Fl. d. serres 9, 965.  
— — — Belgique horticole 4, 17.  
— *Macraei* Benth. Bot. Mag. 90, 5474.  
! — *perenne* L. Ann. sc. nat. IV. 19, 12.  
— *pubescens* Russ. β. Sibthorpiam, Bot. Mag. 85, 5112.  
— *trigynum* L. L'horticulteur fr. 1864, 9.  
— *usitatissimum* L. Berg Darstellung 3, 18°.  
*Liparis atropurpurea* Wight. Bot. Mag. 91, 5529.  
— *bootanensis* Griff. Griffith Pl. asiat. 287.  
— *Bowkeri* Harv. Harvey Thes. cap. 2, 109.  
*Liparophyllum Gunnii* Hook. fil. Hook. Fl. Tasm. 87.  
*Lipochaeta hastata* Kellogg. Proc. Calif. Acad. 2, 107.  
† *Lippia* L. Payer Organogénie 113.  
† — — Jard. Annals II. 11, 15.  
— *cuneifolia* Torr. Marcy Exploration 17.  
*Liquidambar chinense* Champ. Seemann Herald 94.  
— *macrophyllum* Oerst. Oerst. Am. centr. 10.  
— *orientale* Mill. Bonplandia 1857, p. 119.  
— *styraciflua* L. var. *mexicana*, Oerst. Am. centr. 11.  
— *tricuspis* Miq. Miquel Flora Suppl. 4.  
† *Liriodendron tulipiferum* L. Agardh Syst. 11.  
† — — — Abh. Acad. Berl. 1857, 4.  
† *Liriosma Gardneriana* Baill. Baillon Adansonia 2, 9.  
*Lisianthus cordifolius* L. Browne Jamaica 9.  
— *longifolius* L. Browne Jamaica 9.  
— *princeps* Ldl. Karsten Fl. Col. 2, 141.  
— *Russelianus* Hook. L'horticulteur fr. 1862, 15.  
— — — Revue horticole 1863, 51.  
*Lissochilus Horsfallii* Batem. Bot. Mag. 91, 5486.  
*Listeria japonica* Bl. Blume Orchid. 38, 48.  
† — *ovata* R. Br. Phil. Transactions 1854, 1.  
† — — — Ann. sc. nat. IV. 3, 1.  
† — — — Irmisch Orchid. 2.  
*Lithodora fruticosa* Gris. Rchb. Fl. germ. 18, 1315.  
— *graminifolia* Gris. Rchb. Fl. germ. 18, 1315.  
*Lithospermum officinale* L. Rchb. Fl. germ. 18, 1313.  
† — — — Endl. Bras. 19, 10.  
— *petraeum* A. DC. Regel Gartenfl. 3, 104.  
— *pulchrum* Lehm. Nees Sammlung 22.  
— *purpureoeruleum* L. Rchb. Fl. germ. 18, 1313.  
*Lithraea laurina* Walp. Torrey Mex. Boundary 7.  
*Litobrochia sinuata* Brack. Wilkes Expl. Exp. 14.  
*Litogyne glabra* Harv. Harvey Thes. cap. 2, 155.  
*Litonia modesta* Hook. Fl. d. serres 9, 859.  
*Littorella lacustris* L. Rchb. Fl. germ. 17, 1116.  
— — — Schnizl. Iconogr. 3, 116.  
† — — — Flora 1859, 3.  
† — — — Agardh Syst. 24.  
† — — — Payer Organogénie 126.  
*Livistonia humilis* R. Br. Illustration horticole 1859, 206.  
*Llavea cordifolia* Lag. Bot. Mag. 86, 5159.  
† *Lloydia serotina* Rchb. Bot. Zeitung 1863, 6.  
† *Loasa* L. Mem. Mus. 2, 4.  
† — — — Payer Organogénie 84, 85.  
† — — — Agardh Syst. 18.  
† — — — Schnizl. Iconogr. 199.  
† — — — Abh. Leipz. 6, 27.  
— *acanthifolia* Juss. Feuillee 2, 43.  
— *coronata* Gill. Castelnau Exped. 74.  
— *Schlimiana* Planch. Fl. d. serres 10, 1001.

- † *Lobelia* L. Nees Gen. 28, 8.  
† — — — Agardh Syst. 27.  
† — — — Payer Organogénie 149.  
— *alyssifolia* Salisb. Salisbury Ic. rar. 10.  
— *bulbosa* L. Burmann Pl. afr. 38.  
— *Cliffortiana* L. Plumier Ic. Burm. 235.  
— *coronopifolia* L. Burmann Pl. afr. 38.  
— *cyphoides* Harv. Harvey Thes. cap. 2, 162.  
— *Dortmanna* L. Rchb. Fl. germ. 19, 1618.  
— *fluviatilis* Br. Hook. Fl. Tasm. 70.  
— *hirsuta* L. Burmann Pl. afr. 40.  
— *inflata* L. Berg Darstellung 1, 1°.  
— *lutea* L. Burmann Pl. afr. 39.  
— *nana* H. B. K. Castelnau Exped. 46.  
— *paniculata* L. Burmann Pl. afr. 38.  
— *pedunculata* Br. Hook. Fl. Tasm. 69.  
— *pinifolia* L. Burmann Pl. afr. 41.  
— — — Belgique horticole 1860, 3.  
— *purpurascens* R. Br. Müller Plants of Victoria 2, 50.  
— *ramosa* Benth. Revue horticole 1856, 15.  
— *saligna* Fisch. Mem. Mosc. 3, 9.  
— *secunda* Thunb. Schrank Hort. monac. 31.  
— *sessilifolia* Lamb. Regel Gartenfl. 1863, 392.  
— *splendens* Willd. var. *ignea*, Bot. Mag. 83, 4960.  
— *surrepens* Hook. fil. Hook. Fl. Tasm. 69.  
— *syphilitica* L. Dillenius Elth. 242.  
— *texensis* Raf. Bot. Mag. 83, 4964.  
— *trigonocaulis* F. M. Bot. Mag. 84, 5088.  
— — — L'horticulteur fr. 1859, 15.  
— *tuberosa* L. Burmann Pl. afr. 40.  
— *Tupa* L. Feuillee 2, 29.  
† *Locheria hirsuta* Reg. Linnaea 1853, 1.  
— *magnifica* Pl. et Lind. Fl. d. serres 10, 1013.  
† *Lochnera rosea* Rchb. Schnizl. Iconogr. 132.  
*Lockhartia goyazensis* Rchb. Rchb. Xenia 1, 39.  
— *lunifera* Rchb. Rchb. Xenia 1, 39.  
— *micrantha* Rchb. Rchb. Xenia 1, 40.  
— *mirabilis* Rchb. Rchb. Xenia 1, 40.  
† — *obtusa* Reg. Regel Gartenfl. 6, 190.  
— *Oerstedii* Rchb. Rchb. Xenia 1, 40.  
— *pallida* Rchb. Rchb. Xenia 1, 39.  
— *parthenocomos* Rchb. Rchb. Xenia 1, 40.  
— *Weigeltii* Rchb. Rchb. Xenia 1, 40.  
*Loddigesia oxalidifolia* Sims. Nees Sammlung 98.  
*Logania nuda* F. M. Müller Plants of Victoria 2, 60.  
† *Loganiaceae* R. Br. Payer Organogénie 125.  
*Logfia gallica* C. et G. Rchb. Fl. germ. 16, 947.  
*Lolium Boucheanum* Kth. Ronville Monogr. 2.  
— *compositum* Thuill. Ronville Monogr. 2.  
— *cristatum* Pers. Ronville Monogr. 1.  
— *felix* Ronv. Ronville Monogr. 1.  
— *infelix* Ronv. Ronville Monogr. 3.  
— *italicum* A. Br. Ronville Monogr. 2.  
— *multiflorum* Gaud. Ronville Monogr. 2.  
— *pectinatum* Fig. Ronville Monogr. 2.  
— *perenne* L. Ronville Monogr. 1.  
— *Phoenice* Ronv. Ronville Monogr. 1.  
— *tenue* L. Ronville Monogr. 1.  
*Lomagamma?* *polyphylla* Brack. Wilkes Expl. Exp. 12.  
† *Lomandra longifolia* Lab. Payer Organogénie 135.  
*Lomaria adnata* Bl. Hook. Sp. Fil. 3, 147.  
— *alpina* Spr. Hook. Fil. exot. 32.  
— — — Lowe Ferns 4, 52.  
— *aspera* Klotzsch. Hook. Sp. Fil. 3, 144.  
— *attenuata* Link. Lowe Ferns 4, 64.  
— *australis* Link. Lowe Ferns 4, 57, 58.  
— *Banksia* Hook. fil. Hook. New. Zeal. 76.  
— *Boryana* Willd. Lowe Ferns 4, 62.  
— *capensis* Willd. Lowe Ferns 4, 59, 60.  
— *cuspidata* Kze. Hook. Sp. Fil. 3, 151.

- Lomaria decrescens* Fée. Fée Fil. novae 9.  
 — *discolor* Willd. Lowe Ferns 4, 56.  
 — *elongata* Hook. var. *Cumingiana*, Hook. Sp. Fil. 3, 143.  
 — *euphlebica* Kze. Hooker Second Century 89.  
 — *filiformis* A. Cunn. Hook. Sp. Fil. 3, 149.  
 — *fluviatilis* Spr. Hook. Fl. Tasm. 167.  
 — *Gayana* Fée. Fée Fil. novae 10.  
 — *Germainii* Hook. Hook. Sp. Fil. 3, 152.  
 — *Gilliesii* Hook. Lowe Ferns 4, 54.  
 — *lanceolata* Spr. Lowe Ferns 4, 61.  
 — *L'herminieri* Bory. Lowe Ferns 4, 63.  
 — — Hook. Garden Ferns 40.  
 — *magellanica* Desv. Hook. Garden Ferns 52.  
 — *membranacea* Col. Hook. Sp. Fil. 3, 145.  
 — *nigra* Col. Hook. Ic. pl. 10, 960.  
 — *nuda* Willd. Lowe Ferns 4, 51.  
 — *onocleoides* Sw. Hook. Sp. Fil. 3, 146.  
 — *Patersonii* Kze. Hook. Fil. exot. 49.  
 — — Lowe Ferns 4, 50.  
 — *pilosa* Brack. Wilkes Expl. Exp. 15.  
 — *procera* Spr. var. *minor*, Hook. New. Zeal. 75.  
 — — Hook. Garden Ferns 53.  
 — — Lowe Ferns 4, 55.  
 — *punctulata* Kze. Lowe Ferns 4, 53.  
 — *pycnophylla* Kze. Hook. Sp. Fil. 3, 148.  
 — *Spicant* Desv. Lowe Ferns 4, 52.  
 — — varietates, Lowe New Ferns 19—21.  
 — *volubilis* Hook. Hook. Sp. Fil. 3, 150.  
 — *vulcanica* Bl. Hook. Ic. pl. 10, 969.
- Lomariopsis longifolia* Sm. Lowe New Ferns 37.  
 † — *scandens* Mett. Abh. Senck. 2, 15.  
 † — — Mettenius Fil. 1.
- Lomatia Milnei* Hook. Hook. Journ. 1855, 2.  
*Lomenia borbonica* Pourr. Mém. Toulouse 3, 5.  
 † *Lonchestigma caulescens* Dun. Castelnau Exped. 57.  
 — *crispum* Dum. Castelnau Exped. 57.
- Lonchitis pedata* L. Browne Jamaica 1.  
 — *tomentosa* Fée. Fée Fil. novae 23.
- Lonchocarpus latifolius* Kth. Ramon Cuba 38<sup>b</sup>.  
 — *Tinneae* Kotschy. Kotschy Pl. Tinn. 2.
- Lonchostephus elegans* Tul. Endl. Bras. 13, 73.  
 † *Lonicera* L. Payer Organogénie 127.  
 † — — Schnizl. Iconogr. 128.  
 † — — Griffith Pl. asiat. 36.  
 † — *alpigena* L. Flora 1856, 2.  
 — — — Rchb. Fl. germ. 17, 1173.  
 — — — Bull. Mosc. 1864, 2.  
 — *angustifolia* Wall. Belgique horticole 8, 71.  
 — *brachypoda* DC. foliis variegatis, Illustration horticole 1862, 337.  
 — *Brownii* Hort. Fl. d. serres 11, 1133.  
 — *Caprifolium* L. Rchb. Fl. germ. 17, 1173.  
 — — var. *major* Carr. Fl. d. serres 11, 1120.  
 † — — Baillon Adansonia 1, 12.  
 — *Chamissoi* Bnge. Bull. Mosc. 1864, 2.  
 — *chrysantha* Turcz. Regel Gartenfl. 1863, 404.  
 — — Bull. Mosc. 1864, 1.  
 — *coerulea* L. Rchb. Fl. germ. 17, 1175.  
 — — var. *edulis*, Bull. Mosc. 1864, 3.  
 — — var. *villosa* Gray, Bull. Mosc. 1864, 3.  
 † — *conjugalis* Kellogg. Proc. Calif. Acad. 2, 68.  
 — *corymbosa* L. Feuillée 2, 45.  
 — *etrusca* Santi. Rchb. Fl. germ. 17, 1172.  
 — *flava* Sims. Revue horticole 1856, 12.  
 — — L'horticulteur fr. 1863, 20.  
 — *floribunda* Buhse. Mem. Mosc. 18, 8.  
 — *implexa* Ait. Rchb. Fl. germ. 17, 1173.  
 — *intermedia* Kellogg. Proc. Calif. Acad. 2, 155.  
 — *Karelini* Bnge. Bull. Mosc. 1864, 1.  
 — *Maackii* Rupr. Bull. Mosc. 1864, 2.  
 — *Maximowiczii* Rupr. Bull. Mosc. 1864, 2.

- Lonicera nigra* L. Rchb. Fl. germ. 17, 1174.  
 — — — Bull. Mosc. 1864, 2.  
 — *orientalis* Lam. Regel Gartenfl. 1862, 359.  
 — *pallida* Host. Revue horticole 1856, 33.  
 — *Periclymenum* L. Rchb. Fl. germ. 17, 1172.  
 — *pyrenaica* L. Rchb. Fl. germ. 17, 1175.  
 — *sempervirens* L. Revue horticole 1856, 19.  
 — — *Magnevillei* Hort. Fl. d. serres 11, 1128.  
 — *splendida* Boiss. Fl. d. serres 11, 1130.  
 — *subspicata* Hook. Torrey Mex. Boundary 29.  
 — *tatarica* L. Rchb. Fl. germ. 17, 1174.  
 — *Xylosteum* L. Rchb. Fl. germ. 17, 1174.
- † *Lopezia* Cav. (Pollen.) Mém. prés. Pet. 3, 12.  
 — *fruticosa* H. P. Schrank Hort. monac. 20.  
 — *longiflora* Hort. Revue horticole 1854, 12.  
 — *miniata* DC. Regel Gartenfl. 6, 203.  
 † — *racemosa* Cav. Giornale Pisano 5, 1.  
 † — — Payer Organogénie 150.
- Lophogyne helicandra* Tul. Endl. Bras. 13, 73.  
*Lophophytum Weddellii* Hook. fil. Linn. Trans. 22, 9.  
 † — — — Jard. Annals III. 1, 6.  
 † — — — Chatin Anatomie 100.
- Lophospermum erubescens* Don. Payer Organogénie 111.  
 — *scandens* Don. Belgique horticole 1862, 2.  
 — — — *coccineum*, Fl. d. serres 14, 1469.
- Lophostephus mollis* Harv. Harvey Thes. cap. 2, 113.  
*Loranthus americanus* L. Plumier Ic. Burm. 166.  
 — *celastroides* Sieb. Gray Expl. Exp. 100.  
 † — — — Chatin Anatomie 90.  
 † — *Citri* Chat. Chatin Anatomie 85.  
 — *eucalyptoides* DC. Müller Plants of Victoria 2, 30.
- † — *europaeus* L. Nees Genera 30, 16.  
 † — — — *Bonplandia* 1854, p. 197. 198.  
 † — — — Abh. Leipz. 6, 1—4.  
 † — — — Ann. sc. nat. IV. 12, 1. 2.  
 † — — — Chatin Anatomie 84.  
 † — — — Baillon Adansonia 2, 10.  
 † — *Forsterianus* Schult. Chatin Anatomie 88.  
 † — *Gaudichaudii* DC. Chatin Anatomie 87.  
 — *insularum* Gray. Gray Expl. Exp. 98.  
 † — *macrosolen* Steud. Chatin Anatomie 83. 84.  
 — *maytenifolius* Gray. Gray Expl. Exp. 99.  
 — *natalitius* Meissn. Harvey Thes. cap. 1, 30.  
 † — *oleaeifolius* Cham. Chatin Anatomie 90.  
 † — *podopterus* Cham. Chatin Anatomie 87.  
 † — *Schultzii* Bl. Chatin Anatomie 89.  
 † — *sphaerocarpus* Bl. Chatin Anatomie 89.  
 † — *tetrandrus* Rz. et P. Chatin Anatomie 86.
- Lorentea humifusa* Less. Plumier Ic. Burm. 95.  
*Loricaria ferruginea* Wedd. Castelnau Exped. 27\*.  
 — *graveolens* Wedd. Castelnau Exped. 27\*.  
 — *stenophylla* Wedd. Castelnau Exped. 27\*.
- Lotononis monophylla* Harv. Harvey Thes. cap. 1, 63.  
 † *Lotus* L. Nees Genera 29, 10.  
 — *diffusus* Sm. Schrank Hort. monac. 40.  
 — *sulfureus* Boiss. Tschichatschiff Asie mineure 1.
- Loxodiscus coriaceus* Hook. Hook. Journ. 1857, 6.  
*Loxotis obliqua* Benth. Miquel Flora 35.  
*Loxsuma Cunninghamsii* R. Br. Hook. Garden Ferns 31.
- † *Lubinia spatulata* Vent. Agardh Syst. 23.  
*Lucilia conoidea* Wedd. Castelnau Exped. 26.  
 — *flagelliformis* Wedd. Castelnau Exped. 26.  
 — *perpusilla* Wedd. Castelnau Exped. 26.  
 — *piptolepis* Wedd. Castelnau Exped. 26.  
 — *recurva* Wedd. Castelnau Exped. 25.
- Lucullia gratissima* Sw. Belgique horticole 8, 87.  
*Lucuma Arguacoensium* Karst. Karsten Fl. Col. 1, 64.  
 — *Bonplandii* H. B. K. Endl. Bras. 32, 25.  
 — *Caimito* A. DC. Endl. Bras. 32, 33.

- Lucuma chrysohyloides* A. DC. Endl. Bras. 32, 36.  
 — *curvifolia* Mart. et Eichl. Endl. Bras. 32, 28.  
 — *glabrescens* Mart. et Eichl. Endl. Bras. 32, 46.  
 — *glomerata* Miq. Endl. Bras. 32, 36.  
 — *glycyphlaea* Mart. et Eichl. Endl. Bras. 32, 25.  
 — *gomphiaefolia* Mart. Endl. Bras. 32, 37.  
 — *lasiocarpa* A. DC. Endl. Bras. 32, 30.  
 — *littoralis* Mart. Endl. Bras. 32, 26.  
 — *mammosa* Gärtn. Endl. Bras. 32, 23.  
 — *marginata* Mart. et Eichl. Endl. Bras. 32, 28.  
 — *parviflora* Benth. Endl. Bras. 32, 34.  
 — *procera* Mart. Endl. Bras. 32, 24, 30.  
 — *psammophila* A. DC. Endl. Bras. 32, 37.  
 — *ramiflora* A. DC. Endl. Bras. 32, 32.  
 — *retusa* Spruce. Endl. Bras. 32, 37.  
 — *Rivicoa* Gärtn. Endl. Bras. 32, 29.  
 — *Sellowii* A. DC. Endl. Bras. 32, 35.  
 — *torta* A. DC. Endl. Bras. 32, 31.  
 — *venosa* Mart. et Miq. Endl. Bras. 32, 27.
- Ludisia discolor* Bl. Blume Orchid. 42.  
 — *Furetii* Bl. Blume Orchid. 34.  
 — *odorata* Bl. Blume Orchid. 34.
- Ludovia lancaefolia* Brongn. Ann. sc. nat. IV. 15, 1.  
 — Fl. d. serres 15, 1515—1516.
- Luddemania Pescatorei* Rchb. fil. Pescatorea 1, 22.  
 † *Luffa* DC. Mem. Tur. 1855, 4.  
 — *acutangulo-cylindrica* Naud. Nouv. Arch. Mus. 1, 9.  
 — *amaro-cylindrica* Naud. Nouv. Arch. Mus. 1, 6.
- Lugonia lysimachioides* Wedd. Castelnau Exped. 54.
- Luisia antennifera* Bl. Rchb. Xenia 1, 78.  
 — *brachystachys* Bl. Rchb. Xenia 1, 78.  
 — *trichorrhiza* Bl. Rchb. Xenia 1, 77.
- Luma* Cheken Gray. Gray Expl. Exp. 66.  
 — *correaefolia* Gray. Gray Expl. Exp. 66.  
 — *obtusata* Gray. Gray Expl. Exp. 66.
- † *Lunaria rediviva* L. Batsch Analyses 11.  
 — *scabra* Forsk. Forskall Icones 16.
- † *Lupinus* L. Nees Gen. 29, 5.  
 † — — Mem. Tur. 1855, 1, 4.  
 † — — Payer Organogénie 104.  
 † — — Ann. sc. nat. V. 2, 9.  
 — *albus* L. Memoriae Valdarn. 3, 1.  
 — *alopeuroides* Lam. var. Castelnau Exped. 79.  
 — *calcaratus* Kellogg. Proc. Calif. Acad. 2, 196.  
 — *caudatus* Kellogg. Proc. Calif. Acad. 2, 198.  
 — *cervinus* Kellogg. Proc. Calif. Acad. 2, 230.  
 — *comptus* Mart. Endl. Bras. 24, 1.  
 — *confertus* Kellogg. Proc. Calif. Acad. 2, 194.  
 — *coriaceus* Benth. Endl. Bras. 24, 1.  
 — *insignis* (hybridus) Illustration horticole 1858, 163.  
 — *madrensis* Seem. Seemann Herald 53.  
 — *Menziesii* Ag. Bot. Mag. 83, 5019.  
 — — — Journal d'hortic. 2, 3.  
 — — — Fl. d. serres 14, 1458.  
 — *Stiverii* Kellogg. Proc. Calif. Acad. 2, 193.
- † *Luvunga* Ham. Schnizl. Iconogr. 224.
- Luzula Alopecurus* Desv. Richard Astrolabe 5.  
 † — *campestris* DC. Linn. Transact. 22, 68.  
 † — — — Agardh Syst. 1.  
 † — — — Payer Organogénie 146.
- Lycaste brevispatha* Kl. Regel Gartenfl. 6, 202.  
 † — *Skinneri* Ldl. Pescatorea 1, 39.  
 — — — Sieb. Fl. Jard. 1862, 3.  
 — — — Warner Select Orch. 10.
- Lychnis dioica* L. Mém. Mus. 2, 4.  
 — *fulgens* Fisch. Nees Sammlung 38.  
 — *grandiflora* Jacq. Fl. d. serres 10, 979.  
 — *Haageana* Hort. (hybrida.) Illustration horticole 1859, 195.  
 — — — Regel Gartenfl. 1863, 391.

- Lychnis Senno* Sieb. et Zucc. Cleyer Fl. jap. 29.  
 — — — Belgique horticole 1864, 11.  
 — — — Sieboldi van Houtte. Fl. d. serres 10, 980.  
 — — — Regel Gartenfl. 1863, 391.
- Lychnophora brunoides* Mart. Regensb. Denkschr. 2, 4.  
 — *ericoides* Mart. Regensb. Denkschr. 2, 5.  
 — *Pinaster* Mart. Regensb. Denkschr. 2, 6.  
 — *rosmarinifolia* Mart. Regensb. Denkschr. 2, 9.  
 — *salicifolia* Mart. Regensb. Denkschr. 2, 10.  
 — *staavioides* Mart. Regensb. Denkschr. 2, 8.  
 — *villosissima* Mart. Regensb. Denkschr. 2, 7.
- Lycioplesium fasciculatum* Miers. Miers Illutr. 29.  
 — *pubiflorum* Griseb. Bot. Mag. 89, 5373.
- Lycium abeliaeflorum* Rchb. fil. Rchb. Fl. germ. 20, 1636.  
 † — *acutifolium* E. M. Miers Illustr. 66.  
 † — *afrum* L. Miers Illustr. 66.  
 — — — Rchb. Fl. germ. 20, 1635.  
 † — *arenicolum* Miers. Miers Illustr. 65.  
 † — *austrinum* Miers. Miers Illustr. 65.  
 † — *barbarum* L. Miers Illustr. 69.  
 † — — — Agardh Syst. 27.  
 † — *barbinodum* Miers. Miers Illustr. 68.  
 † — *brevipes* Benth. Miers Illustr. 69.  
 † — *capillare* Miers. Miers Illustr. 70.  
 † — *carolinianum* Mchx. Miers Illustr. 71.  
 † — *cestroide* Schl. Miers Illustr. 67.  
 † — *chilense* Miers. Miers Illustr. 72.  
 — *chinense* Mill. Rchb. Fl. germ. 20, 1635.  
 † — *confertum* Miers. Miers Illustr. 68.  
 † — *echinatum* Dun. Miers Illustr. 66.  
 † — *Edgworthii* Dun. Miers Illustr. 69.  
 † — *elongatum* Miers. Miers Illustr. 68.  
 † — *erosum* Miers. Miers Illustr. 74.  
 † — *europaeum* L. Goethe Atlas 4.  
 † — — — Miers Illustr. 64.  
 — — — Rchb. Fl. germ. 20, 1636.  
 † — *ferocissimum* Miers. Miers Illustr. 70.  
 † — *filifolium* Gill. Miers Illustr. 72.  
 † — *floribundum* Dun. Miers Illustr. 70.  
 † — *fragosum* Miers. Miers Illustr. 67.  
 † — *fuscum* Miers. Miers Illustr. 68.  
 † — *Gilliesianum* Miers. Miers Illustr. 74.  
 † — *glaucum* Miers. Miers Illustr. 66.  
 † — *glomeratum* Sendtn. Miers Illustr. 68.  
 † — *Grevilleanum* Gill. Miers Illustr. 73.  
 † — *halophyllum* Welw. Miers Illustr. 64.  
 † — *hirsutum* Dun. Miers Illustr. 65.  
 † — *ignarum* Miers. Miers Illustr. 72.  
 † — *implexum* Miers. Miers Illustr. 67.  
 † — *indicum* R. W. Miers Illustr. 64.  
 † — *infaustum* Miers. Miers Illustr. 71.  
 † — *intricatum* Boiss. Miers Illustr. 64.  
 † — *nodosum* Miers. Miers Illustr. 69.  
 † — *orientale* Miers. Miers Illustr. 65.  
 † — *oxycarpum* Dun. Miers Illustr. 64.  
 † — *oxycladum* Miers. Miers Illustr. 65.  
 † — *pallidum* Miers. Miers Illustr. 67.  
 † — *patagonicum* Miers. Miers Illustr. 72.  
 † — *pendulinum* Miers. Miers Illustr. 67.  
 † — *persicum* Miers. Miers Illustr. 65.  
 † — *pubescens* Miers. Miers Illustr. 72.  
 † — *rachidocladum* Dun. Miers Illustr. 71.  
 † — *roridum* Miers. Miers Illustr. 66.  
 † — *ruthenicum* Murr. Miers Illustr. 70.  
 † — *saevum* Miers. Miers Illustr. 64.  
 † — *salsum* R. et P. Miers Illustr. 72.  
 † — *scoparium* Miers. Miers Illustr. 73.  
 † — *senticosum* Miers. Miers Illustr. 68.  
 † — *spinulosum* Miers. Miers Illustr. 71.  
 † — *stolidum* Miers. Miers Illustr. 71.  
 † — *tataricum* Pall. Miers Illustr. 70.



- † *Lycium tenue* Willd. Miers Illustr. 67.  
 † — *tenuispinosum* Miers. Miers Illustr. 71.  
 † — *tetrandrum* Thunb. Miers Illustr. 66.  
 † — *turcomanicum* Turcz. Miers Illustr. 69.  
 † — *vimineum* Miers. Miers Illustr. 69.  
 † — *vulgare* Dun. Miers Illustr. 70.  
*Lycomormium squalidum* Rehb. Rehb. Xenia 1, 64.  
*Lycopersicum esculentum* Mill. Rehb. Fl. germ. 20, 1634.  
 † *Lycopodiaceae* Sw. (Germinatio.) Ann. sc. nat. IV. 9, 4.  
 † — — Payer Botan. cryptogamique p. 207—210.  
*Lycopodium alpinum* L. Johnson Fern Allies 17.  
 — — — Hooker British Ferns 53.  
 — — — *annotinum* L. Acta Leop. 26, 31.  
 — — — Johnson Fern Allies 16.  
 — — — Hooker British Ferns 50.  
 — — *carolinianum* L. Mem. Bonon. 6, 5.  
 — — *casuarinoides* Spring. Hook. Ic. pl. 10, 965.  
 — — *cernuum* L. Burmann Thes. zeyl. 66.  
 — — *chamaecyparissus* A. Br. Acta Leop. 26, 31.  
 — — *clavatum* L. Johnson Fern Allies 15.  
 — — — Hook. British Ferns 49.  
 — — — Berg Darstellung 4, 28.  
 — — *complanatum* L. Acta Leop. 26, 31.  
 — — *erubescens* Brack. Wilkes Expl. Exp. 45.  
 — — *Haleakalae* Brack. Wilkes Expl. Exp. 45.  
 — — *inundatum* L. Johnson Fern Allies 19.  
 — — — Hook. British Ferns 51.  
 — — *nutans* Brack. Wilkes Expl. Exp. 46.  
 — — *scariosum* Forst. var. *decurrens*, Hook. Ic. pl. 10, 966.  
 — — *selaginoides* L. Johnson Fern Allies 20.  
 — — — Hook. British Ferns 52.  
 — — *Selago* L. Hook. Fl. Tasm. 170.  
 — — — Johnson Fern Allies 18.  
 — — — Hook. British Ferns 54.  
 — — *ulicifolium* Vent. Hook. Fil. exot. 23.  
 — — *varium* Br. Hook. Fl. Tasm. 170.  
*Lycopus europaeus* L. Poiteau Fl. par. 32.  
 — — — Rehb. Fl. germ. 18, 1291.  
 — — *exaltatus* L. Rehb. Fl. germ. 18, 1291.  
*Lycoris radiata* Ait. Cleyer Fl. jap. 82.  
 † *Lygodium acuminatum* Sturm. Endl. Bras. 23, 14.  
 — — *expansum* Desv. Endl. Bras. 23, 13.  
 — — *flexuosum* Sw. Lowe Ferns 8, 73.  
 — — *Forsteri* Lowe. Lowe New Ferns 35.  
 † — *hastatum* Desv. Endl. Bras. 23, 14.  
 † — *hirtum* Kaulf. Endl. Bras. 23, 14.  
 † — *japonicum* Sw. Lowe Ferns 8, 72.  
 † — *lucens* Kaulf. Endl. Bras. 23, 14.  
 † — *mucronulatum* Sturm. Endl. Bras. 23, 14.  
 † — *palmatilobum* Sturm. Endl. Bras. 23, 11.  
 — — *palmatum* Sw. Hook. Fil. exot. 24.  
 — — — Lowe Ferns 8, 74.  
 † — *Poblianus* Pr. Endl. Bras. 23, 14.  
 — — *polystachyum* Wall. Hooker Second Century 76.  
 † — *venustum* Sw. Endl. Bras. 23, 14.  
 † — *volubile* Sw. Endl. Bras. 23, 14.  
*Lyonsia straininea* R. Br. Müller Plants of Victoria 2, 58.  
*Lyperanthus nigricans* Br. Hook. Fl. Tasm. 106.  
*Lyperia microphylla* Benth. Neubert Magazin 1852, 10.  
*Lyrocarpa Coulteri* Harv. Hook. Lond. Journ. 1845, 4.  
*Lysimachia barystachys* Bge. Acad. Pet. VII. 4, 9.  
 — — *ciliata* L. Rehb. Fl. germ. 17, 1086.  
 — — *Leschenaultii* Duby. Fl. d. serres 12, 982.  
 — — *nemorum* L. Rehb. Fl. germ. 17, 1084.  
 — — *Numularia* L. Rehb. Fl. germ. 17, 1084.  
 — — *nutans* N. v. E. Bot. Mag. 82, 4941.  
 — — — Fl. d. serres 12, 1218.  
 — — — Belgique horticole 7, 13.

- Lysimachia punctata* L. Rehb. Fl. germ. 17, 1084.  
 † — — — Cramer Bildungsabw. 14, 15.  
 — — *thyrsiflora* L. Rehb. Fl. germ. 17, 1085.  
 — — *verticillata* L. Rehb. Fl. germ. 17, 1085.  
 — — *vulgaris* L. Rehb. Fl. germ. 17, 1086.  
*Lysimoscepus Voigtii* Griff. Griffith Pl. asiat. 64.  
*Lysipoma muscoides* Hook. fil. Castelnau Exped. 45.  
*Lythrum alternifolium* DC. Lorey Flore de Côte d'or 2.  
 — — *hyssopifolium* L. Purton Midland Flora 2.  
 — — *Parsonia* L. Browne Jamaica 21.  
 † — — *Salicaria* L. Schnizl. Iconogr. 267.  
 † — — — Agardh Syst. 24.  
 † — — — Payer Organogénie 95.  
 † — — — Journ. Linn. Soc. 8, p. 171.  
 — — *Vulneraria* Ait. Schrank Hort. monac. 27.  
*Maackia amurensis* Rupr. Mém. prés. Pet. 9, 5.  
*Maba natalensis* Harv. Harvey Thes. cap. 2, 110.  
 — — *sumatrana* Miq. Miquel Flora 36.  
 † *Mabea* Aubl. Baillon Euph. 13.  
*Macara bicuspidata* Karst. Karsten Fl. Col. 2, 170.  
 † *Macaranga* Aubl. Baillon Euph. 21.  
*Macfadyena corymbosa* Seem. Seemann Journal 1, 8.  
*Machaeranthera tanacetifolia* Nees ab Eesen. Regel Gartenflora 1862, 382.  
*Machaerium heterophyllum* Presl. Presl Symb. 72.  
 — — *Luschnathianum* Presl. Presl Symb. 73.  
*Mackaya bella* Harv. Harvey Thes. cap. 1, 13.  
 — — — Nat. Hist. Review 1858, 1.  
*Mackinlaya macrosciadea* F. M. Müller Fragmenta 4, 29.  
*Macleania pulchra* Hook. Bot. Mag. 90, 5465.  
 — — *speciosissima* Hook. Bot. Mag. 90, 5453.  
 † *Macleya cordata* R. Br. Payer Organogénie 48.  
*Maclura aurantiaca* Nutt. Nuttall Silva 1, 37, 38.  
 — — — Mém. Lyon 1837, 1.  
 † — — *javanica* Bl. Blume Mus. 2, 31.  
 † — — *Sieberi* Bl. Blume Mus. 2, 37.  
 — — *tinctoria* G. Don. Plumier Ic. Burm. 204.  
*Macodes marmorata* Rehb. Rehb. Xenia 1, 96.  
 — — *Petola* Ldl. Rehb. Xenia 1, 96.  
 — — — Blume Orchid. 31, 36.  
*Macranthera Leontii* Torr. Ann. Lyc. N.-Y. 4, 4.  
*Macreightia obovata* Mart. Endl. Bras. 17, 2.  
 † *Macrodiscus rigescens* Bur. Bureau Bign. 11.  
*Macrolobium floridum* Karst. Karsten Fl. Col. 1, 75.  
 † *Macrosepis obovata* Kth. Karsten Fl. Col. 2, 161.  
 † — — *rotata* Decne. Karsten Fl. Col. 2, 161.  
 — — *urceolata* Karst. Karsten Fl. Col. 2, 161.  
*Macrosiphonia longiflora* Müll. Endl. Bras. 26, 43.  
 — — *Velame* Müll. Endl. Bras. 26, 42.  
*Macrostigma tupistroides* Kth. Regel Gartenfl. 6, 192.  
*Maddenia himalaica* H. et T. Hook. Journ. 1854, 12.  
*Madia sativa* Molina. Feuillée 3, 26.  
*Maesa alnifolia* Harv. Harvey Thes. cap. 2, 129.  
*Mafureira oleifera* Bert. Mem. Bon. 2, 12.  
 † *Magnolia* L. Bibl. ital. 16, 1.  
 † — — Mem. Tur. 1855, 2.  
 † — — Schnizl. Iconogr. 176.  
 † — — Agardh Syst. 11.  
 † — — Linn. Transact. 22, 19.  
 — — *auriculata* Lam. Cubières 1810, 1.  
 — — *Campbellii* Hook. fil. Hook. Himal. 4, 5.  
 — — — Fl. d. serres 12, 1282—1285.  
 — — *discolor* Vent. Nees Sammlung 42.  
 — — *glauca* L. Dillenius Elth. 168.  
 — — *pumila* Andr. Nees Sammlung 9.  
 — — *Yulan grandis* Rinz. Regel Gartenfl. 5, 166.  
 † *Magnusia fusca* Kl. Abh. Acad. Berl. 1854, 9.  
*Mahernia bipinnata* DC. Commelyn Rar. 7.  
 — — *odorata* Andr. Belgique horticole 9, 19.  
 † *Mahonia* Nutt. Payer Organogénie 52.

- † *Mahonia Nutt.* Agardh Syst. 10.  
 — *Beallii Forst.* Revue horticole 1857, p. 234.  
*Maja compacta Wedd.* Castelnau Exped. 27\*.  
 † *Malachium Fr.* Schnizl. Iconogr. 207.  
 † — — *Payer Organogénie* 73.  
 — — *calycinum Willk.* Willkomm Ic. Hisp. 1, 54.  
*Malachra radiata L.* Plumier Ic. Burm. 19.  
 — — *rotundifolia Schrank.* Schrank Hort. monac. 56.  
*Malcolmia littorea R. Br.* Lem. Jard. fl. 4, 359.  
*Mallostoma cachirens Karst.* Karsten Fl. Col. 2, 105.  
 † *Malope trifida Cav.* Payer Organogénie 8.  
*Malortia gracilis Wendl.* Bot. Mag. 88, 5291.  
 — — — *Illustration horticole* 1862, 327.  
 — — *simplex Wendl.* Bot. Mag. 87, 5247.  
 † *Malouetia cestroides Müll.* Endl. Bras. 26, 29.  
 † — — *lanceolata Müll.* Endl. Bras. 26, 29.  
 — — *Martii Müll.* Endl. Bras. 26, 29.  
 † — — *Tamaquarina A. DC.* Endl. Bras. 26, 26.  
*Malpighia aquifolia L.* Plumier Ic. Burm. 165.  
 — — — *Nees Sammlung* 19.  
 — — *coccifera L.* Plumier Ic. Burm. 168.  
 — — *Loddigesii Rgl.* Regel Gartenfl. 8, 275.  
 — — *panicifolia L.* Plumier Ic. Burm. 166.  
 — — *urens L.* Plumier Ic. Burm. 167.  
 — — — *var. oblonga Juss.* Regel Gartenfl. 7, 326.  
 † — — — *Payer Organogénie* 23.  
*Malus baccata Moench.* Nouveau Duhamel 6, 43.  
 — — *communis Desf.* Nouveau Duhamel 6, 45—55.  
 — — *coronaria Desf.* Nouveau Duhamel 6, 44.  
 — — *dioica Desf.* Nouveau Duhamel 6, 44.  
 — — *floribunda Sieb.* Fl. d. serres 15, 1585—1589.  
 — — *hybrida Desf.* Nouveau Duhamel 6, 42.  
 — — *sempervirens Desf.* Nouveau Duhamel 6, 43.  
 — — *spectabilis Desf.* Nouveau Duhamel 6, 42.  
 † *Malva L.* Gasparrini Ric. 5.  
 † — — *Payer Organogénie* 8.  
 † — — *Agardh Syst.* 21.  
 † — — *Schnizl. Iconogr.* 205.  
 — — *abutiloides L.* Dillenius Elth. 1.  
 — — *capensis L.* Dillenius Elth. 169.  
 — — *caroliniana L.* Dillenius Elth. 4.  
 — — *involverata Torr. et Gr.* Lem. Jard. fl. 4, 356.  
 — — *neglecta Wallr.* Berg Charakt. 576.  
 — — *umbellata Cav.* Nees Sammlung 58.  
 — — *virgata Murr.* Nouveau Duhamel 7, 6.  
*Malvastrum Castelnæum Wedd.* Castelnau Exped. 80.  
 — — *compactum Gray.* Castelnau Exped. 80.  
 — — *marrubioides Dur.* Expl. Missis. 5, 2.  
 † *Malvaviscus arborea Cav.* Payer Organogénie 6.  
*Malvella Sherardiana Jaub.* Jaub. Illustr. 444.  
*Mammea americana L.* Plumier Ic. Burm. 170.  
*Mammillaria barbata Eng.* Engelm. Boundary 6.  
 — — *dasyacantha Eng.* Engelm. Boundary 12.  
 — — *densa Finckh.* Finckh Cactus 1.  
 † — — *discolor Haw.* Turpin Observations 1.  
 — — *Echinus Eng.* Engelm. Boundary 10.  
 — — *fissurata Eng.* Engelm. Boundary 16.  
 — — *glomerata DC.* Plumier Ic. Burm. 201.  
 — — *Goodridgii Eng.* Engelm. Boundary 8.  
 — — *Grahami Eng.* Engelm. Boundary 6.  
 — — *gummiifera Eng.* Engelm. Boundary 9.  
 — — *Heyderi Eng.* Engelm. Boundary 9.  
 — — *lasiacantha Eng.* Engelm. Boundary 3, 4.  
 — — *macromeris Eng.* Engelm. Boundary 14, 15.  
 — — *meiacantha Eng.* Engelm. Boundary 9.  
 — — *micromeris Eng.* Engelm. Boundary 1, 2.  
 — — *pectinata Eng.* Engelm. Boundary 11.  
 — — *phellosperma Eng.* Engelm. Boundary 7.  
 † — — *pusilla DC.* Turpin Observation 1.  
 — — — *Engelm. Boundary* 5.  
 — — *radiosa Eng.* Engelm. Boundary 13.

- † *Mammillaria rhodantha Link.* Mém. prés. Petersb. 4, 6, 7.  
 — — *Scheerii Mühlenpf.* Seemann Journal 1, 10.  
 — — *Schelhasii Pffr.* Regel Gartenfl. 6, 207.  
 — — *tuberculosa Eng.* Engelm. Boundary 12.  
 — — *Wrightii Eng.* Engelm. Boundary 8.  
*Mancoa hispida Wedd.* Castelnau Exped. 86.  
*Mandevilla suaveolens Ldl.* Fl. d. serres 11, 1142.  
*Mandirola ichthyostoma Seem.* Endl. Bras. 36, 58.  
 † — — *multiflora Decne.* Linnaea 1853, 1.  
 — — — *Endl. Bras.* 36, 58.  
 — — *Naegelia picturata Planch.* Fl. d. serres 10, 989.  
 — — *Roczlii Hort.* Fl. d. serres 10, 987.  
*Mandragora autumnalis Spr.* Rchb. Fl. germ. 20, 1627.  
 — — *officinarum L.* Rchb. Fl. germ. 20, 1628.  
 — — — *Miers. Illustr.* 79.  
*Manettia micans Poepp.* Bot. Mag. 91, 5495.  
 † *Mangifera indica L.* Payer Organogénie 20.  
 — — — *Schacht Madeira* 4.  
 — — *Kemanga Bl.* Linn. Transact. 23, 23.  
 † *Manihot Plum.* Baillon Euph. 19.  
 † — — *Aipi Pohl.* Abh. Acad. Berl. 1859, 3.  
*Mantisia saltatoria Sims.* Nees Sammlung 99.  
*Manuelia bellidifolia Benth.* Harvey Thes. cap. 2, 197.  
 † *Maoutia Wedd.* Arch. Mus. 9, 16.  
 † *Mapouiria graciliflora Benth.* Oersted Am. centr. 14.  
 † — — *miradorensis Oerst.* Oersted Am. centr. 14.  
 † — — *obovata Oerst.* Oersted Am. centr. 14.  
 † — — *parvifolia Benth.* Oersted Am. centr. 14.  
 † — — *salicifolia Oerst.* Oersted Am. centr. 14.  
 † — — *stipulata Oerst.* Oersted Am. centr. 14.  
 † — — *tomentosa Oerst.* Oersted Am. centr. 14.  
 † *Mappa Juss.* Baillon Euph. 20.  
 † *Maprounea Aubl.* Baillon Euph. 7.  
 † *Maranta arundinacea L.* Mem. Mosc. 3, 8.  
 † — — *bicolor Ker.* Mem. Mosc. 17, 6.  
 † — — *Luschnathiana Reg.* Regel Gartenfl. 7, 220.  
 † — — *noctiflora Reg.* Mem. Mosc. 17, 6.  
 — — *regalis Hort.* Fl. d. serres 10, 1066—1067.  
 † — — *sanguinea Körn.* Mem. Mosc. 17, 11.  
 † — — *setosa A. Dietr.* Regel Gartenfl. 7, 220.  
 — — *striata Veitch.* Fl. d. serres 15, 1573.  
 — — *Warscewiczii Matthieu.* Matthieu Prospectus 1853, x.  
 — — — *Fl. d. serres* 9, 939—940.  
 † — — *zebrina Sims.* Abh. Leipz. 7, 6.  
*Marantaceae Ldl.* Ann. sc. nat. IV. 12, 11—14, 13, 1.2.  
 † — — *Mem. Mosc.* 17, 6—13.  
*Marara bicuspidata Karst.* Karsten Fl. Col. 2, 170.  
 † *Marattia cicutaeifolia Mart.* Bonplandia 1855, 3.  
 — — — *Kaulfussii Kze.* Lowe New Ferns 17.  
 — — — *Hooker Second Century* 95.  
 — — *laxa Kze.* Lowe Ferns 8, 77.  
 — — *purpurascens de Vr.* Hook. Fil. exot. 65.  
 — — *Verschaffeltiana de Vr.* Endl. Bras. 23, 10.  
*Marcetia andicola Naud.* Fl. d. serres 9, 914.  
*Marcgravia umbellata L.* Plumier Ic. Burm. 173.  
 — — — *Browne Jamaica* 26.  
 † *Marcgraviaceae Juss.* Schnizl. Iconogr. 217.  
*Marckea coccinea Rich.* Miers illustr. 45.  
*Margaranthus tenuis Miers.* Miers illustr. 57.  
*Margarita Bellidiastrum Gaud.* Froelich Alpenpfl. 3, 3.  
*Marianthus bigoniaceus F. M.* Müller Plants of Victoria 1, 10.  
 — — *Drummondianus Benth.* Bot. Mag. 91, 5521.  
*Marica martinicensis Ker.* Plumier Ic. Burm. 261.  
*Mariscus piluliferus Bert.* Mem. Bon. 5, 24.  
 † *Marlea begonifolia Roxb.* Griffith Pl. asiat. 45.  
*Marliera estrellensis Berg.* Endl. Bras. 18, 14.  
 — — *resupinata Berg.* Vellozo 5, 61.  
 — — *rufa Berg.* Vellozo 5, 75.

- Marliera Schottiana *Berg.* Endl. Bras. 18, 15.  
 Marrubium africanum *L.* Dillenius Elth. 174.  
 — candidissimum *L.* Dillenius Elth. 174.  
 — — — *Rchb.* Fl. germ. 18, 1224.  
 — peregrinum *L.* *Rchb.* Fl. germ. 18, 1224.  
 — vulgare *L.* *Rchb.* Fl. germ. 18, 1224.  
 — — — *Berg* Darstellung 3, 24<sup>b</sup>.  
 Marshallia dentata *Bert.* Mem. Bon. 5, 21.  
 † Marsilea *L.* Pringsheim Jahrb. 4, 10—14.  
 † Fabri *Dun.* Payer Bot. crypt. p. 220.  
 — macropus *Hook.* Seemann Journal 1, 6.  
 — — — *Hook.* Garden Ferns 63.  
 — quadrifolia *L.* Mappus Alsat. p. 166.  
 † — — — *Weber und Mohr* Taschenb. 5.  
 † — — — *Payer* Bot. crypt. p. 220.  
 — salvatrix *Hanst.* Berl. Monatsb. 1862, 1.  
 † — — — *Ann. sc. nat.* IV. 20, 14. 15.  
 † — . . . *Griffith* Pl. asiat. 114, 115.  
 Marssonia primulina *Karst.* Karsten Fl. Col. 1, 48.  
 Marsypianthes hyptioides *Mart.* Endl. Bras. 22, 16.  
 † Martynia *L.* (Pollen.) Mém. prés. Pet. 3, 4.  
 † — proboscoidea *Gloz.* Schnizl. Iconogr. 153.  
 Mascagnia coriacea *Griff.* Endl. Bras. 21, 18.  
 — elegans *Griff.* Endl. Bras. 21, 19.  
 Masdevallia aequiloba *Reg.* Regel Gartenfl. 9, 285.  
 — caudata *Ldl.* Karsten Fl. Col. 2, 153.  
 — civilis *Rchb.* Bot. Mag. 90, 5476.  
 — coccinea *Lind.* *Rchb.* Xenia 1, 74.  
 — coriacea *Ldl.* Karsten Fl. Col. 2, 153.  
 — elephanticeps *Rchb. fil.* Fl. d. serres 10, 997.  
 — — — var. pachysepala, *Rchb.* Xenia 1, 74.  
 — Meleagris *Ldl.* *Rchb.* Xenia 1, 75.  
 — pumila *Poepp.* *Rchb.* Xenia 1, 75.  
 — tovarensis *Rchb. fil.* Bot. Mag. 91, 5505.  
 — Wageneriana *Lind.* Bot. Mag. 82, 4921.  
 — — — *Rchb.* Xenia 1, 75.  
 † Mastixia trichostoma *Bl.* Schnizl. Iconogr. 108.  
 Matricaria Chamomilla *L.* *Berg* Darstellung 3, 23<sup>f</sup>.  
 — — — *Rchb.* Fl. germ. 16, 997.  
 — discoidea *DC.* *Rchb.* Fl. germ. 16, 997.  
 † Matthaea sancta *Bl.* Blume Mus. 2, 10.  
 Mattia umbellata *Schult.* *Rchb.* Fl. germ. 18, 1328.  
 Mauria simplicifolia *H. B.* Feuillée 3, 23.  
 Mavia judicialis *Bert.* Mem. Bon. 2, 39.  
 Maxillaria Anatomorum *Rchb. fil.* *Rchb.* Xenia 1, 67.  
 — Galeottiana *Reg.* Regel Gartenfl. 9, 301.  
 — notylioglossa *Rchb. fil.* *Rchb.* Xenia 1, 10.  
 — praetexta *Rchb. fil.* *Rchb.* Xenia 1, 10.  
 — venusta *Ldl.* *Pescatorea* 1, 38.  
 — — — *Bot. Mag.* 85, 5296.  
 — virguncula *Rchb. fil.* *Rchb.* Xenia 1, 10.  
 Maximowitschia chinensis *Rupr.* Mém. prés. Pet. 9, 1.  
 — — — *Regel* Gartenfl. 1862, 382.  
 — — — *Fl. d. serres* 15, 1594.  
 Mayaca Kunthii *Seub.* Endl. Bras. 15, 31.  
 — longipes *Mart.* Endl. Bras. 15, 31.  
 — Selloviana *Kth.* Endl. Bras. 15, 31.  
 — Vandellii *Schott.* Endl. Bras. 15, 31.  
 † Mayacaceae *Kth.* Schnizl. Iconogr. 47\*.  
 † Maytenus *Juss.* (Ectypa foliorum) Endl. Bras. 28, 1—4.  
 — Boaria *Mol.* Feuillée 3, 27.  
 — communis *Reiss.* Endl. Fl. bras. 28, 8.  
 — floribunda *Reiss.* Endl. Fl. bras. 28, 7.  
 — ilicifolia *Mart.* Endl. Fl. bras. 28, 6.  
 † — — — *Payer* Organogénie 36.  
 — obtusifolia *Mart.* Endl. Fl. bras. 28, 9.  
 † Mazus rugosus *Lour.* Abh. Leipz. 6, 21.  
 Meckelia multiflora *Mart.* Endl. Bras. 21, 5.  
 Meconopsis aculeata *Royle.* Bot. Mag. 90, 5456.  
 — nepalensis *DC.* *Hook.* Himal. 9.  
 — simplicifolia *Hook. fil.* *Hook.* Himal. 8.  
 — — — *Fl. d. serres* 13, 1321.

- Meconopsis Wallichii *Wall.* Belgique horticole 4, 18.  
 Medicago catalonica *Schrank.* Schrank Hort. monac. 28.  
 — sylvestris *Fries.* English Botany Suppl. 2980.  
 Medinilla heterophylla *Gray.* Gray Expl. Exp. 75.  
 — magnifica *Ldl.* Fl. d. serres 9, 968.  
 — — — *Regel* Gartenfl. 1861, 325.  
 Megacarpaea polyandra *Benth.* *Hook.* Journ. 1855, 7.  
 † Megiracyllium trinasutum *Rchb. fil.* *Rchb.* Xenia 1, 6.  
 Melaleuca hypericifolia *Sm.* Nees Sammlung 78.  
 — minor *Sm.* *Berg* Darstellung 1, 3<sup>o</sup>.  
 — pulchella *R. Br.* Nees Sammlung 3.  
 — trinervia *Sm.* White New South Wales p. 229.  
 — Wilsoni *F. M.* Müller Fragmenta 1, 15.  
 † Melampyrum *L.* Zool. bot. Verein 1857, 10.  
 † — — *Agardh* Syst. 17.  
 † — — *Chatin* Anatomie 44—47.  
 † — — *Abh. Leipz.* 6, 23.  
 — arvense *L.* *Rchb.* Fl. germ. 20, 1736.  
 — barbatum *W. K.* *Rchb.* Fl. germ. 20, 1736.  
 — cristatum *L.* *Rchb.* Fl. germ. 20, 1737.  
 — indicum *Hook.* *Hook.* Journ. 1857, 8.  
 — nemorosum *L.* *Rchb.* Fl. germ. 20, 1735.  
 — pratense *L.* *Rchb.* Fl. germ. 20, 1733.  
 — saxosum *Baumg.* *Rchb.* Fl. germ. 20, 1734.  
 — silvaticum *L.* *Rchb.* Fl. germ. 20, 1734.  
 Melanorrhoea usitata *Wall.* *Seringe* Bulletin 4.  
 Melanosticta Burchellii *DC.* *Harvey* Thes. cap. 1, 2.  
 Melanthaceae . . . *Griffith* Pl. asiat. 278.  
 Melanthium capense *L.* *Skrivter* nat. Selsk. 1798, 7.  
 — ciliatum *L.* *Skrivter* nat. Selsk. 1798, 8.  
 — laetum *Thunb.* *Skrivter* nat. Selsk. 1798, 7.  
 — luteum *Thunb.* *Skrivter* nat. Selsk. 1798, 8.  
 — triquetrum *Thunb.* *Skrivter* nat. Selsk. 1798, 8.  
 — viride *L.* *Skrivter* nat. Selsk. 1798, 7.  
 Melasma rhinanthoides *Benth.* Endl. Bras. 30, 46.  
 Melastoma Acinodendrum *L.* *Plumier* Ic. Burm. 142.  
 — asperum *L.* *Burmam* Thes. zeyl. 72.  
 † — asperum *Bl.* *Miquel* Flora 9.  
 † — brachyodon *Naud.* *Miquel* Flora 8.  
 — denticulatum *Lab.* Bot. Mag. 82, 4957.  
 — — — *Belgique* horticole 7, 39.  
 — Malabathrica *L.* *Burmam* Thes. zeyl. 73.  
 † — Molkenboerii *Miq.* *Miquel* Flora 8.  
 — scabrosam *L.* *Browne* Jamaica 24.  
 — sessilifolium *L.* *Browne* Jamaica 24.  
 † — silvaticum *Bl.* *Miquel* Flora 9.  
 — splendens *Sw.* *Plumier* Ic. Burm. 140.  
 † Melastomaceae *R. Br.* Schnizl. Iconogr. 268.  
 † Melia *L.* (Pollen.) *Griffith* Pl. asiat. 37.  
 — Azadirachta *L.* *Burmam* Thes. zeyl. 15.  
 — Azedarach *L.* *Nouveau Duhamel* 6, 21.  
 † — — — *Payer* Organogénie 26.  
 † — — — *Agardh* Syst. 19.  
 † Meliaceae *Juss.* Schnizl. Iconogr. 225.  
 † Meliantheae *Endl.* Schnizl. Iconogr. 233\*.  
 Melianthus comosus *Vahl.* *Commelyn* Rar. 4.  
 † — major *L.* *Payer* Organogénie 18.  
 † — minor *L.* *Payer* Organogénie 18.  
 Melica nodosa *Piller.* *Piller* Iter 14.  
 Melicocca paniculata *Juss.* *Nuttall* Sylva 2, 66.  
 Melicope barbiger Gray. Gray Expl. Exp. 39.  
 — cinerea *Gray.* Gray Expl. Exp. 3<sup>o</sup>.  
 Melilotus macrorrhiza *Pers.* *Cramer* Bildungsabw. 12. 13.  
 — officinalis *Pers.* *Griffith* Pl. asiat. 43.  
 — — — *Berg* Darstellung 4, 26<sup>f</sup>.  
 † — . . . *Griffith* Pl. asiat. 29. 42. 43.  
 Melissa officinalis *L.* *Rchb.* Fl. germ. 18, 1261.  
 — — — a. citrata, *Berg* Darstellung 4, 27<sup>o</sup>.  
 † Melittis Melissophyllum *L.* *Ebel* Montenegro 1.  
 — — — *Rchb.* Fl. germ. 18, 1262.  
 Melocactus communis *DC.* *Finech* Cactus 2.  
 † — — — *Turpin* Observation 1.

- †*Melocactus macroacanthus* *Salm.* Mém. prés. Pet. 4, 10.
- Melochia corchorifolia* *L.* Dillenius Elth. 176.
- Melodinus orientalis* *Bl.* Miquel Flora 34.
- Melothria indica* *Naud.* Ann. sc. nat. IV. 16, 2.  
— *pendula* *L.* Plumier Ic. Burm. 66.
- Memecylon calderense* *Gray.* Gray Expl. Exp. 71.  
— *capitellatum* *L.* Burmann Thes. zeyl. 30.
- †*Memorialis caudata* *Wedd.* Arch. Mus. 9, 13.
- †*Mendoncia costaricana* *Oerst.* Vidensk. Mittheilser 1854, 4.
- Mendora scabra* *Gray.* Expl. Missis. 7, 7.
- Mendozia lancifolia* *Presl.* Presl. Symb. 80.  
† — *puberula* *Mart.* Jard. Annals II. 11, 14.
- Meniscium proliferum* *Sw.* Hooker Second Century 15.  
— *salicifolium* *Wall.* Hook. Ic. pl. 10, 990.  
— *simplex* *Hook.* Hook. Fil. exot. 83.  
† — — — — Griffith Pl. asiat. 135.
- †*Menispermaceae* *DC.* Endl. Bras. 38, 50, 51.
- †*Menispermum canadense* *L.* Agardh Syst. 20.  
† — — — — Payer Organogénie 53.  
† — — — — *Cocculus* *Wall.* Payer Organogénie 53.  
— *peltatum* *Willd.* Burmann Thes. zeyl. 101.  
— *virginicum* *L.* Dillenius Elth. 179.
- Menodora africana* *Hook.* Schnizl. Iconogr. 129.
- Mentha ambigua* *Guss.* Guss. Fl. Inar. 11.  
— *aquatica* *L.* Rchb. Fl. germ. 18, 1285—1286.  
— — — —  $\gamma$ . *crispa* *Bth.* Berg Darstellung 3, 23<sup>d</sup>.  
— *arvensis* *L.* Rchb. Fl. germ. 18, 1286, 1289.  
— *inarimensis* *Guss.* Guss. Fl. Inar. 10.  
— *nepetoides* *Lej.* Rchb. Fl. germ. 18, 1283.  
— *piperita* *L.* Berg Darstellung 3, 23<sup>e</sup>.  
— *Pulegium* *L.* Rchb. Fl. germ. 18, 1290.  
— *rotundifolia* *L.* Rchb. Fl. germ. 18, 1282.  
— *sativa* *L.* Rchb. Fl. germ. 18, 1286—1288.  
— *silvestri-aquatica* *Döll.* Rchb. Fl. germ. 18, 1286.  
— *silvestris* *L.* Rchb. Fl. germ. 18, 1283—1285.  
— *viridis* *L.*  $\delta$ . *neapolitana*, Gussone Fl. Inar. 10.
- Mentzelia aspera* *L.* Plumier Ic. Burm. 174.  
— *Veatchiana* *Kellogg.* Proc. Calif. Acad. 2, 100.
- †*Menyanthes trifoliata* *L.* Batsch Analyses 7.  
† — — — — Agardh Syst. 4.  
— — — — Berg Darstellung 2, 10<sup>d</sup>.  
— — — — Rchb. Fl. germ. 17, 1043.
- †*Mercurialis annua* *L.* Roeper Euphorb. 1.  
† — — — — Payer Organogénie 110.  
† — — — — Baillon Euph. 9.  
† — — — — Acad. Pet. VII. 1, 1.
- †*Merendera caucasica* *M. v. B.* Abh. Leipz. 7, 15, 16.
- Meriania umbellata* *Karst.* Karsten Fl. Col. 1, 24.
- Merkusia Hookeri* *de Vr.* De Vriese Goodenov. 12.  
— *multiflora* *de Vr.* De Vriese Goodenov. 10.  
— *thesioides* *de Vr.* De Vriese Goodenov. 11.
- Merope aretioides* *Wedd.* Castelnau Exped. 25.  
— *Kunthiana* *Wedd.* Castelnau Exped. 24.
- Mertensia emarginata* *Brack.* Wilkes Expl. Exp. 42.  
— *lanceolata* *Pursh.* Regel Gartenfl. 1863, 416.  
— *maritima* *Don.* Rchb. Fl. germ. 18, 1317.  
— *pulmonarioides* *Roth.* Nees Sammlung 22.  
— *rigida* *Kze.* Endl. Bras. 23, 17.  
— *stomatechoides* *Kellogg.* Proc. Calif. Acad. 2, 147.  
— *virginica* *L.* Regel Gartenfl. 1863, 416.
- Mesechites sulphurea* *Müll.* Endl. Bras. 26, 46.
- †*Mesembrianthemum* *L.* Agardh Syst. 25.  
† — — — — Schnizl. Iconogr. 205.  
† — — — — Payer Organogénie 80.  
— *acinaciforme* *L.* Dillenius Elth. 211, 212.  
— — — — Bot. Mag. 91, 5539.  
— *acuminatum* *Haw.* Salm Monogr. §. 44, 4.
- Mesembrianthemum albicaule* *Haw.* Salm Monogr. §. 44, 5.  
— *albidum* *L.* Dillenius Elth. 189.  
— *barbatum* *L.* Dillenius Elth. 190.  
— *bellidiflorum* *L.* Burmann Pl. afr. 25.  
— — — — Dillenius Elth. 189.  
— *bicolorum* *L.* Dillenius Elth. 202.  
— *bigibberatum* *Haw.* Salm Monogr. §. 7, 4.  
— *calamiforme* *L.* Dillenius Elth. 186.  
— *clandestinum* *Haw.* Salm Monogr. §. 60, 4.  
— *congestum* *Salm.* Salm Monogr. §. 23, 2.  
— *corniculatum* *L.* Dillenius Elth. 198, 199.  
— *crassifolium* *L.* Dillenius Elth. 201.  
— *crystallinum* *L.* Dillenius Elth. 180.  
— *deltoides* *L.* Dillenius Elth. 195, 196.  
— *densum* *Haw.* Salm Monogr. §. 52, 6.  
— *diforme* *L.* Dillenius Elth. 194.  
— *dilatatum* *Haw.* Salm Monogr. §. 28, 1.  
— *dolabriforme* *L.* Dillenius Elth. 191.  
— *Ecklonis* *Salm.* Salm Monogr. §. 49, 5.  
— *edule* *L.* Dillenius Elth. 212.  
— *emarginatum* *L.* Dillenius Elth. 197.  
— — — — Salm Monogr. §. 48, 4.  
— *expansum* *L.* Dillenius Elth. 182.  
— *falcatum* *L.* Dillenius Elth. 213.  
— *fastigiatum* *Haw.* Salm Monogr. §. 44, 3.  
— *filamentosum* *L.* Dillenius Elth. 212.  
— *geniculiflorum* *L.* Dillenius Elth. 205.  
— *glaucum* *L.* Dillenius Elth. 196.  
— *glomeratum* *L.* Dillenius Elth. 213.  
— — — — Salm Monogr. §. 48, 1.  
— *hispidum* *L.* Dillenius Elth. 211, 215.  
— *imbricatum* *Haw.* Salm Monogr. §. 37, 2.  
— *incomptum* *Haw.*  $\beta$ . *Ecklonis*, Salm Monogr. §. 56, 4,  $\beta$ .  
— *inconspicuum* *Haw.* Salm Monogr. §. 47, 5.  
— *linguaeforme* *L.* Dillenius Elth. 183—185.  
— — — — *Haw.* Salm Monogr. §. 8, 8.  
— — — —  $\beta$ . *latum*, Salm Monogr. §. 8, 8,  $\beta$ .  
— *loreum* *L.* Dillenius Elth. 200.  
— *lupinum* *Haw.* Salm Monogr. §. 5, 3.  
— *micans* *L.* Dillenius Elth. 215.  
— *microphyllum* *Haw.* Salm Monogr. §. 34, 2.  
— *multiceps* *Salm.* Salm Monogr. §. 6, 2.  
— *noctiflorum* *L.* Dillenius Elth. 206.  
— *noctiflorum* *Haw.*  $\gamma$ . *fulvum*, Salm Monogr. §. 43, 2,  $\gamma$ .  
— *obcordellum* *Haw.* Salm Monogr. §. 1, 2.  
— *pinnatifidum* *L. fil.* Salm Monogr. §. 60, 3.  
— *polyanthum* *Haw.* Salm Monogr. §. 48, 2.  
— *pugioniforme* *L.* Dillenius Elth. 210.  
— *pyropaeum* *Haw.* Salm Monogr. §. 59, 1.  
— *reptans* *Ait.* Salm Monogr. §. 15, 1.  
— *rigidum* *Haw.* Salm Monogr. §. 36, 2.  
— *ringens* *L.* Dillenius Elth. 187, 188.  
— *rostratum* *L.* Dillenius Elth. 186.  
— *scabrum* *L.* Dillenius Elth. 197.  
— — — — Salm Monogr. §. 43, 7.  
— *serratum* *L.* Dillenius Elth. 192.  
— *speciosum* *Haw.* Salm Monogr. §. 50, 9.  
— *spinosum* *L.* Dillenius Elth. 208.  
— *splendens* *L.* Dillenius Elth. 204.  
— — — — Salm Monogr. §. 44, 2.  
— *stellatum* *Mill.* Salm Monogr. §. 52, 5.  
— *stipulaceum* *L.* Dillenius Elth. 209.  
— *tenuifolium* *L.* Dillenius Elth. 201.  
— *tortuosum* *L.* Dillenius Elth. 181.  
— *Tripodium* *L.* Dillenius Elth. 179.  
— *tuberosum* *L.* Dillenius Elth. 207.  
— — — — Salm Monogr. §. 49, 2.  
— *umbellatum* *L.* Dillenius Elth. 208.  
— — — — Salm Monogr. §. 37, 4.

- Mesembrianthemum uncinatum* *L.* Dillenius Elth. 193.  
 — — — Burmann Pl. afr. 26.  
 — — — *Mill.* Salm Monogr. §. 33, 3.  
 — — — *unidens* *Haw.* Salm Monogr. §. 33, 6.  
 — — — *vaginatum* *Haw.* Salm Monogr. §. 36, 4.  
 — — — *veruculatum* *L.* Dillenius Elth. 203.  
 — — — *violaceum* *DC.* Salm Monogr. §. 48, 3.  
 † *Mesochlaena javanica* *R. Br.* Mettenius Fil. 18.  
 — — — Lowe Ferns 7, 15.  
 † *Mesospinidium Warczewiczii* *Rchb. fil.* Rchb. Xenia 1, 16.  
*Mespilus germanica* *L.* var. Belgique horticole 6, 16.  
*Messanthemum Prescottianum* *Kcke.* Endl. Bras. 33, 60.  
*Metalasia divergens* *DC.* Burmann Pl. afr. 79.  
*Metastelma parviflorum* *R. Br.* Plumier Ic. Burm. 215.  
*Methonica grandiflora* *Hook.* Bot. Mag. 86, 5216.  
 — — — Illustration horticole 1861, 273.  
 — — — *Petersiana* *KL.* Peters Mossamb. 54.  
 — — — *platyphylla* *KL.* Peters Mossamb. 55.  
 † — — — *superba* *Lam.* Abh. Halle 7, 3.  
 — — — *virescens* *Ldl.* Bot. Mag. 82, 4938.  
 — — — var. *Plantii*, Fl. d. serres 9, 865.  
 — — — — — *L'horticulteur* fr. 1856, 1.  
 † — — — Abh. Halle 7, 3.  
 † *Metrodorea St. Hil.* (Pollen.) Mém. prés. Pet. 3, 5.  
 — — — *atropurpurea* *Fisch.* Payer Organogénie 22.  
*Metrosideros acuminata* *D.* Nees Sammlung 62.  
 — — — *angustifolia* *Sm.* Burmann Pl. afr. 83.  
 — — — *collina* *Gray.* var. *vitiensis*, Gray Expl. Exp. 68.  
 — — — *florida* *Sm.* Belgique horticole 5, 3.  
 — — — *lutea* *Gray.* Gray Expl. Exp. 69.  
 — — — *macrobus* *Hook.* Gray Expl. Exp. 70.  
 — — — *robusta* *Cunn.* Belgique horticole 8, 55.  
 — — — *rugosa* *Gray.* Gray Expl. Exp. 69.  
*Metteniusa edulis* *Karst.* Karsten Fl. Col. 1, 39.  
*Metteniusaceae* *Karst.* Schnizl. Iconogr. 142\*.  
*Meum athamanticum* *Jacq.* Rchb. Fl. germ. 21, 1932.  
 — — — *Mutellina* *Gärtn.* Rchb. Fl. germ. 21, 1933.  
*Meyenia erecta* *Benth.* Bot. Mag. 83, 5013.  
 — — — Fl. d. serres 11, 1093.  
 — — — Belgique horticole 7, 18.  
 — — — Revue horticole 1863, 251.  
 — — — *Vogeliana* *Benth.* Bot. Mag. 89, 5389.  
 † — — — Griffith Pl. asiat. 28.  
 † *Mezoneurum enneaphyllum* *W. et A.* Miquel Flora 2.  
*Michauxia campanuloides* *L'her.* L'her. Stirp. 107<sup>b</sup>, 116.  
*Michelia Cathartii* *Hook. fil.* Hook. Himal. 7.  
 † — — — *Champaca*, Griffith Pl. asiat. 58.  
 ! — — — (Folium.) Bull. Brux. 1863, 16, 632.  
*Michiea symphyanthera* *F. M.* Müller Fragmenta 4, 27.  
*Miconia pulverulenta* *Ruiz.* Bot. Mag. 89, 5411.  
 — — — *staminea* *DC.* Plumier Ic. Burm. 140.  
 † *Micranthea ericoides* *Desf.* Baillon Euph. 26.  
 † — — — Agardh Syst. 15.  
*Micranthella Candollei* *Naud.* Bot. Mag. 90, 5153.  
*Micranthemum indicum* *Hook.* Hook. Journ. 1857, 7.  
*Micranthes menthoides* *Bert.* Mem. Bon. 10, 4.  
*Microcachrys tetragona* *Hook. fil.* Hook. Fl. Tasm. 100.  
*Microcala filiformis* *Lk.* Rchb. Fl. germ. 17, 1045.  
 † *Mitroelus* *W. et A.* Baillon Euph. 26.  
*Microgonium Motleyi* *v. d. B.* Verh. Ac. Amst. 1861, 1.  
 — — — *sublimbatum* *Müll.* Verh. Ac. Amst. 1861, 2.  
*Microlaena Gunnii* *Hook. fil.* Hook. Fl. Tasm. 155.  
*Microlepia inaequalis* *Brack.* var. *minor*, Wilkes Expl. Exp. 33.  
 † — — — *Lindeni* *Mett.* Mettenius Fil. 27.  
 † — — — *papillosa* *Brack.* Wilkes Expl. Exp. 34.  
 † — — — *tenuifolia* *Mett.* Mettenius Fil. 27.  
 — — — *trichosticha* *J. Sm.* Mettenius Fil. 27.  
*Microloma lineare* *R. Br.* Harvey Thes. cap. 1, 92.  
*Microlonchus isernianus* *Gay.* Mem. Madrid 4, 3.  
*Micromeria Boliviana* *Benth.* Castelnau Exped. 63.  
 — — — *Brownii* *Benth.* Endl. Bras. 22, 32.  
 — — — *gracca* *Benth.* Rchb. Fl. germ. 18, 1280.  
 — — — *juliana* *Benth.* Rchb. Fl. germ. 18, 1280.  
*Microphysa litoralis* *Ph.* Philippi Reise 1.  
*Micropus bombycinus* *Lag.* Rchb. Fl. germ. 16, 943.  
 — — — *erectus* *L.* Rchb. Fl. germ. 16, 943.  
 — — — *supinus* *L.* Rchb. Fl. germ. 16, 943.  
*Microrrhynchus sarmentosus* *DC.* Madras Journ. 1857, 5.  
*Microseris Forsteri* *Hook. fil.* Hook. Fl. Tasm. 66.  
*Microstachys fruticulosa* *Karst.* Karsten Fl. Col. 2, 117.  
*Microstaphyla furcata* *Fée.* Fée Fil. novae 13.  
*Microstylis discolor* *Ldl.* Bot. Mag. 89, 5403.  
 † — — — *monophylla* *Ldl.* Flora 1863, 1.  
 † *Microtea maypurensis* *G. Don.* Payer Organogénie 66.  
 † *Microtinus odoratissimus* *Ker.* Vidensk. Meddelelser 1860, 6.  
*Microtis arcnaria* *Ldl.* Hook. Fl. Tasm. 118.  
 — — — *pulchella* *R. Br.* Hook. Fl. Tasm. 118.  
 † *Mida eucalyptoides* *Cun.* Chatin Anatomie 69.  
*Middendorffia borysthenica* *Trautv.* Mém. prés. Pet. 4, 1.  
*Milla biflora* *Cav.* Fl. d. serres 14, 1459.  
 † *Millingtonia hortensis* *L. fil.* Bureau Bign. 8.  
*Millotia Greevesii* *F. M.* Müller Fragmenta 3, 19.  
*Miltonia anceps* *Ldl.* Rchb. Xenia 1, 21.  
 — — — *candida* *Rchb.* var. *Jenischiana*, Rchb. Xenia 1, 54.  
 — — — *Clowesii* *Ldl.* Regel Gartenfl. 5, 160.  
 — — — *cuneata* *Ldl.* Illustration horticole 1860, 237.  
 — — — *Moneliana* *Hort.* Warner Select Orch. 32.  
 — — — *Regnellii* *Rchb.* Rchb. Xenia 1, 47.  
 — — — — — Bot. Mag. 90, 5436.  
 — — — *spectabilis* *Henfr.* Fl. d. serres 10, 1008.  
 — — — — — Illustration horticole 1859, 216.  
 † — — — Ann. sc. nat. IV, 13, 14.  
*Mimosa bahiniaefolia* *Karst.* Karsten Fl. Col. 2, 133.  
 — — — *Cabrera* *Karst.* Karsten Fl. Col. 2, 132.  
 — — — *Catechu* *L. fil.* Medical Inquiries 5, 4.  
 — — — *cinerea* *L.* Burmann Thes. zeyl. 2.  
 — — — *Farnesiana* *L.* Ald. Hort. Farn. 1.  
 — — — *jiramenensis* *Karst.* Karsten Fl. Col. 2, 130.  
 — — — *pennata* *L.* Burmann Thes. zeyl. 1.  
 — — — *polystachya* *L.* Plumier Ic. Burm. 12.  
 — — — *pubica* *L.* Plumier Ic. Burm. 202.  
 † — — — Mem. Strafsb. 4, 1.  
 — — — *rubicaulis* *Lam.* Zanoni Hist. 119, 120.  
 — — — *spectabilis* *Vahl.* Skriverer nat. Selsk. 1792, 10.  
 † — — — *spiciflora* *Karst.* Karsten Fl. Col. 2, 131.  
*Mimulus exilis* *Dur.* Expl. Missis. 5, 12.  
 — — — *luteus* *L.* Feuillée 2, 34.  
 — — — — — var. *cuprea*, Bot. Mag. 90, 5478.  
 — — — — — Fl. d. serres 9, 857, 15, 1557.  
 — — — — — Regel Gartenfl. 1864, 422.  
 ! — — — Baillon Adansonia 4, 2.  
 — — — *madrensis* *Seem.* Seemann Herald 58.  
 — — — *repens* *Benth.* Bot. Mag. 90, 5423.  
*Mimusops caffra* *A. DC.* Mem. Bon. 5, 26.  
 — — — *floribunda* *Mart.* Endl. Bras. 32, 17.  
 — — — *longifolia* *A. DC.* Endl. Bras. 32, 15.  
 — — — *obovata* *Sond.* Harvey Thes. cap. 1, 44.  
 — — — *subsericea* *Mart.* Endl. Bras. 32, 16.  
*Mina lobata* *La Ll.* Lem. Jard. fl. 4, 400.  
 † *Mirabilis* *L.* (Pollen.) Mém. prés. Pet. 3, 11.  
 † — — — *californica* *Gray.* Torrey Mex. Boundary 48.  
 † — — — *Jalappa* *L.* Batsch Analyses 20.  
 † — — — — — Jard. Annals II, 11, 13, 14.  
 † — — — *longiflora* *L.* Agardh Syst. 26.  
 † — — — — — Abh. nat. Ges. Halle 1854, 4.  
 † — — — — — Ann. sc. nat. V, 2, 3, 4.  
*Mirbelia oxylobioides* *F. M.* Müller Plants of Victoria Suppl. 14.

- Mischodon zeylanicus *Thw.* Hook. Journ. 1854, 10.  
 † Misodendron brachystachyum *DC.* Chatin Anatomie 74.  
 † — linearifolium *DC.* Chatin Anatomie 76.  
 † — oblongifolium *DC.* Chatin Anatomie 74—76.  
 † Missiessa *Gaud.* Arch. Mus. 9, 15.  
 Mitchellia ovata *DC.* Castelnau Exped. 51.  
 Mithridatea . . . *Comm.* Sonnerat Ind. 134.  
 Mitopetalum parviflorum *Bl.* Blume Orchid. 50, 54.  
 — rubescens *Bl.* Blume Orchid. 51.  
 — speciosum *Bl.* Blume Orchid. 50.  
 Mitrantes ovalifolia *Berg.* Endl. Bras. 18, 33.  
 † Mitraria coccinea *Cav.* Linnaea 1853, 2.  
 Mitrasacme distylis *F. Müll.* Hook. Fl. Tasm. 88.  
 — montana *Hook. fil.* Hook. Fl. Tasm. 88.  
 — paradoxa *R. Br.* Hook. Fl. Tasm. 88.  
 Mitrastigma lucidum *Harv.* Harvey Thes. cap. 1, 22.  
 Mitrosicyos lobatus *Max.* Mém. prés. Pet. 9, 7.  
 † Mitscherlichia albo-coccinea *Kl.* Abh. Acad. Berl. 1854, 6.  
 Mniopsis Weddelliana *Tul.* Endl. Bras. 13, 74.  
 Modecca digitata *Harv.* Harvey Thes. cap. 1, 12.  
 — hastata *Harv.* Harvey Thes. cap. 2, 167.  
 † Mœdiola caroliniana *Don.* Payer Organogénie 6.  
 Moehringia glauca *Leib.* Flora 1855, 7.  
 — intricata *Willk.* Willkomm Ic. Hisp. 1, 59—60.  
 — papulosa *Bert.* Mem. Bon. 4, 17.  
 — pentandra *Gay.* Willkomm Ic. Hisp. 1, 58.  
 — trinervia *Clairv.* Willkomm Ic. Hisp. 1, 58.  
 Moenchia octandra *Gay.* Willkomm Ic. Hisp. 1, 57.  
 Moerenhoutia plantaginea *Bl.* Blume Orchid. 28, 42.  
 Mohria thurifraga *Sw.* Lowe Ferns 8, 70.  
 — thurifera *Moore.* Lowe New Ferns 42.  
 Molinia serotina *M. et K.* Piller Iter 14.  
 Molkenboeria macrophylla *de Vr.* De Vriese Goode-nov. 8.  
 — microphylla *de Vr.* De Vriese Goodenov. 9.  
 — pilosa *de Vr.* De Vriese Goodenov. 7.  
 — platyphylla *de Vr.* De Vriese Goodenov. 6.  
 — semiamplexicaulis *de Vr.* De Vriese Goodenov. 5.  
 Mollia latifolia *Schrank.* Schrank Hort. monac. 29.  
 Mollinedia iraguensis *Tul.* Arch. Mus. 8, 31.  
 — ligustrina *Tul.* Arch. Mus. 8, 33.  
 — — — — — Endl. Bras. 20, 86.  
 — longifolia *Tul.* Arch. Mus. 8, 31.  
 — — — — — Endl. Bras. 20, 84.  
 — nitida *Tul.* Arch. Mus. 8, 32.  
 — — — — — Endl. Bras. 20, 84.  
 — utriculata *Mart.* Endl. Bras. 20, 85.  
 Mollugo dichotoma *Schrank.* Schrank Hort. mon. 64.  
 — flavescens *And.* Eugénies Resa 15.  
 — gracilis *And.* Eugénies Resa 15.  
 — pentaphylla *L.* Burmann Thes. zeyl. 8.  
 — stricta *L.* Burmann Thes. zeyl. 7.  
 † verticillata *L.* Payer Organogénie 70.  
 Moltkia petraea *DC.* Rchb. Fl. germ. 18, 1315.  
 † Mommisia Lamarckii *Bl.* Blume Mus. 2, 36.  
 † Momordica *L.* Medicus Beob. p. 385.  
 † — — — — — Mem. Tur. 1855, 4.  
 — Charantia *L.* Fl. d. serres 10, 1047.  
 — — — — — Revue horticole 1859, p. 630.  
 — mixta *Roxb.* Bot. Mag. 85, 5145.  
 — — — — — Fl. d. serres 14, 1478.  
 — operculata *L.* Commelyn Rar. 22.  
 — pedata *L.* Feuillée 2, 41.  
 † Monachanthus viridis *Ldl.* Ann. sc. nat. IV. 19, 12.  
 Monachanti et Myanthis proles biformis. Bot. Reg. 23, 1947.  
 Monachne rufa *Bert.* Mem. Bon. 2, 41.  
 Monadelphanthus floridus *Karst.* Karsten Fl. Col. 1, 33.  
 Monanthochloe littoralis *Eng.* Transact. St. Louis 1, 13, 14.  
 Monarda fistulosa *L.* Cornuti Canad. p. 14.  
 ! — — — — — Goethe Atlas 4.  
 Monimia rotundifolia *Th.* Arch. Mus. 8, 29.  
 Monochaetum dicranantherum *Naud.* Bot. Mag. 91, 5506.  
 — ensiferum *Naud.* Bot. Mag. 85, 5132.  
 — — — — — Belgique horticole 7, 42.  
 — Humboldtianum *Kth.* Bot. Mag. 89, 5367.  
 — Naudinianum *Decne.* Revue horticole 1861, 211.  
 — — — — — L'horticulteur fr. 1862, 8.  
 — sericeum *Naud.* Journal d'hortic. 2, 10.  
 — tenellum *Naud.* Bot. Mag. 88, 5341.  
 Monochilus Zollingeri *Rchb.* Rchb. Xenia 1, 87.  
 Monochoria Korsakowii *Rgl. et Maack.* Acad. Pet. VII. 4, 12.  
 — — — — — Regel Gartenfl. 1862, 374.  
 Monodora grandiflora *Benth.* Linn. Transact. 23, 52, 53.  
 Monogramme dareacarpa *Hook.* Hook. Sp. Fil. 5, 288.  
 — Junghuhnii *Hook.* Hook. Sp. Fil. 5, 289.  
 — rostrata *Hook.* Hook. Sp. Fil. 5, 288.  
 — subfalcata *Hook.* Hook. Sp. Fil. 5, 289.  
 Monopilon bellidiformis *T. et Gr.* Boston Journal 5, 13.  
 † Monostiche Hookeri *Körn.* Mem. Mosc. 17, 6.  
 Monostylis capillacea *Tul.* Endl. Bras. 13, 74.  
 † Monotaxis *Ad. Br.* Baillon Euph. 16.  
 Monothrix Stansburiana *Torr.* Stansbury Expedition 7.  
 † Monotropa *L.* Schnizl. Iconogr. 161.  
 † — — — — — Chatin Anatomie 50.  
 † — — — — — Hofmeister Embryo 12.  
 — Hypopitys *L.* Rchb. Fl. germ. 17, 1152.  
 † Monsonia ovata *Cav.* Payer Organogénie 13.  
 Monstera Adansonii *Schott.* Bot. Mag. 84, 5086.  
 — Lennea *C. Koch.* Otto Garten-Z. 1857, 4.  
 — — — — — Regel Gartenfl. 9, 279.  
 — pertusa *de Vr.* Otto Garten-Z. 1857, 10, 11.  
 Montagnea heracleifolia *Brongn.* Revue horticole 1863, 370.  
 Montanoa mollissima *A. Br.* Revue horticole 1857, p. 543.  
 † Montbretia lineata *Hofm.* Abh. Leipz. 7, 24.  
 Montezuma speciosissima *Moc.* El Mosaico-mexicano, tomo VII.  
 † Montia fontana *L.* Schnizl. Iconogr. 206.  
 † — — — — — Agardh Syst. 25.  
 † — — — — — Payer Organogénie 68.  
 Montinia acris *L. fil.* Burmann Pl. afr. 90.  
 — — — — — Harvey Thes. cap. 2, 122.  
 Moraea edulis *Ker.* Fl. d. serres 10, 1058.  
 Morelia senegalensis *Rich.* Kotschy Pl. Tinn. 13.  
 Morenia corallina *Karst.* Karsten Fl. Col. 2, 171.  
 — fragrans *Ruiz.* Bot. Mag. 91, 5492.  
 Moricandia Ramburgii *Webb.* Bot. Mag. 82, 4947.  
 † Morina *L.* (Pollen.) Mém. prés. Pet. 3, 5.  
 — Tournefortii *J. et Sp.* Jaub. Illustr. 429.  
 Morinda citrifolia *L.* Zanoni Hist. 124.  
 † Moringeae *R. Br.* Schnizl. Iconogr. 275.  
 Morisonia americana *L.* Plumier Ic. Burm. 203.  
 † Moritzia ciliata *DC.* Enl. Bras. 19, 10.  
 † — Sellowiana *Cham.* Endl. Bras. 19, 10.  
 Morna nitida *Ldl.* Revue horticole 1857, p. 179.  
 † Morocarpus edulis *S. et Z.* Blume Mus. 2, 16.  
 † Morus *L.* Bot. Zeitung 1856, 10.  
 † — — — — — Agardh Syst. 20.  
 † — — — — — Payer Organogénie 61.  
 † — — — — — Baillon Adansonie 1, 8.  
 † — — — — — Jard. Annals II, 11, 15.  
 — constantinopolitana *Duh.* Nouveau Duhamel 4, 24.  
 — nigra *L.* Nouveau Duhamel 4, 23.  
 — — — — — Belgique horticole 6, 22.

- Morus rubra* L. Nouveau Duhamel 4, 22.  
*Morysia dentata* DC. Commelyn Rar. 41.  
 †*Moschkowitzia fagopyroides* Kl. Abh. Acad. Berl. 1854, 8.  
*Moschoxylum multiflorum* Karst. Karsten Fl. Col. 2, 136.  
*Mourera Weddelliana* Tul. Endl. Bras. 13, 73.  
 †*Moussonia clongata* Reg. Linnaea 1853, 1.  
 — *formosa* van Houtte. Regel Gartenf. 3, 101.  
 †*Moutabea aculeata* Mart. Endl. Bras. 17, 5.  
 — *dibotrya* Mart. Endl. Bras. 17, 5.  
 — *excoriata* Mart. Endl. Bras. 17, 5. 6.  
 — *guyanensis* Aubl. Endl. Bras. 17, 6.  
 †*Mozinna Otega*. Baillon Euph. 13.  
*Mucuna pruriens* DC. Endl. Bras. 24, 46.  
 — *purita* Hook. Bot. Mag. 82, 4945.  
 — *rostrata* Benth. Endl. Bras. 24, 47.  
 † — *urens* DC. Endl. Bras. 24, 46.  
*Muehlenbeckia sagittifolia* Meism. Endl. Bras. 14, 22.  
 — *vulcanica* Endl. Castelnau Exped. 89.  
*Muldera baccata* Miq. Miquel Flora 27.  
*Mulgedium alpinum* Less. Rechb. Fl. germ. 19, 1415.  
 — *Plumieri* DC. Rechb. Fl. germ. 19, 1416.  
 — *ponticum* Boiss. Tchichatschew Asie mineure 34.  
*Mulinum ulcinum* Gill. Castelnau Exped. 70.  
*Munronia javanica* Bennett. Lem. Jard. f. 4, 360.  
*Muntingia Calabura* L. Plumier Ic. Burm. 205.  
 — — Karsten Fl. Col. 2, 128.  
 — *rosea* Karst. Karsten Fl. Col. 2, 128.  
 †*Muraltia laricifolia* Eckl. Agardh Syst. 16.  
 † — *mixta* Rechb. Schnizl. Iconogr. 233.  
*Murraya exotica* L. Sonnerat Ind. 139.  
 † — — Agardh Syst. 19.  
 † — — Schnizl. Iconogr. 224.  
*Musa Cavendishii* Paxt. Schacht Madeira p. 36.  
 † — *coccinea* Andr. Payer Organogénie 143.  
 — *Ensete* Gm. Bruce Travels 5, 8. 9.  
 — — Bot. Mag. 87, 5223. 5224.  
 — — L'horticulteur fr. 1861, 10.  
 — — Belgique horticole 1861, 16.  
 — — Fl. d. serres 14, 1418—1419.  
 † — *paradisiaca* L. Albinus Annot. acad. 6, 1.  
 — — Atti Acc. Pont. 2, 1.  
 — — *sapientum* L. Atti Acc. Pont. 2, 2.  
 — — Schacht Madeira 2 und p. 36.  
 — — var. *vittata*, Bot. Mag. 89, 5402.  
 — *speciosa* Ten. Atti Acc. Pont. 2, 3.  
 — *vittata* W. Ackm. Fl. d. serres 15, 1510—1513.  
 — *zebrina* van Houtte. Fl. d. serres 10, 1061—1062.  
 †*Musaceae* DC. Payer Organogénie 143.  
 — — Ann. sc. nat. IV. 2, 4.  
 †*Muscari* Mill. Agardh Syst. 1.  
 † — — Ann. sc. nat. IV. 4, 18.  
 — *bootanense* Griff. Griffith Pl. asiat. 280.  
 — *pulchellum* Heldr. Regel Gartenf. 1862, 377.  
*Musenium divaricatum* Nutt. Expl. Missis. 1, 2.  
*Mussaenda Afzelii* G. Don. Hortus Vanhoutteanus 2.  
 — *frondosa* L. Burmann Thes. zeyl. 76.  
*Musschia Wollastoni* Lowe. Fl. d. serres 13, 1376.  
 — — Illustration horticole 1858, 171.  
*Mutisia Clematis* L. fil. Karsten Fl. Col. 1, 46.  
 — — Belgique horticole 1864, 5.  
 — *decurrens* Cav. Bot. Mag. 87, 5273.  
 — *homoeantha* Wedd. Castelnau Exped. 2.  
 — *pichincensis* Karst. Karsten Fl. Col. 1, 46.  
 — *rosea* Pöpp. Castelnau Exped. 1.  
 †*Myanthus barbatus* Ldl. Ann. sc. nat. IV. 19, 12.  
*Mycelis muralis* Rechb. Rechb. Fl. germ. 19, 1417.  
 †*Mylocaryum ligustrinum* Willd. Agardh Syst. 9.  
 †*Myogalum nutans* Link. Agardh Syst. 1.  
 †*Myoporum* Sol. Agardh Syst. 22.  
 † — *parvifolium* R. Br. Schnizl. Iconogr. 141.

- Myoschilos oblonga* R. et P. Chatin Anatomie 70.  
*Myosotidium nobile* Hook. fil. Bot. Mag. 85, 5137.  
 — — Fl. d. serres 13, 1320.  
 — — Illustration horticole 1859, 224.  
 — — Belgique horticole 1860, 7.  
*Myosotis hispida* Schl. Rechb. Fl. germ. 18, 1323.  
 — *intermedia* Link. Rechb. Fl. germ. 18, 1323.  
 — *lingulata* Lehmann. Rechb. Fl. germ. 18, 1321.  
 † — *palustris* With. Gleichen Entdeckungen 77.  
 — — Rechb. Fl. germ. 18, 1320.  
 — *pusilla* Lois. Rechb. Fl. germ. 18, 1321.  
 — *pyrenaica* Pourr. Rechb. Fl. germ. 18, 1324.  
 — *sicula* Guss. Rechb. Fl. germ. 18, 1321.  
 — *silvatica* Hoffm. Rechb. Fl. germ. 18, 1322.  
 — *sparsiflora* Mik. Rechb. Fl. germ. 18, 1324.  
 — *stricta* Link. Rechb. Fl. germ. 18, 1324.  
 — *variabilis* Angel. Rechb. Fl. germ. 18, 1322.  
 — *versicolor* Rechb. Rechb. Fl. germ. 18, 1325.  
*Myracrodryon urundeuva* All. Allemão Trabalhos 1862, 1. 2.  
*Myrceugenia myrtoides* Berg. Endl. Bras. 18, 25.  
*Myrcia anceps* Berg. Vellozo 5, 64.  
 — *coriacea* DC. Plumier Ic. Burm. 208.  
 — *divaricata* DC. Plumier Ic. Burm. 208.  
 — *hispida* Berg. Endl. Bras. 18, 23.  
 — *lanuginosa* Berg. Endl. Bras. 18, 24.  
*Myrcianthus apiculata* Berg. Endl. Bras. 18, 32.  
*Myrciaria edulis* Berg. Vellozo 5, 34.  
 — *Jaboticaba* Berg. Vellozo 5, 62.  
 — *maranhensis* Berg. Endl. Bras. 18, 37.  
 — *tenella* Berg. Endl. Bras. 18, 36.  
*Myrica arguta* H. B. K. Schnizl. Iconogr. 2, 87.  
 — — Revue horticole 1859, p. 134.  
 — *californica* Ldl. Belgique horticole 8, 43.  
 — *cordifolia* L. Burmann Pl. afr. 98.  
 † — *Gale* L. Schnizl. Iconogr. 2, 87.  
 — *inodora* Bartr. Nuttall Sylva 1, 14.  
 — *quercifolia* L. Burmann Pl. afr. 98.  
 † — — Jardine Annals III. 1, 6.  
*Myricaria germanica* Desv. Payer Organogénie 2.  
 †*Myriocarpa densiflora* Benth. Arch. Mus. 9, 16.  
*Myriogyne Cunninghami* DC. Müller Plants of Victoria 2, 41.  
*Myriophyllum fulvescens* Bert. Mem. Bon. 6, 1.  
 — *integrifolium* Hook. fil. Hook. Fl. Tasm. 23.  
 — *pedunculatum* Hook. fil. Hook. Fl. Tasm. 23.  
 † — *spicatum* L. Treviranus Symb. 57—65.  
 † — — Agardh Syst. 6.  
 † — — Schnizl. Iconogr. 266.  
 — — var. *ussuriense*, Acad. Pet. VII. 4, 4.  
*Myristica cuspidata* Benth. Endl. Bras. 25, 41.  
 — *debilis* Spruce. Endl. Bras. 25, 40.  
 — *fragrans* Houtt. Endl. Bras. 25, 38.  
 — — Berg Darstellung 2, 13<sup>a</sup>.  
 — *moschata* L. Belgique horticole 6, 24.  
 — *officinalis* Mart. Endl. Bras. 25, 44.  
 — *platysperma* Spruce. Endl. Bras. 25, 39.  
 — *sebifera* Sw. Endl. Bras. 25, 39—40.  
 — *surinamensis* Rol. Endl. Bras. 25, 42. 43.  
 — *theiodora* Spruce. Endl. Bras. 25, 40<sup>b</sup>.  
 †*Myristiceae* R. Br. Schnizl. Iconogr. 173.  
*Myrmechis glabra* Bl. Blume Orchid. 21.  
 — *gracilis* Bl. Blume Orchid. 21.  
*Myroxylum peruiferum* Mutis. Berg Darstellung 4, 20<sup>a</sup>.  
 †*Myrsine* L. Agardh Syst. 10.  
 † — — Schnizl. Iconogr. 137.  
 — *chathamica* F. M. Müller Chatham Islands 7.  
 — *emarginella* Miq. Endl. Bras. 16, 53.  
 — *focculosa* Mart. Endl. Bras. 16, 58.  
 — *Gardneriana* A. DC. Endl. Bras. 16, 53.  
 — *lancifolia* Mart. Endl. Bras. 16, 56.

- Myrsine leuconera *Mart.* Endl. Bras. 16, 54.  
 — ovalifolia *Miq.* Endl. Bras. 16, 57.  
 — Rapanea *R. et Sch.* brasiliensis, Endl. Bras. 16, 51. 52.  
 — — — surinamensis, Endl. Bras. 16, 50.  
 — umbellata *Mart.* var. glomeriflora, Endl. Bras. 16, 55.  
 — — — var. monticula, Endl. Bras. 16, 55.  
 — — — var. vulgaris, Endl. Bras. 16, 55.  
 — variabilis *R. Br.* Müller Plants of Victoria 2, 53.  
 — villosissima *Mart.* Endl. Bras. 16, 59.  
 † Myrsineae (Oersted.) Vidensk. Meddelelser 13, 1. 2.  
 † Myrtaceae *R. Br.* Schnizl. Iconogr. 69.  
 † — — Payer Organogénie 98.  
 † — — (Folia.) Endl. Bras. 18, 1—7.  
 Myrtus biflora *L.* Browne Jamaica 25.  
 — bullata *Banks.* Bot. Mag. 80, 4809.  
 — — — Fl. d. serres 10, 1032.  
 — Chytraculia *L.* Browne Jamaica 37.  
 — cuspidata *Berg.* Endl. Bras. 18, 44.  
 — incana *Berg.* Endl. Bras. 18, 45.  
 — Szygium *L.* Browne Jamaica 7.  
 — tomentosa *Ait.* Moore Mag. 1850. 2, p. 105.  
 — Tozerii *F. M.* Müller Fragmenta 2, 13.  
 Mystacidium filicorne *Ldl.* Harvey Thes. cap. 2, 175.  
 — gracile *Harv.* Harvey Thes. cap. 2, 174.  
 — pusillum *Harv.* Harvey Thes. cap. 2, 173.  
 † Mystropetalum Thomii *Harv.* Linn. Transact. 22, 1.  
 † Myzodendron *DC.* Grisebach Chile 1.  
 † — — Abh. Leipz. 6, 9.  
 † — — Jard. Annals II. 11, 2.  
 † — — Baillon Adansonia 2, 10.  
 Nablonium calyceroides *Cass.* Hook. Fl. Tasm. 48.  
 Naegelia amabilis *Decne.* Fl. d. serres 12, 1192.  
 — multiflora *Hook.* Bot. Mag. 84, 5083.  
 — — — Regel Gartenfl. 1863, 388.  
 † — zebryna *Reg.* Linnaea 1853, 1.  
 † Najades *Juss.* Griffith Pl. asiat. 251—256.  
 † Najas *L.* (Pollen.) Mém. prés. Pet. 3, 3.  
 † — alaganensis *Poll.* Linnaea 32, 2.  
 † — fuscoides *Gr.* Griffith Pl. asiat. 231.  
 † — major *L.* Pringsheim Jahrb. 1, 7.  
 † — — — Abh. Leipz. 7, 1.  
 † — seminuda *Gr.* Griffith Pl. asiat. 251. 253. 254.  
 † — ternata *Gr.* Griffith Pl. asiat. 252.  
 Nama jamaicensis *L.* Browne Jamaica 18.  
 † Nandina domestica *Thunb.* Griffith Pl. asiat. 60.  
 † Nandineae *DC.* Schnizl. Iconogr. 179.  
 † Nanocnide japonica *Bl.* Blume Mus. 2, 17.  
 † — — — Arch. Mus. 9, 9.  
 † Nanodea muscosa *Gaertn.* Chatin Anatomie 65.  
 † Napaea *L.* Schnizl. Iconogr. 209.  
 † Napoleonaea imperialis *Pal. B.* Agardh Syst. 11.  
 † — — — Schnizl. Iconogr. 159.  
 † — — — Bot. Zeitung 1860, 11.  
 Narcissus bicolor *L.* Nees Sammlung 51.  
 — canaliculatus *Guss.* Guss. Fl. Inar. 15.  
 — Cupanianus *Bert.* Mem. Bon. 10, 8.  
 — Graellsii *Webb.* Mem. Madrid 4, 5.  
 † — Jonquilla *L.* Irmisch Amaryllideae 3. 4.  
 † — — — Abh. Leipz. 7, 25.  
 † — italicus *Ker.* Irmisch Amaryllideae 2.  
 — major *Curt.* Nees Sammlung 51.  
 † — — — Bull. Brux. 1853, 2.  
 — nivalis *Graells.* Mem. Madrid 4, 6.  
 — pallidus *Graells.* Mem. Madrid 4, 8.  
 † — poeticus *L.* Hofmeister Embryo 9.  
 — reflexus *Lois.* Mém. Acad. Lyon 1863, 1.  
 — rupicola *Dufour.* Mem. Madrid 4, 7.  
 — Tazzetta *L.* Guss. Fl. Inar. 15.

- † — — — Irmisch Amaryllideae 2. 4.  
 Narthecium ossifragum *Huds.* Bot. Zeitung 1859, 7.  
 Narthex Asafoetida *Falc.* Transact. Edinb. 22, 20. 21.  
 — — — Bot. Mag. 86, 5168.  
 — — — Fl. d. serres 14, 1476—1477.  
 Nasonia ionanthera *Rchb.* Rchb. Xenia 1, 38.  
 — Myrtillus *Rchb.* Rchb. Xenia 1, 38.  
 Nassauvia Remyana *Wedd.* Castelnau Exped. 12.  
 — revoluta *Gill.* Castelnau Exped. 11.  
 — spicata *Remy.* Castelnau Exped. 11.  
 Nasturtium officinale *R. Br.* Belgique horticole 9, 1. 2.  
 † Nautilocalyx hastatus *Lind.* Linnaea 1853, 2.  
 † Navicularia lanata *Raddi.* Raddi Agrost. bras. 1.  
 Nectouxia belli *Miers.* Miers Illustr. 40.  
 Negundo californicum *Hook.* Nuttall Sylva 2, 72.  
 Nelitris fruticosum *Gray.* Gray Expl. Exp. 60.  
 — vitiensis *Gray.* Gray Expl. Exp. 60.  
 † Nelsonia *R. Br.* Vidensk. Meddelelser 1854, 4.  
 † Nelumbium *L.* (Impregnatio.) Griffith Pl. asiat. 55. 56.  
 † — — — Jard. Annals II. 12, 3.  
 † — — — Schnizl. Iconogr. 187.  
 † — — — Ann. sc. nat. IV. 1, 12—14.  
 — speciosum *Willd.* Cleyer Fl. jap. 48.  
 Nemacladus ramosissimus *Nutt.* Torrey Mex. Boundary 35.  
 Nematanthus chloronema *Mart.* Endl. Bras. 36, 59.  
 — corticicola *Schrad.* Endl. Bras. 36, 59.  
 † — Guillemianus *Hort. Berol.* Linnaea 1853, 2.  
 † — longipes *DC.* Endl. Bras. 36, 59.  
 — pereskiaefolius *Presl.* Presl. Symb. 76.  
 — radicans *Presl.* Presl. Symb. 79.  
 Nematolepis Euphemiae *F. M.* Müller Fragmenta 3, 23.  
 † Nemophila *Bart.* Abh. Leipz. 6, 22.  
 † — — — Agardh Syst. 17.  
 † — — — Payer Organogénie 113.  
 — atomaria *Fisch.* Regel Gartenfl. 1864, 442.  
 — insignis *Benth.* Regel Gartenfl. 1864, 442.  
 — maculata *Benth.* Regel Gartenfl. 1864, 442.  
 Neodryas rhodoneura *Rchb. fil.* Rchb. Xenia 1, 16.  
 Neottia Nidus avis *Rich.* Ann. sc. nat. IV. 5, 17. 18.  
 † — — — Irmisch Orchideae 3.  
 † — — — Abh. Leipz. 7, 5.  
 † — ovata *Rich.* Abh. Leipz. 7, 5.  
 † Nepenthes *L.* (Evolutio foliorum) Ann. sc. nat. IV. 12, 15. 16.  
 — albomarginata *Hook.* Linn. Transact. 22, 73.  
 — ampullaria *Jack.* Bot. Mag. 85, 5109.  
 — destillatoria *L.* Burmann Thes. zeyl. 17.  
 † — — — Griffith Pl. asiat. 60.  
 † — — — Agardh Syst. 8.  
 — Edwardsiana *Low.* Linn. Transact. 22, 70.  
 † — gracilis *Korth.* Linn. Transact. 22, 74.  
 — Lowii *Hook. fil.* Linn. Transact. 22, 71.  
 † — melamphora *Bl.* Blume Mus. 2, 1.  
 † — Rafflesiana *Jack.* Linn. Transact. 22, 74.  
 — — — Belgique horticole 5, 13.  
 — Rajah *Hook. fil.* Linn. Transact. 22, 72.  
 — villosa *Hook. fil.* Linn. Transact. 22, 69.  
 — — — Bot. Mag. 84, 5080.  
 — — — Fl. d. serres 13, 1304.  
 Nepeta Cataria *L.* Rchb. Fl. germ. 18, 1242.  
 — indica *L.* Burmann Thes. zeyl. 63.  
 — Nepetella *L.* Rchb. Fl. germ. 18, 1243.  
 — nuda *L.* Rchb. Fl. germ. 18, 1243.  
 — rugosa *Benth.* Wiener Sitzungs. 52, 3.  
 — ucranica *L.* Rchb. Fl. germ. 18, 1243.  
 Nephelaphyllum cordifolium *Bl.* Blume Orchid. 61.  
 — pulchrum *Bl.* Blume Orchid. 54. 61.  
 — — — Rchb. Xenia 1, 88.  
 — — — Bot. Mag. 88, 5332.  
 — — — Sieb. Fl. Jard. 1862, 2.



- Nephelaphyllum scapigerum* Hook. Bot. Mag. 89, 5390.  
 — *tenuiflorum* Bl. Blume Orchid. 61.  
 — — — Vriese Orchid. 12.  
 — — — Rchb. Xenia 1, 88.  
*Nephelium* *Litchi* Wight. Zanoni Hist. 108.  
 — — — Sonnerat Ind. 129.  
*Nephrodium* *abruptum* Pr. Hook. Sp. Fil. 4, 241.  
 — *acutum* Hook. Hook. Sp. Fil. 4, 271.  
 — *albopunctatum* Desv. Hook. Fil. exot. 89.  
 — *apiciflorum* Pr. Hook. Sp. Fil. 4, 248.  
 — *aristatum* Pr. Hook. Sp. Fil. 4, 238.  
 — *Ascensionis* Pr. Hook. Sp. Fil. 4, 257.  
 — *athamanticum* Pr. Hook. Sp. Fil. 4, 258.  
 — *aureovestitum* Hook. Hook. Sp. Fil. 4, 246.  
 — *Brunonianum* Hook. Hook. Sp. Fil. 4, 251.  
 — *cognatum* Hook. Hook. Sp. Fil. 4, 256.  
 — *crinibulbon* Hook. Hook. Sp. Fil. 4, 244.  
 — *cristatum* Mich. Hook. British Ferns 17.  
 — *Cumingianum* J. Sm. Seemann Herald 50.  
 — *cyatheoides* Kaulf. Hook. Sp. Fil. 4, 241.  
 — *decipiens* Hook. Hook. Sp. Fil. 4, 243.  
 — *decompositum* R. Br. Hook. New Zeal. 79.  
 — *deparioides* Hook. Hook. Fil. exot. 3.  
 — *erythrorum* Eat. Hook. Sp. Fil. 4, 253.  
 — *extensum* Bl. Hook. Sp. Fil. 4, 240.  
 — *Falconeri* Hook. Hook. Sp. Fil. 4, 254.  
 — *fijiense* Hook. Hooker Second Century 67.  
 — *Filix-mas* Rich. Hook. British Ferns 15.  
 — — — var. *paleacea*, Hook. Fil. exot. 98.  
 — — — Pringsheim Jahrb. 3, 16.  
 — *flaccidum* Hook. Hook. Sp. Fil. 4, 263.  
 — *floridanum* Hook. Hook. Fil. exot. 99.  
 — *funestum* Hook. Hook. Sp. Fil. 4, 269.  
 — *hirsutum* J. Sm. Hook. Sp. Fil. 4, 240.  
 — *hirtipes* Hook. Hook. Sp. Fil. 4, 249.  
 — *Hudsonianum* Brack. Wilkes Expl. Exp. 25.  
 — *javanicum* Hook. Hook. Fil. exot. 62.  
 — *Imrayanum* Hook. Hook. Sp. Fil. 4, 242.  
 — *macrotis* Hook. Hook. Sp. Fil. 4, 242.  
 — *membranifolium* Pr. Hook. Sp. Fil. 4, 261.  
 — *mexicanum* Hook. Hook. Sp. Fil. 4, 267.  
 — *microstegium* Hook. Hook. Sp. Fil. 4, 250.  
 — *Milnei* Hook. Hooker Second Century 62.  
 — *molle* Hook. fil. Hook. New Zeal. 80.  
 — *Napoleonis* Bory. Hook. Sp. Fil. 4, 255.  
 — *oppositum* Hook. Hook. Sp. Fil. 4, 266.  
 — *oreopteris* Desv. Hook. British Ferns 14.  
 — *Parishii* Hook. Hook. Sp. Fil. 4, 260.  
 — *purpurascens* Hook. Hook. Sp. Fil. 4, 262.  
 — *Raddianum* Hook. Hook. Sp. Fil. 4, 243.  
 — *recedens* Hook. Hook. Sp. Fil. 4, 265.  
 — *refractum* Hook. Hook. Sp. Fil. 4, 252.  
 — *remotum* Hook. Hook. British Ferns 22.  
 — *rigidum* Desv. Hook. British Ferns 16.  
 — *Sieboldi* Hook. Hook. Fil. exot. 31.  
 — *spinulosum* Sw. Hook. British Ferns 18—21.  
 — *squamigerum* Hook. Hook. Sp. Fil. 4, 270.  
 — *squamisetum* Hook. Hook. Sp. Fil. 4, 268.  
 — *tenericaule* Hook. Hook. Sp. Fil. 4, 259.  
 — *Thelypteris* Desv. Hook. British Ferns 13.  
 — *velatum* Pr. Hook. Sp. Fil. 4, 264.  
 — *villosum* Pr. Hook. Sp. Fil. 4, 264.  
 — *Wrightii* Hook. Hook. Sp. Fil. 4, 239.  
*Nephrolepis* *davallioides* Kze. Hook. Fil. exot. 60.  
 † — — — Mettenius Fil. 26.  
 — — — J. Sm. Lowe Ferns 7, 23, 24.  
 — *ensifolia* Presl. Lowe Ferns 7, 22.  
 — *exaltata* Schott. Lowe Ferns 7, 19.  
 — *hirsutula* Presl. Lowe Ferns 7, 21.  
 — *pectinata* Schott. Lowe Ferns 7, 18.  
 — *platyotis* Kze. Mettenius Fil. 26.  
 — *tuberosa* Presl. Lowe Ferns 7, 25.

- Nephrolepis undulata* J. Sm. Lowe Ferns 7, 20.  
 † *Neraudia melastomaefolia* Gaud. Arch. Mus. 9, 12.  
 † *Neriandra hancorniaefolia* A. DC. Endl. Bras. 26, 50.  
 — *Martiana* Müll. Endl. Bras. 26, 18.  
 † *Nerine curvifolia* Herb. Irmisch Amaryllideae 7.  
 † — *humilis* Herb. Irmisch Amaryllideae 7.  
 — *sarniensis* Herb. Regel Gartenfl. 1861, 322.  
 † — *undulata* Herb. Irmisch Amaryllideae 7.  
 † *Nerium* L. (Pollen.) Mém. prés. Pet. 3, 12, 13.  
 — *antidysentericum* L. Burmann Thes. zeyl. 77.  
 † — *Oleander* L. Medicus Beob. p. 385.  
 † — — — Schnizl. Iconogr. 132.  
 — — — Rchb. Fl. germ. 17, 1064.  
 — *zeylanicum* L. Burmann Thes. zeyl. 12.  
*Nertera depressa* Banks. Feuillée 3, 44.  
*Nesaea icosandra* Kotschy. Kotschy Pl. Tinn. 5<sup>a</sup>.  
*Nesopanax vitiensis* Seem. Seemann Flora vit. 20.  
*Neurodium lanceolatum* Fée. Lowe Ferns 2, 64.  
*Neustanthus javanicus* Benth. Miquel Flora 4.  
*Neuwiedia Zollingeri* Rchb. fil. Rchb. Xenia 2, 106.  
*Neviusia alabamensis* Gray. Mem. Am. Acad. 6, 30.  
 † *Newbouldia laevis* Seem. Bureau Bign. 15.  
*Newcastlea cladotricha* F. M. Müller Fragmenta 1, 1.  
 — *spodotricha* F. M. Müller Fragmenta 3, 21.  
*Nicandra physaloides* Gaertn. Miers Illustr. 43.  
 — — — Rchb. Fl. germ. 20, 1626.  
 † *Nicotiana* L. Mem. Tur. 1855, 4.  
 † — — — Payer Organogénie 132.  
 — *californico-rustica*, Nouv. Archives de Muséum  
 1, 4.  
 — *fragrans* Hook. Bot. Mag. 81, 4865.  
 — *glutinosa* L. Fl. d. serres 11, 1121.  
 — *humilis* Bert. Mem. Bon. 4, 2.  
 — *Langsdorffii* Fisch. Schrank Hort. monac. 72.  
 — *nyctaginiflora* Lehmann. Nees Sammlung 61.  
 — *paniculata* L. Feuillée 3, 10.  
 — *rustica* L. Berg Darstellung 2, 12<sup>c</sup>.  
 — — — Rchb. Fl. germ. 20, 1626.  
 — *Tabacum* L. Berg Darstellung 2, 12<sup>d</sup>.  
 — — — Rchb. Fl. germ. 20, 1625.  
*Nidularium fulgens* Lem. Lem. Jard. fl. 4, 411.  
 — *Innocentii* Ch. Lem. Illustration horticole 1862,  
 329.  
 — *Meyendorffii* Reg. Illustration horticole 1860,  
 245.  
 — *Sheremetiewii* Reg. Regel Gartenfl. 7, 224.  
*Nierembergia gracilis* Pl. var. *Crozyana*, Fl. d. serres  
 14, 1410.  
 † *Nigella arvensis* L. Gleichen Entdeckungen 58. 59.  
 † — — — Payer Organogénie 54.  
 † — *damascena* L. Abh. Acad. Berl. 1859, 6.  
 — *hispanica* L. var. *hortensis*, Illustration hor-  
 ticole 1860, 231.  
 † — *sativa* L. Payer Organogénie 56.  
*Nigritella angustifolia* Rich. Regel Gartenfl. 5, 147.  
 † *Nipa fruticans* Thunb. Griffith Pl. asiat. 244—247.  
*Niphaea albo-lineata* Hook. var. *reticulata*, Bot. Mag.  
 — — — 84, 5043.  
 † — *crenata* Karst. Karsten Fl. Col. 1, 80.  
 † — *rubida* Ch. Lem. Linnaea 1853, 1.  
*Niphobolus angustatus* Spr. Hook. Garden Ferns 20.  
 — *adnascens* Kaulf. Hook. Garden Ferns 19.  
 — *Gardneri* Mett. Hook. Fil. exot. 68.  
 — — — Sm. Lowe New Ferns 38.  
 — *linearifolius* Hook. Hooker Second Century 58.  
 — *Lingua* Spr. Cleyer Fl. jap. 65.  
 — — — Lowe Ferns 1, 22.  
 — *pertusus* Spr. Lowe Ferns 1, 21.  
 — *rupestris* Spr. Lowe Ferns 1, 20.  
*Niphopsis angustata* Sm. Lowe New Ferns 38.  
 † *Nisa retusa* Bl. Blume Mus. 2, 11.  
*Nissolia fruticosa* Jacq. Endl. Bras. 24, 19.

- Nitraria Billardieri* DC. Müller Plants of Victoria 1, 7<sup>b</sup>.  
 † *Nitraria Schoberi* L. Payer Organogénie 26.  
 † — — — Schnizl. Iconogr. 238<sup>a</sup>.  
 † *Nolana atriplicifolia* Don. Payer Organogénie 124.  
 † — — — Schnizl. Iconogr. 144<sup>a</sup>.  
 — *lanceolata* Choisy. Bot. Mag. 88, 5327.  
 — — — L'horticulteur fr. 1863, 6.  
 — *paradoxa* Ldl. Fl. d. serres 13, 1294.  
 — *tenella* Ldl. var. *violacea*, L'horticulteur fr. 1859, 6.  
 † *Nonnea Med.* Schnizl. Iconogr. 143.  
 — *alba* DC. Rchb. Fl. germ. 18, 1301.  
 — *lutea* Rchb. Rchb. Fl. germ. 18, 1302.  
 — *pulla* DC. Rchb. Fl. germ. 18, 1302.  
 — *ventricosa* Gris. Rchb. Fl. germ. 18, 1301.  
 — *vesicaria* Rchb. Zanoni Hist. 38.  
*Notelaea ligustrina* Vent. Müller Plants of Victoria 2, 54.  
*Nothochlaena argentea* Moore. Lowe Ferns 1, 19.  
 — *Aschenborniana* Kze. Hook. Sp. Fil. 5, 287.  
 — *chilensis* Hook. Hook. Sp. Fil. 5, 286.  
 — *crassifolia* Moore. Lowe Ferns 1, 14.  
 — *distans* R. Br. Hook. Ic. pl. 10, 980.  
 — — — Lowe Ferns 1, 19.  
 — *Eckloniana* Kze. Lowe Ferns 1, 17.  
 — *ferruginea* Hook. Hooker Second Century 52.  
 — *flavens* Bl. Lowe New Ferns 8.  
 — *fragilis* Hook. Hook. Sp. Fil. 5, 287.  
 — *Hookeri* Lowe. Lowe Ferns 1, 13.  
 — *lanuginosa* Desv. Lowe Ferns 1, 16.  
 — *Marantae* R. Br. Lowe Ferns 1, 18.  
 — *nivea* Desv. Lowe Ferns 1, 13, 19.  
 — *Plukenetii* Fée. Féc. Fil. novae 23.  
 — *Pohlana* Kze. Hook. Sp. Fil. 5, 286.  
 — *Rawsonii* Pappe. Hooker Second Century 77.  
 — *rufa* Presl. Lowe Ferns 1, 18.  
 — *squamosa* Lowe. Lowe Ferns 1, 17.  
 — *tenera* Hook. Lowe Ferns 1, 15.  
 — *tomensosa* Sm. Lowe Ferns 1, 15.  
 — *trichomanoides* R. Br. Lowe Ferns 1, 14.  
 — *vestita* Desv. Lowe Ferns 1, 16.  
 † *Nothocnide repanda* Bl. Blume Mus. 2, 14.  
*Nothopanax multijugum* Seem. Seemann Flora vit. 18, 19.  
*Nothospartium Carmichaeliae* Hook. Hooker Journal 1857, 3.  
*Notonia trachycarpa* Kotschy. Wiener Sitzungs. 51, 8.  
*Notylia Pentachne* Rchb. fil. Rchb. Xenia 1, 20.  
 † *Nunnezharia fragrans* R. et P. Oersted Am. centr. 5.  
 † *Nuphar luteum* Sm. Regensb. Denkschr. 2, 1.  
 † — — — Mem. Tur. 1855, 2.  
 † — — — Payer Organogénie 75.  
 † — — — (Embryo.) Linn. Transact. 22, 68.  
 — *pumilum* DC. Detharding Conspectus 2.  
*Nuttallia cerasiformis* Toor. Belgique horticole 8, 53.  
 † *Nyctago longiflora* Hort. Schacht Lehrbuch 2, 10.  
 † — — — Pringsheim Jahrb. 1, 13.  
*Nyctaginia capitata* Choisy. Mem. Genev. 12, 1.  
*Nyctanthes arbor-tristis* L. Bot. Mag. 82, 4900.  
 — *Sambac* L. Burmann Thes. zeyl. 58.  
*Nycteria natalensis* Bernh. Harvey Thes. cap. 1, 58.  
 — *selaginoides* Benth. Journ. Hort. Soc. 9, p. 54.  
 † *Nymphaea* L. Treviranus Symbolae 7—17.  
 † — — — Regensb. Denkschr. 2, 1.  
 † — — — Mem. Tur. 1855, 2.  
 † — — — Payer Organogénie 39.  
 † — — — Agardh Syst. 3.  
 † — — — Schnizl. Iconogr. 185.  
 — *acutiloba* DC. Acad. Pet. VII. 4, 1.  
 — *Amazonum* Mart. Otto Garten-Z. 1856, 2.  
 — — — Fl. d. serres 11, 1086.  
 — *blanda* F. W. Meyer. Fl. d. serres 11, 1086.  
*Nymphaea Boucheana* Planch. Fl. d. serres 10, 1033—1034.  
 — *gigantea* Hook. Journal soc. d'hortic. Par. 1858, 143.  
 — *pygmaea* Ait. var. *grandiflora*, Acad. Pet. VII. 4, 1.  
 — — — var. *distans*, Acad. Pet. VII. 4, 1.  
 — *stellata* DC. Revue horticole 1855, 14.  
*Nyssa multiflora* Wang. Schnizl. Iconogr. 108.  
*Obeliscaria columnaris* DC. Illustration horticole 1857, 121.  
 — *pulcherrima* DC. Fl. d. serres 12, 1213.  
*Oberonia acaulis* Griff. Bot. Mag. 84, 5056.  
 — *iridifolia* Ldl. Griffith Pl. asiat. 286.  
 † *Obetia Gaud.* Arch. Mus. 9, 1.  
*Obione bracteosa* Dur. Expl. Missis. 5, 14.  
 — *hymenolytra* Torr. Expl. Missis. 4, 20.  
 — *lentiformis* Torr. Sitgreaves Expedition 14.  
 — *pusilla* Wedd. Castelnau Exped. 90.  
 — *Suckleyana* Torr. Expl. Missis. 1, 4.  
 † *Obolaria virginiana* L. Chatin Anatomie 28.  
 † *Ocalia* Kl. Baillon Euph. 19.  
*Ochna Jabotapita* L. Plumier Ic. Burm. 153.  
 † *Ochradenus Aucheri* Boiss. Schw. Denkschr. 16, 6.  
 † — *baccatus* Del. Schw. Denkschr. 16, 6.  
 † *Ocimum Basilicum* L. Atti Acc. Neap. 1863, 6.  
 — *gratissimum* L. Burmann Thes. zeyl. 80.  
 — *monachorum* L. Colonna Phytobasanos 7.  
 — *nudicaule* Benth. Endl. Bras. 22, 14.  
 — *rugosum* Thunb. Cleyer Fl. jap. 85.  
 — *tenuiflorum* L. Burmann Thes. zeyl. 70.  
 † *Octolepis Oliv.* Journ. Linn. Soc. 8, 12.  
*Odontadenia hypoglaucia* Müll. Endl. Bras. 26, 35.  
 † — *silvestris* Müll. Endl. Bras. 26, 35.  
*Odontandra acuminata* Kth. Karsten Fl. Col. 2, 125.  
 † *Odontites rubra* Pers. Chatin Anatomie 32, 33.  
*Odontochilus flavescens* Bl. Blume Orchid. 29.  
 — *lanceolatus* Bl. Blume Orchid. 29, 36.  
*Odontoglossum anceps* Ch. Lem. Illustration horticole 1857, 128.  
 — *bictoniense* Ldl. Fl. d. serres 15, 1502.  
 — *cariniferum* Rchb. fil. Bateman Monograph 10.  
 — *Cervantesii* Llave. Pescatorea 1, 7.  
 — *citrosium* Ldl. Moore Mag. 1850. 2, p. 261.  
 — — — Warner Select Orch. 28.  
 — *cordatum* Ldl. Pescatorea 1, 26.  
 — — — Regel Gartenfl. 1862, 356.  
 — *coronarum* Ldl. Pescatorea 1, 47.  
 † — *epidendroides* H. B. K. Rchb. Xenia 1, 22.  
 — *gloriosum* Lind. Gardener's Chronicle 1865, 578.  
 — — — Bateman Monograph 12.  
 — *grande* Ldl. Regel Gartenfl. 8, 270.  
 — — — Bateman Monograph 8.  
 — *Hallii* Ldl. Rchb. Xenia 1, 63.  
 — *hastilabium* Ldl. Pescatorea 1, 9.  
 — — — var. *fuscatum*, Bot. Mag. 82, 4919.  
 — — — Bateman Monograph 7.  
 — *Insleayi* Ldl. Bateman Monograph 4.  
 — *laeve* Ldl. Illustration horticole 1859, 213.  
 — *Lindleyanum* Rchb. Rchb. Xenia 1, 71.  
 — — — Bateman Monograph 11.  
 — *Lüddemanni* Reg. Regel Gartenfl. 8, 275.  
 — *maculatum* Llave. Pescatorea 1, 28.  
 — — — Bot. Mag. 81, 4878.  
 — *maxillare* Ldl. Illustration horticole 1859, 200.  
 — *membranaceum* Ldl. Pescatorea 1, 7.  
 — — — Bot. Mag. 82, 4923.  
 — *myrianthum* Rchb. Rchb. Xenia 1, 68.  
 — *naevium* Ldl. Pescatorea 1, 14.  
 — — — Bateman Monograph 9.  
 — — — *majus*, Warner Select Orch. 7.

- Odontoglossum nebulosum* Ldl. Bateman Monograph 1.  
 — *Oerstedii* Rehb. Rehb. Xenia 1, 68.  
 — *pendulum* Ldl. Bateman Monograph 6.  
 — *Pescatorei* Lind. Pescatorea 1, 1.  
 — — — Bateman Monograph 5.  
 — — — Warner Select Orch. 25.  
 — *phalacnopsis* Lind. Pescatorea 1, 44.  
 — — — Bateman Monograph 3.  
 — — — Warner Select Orch. 30.  
 — *Reichenheimii* Rehb. fil. Pescatorea 1, 19.  
 — — — Illustration horticole 1859, 213.  
 — — — Bateman Monograph 13.  
 — *Schillerianum* Rehb. Rehb. Xenia 1, 22.  
 — *stellatum* Ldl. Bateman Monograph 15.  
 — *triumphans* Rehb. fil. Pescatorea 1, 46.  
 — *Uro-Skinneri* Ldl. Bateman Monograph 2.  
 — *Warnerianum* Rehb. fil. Gardeners Chronicle 1865, 579.  
 — — — Bateman Monograph 14.  
 — *Warszewiczii* Rehb. fil. Rehb. Xenia 1, 81.  
*Odontostomum Hartwegii* Torr. Expl. Missis. 4, 24.  
*Oenanthe banatica* Heuff. Rehb. Fl. germ. 21, 1697.  
 † — *crocata* L. Leighton Flora 7.  
 † — *filulosa* L. Leighton Flora 7.  
 — — — Rehb. Fl. germ. 21, 1895.  
 — *Lachenalii* Gmel. Rehb. Fl. germ. 21, 1892.  
 — *marginata* de Vis. Rehb. Fl. germ. 21, 1894.  
 — *media* Gris. Rehb. Fl. germ. 21, 1897. 1952.  
 — *peucedanifolia* Poll. Rehb. Fl. germ. 21, 1894.  
 † — *Phellandrium* Lam. Leighton Flora 7.  
 — — — Rehb. Fl. germ. 21, 1896.  
 — — — Berg Darstellung 4, 25<sup>d</sup>.  
 — *pimpinelloides* L. Rehb. Fl. germ. 21, 1895.  
 — — — 1952.  
 — — — Engl. Bot. Suppl. 2991.  
 — *silaifolia* M. B. Rehb. Fl. germ. 21, 1893.  
*Oenocarpus Mapora* Karst. Karsten Fl. Col. 1, 55.  
 † *Oenothera* L. (Pollen.) Mém. prés. Pet. 3, 12.  
 † — — Agardh Syst. 6.  
 † — — Schnizl. Iconogr. 265.  
 — *acaulis* Cav. Fl. d. serres 12, 1236.  
 — *amoena* Lehm. Regel Gartenfl. 1864, 439.  
 — *bistorta* Nutt. var. *Veitchiana*, Bot. Mag. 84, 5078.  
 — — — — L'horticulleur fr. 1859, 3.  
 — — — — Journal d'hortic. 3, 2.  
 — *cruciformis* Kellogg. Proc. Calif. Acad. 2, 228.  
 — *Lamarckiana* DC. Illustration horticole 1862, 318.  
 — *mollissima* L. Feuillée 3, 34.  
 — — — Dillenius Elth. 219.  
 — *nevadensis* Kellogg. Proc. Calif. Acad. 2, 226.  
 † *striata* Led. Museum Senck. 2, 4.  
 — *tenuifolia* Cav. Feuillée 3, 34.  
 — *Williamsoni* Dur. Expl. Missis. 5, 5.  
*Oentarrhinum insipidum* E. M. Harvey Thes. cap. 1, 11.  
*Oerstedella contradenia* Rehb. fil. Rehb. Xenia 1, 17.  
 — *centropetalia* Rehb. fil. Rehb. Xenia 1, 17.  
*Oglifa arvensis* Cass. Rehb. Fl. germ. 16, 946.  
 — *minima* Rehb. fil. Rehb. Fl. germ. 16, 946.  
 — *neglecta* Rehb. fil. Rehb. Fl. germ. 16, 946.  
 † *Olax stricta* L. Baillon Adansonia 2, 9.  
*Oldenlandia biflora* L. Burmann Thes. zeyl. 11.  
 — *paniculata* L. Burmann Thes. zeyl. 71.  
*Olea capensis* L. Dillenius Elth. 160.  
 † — *europaea* L. Schnizl. Iconogr. 130.  
 † — — — Nees Genera 30, 11.  
 — — — Risso Hist. nat. 2, 7.  
 — — — Rehb. Fl. germ. 17, 1074.  
 — — — Berg Darstellung 4, 33<sup>b</sup>.  
 † *Oleaceae* Endl. Ann. sc. nat. IV. 5, 2, 3.

- Oleandra hirta* Brack. Wilkes Expl. Exp. 29.  
 — *neriiformis* Cav. Hook. Fil. exot. 58.  
 — — — Lowe Ferns 7, 16.  
 — *nodosa* Presl. Lowe Ferns 7, 17.  
 † — *pilosa* Hook. Karsten Fl. Col. 1, 73.  
 — *trujillensis* Karst. Karsten Fl. Col. 1, 73.  
*Olfersia cervina* Kze. Hook. Fil. exot. 43.  
 † — — — Mettenius Fil. 1.  
 — — — Lowe Ferns 7, 39, 40.  
 † *Oligomeris dispersa* Müll. Schw. Denkschr. 16, 10.  
 † — *Dregeana* Müll. Schw. Denkschr. 16, 10.  
*Olivaria decumbens* Vent. Jaub. Illustr. 431.  
*Olmediopsis obliqua* Karst. Karsten Fl. Col. 2, 109.  
*Omalocele pygmaea* Rehb. fil. Rehb. Fl. germ. 19, 1465.  
 † *Omalanthus* A. Juss. Baillon Euph. 8.  
 † *Omphalea* L. Baillon Euph. 7.  
 — *triandra* L. Browne Jamaica 22.  
*Omphalodes linifolia* Moench. Rehb. Fl. germ. 18, 1326.  
 — *scorpioides* Schrank. Rehb. Fl. germ. 18, 1326.  
 † — *verna* Moench. Agardh Syst. 17.  
 † — — — Handl. Ac. Holm. 1857, 1.  
 — — — Rehb. Fl. germ. 18, 1326.  
*Omphalothalma rubra* Karst. Karsten Fl. Col. 2, 163.  
*Omphalotrix longipes* Max. Mém. prés. Pet. 9, 10.  
 † *Onagracea* DC. Payer Organogénie 94.  
*Oncidium ansiferum* Rehb. fil. Rehb. Xenia 1, 98.  
 — *armillare* Ldl. Regel Gartenfl. 7, 237.  
 — *Boothianum* Rehb. fil. Rehb. Xenia 1, 68.  
 — *caesium* Rehb. fil. Rehb. Xenia 1, 36.  
 — — — Regel Gartenfl. 1854, 80.  
 † — *cardiostigma* Rehb. fil. Rehb. Xenia 1, 99.  
 † — *carthagense* Sw. var. *Oerstedii*, Rehb. Xenia 1, 99.  
 — *cerebriferum* Rehb. fil. Rehb. Xenia 1, 98.  
 — *cheiroporum* Rehb. fil. Rehb. Xenia 1, 69.  
 — *excavatum* Lind. Bot. Mag. 88, 5293.  
 — *Guibertianum* A. Rich. Ramon Cuba 84.  
 — *juncifolium* Spr. Plumier Ic. Burm. 184.  
 — *Kramerianum* Rehb. fil. Rehb. Xenia 1, 33.  
 — *lentiginosum* Rehb. fil. Rehb. Xenia 1, 69.  
 — — — Regel Gartenfl. 1864, 433.  
 — *Limminghei* Morr. Belgique horticole 6, 23.  
 — *longipes* Ldl. Bot. Mag. 86, 5193.  
 — *meirax* Rehb. fil. Rehb. Xenia 1, 18.  
 — *micropogon* Rehb. fil. Rehb. Xenia 1, 63.  
 — — — Regel Gartenfl. 4, 136.  
 † — *pachyphyllum* Hook. Rehb. Xenia 1, 99.  
 — *Papilio* Ldl. Fl. d. serres 9, 920—922.  
 — *Pardalis* Rehb. fil. Rehb. Xenia 1, 63.  
 — *phymatochilum* Ldl. Pescatorea 1, 35.  
 — — — Bot. Mag. 86, 5214.  
 — *reflexum* Ldl. Rehb. Xenia 1, 36.  
 — *sarcodes* Ldl. Warner Select Orch. 23.  
 — *tenuis* Ldl. Belgique horticole 8, 62.  
 — *tripterygium* Rehb. fil. Rehb. Xenia 1, 69.  
 † — *Volvox* Rehb. fil. Rehb. Xenia 1, 99.  
*Oncoba Kraussiana* Pl. Harvey Thes. cap. 2, 141.  
 — *spinosa* Forsk. Harvey Thes. cap. 2, 142.  
*Oncocarpus viticensis* Gray. Gray Expl. Exp. 43.  
*Oncosperma filamentosa* Bl. Fl. d. serres 9, 943.  
*Onleya Tesota* Gray. Expl. Missis. 7, 5.  
 † *Onobrychis Tournef.* Nees Genera 30, 2.  
 — *lasiotachya* Boiss. Tchichatschiff Asie mineure 6.  
 † — *sativa* L. Gleichen Untersuchungen 13.  
*Onochym strictum* Kze. Hooker Second Century 31.  
*Oncoclea sensibilibis* L. Zanoni Hist. 132.  
 — — — Lowe Ferns 6, 1.  
 † — *struthiopteris* Sw. Mettenius Fil. 17.  
 † *Ononis* L. Nees Genera 29, 6.  
 — *mitissima* L. Dillenius Elth. 24.  
 — *repens* L. Dillenius Elth. 25.

- Ononis spinosa* L. Berg Darstellung 3, 20f.  
 † *Onopordum illyricum* L. Rchb. Fl. germ. 15, 887.  
*Onoseris hastata* Wedd. Castelnau Exped. 7.  
*Onosma arenarium* W. K. Rchb. Fl. germ. 18, 1311.  
 — *echioides* Gaud. Rchb. Fl. germ. 18, 1311.  
 — *stellulatum* W. K. Rchb. Fl. germ. 18, 1312.  
*Onychacanthus arboreus* Karst. Karsten Fl. Col. 2, 159.  
*Onychium auratum* Kaulf. Lowe New Ferns 1.  
 — *densum* Brack. Wilkes Expl. Exp. 13.  
 — *lucidum* Spr. Lowe Ferns 3, 23.  
*Opercularia ovata* Hook. fl. Hook. Fl. Tasm. 38.  
*Ophelia umbellata* Wight. Bot. Mag. 89, 5397.  
 † *Ophianthe libanensis* Hanst. Linnaea 1853, 1.  
 † *Ophioglossum* L. Griffith Pl. asiat. 131.  
 — *concinnum* Brack. Wilkes Expl. Exp. 44.  
 — *intermedium* Hook. Hook. Ic. pl. 10, 995.  
 — *lusitanicum* L. Johnson Ferns 47.  
 — — — — — Lowe Ferns 7, 65.  
 — *palmatum* Plum. Endl. Bras. 23, 9.  
 † — *pedunculatum* Desv. Mettenius Fil. 30.  
 — *pendulum* L. Hook. Garden Ferns 33.  
 † — *vulgatum* L. Bonplandia 1855, 3.  
 † — — — — — Acta Leop. 26, 57. 58.  
 — — — — — Johnson Ferns 46.  
 — — — — — Lowe Ferns 7, 65.  
 — — — — — Hook. British Ferns 46. 47.  
 — — — — — var. Hook. Fl. Tasm. 169.  
 † *Ophiomeris mahacensis* Miers. Schnizl. Iconogr. 57.  
*Ophiopogon japonicus* Ker. Cleyer Fl. jap. 39.  
 † — — — — — Agardh Syst. 1.  
 — — *spicatum* Ker. Bot. Mag. 88, 5348.  
 — — — — — Belgique horticole 1863, 11.  
*Ophioxylon serpentinum* L. Burmann Thes. zeyl. 64.  
*Ophiurina micrantha* Desv. Desvaux Opuscul. 5.  
 † *Ophrydeae* Ldl. Ann. sc. nat. IV. 5, 11.  
*Ophrys apifera* Huds. Regel Gartenfl. 5, 148.  
 — *arachnites* Reichard. Regel Gartenfl. 5, 147.  
 ! — — — — — Cramer Bildungsabw. 13. 14.  
 — *Corallorrhiza* L. Gunner Flora norv. 2, 6.  
 — *cordata* L. Gunner Flora norv. 2, 3.  
 — *muscifera* Huds. Regel Gartenfl. 5, 147.  
 — *myodes* L. Gunner Flora norv. 2, 5.  
 — *oestrifera* Stev. Bull. Mosc. 1857, 1.  
 — *Trollii* Hegetschw. Hegetschweiler Flora 8.  
 † *Opilia senegalensis* Baill. Baillon Adansonia 2, 10.  
*Opopanax Chironium* Koch. Rchb. Fl. germ. 21, 1943.  
 1986. 1990.  
*Oporanthus macranthus* Gay. L'horticulteur fr. 1861, 22.  
*Opuntia acanthocarpa* Eng. Expl. Missis. 4, 18. 24.  
 — *angustata* Eng. Expl. Missis. 4, 7. 22.  
 — *arborescens* Eng. Expl. Missis. 4, 17. 18. 24.  
 — *basilaris* Eng. Expl. Missis. 4, 13. 23.  
 — *Bigelovii* Eng. Expl. Missis. 4, 19.  
 — *brachyarthra* Eng. Expl. Missis. 4, 12.  
 † — *brasiliensis* Haw. Mém. prés. Pet. 4, 7.  
 — *bulbispina* Eng. Engelm. Boundary 73.  
 — *camanchica* Eng. Expl. Missis. 4, 9. 22.  
 — *chlorotica* Eng. Expl. Missis. 4, 6.  
 — *clavata* Eng. Expl. Missis. 4, 22. 24.  
 † — *cylindrica* DC. Mém. prés. Pet. 4, 8.  
 — *cymochila* Eng. Expl. Missis. 4, 12. 23.  
 — *Davisii* Eng. Expl. Missis. 4, 16.  
 — *echinocarpa* Eng. Expl. Missis. 4, 18. 24.  
 — *Emoryi* Eng. Engelm. Boundary 70. 71.  
 — *Engelmanni* Salm. Expl. Missis. 4, 8. 22.  
 — *erinacea* Eng. Expl. Missis. 4, 13. 24.  
 — *filipendula* Eng. Engelm. Boundary 68.  
 — *frutescens* Eng. Expl. Missis. 4, 20. 24.  
 — *fusco-atra* Eng. Expl. Missis. 4, 11.  
 — *fusiformis* Eng. Expl. Missis. 4, 12. 23.

- Opuntia Grahamei* Eng. Engelm. Boundary 72.  
 — *Hernandezii* DC. Finckh Cactus 5.  
 — *hystricina* Eng. Expl. Missis. 4, 15. 23.  
 † — *imbricata* DC. Mém. prés. Pet. 4, 8.  
 — — — — — Engelm. Boundary 73.  
 — *macrorrhiza* Eng. Engelm. Boundary 69.  
 — *missouriensis* DC. Expl. Missis. 4, 14. 15. 23.  
 — *mohavensis* Eng. Expl. Missis. 4, 9.  
 † — *monacantha* Haw. Mém. prés. Pet. 4, 1—5.  
 — *occidentalis* Eng. Expl. Missis. 4, 7. 22.  
 — *procumbens* Eng. Expl. Missis. 4, 6.  
 — *Rafinesquii* Eng. Expl. Missis. 4, 10. 11. 23.  
 — *Salmiana* Parm. Linn. Transact. 23, 54.  
 — *Schottii* Eng. Engelm. Boundary 73.  
 — *sphaerocarpa* Eng. Expl. Missis. 4, 13. 24.  
 — *stenochila* Eng. Expl. Missis. 4, 12. 23.  
 — *stenopetala* Eng. Engelm. Boundary 66.  
 — *Strigifera* Engelm. Boundary 67.  
 — *tessellata* Eng. Expl. Missis. 4, 21. 24.  
 — *tortispina* Eng. Expl. Missis. 4, 8. 23.  
 † — — — — — Abh. Acad. Berl. 1859, 5.  
 † — *tunicata* Link. Mém. prés. Pet. 4, 10.  
 — *vaginata* Eng. Expl. Missis. 4, 20. 24.  
 † — *vulgaris* DC. Turpin Observations 1.  
 † — — — — — Payer Organogénie 78.  
 — — — — — Expl. Missis. 4, 10. 23.  
 — *Whipplei* Eng. Expl. Missis. 4, 17. 24.  
 † *Orchideae* Juss. Griffith Pl. asiat. 32. 41. 281—359.  
 † — — — — — Versl. Amst. 4, 1.  
 † — — — — — Verh. Ac. Amst. 1861, 1—3.  
 † — — — — — Lindley Folia orchid. 1859, 1.  
 † — — — — — Journ. Linn. Soc. 8, 9.  
 † — — — — — Payer Organogénie 142.  
 † — — — — — Ann. sc. nat. IV. 13, 14.  
 † — — — — — Hofmeister Embryo 1. 2.  
 † — — — — — Abh. Leipz. 7, 3. 6.  
 † — — — — — Reichenbach Pollen 1. 2.  
 † — — — — — Beer Studien 1.  
 † — — — — — Irmisch Orchid. 1—6.  
*Orchipeda grandifolia* Miq. Miquel Annales 10.  
*Orchis* L. (Formae hybridae) Timbal-Lagrave in Mém. de l'Ac. de Toulouse 1854, x.  
 — *foliosa* Soland. Bot. Mag. 84, 5074.  
 — — — — — Belgique horticole 9, 5.  
 † — *fusca* Jacq. Verhandl. Rheinl. 14, 12.  
 — *globosa* L. Regel Gartenfl. 5, 147.  
 — *Koenigii* Retz. Fl. dan. 2, 333.  
 — *latifolia* L. English Botany Suppl. 2973.  
 † — *longebracteata* Biv. Journ. Linn. Soc. 8, 16.  
 — *maculata* L. Regel Gartenfl. 5, 148.  
 — *maculata-odoratissima* Reg. Regel Gartenfl. 5, 148.  
 † — *mascula* L. Ebel Montenegro 1.  
 ! — — — — — var. English Botany Suppl. 2995.  
 ! — — — — — Cramer Bildungsabw. 14.  
 — *militaris* L. Berg Darstellung 2, 11<sup>a</sup>.  
 — *punctulata* Stev. Bull. Mosc. 1857, 1.  
 — *pyramidalis* L. Otto Garten-Z. 1855, 2.  
 — — — — — Fl. d. serres 10, 1029.  
 † *Oreocinetus discolor* Oerst. Vidensk. Meddelelser 1860, 6.  
 † — *laurifolius* Oerst. Vidensk. Meddelelser 1860, 6.  
 † — *microphyllus* Oerst. Vidensk. Meddelelser 1860, 6.  
 † — *stellato-tomentosus* Oerst. Vidensk. Meddelelser 1860, 6.  
 † — *tiliaefolius* Oerst. Vidensk. Meddelelser 1860, 6.  
*Oreodaphne californica* N. v. E. Expl. Missis. 6, p. 24.  
 — — — — — Bot. Mag. 88, 5320.  
 — *foetens* N. v. E. Schacht Madeira p. 100.  
*Oreopanax Brownii* Witte. Regel Gartenfl. 1863, 399.  
 — *peltatum* Lind. Regel Gartenfl. 1862, 363.  
*Oreorchis patens* Ldl. Acad. Pet. VII, 4, 11.

- Oreosciadium dissectum* Wedd. Castelnau Exped. 69.  
 — *Lingula* Wedd. Castelnau Exped. 69.  
*Oriastrum pusillum* Poepp. et Endl. Castelnau Exped. 9.  
*Organum laevigatum* Boiss. Tchichatschew Asie mi-  
 neure 23.  
 — *Majorana* L. Rchb. Fl. germ. 18, 1263.  
 — *prismaticum* Gaud. Rchb. Fl. germ. 18, 1262.  
 — *sipyleum* L. Regel Gartenfl. 7, 236.  
 — — Belgique horticole 9, 19.  
 — *vulgare* L. Rchb. Fl. germ. 18, 1262. 1263.  
*Ornithidium aggregatum* Rchb. fil. Rchb. Xenia 1, 84.  
 — *coccineum* Salisb. Plumier Ic. Burm. 180.  
 † — — Griffith Pl. asiat. 317.  
 — *Jenischianum* Rchb. fil. Rchb. Xenia 1, 84.  
 — *Sophonitis* Rchb. fil. Rchb. Xenia 1, 84.  
*Ornithogalum canadense* L. Cornuti Canad. p. 161.  
 — *capitatum* Hook. Bot. Mag. 89, 5388.  
 † — *nutans* L. Ann. sc. nat. IV. 4, 18.  
 — *refractum* Kit. Ann. soc. Linn. Angers 1853, 8.  
 † — *sulphureum* Bert. Hofmeister Embryo 14.  
 — *umbellatum* L. Ann. soc. Linn. Angers 1853 8.  
 † *Ornithopus* L. Nees Genera 29, 20.  
*Ornus dipetala* Hook. Nuttall Sylva 3, 101.  
 † *Orobanche* L. Griffith Pl. asiat. 44.  
 — *alba* Steph. Rchb. Fl. germ. 20, 1836.  
 — *amethystea* Thuill. Rchb. Fl. germ. 20, 1806.  
 1837.  
 † — *atrorubens* Schultz. Chatin Anatomie 11.  
 — *barbata* Poir. Rchb. Fl. germ. 20, 1829.  
 — *Boissieri* Rchb. fil. Rchb. Fl. germ. 20, 1838.  
 — *Buckiana* Koch. Rchb. Fl. germ. 20, 1807.  
 — *canescens* Presl. Rchb. Fl. germ. 20, 1831.  
 — *Cardui* Saut. Rchb. Fl. germ. 20, 1840.  
 — *cernua* Löfl. Rchb. Fl. germ. 20, 1808.  
 — *Cervariae* Sward. Rchb. Fl. germ. 20, 1795.  
 — *Cirsii* F. Rchb. Fl. germ. 20, 1832.  
 — *coeruleascens* Steph. Rchb. Fl. germ. 20, 1809.  
 — *condensata* Moris. Rchb. Fl. germ. 20, 1834.  
 — *congesta* Rchb. fil. Rchb. Fl. germ. 20, 1835.  
 — *crinita* Viv. Rchb. Fl. germ. 20, 1779.  
 — *Crithmii* Vauch. Rchb. Fl. germ. 20, 1805.  
 — *cruenta* Bertol. Rchb. Fl. germ. 20, 1780.  
 † — — Chatin Anatomie 7. 8.  
 — *cumana* Wallr. Rchb. Fl. germ. 20, 1810.  
 — *Deucalion* Rchb. fil. Rchb. Fl. germ. 20, 1827.  
 — *elator* Sutt. Rchb. Fl. germ. 20, 1794. 1837.  
 — *Epithymum* DC. Rchb. Fl. germ. 20, 1784.  
 † — — Chatin Anatomie 9.  
 — *erubescens* Saut. Rchb. Fl. germ. 20, 1838.  
 † *Eryngii* Vauch. Chatin Anatomie 12.  
 — *euglossa* Rchb. fil. Rchb. Fl. germ. 20, 1838.  
 — *flava* Mart. Rchb. Fl. germ. 20, 1798.  
 — *Froehlichii* Rchb. fil. Rchb. Fl. germ. 20, 1828.  
 — *Galii* Duby. Rchb. Fl. germ. 20, 1783.  
 † — — Chatin Anatomie 10.  
 — *Hederac* Vauch. Rchb. Fl. germ. 20, 1803.  
 — — *microcalyx* Haussm. Rchb. Fl. germ. 20,  
 1837.  
 — *hyalina* Sprun. Rchb. Fl. germ. 20, 1786.  
 † *hygrophila* Brügg. Flora 1855, 1.  
 — *Kochii* Schultz. Rchb. Fl. germ. 20, 1836.  
 — *Laserpitii-Sileris* Rapin. Rchb. Fl. germ. 20,  
 1793.  
 — *laurina* Ch. Bonap. Rchb. Fl. germ. 20, 1802.  
 — *leucantha* Gris. Rchb. Fl. germ. 20, 1788.  
 — *Libanotidis* Rupr. Rchb. Fl. germ. 20, 1833.  
 — *loricata* Rchb. Rchb. Fl. germ. 20, 1797. 1837.  
 — *lucorum* A. Braun. Rchb. Fl. germ. 20, 1799.  
 — *minor* Sutt. Rchb. Fl. germ. 20, 1804.  
 — *neottioides* Sauter. Rchb. Fl. germ. 20, 1828.  
 — *pallidiflora* Wimm. Rchb. Fl. germ. 20, 1789.  
 — *Picridis* Schultz. Rchb. Fl. germ. 20, 1790.  
*Orobanche platystigma* Rchb. Rchb. Fl. germ. 20, 1785.  
 — *procera* Koch. Rchb. Fl. germ. 20, 1787.  
 † — *pruinosa* Lap. Chatin Anatomie 10.  
 — *pubescens* D'Urv. Rchb. Fl. germ. 20, 1801.  
 — *pumila* Koch. Noë. Rchb. Fl. germ. 20, 1786.  
 — *Pyrria* Rchb. fil. Rchb. Fl. germ. 20, 1827.  
 — *rapum* Thuill. Rchb. Fl. germ. 20, 1778.  
 — *Ritro* Gren. Rchb. Fl. germ. 20, 1791.  
 — *rubens* Wallr. Rchb. Fl. germ. 20, 1792.  
 † — — Schnizl. Iconogr. 154.  
 — *Salviae* Schultz. Rchb. Fl. germ. 20, 1800.  
 — *Spartii* Guss. Rchb. Fl. germ. 20, 1839.  
 — *speciosa* DC. Rchb. Fl. germ. 20, 1782.  
 — *Teucris* Schultz. Rchb. Fl. germ. 20, 1790.  
 — *Tommasinii* Rchb. fil. Rchb. Fl. germ. 20, 1830.  
 — *variegata* Wallr. Rchb. Fl. germ. 20, 1781.  
*Orobella vicoides* Presl. Presl Orobella 4.  
*Orobis Fischeri* Sweet. Bot. Mag. 82, 4943.  
 — *formosus* Stev. Belgique horticole 4, 22.  
 — *lathyroides* L. Ammann Ruth. 7.  
 — — — Regel Gartenfl. 9, 298.  
 — *litoralis* Gray. Expl. Missis. 1, 6.  
 — *luteus* L. β. orientalis, Regel Gartenfl. 9, 286.  
 † — *tuberosus* L. Bot. Zeitung. 1859, 3.  
 — *vernus* L. Colonna Phytobasanos 14.  
 † *Ortholoma Warczewiczii* Hanst. Linnaea 1853, 2.  
*Orthostemon Sellowianus* Berg. Endl. Bras. 18, 54.  
 † *Oryza clandestina* A. Br. Verhandl. märk. bot. Ges.  
 2, 3.  
 — *coarctata* Gr. Griffith Pl. asiat. 142.  
 † — *rußpogon* Gr. Griffith Pl. asiat. 144.  
 † — *sativa* L. (Embryo.) Linn. Transact. 22, 68.  
 † — — Abh. Leipz. 7, 12.  
 † — — Verhandl. märk. bot. Ges. 2, 3.  
*Osbeckia aspera* W. et Arn. Bot. Mag. 84, 5085.  
 — *chinensis* L. Osbeck Reise 2.  
*Oserya flabellifera* Tul. Endl. Bras. 13, 75.  
*Osmites asteriscoides* L. Burmann Pl. afr. 58.  
*Osmunda bipinnata* Hook. Hook. Fil. exot. 9.  
 — *cinnamomea* L. Lowe Ferns 8, 1.  
 — — — Hook. Garden Ferns 45.  
 — *Claytoniana* L. Lowe Ferns 8, 2.  
 — — — Journ. Acad. Philad. 6, 2.  
 — *gracilis* Link. Lowe Ferns 8, 4.  
 — *palustris* Schrad. Endl. Bras. 23, 12.  
 — *regalis* L. Johnson Ferns 44.  
 — — — Lowe Ferns 8, 3.  
 — — — Hook. British Ferns 45.  
 † — — Denkschr. d. Wiener Ak. 6, 2.  
 — *Struthiopteris* L. Gunner Flora norv. 1, 1.  
*Osteospermum ciliatum* L. Burmann Pl. afr. 61.  
 — *ilicifolium* L. Burmann Pl. afr. 62.  
 — *moniliferum* L. Dillenius Elth. 68.  
 — *pisiferum* L. Burmann Pl. afr. 61.  
*Ostercium palustre* Bess. Rchb. Fl. germ. 21, 1939.  
 † *Osyria digyna* Campd. Campdera Rumex 3.  
*Osyridocarpus natalensis* A. DC. Harvey Thes. cap.  
 2, 199.  
 † *Osyris alba* L. Chatin Anatomie 66.  
 † — *lanceolata* Steud. Chatin Anatomie 65.  
 — *spinescens* Mart. Endl. Bras. 38, 53.  
*Otanthus coerulesus* Ldl. Fl. d. serres 15, 1526.  
*Othonna arborescens* L. Dillenius Elth. 103.  
 — *dentata* L. Burmann Pl. afr. 59.  
 — *scapigera* Harv. Harvey Thes. cap. 1, 15.  
*Otochilus lancifolius* Gr. Griffith Pl. asiat. 289.  
 — *latifolius* Gr. Griffith Pl. asiat. 288.  
 † *Otospermum glabrum* W. K. Bot. Zeitung 1864, 10.  
 † *Ottelia alismoides* Rich. Chatin Anatomie 1.  
*Ourisia coccinea* Pers. Bot. Mag. 88, 5335.  
 — — — Fl. d. serres 15, 1558.  
 — *elegans* Wedd. Castelnau Exped. 59.

- Ourisia muscosa Benth.* Castelnau Exped. 60.  
*Ouvirandra Bernieriana Decne.* Bot. Mag. 84, 5076.  
 — — — Fl. d. serres 14, 1421—1422.  
 — — — fenestralis *Poir.* Bot. Mag. 82, 4894.  
 — — — Otto Garten-Z. 1856, 13.  
 — — — Fl. d. serres 11, 1107—1108.  
 — — — Illustration horticole 1861, 300.  
 — — — Regel Gartenfl. 1863, 387.  
*Ovieda erythrantha Poir.* Peters Mossambique 58.  
 — — — spinosa *L.* Plumier Ic. Burm. 256.  
 † *Oxalis L.* Gasparini Ric. 3.  
 † — — — Mem. Tur. 1855, 1. 4.  
 † — — — Schnizl. Iconogr. 256.  
 † — — — Böt. Zeitung 1857, 12. 13.  
 † — — — Agardh Syst. 15.  
 † — — — biflora *L.* Burmann Pl. afr. 28.  
 — — — conorrhiza *Jacq.* Feuillée 2, 24.  
 — — — corniculata *L.* β. Dillenius Elth. 221.  
 — — — var. atropurpurea, Fl. d. serres 12, 1205.  
 — — — crenata *Jacq.* Feuillée 3, 24.  
 — — — flava *L.* Burmann Pl. afr. 27. 30.  
 — — — hirta *L.* Burmann Pl. afr. 28.  
 — — — — — Nees Sammlung 13.  
 — — — megalorrhiza *Jacq.* Feuillée 2, 25.  
 — — — Ottonis *Kl.* Belgique horticole 6, 19.  
 — — — pes caprae *L.* Burmann Pl. afr. 29.  
 — — — Plumieri *Jacq.* Plumier Ic. Burm. 213.  
 — — — purpurea *L.* Burmann Pl. afr. 27.  
 — — — rosea *Jacq.* Feuillée 2, 23.  
 — — — versicolor *L.* Burmann Pl. afr. 27.  
 — — — — — Nees Sammlung 14.  
 † *Oxalystylis Baill.* Baillon Euph. 24.  
 † *Oxyanthus DC.* (Pollen.) Mém. prés. Pet. 3, 7. 12.  
 † — — — versicolor *DC.* Agardh Syst. 23.  
 † *Oxybaphus Cervantesii Lag.* Payer Organogénie 62.  
*Oxychloe andina Ph.* Philippi Reise 6.  
 † *Oxycladeae Miers.* Schnizl. Iconogr. 151\*\*.  
 † *Oxycoccus Tournef.* Nees Genera 30, 14.  
 — — — vulgaris *Pers.* Rchb. Fl. germ. 17, 1169.  
*Oxymitra hamata Benth.* Linn. Transact. 23, 50.  
 — — — patens *Benth.* Linn. Transact. 23, 51.  
*Oxyphyllum ulicinum Ph.* Philippi Reise 4.  
*Oxythece leptocarpa Mig.* Endl. Bras. 32, 47.  
 — — — Pseudo-Sideroxylon *Mig.* Endl. Bras. 32, 47.  
 † *Oxytropis L.* Nees Genera 29, 16.  
 — — — Middendorffii *Trautv.* Middendorff Reise 2, 7.  
*Ozothamnus Backhousii Hook. fil.* Hook. Fl. Tasm. 54.  
 — — — ericaefolius *Hook. fil.* Hook. Fl. Tasm. 57.  
 — — — Hookeri *Sond.* Hook. Fl. Tasm. 55.  
 — — — lycopodioides *Hook. fil.* Hook. Fl. Tasm. 57.  
 — — — obcordatus *DC.* Hook. Fl. Tasm. 55.  
 — — — rosmarinifolius *R. Br.* Hook. Fl. Tasm. 54.  
 — — — scutellifolius *Hook. fil.* Hook. Fl. Tasm. 56.  
 — — — selaginoides *S. et M.* Hook. Fl. Tasm. 56.  
*Pachira stenopetala Cav.* Regel Gartenfl. 9, 302.  
*Pachycarpus crispus E. M.* Commelyn Rar. 17.  
*Pachychilus pantanus Bl.* Blume Orchid. 10. 11.  
 — — — pubescens *Bl.* Blume Orchid. 10. 11.  
 — — — speciosus *Bl.* Blume Orchid. 22. 23.  
*Pachygone domingensis Eichl.* Endl. Bras. 33, 47.  
 — — — oblongifolia *Eichl.* Endl. Bras. 33, 47.  
*Pachylaena atriplicifolia Don.* Castelnau Exped. 6.  
*Pachynocarpus umbonatus Hook. fil.* Linn. Transact. 23, 22.  
*Pachyphyllum distichum H. B. K.* Rchb. Xenia 1, 58.  
 — — — Hartwegii *Rchb. fil.* Rchb. Xenia 1, 58.  
 — — — Pasti *Rchb. fil.* Rchb. Xenia 1, 58.  
 — — — Serra *Rchb. fil.* Rchb. Xenia 1, 58.  
*Pachyphytum bracteosum Kl.* Bot. Mag. 82, 4951.

- Pachypleurum alpinum Led.* Rchb. Fl. germ. 21, 1929.  
 — — — simplex *Rchb.* Rchb. Fl. germ. 21, 1928.  
*Pachypodium succulentum A. DC.* Bot. Mag. 91, 5543.  
 † *Pachyptera foveolata DC.* Bureau Bign. 4.  
*Pachyrrhizos angulatus Rich.* Endl. Bras. 24, 53.  
 — — — tuberosus *Spr.* Plumier Ic. Burm. 220.  
 † *Pachysandra procumbens L.* Agardh Syst. 26.  
 † *Pachystemon Bl.* Baillon Euph. 20.  
 † — — — trilobus *Bl.* Mém. Genev. 17, 1.  
 † *Padus serotina Borkh.* Agardh Syst. 14.  
*Paederota Ageria L.* Rchb. Fl. germ. 20, 1697.  
 — — — Bonarota *L.* Rchb. Fl. germ. 20, 1697.  
*Paeonia albiflora (plenissima superba.) Regel Gartenfl.* 7, 243.  
 — — — arborea *Donn.* Illustration horticole 1860, 236.  
 — — — — — splendida, Regel Gartenfl. 8, 246.  
 — — — Carrière *Hort.* Revue horticole 1864, 251.  
 — — — Moutan *Sims.* Nouveau Duhamel 7, 3.  
 — — — — — Nees Sammlung 74.  
 — — — — — Fl. d. serres 14, 1395.  
 — — — — — Siebold Fl. Jard. 1858, 1. 11.  
 — — — — — Siebold Fl. Jard. 1861, 4. 6.  
 — — — — — Gloria Belgarum, Illustration horticole 1862, 313. 1863, 377.  
 — — — peregrina *Mill.* Berg Darstellung 2, 9<sup>d</sup>.  
*Paepalanthus amoenus Kcke.* Endl. Bras. 33, 42.  
 — — — anthemidiflorus *Kth.* Endl. Bras. 33, 57.  
 — — — appressus *Kcke.* Endl. Bras. 33, 59.  
 — — — Blanchetianus *Kcke.* Endl. Bras. 33, 55.  
 — — — blepharocnemis *Mart.* Endl. Bras. 33, 48.  
 — — — brasiliensis *Mart.* Endl. Bras. 33, 44.  
 — — — capillaceus *Klotzsch.* Endl. Bras. 33, 53.  
 — — — Claussenianus *Kcke.* Endl. Bras. 33, 43.  
 — — — falcifolius *Kcke.* Endl. Bras. 33, 45.  
 — — — fertilis *Kcke.* Endl. Bras. 33, 58.  
 — — — fuitans *Mart.* Endl. Bras. 33, 53.  
 — — — gracilis *Kcke.* Endl. Bras. 33, 59.  
 — — — helminthorrhizus *Mart.* Endl. Bras. 33, 60.  
 — — — ithyphyllus *Mart.* Endl. Bras. 33, 46.  
 — — — Klotzschianus *Kcke.* Endl. Bras. 33, 50.  
 — — — loricifolius *Gardn.* Endl. Bras. 33, 57.  
 — — — luxurians *Kcke.* Endl. Bras. 33, 54.  
 — — — melaleucus *Kth.* Endl. Bras. 33, 51.  
 — — — microphyllus *Kth.* Endl. Bras. 33, 48.  
 — — — myocephalus *Mart.* Endl. Bras. 33, 47.  
 — — — niveus *Kth.* Endl. Bras. 33, 57.  
 — — — nubigena *Kth.* Endl. Bras. 33, 55.  
 — — — pilulifer *Kcke.* Endl. Bras. 33, 55.  
 — — — planifolius *Kcke.* Endl. Bras. 33, 52.  
 — — — plumosus *Kcke.* Endl. Bras. 33, 57.  
 — — — propinquus *Kcke.* Endl. Bras. 33, 53.  
 — — — Regelianus *Kcke.* Endl. Bras. 33, 49.  
 — — — sessiliflorus *Mart.* Endl. Bras. 33, 48.  
 — — — speciosus *Kcke.* Endl. Bras. 33, 39—41.  
 — — — Steudelianus *Kcke.* Endl. Bras. 33, 58.  
 — — — vellozoides *Kcke.* Endl. Bras. 33, 51.  
 — — — xeranthemoides *Mart.* Endl. Bras. 33, 56.  
 † *Pajanelia multijuga DC.* Bureau Bign. 20.  
*Palafoxia Hookeriana Torr.* Bot. Mag. 91, 5849.  
 † *Palenga zeylanica Thw.* Hook. Journ. 1856, 7.  
*Palicourea Pavetta DC.* Plumier Ic. Burm. 156.  
*Palisota Barteri Hook.* Bot. Mag. 88, 5318.  
*Palladia atropurpurea J. et Sp.* Jaub. Illustr. 423.  
*Palumbina candida Rchb. fil.* Bot. Mag. 91, 5546.  
*Panaetia Lessonii Cass.* Bot. Mag. 88, 5347.  
*Panax dendroides F. M.* Müller Plants of Victoria 2, 28.  
 — — — Gunnii *Hook. fil.* Hook. Fl. Tasm. 37.  
 — — — quinquefolium *L.* Regel Gartenfl. 1862, 375.  
 — — — sessiliflorum *Rupr.* Regel Gartenfl. 1862, 369.  
 † *Panocratium L.* (Pollen.) Mém. prés. Pet. 3, 8.  
 † — — — coronatum *Le Conte.* Ann. Lyc. 3, 4.

- † *Pancratium maritimum* L. Irmisch Amaryllideae 5.  
 — *mexicanum* L. Dillenius Elth. 222.  
 † — — — Ann. Lyc. 3, 4.  
 † — — — *rotatum* Ker. Ann. Lyc. 3, 4.  
 — — — *speciosum* L. fil. Revue horticole 1859, p. 70.  
*Pandanus candelabrum* Pal. B. Bot. Mag. 83, 5014.  
 — *furcatus* Roxb. Miquel Flora 37.  
 — *mauritanus* Hort. Kew. Illustration horticole 1860, 265.  
 † — — — *odoratissimus* L. Griffith Pl. asiat. 174.  
 — — — *spiralis* R. Br. Siebold Fl. Jard. 1862, 4, 5.  
 — — — *utilis* Bory. Illustration horticole 1860, 265.  
 † *Pangicæ* Bl. Schnizl. Iconogr. 195.  
 † *Panicum* L. Gleichen Entdeckungen 63.  
 † — — — Griffith Pl. asiat. 147.  
 † — — — Payer Organogénie 148.  
 † — — — *ambiguum* Fig. Mem. Tur. 1854, 11.  
 — — — *barbigerum* Bart. Mem. Bon. 3, 19.  
 — — — *bifidum* Bert. Mem. Bon. 2, 41.  
 † — — — *Brunonianum* Gr. Griffith Pl. asiat. 145.  
 † — — — *colonum* L. Mem. Tur. 1854, 12.  
 † — — — *cuspidatum* Roxb. Mem. Tur. 1854, 13.  
 † — — — *delicatulum* Fig. Mem. Tur. 1854, 20.  
 † — — — *dictyoneurum* Fig. Mem. Tur. 1854, 8.  
 † — — — *fatuum* Fig. Mem. Tur. 1854, 16.  
 † — — — *incomptum* Fig. Mem. Tur. 1854, 15.  
 † — — — *interruptum* Willd. Griffith Pl. asiat. 146.  
 † — — — *jubatum* Fig. Mem. Tur. 1854, 9.  
 † — — — *Kotschyannum* Hochst. Mem. Tur. 1854, 18.  
 — — — *miliaceum* L. Dillenius Elth. 216.  
 † — — — *minutiflorum* Fig. Mem. Tur. 1854, 19.  
 † — — — *nubicum* Fig. Mem. Tur. 1854, 21.  
 † — — — *numidianum* Desf. Mem. Tur. 1854, 14.  
 † — — — *oligotrichum* Fig. Mem. Tur. 1854, 10.  
 † — — — *olyraefolium* Raddi. Raddi Agrost. bras. 1.  
 — — — *plicatum* Schrank. Schrank Hort. monac. 19.  
 † — — — *serrarium* Fig. Mem. Tur. 1854, 17.  
 † — — — *viaticum* Willd. Griffith Pl. asiat. 145.  
*Papaver alpinum* L. L'horticulteur fr. 1859, 22.  
 — — — Regel Gartenfl. 1861, 323.  
 — — — *bracteatum* Ldl. Nees Sammlung 21.  
 † — — — Payer Organogénie 47.  
 ! — — — Goethe Atlas 4.  
 ! — — — Revue horticole 1860, 295.  
 — — — *cambricum* L. Dillenius Elth. 223.  
 — — — *chelidoniaefolium* Buhse. Mem. Mosc. 18, 3.  
 — — — *croceum* Ledeb. Otto Garten-Z. 1855, 11.  
 — — — Fl. d. serres 10, 1017.  
 — — — *hispidobraceatum* Nouv. Arch. du Mus. 1, 1.  
 — — — *nudicaule* L. Dillenius Elth. 224.  
 — — — *pilosum* Sm. Belgique horticole 4, 18.  
 — — — *Rhocas* L. Berg Darstellung 2, 15<sup>f</sup>.  
 — — — *somniferum* L. Berg Darstellung 2, 15<sup>o</sup>.  
 † — — — Guillard Organes floraux 2.  
 ! — — — Mem. soc. Linn. Norm. 1861, 1, 2.  
 ! — — — Bonplandia 1859, 336.  
 † *Papaveraceæ* Juss. Griffith Pl. asiat. 29.  
 † — — — Payer Organogénie 45—48.  
 † — — — Schnizl. Iconogr. 180.  
*Papaya vulgaris* DC. Nuttall Sylva 3, 96.  
*Paphia vitiensis* Seem. Seemann Fl. vit. 28.  
*Paphinia cristata* Ldl. Bot. Mag. 81, 4836.  
*Papperitzia Leiboldi* Rehb. fil. Rehb. Xenia 1, 100.  
*Papyrus antiquorum* Willd. Bruce Travels 1.  
 — — — *mossambicensis* Parl. Peters Mossamb. 59.  
*Paracaryum corymbiforme* Boiss. Tchichatschew Asie mineure 21.  
*Paradisanthus bahiensis* Rehb. fil. Rehb. Xenia 1, 14.  
 † *Paradrymonia glabra* Karst. Linnæa 1853, 2.  
*Paranepholius oratus* A. Gray. Castelnau Exped. 37.  
*Parasponia parviflora* Miq. Miquel Flora 16.  
 † — — — Blume Mus. 2, 35.

- Paratropia aromatica* Miq. Miquel Flora 12.  
 † *Parietaria officinalis* L. Payer Organogénie 60.  
 † — — — Arch. Mus. 9, 17.  
 † — — — Jard. Annals II. 11, 15.  
*Parinarium insularum* Gray. Gray Expl. Exp. 54.  
 — — — *laurinum* Gray. Gray Expl. Exp. 55.  
 — — — *Margarata* Gray. Gray Expl. Exp. 54.  
 — — — *scabrum* Hassk. Miquel Flora 5.  
*Paris polyphylla* Sm. Hook. Himal. 24.  
 † — — — *quadrifolia* L. Abh. nat. Ges. Halle 1855, 6.  
 † — — — Abh. Leipz. 7, 25.  
*Parishia insignis* Hook. fil. Linn. Transact. 23, 26.  
*Paritium elatum* Don. Bot. Mag. 87, 5245.  
 — — — Illustration horticole 1861, 309.  
 — — — Belgique horticole 1862, 3.  
 † — — — *tiliaceum* Juss. Bull. bot. de France 1852, 2.  
 ! — — — Bull. bot. de France 1858, 3.  
*Parnassia Laxmanni* Pall. Bull. Mosc. 1861, 7.  
 † — — — *palustris* L. Flora 1857, 3, 4, 11.  
 † — — — Schnizl. Iconogr. 189\*.  
 † — — — Agardh Syst. 7.  
 † — — — Payer Organogénie 39.  
 ! — — — Bot. Zeitung 1862, 10.  
*Parochetus communis* Hamilt. Fl. d. serres 15, 1575.  
*Parrya Ermani* Led. Bull. Mosc. 1861, 4.  
 — — — *macrocarpa* R. Br. Regel Gartenfl. 1862, 368.  
*Parthenium integrifolium* L. Dillenius Elth. 225.  
*Paryphosphaera arborea* Karst. Karst. Fl. Col. 2, 104.  
*Pasithea coerulea* Don. Feuillée 2, 8.  
 † *Paspalum* L. Griffith Pl. asiat. 146.  
 — — — *punctulatum* Bert. Mem. Bon. 2, 42.  
 † *Passaca* Baill. Baillon Euph. 18.  
*Passaveria lanceolata* Mart. et Eichl. Endl. Bras. 32, 38.  
 — — — *lancifolia* Mart. et Eichl. Endl. Bras. 32, 47.  
 — — — *obovata* Mart. et Eichl. Endl. Bras. 32, 40, 47.  
*Passerina capitata* L. Burmann Pl. afr. 48.  
 — — — *ciliata* L. Burmann Pl. afr. 47.  
 — — — *dodecandra* L. Burmann Pl. afr. 47.  
 — — — *imbricata* Burm. Burmann Pl. afr. 46.  
 — — — *laevigata* L. Burmann Pl. afr. 49.  
 — — — *planifolia* Burm. Burmann Pl. afr. 46.  
 — — — *sericea* L. Burmann Pl. afr. 49.  
 — — — *uniflora* L. Burmann Pl. afr. 48.  
 † *Passiflora* L. Medicus Beob. p. 385.  
 † — — — (Pollen.) Mém. prés. Pet. 3, 4.  
 † — — — Payer Organogénie 87.  
 † — — — Schacht Lehrbuch 2, 10.  
 † — — — Bot. Zeitung 1860, 6.  
 ! — — — Transact. Linn. Soc. 24, 24.  
 ! — — — *antioquiensis* Karst. Karsten Fl. Col. 1, 71.  
 — — — *Baraquiniana* Lem. Illustration horticole 1861, 276.  
 — — — *Belottii* Hort. Moore Mag. 1850, p. 9.  
 — — — *coerulea* L. L'horticulteur fr. 1864, 1.  
 — — — *cupraea* L. Dillenius Elth. 138.  
 — — — *heterophylla* Lam. Plumier Ic. Burm. 139.  
 — — — *hybrida* N. v. E. Nees Sammlung 36.  
 — — — (Eugénie.) Illustration horticole 1858, 175.  
 — — — *incarnata* L. Aldinus Hort. Farn. 3.  
 † — — — Griffith Pl. asiat. 58.  
 † — — — *kermesina* Link. Griffith Pl. asiat. 2, 4.  
 † — — — *myriadenia* v. H. Hortus Vanhoutteanus 5.  
 † — — — *punctata* L. Feuillée 2, 11.  
 — — — *quadrangularis* L. var. *Decaisneana*, Sieb. Fl. Jard. 1, 7.  
 — — — Revue horticole 1855, 15.  
 — — — *racemosa* Edw. Nees Sammlung 8.  
 — — — *rotundifolia* L. Plumier Ic. Burm. 138.  
 — — — *servitensis* Karst. var. *bracteosa*, Karsten Fl. Col. 1, 51.

- Passiflora tiliifolia* L. Feuillée 2, 12.  
 — *tinifolia* Juss. Bot. Mag. 83, 4958.  
 — — — Fl. d. serres 12, 1210.  
 — *truncata* Reg. Regel Gartenfl. 8, 276.  
 — *Vespertilio* L. Dillenius Elth. 137.  
*Pastinaca Fleischmanni* Hladn. Rchb. Fl. germ. 21, 1981.  
 — *opaca* Bernh. Rchb. Fl. germ. 21, 1983.  
 — *sativa* L. Colonna Phytobasanos 19.  
 — — — Rchb. Fl. germ. 21, 1982.  
*Patagonula americana* L. Dillenius Elth. 226.  
 † — — — Endl. Bras. 19, 9.  
*Patrinia hispida* Bge. Acta Casan. 1835, 3.  
 — *ovata* Bge. Acta Casan. 1835, 2.  
 — *rupestris* Bge. Schnizl. Iconogr. 3, 118.  
 — *scabra* Bge. Acta Casan. 1835, 1.  
 † *Paullinia* L. Skrivter nat. Selsk. 1794, 9. 10.  
 — *asiatica* L. Burmann Thes. zeyl. 24.  
 — *barbadensis* Jacq. Skrivter nat. Selsk. 1794, 9.  
 — *curassavica* L. Plumier Ic. Burm. 111.  
 — — — Skrivter nat. Selsk. 1794, 11.  
 — *Cururu* L. Plumier Ic. Burm. 111.  
 — *mexicana* L. Plumier Ic. Burm. 113.  
 — — — Jacq. Skrivter nat. Selsk. 1794, 11.  
 — *pinnata* L. Schilling Leptra 1.  
 — *polyphylla* L. Plumier Ic. Burm. 112.  
 — *Seriana* L. Plumier Ic. Burm. 113.  
 — *Vespertilio* Sw. Skrivter nat. Selsk. 1794, 11.  
 † *Paulownia* S. et Z. Ann. sc. nat. IV. 1, 9.  
 † — — — Mem. Tur. 1855, 3.  
*Pavetta Bowkeri* Harv. Harvey Thes. cap. 2, 131.  
 † *Pavia rubra* Lam. Goethe Atlas 5.  
 † — *macrostachya* DC. Payer Organogénie 28.  
*Pavonia aristata* Cav. Schrank Hort. monac. 65.  
 — *coccinea* Pav. Plumier Ic. Burm. 169.  
 — *spinifex* Cav. Plumier Ic. Burm. 1.  
 † *Payeria excelsa* Baill. Baillon Adansonia 1, 3.  
*Pectis Carthusianorum* Less. Mem. Tur. 1854, 3.  
 — *ciliaris* L. Plumier Ic. Burm. 151.  
 — *febrifuga* van Hall. Siebold Fl. Jard. 1861, 3.  
 — *punctata* L. Plumier Ic. Burm. 86.  
 † *Pedalineae* R. Br. Schnizl. Iconogr. 153.  
 † *Pedicularis* L. Flora 1855, 2. 16.  
 † — — — Bot. Zeitung 1855, 10.  
 † — — — Pringsheim Jahrb. 1, 8. 12.  
 † — — — Pringsheim Jahrb. 3, 14. 15.  
 † — — — Abh. Leipz. 6, 20. 21.  
 † — — — Jard. Annals II. 11, 14.  
 † — — — Ann. sc. nat. IV. 4, 5. 6.  
 † — — — Chatin Anatomie 39—43.  
 — *acaulis* Scop. Rchb. Fl. germ. 20, 1761.  
 — *Allionii* Rchb. fil. Rchb. Fl. germ. 20, 1760.  
 — *asplenifolia* Flörke. Rchb. Fl. germ. 20, 1743.  
 — *atrorubens* Schleich. Rchb. Fl. germ. 20, 1748.  
 — *Barrelieri* Rchb. Rchb. Fl. germ. 20, 1752.  
 — *cenisia* Gaud. Rchb. Fl. germ. 20, 1745.  
 — *comosa* L. Rchb. Fl. germ. 20, 1757.  
 — *dolichorrhiza* Schenk. Rchb. Fl. germ. 20, 1753.  
 — *exaltata* Bess. Rchb. Fl. germ. 20, 1774.  
 — *fasciculata* Bell. Rchb. Fl. germ. 20, 1776.  
 — *foliosa* L. Rchb. Fl. germ. 20, 1756.  
 — *Friderici Augusti* Tomm. Rchb. Fl. germ. 20, 1751. 1762.  
 — — — — var. *montenegrina*, Ebel Montenegro 2.  
 — *gyroflexa* Gaud. Rchb. Fl. germ. 20, 1744.  
 — *Hacquetii* Graf. Rchb. Fl. germ. 20, 1775.  
 — *Huguenini* Rchb. fil. Rchb. Fl. germ. 20, 1777.  
 — *incarnata* Jacq. Rchb. Fl. germ. 20, 1747.  
 — *leucodon* Gris. Rchb. Fl. germ. 20, 1754.  
 — *ochroleuca* Schloss. Rchb. Fl. germ. 20, 1755.  
 — *Oederi* Vahl. Rchb. Fl. germ. 20, 1759.

- Pedicularis palustris* L. Rchb. Fl. germ. 20, 1749. 1820.  
 — *Portenschlagii* Saut. Rchb. Fl. germ. 20, 1743.  
 — *recutita* L. Rchb. Fl. germ. 20, 1758.  
 — *rosea* Wulf. Rchb. Fl. germ. 20, 1759. 1760.  
 — *rostrata* L. Rchb. Fl. germ. 20, 1742.  
 — *Sceptrum Carolinum* L. Rchb. Fl. germ. 20, 1763.  
 — *silvatica* L. Rchb. Fl. germ. 20, 1749. 1826.  
 † — — — Flora 1856, 8.  
 — *sudetica* Willd. Rchb. Fl. germ. 20, 1750.  
 — *tuberosa* L. Rchb. Fl. germ. 20, 1746.  
 — *versicolor* Wahlb. Froelich Alpenpf. 1, 6.  
 — *verticillata* L. Froelich Alpenpf. 1, 4.  
 — — — Rchb. Fl. germ. 20, 1762.  
 † *Pedilanthus* Neck. Baillon Euph. 3.  
 † *Peganum Harmala* L. Agardh Syst. 18.  
 † *Pelargonium* L. (Pollen.) Mém. prés. Pet. 3, 8.  
 † — — — Schnizl. Iconogr. 254.  
 † — — — (Varietates hortenses) Fl. d. serres 12, 1193. 1196.  
 — — — — — Belgique horticole 6, 3. 5, 23.  
 — — — — — Journal d'hortic. 3, 14.  
 — — — — — Moore Mag. 1850. 2, p. 41. 137.  
 — *acetosum* Ait. Commelyn Praeludia 4.  
 — *astragalifolium* Pers. Commelyn Praeludia 3.  
 — *Bowkeri* Harv. Harvey Thes. cap. 2, 121.  
 — — — — — Bot. Mag. 90, 5421.  
 — *Endlicherianum* Fzl. Bot. Mag. 82, 4946.  
 — — — — — Regel Gartenfl. 9, 311.  
 — *fraternum* Schrank. Schrank Hort. monac. 16.  
 — *gratum* Willd. Schrank Hort. monac. 3.  
 — *peltatum* Ait. Commelyn Praeludia 2.  
 — *Rodneyanum* Mitch. Müller Plants of Victoria 1, 11<sup>b</sup>.  
 — *zonale* Willd. Commelyn Praeludia 1.  
 — — — — — Illustration horticole 1862, 346.  
 — — — — — Belgique horticole 1862, 17.  
 — — — — — Fl. d. serres 14, 1444. 15, 1543.  
*Pelea auriculacifolia* Gray. Gray Expl. Exp. 36.  
 — *clusiaefolia* Gray. Gray Expl. Exp. 35.  
 — *lucida* Gray. Gray Expl. Exp. 34.  
 — *rotundifolia* Gray. Gray Expl. Exp. 37.  
 — *sandvicensis* Gray. Gray Expl. Exp. 37.  
 — *volcanica* Gray. Gray Expl. Exp. 38.  
*Pelecyphora aselliformis* Ehrenb. Illustration horticole 1858, 186.  
*Pellaea arabica* Fée. Fée Fil. novae 3.  
 — *Bojeri* Hook. Hook. Sp. Fil. 119.  
 — *Boivini* Hook. Hook. Sp. Fil. 118.  
 — *Bridgesii* Hook. Hook. Sp. Fil. 3, 142.  
 — *consobrina* Hook. Hook. Sp. Fil. 117.  
 — *decomposita* Hook. Hook. Sp. Fil. 119.  
 — *densa* Hook. Hook. Sp. Fil. 125.  
 — *Doniana* Hook. Hook. Sp. Fil. 125.  
 — *dura* Hook. Hook. Sp. Fil. 113.  
 — *falcata* Hook. γ. *nana*, Hook. Sp. Fil. 111.  
 — *gracilis* Hook. Hook. Sp. Fil. 133.  
 — *hastata* Link. Hook. Fil. exot. 50.  
 — — — — — Hook. Sp. Fil. 116.  
 — *lomariacea* Hook. β. *columbina*, Hook. Sp. Fil. 112.  
 — *longimucronata* Hook. Hook. Sp. Fil. 115.  
 — *Ornithopus* Hook. Hook. Sp. Fil. 116.  
 — *paradoxa* Hook. Hook. Fil. exot. 21.  
 — — — — — Hook. Sp. Fil. 111.  
 — *pilosa* Hook. Hook. Sp. Fil. 114.  
 — *rotundifolia* Hook. Hook. Fil. exot. 48.  
 — *Seemanni* Hook. Hook. Sp. Fil. 117.  
 — *Skinneri* Hook. Hook. Sp. Fil. 118.  
 — *Tamburii* Hook. Hook. Sp. Fil. 129.



- Pellaea ternifolia* *Fée*. Hook. Fil. exot. 15.  
 — *Wrightiana* *Hook.* Hook. Sp. Fil. 115.  
*Pelletiera verna* *St. Hil.* Mém. Orléans 1840, 1.  
 † — — — *Endl.* Bras. 16, 23.  
*Pellionia elatostemoides* *Gaud.* Arch. Mus. 9, 6.  
 — *Heyneana* *Wedd.* Arch. Mus. 9, 5.  
*Peltodon longipes* *St. Hil.* Endl. Bras. 22, 15.  
*Pemphis acidula* *Forst.* Blume Mus. 2, 43.  
*Penaea fruticulosa* *L. fil.* Jard. Annals II, 2.  
*Penicillaria alopecuroides* *Kl.* Peters Mossamb. 60.  
 † — *fallax* *Fig.* Mem. Tur. 1854, 29.  
*Pennisetum lanatum* *Kl.* Prinz Walldemar Him. 99.  
*Pentachondra ericaefolia* *Hook. fil.* Hook. Fl. Tasm. 77.  
 — *verticillata* *Hook. fil.* Hook. Fl. Tasm. 77.  
*Pentaclethra macrophylla* *Benth.* Linn. Transact. 24, 37.  
*Pentacrophys Wrightii* *Gray.* Torrey Mex. Boundary 47.  
 † *Pentadenia nervosa* *Hanst.* Linnæa 1853, 2.  
*Pentagonia Wendlandi* *Hook.* Bot. Mag. 87, 5230.  
 † *Pentapetes* *L.* (Pollen.) Mém. prés. Pet. 3, 13.  
*Pentapterygium flavum* *Hook.* Bot. Mag. 82, 4910.  
 — — — *Fl. d. serres* 11, 1145.  
 — *rugosum* *Hook.* Bot. Mag. 86, 5198.  
 † *Pentaraphia calyculosa* *Decne.* Linnæa 1853, 1.  
 — *cubensis* *Decne.* Bot. Mag. 81, 4829.  
 † — *florida* *Decne.* Linnæa 1853, 1.  
*Pentas carnea* *Benth.* Fl. d. serres 10, 978.  
*Pentaspodon Motleyi* *Hook. fil.* Linn. Transact. 23, 24.  
*Penthorum chinense* *Pursh.* Acad. Pet. VII. 4, 6.  
 — *humile* *Reg.* Acad. Pet. VII. 4, 6.  
*Pentstemon ambiguus* *Torr.* Marcy Exploration 16.  
 — *centranthifolius* *Benth.* Bot. Mag. 85, 5142.  
 — — — *Belgique horticole* 1860, 8.  
 — *Fendleri* *Torr.* Expl. Missis. 2, 5.  
 — *Jeffreyanus* *Hook.* Bot. Mag. 84, 5045.  
 — — — *Fl. d. serres* 13, 1290.  
 — — — *L'horticulteur* fr. 1859, 2.  
 — — — *Belgique horticole* 8, 77.  
 — — — *Journal d'hortic.* 2, 11.  
 — *Löbpii* *Hort. Angl.* Illustration horticole 1862, 315.  
 — *Newberryi* *Torr.* Expl. Missis. 6, 14.  
 — *procerus* *Dougl.* Regel Gartenf. 1863, 412.  
 — *spectabilis* *Thurb.* Bot. Mag. 87, 5260.  
*Pentzia flabelliformis* *Willd.* Burmann Pl. afr. 68.  
*Peperomia paniculata* *Reg.* Bull. Mosc. 1858, 3.  
 — *quadrifolia* *H. B. K.* Plumier Ic. Burm. 242.  
 — *Riedeliana* *H. Petrop.* Regel Gartenf. 8, 265.  
 — *stenocarpa* *Reg.* Regel Gartenf. 8, 271.  
 — *urocarpa* *F. et M.* Regel Gartenf. 8, 265.  
 † *Peplis alternifolia* *MB.* Mém. prés. Pet. 4, 1.  
 † — *Portula* *L.* Mém. prés. Pet. 4, 1.  
 † *Pera* *Mut.* Baillon Euph. 2.  
*Perdicium piloselloides* *Vahl.* Skrivt. nat. Selsk. 1793, 5.  
 — *radiale* *L.* Browne Jamaica 33.  
*Pereba integrifolia* *Karst.* Karsten Fl. Col. 2, 112.  
 — *xanthochyma* *Karst.* Karsten Fl. Col. 2, 112.  
 † *Pereskia Bleo* *DC.* Bull. soc. bot. le France 1858, 2.  
 — *lychnidiflora* *DC.* Finckh Cactus 6.  
 — *portulacifolia* *Haw.* Plumier Ic. Burm. 197.  
*Perezia coeruleascens* *Wedd.* Castelnau Exped. 10.  
*Periandra coccinea* *Benth.* Endl. Bras. 24, 36.  
 — *dulcis* *Mart.* Endl. Bras. 24, 35.  
*Periglossum Mac Kenii* *Haw.* Harvey Thes. cap. 2, 111.  
 † *Perilla arguta* *Benth.* Payer Organogénie 114.  
*Periploca africana* *L.* Burmann Pl. afr. 14.  
 — *græca* *L.* Nouveau Duhamel 6, 11.  
 — — — *Rchb.* Fl. germ. 17, 1066.  
 — *indica* *L.* Burmann Thes. zeyl. 83.  
 — *tenuifolia* *L.* Burmann Pl. afr. 15, 16.  
*Pernettya furens* *Kl.* Bot. Mag. 82, 4920.

- Pernettya Gayana* *DC.* Richard Astrolabe 23.  
 — *myrtilloides* *Meissn.* Endl. Bras. 35, 56.  
 — *Pentlandii* *DC.* Castelnau Exped. 73.  
 — *rigida* *DC.* Richard Astrolabe 23.  
 — *tasmanica* *Hook. fil.* Hook. Fl. Tasm. 73.  
*Perraldéria coronopifolia* *Cass.* Ann. sc. nat. IV. 18. 12.  
*Perreymondia rupestris* *Barn.* Castelnau Exped. 86.  
*Perrottetia lanceolata* *Karst.* Karsten Fl. Col. 2, 124.  
 — *sandvicensis* *Gray.* Gray Expl. Exp. 24.  
*Persea alpigena* *Spr.* Feuillée 3, 6.  
 — *indica* *Spr.* Schacht Madeira 6.  
 — *longipeda* *Bert.* Mem. Bon. 4, 3.  
*Persica vulgaris* *Mill.* Nouveau Duhamel 6, 1—8.  
*Persoonia Caleyi* *R. Br.* Müller Plants of Victoria 2, 69.  
*Pertya scandens* *Sch. Bip.* Bonplandia 1862, 10.  
*Pescatoria cerina* *Rchb. fil.* Rchb. Xenia 1, 65.  
 — *triumphans* *Rchb. fil.* Rchb. Xenia 1, 11.  
*Petalacté coronata* *Don.* Burmann Pl. afr. 69.  
*Petalidium linifolium* *T. A.* Harvey Thes. cap. 2, 143.  
 † *Petalodiscus* *Baill.* Baillon Euph. 22.  
*Petalonix Thurberi* *Gray.* Torrey Mex. Boundary 22.  
*Petalostemum bicolor* *Bert.* Mem. Bon. 2, 13.  
 † *Petasites officinalis* *Moench.* Flora 1860, 7.  
 † *Petermannia Cumingiana* *Kl.* Abh. Ac. Berl. 1854, 6.  
*Petesia Lygistis* *L.* Browne Jamaica 3.  
 — *stipularis* *L.* Browne Jamaica 2.  
*Petiveria alliacea* *L.* Plumier Ic. Burm. 219.  
 † — — — *Payer Organogénie* 62.  
 † — — — *Agardh Syst.* 26.  
 † — — — *Schnizl. Iconogr.* 208.  
 — *tetrandra* *Gom.* Setrum petrop. 18.  
*Petroselinum ammoides* *Rchb. fil.* Rchb. Fl. germ. 21, 1858.  
 — *hortense* *Hoffm.* Rchb. Fl. germ. 21, 1857.  
 — *sativum* *Hoffm.* Berg Darstellung 24<sup>d</sup>.  
 — *segetum* *Koch.* Rchb. Fl. germ. 21, 1857.  
 — *Thorei* *Coss.* Rchb. Fl. germ. 21, 1858.  
*Petunia* *Juss.* (Varietates hortenses.) Otto Garten-Z. 1855, 1.  
 — — — — *Regel Gartenfl.* 4, 107. 5; 149. 7, 214. 215. 238. 8, 250.  
 — — — — *Illustration horticole* 1857, 137. 1858, 167. 1860, 253.  
 — — — — *Belgique horticole* 8, 1.  
 — — — — *L'horticulteur* fr. 1863, 15.  
 — *nyctaginiflora* *Juss.* Nees Sammlung 61.  
*Peucedanum alsaticum* *Koch.* Rchb. Fl. germ. 21, 1961.  
 — *angustifolium* *Rchb. fil.* Rchb. Fl. germ. 21, 1965.  
 — *arenarium* *W. K.* Rchb. Fl. germ. 21, 1958.  
 — *austriacum* *Koch.* Rchb. Fl. germ. 21, 1963.  
 — *Cervaria* *Lap.* Rchb. Fl. germ. 21, 1959.  
 — *curvifolium* *Vill.* Rchb. Fl. germ. 21, 1954.  
 — *japonicum* *Thunb.* Cleyer Fl. jap. 68.  
 — *latifolium* *DC.* Rchb. Fl. germ. 21, 1956.  
 — *longifolium* *W. K.* Rchb. Fl. germ. 21, 1952.  
 — *officinale* *L.* Rchb. Fl. germ. 21, 1953.  
 — *Oroselinum* *Moench.* Rchb. Fl. germ. 21, 1960.  
 — *Ostruthium* *Koch.* Rchb. Fl. germ. 21, 1964.  
 — *palustre* *Moench.* Rchb. Fl. germ. 21, 1966.  
 — *parisiense* *DC.* Rchb. Fl. germ. 21, 1950.  
 — *Petteri* *Vis.* Rchb. Fl. germ. 21, 1949.  
 — *Rochelianum* *Heuff.* Rchb. Fl. germ. 21, 1951.  
 — *ruthenicum* *MB.* Rchb. Fl. germ. 21, 1957.  
 — *Schottii* *Bess.* Rchb. Fl. germ. 21, 1955.  
 — *selinoides* *Rchb. fil.* Rchb. Fl. germ. 21, 1954.  
 — *venetum* *Koch.* Rchb. Fl. germ. 21, 1962.  
*Phaca molissima* *Torr.* Stansbury Expedition 2.  
 — *sibirica* *L.* Ammann Ruth. 19.  
 † *Phacelia circinata* *Jacq.* Castelnau Exped. 58.  
 — *integrifolia* *Torr.* Ann. Lyc. 2, 3.  
 — *nana* *Wedd.* Castelnau Exped. 58.

- Phacelia Popei Torr. Expl. Missis. 2, 10.  
 Phaecidium pulchrum Rchb. fil. Rchb. Fl. germ. 19, 1431.  
 Phaedranassa obtusa Herb. Bot. Mag. 89, 5361.  
 — — — Regel Gartenfl. 1863, 413.  
 Phagnalon nitidum Fres. Museum Senck. 1, 4.  
 Phajus Blumei Ldl. Blume Orchid. 1, 5.  
 — — — Vriese Orchid. 8, 11.  
 — — — Regel Gartenfl. 1865, 464.  
 — callosus Ldl. Blume Orchid. 2.  
 — — — Rchb. Xenia 2, 122.  
 — crispus Bl. Blume Orchid. 4.  
 — cupreus Rchb. fil. Otto Garten-Z. 1857, 12.  
 — flavus Bl. Blume Orchid. 3.  
 — indigoferus Bl. Blume Orchid. 2.  
 — — — Rchb. Xenia 1, 76.  
 — Kuhlil Rchb. fil. Rchb. Xenia 2, 122.  
 † — maculatus Bl. Blume Orchid. 5.  
 — pauciflorus Bl. Blume Orchid. 4, 11.  
 † — platyphilus Rchb. fil. Rchb. Xenia 1, 76.  
 — tenuis Rchb. fil. Rchb. Xenia 1, 76.  
 † — tuberculatus Bl. Blume Orchid. 11.  
 † — Wallichii Ldl. Abh. Leipz. 7, 6.  
 — Zollingeri Rchb. fil. Rchb. Xenia 1, 76.  
 Phalacraca coelestina Reg. Regel Gartenfl. 3, 107.  
 † Phalacrocarpum oppositifolium W. K. Bot. Zeitung 1864, 10.  
 Phalaenopsis grandiflora Ldl. Bot. Mag. 86, 5184.  
 — — — L'horticulteur fr. 1860, 19.  
 — Lowii Rchb. fil. Bot. Mag. 88, 5351.  
 — Lüddemanniana Rchb. fil. Bot. Mag. 91, 5523.  
 — rosea Ldl. Bot. Mag. 86, 5212.  
 — Schilleriana Rchb. fil. Rchb. Xenia 2, 101.  
 — — — Fl. d. serres 15, 1559—1560.  
 — — — Journ. soc. d'hort. Par. 1862, 609.  
 — — — Illustration horticole 1863, 348.  
 — — — L'horticulteur fr. 1863, 11.  
 — — — Warner Select Orch. 1.  
 — — — Bot. Mag. 91, 5530.  
 — sumatrana Korth. Gardeners Chronicle 1865, 507.  
 — — — Bot. Mag. 91, 5527.  
 — violacea Hort. Bog. Sieb. Fl. Jard. 1861, 9.  
 — zebrina Hort. Bog. Sieb. Fl. Jard. 1861, 10.  
 † Phalaris ambigua Fig. Mem. Tur. 1854, 6.  
 † — pseudo-paradoxa Fig. Mem. Tur. 1854, 7.  
 Phalocallis plumbea Herb. Fl. d. serres 14, 1466.  
 † Phanera glauca Benth. Miquel Flora 2.  
 Pharbitis hispida Choisy. Fl. d. serres 11, 1079.  
 — limbata Ldl. Moore Mag. 1850, 2, p. 217.  
 — polymorpha Sieb. Sieb. Fl. Jard. 1, 3—5.  
 — rubro-caerulea Hook. Fl. d. serres 9, 966.  
 † Pharnaceum L. Griffith Pl. asiat. 57.  
 Pharus latifolius L. Browne Jamaica 38.  
 † Phaseolus L. Gleichen Untersuchungen tab. B.  
 † — — — Bot. Zeitung 1857, 12, 13.  
 † — — — Ann. sc. nat. V. 2, 9, 10.  
 † — — — v. Martens Monographie 1—12.  
 — alatus L. Dillenius Elth. 235.  
 † — Caracalla Savi. Giorn. Lett. 10, 1.  
 † — chrysanthos Savi. Giorn. Lett. 3, 1.  
 † — citrinus Savi. Giorn. Lett. 17, 2.  
 — derasus Schrank. Schrank Hort. monac. 89.  
 † — gonospermus Savi. Giorn. Lett. 10, 1.  
 † — haematocarpus Savi. Giorn. Lett. 10, 1.  
 — helvulus L. Dillenius Elth. 233.  
 † — Hernandesii Savi. Giorn. Lett. 3, 1.  
 † — humifusus Savi. Giorn. Lett. 17, 2.  
 † — inamoenus Jacq. Giorn. Lett. 17, 2.  
 — lasiocarpus Mart. Endl. Bras. 24, 49.  
 † — lunatus Jacq. Giorn. Lett. 17, 2.  
 † — multiflorus Savi. Giorn. Lett. 8, 1.

- † Phaseolus Mungo L. Giorn. Lett. 3, 1.  
 † — oblongus Savi. Giorn. Lett. 10, 1.  
 † — paniculatus Michx. Giorn. Lett. 8, 1.  
 — radiatus L. Dillenius Elth. 235.  
 † — romanus Savi. Giorn. Lett. 10, 1.  
 † — rufus Jacq. Giorn. Lett. 17, 2.  
 — semierectus L. Dillenius Elth. 233.  
 † — sphaericus Savi. Giorn. Lett. 10, 1.  
 † — trilobus Savi. Giorn. Lett. 3, 1.  
 † — tumidus Savi. Giorn. Lett. 10, 1.  
 — vexillatus L. Dillenius Elth. 234.  
 † — — — Savi. Giorn. Lett. 3, 1.  
 — vulgaris L. Cornuti Canad. p. 185.  
 † — — — Savi. Giorn. Lett. 10, 1.  
 Phebalium truncatum Hook. fil. Hook. Fl. Tasm. 9.  
 Phegopteris aspidioides Mett. Mettenius Fil. 17.  
 † — brachyodus Mett. Abh. Senck. 2, 17.  
 † — connexa Fée. Abh. Senck. 2, 17.  
 — cordata Fée. Fée Fil. novae 6.  
 † — crenata Mett. Mettenius Fil. 17.  
 † — Cunninghami Mett. Mettenius Fil. 17.  
 † — decussata Mett. Abh. Senck. 2, 15.  
 † — — — Mettenius Fil. 17.  
 — debilis Mett. Miquel Annales 6.  
 † — difformis Mett. Mettenius Fil. 25.  
 — dubia Karst. Karsten Fl. Col. 1, 84.  
 — ferruginea Mett. Miquel Annalea 6.  
 — Karsteniana Mett. Karsten Fl. Col. 2, 150.  
 † — munita Mett. Abh. Senck. 2, 17.  
 — nervosa Fée. Fée Fil. novae 2.  
 — Seemannii J. Sm. Seemann Herald 49.  
 † — spectabilis Mett. Mettenius Fil. 17.  
 † — splendida Fée. Abh. Senck. 2, 17.  
 † — subincisa Fée. Karsten Fl. Col. 2, 150.  
 — tenella Fée. Fée Fil. novae 25.  
 Phelipaea arenaria Coss. Rchb. Fl. germ. 20, 1766, 1767.  
 † — — — Chatin Anatomie 15.  
 — caesia Reut. Rchb. Fl. germ. 20, 1769.  
 — coerulea C. A. Mey. Rchb. Fl. germ. 20, 1770.  
 † — — — Chatin Anatomie 16.  
 † — indica G. Don. Chatin Anatomie 15.  
 — lavandulacea F. Schultz. Archives de la Flore p. 105.  
 — — — Reut. Rchb. Fl. germ. 20, 1768.  
 † — lutea Desf. Bot. Zeitung 1857, 11.  
 — Muteli Reut. Rchb. Fl. germ. 20, 1771.  
 — nana Rchb. fil. Rchb. Fl. germ. 20, 1772.  
 — ramosa C. A. Mey. Rchb. Fl. germ. 20, 1773.  
 † — — — Chatin Anatomie 13, 14.  
 — Reuteriana Rchb. fil. Rchb. Fl. germ. 20, 1839.  
 — Schultzii Walp. Archives de la Flore p. 105.  
 Philodendron amurense Rupr. Mém. prés. Pet. 9, 4.  
 Phenacospermum guianense Mig. Illustration horticole 1860, 239.  
 † Phenax Wedd. Arch. Mus. 9, 16.  
 † — pentandrus Bl. Blume Mus. 2, 54.  
 † — urticaefolius Wedd. Blume Mus. 2, 54.  
 Pherosphaera Hookeriana Arch. Hook. Fl. Tasm. 99.  
 † Philadelphus coronarius L. Agardh Syst. 12.  
 † — — — Schnizl. Iconogr. 264.  
 † — — — Payer Organogénie 83.  
 — hirsutus Nutt. Bot. Mag. 88, 5334.  
 Philenoptera Heuglini Kotschy. Kotschy Pl. Tinn. 2.  
 Philesia buxifolia Lam. Richard Astrolabe 5.  
 Philetaria horrida Liebm. Danske Vid. Skrifter 1851, 1.  
 Phillyrea latifolia L. Rchb. Fl. germ. 17, 1075, 1076.  
 — media Rchb. fil. Rchb. Fl. germ. 17, 1075, 1076.  
 Philodendron crassinervium Reg. Regel Gartenfl. 5, 159.  
 — — — erubescens C. Koch. Bot. Mag. 84, 5071.  
 — — — Fl. d. serres 14, 1409.

- Philodendron eximium* Schott. Schott Ic. Aroid. 1—5.  
 † — *Imbe* Schott. Abh. Leipz. 7, 8.  
 — *Selloum* C. Koch. Regel Gartenfl. 1864, 435.  
 — *speciosum* Schott. Schott Ic. Aroid. 6—10.  
*Philodice Hoffmannseggii* Mart. Endl. Bras. 33, 38.  
 † *Philydrum lanuginosum* Gaertn. Griffith Pl. asiat. 269.  
 270.  
*Phleboanthe Laxmanni* Tausch. Rchb. Fl. germ. 18,  
 1236.  
*Phleum alopecuroides* Piller. Piller Iter 16.  
*Phlomis fruticosa* L. Dillenius Elth. 237, 238.  
 — — — Nouveau Duhamel 6, 40.  
 — — — Rchb. Fl. germ. 18, 1222.  
 ! — — — Linn. Transact. 23, 34.  
 — — — *Lychnitis* L. Rchb. Fl. germ. 18, 1222.  
 — — — *pungens* Willd. Rchb. Fl. germ. 18, 1221.  
 — — — *tuberosa* L. Rchb. Fl. germ. 18, 1221.  
 † *Phlox* L. (Pollen.) Mém. prés. Pet. 3, 11.  
 — — — *acuminata* Pursh. Nees Sammlung 6.  
 — — — *caespitosa* Nutt. Journ. Ac. Philad. 7, 6.  
 — — — *decussata* Hort. Fl. d. serres 12, 1248—1249.  
 — — — Regel Gartenfl. 14, 478.  
 — — — *divaricata* L. Belgique horticole 9, 23.  
 † *Drummondii* Hook. Payer Organogénie 123.  
 — — — *glaberrima* L. Dillenius Elth. 166.  
 — — — *Hoodii* Richards. Franklin Polar Sea 28.  
 — — — *muscoides* Nutt. Journal Ac. Philad. 7, 6.  
 — — — *paniculata* L. Dillenius Elth. 166.  
 — — — *pilosa* L. Belgique horticole 9, 23.  
 — — — *reptans* Michx. Regel Gartenfl. 1863, 403.  
 — — — *suffruticosa* Vent. Nees Sammlung 71.  
 — — — *stolonifera* crassifolia Don. Belgique horticole  
 9, 23.  
*Phoenicophorum Sechellarum* H. Wendl. Fl. d. serres  
 15, 1595—1596.  
*Phoenix dactylifera* L. Trémaux Soudan 11.  
 † — — — (Fructus.) Bonplandia 1854, 1.  
 † — — — Bot. Zeitung 1862, 9.  
 † — — — Ann. sc. nat. V. 2, 14.  
 — — — *reclinata* Jacq. Illustration horticole 1859, p. 85.  
 — — — *silvestris* Roxb. Illustration horticole 1863, 351.  
*Pholidota camelostolix* Rchb. fil. Rchb. Xenia 1, 89.  
 — — — *gibbosa* Ldl. Vriese Orch. 1, 11.  
 † *Phoradendreae* Karst. Schnizl. Iconogr. 105\*\*\*.  
 † *Phorium tenax* Forst. Ann. sc. nat. IV. 8, 4.  
 † — — — Bot. Zeitung 1858, 2.  
*Phoxanthus heterophyllus* Benth. Linn. Transact. 22,  
 23, 24.  
*Phrodus Bridgesii* Miers. Miers Illustr. 41.  
 — — — *microphyllus* Miers. Miers Illustr. 42.  
 — — — *nodosus* Miers. Miers Illustr. 42.  
 † *Phrymaceae* A. DC. Schnizl. Iconogr. 150<sup>a</sup>.  
*Phrynium capitatum* Willd. Asiat. Researches 10, 3.  
 — — — *dichotomum* Roxb. Mem. Mosc. 17, 8, 9.  
 — — — *trifasciatum* C. Koch. Otto Garten-Z. 1857, 6.  
*Phucagrostis major* Cav. Ann. sc. nat. V. 1, 1—11.  
*Phygelius capensis* E. M. Bot. Mag. 81, 4881.  
 — — — Fl. d. serres 11, 1111—1112.  
 — — — Revue horticole 1857, p. 599.  
 — — — Regel Gartenfl. 7, 227.  
*Phyllica buxifolia* L. Burmann Pl. afr. 44.  
 — — — *cordata* L. Commelyn Rar. 12.  
 — — — *plumosa* L. Burmann Pl. afr. 44.  
 — — — *stipularis* L. Burmann Pl. afr. 43.  
 † *Phyllidrum* Banks. Mém. prés. Pet. 3, 4.  
 † *Phylira* Kl. Baillon Euph. 12.  
*Phyllactis aretioides* Wedd. Castelnaud Exped. 47.  
 — — — *crassipes* Wedd. Castelnaud Exped. 47.  
*Phyllagathis rotundifolia* Bl. Bot. Mag. 87, 5282.  
 — — — Siebold Fl. Jard. 1861, 12.  
 — — — Belgique horticole 1862, 7.  
 † *Phyllanthus* L. Agardh Syst. 15.

- Phyllanthus cinerascens* H. et A. Seemann Herald 97.  
 — — — *Niruri* L. Burmann Thes. zeyl. 93.  
*Phyllis Nobla* L. Dillenius Elth. 299.  
 † — — — Agardh Syst. 23.  
*Phyllocactus angulifer* Lem. Bot. Mag. 85, 5100.  
 — — — *crenatus* Salm. Regel Gartenfl. 1861, 321, 1862,  
 367.  
 — — — *phyllanthoides* Salm. Sieb. Fl. Jard. 1862, 10.  
*Phyllocalyx cerasiflorus* Berg. Vellozo 5, 65.  
 — — — *edulis* Berg. Endl. Bras. 28, 29.  
 — — — *involutatus* Berg. Vellozo 5, 40.  
 — — — *retusus* Berg. Endl. Bras. 18, 30.  
*Phyllocladus hypophylla* Hook. fil. Fl. d. serres 13,  
 1331.  
 † — — — *rhomboidalis* Rich. Baillon Adansonia 1, 2.  
 † — — — Ann. sc. nat. IV. 14, 13.  
 † *Phyllocoryne jamaicensis* Hook. fil. Linn. Transact.  
 22, 11.  
 † — — — Ann. sc. nat. IV. 12, 7.  
 † — — — Abh. Leipz. 6, 17.  
*Phyllocosmus africanus* Kl. Abh. Acad. Berl. 1856, 2.  
*Phyllodoce coerulea* Fries. Rchb. Fl. germ. 17, 1160.  
*Phyllospadix Scouleri* Rupr. Acad. Pet. 9, 1, 2.  
 † *Physalis* L. Mem. Tur. 1855, 3.  
 — — — *Alkekengi* L. Fl. d. serres 10, 1010.  
 — — — Rchb. Fl. germ. 20, 1630.  
 — — — *angulata* L. Dillenius Elth. 11.  
 — — — *gracilis* Miers. Miers Illustr. 39.  
 — — — *minima* L. Dillenius Elth. 9.  
 † — — — *peruviana* L. Miers Illustr. 39.  
 — — — *pruinosa* L. Dillenius Elth. 12.  
 — — — *viscosa* L. Dillenius Elth. 10.  
 † *Physematium molle* Kze. Fée Fil. novae 26.  
*Physochaena rubricaulis* Miers. Miers Illustr. 80.  
*Physoleucas pachystachya* Jaub. Jaub. Illustr. 445.  
*Physosiphon Loddigesii* Ldl. Bot. Mag. 81, 4869.  
*Physostegia virginiana* Benth. Zanoni Hist. 69.  
*Physostemon lanceolatum* Mart. Endl. Bras. 40, 54.  
*Physostigma venenosum* Balf. Transact. Edinb. 22,  
 16, 17.  
*Physurus bracteatus* Bl. Blume Orchid. 28.  
 — — — *humilis* Bl. Blume Orchid. 27.  
 — — — *latifolius* Bl. Blume Orchid. 27.  
 — — — *maculatus* Hook. Bot. Mag. 88, 5305.  
 — — — *Sagraeanus* A. Rich. Ramon Cuba 88.  
*Phytelephas macrocarpa* Rz. et P. Seemann Herald  
 45—47.  
 — — — Bonplandia 1855, 1, 2.  
 — — — Bot. Mag. 82, 4913, 4914.  
 — — — *microcarpa* Karst. Karsten Fl. Col. 1, 82.  
 † *Phyteuma* L. Nees Gen. 28, 11.  
 — — — *Balbisia* A. DC. Rchb. Fl. germ. 19, 1582.  
 — — — *canescens* W. K. Rchb. Fl. germ. 19, 1587.  
 — — — *Charmelii* Vill. Rchb. Fl. germ. 19, 1581.  
 — — — *comosum* L. Rchb. Fl. germ. 19, 1579.  
 — — — *globulariaefolium* Sternb. Hegetschw. Reisen 1.  
 — — — *Halleri* All. Rchb. Fl. germ. 19, 1584.  
 — — — *hemisphaericum* L. Rchb. Fl. germ. 19, 1580.  
 — — — β. *setaceum*, Hegetschw. Reisen 1.  
 — — — *humile* Schleich. Hegetschw. Reisen 1.  
 — — — Rchb. Fl. germ. 19, 1580.  
 — — — *intermedium* Hegetschw. Hegetschw. Reisen 1.  
 — — — *limoniifolium* Sibth. Rchb. Fl. germ. 19, 1587.  
 — — — *Michelii* All. Hegetschw. Reisen 3.  
 — — — *Bert.* Rchb. Fl. germ. 19, 1585.  
 — — — *nigrum* Schmidt. Rchb. Fl. germ. 19, 1586.  
 — — — *orbiculare* L. Rchb. Fl. germ. 19, 1583.  
 — — — *pauciflorum* L. Rchb. Fl. germ. 19, 1579.  
 — — — *pilosum* Hegetschw. Hegetschw. Reisen 3.  
 — — — *Scheuchzeri* All. Rchb. Fl. germ. 19, 1584.  
 — — — *serratum* Viv. Rchb. Fl. germ. 19, 1581.  
 — — — *spicatum* L. Rchb. Fl. germ. 19, 1586.

- Phyteuma stylosum Schrank. Schrank Hort. monac. 49.  
 †Phytocreneae Ham. Schnizl. Iconogr. 172.  
 †Phytolacca L. Schnizl. Iconogr. 208.  
 † — — Payer Organogénie 63.  
 — — decandra L. Dillenius Elth. 239.  
 — — icosandra L. Bot. Mag. 83, 4967.  
 — — octandra L. Dillenius Elth. 239.  
 Picea ajanensis Fisch. Middendorff Reise 2, 22—24.  
 — — Apollinis Gord. Pinetum brit. 5.  
 — — bracteata Loud. Pinetum brit. 13.  
 — — cephalonica Loud. Pinetum brit. 3.  
 — — excelsa Link. Berg Darstellung 2, 11°.  
 — — grandis Dougl. Expl. Missis. 6, 6.  
 † — — nobilis Loud. Expl. Missis. 6, 50.  
 — — — — Pinetum brit. 1.  
 — — Pinsapo Loud. Pinetum brit. 3.  
 Pickeringia montana Nutt. Torrey Mex. Boundary 14.  
 Picramnia pentandra Sw. Ramon Cuba 36<sup>b</sup>.  
 — — — — Mem. Tur. 1854, 8.  
 — — Riedelii Reg. Regel Gartenfl. 8, 247.  
 Picrosma javanica Bl. Miquel Flora 28.  
 Pieridium vulgare Desf. Rchb. Fl. germ. 19, 1407.  
 †Pieris L. Nees Genera 31, 19.  
 — — hieracioides L. Rchb. Fl. germ. 19, 1375.  
 — — laciniata Vis. Rchb. Fl. germ. 19, 1374.  
 — — pauciflora Willd. Rchb. Fl. germ. 19, 1373.  
 — — pyrenaica L. Rchb. Fl. germ. 19, 1376.  
 — — Sprengeriana Lam. Rchb. Fl. germ. 19, 1373.  
 — — stricta Jord. Rchb. Fl. germ. 19, 1374.  
 — — Villarsii Jord. Rchb. Fl. germ. 19, 1376.  
 †Pilderia urticaefolia Kl. Abh. Acad. Berl. 1854, 7.  
 †Pilea Ldl. Arch. Mus. 9, 6.  
 — — imparifolia Wedd. Arch. Mus. 9, 7.  
 — — lucens Wedd. Arch. Mus. 9, 8.  
 † — — melastomoides Bl. Blume Mus. 2, 18.  
 — — nutans Wedd. Arch. Mus. 9, 7.  
 — — oreophila Miq. Miquel Flora 17.  
 † — — petiolaris Bl. Blume Mus. 2, 18.  
 — — quadrifolia A. Rich. Arch. Mus. 9, 7.  
 Pileostegia viburnoides Hook. fil. Journ. Linn. Soc. 2, 2.  
 Pilitis acerosa Ldl. Hook. Fl. Tasm. 82.  
 — — Milligani Hook. fil. Hook. Fl. Tasm. 83.  
 Pilocarpus pennatifolius Lem. Sieb. Fl. Jard. 1860, 9.  
 Pilogyne Garcini Arn. Harvey Thes. cap. 1, 96.  
 Pilostyles Thurberi Gray. Torrey Mex. Boundary 52.  
 †Pilularia globulifera L. Weber und Mohr Taschenbuch 5.  
 † — — — — Payer Botanique crypt. p. 220.  
 — — — — Johnson Fern Allies 14.  
 — — — — Hook. British Ferns 57.  
 Pilumna fragrans Ldl. Bot. Mag. 84, 5035.  
 †Pimelea decussata R. Br. Jard. Annals II, 11, 14.  
 — — elegans Moore. Revue horticole 1859, p. 434.  
 — — — — Illustration horticole 1861, 295.  
 — — filiformis Hook. fil. Hook. Fl. Tasm. 95.  
 † — — ligustrina Lab. Payer Organogénie 96.  
 Pimia rhamnoides Seem. Seemann Flora vit. 5.  
 Pimpinella Anisum L. Berg Darstellung 3, 18<sup>d</sup>.  
 — — — — Rchb. Fl. germ. 21, 1865.  
 † — — javanica DC. Miquel Flora 10.  
 — — magna L. Rchb. Fl. germ. 21, 1868.  
 — — peregrina L. Rchb. Fl. germ. 21, 1866.  
 † — — Saxifraga L. Leighton Flora 7.  
 — — — — Rchb. Fl. germ. 21, 1869.  
 — — — — var. nigra, Berg Darstellung 1, 1<sup>b</sup>.  
 — — — — Tragium Vill. Rchb. Fl. germ. 21, 1867.  
 Pinanga maculata Porte. Illustration horticole 1863, 361.  
 Pinguicula alpina L. Gunner Flora norv. 2, 4.  
 — — — — Froelich Alpenpf. 7, 2.  
 — — — — Rchb. Fl. germ. 20, 1821.

- Pinguicula glandulosa Tr. et M. Middendorff Reise 2, 31.  
 — — grandiflora Lam. Rchb. Fl. germ. 20, 1820.  
 — — leptoceras Rchb. Rchb. Fl. germ. 20, 1820.  
 — — longifolia Ram. Rchb. Fl. germ. 20, 1821.  
 — — lusitanica L. Rchb. Fl. germ. 20, 1821.  
 — — vulgaris L. Poiteau Fl. par. 29.  
 — — — — Rchb. Fl. germ. 20, 1819.  
 † — — — — Agardh Syst. 7.  
 † — — — — Schnizl. Iconogr. 155.  
 † — — — — Flora 1857, 18.  
 † — — — — Bot. Zeitung 1865, 3. 4.  
 †Pinus L. (Pollen). Mém. prés. Pet. 3, 3.  
 † — — amabilis Dougl. Expl. Missis. 6, p. 51.  
 — — australis Mill. Nouveau Duhamel 5, 75.  
 — — Banksiana Lamb. Nouveau Duhamel 5, 67.  
 — — Boursieri Decne. Fl. d. serres 9, 934<sup>b</sup>.  
 — — bracteata D. Don. Nuttall Sylva 3, 118.  
 † — — Bungeana Zucc. Murray Pines 3.  
 — — Cedrus L. Ann. de l'agric. française 1837, 1. 2.  
 — — — — Regel Gartenfl. 6, 210.  
 — — Cembra L. Nouveau Duhamel 5, 77.  
 † — — — — Cramer Bildungsabw. 6.  
 † — — cembroides Zucc. Expl. Missis. 6, 44.  
 — — contorta Dougl. Expl. Missis. 6, 5.  
 — — deflexa Torr. Torrey Mex. Boundary 56.  
 † — — densiflora S. et Z. Murray Pines 5.  
 — — Douglasii Hook. Nuttall Sylva 3, 115.  
 — — Edgariana Hartw. Torrey Mex. Boundary 54.  
 — — edulis Torr. Sitgreaves Expedition 20.  
 — — flexilis Torr. Nuttall Sylva 3, 112.  
 — — Fraseri Pursh. Nuttall Sylva 3, 119.  
 — — halepensis Ait. Nouveau Duhamel 5, 70.  
 — — Jeffreyi Balf. Transact. Edinb. bot. soc. 6, 9. 10. 11.  
 — — — — Pinetum brit. 5.  
 — — inops Ait. Nouveau Duhamel 5, 69.  
 — — insignis Dougl. Torrey Mex. Boundary 55.  
 † — — koraiensis S. et Z. Murray Pines 1.  
 † — — Lambertiana Dougl. Expl. Missis. 6, p. 42.  
 † — — — — Nuttall Sylva 3, 114.  
 — — — — Pinetum brit. 2.  
 — — Laricio Poir. Nouveau Duhamel 5, 67. 71.  
 † — — Larix L. Pringsheim Jahrb. 1, 9.  
 — — Llaveana Schiede. Torrey Mex. Boundary 53.  
 — — maritima Lamb. Nouveau Duhamel 5, 72.  
 † — — Massoniana Lamb. Murray Pines 4.  
 — — Menziesii Lamb. Nuttall Sylva 3, 116.  
 — — monophylla Torr. Fremont Report 1845, 4.  
 — — Mughus Jacq. Nouveau Duhamel 5, 68.  
 † — — Tharander Jahrbuch 1861, p. 206.  
 — — nobilis Dougl. Nuttall Sylva 3, 117.  
 — — occidentalis Sw. Plumier Ic. Burm. 161.  
 — — — — Nouveau Duhamel 5, 72.  
 — — Parolinii Vis. Mem. Istit. venet. 6, 1.  
 † — — parviflora S. et Z. Murray Pines 2.  
 † — — Pinaster Ait. Pringsheim Jahrb. 1, 13.  
 — — Pinea L. Nouveau Duhamel 5, 72. 73.  
 — — ponderosa Dougl. Expl. Missis. 6, 4.  
 — — Pumilio Haenke. Fröhlich Alpenpf. 10, 1.  
 † — — — — Tharander Jahrbuch 1861, p. 206.  
 — — pungens Michx. Nouveau Duhamel 5, 67.  
 — — resinosa L. Nouveau Duhamel 5, 77.  
 † — — — — Baillon Adansonia 1, 1.  
 † — — — — Ann. sc. nat. IV, 14, 12.  
 — — rigida Du Roi. Nouveau Duhamel 5, 74.  
 † — — Royleana Ldl. Journ. Hort. Soc. 9, p. 52.  
 — — rubra Mill. Nouveau Duhamel 5, 67.  
 † — — Sabiniana Dougl. Expl. Missis. 6, p. 39.  
 † — — — — Nuttall Sylva 3, 113.  
 — — — — Torrey Mex. Boundary 57.  
 — — — — Pinetum brit. 11.

- Pinus serotina* Michx. Nouveau Duhamel 5, 75.  
 — — — Mem. Bon. 6, 5.  
 — — — *silvestris* L. Nouveau Duhamel 5, 66.  
 — — — Berg Darstellung 1, 8<sup>d</sup>.  
 † — — — Gleichen Untersuchungen 28.  
 † — — — (Conus.) Linnæa 29, 2.  
 † — — — Schnizl. Iconogr. 77.  
 † — — — Flora 1864, 1.  
 † — — — Jaeger Monogr. 1.  
 † — — — *spiralis*, Revue horticole 1859, p. 12.  
 † — — — Regel Gartenf. 8, 268.  
 † — — — Cramer Bildungsabw. 6.  
 — — — *Strobis* L. Nouveau Duhamel 5, 76.  
 — — — var. *pendula*, Journal d'hortic. 2, p. 89.  
 — — — *Taeta* L. Nouveau Duhamel 5, 75.  
 — — — *Torreyana* Parry. Torrey Mex. Boundary 58. 59.  
 — — — *tuberculata* Don. Pinetum brit. 9.  
 † — — — *uncinata* Ram. Tharander Jahrb. 1861, p. 206.  
 — — — *variabilis* Lamb. Nouveau Duhamel 5, 69.  
*Pinzona calineoides* Eichl. Endl. Bras. 31, 16.  
 — — — *coriacea* Mart. et Zucc. Endl. Bras. 31, 16.  
*Pionandra fragrans* Miers. Belgique horticole 1864, 5.  
 — — — *pinnata* Miers. Miers Illustr. 61.  
 † *Piper* L. Griffith Pl. asiat. 46.  
 † *Piperomia magnoliaefolia*. Schott. Jard. Annals II. 11, 14.  
 † *Piptostigma Oliv.* Journ. Linn. Soc. 8, 12.  
 † *Pipturus Wedd.* Arch. Mus. 9, 15.  
*Pirus* vide *Pyrus*.  
*Piscidia Erythrina* L. Plumier Ic. Burm. 233.  
 — — — Nuttall Sylva 2, 52.  
*Pisonia aculeata* L. Plumier Ic. Burm. 227.  
 — — — Nuttall Sylva 3, 121.  
 † *Pistacia* L. Agardh Syst. 21.  
 — — — *Bocconi* Torn. Tornabene Fl. foss. 10.  
 — — — *Lentiscus* L. Durand Voyage 40.  
 — — — Berg Darstellung 4, 27<sup>f</sup>.  
 — — — *sicula* Torn. Tornabene Fl. foss. 9.  
 — — — *Terebinthus* L. var. *ovalifolia*, Tornabene Fl. foss. 8.  
 † *Pistia Stratiotes* L. Griffith Pl. asiat. 161<sup>a</sup>. 161<sup>b</sup>.  
 † — — — Abh. Leipz. 7, 7.  
 † — — — Griffith Pl. asiat. 260. 261. 161<sup>a</sup>. 161<sup>b</sup>.  
*Pistorinia hispanica* DC. Ostega Nova stirps 1.  
 † *Pisum sativum* L. Gleichen Entdeckungen 73.  
 † — — — Gleichen Untersuchungen C. D.  
 † — — — Guillard Org. floraux 1.  
 † — — — Nees Genera 30, 6.  
*Pitcairnia echinata* Hook. Lem. Jard. fl. 4, 407.  
 — — — *Funkiana* Reg. Regel Gartenf. 4, 109.  
 — — — *maidifolia* Decne. Fl. d. serres 9, 915.  
 — — — *odorata* Hort. angl. Regel Gartenf. 4, 110.  
 — — — *pungens* H. B. Bot. Mag. 89, 5356.  
 — — — *tabulaciformis* Lind. Illustration horticole 1862, 344.  
 — — — Belgique horticole 1862, 15.  
*Pithecolobium Junghuhnianum* Benth. Miquel Flora 1.  
 † *Pittosporum* L. Ann. sc. nat. IV. 1, 7.  
 † — — — Payer Organogénie 34.  
 † — — — Schnizl. Iconogr. 236.  
 † — — — Agardh Syst. 16.  
 — — — *Brackenridgei* Gray. Gray Expl. Exp. 17.  
 — — — *confertiflorum* Gray. Gray Expl. Exp. 19.  
 — — — *flavum* Hook. Bot. Mag. 80, 4799.  
 — — — *rhytidocarpum* Gray. Gray Expl. Exp. 18.  
 — — — *Tobira* Aiz. Cleyer Fl. jap. 64.  
 — — — *tobrioides* Gray. Gray Expl. Exp. 17.  
*Pityrospasma acerinum* Sieb. Siebold Fl. Jard. 1, 6.  
*Placoxylon utile* E. et Z. Harvey Thes. cap. 1, 17.  
 † *Plagianthera R. et Z.* Baillon Euph. 11.  
*Plagiocheilus peduncularis* DC. Castelnau Exped. 14.  
*Plagiogyria biserrata* Mett. Abh. Senck. 2, 15.

- † *Plagiogyria scandens* Mett. Abh. Senck. 2, 15.  
*Plagiorhegma dubium* Max. Mém. prés. Pet. 9, 2.  
*Planera ulmifolia* Michx. Nouveau Duhamel 7, 21.  
 † *Plantago* L. Agardh Syst. 24.  
 † — — — Payer Organogénie 126.  
 † — — — Schnizl. Iconogr. 3, 116.  
 † — — — Abh. Leipz. 6, 25.  
 † — — — *Atti* Neap. 1863, 2.  
 — — — *albicans* L. Rchb. Fl. germ. 17, 1129.  
 — — — *alpina* L. Rchb. Fl. germ. 17, 1132.  
 — — — Froelich Alpenpfl. 7, 4.  
 — — — *arenaria* W. K. Rchb. Fl. germ. 17, 1136.  
 — — — *argentea* Chaix. Rchb. Fl. germ. 17, 1129.  
 — — — *Bellardi* All. Rchb. Fl. germ. 17, 1133.  
 — — — *carinata* Schrad. Rchb. Fl. germ. 17, 1132.  
 — — — *Cornuti* Gouan. Rchb. Fl. germ. 17, 1128.  
 — — — *Coronopus* L. Rchb. Fl. germ. 17, 1130.  
 — — — *crassifolia* Forsk. Rchb. Fl. germ. 17, 1131.  
 — — — *Cynops* L. Rchb. Fl. germ. 17, 1136.  
 — — — *denticulata* Link. Schrank Hort. monac. 25.  
 — — — *fuscescens* Jord. Rchb. Fl. germ. 17, 1134.  
 — — — *gentianoides* Sibth. Rchb. Fl. germ. 17, 1129.  
 — — — *Gunniana* Hook. fil. Hook. Journ. 1846, 13.  
 — — — *intermedia* Gilib. Rchb. Fl. germ. 17, 1137.  
 — — — *juncoidea* Lam. Richard Astrolabe 18.  
 — — — *Lagopus* L. Rchb. Fl. germ. 17, 1133.  
 — — — *lanccolata* L. Rchb. Fl. germ. 17, 1130. 1137.  
 — — — *major* L. Cornuti Canad. p. 163.  
 — — — Rchb. Fl. germ. 17, 1128.  
 † — — — Verhandl. Rheinl. 11, 9.  
 † — — — Bot. Zeitung 1862, 10.  
 — — — *maritima* L. Rchb. Fl. germ. 17, 1132.  
 — — — *media* L. Rchb. Fl. germ. 17, 1129. 1137.  
 — — — *minor* Fries. Rchb. Fl. germ. 17, 1133.  
 — — — *monosperma* Pourr. Rchb. Fl. germ. 17, 1134.  
 — — — *montana* Lam. Rchb. Fl. germ. 17, 1134.  
 — — — *Psyllium* L. Rchb. Fl. germ. 17, 1135.  
 — — — *recurvata* Koch. Rchb. Fl. germ. 17, 1131.  
 — — — *saxatilis* MB. Rchb. Fl. germ. 17, 1134.  
 — — — *serpentina* Vill. Rchb. Fl. germ. 17, 1131.  
 — — — *Serraria* L. Rchb. Fl. germ. 17, 1130.  
 — — — *stellaris* F. M. Müller Plants of Victoria 2, 66.  
 — — — *subulata* L. Rchb. Fl. germ. 17, 1132.  
 — — — *tenuiflora* W. K. Rchb. Fl. germ. 17, 1135.  
 — — — *tubulosa* Decne. Castelnau Exped. 64.  
 — — — *uliginosa* Baumg. Rchb. Fl. germ. 17, 1129.  
 — — — *uniglumum* Wallr. Castelnau Exped. 64.  
 — — — *Weldeni* Rchb. Rchb. Fl. germ. 17, 1135.  
*Platanthera tipuloides* L. var. *ussuriensis*, Acad. Pet. VII. 4, 10.  
 † *Platanus* L. Abh. Acad. Berl. 1857, 4.  
 † — — — *acerifolia* Willd. Mem. Ist. d'Ingor. 1856, 1.  
 † — — — *occidentalis* L. Mem. Ist. d'Ingor. 1856, 1.  
 † — — — Jard. Annals III. 1, 6.  
 † — — — Agardh Syst. 13.  
 † — — — *orientalis* L. Mem. Ist. d'Ingor. 1856, 1.  
 † — — — Jard. Annals III. 1, 6.  
 — — — (vallis Bujukdere) Tchichatschiff Asie mineure 44.  
 — — — *racemosa* Nutt. Nuttall Sylva 1, 15.  
 — — — Expl. Missis. 6, 2.  
 † *Platycapnos spicata* DC. Payer Organogénie 49.  
*Platycentrum Rex* Seem. Hart. Parad. 81. 82.  
 † — — — *rubrovenium* Kl. Abh. Acad. Berl. 1854, 11.  
*Platygyria aethiopicum* Hook. Hook. Garden Ferns 9.  
 † — — — *alicerone* Desv. Mettenius Fil. 4.  
 † — — — Abh. Leipz. 9, 8.  
 — — — Lowe Ferns 7, 63.  
 † — — — *biforme* Bl. Griffith Pl. asiat. 136.  
 — — — *grande* Kze. Lowe Ferns 7, 64.  
 — — — Hook. Fil. exot. 86.  
 — — — *Stemmaria* Desv. Lowe Ferns 7, 62.

- Platycerium Wallichii Hook. Hook. Fil. exot. 97.  
 Platycodon autumnale Decne. Revue horticole 1858,  
 p. 547.  
 †Platygyne Merc. Baillon Euph. 4.  
 Platylepis goodyeroides Bl. Blume Orchid. 42.  
 Platylobium formosum Sm. Nouveau Duhamel 4, 20.  
 — Scolopendrum Andr. Nouveau Duhamel 4, 21.  
 Platyloma adiantoides Lowe. Lowe Ferns 3, 33.  
 — atropurpurea J. Sm. Lowe Ferns 3, 30.  
 — Brownii J. Sm. Lowe Ferns 3, 29.  
 — calomelanos J. Sm. Lowe Ferns 3, 26.  
 — falcata J. Sm. Lowe Ferns 3, 30.  
 — flexuosa J. Sm. Lowe Ferns 3, 25.  
 — geraniifolia Lowe. Lowe Ferns 3, 27.  
 — hastata Lowe. Lowe Ferns 3, 32.  
 — intramarginalis Lowe. Lowe Ferns 3, 31.  
 — rotundifolia J. Sm. Lowe Ferns 3, 24.  
 — sagittata Moore. Lowe Ferns 3, 28.  
 — ternifolia J. Sm. Lowe Ferns 3, 24.  
 †Platystemon californicus Payer Organogénie 46.  
 Platythea galioides Steetz. Regel Gartenfl. 8, 263.  
 Plazia daphnoides Wedd. Castelnau Exped. 2.  
 †Plectosorus mexicanus Fée. Mettenius Fil. 16.  
 Plectocomia assamica Griff. Bot. Mag. 85, 5105.  
 — — Belgique horticole 9, 32.  
 †Plectopoma fimbriatum Hanst. Linnaea 1853, 1.  
 †Plectranthus excisus Max. Mém. prés. Pet. 9, 8.  
 — fruticosus L'Her. Regel Gartenfl. 1864, 431.  
 † — glaucocalyx Max. Mém. prés. Pet. 9, 8.  
 — purpuratus Harv. Harvey Thes. cap. 1, 83.  
 Plectronia ventosa L. Burmann Pl. afr. 94.  
 Pleiochiton crassifolia Naud. Gray Expl. Exp. 73.  
 Pleione Lagenaria Ldl. Warner Select Orch. 17.  
 Pleiispora cajanifolia Harv. Harvey Thes. cap. 1, 81.  
 Pleiotaxis pulcherrima Steetz. Peters Mossamb. 51.  
 Plenckia populnea Reiss. Endl. Fl. bras. 28, 5. 10.  
 Plerandra Grayi Seem. Seemann Fl. vit. 22.  
 — Pickeringii Gray. Gray Expl. Exp. 95.  
 Pleroma elegans Gardn. Fl. d. serres 12, 1212.  
 Pleuraphis Jamesii Torr. Ann. Lyc. 1, 10.  
 Pleurogyne carinthiaca Gris. Rchb. Fl. germ. 17, 1045.  
 Pleuropetalum Darwinii Hook. fil. Hook. Lond. Journ.  
 1846, 2.  
 — samoense Gray. Gray Expl. Exp. 27.  
 †Pleurothallis cardiostola Rchb. fil. Rchb. Xenia 1, 28.  
 — crassifolia Rchb. fil. Rchb. Xenia 1, 60.  
 † — gratiosa Rchb. fil. Rchb. Xenia 1, 28.  
 — incompta Rchb. fil. Rchb. Xenia 2, 137.  
 † — Lansbergiana Reg. Regel Gartenfl. 6, 190.  
 — laurifolia H. B. K. Rchb. Xenia 2, 108.  
 — longissima Ldl. Rchb. Xenia 2, 137.  
 — perpusilla Rchb. fil. Rchb. Xenia 1, 60.  
 — Reymondi Rchb. fil. Bot. Mag. 89, 5385.  
 — tricarinata Poepp. Rchb. Xenia 2, 137.  
 † — tripteracantha Rchb. fil. Rchb. Xenia 1, 28.  
 † — tripterygia Rchb. fil. Rchb. Xenia 1, 28.  
 — xiphochila Rchb. fil. Rchb. Xenia 1, 60.  
 Plinia crocea L. Plumier Ic. Burm. 225.  
 Plocoglottis dilatata Bl. Blume Orchid. 15.  
 — javanica Bl. Blume Orchid. 14.  
 — moluccana Bl. Blume Orchid. 16.  
 Plocostemma lasianthum Bl. Bot. Mag. 84, 5081.  
 — — Fl. d. serres 13, 1314.  
 Pluchea odorata Cass. Plumier Ic. Burm. 97.  
 Plukenetia volubilis L. Plumier Ic. Burm. 226.  
 †Plumbago L. (Pollen.) Mém. prés. Pet. 3, 5.  
 † — — Payer Organogénie 153.  
 — europaea L. Rchb. Fl. germ. 17, 1138.  
 † — — Mettenius Fil. 28.  
 — rosea L. var. coccinea. Bot. Mag. 89, 5363.  
 — — — — Belgique horticole 1863, 13.  
 — — — — L'horticulteur fr. 1864, 19.

- Plumbago toxicaria Bert. Mem. Bon. 2, 37.  
 † — zeylanica L. Mettenius Fil. 28.  
 Plumieria alba L. Plumier Ic. Burm. 231.  
 † — bracteata A. DC. Endl. Bras. 26, 11.  
 — fallax Müll. Endl. Bras. 26, 12.  
 — obtusa L. Plumier Ic. Burm. 232.  
 — phagedaenica Mart. Endl. Bras. 26, 11.  
 Poa abyssinica Jacq. Bruce Travels 24.  
 — — — Zuccagni Dissertatione 1.  
 — airoides Herm. Mem. Mosc. 3, 13.  
 † — annua L. Gasparrini Ric. 6. 8.  
 — cyperoides Thunb. Mem. Mosc. 3, 7.  
 — filiformis Thunb. Mem. Mosc. 3, 4.  
 — glomerata Thunb. Mem. Mosc. 3, 6.  
 — interrupta Torr. Marcy Exploration 19.  
 — sarmentosa Thunb. Mem. Mosc. 3, 5.  
 — saxicola R. Br. Hook. Fl. Tasm. 164.  
 — sudetica Haenke. Lorey Fl. de Côte d'or 7.  
 — tenella L. Burmann Thes. zeyl. 47.  
 — tenella Roxb. Madras Journal 1858, 6.  
 — tenera Müll. Hook. Fl. Tasm. 164.  
 Pockockia lineata Buhse. Mem. Mosc. 18, 7.  
 Podalyria speciosa E. et Z. Dietrich Fl. univ. 3.  
 Podocarpus Droyniana F. M. Müller Fragmenta 4, 31.  
 — Koraiana S. et Z. Otto Garten-Z. 1857, 5.  
 — Lamberti Klotzsch. Endl. Bras. 35, 115.  
 — macrophylla Wall. Clever Fl. jap. 98.  
 — Sellowii Klotzsch. Endl. Bras. 35, 113. 114.  
 — vitiensis Seem. Seemann Journal 1, 2.  
 Podococcus Barteri M. et W. Linn. Transact. 24, 38.  
 40.  
 Podolepis chrysantha Endl. Revue horticole 1857,  
 p. 263.  
 †Podophyllum petlatum L. Schnizl. Iconogr. 179.  
 † — — Agardh Syst. 5.  
 Podospermum calcitrapaeifolium DC. Rchb. Fl. germ.  
 19, 1385.  
 — Jacquianum Koch. Rchb. Fl. germ. 19, 1386.  
 — laciniatum DC. Rchb. Fl. germ. 19, 1386.  
 — — — var. integrifolium, Rchb. Fl. germ. 19,  
 1385.  
 Podostemon Chamissois Tul. Endl. Bras. 13, 74.  
 Poecilochroma Lobbiana Miers. Miers Illustr. 34.  
 Poeciloneuron indicum Bedd. Journ. Linn. Soc. 8, 17.  
 Poggendorffia rosea Karst. Karsten Fl. Col. 1, 15.  
 †Pogonatherum Pal. B. Griffith Pl. asiat. 155.  
 Pogonia bicarinata Bl. Blume Orchid. 60.  
 — concolor Bl. Blume Orchid. 57.  
 — crispata Bl. Blume Orchid. 52.  
 — — — Rchb. Xenia 2, 126.  
 — dilatata Bl. Blume Orchid. 10.  
 — discolor Bl. Blume Orchid. 57.  
 — — — Siebold Fl. Jard. 1859, 10.  
 — gracilis Bl. Blume Orchid. 57.  
 — hirsuta Bl. Blume Orchid. 59.  
 — japonica Rchb. fil. Rchb. Xenia 2, 126.  
 — Juliana Wall. Rchb. Xenia 2, 126.  
 — nervilia Bl. Blume Orchid. 56.  
 — ophioglossoides Nutt. Fl. d. serres 11, 1090.  
 — pendula Bl. Blume Orchid. 53.  
 — punctata Bl. Blume Orchid. 49. 54.  
 — — — Rchb. Xenia 2, 126.  
 — similis Bl. Blume Orchid. 32. 54.  
 — Thouarsii Bl. Blume Orchid. 59.  
 — — — Griffith Pl. asiat. 345.  
 †Pogonophora Miers. Baillon Euph. 19.  
 Pogonopus exsertus Oerst. Oersted Am. centr. 13.  
 Pogonostigma abyssinicum Jaub. Jaub. Illustr. 477. 478.  
 — arabicum Boiss. Jaub. Illustr. 475.  
 — Boivini Jaub. Jaub. Illustr. 476.

- † *Pogopetalum acutum* *Benth.* *Baillon Adansonia* 2, 9.  
*Pogospermum flavum* *Brongn.* *Ann. sc. nat.* V. 1, 23.  
 — *Patschouly Lep.* *Mém. Orléans* 1844, 1.  
*Poinciana Gilliesii* *Hook.* *Revue horticole* 1856, 17.  
 † — *regia* *Boj.* *Griffith Pl. asiat.* 59.  
 — *Tara L.* *Feuillee* 2, 39.  
 † — . . . *Griffith Pl. asiat.* 38.  
 † *Poinsettia* *Grah.* *Baillon Euph.* 2.  
 † — — *Agardh Syst.* 15.  
 — *pulcherrima* *Grah.* *L'horticulteur fr.* 1864, 5.  
*Poiretia latifolia* *Vogel.* var. *coriifolia*, *Endl. Bras.* 24, 20.  
*Poivrea coccinea* *DC.* *Nees Sammlung* 83.  
 — *Hartmanniana* *Schw.* *Schweinf. Pl. nilot.* 2.  
 † *Polanisia graveolens* *Raf.* *Payer Organogénie* 43.  
 † — *microphylla* *Etchl.* *Endl. Bras.* 40, 54.  
 † *Polemonium L.* (Pollen.) *Mém. prés. Pet.* 3, 7.  
 † — — *Agardh Syst.* 28.  
 † — — *Payer Organogénie* 123.  
 † — — *Schnizl. Iconogr.* 185\*,  
 — *cocruleum L.* *Rchb. Fl. germ.* 18, 1334.  
 — *pulchellum* *Bge.* *Regel Gartenfl.* 9, 292.  
 — *rubrum L.* *Dillenius Elth.* 241.  
*Polyachyrus villosus* *Wedd.* *Castelnau Exped.* 13.  
*Polyalthia vitiensis* *Seem.* *Seemann Fl. vit.* 3.  
 † *Polyboea Kl.* *Baillon Euph.* 9.  
*Polybotrya acuminata* *Link.* *Mettenius Fil.* 2.  
 — *aurita* *Bl.* *Hook. Fil. exot.* 81.  
 † — *Blumeana* *Mett.* *Mettenius Fil.* 2, 22.  
 † — *Helferiana* *Kze.* *Mettenius Fil.* 2.  
 — *Lechleriana* *Mett.* *Mettenius Fil. Lechl.* 1.  
 — — *Hooker Second Century* 97.  
 † — *Meyeriana* *Mett.* *Mettenius Fil.* 1.  
 † — — *Abh. Leipz.* 9, 7.  
 — *osmundacea* *Humb.* *Lowe Ferns* 7, 61.  
 † — *prolifera* *Mett.* *Mettenius Fil.* 2.  
 † — *serratifolia* *Kl.* *Mettenius Fil.* 2.  
 † — *trilobata* *Mett.* *Mettenius Fil.* 2.  
 — *Wilkesiana* *Brack.* *Wilkes Expl. Exp.* 10.  
*Polycalymma Stuartii* *Sond.* *Müller Plants of Victoria* 2, 42.  
 † *Polycarpaea latifolia* *DC.* *Agardh Syst.* 26.  
 † *Polycarpum tetraphyllum L.* *Mém. Mus.* 2, 4.  
*Polycladus cupressinus* *Ph.* *Philippi Reise* 4.  
*Polydielis multivalvis* *Miers.* *Miers Illustr.* 60.  
 † *Polygala L.* *Schnizl. Iconogr.* 233.  
 † — — *Payer Organogénie* 31.  
 † — — *Agardh Syst.* 16.  
 — *alpestris* *Rchb.* *Rchb. Fl. germ.* 18, 1347.  
 — *amara* *Jacq.* *Rchb. Fl. germ.* 18, 1348.  
 — — *L.* *Berg Darstellung* 2, 10<sup>b</sup>.  
 — *austriaca* *Crantz.* *Rchb. Fl. germ.* 18, 1348.  
 — *bracteolata* *L.* *Burmman Pl. afr.* 73.  
 — — var. *patula*, *Nees Sammlung* 79.  
 — *calcarca* *Schultz.* *Rchb. Fl. germ.* 18, 1349.  
 — *Chamaebuxus L.* *Rchb. Fl. germ.* 18, 1351.  
 — *chatamensis* *Ands.* *Eugenies Rosa* 10.  
 — *ciliata* *Lebel.* *Rchb. Fl. germ.* 18, 1346.  
 — *comosa* *Schk.* *Rchb. Fl. germ.* 18, 1346.  
 — *cordifolia* *Willd.* *Nees Sammlung* 97.  
 — *depressa* *Wend.* *Rchb. Fl. germ.* 18, 1347.  
 — *diversifolia* *L.* *Browne Jamaica* 5.  
 — *exilis* *DC.* *Rchb. Fl. germ.* 18, 1345.  
 — *flavescens* *DC.* *Rchb. Fl. germ.* 18, 1350.  
 — *galapageja* *Hook. fil.* *Eugenies Rosa* 10.  
 — *Hilairiana* *Endl.* *Bot. Mag.* 84, 5057.  
 — *major* *Jacq.* *Rchb. Fl. germ.* 18, 1350.  
 — *monspeliaca L.* *Rchb. Fl. germ.* 18, 1345.  
 — *Morisiana* *Rchb. fil.* *Rchb. Fl. germ.* 18, 1347.  
 — *myrtifolia L.* *Burmman Pl. afr.* 73.  
 — — var. *Dalmasiana*, *Regel Gartenfl.* 5, 161.  
 — — *Link.* *Nees Sammlung* 48.

- Polygala myrtillifolia N. v. E.* *Nees Sammlung* 48.  
 — *nicaeensis* *Risso.* *Rchb. Fl. germ.* 18, 1349.  
 — *nutkana* *Moc.* *Torrey Mex. Boundary* 12.  
 — *obovata* *Hook. fil.* *Eugenies Rosa* 10.  
 — *oppositifolia L.* *Nees Sammlung* 47.  
 — *Pseudosenega Bert.* *Mem. Bon.* 5, 20.  
 — *rosea* *Desf.* *Rchb. Fl. germ.* 18, 1350.  
 — *rupestris* *Pourr.* *Rchb. Fl. germ.* 18, 1351.  
 — *Senega L.* *Berg Darstellung* 2, 10<sup>a</sup>.  
 † — — (Radix.) *Bot. Zeitung* 1857, 1.  
 — *sibirica L.* var. *latifolia ussuriensis*, *Bull. Mosc.* 1861, 7.  
 — — — var. *tenuifolia*, *Bull. Mosc.* 1861, 7.  
 — — — var. *typica*, *Bull. Mosc.* 1861, 7.  
 — *speciosa* *Sims.* *Nees Sammlung* 47.  
 — *supina* *Schreb.* var. *andrachnoides*, *Bull. Mosc.* 1861, 7.  
 — — — var. *Hohenackeri*, *Bull. Mosc.* 1861, 7.  
 — — — var. *Jablotskiana*, *Bull. Mosc.* 1861, 7.  
 — *Tartarinowii* *Reg.* *Bull. Mosc.* 1861, 7.  
 — *thesioides* *Willd.* *Feuillee* 2, 13.  
 — *umbellata L. fil.* *Burmman Pl. afr.* 73.  
 — *vulgaris L.* *Rchb. Fl. germ.* 18, 1346.  
*Polygonatum orientale* *Desf.* *Jaub. Illustr.* 441.  
 — *punctatum* *Royle.* *Bot. Mag.* 84, 5061.  
 — *roseum* *Kth.* *Bot. Mag.* 84, 5049.  
 — — — *Regel Gartenfl.* 1862, 358.  
 — *Thunbergii* *M. et Decne.* *Cleyer Fl. jap.* 33.  
 † *Polygonum L.* *Meisner Polygon.* 1—5.  
 † — — *Griffith Pl. asiat.* 47.  
 † — — (Pollen.) *Mém. prés. Pet.* 3, 11.  
 † — — *Hofmeister Embryo* 12.  
 † — — *Payer Organogénie* 64, 65.  
 † — — *Acta Univ. Lund.* 1864, 2.  
 — *acre* *H. B. K.* *Endl. Bras.* 14, 5.  
 — *acuminatum* *H. B. K.* var. *Humboldtii*, *Endl.* *Bras.* 14, 4.  
 — — — var. *microstemon*, *Endl. Bras.* 14, 4.  
 — *ascendens* *Guss.* *Guss. Fl. Inar.* 19.  
 — *chinense L. foliis pictis*, *Bot. Mag.* 87, 5233.  
 — *cuspidatum* *S. et Z.* *Regel Gartenfl.* 9, 291.  
 — — — *Revue horticole* 1858, p. 631.  
 — *diospyrifolium* *Cham.* *Endl. Bras.* 14, 1.  
 † — *Fagopyrum L.* *Gleichen Entdeckungen* 60, 61.  
 — *gracile* *Guss.* *Gussone Fl. Inar.* 12.  
 — *hispidum* *H. B. K.* *Endl. Bras.* 14, 2.  
 — *Maackianum* *Reg.* *Acad. Pet.* VII, 4, 10.  
 — *Maximowiczii* *Reg.* *Regel Gartenfl.* 14, 468.  
 — *Meisnerianum* *Cham.* *Endl. Bras.* 14, 1.  
 — *orientale L.* *Commelyn Rar.* 43.  
 † — *pyramidatum* *Lois.* *Goethe Atlas* 4.  
 — *sachalinense* *F. Schmidt.* *Regel Gartenfl.* 1864, 429.  
 — — — *spectabile* *Mart.* *Endl. Bras.* 14, 3.  
 — *vacciniifolium* *Wall.* *Fl. d. serres* 9, 923.  
 — *venantianum* *Clem.* *Mem. Tur.* 1857, 3.  
*Polylepis hypoleuca* *Wedd.* *Castelnau Exped.* 78.  
 — *tomentella* *Wedd.* *Castelnau Exped.* 78.  
*Polypompholyx exigua* *F. M.* *Müller Plants of Victoria* 2, 64.  
 † *Polypodium accedens* *Bl.* *Abh. Senck.* 2, 3.  
 † — *achilleaeifolium* *Kaulf.* *Abh. Senck.* 2, 1.  
 — *affine* *Mart.* *Lowe Ferns* 2, 50.  
 † — — *Bl.* *Lowe Ferns* 2, 3.  
 † — *africanum* *Mett.* *Abh. Senck.* 2, 3.  
 † — *albidosquamatum* *Bl.* *Abh. Senck.* 2, 1.  
 — *albopunctatum* *Raddi.* *Lowe Ferns* 1, 36.  
 — *albosquamatum* *Bl.* *Hook. Garden Ferns* 47.  
 — *alpestre* *Hoppe.* *Johnson Ferns* 49.  
 — — — *Lowe Ferns* 1, 39.  
 † — — — *Acta Leop.* 28, 3.  
 — — — *Hook. British Ferns* 6.

- † *Polypodium alternifolium* Willd. Abh. Senck. 2, 1.  
 — — Hook. Sp. Fil. 4, 277.  
 — *amplum* Humb. Lowe Ferns 2, 52.  
 — *andinum* Hook. Hooker Second Century 6.  
 — — Karst. Karsten Fl. Col. 1, 85.  
 † *angustatum* Bl. Abh. Senck. 2, 1.  
 — *angustifolium* Kze. Lowe Ferns 1, 48.  
 — *anomalum* Hook. et A. Hook. Journ. 1856, 11.  
 — *appendiculatum* Lind. Hook. Fil. exot. 87.  
 — — Lowe Ferns 2, 19.  
 — *areolatum* H. B. Lowe Ferns 2, 12.  
 † *asprenifolium* L. Abh. Senck. 2, 1.  
 — *asprenioides* Sw. Lowe Ferns 1, 34.  
 — *athyrioides* Hook. Hook. Sp. Fil. 4, 277.  
 † *atropunctatum* Gaud. Abh. Senck. 2, 3.  
 — *attenuatum* R. Br. Lowe Ferns 2, 29.  
 — — Hook. Garden Ferns 30.  
 — *aureum* L. Lowe Ferns 2, 5.  
 † — — Abh. Leipz. 9, 10.  
 — *auritum* Lowe. Lowe Ferns 2, 51.  
 † *avenium* Mett. Abh. Senck. 2, 3.  
 — *bifrons* Hook. Hook. Fil. exot. 52.  
 — *Billardieri* R. Br. Lowe Ferns 1, 47.  
 † — — Abh. Senck. 2, 2.  
 — *binerve* Hook. Hook. Sp. Fil. 4, 273.  
 — *blandum* Fée. Fée Fil. novae 22.  
 † *Blumei* Mett. Abh. Senck. 2, 3.  
 † *Brownii* Desv. Mettenius Fil. 25.  
 — *bulbiferum* L. Cornuti Canad. p. 4.  
 — *caespitosum* Link. Mettenius Fil. 24.  
 † — — Abh. Leipz. 9, 9.  
 — *calcareum* Sm. Johnson Ferns 4.  
 † *Callipteris* Ehrh. Verh. nat. Ges. Rheinfl. 9, 4.  
 — *campyloneuron* Fée. Fée Fil. novae 23.  
 — *cancellatum* Fée. Fée Fil. novae 7.  
 — *carnosum* Kellogg. Proc. Calif. Acad. 2, 89.  
 — *Catharinae* Langsd. Lowe Ferns 1, 44.  
 † *cayennense* Desv. Abh. Leipz. 9, 9.  
 — *chacapoyense* Hook. Hook. Sp. Fil. 5, 281.  
 — *colpodes* Kze. Lowe Ferns 2, 60.  
 — *concinnum* Willd. Lowe Ferns 2, 46.  
 — *conforme* Brack. Wilkes Expl. Exp. 1.  
 — *contiguum* Wall. Hook. Fil. exot. 20.  
 — — Hook. Ic. pl. 10, 987.  
 — — Wilkes Expl. Exp. 2.  
 — *cordatum* Kze. Abh. Senck. 2, 2.  
 † *coriaceum* Mett. Abh. Senck. 2, 3.  
 — *coronans* Wall. Hook. Fil. exot. 91.  
 — — Lowe Ferns 2, 58.  
 † — — Abh. Senck. 2, 3.  
 † *costatum* Mett. Abh. Senck. 2, 3.  
 † *crassifolium* L. Mettenius Fil. 20.  
 — *crenatum* Sw. Hook. Fil. exot. 84.  
 — — Kze. Lowe Ferns 1, 26.  
 — *cubense* Fée. Fée Fil. novae 26.  
 — *cuspidatum* Don. Lowe Ferns 2, 25.  
 — *darsaeforme* Hook. Hooker Second Century 24.  
 — *decipiens* Hook. Hook. Sp. Fil. 4, 279.  
 — *decorum* Brack. Wilkes Expl. Exp. 2.  
 — *decumanum* Willd. Lowe Ferns 2, 14.  
 † — — Abh. Senck. 2, 2.  
 — *decurrens* Raddi. Lowe Ferns 2, 4.  
 † — — Abh. Leipz. 9, 10.  
 — *decursive-pinnatum* van Hall. Acad. Amst. 1836, 1.  
 — — — Hooker Second Century 49.  
 — *decussatum* L. Lowe Ferns 2, 54.  
 — *deflexum* Kaulf. Lowe Ferns 1, 45.  
 — *dictyocallis* Lowe. Lowe Ferns 2, 36.  
 — *dissimile* Kze. Lowe Ferns 2, 35.  
 — *divergens* Willd. Lowe Ferns 2, 23.  
 — *diversifolium* R. Br. Lowe Ferns 1, 43.

- Polypodium diversifolium* R. Br. Hook. Garden Ferns 5.  
 — *drepanum* Lowe. Lowe Ferns 2, 34.  
 — *Dryopteris* L. Johnson Ferns 3.  
 — — — Lowe Ferns 1, 27.  
 — — — Hook. British Ferns 4.  
 — *effusum* Sw. Lowe Ferns 1, 23.  
 — *ellipsoideum* Fée. Fée Fil. novae 21.  
 † *elongatum* Mett. Abh. Senck. 2, 2.  
 — *eriphorum* Hook. Hook. Ic. pl. 10, 991.  
 † — — Schl. Abh. Senck. 2, 1.  
 — *filipendulifolium* Fée. Fée Fil. novae 5.  
 — *filipes* Lowe. Lowe Ferns 2, 38.  
 — *flexile* Fée. Fée Fil. novae 2.  
 — — Moore. Lowe New Ferns 46.  
 — *formosum* Raddi. Lowe Ferns 2, 53.  
 — *Fortunei* Lowe. Lowe Ferns 1, 42.  
 † — — Kze. Abh. Senck. 2, 3.  
 — *fraxinifolium* Jacq. Lowe Ferns 1, 31.  
 † — — Abh. Leipz. 9, 9.  
 † *Friedrichsthalianum* Kze. Abh. Senck. 2, 1.  
 — *Funiculum* Fée. Fée Fil. novae 8.  
 — *fusco-punctatum* Hook. Hook. Sp. Fil. 5, 285.  
 † — *Gaudichaudii* Bory. Abh. Senck. 2, 3.  
 † — *geminatum* Schrad. Abh. Senck. 2, 2.  
 — *gibbosum* Fée. Fée Fil. novae 2.  
 † — *glabrum* Mett. Abh. Senck. 2, 3.  
 — *glandulosum* Hook. Hook. Sp. Fil. 4, 276.  
 — *glaucum* Raddi. Lowe Ferns 2, 33.  
 † — — Kze. Abh. Senck. 2, 2.  
 — *gonatodes* Kze. Mettenius Fil. 24.  
 — *gracile* Lowe. Lowe Ferns 2, 9.  
 — *grandidens* Kze. Mettenius Fil. 23.  
 — — — Lowe Ferns 1, 40.  
 — *Griffithianum* Hook. Hook. Ic. pl. 10, 951.  
 † — *Gueinzii* Mett. Abh. Senck. 2, 3.  
 — *Haalivahum* Brack. Wilkes Expl. Exp. 1.  
 — *harpeodes* Link. Lowe Ferns 2, 17.  
 — *hastaeifolium* Sw. Lowe Ferns 2, 55.  
 † — *hastatum* Thunb. Abh. Senck. 2, 1.  
 — *hemionitideum* Wall. Lowe Ferns 2, 7.  
 — *Henchmanii* J. Sm. Lowe Ferns 1, 30.  
 — *Hendersoni* Lowe. Lowe Ferns 2, 37.  
 — *Heracleum* Kze. Hook. Garden Ferns 1.  
 † — — Abh. Senck. 2, 3.  
 † — — Abh. Leipz. 9, 10.  
 † — *heterocarpum* Mett. Mettenius Fil. 25.  
 — *hexagonopterum* Michx. Lowe Ferns 1, 49.  
 — *Hillebrandii* Hook. Hook. Sp. Fil. 4, 279.  
 — *hirtum* Hook. Hook. Sp. Fil. 4, 273.  
 † — *hymenodes* Kze. Mettenius Fil. 25.  
 — *jamesonoides* Fée. Fée Fil. novae 21.  
 — *inaequale* Link. Lowe Ferns 2, 28.  
 — *incanum* Kze. Lowe Ferns 1, 48.  
 † — *incurvatum* Bl. Abh. Senck. 2, 1.  
 † — *insigne* Bl. Abh. Senck. 2, 3.  
 — *integrifolium* Lowe. Lowe Ferns 2, 27.  
 † — *involutum* Mett. Mettenius Fil. 25.  
 — *irioides* Poir. Hook. Fil. exot. 4.  
 — — — Lowe Ferns 1, 42.  
 † — — Mettenius Fil. 20.  
 — *Karwinskianum* A. Br. Lowe Ferns 2, 40.  
 — *Labrusca* Hook. Hook. Sp. Fil. 5, 285.  
 — *Lachnopus* J. Sm. Lowe Ferns 1, 33.  
 — *lachnopus* Wall. Hook. Ic. pl. 10, 952.  
 † — — Abh. Senck. 2, 1.  
 † — *laciniatum* Bl. Abh. Senck. 2, 1.  
 — *latipes* Langsd. Lowe Ferns 2, 39.  
 † — — Abh. Leipz. 9, 9.  
 † — *Lehmanni* Mett. Abh. Senck. 2, 3.  
 † — *leiopteris* Kze. Mettenius Fil. 25.  
 — *leiorrhizon* Wall. Hook. Fil. exot. 25.  
 † — — Mettenius Fil. 25.



- Polypodium lepidopodum* Link. Lowe Ferns 2, 16.  
 † — *lepidopteris* Langsd. Karsten Fl. Col. 2, 144.  
 † — *lepidotum* Willd. Abh. Senck. 2, 3.  
 — *leptostomum* Fée. Fée Fil. novae 21.  
 — *leucostictum* Fée. Fée Fil. novae 21.  
 † — *Lingua* Sw. Mettenius Fil. 24.  
 — *Lobbianum* Hook. Hook. Sp. Fil. 4, 278.  
 † — *lomarioides* Kze. Abh. Senck. 2, 2.  
 — *longifolium* Lowe. Lowe Ferns 2, 61.  
 † — *Mett.* Abh. Senck. 2, 1.  
 — *longipes* Kze. Lowe Ferns 1, 24.  
 — *longisetosum* Hook. Hook. Sp. Fil. 4, 278.  
 — *longissimum* Bl. Lowe Ferns 2, 47.  
 † — *Mettenius* Fil. 25.  
 † — *loreum* Kaulf. Abh. Senck. 2, 1.  
 — *loriceum* L. Lowe Ferns 2, 30.  
 † — *Mettenius* Fil. 23.  
 † — *loriforme* Wall. Abh. Senck. 2, 1.  
 — *Hook.* Garden Ferns 14.  
 † — *loxogramme* Mett. Abh. Senck. 2, 3.  
 — *lycopodioides* L. Lowe Ferns 2, 26.  
 † — *Mettenius* Fil. 25.  
 † — *macrophyllum* Mett. Mettenius Fil. 25.  
 — *macrosorum* Fée. Fée Fil. novae 8.  
 — *madrense* J. Sm. Seemann Herald 73.  
 — *meniscifolium* L. Lowe Ferns 2, 13.  
 — *microlepis* Fée. Fée Fil. novae 6.  
 — *millefolium* Bl. Mettenius Fil. Lechl. 2.  
 † — *Abh. Senck.* 2, 1.  
 — *minimum* Brack. Wilkes Expl. Exp. 1.  
 — *morbillosum* Presl. Lowe Ferns 2, 32.  
 † — *Mettenius* Fil. 20.  
 † — *Moricandii* Mett. Abh. Senck. 2, 1.  
 — *musaeifolium* Bl. Lowe Ferns 2, 31.  
 † — *Mettenius* Fil. 20.  
 † — *myriocarpum* Mett. Abh. Senck. 2, 1.  
 — *nigrescens* Bl. Hook. Fil. exot. 22.  
 — *nitidum* Kaulf. Hook. Fil. exot. 12.  
 — *Lowe* Ferns 2, 24.  
 † — *normale* Don. Abh. Senck. 2, 1.  
 † — *nummulariaefolium* Mett. Abh. Senck. 2, 3.  
 † — *nummularium* Mett. Abh. Senck. 2, 1.  
 † — *onustum* H. K. Abh. Senck. 2, 1.  
 † — *oodes* Kze. Abh. Senck. 2, 3.  
 — *owariense* Desv. Lowe Ferns 2, 62.  
 † — *oxylobum* Wall. Abh. Senck. 2, 1.  
 † — *palmatum* Bl. Abh. Senck. 2, 1.  
 — *palustre* Lowe. Lowe Ferns 2, 45.  
 — *Paradisaeae* Langsd. Lowe Ferns 2, 1.  
 † — *Abh. Leipz.* 9, 9.  
 — *parvulum* Bory. Hook. Sp. Fil. 4, 274.  
 — *pectinatum* L. Lowe Ferns 2, 21.  
 — *Hook.* Garden Ferns 10.  
 — *pectinellum* Fée. Fée Fil. novae 27.  
 — *peltideum* Kze. Lowe Ferns 2, 42.  
 — *pennigerum* Lowe. Lowe Ferns 2, 15.  
 — *percussum* Cav. Hook. Fil. exot. 59.  
 — *Lowe* Ferns 2, 20.  
 † — *Mettenius* Fil. 25.  
 † — *persicariaefolium* Schrad. Mettenius Fil. 25.  
 — *Phegopteris* L. Johnson Ferns 2.  
 — *Lowe* Ferns 1, 29.  
 — *Hook.* British Ferns 3.  
 — *Phyllitidis* L. Lowe Ferns 1, 26.  
 — *phymatodes* L. Burmann Thes. zeyl. 85.  
 — *Lowe* Ferns 1, 25.  
 † — *Mettenius* Fil. 25.  
 — *piloselloides* L. Lowe Ferns 1, 32.  
 — *Hook.* Garden Ferns 18.  
 — *plebejum* Schl. Lowe New Ferns 33.  
 — *Hook.* Garden Ferns 48.  
 † — *pleurosorum* Kze. Abh. Senck. 2, 2.

- Polypodium Plumula* H. B. K. Lowe Ferns 1, 41.  
 † — *Poeppigii* Kze. Karsten Fl. Col. 2, 146.  
 † — *polylepis* Roem. Abh. Senck. 2, 3.  
 † — *pothifolium* Mett. Mettenius Fil. 25.  
 † — *Abh. Senck.* 2, 3.  
 — *procerum* Brack. Wilkes Expl. Exp. 3.  
 — *proliferum* Lowe. Lowe Ferns 2, 18.  
 — *propinquum* Wall. Lowe Ferns 2, 57.  
 † — *Abh. Senck.* 2, 3.  
 — *pteroideum* Bl. Hook. Sp. Fil. 4, 280.  
 — *pteropus* Bl. Hook. Sp. Fil. 4, 275.  
 † — *Abh. Senck.* 2, 1.  
 — *pulvinatum* Link. Lowe Ferns 2, 56.  
 — *pustulatum* Forst. Lowe Ferns 2, 8.  
 — *Mettenius* Fil. 25.  
 — *quercifolium* L. Lowe Ferns 2, 10.  
 † — *Mettenius* Fil. 20.  
 — *refractum* Fisch. Lowe Ferns 2, 48.  
 — *repens* Sw. Lowe Ferns 2, 9.  
 — *Mettenius* Fil. 24.  
 — *rhynechophyllum* Hook. Hook. Ic. pl. 10, 954.  
 — *rigidum* Lowe. Lowe Ferns 2, 37.  
 — *Robertianum* Hoffm. Lowe Ferns 1, 28.  
 — *Hook.* British Ferns 5.  
 — *rostratum* Hook. Hook. Ic. pl. 10, 953.  
 † — *rupestre* R. Br. Mettenius Fil. 24.  
 — *saccatum* Fée. Fée Fil. novae 7.  
 — *Lowe* Ferns 2, 59.  
 † — *samarense* Mett. Abh. Senck. 2, 3.  
 — *sarmentosum* Brack. Wilkes Expl. Exp. 2.  
 † — *Schomburgkii* Kze. Abh. Senck. 2, 2.  
 † — *Schraderi* Mett. Abh. Senck. 2, 2.  
 — *scolopendrioides* L. Hook. Fil. exot. 18.  
 — *Lowe* Ferns 2, 41.  
 † — *sectifrons* Kze. Abh. Senck. 2, 2.  
 — *senile* Fée. Fée Fil. novae 25.  
 — *sessilifolium* Hook. Hook. Sp. Fil. 4, 272.  
 — *sepultum* Kaulf. Lowe Ferns 1, 34.  
 † — *serpens* Sw. Abh. Senck. 2, 2.  
 — *serricula* Fée. Fée Fil. novae 7.  
 — *silvaticum* Col. Hook. New Zeal. 81.  
 — *simplex* Sw. Lowe Ferns 2, 41.  
 — *sinuosum* Wall. Hook. Sp. Fil. 5, 284.  
 — *Skinneri* Hook. Hook. Sp. Fil. 4, 276.  
 † — *solidum* Mett. Abh. Senck. 2, 1.  
 † — *solutum* Kl. Lowe Ferns 2, 1.  
 — *soridens* Hook. Hook. Sp. Fil. 5, 283.  
 † — *sparsosorum* Spr. Abh. Senck. 2, 1.  
 — *spectabile* Spr. Lowe Ferns 2, 43.  
 — *spenodes* Kze. Hook. Sp. Fil. 5, 282.  
 † — *sphaerocephalum* Wall. Abh. Senck. 2, 3.  
 † — *sphaerostichum* Mett. Abh. Senck. 2, 3.  
 — *sporadocarpum* Willd. Lowe Ferns 2, 6.  
 † — *Mettenius* Fil. 25.  
 † — *Abh. Leipz.* 9, 10.  
 † — *sporadolepis* Kze. Abh. Senck. 2, 1.  
 — *Sprucei* Hook. Hooker Second Century 10.  
 — *squamatum* L. Lowe New Ferns 34.  
 — *squamulosum* Kze. Lowe Ferns 1, 50.  
 — *Lowe* Ferns 2, 29.  
 † — *Kaulf.* Abh. Leipz. 9, 9.  
 † — *stenophyllum* Bl. Abh. Senck. 2, 1.  
 — *subauriculatum* Bl. Lowe Ferns 1, 37.  
 † — *subauriculatum* Mett. Mettenius Fil. 23.  
 — *subcostatum* Hook. Hook. Sp. Fil. 5, 283.  
 — *submarginale* Langsd. Lowe Ferns 2, 49.  
 — *subpetiolatum* Hook. Lowe Ferns 2, 11.  
 — *subscabrum* Kl. Hook. Sp. Fil. 4, 274.  
 — *subspathulatum* Brack. Wilkes Expl. Exp. 1.  
 — *subtile* Kze. Hook. Sp. Fil. 4, 275.  
 † — *taeniosum* H. B. K. Mettenius Fil. 24.  
 † — *Abh. Senck.* 2, 1.

- † *Polypodium tenuilore* Kze. Abh. Senck. 2, 1.  
 — *tenuisectum* Bl. Hooker Second Century 21.  
 — *terminale* Spr. Lowe Ferns 2, 44.  
 — *tetragonum* Sw. Lowe Ferns 1, 46.  
 — *trichodes Reimb.* Lowe Ferns 2, 2.  
 — *trichosorum* Hook. Hooker Second Century 12.  
 † *tridactylon* Wall. Abh. Senck. 2, 1.  
 — *trilobum Cav.* Mettenius Fil. 23.  
 † — *triquetrum* Bl. Abh. Senck. 2, 3.  
 — *unitum* L. Burmann Thes. zeyl. 44.  
 — *vaccinifolium Langsd.* Lowe Ferns 1, 41.  
 — *vacillans Link.* Lowe Ferns 2, 22.  
 † — *varians* Bl. Abh. Senck. 2, 1.  
 — *venosum Lowe.* Lowe Ferns 1, 35.  
 — *verrucosum Wall.* Lowe Ferns 2, 3.  
 — — Hook. Garden Ferns 41.  
 — *villosum Karst.* Karsten Fl. Col. 2, 144.  
 — *vulgare* L. Johnson Ferns 1.  
 — — Lowe Ferns 1, 38.  
 — — var. *cristatum*, Lowe New Ferns 26.  
 — — Hook. British Ferns 2.  
 † — — *Gasparrini* Ric. 8.  
 — — Acta Leop. 26, 46, 28, 5.  
 † — — var. *cambricum*, Abh. Leipz. 9, 9.  
 † — *Wallichii R. Br.* Abh. Leipz. 9, 7.  
 † — *Willdenowii Bory.* Abh. Senck. 2, 3.  
 — — Hook. Garden Ferns 35.  
 — *zeylanicum Mett.* Hook. Sp. Fil. 4, 272.  
 † — *Zippelii* Bl. Abh. Senck. 2, 3.  
 † — *Zollingerianum Kze.* Abh. Senck. 2, 3.  
 † — *zosteraefolium Wall.* Abh. Senck. 2, 1.  
*Polystachya capensis* Sond. Harvey Thes. cap. 2, 179.  
 — *carnea Ad. Br.* Fl. d. serres 15, 1521.  
 — *Gerardi Harv.* Harvey Thes. cap. 2, 176.  
 — *Lindleyana Harv.* Harvey Thes. cap. 2, 178.  
 — *luteola Hook.* Plumier Ic. Burm. 185.  
 — *Sandersoni Harv.* Harvey Thes. cap. 2, 177.  
*Polystichum aculeatum* Roth. Johnson Ferns 17.  
 — *angulare Presl.* Johnson Ferns 18.  
 — *aristatum Presl.* Hook. New. Zeal. 78.  
 — *cyphochlamys Fée.* Fée Fil. novae 3.  
 — *Filix mas Roth.* Berg Darstellung 4, 32<sup>o</sup>. 32<sup>f</sup>.  
 — *Haleakalense Brack.* Wilkes Expl. Exp. 28.  
 — *ilicifolium Fée.* Fée Fil. novae 6.  
 — *lobatum Presl.* Johnson Ferns 16.  
 — *Lonchitis Roth.* Johnson Ferns 15.  
 — *viviparum Fée.* Fée Fil. novae 3.  
 † *Polythysania parviflora* Hanst. Linnæa 1853, 2.  
 † *Pomaceae* Juss. Payer Organogénie 102.  
 † — Bot. Zeitung 1861, 6.  
*Pomaderris baurita* F. M. Müller Plants of Victoria 2, 22.  
*Pometia pinnata* Forst. Seemann Flora vit. 10.  
 † *Ponera leucantha Rehb. fil.* Rehb. Xenia 1, 19.  
 † — *macroglossa Rehb. fil.* Rehb. Xenia 1, 19.  
*Pongamia glabra* Vent. Gray Expl. Exp. 53.  
*Pongatium indicum* Lam. Schnizl. Iconogr. 126.  
*Pontederia azurea v. Schlicht.* Abh. nat. Ges. Halle 1862, 1.  
 † — *cordata* L. Agardh Syst. 4.  
 † — — Abh. Leipz. 7, 24.  
*Ponthieva lancifolia* A. Rich. Ramon Cuba 87.  
 — *maculata Ldl.* Moore Mag. 1850, p. 248.  
 † *Populus* L. Schnizl. Iconogr. 99.  
 † — Ann. sc. nat. IV. 1, 8.  
 — *angustifolia Torr.* Nuttall Sylva 1, 16.  
 † — *cordata* Lodd. Agardh Syst. 24.  
 — *diversifolia Schrenk.* Regel Gartenfl. 7, 228.  
 — *euphratica Oliv.* Olivier Voyage 45. 46.  
 — *monilifera Ait.* Acad. Amst. 1817, 1. 2.  
 — *nigra* L. (per magna) Revue horticole 1854, p. 185.

- † *Populus tremula* L. Gleichen Entdeckungen 1. 2.  
 † *Poranthera Rudge.* Baillon Euph. 23.  
*Portenschlagia ramosissima* de Vis. Rchb. Fl. germ. 21, 1927.  
*Porteria bractescens* Hook. Karsten Fl. Col. 2, 151.  
 — *oblongifolia Karst.* Karsten Fl. Col. 2, 151.  
 — *parviflora Trev.* Karsten Fl. Col. 2, 151.  
 — *pubescens Karst.* Karsten Fl. Col. 2, 151.  
 — *rotundifolia Karst.* Karsten Fl. Col. 2, 151.  
*Portlandia grandiflora* L. Browne Jamaica 11.  
 † *Portulaca* L. Mém. Mus. 2, 4.  
 † — — Payer Organogénie 68.  
 † — — Schnizl. Iconogr. 206.  
 † — — Bot. Zeitung 1860, 12.  
 — *Anacamperos* L. Burmann Pl. afr. 30.  
 — — Dillenius Elth. 281.  
 — *grandiflora* Hook. flore pleno, Fl. d. serres 13, 1389.  
 — — — — — Fl. d. serres 15, 1562.  
 — — — — — Revue horticole 1864, 350.  
*Potamochoa Retzii Griff.* Griffith Pl. asiat. 140.  
 † *Potamogeton* L. Agardh Syst. 3.  
 † — — Bot. Zeitung 1857, 11.  
 † — — Abh. Leipz. 7, 2.  
 † — — Atti Acc. Neap. 1863, 8.  
 † — *crispus* L. Leighton Flora 4.  
 — *cristatus Reg.* Acad. Pet. VII. 4, 10.  
 — *delicatulus Bert.* Mem. Bon. 5, 18.  
 † — *densus* L. Flora 1859, 4.  
 — *flexicaulis Deth.* Detharding Conspectus 1.  
 † — *heterophyllus Schreb.* Leighton Flora 4.  
 † — *lucens* L. Leighton Flora 4.  
 † — *natans* L. Leighton Flora 4.  
 † — — Regensb. Denkschr. 2, 1.  
 — *nitens* Weber. Seemann Journal 2, 23.  
 † — *oblongus Viv.* Leighton Flora 4.  
 † — *pectinatus* L. Leighton Flora 4.  
 † — *perfoliatus* L. Leighton Flora 4.  
 — *praelongus Wulf.* Detharding Conspectus 1.  
 † — *pusillus* L. Leighton Flora 4.  
 † — *rufescens Schrad.* Leighton Flora 4.  
*Potamophila parviflora* Schrank. Schrank Hort. monac. 63.  
 † *Potentilla* L. Hegetschw. Reisen 7—8.  
 — *abnormis Lehm.* Acta Leop. Suppl. 57.  
 — *adnata* Wall. Acta Leop. Suppl. 17.  
 — *alchimidoloides Lap.* Mém. Toulouse 1, 17.  
 † — *alpestris Hegetschw.* Hegetschw. Reisen 7.  
 — *amurensis Maxim.* Acad. Pet. VII. 4, 4.  
 — *ancistrifolia Bunge.* Acta Leop. Suppl. 18.  
 — *anemonifolia Lehm.* Acta Leop. Suppl. 63.  
 — *anserinoides Raoul.* Acta Leop. Suppl. 60.  
 — *asperirma Turcz.* Acta Leop. Suppl. 52.  
 — *atrosanguinea Lodd.* Nees Sammlung 94.  
 — — Revue horticole 1856, 24.  
 — *atrosanguineo-macrophylla* Lehm. Regel Gartenfl. 1864, 439.  
 — *bidens Bert.* Mem. Bon. II. 2, 4.  
 — *biflora Willd.* Acta Leop. Suppl. 62.  
 — *Blaschkeana Turcz.* Acta Leop. Suppl. 64.  
 — *brachypetala F. et M.* Acta Leop. Suppl. 47.  
 — *breviscissa Bert.* Mem. Bon. II. 2, 5.  
 — *Buccoana Clem.* Mem. Tur. 1857, 8.  
 — *caespitosa Lehm.* Acta Leop. Suppl. 53.  
 — *chinensis Ser.* Acta Leop. Suppl. 23.  
 — *chrysocraspeda Lehm.* Acta Leop. Suppl. 54.  
 — *cilicica Boiss.* Acta Leop. Suppl. 59.  
 — *cinerascens Bert.* Mem. Bon. II. 3, 3.  
 — *corsica Soleirol.* Acta Leop. Suppl. 16.  
 — *crinita Gray.* Acta Leop. Suppl. 21.  
 — *cuneifolia Bert.* Mem. Bon. II. 2, 2.  
 — *discolor Bunge.* Acta Leop. Suppl. 12.

- Potentilla diversifolia* *Lehm.* Acta Leop. Suppl. 31.  
 — *effusa* *Dougl.* Acta Leop. Suppl. 22.  
 — *Ehrenbergiana* *Schlecht.* Acta Leop. Suppl. 32.  
 — *elegans* *Schl. et Cham.* Acta Leop. Suppl. 53.  
 — *elwendensis* *Boiss.* Acta Leop. Suppl. 5.  
 — *eriocarpa* *Wall.* Acta Leop. Suppl. 4.  
 — *Eversmanniana* *Fisch.* Acta Leop. Suppl. 11.  
 — *Fenzlii* *Lehm.* Acta Leop. Suppl. 40.  
 — *flabellifolia* *Hook.* Acta Leop. Suppl. 51.  
 — *formosa* *Don.* Nees Sammlung 93.  
 — *fruticosa* *L.* Ammann Ruth. 17. 18.  
 — — var. *tenuifolia* *Lehm.* Regel Gartenfl. 9, 278.  
 — — — Regel Gartenfl. 1863, 406.  
 — *glabra* *Lodd.* Regel Gartenfl. 9, 278.  
 — *haematochrus* *Lehm.* Acta Leop. Suppl. 39.  
 — *hololeuca* *Boiss.* Acta Leop. Suppl. 27.  
 — *holosericea* *Griseb.* Acta Leop. Suppl. 38.  
 — *Hookeriana* *Lehm.* Acta Leop. Suppl. 55.  
 — *hybrida* *Lem.* L'horticulteur fr. 1862, 9.  
 — *intermedia* *L.* Acta Leop. Suppl. 41.  
 — *italica* *Lehm.* Acta Leop. Suppl. 58.  
 — *kurdica* *Boiss.* Acta Leop. Suppl. 62.  
 — *lejocarpa* *Vis. et Panc.* Visiani Plantae Serbi-  
 cae 2.  
 — *leptopetala* *Lehm.* Acta Leop. Suppl. 43.  
 — *leuconota* *Don.* Acta Leop. Suppl. 24.  
 — *libanotica* *Boiss.* Acta Leop. Suppl. 49.  
 — *Lindenbergii* *Lehm.* Acta Leop. Suppl. 2.  
 — *longipes* *Ledeb.* Acta Leop. Suppl. 36.  
 — *mollissima* *Lehm.* Acta Leop. Suppl. 37.  
 — *Moorcroftii* *Wall.* Acta Leop. Suppl. 3.  
 — *Mulleri* (*hybrida*) *Illustration horticole* 1857,  
 143.  
 — *multijuga* *Lehm.* Acta Leop. Suppl. 7.  
 — *Munruana* *Lehm.* Acta Leop. Suppl. 13.  
 — *nepalensis* *Hook.* Nees Sammlung 93.  
 — *navalis* *Lap.* Mém. Toulouse 1, 16.  
 — — *Torr.* Ann. Lyc. 1, 3.  
 — *nivea* *L.* Gunner Flora norv. 2, 3.  
 — — *Ammann* Ruth. 14.  
 — *Nuttallii* *Lehm.* Acta Leop. Suppl. 33.  
 — *obovata* *Bert.* Mem. Bon. II. 3, 4.  
 — *ovalis* *Lehm.* Acta Leop. Suppl. 50.  
 — *paradoxa* *Nutt.* Acta Leop. Suppl. 62.  
 — *parvifolia* *Fisch.* Acta Leop. Suppl. 3.  
 — *pedata* *Willd.* Schrank Hort. monac. 17.  
 — *peduncularis* *Don.* Acta Leop. Suppl. 25.  
 — *pentandra* *Eng.* Acta Leop. Suppl. 62.  
 — *plattensis* *Nutt.* Acta Leop. Suppl. 6.  
 — *poterifolia* *Boiss.* Acta Leop. Suppl. 6.  
 — *poterifolia* *Vis.* Visiani Plantae Serbi-  
 cae 2.  
 — *pseudoanscrina* *Bert.* Mem. Mon. II, 2, 3.  
 — *pulcherrima* *Lehm.* Acta Leop. Suppl. 28.  
 — *pulvinaris* *Fenzl.* Acta Leop. Suppl. 44.  
 — *radiata* *Lehm.* Acta Leop. Suppl. 45.  
 — *reticulata* *Bert.* Mem. Bon. II. 3, 2.  
 — *Richardii* *Lehm.* Acta Leop. Suppl. 5.  
 — *rigida* *Wall.* Acta Leop. Suppl. 23, 1.  
 — *rivalis* *Nutt.* Acta Leop. Suppl. 61.  
 — *rubricaulis* *Lehm.* Acta Leop. Suppl. 30.  
 — *Saxifraga* *Ard.* Acta Leop. Suppl. 48.  
 — *sischanensis* *Bunge.* Acta Leop. Suppl. 9.  
 — *Sommerfeltii* *Lehm.* Acta Leop. Suppl. 10.  
 — *soongarica* *Ledeb.* Acta Leop. Suppl. 8.  
 — *stenantha* *Lehm.* Acta Leop. Suppl. 14.  
 — *stipularis* *L.* Acta Leop. Suppl. 46.  
 — *stolonifera* *Lehm.* Acta Leop. Suppl. 15.  
 — *subacaulis* *L.* Acta Leop. Suppl. 56.  
 — *subpalmata* *Ledeb.* Acta Leop. Suppl. 29.  
 — *tanacetifolia* *Willd.* Acta Leop. Suppl. 20.  
 — *umbrosa* *Stev.* Acta Leop. Suppl. 35.

- Potentilla verticillaris* *Steph.* Acta Leop. Suppl. 10.  
 — *virgata* *Lehm.* Acta Leop. Suppl. 42.  
 — *Wallichiana* *DC.* Acta Leop. Suppl. 34.  
 — *Wrangeliana* *Fisch.* Acta Leop. Suppl. 19.  
 — *xylorrhiza* *Boiss.* Acta Leop. Suppl. 2.  
*Poterium muricatum* *Spach.* English Botany Suppl.  
 2980.  
 ! — *polygamum* *W. K.* Fleischer Missbildungen 7.  
 † — *Sanguisorba* *L.* Agardh Syst. 14.  
 † — — *Payer* Organogénie 103.  
*Pothoidium Lobbianum* *Schott.* Schott Aroideae 57.  
*Pothos angustifolius* *Presl.* Schott Aroideae 31.  
 — *Barberianus* *Schott.* Schott Aroideae 53.  
 — *Cathcarti* *Schott.* Schott Aroideae 44. 45.  
 — *Chapelieri* *Schott.* Schott Aroideae 35.  
 — *cognatus* *Schott.* Schott Aroideae 42.  
 — *cordata* *L.* Plumier Ic. Burm. 38.  
 — *crenata* *L.* Plumier Ic. Burm. 39.  
 — *Cumingianus* *Schott.* Schott Aroideae 50.  
 — *cylindricus* *Presl.* Schott Aroideae 48.  
 — *exiguiflorus* *Schott.* Schott Aroideae 41.  
 — *gracilis* *Roxb.* Schott Aroideae 52.  
 — *Hookeri* *Schott.* Schott Aroideae 46.  
 — *Junghuhnianus* *de Vr.* Schott Aroideae 39.  
 — *leptospadix* *de Vr.* Schott Aroideae 40.  
 — *longifolius* *Presl.* Schott Aroideae 34.  
 † — — *Abh. Leipz.* 7, 9. 10.  
 — *longipes* *Schott.* Schott Aroideae 47.  
 — *Loureiri* *Hook.* Schott Aroideae 49.  
 — *luzonensis* *Schott.* Schott Aroideae 56.  
 — *macrophyllus* *de Vr.* Schott Aroideae 38.  
 — *microphyllus* *Presl.* Schott Aroideae 40.  
 — *Mottleyanus* *Schott.* Schott Aroideae 55.  
 — *oxyphyllus* *Mig.* Miquel Flora 38.  
 — *remotiflorus* *Hook.* Schott Aroideae 54.  
 — *Roxburghii* *de Vr.* Schott Aroideae 37.  
 — *scandens* *L.* Schott Aroideae 33.  
 — *Seemanni* *Schott.* Schott Aroideae 43.  
 — *Thomsonianus* *Schott.* Schott Aroideae 51.  
 — *Vrieseanus* *Schott.* Schott Aroideae 36.  
 — *Zollingerii* *Schott.* Schott Aroideae 32.  
*Pourouma sapida* *Karst.* Karsten Fl. Col. 2, 110.  
 † *Pouzolzia* *Gaud.* Arch. Mus. 9, 13.  
 † — *indica* *Gaud.* Blume Mus. 2, 58.  
 † — *Waitziana* *Bl.* Blume Mus. 2, 58.  
 † *Praetoria* *Baill.* Baillon Euph. 11.  
*Prangos denticulata* *F. et M.* Tchichatscheff Asie mi-  
 neure 19.  
*Prasium majus* *L.* Zanoni Hist. 80.  
 — — — *Rehb.* Fl. germ. 18, 1203.  
*Prasophyllum alpinum* *R. Br.* Hook. Fl. Tasm. 112.  
 — *Archeri* *Hook. fil.* Hook. Fl. Tasm. 113.  
 — *brevilabre* *Hook. fil.* Hook. Fl. Tasm. 110.  
 — *despectans* *Hook. fil.* Hook. Fl. Tasm. 113.  
 — *flavum* *R. Br.* Hook. Fl. Tasm. 109.  
 — *fuscum* *R. Br.* Hook. Fl. Tasm. 112.  
 — *lutescens* *Ldl.* Hook. Fl. Tasm. 110.  
 — *nudum* *Hook. fil.* Hook. Fl. Tasm. 113.  
 — *patens* *R. Br.* Hook. Fl. Tasm. 111.  
 — *truncatum* *Ldl.* Hook. Fl. Tasm. 109.  
*Pratia glandulifera* *Wedd.* Castelnau Exped. 45.  
 — *oligophylla* *Wedd.* Castelnau Exped. 45.  
*Prenanthes purpurea* *L.* *Rehb.* Fl. germ. 19, 1408.  
*Prepusa connata* *Gardn.* Endl. Bras. 39, 66.  
 — *Hookeriana* *Gardn.* Endl. Bras. 39, 66.  
*Prescottia plantaginea* *Lodd.* Blume Orchid. 48.  
*Preslia cervina* *Fres.* *Rehb.* Fl. germ. 18, 1290.  
*Prestonia hirsuta* *Müll.* Endl. Bras. 26, 48.  
 † *Prestoniopsis pubescens* *Müll. Arg.* Bot. Zeitung  
 1860, 1.  
 † *Primula* *L.* *Batsch* Analyses 4.  
 — *acaulis* *Jacq.* *Colonna* Phytobasanos 6.

- Primula Allionii* Loıs. Rchb. Fl. germ. 17, 1101.  
 — *angustifolia* Torr. Ann. Lyc. 1, 3.  
 — *Auricula* L. Colonna Phytobasanos 5.  
 — — — Thornton Plates 9.  
 — — — *leucantha*, Hegetschweiler Flora 5.  
 — — — Rchb. Fl. germ. 17, 1093.  
 — — — Kratz Primulaceen 1. 2.  
 † — — — Vidensk. Meddelelser 1854, 1.  
 — — — Belgique horticole 5, 21.  
 — — — Regel Gartenfl. 6, 194. 195.  
 — *brevistyla* DC. Rchb. Fl. germ. 17, 1103. 1105.  
 — *Boveana* Decne. Jaub. Illustr. 439.  
 — *calycina* Duby. Rchb. Fl. germ. 17, 1099. 1105.  
 — *Candolleana* Rchb. Rchb. Fl. germ. 17, 1019.  
 1105.  
 — *carniolica* Jacq. Rchb. Fl. germ. 17, 1094.  
 — *ciliata* Schrank. Rchb. Fl. germ. 17, 1102. 1104.  
 — *Clusiana* Tausch. Rchb. Fl. germ. 17, 1099.  
 1105.  
 — *commutata* Schott. Rchb. Fl. germ. 17, 1107.  
 — *confinis* Schott. Rchb. Fl. germ. 17, 1103.  
 — *cortusoides* L. Revue horticole 1859, p. 319.  
 — — — Bot. Mag. 91, 5328.  
 — *daonenis* Leib. Flora 1855, 12.  
 — — — Rchb. Fl. germ. 17, 1096. 1104.  
 — *discolor* Leib. Flora 1855, 11.  
 — — — Rchb. Fl. germ. 17, 1093. 1096.  
 — *elatio* Jacq. Rchb. Fl. germ. 17, 1090.  
 — *erosa* Wall. Fl. d. serres 11, 1147.  
 — *Facchini* Schott. Rchb. Fl. germ. 17, 1100. 1104.  
 1105.  
 — *farinosa* L. Rchb. Fl. germ. 17, 1092.  
 — — — Regel Gartenfl. 1863, 416.  
 — *Floerkeana* Schrad. Rchb. Fl. germ. 17, 1100.  
 1104.  
 — *glutinosa* Wulf. Rchb. Fl. germ. 17, 1101. 1108.  
 † — *grandiflora* DC. Mém. Mus. 2, 4.  
 — *graveolens* Hegetschw. Hegetschw. Flora 6.  
 — *helvetica* Don. Rchb. Fl. germ. 17, 1106.  
 — *integrifolia* L. Regel Gartenfl. 4, 118.  
 — — — Froelich Alpenpf. 2, 1.  
 — *intermedia* Tratt. Rchb. Fl. germ. 17, 1106.  
 — *involutrata* Wall. Fl. d. serres 10, 1023.  
 — — — Regel Gartenfl. 1863, 394.  
 — *Kitaibeliana* Schott. Rchb. Fl. germ. 17, 1107.  
 — *latifolia* Lap. Regel Gartenfl. 4, 118.  
 — — — Rchb. Fl. germ. 17, 1104. 1098.  
 — *longiflora* All. Rchb. Fl. germ. 17, 1092.  
 — *marginata* Curt. Rchb. Fl. germ. 17, 1095.  
 — *minima* L. Rchb. Fl. germ. 17, 1100. 1104.  
 — — — Fl. d. serres 15, 1514.  
 — *mollis* Nutt. Bot. Mag. 80, 4798.  
 — — — Fl. d. serres 12, 1230.  
 — — — Belgique horticole 5, 5.  
 — *Mureti* Moritzi. Rchb. Fl. germ. 17, 1101. 1104.  
 1108.  
 — — — Charp. Regel Gartenfl. 4, 118.  
 — *oenensis* Thom. Rchb. Fl. germ. 17, 1100.  
 — *officinalis* Jacq. Colonna Phytobasanos 6.  
 — — — Rchb. Fl. germ. 17, 1090. 1106.  
 — *pedemontana* Thom. Rchb. Fl. germ. 17, 1098.  
 1104.  
 — *praenitens* Ker. Nees Sammlung 20.  
 ! — — — Museum Senck. 2, 4.  
 — *pubescens* Jacq. Rchb. Fl. germ. 17, 1109.  
 — *pyncorhiza* Led. Regel Gartenfl. 1863, 391.  
 — *rhaetica* Gaud. Rchb. Fl. germ. 17, 1093. 1095.  
 — *silvestris* Scop. Rchb. Fl. germ. 17, 1091.  
 — *simensis* Hochst. Jaub. Illustr. 440.  
 — *sinensis* Ldl. Regel Gartenfl. 1861, 346.  
 — — — Belgique horticole 1861, 3. 1864, 17.  
 ! — — — Cramer Bildungsabw. 1—6.

- Primula spectabilis* Tratt. Rchb. Fl. germ. 17, 1103.  
 1105.  
 — *suaveolens* Bert. Mem. Mod. 24, I, 3.  
 — — — Rchb. Fl. germ. 17, 1091.  
 — *Thomasinii* Gren. Rchb. Fl. germ. 17, 1102.  
 1201.  
 — *tyrolensis* Schott. Rchb. Fl. germ. 17, 1101.  
 1108.  
 — *venusta* Host. Rchb. Fl. germ. 17, 1094.  
 — *verticillata* Forsk. Jaub. Illustr. 438.  
 — *villosa* Jacq. Rchb. Fl. germ. 17, 1097. 1107.  
 — *viscosa* All. L'horticulteur fr. 1859, 20.  
 ! — *vulgaris* L. Ann. sc. nat. IV, 19, 12.  
 — *Wulfeniana* Schott. Rchb. Fl. germ. 17, 1104.  
 1105.  
 † *Primulaceae* Vent. Schnizl. Iconogr. 156.  
 † — — Payer Organogénie 153.  
 — *Prinos laurinus* Thury. Mém. Genev. 14, 3.  
 — *Printzia Huttonii* Harv. Harvey Thes. cap. 2, 159.  
 — *Prianthes antimenorrhoea* Schrank. Schrank Hort. mo-  
 nac. 51.  
 — *Prionanthium rigidum* Desv. Desvaux Opuscules 4.  
 — *Prionium Palmetta* E. M. Hook. Journ. 1857, 4.  
 — *Prioria copaifera* Griseb. Linn. Transact. 23, 40.  
 † *Prismatomeris albidiflora* Thw. Hook. Journ. 1856, 7.  
 — *Pritchardia pacifica* Seem. Bonplandia 1862, 15.  
 † *Pritzelia Fischeri* Kl. Abh. Acad. Berl. 1854, 10.  
 — *Priva abyssinica* Jaub. Jaub. Illustr. 453. 454.  
 — — — Forskalii Jaub. Jaub. Illustr. 455.  
 † *Prockia Crucis* L. Agardh Syst. 20.  
 — *flava* Karst. Karsten Fl. Col. 2, 140.  
 — *septemnervia* Spr. Karsten Fl. Col. 2, 140.  
 — *tomentosa* A. Rich. Ramon Cuba 24.  
 † *Procris cephalida* Comm. Arch. Mus. 9, 6.  
 † *Prolongoa pectinata* Boiss. Bot. Zeitung. 1864, 10.  
 — *Prosopis glandulosa* Torr. Ann. Lyc. 2, 2.  
 — — — odorata Torr. Fremont Report 1845, 1.  
 — *Prosorus indicus* Dalz. Hook. Journ. 1854, 10.  
 — *Prostanthera cuneata* Benth. Hook. Fl. Tasm. 90.  
 — *rotundifolia* R. Br. Hook. Fl. Tasm. 89.  
 — *spinosa* F. M. Müller Plants of Victoria 2, 56.  
 † — *violacea* R. Br. Abh. Leipz. 6, 24.  
 — *Protea argentea* L. Burchell Travels 1, 69.  
 † *Proteaceae* R. Br. Payer Organogénie 97.  
 — *Proustia pungens* Pöpp. Castelnau Exped. 5.  
 — *pyrifolia* Lag. Bot. Mag. 91, 5489.  
 — *Prunus americana* Marsh. Nuttall Sylva 2, 48.  
 — — — Ann. Lyc. 3, 1.  
 † — *armeniaca* L. Gleichen Untersuchungen 11.  
 † — — — Mem. Tur. 1855, 2.  
 — — — Regel Gartenfl. 1864, 446.  
 ! — — — Verh. Rheinland 17, 6.  
 † — *avium* L. Hofmeister Embryo 9.  
 — *Brigantiana Vill.* Nouveau Duhamel 5, 59.  
 — *Cerasus* L. var. *austera*, Berg Darstellung 1, 4°.  
 † — — — Hofmeister Embryo 9.  
 † — — — Bot. Zeitung 1859, 9.  
 — *domestica* L. Nouveau Duhamel 5, 55. 56. 60—  
 62.  
 — *japonica* Thunb. fl. pleno, Illustration horticole  
 1858, 183.  
 ! — *insignis* Poit. Goethe Atlas 4.  
 — *lusitanica* L. Dillenius Elth. 159.  
 — *Myrobalana Desf.* Nouveau Duhamel 5, 57. 58.  
 — *prostrata* Lab. Nouveau Duhamel 5, 53.  
 — *sibirica* L. Ammann Ruth. 29.  
 — *sinensis* Pers. Nouveau Duhamel 5, 53.  
 — *spinosa* L. Nouveau Duhamel 5, 54.  
 † — — — Ann. sc. nat. IV, 4, 17.  
 — *triloba* Ldl. Fl. d. serres 15, 1532.  
 — — — Illustration horticole 1861, 309.  
 — *Psammisia longicolla* Hook. Bot. Mag. 91, 5526.

- Psammisia penduliflora* Kl. Bot. Mag. 86, 5204.  
 — — — Revue horticole 1854, 1.  
 — — — *sarcantha* Decne. Revue horticole 1854, 10.  
 † *Pseudanthus* Sieb. Baillon Euph. 25.  
 † *Pseudocaryophyllus sericeus* Berg. Vellozo 5, 76.  
 — — — Endl. Bras. 18, 47<sup>a</sup>.  
*Pseudolmedia coriacea* Karst. Karsten Fl. Col. 2, 111.  
 † *Pseudoryza ciliata* Gr. Griffith Pl. asiat. 144.  
*Psidium anthomega* Vell. Vellozo 5, 51.  
 — — — *arborescens* Vell. Vellozo 5, 50.  
 — — — *buxifolium* Nutt. Nuttall Sylva 1, 25.  
 — — — *cinereum* Mart. Endl. Bras. 18, 41<sup>a</sup>.  
 — — — *coriacea* Berg. Vellozo 5, 49.  
 — — — *grandifolium* Mart. Endl. Bras. 18, 42.  
 — — — *Guayava* Raddi. Vellozo 5, 48.  
 — — — *incanescens* Mart. Endl. Bras. 18, 41.  
 — — — *rufum* Mart. Vellozo 5, 54.  
*Psilocarpus longepedunculatus* Hassk. Endl. Bras. 24, 52.  
 † *Psiloglossa avatifolia* Oerst. Vidensk. Meddelelser 1854, 5.  
 † *Psilotum* Sw. Bot. Zeitung 1856, 7.  
 † — — — *triquetrum* Sw. Griffith Pl. asiat. 118<sup>a</sup>.  
 † — — — Payer Botanique crypt. p. 212—213.  
 † — — — Hook. Fil. exot. 63.  
 † *Psoralea* L. Nees Genera 29, 12.  
 — — — *acanthocarpa* F. M. Müller Plants of Victoria 2, 26.  
 — — — *acaulis* Stev. Regel Gartenfl. 1861, 324.  
 — — — *alnifolia* Bert. Mem. Bon. 2, 14.  
 — — — *alopecurina* Bert. Mem. Bon. 2, 14.  
 — — — *glandulosa* L. Feuille 3, 3.  
 — — — *Zeyheri* Harv. Harvey Thes. cap. 1, 80.  
*Psychechilos purpurascens* Bl. Blume Orchid. 9.  
*Psychotria angustata* And. Eugénies Resa 9.  
 — — — *araleica* Kotschy. Wiener Sitzungs. 52, 2.  
 — — — *asiatica* L. Browne Jamaica 17.  
*Ptelea trifoliata* L. Dillenius Elth. 122.  
 † — — — Payer Organogénie 24.  
 † — — — Agardh Syst. 19.  
 † *Pteris acclivis* Mett. Abh. Senck. 2, 16.  
 — — — *aquilina* L. Hook. Sp. Fil. 3, 141.  
 — — — — — Lowe Ferns 4, 3.  
 — — — — — Johnson Ferns 38.  
 — — — — — Hook. British Ferns 38.  
 — — — — — var. *esculenta*, Lowe New Ferns 49.  
 † — — — — — Abh. Senck. 2, 16.  
 † — — — — — Acta Leop. 28, 5.  
 — — — *areolata* Lowe. Lowe New Ferns 57.  
 — — — *arguta* Vahl. Lowe Ferns 3, 41.  
 — — — *argyrea* Moore. Illustration horticole 1860, 241.  
 — — — — — Lowe New Ferns 10.  
 — — — — — L'horticulteur fr. 1861, 5.  
 — — — *articulata* Kaulf. Hook. Sp. Fil. 126.  
 — — — *aspericaulis* Wall. Otto Garten-Z. 1858, 12.  
 — — — — — Lowe Ferns 4, 8.  
 — — — — — *Moore*. var. *tricolor*, Illustration horticole 1860, 250.  
 — — — — — Lowe New Ferns 9.  
 — — — *aurita* Bl. Mettenius Fil. 14.  
 — — — *biaurita* L. Lowe Ferns 3, 50.  
 — — — *Burkeana* Hook. Hook. Sp. Fil. 126.  
 — — — *chilensis* Desv. Hook. Sp. Fil. 120.  
 — — — *coriacea* Desv. Hook. Sp. Fil. 124.  
 — — — *crenata* Sw. Hook. Sp. Fil. 127.  
 — — — — — Lowe Ferns 3, 48.  
 — — — *cretica* L. Bot. Mag. 86, 5194.  
 — — — — — Lowe Ferns 3, 43.  
 — — — — — var. *albo-lineata*, Lowe New Ferns 25.  
 — — — *Curreri* Hook. Hook. Sp. Fil. 140.  
 — — — *dactylina* Hook. Hook. Sp. Fil. 130.

- Pteris Dalhousiae* Hook. Hook. Sp. Fil. 121.  
 — — — *deltea* Ag. Hook. Sp. Fil. 135.  
 — — — *denticulata* Sw. Lowe Ferns 4, 1.  
 — — — *distans* J. Sm. Hook. Sp. Fil. 124.  
 † — — — *elata* Kze. var. *Karsteniana*, Mettenius Fil. 25.  
 † — — — — — Abh. Leipz. 9, 6.  
 — — — *Endlicheriana* Ag. Hook. Ic. pl. 19, 973.  
 † — — — *esculenta* Forst. Abh. Senck. 2, 16.  
 — — — *excelsa* Gaud. Hook. Sp. Fil. 136.  
 — — — *felosma* J. Sm. Lowe Ferns 4, 2.  
 † — — — *glabra* Mett. Mettenius Fil. 25.  
 — — — *gracilis* Fée. Fée Fil. novae 19.  
 — — — — — Hook. Sp. Fil. 128.  
 — — — *grandifolia* L. Hook. Sp. Fil. 113.  
 — — — — — Lowe Ferns 3, 49.  
 — — — *Griffithiana* Hook. Hook. Sp. Fil. 123.  
 — — — *heteromorpha* L. fl. Hook. Sp. Fil. 127.  
 — — — *heterophylla* L. Bot. Mag. 82, 4925.  
 † — — — — — Abh. Senck. 2, 16.  
 — — — *hirsuta* J. Sm. Lowe Ferns 4, 4.  
 — — — *Jamesoni* Hook. Hook. Sp. Fil. 133.  
 — — — *Kingiana* Endl. Lowe Ferns 3, 46.  
 — — — *Kunzeana* Ag. Hook. Sp. Fil. 139.  
 — — — *laciniata* Willd. Hook. Sp. Fil. 132.  
 — — — *lata* Link. Lowe Ferns 4, 6.  
 — — — *leptophylla* L. Lowe Ferns 3, 47.  
 — — — — — Hook. Garden Ferns 23.  
 — — — *longifolia* L. Lowe Ferns 3, 42.  
 — — — *longipinnula* Wall. Hook. Sp. Fil. 134.  
 — — — *macroptera* Link. Lowe Ferns 4, 7.  
 — — — *madagascarica* Ag. Hook. Sp. Fil. 122.  
 — — — *marattinaefolia* Hook. Hook. Sp. Fil. 122.  
 — — — *melanocaulon* Fée. Fée Fil. novae 19.  
 — — — *moluccana* Bl. Hook. Sp. Fil. 112.  
 — — — *muricata* Hook. Hook. Sp. Fil. 123.  
 — — — *mutilata* L. Hook. Sp. Fil. 131.  
 — — — *opaca* J. Sm. Hook. Sp. Fil. 114.  
 — — — *paleacea* Roxb. Hook. Sp. Fil. 132.  
 † — — — *pallens* Mett. Mettenius Fil. 15.  
 † — — — *palmata* Willd. Mettenius Fil. 15.  
 — — — — — Hook. Garden Ferns 22.  
 — — — *patens* Hook. Hook. Sp. Fil. 137.  
 — — — *pedata* L. Hook. Fil. exot. 34.  
 — — — *pellucida* Presl. Hook. Sp. Fil. 129.  
 — — — *podophylla* Sw. Hook. Garden Ferns 55.  
 — — — *quadriaurita* Retz. Bot. Mag. 86, 5183.  
 — — — — — Hook. Sp. Fil. 134, 135.  
 — — — — — var. *tricolor*, Fl. d. serres 13, 1374—1375.  
 — — — — — Belgique horticole 1861, 4.  
 † — — — *radiata* Mett. Mettenius Fil. 15.  
 — — — *sagittifolia* Raddi. Hook. Fil. exot. 39.  
 — — — *scaberula* Rich. Lowe Ferns 4, 10.  
 — — — *scabra* Bory. Hook. Sp. Fil. 138.  
 — — — *scalaris* Moritz. Hook. Sp. Fil. 121.  
 — — — — — Hook. Sp. Fil. 141.  
 — — — — — Abh. Senck. 2, 16.  
 — — — *semidentata* Fée. Fée Fil. novae 18.  
 — — — — — Hook. Sp. Fil. 128.  
 — — — *semipinnata* L. Osbeck Reise 3.  
 — — — — — Lowe Ferns 4, 9.  
 † — — — — — Mettenius Fil. 15.  
 — — — — — Hook. Garden Ferns 59.  
 † — — — *serrulata* L. Lowe Ferns 3, 40.  
 — — — — — Schacht Lehrbuch 2, 7.  
 — — — *socorrensis* Karst. Karsten Fl. Col. 1, 58.  
 — — — *sulcata* Link. Lowe Ferns 4, 5.  
 — — — *tremula* R. Br. Hook. Sp. Fil. 120.  
 — — — — — Lowe Ferns 3, 45.  
 — — — *tricolor* Moore. Lowe New Ferns 9.  
 — — — — — L'horticulteur fr. 1861, 5.  
 — — — *tripartita* Sw. Hook. Sp. Fil. 138.

- Pteris triphylla* Ag. Hook. Sp. Fil. 131.  
 † — — — Mettenius Fil. 15.  
 — umbrosa R. Br. Hook. Sp. Fil. 130.  
 — — — Lowe Ferns 3, 39.  
 — vespertilionis Lab. Lowe Ferns 3, 44.  
 — — — Mettenius Fil. 15.  
 — vittata L. Osbeck Reise 4.  
 — vulcanica Bert. Mem. Bon. 9, 6.  
 † *Pternandra coerulescens* Gr. Griffith Pl. asiat. 28.  
*Pterocarpus Ecastophyllum* L. Browne Jamaica 32.  
*Pterocaulon alopecuroideum* DC. Plumier Ic. Burm. 98.  
 — virgatum DC. Plumier Ic. Burm. 98.  
 † *Pterocephalus* Vaill. Nees Genera 30, 17.  
 — parviflorus F. et M. Tchichatscheff Asie mi-  
 neure 27.  
*Pteroglossis laxa* Miers. Miers Illustr. 52.  
*Pteropappus Lawrencii* Hook. fil. Hook. Fl. Tasm. 55.  
*Pteropsis lanceolata* Desv. Hook. Fil. exot. 45.  
 † *Pterospora andromedea* Nutt. Chatin Anatomie 49.  
 † *Pterostegia drymarioides* Hook. Payer Organogénie  
 64.  
*Pterostylis aphylla* Ldl. Hook. Fl. Tasm. 116.  
 — cucullata R. Br. Hook. Fl. Tasm. 115.  
 — dubia R. Br. Hook. Fl. Tasm. 115.  
 — longifolia R. Br. Hook. Fl. Tasm. 117.  
 — mutica R. Br. Hook. Fl. Tasm. 117.  
 — nana R. Br. Hook. Fl. Tasm. 114.  
 — obtusa R. Br. Hook. Fl. Tasm. 115.  
 — pedunculata R. Br. Hook. Fl. Tasm. 114.  
 — rufa R. Br. Hook. Fl. Tasm. 116.  
 — squamata R. Br. Hook. Fl. Tasm. 116.  
*Pterotheca aspera* Rchb. fil. Rchb. Fl. germ. 19, 1428.  
 — *Dioscoridis* Rchb. fil. Rchb. Fl. germ. 19, 1427.  
 — *nemausensis* Cass. Rchb. Fl. germ. 19, 1429.  
*Pterygocalyx volubilis* Max. Mém. prés. Pet. 9, 9.  
*Pterygodium venosum* Ldl. Harvey Thes. cap. 1, 94.  
 † *Pterygoloma repens* Hanst. Linnæa 1853, 2.  
*Pterygota brasiliensis* All. Allem. Trab. 1862, 3.  
*Ptilocalyx Greggii* Torr. Expl. Missis. 2, 8.  
*Pulmonaria angustifolia* L. Rchb. Fl. germ. 18, 1319.  
 — azurea Bess. Rchb. Fl. germ. 18, 1319.  
 — maritima L. Dillenius Elth. 65.  
 — mollis Wolf. Rchb. Fl. germ. 18, 1318.  
 — officinalis L. Rchb. Fl. germ. 18, 1317.  
 † — — — Vidensk. Meddelelser 1854, 2.  
 ! — — — Bot. Zeitung 1865, p. 13.  
 — saccharata Mill. Rchb. Fl. germ. 18, 1318.  
 — virginica Willd. Nees Sammlung 22.  
*Pulsatilla chinensis* Bge. Acad. Pet. VII. 4, 2.  
 — vernalis Mill. Froelich Alpenpf. 7, 6.  
*Pultenaea Ansfeldi* Reg. Regel Gartenfl. 14, 475.  
 — diffusa Hook. fil. Hook. Fl. Tasm. 14.  
 — Gunnii Benth. Hook. Fl. Tasm. 13.  
 — rosea F. M. Müller Plants of Victoria Suppl.  
 13.  
*Pumilo argyrolepis* Schl. Hook. Fl. Tasm. 53.  
*Punica Granatum* L. Berg Darstellung 1, 3<sup>ab</sup>.  
 — — — var. *Legrelliae*, Fl. d. serres 13, 1385.  
 — — — Illustration horticole 1858,  
 156.  
 † — — — Endl. Bras. 18, 8, 9.  
 † — — — Atti Gioen. II, 6, 2.  
 † — — — Agardh Syst. 12.  
 † — — — Payer Organogénie 99.  
 † — — — Schnizl. Iconogr. 269.  
*Purdieaea nutans* Planch. Hooker London Journal  
 1846, 9.  
*Puschkinia scilloides* Adams. Regel Gartenfl. 9, 310.  
 † — — — Abh. Leipz. 7, 20.  
*Putoria calabrica* DC. Zanoni Hist. 166.  
 — — — Rchb. Fl. germ. 17, 1182.  
 † *Puya* . . . . . Abh. Leipz. 6, 25.

- Puya chilensis* Molin. Feuillée 3, 39.  
 — — — Regel Gartenfl. 7, 225.  
 — coarctata Fisch. Sertum petrop. 19.  
 — grandiflora Hook. Bot. Mag. 87, 5234.  
 — maidifolia Decne. Fl. d. serres 9, 915.  
 — virescens Hook. Bot. Mag. 85, 4991.  
 — *Warczewiczii* Wendl. Bot. Mag. 87, 5225.  
*Pycnophyllum molle* Remy. Castelnau Exped. 88.  
*Pycnostachys urticifolia* Hook. Bot. Mag. 89, 5365.  
*Pyrenacantha scandens* Pl. Harvey Thes. cap. 1, 23.  
*Pyrethrum alpinum* Willd. Frölich Alpenpf. 1, 2.  
 — carneum M. v. B. Fl. d. serres 9, 917.  
 — Halleri Willd. Frölich Alpenpf. 1, 3.  
 — roseum M. v. B. Fl. d. serres 9, 917.  
 — — — Illustration horticole 1859, 226. 1861,  
 301.  
 — — — Journ. soc. d'hort. Par. 1858, 714.  
 — — — Belgique horticole 1863, 18.  
 — — — Revue horticole 1864, 71.  
 † *Pyrola* L. Nees Genera 28, 17.  
 † — — — Agardh Syst. 7.  
 † — — — Schnizl. Iconogr. 161.  
 † — — — Schacht Lehrbuch 2, 9.  
 † — — — Abh. Leipz. 6, 25.  
 — chlorantha Sw. Rchb. Fl. germ. 17, 1154.  
 — media Sw. Rchb. Fl. germ. 17, 1154.  
 — minor L. Rchb. Fl. germ. 17, 1155.  
 — rotundifolia L. Rchb. Fl. germ. 17, 1153.  
 — — — var. *arenaria*, Rchb. Fl. germ. 17, 1153.  
 — — — var. *orthostyla*, Rchb. Fl. germ. 17,  
 1153.  
 — secunda L. Flora 1855, 17.  
 — — — Rchb. Fl. germ. 17, 1155.  
 — umbellata L. Rchb. Fl. germ. 17, 1156.  
 — uniflora L. Clarke Travels 3, p. 248.  
 — — — Flora 1855, 17.  
 — — — Rchb. Fl. germ. 17, 1156.  
*Pyrostegia ignea* Presl. Presl Symb. 77.  
 † *Pyrrularia edulis* Michx. Chatin Anatomie 69.  
 † — pubera Michx. Chatin Anatomie 70.  
*Pyrus americana* DC. Nuttall Sylva 2, 50.  
 — baccata L. Ammann Ruth. 31.  
 — — — Regel Gartenfl. 1862, 364.  
 — communis L. Nouveau Duhamel 6, 60—74.  
 † — — — Gleichen Untersuchungen 15.  
 † — — — Payer Organogénie 102.  
 ! — — — (Fructus.) Perrault Oeuvres 5.  
 ! — — — Flora 1858, 1.  
 — *decepiens* Rechst. Bechstein Forstbotanik 7.  
 † — *elaegrifolia* Pall. Agardh Syst. 11.  
 — *japonica* Thunb. Nees Sammlung 68.  
 — *Malus* L. Berg Darstellung 1, 4<sup>a</sup>.  
 † — — — Gleichen Untersuchungen 14.  
 ! — — — Gleditsch Verm. Abh. 3, 1.  
 — *Pollveria* L. Nouveau Duhamel 6, 56.  
 — — — Bechstein Forstbotanik 9.  
 — *rivularis* Dougl. Nuttall Sylva 2, 49.  
 — *rotundifolia* Bechst. Bechstein Forstbotanik 5.  
 — *salicifolia* L. fil. Nouveau Duhamel 6, 56.  
 — *semilobata* Bechst. Bechstein Forstbotanik 6.  
 — *semipinnata* Bechst. Bechstein Forstbotanik 8.  
 — *sinaica* Thoun. Nouveau Duhamel 6, 57.  
 — *ussuriensis* Maxim. Regel Gartenfl. 1861, 345.  
 † *Pysodeira bicolor* Hanst. Linnæa 1853, 2.  
*Pythonium* . . . . . Griffith Pl. asiat. 163.  
*Quamoclit Nationis* Hook. Bot. Mag. 90, 5432.  
 — *vitifolia* Don. Revue horticole 1856, 2.  
*Quassia amara* L. Berg Darstellung 2, 11<sup>a</sup>.  
 † — — — Agardh Syst. 19.  
 † — — — Verh. zool. bot. Verein 14, 19.  
*Quercus* L. Gleichen Untersuchungen 29.

- † *Quercus L.* Schnizl. Iconogr. 2, 89.  
 † — — Schacht Lehrbuch 2, 8.  
 — *acutidens Torr.* Torrey Mex. Boundary 51.  
 — *Aegilops Oliv.* Olivier Voyage 13.  
 — — Tchichatschiff Asie mineure 42.  
 — — *L.* Nouveau Duhamel 7, 51.  
 — — Tchichatschiff Asie mineure 41.  
 — — var. *gracca*, Kotschy Eichen 30.  
 † — — Linn. Transact. 23, 36.  
 — *agrifolia Nee.* Nuttall Sylva 1, 2.  
 — — Expl. Missis. 6, p. 32.  
 — *alnifolia Poech.* Kotschy Eichen 6.  
 — *alpestris Boiss.* Kotschy Eichen 17.  
 — *amplifolia Guss.* Béranger Giur. forest. 1.  
 — *appenina Lam.* Nouveau Duhamel 7, 53.  
 — *armeniaca Kotschy.* Kotschy Eichen 25.  
 — *aurea Wiersb.* Kotschy Eichen 4.  
 — *austriaca Willd.* Kotschy Eichen 20.  
 — *bambusaefolia Hance.* Seemann Herald 91.  
 — *Banisteri Michx.* Nouveau Duhamel 7, 50.  
 — *brachyphylla Kotschy.* Kotschy Eichen 9.  
 — *Brantii Ldl.* Kotschy Eichen 31.  
 — *castaniaefolia C. A. M.* Kotschy Eichen 40.  
 — *castellana Bosc.* Béranger Giur. forest. 1.  
 — *Cedrorum Kotschy.* Kotschy Eichen 37.  
 — *Cerris L.* Nouveau Duhamel 7, 57.  
 — *Championi Benth.* Seemann Herald 90.  
 — *coccifera L.* Nouveau Duhamel 7, 46.  
 — — Kotschy Eichen 29.  
 — *conferta Kil.* Kotschy Eichen 14.  
 — *cornea Lour.* Seemann Herald 87.  
 — *crassipocula Torr.* Expl. Missis. 5, 9.  
 — *crinita Oliv.* Olivier Voyage 12.  
 — *Cupaniana Guss.* Béranger Giur. forest. 1.  
 — *cuspidata Thunb.* Cleyer Fl. jap. 74.  
 — *Dalechampii Ten.* Béranger Giur. forest. 1.  
 — *densiflora Hook.* Expl. Missis. 6, p. 31.  
 — — Nuttall Sylva 1, 5.  
 — *Douglasii Hook.* Nuttall Sylva 1, 4.  
 — *dshoruchensis Koch.* Kotschy Eichen 39.  
 — *echinacea Torr.* Expl. Missis. 4, 14.  
 — *Ehrenbergii Kotschy.* Kotschy Eichen 15.  
 — *Emoryi Torr.* Emory Notes 9.  
 — *Esculus Bert.* Béranger Giur. forest. 1.  
 — *fagiformis Jungh.* Bonplandia 1858, p. 82.  
 — *faginea Lam.* Béranger Giur. forest. 1.  
 — *fastigiata Lam.* Nouveau Duhamel 7, 55.  
 — *Fenzlii Kotschy.* Kotschy Eichen 24.  
 — *fissa Champ.* Seemann Herald 92.  
 — *Fordii Carr.* Revue horticole 1861, 115.  
 — *fulvescens Kell.* Expl. Missis. 6, p. 27.  
 — *Gambelii Torr.* Sitgreaves Expedition 18.  
 — *Garryana Dougl.* Nuttall Sylva 1, 1.  
 — *gracca Kotschy.* Kotschy Eichen 30.  
 — *Haas Kotschy.* Kotschy Eichen 2.  
 — *Harlandi Hance.* Seemann Herald 89.  
 — *Hindsii Benth.* Expl. Missis. 6, 1.  
 — *Ilex L.* Nouveau Duhamel 7, 43, 44.  
 — — Kotschy Eichen 38.  
 — *infectoria Oliv.* Olivier Voyage 14, 15.  
 — — Nouveau Duhamel 7, 49.  
 — — Berg Darstellung 4, 29<sup>b</sup>.  
 — *intermedia Bér.* Béranger Giur. forest. 1.  
 — *inversa Ldl.* Seemann Herald 88.  
 — *ithaburensis Deene.* Kotschy Eichen 12.  
 — *Kelloggii Newb.* Expl. Missis. 6, p. 28.  
 — *Kurduchorum C. Koch.* Tchichatschiff Asie mineure 40.  
 — *lamellosa Wall.* Hook. Himal. 20.  
 — — Illustration horticole 1857, 125.  
 — *Leana Nutt.* Nuttall Sylva 1, 5<sup>b</sup>.  
 — *Libani Oliv.* Olivier Voyage 32.

- Quercus Libani Oliv.* Nouveau Duhamel 7, 49.  
 — — var. *callicarpus*, Kotschy Eichen 5.  
 — *Look Kotschy.* Kotschy Eichen 21.  
 — *macrolepis Kotschy.* Kotschy Eichen 16.  
 — *montana Willd.* Nouveau Duhamel 7, 17.  
 — *nigra Thore.* Béranger Giur. forest. 1.  
 — *oblongifolia Torr.* Sitgreaves Expedition 19.  
 — *oophora Kotschy.* Kotschy Eichen 26.  
 — *oxvadenia Torr.* Sitgreaves Expedition 17.  
 — *palaestina Kotschy.* Kotschy Eichen 19.  
 — *pedunculata Ehrh.* Béranger Giur. forest. 1.  
 — — Kotschy Eichen 27.  
 — *persica Jaub.* Kotschy Eichen 28.  
 — *Pfaffingeri Kotschy.* Kotschy Eichen 23.  
 — *prasina Duh.* Nouveau Duhamel 7, 44.  
 — *pseudococcifera Desf.* Nouveau Duhamel 7, 48.  
 — — (near Hebron, Abrahams Oak), Linn. Transact. 23, 36, 37.  
 — *pseudosuber Santi.* Nouveau Duhamel 7, 48.  
 — — Kotschy Eichen 35.  
 — *pubescens Willd.* Kotschy Eichen 34.  
 — — var. *pinnatifida*, Bér. Giur. forest. 1.  
 — *Pyrami Kotschy.* Kotschy Eichen 3.  
 — *pyrenaica Willd.* Nouveau Duhamel 7, 56.  
 — *racemosa Duh.* Nouveau Duhamel 7, 54.  
 — *Raineri Bér.* Béranger Giur. forest. 1.  
 — *regia Ldl.* Kotschy Eichen 11.  
 — *rigida Willd.* Kotschy Eichen 8.  
 — *Robur L.* Nouveau Duhamel 7, 52.  
 — — Berg Darstellung 1, 8<sup>a</sup>.  
 — *sessiliflora Sm.* Berg Darstellung 1, 7<sup>f</sup>.  
 — — Kotschy Eichen 32.  
 — *Suber L.* Nouveau Duhamel 7, 45.  
 — — Kotschy Eichen 33.  
 † — — Mem. Genev. 16, 1—3.  
 — *syriaca Kotschy.* Kotschy Eichen 1.  
 — *tauricola Kotschy.* Kotschy Eichen 10.  
 — *tinctoria Willd.* Nouveau Duhamel 7, 47.  
 — *Tozza Bosc.* Kotschy Eichen 22.  
 — *Tschihatschewii Kotschy.* Tchihatschiff Asie mineure 40.  
 — *undulata Torr.* Ann. Lyc. 2, 4.  
 — — Nuttall Sylva 1, 3.  
 — *Ungeri Kotschy.* Kotschy Eichen 13.  
 — *vallonea Kotschy.* Kotschy Eichen 7.  
 — *vesca Kotschy.* Kotschy Eichen 37.  
 — *viminalis Bosc.* Béranger Giur. forest. 1.  
 — *vulcanica Boiss.* Kotschy Eichen 18.  
*Queria hispanica Loefl.* Willkomm Ic. Hisp. 1, 66.  
*Queteletia plantaginifolia Bl.* Blume Orchid. 37.  
† *Quinchamalium Juss.* Bot. Zeitung 1857, 11.  
 — *chilense Mol.* Feuillée 3, 44.  
 † — — Chatin Anatomie 63.  
 † — *ericoides Ad. Br.* Chatin Anatomie 63.  
 † — *gracile Ad. Br.* Chatin Anatomie 63.  
 † *Quisqualis indica L.* Payer Organogénie 105.  
 — *parviflora Gerr.* Harvey Thes. cap. 2, 130.  
 † — *pubescens Burm.* Agardh Syst. 14.  
*Rabelaisia philippinensis Planch.* Hook. Lond. Journ. 1845, 17.  
 † *Rachia peltata Kl.* Abh. Acad. Berl. 1854, 6.  
 † *Radermachera stricta Zoll.* Baillon Adansonia 2, 2.  
 † — — Bureau Bign. 28.  
*Rafinesquia californica Nutt.* Torrey Mex. Boundary 34.  
*Rafflesia Patma Bl.* Fl. d. serres 15, 1503—1508.  
 — *Rochussenii Tejsm.* Voorloop. Beright 2.  
 — — Miquel Flora 29, 30.  
*Rafnia crassifolia Harv.* Harvey Thes. cap. 1, 71.  
 — *lancea DC.* Harvey Thes. cap. 1, 72.  
*Rajania cordata L.* Plumier Ic. Burm. 155.

- Rajania quinquefolia* L. Plumier Ic. Burm. 155. .  
*Railliardia ciliolata* DC. Bot. Mag. 91, 5517.  
*Ramondia pyrenaica* Rich. Nees Sammlung 84.  
*Randia aculeata* L. Browne Jamaica 8.  
 — *dioica* Karst. Karsten Fl. Col. 2, 167.  
 — *dumetorum* Link. Schweinfurth Fl. Aeth. 3.  
 — *hondensis* Karst. Karsten Fl. Col. 2, 167.  
 — *Kraussii* Harv. Harvey Thes. cap. 1, 33.  
 — *parvifolia* Harv. Harvey Thes. cap. 1, 35.  
 — *rudis* E. M. Harvey Thes. cap. 1, 34.  
*Randonia africana* Coss. Ann. sc. nat. V. 1, 21.  
† *Ranunculaceae* DC. Bot. Zeitung 1856, 1. 1857, 2.  
† — — Payer Organogénie 54—58.  
† — — Ann. sc. nat. IV. 6, 7—9.  
† *Ranunculus* L. Mem. Tur. 1855, 1.  
† — — Agardh Syst. 5.  
 — *alpestris* L. Schott östr. Ran. 3.  
 — *anemoneus* F. M. Müller Plants of Victoria 1, 1.  
 — *apiifolius* Pers. Endl. Bras. 38, 35.  
† — *asiaticus* L. Gasparrini Ric. 5.  
 — *Baudotii* Godr. English Botany Suppl. 2966.  
 — *bilobus* Bert. Mem. Bon. 10, 2.  
 — *bullatus* L. Cornuti Canad. p. 95.  
 — *Camozianus* Clem. Mem. Tur. 1857, 1.  
 — *chius* Guss. Guss. Fl. Inar. 1.  
 — *crenatus* W. K. Schott östr. Ran. 1.  
 — *Drouetii* F. Schultz. English Botany Suppl. 2967.  
 — *criorrhizus* Buhse. Mem. Mosc. 18, 1.  
† — *Ficaria* L. Bot. Zeitung 1865, 2.  
 — *flagelliformis* Smith. Endl. Bras. 38, 34.  
 — *floribundus* Bab. English Botany Suppl. 2969.  
 — *frigidus* Willd. Schrank Hort. monac. 57.  
 — *glacialis* L. Fröhlich Alpenpfl. 1, 1.  
 — *Guzmanni* Humb. Castelnau Exped. 82.  
 — *inconspicuus* Hook. fil. Hook. Fl. Tasm. 2.  
 — *lancifolius* Bert. Mem. Bon. II. 3, 6.  
 — *lapponicus* L. Ammann Ruth. 13.  
 — *macrocarpus* Buhse. Mem. Mosc. 18, 2.  
 — *magellansii* Ten. Schott östr. Ran. 2.  
 — *microcarpus* Bert. Mem. Bon. 12, 6.  
† — *millefoliatus* Vahl. Bot. Zeitung 1865, 2.  
 — *minutus* Cl. Gay. Castelnau Exped. 82.  
 — *Nendwichi* Friv. Acta Acad. hung. 1840, 3.  
 — *oenanthifolius* Ten. Tenore Peregr. 1834, 1.  
 — *pedunculatus* Lge. Lange Pl. Hisp. 5.  
 — *peltatus* Fries. English Botany Suppl. 2965.  
 — *reptans* L. Ammann Ruth. 13.  
 — *sahendicus* Buhse. Mem. Mosc. 18, 1.  
 — *scapigerus* Hook. Hook. Fl. Tasm. 2.  
 — *subacri-bulbosus* Wesm. Bull. Brux. 1862, 14, 298.  
 — *Traunfellneri* Hoppe. Schott östr. Ran. 4.  
 — *trichophyllus* Chaux. English Botany Suppl. 2968.  
 — *tridentatus* DC. Seringe Bulletin. 3.  
† — *trilobus* Desf. Payer Organogénie 57.  
*Raoulia tasmanica* Hook. fil. Hook. Fl. Tasm. 58.  
*Raphanus lyratus* Forsk. Jaub. Illustr. 435.  
† — *Raphanistrum* L. Payer Organogénie 44.  
 — *sinensis* Thunb. Clever Fl. jap. 26.  
 — — Fl. d. serres 12, 1247.  
*Raphia Gaertneri* M. et W. Linn. Transact. 24, 42.  
 — *Hookeri* M. et W. Linn. Transact. 24, 39, 42.  
 — *longiflora* M. et W. Linn. Transact. 24, 39, 42.  
† — *vinifera* Pul. B. Linn. Transact. 24, 42.  
† — *Welwitschii* Wendl. Linn. Transact. 24, 42.  
*Raphiolepis japonica* S. et Z. Siebold Fl. Jard. 1859, 4.  
 — — Belgique horticole 8, 86.  
 — — var. *integerrima*, Bot. Mag. 91, 5510.  
*Raphionacme purpurea* Harv. Harvey Thes. cap. 1, 66.  
*Rapistrum rugosum* All. Mappus Alsat. p. 266.

- † *Rapistrum rugosum* All. Agardh Syst. 18.  
† — — — Handl. Ac. Holm. 1857, 1.  
*Rathea floribunda* Karst. Karsten Fl. Col. 1, 38.  
*Rauwolfia Blanchetii* A. DC. Endl. Bras. 26, 9.  
 — *canescens* L. Plumier Ic. Burm. 236.  
 — — — Endl. Bras. 26, 9.  
 — *nitida* L. Plumier Ic. Burm. 236.  
† — — — Endl. Bras. 26, 9.  
† — *psychotrioides* H. B. K. Agardh Syst. 22.  
 — *Sprucei* Müll. Endl. Bras. 26, 10.  
*Ravenala madagascariensis* Sonn. Sonnerat Ind. 124—126.  
 — — — Fl. d. serres 13, 1355.  
 — — — Belgique horticole 9, 31.  
 — — — Illustration horticole 1860, 234.  
 — — — Siebold Fl. Jard. 1860, 2, 3.  
*Rawsonia lucida* Harv. Harvey Thes. cap. 1, 31.  
† *Razisea spicata* Oerst. Vidensk. Meddelelser 1854, 5.  
† *Razoumofskya caucasica* Hoffm. Hoffmann Hortus Mosq. 1.  
† *Rechsteineria stricta* Hanst. Linnaea 1853, 1.  
† *Redia* Cas. Baillon Euph. 21.  
*Reedia spathacea* F. M. Müller Fragmenta 1, 10.  
† *Regnaldia cluytioides* Baill. Baillon Adansonia 1, 7.  
*Rehmannia glutinosa* Libosch. Fl. d. serres 11, 1134.  
† *Reichenheimia Thwaitesii* Kl. Abh. Ac. Berl. 1854, 4.  
*Reichertia linearifolia* Karst. Karsten Fl. Col. 1, 29.  
 — *rosea* Karst. Karsten Fl. Col. 1, 29.  
*Reidia glaucescens* Miq. Bot. Mag. 90, 5437.  
*Reineckea carnea* Kunth. Illustration horticole 1862, 323.  
*Reissekia cordifolia* Steud. Endl. Bras. 28, 40.  
† *Remijia ferruginea* DC. Bérg Charakt. 337.  
*Renanthera Hookeriana* Rehb. fil. Rehb. Xenia 2, 113.  
 — *Lowii* Rehb. fil. Bot. Mag. 90, 5475.  
 — *matutina* Ldl. Pescatorea 1, 11.  
 — — — Rehb. Xenia 1, 35.  
 — *micrantha* Bl. Rehb. Xenia 1, 35.  
 — *Sulingi* Ldl. Rehb. Xenia 2, 113.  
*Renealmia capensis* Houtt. Thornton Plates 13.  
† *Reseda alba* L. Gasparrini Ric. 6.  
† — — — Agardh Syst. 18.  
† — — — Schw. Denkschr. 16, 6.  
† — *Alopecuros* Boiss. Schw. Denkschr. 16, 6.  
† — *Alphonsi* Müll. Schw. Denkschr. 16, 7.  
† — *arabica* Boiss. Schw. Denkschr. 16, 6.  
† — *armena* Boiss. Schw. Denkschr. 16, 6.  
† — *Aucheri* Boiss. Schw. Denkschr. 16, 7.  
† — *bipinnata* Willd. Schw. Denkschr. 16, 6.  
† — *Boissieri* Müll. Schw. Denkschr. 16, 8.  
† — *bracteata* Boiss. Schw. Denkschr. 16, 7.  
† — *Buhseana* Müll. Schw. Denkschr. 16, 8.  
† — *collina* Gay. Schw. Denkschr. 16, 6.  
† — *complicata* Bory. Schw. Denkschr. 16, 9.  
 — *constricta* Lge. Lange Pl. Hisp. 8.  
† — *crystallina* Webb. Schw. Denkschr. 16, 8.  
† — *eremophila* Boiss. Schw. Denkschr. 16, 6.  
† — *Gayana* Boiss. Schw. Denkschr. 16, 6.  
† — *glauca* L. Schw. Denkschr. 16, 9.  
† — *globulosa* Fisch. Schw. Denkschr. 16, 9.  
† — *Jacquini* Rehb. Schw. Denkschr. 16, 7.  
† — *inodora* Rehb. Schw. Denkschr. 16, 7.  
† — *lanceolata* Lag. Schw. Denkschr. 16, 8.  
† — *lurida* Müll. Schw. Denkschr. 16, 7.  
! — *lutea* L. Schimper Symphytum 5.  
† — — Schw. Denkschr. 16, 2—5.  
† — *Luteola* L. Schw. Denkschr. 16, 9.  
† — *macrocarpa* Rehb. Schw. Denkschr. 16, 7.  
† — *microcarpa* Müll. Schw. Denkschr. 16, 7.  
† — *muricata* Presl. Schw. Denkschr. 16, 8.  
† — *neilgherrensis* Müll. Schw. Denkschr. 16, 6.  
† — *Ochradeni* Boiss. Schw. Denkschr. 16, 7.



- ! *Reseda odorata* L. Schimper Symphytum 5.  
 † — — — Payer Organogénie 39.  
 † — — — Schw. Denkschr. 16, 6.  
 † — — papillosa Mill. Schw. Denkschr. 16, 8.  
 † — Phyteuma L. Schw. Denkschr. 16, 7.  
 † — propinqua R. Br. Schw. Denkschr. 16, 6.  
 † — pruinosa Del. Schw. Denkschr. 16, 8.  
 † — Reuteriana Mill. Schw. Denkschr. 16, 8.  
 † — scoparia Brouss. Schw. Denkschr. 16, 8.  
 † — stenostachya Boiss. Schw. Denkschr. 16, 8.  
 † — stricta Pers. Schw. Denkschr. 16, 8.  
 † — tomentosa Boiss. Schw. Denkschr. 16, 7.  
 † — truncata Fisch. Schw. Denkschr. 16, 9.  
 — undata L. Regel Gartenfl. 1854, 84.  
 † — virgata Boiss. Schw. Denkschr. 16, 9.  
 † Resedaceae DC. Schw. Denkschr. 16, 1—10.  
 † — — Payer Organogénie 39, 46.  
 † — — Schnizl. Iconogr. 183.  
 † Restio L. Journ. Linn. Soc. 8, 14, 15.  
 — monocephalus R. Br. Hook. Fl. Tasm. 135.  
*Restrepia erythroxantha* Rehb. fil. Rehb. Xenia 1, 60.  
 — Lansbergii Rehb. fil. Rehb. Xenia 1, 60.  
 — — Bot. Mag. 87, 5257.  
 — Wageneri Rehb. fil. Rehb. Xenia 1, 60.  
*Retinophloeum viride* Karst. Karsten Fl. Col. 2, 113.  
 † *Rettbergia bambusoides* Raddi. Raddi Agrost. bras. 1.  
 † Retziaceae Endl. Schnizl. Iconogr. 148\*\*.  
*Reynoldsia pleiosperma* Gray. Gray Expl. Exp. 93.  
 — sandwicensis Gray. Gray Expl. Exp. 92.  
*Rhabdadenia Pohlil* Müll. Endl. Bras. 26, 52.  
 † *Rhabdia lycioides* Mart. Endl. Bras. 19, 9.  
*Rhacoma Crossopetalum* L. Browne Jamaica 17.  
*Rhagadiolus edulis* Gaertn. Rehb. Fl. germ. 19, 1356.  
 — intermedius Ten. Rehb. Fl. germ. 19, 1356.  
 — stellatus Gaertn. Rehb. Fl. germ. 19, 1355.  
 † Rhamneae R. Br. (Ectypa foliorum.) Endl. Bras. 28, 24—26.  
 † — — Payer Organogénie 97.  
*Rhamnidium elaeocarpum* Reiss. Endl. Bras. 28, 31.  
*Rhamnus carolinianus* Walt. Nuttall Sylva 2, 59.  
 — catharticus L. Berg Darstellung 2, 16\*.  
 — Frangula L. Berg Darstellung 3, 19\*.  
 — incanus Carr. Revue horticole 1858, p. 658.  
 — infectorius L. Tchichatschew Asie mineure 9.  
 — lineatus L. Burmann Thes. zeyl. 88.  
 — — — Osbeck Reise 7.  
 — micranthus L. Browne Jamaica 12.  
 — Oneoplia L. Burmann Thes. zeyl. 61.  
 † — pumilus L. Payer Organogénie 97.  
*Rhamphicarpa tubulosa* Benth. Harvey Thes. cap. 1, 57.  
*Rhaphidophora dilacerata* C. Koch. Regel Gartenfl. 1864, 423.  
 † *Rhaptostylum pentandrum* Benth. Endl. Fl. bras. 28, 14.  
 † *Rhaptopetalum* Oliv. Journ. Linn. Soc. 8, 12.  
*Rhedia lateriflora* L. Plumier Ic. Burm. 257.  
 — Sieberi Choisy. Mem. Genev. 12, 5.  
 † *Rheum* L. Meisner Polygon. 1, 2.  
 † — — Payer Organogénie 65.  
 † — — Acta univ. Lund. 1864, 2.  
 — acuminatum Hook. Bot. Mag. 81, 4877.  
 — australe Don. Berg Darstellung 4, 31\*.  
 — nobile Hook. fil. Hook. Himal. 19.  
 — — Fl. d. serres 12, 1272.  
 — Ribes L. Dillenius Elth. 158.  
 — — — Jaub. Illusr. 470.  
*Rhexia Acisanthera* L. Browne Jamaica 22.  
 † *Rhigozum trichotomum* Burch. Bureau Bign. 19.  
 † *Rhinanthus* L. Schnizl. Iconogr. 149.  
 † — — Abb. Leipz. 6, 22.  
 † — — Chatin Anatomie 36, 37.

- Rhipsalis fasciculata* Haw. Plumier Ic. Burm. 197.  
 † — — — Turpin Observations 1.  
 † — — — Finckh Cactus 7.  
 — funalis Salm. Finckh Cactus 7.  
 — parasitica DC. Turpin Observations 3.  
 — salicornoides Haw. Revue horticole 1861, 110.  
 — sarmentacea Otto. Bot. Mag. 85, 5136.  
 † *Rhizoboleae* DC. Schnizl. Iconogr. 231.  
*Rhizocephalum Candollii* Wedd. Castelnau Exped. 46.  
*Rhizophora americana* Nutt. Nuttall Sylva 1, 24.  
 † *Rhizophoreae* R. Br. Schnizl. Iconogr. 263.  
*Rhodanthe Manglesii* Ldl. var. sanguinea, Bot. Mag. 87, 5283.  
 — — — Bot. Mag. 88, 5290.  
 — — — Regel Gartenfl. 1863, 412.  
 — — — Belgique horticole 1862, 5.  
*Rhodiola rosea* L. Bot. Zeitung 1860, 3.  
*Rhodocalyx rotundifolius* Mill. Endl. Bras. 26, 51.  
 † *Rhododendron* L. Nees Genera 30, 8.  
 — album Bl. Bot. Mag. 83, 4972.  
 — — — Belgique horticole 8, 20.  
 — arboreo-catawbiense Hort. Fl. d. serres 13, 1391.  
 — arboreum Sm. Nees Sammlung 91.  
 — — — var. limbatum, Bot. Mag. 88, 5311.  
 — — — Fl. d. serres 9, 945.  
 — argenteum Hook. fil. Bot. Mag. 84, 5054.  
 — Aucklandii Hook. fil. Revue horticole 1855, 5.  
 — barbatum Wall. Belgique horticole 9, 17.  
 — Batemani Hook. Bot. Mag. 89, 5387.  
 — blandifloraeform Hook. Bot. Mag. 82, 4930.  
 — — — Fl. d. serres 11, 1173.  
 — Blandinianum Hort. L'horticulteur fr. 1859, 13.  
 — Boothii Nutt. Illustration horticole 1858, 174.  
 — Brookcanum Low. Bot. Mag. 82, 4935.  
 — — — Fl. d. serres 12, 1238, 1239.  
 — californicum Hook. Bot. Mag. 81, 4863.  
 — calophyllum Nutt. Bot. Mag. 83, 5002.  
 — — — Regel Gartenfl. 1865, 460.  
 — camelliaeform Hook. Bot. Mag. 82, 4932.  
 — — — Regel Gartenfl. 1865, 460.  
 — campanulatum Don. var. Wallichii, Bot. Mag. 82, 4928.  
 — campylocarpum Hook. Bot. Mag. 83, 4968.  
 — caucasicum-venustum Hort. Fl. d. serres 10, 1038.  
 — celebicum DC. Miquel Annales 2.  
 — Chamaecistus L. Regel Gartenfl. 1864, 454.  
 — cinnamomeo-campanulatum van Houtte. Fl. d. serres 9, 935.  
 — citrinum Hossk. Fl. d. serres 10, 970.  
 — Clowesianum Roll. Fl. d. serres 13, 1315.  
 — Dalhousiae Hook. fil. Bot. Mag. 88, 5322.  
 — dauricum L. Ammann Ruth. 27.  
 — Edgeworthii Hook. fil. Bot. Mag. 82, 4936.  
 — — — Regel Gartenfl. 5, 170.  
 — Falconeri Hook. fil. Bot. Mag. 82, 4924.  
 — — — Fl. d. serres 11, 1166, 1167.  
 — ferrugineum L. Rehb. Fl. germ. 17, 1158.  
 — — — Regel Gartenfl. 1864, 454.  
 — fulgens Hook. fil. Bot. Mag. 88, 5317.  
 — glaucum Decne. Revue horticole 1855, 11.  
 — — — nanum, L'horticulteur fr. 1859, 19.  
 — Gomerii Hort. Illustration horticole 1860, 230.  
 — Griffithianum Wight. var. Aucklandii, Bot. Mag. 84, 5065.  
 — hirsutum L. Rehb. Fl. germ. 17, 1138.  
 — — — var. latifolium Koch. Rehb. Fl. germ. 17, 1158.  
 — — — Froelich Alpenpfl. 3, 1.  
 — — — Regel Gartenfl. 1864, 454.  
 — Hodgsoni Hook. fil. Revue horticole 1855, 22.  
 — — — Bot. Mag. 92, 5352.  
 — Hookeri Nutt. Bot. Mag. 82, 4926.

- Rhododendron Hookeri Nutt. Regel Gartenfl. 1863, 395.  
 — jasminiflorum Hook. fil. Illustration horticole 1859, 203.  
 — javanicum Benn. Miquel Annales 1.  
 — Jenkinsii Nutt. Regel Gartenfl. 9, 277.  
 — intermedium Tausch. Rchb. Fl. germ. 17, 1157.  
 — Kendrickii Nutt. var. latifolium, Bot. Mag. 85, 5129.  
 — Keysii Nutt. Bot. Mag. 81, 4875.  
 — — — Fl. d. serres 11, 1110.  
 — — — Regel Gartenfl. 1863, 415.  
 — lanatum Hook. fil. Revue horticole 1855, 9.  
 — longifolium Nutt. Regel Gartenfl. 1862, 376.  
 — macrocarpum Hort. Fl. d. serres 12, p. 87.  
 — Maddeni Hook. fil. Bot. Mag. 80, 4805.  
 — — — Fl. d. serres 9, 912.  
 — — — Revue horticole 1855, 16.  
 — — — Illustration horticole 1857, 140.  
 — maximum L. Nees Sammlung 60.  
 — — — Fl. d. serres 15, 1606.  
 — Metternichii S. et Z. Cleyer Fl. jap. 21.  
 — moulaynense Hook. Bot. Mag. 82, 4904.  
 — myrtifolium Schott. Rchb. Fl. germ. 17, 1157.  
 — nilagiricum Zenk. Fl. d. serres 10, 1030. 1031.  
 — Nuttallii Booth. Bot. Mag. 85, 5146.  
 — — — Fl. d. serres 13, 1326.  
 — — — Illustration horticole 1859, 208.  
 — pelargoniflorum Delmotte. Fl. d. serres 10, 1063.  
 — pontico-maximum Hort. Fl. d. serres 10, 1040.  
 — ponticum L. Nees Sammlung 59.  
 — retusum Benn. Bot. Mag. 81, 4859.  
 — — — Fl. d. serres 10, 1044.  
 — Shepherdii Nutt. Bot. Mag. 85, 5125.  
 — Smithii Nutt. Bot. Mag. 85, 5120.  
 — Stamfordianum Rollison. Fl. d. serres 14, 1428.  
 — Teysmanni Miq. Miquel Annales 1.  
 — Thomsoni Hook. fil. Bot. Mag. 83, 4997.  
 — — — Belgique horticole 8, 10.  
 — — — Revue horticole 1855, 7.  
 — tubiflorum DC. Miquel Annales 2.  
 — Veitchianum Hook. fil. Bot. Mag. 83, 4992.  
 — — — Fl. d. serres 14, 1416. 15, 1519. 1520.  
 — virgatum Hook. fil. Bot. Mag. 84, 5060.  
 — — — Fl. d. serres 14, 1408.  
 — — — Journal d'hortic. 2, 18.  
 — Wilsoni Nutt. Bot. Mag. 85, 5116.  
 — — — Journal d'hortic. 3, 12.  
 — Windsorii Nutt. Bot. Mag. 83, 5008.  
 — Formae hybridae: Illustration horticole 1857, 149. 1858, 155. 181. 1860, 244. 261. 1862, 317. 326. 333. 345. 1863, 364. 371. 386. 1864, 423.  
 — — — Belgique horticole 1864, 8. 9.  
 — — — Fl. d. serres 9, 935. 10, 1073. 11, 1084. 12, 1274.  
 — — — Regel Gartenfl. 4, 137.  
 †Rhodoraceae Spr. Schnizl. Iconogr. 161<sup>b</sup>.  
 Rhodothamnus Chamaecistus Rchb. Rchb. Fl. germ. 17, 1157.  
 Rhopala brasiliensis Kl. Endl. Bras. 14, 32.  
 — Gardneri Meisn. Endl. Bras. 14, 31.  
 — heterophylla Pohl. Regel Gartenfl. 1863, 402.  
 — lucens Meisn. Endl. Bras. 14, 31.  
 — macrophylla Schott. Regel Gartenfl. 1863, 405.  
 † — Martii Meisn. Endl. Bras. 14, 32.  
 — Pohlil Meisn. Endl. Bras. 14, 33.  
 † — rhombifolia Mart. Endl. Bras. 14, 32.  
 Rhopalocnemis phalloides Jungh. Linn. Transact. 22, 12.  
 † — — — Ann. sc. nat. IV. 12, 7.  
 † — — — Abh. Leipz. 6, 16.  
 Rhopalostigma microphyllum Ph. Philippi Reise 6.

- Rhus angustifolium L. Burmann Pl. afr. 91.  
 — glabrum L. Dillenius Elth. 243.  
 — lucidum L. Burmann Pl. afr. 91.  
 — Metopium L. Plumier Ic. Burm. 61.  
 — — — Browne Jamaica 13.  
 — — — Nuttall Sylva 2, 80.  
 — radicans L. Dillenius Elth. 291.  
 — simarubaeifolium Gray. Gray Expl. Exp. 44.  
 — Toxicodendron L. Cornuti Canad. p. 97.  
 — — — Berg Darstellung 2, 10<sup>d</sup>.  
 — verniciferum L. Cleyer Fl. jap. 46.  
 — vernis L. Dillenius Elth. 292.  
 Rhyncharhena quinquepartita F. M. Müller Plants of Victoria 2, 59.  
 Rhynchocarpa Welwitschii Naud. Ann. sc. nat. IV. 18, 10.  
 †Rhynchocorys Elephas Griseb. Chatin Anatomie 38.  
 Rhyncholacis linearis Tul. Endl. Bras. 13, 74.  
 Rhynchopetalum montanum Fres. Museum Senck. 3, 4.  
 Rhynchosia albo-nitens Ch. Lem. Illustration horticole 1861, 290.  
 — minima DC. Endl. Bras. 24, 54.  
 — phaseoloides DC. Endl. Bras. 24, 54.  
 — pinnata Harv. Harvey Thes. cap. 1, 79.  
 Rhynchospermum jasminoides Ldl. Regel Gartenfl. 8, 261.  
 †Rhynchospora alba Vahl. Leighton Flora 3.  
 † — — — Ann. Lyc. New-York 3, 6.  
 † — Baldwinii Gray. Ann. Lyc. New-York 3, 6.  
 † — caduca Ell. Ann. Lyc. New-York 3, 6.  
 † — capillacea Torr. Ann. Lyc. New-York 3, 6.  
 † — cephalantha Gray. Ann. Lyc. New-York 3, 6.  
 † — ciliata Vahl. Ann. Lyc. New-York 3, 6.  
 † — corniculata Gray. Ann. Lyc. New-York 3, 6.  
 † — cymosa Nutt. Ann. Lyc. New-York 3, 6.  
 † — distans Nutt. Ann. Lyc. New-York 3, 6.  
 † — dodocandra Baldu. Ann. Lyc. New-York 3, 6.  
 † — Elliottii Gray. Ann. Lyc. New-York 3, 6.  
 † — fascicularis Nutt. Ann. Lyc. New-York 3, 6.  
 † — fusca Sm. Leighton Flora 3.  
 † — R. et Sch. Ann. Lyc. New-York 3, 6.  
 † — glomerata Vahl. Ann. Lyc. New-York 3, 6.  
 † — gracilentia Gray. Ann. Lyc. New-York 3, 6.  
 † — inexpansa Vahl. Ann. Lyc. New-York 3, 6.  
 † — macrostachya Torr. Ann. Lyc. New-York 3, 6.  
 † — megalocarpa Gray. Ann. Lyc. New-York 3, 6.  
 † — microcarpa Baldu. Ann. Lyc. New-York 3, 6.  
 † — miliacea Gray. Ann. Lyc. New-York 3, 6.  
 † — multiflora Gray. Ann. Lyc. New-York 3, 6.  
 † — oligantha Gray. Ann. Lyc. New-York 3, 6.  
 † — paniculata Gray. Ann. Lyc. New-York 3, 6.  
 † — patula Gray. Ann. Lyc. New-York 3, 6.  
 † — plumosa Ell. Ann. Lyc. New-York 3, 6.  
 † — punctata Ell. Ann. Lyc. New-York 3, 6.  
 † — pycnocarpa Gray. Ann. Lyc. New-York 3, 6.  
 † — rariflora Ell. Ann. Lyc. New-York 3, 6.  
 † — semiplumosa Gray. Ann. Lyc. New-York 3, 6.  
 † — Torreyana Gray. Ann. Lyc. New-York 3, 6.  
 Rhytachne rottoelloides Desv. Desvaux Opuscules 6.  
 Rhytidandra vitiensis Gray. Gray Expl. Exp. 28.  
 †Rhytidophyllum auriculatum Hook. Linnaea 1853, 1.  
 — Plumerianum DC. Plumier Ic. Burm. 134.  
 Rhytispermum apulum Rchb. fl. Rchb. Fl. germ. 18, 1313.  
 — — — arvense Link. Rchb. Fl. germ. 18, 1314.  
 † — — — Endl. Bras. 19, 10.  
 — — — incrassatum Rchb. fl. Rchb. Fl. germ. 18, 1314.  
 — — — minimum Rchb. fl. Rchb. Fl. germ. 18, 1314.  
 — — — tenuiflorum Rchb. fl. Rchb. Fl. germ. 18, 1314.  
 †Ribes L. Agardh Syst. 12.  
 † — — — Payer Organogénie 89.  
 † — — — Schnizl. Iconogr. 171.

- † *Ribes L.* Nees Genera 30, 20.  
 † — — Flora 1857, 18.  
 — — *alpinum L.* Gunner Fl. norv. 2, 2.  
 — — — Thory Monographie 24.  
 — — *balsamiferum Kellogg.* Proc. Calif. Acad. 2, 95.  
 — — *Cynosbati L.* Thory Monographie 23.  
 — — *Grossularia L.* Thory Monographie 21.  
 — — *Menziesii Pursh.* Torrey Mex. Boundary 23.  
 — — *nigrum L.* Dillenius Elth. 244.  
 — — — Thory Monographie 5.  
 — — *oxyacantha L.* Dillenius Elth. 139.  
 — — *pennsylvanicum Lam.* Thory Monographie 22.  
 — — *rubrum L.* Thory Monographie 2—4.  
 — — *subvestitum Hook.* Bot. Mag. 82, 4931.  
 — — *uva crispata L.* Thory Monographie 6—20.  
*Richardia albo-maculata Hook.* Bot. Mag. 85, 5140.  
 — — — Illustration horticole 1860, 255.  
 — — — Fl. d. serres 13, 1343.  
 — — *hastata Hook.* Bot. Mag. 86, 5176.  
*Richea Gunnii Hook. fil.* Hook. Fl. Tasm. 86.  
 — — *pandanifolia Hook. fil.* Hook. Fl. Tasm. 84, 85.  
*Richella monosperma Gray.* Gray Expl. Exp. 2.  
 † *Ricinocarpus Desf.* Baillon Euph. 12.  
 † *Ricinus communis L.* Batsch Analyses 9.  
 † — — — *Treviranus Symbolae* 32—40.  
 † — — — *Roeper Euphorb.* 11.  
 † — — — Bot. Zeitung 1859, s. 14, 15.  
 † — — — Abh. Acad. Berl. 1859, 3.  
 † — — — Payer Organogénie 108.  
 † — — — Baillon Euph. 10, 11.  
 † — — — Ann. sc. nat. IV. 15, 2, 17, 15, V. 2, 1—3.  
 — — — Berg Darstellung 1, 1°.  
 — — — *arborescens, Revue horticole* 1861, 10.  
 — — *purpurascens Bert.* Mem. Bon. 2, 11.  
 — — *sanguineus Hort.* Revue horticole 1858, p. 602.  
*Ricotia Pestalotiana Ces.* Bot. Zeitung 1856, 9.  
*Riddellia tagetina Torr.* Emory Notes 5.  
*Ridolfia segetum M.* Rchb. Fl. germ. 21, 1932.  
 † *Riessia ferruginea Kl.* Abh. Acad. Berl. 1854, 5.  
*Ritchiea polypetala Hook.* Bot. Mag. 88, 5314.  
 † *Rivina humilis L.* Schinzl. Iconogr. 208.  
 † — — — Agardh Syst. 26.  
 † — — — Payer Organogénie 62.  
 — — *octandra L.* Browne Jamaica 23.  
 — — — Plumier Ic. Burm. 241.  
*Robertia taraxacoides DC.* Rchb. Fl. germ. 19, 1395.  
 † *Robinia L.* Ann. sc. nat. IV. 1, 7, 8, 9.  
 † — — *Caragana L.* Batsch Analyses 5.  
 — — *inermis pyramidalis Hort.* Bonplandia 1857, p. 89.  
 — — — — Regel Gartenfl. 6, 190.  
 — — *Pseudo-Acacia L.* Cornuti Canad. 172.  
 — — — var. *Decaisneana, Revue horticole* 1863, 151.  
 — — *pygmaea L.* Ammann Ruth. 35.  
*Rochea versicolor DC.* Fl. d. serres 15, 1524—1525.  
*Rochelia stellulata Rchb.* Rchb. Fl. germ. 18, 1333.  
*Roella ciliata L.* Revue horticole 1854, 7.  
 — — *decurrens Andr.* Belgique horticole 1860, 3.  
*Rogeria gratissima Planch.* Fl. d. serres 15, 1570—1571.  
 — — *latifolia Decne.* Journ. soc. d'hort. Par. 1860, 705.  
 — — *longiflora Gay.* Harvey Thes. cap. 2, 118.  
*Rohdea japonica Bl.* Cleyer Fl. jap. 14.  
 † — — — Agardh Syst. 2.  
 † — — — Abh. Leipz. 7, 8.  
*Romneya Coulteri Harv.* Hook. Lond. Journ. 1845, 3.  
*Rondeletia americana L.* Plumier Ic. Burm. 242.  
 — — *ericarpa Karst.* Karsten Fl. Col. 2, 166.  
 — — *erythronura Karst.* Karsten Fl. Col. 2, 166.

- † *Rondeletia odorata Jacq.* Agardh Syst. 23.  
*Rosa alba L.* Nouveau Duhamel 7, 16.  
 † — — *alpina L.* Payer Organogénie 100.  
 — — *berberifolia Pall.* Nouveau Duhamel 7, 14.  
 — — *bracteata Roxb.* Nouveau Duhamel 7, 13.  
 — — *Bungeana Buhse.* Mém. Mosc. 18, 6.  
 — — *canina L.* Nouveau Duhamel 7, 11.  
 — — *carolina L.* Dillenius Elth. 245.  
 — — *centifolia L.* Nouveau Duhamel 7, 12.  
 — — — var. *pomponia, Nouveau Duhamel* 7, 15.  
 ! — — — *prolifera, Goethe Atlas* 5.  
 — — — Berg Darstellung 4, 34°.  
 — — *Eglanteria L.* Nouveau Duhamel 7, 14.  
 — — *Fortuneana Ldl.* Double Yellow, Revue horticole 1854, 3.  
 — — *gallica L.* Nouveau Duhamel 7, 8.  
 — — *gymnocarpa Nutt.* Torrey Mex. Boundary 21.  
 — — *Hookeriana Bert.* Mem. Bon. II. 2, 1.  
 — — *inermis Bert.* Mem. Bon. II. 3, 1.  
 — — *kamtschatica Veut.* Nouveau Duhamel 7, 10.  
 — — *longicuspis Bert.* Mem. Bon. 11, 13.  
 — — *lucida Ehrh.* Nouveau Duhamel 7, 7.  
 — — *multiflora Thunb.* Nouveau Duhamel 7, 17.  
 — — *pendulina L.* Dillenius Elth. 245.  
 — — *pimpinellifolia L.* Nouveau Duhamel 7, 16.  
 — — — Regel Gartenfl. 1862, 352.  
 — — — Belgique horticole 1862, 9.  
 — — *rubiginosa L.* Nouveau Duhamel 7, 7.  
 — — *rubrifolia Vill.* Nouveau Duhamel 7, 10.  
 — — *rugosa Sieb.* L'horticulteur fr. 1862, 19.  
 — — *semperflorens Desf.* Nouveau Duhamel 7, 9, 18.  
 — — *sempervirens L.* Dillenius Elth. 246.  
 — — — Nouveau Duhamel 7, 13.  
 — — *sepium Thuill.* Nouveau Duhamel 7, 11.  
 — — *sericea Ldl.* Bot. Mag. 86, 5200.  
 — — *simplicifolia Oliv.* Olivier Voyage 43.  
 — — *unguicularis Bert.* Mem. Bon. 12, 3.  
 — — *villosa L.* Nouveau Duhamel 7, 15.  
 ! — — *viridis Hort.* Ann. sc. nat. IV. 9, 1, 2.  
 ! — — — Fl. d. serres 11, 1136.  
 Rosae variae hortenses:  
 — — André Leroy, Belgique horticole 1863, 9.  
 — — Auguste Oger, Fl. d. serres 11, 1131.  
 — — Bernard Palissy, Fl. d. serres 15, 1547—1552.  
 — — Comtesse Ouwaroff, Belgique horticole 1863, 15.  
 — — Duchesse Medina-Celi, L'horticulteur fr. 1863, 18.  
 — — — Illustration horticole 1864, 419.  
 — — Duchesse Morny, L'horticulteur fr. 1863, 19.  
 — — *Enfant trouvé, Illustration horticole* 1862, 334.  
 — — Eugène Appert, Fl. d. serres 14, 1442.  
 — — — Belgique horticole 1860, 1.  
 — — François Lacharme, Belgique horticole 1863, 14.  
 — — Gloire de Parthenay, Revue horticole 1854, 6.  
 — — *Jaune d'or Oger, Fl. d. serres* 15, 1561.  
 — — — — Illustration horticole 1864, 407.  
 — — Ile Bourbon, Illustration horticole 1861, 303.  
 — — Impératrice Eugénie, Illustration horticole 1859, 219.  
 — — Isabelle Grey, Fl. d. serres 12, 1220.  
 — — — Belgique horticole 1858, 19, 1860, 3.  
 — — — Illustration horticole 1859, 212.  
 — — Madame Cornelissen, Belgique horticole 1864, 14.  
 — — Madame Furtado, Illustration horticole 1860, 236.  
 — — Marie Aviat, Illustration horticole 1857, 118.  
 — — Marie Thierry, Illustration horticole 1857, 153.  
 — — Président, Belgique horticole 1861, 11.

- Rosa* Président, *Illustration horticole* 1861, 275.  
 — *Reine des violettes*, *Illustration horticole* 1860, 259.  
 — *Ruschpler*, *Regel Gartenfl.* 4, 112.  
 — *Sœur des anges*, *Illustration horticole* 1862, 341.  
 — *Triomphe d'Amiens*, *Illustration horticole* 1860, 263.  
*Rosenbergia gracilis* *Oerst.* *Oersted Am. centr.* 15.  
 — *penduliflora* *Karst.* *Karsten Fl. Col.* 1, 14.  
*Rosmarinus officinalis* *L.* *Berg Darstellung* 2, 10<sup>c</sup>.  
 † *Rossmannia repens* *Kl.* *Abh. Acad. Berl.* 1854, 9.  
*Rottboellia erecta* *Savi.* *Giornale pisano* 4, x.  
 — *Sandorii* *Friv.* *Acta Acad. hung.* 1840, 12.  
 — *subulata* *Savi.* *Giornale pisano* 4, x.  
 † *Rottlera Roxb.* *Baillon Euph.* 19.  
*Roubieva multifida* *Moq.* *Endl. Bras.* 37, 48.  
 † *Roumea floribunda* *Hort.* *Agardh Syst.* 13.  
*Rousselia lappulacea* *Gaud.* *Arch. Mus.* 9, 18.  
 † *Roxburghia viridiflora* *Sm.* *Griffith Pl. asiat.* 12—16, 62.  
 † *Royena lucida* *L.* *Agardh Syst.* 10.  
*Ruagea pubescens* *Karst.* *Karsten Fl. Col.* 2, 126.  
*Rubachia Antonia* *Berg.* *Endl. Bras.* 18, 13.  
*Rubia chilensis* *Mol.* *Feuillee* 3, 45.  
 — *chinensis* *Reg.* *Acad. Pet.* VII, 4, 8.  
 — *cordifolia* *L.* var. *javanica*, *Miquel Flora* 32.  
 — — — var. *lancifolia*, *Acad. Pet.* VII, 4, 8.  
 — *peregrina* *L.* *Rchb. Fl. germ.* 17, 1184.  
 — *tinctorum* *L.* *Berg Darstellung* 4, 30<sup>b</sup>.  
 — — — *Rchb. Fl. germ.* 17, 1184.  
 † *Rubiaceae* *Juss.* *Schnizl. Iconogr.* 3, 127<sup>a</sup>, 127<sup>b</sup>.  
 † — — *Abh. Acad. Berl.* 1857, 1.  
 † — — *Payer Organogénie* 129.  
 † *Rubus* *L.* *Bull. soc. bot.* 9, 1.  
 † — *acutus* *L.* *Ofv. Svensk Acad.* 19, 3.  
 — *arcticus* *L.* *Regel Gartenfl.* 1861, 314.  
 — *biflorus* *Buch.* *Revue horticole* 1855, 1.  
 — *caesius* *L.* *Nouveau Duhamel* 6, 22.  
 — *Chamaemorus* *L.* *Clarke Travels* 3, p. 367.  
 — *chinensis* *Ser.* *Thunberg Rubus* 1.  
 † — *conspersus* *Hn.* *Ofv. Svensk Acad.* 19, 3.  
 — *crataegifolius* *Bge.* *Acad. Pet.* VII, 4, 5.  
 — *Crippsii* *Clarke.* *Clarke Travels* 1, 44.  
 † — *crispus* *L.* *Ofv. Svensk Acad.* 19, 3.  
 † — *domesticus* *Hn.* *Ofv. Svensk Acad.* 19, 3.  
 — *fragarioides* *Bert.* *Mem. Bon.* 12, 5.  
 — *fruticosus* *L.* *Nouveau Duhamel* 6, 22.  
 — *hawaiensis* *Gray.* *Gray Expl. Exp.* 56.  
 † — *Hippolatham* *Fr.* *Ofv. Svensk Acad.* 19, 3.  
 — *Horsfieldii* *Miq.* *Miquel Flora* 7.  
 — *idaeus* *L.* *Nouveau Duhamel* 6, 23.  
 — — — *Berg Darstellung* 21<sup>d</sup>.  
 — *Leesii* *Bab.* *English Botany Suppl.* 2981.  
 — *Macraei* *Gray.* *Gray Expl. Exp.* 57.  
 — *macropodus* *Ser.* *Müller Plants of Victoria* 2, 15.  
 — *minutiflorus* *Lge.* *Lange Pl. Hisp.* 3.  
 — *multiflorus* *Thunb.* *Thunberg Rubus* 1.  
 — *niveus* *Wall.* *Thunberg Rubus* 1.  
 — *nutans* *Wall.* *Bot. Mag.* 83, 5023.  
 † — *obtusifolius* *L.* *Ofv. Svensk Acad.* 19, 3.  
 — *occidentalis* *L.* *Dillenius Elth.* 247.  
 — *odoratus* *L.* *Cornuti Canad.* p. 150.  
 — — — *Nouveau Duhamel* 6, 24.  
 — *opulifolius* *Bert.* *Mem. Bon.* 12, 4.  
 † — *platyphyllus* *Aresch.* *Ofv. Svensk Acad.* 19, 3.  
 † — *propinquus* *Aresch.* *Ofv. Svensk Acad.* 19, 3.  
 † — *tomentosus* *Willd.* *Payer Organogénie* 101.  
*Rudbeckia hirta* *L.* *Dillenius Elth.* 218.  
 — *laciniata* *L.* *Cornuti Canad.* p. 179.  
*Rudolphia peltata* *Willd.* *Plumier Ic. Burm.* 102.  
 † *Ruelingia corylifolia* *Gray.* *Agardh Syst.* 21.

- † *Ruellia* *L.* (*Pollen.*) *Mém. prés. Pet.* 3, 5, 7, 13.  
 — *clandestina* *L.* *Dillenius Elth.* 248.  
 — *coccinea* *Vahl.* *Plumier Ic. Burm.* 43.  
 — *rupestris* *Sw.* *Plumier Ic. Burm.* 75.  
 — *strepens* *L.* *Dillenius Elth.* 249.  
 — *undulata* *Vis.* *Mem. Ist. veneto* 6, 4.  
 — *viscidula* *Mart.* *Schrank Hort. monac.* 93.  
 † *Rumex* *L.* *Meisner Polygon.* 1.  
 † — — *Leighton Flora* 9, 10.  
 † — — *Acta univ. Lund.* 1864, 1.  
 † — *abyssinicus* *Jacq.* *Campdera Rumex* 3.  
 † — *Acetosella* *L.* *Campdera Rumex* 2.  
 † — *alpinus* *L.* *Campdera Rumex* 2.  
 † — *angustifolius* *Campd.* *Campdera Rumex* 1.  
 † — *aquaticus* *L.* *Campdera Rumex* 1.  
 † — *auratus* *Sm.* *Campdera Rumex* 1.  
 † — *bucephalophorus* *L.* *Campdera Rumex* 3.  
 † — *confertus* *Willd.* *Campdera Rumex* 2.  
 † — *dentatus* *L.* *Dillenius Elth.* 158.  
 † — *intermedius* *DC.* *Campdera Rumex* 2.  
 † — *Lunaria* *L.* *Campdera Rumex* 2.  
 † — *maritimus* *L.* *Campdera Rumex* 1, 3.  
 — *nervosus* *Vahl.* *Jaub. Illustr.* 452.  
 † — *Patientia* *L.* *Campdera Rumex* 1.  
 † — *pulcher* *L.* *Payer Organogénie* 65.  
 † — *purpureus* *Poir.* *Campdera Rumex* 1.  
 † — *scutatus* *L.* *Campdera Rumex* 2.  
 † — — — *Mém. Mus.* 2, 4.  
 † — *venosus* *Pursh.* *Campdera Rumex* 2.  
 † — *vesicarius* *L.* *Campdera Rumex* 3.  
 † *Ruppia* *L.* *Griffith Pl. asiat.* 257—259.  
 † — — *Mém. prés. Pet.* 3, 12.  
 † — — *Linn. Transact.* 22, 68.  
 † — — *Abh. Leipz.* 7, 2.  
*Ruprechtia laurifolia* *C. A. M.* *Endl. Bras.* 14, 26.  
 — *salicifolia* *C. A. M.* *Endl. Bras.* 14, 27.  
*Ruscus aculeatus* *L.* *Dillenius Elth.* 251.  
 — *androgynus* *L.* *Dillenius Elth.* 250.  
 — *Hypophyllum* *L.* *Colonna Phytobasanós* 15.  
 — — — *Dillenius Elth.* 251.  
*Russelia alata* *Cham.* *Endl. Bras.* 30, 44.  
*Ruta ciliata* *Savi.* *Giorn. Lett.* 24, 2.  
 — *graveolens* *L.* *Berg Darstellung* 24<sup>f</sup>.  
 — *tuberculata* *Forsk.* *Mem. Tur.* 1854, 10.  
*Ruttya ovata* *Harv.* *Harvey Thes. cap.* 2, 144.  
*Sabadilla officinalis* *Brandt.* *Berg Darstellung* 2, 9<sup>c</sup>.  
*Sabbatia campestris* *Nutt.* *Bot. Mag.* 83, 5015.  
 — — — *Otto Garten-Z.* 1855, 10.  
 — — — *Fl. d. serres* 10, 996.  
 — — — *Belgique horticole* 8, 41.  
 — — — *Regel Gartenfl.* 3, 73.  
 — *simplex* *Bert.* *Mem. Bon.* 2, 19.  
*Sabina* *Bermudiana* *Ant.* *Antoine Cupress.* 87, 88.  
 — *Cabiancae* *Ant.* *Antoine Cupress.* 54, 55.  
 — *californica* *Ant.* *Antoine Cupress.* 72.  
 — *chinensis* *Ant.* *Antoine Cupress.* 75, 76, 78.  
 — *Corneyana* *Ant.* *Antoine Cupress.* 74, 78.  
 — *davurica* *Ant.* *Antoine Cupress.* 77, 78.  
 — *excelsa* *Ant.* *Antoine Cupress.* 61, 62.  
 — *Fischeri* *Ant.* *Antoine Cupress.* 71, 73.  
 — *flaccida* *Ant.* *Antoine Cupress.* 49, 50.  
 — *foetidissima* *Ant.* *Antoine Cupress.* 66—71.  
 — *gigantea* *Ant.* *Antoine Cupress.* 48, 50.  
 — *isophyllos* *Ant.* *Antoine Cupress.* 64, 65, 66.  
 — *lycia* *Ant.* *Antoine Cupress.* 59, 62.  
 — *mexicana* *Ant.* *Antoine Cupress.* 51, 55.  
 — *occidentalis* *Ant.* *Antoine Cupress.* 85, 86.  
 — *officinalis* *Garcke.* *Berg Darstellung* 4, 30<sup>e</sup>.  
 — *phoenicea* *Ant.* *Antoine Cupress.* 57, 58.  
 — *plochiderma* *Ant.* *Antoine Cupress.* 52.  
 — *polycarpus* *Ant.* *Antoine Cupress.* 63, 66.

- Sabina procera* *Ant.*, Antoine Cupress. 47. 50.  
 — *prostrata* *Ant.*, Antoine Cupress. 79. 82.  
 — *pseudothurifera* *Ant.*, Antoine Cupress. 81. 82.  
 — *recurva* *Ant.*, Antoine Cupress. 89. 90—92.  
 — *religiosa* *Ant.*, Antoine Cupress. 60. 62.  
 — *sphaerica* *Ant.*, Antoine Cupress. 72.  
 — *squamata* *Ant.*, Antoine Cupress. 89. 90.  
 — *tetragona* *Ant.*, Antoine Cupress. 53. 55.  
 — *turbinata* *Ant.*, Antoine Cupress. 55. 56.  
 — *virginiana* *Ant.*, Antoine Cupress. 83. 84.  
 — *vulgaris* *Ant.*, Antoine Cupress. 80. 82.  
*Saccharum officinarum* *L.*, Schacht Madeira 1.  
 — *Ravennae* *L.*, Zanoni Hist. 19.  
*Saccolabium Blumei* *Ldl.*, Pescatorea 1, 21.  
 — *calceolare* *Ldl.*, Griffith Pl. asiat. 334.  
 — *guttatum* *Ldl.*, Vriese Orchid. 14.  
 † — — Griffith Pl. asiat. 8. 9.  
 — *Harrisonianum* *Hort.*, Bot. Mag. 90, 5433.  
 — *miniatum* *Ldl.*, Bot. Mag. 88, 5326.  
 — *papillosum* *Ldl.*, Zanoni Hist. 16.  
 — *retusum* *Ldl.*, Fl. d. serres 14, 1463—1464.  
 — *trichromum* *Rchb. fil.*, Rchb. Xenia 2, 139.  
 — *violaceum* *Rchb. fil.*, Warner Select Orch. 14.  
 — . . . . Griffith Pl. asiat. 333.  
 † *Saccoloma adiantoides* *Mett.*, Abh. Leipz. 9, 6.  
*Sadebecka angusta* *Berg.*, Berger Taschenbuch 1.  
*Sagina corsica* *Jord.*, Willkomm Ic. Hisp. 1, 73.  
 — *muscosa* *Jord.*, Willkomm Ic. Hisp. 1, 73.  
 — *nevadensis* *B. et R.*, Willkomm Ic. Hisp. 1, 73.  
 — *Reuteri* *Boiss.*, Willkomm Ic. Hisp. 1, 73.  
 — *sabuletorum* *J. Gay.*, Lange Pl. Hisp. 4.  
*Sagittaria lancifolia* *L.*, Plumier Ic. Burm. 116.  
 — *obtusifolia* *L.*, Plumier Ic. Burm. 235.  
 † — *sagittifolia* *L.*, Flora 1857, 9. 1860, 7.  
 † — — Agardh Syst. 3.  
 † — — Chatin Anatomie 16.  
 † *Salacia viridiflora* *Hort.*, Payer Organogénie 35.  
*Salacis tis novembris* *Rchb. fil.*, Rchb. Xenia 1, 87.  
*Salicornia Gaudichaudiana* *Mog.*, Endl. Bras. 37, 49.  
 — *perfoliata* *Forsk.*, Forskal Icones 1.  
*Salisburia adiantifolia* *Sm.*, var. *macrophylla laciniata*,  
 Fl. d. serres 10, p. 119.  
 † *Salix L.*, Schnizl. Iconogr. 99.  
 † — — Ann. sc. nat. IV. 1, 7. 8.  
 † — — Agardh Syst. 24.  
 † — — Rhein. Jahresbericht 1837, 1.  
 † — — Verh. Rheinl. 11, 8. 9.  
 † — — Flora 1858, 2.  
 † — — Bull. Brux. 1863. 16, 339.  
 † — — (Folia.) Belgique horticole 1860, 154—188.  
 † — — — Wichura Bastardbefr. 1. 2.  
 — *acutifolia* *Willd.*, Wade Salices 1.  
 — *argophylla* *Nutt.*, Nuttall Sylva 1, 20.  
 — *boganidensis* *Trautv.*, Middendorff Reise 2, 2. 3.  
 — *cardiophylla* *Tr. et M.*, Middendorff Reise 2,  
 19. 20.  
 — *crataegifolia* *Bert.*, Mem. Bon. 7, 21. 22.  
 — *cuspidata* *C. F. Schulz.*, English Botany Suppl.  
 2961—2962.  
 — *denticulata* *Anders.*, Prinz Waldemar Himal. 89.  
 — *flabellaris* *Anders.*, Prinz Waldemar Himal. 90.  
 — *fragilis* *L.*, Berg Darstellung 1, 6<sup>e</sup>.  
 — *Humboldtiana* *Kth.*, Endl. Bras. 13, 71.  
 — *lutea* *Nutt.*, Nuttall Sylva 1, 19.  
 — *Martiana* *Leyb.*, Endl. Bras. 13, 72.  
 — *melanopsis* *Nutt.*, Nuttall Sylva 1, 21.  
 — *pentandra* *L.*, Nuttall Sylva 1, 18.  
 — — — Berg Darstellung 1, 6<sup>b</sup>.  
 — *purpurea* *L.*, var. *pendula*, Regel Gartenfl. 9,  
 308.  
 — *reticulata* *L.*, Zanoni Hist. 147.  
 — *speciosa* *Nutt.*, Nuttall Sylva 1, 17.

- Salix taimyrensis* *Trautv.*, Middendorff Reise 2, 5. 6.  
*Salizaria mexicana* *Torr.*, Torrey Mex. Boundary 39.  
*Salpiglossis purpurea* *Miers.*, Miers Illustr. 51.  
 — — — Revue horticole 1863, 469.  
 — *sinuata* *R. et P.*, Feuillee 2, 21.  
 † — — Miers Illustr. 51.  
 — — — var. *hortenses*, Regel Gartenfl. 5, 145.  
*Salsola altissima* *L.*, Forskal Icones 9.  
 — *fruticosa* *L.*, Nouveau Duhamel 6, 79.  
 — *imbricata* *Forsk.*, Forskal Icones 8.  
 — *inermis* *Forsk.*, Forskal Icones 8.  
 † — *Soda* *L.*, Payer Organogénie 66.  
*Salvadora oleoides* *Decne.*, Schnizl. Iconogr. 117.  
 † — *persica* *L.*, Schnizl. Iconogr. 117.  
 † *Salvia L.*, Bull. Mosc. 1861, 8.  
 † — — Atti Acc. Neap. 1863, 5. 6.  
 — *Aethiopsis* *L.*, Rchb. Fl. germ. 18, 1248.  
 — *albocoeerulea* *Lind.*, Fl. d. serres 13, 1340.  
 — — — Regel Gartenfl. 7, 221.  
 — *argentea* *L.*, Rchb. Fl. germ. 18, 1247.  
 — *asperata* *Falc.*, Bot. Mag. 81, 4884.  
 — *austriaca* *L.*, Rchb. Fl. germ. 18, 1251.  
 — *Barrelieri* *Ten.*, Schrank Hort. monac. 5.  
 — *Bertolonii* *Vis.*, Rchb. Fl. germ. 18, 1254.  
 — *boliviana* *Hort.*, Fl. d. serres 11, 1148.  
 — *calaciaefolia* *Benth.*, Bot. Mag. 87, 5274.  
 — — — Belgique horticole 1862, 5.  
 — *Camertonii* *Hort.*, Regel Gartenfl. 4, 121.  
 — *Candelabrum* *Boiss.*, Bot. Mag. 83, 5017.  
 — — — Fl. d. serres 13, 1344.  
 — *carduacea* *Benth.*, Bot. Mag. 81, 4874.  
 — *coccinea* *L.*, var. *major*, Belgique horticole 9, 5.  
 — — — — Regel Gartenfl. 7, 232.  
 — *dasyantha* *Lem.*, Journ. d'hortic. 2, 13.  
 — *dicytroides* *Roezl.*, Fl. d. serres 14, 1407.  
 — *filamentosa* *Tausch.*, Regel Gartenfl. 7, 232.  
 — *glutinosa* *L.*, Rchb. Fl. germ. 18, 1246.  
 — *Grahami* *Benth.*, Regel Gartenfl. 7, 242.  
 — *Habliziana* *Willd.*, Clarke Travels 1, 40.  
 — *Heerii* *Reg.*, Regel Gartenfl. 4, 111.  
 — *Hilarii* *Benth.*, Endl. Bras. 22, 37.  
 — *hispanica* *L.*, Rchb. Fl. germ. 18, 1254.  
 — *Horminum* *L.*, Rchb. Fl. germ. 18, 1246.  
 — *hypargeia* *F. et M.*, Tchichatschew Asie min. 22.  
 — *ianthina* *Otto.*, Revue horticole 1854, 4.  
 — *involutrata* *Cav.*, L'horticulteur fr. 1860, 16.  
 — *lachnostachys* *Benth.*, Endl. Bras. 22, 36.  
 — *madrensis* *Seem.*, Seemann Herald 70.  
 — *mexicana* *L.*, Dillenius Elth. 254.  
 — *nutans* *L.*, Rchb. Fl. germ. 18, 1250.  
 — *obtusata* *Mart. et Gal.*, Regel Gartenfl. 7, 242.  
 — — — Fl. d. serres 14, 1412.  
 — *officinalis* *L.*, Nouveau Duhamel 6, 25.  
 — — — Rchb. Fl. germ. 18, 1245.  
 — — — Berg Darstellung 3, 17<sup>f</sup>.  
 — *oppositiflora* *Rz. et P.*, Regel Gartenfl. 4, 123.  
 — *pendula* *Vahl.*, Rchb. Fl. germ. 18, 1250.  
 — *porphyrantha* *Decne.*, Bot. Mag. 82, 4939.  
 — — — Revue horticole 1854, 16.  
 — — — Fl. d. serres 11, 1080.  
 — — — Belgique horticole 7, 1.  
 — *pratensis* *L.*, Rchb. Fl. germ. 18, 1252.  
 † — — Payer Organogénie 114.  
 — *Roezli* *Scheidw.*, Fl. d. serres 14, 1407.  
 — *Rosmarinus* *Scheidw.*, Rchb. Fl. germ. 18, 1244.  
 — *scabiosaefolia* *Lam.*, Bot. Mag. 86, 5209.  
 — *Sclarea* *L.*, Poiteau Fl. par. 38.  
 — — — Rchb. Fl. germ. 18, 1249.  
 — *Sibthorpii* *Sm.*, Rchb. Fl. germ. 18, 1251.  
 — *silvestris* *L.*, Poiteau Fl. par. 35.  
 — — — Rchb. Fl. germ. 18, 1253.  
 — *splendens* *Sellow.*, Nees Sammlung 26.

- Salvia splendens* *Sellow.* var. *Soucheti*, Fl. d. serres 11, 1154.  
 — *tiliaefolia* *Vahl.* L'her. Stirp. 123.  
 — *tricolor* *Ch. Lem.* Fl. d. serres 12, 1237.  
 — — — Illustration horticole 1857, 120.  
 — *verbenacea* *Vis.* Rchb. Fl. germ. 18, 1254.  
 — *verticillata* *L.* Poiteau Fl. par. 37.  
 — — — Rchb. Fl. germ. 18, 1255.  
 — *virgata* *Jacq.* Poiteau Fl. par. 34.  
 — *viridis* *L.* Rchb. Fl. germ. 18, 1246.  
*Salviastrum texanum* *Torr.* Expl. Missis. 2, 6.  
 † *Salvinia natans* *L.* Nuovo Giorn. de Letterati 28, 1.  
 † — — — Payer Botanique crypt. p. 222.  
 † — — — Pringsheim Jahrb. 3, 24—29.  
 † — *verticillata* *Roxb.* Griffith Pl. asiat. 123—128.  
*Samara laeta* *L.* Burmaun Thes. zeyl. 31.  
 † *Sambucus* *L.* Griffith Pl. asiat. 47.  
 † — — — Nees Genera 28, 2.  
 † — — — Schnizl. Iconogr. 128.  
 † — — — Abh. Ac. Berl. 1857, 2.  
 † — — — Handl. Acad. Holm. 1857, 1.  
 † — — — Agardh Syst. 23.  
 † — — — Payer Organogénie 86.  
 † — — — Baillon Adansonia 1, 12.  
 — *nigra* *L.* Berg Darstellung 2, 15<sup>d</sup>.  
 — *xanthocarpa* *F. M.* Müller Plants of Victoria 2, 29.  
 † *Sameraria armena* *Desv.* Mém. prés. Pet. 4, 1.  
 † *Samolus Valerandi* *L.* Mém. Mus. 2, 4.  
 † — — — Payer Organogénie 153.  
 † — — — Endl. Bras. 16, 23.  
 † — — — Rchb. Fl. germ. 17, 1083.  
*Samyda nitida* *L.* Browne Jamaica 23.  
 — *serrulata* *L.* Plumier Ic. Burm. 146.  
 † *Samydeae* *Vent.* Schnizl. Iconogr. 104.  
*Sanguinaria canadensis* *L.* Dillenius Elth. 252.  
*Sanguisorba annua* *Nutt.* Marcy Exploration 5.  
 — *canadensis* *L.* Cornuti Canad. p. 174.  
 — *longifolia* *Bert.* Mem. Bon. 12, 1.  
 — *media* *L.* Zanoni Hist. 138.  
 † — *officinalis* *L.* Payer Organogénie 103.  
 † — — — Agardh Syst. 14.  
 — *rubra* *Schrank.* Schrank Hort. monac. 69.  
*Sanicula europaea* *L.* Colonna Phytobasanos 16.  
 † — — — Leighton Flora 8.  
 — — — Rchb. Fl. germ. 21, 1847.  
 — *sandwicensis* *Gray.* Gray Expl. Exp. 88.  
 † *Sansevieria Thunb.* Bot. Zeitung 1860, 12.  
 — *cylindrica* *Boj.* Bot. Mag. 85, 5093.  
 — — — Belgique horticole 9, 27.  
 — — — Revue horticole 1861, 448—450.  
 † *Santalum album* *L.* Linn. Transact. 22, 17, 18.  
 † — — — Chatin Anatomie 68.  
 † — — — Pringsheim Jahrb. 4, 1—4.  
 † — *myrtifolium* *Roxb.* Chatin Anatomie 68.  
*Santolina eriosperma* *Pers.* Schrank Hort. monac. 67.  
 † *Sapindaceae* *Juss.* Schnizl. Iconogr. 230.  
 † — — — Payer Organogénie 32, 33.  
*Sapindus marginatus* *Willd.* Nuttall Sylva 2, 65.  
 † — *Mukorossi* *Gaertn.* Mem. Valdarnese 1.  
 — *spinosa* *L.* Browne Jamaica 20.  
 † *Sapium* *L.* Baillon Euph. 5, 6.  
 — *Hippomane* *Meyer.* Plumier Ic. Burm. 171.  
 † *Saponaria* *L.* Schnizl. Iconogr. 207.  
 — *artegioides* *Boiss.* Tchichatschiff Asie min. 11.  
 — *caespitosa* *DC.* Revue horticole 1859, p. 518.  
 — *Kotschyi* *Boiss.* Regel Gartenfl. 1864, 427.  
 — *ocimoides* *L.* Revue horticole 1859, p. 455.  
 — *orientalis* *L.* Dillenius Elth. 167.  
*Sapota Achras* *Mill.* Endl. Bras. 32, 22, 23.  
 — *gonocarpa* *Mart. et Eichl.* Endl. Bras. 32, 24.  
*Saracha auriculata* *Miers.* Miers Illustr. 38.

- Saracha glandulosa* *Miers.* Miers Illustr. 39.  
 — *proquinqua* *Miers.* Miers Illustr. 38.  
 — *stapelioides* *Decne.* Regel Gartenfl. 1865, 465.  
*Sarcanthus Parishii* *Hook.* Bot. Mag. 86, 5217.  
 † — *secundus* *Griff.* Griffith Pl. asiat. 336.  
 — *teretifolius* *Ldl.* Belgique horticole 1860, 9.  
 † *Sarcinanthus utilis* *Oerst.* Oersted Am. centr. 2.  
 † *Sarcochilus* *R. Br.* Griffith Pl. asiat. 320.  
 — *teres* *Rchb. fl.* Rchb. Xenia 2, 140.  
 † *Sarcochlams pulcherrima* *Gaud.* Arch. Mus. 9, 16.  
 † *Sarcoclinium Wight.* Baillon Euph. 11.  
*Sarcocypula Gerrardi* *Harv.* Harvey Thes. cap. 2, 191.  
 † *Sarcodes sanguinea* *Torr.* Chatin Anatomie 55.  
*Sarcopetalum Harveyanum* *F. M.* Müller Plants of Victoria 1, 3<sup>p</sup>.  
*Sarcophysa speciosa* *Miers.* Miers Illustr. 47.  
 † *Sarcophyte sanguinea* *Sparrm.* Linn. Transact. 22, 1.  
 † — — — Ann. sc. nat. IV. 12, 4.  
 † — — — Abh. Leipz. 6, 13.  
*Sarcopodium psittacoglossum* *Rchb.* Bot. Mag. 89, 5408.  
 † *Sarmentaceae* *Vent.* Schnizl. Iconogr. 164.  
*Sarmienta repens* *R. et P.* Feuillée 3, 16, 43.  
 † — — — Linnaea 1853, 2.  
 † *Sarna Caulotreti* *Karst.* Acta Leop. 26, 65.  
 † — *Jugae* *Karst.* Acta Leop. 26, 65.  
 † *Sarothamnus scoparius* *L.* Bot. Zeitung 1862, 8.  
*Sarotheca salviaefolia* *N. v. E.* Seemann Herald 67.  
*Sarothra blentiniensis* *Savi.* Corinaldi Notizie 2.  
 † *Sarothrostachys Kl.* Baillon Euph. 5.  
*Sarracenia Drummondii* *Croom.* Ann. Lyc. N.-Y. 4, 6.  
 — — — Fl. d. serres 10, 1071—1072.  
 — *flava* *L.* Thornton Plates 24.  
 — — — Fl. d. serres 10, 1068—1069.  
 — *purpurea* *L.* Fl. d. serres 10, 1076.  
 † — — — Mettenius Fil. 28.  
 — *rubra* *Walter.* Fl. d. serres 10, 1074.  
*Sassafras officinale* *N. v. E.* Berg Darstellung 1, 5<sup>c</sup>.  
 † — — — Jard. Annals II, 11, 14.  
 † *Sassea glabra* *Kl.* Abh. Ac. Berl. 1854, 12.  
*Satureja cuneata* *Ten.* Rchb. Fl. germ. 18, 1272.  
 — *hortensis* *L.* Rchb. Fl. germ. 18, 1272.  
 — *montana* *L.* Rchb. Fl. germ. 18, 1273.  
 — *Thymbra* *L.* Rchb. Fl. germ. 18, 1270.  
*Satyridium rostratum* *Ldl.* Harvey Thes. cap. 1, 87.  
*Satyrium repens* *L.* Gunner Flora norv. 2, 6.  
 † *Saueria sulcata* *Kl.* Abh. Acad. Berl. 1854, 2.  
*Sauraja angustifolia* *Reinw.* Vriese Plantae Indiae 3.  
*Sauromatum guttatum* *Schott.* Fl. d. serres 13, 1334.  
 † *Saurum Bl.* Baillon Euph. 27.  
 † *Saururus cernuus* *L.* Payer Organogénie 90.  
*Saussurca triangulata* *Tr.* Middendorff Reise 2, 29.  
*Sauvagesia erecta* *L.* Browne Jamaica 12.  
 † *Sauvagesieae* *Bartl.* Schnizl. Iconogr. 191.  
 † *Savia Willd.* Baillon Euph. 26.  
 † *Saxifraga* *L.* Nees Genera 31, 15.  
 † — — — Schnizl. Iconogr. 170.  
 † — — — Payer Organogénie 82.  
 † — *Aizoon* *L.* Verhandl. Rheinland 17, 6.  
 — *caesia* *L.* Frölich Alpenfl. 3, 2.  
 — *caespitosa* *L.* var. *Gunner* Flora norv. 2, 8.  
 — — — var. *Castelnau* Exped. 71.  
 — *cernua* *L.* Gunner Flora norv. 2, 8.  
 — *ciliata* *Royle.* Bot. Mag. 82, 4915.  
 — *Cotyledon pyramidalis* *DC.* Fl. d. serres 14, 1443.  
 — *diversifolia* *Wall.* Hook. London Journal 1845, 21.  
 — *Facchinii* *Koch.* Flora 1855, 8.  
 — *florulenta* *Mor.* Mem. Bon. 11, 12.  
 — *Fortunei* *Hook.* Bot. Mag. 89, 5377.  
 — — — var. *tricolor*, Illustr. hortic. 1864, 398.

- Saxifraga fragilis* Hort. Schrank Hort. monac. 92.  
 — *Friderici Augusti* Bias. Biasoletto Viaggio 1.  
 — *groenlandica* L. Dillenius Elth. 253.  
 † — *mutata* L. Mettenius Fil. 28.  
 — *oppositifolia* L. Froelich Alpenpf. 5, 6.  
 — *Parryi Torr.* Torrey Mex. Boundary 25.  
 — *pensilvanica* L. Dillenius Elth. 253.  
 — *petraea* L. Gunner Flora norv. 2, 9.  
 — *purpurascens* Hook. fil. Bot. Mag. 84, 5066.  
 — — — L'horticulteur fr. 1859, 14.  
 — — — Belgique horticole 9, 1.  
 — — — Fl. d. serres 14, 1401.  
 — *pyramidalis* Cap. Revue horticole 1859, p. 641.  
 — *sarmentosa* L. Cleyer Fl. jap. 53.  
 † — — — Gasparrini Ric. 5.  
 — — — var. minor, Belgique horticole 7, 13.  
 — *stellaris* L. Frölich Alpenpf. 4, 3.  
*Saxo-Gothaea conspicua* Ldl. Belgique horticole 6, 75.  
 † *Scabiosa* L. (Pollen.) Mém. prés. Pet. 3, 6. 13.  
 † — — — Schnizl. Iconogr. 119.  
 † — — — Payer Organogénie 131.  
 † — — — Abh. Ac. Berl. 1857, 1.  
 — *atropurpurea* L. fl. pleno, Fl. d. serres 12, 1203.  
 † — — — Abh. Senck. 1, 5.  
 — *palaestina* L. Colonna Phytobasanos 37.  
 † — *prolifera* L. Agardh Syst. 24.  
 — *setulosa* F. et M. Tchichatschewf Asie mineure 28.  
*Scaevola Hookeri* Müll. Hook. Fl. Tasm. 67.  
*Scalesia aspera* And. Eugénies Resa 7.  
 — *divisa* And. Eugénies Resa 7.  
 — *gummifera* Hook. Eugénies Resa 7.  
 † *Scandix Pecten* L. Leighton Flora 7.  
*Scapha elegans* Choisy. Mem. Genev. 14, 1.  
 † *Scepa* Ldl. Baillon Euph. 27.  
 † *Scepaceae* Endl. (Ovula.) Griffith Pl. asiat. 54.  
 † *Scepasma* Bl. Baillon Euph. 25.  
*Schachtea dioica* Karst. Karsten Fl. Col. 1, 44.  
*Schaeffera buxifolia* Nutt. Nuttall Sylva 2, 56.  
*Schaeffera frutescens* Jacq. Karsten Fl. Col. 1, 91.  
*Schaffneria nigripes* Fée. Fée Fil. novae 17.  
 † *Schaueria calicotricha* N. v. E. Agardh Syst. 17.  
*Scheelia attaleoides* Karst. Karsten Fl. Col. 1, 67.  
*Scheeria lanata* Hanst. Bot. Mag. 83, 4963.  
 † — *mexicana* Seem. Linnæa 1853, 1.  
 — — — L'horticulteur fr. 1861, 13.  
 † *Scheidweileria digitata* Kl. Abh. Ac. Berl. 1854, 4.  
*Schepperia juncea* DC. Harvey Thes. cap. 2, 135.  
 † *Scheuchzeria palustris* L. Chatin Anatomie 20.  
 † — — — Agardh Syst. 3.  
 † — — — Abh. Leipz. 7, 25.  
*Schiedea diffusa* Gray. Gray Expl. Exp. 11.  
 — *spergulina* Gray. Gray Expl. Exp. 11.  
*Schima superba* Gard. Seemann Herald 75.  
*Schinus Areira* L. Feuillée 3, 30.  
 — *Molle* L. Nouveau Duhamel 6, 10.  
*Schistogyne silvestris* Hook. Karsten Fl. Col. 1, 164.  
*Schizaea digitata* Sw. Hook. Garden Ferns 49.  
 — *elegans* Hook. Hook. Garden Ferns 34.  
 — *fluminensis* Miers. Endl. Bras. 23, 15.  
 — *rupestris* R. Br. Hook. Garden Ferns 42.  
 — *spectabilis* Mart. Endl. Bras. 23, 15.  
*Schizanthus Grahami* Gill. Regel Gartenf. 1863, 385.  
 — *Hookeri* Gill. Regel Gartenf. 1863, 385.  
 † — *pinnatus* R. et P. Agardh Syst. 27.  
*Schizocalyx Pohlianus* Berg. Endl. Bras. 18, 35.  
*Schizoglossum atropurpureum* E. M. Harvey Thes. cap. 1, 42.  
*Schizoloma Agatii* Brack. Wilkes Expl. Exp. 30.  
*Schizopepon bryoniaefolius* Maz. Mém. prés. Pet. 9, 6.  
 † *Schizostachyum* N. v. E. Griffith Pl. asiat. 151.  
*Schizostylis coccinea* Backh. Bot. Mag. 90, 5422.

- Schizostylis coccinea* Backh. Illustr. hort. 1864, 394.  
*Schkuhria pusilla* Wedd. Castelnau Exped. 14.  
*Schlagintweitia intybacea* Griseb. Rechb. Fl. germ. 19, 1467.  
*Schleidenia Claussenii* A. DC. Endl. Bras. 19, 11.  
 † — *macrodon* Fres. Endl. Bras. 19, 10.  
 † — *paradoxa* Mart. Endl. Bras. 19, 10.  
 † — *parciflora* Mart. Endl. Bras. 19, 10.  
*Schmardaea nobilis* Karst. Karsten Fl. Col. 1, 93.  
*Schmidelia caracasana* Karst. Karsten Fl. Col. 2, 142.  
*Schoenobolus daphnoides* Mart. Endl. Bras. 14, 28.  
*Schoenus fluitans* Hook. fil. Hook. Fl. Tasm. 141.  
 — *puberulus* C. A. M. Mém. prés. Pet. 1, 1.  
*Schomburgkia Lyonsii* Ldl. Bot. Mag. 86, 5172.  
 — *undulata* Ldl. Pescatorea 1, 32.  
*Schotia brachypetala* Sond. Harvey Thes. cap. 1, 32.  
*Schrankia uncinata* Willd. Mem. Bon. 6, 3.  
*Schrebera Saundersiae* Harv. Harvey Thes. cap. 2, 163.  
 — *swietenoides* Roxb. Schnizl. Iconogr. 151.  
*Schuebleria intermedia* Prog. Endl. Bras. 39, 60.  
 — *pusilla* Gris. Endl. Bras. 39, 60.  
 — *tenella* Mart. Endl. Bras. 39, 59.  
 — *tenuifolia* Don. Endl. Bras. 39, 59.  
*Schultesia angustifolia* Gris. Endl. Bras. 39, 56.  
 † — *aptera* Cham. Endl. Bras. 39, 57.  
 † — *brachyptera* Cham. Endl. Bras. 39, 57.  
 — *Doniana* Prog. Endl. Bras. 39, 56.  
 — *Pohliana* Prog. Endl. Bras. 39, 56.  
 — *Schomburgkiana* Prog. Endl. Bras. 39, 56.  
 — *subcrenata* Kl. Endl. Bras. 39, 58.  
 † *Schwabea modesta* Endl. Handl. Acad. Holm. 1857, 1.  
 † — — — Agardh Syst. 17.  
 † *Schwalbea americana* L. Chatin Anatomie 30.  
 † *Schweinitzia odorata* Ell. Chatin Anatomie 54.  
 † *Schwenckia americana* L. Miers Illustr. 63.  
 † — *angustifolia* Benth. Miers Illustr. 63.  
 † — *brasiliensis* Poir. Miers Illustr. 63.  
 † — *grandiflora* Benth. Miers Illustr. 63.  
 — *mollissima* N. v. E. Endl. Bras. 30, 40.  
 † — *Tweedieii* Benth. Miers Illustr. 63.  
*Schwerinia cordifolia* Karst. Karsten Fl. Col. 1, 18.  
 — *Trianae* Karst. Karsten Fl. Col. 1, 18.  
 † *Sciadocalyx Warszewiczii* Reg. Linnæa 1853, 1.  
 — — — Bot. Mag. 81, 4843.  
 — — — Fl. d. serres 9, 941.  
 † *Sciadopitys verticillata* S. et Z. Murray Pines 17.  
 — — — Fl. d. serres 14, 1483—1486.  
*Sciadotaenia amazonica* Eichl. Endl. Bras. 38, 47.  
 — *cayennensis* Benth. Endl. Bras. 38, 47.  
 — *ramiflora* Eichl. Endl. Bras. 38, 47.  
 † *Sciaphila tenella* Bl. Schnizl. Iconogr. 57.  
 † *Scilla amoena* L. Batsch Analyses 3.  
 — *Berthelotii* Webb. Bot. Mag. 88, 5308.  
 † — *bifolia* L. Flora 1856, 3.  
 — — — var. *taurica*, Regel Gartenf. 9, 307.  
 — *maculata* Schrank. Schrank Hort. monac. 100.  
 — *natalensis* Planch. Otto Garten-Z. 1855, 3.  
 — — — Bot. Mag. 89, 5379.  
 — — — Fl. d. serres 10, 1043.  
 † — *peruviana* L. Gasparrini Ric. 4.  
 — *sibirica* Andr. Nees Sammlung 52.  
*Scindapsus microstachys* de Vr. Miquel Flora 39.  
*Sciodaphyllum Brownei* Spr. Browne Jamaica 19.  
 † *Scirpidium aciculare* N. v. E. Leighton Flora 3.  
*Scirpus capillaris* L. Burmann Thes. zeyl. 47.  
 — *kamtschaticus* C. A. M. Mém. prés. Pet. 1, 1.  
 † — *lacustris* L. Leighton Flora 2.  
 — *melanospermus* C. A. M. Mém. prés. Pet. 1, 2.  
 — *palustris* L. Poiteau Fl. par. 59, 61.  
 † — — — Payer Organogénie 147.  
 — *setaceus* L. Poiteau Fl. par. 68.  
 † — *silvaticus* L. Leighton Flora 2.

- †Scitamineae *R. Br.* Comm. soc. phys. med. Mosq. 1, 1—4.
- †Sclerachne punctata *R. Br.* Miquel Flora 41.
- †Scleranthus *L.* Mem. Mus. 2, 4.
- † — — Payer Organogénie 70.
- † — — Agardh Syst. 26.
- † — — Jard. Annals II. 11, 15.
- mniarioides *F. M.* Müller Plants of Vicoria 1, 12.
- Scleria coriacea *Bert.* Mem. Bon. 5, 27.
- †Sclerocroton *Hochst.* Baillon Euph. 8.
- Sclerochiton *Harveyanus N. v. E.* Harvey Thes. cap. 2, 145.
- Scleroleima forsteroides *Hook. fil.* Hook. Lond. Journ. 1846, 14.
- Sclerophyllaceae *Miers.* Schnizl. Iconogr. 144.
- †Sclerosperma Manii *Wendl.* Linn. Transact. 24, 38, 40.
- Sclerostylis buxifolia *Benth.* Seemann Herald 81.
- Hindsii *Champ.* Seemann Herald. 82.
- Scleroxylon edule *Bert.* Mem. Bon. 9, 1.
- Scoliopus Bigelovii *Torr.* Expl. Missis. 4, 22.
- Scolopendrium breve *Bert.* Mem. Bon. 9, 5.
- hybridum *Milde.* Verh. zool. bot. Verein 14, 18.
- Krebsii *Kze.* Mettenius Fil. 5.
- † — — Lowe Ferns 5, 56.
- sibiricum *Hook.* Hooker Second Century 35.
- vulgare *J. Sm.* Johnson Ferns 35.
- — — Lowe Ferns 5, 55.
- — — Lowe New Ferns 21, 23, 27, 39, 47, 50—52.
- — — Hook. British Ferns 37.
- †Scolymus *L.* (Pollen.) Mém. prés. Pet. 3, 10.
- hispanicus *L.* Rchb. Fl. germ. 19, 1352.
- maculatus *L.* Rchb. Fl. germ. 19, 1353.
- Scoparia ericacea *Cham.* Endl. Bras. 30, 44.
- Scopolia carniolica *Jacq.* Miers Illustr. 81.
- — — Rchb. Fl. germ. 20, 1622.
- Scorodosma foetidum *Bge.* Mém. prés. Pet. 1860, 1, 2.
- — — Berg Darstellung 4, 26<sup>c</sup>, 26<sup>d</sup>.
- †Scorzonera *L.* (Pollen.) Mém. prés. Pet. 3, 10, 13.
- aristata *Ram.* Rchb. Fl. germ. 19, 1381.
- austriaca *Willd.* Rchb. Fl. germ. 19, 1383.
- hirsuta *L.* Rchb. Fl. germ. 19, 1380.
- hispanica *L.* Rchb. Fl. germ. 19, 1384—1385.
- † — — Schacht Lehrbuch 2, 10.
- humilis *L.* Rchb. Fl. germ. 19, 1383.
- laciniata *L.* Colonna Phytobasanos 32.
- parviflora *Jacq.* Rchb. Fl. germ. 19, 1381.
- purpurea *L.* Rchb. Fl. germ. 19, 1382.
- rosea *W. K.* Rchb. Fl. germ. 19, 1382.
- Scotanthus tubiflorus *Naud.* Ann. sc. nat. IV. 16, 3.
- †Scrophularia *L.* Batsch Analyses 16.
- † — — Schnizl. Iconogr. 149.
- † — — Payer Organogénie 111.
- alata *Gil.* Rchb. Fl. germ. 20, 1672.
- aquatica *L.* Rchb. Fl. germ. 20, 1673.
- canina *L.* Rchb. Fl. germ. 20, 1671.
- Hoppei *Koch.* Rchb. Fl. germ. 20, 1671.
- laciniata *W. K.* Rchb. Fl. germ. 20, 1675.
- Neesii *Wirtg.* Rchb. Fl. germ. 20, 1672.
- nodosa *L.* Gunner Flora norv. 2, 4.
- — — Rchb. Fl. germ. 20, 1674.
- peregrina *L.* Rchb. Fl. germ. 20, 1676.
- ramosissima *Lois.* Rchb. Fl. germ. 20, 1675.
- Scopoli *Hoppe.* Rchb. Fl. germ. 20, 1675.
- Scorodonia *L.* Rchb. Fl. germ. 20, 1673.
- Scutellaria Adamsii *Spr.* Seringe Bulletin 2\*.
- abida *L.* Seringe Bulletin 1\*.
- alpina *L.* Rchb. Fl. germ. 18, 1258.
- amarantina *Lind.* Journ. d'hortic. 2, 19.
- aurata *Ch. Lem.* Illustration horticole 1863, 368.
- Columnae *All.* Rchb. Fl. germ. 18, 1257.
- commutata *Guss.* Rchb. Fl. germ. 18, 1257.
- costaricana *Wendl.* Bot. Mag. 90, 5439.
- galericulata *L.* Rchb. Fl. germ. 18, 1256.
- hastata *L.* Rchb. Fl. germ. 18, 1256.
- incarnata *Vent.* Bot. Mag. 86, 5185.
- macrantha *Fisch.* Belgique horticole 7, 26.
- minor *L.* Rchb. Fl. germ. 18, 1256.
- Mociniana *Benth.* Koch Wochenschrift 1864, 1.
- orientalis *L.* Rchb. Fl. germ. 18, 1258.
- peregrina *L.* Cornuti Canad. p. 129.
- — — Rchb. Fl. germ. 18, 1257.
- pinnatifida *Ham.* Seringe Bulletin 2\*.
- pulchella *Hort.* Regel Gartenfl. 6, 205.
- splendens *Link.* Belgique horticole 6, 19.
- Trianaci *Pl. et L.* Journal d'hortic. 2, 19.
- uliginosa *St. Hil.* Endl. Bras. 22, 38.
- villosa *Hook.* Fl. d. serres 9, 961.
- Wallichiana *Ham.* Seringe Bulletin 2\*.
- Scutia arenicola *Reiss.* Endl. Bras. 28, 30.
- buxifolia *Reiss.* Endl. Bras. 28, 30.
- Rheedeana *Wight.* Wight Ic. pl. Ind. or. 3, 1071.
- †Scutinanthe brunnea *Thw.* Hook. Journ. 1856, 8.
- †Scybalium fungiforme *Schott.* Abh. Leipz. 6, 17.
- † — — — Ann. sc. nat. IV. 12, 7.
- Seaforthia elegans *R. Br.* Bot. Mag. 83, 4961.
- — — Belgique horticole 8, 13, 14.
- — — Illustration horticole 1861, 304.
- Sebaea albidiflora *F. M.* Müller Plants of Victoria 2, 61.
- crassulifolia *Cham.* Dietrich Fl. univ. 7.
- †Sebastiania *Spr.* Baillon Euph. 5.
- † — — — brasiliensis *Spr.* Regel Gartenfl. 8, 274.
- Secale arundinaceum *Trautv.* Trautvetter Schilffroggen 1, 2.
- † — — — cereale *L.* Gleichen Untersuchungen 20.
- † — — — Abh. Leipz. 7, 11.
- †Sechium edule *Sw.* Bot. Zeitung 1858, 3.
- †Secondatia densiflora *A. DC.* Endl. Bras. 26, 32.
- foliosa *A. DC.* Endl. Bras. 26, 32.
- Securidaca virgata *Sw.* Plumier Ic. Burm. 248.
- volubilis *L.* Plumier Ic. Burm. 247.
- †Securigera *DC.* Nees Genera 30, 3.
- †Securinea *Comm.* Baillon Euph. 26.
- †Sedum *L.* Schnizl. Iconogr. 169.
- † — — — Payer Organogénie 79.
- † — — — Agardh Syst. 25.
- Aizoon *L.* Ammann Ruth. 11.
- Ewersii *Led.* Regel Gartenfl. 9, 295.
- † — — — Fabaria *Koch.* Verh. Rheinland 17, 1.
- — — Illustration horticole 1861, 271.
- hispanicum *L.* Dillenius Elth. 256.
- † — — — maximum *Suter.* Verh. Rheinland 17, 1.
- † — — — Bot. Zeitung 1855, 2.
- olympicum *Boiss.* Tchichatschew Asie mineure 18.
- Rhodiola *DC.* Regel Gartenfl. 1863, 403.
- rapestre *L.* Dillenius Elth. 256.
- Selskianum *Reg.* Acad. Pet. VII. 4, 6.
- — — Regel Gartenfl. 1862, 361.
- Sieboldii *Sweet.* Bot. Mag. 89, 5358.
- — — Illustration horticole 1863, 373.
- stellatum *L.* Colonna Phytobasanos 11.
- † — — — Telephium *L.* Verh. Rheinland 17, 1, 2.
- uralense *Rupr.* Hofmann. Ural 2, 3.
- Seemannia silvatica *Hanst.* Hart. Parad. 84.
- ternifolia *Reg.* Regel Gartenfl. 4, 122.
- †Seguiera *Löfl.* Schnizl. Iconogr. 208.
- †Seidelia *Baill.* Baillon Euph. 9.
- †Selaginella *Spring.* Regel Gartenfl. 4, 138.
- deflexa *Brack.* Wilkes Expl. Exp. 45.



- Selaginella densifolia* Spruce. Hooker Second Century 85.  
 — *Poeppigiana* Spring. Hook. Fil. exot. 56.  
 — *Sprucei* Hook. Hooker Second Century 83.  
 — *subarborescens* Hook. Hooker Second Century 84.  
 — *Vogelii* Spring. Hooker Second Century 86.  
 †*Selago* L. Schnizl. Iconogr. 140.  
 — *dubia* L. Burmann Pl. afr. 44. 47.  
 — *lychnidea* L. Burmann Pl. afr. 49.  
 — *rapunculoides* L. Burmann Pl. afr. 42.  
 — *spuria* L. Burmann Pl. afr. 42.  
*Selenia aurea* Nutt. Journ. Ac. Philad. 5, 6.  
 — *dissecta* Torr. Expl. Missis. 2, 1.  
*Selenipedium Boissierianum* Rchb. fil. Rchb. Xenia 1, 62.  
 — *caudatum* Rchb. fil. Pescatorea 1, 24.  
 — *Hartwegii* Rchb. fil. Rchb. Xenia 1, 27.  
 — *Schlimii* Lind. Pescatorea 1, 34.  
 — — Rchb. Xenia 1, 44.  
 — — L'horticulteur fr. 1862, 2.  
*Selinocarpus angustifolius* Torr. Torrey Mex. Boundary 47.  
*Selinum Carvifolia* L. Rchb. Fl. germ. 21, 1942.  
*Selliguea mexicana* Fée. Fée Fil. novae 10.  
*Sempervivum Delasoiei* Lehm. Offenbacher Bericht 1860, 1.  
 — *Schottii* Lehm. Offenbacher Bericht 1860, 2.  
 † — *tectorum* L. Payer Organogénie 79.  
 — *Wilderi* Lehm. Offenbacher Bericht 1860, 3.  
*Senebiera pinnatifida* DC. Endl. Bras. 40, 66.  
*Senecio abrotanifolius* L. Frölich Alpenpfl. 2, 4.  
 — *capillifolius* Hook. fil. Hook. Fl. Tasm. 64.  
 — *Claussenii* Decne. Revue horticole 1855, 10.  
 — *Doria* L. Dillenius Elth. 105.  
 — *Farfugium* C. H. Schultz. Regel Gartenfl. 8, 257.  
 — *flammeus* Turcz. Regel Gartenfl. 1863, 394.  
 — *gallicus* Chaix. Rchb. Fl. germ. 16, 1041.  
 — *Ghiesbreghtii* Hort. Hal. Regel Gartenfl. 9, 296.  
 — *glacialis* Wedd. Castelnau Exped. 18.  
 — *hadiensis* Forsk. Forskal Icones 19.  
 — *halimifolius* L. Dillenius Elth. 104.  
 — *hastulatus* L. Dillenius Elth. 152.  
 — *humillimus* Sch. Bip. Castelnau Exped. 19.  
 — *Huntii* F. M. Müller Chatham Islands 3.  
 — *hybridus* Hort. Regel Gartenfl. 1863, 394.  
 — *ilicifolius* Thunb. Commelyn Rar. 42.  
 — *jodopappus* Sch. Bip. Castelnau Exped. 20.  
 — *legionensis* Lge. Lange Pl. Hisp. 21.  
 — *leptocarpus* DC. Hook. Fl. Tasm. 64.  
 — *modestus* Wedd. Castelnau Exped. 18.  
 — *pseudochina* L. Dillenius Elth. 258.  
 — *pyramidatus* DC. Bot. Mag. 89, 5396.  
 — *radiolatus* F. M. Müller Chatham Islands 4.  
 — *repens* DC. Castelnau Exped. 19.  
 — *silvaticus* L. Dillenius Elth. 258.  
 — *vaccinioides* Sch. Bip. Castelnau Exped. 20.  
 — *vagus* F. M. Müller Plants of Victoria 2, 46.  
 — *viscosus* L. Dillenius Elth. 258.  
 ! — *vulgaris* L. Cramer Bildungsabw. 7.  
 — *wernerioides* Wedd. Castelnau Exped. 19.  
*Sennefeldera* Mart. Baillon Euph. 9.  
*Sequoia gigantea* Endl. Revue horticole 1855, p. 10.  
 — *sempervirens* Endl. Expl. Missis. 6, p. 58.  
 — — Revue horticole 1855, p. 11.  
 — *Wellingtonia* Seem. Bonplandia 1858, p. 347.  
 †*Serapias* L. (Formae hybridae) Timbal-Lagreve in Mém. de l'Académie de Toulouse 1854 seqq.  
 † — *cordigera* L. Journ. Linn. Soc. 8, 16.  
 — *ensifolia* Roth. Purton Midland Flora 4.  
 — *latifolia* L. Gunner Flora norv. 2, 5.  
*Serianthes myriadenia* Planch. Seemann Flora vit. 14.  
 †*Sericographis* Oerst. Vidensk. Meddelelser 1854, 5.  
 — *Ghiesbreghtiana* N. v. E. Regel Gartenfl. 1854, 98.  
*Seriola aetnensis* L. Rchb. Fl. germ. 19, 1395.  
*Serrisa foetida* Comm. Illustration horticole 1863, 369.  
*Serratula alpina cynoglossifolia* β. L. Dillenius Elth. 70.  
 — *glauca* L. Dillenius Elth. 262.  
 — *novoboracensis* L. Dillenius Elth. 263.  
 — *praecalta* L. Dillenius Elth. 264.  
 — *spicata* L. Dillenius Elth. 72.  
 — *squarrosa* L. Dillenius Elth. 71.  
*Serruria* Burmanni R. Br. Burmann Pl. afr. 99.  
 — *glomerata* R. Br. Burmann Pl. afr. 99.  
 †*Sesamum indicum* L. Schnizl. Iconogr. 153.  
 — *orientale* L. Burmann Thes. zeyl. 38.  
 — — Belgique horticole 9, 27.  
*Sesbania marginata* Benth. Endl. Bras. 24, 7.  
*Seseli annuum* L. Rchb. Fl. germ. 21, 1907.  
 — *cantabricum* Lge. Lange Pl. Hisp. 10.  
 — *carvifolium* Vill. Rchb. Fl. germ. 21, 1909.  
 — *glaucum* Jacq. Rchb. Fl. germ. 21, 1903.  
 — *globiferum* Vis. Rchb. Fl. germ. 21, 1910.  
 — *Gouani* Koch. Rchb. Fl. germ. 21, 1904.  
 — *gracile* W. K. Rchb. Fl. germ. 21, 1908.  
 — *Hippomarathrum* L. Rchb. Fl. germ. 21, 1913.  
 — — 1952.  
 — *leucospermum* W. K. Rchb. Fl. germ. 21, 1912.  
 — — 1952.  
 — *montanum* L. Rchb. Fl. germ. 21, 1905.  
 — *rigidum* W. K. Rchb. Fl. germ. 21, 1911.  
 — *tomentosum* Vis. Rchb. Fl. germ. 21, 1914.  
 — *tortuosum* L. Rchb. Fl. germ. 21, 1906.  
 — *varium* Trev. Rchb. Fl. germ. 21, 1902.  
*Sesleria dactyloides* Torr. Emory Notes 10.  
 †*Setaria glauca* Pal. B. Griffith Pl. asiat. 149.  
*Seymeria bipinnatisecta* Seem. Seemann Herald 59.  
 — *virgata* Benth. Seemann Herald 60.  
*Sheadendron butyrosomum* Bert. Mem. Bon. 2, 40<sup>ab</sup>.  
*Shepherdia argentea* Nutt. Nuttall Sylva 1, 35.  
 † — *canadensis* Nutt. Agardh Syst. 15.  
*Sherardia arvensis* L. Rchb. Fl. germ. 17, 1183.  
 †*Shorea obtusa* Wall. Blume Mus. 2, 8.  
 † — *robusta* Roxb. Blume Mus. 2, 8.  
*Sibbaldia erecta* L. Ammann Ruth. 15.  
*Sibthorpia nectarifera* Wedd. Castelnau Exped. 60.  
 — *prostrata* Salisb. Salisbury Ic. rar. 6.  
 † — *retusa* H. B. K. Castelnau Exped. 60.  
*Sicana odorifera* Naud. Ann. sc. nat. IV. 18, 8.  
 †*Sicydium Lindheimeri* A. Gr. Ann. sc. nat. IV. 16, 1.  
 — *tenellum* Naud. Ann. sc. nat. IV. 16, 1.  
*Sicyos angulata* L. Dillenius Elth. 51.  
 † — — Payer Organogénie 93.  
 — *cucumerinus* Gray. Gray Expl. Exp. 82.  
 — *laciniata* L. Plumier Ic. Burm. 243.  
 — *macrophyllus* Gray. Gray Expl. Exp. 81.  
 — *pachycarpus* Hook. Gray Expl. Exp. 90.  
 †*Sida* L. (Pollen.) Mém. prés. Pet. 3, 9.  
 — *alba* L. Dillenius Elth. 171.  
 — *alnifolia* L. Dillenius Elth. 172.  
 — *americana* L. Plumier Ic. Burm. 2.  
 — *carpinifolia* L. fil. Zanoni Hist. 114.  
 — *chilensis* Spr. Feuillée 3, 27.  
 — *cordifolia* L. Dillenius Elth. 171.  
 — *crispa* L. Dillenius Elth. 5.  
 — *cristata* L. Dillenius Elth. 2.  
 — *hederifolia* Cav. Plumier Ic. Burm. 169.  
 — *nudiflora* L'her. Plumier Ic. Burm. 3.  
 — *occidentalis* L. Dillenius Elth. 6.  
 — *periplocifolia* L. Dillenius Elth. 3.  
 — *rhombifolia* L. Dillenius Elth. 172.  
*Sideritis hirsuta* L. Rchb. Fl. germ. 18, 1225.

- Sideritis macrostachya* Poir. Regel Gartenfl. 1864, 456.  
 — *montana* L. Rchb. Fl. germ. 18, 1226.  
 — *purpurea* Talb. Rchb. Fl. germ. 18, 1226.  
 — *romana* L. Rchb. Fl. germ. 18, 1226.  
 — *scordioides* L. Rchb. Fl. germ. 18, 1225.
- Sideroxylon dentatum* Burm. Burmann Pl. afr. 82.  
 — *inerne* L. Dillenius Elth. 265.  
 — *Gardnerianum* A. DC. Endl. Bras. 32, 45.  
 — *Melanophleous* L. Burmann Pl. afr. 84.  
 — *rugosum* R. et S. Endl. Bras. 32, 21.  
 — *Spruceanum* Mart. Endl. Bras. 32, 46.  
 — *venulosum* Mart. Endl. Bras. 32, 20, 37.
- † *Siegesbeckia orientalis* L. Griffith Pl. asiat. 48.  
 † *Silaus pratensis* Bess. Leighton Flora 6.  
 — — — Rchb. Fl. germ. 21, 1923, 1990.  
 — *virescens* Boiss. Rchb. Fl. germ. 21, 1924.
- Silene acaulis* L. Dillenius Elth. 167\*.  
 — — — Willkomm Ic. Hisp. 1, 51.  
 — — — Frölich Alpenpfl. 3, 4.  
 ! *alpestris* Jacq. Verhandl. Rheinland 17, 6.  
 — *anglica* L. Dillenius Elth. 309.  
 — *antirrhina* L. Dillenius Elth. 313.  
 † — *Armeria* L. Batsch Analyses 14.  
 — *Behen* L. Dillenius Elth. 317.  
 † — *brachypetala* Rob. Willkomm Ic. Hisp. 1, 50.  
 — *bryoides* Jord. Willkomm Ic. Hisp. 1, 51.  
 — *cerastoides* L. Dillenius Elth. 309.  
 — *cretica* L. Dillenius Elth. 314.  
 — *elegans* Link. Willkomm Ic. Hisp. 1, 52.  
 — *Elizabethae* Walp. Bot. Mag. 89, 5400.  
 — *fusca* Link. Willkomm Ic. Hisp. 1, 48.  
 — *gallica* L. Dillenius Elth. 310.  
 — *Giraldi* Guss. Guss. Fl. Inar. 1.  
 — *inaperta* L. Dillenius Elth. 315.  
 — *lanceolata* Gray. Gray Expl. Exp. 10.  
 — *lusitanica* L. Zanoni Hist. 111.  
 — — — Dillenius Elth. 311.  
 — *micropetala* Römer. Schrank Hort. monac. 39.  
 — *nocturna* L. Dillenius Elth. 310.  
 † — — — Willkomm Ic. Hisp. 1, 50.  
 — *paradoxa* L. Zanoni Hist. 109.  
 — *pendula* L. Dillenius Elth. 312.  
 — *permixta* Jord. Willkomm Ic. Hisp. 1, 50.  
 — *Pseudo-Atocion* Desf. Willkomm Ic. Hisp. 1, 49.  
 — *rubella* L. Dillenius Elth. 314.  
 — — — Willkomm Ic. Hisp. 1, 48.  
 — *Schafta* Fisch. Regel Gartenfl. 7, 241.  
 — *spathulacifolia* Jord. Willkomm Ic. Hisp. 1, 47.  
 — *struthioloides* Gray. Gray Expl. Exp. 10.
- † *Sileneae* DC. Schnizl. Iconogr. 207.  
*Siler trilobum* Scop. Rchb. Fl. germ. 21, 1984.  
*Siliquaria glandulosa* Forsk. Forsk. Icones 16.  
*Silphium Asteriscus* L. Dillenius Elth. 37.  
 † — *perfoliatum* L. Bot. Zeitung 1855, 2.  
*Silvaea pachyphylla* Ph. Philippi Reise 1.  
*Simaruba glauca* DC. Nuttall Sylva 3, 87.  
 — *medicinalis* Endl. Berg Darstellung 2, 13<sup>f</sup>.
- † *Simarubeae* DC. Schnizl. Iconogr. 249.  
*Simmondsia californica* Nutt. Torrey Mex. Boundary 49.  
 † — — — Agardh Syst. 22.  
 ! *Sinapis* L. Griffith Pl. asiat. 35.  
 † — — — Griffith Pl. asiat. 62.  
 † — *alba* L. Payer Organogénie 44.  
 — *pubescens* Willd. Schrank Hort. monac. 74.
- Sinningia Helleri* N. v. E. Nees Sammlung 54.  
 † — *velutina* Ldl. Linnaea 1853, 1.  
 — *villosa* Ldl. Endl. Bras. 36, 59.  
 — *Youngiana* Marn. Bot. Mag. 82, 4954.
- † *Siphisia saccata* Kl. Berl. Monatsb. 1859, 2.  
 † — *Sipho* Raf. Berl. Monatsb. 1859, 2.  
 † — *Thwaitesii* Kl. Berl. Monatsb. 1859, 2.
- Siphoneugena densiflora* Berg. Endl. Bras. 18, 38.  
 † *Siphonia Willd.* Baillon Euph. 14.  
*Siphoniopsis monoica* Karst. Karsten Fl. Col. 1, 69.  
 † *Siphonodon celastrinus* Griff. Linn. Transact. 22, 26.  
 † *Siphonoglossa ramosa* Oerst. Vidensk. Meddelelser 1854, 5.
- Sismondæa dioscoreoides* Delp. Mem. Tur. 1854, 1.  
*Sison Amomum* L. Rchb. Fl. germ. 21, 1859.  
*Sisymbrium amplexicaule* Ph. Philippi Reise 1.  
 — *athrocarpum* Gray. Gray Expl. Exp. 3.  
 — *imbricatifolium* Wedd. Castelnau Exped. 85.  
 — *monense* L. Dillenius Elth. 111.  
 — *niveum* Ph. Philippi Reise 1.  
 † — *officinale* Scop. Atti Acc. Neap. 1863, 4.  
 — *reflexum* Kellogg. Proc. Calif. Acad. 2, 102.  
 — *tanacetifolium* L. Zanoni Hist. 72.  
 — *titacacense* Walp. Castelnau Exped. 85.
- Sisyndite spartea* E. M. Harvey Thes. cap. 2, 120.  
*Sisyranthus imberbis* Harv. Harvey Thes. cap. 2, 116.  
 — *virgatus* Harv. Harvey Thes. cap. 2, 115.
- † *Sisyrrinchium* L. (Pollen.) Griffith Pl. asiat. 40.  
 — *Bermudiana* L. Dillenius Elth. 41.  
 — *flavidum* Kellogg. Proc. Calif. Acad. 2, 51.  
 — *latifolium* Ait. Plumier Ic. Burm. 46.  
 — *multiflorum* Ch. Lem. Illustration hortic. 1859, 221.  
 — *triflorum* Schrank. Schrank Hort. monac. 61.
- Sitobium samoense* Brack. Wilkes Expl. Exp. 38.  
 † *Sium angustifolium* L. Leighton Flora 7.  
 — *latifolium* L. Rchb. Fl. germ. 21, 1877.  
 — *Sisarum* L. Colonna Phytobasanos 20.  
 — — — Thunb. Cleyer Fl. jap. 80, 81.
- † *Skiophila melittifolia* Hanst. Linnaea 1853, 2.  
*Skirrophorus eriocephalus* Hook. fil. Hook. Fl. Tasm. 53.
- † *Slackia geomomiformis* Griff. Griffith Pl. asiat. 243.  
 † *Sloanea* L. Browne Jamaica 20.  
 — *dentata* L. Plumier Ic. Burm. 244.  
 — *multiflora* Karst. Karsten Fl. Col. 2, 116.
- Sloetia Sideroxylon* T. et B. Journ. Linn. Soc. 8, 13.  
*Smelovskya cinerea* Led. var. Tilingii, Bull. Mosc. 1861, 4.
- † *Smilacina bifolia* Desf. Abh. nat. Ges. Halle 1855, 5.  
 — *bootanensis* Griff. Griffith Pl. asiat. 279.
- † *Smilax* L. Griffith Pl. asiat. 59.  
 † — — — Bot. Zeitung 1856, 10.  
 † — — — Berg Darstellung 3, 17<sup>ab</sup>.  
 — *alba* Pursh. Mem. Bon. 6, 2.  
 — *China* L. Cleyer Fl. jap. 91.  
 — *glabra* Roxb. Seemann Herald 100.  
 — *glaucophylla* Kl. Prinz Waldemar Himal 91.
- † — *glycyphylla* R. Br. White New South Wales p. 230.  
 — *lancaefolia* Roxb. Seemann Herald 99.  
 — *mauritanica* Poir. Fl. d. serres 10, 1049.  
 — *psendochina* L. Plumier Ic. Burm. 82.  
 — *pseudosiphilitica* Kunth. Berg Darstellung 3, 17<sup>a</sup>.  
 — *pubera* Michx. Mem. Bon. 6, 3.  
 — *syphilitica* H. B. K. Berg Darstellung 3, 17<sup>a</sup>.
- † *Smyrnum Olusatrum* L. Leighton Flora 8.  
*Smythea pacifica* Seem. Bonplandia 1862, 9.  
 — — — Seemann Fl. vit. 11.
- Sobralia Bletiae* Rchb. fil. Rchb. Xenia 1, 30.  
 † — *decora* Batem. Rchb. Xenia 1, 30.  
 — *fragrans* Ldl. Bot. Mag. 81, 4882.  
 † — *macrantha* Ldl. Irmisch Orchid. 6.  
 † — — — Abh. Leipz. 7, 6.  
 — *macrophylla* Rchb. fil. Rchb. Xenia 1, 90.  
 — *Ruckeri* Lind. Rchb. Xenia 1, 42.
- Socratea fusca* Karst. Karsten Fl. Col. 1, 54.  
 † *Sogalgina trilobata* Cass. Abh. Senck. 1, 6.

- Solandra hirsuta* *N. v. E.* Nees Sammlng 24.  
 †*Solanum* *L.* (Pollen.) *Mém. prés. Pet.* 3, 5.  
 † — — *Mem. Tur.* 1855, 3.  
 † — — *Payer Organogénie* 132.  
 — *anthropophagorum* *Seem.* *Bonplandia* 1862, 14.  
 — — *Bot. Mag.* 90, 5424.  
 — *asterigerum* *Bert.* *Mem. Bon.* 10, 1.  
 — *auriculatum* *Ait.* *L'her. Stirp.* 114.  
 — *bahamense* *L.* *Dillenius Elth.* 271.  
 — *bonariense* *L.* *Dillenius Elth.* 272.  
 — *campechiense* *L.* *Dillenius Elth.* 268.  
 — *Capsicastrum* *Link.* *Fl. d. serres* 12, 1242.  
 — *carolinienne* *L.* *Dillenius Elth.* 269.  
 — *chenopodioides* *Lam.* *Feuillee* 2, 14.  
 — *ciliatum* *Lam.* *L'her. Stirp.* 102.  
 — *citrullifolium* *A. Br.* *Regel Gartenfl.* 4, 112.  
 — *cornutum* *Lam.* *L'her. Stirp.* 98.  
 — *corymbosum* *Jacq.* *L'her. Stirp.* 111.  
 — *dubium* *Fres.* var. *α.* *Schweinf. Pl. nilot.* 8.  
 — *Dulcamara* *L.* *Dillenius Elth.* 273.  
 — — — *Nouveau Duhamel* 6, 77.  
 — — — *Berg Darstellung* 3, 20<sup>b</sup>.  
 — — — *Rchb. Fl. germ.* 20, 1633.  
 — *esculentum* *Dun.* var. *subinermis*, *Siebold Fl. Jard.* 1860, 1.  
 — *fuscatum* *L.* *L'her. Stirp.* 101.  
 — *galeatum* *André.* *Revue horticole* 1862, 331.  
 — *giganteum* *Jacq.* *L'her. Stirp.* 107.  
 — *glaucum* *Bert.* *Mem. Bon.* 3, 13.  
 — — — *Dunal.* *Mem. Tur.* 1854, 6.  
 — *jasminoides* *Paxt.* *L'horticulteur fr.* 1863, 3.  
 — *indicum* *L.* *Dillenius Elth.* 270.  
 — *lancaefolium* *Jacq.* *L'her. Stirp.* 105.  
 — *lycioides* *L.* *Castelnau Exped.* 55.  
 † *Lycopersicum* *L.* *Medicus Beob.* p. 385.  
 † — — *Agardh Syst.* 27.  
 — *macrophyllum* *Grönl.* *Revue horticole* 1859, p. 575.  
 — *Milleri* *Jacq.* *L'her. Stirp.* 103.  
 — *multifidum* *Lam.* *L'her. Stirp.* 110.  
 — *muricatum* *Ait.* *Feuillee* 2, 26.  
 — — — *L'her. Stirp.* 106.  
 — *nigrum* *L.* *Dillenius Elth.* 274, 275.  
 † — — — *Flora* 1857, 6—8.  
 † — — — (*Fructus*) *Bot. Zeitung* 1859, 10.  
 — — — *Rchb. Fl. germ.* 20, 1631, 1632.  
 — *nodiflorum* *Jacq.* *L'her. Stirp.* 112.  
 — *peruvianum* *L.* *Feuillee* 3, 25.  
 — *pinnatifidum* *Lam.* *L'her. Stirp.* 109.  
 — *polyacanthum* *Lam.* *Plumier Ic. Burm.* 224.  
 — — — *L'her. Stirp.* 104.  
 — *procumbens* *Poir.* *L'her. Stirp.* 113.  
 † *pseudocapsicum* *L.* *Batsch Analyses* 10.  
 — *pseudo-melongena* *Ten.* *Revue horticole* 1859, p. 574.  
 — *pyracanthum* *Jacq.* *L'her. Stirp.* 99.  
 — *quercifolium* *L.* *Feuillee* 2, 15.  
 — *Rantonnetii* *Carr.* *L'horticulteur fr.* 1859, 16.  
 — *runcinatum* *Ruiz.* *Bot. Mag.* 86, 5222.  
 — *texanum* *Dun.* *Fl. d. serres* 14, 1398.  
 † *tuberosum* *L.* *Gleichen Entdeckungen* 70.  
 † — — — *Berchtold Kartoffel* 1, 2.  
 ! — — — *Versl. Amsterd.* 1, 1.  
 ! — — — *Bull. Brux.* 1862, 14, 294.  
 — — — *Rchb. Fl. germ.* 20, 1633.  
 — *vescum* *F. M.* *Müller Plants of Victoria* 2, 62.  
 — *virginianum* *L.* *Dillenius Elth.* 267.  
 — *xanthocarpum* *Schrad.* *L'her. Stirp.* 100.  
 — — — var. *α.* *Schweinf. Pl. nilot.* 9.  
*Soldanella alpina* *L.* *Rchb. Fl. germ.* 17, 1087.  
 — — — *Fl. d. serres* 9, 944.  
 — — — *Regel Gartenfl.* 1864, 449.

- Soldanella Clusii* *Gaud.* *Regel Gartenfl.* 1864, 449.  
 — *minima* *Hoppe.* *Rchb. Fl. germ.* 17, 1087.  
 — — — *Regel Gartenfl.* 1864, 449.  
 — *montana* *Willd.* *Rchb. Fl. germ.* 17, 1087.  
 — *pusilla* *Baumg.* *Rchb. Fl. germ.* 17, 1087.  
*Solenogyne bellioides* *Cass.* *Müller Plants of Victoria* 2, 37.  
 †*Solenophora coccinea* *Benth.* *Linnaea* 1853, 1.  
 †*Solenostigma consimile* *Bl.* *Blume Mus.* 2, 33.  
 †*Solenotinus foetens* *Oerst.* *Vidensk. Meddelels.* 1860, 6.  
*Solidago altissima* *L.* *Dillenius Elth.* 304, 305, 308.  
 — *caesia* *L.* *Dillenius Elth.* 307.  
 — *cambrica* *Huds.* *Dillenius Elth.* 306.  
 — *sempervirens* *L.* *Cornuti Canad.* p. 169.  
*Sollya Drummondii* *Morr.* *Belgique horticole* 4, 13.  
 — — — *Regel Gartenfl.* 8, 261.  
 † — *fusiformis* *Hort.* *Payer Organogénie* 34.  
*Somphoxylon Wulschlaegelii* *Eichl.* *Endl. Bras.* 38, 37.  
*Sonchus aquatilis* *Pourr.* *Rchb. Fl. germ.* 19, 1413.  
 — *arvensis* *L.* *Rchb. Fl. germ.* 19, 1412.  
 — *asper* *Vill.* *Rchb. Fl. germ.* 19, 1410, 1411.  
 — *crassifolius* *Pourr.* *Rchb. Fl. germ.* 19, 1412.  
 — *gummifer* *Link.* *Bot. Mag.* 86, 5219.  
 — *maritimus* *L.* *Rchb. Fl. germ.* 19, 1413.  
 — *oleraceus* *Wallr.* *Rchb. Fl. germ.* 19, 1410.  
 † — — — *L.* *Abh. Senck.* 1, 6.  
 — *palustris* *L.* *Rchb. Fl. germ.* 19, 1414.  
 — *Plumieri* *L.* *Mem. Strafsb.* 4, 1.  
 — *radicatus* *Ait.* *Bot. Mag.* 86, 5211.  
 — *tenerrimus* *L.* *Rchb. Fl. germ.* 19, 1409.  
*Sonerila elegans* *Wight.* *Bot. Mag.* 83, 4978.  
 — *grandiflora* *Wall.* *Bot. Mag.* 80, 5354.  
 — *margaritacea* *Ldl.* *Bot. Mag.* 85, 5104.  
 — — — *Fl. d. serres* 11, 1126.  
 — — — *L'horticulteur fr.* 1862, 4.  
 — *speciosa* *Zenk.* *Bot. Mag.* 84, 5026.  
 — — — *Journal d'hortic.* 2, 6.  
*Sophora alopecuroides* *L.* *Dillenius Elth.* 112.  
 † — *occidentalis* *L.* *Browne Jamaica* 31.  
 — *secundiflora* *Lag.* *Revue horticole* 1854, 11.  
 — *tomentosa* *L.* *Plumier Ic. Burm.* 101.  
*Sopubia cana* *Harv.* *Harvey Thes.* cap. 2, 146.  
 †*Sorghum halepense* *Pers.* *Abh. Leipz.* 7, 12.  
 — *saccharatum* *Hort.* *Fl. d. serres* 10, p. 44.  
*Sorocea Klotzschiana* *Baill.* *Baillon Adansonia* 1, 6.  
 †*Soymida febrifuga* *Juss.* *Schnizl. Iconogr.* 226.  
*Spaendonea tamarindifolia* *Desf.* *Decade philosophique* 1795, 1.  
 — — — *L'horticulteur fr.* 1862, 7.  
 †*Sparattosperma lithontripticum* *Mart.* *Bureau Bign.* 26.  
*Sparaxis pulcherrima* *Hook. fil.* *Bot. Mag.* 92, 5555.  
*Sparganium* . . . . *Griffith Pl. asiat.* 166, 168.  
 † — *simplex* *L.* *Agardh Syst.* 2.  
*Sparmannia africana* *L.* *Nees Sammlung* 44.  
 †*Spartium* *L.* *Nees Genera* 29, 1.  
 — *album* *Desf.* *L'her. Stirp.* 89.  
 — *ferox* *Desf.* *L'her. Stirp.* 90.  
 — *nubigenum* *Ait.* *L'her. Stirp.* 85.  
 — *patens* *L.* *L'her. Stirp.* 87.  
 — *umbellatum* *Desf.* *L'her. Stirp.* 88.  
 — *villosum* *L.* *Classical Museum* 3, no. 7.  
 — *virgatum* *Ait.* *L'her. Stirp.* 86.  
*Spathodea campanulata* *Pal. B.* *Bot. Mag.* 85, 5091.  
 † — *crispa* *Wall.* *Bureau Bign.* 27.  
*Spathoglottis affinis* *Vr.* *Vriese Orchid.* 15.  
 † — *Khasiana* *Gr.* *Griffith Pl. asiat.* 311.  
 † — *lilacina* *Gr.* *Griffith Pl. asiat.* 311.  
 † — *plicata* *Bl.* *Griffith Pl. asiat.* 311.  
 — — — *Vriese Orchid.* 18.  
 †*Specularia Heist.* *Batsch Analyses* 13.  
 † — — *Nees Genera* 28, 13.



- Stapelia hirsuta* L. Burmann Pl. afr. 12.  
 — — Thornton Plates 23.  
 — mammillaris L. Burmann Pl. afr. 11.  
 — orbicularis Donn. Fl. d. serres 12, 1281.  
 — quadrangula Forsk. Forskal Icones 6.  
 — subulata Forsk. Forskal Icones 7.  
 — variegata L. Burmann Pl. afr. 12.  
*Staphylea pinnata* L. Nouveau Duhamel 6, 12.  
 † — — Payer Organogénie 36.  
 † — trifoliata L. Payer Organogénie 36.  
 † *Staphyleaceae* Endl. Payer Organogénie 36.  
 † *Statice Ameria* L. Guillard Organes floraux 3.  
 — articulata Lois. Rchb. Fl. germ. 17, 1145.  
 — aurea L. Ammann Ruth. 18.  
 — australis Spr. Müller Plants of Victoria 2, 65.  
 — bahusiensis Fries. Rchb. Fl. germ. 17, 1140.  
 — Behen Drej. Rchb. Fl. germ. 17, 1140.  
 — bicolor Bge. Sertum petrop. 17.  
 — Bonduellii Lest. Bot. Mag. 86, 5158.  
 — — — L'horticulteur fr. 1860, 20.  
 — — — Regel Gartenfl. 1861, 318.  
 — Bourgiaci Webb. Bot. Mag. 85, 5153.  
 — brassicaefolia Webb. Bot. Mag. 86, 5162.  
 — — — Otto Garten-Z. 1858, 6.  
 — cancellata Bernh. Rchb. Fl. germ. 17, 1146.  
 — caspia Willd. Rchb. Fl. germ. 17, 1142.  
 — confusa Godr. Rchb. Fl. germ. 17, 1143.  
 — cordata Guss. Rchb. Fl. germ. 17, 1145.  
 — denudata Reg. Regel Gartenfl. 1861, 327.  
 — dictyoclada Boiss. Rchb. Fl. germ. 17, 1144.  
 — diffusa Pourr. Rchb. Fl. germ. 17, 1147.  
 — Dodartii Girard. Rchb. Fl. germ. 17, 1142.  
 † — Durieui Girard. Mém. Montpellier X, x.  
 — echioides L. Rchb. Fl. germ. 17, 1147.  
 — ferulacea E. Rchb. Fl. germ. 17, 1147.  
 — fruticans Webb. Regel Gartenfl. 1861, 319.  
 — globulifera Boiss. Tchichatscheff Asie mineure 38.  
 — Gmelini Willd. Rchb. Fl. germ. 17, 1141.  
 — inarimensis Guss. Gussone Fl. Inar. 12.  
 — minuta L. Rchb. Fl. germ. 17, 1144.  
 — occidentalis Lloyd. Rchb. Fl. germ. 17, 1142.  
 — plumosa Ph. Philippi Reise 6.  
 — pubescens DC. Rchb. Fl. germ. 17, 1146.  
 — rupicola Bad. Rchb. Fl. germ. 17, 1144.  
 — serotina Rchb. Rchb. Fl. germ. 17, 1141.  
 † — thymoides Girard. Mém. Montpellier X, x.  
 — virgata Willd. Rchb. Fl. germ. 17, 1143.  
*Stauranthera ecalcarata* R. Br. Miquel Flora 35.  
 — grandifolia Benth. Bot. Mag. 89, 5409.  
*Staurophragma natolicum* F. et M. Sertum petrop. 16.  
*Stegnocarpus canescens* Torr. Expl. Missis. 2, 7.  
*Stegnogramma sandwicense* Brack. Wilkes Expl. Exp. 4.  
*Stelis ophioglossoides* Sw. Plumier Ic. Burm. 176.  
 — Porpax Rchb. fl. Rchb. Xenia 1, 60.  
*Stellaria bulbosa* Wulff. Linnaea 32, 1.  
 — cerastoides L. Gunner Flora norv. 2, 6.  
 — ciliatosepala Trautv. Middendorff Reise 2, 8.  
 — glauca With. var. lasiopetala, Linnaea 30, 1.  
 † — media Sm. Ann. sc. nat. IV. 4, 14.  
 — radians L. Ammann Ruth. 1e.  
 — silvatica Maxim. Bull. Mosc. 1862, 2.  
*Stellera Chamaejasme* L. Ammann Ruth. 2.  
*Stemodia hypnoides* Cham. et Schl. Endl. Bras. 30, 52.  
 — maritima L. Browne Jamaica 22.  
 † *Stemonurus polymorphus* Wight. Linn. Transact. 22, 19.  
 — vitiensis Seem. Secmann Flora 12.  
*Stenandrium barbatum* Torr. Expl. Missis. 2, 4.  
*Stenantha conostephoidea* Sond. Müller Plants of Victoria 2, 52.  
 — pinifolia R. Br. Fl. d. serres 11, 1162.  
*Stenantha pinifolia* R. Br. Belgique horticole 7, 44.  
 † *Stenantha heterophyllus* Oerst. Linnaea 1853, 2.  
*Stenocalyx blastanthus* Berg. Vellozo 5, 71.  
 — brasiliensis Berg. Vellozo 5, 69.  
 — — — Endl. Bras. 18, 31<sup>a</sup>.  
 — Michellii Berg. Vellozo 5, 46.  
 — sulcatus Berg. Endl. Bras. 18, 31.  
*Stenocarpus Cunninghamsii* Hook. L'horticulteur fr. 1864, 5.  
 † *Stenochasma convolutum* Gr. Griffith Pl. asiat. 359.  
 † — urceolare Gr. Griffith Pl. asiat. 358.  
*Stenochlaena feejeensis* Brack. Wilkes Expl. Exp. 11.  
 — Meyeriana J. Sm. Lowe Ferns 4, 47, 48.  
*Stenogaster concinna* Hook. fil. Bot. Mag. 87, 5253.  
 — — — Fl. d. serres 15, 1533.  
 — — — Illustration horticole 1864, 390.  
 † — hirsuta Hanst. Linnaea 1853, 1.  
 — multiflora Hort. Illustration horticole 1864, 390.  
*Stenoglottis fimbriata* Ldl. Harvey Thes. cap. 1, 56.  
*Stenolobium coeruleum* Benth. Endl. Bras. 24, 38.  
 † — stans Seem. Bureau Bign. 13.  
 † *Stenonia* Baill. Baillon Euph. 22.  
*Stenorhynchus lanceolatus* Rich. Plumier Ic. Burm. 181.  
*Stephanophysum Baikiei* Hook. Bot. Mag. 85, 5111.  
 — — — Fl. d. serres 14, 1399.  
 — — — Journ. d'hortic. 3, 11.  
 — — — Illustration horticole 1861, 280.  
 — — — L'horticulteur fr. 1861, 15.  
 † *Stephanostachys Casperiana* Kl. Oersted Am. centr. 7.  
 † — Wendlandiana Oerst. Oersted Am. centr. 7.  
*Stephanotis floribunda* Brongn. Journal d'hortic. 2, p. 235.  
*Sterculia Alexandri* Harv. Harvey Thes. cap. 1, 3.  
 — — — Proc. Dublin Assoc. 1, 15.  
 — — — Nat. Hist. Review 6, 3.  
 — apetala Karst. Karsten Fl. Col. 2, 118.  
 — Balanghas L. Sonnerat Ind. 132.  
 † *Sterculiaceae* Vent. Schnizl. Iconogr. 210.  
*Stereosandra javanica* Bl. Blume Orchid. 10, 11.  
 † *Stereospermum dentatum* A. Rich. Bureau Bign. 29.  
 † — — — Baillon Adansonia 2, 3.  
 † *Steriphoma paradoxum* Endl. Endl. Bras. 40, 64.  
 † *Sternbergia colchiciflora* W. et K. Irmisch Amaryllideae 8.  
 † — lutea Ker. Irmisch Amaryllideae 7.  
*Stewartia Maloidendron* L. Bibl. Goett. tab. ined.  
*Stichophyllum bryoides* Ph. Philippi Reise 1.  
*Stigmatophyllum dichotomum* Griseb. Plumier Ic. Burm. 13.  
 — Martianum Juss. Endl. Bras. 21, 7.  
 † *Stilbe* L. Schnizl. Iconogr. 138.  
 † — virgata Lam. Jard. Annals II. 11, 14.  
 † *Stillingia* Gardn. Baillon Euph. 7.  
 — sebifera Michx. Nuttall Sylva 2, 62.  
 † *Stipa elegantissima* Lab. Regel Gartenfl. 1864, 430.  
 † — juncea L. Payer Organogénie 148.  
 — setacea R. Br. Hook. Fl. Tasm. 157.  
*Stipecoma peltigera* Müll. Endl. Bras. 26, 53.  
 † *Stiradotheca magnifica* Kl. Abh. Acad. Berl. 1854, 12.  
*Stoebe Rhinozerotis* L. Burchell Travels 1, 102.  
*Stoechas officinarum* Mill. Rchb. Fl. germ. 18, 1227.  
*Stokesia cyanea* L'her. Bot. Mag. 83, 4966.  
 — — — Revue horticole 1863, 211.  
*Storckia vitiensis* Seem. Bonplandia 1861, 6.  
 — — — Seemann Flora vit. 13.  
*Stratiotes aloides* L. Revue horticole 1857, p. 260.  
 † — — — Agardh Syst. 4.  
 † — — — Chatin Anatomie 5.  
 † — — — Abh. Leipz. 7, 1.  
 † *Streblus asper* Lour. Blume Mus. 2, 30.

- †*Strelitzia augusta* L. Payer Organogénie 143.  
 — Nicolai Reg. Ann. Gartenb. Petersb. 1, x.  
 — — — Regel Gartenfl. 7, 235.  
 — — — Fl. d. serres 13, 1356.  
 — reginae Ait. Danske Vid. Skrifter 1790, 1.  
*Streptanthus crassicaulis* Torr. et Frem. Stanbury Expedition 1.  
 — maculatus Nutt. Journ. Acad. Philad. 5, 7.  
 — tortuosus Kellogg. Proc. Calif. Acad. 2, 153.  
*Streptocarpus Gardeni* Hook. Bot. Mag. 81, 4862.  
 — — — Fl. d. serres 12, 1214.  
 — polyanthus Hook. Bot. Mag. 81, 4550.  
 — — — Fl. d. serres 11, 1168.  
 — — — Regel Gartenfl. 6, 206.  
 — — — var. grandiflorus, L'horticult. fr. 1859, 12.  
 — Rexii Ldl. Regel Gartenfl. 6, 204.  
 — Saundersii Hook. Bot. Mag. 87, 5251.  
*Streptodesmia canescens* Gray. Gray Expl. Exp. 47.  
*Streptosolen Jamesonii* Miers. Miers Illustr. 55.  
†*Strobiloglossa mexicana* Oerst. Vidensk. Meddelelser 1854, 5.  
†*Stromanthe sanguinea* Sond. Ann. sc. nat. IV. 13, 1.  
*Stromatopteris moniliformis* M. Ann. sc. nat. IV. 15, 3.  
*Strombocarpa pubescens* Gray. Expl. Missis. 5, 4.  
*Strongylodon macrobotrys* Gray. Gray Expl. Exp. 49.  
 — ruber Vog. Gray Expl. Exp. 48.  
*Stropholirion californicum* Torr. Expl. Missis. 4, 23.  
*Strumpfia maritima* L. Plumier Ic. Burm. 251.  
†*Struthiopteris germanica* Willd. Denkschr. d. Wiener Ak. 6, 3. 4.  
 — — — Acta Leop. 26, 38—40. 28, 2.  
 — — — Lowe Ferns 2, 63.  
 — orientalis Hook. Hooker Second Century 4.  
*Strychnos Atherstonei* Harv. Harvey Thes. cap. 2, 164.  
 — hachensis Karst. Karsten Fl. Col. 2, 138.  
† — innocua Del. Schweinf. Pl. nilot. 10.  
 — nux vomica L. Berg Darstellung 2, 13<sup>b</sup>.  
†*Stygnanthe moesta* Hanst. Linnaea 1853, 2.  
†*Stylidium adnatum* R. Br. Agardh Syst. 7.  
 — recurvum Grah. Fl. d. serres 10, 999.  
 — — — Belgique horticole 6, 5.  
 — saxifragoides Ldl. Belgique horticole 4, 17.  
 — soboliferum F. M. Müller Plants of Victoria 2, 47.  
†*Styloceras* A. Juss. Baillon Euph. 20.  
*Stylochiton natalense* Schott. Schott Aroideae 14.  
*Stylocline gnaphalioides* Nutt. Expl. Missis. 4, 13.  
*Stylophorum diphyllum* Nutt. Bot. Mag. 81, 4867.  
*Stylosanthes angustifolia* Vog. Endl. Bras. 24, 25.  
 — capitata Vog. Endl. Bras. 24, 24.  
 — elatior DC. Mem. Bon. 2, 15.  
*Stylvehiton lancaefolium* Kotschy. Kotschy Pl. Tinn. 20.  
*Styphelia Hainesii* F. M. Müller Fragmenta 4, 28.  
†*Stypheliaeae* Endl. Payer Organogénie 119.  
*Styphonia integrifolia* Nutt. Nuttall Sylva 2, 82.  
 — serrata Nutt. Expl. Missis. 7, 2.  
†*Styracaceae* Rich. Schnizl. Iconogr. 159\*.  
† — — Payer Organogénie 152.  
†*Styrax* L. Griffith Pl. asiat. 47.  
 — Benzoin Dryand. Berg Darstellung 2, 9<sup>f</sup>.  
 — officinalis L. Nouveau Duhamel 7, 4.  
 — — — Rchb. Fl. germ. 17, 1078.  
 — — — Payer Organogénie 152.  
† — — — Agardh Syst. 21.  
*Suaeda fruticosa* Forsk. Forskal Icones 9.  
 — vermiculata Forsk. Forskal Icones 18.  
†*Succisa australis* Rchb. Abh. Senck. 1, 5.  
*Suffrenia capensis* Harv. Harvey Thes. cap. 2, 169.  
†*Suriana maritima* L. Agardh Syst. 14.  
*Swainsona Froebeli* Reg. Regel Gartenfl. 3, 89.  
 — lessertiaefolia DC. Illustr. horticole 1858, 176.  
*Swainsona occidentalis* Muell. Bot. Mag. 91, 5490.  
 — Osbornii Moore. L'horticulteur fr. 1862, 21.  
*Swartzia macrosperma* Bert. Mem. Bon. 11, 14.  
†*Swertia* L. Nees Genera 28, 19.  
† — — — Griffith Pl. asiat. 32.  
 — decumbens Vahl. Forskal Icones 5.  
 — — — Jaub. Illustr. 437.  
 — perennis L. Rchb. Fl. germ. 17, 1044.  
 — — — var. obtusa, Rchb. Fl. germ. 17, 1044.  
 — punctata Baumg. Rchb. Fl. germ. 17, 1044.  
*Swietenia Mahagoni* L. Nuttall Sylva 2, 75.  
*Syagrus cocoides* Mart. Illustration horticole 1858, p. 54.  
*Sychnosepalum microphyllum* Eichl. Endl. Bras. 38, 44.  
 — paraense Eichl. Endl. Bras. 38, 49.  
 — Sagotianum Eichl. Endl. Bras. 38, 49.  
*Sycopsis Griffithiana* Oliv. Linn. Transact. 23, 8.  
*Sylitra biflora* E. M. Harvey Thes. cap. 1, 78.  
*Symmeria paniculata* Benth. Endl. Bras. 14, 23.  
*Symphisodaphne cubensis* A. Rich. Ramon Cuba 67.  
†*Symphoricarpus* L. Payer Organogénie 128.  
† — — Baillon Adansonia 1, 12.  
 — — — Schnizl. Iconogr. 128.  
 — microphylla H. B. K. Bot. Mag. 83, 4975.  
 — vulgaris L. Dillenium Elth. 278.  
†*Symphyllia* Baill. Baillon Euph. 11.  
*Symphyllocarpus exilis* Max. Mém. prés. Pet. 9, 8.  
*Symphytum bulbosum* Schimp. Rchb. Fl. germ. 18, 1305.  
 — cordatum Willd. Rchb. Fl. germ. 18, 1303.  
† — officinale L. Batsch Analyses 6.  
 — — — Rchb. Fl. germ. 18, 1303.  
 — ottomanum Friv. Rchb. Fl. germ. 18, 1305.  
 — tuberosum L. Rchb. Fl. germ. 18, 1304.  
†*Symplocarpus foetidus* Salisb. Abh. Leipz. 7, 8.  
†*Symploceae* Endl. Schnizl. Iconogr. 159\*\*.  
*Symplocos bahiensis* A. DC. Endl. Bras. 17, 8.  
 — celestrinae Mart. Endl. Bras. 17, 12.  
† — Ciponima L'her. Endl. Bras. 17, 8.  
 — lanceolata A. DC. Endl. Bras. 17, 10. 13.  
† — nitens Benth. Endl. Bras. 17, 8.  
 — phaeoclados A. DC. Endl. Bras. 17, 13.  
 — platyphylla Benth. Endl. Bras. 17, 9.  
 — tetrandra Mart. Endl. Bras. 17, 14.  
 — variabilis Mart. Endl. Bras. 17, 11.  
*Synapleblium Pickeringii* Brack. Wilkes Expl. Exp. 30.  
†*Synedrella nodiflora* Gaertn. Bot. Zeitung 1856, 11.  
†*Syneilesis aconitifolia* Max. Mém. prés. Pet. 9, 8.  
*Syngamma alismaefolium* J. Sm. Hook. Lond. Journal 1845, 7.  
 — pinnatum J. Sm. Hook. Lond. Journal 1845, 7.  
 — vittaeforme J. Sm. Hook. Lond. Journal 1845, 7.  
*Synochlamys ambigua* Fée. Fée Fil. novae 20.  
*Syntrichopappus Fremontii* Torr. Expl. Missis. 4, 15.  
†*Syringa* L. Nees Genera 30, 13.  
† — — Schnizlein Iconogr. 130.  
† — — Agardh Syst. 21.  
 — Josikaea Jacq. Rchb. Fl. germ. 17, 1073.  
 — persica L. Cornuti Canad. p. 189.  
 — vulgaris L. Poiteau Fl. par. 5.  
 — — — Rchb. Fl. germ. 17, 1073.  
 — — — var. Lindleyi, Fl. d. serres 14, 1481. 1482.  
 — — — Ambroise Verschaffelt, Illustration horticole 1863, 357.  
 — — — Président Massart, Illustration horticole 1863, 352.  
! — — — Bull. Brux. 1853, 2.  
†*Syspone* Griseb. Nees Genera 29, 3.  
*Syzygium brachynemum* F. M. Müller Plants of Victoria Suppl. 18.

- Tabernaemontana affinis* Müll. Endl. Bras. 26, 26.  
 — *angulata* Mart. Endl. Bras. 26, 23.  
 † — *bracteolaris* Mart. Endl. Bras. 40, 54.  
 — *citriifolia* L. Plumier Ic. Burm. 248.  
 — *flavicans* R. et Sch. Endl. Bras. 26, 25.  
 — *grandiflora* Jacq. Bot. Mag. 87, 5226.  
 — *hirtula* Mart. Endl. Bras. 26, 24.  
 — *laeta* Mart. Regel Gartenfl. 1861, 316.  
 — — — Endl. Bras. 40, 54.  
 † — *muricata* Mart. Endl. Bras. 40, 54.  
 — *Pandacacqui* Poir. Sonnerat Nouv. Guinée 19.  
 † — *reticulata* A. DC. Endl. Bras. 26, 27.  
 — *rubro-striolata* Mart. Endl. Bras. 26, 21.  
 — *Sprucei* Müll. Endl. Bras. 26, 27.  
 — *submollis* Mart. Endl. Bras. 26, 22.  
 † — *undulata* Mart. Endl. Bras. 26, 21.  
*Tacca pinnatifida* L. fl. Griffith Pl. asiat. 28, 272<sup>a</sup>.  
*Tachiadenus carinatus* Griseb. Bot. Mag. 85, 5094.  
 — — — Journal d'hortic. 3, 8.  
 † *Tacsonia* Juss. Agardh Syst. 28.  
 — *mollissima* H. B. K. Belgique horticole 7, 23.  
 — *van Volxemii* Funk. Illustration horticole 1863, 381.  
*Taenidium oceanicum* Targ. Targioni Catal. 1.  
*Taeniocarpum articulatum* Desv. Plumier Ic. Burm. 222.  
*Taeniopetalum Neumayeri* Vis. Rchb. Fl. germ. 21, 1957.  
*Taeniophyllum Alwisii* Ldl. Rchb. Xenia 2, 116.  
 — *Hasseltii* Rchb. fil. Rchb. Xenia 2, 116.  
 — *Zollingeri* Rchb. fil. Rchb. Xenia 1, 77.  
 † *Taenitis ophioglossoides* Mett. Mettenius Fil. 15, 23.  
 † — *piloselloides* Mett. Mettenius Fil. 10.  
 † — *revoluta* Mett. Mettenius Fil. 15.  
 — *sagittifera* Bory. Bory Coquille 30.  
*Tagetes minuta* L. Dillenius Elth. 280.  
 — *patula* β. L. Dillenius Elth. 279.  
 — *signata* Bartl. var. *pumila*, Revue hort. 1863, 11.  
*Talauma Hodgsoni* Hook. fil. Hook. Himal. 6.  
 — — — Illustration horticole 1857, 141.  
 — *ovata* St. Hil. Endl. Bras. 38, 28, 29.  
 † *Talinum Adams.* (Pollen.) Mém. prés. Pet. 3, 6.  
 † — — Mém. Mus. 2, 4.  
 † — — Payer Organogénie 70.  
 — — *polyandrum* Hook. Bot. Mag. 81, 4833.  
 — — — Belgique horticole 5, 19.  
 — *triangulare* Willd. Plumier Ic. Burm. 150.  
*Talpinaria bivalvis* Karst. Karsten Fl. Col. 1, 76.  
*Tamarindus indica* L. Berg Darstellung 2, 9<sup>a</sup>.  
 † *Tamariscineae* Desv. Schnizl. Iconogr. 221.  
*Tamarix aegyptiaca* Bert. Mem. Bon. 4, 16.  
 — *gallica* L. Nouveau Duhamel 7, 59.  
 † — — — Mém. Mus. 2, 4.  
 † — — — Agardh Syst. 24.  
 — *palaestina* Bert. Mem. Bon. 4, 16.  
 — *senegalensis* DC. Mem. Bon. 4, 16.  
 — *tetrandra* Pall. Revue horticole 1855, 21.  
*Tammsia anomala* Karst. Karsten Fl. Col. 1, 89.  
 † *Tamus communis* L. Payer Organogénie 146.  
*Tanacetum elegans* Decne. Fl. d. serres 12, 1191.  
 — *Pallasianum* Tr. et M. Middendorff Reise 2, 27.  
 — *vulgare* L. Berg Darstellung 22<sup>a</sup>.  
 † *Tannodia cordifolia* Baill. Baillon Adansonia 1, 7.  
*Tapeinostemon capitatum* Benth. Endl. Bras. 39, 58.  
 † — *spennerioides* Benth. Endl. Bras. 39, 59.  
 † *Tapina barbata* Murt. Linnaea 1853, 2.  
*Taraxacum officinale* Wigg. Berg Darstellung 1, 7<sup>a</sup>.  
 — — — Rchb. Fl. germ. 19, 1404—1406.  
 ! — — — Verh. zool. bot. Verein 13, 16.  
 — *Pacheri* Sch. Bip. Rchb. Fl. germ. 19, 1403.  
 — *serotinum* Sadl. Rchb. Fl. germ. 19, 1402.

- Taraxacum tenuifolium* Hoppe. Rchb. Fl. germ. 19, 1403.  
*Taverniera Schimperii* Jaub. Jaub. Illustr. 474.  
*Taxodium distichum* Rich. Belgique horticole 6, 74.  
 — — — Revue horticole 1859, p. 64.  
 — *mucronatum* Ten. Mem. Mod. 25, 1, 2.  
 † *Taxotrophis javanica* Bl. Blume Mus. 2, 26.  
*Taxus adpressa* Carr. Revue horticole 1855, p. 96.  
 † — *baccata* L. Pringsheim Jahrb. 1, 9.  
 † — — — Ann. sc. nat. 14, 13.  
 † — — — Baillon Adansonia 1.  
 — *brevifolia* Nutt. Nuttall Sylva 3, 108.  
 — — — Expl. Missis. 6, p. 61.  
 — *occidentalis* Nutt. Nuttall Sylva 3, 108.  
 — *orientalis* Bert. Mem. Bon. II, 1, 2.  
 † *Tecoma capensis* L. Agardh Syst. 28.  
 — *ceramensis* T. et B. Miquel Annales 5.  
 — *fulva* Don. Bot. Mag. 82, 4896.  
 — — — Fl. d. serres 11, 1116.  
 — *grandiflora* Sweet. Fl. d. serres 11, 1124, 1125.  
 † — *jasminoides* Ldl. Schnizl. Iconogr. 151.  
 — *radicans* Mirb. Nuttall Sylva 3, 104.  
 † — — — Bureau Bign. 14.  
 — *spectabilis* Planch. Fl. d. serres 9, 948.  
 — *stans* Juss. Plumier Ic. Burm. 54.  
*Tecophilaea violaeiflora* Bert. Linn. Transact. 24, 53.  
 † *Teedia lucida* Rud. Agardh Syst. 28.  
*Telanthera angustata* And. Eugénies Resa 4.  
 — *flavicomma* And. Eugénies Resa 5.  
 — *glaucescens* Hook. fil. Eugénies Resa 5.  
 — *nudicaulis* Hook. fil. Eugénies Resa 5.  
 — *vestita* And. Eugénies Resa 4.  
*Telipodium orientale* Boiss. Tchichatschoff Asie min. 16.  
*Telairia pedata* Hook. Fl. d. serres 9, 933.  
*Telipogon andicola* Rchb. fil. Rchb. Xenia 1, 97.  
 — *Boissierianus* Rchb. fil. Rchb. Xenia 1, 97.  
 — *Fritillum* Rchb. fil. Rchb. Xenia 1, 97.  
 — *Warscewiczii* Rchb. fil. Rchb. Xenia 1, 97.  
 † *Telogyne* Baill. Baillon Euph. 11.  
*Tenaris rubella* E. M. Harvey Thes. cap. 1, 43.  
*Tendana Piperella* Rchb. fil. Rchb. Fl. germ. 18, 1271.  
*Tephrosia apollinea* DC. Rochet Voyage 4.  
 — *ichthynea* Bert. Mem. Bon. 8, 15.  
 — *indigofera* Bert. Mem. Bon. 9, 10.  
 — *mollissima* Bert. Mem. Bon. 2, 13.  
 — *toxicaria* Pers. Plumier Ic. Burm. 135.  
 — — — Endl. Bras. 24, 8.  
*Teramnus uncinatus* Sw. Endl. Bras. 24, 37.  
 — *volubilis* Sw. Plumier Ic. Burm. 221.  
 † *Terminalia Brownii* Fres. Museum Senck. 2, 9.  
 — *Catappa* DC. Nuttall Sylva 1, 32.  
 † — *procera* Roxb. Memorie Valdarnese 1.  
 † *Ternstroemiaceae* DC. Payer Organogénie 154.  
*Tessarandra fluminensis* Miers. Miers Illustr. 62.  
*Tesseranthium radiatum* Kellogg. Proc. Calif. Acad. 2, 143.  
*Testudinaria montana* Burch. Burchell Travels 2, 167.  
*Tetracera costata* Mart. Endl. Bras. 31, 22.  
 — *grandiflora* Eichl. Endl. Bras. 31, 22.  
 — *lasiocarpa* Eichl. Endl. Bras. 31, 21.  
 — *Radula* Eichl. Endl. Bras. 31, 23.  
*Tetraclea Coulteri* Gray. Torrey Mex. Boundary 41.  
*Tetracrypta cinnamomoides* Gardn. Madras Journal 1858, 4.  
*Tetraglochin strictum* Poepp. Castelnau Exped. 77.  
 † *Tetragonia crystallina* L'her. Ann. sc. nat. IV, 4, 11.  
 † — *expansa* L. Payer Organogénie 77.  
 † — — — Agardh Syst. 25.  
 ! — — — Seringe Bulletin 4.  
 ! — — — Linn. Transact. 23, 54.

- †*Tetragonia fruticosa* L. Medicus Beob. p. 385.  
— *implexica* Hook. fil. Müller Plants of Vict.  
2, 13.
- †*Tetragonicae* Endl. Payer Organogénie 76. 77.
- †*Tetragonolobus* Scop. Nees Genera 29, 11.  
† — *purpureus* L. Flora 1856, 1.
- Tetragonotheca helianthoides* L. Dillenius Elth. 283.  
*Tetramerium polystachyum* N. v. E. Seemann Herald  
68.
- Tetranthera japonica* Spr. Cleyer Fl. jap. 99.
- †*Tetrapandra* Baill. Baillon Euph. 5.
- Tetraplasandra hawaiiensis* Gray. Gray Expl. Exp. 94.
- †*Tetrapoma barbaraeifolium* Turcz. Payer Organogénie 44.
- Tetrapteris Allopterys* Moris. Mem. Mod. 24, 1.  
— *citriifolia* Pers. Plumier Ic. Burm. 16.  
— *longibracteata* Juss. Endl. Bras. 21, 14.  
— *maranhamsensis* Juss. Endl. Bras. 21, 15.  
— *nitida* Mart. Endl. Bras. 21, 13.  
— *Poeppigiana* Gr. Endl. Bras. 21, 17.  
— *squarrosa* Gr. Endl. Bras. 21, 16.
- Tetrarrhena tenacissima* N. v. E. Hook. Fl. Tasm. 154.
- †*Tetratea* Sm. Bot. Zeitung 1854, 10.  
— *ericoides* Hort. Otto Garten-Z. 1855, 5.  
— — — Fl. d. serres 10, 1065.  
— *Gunnii* Hook. fil. Hook. Fl. Tasm. 7.  
— *procumbens* Gunn. Hook. Fl. Tasm. 7.
- Tetraulacium veronicaefolium* Turcz. Endl. Bras. 30, 55.
- †*Tetroncium magellanicum* Willd. Chatin Anatomie 22.
- †*Tetrorchidium* Poepp. Baillon Euph. 21.
- Teucrium Arduini* L. Rchb. Fl. germ. 18, 1237.  
— *Botrys* L. Rchb. Fl. germ. 18, 1239.  
— — — English Botany Suppl. 2964.  
— *Chamaedrys* L. Rchb. Fl. germ. 18, 1239.  
— *flavum* L. Rchb. Fl. germ. 18, 1236.  
— *fruticans* L. Dillenius Elth. 284.  
— *intricatum* Lge. Lange Pl. Hisp. 16.  
— *latifolium* L. Dillenius Elth. 284.  
— *lucidum* L. Rchb. Fl. germ. 18, 1239.  
— *Marum* L. Nouveau Duhamel 6, 41.  
— — — Rchb. Fl. germ. 18, 1236.  
— *montanum* L. Rchb. Fl. germ. 18, 1238.  
— *mucronatum* L. Cornuti Canad. p. 124.  
— *Polium* L. Rchb. Fl. germ. 18, 1238.  
— *scordioides* Schreb. Rchb. Fl. germ. 18, 1239.  
— *Scordium* L. Rchb. Fl. germ. 18, 1239.  
— *Scorodonia* L. Rchb. Fl. germ. 18, 1237.
- †*Thalia dealbata* Fras. Abh. Leipz. 7, 6.  
† — — — Ann. sc. nat. IV. 13, 2.  
† — — — Baillon Adansonia 1, 11.  
— *geniculata* L. Plumier Ic. Burm. 108.  
† — — — Mem. Mosc. 17, 7.  
† — *multiflora* Hork. Mem. Mosc. 17, 7.
- Thalictrum anemonoides* Michx. fl. pleno, Fl. d. serres  
11, 1155.  
— — — — — Illustration horticole 1859,  
211.  
— — — — — Otto Garten-Z. 1856, 3.  
— *baicalense* Turcz. Bull. Mosc. 1861, 2.  
— *bracteifolium* Bert. Mem. Bon. II. 3, 5.  
— *Cornuti* L. Cornuti Canad. p. 187.  
— *filamentosum* Maxim. Bull. Mosc. 1861, 2.  
† — *flavum* L. Payer Organogénie 58.  
— *foeniculaceum* Bge. Bull. Mosc. 1861, 3.  
— *kemense* Fr. Bull. Mosc. 1861, 3.  
— *sparsiflorum* Turcz. Bull. Mosc. 1861, 1.  
— *trigynum* Fisch. Bull. Mosc. 1861, 3.
- Thamnosma montanum* Torr. Expl. Missis. 4, 3.
- Thea viridis* L. Cleyer Fl. jap. 77, 78.  
† — — — Payer Organogénie 154.  
— — — — — Linn. Transact. 22, 61.
- Thelaia angustifolia* Alef. Linnaea 28, 1.
- Thelaia asarifolia* Alef. Linnaea 28, 1, 2.  
— *bracteosa* Alef. Linnaea 28, 2.  
— *elliptica* Alef. Linnaea 28, 1.  
— *grandiflora* Alef. Linnaea 28, 2.  
— *intermedia* Alef. Linnaea 28, 2.  
— *occidentalis* Alef. Linnaea 28, 1.  
— *rotundifolia* Alef. Linnaea 28, 2.  
— *Sartorii* Alef. Linnaea 28, 1.
- Thelasis capitata* Bl. Blume Orchid. 7.  
— *carinata* Bl. Blume Orchid. 7.  
† — *contracta* Bl. Blume Orchid. 5.  
— *elongata* Bl. Blume Orchid. 5, 7.
- Theligonum Cynocrambe* L. Colonna Phytobasanos 36.  
† — — — Agardh Syst. 25.  
† — — — Schnizl. Iconogr. 94\*.
- Thelymitra antennifera* Hook. fil. Hook. Fl. Tasm. 101.  
— *carnea* R. Br. Hook. Fl. Tasm. 102.  
— *javanica* Bl. Blume Orchid. 44, 48.  
— *ixioides* Sm. Hook. Fl. Tasm. 103.  
— *nuda* R. Br. Hook. Fl. Tasm. 103.  
— *Smithiana* Hook. fil. Hook. Fl. Tasm. 101.  
— *venosa* R. Br. Hook. Fl. Tasm. 102.
- Theobroma Cacao* L. Orbigny Bolivia 2.  
— — — Mitscherlich Cacao 1, 2.  
— — — Berg Darstellung 4, 33\*, 33\*.
- Theophrasta americana* L. Plumier Ic. Burm. 126.  
— *imperialis* Lind. Regel Gartenfl. 1864, 453.
- †*Theophrastaceae* DC. Schnizl. Iconogr. 157.
- Therophonum crenatum* Bl. Schott Aroideae 21.
- Thermopsis barbata* Royle. Bot. Mag. 81, 4868.
- †*Thesium* L. Abh. Leipz. 6, 10.  
† — — — Bot. Zeitung 1861, 2.  
— *aphyllum* Mart. Endl. Bras. 25, 37.  
† — *australe* R. Br. Chatin Anatomie 58.  
† — *euphorbioides* L. Chatin Anatomie 59.  
— *heterophyllum* Boiss. Tchichatschew Asie mi-  
neure 39.  
† — *humifusum* DC. Chatin Anatomie 56, 57.  
† — *Schimperianum* Hochst. Chatin Anatomie 59.
- †*Thevetia nerifolia* Juss. Endl. Bras. 26, 10.
- Thibaudia cordifolia* H. B. K. Bot. Mag. 92, 5559.  
— *Jessicae* Hook. fil. Bot. Mag. 91, 5547.  
— *sarcantha* DC. Bot. Mag. 90, 5450.
- Thinogeton Miersii* Benth. Miers Illustr. 50.
- Thladiantha dubia* Bge. Ann. sc. nat. IV. 12, 10.  
— — — Bot. Mag. 90, 5469.
- †*Thlaspi alliaceum* L. Atti Acc. Neap. 1863, 3.  
— *rotundifolium* Gaud. Froelich Alpenfl. 8, 5.
- Thomasia quercifolia* Gay. Nees Sammlung 87.
- †*Thonningia sanguinea* Vahl. Linn. Transact. 22, 3.
- †*Thottea grandiflora* Rottb. Berl. Monatsb. 1859, 1.
- Thrinchia hirta* Roth. Rchb. Fl. germ. 19, 1365.  
— *hispida* Roth. Rchb. Fl. germ. 19, 1364.  
— *tuberosa* DC. Rchb. Fl. germ. 19, 1364.
- Thryptomene Mitchelliana* F. M. Müller Plants of  
Victoria 2, 23.
- Thuja gigantea* Nutt. Nuttall Sylva 3, 111.  
— — — Expl. Missis. 6, p. 57.
- † — *orientalis* L. Flora 1855, 2.  
† — — — Schnizl. Iconogr. 76.  
† — — — Ann. sc. nat. IV. 14, 13.  
† — — — Baillon Adansonia 1, 2.  
— — — — — Illustration horticole 1862, 324.
- Thuiopsis dolabrata* S. et Z. Illustr. horticole 1857, 124.
- †*Thunbergia* L. (Pollen.) Mém. prés. Pet. 3, 4, 13.  
† — — — Agardh Syst. 17.  
† — — — Schacht Lehrbuch 2, 10.  
† — — — Bot. Zeitung 1860, 12.  
— *alata* Hook. Nees Sammlung 96.  
— *coccinea* Wall. Bot. Mag. 85, 5124.  
— *Harrisii* Hook. Bot. Mag. 83, 4998.  
— — — — — Fl. d. serres 12, 1275—1276.



- †Thunbergia *Harrisii* Hook. Journ. d'hortic. 2, 2.  
 — — — Regel Gartenf. 9, 281.  
 — — — *laurifolia* Ldl. Bot. Mag. 83, 4985.  
 — — — — — Illustration horticole 1857, 151.  
 — — — — — Regel Gartenf. 14, 475.  
 — — — *natalensis* Hook. Harvey Thes. cap. 1, 38.  
 — — — — — Bot. Mag. 84, 5082.
- Thurberia *thespesioides* Gray. Torrey Mex. Boundary 6.  
 †Thurya *capitata* Boiss. Ann. sc. nat. IV. 7, 13.  
 Thymbra *cepholota* Desv. Desvaux Opuscules 2.  
 — — — *spicata* L. Rchb. Fl. germ. 18, 1270.
- †Thymelaea . . . Griffith Pl. asiat. 46.  
 †Thymeleae *Endl.* Payer Organogénie 96.  
 †Thymus *Acinos* L. Ann. sc. nat. IV. 4, 11.  
 — — — *angustifolius* Pers. Rchb. Fl. germ. 18, 1265.  
 — — — *bracteosus* Vis. Rchb. Fl. germ. 18, 1269.  
 — — — *Chamaedrys* Fries. English Botany Suppl. 2992.  
 — — — *comosus* Heuff. Rchb. Fl. germ. 18, 1269.  
 — — — *hyemalis* Lge. Lange Pl. Hisp. 15.  
 — — — *Serphyllum* L. Rchb. Fl. germ. 18, 1264—1268.  
 — — — — — Berg Darstellung 3, 18<sup>f</sup>.  
 — — — *striatus* Vahl. Rchb. Fl. germ. 18, 1265.  
 — — — *vulgaris* L. Nouveau Duhamel 6, 39.  
 — — — — — Rchb. Fl. germ. 18, 1264.  
 — — — — — Berg Darstellung 3, 18<sup>e</sup>.
- Thyopsis *ferruginea* Wedd. Castelnau Exped. 27.  
 — — — *graveolens* Wedd. Castelnau Exped. 27.  
 — — — *stenophylla* Wedd. Castelnau Exped. 27.
- Thysacanthus *barlerioides* N. v. E. Fl. d. serres 10, 986.  
 — — — *flagellum* Oerst. Oersted Am. centr. 16.  
 — — — *indicus* N. v. E. Bot. Mag. 84, 5062.  
 — — — *Schomburgkianus* N. v. E. Bot. Mag. 81, 4851.
- Thyrine *Hypocistis* Gled. Gleditsch Verm. Abh. 1, 2.  
 Thyrsopteris *elegans* Kze. Lowe Ferns 8, 34.  
 †Thysselium *palustre* Hoffm. Cramer Bildungsabw. 8.  
 †Tiglidium *officinale* Klotzsch. Berg Darstellung 3, 17<sup>e</sup>.
- †Tigridia *L.* (Pollen.) Mém. prés. Pet. 3, 11.  
 — — — *Pavonia* Pers. L'horticulteur fr. 1861, 16.  
 — — — *violacea* Schiede. Fl. d. serres 10, 998.
- †Tilia *L.* Gleichen Entdeckungen 75, 76.  
 † — — — (Pollen.) Mém. prés. Pet. 3, 5.  
 † — — — Schnizl. Iconogr. 212.  
 † — — — (Tilleule de Fontainebleau.) Ann. sc. nat. IV. 3, 11.  
 — — — *dasystyla* Stev. Verh. zool. bot. V. 12, 9.  
 — — — *heterophylla* Vent. Nuttall Sylva 1, 23.  
 — — — *hybrida* Bechst. Bechstein Forstbotanik 4.  
 — — — *neglecta* Spach. Verhandl. zool. bot. V. 12, 9.  
 — — — *parvifolia* Ehrh. var. *ovalifolia*, Verh. zool. bot. V. 12, 8.  
 — — — — — *pendula*, *foliis variegatis*, Illustration horticole 1862, 328.  
 — — — *pekinensis* Rupr. Verh. zool. bot. V. 12, 9.  
 — — — *ulmifolia* Scop. Berg Darstellung 3, 18<sup>b</sup>.
- †Tillaea *aquatica* L. Agardh Syst. 25.  
 — — — *purpurata* Hook. fil. Müller Plants of Victoria 2, 19.
- Tillandsia *dianthoidea* Rossi. Regel Gartenf. 3, 85.  
 — — — *jonantha* Planch. Fl. d. serres 10, 1006.  
 — — — *lingulata* L. Plumier Ic. Burm. 74.  
 — — — *monostachya* L. Plumier Ic. Burm. 238.  
 — — — *paniculata* L. Plumier Ic. Burm. 237.  
 — — — *pulchella* Hook. Bot. Mag. 87, 5229.  
 — — — — — Belgique horticole 9, 22.  
 — — — — — Siebold Fl. Jard. 1860, 5.  
 — — — *recurvifolia* Hook. Bot. Mag. 87, 5246.  
 — — — *serrata* L. Plumier Ic. Burm. 75.  
 — — — *xiphioides* Ker. Bot. Mag. 92, 5562.
- Tinnethamnus *aethiopicus* Kotschy. Kotschy Pl. Tinn. 10.
- †Tinus *laurifolius* Borkh. Vid. Meddelelser 1860, 7.

- Tinus *occidentalis* L. Browne Jamaica 21.  
 †Titelbachia *fuchsioides* Kl. Abh. Acad. Berl. 1854, 10.  
 Tmesipteris *tannensis* Bernh. Payer Botanique crypt. p. 213.
- Todea *africana* Willd. Hook. Fl. Tasm. 168.  
 — — — — — Lowe Ferns 8, 67.  
 — — — *hymenophylloides* Rich. Lowe Ferns 8, 68.  
 — — — — — Hook. Garden Ferns 54.  
 — — — *Wilkesiana* Brack. Wilkes Expl. Exp. 43.
- Tolpis *barbata* Biv. Bivona Monografia 3.  
 — — — *Gaertn.* Rchb. Fl. germ. 19, 1359.  
 — — — *coronopifolia* Spr. Bivona Monografia 5.  
 — — — *quadriaristata* Biv. Bivona Monografia 1.  
 — — — *sexaristata* Biv. Bivona Monografia 2.  
 — — — *virgata* Biv. Bivona Monografia 4.  
 — — — — — Bert. Rchb. Fl. germ. 19, 1359.
- Tommasinia *verticillaris* Bert. Rchb. Fl. germ. 21, 1967.  
 Tonina *fluviatilis* Aubl. Endl. Bras. 33, 38.  
 Tordylium *apulum* L. Rchb. Fl. germ. 21, 1978.  
 — — — *maximum* L. Rchb. Fl. germ. 21, 1980.  
 — — — *officinale* L. Rchb. Fl. germ. 21, 1979.
- †Torenia *asiatica* L. Bot. Zeitung 1858, 3.  
 † — — — — — Agardh Syst. 8.  
 — — — — — var. *pulcherrima*, Illustration horticole 1859, 199.  
 — — — — — — — — — Fl. d. serres 13, 1342.  
 — — — — — *hirsuta* Lam. Bot. Mag. 86, 5167.  
 — — — — — *parviflora* Ham. Endl. Bras. 30, 56.
- †Torilis *Anthriscus* Gaertn. Leighton Flora 6.  
 † — — — *infesta* Spr. Leighton Flora 6.  
 † — — — *nodosa* Gaertn. Leighton Flora 6.
- Torreya *californica* Torr. Expl. Missis. 6, p. 62.  
 — — — *Myristica* Hook. Fl. d. serres 9, 925.  
 — — — *nucifera* Sieb. Baillon Adansonia 1, 2.  
 † — — — — — Ann. sc. nat. IV. 14, 13.  
 — — — *taxifolia* Arn. Nuttall Sylva 3, 109.
- †Touchardia *candidissima* Bl. Blume Mus. 2, 24.  
 † — — — *latifolia* Gaud. Arch. Mus. 9, 13.
- †Tournefortia *L.* Agardh Syst. 17.  
 † — — — *brachiata* A. DC. Endl. Bras. 19, 9.  
 † — — — *elegans* Cham. Endl. Bras. 19, 9.  
 † — — — *floribunda* H. B. K. Endl. Bras. 19, 9.  
 † — — — *foetidissima* L. Plumier Ic. Burm. 230.  
 † — — — *fruticosa* Fres. Endl. Bras. 19, 9.  
 † — — — *gnaphalodes* Fres. Endl. Bras. 19, 9.  
 † — — — *grandifolia* Fres. Endl. Bras. 19, 13.  
 † — — — *hirsutissima* L. Plumier Ic. Burm. 229.  
 † — — — — — Endl. Bras. 19, 9.  
 † — — — *humilis* L. Plumier Ic. Burm. 227.  
 † — — — *intermedia* Fres. Endl. Bras. 19, 9.  
 † — — — *lanceolata* Fres. Endl. Bras. 19, 12.  
 † — — — *Martii* Fres. Endl. Bras. 19, 9.  
 † — — — *mollis* Bert. Mem. Bon. 3, 12.  
 † — — — *strigosa* And. Eugénies Resa 9.
- Tourneuxia *variifolia* Coss. Ann. sc. nat. IV. 18, 13.  
 †Touretia *lappacea* Willd. Bureau Bign. 31.  
 †Tovaria *pendula* R. et P. Handl. Acad. Holm. 1857, 1.  
 † — — — — — Agardh Syst. 18.
- Toxicophlaea *Thunbergii* Harv. Harvey Thes. cap. 1, 16.  
 Tozzia *alpina* L. Zanoni Hist. 172.  
 — — — — — Rchb. Fl. germ. 20, 1741.  
 † — — — — — Chatin Anatomie 48.
- †Trachelanthus *rhizocarpus* Kl. Abhandl. Acad. Berl. 1854, 8.
- †Trachycarion *Kl.* Baillon Euph. 2.  
 †Tradescantia *L.* Agardh Syst. 2.  
 — — — — — *discolor* L'her. var. *variegata*, Bot. Mag. 84, 5079.  
 — — — — — variet. *vittata* Mfg. Fl. d. serres 11, 1169—1170.  
 — — — — — *effusa* Mart. Endl. Bras. 15, 34.

- Tradescantia geniculata* L. Plumier Ic. Burm. 116.  
 — *Martensiana* Kth. Bot. Mag. 81, 4849.  
 † — *virginiana* L. Payer Organogénie 140.  
 † — — — — Abh. Leipz. 7, 24.  
 — *Warszewicziana* Kth. Bot. Mag. 86, 5188.  
*Tragia Chamaclea* L. Burmann Thes. zeyl. 25.  
 — *involucrata* L. Burmann Thes. zeyl. 92.  
 — *Mercurialis* L. Plumier Ic. Burm. 172.  
 — *volubilis* L. Plumier Ic. Burm. 252.  
 † *Tragopogon* L. (Pollen.) Mém. prés. Pét. 3, 10.  
 — *crocifolius* L. Rchb. Fl. germ. 19, 1388.  
 — *eriospermus* Ten. Rchb. Fl. germ. 19, 1387.  
 — *floccosus* W. K. Rchb. Fl. germ. 19, 1393.  
 — *Gorskianus* Rchb. fil. Rchb. Fl. germ. 19, 1394.  
 — *heterospermus* Schweigg. Rchb. Fl. germ. 19, 1392.  
 — *major* Jacq. Rchb. Fl. germ. 19, 1388.  
 — *minor* Fries. Rchb. Fl. germ. 19, 1390.  
 — *orientalis* L. Rchb. Fl. germ. 19, 1390.  
 — *porrifolius* L. Rchb. Fl. germ. 19, 1387.  
 — *pratensis* L. Rchb. Fl. germ. 19, 1389.  
 — *Tommasinii* Sch. Bip. Rchb. Fl. germ. 19, 1391.  
 — *tortilis* W. Meyer. Rchb. Fl. germ. 19, 1389.  
 † *Trapa natans* L. Payer Organogénie 106.  
 † *Trapaceae* Endl. Schnizl. Iconogr. 266\*.  
*Trema velutina* Bl. Blume Mus. 2, 32.  
 † *Tremandreae* R. Br. Schnizl. Iconogr. 232.  
 † *Trendelenburgia fruticosa* Kl. Abh. Ac. Berl. 1854, 3.  
*Tresanthera condensinoides* Karst. Karst. Fl. Col. 1, 19.  
*Trevesia sudaica* Mig. Regel Gartenfl. 1864, 438.  
 † *Trewia* L. Baillon Euph. 18.  
*Trianosperma Belangeri* Naud. Ann. sc. nat. IV. 18, 11.  
 † *Trianthema monogyna* L. Payer Organogénie 76.  
*Triaspis hypericoides* Burch. Burchell Travels 2, 290.  
*Tribolium hispidum* Desv. Desvaux Opuscules 4.  
*Tribulus lanuginosus* L. Burmann Thes. zeyl. 106.  
 — *maximus* L. Browne Jamaica 21. { 3  
 — — — Plumier Ic. Burm. 254.  
 — *microcephalus* Bert. Mem. Bon. 3, 20.  
*Tricatus admirabilis* L'her. L'her. Stirp. 120.  
*Trichadenia zeylanica* Thw. Hook. Journ. 1855, 5.  
 † *Trichantha minor* Hook. Linnaea 1853, 2.  
 — — — — Bot. Mag. 90, 5428.  
*Trichilia Dregeana* Harv. Harvey Thes. cap. 1, 76.  
*Trichinium Manglesii* Ldl. Bot. Mag. 90, 5448.  
 — *spatulatum* R. Br. Hook. Fl. Tasm. 94.  
*Trichiocarpa Moorii* J. Sm. Lowe Ferns 8, 37.  
*Trichoceros armillatus* Rchb. fil. Rchb. Xenia 1, 97.  
*Trichoerepis bifida* Vis. Rchb. Fl. germ. 19, 1430.  
*Trichodesma angustifolium* Harv. Harvey Thes. cap. 1, 40.  
*Trichoglottis Bimae* Rchb. fil. Rchb. Xenia 2, 117.  
 — *lanceolaria* Bl. Rchb. Xenia 2, 117.  
 — *pusilla* Rchb. fil. Rchb. Xenia 2, 116.  
 † *Trichomanes* L. Abh. Leipz. 11, 1—5.  
 — *adiantoides* L. Burmann Thes. zeyl. 43.  
 — *album* Bl. Wilkes Expl. Exp. 36.  
 — *anceps* Hook. Lowe New Ferns 65.  
 — *angustatum* Carm. Lowe New Ferns 67.  
 — *apiifolium* Pr. Verh. Ac. Amst. 1861, 19.  
 — *attenuatum* Hook. Lowe New Ferns 66.  
 — *Bancroftii* Hook. Lowe Ferns 8, 9.  
 — — — — Endl. Bras. 23, 18.  
 — — — — Hook. Garden Ferns 56.  
 — *caudatum* Brack. Wilkes Expl. Exp. 36.  
 — *cellulosum* Kl. Endl. Bras. 23, 18.  
 — — — — Hooker Second Century 63.  
 — *crispum* L. Lowe Ferns 8, 10.  
 — — — — Hook. Garden Ferns 27.  
 — *dichotomum* Kze. Verh. Ac. Amst. 1861, 16.  
 — *Draytonianum* Brack. Wilkes Expl. Exp. 36.  
 — *elegans* Rudge. Lowe New Ferns 64.  
*Trichomanes elegans* Rudge. Hook. Garden Ferns 2.  
 — *emarginatum* Pr. Endl. Bras. 23, 18.  
 — *erectum* Brack. Wilkes Expl. Exp. 36.  
 — *eximium* Kze. Endl. Bras. 23, 18.  
 — *exsectum* Kze. Lowe New Ferns 64.  
 — *filiforme* Sturm. Endl. Bras. 23, 18.  
 — *flabellatum* v. d. B. Verh. Ac. Amst. 1861, 13.  
 — *fulvum* Kl. Endl. Bras. 23, 18.  
 — *Henziaianum* Parish. Hooker Second Century 1.  
 — *javanicum* Bl. Hook. Garden Ferns 37.  
 — *Kaulfussii* H. et Gr. Lowe New Ferns 63.  
 — *Leprieurii* Kze. Hook. Garden Ferns 11.  
 — *longisetum* Bory. Verh. Ac. Amst. 1861, 21.  
 — *Malingii* Hook. Hook. Garden Ferns 64.  
 — *mandioccanum* Raddi. Endl. Bras. 23, 18.  
 — *maximum* Bl. Verh. Ac. Amst. 1861, 18.  
 — *millefolium* Pr. Verh. Ac. Amst. 1861, 20.  
 — *muscoides* Sw. Endl. Bras. 23, 18.  
 — — — — Lowe Ferns 8, 10.  
 — *nitidulum* d. v. B. Verh. Ac. Amst. 1861, 15.  
 — *obscurum* Bl. Verh. Ac. Amst. 1861, 17.  
 — *palmatifidum* C. Müll. Verh. Ac. Amst. 1861, 14.  
 — *pinnatum* Hedw. Hook. Garden Ferns 8.  
 — *Pluma* Hook. Lowe New Ferns 63.  
 — *radicans* Sw. Hook. British Ferns 42.  
 — — — — Johnson Ferns 41.  
 — — — — Lowe Ferns 8, 11.  
 — *reniforme* Forst. Hook. Fil. exot. 2.  
 — — — — Lowe Ferns 8, 9.  
 — *reptans* Sw. Endl. Bras. 23, 18.  
 — *rigidum* Sw. Lowe New Ferns 62.  
 — *scandens* L. Lowe New Ferns 62.  
 — *sinuosum* Rich. Endl. Bras. 23, 18.  
 — — — — Lowe Ferns 8, 10.  
 — *spicatum* Hedw. fil. Hook. Garden Ferns 60.  
 — — — — Lowe New Ferns 67.  
 — *tenerum* Spr. Endl. Bras. 23, 18.  
 — *tenuis* Brack. Wilkes Expl. Exp. 36.  
 — *trichoideum* Sw. Endl. Bras. 23, 18.  
 — — — — Lowe New Ferns 67.  
 — *venosum* R. Br. Lowe Ferns 8, 9.  
*Trichoneura Hookeri* And. Eugénies Resa 1.  
*Trichopilia albida* Wendl. fil. Regel Gartenfl. 3, 76.  
 — *coecinea* Ldl. Bot. Mag. 81, 4857.  
 — — — — Fl. d. serres 14, 1490.  
 — *crispa* Ldl. Warner Select Orch. 5.  
 — *picta* Ch. Lem. Illustration horticole 1859, 225.  
 — *suavis* Ldl. Revue horticole 1859, p. 220.  
 — *Turalvae* Rchb. fil. Bot. Mag. 91, 5850.  
*Tichoptilium incisum* Gray. Expl. Missis. 5, 5.  
*Trichosacme lanata* Zucc. Fl. d. serres 11, 1123.  
 † *Trichosanthes* L. Mem. Tur. 1855, 2, 4.  
 — *palmata* L. Plumier Ic. Burm. 24.  
*Trichostema brachiatum* L. Dillenius Elth. 285.  
 — *lanatum* Benth. Torrey Mex. Boundary 40.  
 — *linearifolium* Bert. Mem. Bon. 4, 3.  
 — *Sandersoni* Harv. Harvey Thes. cap. 1, 51.  
 † *Trichostoma biflora* Gr. Griffith Pl. asiat. 315.  
 — *ferox* Bl. Vriese Orchid. 9, 11.  
*Tricyrtis hirta* Hook. Bot. Mag. 89, 5355.  
 — — — — Fl. d. serres 15, 1540.  
 — *pilosa* Wall. Bot. Mag. 82, 4955.  
 — — — — Belgique horticole 7, 31.  
*Trientalis europaea* L. Rchb. Fl. germ. 17, 1083.  
 † *Trifolium* L. Gleichen Untersuchungen 2.  
 † — — — — Nees Genera 29, 7, 8.  
 † — — — — Payer Organogénie 104.  
 — *Cupani* Tin. Bibl. ital. 20, 1.  
 — *Gussoni* Tin. Bibl. ital. 20, 1.  
 † — *hybridum* L. Fleischer Mißbildungen 6.  
 † — *incarnatum* Auct. Linnaea 32, 2.  
 — *Méneghinianum* Clem. Mem. Tur. 1851, 7.

- Trifolium microphyllum Desv. Desvaux Opusculés 7.  
 † — Molinerii Balb. Linnæa 32, 2.  
 — nanum Torr. Ann. Lyc. New-York 1, 3.  
 — Petri Savii Clem. Mem. Tur. 1857, 7.  
 † — pratense L. Verh. Rheinland 11, 8.  
 † — repens L. Goethe Atlas 4.  
 † — — — Fleischer Mißbildungen 7.  
 † — — — Baillon Adansonia 4, 1.  
 — — — var. purpureum, Seemann Journal 2,  
 13.  
 Trigonopteron Ponti And. Eugenies Resa 6.  
 † Triglochin L. Griffith Pl. asiat. 271.  
 † — maritimum L. Chatin Anatomie 21.  
 † — — — Abh. Leipz. 7, 1.  
 Trigonella avium Bert. Mem. Bon. II. 1, 6.  
 — suavisima Ldl. Müller Plants of Vict. Suppl. 15.  
 † Trigonon nivea St. Hil. Schnizl. Iconogr. 233.  
 Trigonochlamys Griffithii Hook. fil. Linn. Transact.  
 23, 27.  
 † Trigonostemon Bl. Baillon Euph. 11.  
 Triguera ambrosiaca Cav. Miers Illustr. 75.  
 — — — Revue horticole 1859, p. 255.  
 Trillium californicum Kellogg. Proc. Calif. Acad. 2, 49.  
 — erectum L. Cornuti Canad. p. 167.  
 — — — Fl. d. serres 10, 990.  
 — grandiflorum Salisb. Fl. d. serres 10, 991.  
 Trimeranthus alpestris Karst. Karsten Fl. Col. 1, 96.  
 Trineuron nivigenum F. M. Müller Plants of Victoria  
 2, 40.  
 Trinia glauca Rehb. Rchb. Fl. germ. 21, 1870.  
 — Kitaibelii M. B. Rchb. Fl. germ. 21, 1871.  
 — Lessingii Rehb. fil. Rchb. Fl. germ. 21, 1872.  
 Triosteum perfoliatum L. Dillenius Elth. 293.  
 † Triplaris brasiliensis Cham. Endl. Bras. 14, 15.  
 — coriacea Karst. Karsten Fl. Col. 2, 169.  
 † — Gardneriana Wedd. Endl. Bras. 14, 15.  
 † — laurifolia Cham. Karsten Fl. Col. 2, 169.  
 † — Martiana F. et M. Endl. Bras. 14, 26.  
 † — Pachau Mart. Endl. Bras. 14, 15.  
 † — Purdiei Meisn. Endl. Bras. 14, 15.  
 † — salicifolia Cham. Karsten Fl. Col. 2, 169.  
 — surinamensis Cham. Endl. Bras. 14, 24—26.  
 † — tomentosa Wedd. Endl. Bras. 14, 15.  
 Tripteris Vaillantii Decne. Wiener Sitzungs. 52, 1.  
 Trisema coriacea Hook. Hook. Journ. 1857, 1.  
 Tristiania neriifolia R. Br. Nees Sammlung 77.  
 † — — — Agardh Syst. 12.  
 Tristicha hypnoides Tul. Endl. Bras. 13, 75.  
 † Tritaxis Baill. Baillon Euph. 11.  
 Triteleia uniflora Ldl. Fl. d. serres 9, 967.  
 — — — Sieb. Fl. Jard. 1860, 12.  
 † — — — Abh. Leipz. 7, 20.  
 Trithrinax mauritiaeformis Karst. Karsten Fl. Col. 2,  
 172.  
 Trithuria submersa Hook. fil. Hook. Fl. Tasm. 138.  
 † Triticum L. Gleichen Untersuchungen 16.  
 † — — — Griffith Pl. asiat. 150.  
 † — — — Gasparrini Ric. 7.  
 † — — — Mem. Tur. 1855, 1.  
 † — — — Payer Organogénie 148.  
 † — — — Abh. Leipz. 7, 11.  
 † — — — Berg Ausartung 1.  
 † — — — Bonplandia 1854, p. 219.  
 — dicoccum Schübl. Schübler Cereal. 1.  
 — monococcum L. Schübler Cereal. 1.  
 — petracum Vis. Visiani Plantae serbicae 5.  
 † — Spelta L. Gasparrini Ric. 4, 6.  
 — tricoccum Schübl. Schübler Cereal. 1.  
 — velutinum Schübl. Schübler Cereal. 1.  
 Tritoma Uvaria Ker. Nees Sammlung 7.  
 — — — Fl. d. serres 13, 1393.  
 Tritonia crocata Ker. Abh. Leipz. 7, 21.

- Triumphetta L. Bot. Zeitung 1856, 11.  
 — Lappula L. Plumier Ic. Burm. 255.  
 — trichocarpa Sond. Harvey Thes. cap. 1, 52.  
 † Triuridaceae Gardn. Schnizl. Iconogr. 57.  
 † Trixago apula Stev. Chatin Anatomie. 31ter.  
 Trixis californica Kellogg. Proc. Calif. Acad. 2, 183.  
 Trochiscanthes nodiflorus Koch. Rchb. Fl. germ. 21,  
 1918. 1929.  
 Trollius altaicus Ledeb. Regel Gartenfl. 6, 188.  
 — asiaticus L. Regel Gartenfl. 1863, 403.  
 † Tropaeolum L. Ann. sc. nat. IV. 4, 3. 4.  
 † — — — Ann. sc. nat. IV. 5, 19—21.  
 † — — — Ann. sc. nat. V. 2, 9.  
 † — — — Abh. nat. Ges. Halle 1854, 5—8.  
 † — — — Bot. Zeitung 1855, 9.  
 † — — — Agardh Syst. 18.  
 † — — — Schnizl. Iconogr. 258.  
 † — — — Mettenius Fil. 28.  
 † — — — Schacht Lehrbuch 2, 11.  
 — chrysanthum Planch. Fl. d. serres 10, 1005.  
 — crenatum Karst. Karsten Fl. Col. 1, 72.  
 — digitatum Karst. Karsten Fl. Col. 1, 43.  
 — Heyneanum Bernh. Seemann Journal 1, 5.  
 — hybridum L. Act. Holm. 1765, 1.  
 — Lobbianum Veitch. var. fimbriatum, Revue hor-  
 ticole 1856, 21.  
 — majus L. Feuillée 3, 8.  
 — — — var. pygmaeum, Illustration horticole  
 1860, 232.  
 — minus L. Feuillée 3, 8.  
 — peregrinum L. Feuillée 2, 42.  
 † — Smithii DC. Karsteu Fl. Col. 1, 43.  
 — tricolorum Sweet. Regel Gartenfl. 1864, 428.  
 — L. (Formae hybridae) Fl. d. serres 10, 1003.  
 1005. 11, 1160. 12, 1204. 1286.  
 — — — (— —) Belgique horticole 6, 1.  
 — — — (— —) Otto Garten-Z. 1855, 8.  
 Trophis americana L. Browne Jamaica 37.  
 — — — Plumier Ic. Burm. 67.  
 Tropidia assamica Bl. Blume Orchid. 41.  
 — graminea Bl. Blume Orchid. 41.  
 — pedunculata Bl. Blume Orchid. 40.  
 — squamata Bl. Blume Orchid. 41.  
 Tryphia orthoceras Harv. Harvey Thes. cap. 2, 105.  
 — secunda Ldl. Harvey Thes. cap. 2, 105.  
 † Tuberaria Dun. Willkomm Ic. Hisp. 2, 74.  
 — brevipes Willk. Willkomm Ic. Hisp. 2, 116.  
 — bupleurifolia Willk. Willkomm Ic. Hisp. 2, 115.  
 — echioides Willk. Willkomm Ic. Hisp. 2, 118.  
 — globulariaefolia Willk. Willkomm Ic. Hisp. 2,  
 111.  
 — glomerata Willk. Willkomm Ic. Hisp. 2, 117.  
 — inconspicua Willk. Willkomm Ic. Hisp. 2, 116.  
 — macrosepala Willk. Willkomm Ic. Hisp. 2, 117.  
 — variabilis Willk. Willkomm Ic. Hisp. 2, 112—  
 114.  
 — vulgaris Willk. Willkomm Ic. Hisp. 2, 110.  
 Tuckermania maritima Nutt. Torrey Mex. Boundary 31.  
 Tulbaghia acutiloba Harv. Harvey Thes. cap. 2, 180.  
 † Tulipa L. (Bulbus.) Acad. Amst. 1829, 1.  
 † — — — Griffith Pl. asiat. 276.  
 † — — — Bot. Zeitung 1863, 7.  
 — . . . Griffith Pl. asiat. 278.  
 — biflora L. Regel Gartenfl. 7, 239.  
 — Gesneriana L. fl. pleno, Zanoni Hist. 173.  
 — — — varietates, Fl. d. serres 12, 1223—1225.  
 † — — — Ann. sc. nat. IV. 7, 2. 3.  
 — Orphanidea Boiss. Regel Gartenfl. 1862, 373.  
 Tulostoma deserticola Ph. Philippi Reise 6.  
 † Tunica Scop. Nees Genera 31, 4.  
 — Orfanidesiana Clem. Mem. Tur. 1857, 5.  
 † Tupa ignescens Hort. Payer Organogénie 149.

- Tupeia Reinwardtiana* Bl. Korthals *Tupeia* 1.  
*Tupidanthus calyptratus* Hook. Bot. Mag. 82, 4908.  
 — *Pueckleri* C. Koch. Koch Wochenschr. 1859, 346.  
*Tupistra* . . . Griffith Pl. asiat. 165.  
 † *Turnera* L. Agardh Syst. 21.  
 † — — Schnizl. Iconogr. 193.  
 — *capensis* Harv. Harvey Thes. cap. 2, 140.  
 — *cistoides* L. Plumier Ic. Burm. 150.  
 — *elegans* Otto. Nees Sammlung 46.  
 — *trioniflora* Sims. L'horticulteur fr. 1861, 14.  
*Turraea nilotica* Kotschy. Kotschy Pl. Tinn. 6.  
*Tussilago Farfara* L. Berg Darstellung 1, 7<sup>d</sup>.  
 — *hybrida* L. Dillenius Elth. 230.  
*Tydaca amabilis* Planch. Bot. Mag. 83, 4999.  
 — *ocellata* Reg. Regel Gartenfl. 4, 120.  
 † — *picta* Decne. Linnaea 1853, 1.  
 — *pyramidalis multiflora* Hort. Regel Gartenflora  
 1861, 328.  
 — *venosa* Hort. L'horticulteur fr. 1861, 20.  
 — (Formae hybridae) Fl. d. serres 10, 975. 1070.  
 11, 1181. 12, 1190. 13, 1291.  
 — (— —) Illustration hortic. 1858, 160. 1859,  
 198.  
 — (— —) Regel Gartenfl. 3, 79. 4, 120. 5, 154.  
 155. 6, 181. 182. 7, 218.  
*Tyloma splendens* Wedd. Castelnau Exped. 8.  
 † *Typha* L. Verh. Hermandstadt 2, 1. 2.  
 † — *angustifolia* L. Payer Organogénie 139.  
 † — — Agardh Syst. 2.  
*Typhonium Brownii* Schott. Schott Aroideae 15.  
 — *divaricatum* Bl. Schott Aroideae 18.  
 — *diversifolium* Wall. Schott Aroideae 20.  
 — *Hügelianum* Schott. Schott Aroideae 19.  
 — *Roxburghii* Schott. Schott Aroideae 17.  
 — *trilobatum* Schott. Schott Aroideae 16.  
 † *Udora cordofana* Hochst. Chatin Anatomie 11.  
 † — *guianensis* Steud. Chatin Anatomie 11.  
*Ulex europaeus* Mackay. English Botany Suppl. 2988.  
 — *Gallii* Planch. English Botany Suppl. 2987.  
 † *Ulmus* L. Gleichen Entdeckungen 39.  
 — *opaca* Nutt. Nuttall Sylva 1, 11.  
 — *racemosa* Thom. Nuttall Sylva 1, 12.  
 † *Umbelliferae* Juss. Schnizl. Iconogr. 162.  
 † — — Payer Organogénie 88.  
 † — — Jochmann Umb. 1—3.  
 † — — Abh. Halle 8, 1—7.  
 † — — Bot. Zeitung 1864, 12.  
*Umbilicus hispidus* DC. Ortega Nova stirps 1.  
 † — *horizontalis* DC. Bot. Zeitung 1860, 3.  
*Uncaria acida* Roxb. Berg Darstellung 4, 33<sup>c</sup>.  
*Uncariopsis suaveolens* Karst. Karsten Fl. Col. 1, 90.  
*Uncinia compacta* R. Br. Hook. Fl. Tasm. 153.  
 — *gracilis* Poepp. Richard Astrolabe 6.  
 — *macrolepis* Decne. Richard Astrolabe 6.  
 — *nervosa* Boott. Hook. Fl. Tasm. 153.  
 — *riparia* R. Br. Hook. Fl. Tasm. 152.  
 — *tenella* R. Br. Hook. Fl. Tasm. 152.  
 — *trichocarpa* C. A. M. Mém. prés. Pet. 1, 4.  
*Ungadia speciosa* Endl. Fl. d. serres 10, 1059.  
*Uniola latifolia* Michx. Belgique horticole 7, 30.  
*Unona longifolia* Lam. Sonnerat Ind. 131.  
*Urania amazonica* Hort. Illustration horticole 1860,  
 239.  
*Urceolina pendula* Herb. Bot. Mag. 90, 5464.  
*Urena lobata* L. Dillenius Elth. 319.  
 — *sinuata* L. Burmann Thes. zeyl. 69.  
 † *Ureia* Gaud. Arch. Mus. 9, 2.  
 † — *amplissima* Bl. Blume Mus. 2, 22.  
*Urginea Scilla* Steinh. Berg Darstellung 1, 6<sup>a</sup>.  
*Urmenetea atacamense* Ph. Philipp Reise 3.  
*Uropedium Lindeni* Ldl. Belgique horticole 4, 13.  
*Uropedium Lindeni* Ldl. Regel. Gartenfl. 1861, 315.  
*Uropetalum ciliare* E. et Z. Harvey Thes. cap. 2, 170.  
*Uroskinnera spectabilis* Ldl. Bot. Mag. 83, 5009.  
 — — — Fl. d. serres 14, 1433.  
*Urospermum Dalechampii* Desf. Rchb. Fl. germ. 19, 1377.  
 — *picroides* Desf. Rchb. Fl. germ. 19, 1377.  
*Urostigma bibracteatum* Reg. Regel Gartenfl. 8, 268.  
 — *bicorne* Miq. Miquel Flora 24.  
 † — *elasticum* Miq. Miquel Flora 23.  
 — *magnificum* Reg. Regel Gartenfl. 8, 256.  
 † — *nitidum* Miq. Miquel Flora 23.  
 — *odoratum* Miq. Miquel Flora 24.  
 † — *religiosum* Gasp. Miquel Flora 23.  
 † — *xylophyllum* Miq. Miquel Flora 23.  
*Urtica*  
*baccifera* L. Plumier Ic. Burm. 260.  
 † — *biloba* Hort. Abh. Senck. 1, 7.  
 — *cannabina* L. Ammann Ruth. 25.  
 † — — Payer Organogénie 60.  
 — *ciliata* L. Plumier Ic. Burm. 120.  
 — *interrupta* L. Burmann Thes. zeyl. 110.  
 † — *membranacea* Poir. Payer Organogénie 60.  
 † — *nivea* L. Abh. Senck. 1, 7.  
 † *Urticeae* Endl. Ann. sc. nat. IV. 2, 18.  
 † — — (Weddell.) Arch. Mus. 9, 1—20.  
 † — — Payer Organogénie 60.  
 † — — Abh. Senck. 1, 7.  
 † *Utricularia* L. Bot. Zeitung 1865, 3. 4.  
 — *Bremii* Heer. Rchb. Fl. germ. 20, 1825.  
 † — *ceratophylla* Le Conte. Ann. Lyc. 1, 6.  
 — *foliosa* L. Plumier Ic. Burm. 165.  
 † — *fornicata* Le Conte. Ann. Lyc. 1, 6.  
 † — *gibba* Le Conte. Ann. Lyc. 1, 6.  
 — *Humboldtii* Schomb. Fl. d. serres 13, 1390.  
 — *Jamesoniana* Oliv. Journ. Linn. soc. 4, 1.  
 † — *integra* Le Conte. Ann. Lyc. 9, 6.  
 — *intermedia* Hayne. Rchb. Fl. germ. 20, 1824.  
 † — *longirostris* Le Conte. Ann. Lyc. 1, 6.  
 † — *macrorrhiza* Le Conte. Ann. Lyc. 1, 6.  
 — *major* Schmidel. Rchb. Fl. germ. 20, 1824.  
 — *minor* L. Poiteau Fl. par. 31.  
 — — — Rchb. Fl. germ. 20, 1825.  
 † — — — Flora 1858, 1.  
 † — *neglecta* Lehmann. Bulletin soc. Linn. Caen 1, 7.  
 — *peltata* Spr. Journ. Linn. Soc. 4, 1.  
 † — *personata* Le Conte. Ann. Lyc. 1, 6.  
 † — *purpurea* Le Conte. Ann. Lyc. 1, 6.  
 † — *setacea* Le Conte. Ann. Lyc. 1, 6.  
 † — *striata* Le Conte. Ann. Lyc. 1, 6.  
 — *vulgaris* L. Poiteau Fl. par. 30.  
 — — — Rchb. Fl. germ. 20, 1822. 1823.  
 † — — — Bulletin soc. Linn. Caen 1, 7.  
 † — — — Schnizl. Iconogr. 155.  
 † — — — Ann. Lyc. 1, 6.  
 † — — — Regensb. Denkschr. 4, 11.  
 † *Uvularia grandiflora* Sm. Abh. Leipz. 7, 16.  
 † *Vaccaria* Dod. Nees Genera 31, 7.  
 † *Vaccineae* DC. Schnizl. Iconogr. 1610.  
 † *Vaccinium* L. Nees Genera 30, 15.  
 — *erythrinum* Hook. Fl. d. serres 11, 1115.  
 — *Imrayi* Hook. Bot. Mag. 87, 5279.  
 — *intermedium* Ruthe. Rchb. Fl. germ. 17, 1169.  
 — *Myrtillus* L. Rchb. Fl. germ. 1169.  
 † — *Oxycoccus* L. Batsch Analyses 7.  
 — *pennaeoides* H. B. K. Castelnau Exped. 73.  
 † — *praestans* Lamb. Mém. prés. Pet. 9, 8.  
 — *salignum* Hook. fil. Hook. Himal. 15.  
 — — — Illustration horticole 1857, 122.  
 — *serpens* Wight. Hook. Himal. 15.  
 — — — Illustration horticole 1859, 196.  
 — *uliginosum* L. Rchb. Fl. germ. 17, 1168.  
 † — — — Abh. Leipz. 6, 25.

- Vaccinium Vitis idaea* L. Rehb. Fl. germ. 17, 1168.  
*Vaginularia Junghuhnii* Mett. Mettenius Fil. 27.  
 † *Vaillantia* DC. Nees Genera 28, 7.  
 † *Valeriana* L. Handl. Acad. Holm. 1857, 1.  
 † — — Agardh Syst. 23.  
 — *alypifolia* H. B. K. Castelnau Exped. 48.  
 — *dioica* L. Poiteau Fl. par. 41.  
 — *Grisiana* Wedd. Castelnau Exped. 49.  
 — *micropterina* Wedd. Castelnau Exped. 49.  
 — *nivalis* Wedd. Castelnau Exped. 48.  
 — *officinalis* L. Colonna Phytobasanos 26.  
 — — — Berg Darstellung 4, 28<sup>d</sup>.  
 † — — — Jard. Annals II. 11, 13.  
 † — — — Tijdschr. nat. W. 1848, 3.  
 — *rubra* L. Poiteau Fl. par. 40.  
 — *rumicoides* Wedd. Castelnau Exped. 49.  
 — *sibirica* L. Ammann Ruth. 3.  
 † *Valerianaceae* DC. Abh. Senck. 1, 5.  
 † — — — Abh. Acad. Berl. 1857, 2.  
 † — — — Payer Organogénie 130. 132.  
 † *Valerianella Amarella* Krok. Sv. Acad. Handl. 1863, 2.  
 † — *amblyotis* F. et M. Sv. Acad. Handl. 1863, 3.  
 † — *Boissieri* Krok. Sv. Acad. Handl. 1863, 3.  
 † — *brachystephana* Bert. Sv. Acad. Handl. 1863, 3.  
 † — *capitata* Boiss. Sv. Acad. Handl. 1863, 4.  
 † — *carinata* Lois. Leighton Flora 1.  
 † — — — Sv. Acad. Handl. 1863, 2.  
 † — *chlorodonta* Coss. Sv. Acad. Handl. 1863, 3.  
 † — *corniculata* C. A. M. Sv. Acad. Handl. 1863, 2.  
 † — *coronata* DC. Sv. Acad. Handl. 1863, 3.  
 † — *costata* Betsche. Sv. Acad. Handl. 1863, 4.  
 † — *cymbaearpa* C. A. M. Sv. Acad. Handl. 1863, 2.  
 † — *dactylophylla* Boiss. Sv. Acad. Handl. 1863, 1.  
 † — *dentata* DC. Leighton Flora 1.  
 † — *discoidea* Lois. Sv. Acad. Handl. 1863, 4.  
 † — *divaricata* Lange. Sv. Acad. Handl. 1863, 3.  
 † — *echinata* DC. Sv. Acad. Handl. 1863, 4.  
 † — *ericarpa* Desv. Leighton Flora 1.  
 † — — — Sv. Acad. Handl. 1863, 1.  
 † — *fallax* Coss. Sv. Acad. Handl. 1863, 2.  
 † — *glomerata* Boiss. Sv. Acad. Handl. 1863, 4.  
 † — *hirsutissima* Link. Sv. Acad. Handl. 1863, 1.  
 † — *Kotschy* Boiss. Sv. Acad. Handl. 1863, 3.  
 † — *lasiocarpa* F. et M. Sv. Acad. Handl. 1863, 1.  
 † — *laxa* Boiss. Sv. Acad. Handl. 1863, 4.  
 † — *longiflora* Walp. Sv. Acad. Handl. 1863, 4.  
 † — *microcarpa* Lois. Sv. Acad. Handl. 1863, 1.  
 † — *Morisonii* Koch. Sv. Acad. Handl. 1863, 1.  
 † — *obtusiloba* Boiss. Sv. Acad. Handl. 1863, 4.  
 † — *olitoria* Moench. Leighton Flora 1.  
 † — — — Sv. Acad. Handl. 1863, 4.  
 † — *orientalis* Boiss. Sv. Acad. Handl. 1863, 4.  
 † — *oxyrrhyncha* F. et M. Sv. Acad. Handl. 1863, 2.  
 † — *Patellaria* Krok. Sv. Acad. Handl. 1863, 3.  
 † — *plagiostephana* C. A. M. Sv. Acad. Handl. 1863, 2.  
 † — *platyloba* Dufur. Sv. Acad. Handl. 1863, 4.  
 † — *pubescens* Krok. Sv. Acad. Handl. 1863, 1.  
 † — *radiata* Dufur. Sv. Acad. Handl. 1863, 2.  
 † — *rimosa* Bast. Sv. Acad. Handl. 1863, 3.  
 † — *sclerocarpa* F. et M. Sv. Acad. Handl. 1863, 1.  
 † — *stenocarpa* Eng. Sv. Acad. Handl. 1863, 2.  
 † — *stephanodon* Coss. Sv. Acad. Handl. 1863, 2.  
 † — *Szovitsiana* F. et M. Sv. Acad. Handl. 1863, 2.  
 † — *tridentata* Krok. Sv. Acad. Handl. 1863, 3.  
 † — *triplaris* Buhse. Sv. Acad. Handl. 1863, 1.  
 † — *triquetra* Shuttlew. Sv. Acad. Handl. 1863, 2.  
 † — *truncata* Krok. Sv. Acad. Handl. 1863, 1.  
 † — *tuberculata* Boiss. Sv. Acad. Handl. 1863, 1.  
 † — *turgida* Betsche. Sv. Acad. Handl. 1863, 3.  
 † — *umbilicata* Krok. Sv. Acad. Handl. 1863, 3.  
 † — *vesicaria* Moench. Sv. Acad. Handl. 1863, 4.  
 † — *Woodsiana* Walp. Sv. Acad. Handl. 1863, 3.

- † *Vallesia chiococcoides* Kth. Endl. Bras. 26, 12.  
*Vallisneria spiralis* L. Chatin Mémoire 1—5.  
 † — — — Chatin Anatomie 7. 8.  
 † — — — Agardh Syst. 4.  
*Vanda bicolor* Griff. Griffith Pl. asiat. 330.  
 — *Cathcartii* Ldl. Hook. Himal. 23.  
 — — — Illustration horticole 1858, 187.  
 — — — Fl. d. serres 12, 1251. 1252.  
 — *coerulea* Griff. Pescatorea 1, 29.  
 — — — Illustration horticole 1860, 246.  
 — — — L'horticulteur fr. 1862, 1.  
 — — — Warner Select Orch. 18.  
 — *coerulescens* Griff. Griffith Pl. asiat. 331.  
 — *gigantea* Ldl. Bot. Mag. 86, 5189.  
 — — — Rehb. Xenia 2, 112.  
 — — — Illustration horticole 1861, 277.  
 — *insignis* Bl. Warner Select Orch. 3.  
 — *Lowii* Ldl. Illustration horticole 1864, 417.  
 — *Stangeana* Rehb. fil. Rehb. Xenia 2, 102.  
 — *suaveolens* Bl. Sieb. Fl. Jard. 1859, 1.  
 — *suavis* Ldl. Pescatorea 1, 6.  
 — — — Bot. Mag. 86, 5174.  
 — — — L'horticulteur fr. 1861, 1.  
 — — — var. *Hrubyana*, Fl. d. serres 15, 1604.  
 — *teres* Ldl. Revue horticole 1856, 22.  
 — *tricolor* Ldl. Pescatorea 1, 42.  
 — — — Warner Select Orch. 3.  
*Vandellia diffusa* L. Endl. Bras. 30, 55.  
*Vangueria Barmimiana* Schw. Schweinf. Pl. nilot. 11.  
 — *infausta* Burch. Burchell Travels 2, 259.  
 † *Vanilla* . . . Griffith Pl. asiat. 281.  
 — *guianensis* Splitg. Belgique horticole 6, 20.  
 — *lutescens* Moq. Revue horticole 1856, 24.  
 — — — Journ. soc. d'hortic. Par. 1859, 97.  
 — *planifolia* Andrews. Berg Darstellung 23<sup>ab</sup>.  
*Varasia podocarpa* Ph. Philippi Reise 5.  
*Varronia canescens* Ands. Eugénies Resa 11.  
 — *leucophlyctis* Hook. fil. Eugénies Resa 11.  
 — *linearis* Hook. fil. Eugénies Resa 11.  
 — *scaberrima* Ands. Eugénies Resa 11.  
 † *Vateria indica* L. Blume Mus. 2, 4.  
 † *Vatica pauciflora* Bl. Blume Mus. 2, 7.  
 † — *Roxburghiana* Bl. Blume Mus. 2, 7.  
*Vavaea amicorum* Benth. Gray Expl. Exp. 16.  
*Vazquezia bitermata* Ph. Philippi Reise 5.  
 † *Velezia* L. Nees Genera 31, 3.  
*Velleia connata* F. M. Müller Plants of Victoria 2, 49.  
 — *montana* Hook. fil. Hook. Fl. Tasm. 68.  
*Vellosia candida* Mik. Bot. Mag. 91, 5514.  
 † *Veltheimia viridiflora* Jacq. Abh. Leipz. 7, 18.  
*Venidium calendulaceum* Less. Revue horticole 1857,  
 p. 123.  
*Veratrum album* L. Gunner Fl. norv. 2, 1.  
 — — — Berg Darstellung 3, 17<sup>e</sup>.  
 — *Maackii* Reg. Acad. Pet. VII. 4, 11.  
 † — *nigrum* L. Batschen Analyses 14.  
 † *Verbascum* L. Gleichen Entdeckungen 44. 45.  
 † — — — Mem. Tur. 1855, 1. 3.  
 — *austriacum* Schrad. Rehb. Fl. germ. 20, 1649.  
 — *bannaticum* Schrad. Rehb. Fl. germ. 20, 1658.  
 — *Blattaria* L. Rehb. Fl. germ. 20, 1653.  
 — *blattarioides* Lam. Rehb. Fl. germ. 20, 1655.  
 — *Boerhavii* L. Rehb. Fl. germ. 20, 1654.  
 — *Chaixii* Vill. Rehb. Fl. germ. 20, 1657.  
 — *collinum* Schrad. Rehb. Fl. germ. 20, 1639: 1667.  
 — *flagrifforme* Pfund. Pfund Verbascum 1.  
 — *floccosum* W. K. Rehb. Fl. germ. 20, 1647.  
 — *Hornemanni* Wierzb. Rehb. Fl. germ. 20, 1656.  
 — *intermedium* Rupr. Rehb. Fl. germ. 20, 1665.  
 — *lanatum* Schrad. Rehb. Fl. germ. 20, 1650.  
 — *Lychnitidi-floccosum* Ziz. Rehb. Fl. germ. 20,  
 1667.

- Verbascum Lychnitis L.* Rchb. Fl. germ. 20, 1648.  
1651.
- *macrurum Ten.* Rchb. Fl. germ. 20, 1643.
  - *montanum Schrad.* Rchb. Fl. germ. 20, 1642.
  - *mosellanum Wirtg.* Rchb. Fl. germ. 20, 1668.
  - *nigro-austriacum Rchb.* Rchb. Fl. germ. 20, 1663.
  - *nigro-Lychnitis Schied.* Rchb. Fl. germ. 20, 1664.
  - *nigrum L.* Rchb. Fl. germ. 20, 1649.
  - *niveum Ten.* Rchb. Fl. germ. 20, 1643.
  - *phlomoides L.* Rchb. Fl. germ. 20, 1639—1641.
  - *phlomoides-Blattaria Rchb. fil.* Rchb. Fl. germ. 20, 1670.
  - *phlomoides-Lychnitis Rchb. fil.* Rchb. Fl. germ. 20, 1662.
  - *phlomoides-nigrum Rchb. fil.* Rchb. Fl. germ. 20, 1669.
  - *phoeniceum L.* Rchb. Fl. germ. 20, 1652.
  - — *Regel Gartenfl.* 1864, 436.
  - *ramigerum Schrad.* Rchb. Fl. germ. 20, 1670.
  - *ramosissimum DC.* Rchb. Fl. germ. 20, 1651.
  - *rubiginosum W. K.* Rchb. Fl. germ. 20, 1652.
  - *Schottianum Schrad.* Rchb. Fl. germ. 20, 1669.
  - *Schraderi Mey.* Rchb. Fl. germ. 20, 1637.
  - *semialbum Chaub.* Rchb. Fl. germ. 20, 1660.
  - *sinuatum L.* Rchb. Fl. germ. 20, 1645.
  - *speciosum Schrad.* Rchb. Fl. germ. 20, 1646.
  - *thapsiforme Schrad.* *Berg Darstellung* 3, 21<sup>b</sup>.
  - — *Rchb. Fl. germ.* 20, 1638.
  - *thapsiformi-nigrum Schied.* Rchb. Fl. germ. 20, 1663.
  - *Thapso-Lychnitis M. K.* Rchb. Fl. germ. 20, 1661. 1670.
  - *undulatum Lam.* Rchb. Fl. germ. 20, 1650.
  - *versiflorum Schrad.* Rchb. Fl. germ. 20, 1840. 1841.
  - *Visianianum Rchb. fil.* Rchb. Fl. germ. 20, 1644.
  - *Wierzbickii Rchb. fil.* Rchb. Fl. germ. 20, 1666.
  - *nova species, Kickx.* *Messenger des sc. et arts,* tab. 1. 2.
- † *Verbena L.* *Schnizl. Iconogr.* 137.
- † — — *Abh. Acad. Berl.* 1857, 2.
  - † — — *Payer Organogénie* 115.
  - *bonariensis L.* *Dillenius Elth.* 300.
  - *bryoides Ph.* *Philippi Reise* 5.
  - *carolina L.* *Dillenius Elth.* 301.
  - *chamadyfolia Juss.* *Feuillee* 3, 25.
  - *erinoides R. et P.* *Feuillee* 3, 25.
  - *Melindres Gill.* *Fl. d. serres* 9, 929. 13, 1341. 15, 1536. 1537.
  - — — *Journal d'hortic.* 2, 19.
  - *mexicana L.* *Dillenius Elth.* 302.
  - *minima Meyen.* *Castelnau Exped.* 62.
  - *officinalis L.* Rchb. Fl. germ. 18, 1292.
  - *stoechadifolia L.* *Browne Jamaica* 3.
  - *supina L.* Rchb. Fl. germ. 18, 1292.
  - *tenera Spr. var. Maonetti, Regel Gartenfl.* 4, 142.
  - — — *Fl. d. serres* 11, 1129.
- † *Verbenaceae Juss.* *Schnizl. Iconogr.* 137.
- † — — *Payer Organogénie* 113. 115.
- Verbesina alba L.* *Dillenius Elth.* 113.
- *arborea Kth.* *Karsten Fl. Col.* 2, 135.
  - *calendulacea L.* *Burmans Thes. zeyl.* 22.
  - *gigantea Jacq.* *Plumier Ic. Burm.* 51.
  - *Lavenia L.* *Burmans Thes. zeyl.* 42.
  - *nodiflora L.* *Dillenius Elth.* 45.
  - *prostrata L.* *Dillenius Elth.* 113.
- Vernonia ambigua Kotschy.* *Kotschy Pl. Tinn.* 17<sup>b</sup>.
- *erythrophiloides C. Schultz.* *Dietrich Fl. univ.* 4.
  - *Gerrardi Harv.* *Harvey Thes. cap.* 2, 157.
  - *Pumilio Kotschy.* *Kotschy Pl. Tinn.* 17<sup>a</sup>.
  - *racemosa Delp.* *Mem. Tur.* 1854, 2.

- Vernonia stachelinoides Harv.* *Harv. Thes. cap.* 2, 156.
- † *Veronica L.* *Gleichen Entdeckungen* 55.
- † — — *Griffith Pl. asiat.* 29.
  - † — — *Schnizl. Iconogr.* 149.
  - † — — *Mem. Tur.* 1855, 1.
  - † — — *Agardh Syst.* 28.
  - † — — *Payer Organogénie* 111.
  - † — — *Abh. Leipz.* 6, 22.
  - *acinifolia L.* *Poiteau Fl. par.* 23.
  - — *Rchb. Fl. germ.* 20, 1719.
  - *agrestis L.* Rchb. Fl. germ. 20, 1700.
  - *Allionii Vill.* Rchb. Fl. germ. 20, 1705. 1833.
  - *alpina L.* *Froelich Alpenpf.* 10, 4.
  - — *Rchb. Fl. germ.* 20, 1716. 1835.
  - *Anagallis L.* *Poiteau Fl. par.* 12.
  - — *Rchb. Fl. germ.* 20, 1702.
  - *aphylla L.* *Froelich Alpenpf.* 3, 5.
  - — *Rchb. Fl. germ.* 20, 1707.
  - *arvensis L.* Rchb. Fl. germ. 20, 1720.
  - *austriaca L.* Rchb. Fl. germ. 20, 1710. 1711.
  - *Bachofenii Heuff.* Rchb. Fl. germ. 20, 1711.
  - *Baumgarteni R. S.* Rchb. Fl. germ. 20, 1707.
  - *Beccabunga L.* *Poiteau Fl. par.* 11.
  - — *Rchb. Fl. germ.* 20, 1701.
  - *bellidioides L.* *Frölich Alpenpf.* 3, 6.
  - — *Rchb. Fl. germ.* 20, 1716. 1835.
  - *Chamaedrys L.* *Poiteau Fl. par.* 9.
  - — *Rchb. Fl. germ.* 20, 1704. 1833.
  - *crassifolia Wierzb.* Rchb. Fl. germ. 20, 1712.
  - *Cymbalaria Bod.* Rchb. Fl. germ. 20, 1698.
  - *decussata Ait.* *Journal d'hortic.* 2, 21.
  - *densifolia F. M.* *Müller Plants of Victoria* 2, 63.
  - *didyma Ten.* Rchb. Fl. germ. 20, 1698.
  - *Froelichiana Rchb.* Rchb. Fl. germ. 20, 1706.
  - *fruticulosa L.* *Froelich Alpenpf.* 2, 6.
  - — *Rchb. Fl. germ.* 20, 1704. 1717. 1835.
  - *hederaefolia L.* *Poiteau Fl. par.* 26.
  - *Hulkeana F. Müll.* *Bot. Mag.* 90, 5484.
  - *hederaefolia L.* Rchb. Fl. germ. 20, 1698.
  - *incana L.* Rchb. Fl. germ. 20, 1840.
  - *longifolia L.* Rchb. Fl. germ. 20, 1714.
  - *montana L.* *Poiteau Fl. par.* 10.
  - — *Rchb. Fl. germ.* 20, 1705.
  - *multifida L.* Rchb. Fl. germ. 20, 1709.
  - *officinalis L.* *Poiteau Fl. par.* 8.
  - — *Rchb. Fl. germ.* 20, 1706.
  - *opaca Fr.* Rchb. Fl. germ. 20, 1700.
  - *parmularia Poit.* *Poiteau Fl. par.* 14.
  - *peregrina L.* Rchb. Fl. germ. 20, 1719.
  - *persica Poir.* Rchb. Fl. germ. 20, 1699.
  - *praecox All.* *Poiteau Fl. par.* 24.
  - — *Rchb. Fl. germ.* 20, 1721.
  - *prostrata L.* Rchb. Fl. germ. 20, 1708. 1834.
  - *satureiaefolia Thuill.* *Poiteau Fl. par.* 17.
  - *saturejoides Vis.* Rchb. Fl. germ. 20, 1723.
  - *saxatilis L.* *Froelich Alpenpf.* 2, 5.
  - — *Rchb. Fl. germ.* 20, 1717. 1835.
  - *scutellata L.* *Poiteau Fl. par.* 13.
  - — *Rchb. Fl. germ.* 20, 1703. 1833.
  - *serpyllifolia L.* *Poiteau Fl. par.* 20.
  - — *Rchb. Fl. germ.* 20, 1718.
  - *sibirica L.* *Ammann Ruth.* 4.
  - *spicata L.* *Poiteau Fl. par.* 19.
  - — *Rchb. Fl. germ.* 20, 1713.
  - *spuria L.* *Poiteau Fl. par.* 18.
  - — *Rchb. Fl. germ.* 20, 1711. 1715.
  - *syriaca R. et Sch.* *Fl. d. serres* 12, 1259.
  - — *Belgique horticole* 7, 42.
  - *tenella All.* Rchb. Fl. germ. 20, 1718.
  - *Teucrium L.* *Poiteau Fl. par.* 15.
  - — *Rchb. Fl. germ.* 20, 1709. 1710.
  - *triphyllos L.* *Poiteau Fl. par.* 25.

- Veronica triphyllos* L. *Rchb. Fl. germ.* 20, 1721.  
 — *urticifolia* L. *fil. Rchb. Fl. germ.* 20, 1703. 1833.  
 — *vena* L. *Poiteau Fl. par.* 22.  
 — — *Rchb. Fl. germ.* 20, 1720.  
*Verschaffeltia splendida* H. *Wendl. Fl. d. serres* 15, 1597—1598.  
*Verticillaria acuminata* *Rz. et P. Mem. Genev.* 12, 4.  
*Verticordia nitens* *Schauer. Bot. Mag.* 87, 5286.  
*Vesicaria cretica* *Poir. Jaub. Illustr.* 432.  
 — *montevidensis Eichl. Endl. Bras.* 39, 67.  
*Vestia lycioides* *Willd. Otto Garten-Z.* 1855, 4.  
 — — *Fl. d. serres* 10, 1035.  
 † *Viburnum* L. *Nees Genera* 28, 3.  
 † — — *Schnizl. Iconogr.* 128.  
 — *burejaeticum* *Reg. Regel Gartenfl.* 1862, 384.  
 — — *Bull. Mosc.* 1864, 1.  
 — *coriaceum* *Bl. Vidensk. Meddelelser* 1860, 6.  
 † — *davuricum* *Pall. Vidensk. Meddelelser* 1860, 7.  
 — — *Bull. Mosc.* 1864, 1.  
 † — *densum* *Benth. Vidensk. Meddelelser* 1860, 7.  
 — *Lantana* L. *Rchb. Fl. germ.* 17, 1171.  
 † — — *Vidensk. Meddelelser* 1860, 7.  
 — — *Bull. Mosc.* 1864, 1.  
 † — *Lentago* L. *Vidensk. Meddelelser* 1860, 7.  
 — *macrophyllum* *Thunb. Sieb. Fl. Jard.* 1859, 9.  
 — *Opulus* L. *Rchb. Fl. germ.* 17, 1171.  
 † — — *Agardh Syst.* 23.  
 † — — *Jard. Annals* II, 11, 13.  
 † — — *Vidensk. Meddelelser* 1860, 7.  
 — *pauciflorum* *Pylaie. Bull. Mosc.* 1864, 1.  
 — *plicatum* *Thunb. Illustr. horticole* 1860, 249.  
 † — *pubescens* *Pursh. Vidensk. Meddelelser* 1860, 7.  
 † — *sambucinum* *Bl. Vidensk. Meddelelser* 1860, 7.  
 † — *sempervirens* *C. Koch. Vid. Meddelels.* 1860, 7.  
 — *Tinus* L. *Rchb. Fl. germ.* 17, 1170.  
 — — *var. lucidum* *Ait. Regel Gartenfl.* 5, 164.  
 † — *zeylanicum* *Gardn. Vidensk. Meddelels.* 1860, 7.  
 † *Vicia* L. *Mem. Tur.* 1855, 1, 4.  
 — *Barbazetæ* *Ten. Tenore Peregrin.* 1838, 2.  
 † — *Cracca* L. *Acad. Amst.* 1823, 1.  
 † — *montevidensis* *Vog. Endl. Bras.* 24, 29.  
 — *obscura* *Vog. Endl. Bras.* 24, 29.  
*Victoria regia* *Ldl. Orbnigny Bolivia* 9.  
 — — *Allen Monogr.* 1—6.  
 † — — *Ann. sc. nat. IV.* 1, 12, 13.  
 † — — *Phil. Transact.* 1859, 18—22.  
*Vicussicuxia fugax* *Gawl. Bot. Mag.* 90, 5438.  
*Vigna luteola* *Benth. Endl. Bras.* 24, 50.  
 — *sandvicensis* *Gray. Gray Expl. Exp.* 50.  
 — *vexillata* *Benth. Endl. Bras.* 24, 50.  
*Villaresia dichotoma* *Miers. Seemann Journal* 2, 21.  
 — *grandifolia* *Fisch. Regel Gartenfl.* 6, 180.  
 — *mucronata* *Rz. et P. Endl. Fl. Bras.* 28, 14, 22.  
 † *Villarsia nymphaeoides* *Vent. Agardh Syst.* 4.  
 † — — *Griffith Pl. asiat.* 29.  
 † *Villebrunea* *Gaud. Arch. Mus.* 9, 15.  
 † — *silvatica* *Bl. Blume Mus.* 2, 15.  
*Vinca acutiflora* *Bert. Mem. Mod.* 25, 1.  
 † — *herbacea* L. *Flora* 1856, 8.  
 — — *W. K. Rchb. Fl. germ.* 17, 1063.  
 — *major* L. *Rchb. Fl. germ.* 17, 1062. 1063.  
 — *media* *Link. Rchb. Fl. germ.* 17, 1063.  
 — *minor* L. *Rchb. Fl. germ.* 17, 1062.  
 † — *rosea* L. *Endl. Bras.* 26, 25.  
 † *Vincetoxicum* *Moench. Flora* 1857, 1, 2.  
 † — *album* *Mill. Ascherson Verhandl.* 1, 1.  
 — *contiguum* *Rchb. fil. Rchb. Fl. germ.* 17, 1068.  
 — *fuscatum* *Rchb. fil. Rchb. Fl. germ.* 17, 1069.  
 — *laxum* *Rchb. fil. Rchb. Fl. germ.* 17, 1068.  
 — *nigrum* *Moench. Rchb. Fl. germ.* 17, 1069.  
 — *officinale* *Moench. Rchb. Fl. germ.* 17, 1067.

- † *Viola* L. *Schnizl. Iconogr.* 190.  
 † — — *Bot. Zeitung* 1857, 11.  
 — *atropurpurea* *Leyb. Flora* 1859, 5.  
 — *aurea* *Kellogg. Proc. Calif. Acad.* 2, 186.  
 — *blanda* *Nutt. Bull. Mosc.* 1861, 6.  
 — *calcarata* L. *Froelich Alpenpf.* 10, 5.  
 — *canina* L. *English Botany Suppl.* 2984.  
 — *capillaris* *Pers. Feuillée* 2, 28.  
 — — *Fl. d. serres* 10, 983.  
 — *Chamissoniana* *Ging. Gray Expl. Exp.* 6.  
 — *chrysantha* *Hook. var. nevadensis, Proc. Calif. Acad.* 2, 229.  
 — *decumbens* L. *fil. Harvey Thes. cap.* 1, 46.  
 — *enneasperma* L. *Burmman Thes. zeyl.* 85.  
 — *granulosa* *Wedd. Castelnau Exped.* 87.  
 — *Grisebachiana* *Vis. Visiani Plantae serbicae* 1.  
 — *heterophylla* *Bert. Mem. Mod.* 24, I, 6, 7.  
 — *hirta* L. *Bull. Mosc.* 1861, 6.  
 — *kamtschatica* *Gingins. Bull. Mosc.* 1861, 6.  
 — *mirabilis* L. *Zanoni Hist.* 176.  
 — — *Dillenius Elth.* 303.  
 — — *var. Langsdorffiana, Bull. Mosc.* 1861, 6.  
 † — *odorata* L. *Gleichen Entdeckungen* 74.  
 † — — *Batsch Analyses* 10.  
 — — *Berg Darstellung* 2, 16<sup>b</sup>.  
 — — *arborea* *Brandyana, Illustration horticole* 1863, 350.  
 † — — *Bot. Zeitung* 1862, 8.  
 — *palustris* L. *Bull. Mosc.* 1861, 6.  
 — *Patrini* *DC. Cleyer Fl. jap.* 32<sup>b</sup>.  
 — *pedata* L. *var. atropurpurea, Fl. d. serres* 13, 1361.  
 — *pedunculata* *Torr. Bot. Mag.* 83, 5004.  
 — *pygmaea* *Poir. Castelnau Exped.* 87.  
 — *Raddeana* *Reg. Bull. Mosc.* 1861, 7.  
 — *Reichenbachiana* *Bor. English Botany Suppl.* 2986.  
 — *sequoiensis* *Kellogg. Proc. Calif. Acad.* 2, 189.  
 — *Sheltonii* *Torr. Expl. Missis.* 4, 2.  
 — *stagnina* *Kit. English Botany Suppl.* 2985.  
 † — *tricolor* L. *Medicus Beob.* p. 385.  
 † — — *Agardh Syst.* 16.  
 † — — *Ann. sc. nat. IV.* 4, 16.  
 † — — *Flora* 1855, 2.  
 † — — *Pringsheim Jahrb.* 1, 11.  
 — — *Berg Darstellung* 2, 16<sup>a</sup>.  
 — — *maxima, Otto Garten-Z.* 1856, 11.  
 — — *Regel Gartenfl.* 1857, 196. 1861, 329.  
 — — — *Belgique horticole* 6, 21.  
 — — — *Fl. d. serres* 11, 1161.  
 — *uliginosa* *Schrad. Bull. Mosc.* 1861, 6.  
 — *variegata* *Fisch. Bull. Mosc.* 1861, 6.  
*Virgilia helioides* *L'her. L'her. Stirp.* 118. 119.  
*Viscum album* L. *Berg Darstellung* 1, 7<sup>a</sup>.  
 † — — *Flora* 1855, 2. 1856, 6.  
 † — — (Trevisanus.) *Münchner Abb.* 7, 2, 3.  
 † — — *Abh. Leipz.* 6, 5—8.  
 † — — *Ann. sc. nat. IV.* 12, 3.  
 † — — *Chatin Anatomie* 79. 80.  
 † — — *Linn. Transact.* 24, 28—30.  
 † — *aphyllum* *Chat. Chatin Anatomie* 82.  
 † — *articulatum* *Burm. Chatin Anatomie* 82.  
 † — *attenuatum* *DC. Chatin Anatomie* 82.  
 — *Bolleanium* *Seem. Seemann Herald* 63.  
 — *buxifolium* *Lam. Plumier Ic. Burm.* 258.  
 — *capense* L. *fil. Burchell Travels* 1, 147.  
 † — *capitatum* *Sm. Chatin Anatomie* 82.  
 — *flavens* *Sw. Plumier Ic. Burm.* 258.  
 — *Oxycedri* *DC. Hoffmann Hort. Mosq.* 1.  
 — *purpureum* L. *Plumier Ic. Burm.* 258.  
 — *Reichenbachianum* *Seem. Seemann Herald* 62.

- Viscum surinamense* Schill. Schilling Lepra 3.  
 — *trinervium* Lam. Plumier Ic. Burm. 258.  
 † — *tuberculatum* A. Rich. Chatin Anatomie 81. 83.  
 84.
- Visnea Mocanera* L. fil. Regensb. Denkschr. 4, 1. 2.  
 † — — — Payer Organogénie 154.
- Vitex Agnus castus* L. Nouveau Duhamel 6, 35.  
 — — — — Rchb. Fl. germ. 18, 1293.  
 — *Cienkowskii* Kotschy. Kotschy Pl. Tinn. 11.  
 † — *incisa* Lam. Baillon Adansonia 2, 6.  
 — *mollis* H. B. K. Seemann Herald 71.
- Vitis Bainesii* Hook. Bot. Mag. 90, 5472.  
 — *macropus* Welw. Bot. Mag. 90, 5479.  
 — *Thunbergii* S. et Z. Regel Gartenfl. 1864, 424.  
 † — *vinifera* L. Gleichen Entdeckungen 62.  
 — — — — Berg Darstellung 3, 18<sup>a</sup>.  
 — — — — Regel Gartenfl. 1861, 339.  
 ! — — — — (*uva barbata*) Verhandl. Bad. landw. Verein 1821, 1.  
 ! — — — — Flora 1860, 1.
- † *Vittaria* . . . Griffith Pl. asiat. 135.  
 † — *filifolia* Fée. Mettenius Fil. 27.  
 — *lineata* Sm. Lowe Ferns 2, 65.  
 † — *planipes* Kze. Mettenius Fil. 27.  
 — *remota* Fée. Fée Fil. novae 20.  
 — *zosteraefolia* Willd. Lowe Ferns 2, 65.
- † *Vivianieae* Klotzsch. Schnizl. Iconogr. 254.  
 † *Vochysia* Juss. Schnizl. Iconogr. 260.
- Vogelia africana* Lam. Harvey Thes. cap. 2, 198.
- † *Voigtia australis* Klotzsch. Berg Charakt. 335.
- † *Volkameria* L. Griffith Pl. asiat. 49.  
 — *aculeata* L. Browne Jamaica 30.  
 — — — — Plumier Ic. Burm. 264.  
 — *fragrans* Vent. Nouveau Duhamel 4, 19.
- † *Vossia cuspidata* Griff. Griffith Pl. asiat. 153.
- Voyria aurantiaca* Splitg. Endl. Bras. 39, 62.  
 — *chionea* Benth. Endl. Bras. 39, 61.  
 — *flavescens* Gris. Endl. Bras. 39, 60.  
 — *obconica* Prog. Endl. Bras. 39, 60.  
 — *Spruceana* Benth. Endl. Bras. 39, 61.  
 — *sulphurea* Prog. Endl. Bras. 39, 60.  
 — *uniflora* Lam. Endl. Bras. 39, 61.
- Vriesea psittacina* Ldl. Revue horticole 1855, 13.  
 — — — — *rubro-bracteata*, Bot. Mag. 85, 5108.  
 — *xiphostachys* Hook. Bot. Mag. 87, 5287.
- Vrydagzynea albida* Bl. Blume Orchid. 19.  
 — *elongata* Bl. Blume Orchid. 28.  
 — *gracilis* Bl. Blume Orchid. 17. 20.  
 — *nuda* Bl. Blume Orchid. 20.  
 — *purpurea* Bl. Blume Orchid. 20.  
 — *uncinata* Bl. Blume Orchid. 17. 20.
- Waddingtonia floribunda* Ph. Philippi Reise 5.
- † *Wageneria fagifolia* Kl. Abh. Acad. Berl. 1854, 10.
- † *Wahlenbergia* Schrad. Nees Genera 28, 14.  
 — *californica* Kellogg. Proc. Calif. Acad. 2, 159.  
 — *hederacea* Rchb. Rchb. Fl. germ. 19, 1617.  
 — *saxicola* A. DC. Hook. Fl. Tasm. 71.
- Waitzia acuminata* Steetz. Regel Gartenfl. 1863, 401.  
 — *corymbosa* Wendl. Bot. Mag. 90, 5443.  
 — *Steetziana* Lehm. Belgique horticole 1863, 11.  
 — *tenella* Hook. Bot. Mag. 88, 5342.
- Walleria Mackenzii* Kirk. Linn. Transact. 24, 52.  
 — *nutans* Kirk. Linn. Transact. 24, 52.
- Waltheria indica* L. Burmann Thes. zeyl. 68.
- Warburtonia potentillina* F. M. Müller Fragmenta 1, 9.
- Warea amplexifolia* Nutt. Journ. Acad. Philad. 7, 10.  
 — *digitata* Ch. Lem. Illustr. horticole 1857, 152.  
 — *discolor* Ldl. Bot. Mag. 81, 4830.
- Warszewiczella amazonica* Rchb. fil. Rchb. Xenia 1, 93.  
 — *candida* Rchb. fil. Pescatorea 1, 13.

- Warszewiczella discolor* Rchb. fil. Rchb. Xenia 1, 93.  
*Warszewiczella pulcherrima* Kl. Oersted Am. centr. 12.  
 † *Watsonia rosea* Ker. Bot. Zeitung 1858, 3.  
 † — — — Pringsheim Jahrb. 1, 11.  
 † — — — Schacht Lehrbuch 2, 11.  
 — *iridifolia* Ker. var. *fulgens*, Fl. d. serres 11, 1077.
- Webbia pinifolia* DC. Bot. Mag. 89, 5412.
- Wedelia carnosa* Rich. Plumier Ic. Burm. 107.
- Weigelia amabilis* Planch. Bot. Mag. 82, 4893.  
 — — — — Fl. d. serres 14, 1445—1447.  
 — *Isolinae* L. v. H. Fl. d. serres 14, 1445.  
 — *Middendorffiana* Ch. Lem. Illustration horticole 1857, 115.  
 — *rosea* Ldl. var. *alba*, Revue horticole 1861, 331.
- † *Weilbachia reptans* Kl. Abh. Acad. Berl. 1854, 11.  
*Weinmannia parviflora* Forst. Gray Expl. Exp. 85.  
 — *Richii* Gray. Gray Expl. Exp. 85.  
 — *rosaefolia* Gray. Gray Expl. Exp. 84.  
 — *tomentosa* L. fil. Castelnau Exped. 72.  
 — *Trianaea* Wedd. Castelnau Exped. 72.
- Wellingtonia gigantea* Ldl. Expl. Missis. 5, p. 258.  
 — — — — Transact. Edinb. bot. soc. 6, 8. 9.  
 — — — — Fl. d. serres 9, 964.
- Welwitschia mirabilis* Hook. fil. Transact. Linn. Soc. 24, 1—14.  
 — — — — Bot. Mag. 89, 5368. 5369.
- Werneria caespitosa* Wedd. Castelnau Exped. 17.  
 — *digitata* Wedd. Castelnau Exped. 17.  
 — *heteroloba* Wedd. Castelnau Exped. 16.  
 — *nubigena* H. B. Castelnau Exped. 16.  
 — *pygmaea* H. et A. Castelnau Exped. 16.  
 — *solvaeifolia* Sch. Bip. Castelnau Exped. 16.  
 — *spatulata* Wedd. Castelnau Exped. 17.
- Westringia brevifolia* Benth. Hook. Fl. Tasm. 91.
- Whipplea modesta* Torr. Expl. Missis. 4, 7.
- Whitlavia grandiflora* Harv. Hooker London Journal 1846, 11.  
 — — — — Fl. d. serres 11, 1085.  
 — *minor* Harv. Hooker London Journal 1846, 12.
- † *Wielandia* Baill. Baillon Euph. 22.
- Wigandia caracasana* H. B. K. Revue horticole 1859, p. 653.  
 — *macrophylla* Schlecht. Revue horticole 1861, 371.  
 — *pruritiva* Spr. Plumier Ic. Burm. 211.
- † *Wilbrandia drastica* Mart. Ann. sc. nat. IV. 16, 13.
- Willemetia apargioides* Cass. Froelich Alpenpf. 4, 4.
- Williamia* Baill. Baillon Euph. 27.
- Wistaria frutescens* DC. var. *magnifica*, Fl. d. serres 11, 1151.  
 — — — — var. *Bachousiana*, Revue hort. 1862, 11.  
 — *sinensis* DC. Cleyer Fl. jap. 27.  
 — — — — var. *albiflora*, Illustr. hort. 1858, 166.
- Withania aristata* Pauq. Miers Illustr. 77.  
 — *frutescens* Pauq. Miers Illustr. 77.
- Witheringia montana* Dun. Feuillée 3, 46.  
 — *picta* Mart. Miers Illustr. 35.  
 — *Pogonandra* Lem. Illustr. horticole 1860, 242.
- Wittsteinia vacciniacea* F. M. Müller Plants of Victoria 2, 51.
- † *Wolffia columbiana* Karst. Salviati Ann. d. pr. Lanw. 1865, p. 340.
- Wolkensteinia Theophrasta* Reg. Regel Gartenfl. 14, 471.
- Wollastonia eclipoides* F. M. Müller Plants of Victoria 2, 39.
- Woodsia glabella* R. Br. Acta Leop. 26, 43.  
 — *hyperboraea* R. Br. Lowe Ferns 7, 27.  
 — — — — Hook. British Ferns 7.  
 — *ilvensis* R. Br. Lowe Ferns 7, 28.



- Woodsia ilvensis* R. Br. Hook. British Ferns 8.  
 — *manchuriensis* Hook. Hook. Second Century 98.  
 — *mexicana* Fée. Fée Fil. novae 26.  
 — *mollis* J. Sm. Lowe Ferns 7, 26.  
 — *obtusa* Hook. Hook. Garden Ferns 43.  
 — — — Lowe Ferns 7, 29.  
 — *polystichoides* Eat. Hook. Garden Ferns 32.  
 † *Woodwardia angustifolia* Sm. Mettenius Fil. 6.  
 — *areolata* Lowe. Lowe Ferns 4, 46.  
 — — *Moore*. Hook. Garden Ferns 61.  
 — *blechnoides* Cunn. Mettenius Fil. 6.  
 † — *dives* Mettenius Fil. 6.  
 — *Harlandii* Hook. Hook. Fil. exot. 7.  
 — *radicans* Sw. Lowe Ferns 4, 44.  
 — *virginica* Sw. Lowe Ferns 4, 45.  
 — — — Mettenius Fil. 6.  
*Wormia excelsa* Jack. Vriese Pl. Ind. 6. 7.  
 — — — Sieb. Fl. Jard. 1, 8.  
 — *subsessilis* Miq. Miquel Annales 9.  
*Wulfenia carinthiaca* Jacq. Rchb. Fl. germ. 20, 1696.  
*Wulfia stenoglossa* DC. Plumier Ic. Burm. 52.  
 † *Wurtzia tetracocca* Baill. Baillon Adansonia 1, 7.  
*Wyethia helianthoides* Nutt. Journal Ac. Philad. 7, 5.  
 † *Xanthium indicum* Roxb. Griffith Pl. asiat. 48.  
 † — *italicum* Mor. Rchb. Fl. germ. 19, 1574.  
 — *macrocarpum* DC. Rchb. Fl. germ. 19, 1577.  
 — *orientale* L. Dillenius Elth. 321.  
 — *saccharatum* Wallr. Rchb. Fl. germ. 19, 1576.  
 — *spinosum* L. Rchb. Fl. germ. 19, 1575.  
 — *strumarium* L. Rchb. Fl. germ. 19, 1576.  
 † — — — Bot. Zeitung 1859, 8.  
*Xanthosoma sagittifolium* Schott. Bot. Mag. 83, 4989.  
*Xanthoxylum carolinianum* Gaertn. Nuttall Sylva 3, 83.  
 — *Danielli* Benn. Jard. Annals III. 10, 5.  
 — *floridanum* Nutt. Nuttall Sylva 3, 85.  
 † — *fraxineum* Willd. Agardh Syst. 19.  
 — *Pterota* H. B. K. Nuttall Sylva 3, 84.  
 — *terebinthoides* Bert. Mem. Bon. 5, 25.  
 † *Xeranthosmum annuum* L. Abh. Senck. 1, 6.  
 — *retortum* L. Dillenius Elth. 322.  
 † *Xestaea lisanthoides* Gris. Endl. Bras. 39, 57.  
*Ximenia americana* L. Plumier Ic. Burm. 261.  
 — — — Nuttall Sylva 1, 36.  
 † — — — Baillon Adansonia 2, 9.  
 — *caffra* Sond. Harvey Thes. cap. 2, 126.  
*Xiphidium floribundum* Sw. Bot. Mag. 84, 5055.  
*Xiphopteris Jamesoni* Hook. Hook. Second Century 14.  
 — *serrulata* Kaulf. Lowe New Ferns 42.  
 — — — Hook. Garden Ferns 44.  
*Xiphosium acuminatum* Griff. Griffith Pl. asiat. 316.  
*Xuarezia biflora* R. et P. Feuillée 2, 48.  
 † *Xylophylla* L. Baillon Euph. 22.  
*Xylopa micrata* L. Browne Jamaica 5.  
*Xylosma monosporum* Harv. Harvey Thes. cap. 2, 181.  
 — *orbiculatum* Forst. Gray Expl. Exp. 4.  
 — *suaveolens* Forst. Gray Expl. Exp. 4.  
*Xyris arescens* Kth. Endl. Bras. 15, 22.  
 — *blepharophylla* Kth. Endl. Bras. 15, 24.  
 — *consanguinea* Kth. Endl. Bras. 15, 28.  
 — *graminosa* Pohl. Endl. Bras. 15, 27.  
 — *Hystrix* Seub. Endl. Bras. 15, 28.  
 — *lacerata* Pohl. Endl. Bras. 15, 26.  
 — *laxifolia* Mart. Endl. Bras. 15, 29.  
 — *lomatophylla* Mart. Endl. Bras. 15, 25.  
 — *nubigena* Kth. Endl. Bras. 15, 23.  
 — *plantaginea* Mart. Endl. Bras. 15, 23.  
 — *rigida* Kth. Endl. Bras. 15, 29.  
 — *rupicola* Kth. Endl. Bras. 15, 23.  
 — *Schizachne* Mart. Endl. Bras. 15, 25.  
 — *strobilifera* Kth. Endl. Bras. 15, 22.  
 — *tenella* Kth. Endl. Bras. 15, 28.

- Xyris tortula* Mart. Endl. Bras. 15, 24.  
 — — — — Griffith Pl. asiat. 161.  
*Xysmalobium pedunculatum* Harv. Harvey Thes. cap. 2, 112.  
*Yucca aloifolia* L. Dillenius Elth. 323.  
 — — — Commelyn Praeludia 14.  
 † — — — Bot. Zeitung 1858, 3.  
 — *canaliculata* Hook. Bot. Mag. 86, 5201.  
 — *canedana* Ald. Ald. Hort. Farn. 2.  
 — *Draconis* L. Commelyn Praeludia 16.  
 — — — Dillenius Elth. 324.  
 — *flaccida* Haw. Revue horticole 1859, p. 556.  
 † — *flexilis* Carr. Revue horticole 1859, p. 400.  
 † — *gloriosa* L. Schacht Lehrbuch 2, 10.  
 — *pendula* Hort. Revue horticole 1859, p. 490.  
 — *stricta* Sims. Revue horticole 1859, p. 468.  
 — *Treculiana* Carr. L'horticulteur fr. 1864, 16.  
*Zacintha verrucosa* Gaertn. Rchb. Fl. germ. 19, 1424.  
*Zamia angustifolia* Jacq. Verh. Ac. Amst. 1851, 1.  
 — *angustissima* Miq. Verh. Ac. Amst. 1851, 1.  
 — *Brongniartii* Wedd. Endl. Bras. 35, 108.  
 † — *calocoma* Miq. Regel Gartenfl. 6, 166.  
 — *Chigua* Seem. Scemam Herald 43.  
 † — *Loddigesii* Miq. Regel Gartenfl. 6, 186.  
 — *muricata* Willd. Abh. Acad. Berl. 1856, 1—3.  
 — *Otonis* Miq. Verh. Ac. Amst. 1851, 2.  
 — *Poeppigiana* Mart. et Eichl. Endl. Bras. 35, 109.  
 — *Skinneri* Warcz. Bot. Mag. 87, 5242.  
 — *Yatesii* Miq. Verh. Ac. Amst. 1851, 1.  
 † *Zannichellia palustris* L. Linn. Transact. 22, 68.  
 † — — — Abh. Leipz. 7, 2.  
 † *Zanthoxyleae* Juss. Schnizl. Iconogr. 250.  
*Zanthoxylum fraxineum* Willd. Nouveau Duhamel 7, 2.  
*Zarcoa philippica* Lam. Mem. Madrid 4, 1.  
 † *Zea Mays* L. Gleichen Untersuchungen E. 19.  
 — — — Duchesne Monogr. 1.  
 ! — — — Losana Saggio 1.  
 ! — — — Bayle Barelle Malattia 1.  
 ! — — — Tijdschr. nat. W. 1851, 7.  
 † — — — Bot. Zeitung 1858, 3.  
 † — — — Schacht Lehrbuch 2, 11.  
 † — — — Pringsheim Jahrb. 1, 13.  
 † — — — Ann. sc. nat. V. 2, 10—12.  
 † — — — (Embryo.) Linn. Transact. 22, 68.  
*Zebrina pendula* Decne. Revue horticole 1855, 8.  
*Zehneria micrantha* F. M. Müller Plants of Victoria 2, 18.  
 — *Wyleyana* Sond. Harvey Thes. cap. 2, 182.  
*Zephyra amoena* Miens. Linn. Transact. 24, 53.  
 † *Zephyranthus tubispatha* Herb. Irmisch Amaryllideae 3.  
*Zeuxine clandestina* Bl. Blume Orchid. 39.  
 — *gracilis* Bl. Blume Orchid. 18. 23.  
 — *integerrima* Bl. Blume Orchid. 19. 23.  
 — *membranacea* Bl. Blume Orchid. 22. 23.  
 † — *moniliformis* Gr. Griffith Pl. asiat. 350.  
 — *procumbens* Bl. Blume Orchid. 22. 23.  
 — *purpurascens* Bl. Blume Orchid. 18. 23.  
 † — *sulcata* Gr. Griffith Pl. asiat. 349.  
 † *Zeyhera montana* Mart. Bureau Bign. 18.  
*Zilla microcarpa* Vis. Schweinf. Pl. nilot. 7.  
 — *myagroides* Forsk. Forskal Icones 17. 18.  
 † *Zingiber* L. Griffith Pl. asiat. 351.  
 — *Cassumunar* Roxb. Asiat. Researches 10, 7.  
 — *officinale* Rosc. Berg Darstellung 4, 34<sup>b</sup>.  
 ! — *Zerumbet* Rosc. (Peloria.) Ann. sc. nat. IV. 11, 3.  
 † *Zingiberaceae* Endl. Payer Organogénie 144.  
*Zinnia elegans* Jacq. Fl. d. serres 13, 1394.  
 — — — Belgique horticole 1861, 12. 1862, 8.  
 — — — Revue horticole 1861, 251. 1864, 331.  
 — — — L'horticulteur fr. 1863, 24.  
 — *grandiflora* Torr. Emory Notes 4.

- Zinnia Haageana* Reg. Regel Gartenfl. 1863, 390.  
 † *Zizania aquatica* L. *Linnaea* 31, 3.  
 † — — — Zeitsch. für Akklimatisation 1861, 1.  
 † — — — Karsten Gesammelte Beiträge 2<sup>a</sup>.  
*Zizyphus Joazeiro* Mart. Endl. Bras. 28, 27.  
 — *Jujuba Willd.* Sonnerat Nouv. Guinée 94.  
 — *Rignonii Delp.* Mem. Tur. 1854, 7.  
 † — *sinensis Lam.* Payer Organogénie 97.  
 — *vulgaris Lam.* Risso Hist. nat. 2, 8.  
*Zoegea purpurea* Fres. Museum Senck. 1, 5.  
*Zornia diphylla* Pers. Endl. Bras. 24, 21, 22.  
 † *Zostera* L. (Pollen). Mém. prés. Pet. 3, 3.  
*Zostera marina* L. Targioni Catalogus 3.  
 — — —  $\beta$ . *minima Mich.* Targioni Catalogus 2.  
 † — — — Agardh Syst. 3.  
 † — — — Linn. Transact. 22, 68.  
 † — *nana Roth.* (Embryo.) Linn. Transact. 22, 68.  
 — *oceanica* L. Targioni Catalogus 1.  
 — — — Atti Gioen. 5, 1—4.  
 — *serrulata Targ.* Targioni Catalogus 2.  
*Zosterostylis arachnites* Bl. Bot. Mag. 89, 5381.  
 † *Zschockea arborescens* Müll. Endl. Bras. 26, 6.  
 — *gracilis* Müll. Endl. Bras. 26, 6.

- † *Zschockea monosperma* Müll. Endl. Bras. 26, 6.  
 — *ramosissima* Müll. Endl. Bras. 26, 7.  
*Zuccagnia eremophila* Ph. Philippi Reise 1.  
 † *Zueckertia* Baill. Baillon Euph. 4.  
*Zwackhia aurea* Sendtn. Rchb. Fl. germ. 18, 1316.  
 † *Zygadenus glaberrimus* Michx. Agardh Syst. 1.  
*Zygomenes caespitosa* Kotschy. Kotschy Pl. Tinn. 22<sup>a</sup>.  
 † *Zygotetalum* Hook. Irmisch Orchid. 6.  
 — *aromaticum Rchb.* Rchb. Xenia 1, 73.  
*Zygophylleae* R. Br. Schnizl. Iconogr. 253.  
*Zygotyllum crenatum* F. M. Müller Plants of Victoria 1, 6.  
 — *desertorum* Forsk. Forskal Icones 11.  
 — *Morgsana* L. Burmann Pl. afr. 3.  
 — — — Dillenius Elth. 116.  
 — *portulacoides* Forsk. Forskal Icones 12.  
 — *proliferum* Forsk. Forskal Icones 12.  
 — *sessilifolium* L. Commelyn Rar. 10.  
 — — — Burmann Pl. afr. 2, 3.  
 — — — Dillenius Elth. 116.  
 — *spinosum* L. Burmann Pl. afr. 2.  
 † *Zygospermum* Thw. Baillon Euph. 27.  
*Zygotigma australe* Gris. Endl. Bras. 39, 55.

## SUPPLEMENTA

- Abies Albertiniana* Murr. Pinetum brit. 12.  
 — *orientalis* Poir. Pinetum brit. 14.  
*Abronia fragrans* Nutt. Bot. Mag. 91, 5544.  
*Abutilon megapotamicum* St. Hil. Fl. d. serres 15, 1599.  
 † *Acacia cornigera* Willd. Cramer Bildungsabw. 13.  
 — *latisiliqua* L. Nuttall Sylva 2, 53.  
 — *mellifera* Benth. Kotschy Pl. Tinn. 1.  
*Acer circinatum* Pursh. Nuttall Sylva 2, 68.  
 — *Drummondii* Hook. Nuttall Sylva 2, 70.  
 — *grandidentatum* Nutt. Nuttall Sylva 2, 69.  
 — *macrophyllum* Pursh. Nuttall Sylva 2, 67.  
 — *tripartitum* Nutt. Nuttall Sylva 2, 71.  
*Achillea arabica* Kotschy. Wiener Sitzungsber. 52, 1.  
 — *atrata* L. Froelich Alpenpfl. 8, 3.  
*Achras Zapotilla* Nutt. Nuttall Sylva 3, 90.  
*Adenostyles pyrenaica* Lge. Lange Pl. Hisp. 24.  
*Aesculus californica* Nutt. Nuttall Sylva 2, 64.  
*Ageratum melissaefolium* DC. Wawra Reise 76.  
*Aglaonema commutatum* Schott. Regel Gartenfl. 1865, 470.  
*Agrostis olivetorum* Sang. Atti Linc. 1865, 4.  
 † *Aira aggregata* Tim. Bull. soc. bot. 12, 2.  
 † — *capillaris* Host. Bull. soc. bot. 12, 1.  
 † — *caryophyllea* L. Bull. soc. bot. 12, 2.  
 † — *Cupaniana* Guss. Bull. soc. bot. 12, 2.  
 † — *intermedia* Guss. Bull. soc. bot. 12, 1.  
 † — *multiculmis* Dum. Bull. soc. bot. 12, 2.  
 † — *provincialis* Jord. Bull. soc. bot. 12, 1.  
 † — *Tenorii* Guss. Bull. soc. bot. 12, 1.  
 † *Allantodea* R. Br. Griffith Pl. asiat. 57.  
 † *Alliaria officinalis* R. Br. Regensb. Denkschr. 4, 7.  
*Alnus maritima* Mühlent. Nuttall Sylva 1, 10<sup>b</sup>.  
 — *oregona* Nutt. Nuttall Sylva 1, 9.  
 — *tenuifolia* Nutt. Nuttall Sylva 1, 10.  
*Alstroemeria densiflora* Herb. Bot. Mag. 91, 5531.  
*Amorphophallus campanulatus* Bl. Fl. d. serres 15, 1602.  
*Amyris floridana* Nutt. Nuttall Sylva 2, 78.  
*Androsace Chamaejasme* Gaud. Froelich Alpenpfl. 8, 1.  
*Anethum graveolens* L. Rchb. Fl. germ. 21, 1968.  
*Angelica pachycarpa* Lge. Lange Pl. Hisp. 9.  
*Anguria Sellowiana* Schlecht. Wawra Reise 52.  
 † *Anthericum Liliago* L. Cramer Bildungsabw. 16.  
*Anthurium Scherzerianum* Schott. Regel Gartenflora 1865, 482.  
*Apargia Taraxaci* Willd. Froelich Alpenpfl. 6, 4.  
*Aphelandra oostachya* Wurr. Wawra Reise 13.  
 — *Porteana* Morel. Wawra Reise 14.  
*Aquilegia Skinneri* Hort. fl. pleno, Regel Gartenfl. 14, 467.  
*Arabis coerulea* Wulf. Froelich Alpenpfl. 5, 4.  
*Arachnites uniflora* Phil. Verh. zool. bot. Ver. 1865, 12.  
*Ardisia grandis* Seem. Seemann Fl. vit. 29.  
 — *hortorum Maxim.* Regel Gartenfl. 1865, 491.  
*Arenaria incrassata* Lge. Lange Pl. Hisp. 4.  
*Aretia helvetica* Gaud. Froelich Alpenpfl. 4, 6.  
*Arrabidaea agnus castus* DC. Wawra Reise 62.  
 — *virescens* DC. Wawra Reise 11.  
 † *Arum maculatum* L. Seemann Journal 3, 28.  
*Asplenium lineatum* Sw. Wawra Reise 98.  
 — *scandicium Kaulf.* Wawra Reise 99.  
*Aster alpinus* L. Froelich Alpenpfl. 4, 2.  
*Astraea glandulifera* Kl. Wawra Reise 42.  
*Astragalus arabicus* Kotschy. Wiener Sitzungsber. 52, 7.  
 † *Augustinea balanoidea* Oerst. Oersted Am. centr. 9.  
 † — *major* Karst. Oersted Am. centr. 9.  
 † — *ovata* Oerst. Oersted Am. centr. 9.  
*Baccharis flocculosa* Schlecht. Wawra Reise 79.  
 † *Bactris acuminata* Oerst. Oersted Am. centr. 9.  
 † — *fusca* Oerst. Oersted Am. centr. 8.  
 † — *glandulosa* Oerst. Oersted Am. centr. 8.

- † *Bactris horrida* Oerst. Oersted Am. centr. 9.  
 † — *mexicana* Liebm. Oersted Am. centr. 9.  
 † — *minor* Jacq. Karsten Fl. Col. 2, 173.  
*Bakeria vitiensis* Seem. Seemann Fl. vit. 21.  
*Bartsia alpina* L. Froelich Alpenpf. 8, 2.  
*Batemanina grandiflora* Rchb. fil. Bot. Mag. 92, 5567.  
*Bauhinia brasiliensis* Vog. Wawra Reise 35.  
 — *tomentosa* L. var. *glabra*, Bot. Mag. 92, 5560.  
*Begonia angulata* Vell. Wawra Reise 47.  
 — *arborescens* Raddi. Wawra Reise 48.  
 — *baccata* Hook. fil. Bot. Mag. 92, 5554.  
 — *depauperata* Schott. Wawra Reise 49.  
 — *neglecta* DC. Wawra Reise 7.  
 — *Pearrei* Hook. fil. Bot. Mag. 91, 5543.  
 — *scandens* Dryand. Wawra Reise 50.  
*Besleria fasciculata* Wwr. Wawra Reise 60.  
*Betula alba* L. varietates, Bull. Mosc. 1865, 7.  
 — *corylifolia* Reg. Bull. Mosc. 1865, 8.  
 — *Grayi* Reg. Bull. Mosc. 1865, 6.  
 — *Maximoviczii* Reg. Bull. Mosc. 1865, 6.  
 — *Schmidtii* Reg. Bull. Mosc. 1865, 6.  
*Bignonia Maximiliani* Wwr. Wawra Reise 10.  
 — *punica* Mart. Wawra Reise 61.  
*Blumea Milnei* Seem. Seemann Fl. vit. 27.  
*Bocconia cordata* Willd. var. *japonica*, Regel Gartenfl. 14, 480.  
*Bomarea salsilloides* Roem. Wawra Reise 29.  
*Brachycodon ramosissimus* Prog. Endl. Bras. 39, 62.  
*Broecchia dichotoma* Mauri. Atti Linc. 1865, 1.  
*Bromelia fastuosa* Ldl. var. *Bergemanni*, Regel Gartenfl. 1866, 493.  
*Butyrospermum Parkii* Kotschy. Kotschy Pl. Tinn. 8<sup>b</sup>.  
*Calathea tubispatha* Hook. fil. Bot. Mag. 91, 5542.  
 — *Veitchiana* Veitch. Bot. Mag. 91, 5535.  
*Calceolaria hyssopifolia* H. B. K. Bot. Mag. 91, 5848.  
*Calyptranthes fastigiata* Berg. Wawra Reise 2.  
*Camellia japonica* L. foliis variegatis, Seemann Journal 4, 42.  
*Campanula cenisia* L. Froelich Alpenpf. 1, 5.  
 † — *Medium* L. Seemann Journal 3, 28.  
 — *rotundifolia* L. fl. pleno, Regel Gartenfl. 1865, 473.  
*Camptosema pinnatum* Benth. Wawra Reise 33.  
*Canna polyclada* Wwr. Wawra Reise 22.  
*Caperonia castaneaefolia* St. Hil. Wawra Reise 43.  
† *Capparidaceae* Juss. Endl. Bras. 39, 68.  
† *Capparitis avicennifolia* H. B. K. Endl. Bras. 39, 65.  
 — *brasiliana* DC. Endl. Bras. 39, 62.  
† — *Breynia* Jacq. Endl. Bras. 39, 64.  
† — *cynophallophora* L. Endl. Bras. 39, 63.  
† — *ferruginea* L. Endl. Bras. 39, 65.  
† — *Jacobinae* Moric. Endl. Bras. 39, 61.  
† — *jamaicensis* Jacq. Endl. Bras. 39, 64.  
† — *nectarea* Vell. Endl. Bras. 39, 65.  
† — *petiolaris* H. B. K. Endl. Bras. 39, 62.  
† — *verrucosa* Jacq. Endl. Bras. 39, 63.  
 — *Yeo* Mart. Endl. Bras. 39, 60.  
*Capsicum villosum* Sendtn. Wawra Reise 67.  
*Cardamine Hilariana* Walp. Endl. Bras. 39, 67.  
*Cardiandra alternifolia* S. et Z. Regel Gartenfl. 1865, 486.  
*Carduus platypus* Lge. Lange Pl. Hisp. 19.  
 — *simplicifolius* Sang. Atti dei Lincei 1864, 2.  
† *Carex* L. (Utricularia) Bull. soc. bot. 11, 7.  
 — *clandestina* Good. Froelich Alpenpf. 7, 1.  
 — *microglochin* Wahlb. Froelich Alpenpf. 3, 7.  
 — *mucronata* All. Froelich Alpenpf. 3, 7.  
 — *pulicaris* Leers. Froelich Alpenpf. 6, 5.  
*Carruthersia scandens* Seem. Seemann Fl. vit. 30.  
*Cataphracta Welwitschii* Seem. Seemann Journal 3, 39.  
*Cecropia leucocoma* Miq. Wawra Reise 85.  
*Celosia brasiliensis* Moq. Wawra Reise 84.

- Cerastium latifolium* L. Froelich Alpenpf. 7, 5.  
*Ceratocalyx fimbriatus* Lge. Lange Pl. Hisp. 14.  
*Ceratosepalum micranthum* Oerst. Oerst. Am. centr. 17.  
*Cereus giganteus* Eng. Fl. d. serres 15, 1600.  
*Chamaedorca geonemiformis* Wendl. Oerst. Am. centr. 5.  
*Chamaeorchis alpina* Rich. Froelich Alpenpf. 7, 3.  
*Chameranthemum Beyrichii* N. v. E. Bot. Mag. 92, 5557.  
*Chlora grandiflora* Boiss. Regel Gartenfl. 1865, 469.  
*Chomelia obtusa* Cham. Wawra Reise 74.  
*Cirsium filipendulum* Lge. Lange Pl. Hisp. 20.  
*Cleome aculeata* L. Endl. Bras. 39, 58.  
 — *diffusa* DC. Endl. Bras. 39, 58.  
 — *paludosa* Willd. Endl. Bras. 39, 56.  
 — *psoraleaefolia* DC. Endl. Bras. 39, 57.  
 — *rosea* Vahl. Endl. Bras. 39, 56.  
 — *sicalifera* Eichl. Endl. Bras. 39, 56.  
 — *trachycarpa* Kl. Endl. Bras. 39, 55.  
*Clibadium rotundifolium* DC. Wawra Reise 81.  
*Clidemia salicifolia* Naud. Wawra Reise 39.  
*Cnemidostachys patula* Mart. Wawra Reise 44.  
*Coronilla vaginalis* Mill. Froelich Alpenpf. 8, 4.  
*Corydalis bracteata* Pers. Regel Gartenfl. 1865, 476.  
 — *longiflora* Pers. Regel Gartenfl. 1865, 476.  
† *Coutoubea ramosa* Aubl. Endl. Bras. 39, 57.  
*Crataeva Tapia* L. Endl. Bras. 39, 59.  
*Crepis blattarioides* Vill. Froelich Alpenpf. 9, 5.  
*Crotalaria Saharæ* Coss. Bull. soc. bot. 11, 4.  
† *Cruciferae* Juss. Endl. Bras. 39, 69.  
*Cryptanthus undulatus* Kl. Wawra Reise 87.  
*Cuphea ingrata* Cham. Wawra Reise 40.  
*Cupressus Lawsoniana* Murr. Pinetum brit. 15.  
*Dactylaena microphylla* Eichl. Endl. Bras. 39, 54.  
† — *Pohlana* Eichl. Endl. Bras. 39, 54.  
*Dalechampia ilheotica* Wwr. Wawra Reise 6.  
*Dendrobium dixanthum* Rchb. fil. Bot. Mag. 92, 5564.  
*Dianella tasmanica* Hook. fil. Bot. Mag. 91, 5851.  
*Dianthus silvestris* Wulf. Froelich Alpenpf. 6, 1.  
*Dichorisandra pubescens* Mart. Wawra Reise 30.  
*Dicksonia rubiginosa* Kauf. Wawra Reise 97.  
*Dioscorea filiformis* Griseb. Wawra Reise 88.  
*Diplotaxis Duveyrierana* Coss. Bull. soc. bot. 11, 3.  
*Dipsacus Orsini* Sang. Atti Linc. 1852, 1.  
*Dipteracanthus affinis* N. v. E. Wawra Reise 12.  
*Dolicholobium longissimum* Seem. Seemann Fl. vit. 25.  
*Draba tomentosa* Wahlb. Froelich Alpenpf. 6, 2.  
*Elionurus Grisebachii* Schm. Wawra Reise 93.  
*Epidendrum myrianthum* Ldl. Bot. Mag. 92, 5556.  
*Erucastrum Pollichii* Schimp. Seemann Journal 3, 31.  
*Erythrochaete palmatifida* S. et Z. Regel Gartenfl. 1865, 492.  
*Euchresta japonica* Hook. fil. Regel Gartenfl. 1865, 487.  
*Eugenia diantha* Berg. Wawra Reise 36.  
*Eulophia englossa* Rchb. fil. Bot. Mag. 92, 5561.  
† *Eurystyles Cotyledon* Wwr. Wawra Reise 23.  
*Evax carpetana* Lge. Lange Pl. Hisp. 22.  
*Ferdinanda superba* Welw. Seemann Journal 3, 337—338.  
*Filago Duriaei* Coss. Lange Pl. Hisp. 23.  
 — *micropodioides* Lge. Lange Pl. Hisp. 22.  
 — *ramosissima* Lge. Lange Pl. Hisp. 23.  
† *Fumariaceae* DC. Endl. Bras. 39, 68.  
*Gardenia Maraba* Sieb. Regel Gartenfl. 1866, 493.  
 — *vitiensis* Seem. Seemann Fl. vit. 26.  
*Gladiolus Papilio* Hook. fil. Bot. Mag. 92, 5565.  
*Globularia tonella* Lge. Lange Pl. Hisp. 17.  
*Gomphia bracteosa* Wwr. Wawra Reise 5.  
*Gossypium molle* Mauri. Atti Linc. 1865, 2.  
*Gymnadenia intermedia* Pet. Verh. zool. bot. Verein 1865, 3.  
† — *Schweinfurthi* Hegeln. Verh. zool. bot. Verein 1865, 5, 6.

- † *Gynandropsis pentaphylla* DC. Endl. Bras. 39, 58.  
*Habrauthus fulgens* Hook. fil. Bot. Mag. 92, 5563.  
† *Harpagophytum Burchelli* Decne. Ann. sc. nat. V. 3, 11.
- † — *leptocarpum* Decne. Ann. sc. nat. V. 3, 11.  
† — *procumbens* DC. Ann. sc. nat. V. 3, 11.  
† — *Zeyheri* Decne. Ann. sc. nat. V. 3, 11.
- Hedera canariensis* Willd. Seemann Journal 3, 32.  
*Heliconia pendula* Wwr. Wawra Reise 21.  
*Heteranthis decipiens* N. v. E. Wawra Reise 64.  
*Hieracium bernense* Christ. Christener Hieracien 1.  
— *Langei* Fr. Lange Pl. Hisp. 18.  
— *Trachselianum* Christ. Christener Hieracien 1. 2.
- Hockinia montana* Gardn. Endl. Bras. 39, 63.  
*Hyoseyamus Falezlez* Coss. Bull. soc. bot. 11, 5.  
*Iligera pulchra* Bl. Miquel Annales 2, 4.  
*Inula salicina* L. Seemann Journal 4, 43.  
*Iresine Verschaffeltii* Lem. Fl. d. serres 15, 1601.  
† *Iribachia recurva* Prog. Endl. Bras. 39, 61.  
*Jasminium bahiense* DC. Wawra Reise 70.  
*Jussiaea linifolia* Vahl. Wawra Reise 41.  
*Lactoris Fernandeziana* Phil. Verh. zool. bot. Verein 1865, 13.
- Laelia grandis* Ldl. Bot. Mag. 92, 5553.  
*Lamprococcus chlorocarpus* Wwr. Wawra Reise 28.  
*Lasiandra adenostemon* DC. Wawra Reise 37.  
— *Imperatoris* Wwr. Wawra Reise 3.  
*Lavandula rotundifolia* Benth. Wawra Reise 69.  
*Linaria Brunneri* Benth. Wawra Reise 65.  
— *lilacina* Lge. Lange Pl. Hisp. 13.  
*Lindenia vitiensis* Seem. Seemann Fl. vit. 24.  
*Lisianthus arboreus* Spruce. Endl. Bras. 39, 64.  
— *campanuloides* Spruce. Endl. Bras. 39, 63.  
— *obtusifolius* Gris. Endl. Bras. 39, 65.  
— *uliginosa* Gris. Endl. Bras. 39, 64.
- Loasa parviflora* Schrad. Wawra Reise 53.  
*Lolium romanum* Sang. Atti Linc. 1865, 4.  
*Loranthus furcatus* Mart. Wawra Reise 58.  
— *polyrhizus* Mart. Wawra Reise 59.  
— *vitiensis* Seem. Seemann Fl. vit. 23.
- Luisia Psyche* Rehb. fil. Bot. Mag. 92, 5558.  
*Lycopodium Martii* Wwr. Wawra Reise 32.  
*Lysimachia adoensis* H. et St. Klatt Monogr. 21.  
— *alpestris* Champ. Klatt Monogr. 20.  
— *alternifolia* Wall. Klatt Monogr. 21.  
— *anagalloides* Sm. Klatt Monogr. 22.  
— *atropurpurea* L. Klatt Monogr. 2.  
— *barastachys* Bge. Klatt Monogr. 1.  
— *candida* Ldl. Klatt Monogr. 1.  
— *ciliata* L. Klatt Monogr. 13.  
— *clethroides* DC. Klatt Monogr. 3.  
— *cuspidata* Bl. Klatt Monogr. 20.  
— *davurica* Led. Klatt Monogr. 7.  
— *debilis* Well. Klatt Monogr. 19.  
— *deltoides* Wight. Klatt Monogr. 19.  
— *dubia* L. Klatt Monogr. 2.  
— *Ephemeron* L. Klatt Monogr. 2.  
— *evalvis* Wall. Klatt Monogr. 22.  
— *ferruginea* Edgew. Klatt Monogr. 20.  
— *Fraseri* DC. Klatt Monogr. 8.  
— *glandulosa* Edgew. Klatt Monogr. 17.  
— *glaucophylla* Hook. Klatt Monogr. 18.  
— *Herbemonti* Ell. Klatt Monogr. 12.  
— *japonica* Thunb. Klatt Monogr. 19.  
— *javanica* Bl. Klatt Monogr. 5.  
— *lanceolata* Walt. Klatt Monogr. 13.  
— *Leschenaultii* Duby. Klatt Monogr. 7.  
— *Linum stellatum* L. Klatt Monogr. 21.  
— *lobelioides* Wall. Klatt Monogr. 2.  
— *longifolia* L. Klatt Monogr. 14.  
— *multiflora* Wall. Klatt Monogr. 4.  
— *nemorum* L. Klatt Monogr. 23.
- Lysimachia nummularia* L. Klatt Monogr. 15.  
— *nutans* N. v. E. Klatt Monogr. 24.  
— *pentapetala* Bge. Klatt Monogr. 6.  
— *prolifera* Klatt. Klatt Monogr. 16.  
— *punctata* L. Klatt Monogr. 11.  
— *pyramidalis* Wallr. Klatt Monogr. 16.  
— *quadrifolia* L. Klatt Monogr. 14.  
— *Quartiniana* A. Rich. Klatt Monogr. 15.  
— *ramosa* Wall. Klatt Monogr. 17.  
— *repens* d'Urv. Klatt Monogr. 15.  
— *spathulata* K. Klatt Monogr. 18.  
— *stricta* Ait. Klatt Monogr. 7.  
— *thyrsiflora* L. Klatt Monogr. 24.  
— *uliginosa* Bl. Klatt Monogr. 23.  
— *umbellata* Ph. Klatt Monogr. 10.  
— *vulgaris* L. Klatt Monogr. 9.
- Malachra Gaudichaudiana* St. Hil. Wawra Reise 55.  
*Mandonia boliviensis* Wedd. Bull. soc. bot. 11, 1.  
*Manettia albiflora* Schott. Wawra Reise 71.  
† *Marara aculeata* Karst. Karsten Fl. Col. 2, 175.  
— *erinacea* Karst. Karsten Fl. Col. 2, 175.  
*Mentha cardiaca* Gerarde. Seemann Journal 3, 34.  
*Miconia Bergii* Wwr. Wawra Reise 4.  
*Microcala quadrangularis* Gris. Endl. Bras. 39, 58.  
*Mikonia obovata* DC. Wawra Reise 78.  
*Mimosa podocarpa* Benth. Wawra Reise 34.  
*Muenteria stenocarpa* Seem. Seemann Journal 3, 36.  
— *tomentosa* Seem. Seemann Journal 3, 35.  
*Myrcia Maximiliani* Wwr. Wawra Reise 1.  
*Myristica Bieuhya* Schott. Wawra Reise 57.  
! *Narcissus* L. Seemann Journal 3, 28.  
*Nasturtium bonariense* DC. Endl. Bras. 39, 66.  
— *pumilum* Camb. Endl. Bras. 39, 66.  
*Nauclaea guianensis* Gmel. Karsten Fl. Col. 2, 180.  
— *tomentosa* Willd. Karsten Fl. Col. 2, 180.  
*Nemochloa elegans* N. v. E. Wawra Reise 92.  
*Neottia intacta* Rehb. fil. Seemann Journal 3, 28.  
*Nephrodium eriocarpum* Decne. Wawra Reise 100.  
*Nephrolepis rufescens* Presl. Wawra Reise 101.  
*Nigritella brachystachya* Kern. Verh. zool. bot. Ver. 1865, 5. 6.  
— *Heufferi* Kern. Verh. zool. bot. Ver. 1865, 5. 6.  
— *megastachya* Kern. Verh. zool. bot. Ver. 1865, 5. 6.  
— *micrantha* Kern. Verh. zool. bot. Ver. 1865, 5. 6.  
— *suaveolens* Koch. Verh. zool. bot. Ver. 1865, 5. 6.
- Octopleura loeselioides* Spruce. Endl. Bras. 39, 58.  
*Odontospermum Vogelii* Webb. Wawra Reise 80.  
*Olyra corcovadensis* Wwr. Wawra Reise 95.  
*Oncidium Maximiliani* Rehb. fil. Wawra Reise 24.  
*Ooclinium villosum* DC. Wawra Reise 77.  
*Ophryoscleria microcarpa* N. v. E. Wawra Reise 91.  
*Orchis ambigua* Kern. Verh. zool. bot. Ver. 1865, 2.  
— *Beyrichii* Kern. Verh. zool. bot. Ver. 1865, 2. 3.  
— *Dietrichiana* Bog. Verh. zool. bot. Ver. 1865, 4.  
*Ornithogalum divergens* Sang. Atti Linc. 1865, 5.  
*Paepalanthus tortilis* Mart. Wawra Reise 89.  
*Palicourea densiflora* Wwr. Wawra Reise 16.  
— *metallica* Wwr. Wawra Reise 15.  
*Pandanus helicopus* Kurz. Miquel Annales 2, 2.  
*Panicum ambiguum* Sang. Atti Linc. 1865, 6.  
— *gladiatum* Wwr. Wawra Reise 31.  
*Pappophorum Vincentianum* Schmidt. Wawra Reise 94.  
*Passiflora Jileki* Wwr. Wawra Reise 8.  
*Patabea capitellata* Wwr. Wawra Reise 18.  
*Peperomia brachyphylla* A. Dietr. Wawra Reise 82.  
— *flexicaulis* Wwr. Wawra Reise 19.  
— *pernambucensis* Mig. Wawra Reise 20.  
— *rupestris* Kth. Wawra Reise 83.  
*Peristrophe lanceolaria* N. v. E. Bot. Mag. 92, 5566.  
*Phegopteris polystichops* Wwr. Wawra Reise 102.

- Phoenicosperma javanicum* *Miq.* Miquel Annales 2, 3.  
*Phyllanthus Thoningii* *Schum.* Wawra Reise 46.  
*Picea bracteata* *Loud.* Pinetum brit. 17.  
*Pinus Cembra* *L.* Pinetum brit. 18.  
 — *mandschurica* *Reg.* Pinetum brit. 18.  
 — *Taeda* *L.* Pinetum brit. 18.  
*Pitcairnea corcovadensis* *Wwr.* Wawra Reise 27.  
*Platanthera Erdingeri* *Kern.* Verh. zool. Ver. 1865, 4.  
*Pleurothallis anthoxantha* *Rchb. fil.* Wawra Reise 104.  
 — *sagittata* *Rchb. fil.* Wawra Reise 104.  
 — *truncicola* *Rchb. fil.* Wawra Reise 104.  
*Polygala ilheotica* *Wwr.* Wawra Reise 54.  
*Polypodium microlepis* *Fée.* Wawra Reise 103.  
*Pyrenoglyphis major* *Karst.* Karsten Fl. Col. 2, 174.  
*Pyrethrum carneum* *M. v. B.* varietates, Regel Gartenfl. 1866, 494.  
*Restrepia Miersii* *Rchb. fil.* Wawra Reise 104.  
*Rhopalocarpus fruticosus* *Teysm.* Miquel Annales 2, 2.  
*Rhynchospora silvatica* *N. v. E.* Wawra Reise 90.  
*Richardsonia sparsa* *DC.* Wawra Reise 75.  
*Rogiera elegantissima* *Planch.* Regel Gartenfl. 1865, 490.  
*Rudgea macrophylla* *Benth.* Wawra Reise 73.  
*Salvia tyberina* *Sang.* Atti Linc. 1852, 13.  
*Saratrostachys multiramea* *Kl.* Wawra Reise 45.  
*Sauromatum pedatum* *Schott.* Regel Gartenfl. 1865, 495.  
*Schizaea elegans* *Sw.* Wawra Reise 96.  
*Sciadopanax Boivini* *Seem.* Seemann Journal 3, 27.  
*Scilla cernua* *Red.* Regel Gartenfl. 1865, 488.  
*Serapias Tommassinii* *Kern.* Verh. zool. bot. Verein 1865, 7.  
*Sericographis hirsuta* *N. v. E.* Wawra Reise 63.  
*Solanum jubatum* *Dun.* Wawra Reise 66.  
*Spathodea campanulata* *Pal. B.* Seemann Journ. 3, 40.  
*Sphaerodendron angolense* *Seem.* Seemann Journal 3, 26.  
*Spiraea amurensis* *Maxim.* Regel Gartenfl. 1865, 489.  
*Staphydium blepharodes* *Wwr.* Wawra Reise 38.  
*Stelis petropolitana* *Rchb. fil.* Wawra Reise 104.  
*Suteria nuda* *Mart.* Wawra Reise 17.  
*Tapeinotes Carolinae* *Wwr.* Wawra Reise 9.  
*Tetracera Breyniana* *Schlecht.* Wawra Reise 56.  
*Tocoyena brasiliensis* *Mart.* Wawra Reise 72.  
*Toricellia tiliaefolia* *DC.* Seemann Journal 3, 41.  
*Tournefortia villosa* *Salzm.* Wawra Reise 68.  
*Trembleya Pradosiana* *Netto.* Ann. sc. nat. V. 3, 12.  
*Uvaria flava* *Teysm.* Miquel Annales 2, 1.  
*Vriesea bituminosa* *Wwr.* Wawra Reise 86.  
 — *carinata* *Wwr.* Wawra Reise 26.  
 — *geniculata* *Wwr.* Wawra Reise 25.  
*Wilbrandia drastica* *Mart.* Wawra Reise 51.  
 † *Wolffia arrhiza* *Wimm.* Seemann Journal 2, 29.

132  
—  
1







New York Botanical Garden Library



3 5185 00241 7184

0 0100 00000 0001

